

<i>termvar</i> , x	term variable		
<i>typvar</i> , X	type variable		
t	$::=$		term
	x		variable
	$\lambda x.t$	bind x in t	abstraction
	$t\ t'$		application
	(t)	M	
	$\{t/x\}t'$	M	
v	$::=$		value
	$\lambda x.t$		abstraction
<i>terminals</i>	$::=$		
	λ		
	$\longrightarrow$		
	$\rightarrow$		
	$\vdash$		
	$\in$		
<i>formula</i>	$::=$		
	<i>judgement</i>		
	not (<i>formula</i>)		
	$x = x'$		
	$x : \mathbf{T} \in \mathbf{G}$		
<i>Jop</i>	$::=$		
	$t_1 \longrightarrow t_2$	t_1 reduces to t_2	
<i>judgement</i>	$::=$		
	<i>Jop</i>		
<i>user_syntax</i>	$::=$		
	<i>termvar</i>		
	<i>typvar</i>		
	t		
	v		
	<i>terminals</i>		
	<i>formula</i>		

$\boxed{t_1 \longrightarrow t_2}$ t_1 reduces to t_2

$$\begin{array}{c}
\overline{(\lambda x.t_{12})\ v_2 \longrightarrow \{v_2/x\}t_{12}} \quad \text{AX_APP} \\
\\
\frac{t_1 \longrightarrow t'_1}{t_1\ t \longrightarrow t'_1\ t} \quad \text{CTX_APP_FUN} \\
\\
\frac{t_1 \longrightarrow t'_1}{v\ t_1 \longrightarrow v\ t'_1} \quad \text{CTX_APP_ARG}
\end{array}$$

Definition rules: 3 good 0 bad
Definition rule clauses: 5 good 0 bad