

terminals	::=		
		$\longrightarrow$	
		$\rightarrow$	
		$\Rightarrow$	
		λ	
		$\mapsto$	
		$\vdash$	
		$\emptyset$	
		$\times$	
		$<:$	
		$\langle$	
		$\rangle$	
formula	::=		
		judgement	
t	::=		<i>terms:</i>
		(t)	M
		true	constant true
		false	constant false
		if t_1 then t_2 else t_3	conditional
v	::=		<i>values:</i>
		true	true value
		false	false value
Jop	::=		
		$t \longrightarrow t'$	Evaluation
judgement	::=		
		Jop	
user_syntax	::=		
		terminals	
		formula	
		t	
		v	

$t \longrightarrow t'$ *Evaluation*

$$\begin{array}{c}
 \frac{}{\text{if true then } t_2 \text{ else } t_3 \longrightarrow t_2} \quad \text{E_IFTTRUE} \\
 \frac{}{\text{if false then } t_2 \text{ else } t_3 \longrightarrow t_3} \quad \text{E_IFFFALSE} \\
 \frac{t_1 \longrightarrow t'_1}{\text{if } t_1 \text{ then } t_2 \text{ else } t_3 \longrightarrow \text{if } t'_1 \text{ then } t_2 \text{ else } t_3} \quad \text{E_IF}
 \end{array}$$

Definition rules: 3 good 0 bad
Definition rule clauses: 4 good 0 bad