Symbolic music features: Melody and Harmony

Anja Volk

Sound and Music Technology,
3 Dec 2019

Announcement

- Project Proposal discussion next Tuesday, December 10th
  - Location: BBG 4.47 – Hence NOT Bolognalaan!!
- I will make a schedule on the Google drive, document "Schedule for discussion of project proposals" and send around an email

Project Option C: Automatic Generation

- Dataset of 200 songs from previous rounds of the Eurovision Song Contest
- Use it for analysis and/or generation
- Skype meeting with VPRO planned on December 12, 15:00

Recap MIR

- What are the two basic types of digital formats for music?
  - Audio: digitized wave form
  - Symbolic: event-based representation

Recap rhythm

- What is rhythmic information?
  - Musical events as structured in time
  - E.g. duration of sound events, starting points of sound events
- What is metric information?
  - Re-occuring patterns of accents
  - E.g. beat, bars
- How do we extract metric information from symbolically encoded music? What are the steps involved?
- In what application areas(s) do we need rhythmic/metric information?
  - (Dance music) classification
  - Games: metric information important for horizonal re-sequencing

Symbolic music feature extraction: Melody and harmony



Symbolic music feature extraction: Melody and harmony



Outline

- Pitch perception
- Computational modelling of melody
  - Themefinder
  - EMD
  - Sequence alignment
- Polyphony
- Chords and tonality
- Computational modelling of harmony
  - Grammar of harmony
  - Krumhansl profiles

Perceived musical features (lecture 1)

- Sound events
  - pitched, unpitched
- Basic parameters of a pitched sound event
  - pitch: how high or low the sound is: perceptual analog of frequency
  - duration: how long the note lasts
  - loudness: perceptual analog of amplitude
  - timbre or tone quality

Pitch: continuous or discrete?

George Gershwin, Rhapsody in blue

Pitch: continuous or discrete?

- pitch space is continuous
- division in discrete steps is a property of our cognition
- usually, the absolute pitch (like 440 Hz) is not what matters most
- distances between pitches (intervals) seem to be the most important cognitive categories

Western pitch

- octave divided in 12 equal intervals
  - semitones, ratio = $1:\sqrt[12]{2}$
- Western pitch system consists of over 7 octaves divided into semitones
  - grand piano has 88 keys
  - MIDI represents pitch by number between 0 and 127

Western pitch

- octave divided in 12 equal intervals
  - semitones, ratio = $1:\sqrt[12]{2}$

https://www.youtube.com/watch?v=6uqo8x-iERE

http://virtualpiano.net/

Western pitch

- octave divided in 12 equal intervals
  - semitones, ratio = $1:\sqrt[12]{2}$



http://virtualpiano.net/

Tonality

- pitch is generally not equally distributed within a piece of music
- if it is, you get 'atonal' music
  - e.g. Webern's piano variations

- when we use only a subset, music generally sounds much more structured

Tonality

- subsets are often visualised as musical scales
  - perceptually, they help us identify 'tonality'
  - music hovers around certain pitch, the 'final' or 'tonic'
- most common scales: major and minor
  - 7 different pitches within octave
  - most audible difference: third note of scale
  - change can be quite dramatic

http://virtualpiano.net/

major

minor

ex. Gustav Mahler, 1st symphony, 3rd mvt

C major scale in notation

http://virtualpiano.net/

Intervals

- music notation optimised for 7 different pitches
  - use of sharps and flats for black keys

- interval names based on 7 notes within octave
  - qualified by labels such as ‘major’, ‘minor’, ‘diminished’



http://virtualpiano.net/

Melody

- melody, defined as pitched sounds arranged in musical time in accordance with given cultural conventions and constraints, represents a universal human phenomenon traceable to prehistoric times (Oxford Music Online)

- This lecture
  - how do we model melody as a succession of pitched sounds?
  - retrieval by melody

Outline

- Pitch perception
- Computational modelling of melody
  - Themefinder
  - EMD
  - Sequence alignment
- Polyphony
- Chords and tonality
- Computational modelling of harmony
  - Grammar of harmony
  - Krumhansl profiles

How to represent characteristics of melody?

- Exact pitch sequence
- Series of intervals
- Scale degrees

How to model characteristics of melody?

- Exact pitch sequence
- Series of intervals
- Scale degrees
- Contour
- …

http://virtualpiano.net/

themefinder.org

- CCARH service, 1999
- ca. 40.000 themes, initially from Barlow & Morgenstern (1948)
- melody search based on Humdrum toolkit
- regular-expression based string matching

Representing a melody

Pitch		A-G, *sharp*=♯, *flat*=– *e.g.* C E– G F♯
Interval		*maj*=M, *min*=m, *aug*=A, *dim*=d *per*=P, *fifth*=5, *up*=+, *down*=–. *e.g.* +m9 –P8 +M3 P1
Scale Degree		*do*=1, *re*=2, *mi*=3, *fa*=4, *so*=5, *la*=6, *ti*=7 (mode insensitive). *e.g.* 34554321
Gross Contour		*up*=/, *down*=\, *unison*=–. *e.g.* //\–/ or uudsu
Refined Contour		*up step*=u, *up leap*=U, *down step*=d, *down leap*=D, *same*=s. *e.g.* uUDsdu

- different string representations (1D, just pitch)
  - pitch: C D E C C D E C
  - interval: +M2 +M2 –M3 P1 +M2 +M2 –M3
  - scale degree: 12311231
  - gross contour: //\-//\
  - refined contour: su, sd

Search results (1)

pitch



Search results (1)

pitch



interval

- pitch not really helpful
- interval representation is invariant against transposition (desirable property)

Search results (2)

- gross contour //\-//\ rank 25/61
- refined contour: rank 8/17
- ranking erratic

- observations
  - yes/no answer, rank depends on database order
  - number of hits varies a lot
  - other matches musically very different
  - how to deal with melodic variation?

- might adding duration information help?
  - need different representation

Melodic similarity: Earth Mover's Distance

- The Earth Mover's Distance (EMD) calculates the minimum flow that would match two set of weighted points. One set emits weight, the other one receives weight
- constraints:
  - no negative flow
  - no point emits or receives more than its weight
  - the lighter pointset is completely matched



Melodic similarity: Earth Mover's Distance

Point sets:

$P=\{(p_1,w_{p1}) \ldots, (p_m,w_{pm})\}$

$Q=\{(q_1,w_{p1}) \ldots, (q_n,w_{pn})\}$

Ground distance matrix:

$D=[d_{ij}]$

Flow: $F=[f_{ij}]$

$$\text{WORK}(P, Q, \mathbf{F}) = \sum_{i=1}^{m}\sum_{j=1}^{n} d_{ij} f_{ij},$$



Melodic similarity: Earth Mover's Distance

$$\mathrm{WORK}(P, Q, \mathbf{F}) = \sum_{i=1}^{m}\sum_{j=1}^{n} d_{ij} f_{ij},$$

$$f_{ij} \geq 0 \qquad 1 \leq i \leq m,\ 1 \leq j \leq n \qquad (1)$$

$$\sum_{j=1}^{n} f_{ij} \leq w_{\mathbf{p}_i} \qquad 1 \leq i \leq m \qquad (2)$$

$$\sum_{i=1}^{m} f_{ij} \leq w_{\mathbf{q}_j} \qquad 1 \leq j \leq n \qquad (3)$$

$$\sum_{i=1}^{m}\sum_{j=1}^{n} f_{ij} = \min\left(\sum_{i=1}^{m} w_{\mathbf{p}_i}, \sum_{j=1}^{n} w_{\mathbf{q}_j}\right), \qquad (4)$$

$$\mathrm{EMD}(P, Q) = \frac{\sum_{i=1}^{m}\sum_{j=1}^{n} d_{ij} f_{ij}}{\sum_{i=1}^{m}\sum_{j=1}^{n} f_{ij}}$$



2) and 3): no point emits or receives more than its weight

4) the lighter point set is completely matched

Application to music

- represent notes as weighted point sets in 2-dimensional space (pitch, time)
- weight represents duration



after alignment, the ‘earth’ is moved both along the temporal axis and along the pitch axis

Application to music

Minimize!

- represent notes as weighted point sets in 2-dimensional space (pitch, time)
- weight represents duration



after alignment, the ‘earth’ is moved both along the temporal axis and along the pitch axis

Application to music

- represent notes as weighted point sets in 2-dimensional space (pitch, time)
- weight represents duration
- interesting properties
  - tolerant against melodic confounds
  - suitable for polyphony
  - partial matching



after alignment, the 'earth' is moved both along the temporal axis and along the pitch axis

Results

- tested on RISM A/II incipits
  - around 400.000 items
- example
  - item 1 = query
  - 12 / 16 in top 17 matches
- further experiments
  - reasonably tolerant against variation
  - insertions and deletions are problematic
  - Treating music two-dimensional can be problematic (time different than pitch)

Outline

- Pitch perception
- Computational modelling of melody
  - Themefinder
  - EMD
  - Sequence Alignment
- Polyphony
- Chords and tonality
- Harmony modelling
  - Grammar of harmony
  - Krumhansl profiles

Sequence alignment

Meertens Institute (Amsterdam):
Onder de groene linde: c. 7000 recordings.
Recorded 1950s – 1980s

Sequence alignment

- Oral transmission



Sequence alignment

- Oral transmission


Dutch Song Database
Dutch Song Database
Home
Content
Browsing
Search Tips
FAQs
Progress
Disclaimer
Heartens Instituut
Dutch Song Database


Dutch Song Database
Dutch Song Database
Dutch Song Database

Alignment

Alignment

- Note-to-Note-Alignment
- General idea
  - Align two sequences of notes (songs)
  - Find the optimal alignment, allowing gaps.
  - Each gap/mismatch adds to a penalty score
- Example with text: align the words BEAR and BARS
  - B E A R
  - B - A R S

Distance: 2 (one gap, one addition)

Alignment Algorithm

There is an algorithm that given

- two sequences of symbols
- an association scoring function
- a gap scoring function



finds the optimal alignment efficiently.

Smith, T. F. & Waterman, M. S. (1981). “Identification of Common Molecular Subsequences”. *Journal of Molecular Biology*, 147(1), 195–197.

Alignment

Pitch band
Metric weight (IMA)
Phrase position

Outline

- Pitch perception
- Computational modelling of melody
  - Themefinder
  - EMD
  - Alignment
- Polyphony
- Chords and tonality
- Harmony modelling
  - Grammar of harmony
  - Krumhansl profiles

Outline

- Pitch perception
- Computational modelling of melody
  - Themefinder
  - EMD
  - Alignment
- Polyphony
- Chords and tonality
- Harmony modelling
  - Grammar of harmony
  - Krumhansl profiles

Polyphony

- A term used to designate various important categories in music: namely, music in more than one part, music in many parts, and the style in which all or several of the musical parts move to some extent independently. (Oxford Music Online)

- polyphony exploits consonance and dissonance of intervals sounding together
  - consonance: sensation of relaxation
  - dissonance: sensation of tension or roughness
- dull Youtube video: http://www.youtube.com/watch?v=uKXxa9P1Bug

Counterpoint

- rules about how to move from one interval combination to another
  - dissonance creates expectation, resolved by consonance (or not)
  - maximise independence and/or interestingness of each voice
  - share common melodic material
  - e.g. J.S. Bach's fugues
- highly formalised part of music theory
  - attempts at automatisation go back to at least to 17th century
- example of modern counterpoint
  - Dmitri Shostakovich (1906-1975)
  - String Quartet 8, 1st mvt
  - autobiographical Leitmotiv
  - note tension and relaxation

Counterpoint

- Challenge: given a MIDI file containing a polyphonic piece with different voices, how do we automatically determine these voices?
- Automatic composition of counterpoint is typical task in music generation research

Harmony

- another way of looking at polyphony is as a combination of melody and accompaniment
  - e.g. beginning of *Rhapsody in blue*

- accompaniment consists of sequence of chords
- a chord is a number of simultaneous pitch events
  - certain level of perceptual fusion
- both chord structure and chord progressions are rather stereotypical and can be formalised (to a certain extent)

Chords

- theoretically, chords are stacks of thirds
  - triads: 2 thirds, like C-E-G
  - seventh chords: 3 thirds, like C-E-G-B
  - single chord can be ‘spaced’ in many different ways

- some chords are consonant (Major and Minor triad)
- all the others are dissonant

Chord progressions

- from a harmonic perspective, stereotyped chord progressions define key
  - short for 'the tonality of a piece of music'
- most important chords are those on the 1st, 4th and 5th notes of the scale
  - often indicated with Roman numerals (I-IV-V-I)
  - or Functional Harmony labels: Tonic, Subdominant, Dominant

- playing with harmonic expectancy is an important aspect of classical compositions
  - ex. J.S. Bach, BWV 90, 6th mvt (Spotify)
- Interestingly, harmony can be described by formal grammars, just like (natural and programming) languages

For reference: Harmonic functions simplified

- In one key, there exist three harmonic functions:
  - Tonic: the tonal centre
  - Subdominant: moves away from tonic
  - Dominant: moves to tonic
  - All chords in one key belong to 1 or 2 of these classes



- Effective progressions in classical music are (in decreasing order) T-S-D-T, T-D-T, and T-S-T
  - tension/relaxation
  - strongest harmonic cliché: I - IV - V -I

Chord labels

- chord labels are an important shorthand
  - widely distributed over the Internet
- formalisation of chord label syntax by Christopher Harte (PhD thesis Queen Mary U of London, 2010)
  - e.g. major triad ➔ C:(1,3,5)



closely related to guitar tabs

lead sheets



Formal grammar of harmony

$$
\begin{aligned}
4\ \ & Ton_{\text{Maj}} \rightarrow I_{\text{Maj}} \mid I_{\text{Maj}}\ IV_{\text{Maj}}\ I_{\text{Maj}} \\
5\ \ & Ton_{\text{Min}} \rightarrow I^{m}_{\text{Min}} \mid I^{m}_{\text{Min}}\ IV^{m}_{\text{Min}}\ I^{m}_{\text{Min}} \\
6\ \ & Dom_{\mathbf{m}} \rightarrow V^{7}_{\mathbf{m}} \mid V_{\mathbf{m}} \qquad \mathbf{c} \in \{\varnothing, m, 7, 0\} \\
7\ \ & Sub_{\text{Maj}} \rightarrow IV^{m}_{\text{Maj}} \mid II^{m}_{\text{Maj}} \mid \ldots \\
8\ \ & Sub_{\text{Min}} \rightarrow IV_{\text{Min}} \mid II^{m}_{\text{Min}} \mid \ldots
\end{aligned}
$$



Figure 2. An analysis of the jazz standard *Blue Bossa* in C minor. Every chord belongs to a Tonic, Dominant, or Subdominant category (*Ton*, *Dom*, or *Sub*) and the V/X^7 denote chains of secondary dominants.

- PhD thesis Bas de Haas (2012)
  - uses error-correcting context free grammar
- applications
  - cover song detection
  - musicological research
  - improving chord transcription

Application in games and music generation

- Leitmotif and variation
  - Respect tonality in variation
  - Change of tonality: can create specific effect
- Create tonal sequences that are not disruptive
- Automatic composition of counterpoint (see next lectures in section C)
- Automatic accompaniment

Summary

- pitch, interval
- tonality, scale, major and minor keys
- melody representations: string, weighted point set (sequence)
- melody retrieval: string matching, EMD, expectation, patterns

- polyphony, harmony, counterpoint
- chords, chord labels, chord progressions
- harmonic grammar

Literature

- Carol L. Krumhansl, *Cognitive Foundations of Musical Pitch* (1990)
- Craig Sapp: Visual hierarchical key analysis, Computers in Entertainment 3(4):1-19, (2005)
- Van Kranenburg, P., Volk, A., Wiering, F., Veltkamp, R.C. (2009). Musical Models for Folk-Song Melody Alignment, *Proceedings of the International Society on Music Information Retrieval Conference*, Kobe, Japan, 507-512.
- De Haas, W.B., Wiering, F. & Veltkamp, R.C. (2013). A geometrical distance measure for determining the similarity of musical harmony. International Journal of Multimedia Information Retrieval, 2 (3), (pp. 189-202)