

The Architecture of Human Memory: A Comprehensive Analysis for the AI Practitioner

Introduction: A Computational Metaphor for Human Memory

The study of human memory, particularly since the cognitive revolution of the 1950s and 1960s, has been profoundly shaped by the metaphor of the computer.¹ This framework provides an intuitive entry point for understanding the mind's ability to learn and remember, especially for those familiar with artificial intelligence. At its core, memory can be conceptualized through three fundamental operations, analogous to digital processes:

encoding, the initial learning and conversion of information; **storage**, the maintenance of that information over time; and **retrieval**, the ability to access it when needed.² In this view, information from the environment serves as input, which is then processed, stored, and later accessed for output, much like writing, saving, and opening a file on a computer.³

However, this analogy, while useful, quickly reaches its limits. A crucial distinction lies in the fidelity and nature of the stored information. Digital memory is static and veridical; a file, barring corruption, is retrieved in the exact state it was saved. Human memory, in stark contrast, is a dynamic, reconstructive, and inherently fallible system.⁶ This fallibility is not merely a system bug but a fundamental feature that enables remarkable cognitive flexibility, generalization, and even social functions like forgiveness.⁷ Unlike a computer file, a human memory is often altered by the very act of retrieving it; recollection is a creative process that can strengthen, weaken, or distort the original trace.⁵

This report provides a comprehensive walkthrough of the established models of human memory, structured to be accessible to an AI practitioner. It begins by examining the classical "pipeline" architecture that first defined the field. It then deconstructs this simple model into its more complex and functionally specialized

subsystems. The report will explore the vast and intricate structure of the long-term knowledge archive and analyze the dynamic processes that govern how memories are formed, stabilized, and accessed. Finally, it will delve into the system's inherent fallibility, drawing direct and insightful parallels to contemporary challenges and concepts in artificial intelligence.

Section 1: The Foundational Architecture - The Multi-Store Model

The first major attempt to create a formal, structural model of memory was a direct product of the information-processing paradigm that defined the mid-20th-century cognitive revolution. Before this period, behaviorism had largely dismissed the study of internal mental states as unscientific because they were not directly observable.¹ The advent of computer science provided a new language and a powerful metaphor to model these hidden processes. The Atkinson-Shiffrin Multi-Store Model (MSM), proposed in 1968, stands as the "von Neumann architecture" of memory models—a foundational blueprint that, while now seen as overly simplistic, established the core components and principles that guided decades of subsequent research.³

1.1 The Atkinson-Shiffrin Blueprint: A Linear Information Pipeline

The MSM posits that memory is not a single entity but is composed of distinct components, or "stores." The model's elegance lies in its clear division between the physical **structures** of memory (the stores) and the **control processes** that operate on them and transfer information between them.¹ This flow of information is conceptualized as being strictly linear and sequential. Information first enters a high-capacity sensory buffer, is then selected for processing in a limited-capacity short-term store, and finally, through rehearsal, is transferred to a vast long-term store.³ This structure-process distinction, and the sequential pipeline itself, is a direct reflection of the hardware (memory registers, RAM) and software (control logic) of early computers, which served as the model's primary inspiration.¹

1.2 The Sensory Register: High-Bandwidth, Ephemeral Buffers

The sensory register is the initial point of contact between the external world and the internal cognitive system. It is not a single store but a collection of high-bandwidth buffers, one for each of the five senses, that capture a raw, fleeting snapshot of the environment.³ The primary function of this register is to hold a vast amount of incoming sensory data for a very brief period, allowing the cognitive system to select relevant information for further processing without being overwhelmed.¹² Information held in this state is considered "precategory," meaning it is a near-verbatim copy of the sensory input that has not yet been interpreted or assigned meaning.¹³ If information in these buffers is not immediately selected by the control process of attention, it decays and is lost within seconds.³

The most extensively studied of these sense-specific buffers are:

- **Iconic Memory (Visual):** This system holds visual information. Seminal experiments by George Sperling in 1960 demonstrated its characteristics: when participants were briefly flashed a grid of letters, they could report any single row cued immediately after the flash, suggesting the entire grid was momentarily available. However, this availability, or memory trace, decays extremely rapidly, lasting only about 0.5 to 1 second.⁹
- **Echoic Memory (Auditory):** This buffer holds auditory information for a slightly longer duration, typically between 2 and 5 seconds.⁹ This extended duration is critical for processing temporal information, most notably language. To understand a spoken sentence, the brain must hold the sound of the beginning words in this buffer to provide context for the words that come at the end.¹⁴
- **Haptic Memory (Touch):** This system briefly retains information from tactile sensations, such as the feeling of pressure or texture on the skin.¹¹

1.3 Short-Term Store (STS): The Limited-Capacity Workspace

Information from the sensory register that is deemed relevant and becomes the focus of attention is transferred to the Short-Term Store (STS).³ This is the component of memory that holds our current conscious thoughts and the information we are actively working with.¹ Unlike the vast sensory register, the STS is defined by its severe limitations in both duration and capacity.

- **Duration:** Information can only be held in the STS for approximately 15 to 30 seconds unless it is actively maintained through rehearsal.³ Without this active maintenance, the information is quickly lost, either through passive decay over time or through displacement as new information enters the limited store.³
- **Capacity:** The capacity of the STS is famously small. In his landmark 1956 paper, George A. Miller proposed the "Magical Number Seven, Plus or Minus Two," suggesting that the average person can hold between 5 and 9 independent items in short-term memory.⁴ Miller also introduced the critical concept of **chunking**, a form of recoding where individual items are grouped into larger, meaningful units. For example, the letter sequence F-B-I-C-I-A-N-B-C is 12 items, exceeding the STS capacity. However, by chunking it into FBI-CIA-NBC, it becomes just three items and is easily remembered. This demonstrates how prior knowledge from long-term memory can be used to overcome the structural bottleneck of the STS. More recent research suggests the true capacity for novel information may be even smaller, closer to four chunks.¹⁷
- **Encoding:** Information in the STS is thought to be encoded primarily in an **acoustic** or **phonemic** format.¹ This means that even visually presented information, like a string of letters on a screen, is often converted into its sound-based representation for storage and rehearsal.

1.4 Long-Term Store (LTS): The Vast, Permanent Knowledge Base

The Long-Term Store (LTS) is the final destination in the MSM pipeline, serving as the permanent repository for our knowledge and experiences.⁹ Information that is sufficiently processed in the STS is transferred to the LTS. In contrast to the other stores, the LTS is believed to have a virtually unlimited capacity and a duration that can span an entire lifetime.³ While we may lose the ability to access a particular memory (a retrieval failure), the model posits that the memory trace itself remains intact. The primary mode of encoding in LTM is

semantic, meaning information is organized and stored based on its meaning and its relationships to other pieces of knowledge.⁴

1.5 Control Processes: Gating and Transfer Mechanisms

The MSM is more than just a series of boxes; it is a dynamic system governed by control processes that regulate the flow of information.¹

- **Attention:** This is the critical selective filter that determines what information passes from the high-bandwidth, parallel-input sensory register into the severely limited, serial STS.³ Any sensory stimulus that is not attended to is simply lost.
- **Rehearsal:** This is the primary active process for maintaining information in the STS and transferring it to the LTS.
 - **Maintenance Rehearsal:** This involves simple rote repetition of information, such as saying a phone number over and over.²² According to the original MSM, this repetition serves two functions: it keeps the information active in the STS, preventing decay, and it gradually strengthens the memory trace, leading to its transfer to the LTS.¹
 - **Elaborative Rehearsal:** This is a more complex and effective process that involves actively connecting new information to knowledge already stored in the LTS.²² By giving new information meaning and context, it is encoded more deeply and is far more likely to be stored permanently.⁴

The MSM provides a compelling explanation for the **serial position effect**, a robust finding where people recalling a list of items tend to remember the first few items (**primacy effect**) and the last few items (**recency effect**) far better than the items in the middle.³ This phenomenon is not an explicitly programmed rule but an emergent property of the model's architecture. The primacy effect occurs because the first items in the list receive the most rehearsal, allowing them to be transferred to the LTM. The recency effect occurs because the last items are still present in the STS at the time of recall. The items in the middle, however, are displaced from the limited STS buffer by subsequent items before they can be adequately rehearsed, and are therefore lost.³

Memory Store	Encoding	Capacity	Duration
Sensory Memory	Sense-specific (e.g., iconic, echoic) ⁴	Very large (all sensory experience) ⁴	0.25 to 2 seconds ⁴
Short-Term Memory	Mainly acoustic/phonemic ⁴	Limited: 7±2 chunks (Miller); ~4 chunks (Cowan) ⁴	15 to 30 seconds without rehearsal ³

Long-Term Memory	Mainly semantic (meaning-based) ⁴	Virtually unlimited ³	Potentially a lifetime ³
<i>Table 1: Comparison of Memory Stores in the Atkinson-Shiffrin Model</i>			

Despite its explanatory power, the MSM has faced significant criticism for being overly simplistic and rigid.³ The model's strictly linear nature does not account for the parallel and interactive nature of memory processing. Furthermore, subsequent research has shown that both the Short-Term Store and the Long-Term Store are not unitary structures, but are themselves complex systems composed of multiple subsystems, a topic explored in the following sections.

Section 2: Deconstructing the Workspace - From Short-Term Store to Active Working Memory

The depiction of the Short-Term Store in the Atkinson-Shiffrin model as a simple, passive holding bay for a handful of items proved to be one of its most significant limitations. This conceptualization failed to account for the dynamic and active role that short-term memory plays in complex cognition.²³ If the STS were merely a storage buffer, it would be difficult to explain how we can simultaneously hold information (like the numbers in a mental arithmetic problem) and manipulate it (perform the calculation). This inadequacy led Alan Baddeley and Graham Hitch in 1974 to propose a revolutionary alternative: the

Working Memory (WM) model.²⁰ This represented a paradigm shift from focusing on the static

structure of memory to its dynamic *processes*—from asking "where is information stored?" to "what is this memory system *for*?"²³

2.1 The Baddeley-Hitch Model: A Multi-Component Architecture

The Baddeley-Hitch model replaces the unitary STS with a multi-component system designed for both the temporary storage and active manipulation of information.²⁰ The core evidence for this modular design came from

dual-task paradigm studies. Researchers found that participants could perform two simultaneous tasks with minimal interference, provided the tasks relied on different processing modalities (e.g., a verbal memory task and a visual tracking task).²³ This suggested the existence of separate, independent, and resource-limited subsystems rather than a single, all-purpose buffer.

The model originally consisted of three components: a central controller and two specialized "slave systems." It was later updated to include a fourth component that integrates information.

2.2 The Central Executive: The Attentional Controller and CPU

At the heart of the working memory model is the **Central Executive**. It is conceptualized not as a memory store but as an **attentional control system**.²³ It is often described as the "little boss in the head" or the system's conductor, responsible for managing and coordinating the overall activity of working memory.²⁹ Its key functions include:

- **Directing and allocating attention:** Deciding what information to focus on and what to ignore.²³
- **Coordinating the slave systems:** Delegating processing tasks to the appropriate subsystem (verbal or visuospatial).²⁵
- **Task switching:** Shifting attention between different tasks or goals.²³
- **Interfacing with Long-Term Memory:** Retrieving information from LTM and integrating it into the current workspace.²⁵

The Central Executive has a very limited processing capacity and no significant storage capacity of its own.²⁸ In computational terms, it is analogous to a computer's Central Processing Unit (CPU) or an operating system's task scheduler. It doesn't store the data itself but manages limited resources (attention) and directs the flow of data to and from specialized co-processors (the slave systems).

2.3 The Slave Systems: Specialized Processors

The Central Executive supervises two modality-specific subsystems responsible for short-term maintenance of information.

- **The Phonological Loop:** This component processes and stores auditory and verbal information.⁴ It is the system responsible for the "voice in your head" when you mentally rehearse a phone number or when a catchy song gets stuck on repeat.²⁹ It consists of two sub-components:
 1. **The Phonological Store (the "inner ear"):** A passive buffer that holds speech-based sounds for about 1-2 seconds before they decay.²³
 2. **The Articulatory Control Process (the "inner voice"):** An active rehearsal mechanism that revives decaying traces in the phonological store through subvocal repetition.²³ It is also responsible for converting written words into a phonological code that can enter the store.
- **The Visuospatial Sketchpad:** This component, often called the "inner eye," processes and stores visual and spatial information.⁴ It is engaged when you mentally picture a friend's face, plan a route through a familiar building, or imagine how to arrange furniture in a room.²⁹ It is thought to be divisible into a **visual cache** for storing information about form and color, and an **inner scribe** for processing spatial and movement information.²⁵

2.4 The Episodic Buffer: An Integration and Binding Layer

The original three-part model struggled to explain how information from the separate verbal and visual systems could be combined with information from LTM into a coherent, integrated representation. To address this, Baddeley added the **Episodic Buffer** in 2000.²³ This is a limited-capacity, temporary storage system that is controlled by the Central Executive.³¹ Its crucial role is to act as an interface, binding together information from the phonological loop, the visuospatial sketchpad, and LTM into integrated, multi-modal "episodes" or scenes.²³ For example, recalling the memory of a conversation in a specific room requires integrating the verbal content (phonological loop), the visual layout of the room and the person's face (visuospatial sketchpad), and knowledge about that person from LTM. The Episodic Buffer is the

workspace where this binding occurs.

The evolution to the working memory model reframes the concept of attention. In the MSM, attention is a gateway from sensation to short-term storage. In the WM model, attention, managed by the Central Executive, is a limited computational resource that can be flexibly allocated not only to external sensory input but also to internal mental representations being held or manipulated within the system.²¹ The very act of "keeping something in mind" is now understood as an active, attention-demanding process of refreshing decaying representations, not just passive storage.²¹ This provides a far more powerful and flexible framework for understanding how we actively use information to think, reason, and interact with the world.

Component	Function	Characteristics / Sub-components	Everyday Example
Central Executive	Attentional control, coordination, task switching ²⁵	Limited processing capacity, no storage ²⁸	Planning your moves in a chess game; driving a car while holding a conversation ³⁰
Phonological Loop	Holds and rehearses speech-based information ²³	Phonological Store ("inner ear"), Articulatory Process ("inner voice") ²³	Mentally repeating a phone number until you can dial it; remembering a shopping list ²⁹
Visuospatial Sketchpad	Holds and manipulates visual and spatial information ²³	Visual Cache (form/color), Inner Scribe (spatial/movement) ²⁵	Mentally picturing the layout of your house to navigate in the dark; solving a jigsaw puzzle ²⁹
Episodic Buffer	Integrates information from multiple sources into coherent episodes ²³	Limited capacity; multi-modal; interfaces with LTM ²⁸	Recalling the plot of a movie, which combines dialogue, visual scenes, and your own knowledge ³⁰
<i>Table 2: Components of the</i>			

Baddeley-Hitch Working Memory Model			
---	--	--	--

Section 3: The Long-Term Archive - Structure and Content of LTM

Just as the concept of a single Short-Term Store was found to be too simplistic, the view of Long-Term Memory (LTM) as one vast, undifferentiated warehouse of information has also been replaced by a more nuanced taxonomy. Evidence from cognitive psychology and neuroscience, particularly studies of patients with amnesia, has revealed that LTM is not a monolithic entity but a collection of distinct yet interacting memory systems.³ These systems differ in the type of information they store, how that information is accessed, and the brain structures that support them. This modular architecture has profound implications for designing AI systems, suggesting that a robust agent would require multiple, specialized knowledge bases rather than a single, all-purpose memory store.

3.1 The Great Divide: Explicit (Declarative) vs. Implicit (Non-Declarative) Memory

The most fundamental division within LTM is between two major classes of memory: explicit and implicit.²⁰

- **Explicit (or Declarative) Memory** refers to all memories that are consciously and intentionally recalled.³⁶ It involves the recollection of facts, events, and personal experiences. This type of memory is about "knowing that"—for example, knowing *that* Washington, D.C. is the U.S. capital.³⁴ Retrieving an explicit memory requires conscious effort.³⁴ The formation of these memories is heavily dependent on brain structures like the hippocampus and neocortex.³⁶
- **Implicit (or Non-Declarative) Memory** refers to memories that are expressed through performance and behavior without conscious awareness or intentional recollection.³⁷ This type of memory is about "knowing how"—for example, *knowing how* to ride a bicycle.³⁴ These memories are often acquired and used automatically and are difficult to verbalize.³⁷ They are supported by different brain

areas, including the cerebellum and basal ganglia.³⁹

3.2 Explicit Knowledge: "Knowing That"

Explicit memory is further subdivided into two systems, distinguished by the nature of the information they contain.

3.2.1 Episodic Memory: The Autobiographical Timeline

Episodic memory is the system that stores our personal experiences.³⁴ It is our autobiographical memory, containing the record of events ("episodes") that have happened to us, situated within a specific spatio-temporal context.²⁰ It allows for what is often called "mental time travel"—the ability to mentally re-experience past events.⁴¹

- **Examples:** Remembering your high school graduation, what you ate for breakfast this morning, or the details of your last vacation.³⁴
- **Function:** This system is fundamental to our sense of self and personal identity. It allows us to reflect on our past, feel empathy by relating to the experiences of others, and plan for the future based on past events.⁴¹

3.2.2 Semantic Memory: The World Knowledge Database

Semantic memory is our vast, organized knowledge base of facts, concepts, and meanings about the world.²⁰ Unlike episodic memory, this knowledge is generally acontextual; you know that a dog barks, but you likely don't remember the specific episode where you learned that fact.⁴⁰

- **Examples:** Knowing the capital of France, the definition of a word, historical facts, or general properties of objects (e.g., that birds have wings).³⁸
- **Interaction:** Although distinct, episodic and semantic memory are highly interactive. Our personal experiences (episodic) contribute to our general knowledge (semantic). For instance, seeing many different dogs on walks

(episodic) helps build a general concept of "dog" (semantic). Conversely, our semantic knowledge provides the framework for understanding and encoding new episodes.⁴¹

3.3 Implicit Knowledge: "Knowing How"

Implicit memory encompasses several different types of unconscious learning and memory.

3.3.1 Procedural Memory: The Skill and Habit Engine

Procedural memory is the system responsible for encoding and storing motor and cognitive skills.²⁰ Through repetition and practice, actions become automatic and can be executed without conscious thought.⁴⁵

- **Examples:** The skills of riding a bike, typing on a keyboard, playing a musical instrument, or tying your shoes are all stored as procedural memories.³⁴ While you can easily perform these actions, it is often very difficult to verbally explain exactly how you do them.⁴⁵

3.3.2 Priming and Classical Conditioning: Unconscious Influences

Other forms of implicit memory involve learned associations that influence our behavior without our awareness.

- **Priming:** This refers to the phenomenon where exposure to one stimulus influences the response to a subsequent stimulus.³⁷ For example, if you are shown the word "doctor," you will be slightly faster to recognize the related word "nurse" shortly thereafter. This facilitation occurs automatically, without conscious intention.⁴⁶
- **Classical Conditioning:** This is a form of learning where a neutral stimulus comes to elicit a response after being repeatedly paired with a stimulus that

naturally elicits that response.³⁷ The famous example is Pavlov's dogs, who were conditioned to salivate at the sound of a bell because the bell had been repeatedly paired with the presentation of food.⁴⁸ These learned emotional and physiological responses are a form of implicit memory.

Category	Sub-Category	Definition	Knowledge Type	Example
Long-Term Memory				
	Explicit (Declarative)	Conscious, intentional recollection of information. ³⁶	"Knowing That" ³⁴	
		Episodic	Memory for personal events with spatio-temporal context. ²⁰	
		Semantic	Memory for general facts and world knowledge, acontextual. ²⁰	
	Implicit (Non-Declarative)	Unconscious memory that influences behavior without awareness. ³⁷	"Knowing How" ³⁴	
		Procedural	Memory for motor and cognitive skills and habits. ²⁰	
		Priming	Enhanced processing of a stimulus due to recent	

			exposure. ³⁷	
		Classical Conditioning	Learned association between a neutral stimulus and a natural response. ³⁷	
<i>Table 3: A Taxonomy of Long-Term Memory Systems</i>				

Section 4: The Representation of Knowledge - Organizing Concepts in Semantic Memory

Having established that our general world knowledge resides in semantic memory, a critical question arises: how is this vast repository of concepts organized? The human mind can retrieve facts and make inferences with remarkable speed and flexibility, suggesting a highly efficient underlying data structure. Cognitive psychologists have proposed several models to explain this structure, moving from rigid, logical hierarchies to more flexible, probabilistic frameworks. These psychological theories have direct and powerful analogues in AI, from early semantic networks to modern knowledge graphs and vector embeddings.

4.1 Hierarchical Networks: The Collins & Quillian Model

One of the earliest and most influential models, proposed by Collins and Quillian in 1969, suggested that semantic memory is structured as a vast hierarchical network.⁵⁰ In this model:

- **Nodes and Links:** Concepts are represented as nodes (e.g., "Canary," "Bird," "Animal"), which are interconnected by links that represent relationships (e.g., "is a").⁵²

- **Hierarchy:** The network is organized taxonomically, with broad, superordinate concepts at the top and more specific, subordinate concepts at lower levels.⁵⁰
- **Cognitive Economy:** To maximize efficiency and avoid redundancy, properties are stored at the highest possible level of generality.⁵² For instance, the property "has wings" is stored at the "Bird" node, not with every individual bird like "Canary" and "Robin." The property "breathes" is stored even higher, at the "Animal" node.
- **Inference and Prediction:** This structure allows for inference. To verify the statement "A canary has skin," the model predicts that the cognitive system must traverse the network upwards from "Canary" to "Bird" to "Animal," where the property "has skin" is stored. The model's key prediction is that the time required to verify a statement is a direct function of the distance that must be traveled in the network.⁵²

While elegant, this model was quickly shown to have limitations. It could not account for the **typicality effect**: people are much faster to verify "A robin is a bird" than "An ostrich is a bird," even though both are theoretically one link away from the "Bird" node in the hierarchy.⁵¹

4.2 Schemas and Scripts: Structured Frameworks for Knowledge

A more flexible approach to knowledge organization is **schema theory**. A schema is a cognitive framework or mental template that organizes our knowledge about a particular concept, object, or event based on our accumulated experience.⁵⁶ Schemas are not just passive data structures; they are active processes that guide our perception, shape our expectations, and allow us to make sense of new information efficiently.⁵⁶ For example, your "office" schema contains knowledge about typical objects (desks, computers, chairs) and social roles (boss, colleague). When you enter a new office, this schema is activated, helping you to quickly understand the environment and focus your attention on relevant details.⁵⁹

A specific and important type of schema is a **script**, which represents our knowledge of a stereotyped sequence of events.⁶⁰ We possess a "restaurant script" that outlines the typical progression: enter, be seated, read menu, order, eat, pay, leave.⁵⁸ Scripts allow us to navigate common social situations with minimal cognitive effort.

For an AI practitioner, these concepts have clear computational parallels. A schema is

analogous to a data structure like a class in object-oriented programming or a frame in knowledge representation, defining the slots and default values for a concept.⁶² A script is akin to a predefined plan or algorithm that an agent can execute to achieve a goal in a familiar context.

4.3 Categorization by Comparison: Prototype vs. Exemplar Theories

To address the limitations of rigid hierarchical models, particularly the typicality effect, psychologists developed theories based on similarity and comparison.

- **Prototype Theory:** Proposed by Eleanor Rosch in the 1970s, this theory suggests that we categorize objects by comparing them to a **prototype**—an abstract representation of the "best" or most typical member of a category.⁶³ This prototype is an average or amalgamation of the features of all the category members we have encountered. A robin is a "prototypical" bird, while a penguin is not. A new object is classified as a bird if it is sufficiently similar to our bird prototype. This model elegantly explains graded membership and the typicality effect: robins are categorized faster because they are closer to the central prototype.⁶⁵
- **Exemplar Theory:** This theory offers an alternative view, arguing that we do not form an abstract prototype. Instead, our concept of a category consists of all the specific **exemplars** (individual instances) we have actually encountered and stored in memory.⁶³ To categorize a new object, we compare it to all of these stored exemplars and assign it to the category containing the most similar instances.⁶⁷ This approach is less economical than prototype theory but is more flexible, as it can better account for the variability within categories and our ability to categorize atypical members (like a flightless bird) by matching them to a specific, albeit unusual, stored exemplar.⁶⁷

It is widely believed that the human mind likely employs a hybrid approach, using prototypes for rapid, efficient categorization and relying on specific exemplars when more detailed or nuanced judgments are required.⁶⁷ This reflects a fundamental trade-off in knowledge representation between the efficiency of abstraction (prototypes) and the flexibility of retaining specific details (exemplars).

4.4 AI Analogues: Semantic Networks, Knowledge Graphs, and Vector

Embeddings

The evolution of psychological models of semantic memory has been mirrored in the field of AI.

- **Semantic Networks and Knowledge Graphs:** The hierarchical network model of Collins and Quillian is a direct intellectual ancestor of the **semantic networks** and **knowledge graphs** used in modern AI.⁷¹ A knowledge graph, such as the one used by Google, is a large-scale semantic network that represents entities (nodes) and the relationships between them (edges).⁷³ They are often more expressive than early psychological models, employing formal ontologies (which are essentially explicit schemas) to define the types of entities and relationships allowed, enabling complex reasoning and inference.⁷⁴
- **Prototypes and Vector Embeddings:** The core ideas of prototype theory—a central concept and graded similarity—find a powerful computational implementation in **vector embeddings**.⁷⁶ In machine learning, concepts like words or images can be represented as high-dimensional vectors. In this "semantic space," similar concepts are located close to one another. The prototype of a category can be thought of as the centroid vector for all instances of that category. The "typicality" of a specific instance (e.g., a robin) can then be quantified by its vector distance (e.g., cosine similarity) to this centroid.⁷⁷ This provides a mathematical framework for capturing the fuzzy, probabilistic nature of human conceptual knowledge.⁷⁹

Section 5: The Dynamics of Memory - Encoding, Consolidation, and Retrieval

Beyond the static architecture of memory stores and knowledge representation, a complete understanding requires examining the dynamic processes that bring the system to life: how memories are initially formed, how they are stabilized over time, and how they are later accessed. These processes reveal that memory formation is not an instantaneous event but a complex, time-dependent biological process with important implications for learning and for the design of learning systems.

5.1 The Encoding Process: From Perception to Memory Trace

Encoding is the crucial first step where sensory information is transformed into a durable memory trace.² This process is not a passive recording but an active and selective one.

- **Selectivity:** The environment presents a deluge of information, and we only encode a small fraction of it—specifically, the fraction to which we direct our **attention**.²
- **Recoding:** Raw perceptual information is rarely stored as is. Encoding almost always involves **recoding**, where the information is transformed into a more meaningful or efficient format. This can involve chunking individual items into larger groups, or, more powerfully, connecting new information to pre-existing knowledge.⁵

5.2 Levels of Processing: The Depth-Performance Correlation

The concept of elaborative rehearsal from the MSM was formalized and expanded upon by Craik and Lockhart in their **Levels of Processing** theory in 1972.⁸¹ This framework moved the focus away from discrete memory stores and onto the nature of the encoding process itself. It posits that the durability of a memory is a direct function of the depth at which it was processed.⁸²

- **Shallow Processing:** This involves focusing on the superficial, perceptual features of a stimulus. It includes **structural processing** (e.g., noticing if a word is in uppercase) and **phonemic processing** (e.g., checking if a word rhymes with another). This level of processing corresponds to maintenance rehearsal and results in a weak, short-lived memory trace.⁸²
- **Deep Processing:** This involves focusing on the meaning of the information, or **semantic processing**. It requires thinking about the concept and relating it to other concepts already in LTM.⁸² This deeper engagement corresponds to elaborative rehearsal and creates a strong, durable, and easily retrievable memory trace.⁸³

This theory provides a powerful explanation for why simply repeating information is a poor study strategy compared to actively trying to understand and connect it to what

one already knows.

5.3 Memory Consolidation: Stabilizing the Traces

Encoding a memory is not the end of the story. Newly formed memory traces are fragile and susceptible to disruption. **Consolidation** is the set of processes by which these labile memories are progressively stabilized and integrated into the long-term knowledge archive.⁸⁶ This reveals that memory formation is not instantaneous. This process occurs on two distinct timescales:

- **Synaptic Consolidation:** This is a fast process, occurring at the level of individual synapses over minutes to hours.⁸⁶ It involves molecular and cellular changes, including protein synthesis, that strengthen the connections between neurons that were active during the initial experience. This process is the biological basis of **Long-Term Potentiation (LTP)**.⁸⁸
- **Systems Consolidation:** This is a much slower, large-scale process that unfolds over weeks, months, or even years.⁸⁶ It involves a gradual reorganization of the brain circuits that support a memory. Initially, explicit memories (especially episodic ones) are highly dependent on the **hippocampus**. Over time, through a process of interaction between the hippocampus and the **neocortex**, the memory becomes reorganized and stored more permanently in distributed cortical networks, eventually becoming independent of the hippocampus.⁸⁷ This explains the classic pattern of retrograde amnesia seen in patients with hippocampal damage, where recent memories are lost but remote, fully consolidated memories are spared.⁸⁶

The existence of consolidation has a direct parallel in the training of artificial neural networks. A single presentation of a training example (encoding) results in only a minor, unstable change in the network's weights. True learning requires many training epochs (repetition and rehearsal) and the use of optimization algorithms that allow the weights across the entire network to stabilize into a configuration that represents the learned knowledge.

5.4 Retrieval: Accessing the Archive

Retrieval is the process of accessing and bringing stored information into conscious awareness.² A failure to remember is often a failure of retrieval, not a complete loss of the stored information. There are two primary modes of retrieval:

- **Recall:** This is the retrieval of information from memory without a specific cue present. Answering an essay question ("Describe the causes of World War I") requires recall.⁸⁹ It is generally considered a two-step process: first, a search and retrieval of potential candidates from memory, and second, a recognition or decision process to verify the correct information.⁹¹
- **Recognition:** This involves identifying information as familiar when it is presented. Answering a multiple-choice question is a recognition task, as the correct answer is present and simply needs to be identified.⁸⁹ Recognition is typically easier than recall because the stimulus itself provides a powerful retrieval cue, bypassing the difficult search stage.⁸⁹

Section 6: The Fallibility of the System - Forgetting, Distortion, and AI Parallels

A defining characteristic of human memory, and one that most starkly contrasts it with digital storage, is its fallibility. Far from being a perfect recording device, human memory is prone to forgetting, distortion, and even complete fabrication.⁶ These "flaws," however, are not simply errors in the system. They are the consequences of an adaptive architecture designed for flexibility and efficiency, not for perfect, verbatim recall. Understanding these mechanisms of fallibility reveals deep principles of cognitive design and provides a powerful lens through which to view one of the most significant challenges in modern AI: continual learning.

6.1 The Natural Decay: Ebbinghaus's Forgetting Curve

In the 1880s, Hermann Ebbinghaus conducted the first scientific studies of memory, meticulously documenting his own ability to memorize and recall lists of nonsense

syllables.⁹⁴ His work produced the famous

forgetting curve, which demonstrates that memory retention declines exponentially over time when there is no attempt to retain the information.⁹⁵ The curve reveals a very steep initial drop, with a significant amount of information (up to 50%) lost within the first hour, and as much as 90% lost within a week.⁹⁵ The rate of forgetting then slows over subsequent days.

This natural decay highlights the brain's default state: to discard information unless it is reinforced. This is an adaptive filtering mechanism, preventing the system from being overloaded with trivial data. Ebbinghaus also discovered the key to overcoming this curve: **spaced repetition**. By actively recalling and reviewing information at increasing intervals, the curve can be flattened, leading to durable long-term retention.⁹⁴

6.2 Interference Theory: When Memories Collide

Often, forgetting is not a passive decay but an active process of interference, where one memory disrupts the ability to retrieve another, particularly when the memories are similar.⁹⁹

- **Proactive Interference:** This occurs when old, previously learned information interferes with the learning and retrieval of new information.¹⁰⁰ A common example is struggling to remember your new phone number because your old one keeps coming to mind.¹⁰²
- **Retroactive Interference:** This is the reverse, where newly learned information interferes with the retrieval of old information.¹⁰⁰ For instance, after learning the names of your new colleagues, you might find it difficult to recall the names of your former colleagues.¹⁰⁰

Interference demonstrates that memories are not stored in isolated, protected files but in a dense, associative network where related traces can compete with one another. This allows for updating and modifying knowledge, but at the cost of potential confusion.

6.3 The Reconstructive Nature of Memory: The Misinformation Effect

The most dramatic evidence for memory's fallibility comes from the work of cognitive psychologist Elizabeth Loftus, who demonstrated that memory is not a veridical replay of the past but a **reconstructive process**.¹⁰³ Her research on the

misinformation effect shows that memories can be altered or even wholly created by information encountered *after* an event has occurred.¹⁰⁴

In her classic 1974 study, participants watched a video of a car accident. Later, they were questioned about the event. Loftus found that changing a single verb in the question could significantly alter their memory. Participants asked how fast the cars were going when they "**smashed**" into each other gave higher speed estimates than those asked how fast they were going when they "**hit**" each other. A week later, those in the "smashed" group were more than twice as likely to falsely remember seeing broken glass in the video.¹⁰⁶ This research proves that memory is not immutable; it is a malleable trace that can be updated—and corrupted—by subsequent suggestion and information.

6.4 A Comparative Analysis: Human Memory vs. Digital Storage

The contrast is stark. Digital memory is designed for permanence and high-fidelity recall. It is static, easily navigable, and quantifiable.⁷ Human memory is dynamic, reconstructive, and associative. Its fallibility is a byproduct of a system that prioritizes meaning, coherence, and utility over literal accuracy.⁷ We weave our memories into coherent stories, and these stories, even if factually inaccurate in their details, are retained for long periods because they are meaningful.⁶

6.5 AI Parallel: Catastrophic Forgetting in Continual Learning Systems

The challenge of interference in human memory has a striking and computationally severe parallel in artificial intelligence: **catastrophic forgetting**. This phenomenon occurs when an artificial neural network, trained to master a new task, abruptly and completely loses its ability to perform a previously learned task.¹¹⁰ When the network's weights (its "memories") are adjusted to minimize error on the new task, the settings

required for the old task are overwritten.¹¹⁰

This is a form of extreme retroactive interference and represents a fundamental obstacle to creating AI systems that can learn continually and adapt over a lifetime, as humans do.¹¹¹ The search for solutions to this problem in AI has led researchers to look directly at the mechanisms the brain uses to mitigate interference. This has created a powerful feedback loop between psychology and AI.

- **Rehearsal and Replay:** One of the most effective strategies to combat catastrophic forgetting is to interleave training on the new task with "rehearsal" of data from old tasks.¹¹⁰ This is a direct computational analogue of human memory rehearsal and the role of memory replay during sleep.
- **Elastic Weight Consolidation (EWC):** This advanced algorithm is explicitly inspired by synaptic consolidation in the brain.¹¹¹ EWC identifies the weights in the network that are most important for a previously learned task and adds a penalty term to the learning process that makes it "harder" to change those specific weights. This selectively reduces the plasticity of crucial "synapses," protecting old knowledge while allowing new knowledge to be acquired—a computational implementation of the brain's solution to the stability-plasticity dilemma.¹¹¹

Conclusion: Synthesizing the Models - A Unified, Nuanced View of Human Memory

The journey through the scientific understanding of human memory reveals a clear trajectory from simple, linear models to a highly complex, parallel, and dynamic architecture. The Atkinson-Shiffrin Multi-Store Model provided the foundational language of distinct stores—sensory, short-term, and long-term—and the critical control processes of attention and rehearsal. However, its view of these stores as passive, unitary boxes proved insufficient.

The model of Working Memory replaced the simple short-term store with an active, multi-component workspace, featuring a central executive for attentional control and specialized subsystems for verbal and visuospatial information. This shifted the focus from mere storage to the active manipulation of information in service of complex cognition. Similarly, the monolithic Long-Term Store was deconstructed into a taxonomy of distinct systems for different kinds of knowledge: the conscious, declarative memories of personal episodes and semantic facts, and the unconscious,

non-declarative memories of skills and learned associations. Further research into the organization of this knowledge revealed sophisticated representational formats, from hierarchical networks and schemas to probabilistic prototypes and exemplars.

Ultimately, no single model is singularly "correct." A unified view sees these models as describing different levels of a single, integrated system. The MSM provides the macro-architectural flow. The Working Memory model zooms in on the active "CPU" and its specialized caches. The LTM taxonomy maps the file system of the long-term "hard drive." Finally, theories of processing, consolidation, and forgetting describe the dynamic algorithms that write, stabilize, retrieve, and sometimes corrupt the data within this system.

For the field of Artificial Intelligence, this architecture offers more than just an interesting analogy; it provides a rich blueprint for future development. Building truly general and adaptive intelligence likely requires moving beyond monolithic models and embracing the principles of the human cognitive architecture:

- **Specialized Modules:** Implementing distinct systems for episodic, semantic, and procedural knowledge.
- **Active Resource Management:** Designing sophisticated attentional controllers that manage a limited working memory workspace.
- **Hybrid Knowledge Representation:** Combining structured knowledge graphs with flexible, similarity-based vector representations.
- **Biologically Inspired Learning:** Developing learning rules that incorporate principles of consolidation to enable stable, continual learning and mitigate catastrophic forgetting.

The profound insight from the study of human memory is that its greatest strengths and its most notable weaknesses are two sides of the same coin. Its reconstructive, fallible nature is not a flaw but a feature that enables generalization, abstraction, and adaptation. The future of AI may depend on its ability to build systems that not only remember with perfect fidelity but also know how to abstract, generalize, and, perhaps most importantly, how to gracefully forget.

Works cited

1. The multi-store model of memory (Atkinson and Shiffrin, 1968) | IB Psychology, accessed August 5, 2025, <https://www.themantic-education.com/ibpsych/2021/10/04/the-multi-store-model-of-memory-atkinson-and-shiffrin-1968/>
2. Memory (Encoding, Storage, Retrieval) | Noba, accessed August 5, 2025, <https://nobaproject.com/modules/memory-encoding-storage-retrieval>

3. Atkinson And Shiffrin Theory | Multi-store Model, Primacy & Recency Effects, accessed August 5, 2025, <https://online-learning-college.com/knowledge-hub/gcses/gcse-psychology-help/atkinson-and-shiffrin-theory/>
4. Multi-Store Memory Model: Atkinson and Shiffrin - Simply Psychology, accessed August 5, 2025, <https://www.simplypsychology.org/multi-store.html>
5. 7.5 Memory Processes: Encoding – Cognitive Psychology, accessed August 5, 2025, <https://nmoer.pressbooks.pub/cognitivepsychology/chapter/three-processes-of-learning-and-memory/>
6. Why 40% of Americans Misremember Their 9/11 Experience - Time Magazine, accessed August 5, 2025, <https://time.com/3739786/memory-september-11/>
7. Why we are not computers: The case of memory | Faraday, accessed August 5, 2025, <https://www.faraday.cam.ac.uk/churches/church-resources/posts/why-we-are-not-computers-the-case-of-memory/>
8. Memory (Encoding, Storage, Retrieval), accessed August 5, 2025, <https://peachf.org/images/Science/MemEncodingStorageRetrievalMcDermott.pdf>
9. Atkinson–Shiffrin memory model - Wikipedia, accessed August 5, 2025, https://en.wikipedia.org/wiki/Atkinson%E2%80%93Shiffrin_memory_model
10. Understanding the Atkinson–Shiffrin Memory Model - Psych Central, accessed August 5, 2025, <https://psychcentral.com/health/atkinson-and-shiffrin-model>
11. Sensory Memory: What It Is, How It Works, Capacity & Types, accessed August 5, 2025, <https://my.clevelandclinic.org/health/articles/sensory-memory>
12. Understanding our flash storage: the brain's sensory memory - Elevate app, accessed August 5, 2025, <https://elevateapp.com/blog/understanding-sensory-memory>
13. Sensory memory | EBSCO Research Starters, accessed August 5, 2025, <https://www.ebsco.com/research-starters/psychology/sensory-memory>
14. Lc6/3@, accessed August 5, 2025, <http://web.sbu.edu/psychology/lavin/sensory%20memoryi.htm>
15. What Are Sensory Memory Examples? - WebMD, accessed August 5, 2025, <https://www.webmd.com/brain/what-are-sensory-memory-examples>
16. Short-Term Memory In Psychology, accessed August 5, 2025, <https://www.simplypsychology.org/short-term-memory.html>
17. The Magical Number Seven, Plus or Minus Two - Wikipedia, accessed August 5, 2025, https://en.wikipedia.org/wiki/The_Magical_Number_Seven,_Plus_or_Minus_Two
18. The magical number 4 in short-term memory: a reconsideration of mental storage capacity - PubMed, accessed August 5, 2025, <https://pubmed.ncbi.nlm.nih.gov/11515286/>
19. Types of Memory Storage – MCAT Psychology - MedSchoolCoach, accessed August 5, 2025, <https://www.medschoolcoach.com/types-of-memory-storage-mcat-psychology/>
20. Physiology, Explicit Memory - PubMed, accessed August 5, 2025,

- <https://pubmed.ncbi.nlm.nih.gov/32119438/>
21. Attention and Memory - OSF, accessed August 5, 2025,
<https://osf.io/xs6db/download>
 22. Memory rehearsal - Wikipedia, accessed August 5, 2025,
https://en.wikipedia.org/wiki/Memory_rehearsal
 23. Working Memory Model (Baddeley and Hitch) WMM - Early Years TV, accessed August 5, 2025, <https://www.earlyyears.tv/working-memory-model/>
 24. Baddeley's model of working memory, accessed August 5, 2025,
https://en.wikipedia.org/wiki/Baddeley's_model_of_working_memory
 25. Baddeley's model of working memory - Wikipedia, accessed August 5, 2025,
https://en.wikipedia.org/wiki/Baddeley%27s_model_of_working_memory
 26. Working Memory From the Psychological and Neurosciences Perspectives: A Review - PMC, accessed August 5, 2025,
<https://pmc.ncbi.nlm.nih.gov/articles/PMC5881171/>
 27. Working memory and language: an overview - PubMed, accessed August 5, 2025,
<https://pubmed.ncbi.nlm.nih.gov/12742667/>
 28. The working memory model: central executive, phonological loop, visuo-spatial sketch pad and episodic buffer - Quizlet, accessed August 5, 2025,
<https://quizlet.com/gb/599444524/the-working-memory-model-central-executive-phonological-loop-visuo-spatial-sketch-pad-and-episodic-buffer-flash-cards/>
 29. The Working Memory Model (Baddeley and Hitch, 1974)- A Simple Summary | IB Psychology - Themantic Education, accessed August 5, 2025,
<https://www.themantic-education.com/ibpsych/2023/07/16/the-working-memory-model-baddeley-and-hitch-1974-a-simple-summary/>
 30. Working Memory Model - Simply Psychology, accessed August 5, 2025,
<https://www.simplypsychology.org/working-memory.html>
 31. 5.2: Components-Central Executive, Phonological Loop, Visuospatial Sketchpad, accessed August 5, 2025,
[https://socialsci.libretexts.org/Bookshelves/Psychology/Cognitive_Psychology/Cognitive_Psychology_\(Andrade_and_Walker\)/05%3A_Working_Memory/5.02%3A_Components-Central_Executive_Phonological_Loop_Visuospatial_Sketchpad](https://socialsci.libretexts.org/Bookshelves/Psychology/Cognitive_Psychology/Cognitive_Psychology_(Andrade_and_Walker)/05%3A_Working_Memory/5.02%3A_Components-Central_Executive_Phonological_Loop_Visuospatial_Sketchpad)
 32. Working Memory and Attention – A Conceptual Analysis and Review - PMC, accessed August 5, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC6688548/>
 33. (PDF) Attention-Based Rehearsal: Eye Movements Reveal How Visuospatial Information Is Maintained in Working Memory - ResearchGate, accessed August 5, 2025,
https://www.researchgate.net/publication/373271782_Attention-based_rehearsal_Eye_movements_reveal_how_visuospatial_information_is_maintained_in_working_memory
 34. Implicit and Explicit Memory: Definition & Examples - Simply Psychology, accessed August 5, 2025,
<https://www.simplypsychology.org/implicit-versus-explicit-memory.html>
 35. pmc.ncbi.nlm.nih.gov, accessed August 5, 2025,
<https://pmc.ncbi.nlm.nih.gov/articles/PMC5491610/#:~:text=There%20are%20two%20types%20of.non%2Dassociative%2C%20and%20priming.>

36. Implicit vs. Explicit Memories - News-Medical.net, accessed August 5, 2025, <https://www.news-medical.net/health/Implicit-vs-Explicit-Memories.aspx>
37. 10.2 Long-Term Memory: Categories and Structure - Psychology – 1st Canadian Edition, accessed August 5, 2025, <https://psychology.pressbooks.tru.ca/chapter/10-2-long-term-memory-categories-and-structure/>
38. Types of Long-term Memory | Cognitive Psychology Class Notes - Fiveable, accessed August 5, 2025, <https://library.fiveable.me/cognitive-psychology/unit-7/types-long-term-memory/study-guide/6VYK40knc6VNiKlc>
39. Implicit Memory vs. Explicit Memory: How They Work - Verywell Mind, accessed August 5, 2025, <https://www.verywellmind.com/implicit-and-explicit-memory-2795346>
40. Differential reorganization of episodic and semantic memory systems in epilepsy-related mesiotemporal pathology | Brain | Oxford Academic, accessed August 5, 2025, <https://academic.oup.com/brain/article/147/11/3918/7721059>
41. Episodic Memory vs. Semantic Memory: The Key Differences, accessed August 5, 2025, <https://www.magneticmemorymethod.com/episodic-vs-semantic-memory/>
42. CogBlog – A Cognitive Psychology Blog » It's All Semantics. Literally., accessed August 5, 2025, <https://web.colby.edu/cogblog/2022/04/27/its-all-semantics-literally/>
43. Personal semantics: Is it distinct from episodic and semantic memory? An electrophysiological study of memory for autobiographical facts and repeated events in honor of Shlomo Bentin - PubMed, accessed August 5, 2025, <https://pubmed.ncbi.nlm.nih.gov/26277459/>
44. Difference bw semantic and episodic memory? : r/Mcat - Reddit, accessed August 5, 2025, https://www.reddit.com/r/Mcat/comments/ee6bw6/difference_bw_semantic_and_episodic_memory/
45. Procedural Memory: Definition, Examples, and How It Works, accessed August 5, 2025, <https://www.verywellmind.com/what-is-procedural-memory-2795478>
46. Memories as Types and Stages, accessed August 5, 2025, https://saylordotorg.github.io/text_introduction-to-psychology/s12-01-memories-as-types-and-stages.html
47. What is the difference between priming, habits and conditioning? : r/Mcat - Reddit, accessed August 5, 2025, https://www.reddit.com/r/Mcat/comments/fvgpcb/what_is_the_difference_between_priming_habits_and/
48. Classical Conditioning: How It Works With Examples - Simply Psychology, accessed August 5, 2025, <https://www.simplypsychology.org/classical-conditioning.html>
49. What Is Classical Conditioning? Examples and How It Works - Verywell Mind, accessed August 5, 2025, <https://www.verywellmind.com/classical-conditioning-2794859>

50. pmc.ncbi.nlm.nih.gov, accessed August 5, 2025,
[https://pmc.ncbi.nlm.nih.gov/articles/PMC2699208/#:~:text=Collins%20and%20Quillian's%20\(1969\)%20hierarchical,concepts%20at%20the%20lowest%20level.](https://pmc.ncbi.nlm.nih.gov/articles/PMC2699208/#:~:text=Collins%20and%20Quillian's%20(1969)%20hierarchical,concepts%20at%20the%20lowest%20level.)
51. A hierarchical network model of semantic information related to ..., accessed August 5, 2025,
https://www.researchgate.net/figure/A-hierarchical-network-model-of-semantic-information-related-to-animals-Collins_fig1_317396658
52. Semantic Memory Redux: An Experimental Test of Hierarchical Category Representation - PMC, accessed August 5, 2025,
<https://pmc.ncbi.nlm.nih.gov/articles/PMC3519438/>
53. Cognitive Ch. 9. Semantic Organization. Reed Flashcards | Quizlet, accessed August 5, 2025,
<https://quizlet.com/343445318/cognitive-ch-9-semantic-organization-reed-flash-cards/>
54. Conceptual Hierarchies in a Flat Attractor Network: Dynamics of Learning and Computations - PMC - PubMed Central, accessed August 5, 2025,
<https://pmc.ncbi.nlm.nih.gov/articles/PMC2699208/>
55. Journal of Experimental Psychology 1973, Vol. 100, No. 2, 435-431 - SEMANTIC MEMORY AND SENTENCE VERIFICATION TIME!, accessed August 5, 2025,
https://memlab.yale.edu/sites/default/files/files/1973_Doll_Tweedy_Johnson_JoEP.pdf
56. Schema (psychology) - Wikipedia, accessed August 5, 2025,
[https://en.wikipedia.org/wiki/Schema_\(psychology\)](https://en.wikipedia.org/wiki/Schema_(psychology))
57. Schema Theory In Psychology - Simply Psychology, accessed August 5, 2025,
<https://www.simplypsychology.org/what-is-a-schema.html>
58. Schema Theory - MIT, accessed August 5, 2025,
https://web.mit.edu/pankin/www/Schema_Theory_and_Concept_Formation.pdf
59. What Is a Schema in Psychology? - Verywell Mind, accessed August 5, 2025,
<https://www.verywellmind.com/what-is-a-schema-2795873>
60. Script theory - Wikipedia, accessed August 5, 2025,
https://en.wikipedia.org/wiki/Script_theory
61. Schema theory, scripts, and mental templates: An introduction - hyde and rugg, accessed August 5, 2025,
<https://hydeandrugg.wordpress.com/2013/08/30/schema-theory-scripts-and-mental-templates-an-introduction/>
62. Can someone ELI5 what a "Schema" is? : r/learnprogramming - Reddit, accessed August 5, 2025,
https://www.reddit.com/r/learnprogramming/comments/tshe0h/can_someone_el5_what_a_schema_is/
63. Prototype theory - Wikipedia, accessed August 5, 2025,
https://en.wikipedia.org/wiki/Prototype_theory
64. CONCEPTS AS PROTOTYPES - City, University of London, accessed August 5, 2025,
<https://www.staff.city.ac.uk/~sc318/PDF%20files/Concepts%20as%20prototypes%202006.pdf>

65. Prototype theory - (Cognitive Psychology) - Vocab, Definition, Explanations | Fiveable, accessed August 5, 2025, <https://library.fiveable.me/key-terms/cognitive-psychology/prototype-theory>
66. Prototype theory and categorization | Intro to Semantics and Pragmatics Class Notes, accessed August 5, 2025, <https://library.fiveable.me/introduction-semantics-pragmatics/unit-2/prototype-theory-categorization/study-guide/pZOmeP6WsFOCNFZF>
67. Exemplar theory - Wikipedia, accessed August 5, 2025, https://en.wikipedia.org/wiki/Exemplar_theory
68. Is there an exemplar theory of concepts? - PubMed, accessed August 5, 2025, <https://pubmed.ncbi.nlm.nih.gov/27294422/>
69. Prototypes Vs Exemplars in Concept Representation - SciTePress, accessed August 5, 2025, <https://www.scitepress.org/Papers/2012/41391/41391.pdf>
70. Tracking prototype and exemplar representations in the brain across learning - PMC - PubMed Central, accessed August 5, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC7746231/>
71. What Is a Knowledge Graph? | IBM, accessed August 5, 2025, <https://www.ibm.com/think/topics/knowledge-graph>
72. Semantic network - Wikipedia, accessed August 5, 2025, https://en.wikipedia.org/wiki/Semantic_network
73. www.ibm.com, accessed August 5, 2025, <https://www.ibm.com/think/topics/knowledge-graph#:~:text=A%20knowledge%20graph%2C%20also%20known,illustrates%20the%20relationship%20between%20them.>
74. Graphs to Graph Neural Networks: From Fundamentals to Applications — Part 2b: Knowledge Graphs | by Isaac Kargar, accessed August 5, 2025, <https://kargarisaac.medium.com/graphs-to-graph-neural-networks-from-fundamentals-to-applications-part-2b-knowledge-graphs-841f21dca7c3>
75. Introduction to Semantic Graphs and RDF - Graph.Build, accessed August 5, 2025, <https://graph.build/resources/semantic-graphs>
76. From Prototype Theory to Semantic Distance Modeling | by Ran | Jul ..., accessed August 5, 2025, <https://medium.com/@ran0925/from-prototype-theory-to-semantic-distance-modeling-4cc1dcc6e224>
77. What is Vector Embedding? | IBM, accessed August 5, 2025, <https://www.ibm.com/think/topics/vector-embedding>
78. From prototype to production: Vector databases in generative AI applications, accessed August 5, 2025, <https://stackoverflow.blog/2023/10/09/from-prototype-to-production-vector-databases-in-generative-ai-applications/>
79. Prototype theory meets word embedding. A novel approach for text categorization via granular computing - IRIS, accessed August 5, 2025, <https://iris.uniroma1.it/handle/11573/1679963>
80. Memory Stages: Encoding Storage and Retrieval - Simply Psychology, accessed August 5, 2025, <https://www.simplypsychology.org/memory.html>

81. Levels Of Processing | EBSCO Research Starters, accessed August 5, 2025, <https://www.ebsco.com/research-starters/social-sciences-and-humanities/levels-processing>
82. Levels of Processing Theory (Craik & Lockhart, 1972), accessed August 5, 2025, <https://www.simplypsychology.org/levelsofprocessing.html>
83. Craik & Lockhart: Levels of processing - NSUWorks, accessed August 5, 2025, <https://nsuworks.nova.edu/cgi/viewcontent.cgi?article=1040&context=edp>
84. Levels of Processing Theory (Explained in 3 Minutes) - YouTube, accessed August 5, 2025, https://www.youtube.com/watch?v=azKjn_FfJUM
85. Levels of processing model - Wikipedia, accessed August 5, 2025, https://en.wikipedia.org/wiki/Levels_of_processing_model
86. Temporal Flexibility of Systems Consolidation and the Synaptic Occupancy/Reset Theory (SORT): Cues About the Nature of the Engram - Frontiers, accessed August 5, 2025, <https://www.frontiersin.org/journals/synaptic-neuroscience/articles/10.3389/fnsyn.2019.00001/full>
87. Memory Consolidation - PMC, accessed August 5, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC4526749/>
88. Memory consolidation - Wikipedia, accessed August 5, 2025, https://en.wikipedia.org/wiki/Memory_consolidation
89. Memory recall versus recognition | GP Fellowship exam preparation ..., accessed August 5, 2025, <https://gpex.com.au/news/memory-recall-versus-recognition-an-important-distinction-for-effective-fellowship-exam-preparation/>
90. Recall vs Recognition : r/Mcat - Reddit, accessed August 5, 2025, https://www.reddit.com/r/Mcat/comments/5wi1i5/recall_vs_recognition/
91. Recall (memory) - Wikipedia, accessed August 5, 2025, [https://en.wikipedia.org/wiki/Recall_\(memory\)](https://en.wikipedia.org/wiki/Recall_(memory))
92. www.interaction-design.org, accessed August 5, 2025, <https://www.interaction-design.org/literature/topics/recognition-vs-recall#:~:text=Recognition%20happens%20when%20you%20spot,means%20pulling%20information%20from%20memory.>
93. Media, Technology, and the Sins of Memory - PMC, accessed August 5, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC8373035/>
94. Forgetting curve - Wikipedia, accessed August 5, 2025, https://en.wikipedia.org/wiki/Forgetting_curve
95. Ebbinghaus's Forgetting Curve: How to Overcome It - Whatfix, accessed August 5, 2025, <https://whatfix.com/blog/ebbinghaus-forgetting-curve/>
96. Forgetting Curve - The Decision Lab, accessed August 5, 2025, <https://thedecisionlab.com/reference-guide/psychology/forgetting-curve>
97. What is The Forgetting Curve? Definition, History & Key Strategies [2025], accessed August 5, 2025, <https://www.growthengineering.co.uk/forgetting-curve/>
98. Ebbinghaus Forgetting Curve - Structural Learning, accessed August 5, 2025, <https://www.structural-learning.com/post/ebbinghaus-forgetting-curve>

99. Proactive & Retroactive Interference: Definition & Examples - Simply Psychology, accessed August 5, 2025, <https://www.simplypsychology.org/proactive-and-retroactive-interference.html>
100. Proactive and Retroactive Interference: Definition and Examples - ThoughtCo, accessed August 5, 2025, <https://www.thoughtco.com/proactive-and-retroactive-interference-definition-and-examples-4797969>
101. Proactive & Retroactive Interference (AQA A Level Psychology): Revision Note, accessed August 5, 2025, <https://www.savemyexams.com/a-level/psychology/aqa/17/revision-notes/2-memory/2-3-forgetting/proactive-and-retroactive-interference/>
102. What is Proactive Interference? Structural Learning, accessed August 5, 2025, <https://www.structural-learning.com/post/proactive-interference>
103. Elizabeth Loftus: Insights into Memory and Misinformation - Bin Day Blues, accessed August 5, 2025, <https://www.bindayblues.com/resources/resource-elizabeth-loftus>
104. Misinformation effect - Wikipedia, accessed August 5, 2025, https://en.wikipedia.org/wiki/Misinformation_effect
105. What Is the Misinformation Effect? Definition and Examples - Verywell Mind, accessed August 5, 2025, <https://www.verywellmind.com/what-is-the-misinformation-effect-2795353>
106. Exploration of the False Memory Experiment by Elizabeth Loftus ..., accessed August 5, 2025, <https://achology.com/psychology/exploration-of-the-false-memory-experiment-by-elizabeth-loftus/>
107. Misinformation effect | EBSCO Research Starters, accessed August 5, 2025, <https://www.ebsco.com/research-starters/social-sciences-and-humanities/misinformation-effect>
108. Human Memory Compared to Computer | Psychology Paper Example, accessed August 5, 2025, <https://psychologywriting.com/human-memory-compared-to-computer/>
109. A Different Kind of Memory: Examining the Effect of Technology through the Ages Robin Parker, accessed August 5, 2025, <https://ojs.library.dal.ca/djim/article/view/2009vol5Parker/72>
110. What is Catastrophic Forgetting? - IBM, accessed August 5, 2025, <https://www.ibm.com/think/topics/catastrophic-forgetting>
111. Overcoming catastrophic forgetting in neural networks - PNAS, accessed August 5, 2025, <https://www.pnas.org/doi/10.1073/pnas.1611835114>
112. How to avoid 'Catastrophic forgetting'? - Cross Validated - Stack Exchange, accessed August 5, 2025, <https://stats.stackexchange.com/questions/314508/how-to-avoid-catastrophic-forgetting>
113. [2507.10485] Overcoming catastrophic forgetting in neural networks - arXiv, accessed August 5, 2025, <https://arxiv.org/abs/2507.10485>