

1. Executive Summary

This report presents the findings of a phishing threat intelligence analysis conducted between April 5, 2026 and May 6, 2026. A total of 11 phishing samples were collected from PhishTank and analyzed using VirusTotal, URLScan.io, and WHOIS lookup tools.

Key findings:

- 6 out of 11 samples (54%) were classified as High Risk.
- 4 domains were registered within 30 days of discovery.
- Primary targeted brands included Facebook, Amazon, Binance, and WhatsApp.
- All samples were mapped to MITRE ATT&CK techniques T1566, T1566.002, T1583.001, and T1598.003.

2. Methodology

2.1 Sample Collection

Phishing samples were collected from PhishTank, a community-driven phishing verification database. A total of 11 samples targeting various brands were selected for analysis.

2.2 Tools Used

- PhishTank: Sample collection.
- VirusTotal: Multi-engine malware and URL scanning.
- URLScan.io: URL behavior analysis and screenshot capture.
- WHOIS/Domain Tools: Domain registration and age verification.
- Splunk Enterprise: Data aggregation and dashboard visualization.
- MITRE ATT&CK Framework: Threat technique classification.

2.3 Analysis Approach

Each sample was analyzed individually across all three enrichment tools. Risk levels were assigned based on VirusTotal detection ratios and domain age. Techniques were mapped to MITRE ATT&CK based on observed behaviors.

3. Findings

3.1 IOC Breakdown

Of the 11 phishing samples analyzed, 6 were classified as High Risk, 3 as Medium Risk, and 2 as Low Risk. VirusTotal detection scores ranged from 0/92 to 23/92. The highest scoring sample was the Facebook impersonation URL (program-ads-agency.com) with 23 engines flagging it as malicious.

3.2 Notable Findings

- Sample 002 (Amazon): Attacker abused legitimate AWS S3 infrastructure to host malicious content, evading domain-based detection.
- Sample 004 (Cisco): URL used Cisco's legitimate domain as a redirect mechanism to demonstrates how attackers abuse trusted infrastructure.
- Sample 010 (Sikayetvar): Identified as a possible false positive, a legitimate Turkish consumer complaints website flagged by PhishTank.
- Samples 001, 005, 011: All registered within 30 days, consistent with throwaway infrastructure used in phishing campaigns.

3.3 MITRE ATT&CK Techniques Observed

- T1566: Phishing: Observed in all 11 samples.
- T1566.002: Spear phishing Link: Observed in all 11 samples.
- T1583.001: Acquire Infrastructure (New Domains): Observed in 4 samples with domains under 30 days old.
- T1598.003: Credential Harvesting: Observed in 7 samples displaying login forms.

3.4 Risk Assessment Summary

Risk Level	Count	Percentage
High	6	54%
Medium	3	27%
Low	2	18%

4. Dashboard Overview

A Splunk threat intelligence dashboard was developed to visualize the analyzed data. The dashboard includes six panels:

1. Total Samples Analyzed of Single value counter showing 11 total samples.
2. High Risk Count of Single value counter showing 6 high risk IOCs.
3. High Risk IOC Table of Detailed table of high-risk samples with VT scores.
4. New Domains Table of Domains registered under 1 year flagged for review.
5. MITRE Technique Breakdown of Bar chart showing technique distribution.
6. IOCs by Target Brand of Pie chart showing targeted brand distribution.

Table fig 1.1




Table fig 1.2




Table fig 1.3

High Risk IOC [Settings]

No title [Search] [Chart: Table] [Edit] [More]

Sample_URL	Domain	VT_Score	Risk_Level
https://binance-cn.at/	binance-cn.at	4\92	High risk
https://facebook-request.program-ads-agency.com/..	facebook-request.program-ads-agency.com	23\92	high risk
https://a-ur-whatsapp.com.cn/	a-ur-whatsapp.com.cn	17\92	High risk
https://amzn-update-adb-load.s3.us-east-1.amazonaws.com/indexgateway.h...	amzn-update-adb-load.s3.us-east-1.amazonaws.com	0\92	High risk
http://green-dot-moneypak.com	green-dot-moneypak.com	1\92	High risk
https://www-currently-sign-in-247e11.webflow.io/...	www-currently-sign-in-247e11.webflow.io	19\93	High risk

5. Recommendations

5.1 Immediate Actions

- Block all High-Risk domains at the firewall and email gateway
- Flag S3-hosted URLs from unknown buckets for manual review
- Implement SPF, DKIM, and DMARC email authentication to reduce phishing delivery

5.2 Long-term Improvements

- Integrate automated WHOIS age checking into email filtering rules
- Subscribe to PhishTank API for real-time phishing URL feeds
- Conduct regular MITRE ATT&CK assessments to track evolving phishing techniques
- Train end users to identify typo squatting domains such as `spotifypremi.com` vs `spotify.com`.