



KARATINA UNIVERSITY

UNIVERSITY EXAMINATIONS

2023/2024 ACADEMIC YEAR

**SECOND YEAR SPECIAL/ SUPPLIMENTARY
EXAMINATION**

FOR THE DEGREE OF

**BACHELOR OF SCIENCE ACTUARIAL
SCIENCE**

COURSE CODE: MAT 230

**COURSE TITLE: COMPUTATIONAL
METHODS AND DATA ANALYSIS**

DATE: 22nd JULY 2024 TIME: 12.00noon-2.00pm

INSTRUCTION TO CANDIDATES

SEE INSIDE:

ANSWER QUESTION ONE (COMPULSORY) AND ANY OTHER TWO QUESTIONS

SECTION A

QUESTION ONE (30 marks)

- a) Outline any four Features of Matlab (4marks)
- b) Create a valid Matlab code that solves the following system and outputs the value of e only.
 $c = a + b$, $d = c + a \sin b$, $e = 5d$ given that $a = 5$ and $b = 7$ (3marks)
- c) State and explain the two forms in which a number in a computer word can be stored. (2marks)
- d) Convert the following numbers
 - i. The hexadecimal number 1EFC into its decimal equivalence (3marks)
 - ii. The binary number 1111011111100 into its decimal equivalence. (3marks)
 - iii. Compare the two answers in (i) and (ii) above (1mark)
- e) A computer has a word length of twelve, determine the form in which the number $(0.96457)_{10}$ is stored by this computer's binary system. (2marks)
- f) Given that the negative root of the equation $2x^3 - 5x^2 - 3x + 6 = 0$ lies between -1 and -2,
 - i. use secant method with $x_0 = -1$ and $x_1 = -2$ to find this root, iterate 3 times. (5 marks)
 - ii. Given that the correct answer to four decimal places is -1.1375, determine the percentage error in your answer above. (2 marks)
- g) Describe the condition that must be met to guarantee that the Jacobi method for solving a linear system of equations converges. (3marks)

SECTION B (40marks)

QUESTION TWO (20 marks)

- a) Consider the following matrix

$$A = \begin{bmatrix} 3 & 0 \\ 8 & -1 \end{bmatrix}$$

- i. Determine the spectral radius of matrix A (4 marks)
- ii. Does the matrix converge? (1 mark)

- b) For the data below calculate the differences and obtain the forward difference polynomial. Interpolate at $x=0.25$ (4marks)
- | | | | | | |
|------|------|------|------|------|------|
| X | 0.1 | 0.2 | 0.3 | 0.4 | 0.5 |
| F(x) | 1.40 | 1.56 | 1.76 | 2.00 | 2.28 |
- c) Write down a Matlab code to find a root of the equation $x^3 - \frac{1}{2} = 0$ using Muller's method take the three initial approximations as $x_0=0$, $x_1=1$ and $x_2=1/2$. Do not calculate the values (6marks)
- d) Define the term Algorithm, hence outline any four important features of an algorithm. (5marks)

QUESTION THREE (20 marks)

- a) Convert the decimal number $(0.65)_{10}$ into binary, expressing your answer in eight bits. (2marks)
- b) Outline six qualities of a good computer software. (6marks)
- c) Given that the largest positive root of the nonlinear equation $x^3 - 4x^2 + 5 = 0$ lies between 3 and 4,
- Determine this root using Newton Raphson method with $x_0 = 3.0$, iterate 4 times. (6marks)
 - Given that the exact root is 3.6180, determine absolute error in your answer above. (1mark)
- d) An exact decimal number must be converted before storage in the computer memory.
- Explain how an error can occur during the storage process. (2marks)
 - State any three types of errors. (3marks)

QUESTION FOUR (20 marks)

- a) Outline the five phases that a problem goes through for a computer to produce meaningful results. (5marks)
- b) Solve the following system of equations using Jacobi method by first converting it into a matrix

$$4x_1 + x_2 + x_3 = 2$$

$$x_1 + 5x_2 + 2x_3 = -6$$

$$x_1 + 2x_2 + 3x_3 = -4$$

Take $x^{(0)} = [0.5, -0.5, -0.5]^T$ iterate twice (8marks)

- c) Given that a real root of the equation $f(x) = 2x^3 - 6x + 3$ lies in the interval $(0,1)$, use the Regula Falsi method to perform four iterations to find this root. (7marks)

QUESTION FIVE (20 marks)

- a) Using Chebyshev method find the smallest positive root of the equation $f(x) = x^3 - 2x + 1$, take $x_0 = 0.5$ and iterate 2 times. (5marks)

- b) Given the system of nonlinear equations below, use Newton Raphson method with initial approximation $x_0 = 1.5$ and $y_0 = 0.5$ and three iterations to approximate its solution. (8marks)

$$x^2 + xy + y^2 = 7$$

$$x^3 + y^3 = 9$$

- c) Use Gauss-Seidel method to set up an iteration scheme for solving the following system of equations by converting it into matrix. (7marks)

$$2x_1 - x_2 = 7$$

$$-2x_1 + 3x_2 - x_3 = 5$$

$$-x_2 + 5x_3 = 8$$