


Plotted - 4/14/2020 2:48:24 PM :: Saved - 4/10/2020 3:04:11 PM :: Z:\CADD\458 - Rosendin\045-20 - Eastline solar (100 MWoc)\S-3.7 - Wildlife Fencing Details.dwg :: Flaner



WILDLIFE FENCE NOTES:
1. THE PERIMETER FENCING SURROUNDING THE PROJECT SITE WILL BE RAISED AT REGULAR INTERVALS ABOVE GROUND LEVEL TO ALLOW FOR THE PASSAGE OF WILDLIFE TO THE LESSER OF EITHER: ONE FOOT ABOVE GRADE OR TO THE MAXIMUM HEIGHT ALLOWED BY THE CUP. RAISED OPENINGS WILL BE 50' WIDE SPACED AT 100' ON-CENTER.
2. THE LOWER TENSION WIRE AND FENCE CHAIN LINK FABRIC SHALL BE RAISED 12" ABOVE GRADE, FOR 50'-0" LENGTHS (MIN.) EVERY 100' OF FENCE.

1 TYPICAL WILDLIFE FENCE ELEVATION
S-3.7 Scale: N.T.S.

2 NOT USED
S-3.7 Scale: N.T.S.

PROJECT DEVELOPER



2180 South 1300 East
Suite 600
Salt Lake City, UT 84106

ELECTRICAL ENGINEERS
AND INSTALLERS



CONDITIONAL USE PERMIT:

PROJECT

EAST LINE SOLAR

ARRAY FIELD ADDRESS:

1665 E. SELMA HWY, CASA
GRANDE, AZ 85194, USA

PROJECT No.:

EAST LINE PHASE 1

REVISION		
MARK	DATE	DESCRIPTION
	04/15/2020	100% IFP SUBMITAL

DRAWN BY: ENG DEPT

CHECKED BY:

SCALE:

DATE:

DATE:

REI DISCLAIMER

ROSENDIN ELECTRIC, INC.
Rosendin Electric, Inc's Professional Liability Insurance Coverage requires all work designed by the engineering group to be performed by Rosendin Electric, Inc. Design concepts and work product are the intellectual property of Rosendin Electric, Inc. and are not to be reproduced or distributed to solicit bids or proposals from other engineering or contracting firms. If the contract stipulates that the design product is the property of the Owner, it must be stamped and signed by a Professional Engineer who is not affiliated with Rosendin Electric, Inc.

SHEET TITLE

WILDLIFE
FENCING DETAILS

SHEET NUMBER

S-3.7