```
CREATE TABLE users (
                SERIAL PRIMARY KEY,
    id
    name
                TEXT UNIQUE NOT NULL,
    role
                TEXT NOT NULL,
                INT CHECK (age > 0),
    age
                 TEXT
    state
);
CREATE TABLE states (
                SERIAL PRIMARY KEY,
    name TEXT NOT NULL
);
CREATE TABLE roles (
                SERIAL PRIMARY KEY,
    name TEXT NOT NULL
);
CREATE TABLE categories (
                 SERIAL PRIMARY KEY,
    name TEXT UNIQUE NOT NULL,
    description TEXT
);
CREATE TABLE products (
                 SERIAL PRIMARY KEY,
    name TEXT UNIQUE NOT NULL,
                 TEXT UNIQUE NOT NULL,
    SKU
    categoryid INT NOT NULL,
                 DECIMAL CHECK (price > 0) NOT NULL,
    price
    FOREIGN KEY (categoryid) REFERENCES categories(id)
);
CREATE TABLE orders (
                SERIAL PRIMARY KEY,
    totalprice FLOAT NOT NULL,
    cardnumber TEXT NOT NULL,
    userid INT NOT NULL,
    FOREIGN KEY (userid) REFERENCES users(id)
);
CREATE TABLE orders products (
    id
                SERIAL PRIMARY KEY,
    orderid
                 INT NOT NULL,
    productid
                INT NOT NULL,
                INT CHECK (amount > 0) NOT NULL,
    amount
    FOREIGN KEY (orderid) REFERENCES orders(id),
    FOREIGN KEY (productid) REFERENCES products(id)
);
```

```
INSERT INTO states (name) values ('Alabama');
INSERT INTO states (name) values ('Alaska');
INSERT INTO states (name) values ('Arizona');
INSERT INTO states (name) values ('Arkansas');
INSERT INTO states (name) values ('California');
INSERT INTO states (name) values ('Colorado');
INSERT INTO states (name) values ('Connecticut');
INSERT INTO states (name) values ('Delaware');
INSERT INTO states (name) values ('District of Columbia');
INSERT INTO states (name) values ('Florida');
INSERT INTO states (name) values ('Georgia');
INSERT INTO states (name) values ('Hawaii');
INSERT INTO states (name) values ('Idaho');
INSERT INTO states (name) values ('Illinois');
INSERT INTO states (name) values ('Indiana');
INSERT INTO states (name) values ('Iowa');
INSERT INTO states (name) values ('Kansas');
INSERT INTO states (name) values ('Kentucky');
INSERT INTO states (name) values ('Louisiana');
INSERT INTO states (name) values ('Maine');
INSERT INTO states (name) values ('Maryland');
INSERT INTO states (name) values ('Massachusetts');
INSERT INTO states (name) values ('Michigan');
INSERT INTO states (name) values ('Minnesota');
INSERT INTO states (name) values ('Mississippi');
INSERT INTO states (name) values ('Missouri');
INSERT INTO states (name) values ('Montana');
INSERT INTO states (name) values ('Nebraska');
INSERT INTO states (name) values ('Nevada');
INSERT INTO states (name) values ('New Hampshire');
INSERT INTO states (name) values ('New Jersey');
INSERT INTO states (name) values ('New Mexico');
INSERT INTO states (name) values ('New York'):
INSERT INTO states (name) values ('North Carolina');
INSERT INTO states (name) values ('North Dakata');
INSERT INTO states (name) values ('Ohio');
INSERT INTO states (name) values ('Oklahoma');
INSERT INTO states (name) values ('Oregon');
INSERT INTO states (name) values ('Pennsylvania');
INSERT INTO states (name) values ('Rhode Island');
INSERT INTO states (name) values ('South Carolina');
INSERT INTO states (name) values ('South Dakota');
INSERT INTO states (name) values ('Tennessee');
INSERT INTO states (name) values ('Texas');
INSERT INTO states (name) values ('Utah');
INSERT INTO states (name) values ('Vermont');
INSERT INTO states (name) values ('Virginia');
INSERT INTO states (name) values ('Washington');
INSERT INTO states (name) values ('West Virginia');
INSERT INTO states (name) values ('Wisconsin');
```

```
INSERT INTO states (name) values ('Wyoming');
INSERT INTO roles (name) values ('Owner');
INSERT INTO roles (name) values ('Customer');
```