uFTi user manual: Windows

Understanding family tree information

Oughtibridge Ltd

Status: **Beta**

© 2026 Oughtibridge Ltd
This publication is available at https://docs.ufti.com/windows/Alpha-2/

Contents

Quick Start ... 4
- Look around ... 4
- Add your first person ... 5
- Say where you found it ... 6
- Keep it safe ... 7
- What next ... 8

Five things to know ... 9

Work with your tree ... 10
- The screens of the app ... 10
- Find a person ... 15
- See a family tree ... 17
- See the events of a person ... 19
- Dates ... 20
  - The kinds of date ... 21
  - Typing a date ... 22
  - Calendars and old dates ... 24
  - A worked case: a birth in January ... 25
  - A worked case: two calendars in one life ... 26
  - Dates in lists and in order ... 27
- Places ... 28
- Names ... 29
- Look at the sources of a fact ... 30
- Add another person ... 33
- Change a person ... 35
- Remove a person ... 36
- Add a family with children ... 37
- Add a later family ... 39
- See a family's page ... 41
- Add a note to a person ... 42
- Choose how the app looks ... 44
- Find help and the version ... 45
- A page says no person is selected ... 46

Events, notes and sources ... 47
- Add an event to a person ... 47
- Enter a period ... 48
- Add an event of your own kind ... 50
- Use one note for several people ... 50
- Add a repository ... 51
- Add a source to a person ... 52

Add a research note 53
Record a search that found nothing 55
Use a form for a real record 55
Bring in, share and keep safe 57
Create a workspace 57
Say who made this tree 58
Move between workspaces 59
Your workspace and its files 60
Where your trees are saved 61
Opened files and copies 62
Open a family tree file 63
Remove a tree from the list 64
Which file to send 65
Files beside your tree 65
Add a photo to a person 66
The Photos buttons 66
Glossary 68

Quick Start

Six short pages that take you from opening uFTi to your first person, with its source and a copy.

This takes about ten minutes. Each page has a few steps. Do them in order.


Look around

Open uFTi and find the main places: the menu at the left, the plus button, search and Help.

The first time you open uFTi, it opens a sample tree, the Brontë family of Haworth. Use it to look around.

1. Open uFTi from the Start menu.
   The **Home** screen opens, with a search box.
2. Choose **All people**, then choose the card of one person.
   A chip at the top starts with **Showing**. Until you open someone it says Showing: the focal person. Then it names the person you chose.
3. In the menu at the left, choose **Person**, then **Family tree**, then **Events**.
   They show that person's page, their family and their events and facts.
4. Choose **+** at the top.
   A sheet named **Add a record** lists what you can add. Choose **Cancel** to close it.
5. Choose **Home**. Type a name in the search box and choose **Search**.

You have seen the main places. **Help** is a button at the top right of every screen. The picture shows **Home** once a person has been opened. It then has **Continue with** and **Recent people**.




Next: Add your first person (page 5).

Add your first person

Make a tree of your own and add the first person to it.

1. Choose **Workspaces** in the menu, then **Create workspace**.
   A small box named New workspace opens, with a name in it.
2. Clear the name. Type a new one, such as `Practice tree`, and choose **Create**.
   Say you remove a tree and make a new one with the same name in the same session. The new tree mixes with the old one. It stays mixed until you close and open uFTi again.
3. On **Home**, choose **Add the first person**.
   Another way is to choose **+** at the top, then **Basic details**, then **Add**.
4. Type `Patrick` in **Given name(s)** and `Brontë` in **Surname**. In **Sex**, choose **Male**.
5. In **Date of birth**, type 17 in **Day**, choose March in **Month**, and type 1777 in **Year**.
6. In **Place of birth**, type `County Down, Ireland`.
7. In **Date of death**, enter 7 June 1861 the same way. In **Place of death**, type `Haworth, Yorkshire`.
8. Choose **Save** at the foot of the form.
   Patrick's page opens.

That is your first person. uFTi saves your work as you go.



Next: Say where you found it (page 6).

Say where you found it

Add a source to a fact, so you always know why you believe it.

Use a tree that already has a source in it. The sample tree has some: choose **Workspaces** in the menu, then **Open** on its card. On **Home**, search for a person who has a birth date, and choose their card.

1. Choose the chip beside **Birth**.
   It starts with **Sources** and ends with +.


   A sheet named Sources opens.

2. Choose **Add source**, then choose a source in the list.
   A second step opens, with the title of the source at the top.

3. In **Page or reference number**, type where to look in the source.
   You can leave the other boxes as they are.

4. Choose **Add source**, then choose **Done**.
   The chip on the page shows one more source.

The fact now has a source. Later, when two records disagree, this is how you will know what to believe.



Next: Keep it safe (page 7).

Keep it safe

Save a copy of your tree as a file, and keep it somewhere else too.

1. Choose **Workspaces** in the menu.
2. On the card for your tree, choose **Save as...**.

   A sheet named Save workspace as opens.

3. Choose how to save your tree.

   - **Everything (.gdz, recommended)** keeps the tree, its notes and its pictures in one file. Choose this one.
   - **Family tree only (.ged)** makes a family tree file with no pictures, for other programs.

4. If you chose **Family tree only (.ged)**, choose a version.

   The box named Which version of GEDCOM? offers **GEDCOM 7 (recommended)** and **GEDCOM 5.5.1 (for older programs)**. Choose the first unless a program you use is old.

5. When Windows opens its own Save window, choose a folder you will remember, then choose **Save**.

Make a new copy after you add a lot. Keep one on another drive too.

Next: What next (page 8).

What next

You have a tree, a person, a fact with its source and a copy, so choose where to go from here.

Well done. What do you want to do now?

- Record more of what you have found. Say where you found it (page 6) shows how.
- Learn the ideas behind it all. Read Five things to know (page 9). It takes two minutes.

Five things to know

The five ideas behind uFTi, in two minutes.

A workspace is one family tree

You can have more than one. Each shows as a card on the **Workspaces** screen. Make a new workspace for each tree.

People and families

Add a person for each relative. A family joins a couple. uFTi draws a tree from your families. Choose **Family** to see it.

Facts and sources

A fact is something you record, such as a birth with its date. A source is where you found it. It can be a certificate, a census page, or what someone told you. A small chip beside each heading on a person's page counts the sources. Choose the chip to add one. Then you will always know why you believe a fact.

Saving and copies

uFTi saves your work as you go. To keep a copy, choose **Save as...** on your workspace's card. Keep the file somewhere else too. Do it again after a big session.

Getting help

Look in this guide when you are stuck. Use its search box, and type the words you would say. Practise in a workspace you make for the purpose.

Work with your tree

Find people, add people and families, read their events and sources, and write notes.

This chapter is for everything you do once a tree is open. It starts with a picture of every screen. Then it shows how to find a person, how to read what the app knows about them, and how to add more. Each page has a few steps and a picture of the result.

The pictures use one small tree: the family of Patrick Brontë of Haworth, a village in Yorkshire. You can build it yourself, a little at a time, as you read.

The screens of the app

What each item in the menu shows, what the top of every screen holds, and a picture of the main screens.

The tree in the pages that follow

The pages of this chapter use the sample tree, the Brontë family of Haworth. To open it, choose **Workspaces** in the menu, then choose **Open** on the card of the sample. If you removed it, make the people in the pages by hand. Add another person (page 33) shows how.

The menu

The menu stays at the left of every screen. Some items show your whole tree. Others show one person. That person is named in the chip that starts with **Showing**.




Table 1. The menu items and what they show

Menu item	What it shows	Needs a person
Home	The name of your tree, how much it holds, and a search box.	No
Person	The page of one person, with their family tree beside it.	Yes
Family tree	A drawing of the person with parents, partners and children.	Yes
Events	The things that happened in that person's life.	Yes
Workspaces	Your family trees, one card for each.	No
Notes	Your own notes about that person.	Yes
Where records are kept	The archives, libraries and websites your sources come from.	No
Who made this tree	The people credited with the tree.	No
Research questions and notes	Your list of questions and ideas.	No

Menu item	What it shows	Needs a person
Preferences	The colours and the light or dark look.	No
About uFTi	The version of the app and facts about your computer.	No

> If a page has no person to show, it needs one first. Search for someone, then open them. A page says no person is selected (page 46) shows how.

The top of every screen

These stay in the same places as you move around.

- The name of your tree, then a trail of the pages you came through, such as Home and then People. Choose a name in the trail to go back to it.
- A back arrow, on a page you opened from another page. Choose it to go back one step.
- A button to search.
- The chip that starts with **Showing**. It names the person, or the family, that the menu pages are about.
- The **+** button. It opens the **Add a record** sheet.
- The **Help** button. Find help and the version (page 45) says more.

Home

Home shows the name of your tree and a line that counts its people, families and events. Under it are a search box, the **Search** button and a button with a small icon and no words. The icon opens a panel with the heading **Refine by**. Find a person (page 15) shows how to search.


Two more buttons sit under the search box. **All people** lists everyone in the tree. **Open another workspace** goes to your list of trees.

After you have opened a person, Home has two more headings. Under **Continue with** is a button with the name of the person you opened last. Under **Recent people** is a button for each person you opened lately.

A tree with nobody in it shows **Add the first person** instead.


People

This is the list that **All people** opens. It has one card for each person. A card shows the name, the years of life and small chips. One chip counts the sources and one counts the events. **Add person** starts a new person: Add another person (page 33) shows how.



Workspaces

Each card is one family tree. It tells you how many people, families and events the tree holds. The tree you have open has the **Active** mark. Open a family tree file (page 63) and Remove a tree from the list (page 64) start here.




Person

This is one person's page. It has parts for **Identity** (the names and the sex), **Birth**, **Death**, **More details**, **Family** and **Photos**. Each part with facts has a chip that counts its sources.

A line above the names says how the person was added. The buttons **Edit**, **Add a record**, **Copy** and **Delete person** are at the foot of the page. When the window is wide enough, the family tree of the person shows beside the page. See a family tree (page 17) explains the tree.

Find a person (page 15) shows how to open a person. Change a person (page 35) shows how to correct one.



Family tree and Events

See a family tree (page 17) explains the tree. See the events of a person (page 19) explains the list of events.

Notes

Notes are your own written words about a person, kept with their record. Add a note to a person (page 42) shows how to write one.

Where records are kept, Who made this tree and Research questions and notes

These three pages list things that belong to the whole tree. You add to each with **+**.

- **Where records are kept** lists the archives, libraries, websites and family collections that hold your sources.
- **Who made this tree** lists the people or groups credited with the tree.
- **Research questions and notes** is your research log: questions, ideas and things to do. Each has a status.

Preferences

Choose how the app looks (page 44) explains the choices on this page.

About uFTi

This page shows the version of the app and facts about your computer. Find help and the version (page 45) shows how to read the version.


Find a person

Search your tree by a name, a place or an event, then open the person you want.

The search box is on **Home**. It searches the tree that is open.

1. Choose **Home** in the menu.
   The name of your tree shows, with a search box under it.
2. Type a name, a place or an event in the search box.
   For example, type `Patrick`.
3. Choose **Search**.
   The results come in two lists side by side. The people come first. The events come next to them. A card shows a person's name and years. A chip on it says how many sources back that person up.

   A line such as Matched: Patrick says what the search found. An event is named for what happened and who it was about, such as Marriage — Patrick Brontë & Maria Branwell.




4. Choose the card of the person you want.
   The page of that person opens. Their name shows in the chip that starts with **Showing**.

Now **Family tree**, **Events** and **Notes** in the menu all show that person.

To see everyone, choose **All people** on **Home**. After you have opened someone, **Home** also has two headings. Under **Continue with** is a button with the name of the person you opened last. Under **Recent people** is a button for each person you opened lately.

To narrow the results, choose the button with a small icon and no words, next to **Search**. A panel with the heading **Refine by** opens. Select **Dates**, **Sex**, **Place** or **Event type** to add a filter. Select **Approximate (sound-alike) matches** to also find names that sound alike. Choose **Clear filters** to start again.



Next: See a family tree (page 17).

See a family tree


Draw the parents, partners and children of one person, and read the drawing.

Open a person first. Find a person (page 15) shows how.

The same tree also shows beside a person's page, under a heading named **Family tree**. This task opens it on a page of its own, at full width.

1. Choose **Family tree** in the menu.

   A drawing opens, with the person you chose in a box with a dark edge. Their parents are in a row above. Their partners are beside them. Their children are in a row below.



2. Read a box.

   A box shows a name, how that person is related, and the years of life. For example, Wife · 1783–1821. A chip on the box counts the events of that person.

3. Read the oval between two partners.

   The oval shows the year of their marriage, such as m. 1812.

4. Find the two pairs of buttons above the drawing.

   Each pair has a minus button, a number and a plus button. The pair marked with an up arrow shows 3. The pair marked with a down arrow shows 1. Choose a minus or a plus to see what changes.

In words, the picture shows this. Patrick Brontë is in the box with the dark edge. His wife, Maria Branwell, is beside him. The oval between them says m. 1812. Their six children are in a row below, from Maria to Anne.

Beside the number buttons are **Return to focus** and **Fit to screen**. **Return to focus** takes the drawing back to the person in focus. **Fit to screen** fits the drawing to the screen. A big family may go past the edge of the screen.

You can also press the drawing itself. The app says what each press does. A person's box re-roots the chart. The round mark between partners opens family events. The box of the person in focus opens their record.

The same tree is the pedigree in older manuals.

Next: See the events of a person (page 19).


See the events of a person

List what happened in a person's life, such as birth, baptism and death, and open any one.

Open a person first. Find a person (page 15) shows how.


1. Choose **Events** in the menu.

   A list opens, with a line at the head that says what it holds. Each event has a line with its name, then its date and its place. For Branwell Brontë, the first line says Birth, 1817, and Thornton, near Bradford, Yorkshire.



2. Choose an event to open it.

   A page with the heading **Event or fact** opens. It shows the type, the date, the place and a description. A column named **More details** holds the rest, such as the age at the event and the cause. A chip that starts with **Sources** counts the sources of the event.



3. Choose **All events** to go back to the list.

The list is in order of date. Branwell's birth in 1817 comes before his baptism on 23 July 1817.

To add an event, choose **Add event** under the list. Add an event to a person (page 47) shows how.

Next: Look at the sources of a fact (page 30).

Dates

How uFTi records a date, from one you know in full to one you only know in part.

Most dates are simple. Type the day, the month and the year, such as `15 March 1900`. You can write the month in words or choose it from the list.

A line under the date starts with Reads as. It shows how uFTi has understood the date. Look at it each time. If it is not what you meant, change the date.

When you know less

The date editor asks **How much do you know?**. Choose **The year**, **The month and year** or **The whole date**, to match what the record gives you.

Do not make up a day or a month to fill the gap. A newspaper may say that a book came out in December 1847. Then choose the month and the year, and stop there.

When you are not sure

Choose **Not sure of the date?** to say how sure you are. You can say that a date is about right, worked out by you, or a limit. You can also give a span of time. The kinds of date (page 21) lists each choice, with an example.

Typing the date

Choose **Edit as text** to type the whole date in one box, such as `about 1900` or `between 1850 and 1860`. Some things you might type are kept as typed and not read as a date. Typing a date (page 22) says which.

Old dates

A date from long ago may need more care. Britain changed its calendar in 1752. Before that, the year there began in March. uFTi can keep a date in the calendar of the record.

For example, the diarist Abraham De la Pryme gives his birthday as 15 January 1671. England used the Julian calendar then. To keep the date in that calendar, type `Julian 15 January 1671`. The Reads as line then shows 15 January 1671 (Julian).

Calendars and old dates (page 24) explains how this works. A worked case: a birth in January (page 25) and A worked case: two calendars in one life (page 26) follow his dates through real cases.

Where dates are used

uFTi uses dates to order the events of a person. Dates in lists and in order (page 27) shows where you can enter a date, how dates are shown and how uncertain dates are ordered.

The kinds of date

Seven ways to say how sure you are of a date, each with an example.

Say what the record says

A date in a family tree is often not exact. The kind of date lets the tree say so. Choose **Not sure of the date?** to see the kinds under **Kind of date**. Pick the one that matches your evidence, not the one that sounds neatest.

Table 1. The seven kinds of date

Kind	Use it when	Example	Type it as
On	You know the date.	A copy of a parish register says that Emily Brontë was buried on 22 December 1848.	`22 December 1848`

Kind	Use it when	Example	Type it as
About	A record or a story gives a date that is close, but not exact.	A family story says that a great-uncle left home about 1850.	`about 1850`
Estimated	You worked the date out yourself, for example from an age.	A census says that a woman was 30 in 1851. You work out that she was born about 1821.	`estimated 1821`
Before	It happened on or before this date.	Branwell Brontë had drawing lessons before 1835.	`before 1835`
After	It happened on or after this date.	Branwell worked as a portrait painter after his visit to London in 1835.	`after 1835`
Between two dates	You know the earliest and the latest date it could have been.	A memorial tablet says that Maria Brontë died on 6 May 1825, in the 12th year of her age. So she was born between 7 May 1813 and 6 May 1814.	`between 7 May 1813 and 6 May 1814`
From a date to a date	Something went on for a while, such as a job or a stay.	Patrick Brontë was curate of Thornton from 1815 to 1820.	`from 1815 to 1820`

A limit is not a guess

Use **Before** and **After** for a limit that a record gives you. A baptism can be a limit on a birth, because a child is baptised after being born. Use **Estimated** only for a date that you worked out.

When two sources disagree

Do not pick one date and drop the other. Record each date with the source that gives it. Then your tree shows the disagreement, and a later record may settle it.

Typing a date

What uFTi reads when you type a date in one box, and what it keeps exactly as you typed it.

Plain words

Choose **Edit as text** to type a whole date. Write it in words, with the day first, then the month, then the year. The box shows an example. Capital letters do not matter. You can write a month in full or with its first three letters.

Table 1. What uFTi reads

You type	It means
`15 March 1900` or `15 Mar 1900`	A whole date.
`March 1900`	A month and a year.
`1900`	A year.
`about 1900`, `estimated 1900` or `calculated 1900`	A date that is close, or that you worked out.
`before 1900` or `after 1900`	A limit.
`between 1850 and 1860`	The earliest and the latest date it could be.
`from 1850 to 1860`	Something that lasted for a while.
`44 BC`	A year before the common era. `BCE` works too.
`Julian 14 February 1750`	A date in the Julian calendar. Name the calendar first.
`12 February 1731/32`	A date with a dual year (Calendars and old dates (page 24)).
`1700 (Easter)`	The year `1700`, with the word Easter kept beside it.

What uFTi keeps as you typed it

These are not read as dates. uFTi keeps them exactly as you typed them. It does not use them to order your events.

- `15/03/1900` and `03/04/1900`. Countries put the day and the month in a different order, so uFTi does not guess.
- `1900-03-15` and `1850-1860`.
- `March 15, 1900`, with the month first.
- `c. 1850` and `circa 1850`. Write `about 1850` instead.
- `Easter 1700`. Write `1700 (Easter)` instead.

Check the line that says Reads as

When uFTi cannot read a date, it does not stop you, and it does not warn you. The line under the box only repeats what you typed, such as Reads as Easter 1700. So read that line each time. For a date that uFTi has understood, the line shows it in words, such as Reads as 15 March 1900.

A date that cannot be read stays in the box as text. **Edit as text** stays on for it, because the day, month and year pickers cannot show it.

Calendars and old dates

The four calendars uFTi keeps, and what you need to know when a record is from before 1752.

For a date in the last two hundred years or so, you can ignore this page. Every date is in the calendar that you use today, and uFTi assumes it. This page is for a researcher who meets an older date.

The four calendars

uFTi keeps a date in Gregorian, Julian, Hebrew or French Republican. Gregorian is the one you use today, and it is the default. You choose another under **Calendar** in the date editor. Or you type its name before the date, such as `Julian 14 February 1750`.

Then uFTi names the calendar in the date, as in 14 February 1750 (Julian). Some forms fix the calendar. A census form always uses Gregorian, and does not offer the list.

uFTi does not change a date from one calendar to another. It keeps the date as you entered it. Dates are ordered by the year in their own calendar.

The change of 1752

Britain and its colonies used the Julian calendar until September 1752. In that month, Wednesday 2 September was followed by Thursday 14 September. Many Catholic countries had changed in 1582, and other countries changed at other times. So the place matters as well as the year.

uFTi does not know about the change. It takes `3 September 1752` as an ordinary date, and does not warn you, though that day never happened in Britain. Check dates of this time yourself.

The two calendars differed by ten days in the 1600s and by eleven days in the 1700s. A record from the time gives the day as it was then. Naming the calendar tells the next reader which kind of date it is.

It was really two changes. The year 1751 began on 25 March and ended on 31 December. Then eleven days were left out in September 1752. A record made near these changes can look wrong, by days or a year, when it is right.

The year that began in March, in Britain

This part is about England, Wales and Ireland, and the British colonies. Before 1752, the year there began on 25 March, not on 1 January. A day in February was still in the old year. Writers marked this with a dual year, such as 1731/32. It means 1731 by the old rule and 1732 by ours.

Scotland began its year on 1 January from 1600. Other countries changed the start of the year at other times. A dual year belongs to a British record from 1 January to 24 March, up to 1751. Check the place of your record.

Type a dual year, such as `12 February 1731/32`. uFTi shows the date as you wrote it. The date pickers cannot hold a dual year, so it is always typed. uFTi orders it by the first year, 1731. A worked case: a birth in January (page 25) shows why this matters.

Hebrew and French Republican dates

Hebrew dates appear in Jewish records. France used the French Republican calendar from 1793 until the end of 1805. For these two calendars, uFTi checks only that the day is possible. It does not work out the other calendar for you.

A worked case: a birth in January

How a year that began in March can change a birth year, shown with a diarist born in 1671.

This case shows why the old year matters. Read Calendars and old dates (page 24) first.

The evidence

Abraham De la Pryme was a diarist in Yorkshire. In his diary, he says he was born on 15 January 1671. His own list of the family, at the front of the diary, says the same.

The same list says that his parents married on 3 April 1670. It also says that his brother Peter was born on 29 April 1672. The printed edition of 1870 is the source for all of this.

The question

In England at that time, the year began on 25 March. If Abraham used that rule, then January 1671 was January 1672 by our count. Then Peter would have been born about three months later. That cannot be right.

So Abraham probably began his year on 1 January. His parents' wedding fits too: a birth in January 1671 comes about nine months after April 1670. His birth year is then 1671 in either count.

Why it matters

In England, a writer who gave a date from January to March might use either year. Someone adding one to a January year, because of the old rule, would get 1672. The family's own dates suggest that this would be wrong here.

The same early months appear in two ways in the edition. The preface says that Abraham took his degree in January 1693. A footnote prints the year of another man's degree, at the same college, as 1692-3. The two forms name one year.

His own letters, as printed, show the other way. One is dated 2 February 1701-2, and another 25 January 1703-4. Each date comes before 25 March, so each year has two numbers. The same person can write a year differently in different records. Check each one.

What to record

- Type the day as the source gives it: `15 January 1671`.
- Add a dual year only if a source prints one, such as `12 February 1731/32`.
- Put each source and its page against the date. Then the next reader can weigh the evidence.
- If the day was in the Julian calendar, you can name it: `Julian 15 January 1671`. A worked case: two calendars in one life (page 26) shows what that changes.

A worked case: two calendars in one life

How far apart the Julian and Gregorian calendars were in the life of a diarist who lived from 1671 to 1704.

Abraham De la Pryme was a diarist in Yorkshire. England used the Julian calendar all through his life, so his dates are Julian. This case shows how far they were from the Gregorian calendar. Read Calendars and old dates (page 24) first.

Ten days, and then eleven

The Gregorian calendar was ten days ahead when Abraham was born. The gap grew while he lived. The year 1700 had a 29 February in the Julian calendar, but not in the Gregorian calendar. So, from March 1700, the gap was eleven days.

Table 1. Four of his dates in both calendars

What happened	Julian, as written then	Gregorian	The gap
His birth	15 January 1671	25 January 1671	10 days
A letter from Hull	20 November 1699	30 November 1699	10 days
Another letter from Hull	18 September 1700	29 September 1700	11 days
His death	12 June 1704	23 June 1704	11 days

uFTi does not work out the other calendar for you. We worked out this table by hand.

A day of the week can show the calendar

A friend wrote in his own diary that Abraham died on a Monday, the 12th of the month. The preface of the printed diary gives this, for June 1704. In the Julian calendar, 12 June 1704 was a Monday. In the Gregorian calendar, it was a Thursday. So the friend's date is a Julian one.

When a record names the day of the week, you can test its date in this way.

What his dates cannot show

Abraham died in 1704, so his dates stop before the change of 1752. Calendars and old dates (page 24) explains that change.

What to record

Keep the date as the record gives it. If you want to show which calendar it is, type its name first, such as `Julian 12 June 1704`.

Dates in lists and in order

Where you can enter a date, how uFTi shows it, how it puts dates in order and what it checks.

Where you can enter a date

- **Date of birth** and **Date of death**, in the **Basic details** form.
- The date of the event, in the Baptism, Birth, Burial and Death forms. The Event details form also has one.
- The date of a marriage or other event, and the date of birth of each child, when you add a family.
- The date of the census, in every census form. The 1939 register also asks for each person's date of birth.
- The date of an event in a marriage register form.

A source has no date of its own. Give the date of a record to the event it is about.

How uFTi shows a date

A date is written in words, in the language of the app. It does not follow the date settings of your device. You will see 15 March 1900, March 1900 and 1900. An uncertain date reads about 1900, before 1900, after 1900, between 1850 and 1860 or from 1850 to 1860. A year before the common era reads 44 BC. A life span in a list reads 1816–1855.

How uFTi puts dates in order

uFTi orders by the year of the first date, as if that date were exact. It does not use the month or the day for an uncertain date.

Table 1. How each kind of date is ordered

Date	It is ordered as
`about 1850`	The year 1850.
`before 1900` and `after 1900`	The year 1900, both. Neither goes before or after it.
`between 1850 and 1860`	The year 1850.
`from 1850 to 1860`	Its start, 1850.
A year before the common era	Before the year 1.
A date kept as typed	It is not ordered by year, because uFTi reads no year in it.

On the page of a person, the events are in order of year, and then by the kind of event. The month and the day are not used. Events with no date come last. The family tree view uses the year, then the month, then the day, of the first date.

What uFTi checks

While you enter a date, uFTi checks that the day exists in that month and year of the calendar. It does not check that the events of one person are in a sensible order. Check yourself that a baptism comes after a birth, and a burial after a death.

Some forms warn you about a date but never stop you. A census form expects a Gregorian date on the day of the census.

Years before the common era

uFTi has no limit on the earliest year. Type `BC` or `BCE` after the year, such as `44 BC`. The date pickers cannot enter these years, so you always type them.

Places

How uFTi records a place, and how it helps you spell a place the same way each time.

In uFTi, a place is the words you type. There is no map, and no list of places to pick from. So type the place as your record gives it, such as a town or a parish.

Where you are asked for a place

You meet a place box in these forms:

- **Place of birth** and **Place of death**, in the **Basic details** form.
- **Place of birth (new child)**, when you add a family.
- The place box in the details of an event.

They all work in the same way.

Typing a place

An empty box says Start typing a place.... As you type, uFTi shows the places in this tree that match. It shows up to eight, underneath the box. Choose one to use it. Or keep typing a new place.

Spell it the same way each time

The places offered are the ones you have already typed in this tree. When you choose one, the place is spelled exactly as before. That keeps one place from turning into two.

When a record spells a place in a different way, type it as the record does. Then the tree shows what the record said.

Names

What uFTi does when you save a person whose name is already in the tree, and how to choose.

A person has **Given name(s)** and **Surname**. Families use the same names again and again. So two people in your tree may share a name, and a name you type may belong to someone you have already added.

The question uFTi asks

When you save a form that would make a person with a name that is already in the tree, uFTi stops and asks you first. A box opens. Its title says that the name is already in this tree. If more than one person has the name, it says how many.

Your choices

Under the title, there is one button for each person who has that name.

Use, then the name and the years
: Choose this when it is the same person. The form goes with that person, and uFTi does not make another one. The years of birth and death help you tell people apart.

Add a new person called, then the name
: Choose this when it is a different person who has the same name. uFTi makes a second person.

If you are not sure, look at the other person first. Do not join two people unless your records say they are one.

Look at the sources of a fact

See which books and records are listed for a birth, a death or another fact, and add one.


Open the page of Emily Brontë first. Find a person (page 15) shows how.

Each fact on a person's page has a small chip that counts its sources. This page adds a source to the death of Emily Brontë.


The sheet that the chip opens lists the sources that are already in the tree. The sample tree has some. If your tree has none, the list is empty until you add a source, as Add a source to a person (page 52) shows.

1. Choose the chip beside **Death**.
   It starts with **Sources** and a number, and ends with +. An event has one too.

   A sheet named Sources opens. It lists the sources of that fact. A fact with none says `No sources for this fact yet.`




2. Choose **Add source** at the foot of the sheet.
   A list named Add source opens. It has a box named **Search existing sources...**, a button named **Add a new source**, and the sources already in your tree.



3. Choose the source that backs the fact.
   If it is not in the list, choose **Add a new source** and fill in the form. Add a source to a person (page 52) shows how to add a source to a person.

   A second step opens, with the title of the source at the top.




4. In **Page or reference number**, type where to look in the source.

For the Haworth burial register, type `Burials of December 1848`.

5. In **How reliable it is**, choose how much weight the source deserves.


   - **Not stated**
   - **0 · Unreliable or estimated**
   - **1 · Questionable**
   - **2 · Secondary evidence**
   - **3 · Direct and primary evidence**

   The box starts at **Not stated**. The step also has **Date of the entry** and boxes for the words of the entry. You can leave them empty. For a copy that someone typed out, **2 · Secondary evidence** is a fair choice, as the picture shows.



6. Choose **Add source**.

   The sheet shows the source again, now on the list.



7. Choose **Done**.
   The chip on the page shows one more source.

Each source on the sheet shows its title. Under it is the page or reference you gave. A source that has an author, or a quality, can show those too, such as `Quality: 2 · Secondary evidence`. What a line shows depends on what you have entered for that source.

Each source on the sheet has four buttons, named **Copy**, **Citation**, **Edit** and **Remove**. The sheet also has a button named **Compare records that disagree**.

> Good practice: give each fact its own source and its own page. Ask two questions about a source. Is it the original or a copy? Was the writer there at the time?

To add a source to a person, see Add a source to a person (page 52). Next: Add a research note (page 53).


Add another person

Add a person to a tree that already has someone in it.

The first person comes with a new tree. After that, you add people with **+**. This page adds Charlotte Brontë. The sample tree already has her, so follow the steps in a tree of your own, such as the practice tree from the Quick Start.

1. Choose **+** at the top.

A sheet named **Add a record** opens. It starts with things you can add to the person you are looking at.



2. Scroll the sheet to the part named **Add a new person**.
   The sheet scrolls on its own. Turn the mouse wheel with the pointer on it.

3. Choose **Basic details**, then choose **Add**.
   The **Add** button stays grey until you choose a form.

   A form for a new person opens. Its trail ends with **New person**.


4. Type the names and choose the sex.
   Only **Given name(s)** is needed. Type `Charlotte` there, `Brontë` in **Surname**, and choose Female in **Sex**.

5. Add the dates and places you know.
   For **Date of birth**, type 21 in **Day**, choose April in **Month** and type 1816 in **Year**. A line under the date starts Reads as and shows how the app understood it. Dates (page 20) says more.

   For **Place of birth**, type `Thornton, near Bradford, Yorkshire`. Places you typed before are offered under the box. Places (page 28) says more.

6. Scroll to the foot of the form and choose **Save**.
   The new person is in your tree.

To check, choose **Home**, then **All people**. The new person has a card with the name and the years of life.



There is a shorter way to the same form. On **Home**, choose **All people**, then choose **Add person**.

The sheet ends with a button that starts **More forms** and has a count in brackets. It shows the other forms, such as the census forms from 1871 to 1921. Choose **Fewer forms** to hide them again.


Next: Add a family with children (page 37).

Change a person

Correct a name, a date or a place on a person's page.

Open the person first. Find a person (page 15) shows how.

1. Scroll to the foot of the page and choose **Edit**.
   The page itself turns into a form. The names are first, then the sex, the dates and the places.



2. Change what is wrong.
   To record another name for the person, choose **Add row** under **Other names**. Names (page 29) says more.

3. Scroll to the foot of the form and choose **Save**.
   The page shows the new words.

Your changes are saved to the file as you go.

> The button **Delete person** is on the same page. It removes the person. Read Remove a person (page 36) before you choose it.

Next: Look at the sources of a fact (page 30).

Remove a person


Remove a person from your tree, for example one you added by mistake.

Open the person first. Find a person (page 15) shows how.

Use this only for a person who should not be in the tree, such as someone you added twice. To fix a wrong name, date or place, use Change a person (page 35) instead.

1. Check the name in the trail at the top of the page.
   This is the person who will be removed. The question you are asked also names them.

2. Scroll to the foot of the page and choose **Delete person**.



A box titled Delete person opens. For Anne Brontë it asks `Delete Anne Brontë? They will be removed and unlinked from any families, events and relationships. This cannot be undone.` A line under it says what else changes, such as `Also affects: 1 family, 2 events.`

3. Read the question. Choose **Delete** to remove the person, or **Cancel** to keep them. **Cancel** leaves everything as it was.

The app says that removing a person cannot be undone. It also takes them out of their families and events.

Treat this as final. To be safe, save a copy of your tree (page 7) first.

Next: Add another person (page 33).

Add a family with children

Join two partners who are already in the tree, and add their children.

The partners and the children must already be in the tree, each with a page of their own. Add another person (page 33) shows how to add a person.

This page makes a family from people who are already in the tree. It uses Patrick Brontë, Maria Branwell and their six children. You add the marriage afterwards, on the page of the family. The sample tree already has this family, so use this page for people you added yourself.

1. Open one of the partners, then choose **+** at the top.


The **Add a record** sheet opens.

2. Scroll to the part named **Add to the workspace**. Choose **Family**, then choose **Add**.
   A form opens. The person you came from is already in one of the partner boxes.

3. Select the empty partner box and type the other partner's name.
   For Patrick, this is **Wife / partner 2**. Type `Maria Branwell`.

   A short list of people appears under the box. Each line has the name and the years of life, such as Maria Branwell (1783–1821).

4. Choose the person from the list.
   Typing the whole name is not enough. The box takes the person only when you choose the line.




5. Leave **Marriage date** and **Place of marriage** empty for now.
   You add the marriage on the page of the family. See a family's page (page 41) shows how.

6. Scroll to **Children** and choose **Add row**.
   A row appears for one child.

7. For a child who is in the tree, choose **Set...** under **Existing person**.
   A window named Existing person opens, with a box. Type the child's name, choose the match, then choose **Done**. Choose **Add row** again for each more child.

   For a child who is not in the tree, type the names in the row and choose the sex instead.

When every child is in, the table has a row for each of them.



8. Scroll to the foot of the form and choose **Save**.
   The page of the family opens. It names both partners and lists the children.

Choose **View family tree** to see the family drawn out.

Next: See a family's page (page 41).

Add a later family


Make a family for a person who is already in the tree, such as a daughter who marries.

Add both partners to the tree first. Add another person (page 33) shows how.

Charlotte Brontë is already in the tree, as a child in her parents' family. In 1854 she married Arthur Bell Nicholls. This page makes that second family. Charlotte then shows in both: as a child, and as a partner. The sample tree already has this family, so use this page for people you added yourself.

1. Open the page of Charlotte Brontë, then choose **+** at the top.
   The **Add a record** sheet opens.
2. Scroll to the part named **Add to the workspace**. Choose **Family**, then choose **Add**.


The family form opens. Charlotte is already in the box **Wife / partner 2**. The picture shows the same form for another family, with Maria Branwell chosen as the second partner.



3. Select the box **Husband / partner 1** and type `Arthur Bell`.
   A list appears under the box. One line reads Arthur Bell Nicholls (1817–1906).
4. Choose that line.
   The box takes the person only when you choose the line from the list.
5. Leave the marriage boxes and **Children** empty. Choose **Save**.
   Charlotte and Arthur had no children. You add the marriage on the page of the family.

   The page of the family opens.

Once you add the marriage, the **Family tree** of Charlotte shows her husband beside her, with m. 1854 between them.



Next: See a family's page (page 41) shows how to add the marriage.

See a family's page

Read the page of a family, and add the marriage to it.

Make the family first. Add a family with children (page 37) shows how. Its page opens when you save it.

This page uses the family of Patrick Brontë and Maria Branwell.

1. Read the page of the family.

   The title names both partners, such as Patrick Brontë & Maria Branwell. Under it, a line says No events recorded for this family. until a marriage is added. The chip that starts with **Showing** names the family too.

   The page has parts for **Partners**, **Marriage**, **Children** and **More details**, and a part for notes. **View family tree** draws the family.

2. Scroll to the foot of the page and choose **Edit**.

   The page turns into a form.


3. In **Marriage date**, type 29 in **Day**, choose December in **Month** and type 1812 in **Year**.

   A line under the date starts Reads as. Check it says what you meant. Dates (page 20) says more.

4. In **Place of marriage**, type `St Oswald's church, Guiseley, Yorkshire`.

   Places you typed before are offered under the box. Places (page 28) says more.

5. Choose **Save**.
   The line under the title now reads Marriage · 29 December 1812 · St Oswald's church, Guiseley, Yorkshire.



The marriage shows in **Marriage** on the page of the family. The tree of each partner shows the year, such as m. 1812.

The chip beside **Marriage** counts its sources. Look at the sources of a fact (page 30) shows how to add one.

> If you typed a marriage date on the family form, check that this page shows it under **Marriage**. If the line still says No events recorded for this family., add the marriage with **Edit**, in the steps of this page.

The foot of the page also has the buttons **Copy** and **Delete family**. Next: Add a later family (page 39).

Add a note to a person

Write down something you know about a person that does not fit in a date or a place.

Open the page of Maria Branwell first. Find a person (page 15) shows how.


A note is your own writing, kept with the person's record. This page adds a note to Maria Branwell.

1. Choose **+**.
   The list named **Add a record** opens.
2. Choose **Note** in the part that starts **Add a note to**, then choose **Add**.
   The list scrolls. Turn the mouse wheel with the pointer on it to find the part.

   A form opens with one big box for the note.



3. Type your note in the box named **Note**.
   For example, `Maria Branwell came from Penzance in Cornwall. She married Patrick Brontë in December 1812 and died at Haworth in September 1821.`
4. Choose **Save**.
5. Choose **Notes** in the menu to read it.
   The page lists the note by its first words.



The note belongs to that person. On a record, a button that starts with Notes and a number in brackets, such as `Notes (1)`, counts its notes.

> Write what you know, and say where you read it if you can.


The same page has the buttons **Add note** and **Use an existing note**. To use one note for several people, see Use one note for several people (page 50).

Choose how the app looks

Pick a colour theme, and a light or dark look, for this computer.

These settings are for this computer only. They do not change your family tree files.

1. Choose **Preferences** in the menu.
   The page opens with groups of choices.



2. Under **Theme**, choose a set of colours.
   There are four themes: **High contrast**, **Ink and parchment**, **Oxford and slate** and **Sepia and slate**. Each has a short line of words and a row of four colour squares. **High contrast** has strong outlines and a thick ring round the control you are on. **Oxford and slate** is the one in the pictures in this manual.

3. Under **Appearance**, choose **Follow the system**, **Light** or **Dark**.
   Choose **Light** or **Dark** to set the look yourself.

The pages change to the look you chose, and they stay that way.

The page has a third group, named **Saving another program's file**, with two switches. It is about what a save writes beside a file that another program made. Opened files and copies (page 62) says more.

Find help and the version

Find the Help button on a screen, and read which version of the app you have.

Help is a button at the top right of every screen. Its full name is Help about this screen. The sheet named **Add a record** has one too.

Many boxes on a form also have a small round button with a question mark. Its full name is Help about this field.

The version is the number of your copy of uFTi. Give it when you ask someone about a problem, so they know which copy you have.

1. Choose **About uFTi** in the menu.

A page opens with the name of the app and facts about your copy.

2. Read the line that starts **Version**.

   The number follows the word. The page also names your version of Windows and lists facts about your computer, such as its memory.

You have the version to quote.

Next: The screens of the app (page 10) shows what every other menu item does.

A page says no person is selected

What to do when Person, Family tree or Events have nobody to show.

You choose **Person**, **Family tree**, **Events** or **Notes**. No person is open. The chip at the top starts with **Showing**, and it reads Showing: the focal person instead of a name.

Cause

These pages show one person at a time. You have not opened anyone yet.

Remedy

1. Choose **Home** in the menu.
2. Type a name in the search box, then choose **Search**. Or choose **All people**.
3. Choose the card of the person you want.

   The chip that starts with **Showing** shows their name. The page now works.

Cause

The tree has nobody in it yet. On **Home** the line under its name says 0 persons · 0 families · 0 events, and the chip says Showing: the focal person.

Remedy

Choose **Add the first person** on **Home**.

Add your first person (page 5) shows how to add the person.

Events, notes and sources

Record what happened in a life, write down what you know, and say where you found it.

A tree is more than names and dates. This chapter is for the parts that make it trustworthy. You add events, such as a baptism or a home that lasted for years. You write notes. You record where each fact came from, and what you still want to find out.

Each page has a few steps. The examples are the Brontë family of Haworth, and they use the sample tree of that name. To follow them, choose **Open** on its card on **Workspaces**. Move between workspaces (page 59) shows how. If you removed the sample tree, or you work in a tree of your own, use your own people in place of ours. Add another person (page 33) shows how to add a person.

Two ideas run through the chapter. Say where you found a thing, and say what you saw. A copy that someone typed out is not the register itself, so say that it is a copy.

Add an event to a person

Record something that happened in a person's life, such as a baptism, with its date and place.

Open the page of Branwell Brontë first. Find a person (page 15) shows how.

An event is something that happened in a person's life. This page adds the baptism of Branwell Brontë, on 23 July 1817 at Thornton.



The list also offers Baptism record. That form starts with Register title already filled in as `Parish Baptism Register`. Use it only for a register you have seen. Branwell's date comes from a book about his life, not from the register, so this page uses Other event.

1. Choose **+**.
   The list named **Add a record** opens.
2. Choose **Other event** in the part that starts **Add an event to**, then choose **Add**.
   The list scrolls. Turn the mouse wheel with the pointer on it to find the part. The **Add** button stays grey until you choose a form.


   A form for the event opens.
3. In **Type**, choose **Baptism**.
   This box is needed. The list holds many kinds of event, such as **Residence**.
4. Under **Date**, type 23 in the day box, choose July as the month, and type 1817 as the year.
   A line under the boxes reads `Reads as 23 July 1817`.

5. In **Place**, type `Thornton`, then choose the place the app offers.

   The app offers places that are already in your tree. Here it offers Thornton, near Bradford, Yorkshire.

6. Choose **Save**.
7. Choose **Events** in the menu.

   The baptism is in the list, with its date and place.



The event is part of the person's life. The list shows events in date order, so a birth known only as 1817 comes before a baptism on 23 July 1817.

> Good practice: write down only what you have seen. If you read a date in a book, say that, and do not say it came from a register.

To say where a date came from, see Say where you found it (page 6). Next: Enter a period (page 48).

Enter a period

Record something that lasted for years, such as a home, by typing both dates in one box.

Open the page of Patrick Brontë first. Find a person (page 15) shows how.

Some things last for years, such as living in one house. You can type the dates as text. This page adds the time that Patrick Brontë lived at Haworth, from 25 February 1820 to 7 June 1861.


1. Open the form for an event, as Add an event to a person (page 47) shows: choose **+**, then **Other event**, then **Add**.
2. In **Type**, choose **Residence**.
3. Under **Date**, turn on **Edit as text**.

   The day, month and year boxes give way to one box for text.

4. In the box, type `from 25 February 1820 to 7 June 1861`.

   The box shows examples of what it reads, such as a whole date, about `1900` and between `1850` and `1860`.

   The picture shows the box at this point. The words are typed, and the line under **Date** still says `No date entered`.



5. Leave the box by choosing another one, such as **Place**.

   The line named `How the date reads` fills in. It shows what the app understood.

6. Type the place, then choose **Save**.
7. Choose **Events** in the menu.

   The line for the event reads `Residence, from 25 February 1820 to 7 June 1861`.

The date now reads as a period, from one date to another.

For every kind of date, see The kinds of date (page 21). Next: Add an event of your own kind (page 50).

Add an event of your own kind

Record something that has no word in the list of events, such as the publication of a book, by naming the kind yourself.

Open the page of Charlotte Brontë first. Find a person (page 15) shows how.

The **Type** list has a word for many kinds of event. It has no choice named Event. The last choice is **Fact**, a general word. When the list has no word for your kind, choose **Fact** and name the kind yourself in the box **Kind of event, in words**. This page adds the publication of *Poems by Currer, Ellis, and Acton Bell* in May 1846 to the page of Charlotte Brontë.

1. Open the form for an event, as Add an event to a person (page 47) shows: choose **+**, then **Other event**, then **Add**.
2. In **Type**, choose **Fact**.

   It is at the end of the list.

3. In **Kind of event, in words**, type the name of the kind.

   For this event, type `Publication`.

4. Under **Date**, turn on **Edit as text** and type `May 1846`.

   You do not need the day. Choose another box when you have typed the date, then read the line named `How the date reads` to check what the app understood. Enter a period (page 48) says more about typing a date as text.

5. In **Description**, type the title of the book.

   For this event, type `Poems by Currer, Ellis, and Acton Bell`.

6. Choose **Save**.
7. Choose **Events** in the menu.

   Look for the new event in the list, and read its line to check it.

You have recorded an event of your own kind, with the kind named in your own words.

Next: Add a note to a person (page 42).

Use one note for several people

Write a note once, then use the same note on the page of another person.

The tree needs a note already. Add a note to a person (page 42) adds one to Maria Branwell. Then open the page of Patrick Brontë. Find a person (page 15) shows how.

Some facts belong to more than one person. The note about Maria Branwell tells of her marriage to Patrick Brontë, so it fits his page too. You can use the same note on both pages, so you do not write it twice.

1. Choose **Notes** in the menu.

   The menu opens the notes of the person named in the chip that starts **Showing**.

The page shows the notes of Patrick Brontë, and two buttons: **Add note** and **Use an existing note**.

2. Choose **Use an existing note**.
   A list opens, headed **Use an existing note**. It has a box named **Search the notes** and a row for each note in the tree. A row shows the first words of the note and a line such as `Used by 1 record`. The button **Back to all notes** goes back to the page of notes.
3. Choose the row of the note that starts Maria Branwell came from Penzance in Cornwall.
   The page of notes opens again. It lists the note by its first words, and under them it says `Shared with 1 other record`.

Patrick Brontë and Maria Branwell now use the same note. Both of their pages show it, with the words `Shared with 1 other record` under its first words.

To write a first note, see Add a note to a person (page 42).

Add a repository


Record an archive, a library or a museum that keeps the records you use, so a source can point to it.

A repository is a place that keeps records: an archive, a library, a website or a family collection. A source can point to the place that holds it. This page adds the Brontë Parsonage Museum.

1. Choose **Where records are kept** in the menu.
   The page lists the places you have recorded. Each has a name and an address.
2. Choose **+**.
   The list named **Add a record** opens.
3. Choose **Repository** in the part named **Add to the workspace**, then choose **Add**.
   The list scrolls. Turn the mouse wheel with the pointer on it to find the part.

   A form opens.
4. In **Name**, type `Brontë Parsonage Museum, the Brontë Society`.
   Only this box is needed.
5. In **Address**, type `Church Street, Haworth`.
6. Under **Telephone, email and website**, choose **Add row**.
   A row appears with a list named **Kind** and a box named **Number or address**.
7. Choose the kind that fits, then type the website in **Number or address**.
   For this museum, type `https://www.bronte.org.uk/`.
8. Choose **Save**.

The page **Where records are kept** shows the museum with its address. Each place has **Edit** and **Delete**, and a count of its notes.



The place is in the list. Add the others the same way, such as The National Archives at Kew.

Next: Add a source to a person (page 52).

Add a source to a person


Describe a book, a register or a web page you used, so that someone else could find it again.

Open the page of Emily Brontë first. Find a person (page 15) shows how.

A source is where you found something out. This page adds a source to Emily Brontë: a copy of the Haworth burial register that volunteers typed out.

1. Choose **+**.
   The list named **Add a record** opens.
2. Choose **Source** in the part that starts **Add a source to**, then choose **Add**.
   The list scrolls. Turn the mouse wheel with the pointer on it to find the part.

   A form opens. It starts with **Attach source document**, which you can leave alone.



3. In **Title**, type the name of the source.

   This box is needed. Say what you saw. For this source, type `Haworth burial register (volunteer transcription)`.

4. In **Page or reference number**, type where to look in the source.

   For this source, type `Burials of December 1848`.

5. Fill in the other boxes if you can, then choose **Save**.

   The form has **The words copied from the record**, **Note** and **Where it is kept**. You can leave them empty.

   The page of the person opens again. A line at the top says `Sourced by` and the title.

The source is now in your tree. It is attached to the whole record of the person, so every part of the person's page that has a chip now counts one source.

> Good practice: cite what you actually saw. If you saw a copy that someone typed out, say so in the title.

To say which fact a source backs, add it to that fact instead. Look at the sources of a fact (page 30) shows how. Next: Add a research note (page 53).

Add a research note

Write down a question you are trying to answer, with a status, and tie it to the people it is about.

A research note is a question, an idea or a job to do. It has a status, such as open, in progress or resolved. This page adds the question of Patrick Brontë's surname.

1. Choose **Research questions and notes** in the menu.

The page lists your research notes. Each shows its first words, its status and how many records it is linked from.

2. Choose **+**, then choose **Research note** in the part named **Add to the workspace**, then choose **Add**.

   The list scrolls. Turn the mouse wheel with the pointer on it to find the part.

   A form opens.

3. In **Note**, type your question.

   This box is needed. For example, `Question: what was Patrick's surname at birth, and when did he become Brontë? The sources give Brunty and Prunty. Still open: look for the parish register.`

4. In **Status**, choose **Open**.
5. Under **People it is about**, choose **Add row**, then choose **Set…** under **Person**.


   A window named Existing person opens, with a box for a name.

6. Type `Patrick Brontë`, then choose the line with his years, 1777–1861, then choose **Done**.

   The tree has more than one Patrick. The years show which one is which.

7. Choose **Save**.

   The page **Research questions and notes** lists the note by its first words. Under them it says `Open · linked from 1 record(s)`.



The question is in your research log, tied to Patrick. Each note in the list has **Edit**, **Copy** and **Delete**.

> Good practice: write the question down before you start to answer it. A question can stay open until you find the evidence.

Next: Record a search that found nothing (page 55).

Record a search that found nothing

Write down where you looked and what came back, so that you, or someone else, never has to look there again.

Write the search in a research note. This page records a search for the death of Charlotte Brontë in 1855, which found nothing under her own surname.

1. Open the form for a research note, as Add a research note (page 53) shows.
2. In **Note**, write where you looked, the name you used and what came back.

   For example, `Looked for her death in 1855 in an index of deaths, under the name Brontë. Nothing found. Looked again under Nicholls, her married name. Found: June quarter 1855, Keighley.`
3. In **Status**, choose the status that fits.

   If you will look again, choose **Open**.
4. Under **People it is about**, tie the note to Charlotte Brontë, the person you looked for.

   Choose **Add row**, then **Set...**. Type `Charlotte Brontë`, choose the line with her years, 1816–1855, then choose **Done**.
5. Choose **Save**.

   The page **Research questions and notes** lists the note.

Your note says where you looked, under what name, and what came back. A later reader can see the search and does not have to repeat it.

> Good practice: not finding something tells you about the search. It does not tell you the person was not there.

Next: Use a form for a real record (page 55).

Use a form for a real record

Choose the form that matches a record you have, such as the 1841 census, and see what it fills in for you.

Open the page of Patrick Brontë first. Find a person (page 15) shows how.

Some records have a form of their own, with the boxes that the record has. The form for a census already knows the date of the census. This page opens the form for the 1841 census.

1. Choose **+**.

   The list named **Add a record** opens.

2. Choose **1841 Census (England & Wales)** in the part that starts **Add an event to**, then choose **Add**.

   The list scrolls. Turn the mouse wheel with the pointer on it to find the part. The list also has a button named **More forms**, with a count in brackets, that shows the other forms, such as the later censuses.


   The form opens.

3. Read the line at the top of the form.

   It says `Adding to the household of` and the name of the person, with a link named **Change...**.

4. Check the date in **Census date**.

   The date is already 6 June 1841, the night of the census. A line under it reads `Reads as 6 June 1841`.



You have chosen the form that matches the record. The form shows Census as its event type, the date in **Census date**, and a **Place** box that must be filled in.

> Good practice: copy what the record says, even if you think it is wrong. Put what you think in a note.

Next: What next (page 8).

Bring in, share and keep safe

What your workspace holds, why a GEDZIP file is the one to keep and send, and when a plain family tree file is better.

Your tree is more than one file. It is the family tree, its research notes, and the pictures and other files you attach. This chapter says what uFTi does with a file you open, how to keep a copy safe, and which file to send.

The short answer is the GEDZIP file. It holds your whole workspace in one file. Keep your work in a GEDZIP file, and send a GEDZIP file to anyone who also uses uFTi.

A plain family tree file is for older programs only. It leaves out your pictures and other attached files.

Your tree may have started in another program. Your family may want a copy. This chapter is for both.


Create a workspace

Start a new, empty family tree and give it a name.

A workspace is one family tree and everything kept with it. You can have more than one. Make a new one for each tree you start.

Do not give your new tree the name of a tree you removed in the same session. The new tree mixes up its data with the old one until you close uFTi and open it again.

1. Choose **Workspaces** in the menu, then **Create workspace**.
   The picture shows the **Workspaces** page when no tree is open. It has the buttons **Create workspace** and **Add from file...**.



   A small box named New workspace opens. It says Name your new family tree. The name box already holds the words My family tree.

2. Clear the words in the name box. Type a name of your own, such as `My family`.
   Clear the box first, so that the name you type is the whole name.

3. Choose **Create**.
   To stop, choose **Cancel** instead.

   Your new tree opens on **Home**. It says 0 persons · 0 families · 0 events. A button named **Add the first person** is ready.

You have an empty tree with a name of your own. uFTi saves your changes as you go.

If you want to use the name of a tree you removed, remove that tree first. Close uFTi, open it again, and only then create the new tree. Remove a tree from the list (page 64) says more, and says what to do about a tree called default.

Next: Say who made this tree (page 58), or Add your first person (page 5).

Say who made this tree

Add your name, or the name of a group, as the maker of your tree.

The page **Who made this tree** lists the people or groups credited with the tree. It is usually only you. The name marked (default) is named as the maker when you save the tree.

1. Choose **Who made this tree** in the menu.
   If nobody is credited yet, the page says Nobody is credited with this tree yet. Use the + button to add a name.

2. Choose the **+** button, named **Add a record**, at the top of the window.
   A sheet named **Add a record** opens.

3. In the group **Add to the workspace**, choose **Submitter**, then choose **Add**.
   The group is near the end of the sheet. Scroll to it if you cannot see it. **Add** does not work until you choose a form.

   A form named **Submitter** opens.


4. Type your name in **Name**.
   This is the only box you must fill in. The form also has **Address**, **Telephone, email and website**, **Language** and **Copyright of this tree**. For a telephone number, an email address or a website, choose **Add row**.

5. Choose **Save**.
   To leave without saving, choose **Cancel**.

The page now lists your name, with (default) after it. Beside it are a button for notes, and the buttons **Edit** and **Delete**.

Until you fill in **Copyright of this tree**, the page says This tree states no copyright. To add one later, choose **Edit** beside a name and fill in that box.

The picture shows the page with one name listed, uFTi documentation (default), and that line about copyright.



Next: Move between workspaces (page 59).


Move between workspaces

Open another of your trees, and see which one is open now.

You can keep more than one tree. Each one is a workspace, and each has a card on **Workspaces**. The card of the open tree is marked **Active**. The sample tree, Brontë family of Haworth, has a card too. Choose **Open** on it to go back to the family that the examples in this guide use. If you removed the sample tree, make the people of the examples yourself, as Add another person (page 33) shows.

1. Choose **Workspaces** in the menu.

   The page says that each workspace is one family tree file, and that your changes are saved to the file as you go. Each tree has a card.



2. Find the card of the tree you want.

   The card shows the name of the tree and how many persons, families and events it holds. It also shows **Birth years**, **Death years**, **Top surname** and **Completeness**, which is a percentage.

3. Choose **Open** on that card.

   That tree is now the open one, and its card is marked **Active**.

Everything you see now is from the tree you chose.

Choose **Show details** on a card to see the name of the file of that tree. The card also shows a line that starts `uFTi` and a version number. The button then reads **Hide details**.

Next: Where your trees are saved (page 61).

Your workspace and its files

A workspace is your family tree and its linked files, and a GEDZIP file holds all of them in one file.

A workspace is one family tree and everything kept with it. That is the family tree file, with its research notes, and the pictures and other files you attach to people, facts and sources.

Linked files

The family tree file does not hold your pictures. It links to them, and the pictures stay in files of their own. The same is true of other attached files.

So if you send only the family tree file, the other person gets the tree and its links, but not the pictures.

One file for the whole workspace

A GEDZIP file puts the family tree file and all the files linked to it into one file. You send one file, and nothing is left behind. Another person who uses uFTi opens it and sees your whole workspace.

For that reason, a GEDZIP file is the one to keep and the one to share between copies of uFTi.

The plain family tree file

A plain family tree file holds the people, families, facts, sources and research notes. It does not hold the pictures or other attached files.

When you save one, uFTi asks which version of GEDCOM to use. Choose GEDCOM 7, which was published in 2021 and is the one it recommends. Choose GEDCOM 5.5.1, which was published in 1999, only for an older program that cannot read GEDCOM 7.

A GEDZIP file holds a GEDCOM 7 family tree file, with the pictures and other attached files beside it.

At a glance

Table 1. Which file holds what

File	The tree and its research notes	Pictures and other attached files	Use it to
GEDZIP file	Yes	Yes	Keep your work, and share it with another copy of uFTi.
Plain family tree file	Yes	No	Share with another program that reads GEDCOM, or work with one.

Where your trees are saved

New trees are saved in a folder named uFTi inside your Documents folder, and they stay there if you remove the app.

Each workspace is one family tree file. uFTi saves your changes to that file as you go. When you make a new tree, uFTi saves it in the folder Documents\uFTi on your PC.

Find the file of a tree

Choose **Show details** on the card of a tree on **Workspaces**. It shows the name of the file of that tree.

Your pictures

The pictures that you add to a tree are saved in the folder Documents\uFTi\Media, beside your trees. They are kept in the same way.

If you remove a tree from the list

The file stays in its folder. Remove a tree from the list (page 64) says how to take a tree off the list, and how to open it again.

If you remove the app

Your trees are files in your own Documents folder. They are not part of the app. If you remove uFTi from your PC, your trees stay where they are.

If your Documents folder is in OneDrive

Some PCs keep the Documents folder in OneDrive. If yours does, your trees go to OneDrive with the rest of that folder.

Trees you open from somewhere else

A tree that you open from another folder stays in that folder. Opened files and copies (page 62) says what happens to it.

Opened files and copies

On Windows, uFTi works on the file you open, so make a copy first if you want the original left alone.

Each workspace is one family tree file. When you open a family tree file, uFTi saves your changes to that file as you go.

Leave the original alone

The file you open changes as you work. If you want the original left alone, work on a copy. Make the copy before you change anything. Then open the copy, and keep the original safe.

Make a copy

Choose **Save as...** on the card for your tree. A sheet named Save workspace as asks which kind of file to make. Choose **Everything (.gdz, recommended)**, unless you need a plain family tree file for another program. Then Windows asks where to put the file.

A copy made this way is a saved copy. It is a file of its own, and it stays as it was when you made it. To work on the copy, open it.

Sending your tree

Send a copy that you saved with **Everything (.gdz, recommended)**, and not one of the other files. Which file to send (page 65) says why.

Open a family tree file


Bring a tree from another program, or a copy from a relative, into uFTi.

A family tree file ends in .ged or .gdz. Read Opened files and copies (page 62) first if the file is the only copy you have.

If you have no tree at all, the page **Workspaces** says No workspaces found. Open a family tree file to get started. This is the way to do that.

1. Choose **Workspaces** in the menu, then **Add from file...**.
   Windows opens its own window for choosing a file.
2. Choose the file, then choose **Open**.

The tree is added to the list, with a card of its own on **Workspaces**. To make it the open tree, choose **Open** on its card. Move between workspaces (page 59) says more.




Next: Keep it safe (page 7).

Remove a tree from the list

Take a tree off the Workspaces page without deleting its file.

1. On **Workspaces**, find the card of the tree.
2. Choose **Remove** on that card.

   A box named Remove workspace asks you to check. It says Remove 'Brontë family of Haworth' from your workspaces? This does not delete the family tree file on disk. The name in the question is the name of your tree.



3. Choose **Remove** in the box, or **Cancel** to stop.

The card is gone. The file is still in its folder. Open it again with **Add from file...** at any time.

If that was your only tree, the top of the window says No workspace open. The page **Workspaces** says No workspaces found. Open a family tree file to get started. The buttons **Create workspace** and **Add from file...** are still there.

Do not make a new tree with the name of a tree you removed in the same session. The new tree mixes up its data with the old one until you close uFTi and open it again.

To start clean with that name, do these things in this order:

1. Remove the old tree, as above.
2. Close uFTi.
3. Open uFTi again.
4. Create the new tree. Create a workspace (page 57) says how.

If you open uFTi with no tree, it may make an empty tree called default. It holds nobody. You can remove it in the same way.

Which file to send

Send a GEDZIP file to anyone who uses uFTi, and a plain family tree file only to an older program.

To share your tree with someone who uses uFTi, save a copy as a GEDZIP file, and send that file. Keep it safe (page 7) shows how to make one.

A GEDZIP file holds your whole workspace: the tree, its research notes, and the pictures and other attached files. It is one file, so you can attach it to an email or put it in a shared folder. Nothing is left behind, so the other person sees what you see. Your workspace and its files (page 60) says more.

For an older program

Some older programs cannot read a GEDZIP file. For them, save a plain family tree file instead. It holds the people, families, facts, sources and research notes, but not the pictures or other attached files. If the other person needs the pictures, send them as well.

Do not send the files beside your tree

Do not send the files that uFTi keeps beside your tree. The backup is an old version of your tree. Sending it sends an old tree. Files beside your tree (page 65) says what each file is.

A saved copy stays as it was when you made it. Make a new one before you send, if you have added anything since.

Files beside your tree

The files you may see beside your tree: the tree itself and its backup.

When you open a family tree file, you may see more files beside it. uFTi makes the extra files for you. You do not need to open them or change them.

Table 1. The files you may see beside your tree

File	What it is	Send it to family?
Your tree, such as Brontë family.ged	The file you opened. uFTi saves your changes to it.	Send a GEDZIP copy instead.
The backup. Its name is the name of your tree, with the word backup, the date and the time added in brackets.	An older copy of your tree. uFTi makes one the first time it saves after you start the app.	No. It is an old version.

You may see more than one backup, because uFTi makes a new one each time you start the app and save. A backup is a family tree file too, so you can open one if you need your older tree.

A GEDZIP file, which ends in .gdz, holds the whole workspace in one file. It is the file to keep and to send. If you open a GEDZIP file, uFTi works on that file, and its backup is a GEDZIP file too.

Your tree may also link to pictures and other files. They are separate files, and a GEDZIP file holds them with the tree. Your workspace and its files (page 60) says more.

To make the copy that you send, choose **Save as...** on the card for your tree. Which file to send (page 65) says more.

Add a photo to a person

Choose a photo or a scan from your PC for a person's page.

Open the page of the person. Find a person (page 15) says how.

1. Find the part of the page named **Photos**.
   It has three buttons with a small picture on each. The Photos buttons (page 66) says what each one is for.
2. Choose the button with a folder on it.
   Windows opens its own window for choosing a file.
3. Choose the photo or the scan, then choose **Open**.

You have chosen a photo or a scan for the person. Look at the part named **Photos** on the page.


The button with a camera on it is the button for taking a photo. Where your trees are saved (page 61) says where uFTi keeps your pictures.

Next: Which file to send (page 65).

The Photos buttons

What the buttons in the Photos part of a person's page are for.

A person's page has a part named **Photos**. In a tree with no pictures, it has three buttons in a row. Each has a small picture on it and no words. The picture shows them at the foot of a page, under **Photos**.



- The first button has a camera on it. It is the button for taking a photo.
- The second button has a folder on it. It is the button for adding a file, such as a photo or a scan from your PC. Windows opens its own window for choosing a file. Add a photo to a person (page 66) shows the steps.
- The third button has a chain link on it. It is the button for linking media that is already in this tree.

The window for linking media

The third button opens a window named Link existing media. It has a box named **Search media by description** and a button named **Close**. When the tree has no pictures, the window says No media in this workspace yet. Choose **Close** to shut it.

When a person has pictures

Once a person has pictures, a fourth button shows, for saving them.

Sending your pictures

Which file to send (page 65) says which file to send to family, and whether the pictures go with it.

Glossary

B D F G J P S W

B

backup

An older copy of your family tree file, which the app makes for you. It is made the first time the app saves after you start it.

D

dual year

A year written with two numbers, such as 1731/32. In Britain, it marks a date from 1 January to 24 March, up to 1751.

F

fact

Something you record about a person, such as a birth with its date and place.

family tree file

A GEDCOM file that holds a whole family tree, with its people, families, facts, sources and research notes. It does not hold pictures or other attached files. You can open one, save one and send one.

G

GEDCOM

The standard format for family tree files. Many family tree programs read it. GEDCOM 5.5.1 was published in 1999. It has been the common format for more than twenty years. GEDCOM 7, published in 2021, is the newer version. A version belongs to the standard, not to uFTi.

GEDZIP

One file that holds a whole workspace. It has the family tree with its research notes, and the pictures and other files. It is the best way to save and send your work.

Gregorian calendar

The calendar that you use today. Britain changed to it in September 1752.

J

Julian calendar

An old way to count the days. Britain used it until 1752.

P

pedigree

A family tree drawn for one person. It shows their parents above them, and their partners and children.

S

saved copy

A copy of your tree that you save yourself, as a GEDZIP file (preferred) or a family tree file. It stays as it was when you made it.

source

Where you found a fact. It can be a certificate, a census page, a book, or what someone told you.

W

workspace

One family tree and everything kept with it. That is the family tree file with its research notes, and the pictures and other files you attach. A GEDZIP file holds all of it. You can have more than one.