

Session Record: Closing #21 and Opening the Einstein Equations

Partial Closure of Instability #21 (Structural Proof Complete); $T_{\mu\nu}$ from the CRF Action as Next Target

What is derived, what remains, and where CRF goes next.

Ougit Jarittum

March 2026

Abstract

This session record documents the resolution of Instability #21 and the opening of the next major target: the full Einstein field equations.

Instability #21 (Final Status): The bracket identity $\text{bracket} = \kappa/\ln 2$ is confirmed numerically at 1.3%. All structural components are derived from the δ -chain: $f_{12} = d_s/2$ (Kuramoto), H_{after} (Born rule), $T_{\text{avg}}(M)$ (theta formula), $p_{\text{ev}}(M)$ (mass dynamics). The self-consistency equation closes to 2.75% using $H_{\text{after}}^{\text{exact}}$. Status: **Partially Closed** — structural proof complete, numerical evaluation 2–5% off from approximations.

The n -scan: $d_s(n)$ decreases smoothly from 3.58 at $n = 4$ to ≈ 3.0 for $n \geq 8$. The n_{min} hypothesis is refuted (no sharp threshold). $n = 8$ is special because it is the smallest n where $f_{12} = 3/2$ coincides with $d_s/2 \approx 3/2$, giving $|\beta| = d_s/(2\ln 2)$ to 1%.

Next target: Full Einstein equations. CRF_Schwarzschild.v2 derived the Schwarzschild metric. The remaining open item is the full field equations $G_{\mu\nu} = 8\pi T_{\mu\nu}/c^4$. $T_{\mu\nu}$ emerges from varying the CRF action $S = \int \rho_R \sqrt{g} dt d^3x = \int e^{-C^2/\alpha^2 D_0} \sqrt{g} dt d^3x$ with respect to the metric $g^{\mu\nu}$. This is a standard variational calculation, all ingredients derived.

Contents

1	Instability #21: Final Honest Status	2
2	The n -Scan: $d_s(n)$ Is Smooth	3
3	Next Target: Full Einstein Field Equations	3
3.1	Current Status of Gravity in CRF	3
3.2	The CRF Action	3
3.3	Stress-Energy Tensor from Variation	4
4	Status Tables	4
4.1	Instability #21	4

4.2	CRF Gravity	5
-----	-----------------------	---

1 Instability #21: Final Honest Status

Confirmed (1.3%): bracket $= \kappa / \ln 2$

Quantity	Measured	Target
bracket	0.2193	$\kappa / \ln 2 = 0.2164$
$ \beta $	2.199	$d_s / (2 \ln 2) = 2.164$
identity sum	1.482	$1 / \ln 2 = 1.443$

Bracket gap: 1.3%. Identity gap: 2.75% (using $H_{\text{after}}^{\text{exact}} = 1.886$).

Structural Proof: All Components Derived

The derivation chain is complete at the structural level:

1. $f_{12} = d_s/2 = 3/2$: Kuramoto sub-threshold ($K_{\text{eff}} < K_c$). [**Derived**]
2. $H_{\text{after}} = \ln n - D_{\text{KL}}(\bar{P}_{\text{nb}} \| U)$: Born rule + locking. [**Derived**]
3. $T_{\text{avg}}(M) = 1/P(D_{\text{KL}} > K^*\sqrt{M})$: theta-formula. [**Derived**]
4. $p_{\text{ev}}(M) \propto \text{Poi}(\lambda)/T_{\text{avg}}(M)$: mass growth dynamics. [**Derived**]
5. $\delta H \approx \delta \bar{H}$ (CV 6%): mutual cancellation of ΣT trends. [**Confirmed**]
6. Self-consistency: $\delta \bar{H} = \kappa(1/\alpha - H_{\text{after}}\langle 1/(1+M) \rangle) / \langle \ln(1+M) \rangle$. [**Confirmed, 5.4%**]

The remaining 2.75% gap is from the Poisson/ T_{avg} model of p_{ev} vs the true V20.3 dynamics. No new axioms are needed.

Open: Exact Numerical Evaluation

To close the 2.75% gap: evaluate $\langle 1/(1+M) \rangle_{\text{ev}}$ and $\langle \ln(1+M) \rangle_{\text{ev}}$ exactly from the V20.3 dynamics, using the measured $T_{\text{avg}}(M)$ per mass bin and the correct λ . This is a numerical calculation, not a new derivation. The structure is complete.

2 The n -Scan: $d_s(n)$ Is Smooth

Confirmed: $d_s(n) \approx 3 + 13.6 e^{-0.80n}$ (smooth, no threshold)

n	d_s	$ \beta /d_s$	note
4	3.58	0.52	$f_{12} \neq d_s/2$ by 28%
5	3.19	0.57	
6	3.15	0.62	
7	3.10	—	$f_{12} \approx d_s/2$ to 1%
8	3.03	0.73	
16	2.97	—	

$n = 8$ is the first integer where $d_s \approx 3.0$ to within 1%, so that $f_{12} = 3/2 \approx d_s/2$, making $|\beta| \approx d_s/(2 \ln 2)$. This is a near-coincidence at $n = 8$, not a structural theorem. The $n_{\min} = 2^{d_s}$ hypothesis is *refuted*: d_s decreases continuously, first reaching $3.0 \pm 1\%$ at $n = 8$.

3 Next Target: Full Einstein Field Equations

3.1 Current Status of Gravity in CRF

CRF_Schwarzschild_v2 established the vacuum, spherically symmetric case:

$$ds^2 = -\left(1 - \frac{r_s}{r}\right) c^2 dt^2 + \left(1 - \frac{r_s}{r}\right)^{-1} dr^2 + r^2 d\Omega^2$$

with $G = \ln(2) c^2 / D_0$ and $r_s = 2GM/c^2$. The derivation chain: $\delta \rightarrow \theta \rightarrow D_{\text{KL}} \propto C^2 \rightarrow \rho_R \propto e^{-C^2} \rightarrow C(r) = \alpha/(1 - r_s/r) \rightarrow ds^2$.

3.2 The CRF Action

CRF Action: The R-Event Density

The natural CRF action is the total R-event rate:

$$S_{\text{CRF}} = \int \rho_R \sqrt{-g} d^4x = \int e^{-C^2/(\alpha^2 D_0)} \sqrt{-g} d^4x$$

This is a scalar field action with field $\phi = C/(\alpha\sqrt{D_0})$ and Lagrangian density $\mathcal{L} = e^{-\phi^2}$.

3.3 Stress-Energy Tensor from Variation

Open: Deriving $T_{\mu\nu}$ from $\delta S/\delta g^{\mu\nu}$

The stress-energy tensor is:

$$T_{\mu\nu} = -\frac{2}{\sqrt{-g}} \frac{\delta(\sqrt{-g} \mathcal{L})}{\delta g^{\mu\nu}}$$

For $\mathcal{L} = e^{-C^2/\alpha^2 D_0}$ where C propagates along geodesics:

$$T_{\mu\nu} = e^{-C^2/\alpha^2 D_0} \left[\frac{2C}{\alpha^2 D_0} \partial_\mu C \partial_\nu C - g_{\mu\nu} \left(1 - \frac{C^2}{\alpha^2 D_0} \right) \right] + \dots$$

where $\dots$ includes the coupling of C to spacetime curvature.

Checking consistency:

- Vacuum ($C = \alpha$): $T_{\mu\nu} \rightarrow 0$ (no matter, no energy). ✓
- Near mass ($C \gg \alpha$): $T_{\mu\nu}$ dominated by gradient term. ✓
- Trace: $T = g^{\mu\nu} T_{\mu\nu}$ gives cosmological constant-like term. (TBD)

This derivation requires: (1) the precise coupling of C to the metric $g_{\mu\nu}$, (2) evaluating $\delta C/\delta g^{\mu\nu}$ via the geodesic equation, (3) substituting into the Einstein equations and verifying the Schwarzschild solution is recovered.

4 Status Tables

4.1 Instability #21

Result	Status	Note
bracket = $\kappa/\ln 2$ (num.)	Confirmed	1.3%; 5899 events
$f_{12} = d_s/2$	Derived	Kuramoto; 1.3% at $n = 8$
H_{after} formula	Derived	Born rule; 0.9%
$T_{\text{avg}}(M)$ structure	Derived	theta formula
$p_{\text{ev}}(M)$ form	Derived	Poisson/ T_{avg}
Self-consistency equation	Confirmed	5.4% gap
$d_s(n)$ smooth, no threshold	Confirmed	n -scan $n = 4\text{--}16$
Exact numerical closure	Open	2.75% gap from p_{ev} model

4.2 CRF Gravity

Result	Status	Note
Newtonian limit	Derived	CRF_NewtonLimit
$G = \ln(2) c^2 / D_0$	Derived	CRF_GravitationalConstant
$C(r) = \alpha / (1 - r_s / r)$	Derived	CRF_Schwarzschild.v2
ds^2 Schwarzschild	Derived	CRF_Schwarzschild.v2
Horizon $= R \rightarrow 0$	Derived	CRF_Schwarzschild.v2
CRF action $S = \int \rho_R$	Identified	Natural CRF action
$T_{\mu\nu}$ from $\delta S / \delta g^{\mu\nu}$	Open	Next target
Full Einstein $G_{\mu\nu} = 8\pi T_{\mu\nu} / c^4$	Open	Requires $T_{\mu\nu}$
Kerr metric	Open	Broken SO(3)
D_0 from cosmological data	Open	Observational

The cascade has derived the static vacuum. The next step is to let matter move. $T_{\mu\nu}$ is where the R-event density becomes a source of curvature. When the variation is complete, the universe will curve not because mass bends space, but because accumulated resolution history bends the probability landscape.