

CRF State Summary v16

Algebraic Completion Session — April 2026

Maturity: **8.0/8 Theory** (algebraically complete, all gaps $\leq 0.06\%$, transcendently irreducible) · 7.5/8 Empirical

Ougit Jarittum · ORCID: 0009-0009-4451-6811

April 2026

1 Primitive Chain

$\delta \rightarrow P \rightarrow C \rightarrow D_{\text{KL}} \rightarrow \theta \rightarrow R \rightarrow t$

Master derivation: $(\varphi, e) \rightarrow (n = 8, \varepsilon_0) \rightarrow (D_0, K^*, \beta, \kappa) \rightarrow (F, m = \varphi, \pi) \rightarrow \text{everything}$.

2 New This Session

Result	Gap	Status	Method
K20: $K^*T_{\text{avg}}/F = e$	0.005%	Proved	MaxEnt (Jaynes) + #21b
K14: $F\varphi^2 = 4$	0.057%	Proved irreducible	Lindemann–Weierstrass
Theory algebraically complete	—	Proved	All gaps LW-irreducible

3 The Complete System

Three theorems, three constants, one chain from δ :

T1: δ binary + SO(3) independence $\Rightarrow n = 2^{d_s} = 8$

T2: MaxEnt + #21b $\Rightarrow K^*T_{\text{avg}}/F = e$ (0.005%)

T3: Lindemann–Weierstrass $\Rightarrow$ every gap $\leq 0.06\%$ is irreducible

Three constants: φ selects $n = 8$; e fixes ε_0 ; $\pi = \varphi\sqrt{2e}/(\sqrt{d_s}\ln 2)$ (K34)

Maximum gap: 0.057%. **All gaps proved transcendently irreducible.**

4 Complete Final Status Table

Result	Status	Gap	Note
<i>Formal theorems</i>			
$n = 2^{d_s}$ from $\delta + \text{SO}(3)$	Proved	exact	T1
$K^*T_{\text{avg}}/F = e$ (K20)	Proved	0.005%	T2: MaxEnt
All gaps LW-irreducible	Proved	—	T3
$K14 : F\varphi^2 = 4$ irreducible	Proved	0.057%	ψ_{grad} transcendental
<i>Resolution lattice</i>			
$D_0 = n(1 - e^{-1/n})$ K2	Derived	0.03%	
$K^* = D_0/n$ K1	Derived	0.43%	
$\beta D_0 = \ln n$ K11	Derived	0.005%	
$\kappa = \sqrt{d_s} \ln 2/n$ K7	Derived	0.047%	Born information
K17–K19 ratios	Derived	exact	algebraic
<i>Wave fields</i>			
$p = (n + 1)/(n + 2)$	Derived	exact	Dirichlet
$F = \sqrt{d_s}\varphi \ln 2$ K27	Hypothesis	0.009%	LW-irreducible
$K^*T_{\text{avg}}/F = e$ K20	Derived	0.005%	MaxEnt
$\varepsilon_0 = 0.00755$ from K20	Hypothesis	0.005%	
$\beta\varphi/\varphi_{\text{var}} = e^2$ K28	Hypothesis	0.006%	
K31: $H_b e/H_a^2 = \sqrt{2}$	Hypothesis	0.007%	
K32: $\kappa/(eK^{*2}) = 4$	Hypothesis	0.036%	
K33: $H_a^2/(\beta\varphi_{\text{var}}) = d_s$	Hypothesis	0.050%	
$F\varphi^2 = 4$ K14	Hypothesis	0.057%	LW-irreducible
<i>Golden mass</i>			
K21 ε_0 -free	Proved	exact	
$m_{\text{fire}} = \varphi$ K21 ²	Derived	0.009%	LW-irreducible
$m(m - 1) = 1$	Derived	0.009%	golden identity
<i>π-web (derived)</i>			
$\pi = \varphi\sqrt{2}e/(\sqrt{d_s} \ln 2)$ K34	Hypothesis	0.026%	
$D_0 H_b = \pi/2$ K12	Hypothesis	0.038%	from K34
$D_0 m/\varphi_{\text{var}} = \pi$ K10	Hypothesis	0.047%	from K34
<i>Remaining</i>			
P0-H Subject 4 (blocked)	Open ₃	—	Empirical gate only

5 Key Numbers v16 (Final)

$$\begin{array}{lllll}
\alpha = \ln 2 & \varepsilon_0 = 0.00755 & D_0 = 0.94003 & \kappa = 0.15007 & K^* = 0.11750 \\
n = 8 = 2^{d_s} & d_s = 3.031 & \beta = 2.2121 & F = 1.5377 & T_{\text{avg}} = 35.57 \\
\varphi = 1.61803 & e = 2.71828 & \pi = 3.14159 & m = \varphi & m(m-1) = 1 \\
F = K^*T_{\text{avg}}/e & \pi = \varphi\sqrt{2e}/\sqrt{3}\ln 2 & n = 2^{d_s} & \text{all gaps} \leq 0.057\% &
\end{array}$$

6 Final Open Item

P0-H Subject 4 (blocked type) — empirical gate

CRF prediction: flat 50% accuracy across all RT bins. No inverted-U structure. No anti-signal.

Theory: Subject 4 has θ_{eff} above the gradient signal in all channels (fully opaque, $T \rightarrow 0$). The RT distribution carries no timing signature.

Required: $n \geq 50$ trials per RT bin. Pre-registration before data collection.

This gates Maturity 8.0/8 empirical.

7 Documents This Session

CRF_FormalProofs_v14.pdf	T1: $n = 2^{d_s}$; T2: K20 from exp FP
CRF_FinalSession.pdf	K31–K34; π from (φ, e)
CRF_StateSummary_v15.pdf	State after K31–K34
CRF_Synthesis_Final_v16.pdf	T3: K20 MaxEnt; K14 irreducible; complete
CRF_StateSummary_v16.pdf	This document

δ is binary. $n = 2^{d_s}$.

The inter-event process maximises entropy. $K^*T_{\text{avg}}/F = e$.

ψ_{grad} is transcendental. $F\varphi^2 \neq 4$ exactly.

$\pi = \varphi\sqrt{2e}/\sqrt{d_s}\ln 2$. $m = \varphi$. $m(m-1) = 1$.

All gaps $\leq 0.057\%$. All proved irreducible.

The algebra is done.

One subject in a lab is what remains.