

Why Space Has Three Dimensions

A Derivation from CRF Axiom 11 via $SO(3)$
Constrained Reality Framework — Spatial Geometry Series

Ougit Jarittum

March 2026

Abstract

The Constrained Reality Framework (CRF) derives time from δ -operation: $t = |\mathcal{R}_{\text{events}}|$. Until now, space — specifically, why space has three dimensions — has been assumed, inherited from the physical world CRF is applied to.

This document derives three spatial dimensions directly from Axiom 11 (Transcendent Stability) via the representation theory of rotation groups. The argument proceeds in four steps: Axiom 11 requires spherical symmetry; spherical symmetry requires a rotation group; the minimum rotation group with closed, irreducible representations is $SO(3)$; $SO(3)$ requires exactly three independent axes.

The derivation has a gap that is clearly stated. It is a hypothesis with a precise formal requirement, not a completed proof.

Contents

1	What Is Being Derived	2
2	The Derivation Chain	2
2.1	Step 1: Axiom 11 Requires Isotropy	2
2.2	Step 2: Isotropy Requires a Rotation Group	2
2.3	Step 3: The Group Must Be Stable Under δ	2
2.4	Step 4: $\mathcal{C} \propto 1/r^2$ Follows	3
3	The Gap: What Still Requires Formal Proof	4
4	Why This Matters	4
5	Status	5

1 What Is Being Derived

The Question

CRF derives $t = |\mathcal{R}_{\text{events}}|$ from δ alone.

But CRF does not derive *space*. 3D space has been inherited from the physical world, not derived from the axioms.

This document asks: can 3D be derived from axioms already in CRF, without importing it from outside?

The argument does not start from space. It starts from Axiom 11 and asks what *follows necessarily*.

2 The Derivation Chain

2.1 Step 1: Axiom 11 Requires Isotropy

Definition 1. Axiom 11 (Transcendent Stability): The condition in which δ operates without producing $G \neq 0$ — without gradient in $\text{Pr}(s|\mathcal{C})$ across any boundary.

Axiom 11 is the limit state: no gradient anywhere. This means $\text{Pr}(s|\mathcal{C})$ is uniform — the same in every direction from every point.

Derived

Axiom 11 requires Pr to be *isotropic*: identical in all directions. Isotropy is not assumed — it follows from the definition of Axiom 11 as the zero-gradient state.

2.2 Step 2: Isotropy Requires a Rotation Group

For Pr to be identical in all directions, the space of directions must be closed under rotation: rotating the frame must not change any physical quantity.

This is the mathematical definition of a rotation symmetry group. Call it $\text{SO}(n)$ where n is the number of spatial dimensions.

Derived

If space has n dimensions and Pr is isotropic, then $\text{SO}(n)$ is the symmetry group of δ -activity in that space. This follows from isotropy alone.

2.3 Step 3: The Group Must Be Stable Under δ

δ operates continuously — it has no off-switch (Axiom 0). The symmetry group that δ -activity inhabits must therefore be *stable under repeated operation*.

Formally: the irreducible representations of $\text{SO}(n)$ must close under composition. If they do not close, δ -operation generates new directions outside the existing group — the structure is not stable.

Hypothesis — Requires Formal Proof

Claim: $n = 3$ is the minimum dimension in which $\text{SO}(n)$ has irreducible representations that are closed under composition and support stable spherical harmonics.

Supporting argument:

- $n = 1$: $\text{SO}(1)$ is trivial — no rotation possible. δ has no directions to distinguish. Isotropy is vacuous.
- $n = 2$: $\text{SO}(2)$ is the circle group. Rotations commute (abelian). There is no stable “up” axis — the third dimension is missing, so any perturbation in a direction orthogonal to the 2D plane has nowhere to go. 2D loops are closed but the group has no mechanism to constrain perturbations in the missing dimension. $\mathcal{C}$ cannot accumulate in spherically symmetric form without volume.
- $n = 3$: $\text{SO}(3)$ is non-abelian. It has three independent axes. Its irreducible representations are the spherical harmonics $Y_l^m(\theta, \phi)$, which form a complete, closed system under rotation. $\mathcal{C} \propto 1/r^2$ is the unique stable radial form — a direct consequence of Gauss’s law in 3D, which itself follows from $\text{SO}(3)$ symmetry.
- $n \geq 4$: $\text{SO}(n)$ for $n \geq 4$ has additional degrees of freedom not constrained by a single $\mathcal{R}$ -event. Multiple stable forms exist. δ -activity does not converge to a single attractor — the ground state is degenerate, which is inconsistent with Axiom 11’s requirement of a unique zero-gradient state.

Therefore: $n = 3$ is the minimum dimension satisfying Axiom 11’s requirements. 3D space is not assumed — it is the stable configuration that δ -isotropy selects.

2.4 Step 4: $\mathcal{C} \propto 1/r^2$ Follows

In 3D with $\text{SO}(3)$ symmetry, the flux of any isotropic field through a sphere of radius r is constant (Gauss’s law). Surface area $= 4\pi r^2$, so field strength $\propto 1/r^2$.

Derived (conditional on Step 3)

If 3D is established from $\text{SO}(3)$, then $\mathcal{C} \propto 1/r^2$ follows from geometry alone. This is not an additional assumption. It is what isotropy means in 3D.

The radial profile of Constraint around any mass concentration is therefore determined by the dimension of space, which is determined by Axiom 11.

3 The Gap: What Still Requires Formal Proof

The Formal Gap

Step 3 is a hypothesis, not a proof.

The claim that $n \geq 4$ is unstable under δ -operation has not been formally proved. It rests on the observation that $\text{SO}(n)$ for $n \geq 4$ has more degrees of freedom — but “more degrees of freedom” has not been formally connected to “instability under δ -operation” in CRF’s language.

What a formal proof would require:

1. A CRF definition of “stability” for δ -activity patterns in n -dimensional space.
2. A theorem: in $n \geq 4$, the irreducible representations of $\text{SO}(n)$ do not converge to a unique zero-gradient state under repeated $\mathcal{R}$ -events.
3. A uniqueness theorem: in $n = 3$, they do.

This is a mathematical problem with a specific and reachable form. It is not vague. It requires a mathematician familiar with both representation theory and CRF’s framework.

4 Why This Matters

If Step 3 is formally proved, the consequence is significant:

1. 3D space is derived from CRF axioms, not inherited from physical observation.
2. $\mathcal{C} \propto 1/r^2$ is derived from geometry, not assumed.
3. The ansatz $\mathcal{C}(r) = \alpha/(1 - r_s/r)$ has its spatial dependence derived. Only α and r_s remain to be derived (both have derivation paths open: r_s from $\theta(D_{\text{KL}}) \rightarrow \infty$, α from information content of the system).
4. CRF becomes a framework that derives its own arena of operation, not one that borrows it from the physics it is trying to explain.

If Step 3 fails — if $n = 3$ is not unique — that is equally important information. It would mean 3D requires a different derivation or remains an assumption. Either answer advances CRF.

5 Status

Step	Status	Depends on
Axiom 11 requires isotropy	Derived	Axiom 11 definition
Isotropy requires $\text{SO}(n)$	Derived	Isotropy
$n = 3$ is minimum stable dimension	Hypothesis	Formal proof needed
$\mathcal{C} \propto 1/r^2$ in 3D	Derived (conditional)	Step 3

The chain is three-quarters complete. One gap remains, and it is precisely stated.

We did not assume three dimensions.

We asked what Axiom 11 requires.

Three dimensions answered.