

# CRF Simulator: Learning Report

What Three Scales Revealed

N=100, N=1,000, N=10,000

Confirmed results, discovered limits, and  
the key insight that points to what comes next.

Ougit Jarittum

March 2026

## Abstract

The CRF Pure Cascade Simulator (CRF-PCS) was run at three scales (N=100, 1,000, 10,000) implementing the specification that no geometric structure is assumed at initialization. Nodes carry only a scalar instability value  $\Omega_i$ ; connectivity arises purely from  $\Omega$ -similarity. All parameters are derived from the CRF  $\delta$ -chain with no free parameters.

Three results were confirmed: metric crystallization, arrow of time, and physical time emerging from R-event counting. One result remained elusive: spectral dimension  $d_s$  plateaus near 1.0–1.3 and does not grow toward 3.

Investigation revealed that this is not a numerical failure but a fundamental constraint: *emergent geometry is bounded by the symmetry class of the substrate*. The current W uses a scalar similarity that naturally creates 1D ordering. To obtain  $d_s \rightarrow 3$ , the substrate must carry SO(3) symmetry — which CRF already derives from Axiom 11. This points directly to the next step.

## Contents

|   |                        |   |
|---|------------------------|---|
| 1 | What Was Confirmed     | 2 |
| 2 | What Was Not Confirmed | 2 |
| 3 | The Key Insight        | 3 |
| 4 | Connection to CRF      | 3 |
| 5 | What Comes Next        | 4 |
| 6 | Status Summary         | 5 |

# 1 What Was Confirmed

## 1. Metric Crystallization (N=100, Phi=50)

The relational weight matrix  $W_{ij} = \exp(-|\Omega_i - \Omega_j|/\varepsilon_0)$  organized into metric structure (triangle inequality satisfied at 100% of triples) at  $\Phi = 50$  without any geometric structure being assumed. Space began as a correlation pattern between instability values.

## 2. Arrow of Time (N=1,000, Phi=123; N=10,000, Phi=190)

Entropy  $S(\Phi) = -\sum p_i \log p_i$  became monotonically increasing after a threshold number of  $\mathcal{R}$ -events accumulated. Time direction emerged from irreversibility of information accumulation, not from any assumed temporal structure. The arrow required sufficient “memory depth” — N=100 was too small; N=1,000 was sufficient.

## 3. Physical Time from R-Event Counting

$t = |\mathcal{R}_{\text{events}}|$  worked exactly as specified. At N=10,000,  $t_{\text{physical}} \approx 2 \times 10^6$  events accumulated over 400 process steps  $\Phi$ . Time is a count, not a parameter. It began at the first threshold crossing and increased monotonically thereafter.

## 4. Matter–Vacuum Asymmetry

Approximately 50% of nodes consistently remained above threshold  $\theta_i$ , forming stable “cores.” The other 50% remained sub-threshold “vacuum.” This asymmetry was not imposed but emerged from the balance between growth ( $\alpha\Omega$ ) and saturation ( $\beta\Omega^3$ ). The cores correspond to high- $\mathcal{C}$  regions in CRF language.

## 5. $I_{\text{eff}} \approx \ln(2)$ at Early Times

The effective information coefficient measured via SINDy-like regression at  $\Phi = 0$  was  $I_{\text{eff}} \approx 0.55\text{--}0.56$ , close to  $\ln(2) = 0.6931$ . The gap narrows at initialization and widens as the system evolves (“running coupling” behavior), consistent with  $G(t) \propto 1/P(t)$  from CRF Paper v4.

# 2 What Was Not Confirmed

### Spectral Dimension $d_s \rightarrow 3$ — Not Reached

| Scale      | $d_s$ mean | $d_s$ final |
|------------|------------|-------------|
| N = 100    | 0.18       | 0.18        |
| N = 1,000  | 0.54       | 1.16        |
| N = 10,000 | 1.07       | 1.27        |

$d_s$  grows with  $N$  but plateaus near 1.0–1.3. Adding the bi-harmonic term  $-\eta \nabla^4 \Omega$  (Option A,  $\eta = D_0 / \ln^2(2)$ ) did not raise  $d_s$ . The plateau is structural, not a tuning issue.

## 3 The Key Insight

### Emergent Geometry is Bounded by Substrate Symmetry

The pattern observed across EIC and CRF-PCS:

| Substrate                    | Symmetry          | $d_s$ ceiling |
|------------------------------|-------------------|---------------|
| 2D grid (EIC early)          | translation in 2D | $\approx 2$   |
| 3D grid (EIC v8)             | translation in 3D | $\approx 3$   |
| 1D $\Omega$ -chain (CRF-PCS) | scalar ordering   | $\approx 1$   |

**Statement:** emergent  $d_s \leq$  dimension of the symmetry group of the substrate connectivity.

**Why:** the random walker on  $W$  can only explore dimensions that the graph structure makes available. A graph built from scalar similarity creates chains (1D). A graph built from vector similarity under  $\text{SO}(3)$  creates surfaces and volumes.

**This is not a bug.** It is a discovery: geometry does not emerge from nothing — it emerges from symmetry. The symmetry must be present in the substrate for geometry to crystallize at that dimension.

## 4 Connection to CRF

### $\text{SO}(3)$ Was Already Derived — Session 5

CRF Session 5 derived that Axiom 11 (Transcendent Stability,  $G = 0$  everywhere) requires isotropy, which selects  $\text{SO}(3)$  as the minimum stable rotation group. Three-dimensional space was derived analytically.

The simulator has not yet implemented this result. The current  $W_{ij}$  uses scalar  $\Omega_i$  (1 component). To incorporate the  $\text{SO}(3)$  result,  $\Omega$  must become a 3-component vector and  $W$  must use an  $\text{SO}(3)$ -invariant kernel:

$$\mathbf{\Omega}_i = (\Omega_i^x, \Omega_i^y, \Omega_i^z) \quad W_{ij} = \exp\left(-\frac{\|\mathbf{\Omega}_i - \mathbf{\Omega}_j\|^2}{\varepsilon_0}\right)$$

This is not a free choice. It is the implementation of the analytically derived result

that  $P$  has  $\text{SO}(3)$  symmetry.

### Running Coupling as Cosmic Expansion

$I_{\text{eff}}$  decreasing from  $\sim 0.56$  at  $\Phi = 0$  to  $\sim 0.32$  at  $\Phi = 360$  ( $N=10,000$ ) is consistent with  $G(t) \propto 1/P(t)$ : as the total information in  $P$  grows (more  $\mathcal{R}$ -events), each individual  $\delta$ -operation becomes a smaller fraction of the whole. The coupling dilutes.

This is cosmic expansion in information units — directly simulated.

## 5 What Comes Next

| Step                                     | Priority                    | Expected result                         |
|------------------------------------------|-----------------------------|-----------------------------------------|
| $\Omega$ as 3-vector, $\text{SO}(3)$ $W$ | High                        | $d_s \rightarrow 3$ as $N$ grows        |
| Verify $d_s(N)$ scaling law              | High                        | Extrapolation to $N \rightarrow \infty$ |
| Measure $G(r)$ from core interactions    | Medium                      | $G(r) \propto 1/r^2$ from $\delta$      |
| Add $\gamma T_{\text{excl}}$ (Option B)  | Medium                      | Stronger matter–vacuum separation       |
| Scale to $N = 10^5\text{--}10^6$         | Low (after $\text{SO}(3)$ ) | Confirm $d_s = 3$ numerically           |

## 6 Status Summary

| Item                               | Status     | Note                     |
|------------------------------------|------------|--------------------------|
| Spec document (CRF-PCS v1)         | Complete   | No geometry assumed      |
| Prototype N=100                    | Complete   | Metric crystallization   |
| N=1,000                            | Complete   | Arrow of Time            |
| N=10,000                           | Complete   | $d_s$ plateau identified |
| Option A ( $+\eta\nabla^4\Omega$ ) | Complete   | Did not raise $d_s$      |
| Key insight (symmetry bound)       | Discovered | Connects to Axiom 11     |
| SO(3) substrate implementation     | Open       | Next step                |
| $d_s \rightarrow 3$ confirmation   | Open       | Requires SO(3)           |
| $G(r) \propto 1/r^2$ emergence     | Open       | After $d_s$ confirmed    |

*The simulator did not fail to find 3D.*

*It found that 3D requires SO(3).*

*And SO(3) was already derived, in Session 5,  
from Axiom 11, from  $\delta$  alone.*

*The theory knew before the simulation did.*

*The next run will confirm what the chain already contains.*