Constrained Reality Framework (CRF)

Part II: Dynamics — Resolution Cascade, Derived Laws, and the Emergence Hierarchy

A Unified Framework for the Emergence of Reality

Ougit Jarittum

March 2026

Abstract

Building on the eleven axioms established in Part I, this Part II develops the full *dynamics* of the Constrained Reality Framework (CRF). We derive nine laws governing the evolution of systems from Possibility Space through Constraint, Instability, and hierarchical Emergence up to Awareness and Transcendent Stability. The Resolution Cascade is analyzed at both global and local scales and across continuous time. The Emergence Hierarchy is treated as a sequence of nested attractor formations, each representing a qualitatively new organizational level. Special attention is given to the mind–awareness transition and the structural role of suffering as an instability signal that drives meta-resolution. The section closes by showing how the EIC (Emergent Instability Cascade) toy model provides computational evidence for the instability-driven emergence mechanism at the core of CRF.

Contents

1 Introduction to Part II **1**

2 The Resolution Cascade **2**
- 2.1 Global Resolution . . . 2
- 2.2 Local Resolution . . . 2
- 2.3 Continuous Resolution . . . 3
- 2.4 The Full Resolution Cascade . . . 3

3 Derived Laws **3**
- 3.1 Laws of the Physical–Informational Core . . . 3
- 3.2 Laws of the Mind–Awareness Extension . . . 4
- 3.3 Summary Table . . . 5

4 The Emergence Hierarchy **5**
- 4.1 Level Structure . . . 5
- 4.2 Transition Conditions . . . 6

5 Mind, Suffering, and Meta-Resolution **6**
- 5.1 Mind as Gradient Processor . . . 6
- 5.2 Suffering as a Resolution Signal . . . 6
- 5.3 Awareness as Meta-Resolution . . . 7
- 5.4 Connection to Active Inference . . . 7

6 EIC Toy Model: Computational Evidence **7**
6.1 Overview . . . 7
6.2 Critical Parameter . . . 7
6.3 CRF Interpretation . . . 8

7 The Unified Dynamics: Full Picture **8**

8 Summary of Part II **9**

---

1 Introduction to Part II

Part I established *what* CRF asserts: the eleven axioms and the Grand Equation. Part II asks *how* it operates: through what mechanisms does latent possibility become structured, complex, and ultimately aware?

The answer unfolds in three stages.

First, the Resolution Cascade (Section 2) describes the step-by-step transformation of Possibility Space into constrained, probabilistic landscapes. This is the engine of CRF.

Second, the nine Derived Laws (Section 3) formalize the rules governing each stage of the cascade. These laws are not assumed but derived from the axioms of Part I.

Third, the Emergence Hierarchy (Section 4) shows how successive layers of constraint and attractor formation produce the sequence: Pattern → System → Life → Mind → Awareness → Transcendent Stability. The dynamics of suffering and meta-resolution receive particular treatment in Section 5.

2 The Resolution Cascade

The Resolution Cascade is the fundamental operational structure of CRF. It describes how Resolution $\mathcal{R}$ acts on Possibility Space P to produce the sequence of structures from which reality emerges.

2.1 Global Resolution

Definition 1 (Global Resolution)**.** *Global Resolution $\mathcal{R}_g$ is the application of the Resolution operator across the entirety of Possibility Space.*

$$\mathcal{R}_g : P \longrightarrow \Omega$$

where Ω denotes the meta-constraint structure — the universal boundary conditions that govern all subsequent local resolution events.

Global Resolution performs three functions:

1. **Establishes meta-constraints**: defines which regions of P are accessible to local resolution.
2. **Shapes the global probability landscape**: determines the prior distribution $\mathrm{Pr}_0(s)$ over all potential states.

3. **Defines universal boundary conditions**: sets the rules within which all subsystems operate.

Cosmologically, the initial Global Resolution event corresponds to the origin of the universe: a single application of $\mathcal{R}_g$ at $t = 0$ that established the primary constraint structure from which all subsequent structure evolved.

$$P \xrightarrow{\mathcal{R}_g(t=0)} \Omega_0 \longrightarrow \text{Primary Constraint Structure}$$

2.2 Local Resolution

Definition 2 (Local Resolution)**.** *Local Resolution $\mathcal{R}_l$ is the application of Resolution within a subsystem σ operating under the meta-constraints Ω established by Global Resolution.*

$$\mathcal{R}_l : P_\sigma \longrightarrow I_\sigma \qquad \textit{subject to } \Omega$$

where $P_\sigma \subset P$ is the subsystem's local possibility space and I_σ is its encoded explicit information.

Local Resolution is a continuous process. Each state transition within a subsystem constitutes a local resolution event:

Domain	**Local Resolution Event**
Physical	Quantum state collapse; thermodynamic transition
Biological	Genetic expression; adaptive response
Cognitive	Perceptual encoding; decision formation
Awareness	Meta-resolution of mind patterns

2.3 Continuous Resolution

Resolution does not terminate after initialization. It operates continuously throughout the evolution of the universe:

$$\mathcal{R}(t), \quad t \geq 0$$

Principle 1 (Resolution Continuity)**.** *The universe is a continuously resolving system. Every moment of physical, biological, or cognitive change represents a local resolution event embedded within the global constraint structure established at $t = 0$.*

A consequence of continuous resolution is that *constraints are dynamic, not static.* They are initialized by Global Resolution and continuously regenerated by Local Resolution:

$$\mathcal{C}(t) = \mathcal{D}(\mathcal{R}_l(t))$$

2.4 The Full Resolution Cascade

Combining global and local resolution with continuous operation gives the full cascade:

$$P \xrightarrow{\mathcal{R}_g} \Omega \xrightarrow{\mathcal{R}_l} I_\sigma \xrightarrow{\mathcal{D}} \mathcal{C}(t) \xrightarrow{\nabla \Pr} G(t) \xrightarrow{F} S(t) \xrightarrow{\mathcal{A}} E$$

This cascade is not a one-time sequence but a *continuously recurring process* at every level of the emergence hierarchy.

3 Derived Laws

The following nine laws are derived from the axioms of Part I. They translate the CRF framework into explicit predictive principles governing the evolution of systems.

3.1 Laws of the Physical–Informational Core

Law 1 (Resolution Law)**.** *All realized states arise through resolution of Possibility Space.*

$$S = \mathcal{R}(P)$$

Every observable state corresponds to a resolution event that selected that state from the possibility domain. No state exists outside of resolution.

Law 2 (Constraint Formation)**.** *Constraints arise as distortions introduced during resolution.*

$$\mathcal{C} = \mathcal{D}(\mathcal{R}(P))$$

Resolution compresses Possibility Space, producing structured limitations that define subsystem boundaries and state transition rules.

Law 3 (Information Compression)**.** *Constraint strength increases as informational compression increases.*

$$\kappa \;\propto\; -\frac{dH}{dt}$$

where κ is constraint strength and H is the Shannon entropy of the system. Stronger compression of informational possibility produces stronger constraint structures.

Law 4 (Instability)**.** *Instability emerges from gradients in constrained probability distributions.*

$$G = \nabla \Pr(s \mid \mathcal{C}), \qquad \textit{Instability} \;\Leftrightarrow\; G \neq 0$$

Differences in probability density across state space drive transitions and dynamic evolution. A perfectly uniform distribution implies no instability; all real constrained systems exhibit non-uniform distributions.

Law 5 (Dynamic Evolution)**.** *System evolution follows gradients within the constraint-modified probability landscape.*

$$\frac{dS}{dt} = F(G, \mathcal{C})$$

Systems evolve toward regions of higher stability within constrained landscapes. The form of F depends on the domain; in thermodynamic systems it corresponds to entropy maximization; in dynamical systems to gradient descent.

Law 6 (Attractor Formation)**.** *Stable attractor states emerge from repeated resolution under persistent constraints.*

$$\mathcal{A} = \lim_{t \to \infty} S(t)$$

Stable configurations correspond to probability attractors shaped by constraint fields. Attractors represent the persistent structures of CRF — the "things" that exist within constrained possibility.

Law 7 (Hierarchical Emergence)**.** *Complex structures emerge through nested constraint layers and attractor formation.*

$$L_{n+1} = \text{Emergence}(L_n)$$

Each organizational level L_n represents a higher-order attractor within a nested constraint structure. Emergence is therefore not a mystery but a predictable consequence of constraint-driven attractor formation.

3.2 Laws of the Mind–Awareness Extension

Law 8 (Suffering Minimization Drive)**.** *The dynamic evolution of mind-bearing systems is driven toward minimization of perceived instability.*

$$\frac{d\Sigma}{dt} \propto -\mathcal{W}$$

where $\Sigma = f(\text{Perception}(\mathcal{I}), \alpha)$ *is suffering (Axiom 9) and* $\mathcal{W}$ *is awareness (Axiom 10). Suffering provides the gradient signal; awareness provides the resolution mechanism. Without awareness, suffering may amplify recursively (*α *increases); with awareness, it diminishes.*

Law 9 (Stability Threshold and Post-Biological Persistence)**.** *Awareness emerges when accumulated instability patterns within a mind-bearing system exceed a critical threshold* θ*:*

$$\mathcal{W} \ \textit{emerges when} \ \int_0^t \mathcal{I}(\tau)\, d\tau \ \geq \ \theta$$

Post-biological persistence of informational patterns is hypothesized when the coherence of stable attractor structures dominates over instability:

$$\textit{Persistence} \Leftarrow \text{Stability-Patterns} \ \geq \ \text{Instability-Patterns}$$

This is a structural hypothesis, not a metaphysical claim: it follows from treating attractors as informational structures that may be substrate-independent.

3.3 Summary Table

Law	Name	Formal Expression
1	Resolution	$S = \mathcal{R}(P)$
2	Constraint Formation	$\mathcal{C} = \mathcal{D}(\mathcal{R}(P))$
3	Info Compression	$\kappa \propto -dH/dt$
4	Instability	$G = \nabla \Pr(s \mid \mathcal{C})$, $G \neq 0$
5	Dynamic Evolution	$dS/dt = F(G, \mathcal{C})$
6	Attractor Formation	$\mathcal{A} = \lim_{t\to\infty} S(t)$
7	Hierarchical Emergence	$L_{n+1} = \text{Emergence}(L_n)$
8	Suffering Minimization	$d\Sigma/dt \propto -\mathcal{W}$
9	Stability Threshold	Persistence when Stability $\geq$ Instability

4 The Emergence Hierarchy

The Emergence Hierarchy is the sequence of organizational levels produced by successive applications of Law 7. Each level is an attractor of the previous level's dynamics under a new layer of constraint.

4.1 Level Structure

Level	Name	CRF Description	Governing Law
L_1	Pattern	Stable repeating configurations in constrained P	Law 6
L_2	System	Interacting pattern networks forming higher attractors	Law 7
L_3	Life	Self-maintaining dynamic systems that locally resist entropy	Laws 5,7
L_4	Mind	Internal gradient modeling within biological substrates	Axiom 8
L_5	[Suffering]	Amplified perceived instability within mind layer	Law 8
L_6	Awareness	Meta-resolution of mind's own patterns	Axiom 10
L_7	Transcendent Stability	Minimal reaction to instability; maximal coherence	Law 9

Note that Level L_5 (Suffering) is bracketed because it is not a necessary emergent level but a conditional state: it arises when mind-level instability is unresolved, and it dissolves when Awareness (L_6) activates meta-resolution.

4.2 Transition Conditions

Each level transition requires a specific condition to be satisfied:

$L_1 \to L_2$ **(Pattern → System):** Multiple stable patterns interact within shared constraint boundaries, forming a higher-order attractor network.

$L_2 \to L_3$ **(System → Life):** A system develops the capacity for self-referential constraint regeneration — it maintains its own boundary conditions against external instability. This is the origin of homeostasis.

$L_3 \to L_4$ **(Life → Mind):** A living system develops internal models of its own instability gradients. The gradient field G is represented internally, enabling predictive response.

$L_4 \to L_6$ **(Mind → Awareness):** The internal model is applied reflexively — the system models its own modeling process. This is the meta-resolution of Axiom 10: $\mathcal{W} = \mathcal{R}_{\text{meta}}(\mathcal{M}(\mathcal{I}))$.

$L_6 \to L_7$ **(Awareness → Transcendent Stability):** Continued meta-resolution drives $\text{Reaction}(\mathcal{I}) \to 0$. The system approaches the limit of minimal entropy and maximal coherence.

5 Mind, Suffering, and Meta-Resolution

5.1 Mind as Gradient Processor

From a CRF perspective, Mind (L_4) is not a mysterious emergent property but a specific type of attractor: one that maintains an internal representation of the probability gradient field G of its environment.

$$\mathcal{M} : \mathcal{I} \longrightarrow \hat{\mathcal{I}}$$

where $\hat{\mathcal{I}}$ is the internal model of the instability field. This model enables anticipatory resolution — the system can "pre-resolve" predicted instability before it fully manifests.

The evolutionary advantage of mind is precisely this: it allows living systems to navigate probability landscapes more efficiently by modeling gradients rather than merely following them reactively.

5.2 Suffering as a Resolution Signal

Suffering (L_5) arises when the internal instability model $\hat{\mathcal{I}}$ amplifies its own signals recursively:

$$\Sigma(t) = f(\hat{\mathcal{I}},\, \alpha(t))$$

where $\alpha(t)$ is a self-amplification factor that increases when instability goes unresolved. This creates a positive feedback loop: unresolved instability raises α, which increases Σ, which occupies more of the system's resolution capacity, leaving less available for external resolution.

Principle 2 (Suffering as Signal)**.** *Within CRF, suffering is not an anomaly or a flaw in the system. It is the mind-layer's instability gradient signal — a high-amplitude indicator that resolution is required. Its functional role is identical to physical instability at lower levels: it drives the system toward change.*

The pathology of suffering is not its existence but its *persistence without resolution* — when α grows faster than the system can resolve $\mathcal{I}$.

5.3 Awareness as Meta-Resolution

Awareness (L_6) is the application of Resolution to the mind's own patterns:

$$\mathcal{W} = \mathcal{R}_{\text{meta}}(\mathcal{M}(\mathcal{I}))$$

This has two effects:

Direct effect: awareness reduces the amplification factor α, diminishing suffering without necessarily eliminating the underlying gradient $\mathcal{I}$.

Indirect effect: awareness reveals the structure of $\mathcal{I}$ with greater clarity, enabling more efficient resolution at the mind level.

The relationship between awareness and suffering is therefore:

$$\frac{d\Sigma}{dt} = f(\hat{\mathcal{I}}, \alpha) - \mathcal{W}$$

Suffering decreases when meta-resolution ($\mathcal{W}$) exceeds the amplification rate. This formulation is consistent with empirical findings in contemplative science: awareness-based practices reduce subjective suffering without requiring the elimination of external stressors.

5.4 Connection to Active Inference

The CRF treatment of mind and awareness connects naturally to Karl Friston's *Active Inference* framework, in which biological systems minimize *free energy* — a bound on surprise, formally related to the KL divergence between the system's internal model and its sensory input:

$$\mathcal{F} = D_{\mathrm{KL}}[\, q(s) \parallel p(s \mid o)\,]$$

In CRF terms, minimizing free energy corresponds to minimizing the mismatch between the internal model $\hat{\mathcal{I}}$ and the actual gradient field $\mathcal{I}$ — that is, to performing Local Resolution efficiently.

Awareness, as Meta-Resolution, extends Active Inference upward: it applies the free-energy minimization principle to the model itself, not just to sensory prediction.

6 EIC Toy Model: Computational Evidence

6.1 Overview

The Emergent Instability Cascade (EIC) is a computational toy model that provides structural evidence for the instability-driven emergence mechanism at the core of CRF.

The governing equation (inferred from simulation behavior) is:

$$\frac{\partial A}{\partial t} \approx b\,\nabla^2 A + c\,A + d\,A^3 + e\,|A|^2 A$$

where A is the local activity field and the parameters b, c, d, e govern diffusion, linear growth, cubic nonlinearity, and saturation respectively.

6.2 Critical Parameter

The key control parameter is α, the distortion strength, which maps directly to the CRF Constraint operator $\mathcal{D}$. Three regimes are observed:

Regime	Condition	CRF Interpretation
Sub-critical	$\alpha < \alpha_c$	Stable/frozen; insufficient instability for emergence
Critical	$\alpha \approx \alpha_c \approx 0.525$	Power-law distributions; maximal restructuring
Super-critical	$\alpha > \alpha_c$	Emergent attractor networks; structured complexity

6.3 CRF Interpretation

The critical transition at α_c corresponds precisely to the condition $G \neq 0$ (Law 4):

- Below α_c: the constraint field is too weak to generate significant probability gradients. The system remains in a low-complexity attractor.
- At α_c: gradients maximize. The system explores the full constraint landscape — a signature of Law 5 operating at maximum efficiency.
- Above α_c: stable attractors form (Law 6). These correspond to emergent structures in the CRF hierarchy.

Principle 3 (Critical Resolution)**.** *The EIC toy model suggests that the transition from non-emergence to emergence in CRF corresponds to a phase transition in the constraint–instability relationship. Emergence does not increase monotonically with constraint strength; it peaks at a critical point α_c where instability gradients are maximally generative.*

The EIC therefore provides a computational existence proof: under CRF dynamics, instability-driven attractor formation naturally produces hierarchical complexity without any additional assumptions.

7 The Unified Dynamics: Full Picture

Combining the Resolution Cascade, the nine Laws, the Emergence Hierarchy, and the EIC evidence, the full CRF dynamics can be expressed as a single unified flow:

$$\underbrace{P}_{\text{Latent}} \xrightarrow{\mathcal{R}_g} \underbrace{\Omega}_{\text{Meta-constraints}} \xrightarrow{\mathcal{R}_l(t)} \underbrace{I_\sigma(t)}_{\text{Explicit info}} \xrightarrow{\mathcal{D}} \underbrace{\mathcal{C}(t)}_{\text{Constraint field}} \xrightarrow{\nabla \Pr} \underbrace{G(t)}_{\substack{\text{Instability}\\ \text{gradient}}} \xrightarrow{F} \underbrace{S(t)}_{\text{System state}} \xrightarrow{\mathcal{A}} \underbrace{E}_{\text{Emergence}}$$

The Emergence cascade E then unfolds as:

$$L_1 \xrightarrow{\text{interaction}} L_2 \xrightarrow{\text{homeostasis}} L_3 \xrightarrow{\text{gradient modeling}} L_4 \xrightarrow{\text{[amplification]}} [L_5] \xrightarrow{\mathcal{R}_{\text{meta}}} L_6 \xrightarrow{\text{minimization}} L_7$$

The complete compact form of the unified dynamics is:

$$\boxed{E_{\text{full}} = \underbrace{\mathcal{A}(\,F(\,\nabla \Pr(\,\mathcal{D}(\,\mathcal{R}(P)\,)\,)\,)\,)}_{\text{Physical–Informational Core (Laws 1–7)}} \oplus \underbrace{\mathcal{R}_{\text{meta}}(\,\mathcal{M}(\,\mathcal{I}\,)\,)}_{\text{Mind–Awareness Extension (Laws 8–9)}}} \tag{1}$$

where $\oplus$ denotes the recursive coupling between the physical cascade and the mind–awareness layer: the mind is produced by the physical cascade, and its meta-resolution feeds back into the constraint structure of the system.

8 Summary of Part II

Part II has established:

1. **The Resolution Cascade**: Global Resolution establishes meta-constraints; Local Resolution continuously generates subsystem constraints; the cascade operates persistently across all scales and levels.

2. **Nine Derived Laws**: Laws 1–7 govern the physical–informational dynamics; Laws 8–9 extend these to the mind–awareness domain.

3. **The Emergence Hierarchy**: seven levels from Pattern to Transcendent Stability, each a higher-order attractor under nested constraints.

4. **Mind, Suffering, and Meta-Resolution**: suffering is the mind-layer instability signal; awareness is meta-resolution; together they define the dynamics of the $L_4 \to L_6 \to L_7$ transition.

5. **The EIC Toy Model**: computational evidence that instability-driven attractor formation produces hierarchical emergence at a critical constraint threshold $\alpha_c \approx 0.525$.

6. **The Full Unified Dynamics** (Equation 1): the complete CRF process expressed as the coupling of the physical cascade with the mind–awareness meta-resolution loop.

Part III: Implications — Connections to Physics, Cosmology, Information Theory, Testable Predictions, and CRF Self-Analysis (forthcoming).