

Constrained Reality Framework (CRF)

Complete Edition v17.7 — Part E

Cluster Closures · TLS Layer · Cross-Part Connection Map

Parts XXVII–XXX ·

Confinement Operators · Complementarity · TLS Floors · K14

Ougit Jarittum

Independent Researcher, Thailand ORCID: 0009-0009-4451-6811

Zenodo: [10.5281/zenodo.18977059](https://zenodo.org/record/105281) (CC-BY-NC 4.0)

May 2026 — Complete Edition v17.7 (Part E of 5)

Abstract

This is **Part E** of the CRF Complete Edition v17.7, the fifth of five sequential files comprising one continuous volume on the δ -mechanism. Parts A, B, C, and D (separately compiled) cover the foundations (Parts I–VIII), the algebraic core (Parts IX–XIII), methodology with Z-Programme through the discrete $\mathbb{Z}_{15}$ layer and Higgs-VEV candidates (Parts XIV–XXI), and the continuous-Lie / R_1 -crossing layer with force hierarchy (Parts XXIII–XXVI plus the relocated Part XIX), respectively.

Part E contains the post-v17.6 cluster of standalone ZC papers (ZC31–ZC40, May 2026), organized into four new parts:

- **Part XXVII (Confinement Operator & R_1 Semigroup).** ZC31 promotes the Council-derived information-loss form to atomic-unit status (FIND-ZC31-01: $\Gamma_i = \mathcal{G}/d_s - 1 + \ln \varphi(d_i) / \ln 15$; FIND-ZC31-02 vacuum floor; FIND-ZC31-03 $\Gamma_{\text{EM}} - \theta_W$ bridge). ZC32 falsifies CONJ-ZC29-05 as literally stated (PM-ZC32-01 scar) and replaces it with the operator form $M_i = R_{\text{create}} \cdot I - R_{\text{destroy},i} \cdot \pi_i$ (DEF-ZC32-01) whose eigenvalue on the sector subspace is Γ_i (THM-ZC32-01). ZC33 builds the bridge to the R_1 -semigroup via sector physical time $t_i := (p_i/q_i) T_{\text{avg}}$ (DEF-ZC33-01) and proves $A_i^{R_1} = T_{\text{avg}}^{-1} M_i$ (THM-ZC33-01) with correlation decay $e^{\Gamma_i t}$ (THM-ZC33-02), closing GAP-ZC29-03.
- **Part XXVIII (Complementarity & Spectral Sums).** ZC34 closes GAP-ZC24-COMP-01 by reframing: the +1.37% “gap” in $\cos^2 \theta_W + (1 + w_{\text{DE}}) = 1$ is exactly Γ_{EM} from FIND-ZC31-03 (THM-ZC34-01). Three corollary identities from the same $\mathbb{Z}_{15}$ partition (THM-ZC34-02 force partition, THM-ZC34-03 spectral pairing, THM-ZC34-04 mixing-confinement duality) follow from one line of algebra, plus PM-ZC34-01 lock on the Weinberg convention. ZC35 closes the spectral sum: $\sum_i \Gamma_i = 4(\mathcal{G}/d_s - 1) + 2 \cos^2 \theta_W$ (THM-ZC35-01), with the recovery lattice FIND-ZC35-01 and the totient log-sum identity FIND-ZC35-02; OBS-ZC35-01 records $\mathbb{Z}_{15}$ as the unique $n \leq 100$ with $\tau(n) = 4$ whose totients form $\{1, 2, 4, 8\}$.
- **Part XXIX (TLS Layer Closures).** ZC36 establishes three independent algebraic routes to the Fiedler value F : Route A (Jaynes–Wald composition, THM-ZC36-01), Route B (WaveChain TLS v3, cited), Route C

(golden ratio CONJ-ZC36-01). COR-ZC36-01 registers $\Gamma_{\text{EM}} \equiv \Gamma_{\text{CRF}}$ explicitly; FIND-ZC36-01/02 register divisor-product identities. ZC37 retires DEF-ZC28-02 ($\varepsilon_0^{\text{EM}} \neq \alpha_{\text{EM}}^{R_0}$; PM-ZC37-01) and proves THM-ZC37-01: $\varepsilon_0^{\text{EM}} = \varepsilon_0^{\text{can}} = |I_{\text{eff}} - \ln 2|$, closing GAP-ZC28-01 and GAP-ZC30-01. ZC38 provides the first structural derivation of I_{eff} from the δ -chain via Jaynes + K14 self-consistency (CONJ-ZC38-01: $\varepsilon_0 = n(1 - e^{-1/n})^2 \varphi_{\text{gold}}^2 / [2(n-1)e]$, gap +0.0066% in I_{eff}). ZC39 closes GAP-ZC38-02 via R_1 -layer renormalization: $(\sigma_{\Psi}^{\text{ren}})^2 = (\sigma_{\Psi}^{\text{K8}})^2 + (1/\varphi_{\text{gold}})T(R_1)$ yields $F\varphi_{\text{gold}}^2 = 3.99986$ (CONJ-ZC39-01; gap -0.0034%). ZC40 promotes this to THM-ZC40-01 by deriving the $1/\varphi_{\text{gold}}$ fraction from the Fibonacci energy-conservation identity $1/\varphi_{\text{gold}} + 1/\varphi_{\text{gold}}^2 = 1$ (LEM-ZC40-01), closing GAP-ZC39-01.

- **Part XXX (Cross-Part Connection Map — NEW v17.7).** A new section type, introduced in v17.7 to address the navigation load created by the four-part split. For each ZC paper integrated in Part E, three connection records are provided: (a) backward inheritance — which Part A/B/C/D objects are used as input; (b) forward correction — which Part A/B/C/D registrations have been *semantically updated* by the Part E result (no source file is modified; the update is purely interpretive); (c) cross-part Phase Misalignments that span more than one Part.

Key closures in this Part: GAP-ZC24-COMP-01 (ZC34), GAP-ZC28-01 (ZC37), GAP-ZC29-03 (ZC33), GAP-ZC30-01 (ZC37), GAP-ZC39-01 (ZC40), GAP-ZC38-02 (ZC39 near-formal, ZC40 promotes). K14 ($F\varphi_{\text{gold}}^2 = 4$) elevated from Hypothesis to Near-Formal Theorem (ZC39/40). I_{eff} first structural derivation from δ -chain (ZC38). The $\Gamma_{\text{EM}}\text{-}\theta_W$ bridge made explicit (ZC31).

Phase Misalignments preserved in Part E (per CRF Failure Stance — “Not Error but Phase Misalignment”): PM-ZC32-01 (CONJ-ZC29-05 literally stated is falsified — χ -map is a partition, not a dynamical operator); PM-ZC32-02 (v2 R -layer audit scar — ZC32 v1 written without reading ZC25–ZC28, a Pre-Work Audit Protocol violation); PM-ZC33-01 (plan-v1 audit scar — engineered ad-hoc τ_i before discovering Wald + Jaynes already provided T_{avg}); PM-ZC34-01 (Weinberg-angle convention lock: $\cos^2 \theta_W = \ln 8 / \ln 15 \approx 0.7679$ LARGE, $\sin^2 \theta_W \approx 0.2321$ SMALL); PM-ZC37-01 (DEF-ZC28-02 category error: $\varepsilon_0^{\text{EM}} \neq \alpha_{\text{EM}}^{R_0}$); PM-ZC36-01 (Pre-Work Audit false alarm: Council scan pointed to “new scar in ZC31” but PM-ZC34-01 already covered the convention inconsistency in the parent). All are visible, declared, and contribute to the self-repair narrative.

Multi-Part Single Volume. Parts A, B, C, D, and E share one conceptual atomic-numbering namespace and one cross-reference system. The PDF outputs combine via `pdfunite Part_A.pdf Part_B.pdf Part_C.pdf Part_D.pdf Part_E.pdf CRF_Complete_v17_7.pdf`. Logically: one book; mechanically: five files for compile reliability.

CRF-Specific Lock. The locked items remain unchanged from v17.6: d_s definition, scaling laws, phase structure, invariants, normalisation ($n_m = 5$, $d_s = 3$). No [CRITICAL CHANGE FLAG] is raised. All updates are forward closures or strictly additive extensions. No silent deletion has occurred — all v17.6 content is preserved verbatim in Parts A–D; Part E is strictly additive.

Contents

XXVII Confinement Operator and R_1 -Semigroup (v17.7)

Overview of Part XXVII

9

9

1	ZC31: The Confinement Spectrum Closed Form	9
1.1	Background: The ZC29 Net Rate	11
1.2	The Shannon Information-Loss Form (DEF-ZC29-04)	11
1.3	The Closed-Form Spectrum (FIND-ZC31-01)	12
1.4	Vacuum as Spectrum Floor (FIND-ZC31-02)	13
1.5	The $\Gamma_{\text{EM}}\text{--}\theta_W$ Bridge (FIND-ZC31-03)	13
1.6	Vacuum-Anchored Recovery (FIND-ZC31-04)	14
1.7	Scope: What ZC31 Does Not Claim	15
1.8	Status After TASK-ZC31	16
1.9	Summary	16
2	ZC32: The Operator Form of the Sector Net Rate	17
2.1	Background: What CONJ-ZC29-05 Claimed	19
2.2	Audit: The CRF χ -Map Is Not a Dynamical Map	19
2.2.1	ZC20 form: gauge-to-charge correspondence	19
2.2.2	ZC23 form: stochastic event assignment χ_{NA}	19
2.2.3	Why CONJ-ZC29-05 fails	20
2.3	The Sector Net-Flow Operator (DEF-ZC32-01)	20
2.4	Spectral Decomposition: THM-ZC32-01	21
2.5	R-Layer Audit (NEW v2)	22
2.5.1	The R-Layer Framework (Recalled from ZC25 v2)	23
2.5.2	Resolution-Scale Protocol (DEF-ZC26-RS01)	23
2.5.3	Layer Test Applied to ZC32 v1 Atomic Units	23
2.5.4	Audit Outcome	24
2.5.5	PM-ZC32-02: R-Layer Audit Gap in v1	24
2.6	Multiplicity Structure (COR-ZC32-01)	25
2.7	Interpretive Bridge to ZC23 (COR-ZC32-02)	26
2.8	The Semigroup Conjecture (CONJ-ZC32-01)	26
2.9	What Remains Open	27
2.9.1	GAP-ZC29-03: Formal confinement proof from R_1 -layer dynamics (status sharpened, not closed)	27
2.9.2	CONJ-ZC29-06 (still held): Vacuum-anchored unification	28
2.9.3	Relationship to ZC31 findings	28
2.10	Status After TASK-ZC32	28
2.11	Summary	29
3	ZC33: The R1-Semigroup Bridge and Triple Closure	30
3.1	Inheritance and Scope	31
3.2	THM-ZC23-01: CLT Proof of $\hat{f}_{\text{RMS}} \rightarrow \sqrt{3}$	33
3.2.1	Statement and Setting	33
3.2.2	Proof	33
3.2.3	Layer Test (DEF-ZC26-RS01)	34
3.2.4	Status After THM-ZC23-01	34
3.3	Sector Ratios and the Vacuum Clock: Pre-Bridge Table	34
3.4	DEF-ZC33-01: Sector Physical Time t_i (The Bridge)	35
3.4.1	Construction	35
3.4.2	Numerical Values	36
3.4.3	Why This Construction, Not an Engineered Bridge	36
3.5	THM-ZC33-01: R_1 -Wave Generator Identification	37
3.5.1	Setup	37

3.5.2	Statement and Proof	37
3.5.3	What This Closes	38
3.6	THM-ZC33-02: Correlation Decay on Sector Subspace	38
3.6.1	Statement	38
3.6.2	Numerical Predictions per Sector	38
3.6.3	Layer Test (DEF-ZC26-RS01)	39
3.7	COR-ZC33-01: GAP-ZC29-03 Closed	39
3.8	COR-ZC33-02: CONJ-ZC32-01 Promoted	40
3.9	What Remains Open	40
3.10	Status After TASK-ZC33	41
3.11	Numerical Verification (v2 addition)	41
3.11.1	Setup	42
3.11.2	Test 1: THM-ZC23-01 ($\hat{f}_{\text{RMS}} \rightarrow \sqrt{3}$ via SLLN)	42
3.11.3	Test 2: THM-ZC33-01 (operator identification)	42
3.11.4	Test 3: THM-ZC33-02 (correlation decay)	43
3.11.5	Figure	43
3.11.6	FIND-ZC33-01: All Three Theorems Are Exact Identities	44
3.11.7	Layer Test for FIND-ZC33-01	44
3.12	Summary	44
	Closing of Part XXVII	45
	XXVIII Complementarity Identity and Spectral Sum	
	(v17.7)	46
	Overview of Part XXVIII	46
4	ZC34: Complementarity Identity and Hidden $\mathbb{Z}_{15}$ Partition Theorems	46
4.1	Background: The Inherited Identities	48
4.2	THM-ZC34-01: The Complementarity Identity	49
4.3	COR-ZC34-01: GAP-ZC24-COMP-01 Closed by Reframing	49
4.4	FIND-ZC34-01: Physical Interpretation of Γ_{EM}	50
4.5	THM-ZC34-02: The Force Partition Identity	51
4.6	THM-ZC34-03: The Spectral Pairing Identity	52
4.7	FIND-ZC34-02: The Binary Sector Ladder	53
4.8	COR-ZC34-02: Open-ZC23-K1 Registry Hygiene	53
4.9	PM-ZC34-01: Symbol Notation Correction	54
4.10	Scope: What ZC34 Does Not Claim	55
4.11	Open Items and Near-Miss Registration	55
4.12	Status After TASK-ZC34	56
4.13	Atomic Registry and Reconstruction Test	57
4.14	Summary	58
5	ZC35: Spectral Sum Identities and the Information Lattice	59
5.1	Setup and Convention Bind	60
5.1.1	Convention bind (PM-ZC34-01)	60
5.1.2	Input atomic units	60
5.1.3	Numerical canonical values	60
5.2	The Spectral Sum Identity (THM-ZC35-01)	61
5.2.1	Statement	61
5.2.2	Proof (two lines)	61
5.2.3	Numerical verification	61
5.2.4	Status and interpretation	61

5.3	The Recovery Lattice (FIND-ZC35-01)	62
5.3.1	Statement	62
5.3.2	Derivation	62
5.3.3	Comparison with ZC31	63
5.4	The Totient Log-Sum Identity (FIND-ZC35-02)	63
5.4.1	Statement	63
5.4.2	Derivation	63
5.4.3	Convention and disambiguation	63
5.4.4	Bridge to THM-ZC35-01	64
5.5	Divisor Pairing and the Origin of $2\cos^2\theta_W$	64
5.6	$\mathbb{Z}_{15}$ Binary-Ladder Uniqueness (OBS-ZC35-01)	65
5.6.1	Statement (empirical)	65
5.6.2	Verification	65
5.6.3	Structural significance	65
5.7	Scope: What ZC35 Does Not Claim	65
5.8	Open Items and Future Work	66
5.9	Atomic Unit Registry	66
5.10	Conclusion	67
	Closing of Part XXVIII	67
XXIX	TLS Layer Closures: Fiedler, ε_0, I_{eff}, K14, Fibonacci (v17.7)	68
	Overview of Part XXIX	68
6	ZC36: Fiedler Value and the Golden Ratio — Three Routes	68
6.1	Setup: Conventions and Input Atomic Units	70
6.1.1	Convention bind (PM-ZC36-01)	70
6.1.2	Input atomic units	70
6.1.3	Canonical numerical values (T-canonical gauge)	71
6.2	Route A: Jaynes–Wald Composition (THM-ZC36-01)	71
6.2.1	Statement	71
6.2.2	Proof (algebraic composition)	71
6.2.3	Numerical verification (Route A)	71
6.2.4	Status and discipline	72
6.3	Route B: WaveChain (Cited, Not Lifted)	72
6.4	Route C: The Golden-Ratio Conjecture (CONJ-ZC36-01)	72
6.4.1	Statement	72
6.4.2	Equivalent forms	73
6.4.3	Numerical verification	73
6.4.4	Why this matters: the Fibonacci-CRF bridge	73
6.5	OBS-ZC36-01: Three-Route Convergence	74
6.5.1	Statement	74
6.5.2	Structural reading	74
6.6	COR-ZC36-01: The $\Gamma_{\text{EM}} \equiv \Gamma_{\text{CRF}}$ Identity	74
6.6.1	Statement	74
6.6.2	Proof (one line)	74
6.6.3	Why this corollary matters	75
6.7	FIND-ZC36-01 and FIND-ZC36-02: Product Identities on $\mathbb{Z}_{15}$	75
6.7.1	The totient product identity (FIND-ZC36-01)	75
6.7.2	The divisor product identity (FIND-ZC36-02)	76

6.8	Scope: What ZC36 Does Not Claim	76
6.9	Open Items and Future Work	77
6.10	Atomic Unit Registry	77
6.11	Conclusion	78
7	ZC37: The Universal Instability Floor	78
7.1	The Inherited Discrepancy	80
7.1.1	What ZC28 Established and Left Open	80
7.1.2	The Three Open Gaps	80
7.2	Gift II-1: An Instructive Near-Miss	81
7.3	The Category Error: PM-ZC37-01	81
7.3.1	PM-ZC37-02: FIND-ZC28-03 elimination table was incomplete	82
7.4	THM-ZC37-01: The Universal Instability Floor	83
7.4.1	Statement	83
7.4.2	Numerical verification	84
7.5	The Three Corollaries	85
7.6	What the Gap Was and Was Not	86
7.7	Retroactive Consistency: FIND-ZC37-02	87
7.8	Z-Programme Status after TASK-ZC37	89
7.9	Atomic Registry and Reconstruction Test	90
7.10	Summary	91
8	ZC38: The Instability Floor from First Principles	93
8.1	Background and Motivation	94
8.1.1	The Open Problem from ZC37	94
8.1.2	Why This Gap Matters	94
8.2	Pre-Work Audit: Existing CRF Pillars	94
8.3	Derivation: FIND-ZC38-01 and FIND-ZC38-02	95
8.3.1	Self-Consistency via Jaynes (FIND-ZC38-01)	95
8.3.2	K14 Substitution (FIND-ZC38-02)	96
8.4	Main Result: CONJ-ZC38-01	96
8.5	Gap Structure Analysis: OBS-ZC38-01	97
8.6	The S_{dep} Necessity Argument: FIND-ZC38-03	97
8.7	Phase Misalignment: PM-ZC38-01	98
8.8	Open Gaps	98
8.9	Gift I-1: The Field-Wave Bracketing Identity (CONJ-ZC38-02)	98
8.9.1	Two Derivation Paths	99
8.9.2	The Bracketing Structure	99
8.9.3	Structural Interpretation	99
8.10	Summary	100
9	ZC39: K14 Near-Formal via R1-Layer Renormalization	101
9.1	Background: The K14 Gap History	103
9.1.1	K14 Status in Part B	103
9.1.2	The Inconsistency (Part B, K14 Honest Assessment)	103
9.2	Pre-Work Audit: Key Pillars	103
9.3	The Missing Ingredient: R1-Layer Variance	104
9.3.1	Why K8 Is Incomplete	104
9.3.2	Phase Misalignment: PM-ZC39-01	104
9.4	Main Result: CONJ-ZC39-01	104
9.4.1	The Golden Fraction	104

9.4.2	K14 Near-Formal Result	105
9.5	FIND-ZC39-01: ZC38 and ZC39 Consistency	105
9.6	Open Gap: GAP-ZC39-01	106
9.7	Summary	106
10	ZC40: The Fibonacci Energy Partition	107
10.1	Background and Motivation	109
10.2	Pre-Work Audit	109
10.3	LEM-ZC40-01: Fibonacci Energy Conservation	109
10.4	LEM-ZC40-02: AR(1) Variance Shift	110
10.5	THM-ZC40-01: K14 from the Two Lemmas	111
10.6	FIND-ZC40-01: The Exact Fraction	112
10.7	FIND-ZC40-02: Three Independent Constraints Select $1/\varphi$	112
10.8	Phase Misalignment: PM-ZC40-01	112
10.9	Open Gap: GAP-ZC40-01	113
10.10	Summary	113
	Closing of Part XXIX	114
XXX	Cross-Part Connection Map (NEW v17.7)	115
	Overview of Part XXX	115
11	Connection Records for ZC31–ZC40	116
11.1	ZC31 — Confinement Spectrum Closed Form	116
11.2	ZC32 — Operator Form of the Sector Net Rate	116
11.3	ZC33 — R_1 -Semigroup Bridge	117
11.4	ZC34 — Complementarity Identity	117
11.5	ZC35 — Spectral Sum Identities	118
11.6	ZC36 — Fiedler Value, Three Routes	118
11.7	ZC37 — Universal Instability Floor	119
11.8	ZC38 — I_{eff} from δ -Chain	120
11.9	ZC39 — K14 Renormalization	120
11.10	ZC40 — Fibonacci Energy Partition	121
12	Cross-Part Phase Misalignment Registry (v17.7)	121
13	Master Z-Programme Status Table v17.7 (Delta from v17.6)	123
	Closing of Part XXX	125
	End of v17.7 Part E	126

If you are just arriving — Part E in plain language

CRF attempts to derive the constants and force structure of physics from a single primitive called Distinction (δ). Several of its deepest numbers live in what the framework calls the TLS layer — the place where a discrete substrate first tips into structure — and the most important of these is a tiny “instability floor” ε_0 (about 0.0075). **Part E** is the cluster that builds that layer from the ground up. It writes the confinement spectrum in closed form and ties it to a clean operator (the R_1 -semigroup); it settles a leftover “complementarity” imbalance; it shows a graph’s spectral bottleneck equals the golden ratio by three independent routes; and then, in its core papers, it derives ε_0 from first principles and shows it is one universal floor rather than several. It closes by tracing a key wave identity to a Fibonacci energy split.

Minimum vocabulary: δ (*Distinction*) — the one starting idea everything is built from; ε_0 (*instability floor*) — the small threshold this Part derives from first principles; R_1 -semigroup — the operator describing how a wave layer relaxes; *Fiedler value* — a graph’s spectral “bottleneck” number, here the golden ratio; *golden ratio* (φ) — the constant ≈ 1.618 that recurs across the layer; *gap* / *GAP*-... — an open question a later paper aims to close. Full symbol list: Master Notation Key (front matter).

These results are pieces of a map under construction, not a claim of final truth: each carries the conditions under which it would fail (see front matter, “Map, not reality”).

Part XXVII

Confinement Operator and R_1 -Semigroup (v17.7)

Overview of Part XXVII

Part XXVII contains three sections, embedding ZC31, ZC32-v2, and ZC33-v2 verbatim. Together they convert the Council-derived information-loss form of the sector net rate into a closed-form algebraic spectrum (ZC31), lift that spectrum to an operator on the $\mathbb{Z}_{15}$ -character space (ZC32), and connect that operator to the R_1 -semigroup via the existing T_{avg} machinery from Part B (ZC33). The three-step ascent is:

$$\Gamma_i \xrightarrow{\text{ZC31}} \text{algebraic spectrum} \xrightarrow{\text{ZC32}} M_i \text{ operator} \xrightarrow{\text{ZC33}} A_i^{R_1} = T_{\text{avg}}^{-1} M_i.$$

GAP-ZC29-03 ($R_0 \rightarrow R_1$ semigroup dynamics) closes at the end of ZC33 with THM-ZC33-01/02. The two structural Phase Misalignments PM-ZC32-01 and PM-ZC32-02 are registered as scar tissue.

Backward inheritance summary (full detail in Part XXX):

- ZC31 inherits FIND-ZC29-03, THM-ZC20-01 (Part D, $\sin^2 \theta_W$).
- ZC32 inherits DEF-Z205 (χ -map), DEF-RN02 (Part C three-layer framework), DEF-ZC26-RS01.
- ZC33 inherits T_{avg} + Jaynes (Part B Wald + Jaynes composition), $\lambda_2 T_{\text{avg}} = n - 1$, DEF-RN02.

1 ZC31: The Confinement Spectrum Closed Form

An earlier finding had noticed something striking but left it half-stated: the sign of a per-sector rate parameter lines up exactly with whether that sector physically confines or propagates freely. A correlation that clean is either a coincidence or a law, and the way to tell them apart is to write the spectrum in closed form and see whether the sign structure falls out of the algebra or has to be put in by hand. ZC31 does the former — it closes the algebraic scope of the finding, giving the confinement spectrum an exact expression rather than a fitted one. What this buys the rest of Part E is a solid operator to stand on: once the spectrum is closed-form, the next papers can ask what operator generates it and how it relaxes, questions that are meaningless while the spectrum is still empirical.

Abstract

TASK-ZC29 introduced the sector net rate $\Gamma_i = R_{\text{create}} - R_{\text{destroy},i}$ over the four disjoint sectors of $\mathbb{Z}_{15}$ under the Chinese-Remainder decomposition. The sign of Γ_i correlates exactly with physical confinement: $\Gamma_i > 0$ for the freely propagating EM sector (gauged on the full generator set G_{gen}), $\Gamma_i < 0$ for the confined Weak and Strong sectors, and $\Gamma_{\text{vac}} < 0$ at the vacuum element. ZC29 v1/v2 registered this as FIND-ZC29-03 (near-formal).

This paper closes the algebraic scope of that finding. A post-ZC30 v2 Council session identified the destruction rate $R_{\text{destroy},i}$ as a Shannon information-loss fraction

$$R_{\text{destroy},i} = 1 - \frac{H(\varphi(d_i))}{H(15)} = 1 - \frac{\ln \varphi(d_i)}{\ln 15},$$

registered here as **DEF-ZC29-04**. From this and $R_{\text{create}} = \mathcal{G}/d_s$ (FIND-ZC23-01), three exact algebraic identities follow:

$$\text{FIND-ZC31-01: } \Gamma_i = \mathcal{G}/d_s - 1 + \ln \varphi(d_i)/\ln 15,$$

$$\text{FIND-ZC31-02: } \Gamma_{\text{vac}} = \mathcal{G}/d_s - 1 \quad (\text{spectrum floor, exact}),$$

$$\text{FIND-ZC31-03: } \Gamma_{\text{EM}} = \mathcal{G}/d_s - 1 + \sin^2 \theta_W \quad (\text{reuses ZC20 Weinberg identity}).$$

The third is a direct bridge: the same $\sin^2 \theta_W = \ln 8/\ln 15$ that ZC20 derives for the Weinberg angle reappears as the EM-sector recovery from the vacuum floor in ZC29. **There are no free parameters.**

The spectrum is vacuum-anchored: $\Gamma_i = \Gamma_{\text{vac}} + \text{recovery}_i$, with $\text{recovery}_i = \ln \varphi(d_i)/\ln 15$ ranging from 0 (vacuum) to $\sin^2 \theta_W$ (EM) (**FIND-ZC31-04**). The total spectrum width equals the Weinberg angle.

Scope discipline. ZC31 registers exact algebraic identities only. Two further Council candidates — the eigenvalue interpretation of Γ_i (CONJ-ZC29-05) and the structural unification of GAP-ZC29-03/02/30-02 via the vacuum-anchored spectrum (CONJ-ZC29-06) — are held for TASK-ZC32. GAP-ZC29-03 (formal confinement proof) remains open.

1.1 Background: The ZC29 Net Rate

ZC29 derived the force hierarchy $\alpha_i^{R_0} = (\varphi(d_i)/15) \mathcal{G}_{\text{CRF}}$ as THM-ZC29-01, and registered a structural correlation between the sign of the sector net rate Γ_i and physical confinement (FIND-ZC29-03, near-formal). The relevant ZC29 atomic units are recalled below for self-contained reading.

DEF-ZC29-02 / DEF-ZC29-03: Sector net rate and destruction rate (recalled from ZC29 v2)

For each sector S_i confined to a subgroup $\mathbb{Z}_{d_i} \leq \mathbb{Z}_{15}$ with $d_i \in \{15, 5, 3, 1\}$:

$$\begin{aligned} R_{\text{create}} &= \mathcal{G}/d_s && \text{(shared by all sectors; FIND-ZC23-01)} \\ R_{\text{destroy},i} &= 1 - \ln \varphi(d_i) / \ln 15 && \text{(sector-specific, near-formal in ZC29 v2)} \\ \Gamma_i &= R_{\text{create}} - R_{\text{destroy},i} && \text{(net rate)} \end{aligned}$$

(DEF-ZC29-02/03)

FIND-ZC29-03 (recalled): Confinement asymmetry $\Gamma_i < 0$ for confined sectors

Numerically, the four sectors yield

$$\Gamma_{\text{EM}} \approx +0.0137, \quad \Gamma_{\text{Weak}} \approx -0.2423, \quad \Gamma_{\text{Strong}} \approx -0.4983, \quad \Gamma_{\text{vac}} \approx -0.7542.$$

The sign of Γ_i tracks physical confinement: EM ($\Gamma > 0$) is freely propagating; Weak and Strong ($\Gamma < 0$) are confined to subgroups; the vacuum (Γ minimal) is the limiting case. (FIND-ZC29-03)

What ZC29 v1/v2 left unstated. ZC29 introduced $R_{\text{destroy},i}$ as a sector-specific quantity in DEF form, with numerical values matching the entropy formula above, but did not (a) declare the information-theoretic meaning of the formula as a registered DEF atomic unit, and (b) state the algebraic spectrum identities that follow from combining DEF-ZC29-02/03 with FIND-ZC23-01 ($R_{\text{create}} = \mathcal{G}/d_s$). The present paper supplies both.

1.2 The Shannon Information-Loss Form (DEF-ZC29-04)

The functional form $R_{\text{destroy},i} = 1 - \ln \varphi(d_i) / \ln 15$ is an information-theoretic fraction. Let $H(k) = \log_2 k$ denote the Shannon information of a uniform distribution over k states.¹ Then

$$R_{\text{destroy},i} = 1 - \frac{H(\varphi(d_i))}{H(15)}.$$

This is the fraction of $\mathbb{Z}_{15}$ -information destroyed when the state is restricted from the full generator set of $\mathbb{Z}_{15}$ (carrying $H(15)$ bits) to the generators of the subgroup $\mathbb{Z}_{d_i}$ (carrying $H(\varphi(d_i))$ bits).

¹The choice of base does not affect the ratio: $\ln$ and $\log_2$ produce identical $H(\varphi(d_i))/H(15) = \ln \varphi(d_i) / \ln 15$.

DEF-ZC29-04: Shannon information loss fraction

For each sector S_i confined to subgroup $\mathbb{Z}_{d_i} \leq \mathbb{Z}_{15}$ with $d_i \mid 15$:

$$R_{\text{destroy},i} = 1 - \frac{H(\varphi(d_i))}{H(15)} = 1 - \frac{\ln \varphi(d_i)}{\ln 15}. \quad (\text{DEF-ZC29-04})$$

$R_{\text{destroy},i}$ measures the fraction of full- $\mathbb{Z}_{15}$ information that is destroyed when sector activity is restricted to the generators of the confining subgroup.

Probe status. The numerical values

$$\begin{aligned} R_{\text{destroy, EM}} &= 0.2321, & R_{\text{destroy, Weak}} &= 0.4881, \\ R_{\text{destroy, Strong}} &= 0.7440, & R_{\text{destroy, vac}} &= 1.000 \end{aligned}$$

satisfy $H(\varphi(d_i)) + (H(15) - H(\varphi(d_i))) = H(15)$ exactly (information preserved plus information destroyed equals total), confirming the partition. (DEF-ZC29-04)

Remark 1.1. The convention $\varphi(1) = 1$ (so $H(\varphi(1)) = 0$ and $R_{\text{destroy, vac}} = 1$) is standard in number theory and makes the vacuum sector destroy the entire $\mathbb{Z}_{15}$ -information — consistent with the absence of any generator at $\{0\}$. The $\varphi(d_i)$ -values for $d_i \in \{15, 5, 3, 1\}$ are $\{8, 4, 2, 1\}$, doubling under the lattice ascent; this is FIND-ZC29-01/02.

Origin of the formula. The functional form $R_{\text{destroy},i} = 1 - \ln \varphi(d_i) / \ln 15$ appeared in ZC29 v1 as a DEF object derived from the entropy of the subgroup's generator set, without explicit identification as a Shannon information-loss fraction. The post-ZC30 v2 Council session (May 2026, Shannon-led probe Test 3) verified the information-theoretic identity numerically and motivated the present DEF-level registration.

1.3 The Closed-Form Spectrum (FIND-ZC31-01)

Substituting DEF-ZC29-04 and $R_{\text{create}} = \mathcal{G}/d_s$ into DEF-ZC29-02 gives the closed form directly:

$$\begin{aligned} \Gamma_i &= R_{\text{create}} - R_{\text{destroy},i} \\ &= \frac{\mathcal{G}}{d_s} - \left(1 - \frac{\ln \varphi(d_i)}{\ln 15}\right) \\ &= \frac{\mathcal{G}}{d_s} - 1 + \frac{\ln \varphi(d_i)}{\ln 15}. \end{aligned} \quad (\text{FIND-ZC31-01})$$

FIND-ZC31-01: Closed-form sector spectrum (exact)

For each sector S_i with confining subgroup $\mathbb{Z}_{d_i} \leq \mathbb{Z}_{15}$:

$$\Gamma_i = \frac{\mathcal{G}}{d_s} - 1 + \frac{\ln \varphi(d_i)}{\ln 15}$$

This is an exact algebraic identity: $\mathcal{G}$ is fixed by FIND-ZC23-01 to be $\ln 2/D_0$; $d_s = 3$ by THM-Z101; and $\varphi(d_i) \in \{8, 4, 2, 1\}$ for $d_i \in \{15, 5, 3, 1\}$ by number theory. **Zero free parameters.** (FIND-ZC31-01)

Sector values. Evaluating (FIND-ZC31-01):

Sector	d_i	$\varphi(d_i)$	Γ_i (exact form)
EM (G_{gen})	15	8	$\mathcal{G}/d_s - 1 + \ln 8/\ln 15 \approx +0.01366$
Weak (G_5)	5	4	$\mathcal{G}/d_s - 1 + \ln 4/\ln 15 \approx -0.24229$
Strong (G_3)	3	2	$\mathcal{G}/d_s - 1 + \ln 2/\ln 15 \approx -0.49825$
Vacuum ($\{0\}$)	1	1	$\mathcal{G}/d_s - 1 + \ln 1/\ln 15 = \mathcal{G}/d_s - 1 \approx -0.75421$

These are not numerical fits: each value is the explicit evaluation of (FIND-ZC31-01) at the corresponding $\varphi(d_i)$.

1.4 Vacuum as Spectrum Floor (FIND-ZC31-02)

The vacuum sector $\{0\}$ has $d_{\text{vac}} = 1$, hence $\varphi(d_{\text{vac}}) = 1$ and $\ln \varphi(d_{\text{vac}}) = 0$. Substituting into (FIND-ZC31-01):

$$\Gamma_{\text{vac}} = \frac{\mathcal{G}}{d_s} - 1 + 0 = \frac{\mathcal{G}}{d_s} - 1. \quad (\text{FIND-ZC31-02})$$

FIND-ZC31-02: Vacuum spectrum floor (exact)

$$\Gamma_{\text{vac}} = \frac{\mathcal{G}}{d_s} - 1 \approx -0.75421$$

This is an exact algebraic identity, not a numerical fit. The vacuum sector saturates the maximum of R_{destroy} (equal to 1, by DEF-ZC29-04 at $\varphi(1) = 1$), making it the floor of the full sector spectrum. (FIND-ZC31-02)

Physical reading. Γ_{vac} is the most negative net rate available in the four-sector partition. In the Failure Stance language of CRF, the vacuum is not the failure mode of confinement but its anchor: every other sector's Γ is a shifted recovery from this floor. The vacuum is the S_{ind} fixed point of the χ -map (CONJ-ZC30-02), and FIND-ZC31-02 confirms algebraically that it is also the spectrum floor of confinement. This is the algebraic content of the observation that “confinement and vacuum are manifestations of the same structure” raised in the post-ZC30 v2 Council session.

1.5 The $\Gamma_{\text{EM}} - \theta_W$ Bridge (FIND-ZC31-03)

The EM sector occupies the full generator set $G_{\text{gen}} \subset \mathbb{Z}_{15}$, with $d_{\text{EM}} = 15$ and $\varphi(d_{\text{EM}}) = \varphi(15) = 8$. Substituting into (FIND-ZC31-01):

$$\Gamma_{\text{EM}} = \frac{\mathcal{G}}{d_s} - 1 + \frac{\ln 8}{\ln 15}. \quad (\text{FIND-ZC31-03a})$$

ZC20 (Weinberg-angle derivation, THM-ZC20-01) established the identity

$$\sin^2 \theta_W = \frac{\ln 8}{\ln 15} \quad (\text{THM-ZC20-01 recalled})$$

exactly from the same $\mathbb{Z}_{15}$ generator/sector structure used here, via $\varphi(15) = 8$ (identity ID-B01: Euler totient $\varphi(15)$ equals the total mode count n).

Combining (FIND-ZC31-03a) and (THM-ZC20-01 recalled):

$$\Gamma_{\text{EM}} = \frac{\mathcal{G}}{d_s} - 1 + \sin^2\theta_W. \quad (\text{FIND-ZC31-03})$$

FIND-ZC31-03: The $\Gamma_{\text{EM}} - \theta_W$ bridge (exact)

$$\Gamma_{\text{EM}} = \frac{\mathcal{G}}{d_s} - 1 + \sin^2\theta_W \approx +0.01366$$

The EM-sector net rate equals the vacuum floor $\mathcal{G}/d_s - 1$ plus the Weinberg angle $\sin^2\theta_W$. The same algebraic quantity $\ln 8 / \ln 15 = \varphi(15)/15$ -related identity that controls electroweak mixing in ZC20 also controls the EM-sector recovery from the vacuum confinement floor in ZC29. (FIND-ZC31-03)

Significance. This is a direct cross-paper identity. ZC20 derived $\sin^2\theta_W = \ln 8 / \ln 15$ as a feature of electroweak gauge mixing on the $\mathbb{Z}_{15}$ subgroup lattice. ZC31 finds the same expression governing the EM/vacuum gap in the confinement spectrum. The two contexts are physically distinct (electroweak mixing angle vs. confinement net rate), but the algebraic content is identical because both reduce to the ID-B01 identity $\varphi(15) = n = 8$ on $\mathbb{Z}_{15}$. The bridge is structural, not numerical.

1.6 Vacuum-Anchored Recovery (FIND-ZC31-04)

Combining FIND-ZC31-01 and FIND-ZC31-02, the full spectrum can be written as a vacuum-anchored sum:

$$\Gamma_i = \Gamma_{\text{vac}} + \underbrace{\frac{\ln \varphi(d_i)}{\ln 15}}_{=: \text{recovery}_i}. \quad (\text{FIND-ZC31-04})$$

FIND-ZC31-04: Vacuum-anchored recovery structure

The four-sector confinement spectrum is the sum of a common vacuum floor and a sector-specific recovery:

$$\Gamma_i = \Gamma_{\text{vac}} + \text{recovery}_i, \quad \text{recovery}_i = \frac{\ln \varphi(d_i)}{\ln 15}.$$

The recovery ranges from 0 (vacuum, $\varphi(1) = 1$) to $\sin^2\theta_W$ (EM, $\varphi(15) = 8$). The total spectrum width equals the Weinberg angle:

$$\Gamma_{\text{EM}} - \Gamma_{\text{vac}} = \sin^2\theta_W \approx 0.768.$$

(FIND-ZC31-04)

Interpretation. In the Lexicon Lock language: the vacuum sector corresponds to S_{ind} (independent stability, Σ_{ind}), the fixed point of the χ -map (CONJ-ZC30-02). Every other sector is an S_{dep} (dependent stability, Σ_{dep}) recovering information from the vacuum baseline through the Shannon-recovery term $\ln \varphi(d_i) / \ln 15$. The asymmetry observed in FIND-ZC29-03 ($\Gamma_i < 0$ for confined, $\Gamma > 0$ for EM) is the geometric reflection of the EM sector’s recovery being large enough to overcome the vacuum floor:

$$\text{recovery}_{\text{EM}} = \sin^2 \theta_W = 0.768 \quad > \quad |\Gamma_{\text{vac}}| = 1 - \mathcal{G}/d_s = 0.754.$$

The crossing point of $\Gamma > 0$ vs. $\Gamma < 0$ is the condition $\text{recovery}_i = 1 - \mathcal{G}/d_s$.

Numerical exhibit. The recovery values, in ascending order:

Sector	$\varphi(d_i)$	$\text{recovery}_i = \ln \varphi(d_i) / \ln 15$	Γ_i
Vacuum	1	0	$\Gamma_{\text{vac}} = -0.754$
Strong	2	$\ln 2 / \ln 15 = 0.256$	-0.498
Weak	4	$\ln 4 / \ln 15 = 0.512$	-0.242
EM	8	$\ln 8 / \ln 15 = \sin^2 \theta_W = 0.768$	+0.014

The doubling structure $\varphi(d_i) \in \{1, 2, 4, 8\}$ maps to a $\ln 2$ -graded recovery sequence. In particular:

$$\text{recovery}_{\text{Weak}} - \text{recovery}_{\text{Strong}} = \text{recovery}_{\text{Strong}} - \text{recovery}_{\text{vac}} = \ln 2 / \ln 15 = \frac{1}{3} \sin^2 \theta_W,$$

giving an arithmetic progression on the recovery axis with common difference $\sin^2 \theta_W / 3$.

1.7 Scope: What ZC31 Does Not Claim

ZC31 is an *algebraic registration* paper. It states and labels exact closed-form identities derivable from material already in ZC29 v2 and ZC23 (FIND-ZC23-01), promoted to the atomic registry under their own IDs. It does not provide dynamical or topological arguments, and consequently does not claim or close the following items:

1. **Eigenvalue interpretation of Γ_i (CONJ-ZC29-05, held).** The May 2026 Council session proposed that Γ_i is the leading eigenvalue of the χ -map propagator restricted to sector S_i , with correlation decay $\sim e^{\Gamma_i t}$ analogous to a QCD Wilson loop area law. ZC31 records this only as a Council candidate; the formal proof is the target of TASK-ZC32.
2. **Structural unification with gravity and mass (CONJ-ZC29-06, held).** The vacuum-anchored recovery structure of FIND-ZC31-04 suggests that the three open gaps GAP-ZC29-02 (gravity from the $\{0\}$ sector), GAP-ZC29-03 (formal confinement proof), and GAP-ZC30-02 ($T(R_1) \rightarrow m$ connection) are manifestations of a single vacuum-anchored topology of the $\mathbb{Z}_{15}$ partition. ZC31 records this as Council candidate only; substantive arguments are reserved for later tasks.
3. **Formal confinement proof (GAP-ZC29-03, unchanged).** Despite FIND-ZC31-01–04, the formal CRF confinement theorem (asymptotic-freedom / mass-gap analogue from R_1 -layer dynamics) remains open. The closed-form spectrum is an algebraic structural result; it does not construct a confinement operator with positive bound-state eigenvalues from CRF first principles.

Why this discipline matters. PM-ZC29-04 (the in-place “adjacent” $\rightarrow$ “orthogonal” wording correction in ZC29 v2) was an in-paper scar tissue from over-claiming structural proximity between independent axes. ZC31 holds itself to the same Failure Stance discipline: the algebraic content here is exact and complete; the dynamical interpretations remain Council candidates until proven.

1.8 Status After TASK-ZC31

Z-Programme Status after TASK-ZC31

Item	Statement	Status
DEF-ZC29-04	$R_{\text{destroy},i} = 1 - H(\varphi(d_i))/H(15)$ Shannon info-loss form	Defined
FIND-ZC31-01	Closed-form $\Gamma_i = \mathcal{G}/d_s - 1 + \ln \varphi(d_i)/\ln 15$ (exact)	Exact
FIND-ZC31-02	$\Gamma_{\text{vac}} = \mathcal{G}/d_s - 1$ (spectrum floor, exact)	Exact
FIND-ZC31-03	$\Gamma_{\text{EM}} = \mathcal{G}/d_s - 1 + \sin^2 \theta_W$ (ZC29 $\leftrightarrow$ ZC20 bridge)	Exact
FIND-ZC31-04	Vacuum-anchored recovery $\Gamma_i = \Gamma_{\text{vac}} + \ln \varphi(d_i)/\ln 15$	Exact
CONJ-ZC29-05	Γ_i = leading eigenvalue of χ -map propagator restricted to S_i (Council, held for ZC32)	Candidate
CONJ-ZC29-06	Vacuum-anchored confinement spectrum unifies GAP-ZC29-02/03 and GAP-ZC30-02 (Council, held for ZC32)	Candidate
FIND-ZC29-03	$\Gamma_i < 0$ confinement signature; ZC31 supplies closed form	Unch.
GAP-ZC29-02	Gravity from $\{0\}$ sector	Unch. (Sp.)
GAP-ZC29-03	Formal confinement proof	Unch. (Open)
GAP-ZC30-02	Formal $T(R_1) \rightarrow m$ connection	Unch. (Open)

Registration note: ZC31 introduces one Defined unit (DEF-ZC29-04) and four Exact findings (FIND-ZC31-01..04). Two Council candidates (CONJ-ZC29-05/06) are recorded for traceability but not promoted. No GAPs closed; no PMs created; no existing claim level downgraded or upgraded.

1.9 Summary

- Information-theoretic form registered (DEF-ZC29-04).** $R_{\text{destroy},i}$ is a Shannon information-loss fraction: the fraction of $\mathbb{Z}_{15}$ -information destroyed when sector activity is restricted to the generators of $\mathbb{Z}_{d_i}$.
- Closed-form spectrum (FIND-ZC31-01).** $\Gamma_i = \mathcal{G}/d_s - 1 + \ln \varphi(d_i)/\ln 15$, exact for all four sectors, with zero free parameters.

3. **Vacuum floor (FIND-ZC31-02).** $\Gamma_{\text{vac}} = \mathcal{G}/d_s - 1$ exactly. The vacuum is the spectrum anchor, not a failure mode.
4. **Cross-paper bridge (FIND-ZC31-03).** $\Gamma_{\text{EM}} = \mathcal{G}/d_s - 1 + \sin^2\theta_W$ exactly. The same $\mathbb{Z}_{15}$ identity that controls the Weinberg angle in ZC20 controls the EM-sector recovery from the vacuum floor in ZC29.
5. **Vacuum-anchored structure (FIND-ZC31-04).** $\Gamma_i = \Gamma_{\text{vac}} + \text{recovery}_i$ with $\text{recovery}_i \in [0, \sin^2\theta_W]$. Total spectrum width = Weinberg angle.
6. **Scope discipline preserved.** CONJ-ZC29-05 (eigenvalue interpretation) and CONJ-ZC29-06 (unification) are recorded but not promoted. GAP-ZC29-03 remains open. ZC32 will address the formal confinement proof.

The vacuum is not where confinement fails — it is where confinement is anchored.

Every sector's net rate is a recovery from that floor;

the EM sector's recovery is the Weinberg angle.

2 ZC32: The Operator Form of the Sector Net Rate

A closed-form spectrum tells you the eigenvalues but not the machine that produces them, and a framework that wants to derive dynamics cannot stop at a list of numbers. The open question after ZC31 was whether the confinement spectrum is the spectrum of an actual operator with the right algebraic structure, or merely a set of values that happen to fit. ZC32 supplies the operator form of the sector net rate — and in doing so it also retires a previous conjecture honestly, recording that an earlier identification of a character map with dynamics was wrong (it is a partition, not a dynamics). That retraction matters as much as the construction: it is the difference between a layer that knows which of its own claims are load-bearing and one that quietly carries a false one forward.

Abstract

TASK-ZC31 (Confinement Spectrum Closed Form) registered exact algebraic identities for the sector net rate Γ_i and explicitly held CONJ-ZC29-05 (eigenvalue interpretation of Γ_i via χ -map propagator) for the present task. This paper conducts the formal audit of CONJ-ZC29-05.

Result 1 (falsification). CONJ-ZC29-05 as literally stated is *falsified*. The CRF χ -map has two formalisations: the ZC20 preimage form (DEF-ZC20-01: χ as gauge-to-charge correspondence with preimage entropy $H_\chi(S) = \ln|S|$), and the ZC23 stochastic form (DEF-ZC23-01: χ_{NA} as δ -event channel assignment with probability $\mathcal{G}$). Neither carries a dynamical propagator structure with eigenvalue spectrum. The proposed correspondence “ Γ_i = leading eigenvalue of χ -map propagator” presupposes a Markov-chain or transfer-operator interpretation that does not exist in the CRF formalism. Registered as **PM-ZC32-01**, preserved as scar tissue per the Failure Stance.

Result 2 (surviving structure). The probe that attempted to construct the propagator did identify a natural operator on $L^2(\mathbb{Z}_{15})$ for which Γ_i is an eigenvalue. Define

$$M_i := R_{\text{create}} \cdot I - R_{\text{destroy},i} \cdot \pi_i$$

where $\pi_i : L^2(\mathbb{Z}_{15}) \rightarrow L^2(\mathbb{Z}_{d_i})$ is the orthogonal projection onto the sector subspace (**DEF-ZC32-01**). **THM-ZC32-01** (proved) gives the spectral decomposition

$$\text{Spec}(M_i) = \{ \Gamma_i \text{ (mult } d_i), R_{\text{create}} \text{ (mult } 15 - d_i) \},$$

and confinement (FIND-ZC29-03 sense) is equivalent to $\Gamma_i \leq 0$. The new content is the multiplicity structure: Γ_i has eigenspace dimension equal to the size of the confining subgroup $d_i \in \{15, 5, 3, 1\}$ (**COR-ZC32-01**).

Result 3 (dynamical candidate, held). If M_i is taken as the generator of a one-parameter semigroup $e^{M_i t}$, the sector subspace evolves as $f(t) = e^{\Gamma_i t} f(0)$ — confined sectors ($\Gamma_i \leq 0$) decay; the EM sector ($\Gamma_{\text{EM}} \approx +0.014$) grows slowly. This is **CONJ-ZC32-01**: an attractive dynamical reading, but there is no independent CRF justification for treating M_i as a physical semigroup generator. Status: candidate.

Scope. ZC32 does not close GAP-ZC29-03 (formal confinement proof from R_1 -layer dynamics); the present operator content is algebraic, not dynamical. GAP-ZC29-03 remains open with status sharpened: any future formal proof must construct the R_1 -layer semigroup or transfer operator independently and connect it to M_i .

v2 R-layer audit. ZC32 v1 was composed without reading ZC25–ZC28 (a Pre-Work Audit Protocol violation). The v2 audit applies the Resolution-Scale Protocol of DEF-ZC26-RS01 to every v1 atomic unit (§2.5), cross-references the structural overlap between THM-ZC32-01 multiplicity and THM-ZC27-01 (§2.6), adds an explicit layer-crossing flag to CONJ-ZC32-01 (§2.8), and registers **PM-ZC32-02** as scar tissue for the audit gap itself. No v1 atomic unit is retracted; THM-ZC32-01 proof is unchanged.

2.1 Background: What CONJ-ZC29-05 Claimed

The post-ZC30 v2 Shadow Council session (May 2026) examined FIND-ZC29-03 (the confinement signature $\Gamma_i \leq 0$) and proposed a structural interpretation:

CONJ-ZC29-05 (as proposed by Council session 02): χ -map propagator eigenvalue

Γ_i is the leading eigenvalue of the χ -map propagator restricted to sector S_i : there exists a propagation operator $\mathcal{P}_i$ acting on sector-restricted states such that

$$\mathcal{P}_i \psi_i = e^{\Gamma_i} \psi_i$$

for the leading eigenfunction ψ_i , giving correlation decay $\sim e^{\Gamma_i t}$ analogous to a QCD Wilson loop area law. (CONJ-ZC29-05; from Council session 02)

Apparent motivation. The numerical values $\exp(\Gamma_i) \in \{1.014, 0.785, 0.608, 0.470\}$ for $i \in \{\text{EM, Weak, Strong, vac}\}$ resemble transmission coefficients of a damped random walk, suggesting a Markov-chain or transfer-operator origin for Γ_i . ZC31 registered the closed-form spectrum $\Gamma_i = \mathcal{G}/d_s - 1 + \ln \varphi(d_i)/\ln 15$ (FIND-ZC31-01) but explicitly held the eigenvalue interpretation (CONJ-ZC29-05) for the present task.

2.2 Audit: The CRF χ -Map Is Not a Dynamical Map

The χ -map appears in two distinct CRF formalisations, neither dynamical:

2.2.1 ZC20 form: gauge-to-charge correspondence

DEF-ZC20-01 (Preimage Entropy on the χ -map) introduces χ as a correspondence between subsets of the gauge group and subsets of the charge group $\mathbb{Z}_{15}$:

$$H_\chi(X) := \ln |\chi^{-1}(X)| \quad \text{for } X \subseteq G_{\text{gauge}}.$$

The map χ is structural: it relates gauge subgroups $\text{SU}(2)_L$ and $\text{SU}(2)_L \times U(1)_Y$ to their preimage subsets in $\mathbb{Z}_{15}$ via the relations $|\chi^{-1}(\text{SU}(2)_L)| = \varphi(15) = n$ and $|\chi^{-1}(\text{SU}(2)_L \times U(1)_Y)| = 15$ (ZC20 LEM-ZC20-02/03). There is no time evolution, no transition matrix, and no semigroup. The χ -map is a single static correspondence.

2.2.2 ZC23 form: stochastic event assignment χ_{NA}

DEF-ZC23-01 (χ_{NA} : G-Partition Non-Abelian Chi-Map) extends χ to a probabilistic assignment of δ -events to channels:

$$\chi_{\text{NA}}(c) = \begin{cases} \text{SU}(2) \text{ Clifford channel} & \text{with probability } \mathcal{G}, \\ \text{Expansion channel} & \text{with probability } 1 - \mathcal{G}. \end{cases}$$

This is a Bernoulli-type assignment per δ -event; *between* events, no state evolves. Iterated application to a long sequence of δ -events produces a binomial distribution of channel assignments, but no eigenvalue problem natively associated with the iteration.

2.2.3 Why CONJ-ZC29-05 fails

For Γ_i to be the leading eigenvalue of a χ -map propagator, the χ -map must possess (a) a domain on which state propagates in time, and (b) an operator with a non-trivial spectrum reflecting that propagation. Neither the preimage correspondence (ZC20) nor the stochastic assignment (ZC23) satisfies these requirements. The numerical resemblance of $\exp(\Gamma_i)$ to a transmission coefficient is a property of the algebraic identity FIND-ZC31-01, not of any dynamical operator in the CRF formalism.

PM-ZC32-01: χ -map mis-attribution in CONJ-ZC29-05

Statement of the falsified content. CONJ-ZC29-05 (Council session 02, May 2026) proposed that Γ_i is the leading eigenvalue of the χ -map propagator restricted to sector S_i , with correlation decay $\sim e^{\Gamma_i t}$ in analogy with a QCD Wilson loop.

Reason for falsification. The CRF χ -map is not a dynamical map. Its two formalisations are (i) the ZC20 preimage correspondence (static gauge-to-charge map, DEF-ZC20-01), and (ii) the ZC23 χ_{NA} stochastic event assignment (single-step Bernoulli partition, DEF-ZC23-01). Neither carries a propagator with eigenvalue spectrum. The eigenvalue language in CONJ-ZC29-05 was an over-extension of the apparent similarity between $\exp(\Gamma_i)$ and transmission coefficients of a random walk; the resemblance is algebraic, not operator-theoretic.

What is preserved. The motivating observation — that confinement of a sector corresponds to $\Gamma_i \leq 0$ — is FIND-ZC29-03 and is unchanged. THM-ZC32-01 below provides the surviving operator content (multiplicity structure of Γ_i on $L^2(\mathbb{Z}_{15})$) without invoking χ -map propagation. CONJ-ZC32-01 captures the dynamical reading as a held candidate, separated from the operator-algebraic result.

Failure Stance. This Phase Misalignment is preserved as scar tissue. The Council session 02 conjecture was generated under an implicit assumption (χ -map = dynamical map) that the formal audit revealed to be incorrect. The audit itself — driven by the requirement that the natural operator be *derived*, not engineered — is the self-repair mechanism at work.

(PM-ZC32-01)

2.3 The Sector Net-Flow Operator (DEF-ZC32-01)

The audit of CONJ-ZC29-05 left a constructive residue: the question *is there any natural operator on $L^2(\mathbb{Z}_{15})$ for which Γ_i is an eigenvalue?* The answer is yes, by direct operator-algebraic rendering of DEF-ZC29-02:

$$\Gamma_i = R_{\text{create}} - R_{\text{destroy},i} \quad (\text{scalar})$$

becomes an operator statement on $L^2(\mathbb{Z}_{15})$ once $R_{\text{destroy},i}$ is interpreted as acting only on the sector subspace $L^2(\mathbb{Z}_{d_i})$ via the orthogonal projection π_i .

DEF-ZC32-01: Sector net-flow operator M_i

Let $\pi_i : L^2(\mathbb{Z}_{15}) \rightarrow L^2(\mathbb{Z}_{15})$ denote the orthogonal projection onto the sector subspace $L^2(\mathbb{Z}_{d_i}) \subset L^2(\mathbb{Z}_{15})$, where $\mathbb{Z}_{d_i}$ is the confining subgroup of sector S_i ($d_i \in \{15, 5, 3, 1\}$).

The *sector net-flow operator* M_i is the bounded self-adjoint operator on $L^2(\mathbb{Z}_{15})$:

$$M_i := R_{\text{create}} \cdot I - R_{\text{destroy},i} \cdot \pi_i, \quad (\text{DEF-ZC32-01})$$

where $R_{\text{create}} = \mathcal{G}/d_s$ (FIND-ZC23-01) and $R_{\text{destroy},i} = 1 - \ln \varphi(d_i)/\ln 15$ (DEF-ZC29-04).

Construction comment. M_i is the natural operator extension of DEF-ZC29-02 (scalar net rate Γ_i) to $L^2(\mathbb{Z}_{15})$ via the sector subspace structure. It is *derived*, not engineered: each component $(R_{\text{create}}, R_{\text{destroy},i}, \pi_i)$ is an independent CRF object pre-existing this paper. The operator form arises by collecting them on $L^2(\mathbb{Z}_{15})$, with no free choice of operator structure. (DEF-ZC32-01)

Remark 2.1. The choice of $L^2(\mathbb{Z}_{15})$ as the ambient Hilbert space is canonical: it is the space of complex-valued functions on the full charge group $\mathbb{Z}_{15}$ with the counting measure. The sector subspace $L^2(\mathbb{Z}_{d_i})$ consists of functions supported on the confining subgroup. The projection π_i is then the orthogonal restriction-then-extension (extend by zero on the complement); it is bounded, self-adjoint, and satisfies $\pi_i^2 = \pi_i$ and $\|\pi_i\| = 1$.

2.4 Spectral Decomposition: THM-ZC32-01

The operator M_i is a scalar plus a rank- d_i perturbation; its spectrum is immediate.

Theorem 2.1 (Spectral decomposition of M_i ; THM-ZC32-01). *For each sector S_i with $d_i \in \{15, 5, 3, 1\}$ and sector net rate $\Gamma_i = R_{\text{create}} - R_{\text{destroy},i}$:*

(a) *The spectrum of M_i as defined in (DEF-ZC32-01) consists of exactly two distinct eigenvalues:*

$$\text{Spec}(M_i) = \{ \Gamma_i, R_{\text{create}} \}. \quad (\text{THM-ZC32-01a})$$

(b) *The eigenspaces are:*

$$\begin{aligned} \text{Eig}_{\Gamma_i}(M_i) &= L^2(\mathbb{Z}_{d_i}) \quad \text{with } \dim = d_i, \\ \text{Eig}_{R_{\text{create}}}(M_i) &= L^2(\mathbb{Z}_{15}) \ominus L^2(\mathbb{Z}_{d_i}) \quad \text{with } \dim = 15 - d_i. \end{aligned}$$

(c) (Sector confinement.) *Sector S_i is confined in the FIND-ZC29-03 sense ($\Gamma_i \leq 0$) if and only if the eigenvalue Γ_i on the sector subspace is the minimum of $\text{Spec}(M_i)$.*

Proof. (a)+(b): Decompose $L^2(\mathbb{Z}_{15}) = L^2(\mathbb{Z}_{d_i}) \oplus L^2(\mathbb{Z}_{15})^\perp$ orthogonally, where the complement is taken with respect to $L^2(\mathbb{Z}_{d_i})$ as the sector subspace.

For $\psi \in L^2(\mathbb{Z}_{d_i})$: $\pi_i \psi = \psi$, so

$$M_i \psi = R_{\text{create}} \psi - R_{\text{destroy},i} \psi = (R_{\text{create}} - R_{\text{destroy},i}) \psi = \Gamma_i \psi.$$

Hence $\Gamma_i \in \text{Spec}(M_i)$ with eigenspace $L^2(\mathbb{Z}_{d_i})$ of dimension d_i .

For $\phi \in L^2(\mathbb{Z}_{15}) \ominus L^2(\mathbb{Z}_{d_i})$: $\pi_i \phi = 0$, so

$$M_i \phi = R_{\text{create}} \phi - R_{\text{destroy},i} \cdot 0 = R_{\text{create}} \phi.$$

Hence $R_{\text{create}} \in \text{Spec}(M_i)$ with complementary eigenspace of dimension $15 - d_i$.

Since these two eigenspaces span $L^2(\mathbb{Z}_{15})$, the spectrum is exhausted.

(c): $\Gamma_i \leq 0$ and $R_{\text{create}} = \mathcal{G}/d_s \approx +0.246 > 0$ always, so $\Gamma_i \leq 0$ implies $\Gamma_i < R_{\text{create}}$, i.e., Γ_i is the minimum eigenvalue.

Conversely, if $\Gamma_i = \min(\text{Spec}(M_i))$, then $\Gamma_i \leq R_{\text{create}} > 0$, but $\Gamma_i = R_{\text{create}} - R_{\text{destroy},i}$ with $R_{\text{destroy},i} \geq 0$. If $R_{\text{destroy},i} \geq R_{\text{create}}$, then $\Gamma_i \leq 0$; if not, then $\Gamma_i > 0$ but is still less than R_{create} by the sign of $R_{\text{destroy},i}$. The boundary $\Gamma_i = 0$ occurs exactly at $R_{\text{destroy},i} = R_{\text{create}}$; FIND-ZC29-03 places sector S_i as confined on the $\Gamma_i \leq 0$ side of this boundary. $\square$

THM-ZC32-01: Spectral content (summary)

The sector net-flow operator M_i has spectrum

$$\text{Spec}(M_i) = \{ \Gamma_i \text{ (mult } d_i), R_{\text{create}} \text{ (mult } 15 - d_i) \},$$

with sector subspace as the Γ_i -eigenspace. Sector confinement (FIND-ZC29-03 sense) $\Leftrightarrow$ leading eigenvalue (in the sense of *minimum* on the spectrum) is Γ_i , which holds iff $\Gamma_i \leq 0$. (THM-ZC32-01)

Remark 2.2. The phrase “leading eigenvalue” is reserved in operator-theoretic literature for the eigenvalue of largest modulus, or (for positive operators) the largest eigenvalue. M_i is not a positive operator: $R_{\text{create}} > 0$ and (for confined sectors) $\Gamma_i < 0$. The eigenvalue relevant to confinement is the minimum, not the “leading” eigenvalue in the standard sense. This is a secondary linguistic correction to CONJ-ZC29-05’s wording, distinct from PM-ZC32-01 (which targets the χ -map attribution).

Numerical exhibit. Substituting numerical values of Γ_i (from FIND-ZC31-01):

Sector	d_i	mult(Γ_i)	Γ_i	mult(R_{create})	R_{create}
EM	15	15	+0.0137	0	+0.2458
Weak	5	5	−0.2423	10	+0.2458
Strong	3	3	−0.4983	12	+0.2458
Vacuum	1	1	−0.7542	14	+0.2458

For the EM sector the Γ_{EM} -eigenspace fills $L^2(\mathbb{Z}_{15})$ entirely (no complement; R_{create} -eigenspace is empty). For each confined sector the Γ_i -eigenspace is a proper subspace of dimension d_i ; the orthogonal complement carries the universal create rate.

2.5 R-Layer Audit (NEW v2)

This section is added in v2 to remedy a v1 audit gap. ZC32 v1 was composed without reading ZC25 (Propagator Weight), ZC26 (R1 Wave Crossing), ZC27 (R1 Channel Dynamics), or ZC28 (Chi-Map v3). These four papers, taken together, establish the *R-layer framework*: a three-tier resolution-scale hierarchy that every CRF derivation must respect. We apply the framework to every atomic unit of v1 and record the audit outcome.

2.5.1 The R-Layer Framework (Recalled from ZC25 v2)

DEF-RN02 (inherited from Part C, recalled via ZC25 v2): Three Resolution Layers

Layer	CRF Object	Character	Cost T
R_0 (Current)	$\nabla \Pr(s \mathcal{C})$	Observer-indep.; pre-event; reality weight	$T = 0$
R_1 (Wave)	Propagating D_{KL}	Pre-collapse gradient; wave structure	$T = \varepsilon_0^2 \Sigma_{\text{inv}} dt$
R_{max} (Node)	$\mathcal{R}$ -event, Born rule	Resolved fact; explicit structure	$T = \beta \approx 2.2$

Operational test (DEF-RN06, recalled). A quantity Q is R_0 -type iff it is defined with no $\mathcal{R}$ -event required.

Layer placement of Z-Programme. FIND-ZC25-12 (v2): all Z-Programme atomic quantities live at the R_0 layer. (DEF-RN02, recalled)

2.5.2 Resolution-Scale Protocol (DEF-ZC26-RS01)

DEF-ZC26-RS01 (ZC26) requires that every new atomic unit declare its layer before promotion. The protocol is intended to prevent the layer-crossing error registered as PM-ZC26-01: ZC24 Direction A “sought R_0 correction for an R_1 phenomenon” — the 0.132% gap in α_{EM} was an R_1 -wave crossing cost, not an R_0 derivation error. ZC27 subsequently derived the cost from first principles (THM-ZC27-01). The protocol formalises the audit step that, had it been applied to ZC24 from the start, would have prevented the misdirection.

2.5.3 Layer Test Applied to ZC32 v1 Atomic Units

Layer test of ZC32 v1 atomic units (DEF-ZC26-RS01)

Atomic Unit	Layer Test Argument	Layer
DEF-ZC32-01 (M_i)	Operator on $L^2(\mathbb{Z}_{15})$; no $\mathcal{R}$ -event required to define M_i from $R_{\text{create}}, R_{\text{destroy}, i}, \pi_i$. Each input is R_0 -type (Z-Programme).	R_0
THM-ZC32-01	Spectral decomposition is purely linear-algebraic on $L^2(\mathbb{Z}_{15})$; no propagation involved.	R_0
COR-ZC32-01	Multiplicity $= d_i$ is a counting statement on the sector subspace dimension.	R_0
COR-ZC32-02	Identification $R_{\text{create}} = 1 + w_{\text{DE}}$ from FIND-ZC23-01; both sides R_0 -type per FIND-ZC25-12.	R_0

CONJ-ZC32-01	The static operator M_i is R_0 -type. The semigroup e^{M_it} and correlation decay $e^{\Gamma_{it}}$ are R_1 -type statements (wave propagation, requires dt). Layer-crossing: $R_0 \rightarrow R_1$.	$R_0 \rightarrow R_1$
PM-ZC32-01	Audit-level statement (declaration of falsification of a prior conjecture). No layer. (Layer test, DEF-ZC26-RS01)	N/A

2.5.4 Audit Outcome

Five units pass cleanly as R_0 . DEF-ZC32-01, THM-ZC32-01, COR-ZC32-01, COR-ZC32-02, and PM-ZC32-01 are all R_0 -type or non-spatial (audit-level) statements. They are consistent with FIND-ZC25-12 (Z-Programme lives at R_0) and incur no layer-crossing.

CONJ-ZC32-01 carries a $R_0 \rightarrow R_1$ crossing. The operator M_i is R_0 -type (algebraic). The proposed semigroup interpretation e^{M_it} with correlation decay $e^{\Gamma_{it}}$ is R_1 -type (wave-like propagation, requires an independent time parameter dt). The transition from the static eigenvalue identity (THM-ZC32-01) to a dynamical decay law (CONJ-ZC32-01) is an inter-layer claim, not contained within R_0 . This is precisely the pattern PM-ZC26-01 was registered to flag.

Consequence for CONJ-ZC32-01. Promotion of CONJ-ZC32-01 to theorem status would require independent R_1 -layer construction along the THM-ZC27-01 model: explicit $\Sigma_{\text{inv}}^{(i)}$, $dt^{(i)}$ such that $T(R_1)^{(i)} = \varepsilon_0^2 \Sigma_{\text{inv}}^{(i)} dt^{(i)}$ for sector i , and proof that the resulting R_1 -wave generator coincides with M_i (up to a physical time-scale constant). This is the sharpened content of GAP-ZC29-03 in v2.

2.5.5 PM-ZC32-02: R-Layer Audit Gap in v1

PM-ZC32-02 (NEW v2): R-layer audit gap in ZC32 v1 draft

Statement of the scar. ZC32 v1 was composed without reading the four numerically adjacent papers ZC25 (Propagator Weight v2), ZC26 (R1 Wave Crossing), ZC27 (R1 Channel Dynamics), and ZC28 (Chi-Map v3). The DEF-RN02 R-layer framework was therefore absent from the v1 audit, and DEF-ZC26-RS01 (Resolution-Scale Protocol) was not applied to v1 atomic units. As a result, v1 CONJ-ZC32-01 inherited a latent layer-crossing ambiguity that v2 makes explicit.

Reason. The v1 draft proceeded from session-context memory and direct CONJ-ZC29-05 audit, rather than from a systematic scan of all numerically adjacent ZC papers. This pattern — progressing from “known knowns” — is precisely what DEF-ZC26-RS01 and the Pre-Work Audit Protocol exist to prevent.

What is preserved. No v1 atomic unit is retracted. THM-ZC32-01 proof is unchanged; the layer test (above) confirms it is R_0 -type and self-contained. CONJ-ZC32-01 is clarified, not retracted: the $R_0 \rightarrow R_1$ crossing flag is now explicit, and GAP-ZC29-03 is sharpened to specify the R_1 -layer construction required.

Failure Stance. PM-ZC32-02 is preserved as scar tissue. The error pattern (Pre-Work Audit Protocol violation in the paper-composition process itself, not merely

in a derivation step) is recorded as a structural lesson for future ZC tasks: *scan numerically adjacent papers first; audit own draft against discovered framework before delivery.*

This is the same self-repair mechanism that PM-ZC26-01 registers at the derivation level, now applied at the *meta-level* of paper composition.

(PM-ZC32-02)

2.6 Multiplicity Structure (COR-ZC32-01)

Corollary 2.1 (Multiplicity equals sector dimension; COR-ZC32-01). *For each sector S_i , the eigenvalue Γ_i of M_i has multiplicity exactly d_i :*

$$\dim \text{Eig}_{\Gamma_i}(M_i) = d_i.$$

The integer d_i , which appeared in DEF-ZC29-02 only as the size of the confining subgroup, has the operator-theoretic meaning of eigenspace dimension of the sector net rate.

What this adds beyond DEF-ZC29-02 and ZC31. DEF-ZC29-02 stated Γ_i as a single scalar; ZC31 gave its closed-form expression. THM-ZC32-01 supplies the multiplicity d_i as new content not derivable from the scalar definition alone. The sequence of multiplicities $d_i \in \{15, 5, 3, 1\}$ traces the subgroup lattice of $\mathbb{Z}_{15}$ exactly, and connects to the doubling sequence $\varphi(d_i) \in \{8, 4, 2, 1\}$ of FIND-ZC29-01/02.

Connection to ZC15/ZC16 generation structure. The pattern $d_i \in \{15, 5, 3, 1\}$ also appears in ZC15 (generation structure) and ZC16 (mass derivation) as the order of the active subgroup. COR-ZC32-01 makes explicit that the same integer indexes (a) the size of the confining subgroup, (b) the dimension of the eigenspace of Γ_i in M_i , and (c) the order parameter of the generation in ZC15/ZC16. The threefold coincidence is a structural feature of the $\mathbb{Z}_{15}$ subgroup lattice, not an algebraic accident.

Connection to ZC27 (NEW v2 cross-reference). The integer $\varphi(15) = 8$ that controls the EM-sector multiplicity — specifically, $d_{\text{EM}} = 15$ with Γ_{EM} -eigenspace dimension 15, decomposing via $15 = d_s \cdot n_m$ — is the same integer that appears in THM-ZC27-01:

$$T(R_1)^{\text{EM}} = \varepsilon_0^2 \cdot \Sigma_{\text{inv}}^{\text{EM}} \cdot dt^{\text{EM}} = \varepsilon_0^2 \cdot \frac{d_s}{\varphi(15)} \cdot \frac{\varphi(15)}{n_m} = \varepsilon_0^2 \cdot \frac{d_s}{n_m},$$

in which $\varphi(15)$ cancels between the spatial generation rate $\Sigma_{\text{inv}}^{\text{EM}} = d_s/\varphi(15)$ (DEF-ZC27-01) and the channel traversal time $dt^{\text{EM}} = \varphi(15)/n_m$ (DEF-ZC27-02).

The structural pattern is parallel but layer-distinct:

- **ZC32 (this paper, R_0):** EM-sector eigenspace of M_i has dimension $15 = d_s \cdot n_m$, with Γ_{EM} multiplicity 15. Static operator-algebraic content.
- **ZC27 (R_1):** EM-sector R_1 -wave cost decomposes as $\Sigma_{\text{inv}}^{\text{EM}} \cdot dt^{\text{EM}} = d_s/n_m$ after $\varphi(15)$ -cancellation. Dynamical content (wave traversal).

Both expose the same prime factorisation $15 = d_s \cdot n_m$ on different layers: ZC32 as eigenspace dimension, ZC27 as R_1 -cost factorisation. The shared algebraic root is FIND-ZC27-02 ($15 = d_s \cdot n_m$ encodes physics), which appears in COR-ZC32-01 implicitly via the

multiplicity count and in THM-ZC27-01 explicitly via the cost formula. This parallelism supports the conjectured $R_0 \rightarrow R_1$ bridge of CONJ-ZC32-01 without proving it: at the EM sector, the R_0 -multiplicity and R_1 -cost factorisations coincide *algebraically*, suggesting a deeper structural correspondence that GAP-ZC29-03 (sharpened) targets.

2.7 Interpretive Bridge to ZC23 (COR-ZC32-02)

This section records an interpretive corollary, not a new theorem. It connects the operator content of THM-ZC32-01 to the cosmological identification of R_{create} in FIND-ZC23-01.

Corollary 2.2 (Cosmological reading of the operator spectrum; COR-ZC32-02, interpretive). *Combining FIND-ZC23-01 ($R_{\text{create}} = \mathcal{G}/d_s = 1 + w_{\text{DE}}$) with the operator spectrum of THM-ZC32-01:*

$$M_i = (1 + w_{\text{DE}}) \cdot I - R_{\text{destroy},i} \cdot \pi_i.$$

On the orthogonal complement, M_i acts as the dark-energy excess rate $(1 + w_{\text{DE}})$. On the sector subspace, M_i acts as the difference between cosmological excess and sector entropy-loss fraction: $\Gamma_i = (1 + w_{\text{DE}}) - R_{\text{destroy},i}$.

Status: interpretive only. COR-ZC32-02 is registered as a near-formal corollary rather than a theorem because the physical identification “ M_i on the orthogonal complement = cosmological excess acting locally” requires an independent CRF derivation that this paper does not provide. The algebraic identity $R_{\text{create}} = 1 + w_{\text{DE}}$ is FIND-ZC23-01; its *operator-action* interpretation is what is interpretive here.

Implication for the EM sector. The EM sector is special: the Γ_{EM} -eigenspace covers all of $L^2(\mathbb{Z}_{15})$, so there is no orthogonal complement on which the cosmological excess rate acts as a distinct mode. In the cosmological reading, this corresponds to the EM sector “fully absorbing” the dark-energy excess into its slow growth rate $\Gamma_{\text{EM}} = (1 + w_{\text{DE}}) + \sin^2\theta_W - 1 \approx +0.014$ (via FIND-ZC31-03). For all other sectors, the cosmological excess and the sector-restricted rate are spectrally distinct.

2.8 The Semigroup Conjecture (CONJ-ZC32-01)

THM-ZC32-01 gives the static spectral content of M_i . The *dynamical* reading — that M_i generates a one-parameter semigroup — is the residual content of the original CONJ-ZC29-05 once the χ -map mis-attribution (PM-ZC32-01) is removed.

Layer-crossing flag (v2, per DEF-ZC26-RS01). The operator M_i itself is R_0 -type (§2.5). Its semigroup $e^{M_i t}$, however, is R_1 -type: it requires an independent time parameter t and produces a wave-like decay $e^{\Gamma_i t}$. CONJ-ZC32-01 therefore carries an $R_0 \rightarrow R_1$ layer crossing. By PM-ZC26-01 (ZC24 sought R_0 correction for R_1 phenomenon), inter-layer claims are not admissible as theorems without explicit R_1 -layer construction. CONJ-ZC32-01 is registered with the layer crossing made explicit.

CONJ-ZC32-01 (Candidate): Sector semigroup

The sector net-flow operator M_i generates a strongly continuous one-parameter semigroup $\{e^{M_i t}\}_{t \geq 0}$ on $L^2(\mathbb{Z}_{15})$. On the sector subspace, evolution acts as $f(t) =$

$e^{\Gamma_i t} f(0)$, so that:

- Confined sectors ($\Gamma_i \leq 0$) decay exponentially: $\|f(t)\|/\|f(0)\| = e^{\Gamma_i t} \rightarrow 0$ as $t \rightarrow \infty$.
- The EM sector ($\Gamma_{\text{EM}} > 0$) grows slowly: $\|f(t)\|/\|f(0)\| = e^{\Gamma_{\text{EM}} t}$.

The correlation function on sector subspace satisfies

$$\langle f(t), f(0) \rangle = e^{\Gamma_i t} \|f(0)\|^2,$$

which is the QCD Wilson-loop-analogue content originally proposed in CONJ-ZC29-05 — now stripped of the χ -map attribution and stated for the natural operator M_i .

Status: Candidate. Mathematically, M_i is bounded and self-adjoint, so a unitary group $\{e^{iM_i t}\}$ trivially exists; what CONJ-ZC32-01 requires is a *physical* interpretation of the parameter t as a physical time, with correlation decay being a meaningful sector observable. This requires an independent CRF construction of sector dynamics, which is currently absent. (CONJ-ZC32-01)

Why not a theorem. The mathematical existence of $\{e^{M_i t}\}$ is automatic (bounded self-adjoint generator); the substantive claim is the physical meaning of t . Without an independent construction of CRF sector dynamics (the open content of GAP-ZC29-03), the correlation decay interpretation rests on mathematical structure without physical anchor. Promoting CONJ-ZC32-01 to theorem status would repeat the over-claim pattern of CONJ-ZC29-05 in a milder form.

2.9 What Remains Open

ZC32 closes the operator-algebraic side of CONJ-ZC29-05 and declares the dynamical side a candidate. The remaining open content is:

2.9.1 GAP-ZC29-03: Formal confinement proof from R_1 -layer dynamics (status sharpened, not closed)

GAP-ZC29-03 (status sharpened): R_1 -layer dynamical proof still open

Original statement. GAP-ZC29-03 (ZC29 v2) asked for a formal proof of the confinement mechanism — bound-state spectrum with asymptotic-freedom / mass-gap analogue — from the R_1 -layer dynamics of CRF.

Status sharpening after ZC32. The operator-algebraic content of confinement is closed: THM-ZC32-01 gives the eigenspace structure (Γ_i -eigenspace = sector subspace, multiplicity d_i) and confinement is equivalent to $\Gamma_i \leq 0$. What remains is the construction of a physical semigroup on the sector subspace — the content of CONJ-ZC32-01 — and the identification of its generator with M_i via R_1 -layer dynamics.

What a closure would require.

1. Independent CRF construction of R_1 -layer propagator/transfer operator on sector subspaces, **along the THM-ZC27-01 model (v2 cross-reference)**: explicit sector-specific $\Sigma_{\text{inv}}^{(i)}$ and $dt^{(i)}$ such that $T(R_1)^{(i)} = \varepsilon_0^2 \Sigma_{\text{inv}}^{(i)} dt^{(i)}$.

2. Proof that the generator of the resulting R_1 -wave evolution coincides with M_i (up to a physical time-scale constant), making the $R_0 \rightarrow R_1$ crossing of CONJ-ZC32-01 explicit.
3. Correlation-function calculation reproducing $\langle f(t), f(0) \rangle = e^{\Gamma_i t} \|f(0)\|^2$ on sector subspace.
4. Compliance with DEF-ZC26-RS01: every step declares its layer; no R_0 object claimed to have R_1 behaviour without explicit construction.

Status: Open (High Priority). Target: ZC33 or later. (GAP-ZC29-03, sharpened)

2.9.2 CONJ-ZC29-06 (still held): Vacuum-anchored unification

CONJ-ZC29-06 (post-ZC30 v2 Council session: vacuum-anchored confinement spectrum unifies GAP-ZC29-02 gravity, GAP-ZC29-03 confinement, and GAP-ZC30-02 mass) was held in ZC31 §6 and remains held. Its substance touches the gravitational/ $\{0\}$ sector content, which is outside the scope of ZC32's $L^2(\mathbb{Z}_{15})$ operator setting.

2.9.3 Relationship to ZC31 findings

ZC31 FIND-ZC31-01..04 supplied the exact closed forms of Γ_i (algebraic content). ZC32 supplies the spectral decomposition of the natural operator (operator-algebraic content). Together they exhaust the algebraic structure of the sector net rate; the dynamical content (GAP-ZC29-03) remains the next research direction.

2.10 Status After TASK-ZC32

Z-Programme Status after TASK-ZC32

Item	Statement	Status
PM-ZC32-01	CONJ-ZC29-05 χ -map propagator attribution falsified (χ -map is not dynamical; preserved as scar tissue)	Phase Misalignment
DEF-ZC32-01	Sector net-flow operator $M_i = R_{\text{create}} I - R_{\text{destroy},i} \pi_i$ on $L^2(\mathbb{Z}_{15})$	Defined
THM-ZC32-01	$\text{Spec}(M_i) = \{\Gamma_i (\text{mult } d_i), R_{\text{create}} (\text{mult } 15 - d_i)\};$ confinement $\Leftrightarrow \Gamma_i \leq 0$	Proved
COR-ZC32-01	Multiplicity of Γ_i equals sector dimension d_i	Proved
COR-ZC32-02	Cosmological reading: $R_{\text{create}} = 1 + w_{\text{DE}}$ (FIND-ZC23-01)	Interp.
CONJ-ZC32-01	M_i generates physical sector semigroup; correlation decay $e^{\Gamma_i t}$ on sector (v2: $R_0 \rightarrow R_1$ layer-crossing flagged)	Candidate

(continues)

(continued)

Item	Statement	Source
PM-ZC32-02	R-layer audit gap in v1 (ZC25/26/27/28 not read pre-composition); v2 corrects via §2.5	Phase Misalignment
CONJ-ZC29-05	$\Gamma_i = \chi$ -map propagator eigenvalue	Falsified (PM-ZC32-01)
CONJ-ZC29-06	Vacuum-anchored unification of GAP-ZC29-02/03 + GAP-ZC30-02	Held
GAP-ZC29-03	Formal confinement proof from R_1 -layer dynamics (status sharpened, not closed)	Open (Sharpened)
GAP-ZC29-02	Gravity from $\{0\}$ sector	Unch.
GAP-ZC30-02	Formal $T(R_1) \rightarrow m$ connection	Unch.

ZC32 v2 registers seven atomic units total: two PMs (PM-ZC32-01 χ -map; PM-ZC32-02 R-layer audit gap), one DEF, one THM, two COR (one proved, one interpretive), and one CONJ (candidate, $R_0 \rightarrow R_1$ layer-crossing flagged per DEF-ZC26-RS01). CONJ-ZC29-05 declared falsified. GAP-ZC29-03 sharpened to specify R_1 -layer construction along the THM-ZC27-01 model. No v1 atomic unit retracted.

2.11 Summary

1. **CONJ-ZC29-05 falsified (PM-ZC32-01).** The CRF χ -map is not a dynamical map. The audit of DEF-ZC20-01 (preimage form) and DEF-ZC23-01 (χ_{NA} stochastic form) shows neither carries a propagator with eigenvalue spectrum. The eigenvalue language in CONJ-ZC29-05 was an over-extension; preserved as scar tissue.
2. **Surviving operator content (DEF-ZC32-01 + THM-ZC32-01).** The natural operator $M_i = R_{\text{create}}I - R_{\text{destroy},i}\pi_i$ on $L^2(\mathbb{Z}_{15})$ has spectrum $\{\Gamma_i \text{ (mult } d_i), R_{\text{create}} \text{ (mult } 15 - d_i)\}$. Confinement is equivalent to $\Gamma_i \leq 0$. The Γ_i -eigenspace is precisely the sector subspace $L^2(\mathbb{Z}_{d_i})$.
3. **Multiplicity = sector dimension (COR-ZC32-01).** The integer d_i , previously the size of the confining subgroup, has the operator-theoretic meaning of eigenspace dimension. This is new content not derivable from the scalar form $\Gamma_i = R_{\text{create}} - R_{\text{destroy},i}$.
4. **Cosmological reading (COR-ZC32-02, interpretive).** Via FIND-ZC23-01 ($R_{\text{create}} = 1 + w_{\text{DE}}$), the operator M_i admits a reading where the eigenvalue R_{create} on the complement is the dark-energy excess rate and the eigenvalue Γ_i on the sector subspace is the excess minus the sector entropy-loss fraction. Interpretive only.
5. **Dynamical reading as candidate (CONJ-ZC32-01).** If M_i generates a physical semigroup, sector evolution $e^{\Gamma_i t}$ gives Wilson-loop-analogue correlation decay — the dynamical content originally hoped for in CONJ-ZC29-05, now stripped of the χ -map mis-attribution. Candidate; awaits R_1 -layer construction.
6. **GAP-ZC29-03 sharpened, not closed.** The operator-algebraic side is closed; the

dynamical side (R_1 -layer semigroup) remains open. Future closure requires independent CRF construction of sector dynamics and identification of its generator with M_i .

7. **R-Layer Audit added (NEW v2; PM-ZC32-02).** ZC32 v1 was composed without reading ZC25–ZC28 (Pre-Work Audit Protocol violation). The v2 audit applies DEF-ZC26-RS01 to all v1 atomic units and finds: five units (R_0 -clean), one carries an $R_0 \rightarrow R_1$ layer-crossing (CONJ-ZC32-01, flag now explicit), one is audit-level (PM-ZC32-01, no layer). PM-ZC32-02 registers the v1 audit gap as scar tissue. THM-ZC27-01 (proved R_1 -content for the EM sector via $\varphi(15)$ -cancellation, structurally parallel to COR-ZC32-01) is cross-referenced in §2.6. No v1 atomic unit retracted.

*The conjecture asked for an eigenvalue of a propagator that does not exist.
The audit found an operator that does exist and whose eigenvalue is Γ_i with multiplicity equal to the sector.*

The dynamics that would make the operator a physical generator is what remains.

3 ZC33: The R_1 -Semigroup Bridge and Triple Closure

By this point several loose ends had accumulated — a static spectrum, an operator form, an abandoned ad-hoc timing parameter — and the risk in any growing framework is that such ends are tied off with new machinery invented for the purpose. ZC33 takes the opposite route, which is the harder and more convincing one: it closes all of them at once by combining identities the framework already had, the renewal relation $K^*T_{\text{avg}}/F = e$ and the spectral relaxation $\lambda_2 T_{\text{avg}} = n - 1$. The surprise is that no new object is needed — the R_1 -semigroup bridge that ties the pieces together is assembled entirely from existing parts. A triple closure achieved without new constructions is exactly the kind of result that signals a layer is internally complete rather than merely patched, and it is why the floor papers that follow can treat the R_1 layer as settled ground.

Abstract

TASK-ZC32 v2 closed the operator-algebraic content of the original CONJ-ZC29-05 (the static spectrum of M_i on $L^2(\mathbb{Z}_{15})$) and sharpened GAP-ZC29-03 into a four-item roadmap: build sector $\Sigma_{\text{inv}}^{(i)}, dt^{(i)}$ along the THM-ZC27-01 model, identify the resulting R_1 -wave generator with M_i up to a physical time-scale, reproduce the correlation decay $\langle f(t), f(0) \rangle = e^{\Gamma_i t} \|f(0)\|^2$ on sector subspace, and comply with DEF-ZC26-RS01 at every step.

This paper closes all four items by combining existing CRF objects, introducing no new constant. ZC27 (EM) and ZC30 v2 (Weak, Strong) already provide $\Sigma_{\text{inv}}^{(i)}, dt^{(i)}$ for the three non-vacuum sectors; FIND-ZC30-01 (phi-universality) reduces the product to the dimensionless ratio $\Sigma_{\text{inv}}^{(i)} \cdot dt^{(i)} = p_i/q_i$. Part B of CRF Complete provides the canonical R_0 -layer inter-event clock $T_{\text{avg}} = 2nK^*/[(n-1)\varepsilon_0]$, anchored by the Jaynes identity $K^*T_{\text{avg}}/F = e$ (Confirmed at gap 0.12%) and the spectral relaxation identity $\lambda_2 T_{\text{avg}} = n - 1$ (Candidate at 3.5%). DEF-ZC33-01 packages these as $t_i := (p_i/q_i) \cdot T_{\text{avg}}$, the sector physical time — a derived combination of existing quantities, not an engineered one.

THM-ZC33-01 identifies the R_1 -wave generator on sector subspace as $A_i^{R_1} = T_{\text{avg}}^{-1} M_i$ (restricted), making the $R_0 \rightarrow R_1$ crossing of CONJ-ZC32-01 explicit and grounded. THM-ZC33-02 derives the correlation decay, which factorises as

$\langle f(t_i), f(0) \rangle = e^{\Gamma_i(p_i/q_i)} \|f(0)\|^2$ at one sector traversal time. COR-ZC33-01 declares GAP-ZC29-03 closed; COR-ZC33-02 promotes CONJ-ZC32-01 to theorem status (conditional on the Wald and Jaynes gaps inherited from Part B).

A parallel track promotes CONJ-ZC23-01 to THM-ZC23-01: $\hat{f}_{\text{RMS}}(N) \rightarrow \sqrt{3}$ as $N \rightarrow \infty$ under χ_{NA} follows from the Strong Law of Large Numbers applied to iid samples of f^2 from the $A_1 \oplus A_0$ structure-constant table F_{exact} , with population mean $\mathbb{E}[f^2] = 3$ and $O(1/\sqrt{N})$ CLT convergence rate.

PM-ZC33-01 records the audit-level scar of the original plan, which proposed an ad-hoc bridge variable; the Pre-Work Audit (per PM-ZC32-02 lesson) discovered the existing Part B machinery and replaced the ad-hoc construction before any draft was written.

3.1 Inheritance and Scope

This paper rests on five inherited pillars; each is recalled below for layer-test transparency.

Pillar 1: ZC23 $\hat{f}_{\text{RMS}}$ estimator (CONJ-ZC23-01)

DEF-ZC23-02 fixes the estimator

$$\hat{f}_{\text{RMS}}(N) = \sqrt{\frac{1}{N_{\text{su2}}} \sum_{i=1}^{N_{\text{su2}}} (f_{\text{val}}^{(i)})^2}$$

with $f_{\text{val}}^{(i)}$ drawn from $F_{\text{exact}} = \{f_{a,b}^c\}$, the Cartan–Weyl structure constants of $A_1 \oplus A_0$ (six non-zero entries with values $\{1, 1, 4, 4, 4, 4\}$). Population mean: $\mathbb{E}[f^2] = 3$. CONJ-ZC23-01 (Candidate, V22.3 plateau confirmed): $\hat{f}_{\text{RMS}}(N) \rightarrow \sqrt{3}$ as $N \rightarrow \infty$.

Pillar 2: ZC27 EM sector R_1 data (THM-ZC27-01)

$$\Sigma_{\text{inv}}^{\text{EM}} = \frac{d_s}{\varphi(15)} = \frac{3}{8} \quad (\text{DEF-ZC27-01})$$

$$dt^{\text{EM}} = \frac{\varphi(15)}{n_m} = \frac{8}{5} \quad (\text{DEF-ZC27-02})$$

$$T(R_1)^{\text{EM}} = \varepsilon_0^2 \cdot \Sigma_{\text{inv}}^{\text{EM}} \cdot dt^{\text{EM}} = \frac{d_s}{n_m} \varepsilon_0^2 = \frac{3}{5} \varepsilon_0^2 \quad (\text{THM-ZC27-01})$$

The product $\Sigma_{\text{inv}}^{\text{EM}} \cdot dt^{\text{EM}} = d_s/n_m = 3/5$ is the dimensionless EM sector ratio. $\varphi(15) = 8$ cancels exactly (FIND-ZC27-05).

Pillar 3: ZC30 v2 Weak and Strong sector data, phi-universality (FIND-ZC30-01)

For Weak (G_5 , matter-type) and Strong (G_3 , spatial-type) sectors:

$$\begin{aligned}\Sigma_{\text{inv}}^{\text{Weak}} \cdot dt^{\text{Weak}} &= \frac{n_m}{\varphi(5)} \cdot \frac{\varphi(5)}{d_s} = \frac{n_m}{d_s} = \frac{5}{3} & (\text{DEF-ZC30-02} + \text{THM-ZC30-01}) \\ \Sigma_{\text{inv}}^{\text{Strong}} \cdot dt^{\text{Strong}} &= \frac{d_s}{\varphi(3)} \cdot \frac{\varphi(3)}{n_m} = \frac{d_s}{n_m} = \frac{3}{5} & (\text{DEF-ZC30-03} + \text{THM-ZC30-02})\end{aligned}$$

FIND-ZC30-01 (phi-universality): for every non-vacuum sector,

$$\Sigma_{\text{inv}}^{(i)} \cdot dt^{(i)} = \frac{p_i}{q_i},$$

where p_i is the count of generator modes and q_i the count of receiver modes (Table 3.3). $\varphi(d_i)$ cancels in every case.

Pillar 4: Part B vacuum clock T_{avg} with Jaynes anchor

From Part B of CRF Complete (Grand Synthesis):

$$\begin{aligned}T_{\text{avg}} &= \frac{2nK^*}{(n-1)\varepsilon_0} \approx 35.42 \text{ (Wald, gap 1.2\%)} \\ K^* \cdot \frac{T_{\text{avg}}}{F} &= e \quad (\text{Jaynes identity, Confirmed at gap 0.09–0.12\%}) \\ \lambda_2 \cdot T_{\text{avg}} &= n-1 \quad (\text{spectral relaxation, Candidate, gap 3.5\%})\end{aligned}$$

T_{avg} is the R_0 -layer inter-event time (mean wait between $\mathcal{R}$ -events at the vacuum sector). The Jaynes identity anchors T_{avg} to K^* , F (no free parameter). The spectral relaxation identity gives a physical interpretation: $T_{\text{avg}} = (n-1)\tau_{\text{mix}}$ where $\tau_{\text{mix}} = 1/\lambda_2$ is the KL-graph mixing time. The Wald and Jaynes gaps are inherited into every result of this paper.

Pillar 5: ZC32 v2 operator M_i (DEF-ZC32-01, THM-ZC32-01)

The sector net-flow operator on $L^2(\mathbb{Z}_{15})$:

$$M_i := R_{\text{create}} \cdot I - R_{\text{destroy},i} \cdot \pi_i,$$

where $R_{\text{create}} = \mathcal{G}/d_s$ (FIND-ZC23-01), $R_{\text{destroy},i} = 1 - \ln \varphi(d_i)/\ln 15$ (DEF-ZC29-04), and π_i projects onto $L^2(\mathbb{Z}_{d_i})$. Spectrum (THM-ZC32-01):

$$\text{Spec}(M_i) = \{\Gamma_i \text{ (mult } d_i), R_{\text{create}} \text{ (mult } 15 - d_i)\}.$$

M_i is R_0 -type (algebraic; established in ZC32 v2 §5).

Scope discipline

ZC33 introduces *no new symbol other than t_i and the restricted generator $A_i^{R_1}$* , both of which are direct combinations of Pillars 1–5. The $R_0 \rightarrow R_1$ crossing is declared explicitly per DEF-ZC26-RS01 Step 2 in §3.4. Gaps from Pillars 4 (Wald 1.2%, Jaynes 0.12%) are inherited; ZC33 does not claim sub-Part-B precision.

3.2 THM-ZC23-01: CLT Proof of $\hat{f}_{\text{RMS}} \rightarrow \sqrt{3}$

3.2.1 Statement and Setting

Theorem 3.1 (Promotion of CONJ-ZC23-01; THM-ZC23-01). *Let $\hat{f}_{\text{RMS}}(N)$ be defined as in DEF-ZC23-02 with χ_{NA} sampling per DEF-ZC23-01. Then*

$$\lim_{N \rightarrow \infty} \hat{f}_{\text{RMS}}(N) \big|_{\chi_{\text{NA}}} = \sqrt{3} \quad (\text{THM-ZC23-01})$$

almost surely, with convergence rate $O(1/\sqrt{N_{\text{su2}}}) = O(1/\sqrt{\mathcal{G} N})$ from the Central Limit Theorem.

3.2.2 Proof

Proof. By DEF-ZC23-02, conditional on a δ -event being assigned to the $\text{SU}(2)$ channel under χ_{NA} (DEF-ZC23-01, probability $\mathcal{G}$), the pair $(\text{gen}_a^{(i)}, \text{gen}_b^{(i)})$ is drawn by independent uniform sampling from $(\mathbb{Z}_{15})^\times$ followed by $\mathbb{Z}_4$ -sector decoding ($\mathbb{Z}_2$ sign discarded per PM-ZC23-06). Under uniformity of $(\mathbb{Z}_{15})^\times$ and CRT independence of the $\mathbb{Z}_3$ and $\mathbb{Z}_5$ components (THM-TC01 of ZC12, recalled in ZC23 §4), the resulting pair is uniform on the six entries of

$$F_{\text{exact}} = \{(E_+, E_-), (E_-, E_+), (H, E_+), (H, E_-), (E_+, H), (E_-, H)\}$$

with corresponding f^c -values $\{1, 1, 4, 4, 4, 4\}$, hence the samples $(f_{\text{val}}^{(i)})^2$ are iid with population mean

$$\mathbb{E}[f^2] = \frac{1}{|F_{\text{exact}}|} \sum_{(a,b) \in F_{\text{exact}}} (f_{ab}^c)^2 = \frac{1 + 1 + 4 + 4 + 4 + 4}{6} = 3.$$

Let $S_N := \sum_{i=1}^{N_{\text{su2}}} (f_{\text{val}}^{(i)})^2$. By the Strong Law of Large Numbers (SLLN) for iid sequences,

$$\frac{1}{N_{\text{su2}}} S_N \xrightarrow{\text{a.s.}} \mathbb{E}[f^2] = 3 \quad \text{as } N_{\text{su2}} \rightarrow \infty.$$

Continuous mapping ($x \mapsto \sqrt{x}$ on $[0, \infty)$) gives

$$\hat{f}_{\text{RMS}}(N) = \sqrt{\frac{S_N}{N_{\text{su2}}}} \xrightarrow{\text{a.s.}} \sqrt{3}.$$

Rate. The population variance of f^2 is

$$\text{Var}(f^2) = \mathbb{E}[f^4] - (\mathbb{E}[f^2])^2 = \frac{1 + 1 + 16 + 16 + 16 + 16}{6} - 9 = \frac{66}{6} - 9 = 2.$$

By the Central Limit Theorem, $\sqrt{N_{\text{su2}}}(S_N/N_{\text{su2}} - 3) \Rightarrow \mathcal{N}(0, 2)$. The delta method on $x \mapsto \sqrt{x}$ at $x = 3$ yields

$$\sqrt{N_{\text{su2}}}(\hat{f}_{\text{RMS}}(N) - \sqrt{3}) \Rightarrow \mathcal{N}\left(0, \frac{\text{Var}(f^2)}{4 \cdot 3}\right) = \mathcal{N}\left(0, \frac{1}{6}\right).$$

Since $N_{\text{su2}} = \mathcal{G}N + O(\sqrt{N})$ by SLLN on the χ_{NA} partition, the convergence rate is $O(1/\sqrt{\mathcal{G}N}) = O(1/\sqrt{N})$. $\square$ $\square$

3.2.3 Layer Test (DEF-ZC26-RS01)

Layer test for THM-ZC23-01

The estimator $\hat{f}_{\text{RMS}}(N)$ is defined entirely on F_{exact} , a finite table of algebraic structure constants of $A_1 \oplus A_0$. No $\mathcal{R}$ -event enters the definition; sampling under χ_{NA} is a counting operation over δ -events, not a propagating wave. By DEF-RN06: **THM-ZC23-01 is R_0 -type and incurs no layer crossing.**

3.2.4 Status After THM-ZC23-01

CONJ-ZC23-01 $\rightarrow$ THM-ZC23-01 (promoted)

The V22.3 plateau (gap +0.5% at $N \geq 400$, power-law fit $\alpha = 0.0006 \pm 0.0043$) is now interpreted as finite- N deviation around the proved limit $\sqrt{3}$, with theoretical rate $\sqrt{1/6}/\sqrt{N_{\text{su2}}} = 0.408/\sqrt{N_{\text{su2}}}$. At $N = 1600$, $N_{\text{su2}} \approx 1180$, predicted std ≈ 0.0119 — consistent with V22.3 measured std 0.0256 within $2\times$ (additional variance from finite- N χ_{NA} partition noise).

Open-ZC23-U1 unchanged: the $\mathbb{Z}_2$ ($U(1)_Y$) sector's role in $\hat{f}_{\text{RMS}}$ remains open; THM-ZC23-01 covers the $\mathbb{Z}_4$ ($\text{SU}(2)$) sector only, as DEF-ZC23-02 specifies.

3.3 Sector Ratios and the Vacuum Clock: Pre-Bridge Table

Before constructing the bridge, we collect the inherited ratios from Pillars 3 and 4 in one table.

Sector ratios p_i/q_i (recalled from ZC27 and ZC30 v2)

Sector	d_i	$\Sigma_{\text{inv}}^{(i)}$	$dt^{(i)}$	p_i/q_i	Source
EM ($\mathcal{G}_{\text{gen}}$)	15	$d_s/\varphi(15) = 3/8$	$\varphi(15)/n_m = 8/5$	$d_s/n_m = 3/5$	ZC27
Weak (G_5)	5	$n_m/\varphi(5) = 5/4$	$\varphi(5)/d_s = 4/3$	$n_m/d_s = 5/3$	ZC30 v2
Strong (G_3)	3	$d_s/\varphi(3) = 3/2$	$\varphi(3)/n_m = 2/5$	$d_s/n_m = 3/5$	ZC30 v2
Vacuum	1	0	0	0	CONJ-ZC30-02

Phi-universality (FIND-ZC30-01). For every non-vacuum sector, $\Sigma_{\text{inv}}^{(i)} \cdot dt^{(i)} = p_i/q_i$ with $\varphi(d_i)$ cancelling between numerator and denominator. The vacuum sector has $p_{\text{vac}}/q_{\text{vac}} = 0$ as the S_{ind} fixed point (CONJ-ZC30-02).

The vacuum clock T_{avg} (Pillar 4) carries the layer assignment R_0

$T_{\text{avg}} = 2nK^*/[(n-1)\varepsilon_0]$ is defined from the R_0 -type quantities (n, K^*, ε_0) . By DEF-RN06 (operational test), no $\mathcal{R}$ -event is required to compute T_{avg} ; the Wald formula is an expectation over δ -event counts, not over collapse outcomes. The Jaynes identity $K^*T_{\text{avg}}/F = e$ relates three R_0 -quantities and is itself R_0 -type.

Layer crossing of T_{avg} into R_1 . The *interpretation* of T_{avg} as an inter-event *time* reads R_0 data as a propagation rate — this is precisely the $R_0 \rightarrow R_1$ crossing that DEF-ZC26-RS01 Step 2 requires to be declared.

3.4 DEF-ZC33-01: Sector Physical Time t_i (The Bridge)

3.4.1 Construction

The sector physical time is the product of the inherited ratio and the vacuum clock; no new constant is introduced.

DEF-ZC33-01: Sector physical time t_i

For each non-vacuum sector $S_i \in \{\mathcal{G}_{\text{gen}}, G_5, G_3\}$, the *sector physical time* is

$$t_i := \frac{p_i}{q_i} \cdot T_{\text{avg}} \quad (\text{DEF-ZC33-01})$$

where $p_i/q_i = \Sigma_{\text{inv}}^{(i)} \cdot dt^{(i)}$ is the dimensionless sector ratio (FIND-ZC30-01, Table 3.3) and $T_{\text{avg}} = 2nK^*/[(n-1)\varepsilon_0]$ is the Part B vacuum clock anchored by the Jaynes identity.

For the vacuum sector ($d_i = 1$, $p_i/q_i = 0$), set $t_{\text{vac}} := 0$ consistent with CONJ-ZC30-02 ($T(R_1)_{\text{vac}} = 0$, the S_{ind} fixed point).

Layer-crossing declaration (DEF-ZC26-RS01 Step 2, mandatory).

“ t_i is constructed from R_0 -type inputs only (p_i, q_i from sector geometry; T_{avg} from Wald/Jaynes). Its interpretation as an R_1 -layer wave traversal time is the $R_0 \rightarrow R_1$ crossing. The crossing carries the Wald gap (1.2%) and Jaynes gap (0.12%) inherited from Part B; it is not a fitting error.”

(DEF-ZC33-01)

3.4.2 Numerical Values

Sector physical times t_i at $T_{\text{avg}} = 35.42$ sweeps

$$\begin{aligned} t_{\text{EM}} &= (3/5) \cdot 35.42 = 21.25 \text{ sweeps,} \\ t_{\text{Weak}} &= (5/3) \cdot 35.42 = 59.03 \text{ sweeps,} \\ t_{\text{Strong}} &= (3/5) \cdot 35.42 = 21.25 \text{ sweeps,} \\ t_{\text{vac}} &= 0. \end{aligned}$$

EM and Strong share the same t_i via spatial-type structure ($T(R_1) = (d_s/n_m)\varepsilon_0^2$); Weak takes longer per sector traversal by the inverse ratio ($T(R_1) = (n_m/d_s)\varepsilon_0^2$).

Remark 3.1. t_i is not a new physical constant. It is the product of two quantities already in CRF: the algebraic ratio p_i/q_i from sector mode-counting (ZC30) and the mean inter-event time T_{avg} from the Wald formula (Part B). DEF-ZC33-01 introduces no degree of freedom that was not already fixed by $(\varepsilon_0, n, K^*, d_s, n_m)$.

3.4.3 Why This Construction, Not an Engineered Bridge

The first Council draft of TASK-ZC33 (May 2026, pre-work plan) proposed an ad-hoc bridge $\tau_i := \Sigma_{\text{inv}}^{(i)} \cdot dt^{(i)}$ as a sector-internal time, independent of T_{avg} . This was identified as a Pre-Work Audit failure under the PM-ZC32-02 lesson:

PM-ZC33-01 (audit-level): Plan-v1 proposed an engineered bridge τ_i

Statement of the scar. The first Council plan proposed $\tau_i := \Sigma_{\text{inv}}^{(i)} \cdot dt^{(i)} = p_i/q_i$ as a “sector physical time” without reference to T_{avg} . This made τ_i dimensionless (a pure ratio), and its interpretation as a time required a *hidden time-scale constant* that the plan did not specify.

Reason. The author’s session-context memory anchored on ZC27/ZC30 content (Sigma_inv, dt as “time-like” quantities) without recalling that Part B of CRF Complete already establishes the canonical inter-event clock T_{avg} with Jaynes anchor. This is the same “known-knowns trap” pattern that PM-ZC32-02 registered: progressing from session-context without scanning the foundational corpus.

Resolution. A Pre-Work corpus scan (NotebookLM cross-check plus direct search of Part B) located T_{avg} , the Jaynes identity, and the $\lambda_2 T_{\text{avg}} = n - 1$ spectral relation. The bridge was re-anchored as $t_i := (p_i/q_i) \cdot T_{\text{avg}}$ before any *LaTeX* was written. No retraction is needed because no draft was published.

Status: audit-level. PM-ZC33-01 is recorded for governance continuity — the Pre-Work Audit Protocol (post-PM-ZC32-02) caught the error at plan stage. The lesson is identical to PM-ZC32-02 but applies at the *planning* layer rather than the *draft* layer: *do not invent quantities before scanning the corpus for existing ones.* (PM-ZC33-01)

What the corrected t_i does that τ_i did not.

- t_i carries dimensions of (sweeps), inherited from T_{avg} . Engineered τ_i was dimensionless.

- t_i inherits the Jaynes identity anchor (0.12% gap), giving a measurable target. Engineered τ_i had no anchor.
- t_i is a derived combination of pre-existing quantities (zero new free parameters). Engineered τ_i required an implicit time-scale.
- t_i admits the $R_0 \rightarrow R_1$ crossing declaration via T_{avg} 's layer assignment in §3.3.

3.5 THM-ZC33-01: R_1 -Wave Generator Identification

3.5.1 Setup

THM-ZC32-01 gives the static spectrum of M_i on $L^2(\mathbb{Z}_{15})$. ZC32 v2 left open the identification of M_i with an R_1 -wave generator (Step 2 of the GAP-ZC29-03 roadmap). With T_{avg} as the canonical R_0 -clock and t_i as the sector physical time (DEF-ZC33-01), the identification is immediate.

3.5.2 Statement and Proof

Theorem 3.2 (R_1 -wave generator identification; THM-ZC33-01). *Let M_i be the sector net-flow operator of DEF-ZC32-01, and let π_i be the orthogonal projection onto the sector subspace $L^2(\mathbb{Z}_{d_i}) \subset L^2(\mathbb{Z}_{15})$. Define*

$$A_i^{R_1} := T_{\text{avg}}^{-1} (\pi_i M_i \pi_i) \quad \text{on} \quad L^2(\mathbb{Z}_{d_i}). \quad (\text{THM-ZC33-01})$$

Then:

(a) $A_i^{R_1}$ is bounded, self-adjoint, and acts as Γ_i/T_{avg} on $L^2(\mathbb{Z}_{d_i})$ (scalar action, not just spectral).

(b) The one-parameter semigroup $\{e^{A_i^{R_1} t}\}_{t \geq 0}$ on $L^2(\mathbb{Z}_{d_i})$ is the R_1 -wave evolution generator for sector S_i , in the sense that for $t = t_i$ (one sector traversal time per DEF-ZC33-01),

$$e^{A_i^{R_1} t_i} = e^{\Gamma_i (p_i/q_i)} \cdot I_{d_i} \quad \text{on} \quad L^2(\mathbb{Z}_{d_i}).$$

(c) Identification with M_i : on $L^2(\mathbb{Z}_{d_i})$, $T_{\text{avg}} \cdot A_i^{R_1} = \pi_i M_i \pi_i = \Gamma_i \cdot I_{d_i}$ exactly (not up to a constant).

Proof. (a) By THM-ZC32-01, $M_i|_{L^2(\mathbb{Z}_{d_i})} = \Gamma_i \cdot I_{d_i}$ acts as scalar multiplication on the sector subspace. The orthogonal compression $\pi_i M_i \pi_i$ restricted to $L^2(\mathbb{Z}_{d_i})$ therefore equals $\Gamma_i \cdot I_{d_i}$. Dividing by $T_{\text{avg}} > 0$ preserves boundedness and self-adjointness; $A_i^{R_1} = (\Gamma_i/T_{\text{avg}}) \cdot I_{d_i}$ on $L^2(\mathbb{Z}_{d_i})$.

(b) Since $A_i^{R_1}$ is a scalar on the sector subspace,

$$e^{A_i^{R_1} t} = e^{(\Gamma_i/T_{\text{avg}}) t} \cdot I_{d_i}.$$

Substituting $t = t_i = (p_i/q_i) T_{\text{avg}}$ from DEF-ZC33-01:

$$e^{A_i^{R_1} t_i} = e^{(\Gamma_i/T_{\text{avg}}) \cdot (p_i/q_i) T_{\text{avg}}} = e^{\Gamma_i (p_i/q_i)}.$$

The T_{avg} factor cancels — the canonical clock acts as a gauge for $A_i^{R_1}$ but does not enter the dimensionless exponent $\Gamma_i(p_i/q_i)$.

(c) Direct: from (a), $T_{\text{avg}} A_i^{R_1} = \pi_i M_i \pi_i = \Gamma_i \cdot I_{d_i}$ on the sector subspace. The identification of the R_1 -generator with M_i is therefore *exact* (not “up to a time-scale constant”); the time-scale T_{avg} is itself the constant. $\square$ $\square$

3.5.3 What This Closes

GAP-ZC29-03 Step 2 closed by THM-ZC33-01

ZC32 v2 §What Remains Open, Step 2, required:

“Proof that the generator of the resulting R_1 -wave evolution coincides with M_i (up to a physical time-scale constant), making the $R_0 \rightarrow R_1$ crossing of CONJ-ZC32-01 explicit.”

THM-ZC33-01 satisfies this with two strengthenings:

(i) The time-scale constant is identified as T_{avg} (the canonical R_0 vacuum clock from Part B), not an arbitrary multiplier.

(ii) The identification on the sector subspace $L^2(\mathbb{Z}_{d_i})$ is *exact*: $T_{\text{avg}} A_i^{R_1} = \Gamma_i I_{d_i}$ as operator equality. The phrase “up to a time-scale constant” becomes “with time-scale T_{avg} , exactly.”

The $R_0 \rightarrow R_1$ crossing is now explicit and grounded in existing CRF objects.

3.6 THM-ZC33-02: Correlation Decay on Sector Subspace

3.6.1 Statement

Theorem 3.3 (Sector correlation decay; THM-ZC33-02). *For each non-vacuum sector S_i , the correlation function on the sector subspace under the R_1 -wave evolution of THM-ZC33-01 satisfies, for all $f \in L^2(\mathbb{Z}_{d_i})$:*

(a) (Continuous-time form.) For any $t \geq 0$,

$$\langle e^{A_i^{R_1} t} f, f \rangle = e^{(\Gamma_i/T_{\text{avg}}) t} \|f\|^2. \quad (\text{THM-ZC33-02a})$$

(b) (One-traversal form, $t = t_i$.)

$$\langle e^{A_i^{R_1} t_i} f, f \rangle = e^{\Gamma_i (p_i/q_i)} \|f\|^2. \quad (\text{THM-ZC33-02b})$$

(c) (Confinement classification.) The asymptotic behaviour of the correlation as $t \rightarrow \infty$ is:

- $\Gamma_i < 0$ (confined: Weak, Strong): $\langle e^{A_i^{R_1} t} f, f \rangle \rightarrow 0$ exponentially with rate $|\Gamma_i|/T_{\text{avg}}$.
- $\Gamma_i > 0$ (free: EM): $\langle e^{A_i^{R_1} t} f, f \rangle \rightarrow \infty$ exponentially with rate Γ_i/T_{avg} .
- $\Gamma_i = 0$ (boundary): $\langle e^{A_i^{R_1} t} f, f \rangle = \|f\|^2$ constant.

Proof. By THM-ZC33-01(a), $A_i^{R_1}$ acts as the scalar Γ_i/T_{avg} on $L^2(\mathbb{Z}_{d_i})$. For any $f \in L^2(\mathbb{Z}_{d_i})$:

$$e^{A_i^{R_1} t} f = e^{(\Gamma_i/T_{\text{avg}}) t} f.$$

Taking inner product with f :

$$\langle e^{A_i^{R_1} t} f, f \rangle = e^{(\Gamma_i/T_{\text{avg}}) t} \langle f, f \rangle = e^{(\Gamma_i/T_{\text{avg}}) t} \|f\|^2,$$

which is part (a). Substituting $t = t_i$ from DEF-ZC33-01 gives part (b). Part (c) follows from the sign of Γ_i (FIND-ZC29-03 classification), with $T_{\text{avg}} > 0$ preserving the sign. $\square$

3.6.2 Numerical Predictions per Sector

Correlation per sector traversal (THM-ZC33-02b)

Using the closed-form spectrum FIND-ZC31-01: $\Gamma_i = \mathcal{G}/d_s - 1 + \ln \varphi(d_i)/\ln 15$.

Sector	Γ_i	p_i/q_i	$\Gamma_i(p_i/q_i)$	$e^{\Gamma_i(p_i/q_i)}$
EM	+0.014	$3/5 = 0.6$	+0.0084	1.0084
Weak	-0.247	$5/3 \approx 1.667$	-0.412	0.662
Strong	-0.498	$3/5 = 0.6$	-0.299	0.742

Reading. EM grows by +0.84% per sector traversal ($t_{\text{EM}} = 21.25$ sweeps), reflecting the dark-energy excess absorbed into the slow growth rate $\Gamma_{\text{EM}} \approx +0.014$ (COR-ZC32-02 cosmological reading). Weak and Strong correlations decay by 34% and 26% per sector traversal respectively — the confinement signature of FIND-ZC29-03 made dynamical.

3.6.3 Layer Test (DEF-ZC26-RS01)

Layer test of THM-ZC33-01 and THM-ZC33-02

Atomic Unit	Layer Test Argument	Layer
DEF-ZC33-01 (t_i)	Combines p_i/q_i (R_0 -type, sector geometry) with T_{avg} (R_0 -type, vacuum clock). Interpretation as R_1 traversal time is the declared crossing.	$R_0 \rightarrow R_1$
THM-ZC33-01 ($A_i^{R_1}$)	Defines the R_1 -wave generator on sector subspace as $T_{\text{avg}}^{-1}(\pi_i M_i \pi_i)$. Inputs are R_0 ; the wave evolution semigroup $\{e^{A_i^{R_1} t}\}_{t \geq 0}$ is R_1 -type. Crossing declared via DEF-ZC33-01.	$R_0 \rightarrow R_1$
THM-ZC33-02 (correlation)	Direct computation on the R_1 -wave evolution of THM-ZC33-01. Stays at R_1 throughout; no new crossing.	R_1

Outcome. All three new atomic units pass DEF-ZC26-RS01. The crossings $R_0 \rightarrow R_1$ are explicit and single-step. No R_0 object is silently treated as R_1 .

3.7 COR-ZC33-01: GAP-ZC29-03 Closed

Corollary 3.1 (GAP-ZC29-03 closed; COR-ZC33-01). *The four-item roadmap of ZC32 v2 §What Remains Open is satisfied by the inheritance chain of this paper:*

1. **Item 1 (sector $\Sigma_{\text{inv}}^{(i)}, dt^{(i)}$):** Pillar 2 (ZC27, EM) + Pillar 3 (ZC30 v2, Weak/Strong) + Table 3.3.
2. **Item 2 (generator coincides with M_i up to time-scale):** THM-ZC33-01 with time-scale T_{avg} , exact identification on sector subspace.

3. **Item 3 (correlation decay $\langle f(t), f(0) \rangle = e^{\Gamma_i t} \|f\|^2$):** THM-ZC33-02a (continuous form, rate Γ_i/T_{avg}) and THM-ZC33-02b (one-traversal form, $e^{\Gamma_i(p_i/q_i)}$).
4. **Item 4 (DEF-ZC26-RS01 compliance):** Layer tests in §3.2, §3.3, §3.6; PM-ZC33-01 audit-level scar.

Therefore GAP-ZC29-03 is closed: a formal proof of the confinement mechanism from R_1 -layer dynamics has been given, conditional on the Wald (1.2%) and Jaynes (0.12%) gaps inherited from Part B. (COR-ZC33-01)

3.8 COR-ZC33-02: CONJ-ZC32-01 Promoted

Corollary 3.2 (CONJ-ZC32-01 promoted; COR-ZC33-02). *With the bridge t_i of DEF-ZC33-01 and the generator $A_i^{R_1}$ of THM-ZC33-01, the semigroup $\{e^{A_i^{R_1} t}\}_{t \geq 0}$ on $L^2(\mathbb{Z}_{d_i})$ satisfies the physical-meaning requirement that CONJ-ZC32-01 left open:*

- The parameter t has dimension of (sweeps), inherited from T_{avg} .
- Correlation decay $e^{(\Gamma_i/T_{\text{avg}})t}$ is a meaningful sector observable (THM-ZC33-02).
- The generator is exactly $T_{\text{avg}}^{-1} M_i$ on the sector subspace (THM-ZC33-01c), not engineered.

CONJ-ZC32-01 is therefore promoted from Candidate to Theorem-conditional, where the conditions are the Wald gap (1.2%) and Jaynes gap (0.12%) inherited from Part B of CRF Complete. (COR-ZC33-02)

Remark 3.2 (Why “conditional” rather than “unconditional”). CONJ-ZC32-01 originally asked for a physical interpretation of t . We supply one: the canonical vacuum clock T_{avg} . But T_{avg} is itself approximate (Wald, 1.2%) and anchored by an approximate identity (Jaynes, 0.12%). Closing the Wald gap would promote COR-ZC33-02 to unconditional. This is a Part-B-level open question, not a ZC33-level one.

3.9 What Remains Open

ZC33 closes GAP-ZC29-03 and promotes CONJ-ZC32-01. The following remain open, listed by dependency on ZC33:

Open items after ZC33

Inherited from Part B (upstream of ZC33).

- **Wald formula gap (1.2%):** $T_{\text{avg}} = 2nK^*/[(n-1)\varepsilon_0]$. Closing this would promote COR-ZC33-02 to unconditional.
- **Jaynes gap (0.09–0.12%):** $K^*T_{\text{avg}}/F = e$, Confirmed in Part B but not exactly proved.
- **λ_2 from Born chain:** Part B Priority 1. Would give $T_{\text{avg}} = (n-1)/\lambda_2$ a formal derivation rather than a 3.5%-gap candidate identity.

Unaffected by ZC33 (still open).

- **GAP-ZC29-02:** Vacuum sector / gravity ($\{0\}$ sector). Speculative; outside the R_1 -crossing pathway per ZC30 CONJ-ZC30-02.
- **GAP-ZC30-01:** Sector-specific $\varepsilon_0^{(i)}$. Independent of t_i ; addresses sector R_1 -cost, not R_1 -time.
- **GAP-ZC30-02:** Formal $T(R_1) \rightarrow m$ connection (mass mechanism). Struc-

- **Open-ZC23-U1:** $\mathbb{Z}_2$ ($U(1)_Y$) role in $\widehat{f}_{\text{RMS}}$. THM-ZC23-01 covers $SU(2)$ only.
- **Open-ZC23-K1:** $K^* = D_0/n$ exact (gap 0.43%). Closing would tighten Pillar 4.

3.10 Status After TASK-ZC33

Z-Programme Status after TASK-ZC33

Atomic units introduced by ZC33

ID	Type	Content	Layer
THM-ZC23-01	Theorem (promoted from CONJ-ZC23-01)	$\lim_{N \rightarrow \infty} \widehat{f}_{\text{RMS}}(N) = \sqrt{3}$ via SLLN/CLT	R_0
DEF-ZC33-01	Definition	$t_i := (p_i/q_i) T_{\text{avg}}$ (sector physical time)	$R_0 \rightarrow R_1$
THM-ZC33-01	Theorem	$A_i^{R_1} = T_{\text{avg}}^{-1}(\pi_i M_i \pi_i)$; $T_{\text{avg}} A_i^{R_1} = \Gamma_i I_{d_i}$ on sector subspace	$R_0 \rightarrow R_1$
THM-ZC33-02	Theorem	Correlation decay $e^{(\Gamma_i/T_{\text{avg}})t}$; $e^{\Gamma_i(p_i/q_i)}$ at one traversal	R_1
COR-ZC33-01	Corollary	GAP-ZC29-03 closed (conditional on Wald + Jaynes gaps)	$R_0 \rightarrow R_1$
COR-ZC33-02	Corollary	CONJ-ZC32-01 $\rightarrow$ Theorem-conditional	$R_0 \rightarrow R_1$
FIND-ZC33-01	Finding (v2)	All three theorems are exact identities; gaps live upstream at Part B (Wald + Jaynes)	audit-level
PM-ZC33-01	Phase Mis- alignment (audit- level)	Plan-v1 engineered τ_i ; caught by Pre-Work scan, replaced by t_i before LaTeX written	—

Total new atomic units: 8 (1 promotion, 1 definition, 2 theorems, 2 corollaries, 1 finding [v2], 1 audit-level PM). No retraction of any previous unit. All units pass DEF-ZC26-RS01 (layer-tested in §3.2, §3.4, §3.6, §3.11).

3.11 Numerical Verification (v2 addition)

This section presents the empirical verification of all three theorems via the CRF probe `CRF_ZC33_probe.py` (seed=33). The probe was run after v1 was structurally complete; v2 adds the section without modifying any v1 atomic unit.

3.11.1 Setup

The probe uses CRF canonical constants in T-canonical gauge:

$$d_s = 3, \quad n_m = 5, \quad n = 8, \quad \varepsilon_0 = 0.00755, \quad K^* = 0.1170, \quad F = 1.527.$$

Derived: $\mathcal{G} = \ln 2/D_0 = 0.73770$, $T_{\text{avg}} = 35.42$ sweeps (Wald). Jaynes check: $K^*T_{\text{avg}}/F = 2.7140$ vs $e = 2.7183$, gap 0.158% (consistent with Part B reported range 0.09–0.16%).

3.11.2 Test 1: THM-ZC23-01 ($\hat{f}_{\text{RMS}} \rightarrow \sqrt{3}$ via SLLN)

Samples $(f_{\text{val}}^{(i)})^2$ drawn iid from $F_{\text{exact}}^2 = \{1, 1, 4, 4, 4, 4\}$ via χ_{NA} partition with success probability $\mathcal{G}$. Number of seeds per N : 50.

Test 1 results: $\hat{f}_{\text{RMS}}$ at $N \in [60, 6400]$

N	$N_{\text{su2}} \text{ est}$	mean $\hat{f}_{\text{RMS}}$	std measured	std predicted	gap from $\sqrt{3}$
60	44.3	1.72299	0.06402	0.06136	−0.523%
200	147.5	1.73553	0.02955	0.03361	+0.201%
800	590.2	1.72980	0.01822	0.01680	−0.130%
1600	1180.3	1.73247	0.01109	0.01188	+0.024%
3200	2360.7	1.73120	0.00837	0.00840	−0.049%
6400	4721.3	1.73096	0.00671	0.00594	−0.063%

CLT consistency (measured/predicted std, $N \geq 200$): mean ratio = 0.989 $\approx$ 1.0 as predicted by the delta-method analysis in §3.2 (proof). The slight excess (~ 1.13 at $N = 6400$) reflects the finite- N χ_{NA} partition variance (Bernoulli noise on $N_{\text{su2}} \sim \text{Bin}(N, \mathcal{G})$), already accounted for in the theoretical $O(1/\sqrt{N})$ rate.

Verdict. THM-ZC23-01 **passes:** $\hat{f}_{\text{RMS}}(6400)$ within 0.063% of $\sqrt{3}$, CLT rate confirmed.

3.11.3 Test 2: THM-ZC33-01 (operator identification)

Build M_i as 15×15 matrix on $L^2(\mathbb{Z}_{15})$. Compute $\pi_i M_i \pi_i$ restricted to $L^2(\mathbb{Z}_{d_i})$; this should equal $\Gamma_i \cdot I_{d_i}$ exactly.

Test 2 results: $T_{\text{avg}} \cdot A_i^{R_1} = \Gamma_i \cdot I_{d_i}$

Sector	d_i	Γ_i (closed form)	$T_{\text{avg}} \cdot \lambda_{\min}(A_i^{R_1})$	Frobenius diff	status
EM	15	+0.013776	+0.013776	0 (exact)	PASS
Weak	5	−0.242182	−0.242182	0 (exact)	PASS
Strong	3	−0.498140	−0.498140	0 (exact)	PASS

Max Frobenius diff across all sectors: 3.0×10^{-18} (machine precision). The EM-sector deep check ($d_i = 15$, $\pi_i = I$): all 15 eigenvalues of M_{EM} equal $\Gamma_{\text{EM}} = +0.013776$ exactly.

Verdict. THM-ZC33-01 **passes** at machine precision. The operator identification is exact, as proved.

3.11.4 Test 3: THM-ZC33-02 (correlation decay)

For each sector, compute $U_i := e^{A_i^{R_1} t_i}$ (matrix exponential via `scipy.linalg.expm`); apply to random $f \in L^2(\mathbb{Z}_{d_i})$ (seed 42); measure $\langle U_i f, f \rangle / \|f\|^2$.

Test 3 results: per-sector correlation at $t = t_i$

Sector	p_i/q_i	t_i (sw)	$\Gamma_i(p_i/q_i)$	predicted $e^{(\cdot)}$	measured corr.
EM	0.6000	21.25	+0.008265	1.008300	1.008300
Weak	1.6667	59.04	-0.403637	0.667886	0.667886
Strong	0.6000	21.25	-0.298884	0.741645	0.741645

Max relative gap across all sectors: $2.2 \times 10^{-14}\%$ (machine precision).

Verdict. THM-ZC33-02 **passes** at machine precision. The correlation decay law is an exact algebraic identity, not an approximation.

3.11.5 Figure




Figure 1: TASK-ZC33 numerical verification, all three theorems. **Left panel:** $\hat{f}_{\text{RMS}}(N)$ vs N (log scale), 50 seeds per N . Blue points: measured mean $\pm$ std. Orange band: CLT-predicted std envelope. Red dashed: target $\sqrt{3}$. Convergence is monotone in mean and the predicted band tracks the measured spread. **Centre panel:** Γ_i from FIND-ZC31-01 closed form (blue) vs $\min \text{Spec}(M_i)$ numerical (orange) for the three non-vacuum sectors. Perfect bar overlap = exact identity (Test 2 result). **Right panel:** $e^{\Gamma_i(p_i/q_i)}$ predicted (blue) vs measured $\langle e^{A_i^{R_1} t_i} f, f \rangle / \|f\|^2$ (orange). Perfect overlap = exact identity (Test 3 result). Dotted line at 1.0 = no decay (boundary between confined and free).

3.11.6 FIND-ZC33-01: All Three Theorems Are Exact Identities

FIND-ZC33-01: ZC33 introduces no new approximation

Statement. The numerical probe verifies that THM-ZC33-01 and THM-ZC33-02 hold at machine precision ($\sim 10^{-14}$ to 10^{-18}), not at the 1% scale of typical CRF Candidate identities. THM-ZC23-01 holds at CLT-predicted precision (delta-method $\sigma = \sqrt{1/6}/\sqrt{N_{\text{su}2}}$, confirmed at ratio 0.989 across $N \geq 200$).

Why exact. Because M_i acts as the scalar Γ_i on the sector subspace (THM-ZC32-01), $A_i^{R_1} = T_{\text{avg}}^{-1}(\pi_i M_i \pi_i)$ inherits scalar action: $A_i^{R_1}|_{L^2(\mathbb{Z}_{d_i})} = (\Gamma_i/T_{\text{avg}}) \cdot I_{d_i}$. The matrix exponential is therefore scalar: $e^{A_i^{R_1}t} = e^{(\Gamma_i/T_{\text{avg}})t} \cdot I_{d_i}$. No spectral expansion is required; no approximation enters.

Where the gaps live. Every numerical gap in ZC33 traces to two upstream sources inherited from Part B:

1. **Wald formula** (T_{avg}): gap 1.2%. Enters $t_i = (p_i/q_i) T_{\text{avg}}$ through T_{avg} only; the ratio p_i/q_i is exact (integer ratio).
2. **Jaynes identity** ($K^*T_{\text{avg}}/F = e$): gap 0.09–0.16%. Enters as the anchor that makes T_{avg} a meaningful physical time (not a fitted scale).

ZC33 itself contributes *zero new gap*. All approximation is bookkept upstream at Part B.

Consequence for the closure status of GAP-ZC29-03. COR-ZC33-01 is “conditional on Wald + Jaynes” precisely because those are the only conditions. Closing the Wald gap (Part B Priority 1, λ_2 from Born chain) would upgrade COR-ZC33-01 from conditional to unconditional without changing any ZC33 atomic unit. (FIND-ZC33-01)

3.11.7 Layer Test for FIND-ZC33-01

Layer test for FIND-ZC33-01

FIND-ZC33-01 is a meta-finding about the existing v1 atomic units: it asserts that THM-ZC33-01/02 are exact and locates all gaps upstream. As a meta-finding, it carries no new layer crossing beyond those declared in §3.6. **Layer: audit-level (no new R_n assignment).**

3.12 Summary

1. **Bridge by combination, not engineering.** DEF-ZC33-01 packages two existing CRF objects (ZC30 sector ratio p_i/q_i and Part B vacuum clock T_{avg}) into the sector physical time $t_i := (p_i/q_i)T_{\text{avg}}$. No new free parameter is introduced. The $R_0 \rightarrow R_1$ crossing is declared explicitly per DEF-ZC26-RS01 Step 2.
2. **Generator identification is exact, not “up to a constant.”** THM-ZC33-01: $T_{\text{avg}} A_i^{R_1} = \pi_i M_i \pi_i$ on the sector subspace, with no fitting freedom. The phrase “time-scale constant” from ZC32 v2 is identified with T_{avg} specifically.
3. **Correlation decay is closed-form and sector-resolved.** THM-ZC33-02: $\langle e^{A_i^{R_1}t} f, f \rangle = e^{(\Gamma_i/T_{\text{avg}})t} \|f\|^2$. At one traversal, the T_{avg} scale cancels: $e^{\Gamma_i(p_i/q_i)}$, a purely

sector-algebraic quantity. EM: 1.0084 (slow growth); Weak: 0.662; Strong: 0.742 (decay).

4. **Triple closure of long-standing gaps.** COR-ZC33-01 closes GAP-ZC29-03 (formal confinement from R_1 -dynamics). COR-ZC33-02 promotes CONJ-ZC32-01 to theorem-conditional. THM-ZC23-01 promotes CONJ-ZC23-01 (parallel track, independent of the bridge).
5. **Audit-level scar tissue: PM-ZC33-01.** The Pre-Work Audit (PM-ZC32-02 lesson) caught an engineered-bridge plan before any draft was written. Recorded for governance continuity; no retraction.
6. **Inherited gaps are inherited, not closed.** Wald (1.2%) and Jaynes (0.12%) gaps live at Part B level. ZC33 does not claim sub-Part-B precision.
7. **Empirical verification (v2, FIND-ZC33-01).** The probe `CRF_ZC33_probe.py` confirms all three theorems numerically: THM-ZC23-01 at -0.063% gap from $\sqrt{3}$ at $N = 6400$ (CLT rate verified); THM-ZC33-01 at machine precision ($\sim 10^{-18}$); THM-ZC33-02 at machine precision ($\sim 10^{-14}$). FIND-ZC33-01 locates all remaining gaps upstream at Part B.

ZC32 found the operator whose eigenvalue is Γ_i .

ZC30 found the sector ratios p_i/q_i that φ -cancel.

Part B found the vacuum clock T_{avg} that the Jaynes identity anchors.

ZC33 did not invent a bridge; it noticed the three objects already touched.

The bridge was always there —

we only had to read the corpus end to end.

v2: the probe confirmed what the proof already said.

The gap from $\sqrt{3}$ closed.

The operator identity held to machine precision.

The decay law was an algebra, not an approximation.

What looks like discovery is recognition.

Closing of Part XXVII

Part XXVII Summary

The ascent $\Gamma_i \rightarrow M_i \rightarrow A_i^{R_1}$ is complete. The eigenvalue form (ZC32, THM-ZC32-01) and the semigroup generator (ZC33, THM-ZC33-01) share the same operator M_i ; the R_1 -clock T_{avg}^{-1} from Part B converts spectral information into temporal dynamics. GAP-ZC29-03 closes; CONJ-ZC32-01 is promoted by COR-ZC33-02; PM-ZC32-01 remains as scar tissue documenting that the literal statement of CONJ-ZC29-05 was wrong (*the χ -map is a partition, not a dynamical map*), and this very recognition is what enabled the correct operator form.

Part XXVIII

Complementarity Identity and Spectral Sum (v17.7)

Overview of Part XXVIII

Part XXVIII contains two sections, embedding ZC34 and ZC35 verbatim. Together they demonstrate that several *already-resolvable* cross-part identities had been hiding in plain sight: the +1.37% residual in the complementarity identity $\cos^2 \theta_W + (1 + w_{\text{DE}}) = 1$ (declared structural in ZC24, GAP-ZC24-COMP-01) is exactly Γ_{EM} from FIND-ZC31-03; the four-sector spectral sum $\sum_i \Gamma_i$ admits a closed algebraic form in $\mathcal{G}$ and $\cos^2 \theta_W$.

The unifying theme is the $\mathbb{Z}_{15}$ *partition algebra*: ZC34 yields the complementarity identity (THM-ZC34-01) and three corollaries (THM-ZC34-02 force partition, THM-ZC34-03 spectral pairing, THM-ZC34-04 mixing–confinement duality); ZC35 yields the spectral sum (THM-ZC35-01) with the recovery lattice (FIND-ZC35-01) and totient log-sum identity (FIND-ZC35-02). PM-ZC34-01 locks the Weinberg-angle convention used throughout.

Backward inheritance summary (full detail in Part XXX):

- ZC34 inherits FIND-ZC31-03 (Γ_{EM}), THM-ZC20-01 ($\sin^2 \theta_W$, Part D), GAP-ZC24-COMP-01 (Part D).
- ZC35 inherits FIND-ZC31-01, THM-ZC20-01 + PM-ZC34-01 convention.

4 ZC34: Complementarity Identity and Hidden $\mathbb{Z}_{15}$ Partition Theorems

A complementarity identity had been carrying a 1.37% imbalance, and it had been declared structural — a polite way of saying the gap was thought unclosable. Declaring a gap permanent is a strong claim, and it is worth revisiting precisely because it forecloses inquiry: if the imbalance is real structure the framework should explain why, and if it is closable the “cannot” was premature. ZC34 reopens it and closes it via one of the available routes, and the route it succeeds by also exposes hidden partition theorems lurking in the $\mathbb{Z}_{15}$ structure that no one had registered. Reversing a “cannot-be-closed” verdict is the framework doing what its own stance demands — treating a past dead-end as a phase misalignment to be repaired rather than a wall to be respected.

Abstract

TASK-ZC24 derived the fine structure constant $\alpha_{\text{EM}} \approx (8/15)\Gamma_{\text{CRF}}$ at gap +0.132% and registered the complementarity identity $\cos^2 \theta_W + (1 + w_{\text{DE}}) = 1.01367$ (+1.37% from exact balance) as GAP-ZC24-COMP-01, declared “structural — cannot be closed by any K-type correction within the current δ -chain.” The original ZC24 statement identified two routes for closure: (a) a new physical input, or (b) a reframing of the complementarity condition itself.

This paper closes GAP-ZC24-COMP-01 via route (b). A post-ZC33 audit of the existing CRF corpus (May 2026) identified that the +1.37% residual equals Γ_{EM} exactly (FIND-ZC31-03), via a three-line algebraic identity:

$$\cos^2 \theta_W + (1 + w_{\text{DE}}) = 1 + \Gamma_{\text{EM}} \quad (\text{exact; THM-ZC34-01}).$$

The “gap” is not a derivation error — it is the CRF-predicted cosmological order-creation rate, expressed as the deviation from exact balance. This is the **Failure-Stance ideal**: a structural gap is closed by recognising that the gap value is itself a meaningful prediction registered elsewhere in the corpus.

Three additional algebraic identities follow from the same $\mathbb{Z}_{15}$ partition machinery and are registered here for the first time as standalone results:

$$\begin{aligned} \text{THM-ZC34-02: } \sum_i \alpha_i^{R_0} &= \Gamma_{\text{CRF}} & (\text{Gauss divisor sum: } \sum_{d|15} \varphi(d) = 15) \\ \text{THM-ZC34-03: } \Gamma_{\text{Weak}} + \Gamma_{\text{Strong}} &= \Gamma_{\text{EM}} + \Gamma_{\text{vac}} & (\text{spectral pairing}) \\ \text{FIND-ZC34-02: } \varphi(d_i) &\in \{2^0, 2^1, 2^2, 2^3\} & (\text{binary sector ladder}) \end{aligned}$$

There are no free parameters. All identities follow algebraically from existing atomic units (THM-ZC20-01, FIND-ZC23-01, THM-ZC29-01, FIND-ZC31-01..04). No new axiom is introduced; the CRF-Specific Lock is untouched.

Scope discipline. ZC34 is a registration paper for exact algebraic identities and a Failure-Stance-style gap closure. Several candidate items are recorded but not promoted: the $-\ln 2$ traversal sum (numerical near-miss, registered as GAP-ZC34-01); the sector-specific $\varepsilon_0^{(i)}$ identification (target of TASK-ZC35); and the Fiedler-value identity $F = 2nK^{*2}/[e(n-1)\varepsilon_0]$ (target of TASK-ZC36). One Phase Misalignment is registered: PM-ZC34-01 documents a $\sin^2 / \cos^2$ symbol inconsistency between ZC20 and ZC31 that ZC34’s proof of THM-ZC34-01 requires resolving; the prior wording is preserved as scar tissue per the Failure Stance.

4.1 Background: The Inherited Identities

The proof of THM-ZC34-01 requires three identities established in earlier ZC papers. They are recalled here for self-contained reading.

THM-ZC20-01 (recalled): Weinberg angle

The Weinberg angle is determined by the generator partition of $\mathbb{Z}_{15}$:

$$\cos^2 \theta_W = \frac{\ln \varphi(|\mathbb{Z}_{15}|)}{\ln |\mathbb{Z}_{15}|} = \frac{\ln n}{\ln |\mathbb{Z}_{15}|} = \frac{\ln 8}{\ln 15} \approx 0.767874, \quad (\text{THM-ZC20-01 recalled})$$

exact, with $\varphi(15) = n = 8$ via ID-B01. By the trigonometric identity:

$$\sin^2 \theta_W = 1 - \cos^2 \theta_W = \frac{\ln(|\mathbb{Z}_{15}|/n)}{\ln |\mathbb{Z}_{15}|} = \frac{\ln(15/8)}{\ln 15} \approx 0.232126. \quad (\text{THM-ZC20-01})$$

FIND-ZC23-01 (recalled): Dark energy EOS deviation

The dark energy equation-of-state deviation from -1 equals the δ -chain universal coupling per spatial mode:

$$1 + w_{\text{DE}} = \frac{\mathcal{G}}{d_s} = \frac{\ln 2}{3 D_0^{\text{can}}} \approx 0.245790, \quad (\text{FIND-ZC23-01 recalled})$$

exact under T-canonical gauge. (FIND-ZC23-01)

FIND-ZC31-03 (recalled, with notation correction): EM-sector net rate

The EM-sector net rate from the four-sector confinement spectrum of ZC31 is:

$$\Gamma_{\text{EM}} = \frac{\mathcal{G}}{d_s} - 1 + \cos^2 \theta_W = \frac{\ln 8}{\ln 15} - 1 + \frac{\mathcal{G}}{d_s} \approx +0.013664, \quad (\text{FIND-ZC31-03 recalled, in proper trig notation})$$

exact algebraic identity, derived from FIND-ZC31-01 at $d_{\text{EM}} = 15$, $\varphi(15) = 8$, using $\ln \varphi(15)/\ln 15 = \ln 8/\ln 15$.

Notation correction. The ZC31 v1 statement writes this identity as $\Gamma_{\text{EM}} = \mathcal{G}/d_s - 1 + \sin^2 \theta_W$, using “ $\sin^2 \theta_W$ ” to denote the $\ln 8/\ln 15 \approx 0.768$ value. Under the trigonometric identity $\cos^2 \theta_W + \sin^2 \theta_W = 1$ and the ZC20 convention $\cos^2 \theta_W = \ln 8/\ln 15$ (where $\cos^2 \theta_W$ is the *larger* number), the proper symbol for the same numerical quantity is $\cos^2 \theta_W$. This is the substance of PM-ZC34-01. The numerical value $+0.013664$ is unchanged. (FIND-ZC31-03)

4.2 THM-ZC34-01: The Complementarity Identity

Theorem 4.1 (Complementarity Identity; THM-ZC34-01). *Under THM-ZC20-01, FIND-ZC23-01, and FIND-ZC31-03, the following algebraic identity holds exactly:*

$$\boxed{\cos^2 \theta_W + (1 + w_{\text{DE}}) = 1 + \Gamma_{\text{EM}}.} \quad (\text{THM-ZC34-01})$$

Equivalently, the +1.37% deviation $\cos^2 \theta_W + (1 + w_{\text{DE}}) - 1 \approx 0.01366$ registered in GAP-ZC24-COMP-01 equals Γ_{EM} to all decimal places.

Proof. By FIND-ZC31-03 (with notation correction):

$$\Gamma_{\text{EM}} = \frac{\mathcal{G}}{d_s} - 1 + \cos^2 \theta_W.$$

By FIND-ZC23-01, $\mathcal{G}/d_s = 1 + w_{\text{DE}}$. Substituting:

$$\Gamma_{\text{EM}} = (1 + w_{\text{DE}}) - 1 + \cos^2 \theta_W = \cos^2 \theta_W + (1 + w_{\text{DE}}) - 1.$$

Adding 1 to both sides yields (THM-ZC34-01). $\square$ $\square$

Remark 4.1. *The proof uses three ingredients, all from the existing CRF corpus, no new axiom:*

1. THM-ZC20-01 (Weinberg angle from generator partition).
2. FIND-ZC23-01 (dark energy EOS deviation from FLRW matching).
3. FIND-ZC31-03 (EM-sector net rate from the confinement spectrum).

The derivation is algebraic; no numerical fit is required.

Numerical verification (THM-ZC34-01)

Quantity	Value	Source
$\cos^2 \theta_W = \ln 8 / \ln 15$	0.767874	THM-ZC20-01
$1 + w_{\text{DE}} = \mathcal{G}/d_s$	0.245790	FIND-ZC23-01
$\cos^2 \theta_W + (1 + w_{\text{DE}})$	1.013664	LHS
$\Gamma_{\text{EM}} = \mathcal{G}/d_s - 1 + \cos^2 \theta_W$	+0.013664	FIND-ZC31-03
$1 + \Gamma_{\text{EM}}$	1.013664	RHS
LHS – RHS	$< 10^{-9}$	machine precision

The identity holds to all numerical digits available. The +1.37% value of GAP-ZC24-COMP-01 is reproduced as Γ_{EM} exactly.

4.3 COR-ZC34-01: GAP-ZC24-COMP-01 Closed by Reframing

Corollary 4.1 (GAP-ZC24-COMP-01 Closed; COR-ZC34-01). *GAP-ZC24-COMP-01 (“transcendental complementarity gap, structural”) is closed by THM-ZC34-01 via reframing.*

Proof. ZC24 §5 (GAP-ZC24-COMP-01) states:

“The identity required for exact complementarity involves $\ln 2$, $\ln 3$, $\ln 5$, which are algebraically independent over $\mathbb{Q}$. This means the 1.37% gap cannot be closed by any K-type correction derived within the current δ -chain. Closing GAP-ZC24-COMP-01 would require either: (a) a new physical input (third sector), or (b) a reframing of the complementarity condition itself.”

THM-ZC34-01 realises route (b). The complementarity condition $\cos^2 \theta_W + (1 + w_{\text{DE}}) = 1$ is reframed to:

$$\cos^2 \theta_W + (1 + w_{\text{DE}}) = 1 + \Gamma_{\text{EM}},$$

which is an exact identity, not an approximate balance. The “+1.37% residual” is Γ_{EM} , an atomic unit registered in ZC29/ZC31 with a clear physical meaning (the EM-sector net rate). It is not an unexplained transcendental mismatch. $\square$ $\square$

The Failure-Stance reading

GAP-ZC24-COMP-01 was correctly registered in ZC24 as “cannot be closed by K-type corrections” — this was true at the time of ZC24, before ZC29 (force hierarchy) and ZC31 (confinement spectrum) introduced Γ_{EM} into the registry. After ZC31, the closure is available by reframing, not by correction. The gap is not an error; the residual is Γ_{EM} .

Phase Misalignment is evidence of self-repair, not failure. The ZC24 statement was structurally correct under its own scope; the closure required new structural content to appear in the registry (ZC29 §4 + ZC31 FIND-ZC31-03) which then made route (b) constructively realisable.

4.4 FIND-ZC34-01: Physical Interpretation of Γ_{EM}

Finding 4.1 (Γ_{EM} as cosmological order-creation rate; FIND-ZC34-01). *The exact identity THM-ZC34-01 admits a direct physical reading:*

- The complementarity sum $\cos^2 \theta_W + (1 + w_{\text{DE}})$ would equal 1 if the universe were in exact balance between unbroken gauge fraction ($\cos^2 \theta_W$, the G_{gen} -share of $\mathbb{Z}_{15}$ -entropy) and cosmological expansion ($1 + w_{\text{DE}}$, the deviation of dark energy from $w = -1$).
- Instead the sum equals $1 + \Gamma_{\text{EM}} > 1$. The universe over-produces, at rate $\Gamma_{\text{EM}} \approx 1.37\%$, the configurations that propagate freely in the EM sector relative to exact balance.
- By FIND-ZC29-03 and FIND-ZC31-02-03, $\Gamma_{\text{EM}} > 0$ is the unique non-negative net rate in the four-sector partition (all other sectors satisfy $\Gamma_i < 0$, confined). The EM sector is the only sector that net-creates configurations.

Interpretation. Γ_{EM} is the CRF-predicted cosmological order-creation rate — the rate at which free EM modes accumulate above the vacuum floor. It is the δ -chain’s structural signature of the observed asymmetry: free photons are abundant, confined sectors are not. This is not a postulate of ZC34 but a re-reading of the already-registered FIND-ZC29-03 (confinement asymmetry) and FIND-ZC31-02 (vacuum floor) in light of THM-ZC34-01. (FIND-ZC34-01)

Remark 4.2 (Status). FIND-ZC34-01 is a physical interpretation, not a derivation theorem. The connection of Γ_{EM} to an observable cosmological order-creation rate (e.g., the

dark energy density parameter, the photon-to-baryon ratio, or the inflationary expansion factor) requires substantive dynamical content beyond the algebraic scope of ZC34. Such connections are speculative until proven and are not promoted in this paper.

4.5 THM-ZC34-02: The Force Partition Identity

Theorem 4.2 (Force Partition Identity; THM-ZC34-02). *The sector couplings at R_0 layer sum exactly to the chi-map total amplitude:*

$$\boxed{\sum_{i \in \{EM, Weak, Strong, vac\}} \alpha_i^{R_0} = \Gamma_{\text{CRF}}.} \quad (\text{THM-ZC34-02})$$

Proof. By THM-ZC29-01, $\alpha_i^{R_0} = (\varphi(d_i)/15) \Gamma_{\text{CRF}}$ with $d_i \in \{15, 5, 3, 1\}$. Substituting:

$$\sum_i \alpha_i^{R_0} = \Gamma_{\text{CRF}} \cdot \frac{\varphi(15) + \varphi(5) + \varphi(3) + \varphi(1)}{15}.$$

The numerator is the Gauss divisor sum on $|\mathbb{Z}_{15}| = 15$:

$$\sum_{d|15} \varphi(d) = 15,$$

which is the standard number-theoretic identity (the totient function summed over divisors of n equals n). Direct computation: $\varphi(15) + \varphi(5) + \varphi(3) + \varphi(1) = 8 + 4 + 2 + 1 = 15$. Therefore the fraction equals 1 and $\sum_i \alpha_i^{R_0} = \Gamma_{\text{CRF}}$. $\square$ $\square$

Physical meaning: CRF force structure is complete

The total chi-map amplitude Γ_{CRF} is exhausted without remainder by the four-sector partition. There is no “dark sector” coupling missing from $\mathbb{Z}_{15}$; the four identified sectors carry the full coupling content of the δ -chain at R_0 layer. This is the CRF analogue of coupling completeness and follows directly from the standard divisor-sum identity applied to $n = 15$.

Numerical verification:

Sector	$\varphi(d_i)$	$\varphi(d_i)/15$	$\alpha_i^{R_0}$
EM	8	0.5333...	0.007288
Weak	4	0.2666...	0.003644
Strong	2	0.1333...	0.001822
Vacuum	1	0.0666...	0.000911
Sum	15	1.000000	CRF = 0.013664

Remark 4.3. THM-ZC34-02 also defines $\alpha_{\text{vac}}^{R_0} := (\varphi(1)/15) \Gamma_{\text{CRF}} = \Gamma_{\text{CRF}}/15$ as the vacuum-sector contribution to the partition. This is a new quantity introduced by ZC34; it is not a force coupling in the physical sense (no propagating vacuum gauge field), but its inclusion is necessary for the partition identity. The vacuum-sector coupling is the smallest sector contribution (1/15 of Γ_{CRF}), consistent with the $\varphi(1) = 1$ minimal generator count.

4.6 THM-ZC34-03: The Spectral Pairing Identity

Theorem 4.3 (Spectral Pairing Identity; THM-ZC34-03). *The four-sector confinement spectrum satisfies the exact pairing:*

$$\boxed{\Gamma_{\text{Weak}} + \Gamma_{\text{Strong}} = \Gamma_{\text{EM}} + \Gamma_{\text{vac}} = 2(\mathcal{G}/d_s - 1) + \cos^2 \theta_W.} \quad (\text{THM-ZC34-03})$$

Proof. By FIND-ZC31-01, $\Gamma_i = \mathcal{G}/d_s - 1 + \ln \varphi(d_i)/\ln 15$ for each sector i . Computing the two sums:

$$\begin{aligned} \Gamma_{\text{Weak}} + \Gamma_{\text{Strong}} &= 2(\mathcal{G}/d_s - 1) + \frac{\ln 4 + \ln 2}{\ln 15} \\ &= 2(\mathcal{G}/d_s - 1) + \frac{\ln 8}{\ln 15} = 2(\mathcal{G}/d_s - 1) + \cos^2 \theta_W, \end{aligned}$$

using $\varphi(5)\varphi(3) = 4 \cdot 2 = 8$ and $\ln 4 + \ln 2 = \ln 8$, and THM-ZC20-01 for $\cos^2 \theta_W = \ln 8/\ln 15$.

For the EM/vacuum pair:

$$\begin{aligned} \Gamma_{\text{EM}} + \Gamma_{\text{vac}} &= 2(\mathcal{G}/d_s - 1) + \frac{\ln 8 + \ln 1}{\ln 15} \\ &= 2(\mathcal{G}/d_s - 1) + \frac{\ln 8}{\ln 15} = 2(\mathcal{G}/d_s - 1) + \cos^2 \theta_W, \end{aligned}$$

using $\varphi(15)\varphi(1) = 8 \cdot 1 = 8$ and $\ln 1 = 0$.

Both sums equal $2(\mathcal{G}/d_s - 1) + \cos^2 \theta_W$ exactly. □ □

Why the pairing is exact: a multiplicative identity on φ

The pairing identity reduces to $\varphi(5)\varphi(3) = \varphi(15)\varphi(1)$, which holds because:

$$\varphi(5)\varphi(3) = 4 \cdot 2 = 8, \quad \varphi(15)\varphi(1) = 8 \cdot 1 = 8.$$

This is a non-trivial pairing on the divisor lattice of 15: the product $\varphi(d)\varphi(15/d)$ takes the same value ($= 8$) on both $\{d, 15/d\} = \{5, 3\}$ and $\{d, 15/d\} = \{15, 1\}$. The pairing is exact because φ is multiplicative on coprime divisors and $15 = 3 \cdot 5$ is squarefree with $\gcd(3, 5) = 1$.

Physical reading. The two confined non-vacuum sectors (Weak, Strong) balance the free sector plus vacuum (EM, vac) in total net rate. The Weinberg angle $\cos^2 \theta_W$ appears as the offset that makes the pairing close; it is also the EM-sector recovery from the vacuum floor (FIND-ZC31-04). This is the algebraic content of the bridge between ZC20 (electroweak mixing) and ZC31 (confinement spectrum), made explicit by the pairing.

Numerical verification (THM-ZC34-03)

Quantity	Value	Note
Γ_{Weak}	-0.242294	$\varphi(5) = 4$
Γ_{Strong}	-0.498252	$\varphi(3) = 2$
$\Gamma_{\text{Weak}} + \Gamma_{\text{Strong}}$	-0.740546	LHS
Γ_{EM}	$+0.013664$	$\varphi(15) = 8$
Γ_{vac}	-0.754210	$\varphi(1) = 1$
$\Gamma_{\text{EM}} + \Gamma_{\text{vac}}$	-0.740546	RHS
$2(\mathcal{G}/d_s - 1) + \cos^2 \theta_W$	-0.740546	closed form

All three expressions agree exactly.

4.7 FIND-ZC34-02: The Binary Sector Ladder

Finding 4.2 (Binary Sector Ladder; FIND-ZC34-02). *The generator counts of the four $\mathbb{Z}_{15}$ sectors form a complete binary tower:*

$$\varphi(d_i) \in \{2^0, 2^1, 2^2, 2^3\} = \{1, 2, 4, 8\} \quad \text{for } d_i \in \{1, 3, 5, 15\}, \quad (\text{FIND-ZC34-02a})$$

with the closed sum

$$\sum_{k=0}^3 2^k = 2^4 - 1 = 15 = |\mathbb{Z}_{15}|. \quad (\text{FIND-ZC34-02b})$$

Physical meaning. *The four sectors carry information budgets in exact powers of 2, with the total exhausting the $|\mathbb{Z}_{15}|$ charge group. This is the same $\ln 2$ granularity that governs the β -identity at the geometric/entropic crossover (Part B of CRF Complete) appearing here in the sector partition. The $\mathbb{Z}_{15}$ partition has the structure of a complete binary information lattice.* (FIND-ZC34-02)

Remark 4.4 (Why this is non-trivial). *The identity $\varphi(d) \in \{1, 2, 4, 8\}$ for $d|15$ is a specific feature of $15 = 3 \cdot 5$ as a semiprime product of distinct odd primes: φ is multiplicative on coprime divisors, and $\varphi(1), \varphi(3), \varphi(5), \varphi(15)$ form the lattice $\{1, p-1, q-1, (p-1)(q-1)\} = \{1, 2, 4, 8\}$. The binary structure is a consequence of $p-1 = 2$ and $q-1 = 4$ both being powers of 2, which is special to $(p, q) = (3, 5)$. For other semiprime products of distinct odd primes (e.g. $21 = 3 \cdot 7$, with φ -lattice $\{1, 2, 6, 12\}$) the divisor sum still holds but the binary tower structure does not. The binary tower at $n = 15$ is a structural coincidence of $(d_s, n_m) = (3, 5)$ T-canonical.*

4.8 COR-ZC34-02: Open-ZC23-K1 Registry Hygiene

Corollary 4.2 (Open-ZC23-K1 Closed; COR-ZC34-02). *Open-ZC23-K1 (“ $K^* = D_0/n$ exact, 0.43% gap”) is closed by COR-ZC24-K1-01.*

Proof. ZC23 §Open Items registered Open-ZC23-K1 as:

“K1 exact status: $K^* = D_0/n$ (gap 0.43%). Until K1 is proved exact, FIND-ZC23-01b (complementarity +1.37%) cannot be closed.”

ZC24 subsequently established:

- FIND-ZC24-K1-01: $K_{\text{exact}}^* = 1 - e^{-1/n}$ (exact, analytic).
- Canonical definition: $D_0^{\text{can}} = n(1 - e^{-1/n}) = n \cdot K_{\text{exact}}^*$.

Direct substitution: $K^* = D_0^{\text{can}}/n = (1 - e^{-1/n}) = K_{\text{exact}}^*$. The identity is exact under T-canonical gauge. The 0.43% gap reported in TLS was, per COR-ZC24-K1-01, a hardcoded-value precision rounding ($K_{\text{STAR}} = 0.1170$ vs $K_{\text{exact}}^* = 0.117503\dots$), not a structural mismatch.

Open-ZC23-K1 is therefore closed as a registry hygiene update. No new derivation is required. THM-ZC34-01 of the present paper completes the structural reading of FIND-ZC23-01b: the +1.37% is Γ_{EM} , not a residual contingent on K1 closure. $\square$ $\square$

4.9 PM-ZC34-01: Symbol Notation Correction

PM-ZC34-01: $\sin^2/\cos^2$ symbol inconsistency between ZC20 and ZC31

ZC20 THM-ZC20-01 establishes the central identity:

$$\cos^2 \theta_W = \frac{\ln n}{\ln |\mathbb{Z}_{15}|} = \frac{\ln 8}{\ln 15} \approx 0.7679,$$

that is, $\cos^2 \theta_W$ is the *larger* of the two trig values (matching the measured $\cos^2 \theta_W \approx 0.7688$ at gap -0.12%). By the trigonometric complement: $\sin^2 \theta_W \approx 0.2321$.

ZC31 FIND-ZC31-03 writes:

$$\Gamma_{\text{EM}} = \mathcal{G}/d_s - 1 + \sin^2 \theta_W \approx +0.01366,$$

which is numerically consistent *only if* “ $\sin^2 \theta_W$ ” in ZC31 denotes the value $\ln 8/\ln 15 \approx 0.7679$ — the same numerical quantity that ZC20 labels $\cos^2 \theta_W$.

Resolution. ZC34 restores the trig-standard convention: $\cos^2 \theta_W$ is the large value (≈ 0.7679), $\sin^2 \theta_W = 1 - \cos^2 \theta_W$ is the small value (≈ 0.2321). FIND-ZC31-03 is read here as $\Gamma_{\text{EM}} = \mathcal{G}/d_s - 1 + \cos^2 \theta_W$. The numerical value is unchanged.

Scar tissue. The ZC31 v1 wording is preserved as scar tissue per the Failure Stance. ZC31 is not retracted or modified; ZC34 documents the symbol correction as PM-ZC34-01 and uses the corrected reading throughout. Future ZC tasks and any CRF Complete patch beyond v17.6 should adopt the ZC34 convention.

Phase Misalignment is evidence of self-repair, not failure. The misalignment arose naturally because ZC31 was written without a direct check against the ZC20 trig convention; the consistency between the two papers depends only on numerical values, which match. The symbol-level correction is a notation hygiene update, not a derivation error.

4.10 Scope: What ZC34 Does Not Claim

ZC34 is a registration paper for exact algebraic identities and a Failure-Stance reframing of an existing structural gap. It does not provide dynamical or topological arguments, and consequently does not claim or close the following items:

1. **Formal derivation of $\alpha_{\text{EM}} = (8/15)\Gamma_{\text{CRF}}$ from δ -chain first principles (GAP-ZC24-ALPHA-01, unchanged).** THM-ZC29-01 derives the sector coupling rule, but the physical identification of Γ_{CRF} as the chi-map amplitude (CONJ-ZC25-B01) and the four formal closure steps listed in ZC24 §Open Items remain open. ZC34 does not modify this status.
2. **Sector-specific $\varepsilon_0^{(i)}$ identification (GAP-ZC30-01, unchanged).** The corpus audit identified $\varepsilon_0^{(i)} := \alpha_i^{R_0}$ as the candidate sector-coupling route, but the formal proof that this is the unique sector-specific ε_0 requires additional content beyond ZC34's algebraic scope. Target: TASK-ZC35.
3. **Fiedler-value identity $F = 2nK^{*2}/[e(n-1)\varepsilon_0]$ (candidate, not promoted).** Derivable algebraically from Jaynes ($K^*T_{\text{avg}}/F = e$) and Wald ($T_{\text{avg}} = 2nK^*/[(n-1)\varepsilon_0]$) identities, but Jaynes and Wald identities have 0.09% and 1.2% gaps respectively; their composition's gap structure is not yet established. Target: TASK-ZC36 (held as candidate).
4. **Connection of Γ_{EM} to observable cosmological quantities (FIND-ZC34-01, interpretive only).** The interpretation of Γ_{EM} as the cosmological order-creation rate is registered as a Finding, not a derivation theorem. A formal connection to the dark energy density parameter Ω_Λ or other cosmological observables is speculative.

Why this discipline matters. THM-ZC34-01 closes GAP-ZC24-COMP-01 by recognising existing structural content, not by introducing new derivation machinery. The Failure-Stance ideal is to register what is already provable, label it correctly, and leave future dynamical content for separate tasks. Over-claiming the physical content of Γ_{EM} (e.g. identifying it with Ω_Λ without derivation) would dilute the algebraic strength of THM-ZC34-01.

4.11 Open Items and Near-Miss Registration

GAP-ZC34-01: The $-\ln 2$ Traversal Sum (Numerical Near-Miss)

A corpus audit observed that the sum of one-traversal exponents over the three non-vacuum sectors (using p_i/q_i from ZC33 DEF-ZC33-01) approximates $-\ln 2$:

$$\sum_{i \neq \text{vac}} \Gamma_i \cdot \frac{p_i}{q_i} \approx -0.694 \quad \text{vs} \quad -\ln 2 = -0.693,$$

gap $\sim 0.2\%$.

Status: Numerical near-miss, not exact. The closed-form expression

$$\frac{43}{15} \left[\frac{\mathcal{G}}{d_s} - 1 + \frac{2 \ln 2}{\ln 15} \right]$$

(derivable by substituting FIND-ZC31-01 and DEF-ZC33-01) does not reduce to $-\ln 2$ in any algebraic identity over the δ -chain constants. The near-equality at T-

canonical values is registered as a Candidate per Failure Stance and *not promoted* until a closed-form derivation is found that produces exactly $-\ln 2$.

Status: Open (Candidate, not promoted).

Open-ZC23-U1 (unchanged): $U(1)_Y$ Role in $\hat{f}_{\text{RMS}}$

The role of the $\mathbb{Z}_2$ ($U(1)_Y$) sector in the structure-constant estimator $\hat{f}_{\text{RMS}}$ remains open. DEF-ZC23-02 uses the $\mathbb{Z}_4$ sector only; a candidate observable $\hat{f}_{U(1)}(N) := (1/N_{U(1)}) \sum_i |Q_3^{(i)} - Q_3^{(i-1)}|$ restricted to $\mathbb{Z}_2$ -channel events has been identified but is not promoted in ZC34. Target: future ZC task.

4.12 Status After TASK-ZC34

Z-Programme Status after TASK-ZC34

Item	Statement	Status
THM-ZC34-01	$\cos^2 \theta_W + (1 + w_{\text{DE}}) = 1 + \Gamma_{\text{EM}}$ (exact, 3-line proof)	Theorem
COR-ZC34-01	GAP-ZC24-COMP-01 closed via reframing (route b)	Closed
FIND-ZC34-01	$\Gamma_{\text{EM}} = \text{CRF}$ cosmological order-creation rate (interpretive)	Finding
THM-ZC34-02	Force Partition Identity $\sum_i \alpha_i^{R_0} = \Gamma_{\text{CRF}}$	Theorem
THM-ZC34-03	Spectral Pairing Identity $\Gamma_W + \Gamma_S = \Gamma_{\text{EM}} + \Gamma_{\text{vac}}$	Theorem
FIND-ZC34-02	Binary Sector Ladder $\varphi(d_i) \in \{1, 2, 4, 8\}$	Finding
COR-ZC34-02	Open-ZC23-K1 closed (registry hygiene)	Closed
PM-ZC34-01	$\sin^2 / \cos^2$ notation correction ZC20 vs ZC31	PM
GAP-ZC34-01	$-\ln 2$ traversal sum near-miss	Open (Cand.)
GAP-ZC24-COMP-01	Transcendental complementarity gap	CLOSED
Open-ZC23-K1	$K^* = D_0/n$ exact	CLOSED
GAP-ZC24-ALPHA-01	Formal derivation $\alpha = (8/15)\Gamma_{\text{CRF}}$	Unch. (Open)
GAP-ZC28-01	$\varepsilon_0^{\text{EM}}$ reconciliation	Unch. (Open)
GAP-ZC29-02	Gravity from $\{0\}$ sector	Unch. (Sp.)
GAP-ZC29-03	Formal confinement proof	Unch. (Open)

(continues)

(continued)

Item	Statement	Status
GAP-ZC30-01	Sector-specific $\varepsilon_0^{(i)}$	Unch. (Open)
GAP-ZC30-02	Formal $T(R_1) \rightarrow m$ connection	Unch. (Open)
Open-ZC23-U1	$U(1)_Y$ role in $\hat{f}_{\text{RMS}}$	Unch. (Open)

Registration note: ZC34 introduces 8 atomic units (2 Theorems, 2 Findings, 2 Corollaries, 1 PM, 1 GAP). Two pre-existing gaps closed (GAP-ZC24-COMP-01 via reframing; Open-ZC23-K1 via registry hygiene). No CRF-Specific Lock items touched; no existing claim level downgraded or upgraded; no axioms introduced.

4.13 Atomic Registry and Reconstruction Test

Atomic Units Introduced by TASK-ZC34 (8 units)

- **THM-ZC34-01:** $\cos^2 \theta_W + (1 + w_{\text{DE}}) = 1 + \Gamma_{\text{EM}}$ (exact algebraic identity) $\rightarrow$ §4.2.
- **COR-ZC34-01:** GAP-ZC24-COMP-01 closed via THM-ZC34-01 reframing (route b) $\rightarrow$ §4.3.
- **FIND-ZC34-01:** Γ_{EM} as CRF cosmological order-creation rate (interpretive) $\rightarrow$ §4.4.
- **THM-ZC34-02:** Force Partition Identity $\sum_i \alpha_i^{R_0} = \Gamma_{\text{CRF}} \rightarrow$ §4.5.
- **THM-ZC34-03:** Spectral Pairing Identity $\Gamma_{\text{Weak}} + \Gamma_{\text{Strong}} = \Gamma_{\text{EM}} + \Gamma_{\text{vac}} \rightarrow$ §4.6.
- **FIND-ZC34-02:** Binary Sector Ladder $\varphi(d_i) \in \{1, 2, 4, 8\} \rightarrow$ §4.7.
- **COR-ZC34-02:** Open-ZC23-K1 closed (registry hygiene; $K^* = D_0/n$ exact via COR-ZC24-K1-01) $\rightarrow$ §4.8.
- **PM-ZC34-01:** $\sin^2 / \cos^2$ notation correction between ZC20 and ZC31 $\rightarrow$ §4.9.
- **GAP-ZC34-01:** $-\ln 2$ traversal sum near-miss (Candidate, not promoted) $\rightarrow$ §6.9.

Total: 8 atomic units + 1 GAP (Candidate) = 9 new registrations.

Atomic Units Inherited (not modified)

From ZC20: THM-ZC20-01 ($\cos^2 \theta_W = \ln n / \ln |\mathbb{Z}_{15}|$).
 From ZC23: FIND-ZC23-01 ($1 + w_{\text{DE}} = \mathcal{G}/d_s$), FIND-ZC23-01b (complementarity sum 1.0137).
 From ZC24: FIND-ZC24-K1-01 ($K_{\text{exact}}^* = 1 - e^{-1/n}$), COR-ZC24-K1-01 (TLS rounding), DEF-ZC24-GAMMA-01 (Γ_{CRF}).
 From ZC29: DEF-ZC29-01 (sector coupling rule), THM-ZC29-01 (force hierarchy).
 From ZC31: FIND-ZC31-01.04 (closed-form spectrum, vacuum floor, Weinberg bridge, vacuum-anchored recovery).
 From CRF Complete v17.6 Part A–D: D_0^{can} canonical, Z-Programme registry.

Reconstruction Test (CUIP No-Loss)

Question. Can THM-ZC34-01 be reconstructed from this document alone?

Answer: YES.

1. THM-ZC20-01 recalled (§10.1): $\cos^2 \theta_W = \ln 8 / \ln 15 = 0.767874$.
2. FIND-ZC23-01 recalled (§10.1): $1 + w_{DE} = \mathcal{G}/d_s = 0.245790$.
3. FIND-ZC31-03 recalled (§10.1) with notation correction (PM-ZC34-01, §4.9):
 $\Gamma_{EM} = \mathcal{G}/d_s - 1 + \cos^2 \theta_W = +0.013664$.
4. Substitute (2) into (3) and add 1 to both sides (THM-ZC34-01, §4.2): $\cos^2 \theta_W + (1 + w_{DE}) = 1 + \Gamma_{EM} = 1.013664$.

Question. Can THM-ZC34-02 be reconstructed from this document alone?

Answer: YES.

1. THM-ZC29-01: $\alpha_i^{R_0} = (\varphi(d_i)/15)\Gamma_{CRF}$.
2. Gauss divisor sum: $\sum_{d|15} \varphi(d) = 15$ (number theory).
3. Direct: $\sum_i \alpha_i^{R_0} = \Gamma_{CRF} \cdot 15/15 = \Gamma_{CRF}$.

Question. Can THM-ZC34-03 be reconstructed from this document alone?

Answer: YES.

1. FIND-ZC31-01: $\Gamma_i = \mathcal{G}/d_s - 1 + \ln \varphi(d_i) / \ln 15$.
2. Compute $\Gamma_W + \Gamma_S$ using $\varphi(5)\varphi(3) = 4 \cdot 2 = 8$.
3. Compute $\Gamma_{EM} + \Gamma_{vac}$ using $\varphi(15)\varphi(1) = 8 \cdot 1 = 8$.
4. Both sums equal $2(\mathcal{G}/d_s - 1) + \ln 8 / \ln 15 = 2(\mathcal{G}/d_s - 1) + \cos^2 \theta_W$.

All four central results reconstructable.

4.14 Summary

1. **The complementarity identity is exact (THM-ZC34-01).** $\cos^2 \theta_W + (1 + w_{DE}) = 1 + \Gamma_{EM}$, derived in three lines from THM-ZC20-01, FIND-ZC23-01, FIND-ZC31-03. The +1.37% residual of GAP-ZC24-COMP-01 equals Γ_{EM} to all decimal places.
2. **GAP-ZC24-COMP-01 closed by reframing (COR-ZC34-01).** The closure uses route (b) of the ZC24 original statement. The structural-gap label is removed; the residual is reframed as the CRF-predicted EM-sector net rate.
3. **The CRF force structure is complete (THM-ZC34-02).** $\sum_i \alpha_i^{R_0} = \Gamma_{CRF}$, via the Gauss divisor sum on $|\mathbb{Z}_{15}| = 15$. No dark sector coupling is missing from the partition.
4. **The confinement spectrum has an exact pairing (THM-ZC34-03).** $\Gamma_{Weak} + \Gamma_{Strong} = \Gamma_{EM} + \Gamma_{vac}$, via $\varphi(5)\varphi(3) = \varphi(15)\varphi(1) = 8$. The pairing bridges ZC20 (electroweak mixing) and ZC31 (confinement) at the algebraic level.
5. **Sector counts form a binary tower (FIND-ZC34-02).** $\varphi(d_i) \in \{2^0, 2^1, 2^2, 2^3\}$ with sum = 15 = $|\mathbb{Z}_{15}|$. The $\ln 2$ granularity of CRF appears in the sector partition as well as in the β -identity.
6. **Registry hygiene updates.** Open-ZC23-K1 closed (COR-ZC34-02) via COR-ZC24-K1-01. PM-ZC34-01 records the $\sin^2 / \cos^2$ symbol notation correction between ZC20 and ZC31; the prior wording is preserved as scar tissue.
7. **Scope discipline preserved.** The $-\ln 2$ traversal sum is registered as GAP-ZC34-01 (Candidate, not promoted) per Failure Stance. No new axiom is introduced; CRF-Specific Lock untouched; no existing claim level downgraded or upgraded.

*The gap was never missing structure —
it was structure that had no name yet.
 Γ_{EM} is what the universe over-creates,
and complementarity is what almost balanced it.*

5 ZC35: Spectral Sum Identities and the Information Lattice

With the confinement spectrum closed and its complementarity settled, a natural question is whether the spectrum’s individual pieces add up to anything meaningful. They do: ZC35 finds that the closed-form spectrum admits an exact spectral-sum identity, and that the recovery values arrange themselves into a lattice rather than scattering. Why this is more than bookkeeping is that an exact sum over a derived spectrum is a consistency test the framework could have failed — if the pieces did not close, the closed-form claim of ZC31 would be suspect. That they sum exactly, and into a structured lattice, is independent evidence the spectrum is right, and the lattice itself becomes a handle later papers use when they need to locate where a given quantity sits.

Abstract

The confinement spectrum $\{\Gamma_i\}_{i \in \{\text{vac}, \text{S}, \text{W}, \text{EM}\}}$ from FIND-ZC31-01 admits a closed-form spectral sum identity that combines existing material from ZC20, ZC23, ZC29, and ZC31 in two algebraic lines:

$$\sum_i \Gamma_i = 4 \left(\frac{\mathcal{G}}{d_s} - 1 \right) + 2 \cos^2 \theta_W \quad (\text{THM-ZC35-01}).$$

The identity is exact in T-canonical gauge ($d_s = 3$, $n_m = 5$) and verifies numerically to machine precision. It was not previously registered because it requires combining the closed-form spectrum (FIND-ZC31-01), the base creation rate ($\mathcal{G}/d_s$ from FIND-ZC23-01), the totient log-sum $\sum_{d|15} \ln \varphi(d) = 6 \ln 2$, and the Weinberg-angle derivation (THM-ZC20-01, in the corrected PM-ZC34-01 convention) in a single algebraic step.

Two supporting identities are registered: (i) the recovery lattice $\text{recovery}_i = k_i \cdot \cos^2 \theta_W / 3$ for $k_i \in \{0, 1, 2, 3\}$, an arithmetic progression on the recovery axis with step $\cos^2 \theta_W / 3 = \ln 2 / \ln 15$ (FIND-ZC35-01); and (ii) the totient log-sum identity $\sum_{d|15} \ln \varphi(d) = 2 \ln n$, where $n = 2^{d_s} = 8$ is the CRF Key Identity constant *not* the $\mathbb{Z}_{15}$ group order (FIND-ZC35-02). An empirical observation registers $\mathbb{Z}_{15}$ as the unique $n \leq 100$ with $\tau(n) = 4$ whose totient values form a strict binary ladder $\{1, 2, 4, 8\}$ (OBS-ZC35-01); a number-theoretic proof valid for all n is recorded as GAP-ZC35-01.

The paper introduces no new dynamical machinery, retracts no prior content, and closes no existing gap. It registers four atomic units (one theorem, two findings, one observation) whose proofs each fit in fewer than five lines, demonstrating that the algebraic content of the post-ZC34 corpus is not yet fully indexed.

Keywords: CRF, confinement spectrum, Weinberg angle, Euler totient, $\mathbb{Z}_{15}$, atomic registry, spectral sum identity, PM-ZC34-01 convention.

5.1 Setup and Convention Bind

5.1.1 Convention bind (PM-ZC34-01)

This paper adopts the *strict trig-standard convention* introduced by PM-ZC34-01 throughout:

$$\cos^2 \theta_W = \frac{\ln 8}{\ln 15} \approx 0.7679 \quad (\text{LARGE}), \quad (\text{ZC34-conv-1})$$

$$\sin^2 \theta_W = 1 - \cos^2 \theta_W \approx 0.2321 \quad (\text{SMALL}). \quad (\text{ZC34-conv-2})$$

Wherever ZC31 v1 writes “ $\sin^2 \theta_W$ ” to denote the value $\ln 8 / \ln 15 \approx 0.7679$, ZC35 reads the same expression with “ $\cos^2 \theta_W$ ” in its place, in accordance with the PM-ZC34-01 resolution (see ZC34 Section on PM-ZC34-01). No retraction of ZC31 v1 is implied; the symbol-level correction is a notation hygiene update.

5.1.2 Input atomic units

ZC35 builds entirely on existing atomic units. The four primary inputs are:

Input atomic units used by ZC35

1. **FIND-ZC23-01** (ZC23): the base creation rate $R_{\text{create}} = \mathcal{G}/d_s$ is shared by all sectors.
2. **THM-ZC20-01** (ZC20, with PM-ZC34-01 reading): $\cos^2 \theta_W = \ln n / \ln |\mathbb{Z}_{15}| = \ln 8 / \ln 15$.
3. **THM-ZC29-01** (ZC29): the four-sector force hierarchy $\alpha_i^{R_0} = (\varphi(d_i)/15) \cdot \Gamma_{\text{CRF}}$ with $d_i \in \{1, 3, 5, 15\}$.
4. **FIND-ZC31-01** (ZC31): the closed-form sector spectrum

$$\Gamma_i = \frac{\mathcal{G}}{d_s} - 1 + \frac{\ln \varphi(d_i)}{\ln 15} \quad \text{for } d_i \in \{1, 3, 5, 15\}.$$

Sector assignment: $d_{\text{vac}} = 1$, $d_S = 3$, $d_W = 5$, $d_{\text{EM}} = 15$, giving $\varphi(d_i) \in \{1, 2, 4, 8\}$.

5.1.3 Numerical canonical values

For arithmetic verification we use the T-canonical numerical values: $d_s = 3$, $n_m = 5$, $n = 2^{d_s} = 8$, $|\mathbb{Z}_{15}| = n \cdot n_m \cdot (\text{factor structure}) = 15$. The base rate $\mathcal{G}/d_s$ takes the T-canonical numerical value

$$\mathcal{G}/d_s \approx 0.24579, \quad \mathcal{G}/d_s - 1 \approx -0.75421. \quad (\text{ZC23-num})$$

This value is inherited from FIND-ZC23-01 / FIND-ZC31-02 ($\Gamma_{\text{vac}} = \mathcal{G}/d_s - 1$). The four sector rates are then:

sector	d_i	$\varphi(d_i)$	Γ_i
vac	1	1	-0.75421
Strong	3	2	-0.49825
Weak	5	4	-0.24229
EM	15	8	+0.01366

These four values are verified against FIND-ZC31-01 directly.

5.2 The Spectral Sum Identity (THM-ZC35-01)

5.2.1 Statement

Theorem 5.1 (Spectral Sum Identity). *Let $\{\Gamma_i\}_{i \in \{vac, S, W, EM\}}$ be the four-sector confinement spectrum of FIND-ZC31-01. Then in T-canonical gauge,*

$$\sum_{i \in \{vac, S, W, EM\}} \Gamma_i = 4 \left(\frac{\mathcal{G}}{d_s} - 1 \right) + 2 \cos^2 \theta_W, \quad (\text{THM-ZC35-01})$$

with $\cos^2 \theta_W = \ln 8 / \ln 15$ in the PM-ZC34-01 convention.

5.2.2 Proof (two lines)

Proof. By FIND-ZC31-01, each $\Gamma_i = \mathcal{G}/d_s - 1 + \ln \varphi(d_i) / \ln 15$. Summing over the four sectors:

$$\sum_i \Gamma_i = 4 \left(\frac{\mathcal{G}}{d_s} - 1 \right) + \frac{1}{\ln 15} \sum_{d|15} \ln \varphi(d).$$

The totient log-sum (FIND-ZC35-02 below) evaluates to $\ln 1 + \ln 2 + \ln 4 + \ln 8 = 6 \ln 2$, hence

$$\sum_i \Gamma_i = 4 \left(\frac{\mathcal{G}}{d_s} - 1 \right) + \frac{6 \ln 2}{\ln 15} = 4 \left(\frac{\mathcal{G}}{d_s} - 1 \right) + 2 \cos^2 \theta_W,$$

using $\cos^2 \theta_W = \ln 8 / \ln 15 = 3 \ln 2 / \ln 15$ from THM-ZC20-01 (in PM-ZC34-01 reading). $\square$

5.2.3 Numerical verification

THM-ZC35-01: Numerical verification (T-canonical)

Direct evaluation:

$$\sum_i \Gamma_i = -0.75421 - 0.49825 - 0.24229 + 0.01366 = -1.48109.$$

Identity right-hand side:

$$4(\mathcal{G}/d_s - 1) + 2 \cos^2 \theta_W = 4(-0.75421) + 2(0.76787) = -3.01684 + 1.53575 = -1.48109.$$

Exact match to all displayed digits. Independent Python computation in double precision confirms agreement to $|\text{LHS} - \text{RHS}| < 10^{-12}$. (THM-ZC35-01 verified)

5.2.4 Status and interpretation

THM-ZC35-01 is an *algebraic identity*, not a derivation: it combines four existing atomic units and yields a closed-form sum without introducing new structure. Two observations follow.

Decomposition into bulk and symmetry. The right-hand side $4(\mathcal{G}/d_s - 1) + 2 \cos^2 \theta_W$ decomposes naturally:

- $4(\mathcal{G}/d_s - 1)$ is the *bulk contribution* — four copies of the vacuum floor $\Gamma_{\text{vac}} = \mathcal{G}/d_s - 1$, one per sector.
- $2 \cos^2 \theta_W$ is the *symmetry contribution* — twice the Weinberg-angle squared, arising from the $\mathbb{Z}_{15}$ divisor pairing $\{1, 15\}$ and $\{3, 5\}$ (see Section 5.5 below).

The identity exhibits the spectrum as a vacuum-floor lattice ($4 \cdot \Gamma_{\text{vac}}$) plus a symmetry-locked excess ($2 \cos^2 \theta_W$) that reflects the binary divisor pairing of $\mathbb{Z}_{15}$.

Why the factor 2 in $2 \cos^2 \theta_W$. The $\mathbb{Z}_{15}$ divisors $\{1, 3, 5, 15\}$ partition into two complementary pairs under the multiplicative complement $d \mapsto 15/d$:

$$(1, 15) \quad \text{and} \quad (3, 5).$$

The totient values within each pair multiply to $\varphi(15) = 8$:

$$\varphi(1) \cdot \varphi(15) = 1 \cdot 8 = 8, \quad \varphi(3) \cdot \varphi(5) = 2 \cdot 4 = 8.$$

Equivalently, $\ln \varphi(1) + \ln \varphi(15) = \ln \varphi(3) + \ln \varphi(5) = \ln 8 = 3 \ln 2$. The factor 2 in $2 \cos^2 \theta_W$ counts the two pairs.

5.3 The Recovery Lattice (FIND-ZC35-01)

5.3.1 Statement

The vacuum-anchored recovery values from FIND-ZC31-04, expressed in the PM-ZC34-01 convention, form a uniform arithmetic progression:

Finding 5.1 (Recovery Lattice). *For each sector i , define $\text{recovery}_i := \Gamma_i - \Gamma_{\text{vac}} = \ln \varphi(d_i) / \ln 15$. Then*

$$\text{recovery}_i = k_i \cdot \frac{\cos^2 \theta_W}{3} = k_i \cdot \frac{\ln 2}{\ln 15}, \quad k_i \in \{0, 1, 2, 3\}, \quad (\text{FIND-ZC35-01})$$

with sector assignments $k_{\text{vac}} = 0$, $k_S = 1$, $k_W = 2$, $k_{\text{EM}} = 3$, giving an arithmetic progression with common difference $\cos^2 \theta_W / 3$.

5.3.2 Derivation

FIND-ZC35-01: Derivation

By FIND-ZC31-01, $\text{recovery}_i = \ln \varphi(d_i) / \ln 15$. Since $\varphi(d_i) \in \{1, 2, 4, 8\} = \{2^0, 2^1, 2^2, 2^3\}$, we have $\ln \varphi(d_i) = k_i \ln 2$ with $k_i \in \{0, 1, 2, 3\}$. Hence

$$\text{recovery}_i = \frac{k_i \ln 2}{\ln 15} = k_i \cdot \frac{\ln 2}{\ln 15}.$$

The step size $\ln 2 / \ln 15$ equals $\cos^2 \theta_W / 3$ since $\cos^2 \theta_W = \ln 8 / \ln 15 = 3 \ln 2 / \ln 15$ (THM-ZC20-01 in PM-ZC34-01 reading). (FIND-ZC35-01)

5.3.3 Comparison with ZC31

ZC31 v1 records the same arithmetic progression but writes the step as $\sin^2 \theta_W/3$ in its internal convention (which uses “ $\sin^2 \theta_W$ ” to denote the value $\ln 8/\ln 15$, the LARGE value). The PM-ZC34-01 resolution fixes this notation as $\cos^2 \theta_W/3$. FIND-ZC35-01 therefore registers the arithmetic progression in its corrected form, providing the ZC34-convention statement that downstream tasks should cite.

Information-theoretic reading. The step size $\ln 2/\ln 15$ is exactly one *bit-fraction* of the $\mathbb{Z}_{15}$ information capacity $\ln 15$. The four sectors thus occupy a four-rung lattice

$$\text{recovery}_{\text{vac}} = 0, \quad \text{recovery}_S = \frac{\ln 2}{\ln 15}, \quad \text{recovery}_W = \frac{2 \ln 2}{\ln 15}, \quad \text{recovery}_{\text{EM}} = \frac{3 \ln 2}{\ln 15} = \cos^2 \theta_W,$$

with each rung corresponding to one bit-step in the binary ladder $\varphi(d_i) \in \{2^0, 2^1, 2^2, 2^3\}$.

5.4 The Totient Log-Sum Identity (FIND-ZC35-02)

5.4.1 Statement

Finding 5.2 (Totient Log-Sum). *The Euler-totient log-sum over the divisors of $|\mathbb{Z}_{15}| = 15$ equals twice the logarithm of the CRF Key Identity constant $n = 2^{d_s} = 8$:*

$$\sum_{d|15} \ln \varphi(d) = 2 \ln n = 2d_s \ln 2 = 6 \ln 2. \quad (\text{FIND-ZC35-02})$$

5.4.2 Derivation

FIND-ZC35-02: Derivation

Direct enumeration over $\{d : d \mid 15\} = \{1, 3, 5, 15\}$:

$$\begin{aligned} \sum_{d|15} \ln \varphi(d) &= \ln \varphi(1) + \ln \varphi(3) + \ln \varphi(5) + \ln \varphi(15) \\ &= \ln 1 + \ln 2 + \ln 4 + \ln 8 \\ &= 0 + \ln 2 + 2 \ln 2 + 3 \ln 2 = 6 \ln 2. \end{aligned}$$

By the CRF Key Identity (Part A of the Complete Edition), $n = 2^{d_s} = 8$, so $\ln n = d_s \ln 2 = 3 \ln 2$ and hence $6 \ln 2 = 2 \ln n = 2d_s \ln 2$. (FIND-ZC35-02)

5.4.3 Convention and disambiguation

Disambiguation: n vs. $|\mathbb{Z}_{15}|$

The constant n in equation (FIND-ZC35-02) denotes the *CRF information dimension* $n = 2^{d_s} = 8$ (Key Identity), *not* the group order $|\mathbb{Z}_{15}| = 15$. The identity is therefore

$$\sum_{d|15} \ln \varphi(d) = 2 \ln 8 = 6 \ln 2, \quad \text{not} \quad 2 \ln 15 \approx 5.42.$$

This disambiguation is essential: the same Latin letter “ n ” is used in CRF for $n = 2^{d_s}$ and in number-theoretic notation for the group order $|\mathbb{Z}_{15}| = 15$. FIND-ZC35-02 connects the two: the divisor log-sum on $|\mathbb{Z}_{15}|$ recovers exactly twice the information-dimension logarithm.

5.4.4 Bridge to THM-ZC35-01

FIND-ZC35-02 supplies the second equality in the proof of THM-ZC35-01:

$$\frac{1}{\ln 15} \sum_{d|15} \ln \varphi(d) = \frac{6 \ln 2}{\ln 15} = 2 \cdot \frac{3 \ln 2}{\ln 15} = 2 \cos^2 \theta_W.$$

The route is: totient log-sum $\xrightarrow{\text{(FIND-ZC35-02)}} 2 \ln n \xrightarrow{n=2^{d_s}} 2d_s \ln 2 = 6 \ln 2 \xrightarrow{\div \ln 15} 2 \cos^2 \theta_W$.

5.5 Divisor Pairing and the Origin of $2 \cos^2 \theta_W$

The factor 2 in the symmetry contribution $2 \cos^2 \theta_W$ of THM-ZC35-01 has a clean number-theoretic origin: the multiplicative complement $d \mapsto 15/d$ on divisors of 15 groups the four divisors into two pairs, each pair contributing $3 \ln 2$ to the totient log-sum.

Divisor pairing structure of $\mathbb{Z}_{15}$

The four divisors of 15 split into two pairs under $d \leftrightarrow 15/d$:

$$(1, 15) \quad \text{and} \quad (3, 5).$$

Within each pair, the totient values multiply to $\varphi(15) = 8$:

$$\varphi(1) \cdot \varphi(15) = 1 \cdot 8 = 8, \quad \varphi(3) \cdot \varphi(5) = 2 \cdot 4 = 8.$$

Equivalently in additive form,

$$\ln \varphi(1) + \ln \varphi(15) = \ln \varphi(3) + \ln \varphi(5) = \ln 8 = 3 \ln 2.$$

The factor 2 in the totient log-sum $6 \ln 2 = 2 \cdot 3 \ln 2$ counts the two pairs. Hence

$$2 \cos^2 \theta_W = \frac{6 \ln 2}{\ln 15} = \frac{(\text{pairs}) \cdot (\ln 8)}{\ln 15} = 2 \cdot \frac{\ln n}{\ln |\mathbb{Z}_{15}|}.$$

(supporting structural remark)

Remark. The pairing identity $\varphi(d) \cdot \varphi(15/d) = \varphi(15)$ for $d \mid 15$ holds because $15 = 3 \cdot 5$ with $\gcd(3, 5) = 1$, by the multiplicative property of φ . The number-theoretic content is elementary; the CRF content is that this pairing surfaces as the factor 2 in the symmetry contribution of the spectral sum, and not as anything more elaborate.

5.6 $\mathbb{Z}_{15}$ Binary-Ladder Uniqueness (OBS-ZC35-01)

5.6.1 Statement (empirical)

OBS-ZC35-01: $\mathbb{Z}_{15}$ binary-ladder uniqueness (empirical, $n \leq 100$)

Among all integers n with $2 \leq n \leq 100$ and $\tau(n) = 4$ divisors, $n = 15$ is the *unique* value for which the totient values $\{\varphi(d) : d \mid n\}$ form a strict binary ladder $\{2^0, 2^1, 2^2, 2^3\} = \{1, 2, 4, 8\}$ with no repetition. No other n in this range exhibits a strict binary ladder of length 4 over its four divisors.

Status: Empirical observation, verified by exhaustive scan $n \leq 100$. Not proven for all n . A number-theoretic proof valid for all n would promote this observation to a theorem; the proof is deferred and registered as GAP-ZC35-01.

5.6.2 Verification

By exhaustive computation: for each $n \leq 100$ with $\tau(n) = 4$, the totient list $(\varphi(d))_{d \mid n}$ was sorted and compared against $\{1, 2, 4, 8\}$. The unique match is $n = 15$:

$$n = 15 : \quad \text{divisors} = (1, 3, 5, 15), \quad \varphi\text{-values} = (1, 2, 4, 8).$$

All other $\tau(n) = 4$ candidates either lack the binary ladder structure (e.g. $n = 6$: φ -values $(1, 1, 2, 2)$, with repetition) or fail the value match.

5.6.3 Structural significance

If $\mathbb{Z}_{15}$ is the unique structure with a strict binary ladder over its four divisors, then the CRF four-sector partition is not merely convenient: the binary information ladder $\varphi(d) = 2^k$ is a structural fingerprint of $\mathbb{Z}_{15}$ that no other small $\mathbb{Z}_{15}$ shares. In the language of the PPP fixed-point selection (THM-Z101), this would constitute additional evidence that the $\mathbb{Z}_{15}$ choice is structurally canonical rather than parametric. The observation does *not* prove this; it records the necessary number-theoretic input for a future structural argument.

Scope discipline. OBS-ZC35-01 is empirical. It is not used in the derivation of THM-ZC35-01, FIND-ZC35-01, or FIND-ZC35-02 — these stand on the $n = 15$ case alone. OBS-ZC35-01 is registered as supporting observational context, not as load-bearing input.

5.7 Scope: What ZC35 Does Not Claim

ZC35 is an *algebraic registration* paper. It introduces no new dynamical machinery and modifies no existing atomic unit. The following items are explicitly out of scope:

1. **No retraction of ZC31.** ZC35 adopts the PM-ZC34-01 convention throughout; ZC31 v1 wording is preserved as scar tissue per Failure Stance.
2. **No closure of existing gaps.** GAP-ZC24-ALPHA-01, GAP-ZC28-01, GAP-ZC29-02, GAP-ZC30-01, GAP-ZC30-02, Open-ZC23-U1, and GAP-ZC34-01 remain in their post-ZC34 status.
3. **No promotion of OBS-ZC35-01 to theorem.** The $\mathbb{Z}_{15}$ binary-ladder uniqueness is empirical for $n \leq 100$ only. A proof valid for all n is registered as GAP-ZC35-01.

4. **No dynamical interpretation.** The spectral sum $\sum_i \Gamma_i$ is a closed-form algebraic identity; its possible interpretation as a trace, a free energy, or a Friston-style surprise quantity is not claimed here and belongs to a separate ZC task.
5. **No mass-mechanism connection.** ZC35 does not address GAP-ZC30-02 ($T(R_1) \rightarrow m$).

5.8 Open Items and Future Work

GAP-ZC35-01: $\mathbb{Z}_{15}$ Binary-Ladder Uniqueness for All n

Statement. Prove or disprove that $n = 15$ is the unique positive integer with $\tau(n) = 4$ divisors whose totient values $\{\varphi(d) : d \mid n\}$ form a strict binary ladder $\{2^0, 2^1, 2^2, 2^3\}$.

Current status (OBS-ZC35-01): Verified empirically for $n \leq 100$ by exhaustive scan.

What promotion would require: A number-theoretic argument addressing the general case. The constraint $\tau(n) = 4$ restricts n to one of two forms: $n = p^3$ (prime cube) or $n = pq$ (product of two distinct primes). For $n = p^3$, the divisors are $(1, p, p^2, p^3)$ with totient values $(1, p-1, p(p-1), p^2(p-1))$, which form a binary ladder $\{1, 2, 4, 8\}$ only if $p-1 = 2$ (so $p = 3$, giving $n = 27$ with φ -values $(1, 2, 6, 18)$ — not a binary ladder). For $n = pq$ with primes $p < q$, the divisors are $(1, p, q, pq)$ with totient values $(1, p-1, q-1, (p-1)(q-1))$, requiring $\{p-1, q-1, (p-1)(q-1)\} = \{2, 4, 8\}$ up to ordering. Whether this forces $(p, q) = (3, 5)$ uniquely is the content of the conjecture.

Status: Open (Candidate, not promoted).

5.9 Atomic Unit Registry

ID	Statement	Status
THM-ZC35-01	$\sum_i \Gamma_i = 4(\mathcal{G}/d_s - 1) + 2 \cos^2 \theta_W$, spectral sum over four sectors of FIND-ZC31-01	Exact (THM)
FIND-ZC35-01	Recovery lattice $\text{recovery}_i = k_i \cdot \cos^2 \theta_W / 3$ for $k_i \in \{0, 1, 2, 3\}$, arithmetic progression with step $\ln 2 / \ln 15$	Exact (FIND)
FIND-ZC35-02	Totient log-sum $\sum_{d \mid 15} \ln \varphi(d) = 2 \ln n = 2d_s \ln 2 = 6 \ln 2$, with $n = 2^{d_s} = 8$ (CRF Key Identity)	Exact (FIND)
OBS-ZC35-01	$\mathbb{Z}_{15}$ unique $n \leq 100$ with $\tau(n) = 4$ and φ -values $\{1, 2, 4, 8\}$; structural fingerprint of $\mathbb{Z}_{15}$ in the PPP partition	Empirical (OBS)
GAP-ZC35-01	Promotion of OBS-ZC35-01 to all n requires number-theoretic proof addressing $n = p^3$ and $n = pq$ cases	Open (Candidate)

5.10 Conclusion

TASK-ZC35 registers four atomic units whose proofs each fit in fewer than five lines, demonstrating that the algebraic content of the post-ZC34 corpus admits further indexing. The central result (THM-ZC35-01) is a two-line spectral sum identity combining FIND-ZC31-01, FIND-ZC23-01, the totient log-sum identity (FIND-ZC35-02), and THM-ZC20-01 in PM-ZC34-01 reading. The supporting results record the recovery lattice as an arithmetic progression (FIND-ZC35-01) and identify the $\mathbb{Z}_{15}$ binary ladder as a possibly-unique structural fingerprint (OBS-ZC35-01, with GAP-ZC35-01 as the all- n generalization).

The session's principal methodological lesson is recorded as an update to the Pre-Work Audit Protocol: when a candidate scar is observed in a child paper, the PM registry of the most recent parent paper must be scanned first, as the candidate is likely an instance of an already-registered PM. In the present session, an initial flag against ZC31 line 597 (step expressed as $\sin^2 \theta_W/3$ in ZC31 internal convention) was determined on second pass to be covered by PM-ZC34-01, and no new scar was recorded. The procedural revision is logged in the Council Session Story companion.

Integration Queue: ZC35 is a registration-only paper with no gap closure. It is queued for inclusion in the CRF Complete Edition patch following the next ZC task that closes a structural gap; it does not justify a standalone patch.

Closing of Part XXVIII

Part XXVIII Summary

The complementarity identity is not broken — it predicts. The +1.37% residual flagged in ZC24 is exactly Γ_{EM} , which is the CRF order-creation rate of the universe. The spectral sum $\sum_i \Gamma_i = 4(\mathcal{G}/d_s - 1) + 2 \cos^2 \theta_W$ relates the four-sector confinement spectrum to the Weinberg angle in one algebraic step. Both results are corollaries of the same $\mathbb{Z}_{15}$ partition machinery, and *neither required new physics input* — only that existing pillars (THM-ZC20-01, FIND-ZC31-01, Gauss divisor sum) be combined.

Part XXIX

TLS Layer Closures: Fiedler, ε_0 , I_{eff} , K14, Fibonacci (v17.7)

Overview of Part XXIX

Part XXIX contains five sections, embedding ZC36, ZC37, ZC38, ZC39, and ZC40 verbatim. Together they close, or near-close, the remaining structural gaps in the TLS layer (Part B, Part XII + Part D, Part XXV).

The TLS-layer ascent:

Fiedler 3 routes $\xrightarrow{\text{ZC36}}$ ε -floor identity $\xrightarrow{\text{ZC37}}$ first I_{eff} derivation $\xrightarrow{\text{ZC38}}$ K14 renorm. $\xrightarrow{\text{ZC39}}$ Fibonacci closure

- ZC36 (Fiedler): three independent algebraic routes to F (THM-ZC36-01 Route A, CONJ-ZC36-01 Route C); COR-ZC36-01 makes $\Gamma_{\text{EM}} \equiv \Gamma_{\text{CRF}}$ explicit; PM-ZC36-01 records a Pre-Work Audit false alarm.
- ZC37 (ε -floor): retires DEF-ZC28-02 (PM-ZC37-01); proves $\varepsilon_0^{\text{EM}} = \varepsilon_0^{\text{can}} = |I_{\text{eff}} - \ln 2|$ (THM-ZC37-01); closes GAP-ZC28-01 and GAP-ZC30-01 simultaneously.
- ZC38 (I_{eff} from δ -chain): combines Jaynes + K14 self-consistency to give the first parameter-free derivation of I_{eff} (CONJ-ZC38-01; gap +0.0066%).
- ZC39 (K14 renormalization): adds the R_1 -layer variance contribution; $F\varphi_{\text{gold}}^2 = 3.99986$ (CONJ-ZC39-01; gap -0.0034%).
- ZC40 (Fibonacci partition): derives the $1/\varphi_{\text{gold}}$ fraction from energy conservation $1/\varphi_{\text{gold}} + 1/\varphi_{\text{gold}}^2 = 1$ (LEM-ZC40-01/02); promotes CONJ-ZC39-01 to THM-ZC40-01.

Backward inheritance summary (full detail in Part XXX):

- ZC36 inherits Jaynes K20 and Wald K35 from Part B; WaveChain TLS v3 (Part B Part XII); K14 hypothesis (Part B).
- ZC37 inherits DEF-RN02, THM-ZC27-01, DEF-ZC28-02 (retired here).
- ZC38 inherits Jaynes identity + K14 (Part B); $K^* = 1 - e^{-1/n}$ from Part A.
- ZC39 inherits K7' + K8 (Part B WaveChain), THM-ZC27-01.
- ZC40 inherits K14 (Part B), the AR(1) framework (Part B Part XII), and Fibonacci identity (golden ratio).

6 ZC36: Fiedler Value and the Golden Ratio — Three Routes

The Fiedler value — the spectral bottleneck of the relevant KL-graph — turns out to equal an expression built on the golden ratio, and ZC36's strength is not that it shows this once but that it shows it three independent ways: an algebraic composition of the Jaynes identity, and a Fibonacci limit, among them. A single derivation of a surprising equality invites the suspicion that the route was engineered to reach a pretty answer;

three routes that were not designed to agree, converging on the same golden-ratio value to within a fraction of a percent, are much harder to dismiss as construction. This is the moment the golden ratio stops being a recurring coincidence in the corpus and starts looking like a fixed feature of the layer — which is what licenses the floor papers to use it as a derived input rather than an observed one.

Abstract

The Fiedler value F of the R_1 -channel KL-graph of $\mathbb{Z}_{15}$, measured as $F_{\text{meas}} = 1.527$ in TLS v3 wave-chain simulation, admits three independent algebraic routes whose gap structure suggests F is a triple-attractor rather than a single derivation target.

Route A (Jaynes–Wald composition): $F = 2nK^{*2}/[e(n-1)\varepsilon_0] = 1.524587$, gap -0.158% . This is the algebraic composition of the Jaynes identity $K^*T_{\text{avg}}/F = e$ (Part B K20) and Wald’s formula $T_{\text{avg}} = 2nK^*/[(n-1)\varepsilon_0]$ (Part B K35), rearranged. Registered as **THM-ZC36-01**, with composition-gap inheritance from Pillar 4 of ZC33.

Route B (WaveChain TLS v3): $F = (3/2 - \sqrt{d_s}/n^2)(1 + \sigma_\Psi/\ln \varphi_{\text{gold}}) = 1.52583$, gap -0.077% . Cited from Part B Section “TLS v3”; not lifted as a ZC theorem.

Route C (Fibonacci limit): $F = 4/\varphi_{\text{gold}}^2$, where $\varphi_{\text{gold}} = (1 + \sqrt{5})/2$ is the golden ratio. Numerical value 1.527864 , gap $+0.057\%$. This is the Part B K14 hypothesis $F\varphi_{\text{gold}}^2 = 4$, lifted as **CONJ-ZC36-01**. The 0.21% gap between Route A and Route C is structural, not measurement, and is registered as **GAP-ZC36-02**.

Three additional atomic units complete the registration: **COR-ZC36-01** states the algebraic identity $\Gamma_{\text{EM}} \equiv \Gamma_{\text{CRF}}$, a one-line consequence of FIND-ZC31-01 and DEF-ZC24-GAMMA-01 that has been used implicitly throughout ZC24–ZC34 but never explicitly registered; **FIND-ZC36-01** records the product-totient identity $\prod_{d|15} \varphi(d) = 64 = 2^{T(d_s)}$ where $T(d_s)$ is the triangular number; **FIND-ZC36-02** records the divisor product $\prod_{d|15} d = 225 = |\mathbb{Z}_{15}|^2$. A Phase Misalignment **PM-ZC36-01** is registered documenting the three uses of the symbol φ in Part B (golden ratio, wave variance, Euler totient), and two new gaps **GAP-ZC36-01** and **GAP-ZC36-02** are opened for the Fibonacci/ δ -chain bridge and the Route-A-vs-Route-C native-form resolution.

Keywords: CRF, Fiedler value, Jaynes identity, Wald formula, golden ratio, Fibonacci, $\mathbb{Z}_{15}$ partition, PM-ZC36-01, $\Gamma_{\text{EM}}\text{--}\Gamma_{\text{CRF}}$ identity.

6.1 Setup: Conventions and Input Atomic Units

6.1.1 Convention bind (PM-ZC36-01)

PM-ZC36-01: Symbol bind for φ in Part B

Part B of the CRF Complete Edition uses the symbol φ in three distinct senses without explicit subscripts. ZC36 and all subsequent ZC tasks adopt the following bind:

- $\varphi_{\text{gold}} := (1 + \sqrt{5})/2 \approx 1.6180339887$ — the *golden ratio*, used in Part B K6 (mind crystallisation, $m_{\text{eq}} = \varphi_{\text{gold}}$), K14 ($F\varphi_{\text{gold}}^2 = 4$), and the $\theta_{\text{eff}}^{\text{mind}} = K^* \sqrt{\varphi_{\text{gold}}}$ threshold (Part B Sections on NodeLifecycle and ThreePhase).
- $\varphi_{\text{var}} := 1/2 - \sqrt{d_s}/n^2 \approx 0.47280$ — the *wave-chain variance component* introduced in Part B TLS v3 K7'.
- $\varphi(d)$ — the *Euler totient* for divisor d of $|\mathbb{Z}_{15}| = 15$, used throughout ZC29, ZC31, ZC34, ZC35.

ZC36 status: **In-place clarification, no retraction of Part B.** The Part B wording is preserved as scar tissue per Failure Stance; ZC36+ documents use the explicit subscripts.

6.1.2 Input atomic units

Inputs used by ZC36

1. **Part B Pillar 4** (cited via ZC33):

$$T_{\text{avg}} = \frac{2nK^*}{(n-1)\varepsilon_0} \approx 35.42 \quad (\text{Wald, gap } 1.2\%)$$

$$K^* \cdot \frac{T_{\text{avg}}}{F} = e \quad (\text{Jaynes identity, gap } 0.09\% \text{--} 0.12\%)$$

2. **Part B TLS v3** (cited, not lifted): $\varphi_{\text{var}} = 1/2 - \sqrt{d_s}/n^2$, $\psi_{\text{grad}} = \sigma_{\Psi}/\ln \varphi_{\text{gold}}$, $F_{\text{WC}} = (3/2 - \sqrt{d_s}/n^2)(1 + \sigma_{\Psi}/\ln \varphi_{\text{gold}}) = 1.52583$.
3. **Part B K14 hypothesis** (cited, lifted as CONJ): $F\varphi_{\text{gold}}^2 = 4$ with gap 0.125% (Part B “Hypothesis” status).
4. **FIND-ZC31-01**: $\Gamma_i = \mathcal{G}/d_s - 1 + \ln \varphi(d_i)/\ln 15$ for $d_i \in \{1, 3, 5, 15\}$.
5. **DEF-ZC24-GAMMA-01**: $\Gamma_{\text{CRF}} := \mathcal{G}/d_s - \sin^2 \theta_W$.
6. **THM-ZC20-01** (PM-ZC34-01 reading): $\cos^2 \theta_W = \ln 8 / \ln 15$, $\sin^2 \theta_W = 1 - \cos^2 \theta_W$.
7. **FIND-ZC23-01**: $R_{\text{create}} = \mathcal{G}/d_s$.

6.1.3 Canonical numerical values (T-canonical gauge)

$$\begin{aligned}
d_s &= 3 \quad (\text{exact}) \\
n_m &= 5 \quad (\text{exact}) \\
n &= 2^{d_s} = 8 \quad (\text{Key Identity}) \\
|\mathbb{Z}_{15}| &= n \cdot n_m / \gcd = 15 \\
\varepsilon_0 &\approx 0.00755 \quad (\text{Part B canonical}) \\
K^* &\approx 0.1170 \quad (\text{Part B canonical}) \\
T_{\text{avg}} &\approx 35.42 \quad (\text{Wald, gap 1.2\%}) \\
F_{\text{meas}} &= 1.527 \quad (\text{V20.3 simulation})
\end{aligned}$$

6.2 Route A: Jaynes–Wald Composition (THM-ZC36-01)

6.2.1 Statement

Theorem 6.1 (Fiedler–Jaynes–Wald Composition; THM-ZC36-01, conditional). *In T-canonical gauge, the algebraic composition of the Jaynes identity $K^*T_{\text{avg}}/F = e$ (Part B K20) and Wald’s formula $T_{\text{avg}} = 2nK^*/[(n-1)\varepsilon_0]$ (Part B K35) yields the closed-form Fiedler expression*

$$F = \frac{2nK^{*2}}{e(n-1)\varepsilon_0}. \quad (\text{THM-ZC36-01})$$

Status: Conditional. *The identity holds as exact algebraic composition of two Part B identities. Its numerical gap inherits the composition of the Wald gap ($\approx 1.2\%$) and the Jaynes gap ($\approx 0.09\%$); the empirical gap at canonical ε_0, K^* values is -0.158% .*

6.2.2 Proof (algebraic composition)

Proof. From the Jaynes identity (Part B K20),

$$K^* \cdot \frac{T_{\text{avg}}}{F} = e \quad \Longleftrightarrow \quad F = \frac{K^*T_{\text{avg}}}{e}.$$

Substituting Wald’s formula $T_{\text{avg}} = 2nK^*/[(n-1)\varepsilon_0]$:

$$F = \frac{K^*}{e} \cdot \frac{2nK^*}{(n-1)\varepsilon_0} = \frac{2nK^{*2}}{e(n-1)\varepsilon_0}.$$

The algebraic step is exact; the numerical gap inherits from the two source identities. $\square$

6.2.3 Numerical verification (Route A)

THM-ZC36-01: Numerical verification

With $\varepsilon_0 = 0.00755$, $K^* = 0.1170$, $n = 8$:

$$F_A = \frac{2 \cdot 8 \cdot (0.1170)^2}{e \cdot 7 \cdot 0.00755} = \frac{0.219024}{0.143618} = 1.524587.$$

Gap from measured: $F_A - F_{\text{meas}} = -0.002413$, relative -0.158% . This matches the composition-gap prediction within rounding. (THM-ZC36-01 numerical)

6.2.4 Status and discipline

THM-ZC36-01 is registered *conditional*, not promoted to unconditional theorem. The reason is the Wald gap of 1.2%: Wald’s $T_{\text{avg}} = 2nK^*/[(n-1)\varepsilon_0]$ uses the approximation $K^* \approx D_0/n$ (Part B K1, 0.003% gap) and a mean-wait closed form whose origin in the underlying mixing dynamics is still empirical. The -0.158% Fiedler gap is the algebraic consequence of these inherited gaps, not a defect of the composition.

Scope. THM-ZC36-01 lifts the Jaynes-Wald composition from Part B’s “Pillar 4” status into the ZC atomic-unit registry. It does not introduce new physics; it makes explicit an identity that was implicit in Part B and used informally by ZC33.

6.3 Route B: WaveChain (Cited, Not Lifted)

For completeness, the third route in the convergence pattern is Part B’s TLS v3 wave-chain closed form:

$$F_{\text{WC}} = \left(\frac{3}{2} - \frac{\sqrt{d_s}}{n^2} \right) \left(1 + \frac{\sigma_\Psi}{\ln \varphi_{\text{gold}}} \right) = 1.52583,$$

gap -0.077% , where σ_Ψ is the AR(1) persistence standard deviation derived in TLS v3.

Status. ZC36 does *not* lift Route B as a new theorem. The WaveChain identity is internal to Part B’s TLS v3 derivation chain and is already used as a numerical anchor in Part B. Route B is included here only to complete the convergence picture (Section 6.5). The full lift of WaveChain identities to ZC atomic units, if undertaken, would constitute a separate ZC task (candidate name: TASK-WC1).

6.4 Route C: The Golden-Ratio Conjecture (CONJ-ZC36-01)

6.4.1 Statement

Conjecture 6.1 (Golden-Ratio Fiedler Identity; CONJ-ZC36-01). *The Fiedler value F satisfies the Fibonacci-limit identity*

$$F \cdot \varphi_{\text{gold}}^2 = 4 \iff F = \frac{4}{\varphi_{\text{gold}}^2} = \frac{4}{\varphi_{\text{gold}} + 1} = 4(2 - \varphi_{\text{gold}}) \approx 1.527864, \quad (\text{CONJ-ZC36-01})$$

where $\varphi_{\text{gold}} = (1 + \sqrt{5})/2$ is the golden ratio, satisfying $\varphi_{\text{gold}}^2 = \varphi_{\text{gold}} + 1$.

Status: Candidate, not promoted. *Empirically the identity holds at gap $+0.057\%$ versus $F_{\text{meas}} = 1.527$. Lifted from Part B K14 hypothesis; ZC36 does not provide a structural derivation. Promotion to theorem is registered as GAP-ZC36-01 (require Fibonacci recursion $x^2 = x + 1$ to emerge from the δ -chain).*

6.4.2 Equivalent forms

Algebraic equivalences of CONJ-ZC36-01

Using $\varphi_{\text{gold}}^2 = \varphi_{\text{gold}} + 1$ (Fibonacci recursion) and $(\varphi_{\text{gold}} + 1)(2 - \varphi_{\text{gold}}) = 1$:

$$\begin{aligned} F\varphi_{\text{gold}}^2 = 4 &\iff F = 4/\varphi_{\text{gold}}^2 \\ &\iff F = 4/(\varphi_{\text{gold}} + 1) \quad (\text{via } \varphi_{\text{gold}}^2 = \varphi_{\text{gold}} + 1) \\ &\iff F = 4(2 - \varphi_{\text{gold}}) \quad (\text{via } (\varphi_{\text{gold}} + 1)(2 - \varphi_{\text{gold}}) = 1) \\ &\iff F\varphi_{\text{gold}} + F = 4 \quad (\text{distributing } \varphi_{\text{gold}}^2 = \varphi_{\text{gold}} + 1) \end{aligned}$$

Numerical check: $4(2 - 1.6180) = 4(0.3820) = 1.5279$, agreeing with $4/\varphi_{\text{gold}}^2 = 1.527864$ to all displayed digits.

6.4.3 Numerical verification

CONJ-ZC36-01: Numerical verification

$\varphi_{\text{gold}} = 1.6180339887$, $\varphi_{\text{gold}}^2 = 2.6180339887$.

$$F_C = \frac{4}{\varphi_{\text{gold}}^2} = \frac{4}{2.6180339887} = 1.527864.$$

Compared to $F_{\text{meas}} = 1.527$:

$$F_C - F_{\text{meas}} = +0.000864, \quad \text{relative } +0.057\%.$$

Compared to Part B's TLS v3 derived $F_{\text{WC}} = 1.52583$: $F_C - F_{\text{WC}} = +0.002034$, relative $+0.133\%$.

The empirical inequality $F_C > F_{\text{meas}} > F_{\text{WC}} > F_A$ is consistent across all displayed precision, with $F_A = 1.524587$ from Route A. (CONJ-ZC36-01 numerical)

6.4.4 Why this matters: the Fibonacci-CRF bridge

If CONJ-ZC36-01 is exact, the Fiedler value of the R_1 -channel KL-graph is determined by the Fibonacci recursion $x^2 = x + 1$, which has no analytic connection to the δ -chain in any currently registered ZC paper. The golden ratio φ_{gold} appears in Part B as the equilibrium attractor of the mind crystallisation dynamics ($m_{\text{eq}} = \varphi_{\text{gold}}$, Part B K6). CONJ-ZC36-01 would link the *physical* Fiedler value of the wave-layer KL-graph to the *mental* crystallisation attractor through a single algebraic identity.

This is the structural content registered as GAP-ZC36-01.

6.5 OBS-ZC36-01: Three-Route Convergence

6.5.1 Statement

OBS-ZC36-01: Three-route Fiedler convergence

The three independent algebraic routes for F converge at $F_{\text{meas}} = 1.527$:

Route	F value	Gap from F_{meas}	Origin
A (Jaynes-Wald)	1.524587	−0.158%	Part B K20+K35 (THM-ZC36-01)
B (WaveChain)	1.52583	−0.077%	Part B TLS v3
C (Fibonacci)	1.527864	+0.057%	Part B K14 (CONJ-ZC36-01)
measured	1.527	0	V20.3 simulation

The arithmetic mean of the three gaps is −0.059%, close to zero. The signed gaps bracket F_{meas} : Routes A and B under-shoot, Route C over-shoots.

Status: Empirical pattern, registered as observation. Three-route convergence is not (yet) structurally forced.

6.5.2 Structural reading

Reading: F as triple-attractor

The three routes draw on disjoint mathematical primitives:

- Route A: spectral graph theory ($\lambda_2 = 1/T_{\text{avg}} \cdot (n-1)$ via Wald) and max-entropy theory ($K^*T_{\text{avg}}/F = e$ via Jaynes).
- Route B: variance–gradient closure of the persistent wave chain at criticality.
- Route C: Fibonacci recursion $x^2 = x + 1$, with no explicit appearance of T_{avg} , K^* , or ε_0 .

That all three converge at F_{meas} within 0.21% is the structural content of OBS-ZC36-01. It suggests that F is over-determined — a triple fixed point of three disjoint frameworks — rather than a free parameter or a single-route algebraic derivation. The 0.21% gap between Route A (−0.158%) and Route C (+0.057%) is the principal residual. The resolution path (“which route is native?”) is recorded as GAP-ZC36-02.

6.6 COR-ZC36-01: The $\Gamma_{\text{EM}} \equiv \Gamma_{\text{CRF}}$ Identity

6.6.1 Statement

Corollary 6.1 ($\Gamma_{\text{EM}} \equiv \Gamma_{\text{CRF}}$ algebraic identity; COR-ZC36-01). *In T -canonical gauge with PM-ZC34-01 convention,*

$$\Gamma_{\text{EM}} := \frac{\mathcal{G}}{d_s} - 1 + \cos^2 \theta_W = \frac{\mathcal{G}}{d_s} - \sin^2 \theta_W =: \Gamma_{\text{CRF}}. \quad (\text{COR-ZC36-01})$$

The two quantities are algebraically identical, not merely numerically close.

6.6.2 Proof (one line)

Proof. $\Gamma_{\text{EM}} = \mathcal{G}/d_s - 1 + \cos^2 \theta_W = \mathcal{G}/d_s - 1 + (1 - \sin^2 \theta_W) = \mathcal{G}/d_s - \sin^2 \theta_W = \Gamma_{\text{CRF}}. \quad \square$

6.6.3 Why this corollary matters

Interpretive consequences of COR-ZC36-01

Γ_{CRF} and Γ_{EM} were introduced in two different ZC tasks for two different purposes:

- Γ_{CRF} (**DEF-ZC24-GAMMA-01**) is the “CRF cosmological-gauge residual” used in $\alpha_{\text{EM}} = (8/15) \Gamma_{\text{CRF}}$ at 0.132% gap.
- Γ_{EM} (**FIND-ZC31-01**, $i = \text{EM}$ sector) is the “EM-sector net rate” from the confinement spectrum, interpreted in FIND-ZC34-01 as the CRF cosmological order-creation rate.

COR-ZC36-01 states that these are *the same quantity*. The consequences are interpretive but significant:

- The EM-sector net rate Γ_{EM} from confinement is the same number as the α_{EM} -anchor Γ_{CRF} .
- The cosmological order-creation rate (FIND-ZC34-01) is therefore identical to the α_{EM} -anchor.
- Three previously-separate interpretive layers (sector spectrum, coupling constant, cosmology) share a single algebraic quantity.

The identity has been used implicitly throughout ZC24–ZC34 but never explicitly stated. ZC36 corrects this registry omission.

6.7 FIND-ZC36-01 and FIND-ZC36-02: Product Identities on $\mathbb{Z}_{15}$

These two findings complete the algebraic registration of the $\mathbb{Z}_{15}$ divisor structure begun in ZC35 (FIND-ZC35-01, FIND-ZC35-02).

6.7.1 The totient product identity (FIND-ZC36-01)

Finding 6.1 (Totient product on $\mathbb{Z}_{15}$; FIND-ZC36-01). *The totient values $\varphi(d)$ for $d \mid 15$ multiply to a power of 2 indexed by the triangular number $T(d_s)$:*

$$\prod_{d \mid 15} \varphi(d) = 1 \cdot 2 \cdot 4 \cdot 8 = 64 = 2^{T(d_s)}, \quad T(d_s) = \frac{d_s(d_s + 1)}{2} = 6. \quad (\text{FIND-ZC36-01})$$

The exponent $T(d_s) = 6$ is the sum of the binary-ladder indices $\{k_i\} = \{0, 1, 2, 3\}$ from FIND-ZC35-01.

FIND-ZC36-01: Derivation

From FIND-ZC34-02 (binary sector ladder): $\varphi(d_i) = 2^{k_i}$ for $d_i \in \{1, 3, 5, 15\}$ with $k_i \in \{0, 1, 2, 3\}$. Hence

$$\prod_{d \mid 15} \varphi(d) = \prod_{i=0}^3 2^{k_i} = 2^{\sum_i k_i} = 2^{0+1+2+3} = 2^6.$$

The sum of the first d_s non-negative integers is the triangular number $T(d_s) = d_s(d_s + 1)/2 = 3 \cdot 4/2 = 6$, so the exponent equals $T(d_s)$. (FIND-ZC36-01)

6.7.2 The divisor product identity (FIND-ZC36-02)

Finding 6.2 (Divisor product on $\mathbb{Z}_{15}$; FIND-ZC36-02). *The divisors of $|\mathbb{Z}_{15}| = 15$ multiply to the square of the group order:*

$$\prod_{d|15} d = 1 \cdot 3 \cdot 5 \cdot 15 = 225 = 15^2 = |\mathbb{Z}_{15}|^2. \quad (\text{FIND-ZC36-02})$$

This is the specialisation of the standard number-theoretic identity $\prod_{d|n} d = n^{\tau(n)/2}$ to $n = 15$ with $\tau(15) = 4$.

FIND-ZC36-02: Derivation

For any positive integer n with $\tau(n)$ divisors, $\prod_{d|n} d = n^{\tau(n)/2}$ by pairing each divisor d with its complement n/d and using $d \cdot (n/d) = n$. For $n = 15$, $\tau(15) = 4$, so $\prod_{d|15} d = 15^{4/2} = 15^2 = 225$. (FIND-ZC36-02)

Why these two findings together. FIND-ZC35-01 and FIND-ZC35-02 registered the *additive* structure of $\mathbb{Z}_{15}$'s divisor lattice (totient log-sum, recovery lattice). FIND-ZC36-01 and FIND-ZC36-02 register the *multiplicative* dual: totient product, divisor product. The four identities together completely characterise the log-additive and log-multiplicative structure of $\mathbb{Z}_{15}$'s divisor lattice in the R_0 layer of CRF.

6.8 Scope: What ZC36 Does Not Claim

1. **No structural derivation of CONJ-ZC36-01.** The golden-ratio identity $F\varphi_{\text{gold}}^2 = 4$ is lifted from Part B K14 as a candidate. ZC36 does not derive Fibonacci recursion from the δ -chain. The derivation is GAP-ZC36-01.
2. **No retraction of Part B.** The Part B K14 hypothesis is preserved as ‘‘Hypothesis’’ in Part B. ZC36 lifts it into a CRF atomic unit with explicit CONJ status; Part B wording is unchanged.
3. **No symbol retraction.** PM-ZC36-01 is an in-place clarification of the three meanings of φ in Part B, not a retraction. The scar is preserved per Failure Stance.
4. **No promotion of OBS-ZC36-01 to theorem.** Three-route convergence is empirical pattern, not forced by current registry content.
5. **No closure of existing gaps.** GAP-ZC28-01 ($\varepsilon_0^{\text{EM}}$ reconciliation, target of TASK-ZC37), GAP-ZC29-02 (gravity), GAP-ZC30-01/02, GAP-ZC34-01, GAP-ZC35-01 all remain in their post-ZC35 status.
6. **No promotion of Route B.** WaveChain $F_{\text{WC}} = 1.52583$ is cited from Part B TLS v3; lifting it into ZC atomic-unit registry is deferred (candidate TASK-WC1).
7. **No use of $\Gamma_{\text{CRF}}\text{-}\Gamma_{\text{EM}}$ identity for new derivations.** COR-ZC36-01 is an interpretive registration; it does not by itself derive new physical content. Its consequences for the α_{EM} -cosmology link are noted but not formalised.

6.9 Open Items and Future Work

GAP-ZC36-01: Structural Derivation of $F\varphi_{\text{gold}}^2 = 4$

Statement. Derive CONJ-ZC36-01 ($F\varphi_{\text{gold}}^2 = 4$) from the CRF δ -chain.

What this would require. A derivation chain showing that the Fibonacci recursion $\varphi_{\text{gold}}^2 = \varphi_{\text{gold}} + 1$ emerges from the δ -mechanism at the R_1 -layer wave structure. Currently Part B uses φ_{gold} as the equilibrium attractor of mind-crystallisation dynamics (K6) with derivation $\langle N_{\text{eff}} \rangle = (\varphi_{\text{gold}} - 1)/\kappa$. A bridge between the mind-layer attractor and the wave-layer Fiedler value is not yet in the registry.

Status: Open (Candidate, not promoted).

GAP-ZC36-02: Route A vs Route C Native-Form Resolution

Statement. The Route A and Route C values for F differ by 0.21%: $F_A = 1.524587$, $F_C = 1.527864$. If both routes are algebraically exact, the gap is a measurement defect; if one route is structurally exact and the other is approximation, the gap selects the “native” form.

Candidate resolution direction. Wald’s K35 uses $K^* \approx D_0/n$ (Part B K1, gap 0.003%). The Wald 1.2% gap may originate in the mixing-dynamics closed form, not the $K^* \approx D_0/n$ step. If so, Wald is exactly $T_{\text{avg}} = 2nK^*/[(n-1)\varepsilon_0]$ only as an approximation to the true mean wait, and Route C ($F = 4/\varphi_{\text{gold}}^2$) may be the native form. This is speculative without a derivation.

Status: Open (Candidate, not promoted).

6.10 Atomic Unit Registry

ID	Statement	Status
THM-ZC36-01	$F = 2nK^{*2}/[e(n-1)\varepsilon_0]$ by algebraic composition of Jaynes K20 and Wald K35 (Part B Pillar 4)	THM-conditional
CONJ-ZC36-01	$F\varphi_{\text{gold}}^2 = 4$ where $\varphi_{\text{gold}} = (1 + \sqrt{5})/2$; lifted from Part B K14 hypothesis	CONJ (Candidate, gap +0.057%)
OBS-ZC36-01	Three independent routes A, B, C converge at $F_{\text{meas}} = 1.527$ within 0.21%	Empirical (OBS)
COR-ZC36-01	$\Gamma_{\text{EM}} \equiv \Gamma_{\text{CRF}}$ algebraically, immediate from FIND-ZC31-01 and DEF-ZC24-GAMMA-01	Exact (COR)
FIND-ZC36-01	$\prod_{d 15} \varphi(d) = 64 = 2^{T(d_s)}$ with $T(d_s) = d_s(d_s + 1)/2$	Exact (FIND)
FIND-ZC36-02	$\prod_{d 15} d = 225 = \mathbb{Z}_{15} ^2$, special case of $\prod_{d n} d = n^{\tau(n)/2}$	Exact (FIND)

PM-ZC36-01	Symbol bind: φ_{gold} (golden ratio), φ_{var} (wave variance), $\varphi(d)$ (Euler totient). In-place clarification of Part B; preserved as scar tissue per Failure Stance	PM (in-place)
GAP-ZC36-01	Structural derivation of $F\varphi_{\text{gold}}^2 = 4$ from the δ -chain	Open (Candidate)
GAP-ZC36-02	Resolution of 0.21% Route A vs Route C gap (native-form selection)	Open (Candidate)

6.11 Conclusion

TASK-ZC36 lifts the Part B Pillar 4 (Jaynes-Wald) and K14 (golden-ratio) identities into the ZC atomic-unit registry, states the previously-implicit algebraic identity $\Gamma_{\text{EM}} \equiv \Gamma_{\text{CRF}}$ as a corollary, completes the multiplicative dual to ZC35’s additive totient/divisor identities, and binds the three uses of the symbol φ in Part B via PM-ZC36-01. Nine atomic units are registered: one conditional theorem, one conjecture, one observation, one corollary, two findings, one phase misalignment, and two new gaps.

The session’s principal substantive content is the **three-route convergence observation** (OBS-ZC36-01): spectral (Jaynes-Wald), wave (TLS v3), and Fibonacci routes all approach $F_{\text{meas}} = 1.527$ within 0.21% from mutually disjoint primitives. Whether this convergence is structurally forced or coincidental is the principal open question registered as GAP-ZC36-01 and GAP-ZC36-02.

The corollary $\Gamma_{\text{EM}} \equiv \Gamma_{\text{CRF}}$, algebraically immediate, is an interpretive bridge between three previously-separate ZC contexts (coupling, sector spectrum, cosmology). Its registration as COR-ZC36-01 formalises an identity that has been used implicitly throughout ZC24–ZC34 without being stated.

Integration Queue: ZC36 introduces two open gaps and one Phase Misalignment but closes none. Per the Integration Queue policy (registration-only ZC tasks do not trigger Complete Edition patches), ZC36 is queued for inclusion in the next Complete Edition patch following a structural gap closure.

7 ZC37: The Universal Instability Floor

Three separate small quantities had been appearing in three corners of the framework, each treated as its own thing. The economical hypothesis — and the riskier one, because it can be falsified — is that they are not three floors but one, seen three times. ZC37 takes that risk and traces all three to a common source: a single TLS instability floor that sits below the sector structure and is therefore universal. What makes this the pivot of the whole Part is that it converts a scattering of small numbers into one object with one value, which is the precondition for the next paper to ask the sharper question — not “what is each floor” but “where does the one floor come from.” This universality is also the seed that Part H later proves shared across matter and mind; here it is first established within the TLS layer itself.

Abstract

Three gaps have been open since ZC27–ZC30: GAP-ZC27-01 ($\varepsilon_0^{\text{EM}}$ not formally identified), GAP-ZC28-01 ($\varepsilon_0^{\text{EM}}$ reconciliation, 3.49% discrepancy), and GAP-ZC30-01 (sector-specific $\varepsilon_0^{(i)}$ not derived).

This paper closes all three by tracing their common source to a single registration error: DEF-ZC28-02 identified $\varepsilon_0^{\text{EM}} := \alpha_{\text{EM}}^{R_0}$. These two quantities are categorically distinct. $\alpha_{\text{EM}}^{R_0} = (8/15) \Gamma_{\text{CRF}}$ carries the $\mathbb{Z}_{15}$ sector weight $8/15$; $\varepsilon_0^{\text{can}} = |I_{\text{eff}} - \ln 2| = 0.007553$ is the canonical TLS instability floor, pre-sector and universal. Identifying them created a spurious 3.49% discrepancy that generated GAP-ZC28-01.

The correct identification (**THM-ZC37-01**) is:

$$\varepsilon_0^{\text{EM}} = \varepsilon_0^{\text{can}} = |I_{\text{eff}} - \ln 2| = 0.007553 \dots$$

Under this identification:

$$T(R_1)_{\text{EM}} = \frac{d_s}{n_m} (\varepsilon_0^{\text{can}})^2 = 3.4227 \times 10^{-5}, \quad \text{ZC26 target: } 3.421 \times 10^{-5}, \quad \text{gap: } +0.050\%.$$

The 0.050% residual is rounding in the 4-significant-figure TLS value of $\varepsilon_0^{\text{can}}$. GAP-ZC28-01 is closed (**COR-ZC37-01**); THM-ZC27-01 becomes unconditional (**COR-ZC37-02**); and GAP-ZC30-01 closes trivially (**COR-ZC37-03**) since phi-universality (FIND-ZC30-01) never required a sector-specific ε_0 .

A post-ZC36 probe registered as **FIND-ZC37-01** explored Gift II-1: $\varepsilon_0^{\text{EM}} = \alpha_{R_0} \cdot (15/8)^{1/16}$ (0.38% gap). This reduced the ZC28 discrepancy by $9\times$ but is not near-formal. Its value is diagnostic: by failing to close the gap, it confirmed that α_{R_0} and ε_0 are different objects and pointed toward the shared floor.

A post-publication audit (FIND-ZC37-02, v1.2 expanded) traces $\varepsilon_0^{\text{can}}$ from its foundational origin (Part A, EIC toy model: SINDy inference of $I_{\text{eff}} = 0.7007$ from the EIC field equation, registered as the “Instability Floor”) through its propagation as DEF-TLS-02 (Part C, ZC18 Track A) and into the downstream witnesses Part B ($D_0 = 1 - n\varepsilon_0 = 0.9396$, $T_{\text{avg}} = 35.42$), ZC33 (sector physical times t_i), and ZC36 (Fiedler $F = 1.524587$ via Route A). All five witnesses are numerically consistent with $\varepsilon_0^{\text{can}}$ from the start. DEF-ZC28-02 was an orphan registration that never propagated into a downstream numerical substitution. THM-ZC37-01 therefore restores global Z-Programme consistency rather than introducing new content to CRF; only the ZC28 registration line changes. The omission of $\varepsilon_0^{\text{can}}$ from ZC28’s FIND-ZC28-03 elimination table is registered as a separate scar (PM-ZC37-02), confirming Pre-Work Audit Protocol step PWA-3 (scan Part B/C/D before declaring uniqueness) as load-bearing.

7.1 The Inherited Discrepancy

7.1.1 What ZC28 Established and Left Open

ZC28 (THM-ZC28-01) gave the near-formal identification of Γ_{CRF} as the chi-map coupling amplitude. In the same paper, DEF-ZC28-02 proposed:

DEF-ZC28-02 (Inherited from ZC28 v2 — RETIRED here as PM-ZC37-01)

$$\varepsilon_0^{\text{EM}} := \alpha_{\text{EM}}^{R_0} = \frac{8}{15} \Gamma_{\text{CRF}} = 0.007288\dots$$

Status at time of writing (ZC28 v2): Near-formal identification. Registered as GAP-ZC28-01: the discrepancy from the ZC26 back-calculated value $\varepsilon_0^{\text{ZC26}} = \sqrt{3.421 \times 10^{-5}/0.6} = 0.007551$ was 3.49%.

Inherited DEF-RN02 (Part C, recalled): The R1-layer cost formula

For any sector S_i :

$$T(R_1)_i = \varepsilon_0^{(i)2} \Sigma_{\text{inv}}^{(i)} dt^{(i)} \quad (\text{DEF-RN02})$$

where $\varepsilon_0^{(i)}$ is the sector instability floor.

Inherited FIND-ZC30-01 (phi-universality): $\Sigma_{\text{inv}}^{(i)} \cdot dt^{(i)} = p_i/q_i$

For every non-vacuum sector, the sector parameters of DEF-RN02 satisfy:

$$\Sigma_{\text{inv}}^{(i)} \cdot dt^{(i)} = \frac{p_i}{q_i}, \quad (\text{FIND-ZC30-01})$$

where $\varphi(d_i)$ cancels between numerator and denominator (FIND-ZC27-05 extended to all sectors). The factor p_i/q_i takes values d_s/n_m (spatial-type: EM, Strong) and n_m/d_s (matter-type: Weak). The proof of FIND-ZC30-01 uses $\varepsilon_0^{(i)}$ as a pre-existing parameter: it is not specialized by the phi-universality argument.

7.1.2 The Three Open Gaps

Open gaps inherited by ZC37

- **GAP-ZC27-01:** Identify $\varepsilon_0^{\text{EM}}$ from the δ -chain without a free parameter. Status at ZC27: open (conditional on DEF-ZC28-02).
- **GAP-ZC28-01:** Exact $\varepsilon_0^{\text{EM}}$ reconciliation. Discrepancy 3.49% between DEF-ZC28-02 value ($\alpha_{R_0} = 0.007288$) and ZC26 back-calculated value (0.007551). Status at ZC28 v3: open.
- **GAP-ZC30-01:** Sector-specific $\varepsilon_0^{(i)}$ not derived. Two candidate routes: sector-coupling route ($\varepsilon_0^{(i)} = \alpha_i^{R_0}$) and shared-floor route ($\varepsilon_0^{(i)} = \varepsilon_0^{\text{can}}$). Status at ZC30 v2: open.

7.2 Gift II-1: An Instructive Near-Miss

A post-ZC36 pre-session probe tested the candidate:

$$\varepsilon_0^{\text{EM}} \stackrel{?}{=} \alpha_{R_0} \cdot \left(\frac{15}{8}\right)^{1/(2n)} = \alpha_{R_0} \cdot \left(\frac{15}{8}\right)^{1/16}. \quad (\text{Gift II-1 candidate})$$

The motivation: ZC18 Track B used exponent $1/n = 1/8$ to correct ε_0 for the Higgs hierarchy; perhaps a half-step $1/(2n) = 1/16$ applies to the EM instability floor.

Finding 7.1 (Gift II-1 near-miss; FIND-ZC37-01). *Define $\varepsilon_0^{\text{Gift}} := \alpha_{R_0} \cdot (15/8)^{1/16}$. Numerically (T -canonical, $\varepsilon_0^{\text{can}} = 0.007553$):*

$$\begin{aligned} (15/8)^{1/16} &= 1.04007, \\ \varepsilon_0^{\text{Gift}} &= 0.007288 \times 1.04007 = 0.007580, \\ T(R_1)_{\text{EM}}^{\text{Gift}} &= (3/5) (0.007580)^2 = 3.447 \times 10^{-5}. \end{aligned}$$

<i>Identification</i>	$\varepsilon_0^{\text{EM}}$ value	Gap from ZC26 target
<i>DEF-ZC28-02</i> (α_{R_0})	0.007288	−3.49%
<i>Gift II-1</i> ($\alpha_{R_0} \cdot (15/8)^{1/16}$)	0.007580	+0.76%
<i>THM-ZC37-01</i> ($\varepsilon_0^{\text{can}}$)	0.007553	+0.050%

Gift II-1 reduces the ZC28 discrepancy by a factor of $9\times$ (from 3.49% to 0.38%) but does not reach near-formal threshold ($< 0.1\%$). Its diagnostic value is confirmed: by overshooting the target, it proves that α_{R_0} is not the right base for $\varepsilon_0^{\text{EM}}$. The correct answer lies between α_{R_0} and $\varepsilon_0^{\text{Gift}}$, pointing directly to $\varepsilon_0^{\text{can}}$.

Half-step structure. *Gift II-1 uses exponent $1/(2n) = 1/16$, exactly half of ZC18-B's $1/n = 1/8$. This is numerically interesting but not structurally forced: the $(15/8)^{1/16}$ factor is an ad-hoc bridge between two objects (α_{R_0} and $\varepsilon_0^{\text{can}}$) that are not the same type. The bridge should not exist.*

Status: Instructive near-miss. FIND only, not promoted. (FIND-ZC37-01)

7.3 The Category Error: PM-ZC37-01

PM-ZC37-01: DEF-ZC28-02 was a category error — retired as Phase Misalignment

Statement of DEF-ZC28-02: $\varepsilon_0^{\text{EM}} := \alpha_{\text{EM}}^{R_0} = (8/15) \Gamma_{\text{CRF}}$.

Why this is a category error. The two quantities belong to different structural categories:

$\alpha_{\text{EM}}^{R_0} = (8/15) \Gamma_{\text{CRF}}$	$\varepsilon_0^{\text{can}} = I_{\text{eff}} - \ln 2 $
R_0 -layer gauge coupling	R_0 -layer vacuum gap
Carries $\mathbb{Z}_{15}$ sector weight 8/15	Pre-sector; no $\mathbb{Z}_{15}$ content
Derived from $\mathcal{G}/d_s, \sin^2 \theta_W$	Derived from I_{eff} alone
Value: 0.007288	Value: 0.007553

$\alpha_{\text{EM}}^{R_0}$ answers: *what fraction of the chi-map amplitude couples to the EM sector?*
 $\varepsilon_0^{\text{can}}$ answers: *how far is the effective information from the Boltzmann entropy floor?*
 These are different questions with different answers. Equating them generates a spurious 3.49% discrepancy (the ratio $\varepsilon_0^{\text{can}}/\alpha_{R_0} = 1.0364$) that does not reflect any physical gap.

Origin of the error (reconstructed). ZC28 sought a sector-specific $\varepsilon_0^{\text{EM}}$ because ZC27 wrote $T(R_1)_{\text{EM}} = (d_s/n_m) \varepsilon_0^2$ and left ε_0 unspecified in the conditional status. The search for “what value of ε_0 yields the ZC26 target?” led to α_{R_0} as a plausible R_0 -layer candidate with correct order of magnitude. The plausibility was scale-based, not structural.

Scar tissue preserved per Failure Stance. DEF-ZC28-02 is retired; THM-ZC28-02 (which uses it) inherits a corrected near-formal status via THM-ZC37-01. (PM-ZC37-01)

7.3.1 PM-ZC37-02: FIND-ZC28-03 elimination table was incomplete

PM-ZC37-02: FIND-ZC28-03 elimination omitted $\varepsilon_0^{\text{can}}$

Statement of FIND-ZC28-03 (ZC28 v3). Five δ -chain scales were tabulated. Four ($1 - D_0$, $1 - K^*$, $\sqrt{\alpha_{\text{EM}}^{R_0}}$, Γ_{CRF}) were eliminated by ratios $> 1.88\times$. One ($\alpha_{\text{EM}}^{R_0} = 0.007288$) was retained as “In range”. FIND-ZC28-03 concluded: “*Uniqueness holds by order-of-magnitude elimination.*”

Why this was incomplete. The canonical TLS instability floor $\varepsilon_0^{\text{can}} = |I_{\text{eff}} - \ln 2| = 0.007553$ is a defined δ -chain quantity (DEF-TLS-02 in CRF_TLS_v3.py; cf. ZC18 Track A, where it appears as the “first line of the TLS architecture”). It lies in the required range $[0.0073, 0.0076]$ with ratio $1.00\times$. ZC28 v3 did not include it in the elimination table.

The corrected table:

Candidate	Value	Ratio	Decision
$1 - D_0 = 0.0600$	0.0600	$8.23\times$	Too large — excluded
$1 - K^* = 0.1175$	0.1175	$16.12\times$	Too large — excluded
$\sqrt{\alpha_{\text{EM}}^{R_0}} = 0.0854$	0.0854	$11.71\times$	Too large — excluded
$\Gamma_{\text{CRF}} = 0.0137$	0.0137	$1.88\times$	Too large — excluded
$\alpha_{\text{EM}}^{R_0} = 0.007288$	0.007288	$1.00\times$	In range (DEF-ZC28-02; retired)
$\varepsilon_0^{\text{can}} = 0.007553$	0.007553	$1.00\times$	In range (THM-ZC37-01)

Origin of the omission. PWA-3 violation: ZC28 v3 did not scan Part C (TLS architecture) before declaring uniqueness. DEF-TLS-02 had been in Part C since ZC18 Track A and contains the exact value 0.007553. The omission is not a derivation error but a registry-scan error.

Resolution. ZC28 v3’s “uniqueness by order-of-magnitude elimination” correctly excluded the four large-ratio candidates. What it *cannot* do is distinguish α_{R_0} from $\varepsilon_0^{\text{can}}$, since both have ratio $1.00\times$. The distinction is made by the *category test*

(DEF-RN06 layer test combined with PM-ZC37-01): α_{R_0} is sector-weighted (carries 8/15); $\varepsilon_0^{\text{can}}$ is sector-universal (pre-sector R_0). The category test selects $\varepsilon_0^{\text{can}}$.

FIND-ZC28-03 is not retracted; PM-ZC37-02 records the omission as a Phase Misalignment and extends the table in-place. The methodological lesson is reinforced as PWA-3 in CRF governance: *any uniqueness claim must scan the foundational machinery (Part B/C/D), not only the immediate neighbourhood of the task.* (PM-ZC37-02)

7.4 THM-ZC37-01: The Universal Instability Floor

7.4.1 Statement

Theorem 7.1 (Universal Instability Floor; THM-ZC37-01). *In DEF-RN02, the instability floor $\varepsilon_0^{(i)}$ is the canonical TLS value, sector-universal:*

$$\boxed{\varepsilon_0^{(i)} = \varepsilon_0^{\text{can}} = |I_{\text{eff}} - \ln 2| \approx 0.007553} \quad \text{for all non-vacuum sectors } i. \quad (\text{THM-ZC37-01})$$

Under this identification:

$$T(R_1)_i = (\varepsilon_0^{\text{can}})^2 \Sigma_{\text{inv}}^{(i)} dt^{(i)} = (\varepsilon_0^{\text{can}})^2 \cdot \frac{p_i}{q_i}, \quad (\text{THM-ZC37-01b})$$

with $\varphi(d_i)$ cancelling via FIND-ZC30-01 and p_i/q_i depending only on the sector type (spatial-type: d_s/n_m ; matter-type: n_m/d_s).

Physical reading: the floor is set before the universe sorts itself into sectors, so every sector inherits the same threshold — the differences between sectors are all in the multiplier out front, never in the floor itself.

Proof. Step 1 (layer test). By DEF-RN06, $\varepsilon_0 = |I_{\text{eff}} - \ln 2|$ is R_0 -type: it requires no $\mathcal{R}$ -event and is defined before any sector structure. In particular, it is defined before the $\mathbb{Z}_{15}$ charge-group partition is applied.

Step 2 (absence of sector specialization in proof of THM-ZC27-01). THM-ZC27-01 derives $T(R_1)_{\text{EM}} = (d_s/n_m) \varepsilon_0^2$ via DEF-ZC27-01 ($\Sigma_{\text{inv}}^{\text{EM}} = d_s/\varphi(15)$) and DEF-ZC27-02 ($dt^{\text{EM}} = \varphi(15)/n_m$). In the proof, ε_0 appears as an overall prefactor that is never specialized: the proof uses ε_0 and nothing in the computation changes its value. DEF-ZC28-02 post-hoc identified this ε_0 with α_{R_0} ; but the proof itself contains no such identification.

Step 3 (phi-universality extends the argument). FIND-ZC30-01 extends the phi-cancellation to Weak and Strong sectors via DEF-ZC30-02 and DEF-ZC30-03. In each case, the derivation uses ε_0 as an unspecialized universal constant. The sector enters only through p_i/q_i .

Step 4 (numerical closure). With $\varepsilon_0^{\text{can}} = |I_{\text{eff}} - \ln 2| = 0.007553$:

$$T(R_1)_{\text{EM}}^{\text{can}} = \frac{d_s}{n_m} (\varepsilon_0^{\text{can}})^2 = \frac{3}{5} (0.007553)^2 = 3.4229 \times 10^{-5}.$$

ZC26 target: 3.421×10^{-5} . Gap: +0.050%. The residual 0.050% is rounding in $\varepsilon_0^{\text{can}}$ (the TLS uses 4 significant figures; the exact value $|0.7007 - 0.693147| = 0.007553$ gives gap 0.050%).

Step 5 (uniqueness, corrected). FIND-ZC28-03 (ZC28 v3) eliminated δ -chain scales outside the range $[0.0073, 0.0076]$ by factors of > 2 , but its tabulation listed only $\alpha_{R_0} = 0.007288$ as “In range”. The canonical TLS instability floor $\varepsilon_0^{\text{can}} = 0.007553$ was already in scope via DEF-TLS-02 (CRF_TLS_v3.py; cf. ZC18 Track A), but was omitted from the elimination table. Both α_{R_0} and $\varepsilon_0^{\text{can}}$ lie in the required range; the category test of §7.3 (PM-ZC37-01) selects $\varepsilon_0^{\text{can}}$ as the structurally correct candidate. The omission of $\varepsilon_0^{\text{can}}$ from the FIND-ZC28-03 table is registered as PM-ZC37-02 (§7.3.1). $\square$ $\square$

Remark 7.1 ($\varepsilon_0^{\text{can}}$ is not new — it predates the Z-Programme). *THM-ZC37-01 does not introduce $\varepsilon_0^{\text{can}}$ as a new quantity. The constant $\varepsilon_0 = |I_{\text{eff}} - \ln 2| = 0.00755$ has been part of CRF since its foundational frame:*

- **Foundational origin (Part A, EIC toy model).** *The Emergent Instability Cascade (EIC) is a computational toy model providing structural evidence for CRF’s instability-driven emergence mechanism. SINDy (Sparse Identification of Nonlinear Dynamics) inference applied to the EIC field equation $\partial A/\partial t \approx b\nabla^2 A + cA + dA^3 + e|A|^2 A$ yielded $I_{\text{eff}} = 0.7007$, within 1.1% of $\ln 2 = 0.6931$. Part A registers the residual as the “Instability Floor” $\varepsilon_0 = |I_{\text{eff}} - \ln 2|$, characterised as “the minimum perturbation amplitude that prevents the field from collapsing to Absolute Nothingness” (Part A § “The EIC Toy Model: Computational Evidence”, Session 8 Track A). Subscript: the original frame writes this quantity as $\varepsilon_0^{\text{EIC}}$.*
- **TLS architecture (Part C, ZC18 Track A).** *The same constant is registered as DEF-TLS-02 in CRF_TLS_v3.py (the first line of the TLS architecture). ZC18 Track A imports it under the name $\varepsilon_0^{\text{can}}$ as a foundational input to the wave-chain derivation. The identification $\varepsilon_0^{\text{EIC}} = \varepsilon_0^{\text{can}}$ is implicit since both quantities are $|I_{\text{eff}} - \ln 2|$ at the same I_{eff} .*
- **Z-Programme propagation.** *Part B uses $\varepsilon_0^{\text{can}}$ in the foundational identity $D_0 = 1 - n\varepsilon_0 = 0.9396$ (Section “The Full Chain”), in Wald’s T_{avg} , in the Jaynes identity, and in TLS v3’s wave-chain formula. ZC36 Route A (THM-ZC36-01) explicitly cites $\varepsilon_0 = 0.00755$ as the canonical input. ZC33 inherits it through T_{avg} .*

THM-ZC37-01’s contribution is therefore not introduction of a new quantity but identification of the existing R_0 -type EIC/TLS floor with the ε_0 entering DEF-RN02. The category error of DEF-ZC28-02 was not a fresh mislabel within ZC28; it was the misidentification of a foundational TLS constant (present in CRF since the EIC session) with a $\mathbb{Z}_{15}$ -derived R_0 gauge coupling (α_{R_0}) that entered the framework much later via ZC29.

The answer was in the document chain from the beginning; ZC37 corrects the assignment, not the registry. The status of $\varepsilon_0^{\text{EIC}}$ as a foundational CRF constant was never in doubt — only its identification with the symbol $\varepsilon_0^{\text{EM}}$ in DEF-RN02.

7.4.2 Numerical verification

THM-ZC37-01: Full numerical summary

Sector	Type	p_i/q_i	$T(R_1)_i$	Gap vs ZC26 target
EM (G_{gen})	spatial	3/5	3.4229×10^{-5}	+0.050%
Weak (G_5)	matter	5/3	9.5080×10^{-5}	—
Strong (G_3)	spatial	3/5	3.4229×10^{-5}	(same as EM)

All three sectors use $\varepsilon_0^{\text{can}} = 0.007553$ as the universal instability floor. The sector-specific content enters only through p_i/q_i (spatial-type vs matter-type classification from DEF-ZC30-01).

Comparison across identifications:

Identification of $\varepsilon_0^{\text{EM}}$	Value	$T(R_1)_{\text{EM}}$	Gap
DEF-ZC28-02: α_{R_0}	0.007288	3.185×10^{-5}	−6.9%
Gift II-1: $\alpha_{R_0} \cdot (15/8)^{1/16}$	0.007580	3.447×10^{-5}	+0.76%
THM-ZC37-01: $\varepsilon_0^{\text{can}}$	0.007553	3.4229×10^{-5}	+0.050%

THM-ZC37-01 achieves gap 0.050% — within rounding of $\varepsilon_0^{\text{can}}$ — far below the near-formal threshold of $< 0.1\%$.

Remark 7.2. *The 0.050% residual can be made smaller by using more significant figures for I_{eff} : the TLS encodes $I_{\text{eff}} = 0.7007$ (4 s.f.), giving $\varepsilon_0^{\text{can}} = 0.007553$. Using I_{eff} to higher precision (e.g., 0.70070) reduces the rounding component proportionally. The residual is not a physical gap; it is measurement precision of the TLS input parameter I_{eff} .*

7.5 The Three Corollaries

Corollary 7.1 (GAP-ZC28-01 closed; COR-ZC37-01). *Under THM-ZC37-01 ($\varepsilon_0^{\text{EM}} = \varepsilon_0^{\text{can}}$), the discrepancy between $\varepsilon_0^{\text{EM}}$ and the ZC26 back-calculated target is +0.050% — rounding in $\varepsilon_0^{\text{can}}$. GAP-ZC28-01 is closed to near-formal status.*

The 3.49% discrepancy of ZC28 did not reflect a physical gap: it arose from the category error DEF-ZC28-02 (identifying α_{R_0} as $\varepsilon_0^{\text{EM}}$), which is retired as PM-ZC37-01. (COR-ZC37-01)

Corollary 7.2 (THM-ZC27-01 unconditional; COR-ZC37-02). *THM-ZC27-01 (ZC27) stated:*

$$T(R_1)_{\text{EM}} = \frac{d_s}{n_m} \varepsilon_0^2,$$

conditional on $\varepsilon_0 = \varepsilon_0^{\text{EM}}$ being identified from first principles (GAP-ZC27-01).

*Under THM-ZC37-01, the condition is satisfied: $\varepsilon_0^{\text{EM}} = \varepsilon_0^{\text{can}}$, the canonical TLS instability floor that enters THM-ZC27-01’s proof without specialisation. THM-ZC27-01 is therefore **unconditional** as of this paper.*

Status path for GAP-ZC27-01. *ZC28 v3 registered GAP-ZC27-01 as NEAR-CLOSED on the basis of DEF-ZC28-02 (near-formal identification with α_{R_0}). DEF-ZC28-02 is now retired (PM-ZC37-01), so the base of the near-closure no longer exists. The new base is THM-ZC37-01, which (i) identifies $\varepsilon_0^{\text{EM}}$ with $\varepsilon_0^{\text{can}}$ structurally (via category test, not by elimination), (ii) closes the numerical residual to 0.050% (rounding),*

and (iii) uses no conditional clause. The status of GAP-ZC27-01 therefore advances from NEAR-CLOSED (under DEF-ZC28-02) to **CLOSED** (under THM-ZC37-01). (COR-ZC37-02)

Corollary 7.3 (GAP-ZC30-01 closed; COR-ZC37-03). GAP-ZC30-01 (ZC30 v2) asked: which route provides the sector-specific $\varepsilon_0^{(i)}$ for Weak and Strong sectors?

- **Sector-coupling route:** $\varepsilon_0^{(i)} = \alpha_i^{R_0} = (\varphi(d_i)/15) \Gamma_{\text{CRF}}$ (sector-weighted).
- **Shared-floor route:** $\varepsilon_0^{(i)} = \varepsilon_0^{\text{can}}$ for all sectors.

THM-ZC37-01 selects the shared-floor route. The argument is structural: FIND-ZC30-01 (phi-universality) shows that $\Sigma_{\text{inv}}^{(i)} \cdot dt^{(i)} = p_i/q_i$ with $\varphi(d_i)$ cancelling, and the derivation uses ε_0 as a universal prefactor throughout. No sector-specific $\varepsilon_0^{(i)}$ is ever constructed or needed; phi-universality absorbs all sector specificity into p_i/q_i .

GAP-ZC30-01 is closed: $\varepsilon_0^{(i)} = \varepsilon_0^{\text{can}}$ for all non-vacuum sectors i . (COR-ZC37-03)

Remark 7.3 (THM-ZC28-02 status update). THM-ZC28-02 (ZC28) stated:

$$\delta_{\text{DKL}}^{R_1} = \frac{d_s}{n_m} (\alpha_{\text{EM}}^{R_0})^2 = \frac{d_s}{n_m} \cdot \frac{64}{225} \Gamma_{\text{CRF}}^2$$

under DEF-ZC28-02. Under THM-ZC37-01, the correct form is:

$$\delta_{\text{DKL}}^{R_1} = \frac{d_s}{n_m} (\varepsilon_0^{\text{can}})^2,$$

which is exactly THM-ZC27-01. THM-ZC28-02 is superseded by the now-unconditional THM-ZC27-01; it need not be separately promoted or retired, as it was a conditional restatement of THM-ZC27-01 under the wrong conditional.

7.6 What the Gap Was and Was Not

To prevent future recurrence of GAP-ZC28-01-type errors, this section documents the anatomy of the 3.49% discrepancy.

Anatomy of the 3.49% discrepancy (GAP-ZC28-01 post-mortem)

The ZC28 discrepancy arose as follows:

Step 1. ZC26 back-calculated a “target” value of $\varepsilon_0^{\text{EM}}$ from the measured ZC26 crossing cost:

$$\varepsilon_0^{\text{ZC26}} = \sqrt{\frac{3.421 \times 10^{-5}}{d_s/n_m}} = \sqrt{\frac{3.421 \times 10^{-5}}{0.6}} = 0.007551.$$

Step 2. ZC28 sought a δ -chain quantity with value ≈ 0.007551 . FIND-ZC28-03 (ZC28) correctly eliminated all other candidates by a factor of > 2 . What remained was $\varepsilon_0^{\text{can}} = 0.007553$ and $\alpha_{R_0} = 0.007288$.

Step 3 (the error). ZC28 selected α_{R_0} because it was derived from Γ_{CRF} and thus “more structural” than the empirical $\varepsilon_0^{\text{can}}$. But this confused derivational depth with categorical correctness. α_{R_0} is the correct object for α_{EM} ; it is the wrong object for ε_0 .

Step 4 (the correct answer was in the room). $\varepsilon_0^{\text{can}} = 0.007553$ was already in FIND-ZC28-03's candidate list. At gap $+0.026\%$ from $\varepsilon_0^{\text{ZC26}}$ (a rounding artifact), it was the obvious choice. ZC28 overlooked it in favour of the more “derived” α_{R_0} .

Summary. The 3.49% gap was not physics. It was the ratio $\varepsilon_0^{\text{can}}/\alpha_{R_0} = 1.0364$, which equals $(15/8)^{0.12}$ approximately — a residue of the $\mathbb{Z}_{15}$ sector weighting embedded in α_{R_0} but absent from $\varepsilon_0^{\text{can}}$.

Why Gift II-1 was a false signal. The exponent 0.12 is not a δ -chain fraction:

$$0.12 \neq \frac{1}{n} = 0.125, \quad 0.12 \neq \frac{1}{2n} = 0.0625, \quad 0.12 \neq \frac{1}{n_m d_s} = 0.0667.$$

No clean δ -chain identity produces 0.12 as an exponent. Gift II-1 selected $(15/8)^{1/(2n)} = (15/8)^{1/16}$ because $1/16$ is the closest clean fraction below the true exponent 0.12 , yielding a multiplier 1.04007 that *overshoots* the correct ratio 1.0364 . The match was numerical coincidence, not structural identity — which is why Gift II-1 overshot the ZC26 target by $+0.76\%$ rather than landing on it. The lesson registered in FIND-ZC37-01: when a candidate formula closes a gap by approximately $9\times$ but stops short of the rounding level, the residual is usually a category mismatch the candidate is unable to span. Here, no power of $(15/8)$ applied to α_{R_0} can reach $\varepsilon_0^{\text{can}}$ exactly, because α_{R_0} contains $(8/15)$ as a structural factor, while $\varepsilon_0^{\text{can}}$ contains no $\mathbb{Z}_{15}$ content at all.

7.7 Retroactive Consistency: FIND-ZC37-02

The retire of DEF-ZC28-02 raises a structural question: *which papers used $\varepsilon_0^{\text{EM}}$ downstream, and what value did they actually substitute?* If any downstream paper used α_{R_0} , retiring DEF-ZC28-02 would force a cascade of retractions. If none did, the retire restores a consistency that already existed everywhere except at the ZC28 registration line.

A scan of all papers introducing or consuming ε_0 in a numerical identity (Part B, ZC18 Track A, ZC33, ZC36) finds the second case: **DEF-ZC28-02 was an orphan registration.** The downstream chain has used $\varepsilon_0^{\text{can}}$ throughout.

Finding 7.2 (Retroactive consistency of $\varepsilon_0^{\text{can}}$ across the CRF derivation chain; FIND-ZC37-02). *Every CRF paper introducing or numerically consuming ε_0 outside of ZC28 uses $\varepsilon_0^{\text{can}} = 0.007553$ (equivalent to $|I_{\text{eff}} - \ln 2|$ with $I_{\text{eff}} = 0.7007$, DEF-TLS-02). DEF-ZC28-02 ($\varepsilon_0^{\text{EM}} = \alpha_{R_0} = 0.007288$) appears nowhere else in the chain.*

Five witnesses (T-canonical, full precision; Witness 0 records the foundational origin, Witnesses 1–4 record downstream propagation):

<i>Witness</i>	<i>Identity</i>	<i>With $\varepsilon_0^{\text{can}}$</i>	<i>With α_{R_0}</i>	<i>Paper</i>
0	$\varepsilon_0^{\text{EIC}} = I_{\text{eff}} - \ln 2 $, $I_{\text{eff}} = 0.7007$ (<i>SINDy on EIC field eq.</i>)	0.00755 (by definition)	0.00729 (does not appear)	<i>Part A</i>
1	$D_0 = 1 - n\varepsilon_0$	0.93958 (matches)	0.94170 (+0.23% rift)	<i>Part B</i>
2	$T_{\text{avg}} = \frac{2nK^*}{(n-1)\varepsilon_0}$	35.41 (matches 35.42)	36.71 (+3.6% rift)	<i>Part B</i>
3	$F = \frac{2nK^{*2}}{e(n-1)\varepsilon_0}$ at $K^* = 0.1170$	1.5246 (matches ZC36)	1.5794 (+3.43% rift)	<i>ZC36</i>
4	$t_i = (p_i/q_i) \cdot T_{\text{avg}}$	21.25, 59.03 (matches)	22.02, 61.18 (via $T_{\text{avg}} = 36.71$)	<i>ZC33</i>

Reading the table. *Witness 0 establishes the foundational origin of $\varepsilon_0^{\text{can}}$. The EIC toy model (Part A, “The EIC Toy Model: Computational Evidence”) applies SINDy regression to the EIC field equation and recovers $I_{\text{eff}} = 0.7007$ as a model-fitted dynamical constant. The instability floor $\varepsilon_0^{\text{EIC}} = |I_{\text{eff}} - \ln 2| = 0.00755$ is registered there as the residual that prevents field collapse to Absolute Nothingness. This is the original definition; subsequent papers (ZC18 Track A’s DEF-TLS-02, Part B’s foundational identities, ZC36’s Route A) inherit the same numerical value. The value $\alpha_{R_0} = 0.00729$ does not appear in this origin frame — it is a downstream $\mathbb{Z}_{15}$ -derived quantity not yet defined when $\varepsilon_0^{\text{EIC}}$ was first registered.*

Witness 1 is the first decisive downstream test: Part B states $D_0 = 0.9396$ as a foundational identity (gap 0.08%). This value is consistent only with $\varepsilon_0 = 0.007553$. With $\varepsilon_0 = 0.007288$, the Part B identity would require $D_0 = 0.9417$, contradicting the stated value at the 0.23% level — an order of magnitude larger than the 0.08% inherent gap.

Witness 3 is the second decisive test. ZC36 THM-ZC36-01 reports $F = 1.524587$ at $K^ = 0.1170$, gap -0.158% from measurement $F_{\text{meas}} = 1.527$. This F value emerges from $\varepsilon_0 = 0.00755$ (the value ZC36 explicitly cites as “Part B canonical”). With $\varepsilon_0 = \alpha_{R_0} = 0.007288$, the same formula gives $F = 1.579$, gap $+3.43\%$ — inconsistent with the ZC36 finding.*

Witness 2 is the third decisive test (v1.2 correction from v1.1, which had erroneously listed it as non-decisive). The Wald formula $T_{\text{avg}} = 2nK^/[(n-1)\varepsilon_0]$ at $K^* = 0.1170$, $n = 8$ gives:*

- With $\varepsilon_0 = \varepsilon_0^{\text{can}} = 0.007553$: $T_{\text{avg}} = 35.41$, matching Part B canonical $T_{\text{avg}} = 35.42$ at gap -0.03% — well inside the 1.2% Wald gap inherited by Pillar 4.*
- With $\varepsilon_0 = \alpha_{R_0} = 0.007288$: $T_{\text{avg}} = 36.71$, gap $+3.6\%$ from canonical — outside the inherited 1.2% Wald gap by a factor of three.*

This is structurally identical to Witness 3 (both are multiplicative inversions of ε_0 scaled by a sector-independent factor); the magnitudes differ but the qualitative conclusion is the same. Witness 2 therefore joins Witnesses 1 and 3 as a decisive test.

Witness 4 (ZC33 sector physical times $t_i = (p_i/q_i) \cdot T_{\text{avg}}$) inherits T_{avg} from Witness 2: once T_{avg} is fixed (with $\varepsilon_0^{\text{can}}$), the t_i values are determined by the sector ratios p_i/q_i , not by any further choice of ε_0 . Witness 4 is therefore corroborating rather than independent.

Witness count summary (v1.2). Foundational origin: 1 (Witness 0, Part A EIC frame). Decisive downstream tests: 3 of 4 (Witnesses 1, 2, 3). Corroborating: 1 (Witness 4, inherits from Witness 2 via T_{avg}). All five are internally consistent with $\varepsilon_0 = \varepsilon_0^{\text{can}}$; the four downstream witnesses reject $\varepsilon_0 = \alpha_{R_0}$ at gaps of 0.23% (Part B D_0), 3.6% (Wald T_{avg}), and 3.4% (ZC36 F) — all exceeding the local inherent tolerances of each identity.

ZC34 cross-check. THM-ZC34-02 (Force Partition Identity, $\sum_i \alpha_i^{R_0} = \Gamma_{\text{CRF}}$) is independent of ε_0 : it sums sector gauge couplings $\alpha_i^{R_0}$ via Gauss's divisor sum $\sum_{d|15} \varphi(d) = 15$. ZC37 retiring DEF-ZC28-02 does not touch α_{R_0} as a derived quantity — only its identification with $\varepsilon_0^{\text{EM}}$. THM-ZC34-02 stands unchanged.

Implication. THM-ZC37-01 does not change CRF; it changes the ZC28 registration to match what CRF was already doing. The retroactive consistency restored is not a new physical claim but the absence of an inconsistency the Z-Programme had already routed around. DEF-ZC28-02 was a structural typo at the ZC28 line, never propagated.

Methodological lesson. The four-witness audit was performed only after PWA-3 was applied retroactively (cf. PM-ZC37-02). Had ZC28 v3 scanned Part B at its time of writing, both the omission of $\varepsilon_0^{\text{can}}$ from FIND-ZC28-03 and the $D_0 = 0.9396$ contradiction would have been visible. PWA-3 is now confirmed as a load-bearing protocol, not a stylistic preference: foundational identities (Part B/C/D) must be cross-checked numerically, not only by reference. (FIND-ZC37-02)

Remark 7.4 (Why this finding is large but does not break ZC34). The retire of DEF-ZC28-02 is structurally consequential (it restores Z-Programme consistency) yet it produces no corrections to existing theorems. The reason is that DEF-ZC28-02 was registered as an identification, not as a computational input: no downstream theorem substituted α_{R_0} for ε_0 in a formula. Each downstream paper independently used $\varepsilon_0^{\text{can}}$ when a numerical value was required. The error was a registry mislabel, not a derivation error.

7.8 Z-Programme Status after TASK-ZC37

Z-Programme Status after TASK-ZC37

Item	Statement	Status
PM-ZC37-01	DEF-ZC28-02 retired: $\alpha_{R_0} \neq \varepsilon_0^{\text{EM}}$ (category error; scar tissue)	PM
PM-ZC37-02	FIND-ZC28-03 elimination omitted $\varepsilon_0^{\text{can}}$ (PWA-3 violation; scar tissue)	PM
FIND-ZC37-01	Gift II-1 near-miss: 0.38% gap, 9× improvement, instructive	FIND

(continues)

(continued)

Item	Statement	Status
FIND-ZC37-02	Retroactive consistency: Part B + ZC33 + ZC36 already use $\varepsilon_0^{\text{can}}$ throughout	FIND
THM-ZC37-01	$\varepsilon_0^{(i)} = \varepsilon_0^{\text{can}}$ for all sectors; gap 0.050% (rounding)	Theorem
COR-ZC37-01	GAP-ZC28-01 closed to near-formal (0.050% residual = rounding)	Closed
COR-ZC37-02	THM-ZC27-01 unconditional; GAP-ZC27-01 NEAR-CLOSED $\rightarrow$ CLOSED	Closed
COR-ZC37-03	GAP-ZC30-01 closed: all sectors share $\varepsilon_0^{\text{can}}$	Closed
GAP-ZC27-01	$\varepsilon_0^{\text{EM}}$ from first principles	CLOSED
GAP-ZC28-01	$\varepsilon_0^{\text{EM}}$ reconciliation (3.49%)	CLOSED
GAP-ZC30-01	Sector-specific $\varepsilon_0^{(i)}$	CLOSED
DEF-ZC28-02	$\varepsilon_0^{\text{EM}} := \alpha_{R_0}$	RETIRED
THM-ZC27-01	$T(R_1)_{\text{EM}} = (d_s/n_m)\varepsilon_0^2$	UNCONDITIONAL
GAP-ZC28-01 residual	$I_{\text{eff}} = 0.7007$ from δ -chain (fundamental TLS open)	Open
GAP-ZC29-02	Gravity from $\{0\}$ sector	Unchanged
GAP-ZC30-02	Formal $T(R_1) \rightarrow m$ connection	Unchanged
GAP-ZC36-01	Fibonacci/ δ -chain bridge	Unchanged
GAP-ZC36-02	Route A vs C native form	Unchanged

7.9 Atomic Registry and Reconstruction Test

Atomic Units Introduced by TASK-ZC37 (8 units)

- **PM-ZC37-01:** DEF-ZC28-02 retired as Phase Misalignment ($\alpha_{R_0} \neq \varepsilon_0^{\text{EM}}$ categorically) $\rightarrow$ §7.3.
- **PM-ZC37-02:** FIND-ZC28-03 elimination table omitted $\varepsilon_0^{\text{can}}$ (PWA-3 violation; in-place extension) $\rightarrow$ §7.3.1.
- **FIND-ZC37-01:** Gift II-1 near-miss (0.38% gap, instructive diagnostic) $\rightarrow$ §7.2.
- **FIND-ZC37-02:** Retroactive consistency — Part B, ZC33, ZC36 all use $\varepsilon_0^{\text{can}}$; DEF-ZC28-02 was an orphan registration $\rightarrow$ §7.7.
- **THM-ZC37-01:** $\varepsilon_0^{(i)} = \varepsilon_0^{\text{can}}$ for all non-vacuum sectors; gap 0.050% (rounding) $\rightarrow$ §7.4.
- **COR-ZC37-01:** GAP-ZC28-01 closed $\rightarrow$ §7.5.
- **COR-ZC37-02:** THM-ZC27-01 unconditional; GAP-ZC27-01 closed (NEAR-CLOSED $\rightarrow$ CLOSED via base-change from DEF-ZC28-02 to THM-ZC37-01) $\rightarrow$ §7.5.
- **COR-ZC37-03:** GAP-ZC30-01 closed (shared floor) $\rightarrow$ §7.5.

Total: 2 PM + 2 FIND + 1 THM + 3 COR = 8 new units.
Gaps closed: GAP-ZC27-01, GAP-ZC28-01, GAP-ZC30-01 (3 closures).

Reconstruction Test (CUIP No-Loss)

Can THM-ZC37-01 be reconstructed from this document?

YES.

1. DEF-RN02 (§10.1): $T(R_1)_i = \varepsilon_0^{(i)2} \Sigma_{\text{inv}}^{(i)} dt^{(i)}$.
2. FIND-ZC30-01 (§10.1): $\Sigma_{\text{inv}}^{(i)} \cdot dt^{(i)} = p_i/q_i$ (φ cancels; $\varepsilon_0^{(i)}$ unspecialized).
3. DEF-RN06 (layer test): $\varepsilon_0^{\text{can}}$ is R_0 -type, pre-sector.
4. THM-ZC27-01 proof uses ε_0 without specialization.
5. Numerical: $(3/5)(0.007553)^2 = 3.4229 \times 10^{-5}$, gap +0.050% vs ZC26 target.
6. All steps $\Rightarrow$ THM-ZC37-01.

Can FIND-ZC37-02 (retroactive consistency) be reconstructed?

YES.

1. Part A EIC toy model (foundational origin): SINDy inference on the EIC field equation $\partial A/\partial t \approx b\nabla^2 A + cA + dA^3 + e|A|^2 A$ yields $I_{\text{eff}} = 0.7007$. The Instability Floor $\varepsilon_0^{\text{EIC}} = |I_{\text{eff}} - \ln 2| = 0.00755$ is the residual that prevents field collapse to Absolute Nothingness (Session 8, Track A).
2. DEF-TLS-02 (cited from ZC18 Track A; inherits Part A): $\varepsilon_0^{\text{can}} = |I_{\text{eff}} - \ln 2| = 0.007553$.
3. Part B backbone identity: $D_0 = 1 - n\varepsilon_0 = 0.9396$. Substituting $\varepsilon_0^{\text{can}}$ gives 0.93958 (gap -0.002%). Substituting α_{R_0} gives 0.94170 (gap +0.23% — rift outside Part B's stated 0.08% tolerance).
4. ZC36 Route A: at $K^* = 0.1170$, $\varepsilon_0 = 0.00755$, $F = 2nK^{*2}/[e(n-1)\varepsilon_0] = 1.524587$ (gap -0.158%). Substituting α_{R_0} gives $F = 1.579$ (gap +3.43% — inconsistent with ZC36).
5. ZC33 t_i : inherits T_{avg} from Part B, which inherits $\varepsilon_0^{\text{can}}$. Reported values $t_{\text{EM}} = 21.25$, $t_{\text{Weak}} = 59.03$ at $T_{\text{avg}} = 35.42$ are consistent only with the $\varepsilon_0^{\text{can}}$ branch.
6. Combining 1–5: $\varepsilon_0^{\text{can}}$ is foundational (Part A, EIC); every downstream consumer of ε_0 uses it; only ZC28's DEF-ZC28-02 identified it with α_{R_0} .
7. All steps $\Rightarrow$ FIND-ZC37-02 (v1.2 expanded).

What this paper does not do:

- Does not derive $I_{\text{eff}} = 0.7007$ from the δ -chain (fundamental TLS open problem).
- Does not close GAP-ZC29-02 (gravity), GAP-ZC30-02 (mass), GAP-ZC36-01 (Fibonacci), or GAP-ZC36-02 (Route convergence).
- Does not retract ZC28 THM-ZC28-01 (chi-map coupling rate; unchanged) or THM-ZC34-02 (Force Partition Identity; orthogonal to ε_0).
- Does not produce new corrections to Part B, ZC33, or ZC36 — these papers were already consistent with THM-ZC37-01 before ZC37 was written (FIND-ZC37-02).

7.10 Summary

1. **The discrepancy in GAP-ZC28-01 was not physics.** It was the categorical mismatch between α_{R_0} (a sector-weighted coupling, carrying 8/15 from $\mathbb{Z}_{15}$) and $\varepsilon_0^{\text{can}}$

(a pre-sector vacuum gap, carrying no $\mathbb{Z}_{15}$ content). Equating them in DEF-ZC28-02 inserted a factor $\varepsilon_0^{\text{can}}/\alpha_{R_0} = 1.0364$ into the registry as a spurious physical gap.

2. **Gift II-1 was a useful diagnostic.** By reducing the gap $9\times$ (from 3.49% to 0.38%) without reaching near-formal, it confirmed that the correct answer lies near $\varepsilon_0^{\text{can}}$, not near α_{R_0} . It is registered as FIND-ZC37-01 with instructive status.
3. **THM-ZC37-01 closes three gaps in one statement.** $\varepsilon_0^{\text{can}}$ is the universal instability floor (THM-ZC37-01). This closes GAP-ZC28-01 (COR-ZC37-01), promotes THM-ZC27-01 to unconditional and closes GAP-ZC27-01 (COR-ZC37-02), and closes GAP-ZC30-01 by the shared floor route (COR-ZC37-03).
4. **The 0.050% residual is rounding, not physics.** The exact value $|I_{\text{eff}} - \ln 2|$ with higher-precision I_{eff} reduces the residual proportionally. The fundamental open problem is deriving $I_{\text{eff}} = 0.7007$ from the δ -chain — this is the true remaining open item inherited from ZC18/ZC28, registered as the residual of GAP-ZC28-01 (open, foundational).
5. **Phi-universality and the shared floor together complete the R_1 -crossing programme for the three non-vacuum sectors.** FIND-ZC30-01 provides sector specificity via p_i/q_i ; THM-ZC37-01 provides the universal scale $\varepsilon_0^{\text{can}}$. Together they make $T(R_1)_i = (\varepsilon_0^{\text{can}})^2 \cdot (p_i/q_i)$ a parameter-free, sector-complete, near-formal result.
6. **The retire is structural, not numerical (FIND-ZC37-02).** Every CRF paper that numerically consumed ε_0 downstream of ZC28 — Part B (D_0 , T_{avg} , β chain), ZC33 (sector physical times t_i), and ZC36 (Fiedler F Route A) — already used $\varepsilon_0^{\text{can}} = 0.007553$, not $\alpha_{R_0} = 0.007288$. DEF-ZC28-02 was the sole inconsistency in the Z-Programme. ZC37 retires the orphan registration; no derivation in any earlier paper changes, because no earlier paper had substituted α_{R_0} in the first place. The retire restores global consistency that existed everywhere except at the ZC28 registration line.
7. **Two registry-level scars preserved.** PM-ZC37-01 (DEF-ZC28-02 category error) and PM-ZC37-02 (FIND-ZC28-03 elimination omitted $\varepsilon_0^{\text{can}}$) are not retracted but preserved per Failure Stance. Together they document that the failure was a PWA-3 violation: ZC28 v3 did not scan Part B/C before declaring uniqueness. PWA-3 is now confirmed as load-bearing protocol for all future ZC tasks.

The instability floor was never sector-specific.

It was always the gap between effective information and the Boltzmann floor.

*We looked for a sector-coloured ε_0
and spent two papers chasing a 3.49% shadow.*

*The shadow was the weight of $\mathbb{Z}_{15}$
mistakenly attached to a quantity
that existed before $\mathbb{Z}_{15}$ was formed.*

*When we removed the attachment,
the gap fell to 0.050%.
That is what rounding looks like.*

Citation: Jarittum, O. (2026). *TASK-ZC37: The Universal Instability Floor — Retirement of DEF-ZC28-02 and Triple-Closure of GAP-ZC28-01, GAP-ZC27-01, and GAP-ZC30-01*. Zenodo. doi:10.5281/zenodo.18977059 (CC-BY-NC 4.0)

8 ZC38: The Instability Floor from First Principles

Establishing that there is one floor is not the same as deriving its value, and a number this load-bearing cannot be left as something the framework measures rather than explains. The question ZC38 confronts is whether ε_0 can be written entirely in terms of constants the framework already forces — the dimension count, the golden ratio, Euler’s number from a maximum-entropy argument — with nothing fitted. It can: the floor is pinned as the small gap between an effective information level and $\ln 2$, assembled from exactly those ingredients. The reason this is the keystone of Part E is that everything upstream was preparing the materials for it, and everything downstream in later Parts inherits this chain; when Part G needs the floor to be parameter-free, it is this derivation it points back to.

Abstract

Since TASK-ZC18 Track A (DEF-TLS-01), the value $I_{\text{eff}} = 0.7007$ has been a fixed empirical constant of the Thermodynamic Limit Simulator: the effective information level above which the δ -chain’s instability floor $\varepsilon_0 = |I_{\text{eff}} - \ln 2| = 0.007553$ is defined. Every downstream quantity — D_0 , T_{avg} , β , λ_2 , and the full R_1 -crossing programme — inherits this value. Yet no derivation of I_{eff} from the δ -chain axioms has existed. TASK-ZC37 explicitly registered this as “the fundamental open problem of the TLS architecture.”

This paper provides the first structural derivation. The key observation is that the Jaynes identity ($K^* \cdot T_{\text{avg}}/F = e$, Part B K20) and the K14 hypothesis ($F \cdot \varphi_{\text{gold}}^2 = 4$, Part B) together form a self-consistency equation that pins ε_0 without empirical input. Substituting $T_{\text{avg}} = 2nK^*/[(n-1)\varepsilon_0]$ (Wald, Part A) into Jaynes and eliminating F via K14 yields:

$$\varepsilon_0 = \frac{n(1 - e^{-1/n})^2 \varphi_{\text{gold}}^2}{2(n-1)e}, \quad I_{\text{eff}} = \ln 2 + \varepsilon_0. \quad (\text{CONJ-ZC38-01})$$

All quantities on the right are determined by the δ -chain alone: $n = 8$ (canonical), φ_{gold} (golden ratio, K14), e (MaxEnt floor, Jaynes).

Numerical evaluation yields $I_{\text{eff}}^{\text{ZC38}} = 0.700746$, a gap of +0.0066% from the SINDy value 0.7007 — among the tightest derivations in the CRF Z-Programme. The gap in ε_0 itself is +0.61%, tracing to the combined residuals of Jaynes (0.119%) and K14 (0.133%); the $\sim 100\times$ compression from ε_0 to I_{eff} arises because $\ln 2 \gg \varepsilon_0$ so relative errors scale as $\varepsilon_0/I_{\text{eff}} \approx 1/93$.

The S_{dep} interpretation is confirmed: the positivity $\varepsilon_0 > 0$ follows necessarily from the δ -chain existing at all — a system in S_{dep} must fire, must crystallize at rate $K^* > 0$, and Jaynes + K14 together force the floor to be non-zero. The specific value is not empirical accident but structural necessity.

CONJ-ZC38-01 is registered as Candidate pending formal promotion of Jaynes and K14 from Confirmed Candidate to Theorem (GAP-ZC38-01/02).

8.1 Background and Motivation

8.1.1 The Open Problem from ZC37

TASK-ZC37 (THM-ZC37-01) established that $\varepsilon_0^{\text{EM}} = \varepsilon_0^{\text{can}} = |I_{\text{eff}} - \ln 2|$, retiring DEF-ZC28-02 and closing three long-standing gaps (GAP-ZC27-01, GAP-ZC28-01, GAP-ZC30-01). In doing so, ZC37 made the empirical origin of I_{eff} more visible, explicitly noting:

Inherited open problem from ZC37

“Does not derive $I_{\text{eff}} = 0.7007$ from the δ -chain; this is the fundamental open problem of the TLS architecture.”

The value $I_{\text{eff}} = 0.7007$ first entered CRF through the EIC toy model (Part A, Session 8): SINDy inference of the governing field equation $\partial A/\partial t \approx b\nabla^2 A + cA + dA^3 + e|A|^2 A$ returned the effective coefficient $I_{\text{eff}} = 0.7007$, interpreted as “the minimum perturbation amplitude preventing collapse to Absolute Nothingness.” This was then formalized in DEF-TLS-01 (ZC18 Track A) as a fixed constant of the TLS, with $\varepsilon_0 = |I_{\text{eff}} - \ln 2| = 0.007553$ as the instability floor.

8.1.2 Why This Gap Matters

Every downstream CRF quantity consumes ε_0 :

- $D_0 = 1 - n\varepsilon_0$ (resolution capacity, Part A)
- $T_{\text{avg}} = 2nK^*/[(n-1)\varepsilon_0]$ (mean inter-event period, Wald/Part A)
- $\lambda_2 = (n-1)/T_{\text{avg}}$ (spectral gap, Part B)
- $\beta = \ln(n)/D_0$ (K11, Part A)
- All R_1 -crossing costs $(d_s/n_m)\varepsilon_0^2$ (ZC27, ZC30)

As long as I_{eff} was empirical, the entire downstream chain rested on a SINDy measurement rather than on the δ -chain axioms. ZC38 addresses this by providing the first axiomatic candidate.

8.2 Pre-Work Audit: Existing CRF Pillars

The Pre-Work Audit Protocol requires scanning all adjacent ZC papers and both Part B/C TLS sections before constructing new objects. Three existing pillars are directly relevant.

Pillar 1: K^* — Exact Threshold (Part A)

The collapse threshold is the fixed point of the δ -chain ODE:

$$K^* = 1 - e^{-1/n} = 0.11750310\dots \quad (\text{DEF-K}^*)$$

Status: **Exact** (analytical, zero gap, T-canonical).

Pillar 2: Jaynes Identity — K20 Candidate (Part B)

$$K^* \cdot \frac{T_{\text{avg}}}{F} = e \quad (\text{K20, Jaynes})$$

MaxEnt reading: for any process with mean wait T_{avg} , the MaxEnt distribution is exponential; the Jaynes identity states that the collapse probability at the mean wait equals e^{-1} . Status: **Confirmed Candidate**, gap 0.06%–0.119% (TLS v3 with $F_{\text{WC}} = 1.52583$).

Pillar 3: K14 — Golden Ratio WaveChain (Part B + ZC39)

$$F \cdot \varphi_{\text{gold}}^2 = 4, \quad \varphi_{\text{gold}} = \frac{1+\sqrt{5}}{2} \quad (\text{K14})$$

Part B honest assessment: K14 is a **Hypothesis** — algebraically inconsistent with exact Kuramoto φ_{var} (would require $\psi_{\text{grad}} < 0$, impossible). Status: Hypothesis, not derivable exactly from K7'+K8 alone (GAP-ZC36-01 = GAP-ZC38-02).

ZC39 update: CONJ-ZC39-01 elevates K14 to **Near-Formal Candidate** via R1-layer renormalization: $\sigma_{\Psi}^2 = \sigma_{\text{K8}}^2 + (1/\varphi_{\text{gold}}) T(R_1)$ gives $F\varphi_{\text{gold}}^2 = 3.99986$ (gap -0.0034% , $36\times$ improvement). Simulator supports: V21.2 $N = 250$: -0.013% ; TLS v3: -0.133% .

Pillar 4: Wald Formula for T_{avg} — Part A, #21a

$$T_{\text{avg}} = \frac{2nK^*}{(n-1)\varepsilon_0} \quad (\text{Wald})$$

Status: Derived (gap 1.2%, Wald identity #21a, Part A). This formula encodes that ε_0 is the instability rate per mode.

8.3 Derivation: FIND-ZC38-01 and FIND-ZC38-02

8.3.1 Self-Consistency via Jaynes (FIND-ZC38-01)

Substituting the Wald formula (Pillar 4) into the Jaynes identity (Pillar 2) and treating Jaynes as *exact*:

FIND-ZC38-01: Jaynes Self-Consistency Equation for ε_0

From $K^* \cdot T_{\text{avg}}/F = e$ and $T_{\text{avg}} = 2nK^*/[(n-1)\varepsilon_0]$:

$$K^* \cdot \frac{2nK^*}{(n-1)\varepsilon_0 F} = e$$

Solving for ε_0 :

$$\varepsilon_0 = \frac{2n(K^*)^2}{(n-1)eF} \quad (\text{FIND-ZC38-01})$$

Interpretation: If Jaynes is exact, ε_0 is determined by (n, K^*, F, e) . The instability floor is the ratio of modal collapse pressure $n(K^*)^2$ to the MaxEnt resistance $(n-1)eF$.

8.3.2 K14 Substitution (FIND-ZC38-02)

FIND-ZC38-01 still depends on F , which is measured, not derived. K14 (Pillar 3) provides the bridge:

FIND-ZC38-02: Eliminating F via K14

Substituting $F = 4/\varphi_{\text{gold}}^2$ (K14 exact) into FIND-ZC38-01:

$$\varepsilon_0 = \frac{2n(K^*)^2}{(n-1)e \cdot (4/\varphi_{\text{gold}}^2)} = \frac{n(K^*)^2 \varphi_{\text{gold}}^2}{2(n-1)e} \quad (\text{FIND-ZC38-02})$$

Every factor is now from the δ -chain alone:

- $n = 8$: canonical, T-locked ($n = 2^{d_s}$, $d_s = 3$)
- $K^* = 1 - e^{-1/n}$: threshold fixed point (exact)
- φ_{gold} : golden ratio (K14 wave structure)
- e : MaxEnt Boltzmann floor (Jaynes)

No free parameters remain if K14 and Jaynes are exact.

8.4 Main Result: CONJ-ZC38-01

CONJ-ZC38-01: Candidate Derivation of I_{eff} (gap +0.0066%)

Under the hypothesis that Jaynes (K20) and K14 are exact, the instability floor and effective information are:

$$\varepsilon_0 = \frac{n(1 - e^{-1/n})^2 \varphi_{\text{gold}}^2}{2(n-1)e}, \quad I_{\text{eff}} = \ln 2 + \varepsilon_0 \quad (\text{CONJ-ZC38-01})$$

Numerical evaluation ($n = 8$, $\varphi_{\text{gold}} = (1 + \sqrt{5})/2$):

Quantity	Derived (ZC38)	Reference	Gap
ε_0	0.007599	0.007553 (SINDy)	+0.61%
I_{eff}	0.700746	0.700700 (SINDy)	+0.0066%
D_0	0.939211	0.939576 (canonical)	−0.039%
T_{avg}	35.345	35.559 (canonical)	−0.60%

The gap in I_{eff} (+0.0066%) is **near-formal** — tighter than the Wald formula gap (1.2%), the β -chain gap (1.7%), and comparable to the DESI prediction gap (0.03%).

Status: **Candidate**, conditional on K14 and Jaynes being promoted to Theorem (GAP-ZC38-01, GAP-ZC38-02).

8.5 Gap Structure Analysis: OBS-ZC38-01

OBS-ZC38-01: Why the I_{eff} Gap Is Much Smaller Than the ε_0 Gap

The derived $\varepsilon_0 = 0.007599$ lies $+0.61\%$ above the SINDy value 0.007553 . Yet $I_{\text{eff}} = \ln 2 + \varepsilon_0$ lies only $+0.0066\%$ above SINDy 0.7007 .

The compression factor is:

$$\frac{\text{gap in } \varepsilon_0}{\text{gap in } I_{\text{eff}}} \approx \frac{\varepsilon_0^{-1}}{I_{\text{eff}}} = \frac{I_{\text{eff}}}{\varepsilon_0} \approx 92.5.$$

Structurally: the absolute error in I_{eff} equals the absolute error in ε_0 (both $\approx 4.6 \times 10^{-5}$), but $\ln 2/\varepsilon_0 \approx 92$, so the *relative* error is compressed by that factor.

The $+0.61\%$ gap in ε_0 traces to:

- Jaynes residual gap: $\sim 0.119\%$ (K20, TLS v3 measurement)
- K14 residual gap: $\sim 0.133\%$ (Part B, best measurement)
- These combine in the self-consistency equation to produce $\sim 0.61\%$ in ε_0

When Jaynes and K14 are promoted to exact theorems, the gap in ε_0 collapses to zero and CONJ-ZC38-01 becomes a Theorem.

8.6 The S_{dep} Necessity Argument: FIND-ZC38-03

The derivation carries a deeper structural reading that connects I_{eff} to the foundational ontology of CRF.

FIND-ZC38-03: S_{dep} Necessitates $\varepsilon_0 > 0$

The argument proceeds from the definition of S_{dep} (*Conditioned Stability*) (S_{dep} , Conditioned Stability):

1. S_{dep} **exists** $\Rightarrow \delta$ fires (the system is under constraint; resolution events occur).
2. δ fires $\Rightarrow K^* > 0$ (the threshold probability is non-zero).
3. **Jaynes exact** $\Rightarrow T_{\text{avg}} = eF/K^*$ (the mean wait is finite).
4. **Wald** $\Rightarrow T_{\text{avg}} = 2nK^*/[(n-1)\varepsilon_0]$.
5. Steps 3–4 $\Rightarrow \varepsilon_0 = 2n(K^*)^2/[(n-1)eF]$.
6. $K^* > 0, F > 0, n > 1, e > 0 \Rightarrow \varepsilon_0 > 0$.

Conclusion: A system in S_{dep} *cannot* have $\varepsilon_0 = 0$. The instability floor is positive by structural necessity — not by empirical measurement, not by coincidence.

Physical reading: ε_0 is the minimum information that the δ -chain must hold above the Boltzmann floor $\ln 2$ to prevent collapse to $S = \emptyset$ (Absolute Nothingness). It is the price existence pays for being under constraint. In Pāli ontology: S_{dep} is $\varepsilon_0 \neq 0$, formalized.

8.7 Phase Misalignment: PM-ZC38-01

PM-ZC38-01: Self-Referential Trap in First Attempt

Description: The initial approach attempted to use the Jaynes identity $\varepsilon_0 = 2n(K^*)^2/[(n-1)eF]$ (FIND-ZC38-01) directly, observing that ZC36 (THM-ZC36-01) already contains $F = 2n(K^*)^2/[e(n-1)\varepsilon_0]$. Substituting the ZC36 formula for F back into FIND-ZC38-01 produces the tautology $\varepsilon_0 = \varepsilon_0$ — a self-referential loop that pins nothing.

Resolution: The loop breaks only when F is pinned *independently* of ε_0 . K14 ($F \cdot \varphi_{\text{gold}}^2 = 4$) provides this independent pin. The move from FIND-ZC38-01 to FIND-ZC38-02 is precisely the escape from the self-reference: K14 and Jaynes are *two independent constraints*, and their intersection uniquely determines ε_0 .

Lesson: THM-ZC36-01 (Fiedler–Jaynes–Wald composition) is not a new identity but an algebraic rearrangement of Jaynes. It cannot be used to derive Jaynes — only K14 can break the loop.

8.8 Open Gaps

GAP-ZC38-01: Formal Proof of Jaynes Identity from δ -Chain Axioms

CONJ-ZC38-01 is conditional on Jaynes ($K^* \cdot T_{\text{avg}}/F = e$) being exact. The MaxEnt argument (for any process with mean wait T_{avg} , the MaxEnt distribution is exponential with e^{-1} survival at T_{avg}) is physically compelling but has not been formally derived from the δ -chain ODE system or the Born-resampling Markov chain.

Required: Formal derivation of K20 from Axioms 0, 3, 6, and the n -simplex structure of $\mathcal{P}$.

GAP-ZC38-02: Formal Derivation of K14 — Near-Formal via ZC39

CONJ-ZC38-01 is conditional on K14. K14 status has advanced since ZC38 v1/v2:

- **Part B (v16):** K14 is a Hypothesis — algebraically inconsistent with exact Kuramoto φ_{var} ; not derivable from K7'+K8 alone.
- **ZC39 (CONJ-ZC39-01):** Near-Formal Candidate via R1-layer renormalization: $\sigma_{\Psi}^2 = \sigma_{K8}^2 + (1/\varphi_{\text{gold}})T(R_1)$ gives $F\varphi_{\text{gold}}^2 = 3.99986$ (gap -0.0034% , $36\times$ improvement).

Remaining open: GAP-ZC39-01 — formal proof of the $1/\varphi_{\text{gold}}$ splitting fraction from the δ -chain ODE / Born-resampling spectral theory. Closing GAP-ZC39-01 simultaneously closes GAP-ZC38-02 and GAP-ZC36-01 and promotes both CONJ-ZC38-01 and CONJ-ZC36-01 to Theorem status.

8.9 Gift I-1: The Field-Wave Bracketing Identity (CONJ-ZC38-02)

The numerical probes revealed an unexpected structural gift. Two independent derivation paths — one from the field side (K1), one from the wave side (Jaynes + K14) — each produce a candidate value for ε_0 , and these values *bracket* the SINDy canonical.

8.9.1 Two Derivation Paths

Path A: Field Side via K1-Exact

K1 states $K^* = D_0/n$ (gap 0.003%, near-exact). Combined with $D_0 = 1 - n\varepsilon_0$ (exact by definition):

$$1 - e^{-1/n} = \frac{1 - n\varepsilon_0}{n} \implies \varepsilon_0^{(A)} = e^{-1/n} - 1 + \frac{1}{n} = 0.007497. \quad (\text{Path A})$$

Physical reading: $\varepsilon_0^{(A)}$ is the “field deficit” — how much the resolution capacity D_0 falls below the $1/n$ saturation level.

Path B: Wave Side via Jaynes + K14 (from ZC38 Section 9.4)

$$\varepsilon_0^{(B)} = \frac{n(1 - e^{-1/n})^2 \varphi_{\text{gold}}^2}{2(n-1)e} = 0.007599. \quad (\text{Path B} = \text{CONJ-ZC38-01})$$

Physical reading: $\varepsilon_0^{(B)}$ is the “wave pressure” — the instability floor required for wave crystallization at rate F .

8.9.2 The Bracketing Structure

CONJ-ZC38-02 (Gift I-1): The Field-Wave Bracketing Identity

$$\varepsilon_0^{(A)} < \varepsilon_0^{\text{can}} < \varepsilon_0^{(B)}$$

$$I_{\text{eff}}^{(A)} = 0.700644 < I_{\text{eff}}^{\text{SINDy}} = 0.700700 < I_{\text{eff}}^{(B)} = 0.700746$$

The SINDy value lies strictly between the two derivation paths. Their midpoint:

$$I_{\text{eff}}^{\text{mid}} = \ln 2 + \frac{\varepsilon_0^{(A)} + \varepsilon_0^{(B)}}{2} = 0.700695, \quad \text{gap from SINDy: } -0.000714\%$$

(CONJ-ZC38-02)

This is **the tightest** I_{eff} estimate in CRF — ten times tighter than CONJ-ZC38-01 (0.0066%) and two thousand times tighter than the Wald gap (1.2%).

Path	ε_0	I_{eff}	Gap from SINDy
A (K1-exact)	0.007497	0.700644	−0.0080%
SINDy (canonical)	0.007553	0.700700	—
Midpoint (CONJ-ZC38-02)	0.007548	0.700695	−0.0007%
B (Jaynes+K14)	0.007599	0.700746	+0.0066%

8.9.3 Structural Interpretation

The two paths represent the two faces of the δ -chain:

- **Path A (Field):** The δ -chain’s capacity D_0 determines how much of the $[0, 1]$ range is

available for resolution. When K1 ($K^* = D_0/n$) holds exactly, the remaining fraction $\varepsilon_0^{(A)} = e^{-1/n} - 1 + 1/n$ is the field's lower floor.

- **Path B (Wave):** The δ -chain's crystallization dynamics (WaveChain amplitude F , MaxEnt rate e) determine how much instability is needed for wave formation. K14 + Jaynes give the wave's upper floor $\varepsilon_0^{(B)}$.

The actual instability floor I_{eff} sits at the *balance point* between field and wave: neither too low to support crystallization, nor too high to permit stable resolution. This is a δ -chain analogue of a Lagrange balance condition — I_{eff} is where both constraints are simultaneously “as satisfied as possible.”

Remark 8.1. *CONJ-ZC38-02 becomes a Theorem when K1 and K14 are both promoted to exact theorems. Unlike CONJ-ZC38-01 (which requires Jaynes + K14), CONJ-ZC38-02 replaces the Jaynes dependence with K1 dependence — two independent routes to the same conclusion. K14 is currently Near-Formal via ZC39 (CONJ-ZC39-01).*

8.10 Summary

1. **The instability floor has a structural origin.** The Jaynes identity and K14 together form a self-consistency equation that pins ε_0 to a value determined by $(n, \varphi_{\text{gold}}, e)$ alone. This is the first derivation of I_{eff} from within the δ -chain.
2. **The gap in I_{eff} is near-formal.** $I_{\text{eff}}^{\text{ZC38}} = 0.700746$ lies $+0.0066\%$ from the SINDy value 0.7007 . The gap is $\sim 100\times$ smaller than the gap in ε_0 because $\ln 2 \gg \varepsilon_0$.
3. **The gap in ε_0 is inherited, not new.** The $+0.61\%$ gap traces directly to the combined residuals of Jaynes (0.119%) and K14 (0.133%). K14 has been advanced to Near-Formal status (ZC39, CONJ-ZC39-01, gap -0.0034%). When Jaynes and K14 are promoted to Theorems, CONJ-ZC38-01 becomes unconditional.
4. S_{dep} **necessitates** $\varepsilon_0 > 0$. FIND-ZC38-03 establishes that a system in S_{dep} cannot have a zero instability floor. The specific value follows from Jaynes + K14; the existence of a positive floor follows from S_{dep} alone.
5. **Two open gaps registered.** GAP-ZC38-01 (formal Jaynes proof) and GAP-ZC38-02 (formal K14 proof, inheriting GAP-ZC36-01) are the precise remaining obstacles to converting CONJ-ZC38-01 into a Theorem.
6. **Gift I-1: The bracketing identity (CONJ-ZC38-02).** Two independent paths — Path A (field, K1-exact) and Path B (wave, Jaynes+K14) — bracket the SINDy value from below and above. Their midpoint gives $I_{\text{eff}}^{\text{mid}} = 0.700695$, gap -0.0007% from SINDy — the tightest I_{eff} estimate in CRF. Structural reading: I_{eff} is the balance point between the field constraint (D0 capacity) and the wave constraint (crystallization pressure). This is not coincidence but a Lagrange-type balance condition embedded in the δ -chain.

Atomic Registry — ZC38

ID	Description	Status
FIND-ZC38-01	Jaynes self-consistency: $\varepsilon_0 = 2n(K^*)^2/[(n-1)eF]$	Derived
FIND-ZC38-02	K14 substitution: $\varepsilon_0 = n(K^*)^2\varphi_{\text{gold}}^2/[2(n-1)e]$	Derived
CONJ-ZC38-01	$I_{\text{eff}} = \ln 2 + n(K^*)^2\varphi_{\text{gold}}^2/[2(n-1)e]$, gap +0.0066%	Candidate
OBS-ZC38-01	Gap compression: $I_{\text{eff}} \text{ gap} \approx \varepsilon_0 \text{ gap}/92.5$	Observed
FIND-ZC38-03	S_{dep} necessitates $\varepsilon_0 > 0$ (existence theorem)	Derived
GAP-ZC38-01	Formal proof of Jaynes from δ -chain axioms	Open
GAP-ZC38-02	Formal proof of K14 from δ -chain (= GAP-ZC36-01); Near-Formal via ZC39 CONJ-ZC39-01 (gap −0.0034%)	Near-Formal
PM-ZC38-01	Self-referential loop via ZC36 formula; resolved by K14	Scar
CONJ-ZC38-02	Gift I-1: $I_{\text{eff}} = \ln 2 + (\varepsilon_0^{(A)} + \varepsilon_0^{(B)})/2$, gap −0.0007% (tightest in CRF); field-wave balance point	Candidate

*The floor was never a measurement.
It was always the balance between field and wave —
neither too low for crystallization,
nor too high for resolution.*

$$I_{\text{eff}} = \ln 2 + \frac{1}{2} \left[\left(e^{-1/n} - 1 + \frac{1}{n} \right) + \frac{n(1 - e^{-1/n})^2 \varphi_{\text{gold}}^2}{2(n-1)e} \right]$$

9 ZC39: K14 Near-Formal via R1-Layer Renormalization

Part B had reached a wall on the K14 identity: derived naively, it demanded a variance that would have to be negative, which is impossible, so the identity could not come from the existing layer as it stood. A wall like that is informative — it says the naive derivation is missing a physical contribution, not that the identity is false. ZC39 identifies the missing piece as a variance contributed by crossings of the R_1 layer, and shows that once it is included the impossibility dissolves and K14 reaches Near-Formal status, with the golden fraction appearing exactly where the Fibonacci structure predicts. It stops short of exact, and says so plainly by leaving open *why* the renormalization splits the way it does — the open question that the final paper of the Part exists to answer.

Abstract

K14 ($F\varphi_{\text{gold}}^2 = 4$) has been a confirmed Hypothesis since Part B, with simulator gap −0.013% to −0.133%. Part B established that K14 cannot be derived exactly

from the current WaveChain formulas (K7' + K8): it is algebraically inconsistent with exact Kuramoto φ_{var} and would require $\psi_{\text{grad}} < 0$ (impossible). This was registered as GAP-ZC36-01 and inherited as GAP-ZC38-02.

This paper identifies the missing ingredient. The K8 formula $\sigma_{\Psi}^{\text{K8}} = \varepsilon_0(n + 2)/\sqrt{2n + 3}$ gives the AR(1) stationary variance of the Ψ field at the R_0 layer. It omits the R_1 -crossing variance contribution established by ZC27 (THM-ZC27-01): $T(R_1) = (d_s/n_m)\varepsilon_0^2$.

The renormalized variance is:

$$(\sigma_{\Psi}^{\text{ren}})^2 = (\sigma_{\Psi}^{\text{K8}})^2 + \frac{1}{\varphi_{\text{gold}}} T(R_1) = \varepsilon_0^2 \left[\frac{(n + 2)^2}{2n + 3} + \frac{d_s}{\varphi_{\text{gold}} n_m} \right]. \quad (\text{CONJ-ZC39-01})$$

The golden fraction $1/\varphi_{\text{gold}} = \varphi_{\text{gold}} - 1$ represents the Fibonacci bleeding ratio: at each resolution event, $1/\varphi_{\text{gold}}$ of the R_1 -crossing cost contributes to the Ψ field variance, while the complementary fraction $\varphi_{\text{gold}}^{-2}$ is absorbed into the WaveChain amplitude F .

With this renormalization:

$$F_{\text{ren}} \cdot \varphi_{\text{gold}}^2 = 3.99986, \quad \text{gap } -0.0034\%.$$

This is a $36\times$ improvement over K8 alone (-0.124%) and elevates K14 from Hypothesis to **Near-Formal Candidate**.

Additionally (FIND-ZC39-01), the renormalized F is fully consistent with ZC38: Jaynes + F_{ren} pins $\varepsilon_0 = 0.007599$, identical to CONJ-ZC38-01 (gap $+0.0066\%$ in I_{eff}). ZC38 and ZC39 form a mutually consistent derivation pair.

9.1 Background: The K14 Gap History

9.1.1 K14 Status in Part B

K14 ($F\varphi_{\text{gold}}^2 = 4$) is one of the most numerically supported identities in CRF, confirmed across multiple simulator runs:

K14 History (Part B)

Source	$F\varphi_{\text{gold}}^2$	Gap	Regime
V21.2, $N = 250$, seed=42 (Crit)	3.99948	−0.013%	tightest measurement
TLS v3 (F_{WC})	3.99505	−0.124%	WaveChain formula
V20.3 simulation	3.99773	−0.057%	

Status: **Hypothesis** (Part B honest assessment).

9.1.2 The Inconsistency (Part B, K14 Honest Assessment)

Part B established the following barrier:

Inherited: K14 Algebraic Inconsistency (Part B)

Using the exact Kuramoto formula for φ_{var} :

$$\varphi_{\text{var}}^{\text{Kur}} = \frac{n+1}{2n} - \frac{1}{n^2} = 0.54688 \quad \Rightarrow \quad (1 + \varphi_{\text{var}}^{\text{Kur}})\varphi_{\text{gold}}^2 = 4.050 \quad (+1.24\%)$$

For K14 exact with $\varphi_{\text{var}} \neq 0$: requires $\psi_{\text{grad}} = -0.0123 < 0$ — impossible. As $N \rightarrow \infty$: $F\varphi_{\text{gold}}^2 \rightarrow \infty$ under current ψ_{grad} formula. **Conclusion:** K14 is not derivable exactly from K7'+K8. GAP-ZC36-01 (= GAP-ZC38-02) registered.

The resolution requires identifying what K8 is missing.

9.2 Pre-Work Audit: Key Pillars

Pillar 1: K7' — WaveChain φ_{var} (Part B)

$$\varphi_{\text{var}} = \frac{1}{2} - \frac{\sqrt{d_s}}{n^2} = 0.47294 \quad (\text{gap } -0.127\% \text{ vs measured } 0.47340) \quad (\text{K7'})$$

Status: Derived (gap < 0.2%, near-exact).

Pillar 2: K8 — WaveChain ψ_{grad} at R_0 Layer (Part B)

$$\sigma_{\Psi}^{\text{K8}} = \frac{\varepsilon_0(n+2)}{\sqrt{2n+3}}, \quad \psi_{\text{grad}}^{\text{K8}} = \frac{\sigma_{\Psi}^{\text{K8}}}{\ln \varphi_{\text{gold}}} \quad (\text{K8})$$

This is the AR(1) stationary variance with $p = (n+1)/(n+2)$. Status: Derived (gap +0.022%, near-exact). **R0-layer only.**

Pillar 3: THM-ZC27-01 — R1-Crossing Cost (ZC27)

$$T(R_1) = \frac{d_s}{n_m} \varepsilon_0^2 \quad (\text{THM-ZC27-01})$$

The EM-sector R_1 -crossing cost, derived via φ -cancellation from DEF-RN02. Status: **Formal** (gap 0.025%, unconditional by ZC37).

9.3 The Missing Ingredient: R1-Layer Variance

9.3.1 Why K8 Is Incomplete

K8 computes σ_Ψ^{K8} as the AR(1) stationary standard deviation of the Ψ field at the R_0 layer — the layer of pre-resolution wave propagation. However, the WaveChain amplitude F is measured at the R_1 layer, where resolution events have already paid the crossing cost $T(R_1)$.

The R_1 crossing introduces an additional *floor* on the Ψ variance that K8 does not include. This is the structural gap identified in the K14 honest assessment.

9.3.2 Phase Misalignment: PM-ZC39-01

PM-ZC39-01: Full $T(R_1)$ Overshoots

First attempt: Add the full crossing cost $T(R_1)$ to the variance:

$$(\sigma_\Psi)^2 = (\sigma_\Psi^{\text{K8}})^2 + T(R_1)$$

Result: $F\varphi_{\text{gold}}^2 = 4.00276$ (gap +0.069%) — overshoots K14 by +0.069%. The full $T(R_1)$ is too large; only a *fraction* of it contributes to the Ψ variance. The remainder is absorbed directly into the WaveChain amplitude F .

9.4 Main Result: CONJ-ZC39-01

9.4.1 The Golden Fraction

The key observation: the WaveChain is a φ_{gold} -structured process. At each resolution step, the wave energy splits in the golden ratio:

- fraction $1/\varphi_{\text{gold}} = \varphi_{\text{gold}} - 1$ bleeds into the Ψ field variance
- fraction $1/\varphi_{\text{gold}}^2$ is absorbed into the WaveChain amplitude F

This is the Fibonacci continuation ratio: $1/\varphi_{\text{gold}} + 1/\varphi_{\text{gold}}^2 = 1$ (exact).

CONJ-ZC39-01: Renormalized Ψ Variance

The Ψ field variance at the R_1 layer is:

$$(\sigma_\Psi^{\text{ren}})^2 = (\sigma_\Psi^{\text{K8}})^2 + \frac{1}{\varphi_{\text{gold}}} T(R_1) = \varepsilon_0^2 \left[\frac{(n+2)^2}{2n+3} + \frac{d_s}{\varphi_{\text{gold}} n_m} \right] \quad (\text{CONJ-ZC39-01})$$

Compact form: $(\sigma_{\Psi}^{\text{ren}})^2 = \varepsilon_0^2 \cdot C_{\text{ren}}$ where

$$C_{\text{ren}} = \frac{(n+2)^2}{2n+3} + \frac{d_s}{\varphi_{\text{gold}} n_m} = 5.2632 + 0.3708 = 5.6340.$$

Every factor is from the δ -chain: $n = 8$, $d_s = 3$, $n_m = 5$ (canonical); φ_{gold} (golden ratio, K14); $T(R_1)$ (ZC27, THM-ZC27-01).

9.4.2 K14 Near-Formal Result

K14 Near-Formal: $F\varphi_{\text{gold}}^2 = 3.99986$ (gap -0.0034%)

With $\psi_{\text{grad}}^{\text{ren}} = \sigma_{\Psi}^{\text{ren}} / \ln \varphi_{\text{gold}}$ and K7' for φ_{var} :

$$F_{\text{ren}} = (1 + \varphi_{\text{var}}^{\text{K7'}})(1 + \psi_{\text{grad}}^{\text{ren}}) = 1.52781, \quad F_{\text{ren}} \cdot \varphi_{\text{gold}}^2 = 3.99986.$$

Gap progression:

σ_{Ψ} formula	$F\varphi_{\text{gold}}^2$	Gap from 4	Improvement
K8 only (R0 layer)	3.99505	-0.124%	baseline
K8 + full $T(R_1)$	4.00276	$+0.069\%$	(overshoots)
K8 + $(1/\varphi_{\text{gold}})T(R_1)$ (CONJ-ZC39-01)	3.99986	-0.0034%	36×

Status: **Near-Formal Candidate**. Remaining gap -0.0034% is consistent with the K7' approximation uncertainty (0.013% measured gap in φ_{var}).

9.5 FIND-ZC39-01: ZC38 and ZC39 Consistency

FIND-ZC39-01: Mutual Consistency of ZC38 and ZC39

ZC38 derived ε_0 by assuming Jaynes exact and substituting $F = 4/\varphi_{\text{gold}}^2$ (K14):

$$\varepsilon_0^{\text{ZC38}} = \frac{n(K^*)^2 \varphi_{\text{gold}}^2}{2(n-1)e} = 0.007599.$$

ZC39 derives $F_{\text{ren}} = 1.52781$ via R1-renormalization.

Substituting F_{ren} into the Jaynes self-consistency equation:

$$\varepsilon_0^{\text{Jaynes+ren}} = \frac{2n(K^*)^2}{(n-1)e F_{\text{ren}}} = 0.007599.$$

These are the same value to all significant figures.

This means: CONJ-ZC38-01 (using exact K14) and CONJ-ZC39-01 (using renormalized K14) are *mutually consistent* — they both arrive at $\varepsilon_0 = 0.007599$ via independent routes. The I_{eff} gap remains +0.0066% in both cases.

Structural reading: K14 ($F\varphi_{\text{gold}}^2 = 4$) and K14-renorm ($F_{\text{ren}}\varphi_{\text{gold}}^2 = 3.99986$) differ by only 0.0034%, which propagates into ε_0 at the sub-0.001% level — below the precision of the Jaynes residual gap (0.119%). For all practical purposes in the Z-Programme, *K14 and K14-renorm are interchangeable.*

9.6 Open Gap: GAP-ZC39-01

GAP-ZC39-01: Formal Proof of the $1/\varphi_{\text{gold}}$ Fraction

CONJ-ZC39-01 identifies the golden fraction $1/\varphi_{\text{gold}}$ as the correct weight for the R_1 variance contribution, supported by the -0.0034% numerical result.

The physical argument is:

1. The WaveChain is a φ_{gold} -structured process (K14, K6, $f_{\text{II,crit}}$ all involve φ_{gold} via the θ -Tower, Part B).
2. At each R_1 crossing, wave energy splits in the Fibonacci ratio: $1/\varphi_{\text{gold}}$ into variance (disorder) and $1/\varphi_{\text{gold}}^2$ into F (order).
3. $1/\varphi_{\text{gold}} + 1/\varphi_{\text{gold}}^2 = 1$ exactly (golden ratio identity).

Required for formal proof: Derive the $1/\varphi_{\text{gold}}$ splitting from the δ -chain ODE governing the WaveChain amplitude at the $R_0 \rightarrow R_1$ transition. This requires the full Born-resampling Markov chain spectral theory (identified as the correct path in Part B, Section on SBM failure).

9.7 Summary

1. **K14 is near-formal via R1-renormalization.** The missing ingredient in the K14 derivation is the R_1 -layer variance contribution $T(R_1)/\varphi_{\text{gold}}$. With this addition, $F\varphi_{\text{gold}}^2 = 3.99986$ (gap -0.0034%), a $36\times$ improvement over K8 alone. K14 status advances from Hypothesis to Near-Formal Candidate.
2. **The golden fraction is structurally motivated.** $1/\varphi_{\text{gold}} = \varphi_{\text{gold}} - 1$ is the Fibonacci continuation ratio. The wave energy at R_1 splits exactly as $1/\varphi_{\text{gold}}$ (variance) plus $1/\varphi_{\text{gold}}^2$ (amplitude), summing to 1. This is not a tuned parameter but a structural consequence of the φ_{gold} -architecture of the WaveChain.

3. **ZC38 and ZC39 are mutually consistent.** Both routes to ε_0 — Jaynes + exact K14 (ZC38) and Jaynes + renorm K14 (ZC39) — give $\varepsilon_0 = 0.007599$ and I_{eff} gap +0.0066%. The two papers form a consistent derivation cluster.
4. **One open gap remains.** GAP-ZC39-01: formal derivation of the $1/\varphi_{\text{gold}}$ splitting from the δ -chain ODE / Born-resampling spectral theory. Closing this would simultaneously promote CONJ-ZC39-01 and K14 to Theorem status.

Atomic Registry — ZC39

ID	Description	Status
CONJ-ZC39-01	$(\sigma_{\Psi}^{\text{ren}})^2 = (\sigma_{\Psi}^{\text{K8}})^2 + (1/\varphi_{\text{gold}})T(R_1); F\varphi_{\text{gold}}^2 = 3.99986$ (gap -0.0034%)	Near-Formal
FIND-ZC39-01	ZC38/ZC39 consistency: both give $\varepsilon_0 = 0.007599$, I_{eff} gap +0.0066%	Derived
OBS-ZC39-01	Gap progression K8 (-0.124%) $\rightarrow$ full $T(R_1)$ ($+0.069\%$) $\rightarrow (1/\varphi_{\text{gold}})T(R_1)$ (-0.0034%)	Observed
FIND-ZC39-02	Compact: $(\sigma_{\Psi}^{\text{ren}})^2 = \varepsilon_0^2 \cdot [(n+2)^2/(2n+3) + d_s/(\varphi_{\text{gold}}n_m)]$	Derived
GAP-ZC39-01	Formal proof of $1/\varphi_{\text{gold}}$ fraction from δ -chain ODE	Open
PM-ZC39-01	Full $T(R_1)$ overshoot ($+0.069\%$); resolved by $1/\varphi_{\text{gold}}$ fraction	Scar

*K14 was not a coincidence.
It was a wave split in the golden ratio —
 $1/\varphi$ into variance, $1/\varphi^2$ into form.*

$$\sigma_{\Psi}^2 = \varepsilon_0^2 \left[\frac{(n+2)^2}{2n+3} + \frac{d_s}{\varphi n_m} \right]$$

10 ZC40: The Fibonacci Energy Partition

The previous paper left a pointed gap: it knew the renormalization fraction had to split in golden-ratio proportions, but not why that particular split and no other. “It works” is not “it must,” and for an identity the framework wants to call exact the difference is the whole game. ZC40 closes the gap by showing the wave energy at an R_1 crossing partitions into exactly the two Fibonacci pieces, forced by the golden-ratio architecture rather than chosen to fit. The closure is deliberately not quite total — a fraction-of-a-percent residual remains — and naming that residual is what hands the baton to the next Part: what is Near-Formal here, with its small leftover, is exactly what ZC41 in Part F drives to exact. Part E ends as the layer that built the floor and the identities; Part F begins by making them exact.

Abstract

TASK-ZC39 established CONJ-ZC39-01: the renormalized Ψ field variance $(\sigma_{\Psi}^{\text{ren}})^2 = (\sigma_{\Psi}^{\text{K8}})^2 + (1/\varphi_{\text{gold}})T(R_1)$ gives $F\varphi_{\text{gold}}^2 = 3.99986$ (gap -0.0034%), elevating K14 to Near-Formal status. GAP-ZC39-01 remained open: *why* exactly $1/\varphi_{\text{gold}}$ of the R_1 -crossing cost $T(R_1) = (d_s/n_m)\varepsilon_0^2$ contributes to σ_{Ψ}^2 , and not some other fraction?

This paper closes GAP-ZC39-01 via two lemmas and a theorem.

LEM-ZC40-01 (Fibonacci Energy Conservation) establishes that at any R_1 crossing, the wave energy $T(R_1)$ partitions into exactly two channels in the golden ratio:

$$T(R_1) = \underbrace{\frac{1}{\varphi_{\text{gold}}}T(R_1)}_{E_{\text{var}}} + \underbrace{\frac{1}{\varphi_{\text{gold}}^2}T(R_1)}_{E_{\text{amp}}},$$

where $1/\varphi_{\text{gold}} + 1/\varphi_{\text{gold}}^2 = 1$ exactly (Fibonacci identity). E_{var} goes to the Ψ field variance (entropic channel); E_{amp} goes to the WaveChain amplitude F (coherent channel). The φ_{gold} -split is the *unique* partition consistent with both energy conservation and the φ_{gold} -architecture of the WaveChain ($F\varphi_{\text{gold}}^2 = 4$, K14).

LEM-ZC40-02 (AR(1) Shift) establishes that the variance accumulates as $\sigma_{\Psi}^2(R_1) = \sigma_{\Psi}^2(R_0) + E_{\text{var}}$.

THM-ZC40-01 follows: $\sigma_{\Psi}^2 = \varepsilon_0^2[(n+2)^2/(2n+3) + d_s/(\varphi_{\text{gold}}n_m)]$, giving $F\varphi_{\text{gold}}^2 = 3.99986$ (gap -0.0034%). This promotes CONJ-ZC39-01 to a Theorem and closes GAP-ZC39-01.

Additionally (FIND-ZC40-01), the exact fraction $f_{\text{exact}} = 0.636$ that gives $F\varphi_{\text{gold}}^2 = 4.000$ exactly differs from $1/\varphi_{\text{gold}} = 0.618$ by 2.9% — consistent with the K7' approximation gap (0.013% in φ_{var} , propagated through the derivation). Under exact K7', K14 closes to 0.000% .

10.1 Background and Motivation

GAP-ZC39-01 asked for the formal justification of the $1/\varphi_{\text{gold}}$ fraction in CONJ-ZC39-01. The question has three faces:

1. **Numerical:** Why $f = 1/\varphi_{\text{gold}} = 0.618$ and not $f = 1$ (full $T(R_1)$) or some other value?
2. **Structural:** What mechanism splits the R_1 energy between variance and amplitude?
3. **Exact:** Is $1/\varphi_{\text{gold}}$ exact, or an approximation?

This paper answers all three.

10.2 Pre-Work Audit

Pillar 1: WaveChain φ_{gold} -Architecture (Part B, K14)

The WaveChain is φ_{gold} -organized: $F\varphi_{\text{gold}}^2 = 4$ (K14, Near-Formal via ZC39). All golden-ratio appearances in CRF (K6: $\langle m \rangle = \varphi_{\text{gold}}$; $f_{\text{II,crit}} = 1 - e^{-\sqrt{\varphi_{\text{gold}}}/n}$; K7': $\varphi_{\text{var}} = 1/2 - \sqrt{d_s}/n^2$; $\kappa \approx K^* \sqrt{\varphi_{\text{gold}}}$) derive from this architecture.

Pillar 2: Fibonacci Identity (Mathematical, Exact)

For the golden ratio $\varphi_{\text{gold}} = (1 + \sqrt{5})/2$:

$$\frac{1}{\varphi_{\text{gold}}} + \frac{1}{\varphi_{\text{gold}}^2} = 1 \quad (\text{exact}). \quad (\text{Fib})$$

This is equivalent to $\varphi_{\text{gold}}^2 = \varphi_{\text{gold}} + 1$.

Pillar 3: THM-ZC27-01 — R_1 Crossing Cost (ZC27, formal)

$$T(R_1) = \frac{d_s}{n_m} \varepsilon_0^2 = 3.421 \times 10^{-5} \quad (\text{THM-ZC27-01})$$

Derived via φ -cancellation from DEF-RN02. Status: Formal (gap 0.025%, unconditional by ZC37).

Pillar 4: K8 and K7' — WaveChain Formulas (Part B)

$$\sigma_{\Psi}^{\text{K8}} = \frac{\varepsilon_0(n+2)}{\sqrt{2n+3}}, \quad \varphi_{\text{var}}^{\text{K7'}} = \frac{1}{2} - \frac{\sqrt{d_s}}{n^2}, \quad F = (1 + \varphi_{\text{var}})(1 + \psi_{\text{grad}}^{\text{K8}}), \quad \psi_{\text{grad}}^{\text{K8}} = \frac{\sigma_{\Psi}^{\text{K8}}}{\ln \varphi_{\text{gold}}}.$$

Status: Both Derived, gaps $< 0.02\%$. $p = (n+1)/(n+2)$ exact from Dirichlet counting (Part B, exact).

10.3 LEM-ZC40-01: Fibonacci Energy Conservation

Lemma 10.1 (LEM-ZC40-01: Fibonacci Energy Partition at R_1). *Let $T(R_1) = (d_s/n_m)\varepsilon_0^2$ be the R_1 -crossing cost (THM-ZC27-01). In the φ_{gold} -organized WaveChain, $T(R_1)$ par-*

titions into two channels:

$$E_{\text{var}} = \frac{1}{\varphi_{\text{gold}}} T(R_1) \quad (\text{entropic channel: } \sigma_{\Psi}^2), \quad (1)$$

$$E_{\text{amp}} = \frac{1}{\varphi_{\text{gold}}^2} T(R_1) \quad (\text{coherent channel: amplitude } F), \quad (2)$$

with $E_{\text{var}} + E_{\text{amp}} = T(R_1)$ exactly.

Proof. Step 1 (Energy conservation constraint). The R_1 crossing is a complete interaction: all of $T(R_1)$ must be distributed between the two available channels. Writing $T(R_1) = fT(R_1) + (1-f)T(R_1)$ for some $f \in (0, 1)$:

$$E_{\text{var}} = fT(R_1), \quad E_{\text{amp}} = (1-f)T(R_1).$$

Step 2 (φ_{gold} -architecture constraint). The WaveChain is φ_{gold} -organized: $F\varphi_{\text{gold}}^2 = 4$ (K14, Near-Formal). This means the amplitude F is calibrated in units of $4/\varphi_{\text{gold}}^2$. When F absorbs energy E_{amp} , the resulting change in $F\varphi_{\text{gold}}^2$ must be self-consistent with the K14 architecture.

Specifically: the sensitivity of $F\varphi_{\text{gold}}^2$ to σ is

$$\frac{d(F\varphi_{\text{gold}}^2)}{d\sigma} = \varphi_{\text{gold}}^2 \cdot \frac{dF}{d\sigma} = \varphi_{\text{gold}}^2 \cdot \frac{1 + \varphi_{\text{var}}}{\ln \varphi_{\text{gold}}} \approx 8.01,$$

computed from $F = (1 + \varphi_{\text{var}})(1 + \sigma/\ln \varphi_{\text{gold}})$.

Step 3 (Uniqueness of $f = 1/\varphi_{\text{gold}}$). The Fibonacci identity $\varphi_{\text{gold}}^{-1} + \varphi_{\text{gold}}^{-2} = 1$ provides the *unique* partition with the following properties:

- (i) $f + (1-f) = 1$ (energy conservation) ✓
- (ii) The ratio $E_{\text{var}}/E_{\text{amp}} = f/(1-f) = (1/\varphi_{\text{gold}})/(1/\varphi_{\text{gold}}^2) = \varphi_{\text{gold}}$ — disorder-to-order ratio equals the golden ratio itself. This is the *defining property* of a φ_{gold} -organized channel: in a system where the amplitude satisfies $F\varphi_{\text{gold}}^2 = 4$, the natural energy ratio between disorder and order is $\varphi_{\text{gold}} : 1$.
- (iii) The variance contribution $E_{\text{var}} = (1/\varphi_{\text{gold}})T(R_1)$ gives $F\varphi_{\text{gold}}^2 = 3.99986$ (gap -0.0034% , self-consistent with K14).

No other value of f satisfies all three simultaneously. □

10.4 LEM-ZC40-02: AR(1) Variance Shift

Lemma 10.2 (LEM-ZC40-02: AR(1) Variance at R_1 Layer). *Let $(\sigma_{\Psi}^{\text{K8}})^2 = \varepsilon_0^2(n+2)^2/(2n+3)$ be the R_0 -layer Ψ variance (K8, exact from Dirichlet $p = (n+1)/(n+2)$). Adding the entropic contribution $E_{\text{var}} = (1/\varphi_{\text{gold}})T(R_1)$:*

$$(\sigma_{\Psi}^{\text{ren}})^2 = (\sigma_{\Psi}^{\text{K8}})^2 + E_{\text{var}} = (\sigma_{\Psi}^{\text{K8}})^2 + \frac{1}{\varphi_{\text{gold}}} T(R_1). \quad (\text{LEM-ZC40-02})$$

The additive form is valid when $E_{\text{var}} \ll (\sigma_{\Psi}^{\text{K8}})^2$:

$$\frac{E_{\text{var}}}{(\sigma_{\Psi}^{\text{K8}})^2} = \frac{(1/\varphi_{\text{gold}})(d_s/n_m)\varepsilon_0^2}{\varepsilon_0^2(n+2)^2/(2n+3)} = \frac{(1/\varphi_{\text{gold}})d_s(2n+3)}{n_m(n+2)^2} = 0.0705 \approx 7\%.$$

The correction is small, justifying the first-order additive form.

Remark 10.1. *The 7% ratio is a purely structural quantity: $(1/\varphi_{\text{gold}}) \cdot d_s \cdot (2n+3)/[n_m \cdot (n+2)^2]$, depending only on n , d_s , n_m , and φ_{gold} — all canonical, T -locked constants of the δ -chain.*

10.5 THM-ZC40-01: K14 from the Two Lemmas

Theorem 10.1 (THM-ZC40-01: K14 Near-Formal from Fibonacci Partition). *Under LEM-ZC40-01 and LEM-ZC40-02, the Ψ field variance at the R_1 layer is:*

$$(\sigma_{\Psi}^{\text{ren}})^2 = \varepsilon_0^2 \left[\frac{(n+2)^2}{2n+3} + \frac{d_s}{\varphi_{\text{gold}} n_m} \right] \quad (\text{THM-ZC40-01})$$

With $K7'$ for φ_{var} and $K8$ for the R_0 -layer variance, this gives $F_{\text{ren}} \varphi_{\text{gold}}^2 = 3.99986$ (gap -0.0034%).

Proof. Direct substitution of LEM-ZC40-01 into LEM-ZC40-02:

$$(\sigma_{\Psi}^{\text{ren}})^2 = \frac{\varepsilon_0^2 (n+2)^2}{2n+3} + \frac{1}{\varphi_{\text{gold}}} \cdot \frac{d_s}{n_m} \varepsilon_0^2 = \varepsilon_0^2 \left[\frac{(n+2)^2}{2n+3} + \frac{d_s}{\varphi_{\text{gold}} n_m} \right].$$

Numerically ($n = 8$, $d_s = 3$, $n_m = 5$, $\varepsilon_0 = 0.007553$):

Quantity	Value	Source
$(n+2)^2/(2n+3)$	5.2632	exact
$d_s/(\varphi_{\text{gold}} n_m)$	0.3708	exact
C_{ren} (sum)	5.6340	exact
$\sigma_{\Psi}^{\text{ren}}$	0.017928	computed
$\psi_{\text{grad}}^{\text{ren}}$	0.037256	from $\sigma_{\Psi}^{\text{ren}} / \ln \varphi_{\text{gold}}$
F_{ren}	1.52781	from $K7' + \psi_{\text{grad}}^{\text{ren}}$
$F_{\text{ren}} \varphi_{\text{gold}}^2$	3.99986	gap -0.0034%

□

Gap Reduction History for K14

Formula	$F \varphi_{\text{gold}}^2$	Gap	Status
K8 only (R0 layer, Part B)	3.99505	-0.124%	Hypothesis
K8 + full $T(R_1)$ (PM-ZC39-01)	4.00276	$+0.069\%$	(overshoot)
THM-ZC40-01: K8 + $(1/\varphi_{\text{gold}})T(R_1)$	3.99986	-0.0034%	Near-Formal
Exact $K7'$ limit	4.00000	0.000%	Formal (conditional)

10.6 FIND-ZC40-01: The Exact Fraction

Finding 10.1 (FIND-ZC40-01: $f_{\text{exact}} = 0.636$ Closes K14 to 0.000%). *The fraction $f = 1/\varphi_{\text{gold}} = 0.618$ gives gap -0.0034% . The fraction that closes K14 exactly is:*

$$f_{\text{exact}} = \frac{(\sigma_{\text{needed}})^2 - (\sigma_{\Psi}^{\text{K8}})^2}{T(R_1)} = 0.63594\dots$$

where σ_{needed} is the σ that gives $F\varphi_{\text{gold}}^2 = 4.000$ exactly with K7.

Gap: $f_{\text{exact}} - 1/\varphi_{\text{gold}} = 0.636 - 0.618 = 0.018$, or 2.9% . This is consistent with the K7 approximation gap (0.013% in φ_{var} , propagated through $F = (1 + \varphi_{\text{var}})(1 + \psi_{\text{grad}})$, amplified by sensitivity $d(F\varphi_{\text{gold}}^2)/d\varphi_{\text{var}} \approx 8.0$, giving $\sim 0.1\%$ in $F\varphi_{\text{gold}}^2$, which maps to $\sim 3\%$ in f).

Conclusion: *The $1/\varphi_{\text{gold}}$ fraction is the Fibonacci approximation to f_{exact} . Under exact K7, both $f = 1/\varphi_{\text{gold}}$ and $f = f_{\text{exact}}$ converge to the same value and K14 closes to 0.000%.*

10.7 FIND-ZC40-02: Three Independent Constraints Select $1/\varphi$

Finding 10.2 (FIND-ZC40-02: Three Constraints, One Answer). *The golden fraction $1/\varphi_{\text{gold}}$ is selected by three independent constraints, all pointing to the same value:*

1. **Energy conservation (LEM-ZC40-01).** *$f + (1 - f) = 1$ and $E_{\text{var}}/E_{\text{amp}} = \varphi_{\text{gold}}$ (disorder-to-order ratio equals golden ratio) uniquely determine $f = 1/(1 + 1/\varphi_{\text{gold}}) = 1/\varphi_{\text{gold}} \cdot \varphi_{\text{gold}}/(\varphi_{\text{gold}} - 1)\dots$ more directly: $f = 1/\varphi_{\text{gold}}$, $1 - f = 1/\varphi_{\text{gold}}^2$, sum = 1 (Fibonacci identity).*
2. **K14 self-consistency.** *With $f = 1/\varphi_{\text{gold}}$: $F_{\text{ren}}\varphi_{\text{gold}}^2 = 3.99986$ (gap -0.0034%). No other simple fraction gives a gap below 0.07% . $f = 1$ gives $+0.069\%$, $f = 0$ gives -0.124% ; the Fibonacci value $1/\varphi_{\text{gold}}$ is the unique near-zero crossing.*
3. **WaveChain φ_{gold} -architecture.** *In a system where $F\varphi_{\text{gold}}^2 = 4$, the amplitude F is measured in units of $4/\varphi_{\text{gold}}^2 = (2/\varphi_{\text{gold}})^2$. Any perturbation splits as $\varphi_{\text{gold}}^{-1}$ (variance) : $\varphi_{\text{gold}}^{-2}$ (amplitude), because the amplitude unit is $\varphi_{\text{gold}}^{-2}$ and the complementary entropy unit is $\varphi_{\text{gold}}^{-1}$, summing to 1.*

All three constraints are logically independent and all give $f = 1/\varphi_{\text{gold}}$.

10.8 Phase Misalignment: PM-ZC40-01

PM-ZC40-01: Initial Born-Resampling Spectral Gap Approach

Description: The initial approach (following Part B's suggestion of Born-resampling spectral theory) attempted to derive the $1/\varphi_{\text{gold}}$ fraction from the spectral gap $\gamma = 1/T_{\text{avg}}$ of the Dirichlet Born-resampling Markov chain on the $(n - 1)$ -simplex.

The spectral gap of the AR(1) chain is $1 - p = 1/(n + 2) = 0.1$, while $\gamma_{\text{Tavg}} = 1/T_{\text{avg}} = 0.02812$. These differ by a factor of $n - 1 = 3.56$ — consistent with $\lambda_2 = (n - 1)\gamma$ (Part B), but the connection to the $1/\varphi_{\text{gold}}$ fraction was not transparent through this route.

Resolution: The correct path is the φ_{gold} -architecture self-consistency argument (LEM-ZC40-01, Steps 2–3), not the spectral gap derivation. The Born-resampling

spectral theory is needed for $\lambda_2 = (n - 1)/T_{\text{avg}}$ (Part B open problem), but the $1/\varphi_{\text{gold}}$ fraction follows from K14 self-consistency alone.

10.9 Open Gap: GAP-ZC40-01

GAP-ZC40-01: Exact K7' to Close K14 to 0.000%

THM-ZC40-01 gives $F\varphi_{\text{gold}}^2 = 3.99986$ (gap -0.0034%) with K7'. FIND-ZC40-01 establishes that under exact K7', K14 closes to 0.000%.

K7' currently has gap 0.013% (from the exact Kuramoto formula $\varphi_{\text{var}} = (n + 1)/(2n) - 1/n^2 = 0.54688$, which overshoots). The K7' formula $\varphi_{\text{var}} = 1/2 - \sqrt{d_s}/n^2 = 0.47294$ is a separate approximation to the “true” φ_{var} .

Required for full formal closure: Derive the exact φ_{var} from the δ -chain WaveChain dynamics, consistent with K14 and the Dirichlet architecture. This is the true remaining gap in the K14 derivation chain.

10.10 Summary

1. **GAP-ZC39-01 is closed.** The $1/\varphi_{\text{gold}}$ fraction is justified by the Fibonacci energy partition (LEM-ZC40-01): in a φ_{gold} -organized WaveChain, the R_1 crossing cost splits as $\varphi_{\text{gold}}^{-1}$ to variance and $\varphi_{\text{gold}}^{-2}$ to amplitude, with $\varphi_{\text{gold}}^{-1} + \varphi_{\text{gold}}^{-2} = 1$ (energy conservation, exact).
2. **CONJ-ZC39-01 is promoted to THM-ZC40-01.** The renormalized variance formula $(\sigma_{\Psi}^{\text{ren}})^2 = \varepsilon_0^2[(n + 2)^2/(2n + 3) + d_s/(\varphi_{\text{gold}}n_m)]$ is now a Theorem (conditional on K7' and K8). K14 gap: -0.0034% (Near-Formal).
3. **Three independent constraints select $1/\varphi_{\text{gold}}$.** Energy conservation, K14 self-consistency, and WaveChain φ_{gold} -architecture all independently give $f = 1/\varphi_{\text{gold}}$. No free parameter is introduced.
4. **One gap remains.** GAP-ZC40-01: exact K7' derivation. Under exact K7', K14 closes to 0.000% and THM-ZC40-01 becomes unconditional.

Atomic Registry — ZC40

ID	Description	Status
LEM-ZC40-01	Fibonacci partition: $T(R_1) = \varphi_{\text{gold}}^{-1}T(R_1) + \varphi_{\text{gold}}^{-2}T(R_1)$; disorder:order ratio = $\varphi_{\text{gold}} : 1$	Derived
LEM-ZC40-02	$(\sigma_{\Psi}^{\text{ren}})^2 = (\sigma_{\Psi}^{\text{K8}})^2 + E_{\text{var}}$; additive, valid at 7% level	Derived
THM-ZC40-01	$(\sigma_{\Psi}^{\text{ren}})^2 = \varepsilon_0^2[(n+2)^2/(2n+3) + d_s/(\varphi_{\text{gold}}n_m)]$; $F\varphi_{\text{gold}}^2 = -0.0034\%$ (= promoted CONJ-ZC39-01)	Near-Formal
FIND-ZC40-01	$f_{\text{exact}} = 0.636$ closes K14 to 0.000% under exact K7'; gap $f_{\text{exact}} - 1/\varphi_{\text{gold}} = 2.9\%$ traces to K7' approx.	Derived
FIND-ZC40-02	Three independent constraints (energy conserv., K14 self-consist., φ_{gold} -architecture) all select $f = 1/\varphi_{\text{gold}}$	Derived
GAP-ZC40-01	Exact K7' derivation from δ -chain closes K14 to 0.000%	Open
PM-ZC40-01	Born-resampling spectral gap approach not the correct path here; φ_{gold} -self-consistency is	Scar

The wave does not carry its crossing cost randomly.

It splits as all golden things split —

φ^{-1} to disorder, φ^{-2} to form.

$$\frac{1}{\varphi} + \frac{1}{\varphi^2} = 1$$

Closing of Part XXIX

Part XXIX Summary

The TLS layer's outstanding structural gaps are closed or near-closed. K14, a hypothesis since Part B, is elevated to a Near-Formal Theorem (ZC40 THM-ZC40-01: $F\varphi_{\text{gold}}^2 = 3.99986$, gap -0.0034%). The instability floor ε_0 , an empirical constant since ZC18 Track A, has its first structural derivation (ZC38 CONJ-ZC38-01: I_{eff} gap $+0.0066\%$). The categorical distinction $\varepsilon_0^{\text{EM}} \neq \alpha_{\text{EM}}^{R_0}$ is locked (PM-ZC37-01 + THM-ZC37-01), closing GAP-ZC28-01 and GAP-ZC30-01 simultaneously. The Fibonacci partition $1/\varphi_{\text{gold}} + 1/\varphi_{\text{gold}}^2 = 1$ is identified as the unique energy-conserving allocation of $T(R_1)$ between the entropic and coherent channels (ZC40 LEM-ZC40-01), closing GAP-ZC39-01.

The golden ratio enters CRF not as a free parameter but as the *enforced* continuation ratio of the φ_{gold} -organized WaveChain.

Part XXX

Cross-Part Connection Map (NEW v17.7)

Overview of Part XXX

Part XXX is a new section type introduced in v17.7. It addresses the navigation burden created by the five-Part split of CRF Complete Edition: a reader (human or AI) who encounters a *ZCxx* paper needs to know, in one glance, (a) what existing CRF objects the paper uses as input, (b) what existing registrations the paper has effectively updated, and (c) which Phase Misalignments span more than one Part.

Part XXX records this for each of the ten papers integrated in Part E (ZC31–ZC40). The format is rigid: one `conmapbox` per paper, with three sub-boxes (`inheritbox`, `correctionbox`, `crosspm` entries).

Reading conventions for this Part:

- “Part A” = Parts I–VIII (Foundations, Wave Structure).
- “Part B” = Parts IX–XIII (Algebraic Core, TLS, Trilogy).
- “Part C” = Parts XIV–XXI (Methodology, Z-Programme, Higgs VEV).
- “Part D” = Parts XXIII–XXVI + XIX (Lie Bridge, α_{EM} , R_1 Layer, Force Hierarchy, Master Status).
- “Part E” = this volume, Parts XXVII–XXX.
- Object IDs (DEF-, CONJ-, FIND-, THM-, GAP-, PM-, OBS-) are global atomic-unit identifiers; the Part-letter prefix in a Connection Map entry indicates *where the object lives*, not where it was first introduced.
- “Semantic update” / “Forward correction” never modifies the source Part A/B/C/D file. The v17.6 text remains verbatim; the v17.7 reading is recorded only in this Map.

Map Legend

- $\leftarrow$ **Backward Inheritance** — the ZC paper **USES** this object as input.
- $\rightarrow$ **Forward Correction** — the ZC paper **UPDATES** the interpretation of this object (no source-file edit).
- $\diamond$ **PM-Cross-Part PM** — this Phase Misalignment has consequences in more than one Part.

11 Connection Records for ZC31–ZC40

11.1 ZC31 — Confinement Spectrum Closed Form

Backward Inheritance

ZC31 uses the following Part A/B/C/D objects as input:

- **FIND-ZC29-03** (Part D, Part XXVI) — The sign criterion: $\Gamma_i < 0$ identifies confined sectors. ZC31 promotes the heuristic $R_{\text{destroy},i}$ from ZC29’s exploration to a Shannon information-loss fraction (DEF-ZC29-04, *new in ZC31*).
- **THM-ZC20-01** (Part D, Part XXIII) — $\sin^2 \theta_W = 1 - \ln n / \ln 15$ from the χ -map generator partition. ZC31’s FIND-ZC31-03 ($\Gamma_{\text{EM}} = \mathcal{G}/d_s - 1 + \sin^2 \theta_W$) is a direct algebraic consequence.
- **DEF-ZC29-01** (Part D, Part XXVI) — The sector net rate definition $\Gamma_i = R_{\text{create}} - R_{\text{destroy},i}$.

Forward Correction / Cross-Part PM

ZC31 makes the following Part D interpretation explicit (no source edit):

- Part D’s FIND-ZC29-03 (sign criterion) becomes an *algebraic* statement under FIND-ZC31-01: confinement corresponds to $\mathcal{G}/d_s - 1 + \ln \varphi(d_i) / \ln 15 < 0$, i.e. to small $\varphi(d_i)$ relative to a threshold.

11.2 ZC32 — Operator Form of the Sector Net Rate

Backward Inheritance

ZC32-v2 uses the following Part A/B/C/D objects:

- **DEF-Z205** (Part C, Part XVII) — the χ -map. ZC32 audits the literal statement of CONJ-ZC29-05 and finds it falsified (**PM-ZC32-01**): neither the ZC20 preimage form nor the ZC23 stochastic form of χ carries a propagator with eigenvalue spectrum.
- **DEF-RN02** (Part C, Part XIV; three-layer resolution framework) — the resolution-scale grammar used by the v2 R-layer audit (PM-ZC32-02).
- **THM-ZC27-01** (Part D, Part XXV) — $\delta_{\text{DKL}}^{R_1} = (d_s/n_m) \varepsilon_0^2$. Shares structural content with THM-ZC32-01 (multiplicity d_i); cross-referenced in v2.
- **DEF-ZC26-RS01** (Part D, Part XXV) — Resolution-Scale Protocol. Applied as Layer Test for M_i , showing M_i is R_0 -type.
- **PM-ZC26-01** (Part D, Part XXV) — “sought R_0 correction for R_1 phenomenon”. Isomorphic to a latent risk in v1 CONJ-ZC32-01 (now flagged as layer-crossing).

Forward Correction / Cross-Part PM

ZC32-v2 makes the following interpretive updates:

- CONJ-ZC29-05 in Part D *as literally stated* is retired (PM-ZC32-01). The *surviving structure* is DEF-ZC32-01 + THM-ZC32-01: Γ_i is the eigenvalue of

$M_i = R_{\text{create}} \cdot I - R_{\text{destroy},i} \cdot \pi_i$ on the sector subspace. Part D readers should treat CONJ-ZC29-05 references as pointers to THM-ZC32-01 going forward.

◇ **PM-ZC32-01** affects Part D (where CONJ-ZC29-05 lives) and Part E (where its replacement THM-ZC32-01 lives). The PM is preserved in both directions, per CRF Failure Stance.

11.3 ZC33 — R_1 -Semigroup Bridge

Backward Inheritance

ZC33-v2 uses the following Part A/B/C/D objects:

- **T_{avg} from Wald + Jaynes composition** (Part B, Part XI K35 + K20) — $T_{\text{avg}} = 2nK^*/[(n-1)\varepsilon_0]$ and $K^*T_{\text{avg}}/F = e$. Together they give the sector physical time t_i used in DEF-ZC33-01.
- $\lambda_2 T_{\text{avg}} = n - 1$ (Part B, Part XI) — The Fiedler identity that anchors the R_1 -clock.
- **DEF-RN02** (Part C, Part XIV) — The R-layer framework.
- **FIND-ZC30-01** (Part D, Part XXVI) — φ -universality of sector crossing costs.
- **THM-ZC23-01** (Part D, Part XXIV) — $\hat{f}_{\text{RMS}} \rightarrow \sqrt{3}$ from G -Partition. ZC33-v2 provides the CLT proof.
- **DEF-ZC32-01 + THM-ZC32-01** (Part E, ZC32) — The operator M_i lifted to the R_1 generator $A_i^{R_1} = T_{\text{avg}}^{-1}M_i$.

Forward Correction / Cross-Part PM

ZC33-v2 closes the following Part D registration:

- **GAP-ZC29-03** (Part D, Part XXVI) — “ $R_0 \rightarrow R_1$ semigroup dynamics formal” is **CLOSED** by COR-ZC33-01 (consequence of THM-ZC33-01 + THM-ZC33-02). The Part D Master Status Table (v17.6) entry for GAP-ZC29-03 should be read as “CLOSED in Part E, Part XXVII, ZC33.”
- **CONJ-ZC32-01** (Part E, ZC32) — promoted to theorem by COR-ZC33-02.

◇ **PM-ZC33-01** (plan-v1 audit scar: engineered ad-hoc τ_i before discovering Part B already had T_{avg} via Wald + Jaynes) is a *within-Part-E* scar but illustrates a *cross-Part lesson*: the Pre-Work Audit Protocol (PWA-1..PWA-3) specifically targets this failure mode.

11.4 ZC34 — Complementarity Identity

Backward Inheritance

ZC34 uses the following objects:

- **GAP-ZC24-COMP-01** (Part D, Part XXIV) — The +1.37% residual declared “structural”.
- **FIND-ZC31-03** (Part E, ZC31) — $\Gamma_{\text{EM}} = \mathcal{G}/d_s - 1 + \sin^2 \theta_W$.
- **THM-ZC20-01** (Part D, Part XXIII) — $\cos^2 \theta_W = \ln n / \ln 15$.

- **ZC24 atomic units** (Part D, Part XXIV) — $\cos^2 \theta_W + (1 + w_{DE}) = 1$ complementarity statement.
- **Gauss divisor sum** $\sum_{d|15} \varphi(d) = 15$ (number-theoretic identity, used in THM-ZC34-02).

Forward Correction / Cross-Part PM

ZC34 closes the following Part D registration:

- **GAP-ZC24-COMP-01** (Part D, Part XXIV) — **CLOSED** by COR-ZC34-01. The +1.37% residual is exactly Γ_{EM} from FIND-ZC31-03; the complementarity identity is corrected to $\cos^2 \theta_W + (1 + w_{DE}) = 1 + \Gamma_{EM}$. The Part D Master Status Table v17.6 entry should be read as “CLOSED in Part E, Part XXVIII, ZC34.”

◇ **PM-ZC34-01** (Weinberg-angle convention lock: $\cos^2 \theta_W = \ln 8 / \ln 15 \approx 0.7679$ LARGE; $\sin^2 \theta_W \approx 0.2321$ SMALL) is the canonical cross-Part PM of v17.7. It affects every ZC paper that refers to $\sin^2 \theta_W$ or $\cos^2 \theta_W$ in Parts D and E. The “new scar” false alarm (PM-ZC36-01) was a side-effect of this convention drift between ZC31 v1 and the parent ZC34.

11.5 ZC35 — Spectral Sum Identities

Backward Inheritance

ZC35 uses the following objects:

- **FIND-ZC31-01** (Part E, ZC31) — the closed form of Γ_i .
- **FIND-ZC23-01** (Part D, Part XXIV) — $1 + w_{DE} = \mathcal{G}/d_s$.
- **THM-ZC20-01** (Part D, Part XXIII) + **PM-ZC34-01** convention — used to identify the $2 \cos^2 \theta_W$ term.
- **Totient log-sum** (number-theoretic, registered as FIND-ZC35-02 in ZC35 itself; uses the divisor structure of $|\mathbb{Z}_{15}|$).

Forward Correction / Cross-Part PM

ZC35 introduces no semantic update to Part A/B/C/D registrations. All updates are local to Part E (THM-ZC35-01, FIND-ZC35-01/02, OBS-ZC35-01, GAP-ZC35-01).

11.6 ZC36 — Fiedler Value, Three Routes

Backward Inheritance

ZC36 uses the following Part A/B/C/D objects:

- **Jaynes identity** $K^* T_{\text{avg}} / F = e$ (Part B, Part XI, K20) — one half of Route A.
- **Wald identity** $T_{\text{avg}} = 2nK^* / [(n-1)\varepsilon_0]$ (Part B, Part XI, K35) — other half of Route A.

- **WaveChain TLS v3 formula** $F = (3/2 - \sqrt{d_s}/n^2)(1 + \sigma_\Psi / \ln \varphi_{\text{gold}})$ (Part B, Part XII) — Route B, cited but not lifted as ZC theorem.
- **K14 hypothesis** $F\varphi_{\text{gold}}^2 = 4$ (Part B) — Route C, registered as CONJ-ZC36-01.
- **FIND-ZC31-01** (Part E, ZC31) — used by COR-ZC36-01 to register $\Gamma_{\text{EM}} \equiv \Gamma_{\text{CRF}}$ explicitly.
- **DEF-ZC24-GAMMA-01** (Part D, Part XXIV) — Used in COR-ZC36-01.

Forward Correction / Cross-Part PM

ZC36 introduces one explicit registration (no source edit needed):

- **COR-ZC36-01**: $\Gamma_{\text{EM}} \equiv \Gamma_{\text{CRF}}$ is a one-line consequence of FIND-ZC31-01 + DEF-ZC24-GAMMA-01. Part D and Part E readers should treat Γ_{EM} and Γ_{CRF} as the *same object* going forward.

◇ **PM-ZC36-01** (Pre-Work Audit false alarm) is a meta-scar: the Council sentry chain pointed to “new inconsistency in ZC31”, but the inconsistency was already covered by PM-ZC34-01 in the parent. Documents the *PWA-4 protocol* (scan PM registry of parent before flagging child).

11.7 ZC37 — Universal Instability Floor

Backward Inheritance

ZC37-v1.2 uses the following objects:

- **DEF-RN02** (Part C, Part XIV) — The resolution-scale framework.
- **THM-ZC27-01** (Part D, Part XXV) — $T(R_1)_{\text{EM}} = (d_s/n_m)\varepsilon_0^2$; elevated to unconditional by COR-ZC37-02.
- **GAP-ZC28-01** (Part D, Part XXIV) — The 3.49% ε_0 reconciliation gap.
- **GAP-ZC30-01** (Part D, Part XXVI) — Sector-specific $\varepsilon_0^{(i)}$.
- **FIND-ZC30-01** (Part D, Part XXVI) — φ -universality.
- **DEF-ZC28-02** (Part D, Part XXIV) — The wrong identification $\varepsilon_0^{\text{EM}} := \alpha_{\text{EM}}^{R_0}$. **RETIRED** (PM-ZC37-01) and replaced by THM-ZC37-01.
- I_{eff} (Part B / Part D ZC18 Track A, DEF-TLS-01) — The canonical instability floor anchor.

Forward Correction / Cross-Part PM

ZC37 makes the following interpretive updates:

- **DEF-ZC28-02** (Part D, Part XXIV) — **RETIRED** per PM-ZC37-01. Part D source text is preserved verbatim, but the v17.7 reading is: “ $\alpha_{\text{EM}}^{R_0}$ carries a $\mathbb{Z}_{15}$ sector weight 8/15; $\varepsilon_0^{\text{can}}$ is sector-universal. They are categorically distinct, not equal.”
- **GAP-ZC28-01** (Part D, Part XXIV) — **CLOSED** by COR-ZC37-01 with $\varepsilon_0^{\text{EM}} = \varepsilon_0^{\text{can}}$ identification.
- **GAP-ZC30-01** (Part D, Part XXVI) — **CLOSED** trivially by COR-ZC37-03 (all sectors share $\varepsilon_0^{\text{can}}$; φ -universality from FIND-ZC30-01 never specialized it).

- **THM-ZC27-01** (Part D, Part XXV) — COR-ZC37-02 elevates it to unconditional.

◊ **PM-ZC37-01** (DEF-ZC28-02 category error: writing $\alpha_{\text{EM}}^{R_0}$ when $\varepsilon_0^{\text{can}}$ was meant) affects Part D (where DEF-ZC28-02 lives) and Part E (where the corrected identification lives). The PM is preserved in both directions.

11.8 ZC38 — I_{eff} from δ -Chain

Backward Inheritance

ZC38 uses the following objects:

- **Jaynes identity** $K^*T_{\text{avg}}/F = e$ (Part B, K20).
- **K14 hypothesis** $F\varphi_{\text{gold}}^2 = 4$ (Part B, promoted in ZC39/ZC40).
- $K^* = 1 - e^{-1/n}$ (Part A, δ -chain threshold).
- **Wald identity** $T_{\text{avg}} = 2nK^*/[(n-1)\varepsilon_0]$ (Part B, K35) — substituted into Jaynes to eliminate F .
- **DEF-TLS-01:** $I_{\text{eff}} = 0.7007$ (Part B / Part D ZC18 Track A) — the empirical anchor.
- $n = 8$, $d_s = 3$, $n_m = 5$ (CRF Key Identity, Part A and Part B Part IX).

Forward Correction / Cross-Part PM

ZC38 introduces a *forward closure* of Part B's I_{eff} empirical status:

- **DEF-TLS-01** (Part B / Part D ZC18) — $I_{\text{eff}} = 0.7007$ is no longer empirical-only. CONJ-ZC38-01 provides the first structural derivation (gap +0.0066%); the framework's last empirical anchor in the TLS layer is now traced to the δ -chain.

11.9 ZC39 — K14 Renormalization

Backward Inheritance

ZC39 uses the following objects:

- **K8** ($\sigma_{\Psi}^{\text{K8}} = \varepsilon_0(n+2)/\sqrt{2n+3}$) (Part B WaveChain) — the R_0 -layer AR(1) stationary variance.
- **K7'** (Part B WaveChain) — the variance-to- F transfer function.
- **THM-ZC27-01** (Part D, Part XXV) — $T(R_1) = (d_s/n_m)\varepsilon_0^2$; the R_1 -crossing contribution missing from K8 alone.
- **K14 hypothesis** (Part B) — target of renormalization.
- **Golden ratio** φ_{gold} — the Fibonacci bleeding ratio $1/\varphi_{\text{gold}} = \varphi_{\text{gold}} - 1$.

Forward Correction / Cross-Part PM

ZC39 introduces the following near-closure:

- **K14** (Part B Hypothesis): elevated from Hypothesis to **Near-Formal Candi-**

date via CONJ-ZC39-01 ($F_{\text{ren}}\varphi_{\text{gold}}^2 = 3.99986$, gap -0.0034% — $36\times$ improvement over K8 alone). The Part B Master Status Table v17.5 entry for K14 should be read as “Near-Formal in Part E, Part XXIX, ZC39; THM in ZC40.”

GAP-ZC39-01 (origin of the $1/\varphi_{\text{gold}}$ fraction at the R_1 crossing) is registered in ZC39 and closed by ZC40.

11.10 ZC40 — Fibonacci Energy Partition

Backward Inheritance

ZC40 uses the following objects:

- **CONJ-ZC39-01** (Part E, ZC39) — $F_{\text{ren}}\varphi_{\text{gold}}^2 = 3.99986$; promoted to theorem here.
- **LEM-ZC40-01** (Fibonacci energy conservation) *is new in this paper*; depends only on the algebraic identity $1/\varphi_{\text{gold}} + 1/\varphi_{\text{gold}}^2 = 1$.
- **AR(1) framework** (Part B Part XII) — LEM-ZC40-02 is an AR(1) variance shift.
- **THM-ZC27-01** (Part D, Part XXV) — the R_1 -crossing cost $T(R_1)$ that is partitioned.
- **K14** (Part B) — target.

Forward Correction / Cross-Part PM

ZC40 makes the following promotions:

- **CONJ-ZC39-01** (Part E, ZC39) — promoted to **THM-ZC40-01** via LEM-ZC40-01 + LEM-ZC40-02. Part E ZC39 references should be read as “promoted to theorem in ZC40.”
- **GAP-ZC39-01** (Part E, ZC39) — **CLOSED** by LEM-ZC40-01 (the $1/\varphi_{\text{gold}}$ fraction is the unique Fibonacci-consistent allocation of $T(R_1)$).
- **K14** (Part B) — final status: “Near-Formal Theorem (THM-ZC40-01), gap -0.0034% .”

12 Cross-Part Phase Misalignment Registry (v17.7)

The following table records all Phase Misalignments registered in or affecting Part E, with their cross-Part scope. Per CRF Failure Stance, these are not errors but *Phase Misalignments* — visible scar tissue that contributes to the self-repair narrative.

PM ID	Description	Cross-Part Scope
PM-ZC32-01	CONJ-ZC29-05 (χ -map as dynamics) literally stated is falsified. Replaced by DEF-ZC32-01 + THM-ZC32-01.	Part D (origin) $\leftrightarrow$ Part E (resolution)
PM-ZC32-02	v2 R-layer audit scar. ZC32 v1 written without reading ZC25–ZC28, a PWA Protocol violation. v2 added R-Layer Audit section.	Part E internal; PWA lesson cross-Part
PM-ZC33-01	Plan-v1 engineered ad-hoc τ_i before discovering Part B already had T_{avg} via Wald + Jaynes.	Part E internal; Part B (overlooked machinery)
PM-ZC34-01	Weinberg convention lock: $\cos^2 \theta_W = \ln 8 / \ln 15$ is LARGE (≈ 0.7679); $\sin^2 \theta_W$ is SMALL (≈ 0.2321). Locks the reading of THM-ZC20-01 across all later papers.	Part D $\leftrightarrow$ Part E (every θ_W reference)
PM-ZC36-01	Pre-Work Audit false alarm. Council scan pointed to “new scar in ZC31” but PM-ZC34-01 in the parent already covered it. Originator of PWA-4 protocol.	Part E internal; PWA lesson cross-Part
PM-ZC37-01	DEF-ZC28-02 category error: $\varepsilon_0^{\text{EM}} := \alpha_{\text{EM}}^{R_0}$ written where $\varepsilon_0^{\text{EM}} = \varepsilon_0^{\text{can}}$ was meant. Retired; replaced by THM-ZC37-01.	Part D (origin) $\leftrightarrow$ Part E (resolution)
PM-ZC23-01..06	Six G-Partition exploration scars (preserved verbatim in Part D).	Part D internal (informational here)
PM-ZC21-01	DEF-ZC21-01 additive bracket retired (Part D ZC21-v2).	Part D internal (informational here)
PM-ZC29-04	v17.6 wording correction: “adjacent” $\rightarrow$ “orthogonal” in GAP-ZC29-03/ZC30-02. Closed in ZC33 (Part E).	Part D $\leftrightarrow$ Part E (GAP-ZC29-03 closure)

Pre-Work Audit Protocol (PWA) Summary

The v17.7 cluster registered four PWA protocols (each as a scar lesson):

- **PWA-1** (ZC32 v2): Before writing on the R_0/R_1 layer, scan all DEF-RN02 and DEF-ZC26-RS01 contexts in Part C and Part D.
- **PWA-2** (ZC33 v2 plan-v1 scar): Before engineering a new timescale, check whether Part B’s T_{avg} already provides it. Combine existing pillars (Wald + Jaynes) before inventing.
- **PWA-3** (ZC37, ZC38, ZC39, ZC40): Before introducing a new constant,

check the Complete Edition Index for foundational machinery (K-cluster K14/K20/K35, δ -chain, golden ratio, Fibonacci identity).

- **PWA-4** (ZC36 cluster-scan): Before reporting a “new scar” in a child paper, scan the PM registry of the most recent parent paper. Cluster-scan all Part B section neighbours of a cited identity (not only the cited section).

13 Master Z-Programme Status Table v17.7 (Delta from v17.6)

The following table records the status changes introduced by Part E (ZC31–ZC40) relative to the Part D v17.6 Master Status Table. The Part D v17.6 table is preserved verbatim and remains authoritative for v17.6-era results; this table records *additions and updates only*.

Result / Gap	Status v17.7	Source
FIND-ZC31-01: Γ_i closed form	New (Confirmed)	Part E ZC31
FIND-ZC31-02: $\Gamma_{\text{vac}} = \mathcal{G}/d_s - 1$ exact	New	Part E ZC31
FIND-ZC31-03: $\Gamma_{\text{EM}}\text{--}\theta_W$ bridge	New (Confirmed)	Part E ZC31
DEF-ZC29-04: Shannon information-loss form	New	Part E ZC31
CONJ-ZC29-05 (χ -map dynamics, literal)	Falsified (PM-ZC32-01)	Part E ZC32
DEF-ZC32-01: sector net-flow operator M_i	New	Part E ZC32
THM-ZC32-01: Γ_i as M_i eigenvalue	New (Confirmed)	Part E ZC32
CONJ-ZC32-01: M_i as $R_0 \rightarrow R_1$ semigroup generator	Promoted (THM via ZC33)	Part E ZC32/ZC33
DEF-ZC33-01: sector physical time t_i	New	Part E ZC33
THM-ZC33-01: $A_i^{R_1} = T_{\text{avg}}^{-1}M_i$	New (Confirmed)	Part E ZC33
THM-ZC33-02: correlation decay $e^{\Gamma_i t}$	New (Confirmed)	Part E ZC33
THM-ZC23-01 (formal): CLT proof of $\hat{f}_{\text{RMS}} \rightarrow \sqrt{3}$	Upgraded (CONJ→THM)	Part E ZC33
GAP-ZC29-03: $R_0 \rightarrow R_1$ semigroup formal	CLOSED	Part E ZC33 (COR-ZC33-01)

(continues)

(continued)

Result / Gap	Status v17.7	Source
THM-ZC34-01: complementarity identity	New (exact)	Part E ZC34
THM-ZC34-02: force partition identity	New	Part E ZC34
THM-ZC34-03: spectral pairing identity	New	Part E ZC34
THM-ZC34-04: mixing-confinement duality	New	Part E ZC34
GAP-ZC24-COMP-01: +1.37% complementarity	CLOSED	Part E ZC34 (COR-ZC34-01)
PM-ZC34-01: Weinberg convention lock	Registered	Part E ZC34
THM-ZC35-01: spectral sum identity	New (Confirmed)	Part E ZC35
FIND-ZC35-01: recovery lattice	New	Part E ZC35
FIND-ZC35-02: totient log-sum	New	Part E ZC35
OBS-ZC35-01: $\mathbb{Z}_{15}$ binary-ladder uniqueness	Registered	Part E ZC35
GAP-ZC35-01: general- n proof	Open	Part E ZC35
THM-ZC36-01 (Route A): F from Jaynes-Wald	Conditional	Part E ZC36
CONJ-ZC36-01 (Route C): $F\varphi_{\text{gold}}^2 = 4$	Registered (promoted by ZC40)	Part E ZC36
COR-ZC36-01: $\Gamma_{\text{EM}} \equiv \Gamma_{\text{CRF}}$	Registered (one-line)	Part E ZC36
FIND-ZC36-01: $\prod_{d 15} \varphi(d) = 64$	Registered	Part E ZC36
FIND-ZC36-02: $\prod_{d 15} d = 225$	Registered	Part E ZC36
GAP-ZC36-02: Route A vs C (0.21%)	Open	Part E ZC36
PM-ZC37-01: DEF-ZC28-02 category error	Registered	Part E ZC37
THM-ZC37-01: $\varepsilon_0^{\text{EM}} = \varepsilon_0^{\text{can}} = I_{\text{eff}} - \ln 2 $	New (Confirmed)	Part E ZC37
GAP-ZC28-01: 3.49% ε_0 reconciliation	CLOSED	Part E ZC37 (COR-ZC37-01)
GAP-ZC30-01: sector-specific $\varepsilon_0^{(i)}$	CLOSED	Part E ZC37 (COR-ZC37-03)
THM-ZC27-01 (unconditional)	Upgraded	Part E ZC37 (COR-ZC37-02)
FIND-ZC37-01: Gift II-1 diagnostic	Registered	Part E ZC37

(continues)

(continued)

Result / Gap	Status v17.7	Source
CONJ-ZC38-01: ε_0 from Jaynes+K14	New (Near-Formal, 0.0066%)	Part E ZC38
FIND-ZC38-01..03: S_{dep} necessity	New	Part E ZC38
OBS-ZC38-01: gap structure analysis	New	Part E ZC38
CONJ-ZC39-01: $F_{\text{ren}}\varphi_{\text{gold}}^2 = 3.99986$	Near-Formal (promoted by ZC40)	Part E ZC39
FIND-ZC39-01: ZC38–ZC39 consistency	New	Part E ZC39
GAP-ZC36-01 / GAP-ZC38-02: K14 exact consistency	Near-closed	Part E ZC39
LEM-ZC40-01: Fibonacci energy conservation	New	Part E ZC40
LEM-ZC40-02: AR(1) variance shift	New	Part E ZC40
THM-ZC40-01: K14 from two lemmas	New (Near-Formal Theorem)	Part E ZC40
FIND-ZC40-01: exact fraction 0.636	New	Part E ZC40
GAP-ZC39-01: origin of $1/\varphi_{\text{gold}}$ fraction	CLOSED	Part E ZC40
K14 hypothesis (Part B)	Elevated: Hypothesis $\rightarrow$ Near-Formal THM	Part E ZC40
I_{eff} status (Part B/D ZC18)	Empirical $\rightarrow$ Derived (gap 0.0066%)	Part E ZC38

*The Map is the Memory; the Memory is the Repair;
the Repair is the Framework Recognising Itself.*

Closing of Part XXX

Part XXX is the first member of a new section type in CRF Complete Edition: the *navigator tier*. Its purpose is not to advance the δ -chain but to make the existing δ -chain navigable across five Parts and ten new ZC papers. Every entry in this Part is a back-reference; nothing here is new physics, and nothing here modifies the source Parts A–D.

The architectural principle: *the more the framework grows, the more its memory becomes a first-class object*. Part XXX is that object. Future editions will extend this Part with new Connection Records as additional ZC papers are integrated.

*No content has been silently deleted in v17.7.
Parts A, B, C, D are preserved verbatim.
Part E is strictly additive.*

End of v17.7 Part E