

Climate Outlook for October to December (OND) 2025


- **Staff Meeting**
 - *Updates*

ICHA Climate Desk.

Tuesday,
October 7,
2025

**Kenya
Red Cross**

Parts of the Lake Victoria region,
central parts of the country,
parts of North west and eastern
region **Normal to Drier
conditions** expected during the
season




Increased likelihood of drier conditions in the Eastern parts of the Country extending to parts of the central region predicted

- **Poor,**
- with **prolonged dry spells** and
- **Isolated storms** in some areas


Mid-September 2025 IRI Model-Based Probabilistic ENSO Forecasts

ENSO state based on NINO3.4 SST Anomaly Neutral ENSO: -0.5°C to 0.5°C




- About a **55%** chance of **La Niña** developing during September–November 2025, rising to **60%** in October–December 2025
- -IOD

NOAA Coral Reef Watch Daily 5km SST Anomalies (v3.1) 5 Oct 2025




Historical Nino 3.4 Sea Surface Temperature Anomaly



Tuesday,
October 7,
2025

Indian Ocean Dipole




-1.4

Tuesday,
October 7,
2025


REGIONAL RAINFALL OUTLOOK- OCTOBER 2025

Wetter than normal conditions expected over southern areas of Sudan, South Sudan, western Ethiopia, north-eastern Somalia, **western Kenya**, Uganda, most parts of Rwanda, Burundi, and north-western Tanzania



Drier than usual conditions expected over coastal areas of some parts of South-eastern Ethiopia, north-western, central to southern Somalia, **central to eastern Kenya**, and northern coastal Tanzania.

October 2025 Rainfall Outlook



Above-average rainfall

Most parts of the Highlands west of the Rift Valley, the Lake Victoria Basin, the Central and South Rift Valley, the Northwest, and most parts of the Highlands east of the Rift Valley (including Nairobi County), as well as isolated areas in Marsabit.

Below Normal

Most of the Northeast and the remaining sections of the Coastal regions

Near to Below-average rainfall


Most of the Southeastern lowlands, the Southern Coast, a few areas within the Highlands east of the Rift Valley, and isolated parts of the Northeast.

Onset

Isolated areas in the **Northwest** are expected to receive occasional rainfall extending from **September**, which is likely to be followed by **dry spells**.

Rainfall over the **Western + Lk. Victoria** regions of the country is expected to **continue from September**


Over the **Central** parts of the country, including Nairobi, onset is expected between the **3rd and 4th week of October**



Southeastern lowlands & Coastal


The onset of the seasonal rains is projected to occur between the **3rd & 4th week of November** over the **Southeastern lowlands** and **Coastal** regions, although **occasional** rainfall is expected in **October**, particularly over the Coastal strip and isolated areas in the Southeastern lowlands.

WEEKLY CUMULATIVE RAINFALL FORECAST
Valid 0600Hrs 07OCT to 0600Hrs 14OCT 2025



Weekly
7th -14th
Oct

WEEKLY CUMULATIVE RAINFALL FORECAST
Valid 0600Hrs 14OCT to 0600Hrs 20OCT 2025




Weekly
14th -20th
Oct

For Anticipatory Action – Drought EAP

Tuesday,
October 7,
2025

National DEWS: SPI < -0.98 thresholds for Alarm Worsening Phase

Forecast probabilities of SPI, Kenya: OND 2025 - initialised: Sep
number of models = 4 : newD2025_; newD2025_; newD2025_; newD2025_



Consistent with the July and August forecasts, the latest projections continue to indicate a high likelihood of below-average short rains across Kenya in 2025, especially in the ASAL regions.

- Counties with the highest likelihood of experiencing severe drought include Mandera, Garissa, Wajir, Samburu, Tana River, Tharaka Nithi, Kitui, Makueni, Machakos, Taita Taveta, Kajiado, Kwale, Kilifi & Lamu (15)

NDMA Drought phase classification, August 2025


Drought status	Trend		
	Improving	Stable	Worsening/ Deteriorating
Normal		Samburu, Embu, Kajiado, Kilifi, Kwale, Laikipia, Narok, Taita Taveta, West Pokot, Isiolo, Marsabit, Baringo, Lamu	Tana River, Garissa, Kitui, Meru, Turkana, Wajir, Makueni, Nyeri, Tharaka Nithi
Alert			Mandera
Alarm			
Emergency			
Recovery			

Tuesday,
October 7,
2025

Acute Food Insecurity Situation for July - September 2025 and Projection for October 2025 - January 2026 (ASAL)

2025

Projected: Oct 2025 - Jan 2026



During the projection period (Oct 2025 to Jan 2026), the food security situation is expected to deteriorate, particularly during the short rains season (OND 2025). An estimated 2.1 million people are expected to face high levels of acute food insecurity (IPC Phase 3 or above).

The deterioration is mainly driven by forecasted below-average rainfall, which is expected to further affect staple food prices, alongside conflicts over resource management.

Information shown on this map does not imply that the IPC officially recognizes or endorses physical and political boundaries.

Disclaimer: The information shown on this map does not imply that the IPC officially recognizes or endorses physical and political boundaries.

# (pp)	Phase 1		Phase 2		Phase 3		Phase 4		Phase 5		P3+		Area	Total # (pp)	Phase 1		Phase 2		Phase 3		Phase 4		Phase 5		#	%
	#	%	#	%	#	%	#	%	#	%	#	%			#	%	#	%	#	%	#	%	#	%		
16,617,000	8,426,900	51%	6,429,150	39%	1,581,650	10%	179,300	1%	0	0%	1,760,950	11%	Areas	16,617,000	7,440,300	45%	7,055,800	42%	1,960,600	12%	160,300	1%	0	0%	2,120,900	13%