AI for Good Sandbox Hackathon – [Team Name] – MinorShield Policy Lab

Team leader: Abdoul-Hamid Oumarou
Team members: [to be completed]
Contact details: oumarouabdoulhamid26@gmail.com
Github link: https://github.com/oumarouabdoulhamid26-svg/MinorShield-Hackathon

1. Introduction

MinorShield is a parental-control application already deployed in Cameroon (2nd prize, national ICT project competition 2026). It captures what is displayed on a child's phone, analyses it with AI models (nudity, violence, toxic text) and blocks dangerous content while alerting the parent. Protecting a child this way raises questions the law has not settled: may a private tool watch a child's screen, send the captures to a foreign AI service, keep them for the police, or alert the authorities about an emerging campaign? And when such a tool reveals a real crisis, can the institutions concerned act together?

MinorShield Policy Lab answers these questions in a sandbox. Six AI agents, each representing a group of real institutions sharing one objective (regulators, data protection authority, criminal justice chain, social and educational protection, digital companies, and MinorShield as the innovative AI solution), handle a sextortion crisis revealed in six stages. Each agent knows only what has been disclosed to it, acts within the mandate the law gives it and must justify every action with an article it actually retrieved; a legal-advisor agent judges each action, identifies the gaps of the law and compares them with the EU, the UK, the US, Australia, the UAE and the UN. Every citation is checked automatically and every exchange is written to an audit log. The domain is child online protection; Cameroon is the field of illustration, and every gap is stated for the domain with verified global examples.

2. Description of the use case

The AI solution and its real architecture. On the child's phone, MinorShield captures the screen and sends it to its server, which returns a decision (DetectionResponse: label, category, scores). Nudity is detected on the server (NudeNet); violence and text are also sent to OpenAI's moderation service in the United States; a local lexicon covers Cameroonian slang. If the content is judged inappropriate, the screen is masked and the parent alerted. This architecture is effective, but it is also exactly where the law is silent or demanding: consent for a minor, transfer of a child's data abroad, retention, liability for errors.

Gaps in existing approaches. (1) Crisis exercises between institutions are rare, costly and leave no trace of why a decision was taken. (2) General-purpose chatbots answer legal questions from memory and invent plausible articles. (3) Comparisons with foreign law are done by hand. (4) Nobody sees in advance where mandates overlap or where no institution is competent.

How the solution answers them. A citable knowledge base (official texts split article by article); agents whose mandates come from the law; information revealed progressively and unequally; coordination through requests between agents; automatic verification of every citation; a full audit log; an orchestrator driven by a declarative ML Intent that reconfigures itself when quality drops.




Figure 1 – Architecture of MinorShield Policy Lab mapped onto the ITU-T Y.3172 pipeline, with the proposed verification node

3. Use case requirements

• **Data (SRC, C, PP).** Official legal texts only, with source, date and page recorded (bd/SOURCES.md): 13 Cameroonian texts, including the Child Online Protection Charter (Law 2023/009), the data protection law (2024/017, obtained from the Presidency's certified copy by OCR) and the Penal Code; 7 international references (EU DSA and GDPR, UK and Australian Online Safety Acts, US COPPA Rule, UAE Federal Decree-Law 26/2025 on Child Digital Safety, UN General Comment No. 25); the ITU strategy corpus. Article-level chunks, local multilingual embeddings (bge-m3): 8,304 chunks. No real child data: the detector output of stage 2 is simulated in the real API format and labelled as such.

• **Retrieval quality.** 15 control queries with a hand-verified expected article: the agents' retrieval finds it in 14/15 cases (MRR 0.82), against 7/15 for a plain search, thanks to two rules: the key articles of each agent's mandate are always offered, and at most two extracts per text.

• **Model (M).** Open-weight gpt-oss-120b (Groq), structured JSON output with explicit reasoning; fallback model declared in the ML Intent. Each request fits the free-tier limit (8,000 tokens per minute); a full run uses 178,041 tokens (22 minutes on a laptop without GPU).

• **Policy (P).** An agent acts only on information revealed to it; it cites only extract IDs it received and copies, word for word, the sentence that grounds each action (checked by code); every action names the institution acting; it states what the law does not allow.

• **Sink and human oversight.** Outputs (audit log, report, demonstration page, indicators) are deliberation material for human decision-makers, not legal advice.

4. Mapping with ITU-T Y.3172

Node	Implementation
SRC	Legal texts of 7 jurisdictions, scenario, simulated MinorShield detector output
C / PP	Ingestion, OCR, article-level chunking with metadata, bge-m3 embeddings
M	Six actor agents and one advisor on gpt-oss-120b, retrieval-augmented
P	Mandate limits, institution named per action, citation and word-for-word quote verification, advisor verdicts
D	Orchestrator: stages revealed to their recipients only, requests routed between agents
SINK	Audit log, readable report, demonstration page, indicators
MLFO / ML Intent	Orchestrator configured by agent/intent.json (sources, agents, models, constraints, quality threshold, outputs)

Of the 20 requirements of Y.3172 (detail and evidence in docs/Y3172.md), **15 are implemented, 4 partially and 2 not**. Highlights: declarative ML Intent translated into configuration (SPEC-001/002, time and token constraints logged when exceeded); automatic reconfiguration when the share of supported actions falls below the threshold, and fallback model when a quota is exhausted (MNG-001/004: 3

reconfigurations in the reference run, all improving the result); monitoring through citation checks and indicators (MNG-003); chaining retrieve → reason → verify → coordinate → advise → report (MNG-005). Not claimed: transfer of trained models and training data (INT-001/002), since no model is fine-tuned and no real child data may be used.

5. Mapping with the ITU AI Readiness Report 2.0

Dimension	Contribution of the project
D10 AI & Policies	Core of the project: testing a legal framework before a crisis; gaps identified with global examples
D7 Strategy Alignment	Six agents grouping 13 institutions act on one shared legal base; coordination problems become visible
D8 Collaboration with AI	Agents state their confidence, unknowns and gaps; humans decide
D6 Human Interface	Demonstration page and replay: every decision opens the article it relies on
D4 Contextualisation	Cameroonian law and slang lexicon; comparison with five other jurisdictions and the UN
D11 AI for Inclusion	Free open-weight models, French-language corpus, runs on a laptop without GPU
D1 Data/Model Marketplace	Provenance of every text, open repository, corrections to the ITU reference corpus

6. Requirements mapped to local policies

Requirement of the use case	Cameroonian text	What it requires
Analysing a minor's screen	Law 2024/017, art. 9(3)	Consent of the parents or legal representative
Sending captures to a foreign AI service	Law 2024/017, art. 32	Prior authorisation of the data protection authority
Retaining captures	Law 2024/017, art. 13	Retention limited to what the processing needs, period set in the authorisation
Data breach	Law 2024/017, art. 22	Inform the authority and the persons concerned "without delay"
Reporting harmful content	Law 2023/009, art. 16 and 33	Providers must report child sexual abuse material (fine of 25 to 250 million FCFA)
Removing content	Law 2023/009, art. 14, 27–29	Suspension of a user on request; 15-day formal notice before sanctions
Qualifying the offence	Penal Code, art. 303 and 347; Law 2010/012, art. 80–82	Blackmail; offences against minors aged 16 to 21; child sexual abuse material online

7. Evaluation scenario: technical solution and policy

"Operation Mirror", six stages over three days, each revealed only to the agents concerned:

Stage	Event	Expected tension
1	MinorShield detects a 400% rise in blocked content	Can a private tool alert the authorities, with which data?
2	A message is blocked on a 14-year-old's phone (simulated detector output, score 0.62); the capture went to a foreign AI service; MinorShield offers to keep captures 30 days for the police	Consent, transfer abroad, retention, liability for a false positive
3	Two victims (15 and 19); the school considers excluding the younger	Penal qualification, age thresholds, protection of the pupil
4	Images spread on a foreign platform	Reach of national law, removal deadline
5	The source is a leak from a school app, unreported for three weeks	Breach notification, liability
6	Media pressure: block the platform nationwide?	Proportionality, freedom of expression (controversy)

Results of the reference run (27 October 2026, gpt-oss-120b, full log in docs/exemple_simulation/): 47 interventions; 19 requests routed between agents (24 addressed to an institution's name were redirected to the right agent; 1 lost to a misspelt recipient, fixed since); **84.0% of the 94 legal claims cite an extract actually provided and copy a sentence of it found word for word** (74 of 80 quotes exact); institution named in 61/61 actions; 3 automatic reconfigurations; 178,041 tokens. **Precision**, measured by human review of 30 randomly drawn supported claims: **50% fully grounded** (95% Wilson interval 33–67%), 77% at least partly; the same measure gave 23% (12–41%) before word-for-word quotes and full-length extracts were introduced. Of the 15 gaps written into the scenario beforehand, human review finds **7 identified, 3 partially, 5 missed**, plus 3 gaps we had not anticipated (intimate images under threat before publication, police access to a private tool's logs, a missing implementing text).

What worked. Stage 2: the data protection authority asked MinorShield to suspend any transfer of the capture to its moderation service in the United States until prior authorisation (Law 2024/017, art. 32), and noted that no procedure allows granting it quickly. Stage 3: the advisor found no way to act on an intimate image that is only threatened with publication and proposed removal on the victim's notice. Stage 6: no legal basis to block a whole platform. **What was missed.** For the fourth run in a row, no agent noticed that the 19-year-old victim falls outside the Charter (under 18) while the Penal Code protects minors aged 16 to 21; nobody questioned the lawfulness of monitoring the child's screen itself. These gaps come from our human analysis and are reported as such.

AI errors caught, and not caught. The verifier flagged 1 invented extract ID, 6 quotes not found word for word and 8 unsupported actions. An exact quote proves the sentence exists, not that it grounds the claim: human review found 8 errors behind real citations, e.g. a breach-notification duty attributed to COPPA, Australian blocking powers overstated, breach notification and retention declared missing although art. 22 and 13 of Law 2024/017 cover them, and facts invented in one answer.

Handling the controversy. The system never decides: it produces the material for a human deliberation. On stage 6 the advisor found no legal basis for blocking a whole platform, recorded the conflict between child protection and freedom of expression, and recommended a provision setting conditions, a maximum duration and judicial control, drawing on the Australian framework and the DSA; our answer favours targeted, motivated measures under judicial control before any general block.

Limits. The verifier cannot detect an exact quote used for a wrong claim (precision 50%, one reviewer, not blind); the detector input is simulated; results come from one model and one scenario. A human legal review remains mandatory.

8. Policy gaps and standards gaps

Detail, sources and global examples: docs/LACUNES.md. Summary:

Gap (domain: child online protection)	Cameroonian source	Global example
No channel or threshold for third-party child-safety tools to report	Law 2023/009, art. 33	UK OSA 2023 s. 66; UAE DL 26/2025 art. 10–11; DSA art. 18
15-day notice for content that spreads in hours	Law 2023/009, art. 28	Australia OSA 2021 s. 77 (24 hours)
No reach on foreign platforms, no local representative	Law 2023/009, art. 2, 14–16	DSA art. 2 and 13; UAE DL art. 3
Breach notification "without delay", no deadline, nothing specific to minors	Law 2024/017, art. 22	GDPR art. 33 (72 hours) and 34
Inconsistent age thresholds (under 18 vs 16–21)	Law 2023/009, art. 3; Penal Code art. 347	UAE DL art. 1; UN GC 25
No rules on monitoring a child's screen beyond parental consent	Law 2024/017, art. 9(3)	UN GC 25 para. 75; GDPR art. 8; UAE DL art. 13 and 7
Real-time foreign AI services not addressed by transfer rules	Law 2024/017, art. 32	GDPR art. 44–45
No liability or appeal for errors of protection tools	No provision	DSA art. 17 and 20
No coordination body; overlapping ministries	Law 2023/009, art. 4–8	UAE DL art. 4–5; UN GC 25 para. 27
No framework or proportionality for blocking a platform	Law 2023/009, art. 14	UAE DL art. 10(3); DSA art. 17, 20

Standards gaps. (N1) Y.3172 has no node to verify that a language-model output is grounded in its sources: we propose one between M and SINK: a word-for-word quote check, and three metrics (share of supported claims, precision by human review, recall of expected gaps). (N2) The AI Readiness Report 2.0 does not cover agentic AI (delegation, multi-agent coordination, autonomy): indicators should cover traceability of exchanges, respect of mandates and grounding. (N3) No standard to measure and publish the performance of on-device content detectors or to explain a block to a child. (N4) Laws published only as (often scanned) PDF, without a machine-readable, article-level format. (N5) Integrity issues in the ITU reference corpus (two truncated files, 20 of 67 documents with a wrong country), corrected in our repository.