1

Tableau de bord   pipeline   Configuration

Configure

⚙️ General

🔧 Advanced Project Options

⌐⌐ Pipeline

General   Enabled   ⬭

Description

```



```

Texte brut   **Prévisualisation**

☐ **Ce build a des paramètres**   ◯

☐ **Do not allow concurrent builds**

☐ **Do not allow the pipeline to resume if the controller restarts**

☐ **GitHub project**

GitLab Connection

```
gitlab
```

Sauvegarder   ee   **Appliquer**   verride

☐ **Preserve stashes from completed builds** ◯

☐ **Supprimer les anciens builds** ◯

☐ **Throttle builds** ◯

Build Triggers

☐ **Construire après le build sur d'autres projets** ◯

☐ **Construire périodiquement** ◯

**Build when a change is pushed to GitLab. GitLab webhook URL:
http://localhost:8090/project/pipeline**

Enabled GitLab triggers

     Push Events ◯

☐ **Push Events in case of branch delete** ◯

     Opened Merge Request Events ◯

☐ **Build only if new commits were pushed to Merge Request** ◯

☐ **Accepted Merge Request Events** ◯

☐ **Closed Merge Request Events** ◯

Rebuild open Merge Requests ◯

```
Never
```

     Approved Merge Requests (EE-only) ◯

     Comments ◯

Comment (regex) for triggering a build ◯

```
Jenkins please retry a build
```

     Avancé ⌄

☐ **GitHub hook trigger for GITScm polling** ◯

☐ **Scrutation de l'outil de gestion de version** ◯
☐ **Période d'attente**

☐ **Déclencher les builds à distance (Par exemple, à partir de scripts)**

Advanced Project Options

Avancé ⌄

Pipeline

Definition

Pipeline script from SCM

SCM ○

Git

Repositories ○

✕

Repository URL ○

http://738f8ad9c360/root/raya-oumaima-tic-tac-toe.git

Credentials ○

root/******

➕ **Ajouter** ▾

Avancé ⌄

Add Repository

Branches to build ○

Branch Specifier (blank for 'any') ○   ✕

---

*/dev

Add Branch

Navigateur de la base de code ◯

(Auto)

Additional Behaviours

Ajouter ⌄

Script Path ◯

Jenkinsfile

Lightweight checkout ◯

Pipeline Syntax