

# webOS Design System - Quick Reference Card

Print this out and keep it at your desk! 



## Most Used Colors

```
// Backgrounds
bg-primary          // #e8e8e8 - Main app background
bg-surface           // ##### - Cards, panels
bg-hover             // #fafafa - Hover states

// Text
text-primary         // #000000 - Primary text
text-secondary        // #666666 - Secondary text
text-tertiary         // #999999 - Hints, labels

// Borders
border-light          // #e0e0e0 - Default borders
border-focus           // #4a90e2 - Focus states

// Accents
bg-accent-blue       // #4a90e2 - Links, actions
bg-success            // #5cb85c - Success
bg-error              // #d9534f - Error
```



## Spacing (4px Grid)

```
space-xs   // 4px
space-sm   // 8px
space-md   // 12px
space-base  // 16px ★ Default
space-lg    // 24px
space-xl   // 32px
space-2xl  // 48px
```

### Usage:

```
p-4      // Padding: 16px
gap-lg   // Gap: 24px
m-xl    // Margin: 32px
```



## Typography

```
// Sizes
text-xs    // 11px
text-sm    // 13px
text-base   // 14px ★ Default
text-lg     // 18px
text-xl     // 20px
text-2xl    // 24px

// Weights
font-light // 300 ★ Default (use this!)
font-normal // 400 - For emphasis
font-medium // 500 - Rare

// Family
font-sans  // Helvetica Neue
```

## Component Patterns

### Button (Primary)

```
<button className="h-12 px-4 bg-accent-blue text-white rounded-md
          hover:bg-accent-blue-dark transition-fast">
```

### Button (Secondary)

```
<button className="h-12 px-4 bg-surface text-primary border border-light
          rounded-md hover:bg-hover transition-fast">
```

### Card

```
<div className="bg-surface rounded-lg shadow-card p-4 border border-lightest">
```

### Input

```
<input className="h-12 px-3 bg-surface border border-light rounded-md
           focus:border-focus text-base" />
```

### Glass Card

```
<div className="bg-glass-white-80 backdrop-blur-lg rounded-2xl p-6">
```



## Golden Rules

1. Use semantic tokens → `bg-primary` not `bg-neutral-300`

2. **Use light fonts** → `font-light` by default
  3. **Follow 4px grid** → `p-4` not `p-[17px]`
  4. **Minimal color** → Neutrals first, accent sparingly
  5. **Pure grays** → No blue tints!
- 

## Don't Do This

```
 bg-white text-black
 font-bold
 p-[17px]
 bg-blue-500
 style={{ backgroundColor: '#e8e8e8' }}
```

## Do This Instead

```
 bg-surface text-primary
 font-light
 p-4
 bg-accent-blue
 className="bg-primary"
```

## Dark Mode

All tokens automatically invert:

```
// Same code works in light and dark mode


>


```

## Full Docs

- **Complete Reference:** [/docs/DESIGN\\_SYSTEM.md](#)
  - **Migration Guide:** [/docs/MIGRATION\\_GUIDE.md](#)
  - **Token File:** [/styles/webos-design-system.css](#)
- 

**Version 1.0.0** | Keep this handy! 