
GSEA GO, Central vs Peripheral, enriched in the central group
muscle tissue development
muscle organ development
cellular component assembly involved in morphogenesis
muscle system process
muscle cell differentiation
actomyosin structure organization
non−membrane−bounded organelle assembly
multicellular organismal movement
cardiac chamber development
neuromuscular process
regulation of system process
circulatory system process
actin filament−based movement
muscle cell cellular homeostasis
sarcoplasm
contractile fiber
mitochondrial protein−containing complex
respirasome
actin cytoskeleton
actin binding
BP
CC
MF
Description
1.8
2.0
2.2
NES
Log10(FDR)
12
8
4
Leading Edge Number
10
20
30
40


GSEA Reactome, Central vs Peripheral, enriched in the central group
Description
Muscle contraction
Striated Muscle Contraction
The citric acid (TCA) cycle and respiratory electron transport
2.00
2.05
2.10
2.15
2.20
NES
Leading Edge Number
10
20
30
40
Log10(FDR)
12
8
4


GSEA Reactome, Central vs Peripheral, enriched in the peripheral group
Description
Effects of PIP2 hydrolysis
2.000
2.025
2.050
2.075
(−1) * NES
Leading Edge Number
10
Log10(FDR)
1.782674


GSEA GO, Bottom vs Top, enriched in the top group
muscle system process
muscle organ development
actin filament−based movement
regulation of system process
multicellular organismal movement
non−membrane−bounded organelle assembly
cellular component assembly involved in morphogenesis
actomyosin structure organization
cardiac chamber development
muscle cell differentiation
neuromuscular process
circulatory system process
heart morphogenesis
muscle tissue development
contractile fiber
sarcoplasm
mitochondrial protein−containing complex
respirasome
mitochondrial membrane
organelle inner membrane
oxidoreductase complex
cytoskeletal motor activity
BP
CC
MF
Description
1.9
2.0
2.1
2.2
2.3
(−1) * NES
Log10(FDR)
12
8
4
Leading Edge Number
25
50
75
100


GSEA reactome, Bottom vs Top, enriched in the top group
The citric acid (TCA) cycle and respiratory electron transport
Muscle contraction
ATP synthesis by chemiosmotic coupling
Respiratory electron transport
Ion homeostasis
Striated Muscle Contraction
Description
2.00
2.04
2.08
(−1) * NES
Leading Edge Number
10
20
30
Log10(FDR)
2.4
2.2
2.0


GSEA GO, Bottom vs Central, enriched in the central group
cellular component assembly involved in morphogenesis
muscle system process
muscle organ development
actin filament−based movement
neuromuscular process
multicellular organismal movement
actomyosin structure organization
muscle cell differentiation
muscle tissue development
non−membrane−bounded organelle assembly
cardiac chamber development
regulation of system process
circulatory system process
generation of precursor metabolites and energy
response to angiotensin
BP
contractile fiber
sarcoplasm
respirasome
mitochondrial protein−containing complex
oxidoreductase complex
cytochrome complex
mitochondrial matrix
organelle inner membrane
mitochondrial membrane
CC
cytoskeletal motor activity
calmodulin binding
MF
Description
1.8
1.9
2.0
(−1) * NES
Leading Edge Number
25
50
75
Log10(FDR)
12
8
4


GSEA Reactome, Bottom vs Central, enriched in the central group
The citric acid (TCA) cycle and respiratory electron transport
Muscle contraction
Respiratory electron transport, ATP synthesis by chemiosmotic coupling, and heat production by uncoupling proteins.
Striated Muscle Contraction
Respiratory electron transport
Ion homeostasis
Cardiac conduction
Ion channel transport
Pyruvate metabolism and Citric Acid (TCA) cycle
Description
1.8
1.9
2.0
(−1) * NES
Log10(FDR)
12
8
4
Leading Edge Number
10
20
30
40
50


GSEA GO, Bottom vs Peripheral, enriched in the peripheral group
inorganic cation transmembrane transporter activity
monoatomic cation transmembrane transporter activity
salt transmembrane transporter activity
active transmembrane transporter activity
organic anion transmembrane transporter activity
organic acid transmembrane transporter activity
Description
1.90
1.95
2.00
(−1) * NES
MF
Leading Edge Number
20
30
40
50
Log10(FDR)
2.2
2.1
2.0
1.9


GSEA GO, Central vs Top, enriched in the central group
muscle system process
multicellular organismal movement
actin filament−based movement
cellular component assembly involved in morphogenesis
muscle organ development
muscle tissue development
sarcoplasm
contractile fiber
respirasome
excitatory synapse
mitochondrial protein−containing complex
BP
CC
Description
1.8
1.9
2.0
2.1
2.2
NES
Log10(FDR)
12
8
4
Leading Edge Number
10
20
30
40
50


GSEA Reactome, Central vs Top, enriched in the central group
Striated Muscle Contraction
Muscle contraction
Respiratory electron transport, ATP synthesis by chemiosmotic coupling, and heat production by uncoupling proteins.
Cardiac conduction
The citric acid (TCA) cycle and respiratory electron transport
Ion homeostasis
Respiratory electron transport
Description
1.9
2.0
2.1
NES
Leading Edge Number
10
20
30
40
Log10(FDR)
12
8
4


GSEA Reactome, Central vs Top, enriched in the top group
Nonsense Mediated Decay (NMD) independent of the Exon Junction Complex (EJC)
Nonsense Mediated Decay (NMD) enhanced by the Exon Junction Complex (EJC)
Nonsense−Mediated Decay (NMD)
SRP−dependent cotranslational protein targeting to membrane
Formation of a pool of free 40S subunits
Metal ion SLC transporters
Description
2.05
2.10
2.15
2.20
(−1) * NES
Leading Edge Number
10
20
30
Log10(FDR)
2.0
1.8
1.6


GSEA GO, Peripheral vs Top, enriched in the top group
muscle system process
muscle organ development
cellular component assembly involved in morphogenesis
actomyosin structure organization
multicellular organismal movement
muscle cell differentiation
muscle tissue development
non−membrane−bounded organelle assembly
cardiac chamber development
neuromuscular process
regulation of system process
contractile fiber
sarcoplasm
BP
CC
Description
2.0
2.2
2.4
(−1) * NES
Leading Edge Number
5
10
15
Log10(FDR)
12
8
4


GSEA GO, Peripheral vs Top, enriched in the peripheral group
Description
GTPase complex
CC
Log10(FDR)
1.653295
Leading Edge Number
13
−1.925
−1.900
−1.875
−1.850
(−1) * NES


GSEA Reactome, Peripheral vs Top, enriched in the top group
Description
Striated Muscle Contraction
2.050
2.075
2.100
2.125
(−1) * NES
Log10(FDR)
1.722414
Leading Edge Number
6