

*A:AUISJB2879# show router interface detail

Interface Table (Router: Base)

Interface

If Name : Int A
Admin State : Up Oper (v4/v6) : Up/Down
Protocols : OSPFv2 PIM
IP Addr/mask : 14.23.9.278/24 Address Type : Primary
IGP Inhibit : Disabled Broadcast Address : Host-ones

Details

Description : Connect to A
If Index : 9 Virt. If Index : 9
Last Oper Chg : 06/06/2011 00:35:50 Global If Index : 384
SAP Id : lag-12:2.23
TOS Marking : Untrusted If Type : IES
SNTP B.Cast : False IES ID : 524
MAC Address : 04:03:08:03:08:03 Arp Timeout : 14400
IP Oper MTU : 9190 ICMP Mask Reply : True
Arp Populate : Disabled Host Conn Verify : Disabled
Cflowd : None
LdpSyncTimer : None
LSR Load Balance : system
uRPF Chk : disabled
uRPF Fail Bytes : 0 uRPF Chk Fail Pkts: 0

Proxy ARP Details

Rem Proxy ARP : Disabled Local Proxy ARP : Disabled
Policies : none

Proxy Neighbor Discovery Details

Local Pxy ND : Disabled

Policies : none

DHCP no local server

DHCP Details

Description : Connect to A

Admin State : Down Lease Populate : 0

Gi-Addr : 14.23.9.278* Gi-Addr as Src Ip : Disabled

* = inferred gi-address from interface IP address

Action : Keep Trusted : Disabled

DHCP Proxy Details

Admin State : Down

Lease Time : N/A

Emul. Server : Not configured

Subscriber Authentication Details

Auth Policy : None

DHCP6 Relay Details

Description : Connect to A

Admin State : Down Lease Populate : 0

Oper State : Down Nbr Resolution : Disabled

If-Id Option : None Remote Id : Disabled

Src Addr : Not configured

DHCP6 Server Details

Admin State : Down Max. Lease States : 8000

ICMP Details

Redirects : Number - 100 Time (seconds) - 10

Unreachables : Number - 100 Time (seconds) - 10

TTL Expired : Number - 100 Time (seconds) - 10

IPCP Address Extension Details

Peer IP Addr : Not configured

Peer Pri DNS Addr: Not configured

Peer Sec DNS Addr: Not configured

Network Domains Associated

default

Interface

If Name : Int A
Admin State : Up Oper (v4/v6) : Up/Down
Protocols : OSPFv2 PIM
IP Addr/mask : 14.23.9.278/24 Address Type : Primary
IGP Inhibit : Disabled Broadcast Address : Host-ones

Details

Description : Connect to A
If Index : 10 Virt. If Index : 10
Last Oper Chg : 06/06/2011 00:35:50 Global If Index : 383
SAP Id : lag-12:2.23
TOS Marking : Untrusted If Type : IES
SNTP B.Cast : False IES ID : 529
MAC Address : 04:03:08:03:08:03 Arp Timeout : 14400
IP Oper MTU : 9190 ICMP Mask Reply : True
Arp Populate : Disabled Host Conn Verify : Disabled
Cflowd : None
LdpSyncTimer : None
LSR Load Balance : system
uRPF Chk : disabled
uRPF Fail Bytes : 0 uRPF Chk Fail Pkts: 0

Proxy ARP Details

Rem Proxy ARP : Disabled Local Proxy ARP : Disabled
Policies : none

Proxy Neighbor Discovery Details

Local Pxy ND : Disabled
Policies : none

DHCP no local server

DHCP Details

Description : Connect to A
Admin State : Down Lease Populate : 0
Gi-Addr : 14.23.9.278* Gi-Addr as Src Ip : Disabled

* = inferred gi-address from interface IP address

Action : Keep Trusted : Disabled

DHCP Proxy Details

Admin State : Down
Lease Time : N/A
Emul. Server : Not configured

Subscriber Authentication Details

Auth Policy : None

DHCP6 Relay Details

Description : Connect to A
Admin State : Down Lease Populate : 0
Oper State : Down Nbr Resolution : Disabled
If-Id Option : None Remote Id : Disabled
Src Addr : Not configured

DHCP6 Server Details

Admin State : Down Max. Lease States : 8000

ICMP Details

Redirects	: Number - 100	Time (seconds)	- 10
Unreachables	: Number - 100	Time (seconds)	- 10
TTL Expired	: Number - 100	Time (seconds)	- 10

IPCP Address Extension Details

Peer IP Addr : Not configured
Peer Pri DNS Addr: Not configured
Peer Sec DNS Addr: Not configured

Network Domains Associated

default

Interface

If Name	: Int A		
Admin State	: Up	Oper (v4/v6)	: Up/Down
Protocols	: OSPFv2 PIM		
IP Addr/mask	: 14.23.9.278/24	Address Type	: Primary
IGP Inhibit	: Disabled	Broadcast Address	: Host-ones

Details

Description	: Connect to A		
If Index	: 11	Virt. If Index	: 11
Last Oper Chg	: 06/06/2011 00:35:50	Global If Index	: 382
SAP Id	: lag-12:2.23		
TOS Marking	: Untrusted	If Type	: IES
SNTP B.Cast	: False	IES ID	: 596
MAC Address	: 04:03:08:03:08:03	Arp Timeout	: 14400
IP Oper MTU	: 9190	ICMP Mask Reply	: True
Arp Populate	: Disabled	Host Conn Verify	: Disabled
Cflowd	: None		
LdpSyncTimer	: None		
LSR Load Balance	: system		
uRPF Chk	: disabled		

uRPF Fail Bytes : 0 uRPF Chk Fail Pkts: 0

Proxy ARP Details

Rem Proxy ARP : Disabled Local Proxy ARP : Disabled
Policies : none

Proxy Neighbor Discovery Details

Local Pxy ND : Disabled
Policies : none

DHCP no local server

DHCP Details

Description : Connect to A
Admin State : Down Lease Populate : 0
Gi-Addr : 14.23.9.278* Gi-Addr as Src Ip : Disabled
* = inferred gi-address from interface IP address

Action : Keep Trusted : Disabled

DHCP Proxy Details

Admin State : Down
Lease Time : N/A
Emul. Server : Not configured

Subscriber Authentication Details

Auth Policy : None

DHCP6 Relay Details

Description : Connect to A
Admin State : Down Lease Populate : 0
Oper State : Down Nbr Resolution : Disabled
If-Id Option : None Remote Id : Disabled
Src Addr : Not configured

DHCP6 Server Details

Admin State : Down Max. Lease States : 8000

ICMP Details

Redirects : Number - 100 Time (seconds) - 10
Unreachables : Number - 100 Time (seconds) - 10
TTL Expired : Number - 100 Time (seconds) - 10

IPCP Address Extension Details

Peer IP Addr : Not configured
Peer Pri DNS Addr: Not configured
Peer Sec DNS Addr: Not configured

Network Domains Associated

default

Interface

If Name : Int A
Admin State : Up Oper (v4/v6) : Up/Down
Protocols : OSPFv2 MPLS RSVP PIM
IP Addr/mask : 14.23.9.278/32 Address Type : Primary
IGP Inhibit : Disabled Broadcast Address : Host-ones

Details

Description : Connect to A
If Index : 2 Virt. If Index : 2
Last Oper Chg : 06/06/2011 00:34:59 Global If Index : 128
Port Id : loopback
TOS Marking : Trusted If Type : Network
Egress Filter : none Ingress Filter : none
Egr IPv6 Flt : none Ingr IPv6 Flt : none
SNTP B.Cast : False QoS Policy : 1
Queue-group : None
MAC Address : 04:03:08:03:08:03 Arp Timeout : 14400

IP Oper MTU : 1500 ICMP Mask Reply : True
Arp Populate : Disabled
Cflowd : None
LdpSyncTimer : None Strip-Label : Disabled
LSR Load Balance : system
uRPF Chk : disabled
uRPF Fail Bytes : 0 uRPF Chk Fail Pkts: 0

Proxy ARP Details

Rem Proxy ARP : Disabled Local Proxy ARP : Disabled
Policies : none

Proxy Neighbor Discovery Details

Local Pxy ND : Disabled
Policies : none

ICMP Details

Redirects : Number - 100 Time (seconds) - 10
Unreachables : Number - 100 Time (seconds) - 10
TTL Expired : Number - 100 Time (seconds) - 10

IPCP Address Extension Details

Peer IP Addr : Not configured
Peer Pri DNS Addr: Not configured
Peer Sec DNS Addr: Not configured

Network Domains Associated

default

Interface

If Name : Int A
Admin State : Up Oper (v4/v6) : Up/Down
Protocols : ISIS MPLS RSVP LDP PIM
IP Addr/mask : 14.23.9.278/30 Address Type : Primary

IGP Inhibit : Disabled Broadcast Address : Host-ones

Details

Description : Connect to A

If Index : 20 Virt. If Index : 20

Last Oper Chg : 06/06/2011 00:35:49 Global If Index : 127

Port Id : 1/1/4

TOS Marking : Trusted If Type : Network

Egress Filter : none Ingress Filter : none

Egr IPv6 Flt : none Ingr IPv6 Flt : none

SNTP B.Cast : False QoS Policy : 100

Queue-group : None

MAC Address : 04:4b:08:03:08:03 Arp Timeout : 14400

IP Oper MTU : 9198 ICMP Mask Reply : True

Arp Populate : Disabled

Cflowd : None

LdpSyncTimer : None Strip-Label : Disabled

LSR Load Balance : system

uRPF Chk : disabled

uRPF Fail Bytes : 0 uRPF Chk Fail Pkts: 0

Proxy ARP Details

Rem Proxy ARP : Disabled Local Proxy ARP : Disabled

Policies : none

Proxy Neighbor Discovery Details

Local Pxy ND : Disabled

Policies : none

ICMP Details

Redirects : Number - 100 Time (seconds) - 10

Unreachables : Number - 100 Time (seconds) - 10

TTL Expired : Number - 100 Time (seconds) - 10

IPCP Address Extension Details

Peer IP Addr : Not configured

Peer Pri DNS Addr: Not configured

Peer Sec DNS Addr: Not configured

Network Domains Associated

default

Interface

If Name : Int A
Admin State : Up Oper (v4/v6) : Up/Down
Protocols : ISIS MPLS RSVP LDP PIM
IP Addr/mask : 14.23.9.278/30 Address Type : Primary
IGP Inhibit : Disabled Broadcast Address : Host-ones

Details

Description : Connect to A
If Index : 21 Virt. If Index : 21
Last Oper Chg : 08/02/2011 01:02:37 Global If Index : 126
Port Id : 3/2/6
TOS Marking : Trusted If Type : Network
Egress Filter : none Ingress Filter : none
Egr IPv6 Flt : none Ingr IPv6 Flt : none
SNTP B.Cast : False QoS Policy : 100
Queue-group : None
MAC Address : 0a:03:08:03:08:03 Arp Timeout : 14400
IP Oper MTU : 9198 ICMP Mask Reply : True
Arp Populate : Disabled
Cflowd : None
LdpSyncTimer : None Strip-Label : Disabled
LSR Load Balance : system
uRPF Chk : disabled
uRPF Fail Bytes : 0 uRPF Chk Fail Pkts: 0

Proxy ARP Details

Rem Proxy ARP : Disabled Local Proxy ARP : Disabled
Policies : none

Proxy Neighbor Discovery Details

Local Pxy ND : Disabled
Policies : none

ICMP Details

Redirects : Number - 100 Time (seconds) - 10
Unreachables : Number - 100 Time (seconds) - 10
TTL Expired : Number - 100 Time (seconds) - 10

IPCP Address Extension Details

Peer IP Addr : Not configured
Peer Pri DNS Addr: Not configured
Peer Sec DNS Addr: Not configured

Network Domains Associated

default

Interface

If Name : Int A
Admin State : Up Oper (v4/v6) : Up/Down
Protocols : ISIS MPLS RSVP LDP PIM
IP Addr/mask : 14.23.9.278/30 Address Type : Primary
IGP Inhibit : Disabled Broadcast Address : Host-ones

Details

Description : Connect to A
If Index : 27 Virt. If Index : 27
Last Oper Chg : 02/14/2012 00:26:01 Global If Index : 104
Port Id : 1/2/6

TOS Marking	: Trusted	If Type	: Network
Egress Filter	: none	Ingress Filter	: none
Egr IPv6 Flt	: none	Ingr IPv6 Flt	: none
SNTP B.Cast	: False	QoS Policy	: 100
Queue-group	: None		
MAC Address	: 04:03:08:03:08:03	Arp Timeout	: 14400
IP Oper MTU	: 9198	ICMP Mask Reply	: True
Arp Populate	: Disabled		
Cflowd	: None		
LdpSyncTimer	: None	Strip-Label	: Disabled
LSR Load Balance	: system		
uRPF Chk	: disabled		
uRPF Fail Bytes	: 0	uRPF Chk Fail Pkts:	0

Proxy ARP Details

Rem Proxy ARP	: Disabled	Local Proxy ARP	: Disabled
Policies	: none		

Proxy Neighbor Discovery Details

Local Pxy ND	: Disabled
Policies	: none

ICMP Details

Redirects	: Number - 100	Time (seconds)	- 10
Unreachables	: Number - 100	Time (seconds)	- 10
TTL Expired	: Number - 100	Time (seconds)	- 10

IPCP Address Extension Details

Peer IP Addr	: Not configured
Peer Pri DNS Addr:	Not configured
Peer Sec DNS Addr:	Not configured

Network Domains Associated

default

Interface

```
-----  
If Name           : Int A  
  
Admin State       : Up                Oper (v4/v6)       : Up/Down  
  
Protocols         : ISIS MPLS RSVP LDP PIM  
  
IP Addr/mask      : 14.23.9.278/30    Address Type      : Primary  
  
IGP Inhibit       : Disabled          Broadcast Address : Host-ones  
-----
```

Details

```
-----  
Description       : Connect to A  
  
If Index          : 12                Virt. If Index    : 12  
  
Last Oper Chg     : 06/06/2011 00:35:49 Global If Index  : 125  
  
Port Id          : 1/2/1  
  
TOS Marking       : Trusted           If Type          : Network  
  
Egress Filter     : none              Ingress Filter    : none  
  
Egr IPv6 Flt      : none              Ingr IPv6 Flt     : none  
  
SNTP B.Cast       : False             QoS Policy        : 100  
  
Queue-group       : None  
  
MAC Address       : 04:03:08:03:08:03 Arp Timeout      : 14400  
  
IP Oper MTU       : 9198              ICMP Mask Reply   : True  
  
Arp Populate      : Disabled  
  
Cflowd           : None  
  
LdpSyncTimer      : None              Strip-Label       : Disabled  
  
LSR Load Balance  : system  
  
uRPF Chk          : disabled  
  
uRPF Fail Bytes   : 0                 uRPF Chk Fail Pkts: 0  
-----
```

Proxy ARP Details

```
Rem Proxy ARP     : Disabled          Local Proxy ARP   : Disabled  
  
Policies          : none
```

Proxy Neighbor Discovery Details

```
Local Pxy ND      : Disabled  
  
Policies          : none
```

ICMP Details

Redirects	: Number - 100	Time (seconds)	- 10
Unreachables	: Number - 100	Time (seconds)	- 10
TTL Expired	: Number - 100	Time (seconds)	- 10

IPCP Address Extension Details

Peer IP Addr : Not configured

Peer Pri DNS Addr: Not configured

Peer Sec DNS Addr: Not configured

Network Domains Associated

default

Interface

If Name	: Int A		
Admin State	: Up	Oper (v4/v6)	: Up/Down
Protocols	: ISIS MPLS RSVP LDP PIM		
IP Addr/mask	: 14.23.9.278/30	Address Type	: Primary
IGP Inhibit	: Disabled	Broadcast Address	: Host-ones

Details

Description	: Connect to A		
If Index	: 18	Virt. If Index	: 18
Last Oper Chg	: 06/06/2011 00:35:50	Global If Index	: 124
Port Id	: 2/1/6		
TOS Marking	: Trusted	If Type	: Network
Egress Filter	: none	Ingress Filter	: none
Egr IPv6 Flt	: none	Ingr IPv6 Flt	: none
SNTP B.Cast	: False	QoS Policy	: 100
Queue-group	: None		
MAC Address	: 04:31:08:03:08:03	Arp Timeout	: 14400
IP Oper MTU	: 9198	ICMP Mask Reply	: True
Arp Populate	: Disabled		

Cflowd : None
LdpSyncTimer : None Strip-Label : Disabled
LSR Load Balance : system
uRPF Chk : disabled
uRPF Fail Bytes : 0 uRPF Chk Fail Pkts: 0

Proxy ARP Details

Rem Proxy ARP : Disabled Local Proxy ARP : Disabled
Policies : none

Proxy Neighbor Discovery Details

Local Pxy ND : Disabled
Policies : none

ICMP Details

Redirects : Number - 100 Time (seconds) - 10
Unreachables : Number - 100 Time (seconds) - 10
TTL Expired : Number - 100 Time (seconds) - 10

IPCP Address Extension Details

Peer IP Addr : Not configured
Peer Pri DNS Addr: Not configured
Peer Sec DNS Addr: Not configured

Network Domains Associated

default

Interface

If Name : Int A
Admin State : Up Oper (v4/v6) : Up/Down
Protocols : ISIS MPLS RSVP LDP PIM
IP Addr/mask : 14.23.9.278/30 Address Type : Primary
IGP Inhibit : Disabled Broadcast Address : Host-ones

Details

Description	: Connect to A		
If Index	: 26	Virt. If Index	: 26
Last Oper Chg	: 02/06/2012 23:23:10	Global If Index	: 106
Port Id	: 4/2/1		
TOS Marking	: Trusted	If Type	: Network
Egress Filter	: none	Ingress Filter	: none
Egr IPv6 Flt	: none	Ingr IPv6 Flt	: none
SNTP B.Cast	: False	QoS Policy	: 1
Queue-group	: None		
MAC Address	: 0c:22:08:03:08:03	Arp Timeout	: 14400
IP Oper MTU	: 9198	ICMP Mask Reply	: True
Arp Populate	: Disabled		
Cflowd	: None		
LdpSyncTimer	: None	Strip-Label	: Disabled
LSR Load Balance	: system		
uRPF Chk	: disabled		
uRPF Fail Bytes	: 0	uRPF Chk Fail Pkts:	0

Proxy ARP Details

Rem Proxy ARP	: Disabled	Local Proxy ARP	: Disabled
Policies	: none		

Proxy Neighbor Discovery Details

Local Pxy ND	: Disabled
Policies	: none

ICMP Details

Redirects	: Number - 100	Time (seconds)	- 10
Unreachables	: Number - 100	Time (seconds)	- 10
TTL Expired	: Number - 100	Time (seconds)	- 10

IPCP Address Extension Details

Peer IP Addr	: Not configured
Peer Pri DNS Addr:	Not configured

Peer Sec DNS Addr: Not configured

Network Domains Associated

default

Interface

If Name : Int A
Admin State : Up Oper (v4/v6) : Up/Down
Protocols : PIM
IP Addr/mask : 14.23.9.278/30 Address Type : Primary
IGP Inhibit : Disabled Broadcast Address : Host-ones

Details

Description : Connect to A
If Index : 19 Virt. If Index : 19
Last Oper Chg : 08/02/2011 01:02:37 Global If Index : 123
Port Id : 3/2/17
TOS Marking : Trusted If Type : Network
Egress Filter : none Ingress Filter : none
Egr IPv6 Flt : none Ingr IPv6 Flt : none
SNTP B.Cast : False QoS Policy : 1
Queue-group : None
MAC Address : 0a:07:08:03:08:03 Arp Timeout : 14400
IP Oper MTU : 9198 ICMP Mask Reply : True
Arp Populate : Disabled
Cflowd : None
LdpSyncTimer : None Strip-Label : Disabled
LSR Load Balance : system
uRPF Chk : disabled
uRPF Fail Bytes : 0 uRPF Chk Fail Pkts: 0

Proxy ARP Details

Rem Proxy ARP : Disabled Local Proxy ARP : Disabled

Policies : none

Proxy Neighbor Discovery Details

Local Pxy ND : Disabled

Policies : none

ICMP Details

Redirects : Number - 100 Time (seconds) - 10

Unreachables : Number - 100 Time (seconds) - 10

TTL Expired : Number - 100 Time (seconds) - 10

IPCP Address Extension Details

Peer IP Addr : Not configured

Peer Pri DNS Addr: Not configured

Peer Sec DNS Addr: Not configured

Network Domains Associated

default

Interface

If Name : Int A

Admin State : Up Oper (v4/v6) : Up/Down

Protocols : ISIS MPLS RSVP LDP PIM

IP Addr/mask : 14.23.9.278/30 Address Type : Primary

IGP Inhibit : Disabled Broadcast Address : Host-ones

Details

Description : Connect to A

If Index : 13 Virt. If Index : 13

Last Oper Chg : 06/06/2011 00:35:49 Global If Index : 122

Port Id : 1/2/2

TOS Marking : Trusted If Type : Network

Egress Filter : none Ingress Filter : none

Egr IPv6 Flt	: none	Ingr IPv6 Flt	: none
SNTP B.Cast	: False	QoS Policy	: 100
Queue-group	: None		
MAC Address	: 04:03:08:03:08:03	Arp Timeout	: 14400
IP Oper MTU	: 9198	ICMP Mask Reply	: True
Arp Populate	: Disabled		
Cflowd	: None		
LdpSyncTimer	: None	Strip-Label	: Disabled
LSR Load Balance	: system		
uRPF Chk	: disabled		
uRPF Fail Bytes	: 0	uRPF Chk Fail Pkts:	0

Proxy ARP Details

Rem Proxy ARP	: Disabled	Local Proxy ARP	: Disabled
Policies	: none		

Proxy Neighbor Discovery Details

Local Pxy ND	: Disabled
Policies	: none

ICMP Details

Redirects	: Number - 100	Time (seconds)	- 10
Unreachables	: Number - 100	Time (seconds)	- 10
TTL Expired	: Number - 100	Time (seconds)	- 10

IPCP Address Extension Details

Peer IP Addr	: Not configured
Peer Pri DNS Addr:	Not configured
Peer Sec DNS Addr:	Not configured

Network Domains Associated

default

Interface

If Name : Int A
Admin State : Up Oper (v4/v6) : Up/Down
Protocols : ISIS MPLS RSVP LDP PIM
IP Addr/mask : 14.23.9.278/30 Address Type : Primary
IGP Inhibit : Disabled Broadcast Address : Host-ones

Details

Description : Connect to A
If Index : 15 Virt. If Index : 15
Last Oper Chg : 06/06/2011 00:35:49 Global If Index : 121
Port Id : 1/2/3
TOS Marking : Trusted If Type : Network
Egress Filter : none Ingress Filter : none
Egr IPv6 Flt : none Ingr IPv6 Flt : none
SNTP B.Cast : False QoS Policy : 100
Queue-group : None
MAC Address : 04:03:08:03:08:03 Arp Timeout : 14400
IP Oper MTU : 9198 ICMP Mask Reply : True
Arp Populate : Disabled
Cflowd : None
LdpSyncTimer : None Strip-Label : Disabled
LSR Load Balance : system
uRPF Chk : disabled
uRPF Fail Bytes : 0 uRPF Chk Fail Pkts: 0

Proxy ARP Details

Rem Proxy ARP : Disabled Local Proxy ARP : Disabled
Policies : none

Proxy Neighbor Discovery Details

Local Pxy ND : Disabled
Policies : none

ICMP Details

Redirects : Number - 100 Time (seconds) - 10

Unreachables : Number - 100 Time (seconds) - 10
TTL Expired : Number - 100 Time (seconds) - 10

IPCP Address Extension Details

Peer IP Addr : Not configured
Peer Pri DNS Addr: Not configured
Peer Sec DNS Addr: Not configured

Network Domains Associated

default

Interface

If Name : Int A
Admin State : Up Oper (v4/v6) : Up/Down
Protocols : ISIS MPLS RSVP LDP PIM
IP Addr/mask : 14.23.9.278/30 Address Type : Primary
IGP Inhibit : Disabled Broadcast Address : Host-ones

Details

Description : Connect to A
If Index : 22 Virt. If Index : 22
Last Oper Chg : 06/06/2011 00:35:49 Global If Index : 120
Port Id : 1/2/4
TOS Marking : Trusted If Type : Network
Egress Filter : none Ingress Filter : none
Egr IPv6 Flt : none Ingr IPv6 Flt : none
SNTP B.Cast : False QoS Policy : 100
Queue-group : None
MAC Address : 04:03:08:03:08:03 Arp Timeout : 14400
IP Oper MTU : 9198 ICMP Mask Reply : True
Arp Populate : Disabled
Cflowd : None
LdpSyncTimer : None Strip-Label : Disabled

LSR Load Balance : system

uRPF Chk : disabled

uRPF Fail Bytes : 0 uRPF Chk Fail Pkts: 0

Proxy ARP Details

Rem Proxy ARP : Disabled Local Proxy ARP : Disabled

Policies : none

Proxy Neighbor Discovery Details

Local Pxy ND : Disabled

Policies : none

ICMP Details

Redirects : Number - 100 Time (seconds) - 10

Unreachables : Number - 100 Time (seconds) - 10

TTL Expired : Number - 100 Time (seconds) - 10

IPCP Address Extension Details

Peer IP Addr : Not configured

Peer Pri DNS Addr: Not configured

Peer Sec DNS Addr: Not configured

Network Domains Associated

default

Interface

If Name : Int A

Admin State : Up Oper (v4/v6) : Up/Down

Protocols : ISIS MPLS RSVP LDP PIM

IP Addr/mask : 14.23.9.278/30 Address Type : Primary

IGP Inhibit : Disabled Broadcast Address : Host-ones

Details

Description : Connect to A

If Index : 14 Virt. If Index : 14

Last Oper Chg : 09/08/2011 03:37:37 Global If Index : 119

Port Id : 1/2/5

TOS Marking : Trusted If Type : Network

Egress Filter : none Ingress Filter : none

Egr IPv6 Flt : none Ingr IPv6 Flt : none

SNTP B.Cast : False QoS Policy : 100

Queue-group : None

MAC Address : 04:03:08:03:08:03 Arp Timeout : 14400

IP Oper MTU : 9198 ICMP Mask Reply : True

Arp Populate : Disabled

Cflowd : None

LdpSyncTimer : None Strip-Label : Disabled

LSR Load Balance : system

uRPF Chk : disabled

uRPF Fail Bytes : 0 uRPF Chk Fail Pkts: 0

Proxy ARP Details

Rem Proxy ARP : Disabled Local Proxy ARP : Disabled

Policies : none

Proxy Neighbor Discovery Details

Local Pxy ND : Disabled

Policies : none

ICMP Details

Redirects : Number - 100 Time (seconds) - 10

Unreachables : Number - 100 Time (seconds) - 10

TTL Expired : Number - 100 Time (seconds) - 10

IPCP Address Extension Details

Peer IP Addr : Not configured

Peer Pri DNS Addr: Not configured

Peer Sec DNS Addr: Not configured

Network Domains Associated

default

Interface

If Name : Int A

Admin State : Up Oper (v4/v6) : Up/Down

Protocols : ISIS MPLS RSVP LDP PIM

IP Addr/mask : 14.23.9.278/30 Address Type : Primary

IGP Inhibit : Disabled Broadcast Address : Host-ones

Details

Description : Connect to A

If Index : 25 Virt. If Index : 25

Last Oper Chg : 09/08/2011 03:39:56 Global If Index : 107

Port Id : 3/2/14

TOS Marking : Trusted If Type : Network

Egress Filter : none Ingress Filter : none

Egr IPv6 Flt : none Ingr IPv6 Flt : none

SNTP B.Cast : False QoS Policy : 1

Queue-group : None

MAC Address : 0a:04:08:03:08:03 Arp Timeout : 14400

IP Oper MTU : 9198 ICMP Mask Reply : True

Arp Populate : Disabled

Cflowd : None

LdpSyncTimer : None Strip-Label : Disabled

LSR Load Balance : system

uRPF Chk : disabled

uRPF Fail Bytes : 0 uRPF Chk Fail Pkts: 0

Proxy ARP Details

Rem Proxy ARP : Disabled Local Proxy ARP : Disabled

Policies : none

Proxy Neighbor Discovery Details

Local Pxy ND : Disabled

Policies : none

ICMP Details

Redirects : Number - 100 Time (seconds) - 10

Unreachables : Number - 100 Time (seconds) - 10

TTL Expired : Number - 100 Time (seconds) - 10

IPCP Address Extension Details

Peer IP Addr : Not configured

Peer Pri DNS Addr: Not configured

Peer Sec DNS Addr: Not configured

Network Domains Associated

default

Interface

If Name : Int A

Admin State : Up Oper (v4/v6) : Up/Down

Protocols : ISIS MPLS RSVP LDP PIM

IP Addr/mask : 14.23.9.278/30 Address Type : Primary

IGP Inhibit : Disabled Broadcast Address : Host-ones

Details

Description : Connect to A

If Index : 16 Virt. If Index : 16

Last Oper Chg : 06/06/2011 00:35:49 Global If Index : 118

Port Id : 1/1/6

TOS Marking : Trusted If Type : Network

Egress Filter : none Ingress Filter : none

Egr IPv6 Flt : none Ingr IPv6 Flt : none

SNTP B.Cast : False QoS Policy : 100

Queue-group : None

MAC Address : 04:4d:08:03:08:03 Arp Timeout : 14400

IP Oper MTU : 9198 ICMP Mask Reply : True

Arp Populate : Disabled

Cflowd : None

LdpSyncTimer : None Strip-Label : Disabled

LSR Load Balance : system

uRPF Chk : disabled

uRPF Fail Bytes : 0 uRPF Chk Fail Pkts: 0

Proxy ARP Details

Rem Proxy ARP : Disabled Local Proxy ARP : Disabled

Policies : none

Proxy Neighbor Discovery Details

Local Pxy ND : Disabled

Policies : none

ICMP Details

Redirects : Number - 100 Time (seconds) - 10

Unreachables : Number - 100 Time (seconds) - 10

TTL Expired : Number - 100 Time (seconds) - 10

IPCP Address Extension Details

Peer IP Addr : Not configured

Peer Pri DNS Addr: Not configured

Peer Sec DNS Addr: Not configured

Network Domains Associated

default

Interface

If Name : Int A

Admin State : Up Oper (v4/v6) : Down/Down

Protocols : OSPFv2 MPLS RSVP LDP PIM
IP Addr/mask : 14.23.9.278/30 Address Type : Primary
IGP Inhibit : Disabled Broadcast Address : Host-ones

Details

Description : Connect to A
If Index : 3 Virt. If Index : 3
Last Oper Chg : 12/19/2011 10:36:56 Global If Index : 117
Port Id : 1/1/5
TOS Marking : Trusted If Type : Network
Egress Filter : none Ingress Filter : none
Egr IPv6 Flt : none Ingr IPv6 Flt : none
SNTP B.Cast : False QoS Policy : 1
Queue-group : None
MAC Address : 04:4c:08:03:08:03 Arp Timeout : 14400
IP Oper MTU : 9198 ICMP Mask Reply : True
Arp Populate : Disabled
Cflowd : None
LdpSyncTimer : None Strip-Label : Disabled
LSR Load Balance : system
uRPF Chk : disabled
uRPF Fail Bytes : 0 uRPF Chk Fail Pkts: 0

Proxy ARP Details

Rem Proxy ARP : Disabled Local Proxy ARP : Disabled
Policies : none

Proxy Neighbor Discovery Details

Local Pxy ND : Disabled
Policies : none

ICMP Details

Redirects : Number - 100 Time (seconds) - 10
Unreachables : Number - 100 Time (seconds) - 10
TTL Expired : Number - 100 Time (seconds) - 10

IPCP Address Extension Details

Peer IP Addr : Not configured

Peer Pri DNS Addr: Not configured

Peer Sec DNS Addr: Not configured

Network Domains Associated

default

Interface

If Name : Int A

Admin State : Up Oper (v4/v6) : Up/Down

Protocols : OSPFv2 MPLS RSVP LDP PIM

IP Addr/mask : 14.23.9.278/30 Address Type : Primary

IGP Inhibit : Disabled Broadcast Address : Host-ones

Details

Description : Connect to A

If Index : 5 Virt. If Index : 5

Last Oper Chg : 09/15/2011 02:36:48 Global If Index : 116

Port Id : 1/1/3

TOS Marking : Trusted If Type : Network

Egress Filter : none Ingress Filter : none

Egr IPv6 Flt : none Ingr IPv6 Flt : none

SNTP B.Cast : False QoS Policy : 1

Queue-group : None

MAC Address : 04:4a:08:03:08:03 Arp Timeout : 14400

IP Oper MTU : 9198 ICMP Mask Reply : True

Arp Populate : Disabled

Cflowd : None

LdpSyncTimer : None Strip-Label : Disabled

LSR Load Balance : system

uRPF Chk : disabled

uRPF Fail Bytes : 0 uRPF Chk Fail Pkts: 0

Proxy ARP Details

Rem Proxy ARP : Disabled Local Proxy ARP : Disabled
Policies : none

Proxy Neighbor Discovery Details

Local Pxy ND : Disabled
Policies : none

ICMP Details

Redirects : Number - 100 Time (seconds) - 10
Unreachables : Number - 100 Time (seconds) - 10
TTL Expired : Number - 100 Time (seconds) - 10

IPCP Address Extension Details

Peer IP Addr : Not configured
Peer Pri DNS Addr: Not configured
Peer Sec DNS Addr: Not configured

Network Domains Associated

default

Interface

If Name : Int A
Admin State : Up Oper (v4/v6) : Up/Down
Protocols : OSPFv2 MPLS RSVP LDP PIM
IP Addr/mask : 14.23.9.278/30 Address Type : Primary
IGP Inhibit : Disabled Broadcast Address : Host-ones

Details

Description : Connect to A
If Index : 6 Virt. If Index : 6

Last Oper Chg : 06/06/2011 00:36:39 Global If Index : 115
Port Id : 2/1/4
TOS Marking : Trusted If Type : Network
Egress Filter : none Ingress Filter : none
Egr IPv6 Flt : none Ingr IPv6 Flt : none
SNTP B.Cast : False QoS Policy : 1
Queue-group : None
MAC Address : 04:2f:08:03:08:03 Arp Timeout : 14400
IP Oper MTU : 9198 ICMP Mask Reply : True
Arp Populate : Disabled
Cflowd : None
LdpSyncTimer : None Strip-Label : Disabled
LSR Load Balance : system
uRPF Chk : disabled
uRPF Fail Bytes : 0 uRPF Chk Fail Pkts: 0

Proxy ARP Details

Rem Proxy ARP : Disabled Local Proxy ARP : Disabled
Policies : none

Proxy Neighbor Discovery Details

Local Pxy ND : Disabled
Policies : none

ICMP Details

Redirects : Number - 100 Time (seconds) - 10
Unreachables : Number - 100 Time (seconds) - 10
TTL Expired : Number - 100 Time (seconds) - 10

IPCP Address Extension Details

Peer IP Addr : Not configured
Peer Pri DNS Addr: Not configured
Peer Sec DNS Addr: Not configured

Network Domains Associated

default

Interface

If Name : Int A
Admin State : Up Oper (v4/v6) : Down/Down
Protocols : OSPFv2 MPLS RSVP LDP PIM
IP Addr/mask : 14.23.9.278/30 Address Type : Primary
IGP Inhibit : Disabled Broadcast Address : Host-ones

Details

Description : Connect to A
If Index : 4 Virt. If Index : 4
Last Oper Chg : 12/19/2011 10:39:41 Global If Index : 114
Port Id : 2/1/5
TOS Marking : Trusted If Type : Network
Egress Filter : none Ingress Filter : none
Egr IPv6 Flt : none Ingr IPv6 Flt : none
SNTP B.Cast : False QoS Policy : 1
Queue-group : None
MAC Address : 04:30:08:03:08:03 Arp Timeout : 14400
IP Oper MTU : 9198 ICMP Mask Reply : True
Arp Populate : Disabled
Cflowd : None
LdpSyncTimer : None Strip-Label : Disabled
LSR Load Balance : system
uRPF Chk : disabled
uRPF Fail Bytes : 0 uRPF Chk Fail Pkts: 0

Proxy ARP Details

Rem Proxy ARP : Disabled Local Proxy ARP : Disabled
Policies : none

Proxy Neighbor Discovery Details

Local Pxy ND : Disabled

Policies : none

ICMP Details

Redirects	: Number - 100	Time (seconds)	- 10
Unreachables	: Number - 100	Time (seconds)	- 10
TTL Expired	: Number - 100	Time (seconds)	- 10

IPCP Address Extension Details

Peer IP Addr : Not configured

Peer Pri DNS Addr: Not configured

Peer Sec DNS Addr: Not configured

Network Domains Associated

default

Interface

If Name : Int A

Admin State : Up Oper (v4/v6) : Up/Down

Protocols : OSPFv2 MPLS RSVP LDP PIM

IP Addr/mask : 14.23.9.278/30 Address Type : Primary

IGP Inhibit : Disabled Broadcast Address : Host-ones

Details

Description : Connect to A

If Index : 17 Virt. If Index : 17

Last Oper Chg : 08/04/2011 01:28:32 Global If Index : 108

Port Id : 3/1/1

TOS Marking : Trusted If Type : Network

Egress Filter : none Ingress Filter : none

Egr IPv6 Flt : none Ingr IPv6 Flt : none

SNTP B.Cast : False QoS Policy : 100

Queue-group : None

MAC Address : 1c:11:08:03:08:03 Arp Timeout : 14400

IP Oper MTU : 9198 ICMP Mask Reply : True
Arp Populate : Disabled
Cflowd : None
LdpSyncTimer : None Strip-Label : Disabled
LSR Load Balance : system
uRPF Chk : disabled
uRPF Fail Bytes : 0 uRPF Chk Fail Pkts: 0

Proxy ARP Details

Rem Proxy ARP : Disabled Local Proxy ARP : Disabled
Policies : none

Proxy Neighbor Discovery Details

Local Pxy ND : Disabled
Policies : none

ICMP Details

Redirects : Number - 100 Time (seconds) - 10
Unreachables : Number - 100 Time (seconds) - 10
TTL Expired : Number - 100 Time (seconds) - 10

IPCP Address Extension Details

Peer IP Addr : Not configured
Peer Pri DNS Addr: Not configured
Peer Sec DNS Addr: Not configured

Network Domains Associated

default

Interface

If Name : Int A
Admin State : Up Oper (v4/v6) : Up/Down
Protocols : OSPFv2 MPLS RSVP LDP PIM
IP Addr/mask : 14.23.9.278/30 Address Type : Primary

IGP Inhibit : Disabled Broadcast Address : Host-ones

Details

Description : Connect to A

If Index : 8 Virt. If Index : 8

Last Oper Chg : 09/15/2011 02:36:46 Global If Index : 112

Port Id : 2/1/3

TOS Marking : Trusted If Type : Network

Egress Filter : none Ingress Filter : none

Egr IPv6 Flt : none Ingr IPv6 Flt : none

SNTP B.Cast : False QoS Policy : 100

Queue-group : None

MAC Address : 04:2e:08:03:08:03 Arp Timeout : 14400

IP Oper MTU : 9198 ICMP Mask Reply : True

Arp Populate : Disabled

Cflowd : None

LdpSyncTimer : None Strip-Label : Disabled

LSR Load Balance : system

uRPF Chk : disabled

uRPF Fail Bytes : 0 uRPF Chk Fail Pkts: 0

Proxy ARP Details

Rem Proxy ARP : Disabled Local Proxy ARP : Disabled

Policies : none

Proxy Neighbor Discovery Details

Local Pxy ND : Disabled

Policies : none

ICMP Details

Redirects : Number - 100 Time (seconds) - 10

Unreachables : Number - 100 Time (seconds) - 10

TTL Expired : Number - 100 Time (seconds) - 10

IPCP Address Extension Details

Peer IP Addr : Not configured

Peer Pri DNS Addr: Not configured

Peer Sec DNS Addr: Not configured

Network Domains Associated

default

Interface

If Name : Int A

Admin State : Up Oper (v4/v6) : Up/Down

Protocols : ISIS MPLS RSVP LDP PIM

IP Addr/mask : 14.23.9.278/30 Address Type : Primary

IGP Inhibit : Disabled Broadcast Address : Host-ones

Details

Description : Connect to A

If Index : 7 Virt. If Index : 7

Last Oper Chg : 06/06/2011 00:36:36 Global If Index : 111

Port Id : 1/1/1

TOS Marking : Trusted If Type : Network

Egress Filter : none Ingress Filter : none

Egr IPv6 Flt : none Ingr IPv6 Flt : none

SNTP B.Cast : False QoS Policy : 100

Queue-group : None

MAC Address : 04:09:08:03:08:03 Arp Timeout : 14400

IP Oper MTU : 9198 ICMP Mask Reply : True

Arp Populate : Disabled

Cflowd : None

LdpSyncTimer : None Strip-Label : Disabled

LSR Load Balance : system

uRPF Chk : disabled

uRPF Fail Bytes : 0 uRPF Chk Fail Pkts: 0

Proxy ARP Details

Rem Proxy ARP : Disabled Local Proxy ARP : Disabled
Policies : none

Proxy Neighbor Discovery Details

Local Pxy ND : Disabled
Policies : none

ICMP Details

Redirects : Number - 100 Time (seconds) - 10
Unreachables : Number - 100 Time (seconds) - 10
TTL Expired : Number - 100 Time (seconds) - 10

IPCP Address Extension Details

Peer IP Addr : Not configured
Peer Pri DNS Addr: Not configured
Peer Sec DNS Addr: Not configured

Network Domains Associated

default

Interface

If Name : Int A
Admin State : Up Oper (v4/v6) : Up/Down
Protocols : ISIS MPLS RSVP LDP PIM
IP Addr/mask : 14.23.9.278/30 Address Type : Primary
IGP Inhibit : Disabled Broadcast Address : Host-ones

Details

Description : Connect to A
If Index : 23 Virt. If Index : 23
Last Oper Chg : 06/06/2011 00:35:50 Global If Index : 110
Port Id : 2/1/1

TOS Marking	: Trusted	If Type	: Network
Egress Filter	: none	Ingress Filter	: none
Egr IPv6 Flt	: none	Ingr IPv6 Flt	: none
SNTP B.Cast	: False	QoS Policy	: 100
Queue-group	: None		
MAC Address	: 04:2c:08:03:08:03	Arp Timeout	: 14400
IP Oper MTU	: 9198	ICMP Mask Reply	: True
Arp Populate	: Disabled		
Cflowd	: None		
LdpSyncTimer	: None	Strip-Label	: Disabled
LSR Load Balance	: system		
uRPF Chk	: disabled		
uRPF Fail Bytes	: 0	uRPF Chk Fail Pkts:	0

Proxy ARP Details

Rem Proxy ARP	: Disabled	Local Proxy ARP	: Disabled
Policies	: none		

Proxy Neighbor Discovery Details

Local Pxy ND	: Disabled
Policies	: none

ICMP Details

Redirects	: Number - 100	Time (seconds)	- 10
Unreachables	: Number - 100	Time (seconds)	- 10
TTL Expired	: Number - 100	Time (seconds)	- 10

IPCP Address Extension Details

Peer IP Addr	: Not configured
Peer Pri DNS Addr:	Not configured
Peer Sec DNS Addr:	Not configured

Network Domains Associated

default

Interface

```
-----
If Name           : Int A
Admin State       : Up                Oper (v4/v6)       : Up/Down
Protocols         : ISIS MPLS RSVP PIM
IP Addr/mask      : 14.23.9.278/32    Address Type      : Primary
IGP Inhibit       : Disabled          Broadcast Address : Host-ones
-----
```

Details

```
-----
Description       : Connect to A
If Index          : 1                 Virt. If Index    : 1
Last Oper Chg     : 06/06/2011 00:35:00 Global If Index  : 256
Port Id           : system
TOS Marking       : Trusted           If Type          : Network
Egress Filter     : none              Ingress Filter    : none
Egr IPv6 Flt      : none              Ingr IPv6 Flt     : none
SNTP B.Cast       : False             QoS Policy        : 1
Queue-group       : None
MAC Address       : 04:03:08:03:08:03 Arp Timeout       : 14400
IP Oper MTU       : 1500              ICMP Mask Reply   : True
Arp Populate      : Disabled
Cflowd           : None
LdpSyncTimer      : None              Strip-Label       : Disabled
LSR Load Balance  : system
uRPF Chk          : disabled
uRPF Fail Bytes   : 0                 uRPF Chk Fail Pkts: 0
-----
```

Proxy ARP Details

```
Rem Proxy ARP     : Disabled          Local Proxy ARP    : Disabled
Policies          : none
```

Proxy Neighbor Discovery Details

```
Local Pxy ND      : Disabled
Policies          : none
```

ICMP Details

Redirects	: Number - 100	Time (seconds)	- 10
Unreachables	: Number - 100	Time (seconds)	- 10
TTL Expired	: Number - 100	Time (seconds)	- 10

IPCP Address Extension Details

Peer IP Addr : Not configured

Peer Pri DNS Addr: Not configured

Peer Sec DNS Addr: Not configured

Network Domains Associated

default

Interface

If Name : Int A

Admin State : Up Oper (v4/v6) : Down/Down

Protocols : PIM

IP Addr/mask : Not Assigned

Details

Description : Connect to A

If Index : 24 Virt. If Index : 24

Last Oper Chg : 06/06/2011 00:34:56 Global If Index : 109

Port Id : n/a

TOS Marking : Trusted If Type : Network

Egress Filter : none Ingress Filter : none

Egr IPv6 Flt : none Ingr IPv6 Flt : none

SNTP B.Cast : False QoS Policy : 1

Queue-group : None

MAC Address : Arp Timeout : 14400

IP Oper MTU : 0 ICMP Mask Reply : True

Arp Populate : Disabled

Cflowd : None
LdpSyncTimer : None Strip-Label : Disabled
LSR Load Balance : system
uRPF Chk : disabled
uRPF Fail Bytes : 0 uRPF Chk Fail Pkts: 0

Proxy ARP Details

Rem Proxy ARP : Disabled Local Proxy ARP : Disabled
Policies : none

Proxy Neighbor Discovery Details

Local Pxy ND : Disabled
Policies : none

ICMP Details

Redirects : Number - 100 Time (seconds) - 10
Unreachables : Number - 100 Time (seconds) - 10
TTL Expired : Number - 100 Time (seconds) - 10

IPCP Address Extension Details

Peer IP Addr : Not configured
Peer Pri DNS Addr: Not configured
Peer Sec DNS Addr: Not configured

Network Domains Associated

default

=====

*A:AUISJB2879#