



Alupak

Telephone #
0092-21-3713 2725-29
Fax #
0092-21-3713 3275

Alupak Limited Address
Plot 1&2 Sector B-VII, Sector B Karachi
Export Processing Zone (EPZ) Landhi
Town, Karachi, Sindh Pakistan

Email Address
info@alu-pak.com

Aluminium cartridges



Aluminium cartridges

Manufacturing process:

- Washed or internally double coated
- With open flange, with rolled-flange or without flange
- With a wax ring in the area of the piston

Decoration:



- Externally plain or lacquered
- Printed in 1 - 4 colours

Special finishes on request.

Ø-Nominal d	Thread d_1		Wall thickness s_1	Nominal length l_1	Length of nozzle l_2	Shoulder thickness s_2
46.8	M -15M x 1.5	R -15M x 2.5	0.24 - 0.30	125 - 215	9.5 - 10.5	0.80 - 1.20
46.9	M -15M x 1.5	R -15M x 2.5	0.29 - 0.35	125 - 215	9.5 - 10.5	0.80 - 1.20
47.5	M -15M x 1.5		0.29 - 0.35	125 - 216	9.5 - 10.5	0.80 - 1.20

All dimensions are in mm

Critical dimensions are shown on the appropriate drawings



Accessories

1 Plastic nozzles:

We supply every conceivable shape and style

2 Aluminium plungers

3 Plastic pistons:


Various shapes in polyethylene

4 Aluminium pistons:

Various shapes in aluminium

5 End-lids:

Aluminium sealing covers with or without embossing



Special finishes

