

# Table of Contents

Table of Contents	1
LearnPlus	2
Libraries	2
Bootstrap 4	2
Material Design Kit	2
sidebar-style-guide	2
Get Help	2
Demos	2
Run demo locally	3
Install dependencies	3
Build	3
Install dev dependencies	3
Building the demo	3
Watch mode	3
Changelog	4
LearnPlus v2.0.0	4
Packages	4
Fixes	4
Improvements	5
LearnPlus v1.0.1	5
Fixes	5
LearnPlus v1.0.0	5

# LearnPlus

---

Learning Management Application

LearnPlus is a beautifully crafted user interface for modern Learning web applications. LearnPlus includes examples for all the website pages possibly needed for a LMS application, covering the most important roles in any learning application: the student and the instructor.

## Libraries

---

LearnPlus is built on top of the following libraries.

### Bootstrap 4

Bootstrap is the most popular HTML, CSS, and JS framework in the world for building responsive, mobile-first projects on the web. See Bootstrap 4 website <http://v4-alpha.getbootstrap.com>

### Material Design Kit

Interactive web components inspired from Material Design, using vanilla CSS, JavaScript and HTML. Specifically, LearnPlus uses the Drawer and Drawer Layout components for navigation and layout. See MDK on Github <https://github.com/themekit/material-design-kit>

### sidebar-style-guide

A style guide (CSS and Sass) providing a convenient base for styling common sidebar/drawer elements like menus, brand, etc. This package complements the drawer component from material-design-kit. See sidebar-style-guide on Github <https://github.com/themekit/sidebar-style-guide>

## Get Help

---

Get help directly from our team via our Slack channel. Request invite <http://themekit-slack-invite.stamplayapp.com/>

---

## Demos

---

See LearnPlus demos <http://choose.learnplus.themekit.io>. You can find the static files from our online demo in the `dist/` directory of the download package.

# Run demo locally

---

## Install dependencies

The download package does not include any vendor libraries. To install all the dependencies, run:

```
npm install
```

# Build

---

## Install dev dependencies

Before you can build the demo, make sure gulp is installed globally:

```
npm install -g gulp
```

## Building the demo

To build the dist run:

```
gulp
```

## Watch mode

You can experiment and tweek the demo source files directly from the `src/` directory. In order to automatically rebuild your changes as you make them, run:

```
gulp watch
```

# Changelog

---

## LearnPlus v2.0.0

---

11 November, 2016

### Packages

- update bootstrap <https://github.com/twbs/bootstrap/tree/v4.0.0-alpha.5> to v4.0.0-alpha.5 (see details <https://github.com/twbs/bootstrap/issues/20630>)
- remove adminplus <https://github.com/themekit/adminplus>
- remove bootstrap-layout <https://github.com/themekit/bootstrap-layout>
- add material-design-kit <https://github.com/themekit/material-design-kit> (replaces bootstrap-layout)
- add dom-factory <https://github.com/themekit/dom-factory> (component system to enhance HTML elements using plain JavaScript objects)
- add sidebar-collapse <https://github.com/themekit/sidebar-collapse> (simple collapsible sidebar submenus)
- add sidebar-style-guide <https://github.com/themekit/sidebar-style-guide> (sidebar navigation style guide - CSS and Sass)

### Fixes

- remove sidebar menu icon (bootstrap v1.0.0-alpha.5 adds the icon using a background SVG)
- replace `.img-circle` class with `.rounded-circle` (bootstrap v1.0.0-alpha.5)
- replace `.img-rounded` class with `.rounded` (bootstrap v1.0.0-alpha.5)
- add `.breadcrumb-item` class to `.breadcrumb` list items (bootstrap v1.0.0-alpha.5)
- replace spacing helper classes `.(m|p)-([a-z])-([0-9]+)` with `.$1$2-$3` (i.e. `.m-b-0` with `.mb-0`, etc) (bootstrap v1.0.0-alpha.5)
- replace `.label` classes (i.e. `.label` with `.tag`, `.label-default` with `.tag-default`, `.label-pill` with `.tag-pill`, etc) (bootstrap v1.0.0-alpha.5)
- replace column ordering helper classes `.col-([a-z]+)-(push|pull|offset)-([0-9])` with `.$2-$1-$3` (i.e. `.col-md-offset-3` with `.offset-md-3`) (bootstrap v4.0.0-alpha.5)
- replace `.p-a-([0-9]+)` helper classes with `.p-$1` (bootstrap v4.0.0-alpha.5)
- replace `.m-a-([0-9]+)` helper classes with `.m-$1` (bootstrap v4.0.0-alpha.5)
- update bootstrap css helper classes in `fullcalendar.js` example (bootstrap v4.0.0-alpha.5)
- update bootstrap forms and custom forms (bootstrap v4.0.0-alpha.5)
- replace bootstrap's `.pull-([a-z]+)-([a-z]+)` helper classes with `.float-$1-$2` (bootstrap v4.0.0-alpha.5)
- reset `.list-group` z-index (fixes overlapping `.active.list-group-item`) (bootstrap v4.0.0-alpha.5)
- reset `.input-group` z-index (fixes overlapping `.form-control`) (bootstrap v4.0.0-alpha.5)
- reset `.custom-file` z-index (fixes overlapping `.custom-file-control`) (bootstrap v4.0.0-alpha.5)
- remove navbar `line-height`
- fix instructor navbar stats color
- fix missing Raphael dependency for morris charts (gulpfile)
- fix instructor menu link to account settings
- fix reply box on messages (student and instructor)
- fix modal header color when using `.bg-primary`
- remove summernote border when directly a child of a `.card`

## Improvements

- add fixed layout variant for all pages
  - add footer margin on fixed layout
  - add `.chart` class for chart containers (resets `z-index` to fix overlapping tooltip) (i.e. when using morris + drawer with scrim enabled)
  - improve formatting of JS & Sass examples
  - cleanup Sass (general)
  - upgrade layouts, sidebars & navbars to material-design-kit
  - improve formatting of HTML source files
  - improve gulpfile
  - add lite-server ( `npm start` or `npm run serve` )
  - run `gulp` automatically on `npm start`
- 

# LearnPlus v1.0.1

---

18 March, 2016

## Fixes

- bump adminplus <https://github.com/themekit/adminplus> to v1.0.0-alpha.10
  - bump bootstrap-layout <https://github.com/themekit/bootstrap-layout> to v1.0.0-alpha.4 (see details <https://github.com/themekit/bootstrap-layout/releases/tag/v1.0.0-alpha.4>)
- 

# LearnPlus v1.0.0

---

- Initial Release