

TokTickIT

Requester-facing ticket workflow

Student	GUNTEE DOUNGMANEE
Student ID	67070501003
Peer reviewer	POLWARIT WATTHANAHEMMARAT (MadMax168), ID 67070501067
Repository	ovenmakemeheat/toktickit
Report Issue	Issue #65 - Lab 2 final submission report
Integrated baseline	lab2-staging at f6d00cb
Stable branch	main at 538b5da (Lab 2 release)
Stack	React, TypeScript, Vite, Bootstrap, Express, Prisma, PostgreSQL

DRAFT - 2026-09-04. Lab 2 implementation is integrated on **lab2-staging** and released to final **main**. Eight UI report-state captures, seven final-main **browser-use** captures, final-main client/server test output, the final-main-aligned E2E rerun, and authenticated Project board evidence are recorded. Human visual sign-off and formal GitHub **APPROVED** review evidence remain pending.

Contents

1	Answer Part 1: Git Use with Engineering Workflow	2
2	Answer Part 2: Spec DD	4
3	Answer Part 3: Test DD and Traceability	5
4	Answer Part 4: AI Use with Reflection	6
5	Answer Part 5: Development Requester Select Screen	7
6	Answer Part 6: Working Ticket Screen - Create Mode	8
7	Answer Part 7: Working My Tickets Screen	9
8	Answer Part 8: Working Ticket Screen - View Mode and Attachments	10
9	Answer Part 9: Zen Green UI and Responsive Evidence	11

1 Answer Part 1: Git Use with Engineering Workflow

Lab 2 uses one feature branch per Issue and integrates each reviewed Pull Request into `lab2-staging`. The human reviewer merges the feature PR; the PR author does not merge it. The current repository state is:

```
main (538b5da, Lab 2 release; PR #70)
|-- lab2-staging (f6d00cb, integrated Lab 2 baseline)
|  |-- feature/5-sprint-specification    (#51 -> PR #58)
|  |-- feature/6-requester-context      (#52 -> PR #59)
|  |-- feature/7-create-ticket          (#53 -> PR #60)
|  |-- feature/8-my-tickets             (#54 -> PR #61)
|  |-- feature/9-ticket-detail          (#55 -> PR #62)
|  |-- feature/10-zen-green             (#56 -> PR #63)
|  |-- feature/11-e2e-evidence          (#57 -> PR #64)
|  |-- feature/12-report-compliance     (#65 -> PR #66)
|  |-- feature/13-test-isolation        (#68 -> PR #69)
`-- docs/lab2-docs (current evidence branch, based on main)
```

Issue	Feature branch	PR	Current state
#51	feature/ 5-sprint-specification	#58	Merged into lab2-staging by MadMax168.
#52	feature/6-requester-context	#59	Merged into lab2-staging by MadMax168.
#53	feature/7-create-ticket	#60	Merged into lab2-staging by MadMax168.
#54	feature/8-my-tickets	#61	Merged into lab2-staging by MadMax168.
#55	feature/9-ticket-detail	#62	Merged into lab2-staging by MadMax168.
#56	feature/10-zen-green	#63	Merged into lab2-staging by MadMax168.
#57	feature/11-e2e-evidence	#64	Merged into lab2-staging by MadMax168.
#65	feature/12-report-compliance	#66	Merged into lab2-staging by MadMax168.
#68	feature/13-test-isolation	#69	Merged into lab2-staging by MadMax168.
Release	lab2-staging	#70	Merged into final main by MadMax168.

Student and peer reviewer

Student

GUNTEE DOUNGMANEE

ID: 67070501003

GitHub: [ovenmakemeheat](#)

Peer reviewer

POLWARIT WATTHANAHEMMARAT

ID: 67070501067

GitHub: [MadMax168](#)

Rendered reviewer.md

The reviewer record identifies the same student and peer reviewer used for Lab 1. It records the Issue-to-PR links, reviewer comments, author responses, merge accounts, and the two delivery items that still require human action: formal GitHub APPROVED events and final visual sign-off.

PR	Human review comment or decision	Author response / resulting change	State
#58	MadMax168: "ready to merge, Approve it."	No change request was recorded before merge.	Merged; formal approval pending
#59	Requested a UI loading-state test and responsive selector coverage; then said "All well, Ready to merge."	Added requester-loading coverage and responsive selector assertions in commit 68838e2.	Addressed and merged
#60	MadMax168 reported no bug and approved the merge in a PR comment.	No change request was recorded.	Merged; formal approval pending
#61	Requested protection against stale/out-of-order list responses and restoration of the visible Open Ticket action.	Added AbortController, a latest-request guard, and a deferred-response regression test in commit 6719a96; restored the visible action.	Addressed and merged
#62	Requested ownership/context validation before multipart parsing and enforcement of the active-attachment limit.	Addressed both findings in commit c0a410a, including the cross-owner multipart regression.	Addressed and merged
#63	MadMax168: "Good, Ready to merge."	No change request was recorded.	Merged; formal approval pending
#64	Requested deterministic Ticket Number collision-retry coverage, corrected test traceability, and complete responsive evidence.	Added collision-retry coverage and corrected the evidence/count records in commit 9380c9c; the author replied to the discussion.	Addressed and merged

The feature PRs were merged by MadMax168, not by the PR author. The record does not convert ready-to-merge comments into formal approvals.

The complete review index and response summaries are in `docs/lab-02/reviewer.md`. The record identifies MadMax168 as the human reviewer and records the requested changes and author responses for PRs #59, #61, #62, and #64. GitHub currently exposes human ready-to-merge or approve comments, but its formal `reviewDecision` is empty for

PRs #58-#64; the report must not label those comments as formal **APPROVED** reviews. The final release PR #70 records the merge from `lab2-staging` into `main`. The Project board was opened with the `browser-use` CLI at `/users/ovenmakeheat/projects/2/`; the authenticated View 1 capture shows Issues #51-#57 in Done.

Required Part 1 captures



Figure 1: Final `main` history showing the latest release, staging, and Lab 2 commits (cropped for legibility).




Figure 2: View 1 shows Issues #51-#57 with status Done.




Figure 3: Repository README setup evidence (cropped to the readable content area).




Figure 4: Secrets, dependencies, build output, and LaTeX artifact exclusions.




Figure 5: Final main repository tree captured with **browser-use** (cropped to the tree and README entry).

Repository directory structure

The final-main repository tree follows the directory-structure evidence format used in the Lab 1 report. The Lab 2 paths visible in the repository are:

```
docs/lab-02/          specification.md tests.md ui-spec.md api-spec.md
                      reviewer.md ai-use.md report/
server/tests/lab-02/  create-ticket.api.test.ts my-tickets.api.test.ts
                      ticket-detail.api.test.ts attachments.api.test.ts
client/tests/lab-02/  CreateTicket.test.tsx MyTickets.test.tsx
                      RequesterTicketDetail.test.tsx AttachmentSection.test.tsx
e2e/lab-02/          requester-ticket-flow.spec.ts report-evidence.spec.ts
artifacts/lab-02/screenshots/ create-ticket/ my-tickets/ ticket-detail/
```

The final-main tree, README, .gitignore, history, and Project board captures were taken from GitHub with **browser-use**. The authenticated board capture records the seven Lab 2 scope Issues as Done; human visual sign-off remains a separate review responsibility. The original full browser captures remain in the evidence directory; the long pages are content-focused crops in this PDF for legibility.

2 Answer Part 2: Spec DD

The complete contract is linked at [docs/lab-02/specification.md](#) and is cross-referenced by the API, UI, and test contracts. It contains 19 functional requirements, 26 business rules, 24 acceptance criteria, and a Definition of Done. The contract-first document was delivered in PR #58 before the implementation PRs were completed.

GitHub records the contract commit as [8f372bd](#) (2026-08-24 06:30 UTC). PR #58 was opened at 06:31 UTC and merged into **lab2-staging** at 09:14 UTC; the next implementation PR, PR #59, was opened later that day. The browser-use capture below shows PR #58's merged state, source branch, contract-only summary, commit [8f372bd](#), and merge into **lab2-staging**; this supports the contract-before-implementation sequence. The final release PR #70 was subsequently merged into **main** at [538b5da](#). The final-main browser-use captures below show the released contract and merge timeline.

Contract area	Selected decision	Traceability source
Requester context	Development Requester selection is a test context, not authentication.	FR-01–FR-04, BR-03–BR-07, AC-01–AC-03
Ticket creation	The server owns Ticket Number, Ticket Date, requester ownership, and initial NEW status.	FR-06–FR-08, BR-01–BR-13, AC-05–AC-10
Ownership	List, detail, and attachment operations are scoped to the selected Requester.	FR-09–FR-16, BR-23, AC-11–AC-21
Scope boundary	Authentication, IT Staff workflow, collaboration, and later status transitions remain excluded.	Scope and DoD sections

Rendered specification.md index

Contract section	Numbered content rendered in the final-main contract
Functional requirements	FR-01 through FR-19: requester context, ticket creation, owned list/detail, attachments, errors, and responsive accessibility.
Business rules	BR-01 through BR-26: server-owned values, validation, ownership, query behavior, attachment policy, and explicit state handling.
Acceptance criteria	AC-01 through AC-24: selection, creation, list/detail, attachment lifecycle, ownership, responsive behavior, and safe errors.
Definition of Done	Product completion, traceable passing tests, contract conformance, final-main verification, peer review, visual review, and submission material.

Rendered contract evidence

The source contract is complete, implemented, and present on final **main**. The browser-use captures below provide the rendered final-main contract and the merged release PR timeline.





Figure 6: PR #70 merged lab2-staging into final main, including the test-isolation release.

Figure 7: Rendered specification.md overview with numbered FR, BR, AC, and DoD content (cropped for legibility).

3 Answer Part 3: Test DD and Traceability

The planned matrix and acceptance-criteria mapping are maintained in `docs/lab-02/tests.md`. The current final-main validation record contains the following results:

Rendered tests.md: planned tests and actual paths

ID	Boundary	Actual test-file path or evidence path	Result
UNIT-01	Unit	server/tests/lab-02/ticket-number.unit.test.ts	Passed
UNIT-02	Unit	server/tests/lab-02/ticket-validation.unit.test.ts	Passed
UNIT-03	Unit	server/tests/lab-02/ticket-query.unit.test.ts	Passed
UNIT-04	Unit	server/tests/lab-02/attachment-policy.unit.test.ts	Passed
API-01-API-04	API	server/tests/lab-02/create-ticket.api.test.ts	Passed
API-05	API	server/tests/lab-02/attachments.api.test.ts	Passed
API-06-API-08	API	server/tests/lab-02/my-tickets.api.test.ts	Passed
API-09-API-10	API	server/tests/lab-02/ticket-detail.api.test.ts	Passed
API-11-API-15	API	server/tests/lab-02/attachments.api.test.ts	Passed
API-16	API	server/tests/lab-02/create-ticket.api.test.ts; server/tests/lab-02/attachments.api.test.ts	Passed
UI-01-UI-02	UI	client/tests/lab-02/RequesterSelection.test.tsx	Passed
UI-03-UI-05	UI	client/tests/lab-02/CreateTicket.test.tsx	Passed
UI-06-UI-07	UI	client/tests/lab-02/MyTickets.test.tsx	Passed
UI-08	UI	client/tests/lab-02/RequesterTicketDetail.test.tsx	Passed
UI-09-UI-11	UI	client/tests/lab-02/AttachmentSection.test.tsx	Passed
UI-12	UI	client/tests/lab-02/ZenGreenResponsive.test.tsx	Passed
STYLE-01	Style	client/tests/lab-02/ZenGreenResponsive.test.tsx	Passed
RESP-01	Responsive	e2e/lab-02/requester-ticket-flow.spec.ts	Passed
VIS-01	Visual	artifacts/lab-02/screenshots/; docs/lab-02/report/evidence/	Evidence recorded; sign-off pending
E2E-01-E2E-02	E2E	e2e/lab-02/requester-ticket-flow.spec.ts	Passed

Acceptance-criterion traceability rendered from tests.md

AC	Planned test IDs	AC	Planned test IDs
AC-01	UI-01, E2E-01	AC-13	API-08, UI-06
AC-02	API-01, UI-01, E2E-01	AC-14	API-08, UI-07
AC-03	UI-02, E2E-01	AC-15	API-09, UI-08, E2E-01
AC-04	API-01, UI-03, E2E-01	AC-16	API-10, UI-08
AC-05	UNIT-01, API-02, UI-03, E2E-01	AC-17	API-11, UI-09, E2E-02
AC-06	UNIT-02, UI-04	AC-18	UNIT-04, API-05, API-12, UI-10, E2E-02
AC-07	UNIT-02, API-03	AC-19	API-13, UI-11, E2E-02
AC-08	API-04, UI-05	AC-20	UNIT-04, API-14, UI-11, E2E-02
AC-09	API-05, E2E-02	AC-21	API-10, API-13, API-15, UI-11, E2E-02
AC-10	API-05, UI-05, E2E-02	AC-22	STYLE-01, RESP-01, VIS-01, E2E-01, E2E-02
AC-11	API-06, UI-06, E2E-01	AC-23	UI-12, STYLE-01, VIS-01
AC-12	UNIT-03, API-07, UI-06, E2E-01	AC-24	API-16

Boundary	Result	Main evidence path
Client unit/UI suite	8 files, 32 tests passed	<code>client/tests/lab-01/</code> and <code>client/tests/lab-02/</code>
Server unit/API suite	13 files, 70 tests passed	<code>server/tests/lab-01/</code> and <code>server/tests/lab-02/</code>
Combined test command	21 files, 102 tests passed	<code>bun run test</code>
Browser E2E	2 tests passed and 44 screenshots	<code>e2e/lab-02/</code>
Full repository gate	Passed on final-main baseline	<code>bun run verify</code> ; Biome, hooks, Prisma, types, tests, and builds

The principal Lab 2 test paths are:

- `server/tests/lab-02/create-ticket.api.test.ts`, `server/tests/lab-02/my-tickets.api.test.ts`, `server/tests/lab-02/ticket-detail.api.test.ts`, and `server/tests/lab-02/attachments.api.test.ts`;
- `client/tests/lab-02/CreateTicket.test.tsx`, `client/tests/lab-02/MyTickets.test.tsx`, `client/tests/lab-02/RequesterTicketDetail.test.tsx`, and `client/tests/lab-02/AttachmentSection.test.tsx`.

Every AC is mapped to at least one test ID in the Markdown matrix.

The original lifecycle test produced 36 responsive screenshots. The dedicated report-evidence test at `e2e/lab-02/report-evidence.spec.ts` produced eight additional desktop captures for requester selection, Create Ticket states, and the combined My Tickets filter/sort/page state.

The 2026-09-04 elevated local run of `bun run verify` passed on the `docs/lab2-docs` branch, which points to final `main` at `538b5da`. It checked Biome, Lefthook, Prisma, client and server type checking, 21 test files with 102 tests, and both workspace builds. The normal sandbox invocation stopped at Prisma dependency access with an OS `EPERM`; this is recorded as an environment limitation, not as a passing test result. The supplied final-main test capture separately shows the client and server test commands completing with 8 files/32 tests and 13 files/70 tests.




Figure 8: Final-main client and server test output captured after the Lab 2 release (resized for the report).

4 Answer Part 4: AI Use with Reflection

The AI-use record is linked at [docs/lab-02/ai-use.md](#). The implementation assistant was OpenAI Codex using GPT-5.6 Luna max. The student reviewed the PDF-derived contracts, generated changes, tests, screenshots, and review responses.

ID	Selected prompt focus	Effect
P1	Read the Lab 2 PDF and convert workflows and submission parts into a contract.	Established numbered FR, BR, AC, and DoD traceability.
P2	Create the Issue and branch plan from the contract.	Kept one feature branch per Lab 2 Issue and preserved the staging flow.
P3	Implement data, seed, requester context, API, and ownership boundaries.	Added the requester-facing backend contract without authentication or later-lab scope.
P4	Implement Create Ticket, My Tickets, Detail, and attachments.	Connected the four product areas to the approved API and UI decisions.
P5	Add tests with explicit FR/BR/AC traceability.	Produced unit, API, client UI, responsive, and E2E coverage.
P6	Inspect the requester flow at desktop, tablet, and mobile sizes.	Generated the responsive screenshot inventory and overflow assertions.
P7	Review the complete Lab 2 PR sequence and address comments.	Updated implementation, tests, evidence, and reviewer records after human feedback.
P8	Check report readiness against Answer Parts 1-9.	Separated staging evidence from final-main and missing-capture work.

My Reflection

AI assistance was most useful for translating the labsheet into small, traceable contracts and checking the relationships between implementation, tests, evidence, and review records. Human responsibility remained essential: the student confirmed scope, reviewed generated changes, inspected screenshots, validated the environment, and did not treat automated review output as peer approval.

5 Answer Part 5: Development Requester Select Screen

Lab 2 uses a simulated login screen to select an active Development Requester for the session. It is explicitly not authentication. The repeat-safe seed contains active Requesters A-D and one inactive Requester; the selector returns only the four active records. Continue is disabled until a valid active selection is made, and Change Requester clears the previous requester-specific view.




Figure 9: Active requester options with Continue disabled and inactive Requesters excluded.




Figure 10: Requester A selected and Continue enabled.




Figure 11: Selected Requester A shown in the requester summary.




Figure 12: Change Requester returns to a cleared selection screen.

The four captures were collected by the dedicated Playwright evidence test using the seeded active requester shape. They show the selection, enabled continuation, selected-user summary, and reset behavior without presenting this simulated context as authentication.

6 Answer Part 6: Working Ticket Screen - Create Mode

Create Ticket accepts Category, Related System, Requested Priority, Summary, Description, and permitted attachments. The selected requester is displayed as read-only context. The server generates the official Ticket Number, Ticket Date, requester ownership, and initial **NEW** status. Attachment upload is a separate operation so a saved Ticket remains visible if an upload fails.




Figure 13: Requester selection and matching context.




Figure 14: Reference data loading from the API.




Figure 15: Initial editable form with required indicators.




Figure 16: Field-level messages for an invalid submission.

The screenshot shows the 'Create Ticket' form in the TokTickIT application. The 'Submit' button is disabled (greyed out). A message at the bottom of the form states: 'This form represents the same generated ticket result.' Below the form, there is a 'Back to requester summary' button.

Figure 17: Disabled Submitting button and duplicate-submit protection.

The screenshot shows the 'Create Ticket' form with the 'Ticket Number' field populated with a backend-generated value: '17-20260904-224042'. The 'Ticket Date' is also populated: '2026-09-04T10:03:12-0400'. The 'Classification' section shows 'Category' as 'Hardware', 'Related System' as 'VITA', and 'Requested Priority' as 'High'. The 'Summary' field contains the text: 'Lab 2 E2E ticket 1788534203704-lyndahl'. The 'Attachments' section shows a list of files: 'Ticket number 17-20260904-224042', 'Ticket Date 2026-09-04T10:03:12-0400', and 'Ticket Title: Lab 2 E2E ticket 1788534203704-lyndahl'. The 'Submit' button is now enabled (green).

Figure 18: Backend-generated Ticket Number and saved values.

The screenshot shows the 'Create Ticket' form with a red error message at the bottom: 'Safe to submit to TICKET API'. The 'Submit' button is disabled. The form fields are preserved, including the 'Ticket Number' and 'Ticket Date'.

Figure 19: Safe API failure with entered values preserved.

The screenshot shows the 'Create Ticket' form with a red error message at the bottom: 'Only PDF, PNG, JPG, WEBP and GIF files are allowed'. The 'Submit' button is disabled. The form fields are preserved, including the 'Ticket Number' and 'Ticket Date'.

Figure 20: One permitted PDF and one rejected file are shown before submission.

The current UI/API tests and E2E evidence support the following contract claims:

- API-02 and E2E-01 verify a successful create response, saved Ticket, backend Ticket Number, and requester context.
- UI-04 and API-03 verify field-level validation and no invalid Ticket persistence.
- UI-05 and API-05 verify busy-submit protection, preserved values, and separate attachment failure behavior.
- The create API test verifies response `requester.id` and then checks the saved database `requesterId`, `categoryId`, `relatedSystemId`, and `currentStatus=NEW`; the response intentionally does not expose a raw `requesterId` field.

7 Answer Part 7: Working My Tickets Screen

My Tickets is always scoped by the selected Development Requester. It supports search over Ticket Number and Summary, Category/Related System/Priority/Status filters, deterministic sorting, one-based pagination, empty and no-results states, and recoverable API failure.

The screenshot shows the 'My Tickets' screen for a requester. It displays a list of tickets with columns: Ticket Number, Ticket Date, Summary, Category, Requested Priority, Current Status, Last Updated, and Action. The first ticket is: Ticket Number: 17-20260904-224042, Ticket Date: Sep 4, 2026, 10:03 PM, Summary: Lab 2 E2E ticket 1788534203704-lyndahl, Category: Hardware, Requested Priority: High, Current Status: New, Last Updated: Sep 4, 2026, 10:03 PM, Action: Open Ticket. The screen also includes search and filter controls.

Figure 21: Requester-owned results with list controls.

The screenshot shows the 'My Tickets' screen for a different requester. It displays a message: 'No tickets match the current search and filters.' The search and filter controls are visible, but no tickets are listed.

Figure 22: A different Requester cannot see the original Requester's Tickets.




Figure 23: No Tickets for the current Requester.




Figure 24: Recoverable list failure.




Figure 25: My Tickets with a non-default filter, ascending sort, and page 2 of 2.

The client and server tests verify search, filters, sorting, pagination, ownership isolation, empty/no-results distinction, stale-response protection, and API failure. The additional report capture makes the non-default Category, Summary sort, ascending direction, and page 2 transition visible together. It is a controlled UI-state fixture for the query controls; the final-main browser captures document the released source and test baseline.

8 Answer Part 8: Working Ticket Screen - View Mode and Attachments

Owned Ticket Detail renders Ticket fields read-only and separates the Attachment section. Active attachments can be uploaded and downloaded. Removal requires confirmation and a 3-200 character reason, retains metadata, and returns 410 ATTACHMENT_REMOVED when a removed file is requested. Cross-Requester Ticket and Attachment access is rejected safely.




Figure 26: Read-only Ticket Detail with active attachment.




Figure 27: Unsupported attachment feedback.




Figure 28: Retained removed metadata and reason.




Figure 29: Removed content is not downloadable or pre-viewable.


API-09 through API-16 and E2E-02 cover owned detail, attachment metadata, upload, active download, soft removal, repeat removal, invalid files, storage errors, removed-download rejection, and cross-owner access. The final report should include a readable test-output or API excerpt for the unauthorized Ticket/Attachment requests in addition to the UI screenshots. The relevant test assertions are summarized here:

```
GET /api/tickets/<owned-ticket-id> [Requester B] -> 404 TICKET_NOT_FOUND
GET /api/tickets/<owned-ticket-id>/attachments [Requester B] -> 404 TICKET_NOT_FOUND
POST /api/tickets/<owned-ticket-id>/attachments [Requester B] -> 404 TICKET_NOT_FOUND
GET /api/tickets/<owned-ticket-id>/attachments/<id>/download [Requester B] -> 404 TICKET_NOT_FOUND
DELETE /api/tickets/<owned-ticket-id>/attachments/<id> [Requester B] -> 404 TICKET_NOT_FOUND
```

These are asserted by `server/tests/lab-02/ticket-detail.api.test.ts` and `server/tests/lab-02/attachments.api.test.ts`; no Ticket or Attachment summary is disclosed to the other Requester.

9 Answer Part 9: Zen Green UI and Responsive Evidence

The complete visual contract is linked at [docs/lab-02/ui-spec.md](#). The final-main-aligned E2E flow checks 1280x900, 820x900, and 390x844 viewports. The current inventory contains 36 responsive lifecycle captures plus eight desktop report-state captures. The final-main evidence set adds seven **browser-use** captures and one client/server test-output capture.

Figure 30: Rendered final-main ui-spec.md overview captured with **browser-use** (cropped for legibility).




Figure 31: Desktop validation.




Figure 32: Tablet list controls.



Figure 33: Mobile blocked-download state.

Visual checklist item	Integrated evidence	Final report status
Zen Green colors and shared components	Client contract tests and screenshots	Rendered final-main ui-spec.md; human sign-off pending
Editable/read-only fields	Create and Detail UI tests	Representative screenshots available
Validation placement and state text	Client tests and validation captures	Representative evidence available
Button hierarchy and disabled busy state	Client tests and UI contract	Dedicated submitting capture available
Clipping, overlap, and horizontal overflow	E2E viewport assertions	Final-main-aligned E2E passed; human visual sign-off pending

The visual checklist is supported by the final-main-aligned E2E screenshot inventory, the final-main rendered contract/repository/release/test evidence, and the authenticated Project board capture. Human visual sign-off remains explicitly open rather than being inferred from the release.