
application_log
app_name VARCHAR(45)
type INT
action_msg VARCHAR(500)
created_at INT
Indexes
log_user
user_id INT
type INT
action_msg VARCHAR(500)
created_at INT
Indexes
application
name VARCHAR(45)
user_id INT
full_name VARCHAR(255)
status INT
access INT
config VARCHAR(500)
max_requests VARCHAR(45)
created_at INT
updated_at INT
Indexes
user
id INT
first_name VARCHAR(50)
last_name VARCHAR(50)
email VARCHAR(255)
password_hash VARCHAR(60)
auth_key VARCHAR(32)
confirmed_at INT
unconfirmed_email VARCHAR(255)
blocked_at INT
registration_ip VARCHAR(45)
created_at INT
updated_at INT
flags INT
last_login_at INT
Indexes
snapshot_series
id INT
user_id INT
building_id INT
device_id INT
status INT
type INT
extra VARCHAR(500)
started_at INT
building_id INT
created_at INT
Indexes
building
id INT
gis_id VARCHAR(45)
address VARCHAR(5000)
coords VARCHAR(64)
shape VARCHAR(5000)
status INT
display_name VARCHAR(5000)
rate_final DECIMAL(4,2)
created_at INT
updated_at INT
Indexes
snapshot
id INT
series_id INT
img_ir_raw BLOB
img_ir_proc BLOB
coords VARCHAR(64)
accel VARCHAR(64)
extra VARCHAR(500)
status INT
rate_inter DECIMAL(2,2)
created_at INT
updated_at INT
Indexes
ir_device
id INT
vendor_name VARCHAR(45)
device_name VARCHAR(45)
res_width INT
res_height INT
min_temp DECIMAL(2,2)
max_temp DECIMAL(2,2)
density DECIMAL(2,2)
created_at VARCHAR(45)
updated_at VARCHAR(45)
Indexes
token
key VARCHAR(20)
app_name VARCHAR(45)
type INT
status INT
created_at INT
Indexes