

Stephan Dörfler

Collective mapping and movement
in a swarm of highly unreliable
individuals in unknown
environments



FAKULTÄT FÜR
INFORMATIK

Intelligent Cooperative Systems

Master's Thesis

Collective mapping and movement in a swarm of highly unreliable individuals in unknown environments

Author: Stephan Dörfler

Professor: Prof. Dr.-Ing. habil. Sanaz Mostaghim

Examiner: Another Professor

Examiner: Someone from Industry

Advisor: Dipl.-Inform. Christoph Steup

Winter term 2017

Stephan Dörfler: *Collective mapping and movement in a swarm
of highly unreliable individuals in unknown environments*
Otto-von-Guericke-Universität
Magdeburg, 2017.

Abstract

Foo Bar Baz

this will be
written at
the very
end of the
project

Todo list

■ this will be written at the very end of the project	I
■ write out the list below	1
■ write out the list below	1
■ write out the list below	2
■ write out the list below	2
■ write out the list below	3
■ write out the list below	3
■ write out the list below	3
■ write out the list below	4
■ write out the list below	4
■ write out the list below	5
■ write out the list below	5
■ write out the list below	5
■ write out the list below	6
■ write out the list below	6
■ write out the list below	7
■ write out the list below	7
■ write out the list below	9
■ write out the list below	11

Contents

Todo list	III
1 Introduction	1
1.1 Motivation	1
1.2 Goal	2
1.3 Structured approach	2
2 Background/Basics	3
2.1 Spherical Robot: Orbotix Sphero	3
2.2 Probabilistic robot movement and perception	3
2.3 Requirements	4
2.4 Related work	4
3 Concept	5
3.1 Measurement of error	5
3.2 Separation of environmental influences from inherent inaccuracy	5
3.3 Continuous improvement	6
3.4 Data-Distribution	6
4 Exemplary implementation	7
4.1 Ros Nodes	7
5 Evaluation	9
6 Future works	11

1 Introduction

-
- Importance of robotics
 - Importance of swarm-robotics
 - We can't measure *true/exact* values \rightarrow probabilistic approach
 - Combination of "swarm" and "probabilistic" to find good solutions despite of the problems

write out
the list be-
low

1.1 Motivation

-
- simple individuals
 - cheap
 - robust
 - easy to use/initialize
 - very limited capabilities
 - highly inaccurate
 - try to overcome the weaknesses
 - additional external sensors (camera tracking)
 - additional external computing (by commands via bluetooth)
 - probabilistically learn the inaccuracy and compensate accordingly
 - combine multiple individuals in a swarm for better results
 - higher quality & quantity probabilistic data for learning
 - get the differences between multiple individuals

write out
the list be-
low

- get a better/faster impression of the environment's effects
- in most use-cases: single individual's minor inaccuracies are compensated for by the swarm

1.2 Goal

write out
the list below

- Find an effective way to measure and quantify the error/inaccuracy
- From a single measurement differentiate the own error from the environment's error
- Publicly share the information about the measured inaccuracy
- As a swarm: continuously & collectively improve the knowledge about inaccuracy
- Find a way to use the knowledge of the inaccuracy to take countermeasures

1.3 Structured approach

write out
the list below

- Figure out the required knowledge and technologies
- Draft the (measurable/verifiable) measure for success
- Related work: which similar problems are already (partly) solved?
- Design a concept
- Evaluate the concept theoretically
- Exemplary show the realization of the concept to confirm the theoretical evaluation

2 Background/Basics

- Basics to mobile robotics
- Basics to probabilistic robotics
- Basics to swarm behavior
- Basics to distributed mapping
- Basics to ROS as development framework

write out
the list be-
low

2.1 Spherical Robot: Orbotix Sphero

- Definition: spherical robot
- Sphero: specifics and limitations
 - Movement: differential drive
 - Sensors: accelerometer
 - sources of inaccuracy (slip, orientation through odometry)

write out
the list be-
low

2.2 Probabilistic robot movement and perception

- uncertainty is inevitable in real-world use-cases
- instead of unrealistic simplifications use best-effort with probabilities
- approaches to minimize uncertainty

write out
the list be-
low

2.3 Requirements

write out
the list be-
low

- There is an error model to evaluate the error/inaccuracy by quantity and quality
- Each individual's movement is subject to a smaller error when it has *knowledge* vs. when it hasn't
- Each individual is able to use data from locations *any* individual has visited
- Statistically: increase in accuracy after a small amount of time/iterations

2.4 Related work

write out
the list be-
low

Topics:

- distributed mapping
- error-correction

3 Concept

- Error-data are collected
- Error-data get evaluated (statistically)
- Error-data are shared throughout the swarm
- Error-data are used to improve quality of movement
- New movements feed back into measurement-loop

write out
the list be-
low

3.1 Measurement of error

- Error is measured by error in position and error in movement
- Error is measured for each individual
- Error-data are scored by quality
- Error-data about environment and it's quality is fed into a centralized map
- Existing error-data are used to improve each individual's movement

write out
the list be-
low

3.2 Separation of environmental influences from inherent inaccuracy

- Error-data get separated by error from environment and error from individual

write out
the list be-
low

- Constant/linear error *probably* originates from individual
- Dynamic error *probably* originates from environment
- Comparison with existing measurements to statistically improve separation
- Environmental influences are shared with every other individual
- Individual error is kept and continually improved

3.3 Continuous improvement

write out
the list be-
low

- Respect existing data
 - per individual
 - from environment
- generate new data from movement
- feed back new data into the map
- improve data (accuracy/quality) using *Kalman Filter*

3.4 Data-Distribution

write out
the list be-
low

- Error-data about the individual are not shared
- Error-data about the environment are shared
 - A single centralized map with error-data for each coordinate
 - Each update is used to statistically improve a single coordinate's quality of data (*Kalman-Filter*)

4 Exemplary implementation

-
- plan, goals, restrictions of implementation
 - outline general structure of implementation
 - used environment and tools

write out
the list be-
low

4.1 Ros Nodes

-
- existing ROS libs
 - camera tracking
 - bluetooth-control
 - ros-sphero-driver
 - simones error-correction
 - newly developed nodes
 - centralized map
 - error-distinction (self vs. env)

write out
the list be-
low

5 Evaluation

write out
the list be-
low

- evaluation-approach
- formally evaluate math/statistics
 - probabilistic data increase in accuracy
 - time/effort needed single vs. swarm
- evaluate via real-world tests
 - explain setting/arena
 - raw data from multiple runs
 - processing of recorded data
 - insights obtained from experiment
- evaluate via simulation
 - diff. simulation vs. real-world
 - raw data from multiple runs
 - processing of recorded data
 - insights obtained from experiment
- explain results rl vs. sim

6 Future works

-
- unanswered questions -> unexplained experimental data?
 - overcome simplifications used in this work
 - static vs. dynamic environments
 - transfer this approach to different levels of reliability
 - map to imaginable use-cases (firefighter...)

write out
the list be-
low

