Pqrs_RM_IpRev-678335064 Documentation

Generated at:
2/11/2026, 14:30:35

Módulo de Gestión PQRSD

App para el procesamiento de PQRSD Ruta Magdalena Sierra Mar
Última actualización: 02/08/2026 Versión: 1.000572

Data Summary	38 Tables 955 Columns 4 Slices
UX Summary	50 Views 67 Format Rules
Behavior Summary	134 Actions 0 Workflow Rules

Short Name	Módulo de Gestión PQRSD
Short Description	App para el procesamiento de PQRSD Ruta Magdalena Sierra Mar
Description	Última actualización: 02/08/2026 Versión: 1.000572
Version	1.000572
Default app folder	/appsheet/data/Pqrs_RM_IpRev-678335064
Category	Custom Apps
Function	Inspections & Surveys
Industry	Consumer Services
Runnable?	Yes
Deployable?	No
Personal use only?	No

Data

Tables

Table name Pqrs

Table name	Pqrs
Visible?	ALWAYS
Shared?	Yes
Data locale	es-CO
Schema	Pqrs_Schema
Are updates allowed?	ALL_CHANGES
Security filter	=OR(IN(USEREMAIL(), LIST("pqrs@rmsierramar.com", "notificacionesdepqrsrmsm@gmail.com")), IN(LOOKUP(USEREMAIL(), "Gestores", "CorreoGestor", "Rol"), LIST("Administrador", "Creador")), [Departamento] = LOOKUP(USEREMAIL(), "Departamentos", "CorreoDpto", "ID_Departamento"))
Source Path	/appsheet/data/Pqrs_RM_IpRev-678335064/Pqrs.gsheet
Worksheet Name/Qualifier	Pqrs
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name _Per User Settings

Table name	_Per User Settings
Visible?	NEVER
Shared?	No
Data locale	es-MX
Schema	_Per User Settings_Schema
Are updates allowed?	UPDATES_ONLY

Source Path	_Per User Settings
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Datos_Rm

Table name	Datos_Rm
Visible?	ALWAYS
Shared?	Yes
Data locale	es-CO
Schema	Datos_Rm_Schema
Are updates allowed?	ALL_CHANGES
Source Path	/appsheet/data/Pqrs_RM_IpRev-678335064/Pqrs.gsheet
Worksheet Name/Qualifier	Datos_Rm
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Servicio

Table name	Servicio
Visible?	ALWAYS
Shared?	Yes
Data locale	es-CO
Schema	Servicio_Schema

Are updates allowed?	ALL_CHANGES
Expression for update mode	=SWITCH(USEREMAIL(), "notificacionesdepqrsrmsm@gmail.com", "ALL_CHANGES", "pqrs@rmsierramar.com", "ALL_CHANGES", "READ_ONLY")
Source Path	/appsheet/data/Pqrs_RM_IpRev-678335064/Pqrs.gsheet
Worksheet Name/Qualifier	Servicio
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Gestores

Table name	Gestores
Visible?	ALWAYS
Shared?	Yes
Data locale	es-CO
Schema	Gestores_Schema
Are updates allowed?	ALL_CHANGES
Expression for update mode	=SWITCH(USEREMAIL(), "notificacionesdepqrsrmsm@gmail.com", "ALL_CHANGES", "pqrs@rmsierramar.com", "ALL_CHANGES", "READ_ONLY")
Security filter	=AND(OR(IN(USEREMAIL(), { "pqrs@rmsierramar.com", "notificacionesdepqrsrmsm@gmail.com" }), [ID_Departamento] = LOOKUP(USEREMAIL(), "Departamentos", "CorreoDpto", "ID_Departamento")), NOT(AND(USEREMAIL() = "pqrs@rmsierramar.com", [CorreoGestor] = "notificacionesdepqrsrmsm@gmail.com")))
Source Path	/appsheet/data/Pqrs_RM_IpRev-678335064/Pqrs.gsheet
Worksheet Name/Qualifier	Gestores
Data Source	google
Store for image and file capture	_Default

Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name GestionPqr

Table name	GestionPqr
Visible?	ALWAYS
Shared?	Yes
Data locale	es-CO
Schema	GestionPqr_Schema
Are updates allowed?	ALL_CHANGES
Security filter	=OR(IN(USEREMAIL(), LIST("pqrs@rmsierramar.com", "notificacionesdepqrsrmsm@gmail.com")), IN(LOOKUP(USEREMAIL(), "Gestores", "CorreoGestor", "Rol"), LIST("Administrador", "Creador")), [Departamento] = LOOKUP(USEREMAIL(), "Departamentos", "CorreoDpto", "ID_Departamento"))
Source Path	/appsheet/data/Pqrs_RM_IpRev-678335064/Pqrs.gsheet
Worksheet Name/Qualifier	GestionPqr
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Departamentos

Table name	Departamentos
Visible?	ALWAYS
Shared?	Yes
Data locale	es-CO

Schema	Departamentos_Schema
Are updates allowed?	ALL_CHANGES
Expression for update mode	=SWITCH(USEREMAIL(), "notificacionesdepqrsrmsm@gmail.com", "ALL_CHANGES", "pqrs@rmsierramar.com", "ALL_CHANGES", "READ_ONLY")
Security filter	=AND(OR(USEREMAIL() = "pqrs@rmsierramar.com", USEREMAIL() = "notificacionesdepqrsrmsm@gmail.com", [CorreoDpto] = USEREMAIL()), NOT(AND(USEREMAIL() = "pqrs@rmsierramar.com", [CorreoDpto] = "notificacionesdepqrsrmsm@gmail.com")))
Source Path	/appsheet/data/Pqrs_RM_IpRev-678335064/Pqrs.gsheet
Worksheet Name/Qualifier	Departamentos
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Filtros

Table name	Filtros
Visible?	ALWAYS
Shared?	Yes
Data locale	es-CO
Schema	Filtros_Schema
Are updates allowed?	ALL_CHANGES
Source Path	/appsheet/data/Pqrs_RM_IpRev-678335064/Pqrs.gsheet
Worksheet Name/Qualifier	Filtros
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No

Partitioned across many worksheets?	No

Table name Noticias

Table name	Noticias
Visible?	ALWAYS
Shared?	Yes
Data locale	es-CO
Schema	Noticias_Schema
Are updates allowed?	ALL_CHANGES
Source Path	/appsheet/data/Pqrs_RM_IpRev-678335064/Pqrs.gsheet
Worksheet Name/Qualifier	Noticias
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name ConsecutivosPqr

Table name	ConsecutivosPqr
Visible?	ALWAYS
Shared?	Yes
Data locale	es-CO
Schema	ConsecutivosPqr_Schema
Are updates allowed?	ALL_CHANGES
Source Path	/appsheet/data/Pqrs_RM_IpRev-678335064/Pqrs.gsheet
Worksheet Name/Qualifier	ConsecutivosPqr
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber

Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name ArchivosPostPqr

Table name	ArchivosPostPqr
Visible?	ALWAYS
Shared?	Yes
Data locale	es-CO
Schema	ArchivosPostPqr_Schema
Are updates allowed?	ALL_CHANGES
Source Path	Pqrs
Worksheet Name/Qualifier	ArchivosPostPqr
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name festivos_2025_2036

Table name	festivos_2025_2036
Visible?	ALWAYS
Shared?	Yes
Data locale	es-CO
Schema	festivos_2025_2036_Schema
Are updates allowed?	READ_ONLY
Source Path	Pqrs
Worksheet Name/Qualifier	festivos_2025_2036
Data Source	google

Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Reportes

Table name	Reportes
Visible?	ALWAYS
Shared?	Yes
Data locale	es-CO
Schema	Reportes_Schema
Are updates allowed?	ALL_CHANGES
Source Path	Pqrs
Worksheet Name/Qualifier	Reportes
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for Actualizar_Estado Process Table

Table name	Process for Actualizar_Estado Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for Actualizar_Estado Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/1ff10454-f767-4f1a-99b2-237a4135fa1c/7cb29d93-fdba-4109-895d-2e4a74ae74aa/State Table

Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Afectar_Pqrs Output

Table name	Afectar_Pqrs Output
Visible?	NEVER
Shared?	Yes
Schema	Afectar_Pqrs Output_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/1ff10454-f767-4f1a-99b2-237a4135fa1c/7cb29d93-fdba-4109-895d-2e4a74ae74aa/StepOutput_Afectar_Pqrs
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for Actualizar Fecha_Respuesta Process Table

Table name	Process for Actualizar Fecha_Respuesta Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for Actualizar Fecha_Respuesta Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/1ff10454-f767-4f1a-99b2-237a4135fa1c/a08e6988-c4dc-4208-8ccc-d2345cdb8151/State

	Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Afectar_Pqrs Output 2

Table name	Afectar_Pqrs Output 2
Visible?	NEVER
Shared?	Yes
Schema	Afectar_Pqrs Output 2_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/1ff10454-f767-4f1a-99b2-237a4135fa1c/a08e6988-c4dc-4208-8ccc-d2345cdb8151/StepOutput_Afectar_Pqrs
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for Notificar Departamento Process Table

Table name	Process for Notificar Departamento Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for Notificar Departamento Process Table_Schema
Are updates allowed?	READ_ONLY

Source Path	/ProcessStateTables/1ff10454-f767-4f1a-99b2-237a4135fa1c/9878733b-82da-4390-a1c7-38706aa12281/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Ejecutar Script Output

Table name	Ejecutar Script Output
Visible?	NEVER
Shared?	Yes
Schema	Ejecutar Script Output_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/1ff10454-f767-4f1a-99b2-237a4135fa1c/9878733b-82da-4390-a1c7-38706aa12281/StepOutput_Ejecutar Script
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Cambiar estado a False Output

Table name	Cambiar estado a False Output
Visible?	NEVER
Shared?	Yes
Schema	Cambiar estado a False Output_Schema

Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/1ff10454-f767-4f1a-99b2-237a4135fa1c/9878733b-82da-4390-a1c7-38706aa12281/StepOutput_Cambiar estado a False
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for CrearPDF_GestionPqr_General Process Table

Table name	Process for CrearPDF_GestionPqr_General Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for CrearPDF_GestionPqr_General Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/1ff10454-f767-4f1a-99b2-237a4135fa1c/7cfb6edc-5169-426d-ad17-719045a68a18/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for Enviar Respuesta Gestion - 1 Process Table

Table name	Process for Enviar Respuesta Gestion - 1 Process Table
Visible?	NEVER

Shared?	Yes
Schema	Process for Enviar Respuesta Gestion - 1 Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/1ff10454-f767-4f1a-99b2-237a4135fa1c/02a95771-a8f4-471f-b349-9a5c8f8f429e/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Ejecutar Script Output 2

Table name	Ejecutar Script Output 2
Visible?	NEVER
Shared?	Yes
Schema	Ejecutar Script Output 2_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/1ff10454-f767-4f1a-99b2-237a4135fa1c/02a95771-a8f4-471f-b349-9a5c8f8f429e/StepOutput_Ejecutar Script
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Completado Output

Table name	Completado Output

Visible?	NEVER
Shared?	Yes
Schema	Completado Output_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/1ff10454-f767-4f1a-99b2-237a4135fa1c/02a95771-a8f4-471f-b349-9a5c8f8f429e/StepOutput_Completado
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for Bot_Radicacion_IDInterno Process Table

Table name	Process for Bot_Radicacion_IDInterno Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for Bot_Radicacion_IDInterno Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/1ff10454-f767-4f1a-99b2-237a4135fa1c/aab57cc6-b5f8-47b1-9b55-0e06468a7e98/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Incrementar_Consecutivo Output

Table name	Incrementar_Consecutivo Output
Visible?	NEVER
Shared?	Yes
Schema	Incrementar_Consecutivo Output_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/1ff10454-f767-4f1a-99b2-237a4135fa1c/aab57cc6-b5f8-47b1-9b55-0e06468a7e98/StepOutput_Incrementar_Consecutivo
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Asignar número a la PQR Output

Table name	Asignar número a la PQR Output
Visible?	NEVER
Shared?	Yes
Schema	Asignar número a la PQR Output_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/1ff10454-f767-4f1a-99b2-237a4135fa1c/aab57cc6-b5f8-47b1-9b55-0e06468a7e98/StepOutput_Asignar número a la PQR
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Generar ID_PQR Output

Table name	Generar ID_PQR Output
Visible?	NEVER
Shared?	Yes
Schema	Generar ID_PQR Output_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/1ff10454-f767-4f1a-99b2-237a4135fa1c/aab57cc6-b5f8-47b1-9b55-0e06468a7e98/StepOutput_Generar ID_PQR
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for Bot_Radicacion_IDInterno ges Process Table

Table name	Process for Bot_Radicacion_IDInterno ges Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for Bot_Radicacion_IDInterno ges Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/1ff10454-f767-4f1a-99b2-237a4135fa1c/02baa159-6c1e-418b-ad27-07e739bcd3c0/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No

Partitioned across many worksheets?	No

Table name Incrementar_Consecutivo Output 2

Table name	Incrementar_Consecutivo Output 2
Visible?	NEVER
Shared?	Yes
Schema	Incrementar_Consecutivo Output 2_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/1ff10454-f767-4f1a-99b2-237a4135fa1c/02baa159-6c1e-418b-ad27-07e739bcd3c0/StepOutput_Incrementar_Consecutivo
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Asignar número a la Gestion Output

Table name	Asignar número a la Gestion Output
Visible?	NEVER
Shared?	Yes
Schema	Asignar número a la Gestion Output_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/1ff10454-f767-4f1a-99b2-237a4135fa1c/02baa159-6c1e-418b-ad27-07e739bcd3c0/StepOutput_Asignar número a la Gestion
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber

Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Generar ID_Gestion Output

Table name	Generar ID_Gestion Output
Visible?	NEVER
Shared?	Yes
Schema	Generar ID_Gestion Output_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/1ff10454-f767-4f1a-99b2-237a4135fa1c/02baa159-6c1e-418b-ad27-07e739bcd3c0/StepOutput_Generar ID_Gestion
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for Notificar_Apelacion_Deepseek Process Table

Table name	Process for Notificar_Apelacion_Deepseek Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for Notificar_Apelacion_Deepseek Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/1ff10454-f767-4f1a-99b2-237a4135fa1c/8e6c6509-ff2a-4dc3-90d8-8646356e0ea3/State Table
Data Source	native

Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Ejecutar Script Output 3

Table name	Ejecutar Script Output 3
Visible?	NEVER
Shared?	Yes
Schema	Ejecutar Script Output 3_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/1ff10454-f767-4f1a-99b2-237a4135fa1c/8e6c6509-ff2a-4dc3-90d8-8646356e0ea3/StepOutput_Ejecutar Script
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for Anexos - 1 Process Table

Table name	Process for Anexos - 1 Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for Anexos - 1 Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/1ff10454-f767-4f1a-99b2-237a4135fa1c/df861c85-f573-4a8c-a520-82b22612c438/State Table

Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Ejecutar Script Output 4

Table name	Ejecutar Script Output 4
Visible?	NEVER
Shared?	Yes
Schema	Ejecutar Script Output 4_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/1ff10454-f767-4f1a-99b2-237a4135fa1c/df861c85-f573-4a8c-a520-82b22612c438/StepOutput_Ejecutar Script
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for Todas las Pqr - 1 Process Table

Table name	Process for Todas las Pqr - 1 Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for Todas las Pqr - 1 Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/1ff10454-f767-4f1a-99b2-237a4135fa1c/37e5c0ac-cb0b-4855-8b71-34e19fe2aff8/State

	Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Crear Ruta Archivo Output

Table name	Crear Ruta Archivo Output
Visible?	NEVER
Shared?	Yes
Schema	Crear Ruta Archivo Output_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/1ff10454-f767-4f1a-99b2-237a4135fa1c/37e5c0ac-cb0b-4855-8b71-34e19fe2aff8/StepOutput_Crear Ruta Archivo
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Columns

Schema Name _Per User Settings_Schema

Schema Name	_Per User Settings_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 2: _EMAIL

Column name	_EMAIL
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	USEREMAIL()
Read-Only	No

Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 3: _NAME

Column name	_NAME
Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	USERNAME()
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 4: _LOCATION

Column name	_LOCATION
Visible?	ALWAYS
Type	LatLong
Type Qualifier	{"RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 5: Options Heading

Column name	Options Heading
Visible?	ALWAYS
Type	Show

Type Qualifier	{"Category":"Text","Content":"\"These options control the content and behavior of the app\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 6: Option 1

Column name	Option 1
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 7: Option 2

Column name	Option 2
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 8: Country Option

Column name	Country Option
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Australia","Brazil","Canada"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 9: Language Option

Column name	Language Option
Visible?	ALWAYS

Type	Enum
Type Qualifier	{"EnumValues":["English","French","Tamil"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 10: Option 5

Column name	Option 5
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Option 6

Column name	Option 6
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 12: Option 7

Column name	Option 7
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 13: Option 8

Column name	Option 8
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 14: Option 9

Column name	Option 9
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 15: _THISUSER

Column name	_THISUSER
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	onlyvalue
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Pqrs_Schema

Schema Name	Pqrs_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_PQR

Column name	ID_PQR
Visible?	ALWAYS

Description	=ID PQR
Display name	=ID PQR
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=uniqueid()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ID_Interno

Column name	ID_Interno
Visible?	ALWAYS
Description	=Número Interno
Display name	=Número Interno
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Tipo_Solicitud

Column name	Tipo_Solicitud
Visible?	ALWAYS
Display name	=Tipo de solicitud
Type	Enum
Type Qualifier	{"EnumValues":["Petición","Queja","Reclamo","Sugerencia","Denuncia"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Prioridad_Solicitud

Column name	Prioridad_Solicitud
Visible?	ALWAYS
Display name	="Prioridad Solicitud"
Type	Enum
Type Qualifier	{"EnumValues":["General","Documentos o Información"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Servicio

Column name	Servicio
Visible?	ALWAYS
Description	=Servicio
Display name	=Servicio
Type	Ref
Type Qualifier	{"ReferencedTableName":"Servicio","ReferencedRootTableName":"Servicio","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Servicio","IsAPartOf":false,"RelationshipName":null,"InputMode":"Dropdown","Valid_If":"=Servicio[ID_Servicio]","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=[Servicio].[Servicio]
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 7: Fecha_Suceso

Column name	Fecha_Suceso
Visible?	ALWAYS
Description	="Fecha del suceso"
Display name	="Fecha del suceso"
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=TODAY()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes

Scannable	No
Sensitive data	No

Column 8: Descripcion

Column name	Descripcion
Visible?	ALWAYS
Display name	="Descripción " & IFS([Tipo_Solicitud] = "Petición", "de la Petición", [Tipo_Solicitud] = "Reclamo", "del Reclamo", [Tipo_Solicitud] = "Queja", "de la Queja", [Tipo_Solicitud] = "Sugerencia", "de la Sugerencia", [Tipo_Solicitud] = "Denuncia", "de la Denuncia", TRUE, "de " & [Tipo_Solicitud])
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: TipoSolicitante

Column name	TipoSolicitante
Visible?	ALWAYS
Display name	="Presente su " & [Tipo_Solicitud] & " como usuario:"
Type	Enum
Type Qualifier	{"EnumValues":["Registrado","Anónimo"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: Identificacion

Column name	Identificacion
Visible?	ALWAYS
Display name	=Ingrese su número de identificación

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[TipoSolicitante]=\"Registrado\"","Required_If":"=[TipoSolicitante]=\"Registrado\"","Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: NombreCompleto

Column name	NombreCompleto
Visible?	ALWAYS
Display name	=Nombre Completo
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[TipoSolicitante]=\"Registrado\"","Required_If":"=[TipoSolicitante]=\"Registrado\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: NombreFormateado

Column name	NombreFormateado
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Spreadsheet formula	=ArrayFormula(PROPER(RC[-1]:R[49997]C[-1]))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 13: Email

Column name	Email
Visible?	ALWAYS
Display name	=Ingrese su correo electrónico
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 14: Telefono

Column name	Telefono
Visible?	ALWAYS

Display name	=Número de celular
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":"=[TipoSolicitante]=\"Registrado\"","Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=IF(LEFT([Telefono],3)="+57", [Telefono], "+57 " & [Telefono])
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 15: Poblacion

Column name	Poblacion
Visible?	ALWAYS
Display name	="Grupo poblacional"
Type	Enum
Type Qualifier	{"EnumValues":["Ninguno / No aplica","Comunidad indígena","Comunidad afrodescendiente","Población LGBTIQ+","Víctimas del conflicto armado","Migrantes","Personas con discapacidad","Adulto mayor"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"

	{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	="Ninguno / No aplica"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: Fecha_Creacion

Column name	Fecha_Creacion
Visible?	ALWAYS
Description	=Fecha en la que se presenta la Pqr
Display name	=Fecha en la que se presenta la Pqr
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Sho

	w_If":null,"Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=NOW()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: Fecha_Respuesta

Column name	Fecha_Respuesta
Visible?	ALWAYS
Description	=Fecha de Respuesta a la Pqr
Display name	=Fecha de Respuesta a la Pqr
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":"","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: Tiempo_Respuesta

Column name	Tiempo_Respuesta
Visible?	ALWAYS
Description	=Tiempo en que fue respondida la Pqr
Display name	=Tiempo en que fue respondida la Pqr
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes

Scannable	No
Sensitive data	No

Column 19: Estado_Pqr

Column name	Estado_Pqr
Visible?	ALWAYS
Description	=Estado Pqr
Display name	=Estado Pqr
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	="Abierta"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: Apelacion

Column name	Apelacion
Visible?	ALWAYS

Display name	="Apelación"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 21: ID_Gestion_Apelada

Column name	ID_Gestion_Apelada
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: FechaApelacion

Column name	FechaApelacion
Visible?	ALWAYS
Display name	="Fecha de apelación"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No

Sensitive data	No

Column 23: Departamento

Column name	Departamento
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Departamentos","ReferencedRootTableName":"Departamentos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Departamento","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=IF(\n IN(\n LOOKUP(USEREMAIL(), \"Gestores\", \"CorreoGestor\", \"Rol\"),\n {\"Administrador\",\"Creador\"}\n),\n ORDERBY(\n SELECT(\n Departamentos[ID_Departamento],\n [Estado] = \"Activo\"\n),\n [Departamento]\n),\n ORDERBY(\n SELECT(\n Departamentos[ID_Departamento],\n AND(\n [CorreoDpto] = USEREMAIL(),\n [Estado] = \"Activo\"\n)\n),\n [Departamento]\n)\n)","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: Gestor

Column name	Gestor
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Gestores","ReferencedRootTableName":"Gestores","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Gestor","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=ORDERBY(\n SELECT(\n Gestores[ID_Gestor],\n AND(\n [ID_Departamento] = [_THISROW].[Departamento],\n [Estado] = \"Activo\",\n LOOKUP([ID_Departamento], \"Departamentos\", \"ID_Departamento\", \"Estado\") = \"Activo\"\n)\n),\n [NombreGestor]\n)","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Departamento])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":"=FILTER(\"Gestores\", [Estado] = \"Activo\")"}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: Tipo

Column name	Tipo
Visible?	ALWAYS
Description	="Cómo fue presentada la " &[Tipo_Solicitud]
Display name	="Cómo fue presentada la " &[Tipo_Solicitud]
Type	Enum
Type Qualifier	{"EnumValues":["AppUser","Correo Electronico","Buzón de Sugerencias","Teléfono o verbal"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=AND(ISNOTBLANK([Departamento]),ISNOTBLANK([Gestor]))","Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=IF(ISNOTBLANK([Departamento]),"Correo Electronico","AppUser")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: Archivo

Column name	Archivo
Visible?	ALWAYS
Display name	=" 📎 Adjuntar archivo relacionado " & IFS([Tipo_Solicitud] = "Petición", "a la Petición", [Tipo_Solicitud] = "Reclamo", "al Reclamo", [Tipo_Solicitud] = "Queja", "a la Queja", [Tipo_Solicitud] = "Sugerencia", "a la Sugerencia", [Tipo_Solicitud] = "Denuncia", "a la Denuncia", TRUE, "de " & [Tipo_Solicitud])
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 27: Enlaces_Archivos

Column name	Enlaces_Archivos
Visible?	ALWAYS
Type	Url
Type Qualifier	{"LaunchExternal":false,"IsHyperLink":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: DepartamentoNotificado

Column name	DepartamentoNotificado
Visible?	ALWAYS
Display name	="Departamento notificado"
Type	Yes/No
Type Qualifier	{"YesLabel":"=\"Sí\"","NoLabel":"=\"No\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
Initial value	="No"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 29: ContadorNotificacion

Column name	ContadorNotificacion
Visible?	ALWAYS
Display name	="Veces que fue notificado por el administrador"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 30: UltimaNotificacion

Column name	UltimaNotificacion
Visible?	ALWAYS
Display name	="Fecha de última notificación"
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 31: NumeroInterno

Column name	NumeroInterno
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 32: Dias_Habiles_Sheet

Column name	Dias_Habiles_Sheet
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Spreadsheet formula	=ArrayFormula(MAP(RC[-16]:R[50497]C[-16], RC[-15]:R[50497]C[-15], LAMBDA(creacion, respuesta, IF(creacion="", "", MAX(0, _xlfn.NETWORKDAYS.INTL(creacion+1,

	IF(respuesta="", TODAY(), respuesta), 1, festivos_2025_2036!RC[-29]:R[50497]C[-29]))))))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 33: HeaderVirtual

Column name	HeaderVirtual
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://www.appsheet.com:443/fsimage.png?appid=1ff10454-f767-4f1a-99b2-237a4135fa1c&datasource=google&filename=DocId%3D1GKkLSmtwUe6URjEtq6g4JBjNLYNRvDlC&signature=329ed58c2029e3d355372a1cfd5f339089b6bc7c3c0e5fa068fe507f7ba2bb1f&tableprovider=google&userid=678335064\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=" "
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 34: NombredelServicioVirtual

Column name	NombredelServicioVirtual
Visible?	ALWAYS
Description	=Servicio
Display name	=Servicio
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Servicio].[Servicio]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	Yes
Scannable	No

Sensitive data	No

Column 35: Related GestionPqrs

Column name	Related GestionPqrs
Visible?	ALWAYS
Description	=GestionPqr entries that reference this entry in the ID_PQR column
Display name	="Gestiones relacionadas a esta PQR"
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"GestionPqr\",\"ReferencedRootTableName\":\"GestionPqr\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":\\\"=FALSE\\\",\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_Gestion\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("GestionPqr", "ID_PQR")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	Yes
LocaleName	es-CO
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 36: TiempoRes_Virtual

Column name	TiempoRes_Virtual
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(ISBLANK([Fecha_Respuesta]),0,FLOOR(HOUR([Fecha_Respuesta]-[Fecha_Creacion])/24))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 37: CorreoGestorVirtual

Column name	CorreoGestorVirtual
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Gestor].[CorreoGestor]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 38: NombreDepartamentoVirtual

Column name	NombreDepartamentoVirtual
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Departamento].[Departamento]
Read-Only	Yes
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 39: NombreMesVirtual

Column name	NombreMesVirtual
Visible?	ALWAYS
Display name	=Meses
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=INDEX(LIST("1. Enero", "2. Febrero", "3. Marzo", "4. Abril", "5. Mayo", "6. Junio", "7. Julio", "8. Agosto", "9. Septiembre", "10. Octubre", "11. Noviembre", "12. Diciembre"), MONTH([Fecha_Creacion]))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 40: ID_SEQ_Virtual_Column

Column name	ID_SEQ_Virtual_Column
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(ISNOTBLANK([ID_PQR]), NUMBER(RIGHT([ID_PQR], 8)), 0)
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 41: Pqr_Mensuales_Virutal

Column name	Pqr_Mensuales_Virutal
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(SELECT(Pqrs[ID_PQR], MONTH([Fecha_Creacion]) = [_THISROW].[NombreMesVirtual]))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 42: NumeroMesVirutal

Column name	NumeroMesVirutal
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=MONTH([Fecha_creacion])

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 43: AlertaVencimiento_Virtual

Column name	AlertaVencimiento_Virtual
Visible?	ALWAYS
Display name	=Alerta
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IFS([Estado_Pqr] <> "Abierta", " ✅ " & [Estado_Pqr], [Dias_Habiles_Sheet] >= IFS([Prioridad_Solicitud] = "Documentos o Información", 10, [Prioridad_Solicitud] = "General", 15, TRUE, 15), " 🔴 Plazo legal vencido (" & [Dias_Habiles_Sheet] & " días hábiles transcurridos, límite legal: " & IFS([Prioridad_Solicitud] = "Documentos o Información", 10, [Prioridad_Solicitud] = "General", 15, TRUE, 15) & " días)", TRUE, " 🟡 OK: Dentro del plazo (" & [Dias_Habiles_Sheet] & " días hábiles transcurridos, límite legal: " & IFS([Prioridad_Solicitud] = "Documentos o Información", 10, [Prioridad_Solicitud] = "General", 15, TRUE, 15) & " días)")
Read-Only	Yes

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 44: TiempoSinRespuesta_Virtual

Column name	TiempoSinRespuesta_Virtual
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(ISBLANK([Fecha_Respuesta]),(HOUR(TODAY() - [Fecha_Creacion]) / 24),"")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 45: Año_VirtualColumn

Column name	Año_VirtualColumn
Visible?	ALWAYS
Display name	=Estadistica por Año
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=YEAR([Fecha_Creacion])
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 46: Calificacion_Virtual

Column name	Calificacion_Virtual
Visible?	ALWAYS
Display name	="Calificación del tiempo respuesta"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Estado_Pqr] = "Abierta", " 📊 En Espera", IFS(AND(OR([Estado_Pqr] = "Atendida", [Estado_Pqr] = "Cerrada"), [Prioridad_Solicitud] = "Documentos o Información", [Dias_Habiles_Sheet] < 10), " ✅ Excelente", AND(OR([Estado_Pqr] = "Atendida", [Estado_Pqr] = "Cerrada"), [Prioridad_Solicitud] = "General", [Dias_Habiles_Sheet] < 15), " ✅ Excelente", AND(OR([Estado_Pqr] = "Atendida", [Estado_Pqr] = "Cerrada"), [Prioridad_Solicitud] = "Documentos o Información", [Dias_Habiles_Sheet] = 10), " 👍 Bueno", AND(OR([Estado_Pqr] = "Atendida", [Estado_Pqr] = "Cerrada"), [Prioridad_Solicitud] = "General", [Dias_Habiles_Sheet] = 15), " 👍 Bueno", OR([Estado_Pqr] = "Atendida", [Estado_Pqr] = "Cerrada"), " 🔴 Fuera del tiempo establecido", TRUE, " 📊 En Espera"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 47: AvisoArchivo

Column name	AvisoArchivo
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"=IF(\n ISBLANK([Archivo]),\n \"Si su solicitud contiene múltiples archivos, comprima y adjunte en un solo archivo.\n \",\n \"Archivo insertado correctamente.\"\n)","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=" "
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 48: Related ArchivosPostPqrs

Column name	Related ArchivosPostPqrs
Visible?	ALWAYS
Description	ArchivosPostPqr entries that reference this entry in the ID_PQR column
Display name	="Archivos relacionados a esta PQR"
Type	List

Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"ArchivosPostPqr\",\"ReferencedRootTableName\":\"ArchivosPostPqr\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_APP\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("ArchivosPostPqr", "ID_PQR")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 49: Footer

Column name	Footer
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://github.com/oviedojceballos-ops/LogoPersonalOviedo/blob/main/LogoHorizontalOV2_Footer.png?raw=true\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=" "
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Datos_Rm_Schema

Schema Name	Datos_Rm_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_RM

Column name	ID_RM
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Nombre_Empresa

Column name	Nombre_Empresa
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Nit

Column name	Nit
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Detalles

Column name	Detalles
Visible?	ALWAYS
Type	LongText

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Correo

Column name	Correo
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Telefono_1

Column name	Telefono_1
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=IF(LEFT([Telefono_1],3)="+57", [Telefono_1], "+57 " & [Telefono_1])
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	Yes

Column 8: Telefono_2

Column name	Telefono_2
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=IF(LEFT([Telefono_2],3)="+57", [Telefono_2], "+57 " & [Telefono_2])
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	Yes

Column 9: Web

Column name	Web
Visible?	ALWAYS
Type	Url
Type Qualifier	{"LaunchExternal":false,"IsHyperLink":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No

Spreadsheet formula	HYPERLINK("https://rmsierramar.com.co", "rmsierramar.com.co")
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: Instagram

Column name	Instagram
Visible?	ALWAYS
Type	Url
Type Qualifier	{"LaunchExternal":false,"IsHyperLink":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes

Scannable	No
Sensitive data	No

Column 11: Facebook

Column name	Facebook
Visible?	ALWAYS
Type	Url
Type Qualifier	{"LaunchExternal":false,"IsHyperLink":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: LogoInst

Column name	LogoInst
Visible?	ALWAYS
Type	Thumbnail
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 13: LogoFace

Column name	LogoFace
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"/GestorApp/Pqrs_RM-815704067/Datos_Rm_Images/Rm_001.LogoFace.153626.png\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 14: LogoWhats

Column name	LogoWhats
Visible?	ALWAYS
Type	Thumbnail
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 15: Logo

Column name	Logo
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":

	null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 16: Beinvenida

Column name	Beinvenida
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Servicio_Schema

Schema Name	Servicio_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO

Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_Servicio

Column name	ID_Servicio
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=CONCATENATE("Ser-"& RIGHT(("00"&([_RowNumber]-1)),2))
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Servicio

Column name	Servicio
Visible?	ALWAYS
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Estado

Column name	Estado
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Activo","Inactivo"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Related Pqrs

Column name	Related Pqrs
Visible?	ALWAYS
Description	Pqrs entries that reference this entry in the Servicio column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"Pqrs\",\"ReferencedRootTableName\":\"Pqrs\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_PQR\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Requi

	red_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	REF_ROWS("Pqrs", "Servicio")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	No
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 6: Related Filtros

Column name	Related Filtros
Visible?	ALWAYS
Description	Filtros entries that reference this entry in the Servicio column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"Filtros\",\"ReferencedRootTableName\":\"Filtros\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_Filtro\",\"IsAPartO

	f\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("Filtros", "Servicio")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 7: Related Reportes

Column name	Related Reportes
Visible?	ALWAYS
Description	Reportes entries that reference this entry in the Por_Servicio column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Reportes\",\"ReferencedRootTableName\":\"Reportes\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"

	{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_Reporte\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	REF_ROWS("Reportes", "Por_Servicio")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name Gestores_Schema

Schema Name	Gestores_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_Gestor

Column name	ID_Gestor
Visible?	ALWAYS
Description	=ID Gestor
Display name	=ID Gestor
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In

	valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	="User-SIERRAMAR-" & RIGHT("000" & TEXT(MAX(Gestores[ID_SEQ_Virtual_Column]) + 1), 3)
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 3: ID_Departamento

Column name	ID_Departamento
Visible?	ALWAYS
Display name	="Departamento"
Type	Ref
Type Qualifier	{"ReferencedTableName":"Departamentos","ReferencedRootTableName":"Departamentos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Departamento","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=[ID_Departamento].[Estado] = \"Activo\"","Error_Message_If_Invalid":null,"Show_If":null,"Required_

	If":null,"Editable_If":"=ISBLANK([Related Pqrs])","Reset_If":null,"Suggested_Values":"=FILTER(\"Departamentos\", [Estado] = \"Activo\")"}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: NombreGestor

Column name	NombreGestor
Visible?	ALWAYS
Description	=Nombre Gestor
Display name	=Nombre Gestor
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=ISBLANK([Related Pqrs])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Identificacion

Column name	Identificacion
Visible?	ALWAYS
Description	=Documento &"(sin puntos)"
Display name	=Documento &"(sin puntos)"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No

Sensitive data	No

Column 6: Rol

Column name	Rol
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Gestor","Jefe Area","Administrador"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Dropdown","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	="Gestor"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Estado

Column name	Estado
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Activo","Inactivo"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	="Activo"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: CorreoGestor

Column name	CorreoGestor
Visible?	ALWAYS
Description	=Correo Electronico

Display name	=Correo Electronico
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[ID_Departamento].[CorreoDpto]
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: CorreoCorporativo

Column name	CorreoCorporativo
Visible?	ALWAYS
Display name	="Ingrese correo corporativo"
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 10: TelefonoGestor

Column name	TelefonoGestor
Visible?	ALWAYS
Description	=Telefono
Display name	=Telefono
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=IF(LEFT([TelefonoGestor],3)="+57", [TelefonoGestor], "+57 " & [TelefonoGestor])
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: FotoGestor

Column name	FotoGestor
Visible?	ALWAYS
Description	=Foto Gestor
Display name	=Foto Gestor
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: FirmaGestor

Column name	FirmaGestor
Visible?	ALWAYS

Description	=Firma Digital
Display name	=Firma Digital
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: SVG

Column name	SVG
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Fecha_Creacion

Column name	Fecha_Creacion
Visible?	ALWAYS
Display name	="Fecha Creación"
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=NOW()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No

Sensitive data	No

Column 15: Ultima_Edicion

Column name	Ultima_Edicion
Visible?	ALWAYS
Display name	="Última edición"
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=NOW()
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: Related Pqrs

Column name	Related Pqrs
Visible?	ALWAYS
Description	Pqrs entries that reference this entry in the Gestor column
Display name	=Pqrs relacionadas a este Gestor
Type	List

Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Pqrs\",\"ReferencedRootTableName\":\"Pqrs\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_PQR\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("Pqrs", "Gestor")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 17: Related GestionPqrs

Column name	Related GestionPqrs
Visible?	ALWAYS
Description	GestionPqr entries that reference this entry in the Gestor column
Display name	=GestionPqrs relacionadas a este Gestor
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"GestionPqr\",\"ReferencedRootTableName\":\"GestionPqr\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":\\\"=FALSE\\\",\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_Gestion\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	REF_ROWS("GestionPqr", "Gestor")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	Yes

Scannable	No
NFC Scannable	No
Sensitive data	No

Column 18: ID_SEQ_Virtual_Column

Column name	ID_SEQ_Virtual_Column
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(ISNOTBLANK([ID_Gestor]), NUMBER(RIGHT([ID_Gestor], 3)), 0)
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 19: SVGFinal_virtual

Column name	SVGFinal_virtual
Visible?	ALWAYS
Type	LongText

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUBSTITUTE([SVG],"""","'")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: SVGImagen_vitual

Column name	SVGImagen_vitual
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	="data:image/svg+xml;utf8," & SUBSTITUTE(CONCATENATE("

Read-Only	Yes") "#", "%23")
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name GestionPqr_Schema

Schema Name	GestionPqr_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No

Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_Gestion

Column name	ID_Gestion
Visible?	ALWAYS
Display name	=ID Gestión
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=uniqueid()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ID_PQR

Column name	ID_PQR
Visible?	ALWAYS
Display name	=ID Pqr
Type	Ref
Type Qualifier	{"ReferencedTableName":"Pqrs","ReferencedRootTableName":"Pqrs","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_PQR","IsAPartOf":true,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=SELECT(\n Pqrs[ID_PQR],\n AND(\n [Estado_Pqr] <> \"Cerrada\",\n OR(\n IN(\n LOOKUP(USEREMAIL(), \"Gestores\", \"CorreoGestor\", \"Rol\"),\n {\"Administrador\",\"Creador\"}\n),\n [Departamento] = LOOKUP(USEREMAIL(), \"Departamentos\", \"CorreoDpto\", \"ID_Departamento\")\n)\n)\n)","Error_Message_If_Invalid":null,"Show_If":"","Required_If":null,"Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: ID_Interno

Column name	ID_Interno
Visible?	ALWAYS
Display name	=ID Gestión
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: ID_InternoPQR

Column name	ID_InternoPQR

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[ID_PQR].[ID_Interno]
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: FechaPqr

Column name	FechaPqr
Visible?	ALWAYS
Display name	=Fecha pqr
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[ID_PQR].[Fecha_Creacion]
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Fecha_Gestion

Column name	Fecha_Gestion
Visible?	ALWAYS
Display name	="Fecha Gestión"
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=NOW()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO

Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Servicio

Column name	Servicio
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[ID_PQR].[NombredelServicioVirtual]
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: DescripcionPqr

Column name	DescripcionPqr
Visible?	ALWAYS
Display name	=Descripción

Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[ID_PQR].[Descripcion]
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: RespuestaPQR

Column name	RespuestaPQR
Visible?	ALWAYS
Display name	=Respuesta a Pqr
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[ObservacionPersonalizada]
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: FechaRespuesta

Column name	FechaRespuesta
Visible?	ALWAYS
Display name	=Fecha de respuesta
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO

Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: EstadoPqr

Column name	EstadoPqr
Visible?	ALWAYS
Description	=Estado Pqr
Display name	="Estado Gestión"
Type	Enum
Type Qualifier	{"EnumValues":["Atendida","Cerrada"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No

Sensitive data	No

Column 13: Apelacion

Column name	Apelacion
Visible?	ALWAYS
Display name	="Gestion Apelada?"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	="No"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: FechaApelacion

Column name	FechaApelacion
Visible?	ALWAYS
Description	="Fecha de Apelación"
Display name	="Fecha de Apelación"

Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: ComentariosApelacion

Column name	ComentariosApelacion
Visible?	ALWAYS
Display name	="Comentarios de apelación"
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[Apelacion]=\"Sí\"","Required_If":null,"Editable_If":"=[Apelacion]=\"Sí\"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: Departamento

Column name	Departamento
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Departamentos","ReferencedRootTableName":"Departamentos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Departamento","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[ID_PQR].[Departamento]
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: Gestor

Column name	Gestor
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Gestores","ReferencedRootTableName":"Gestores","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Gestor","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=SELECT(\n Gestores[ID_Gestor],\n [ID_Departamento] = [_THISROW].[Departamento]\n)","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Departamento])","Required_If":"=[ID_PQR].[Tipo]<>\"AppUser\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=[ID_PQR].[Gestor]
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: NumeroInterno

Column name	NumeroInterno
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: ObservacionPersonalizada

Column name	ObservacionPersonalizada
Visible?	ALWAYS
Display name	="Respuesta personalizada"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"=TRUE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: CoPdf

Column name	CoPdf
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 21: PDF

Column name	PDF
Visible?	ALWAYS
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes

Scannable	No
Sensitive data	No

Column 22: ArchivoRespuesta

Column name	ArchivoRespuesta
Visible?	ALWAYS
Display name	="Adjunte un documento relacionado"
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: Mensajeria_Interna

Column name	Mensajeria_Interna
Visible?	ALWAYS
Display name	="Ingrese el radicado de mensajería interna."
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"","Error_Message_If_Inval

	id":null,"Show_If":"=ISNOTBLANK([ArchivoRespuesta])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: Enlaces_Archivos

Column name	Enlaces_Archivos
Visible?	ALWAYS
Display name	="Inserte un enlace para compartir."
Type	Url
Type Qualifier	{"LaunchExternal":false,"IsHyperLink":false,"Valid_If":"","Error_Message_If_Invalid":"=\"Recuerda que los enlaces insertados deben ser públicos y de solo lectura.\"","Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: Estado_Email

Column name	Estado_Email
Visible?	ALWAYS
Description	="Estado correo electronico"
Display name	="Estado correo electronico"
Type	Enum
Type Qualifier	{"EnumValues":["Iniciado","Completado","Pendiente"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	="Pendiente"
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: FirmaDigital

Column name	FirmaDigital
Visible?	ALWAYS
Type	Thumbnail
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Gestor].[FirmaGestor]
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 27: Observaciones_PersonalizadasPDF_Virutal

Column name	Observaciones_PersonalizadasPDF_Virutal
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE(UPPER(LEFT([RespuestaPQR], 1)), LOWER(MID([RespuestaPQR], 2, LEN([RespuestaPQR]))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: ID_SEQ_Virtual_Column

Column name	ID_SEQ_Virtual_Column
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto",

	"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(ISNOTBLANK([ID_Gestion]), NUMBER(RIGHT([ID_Gestion], 8)), 0)
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 29: Ultima_Gestion_Virtual

Column name	Ultima_Gestion_Virtual
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[FechaRespuesta] = MAX(SELECT(GestionPqr[FechaRespuesta], AND([ID_PQR] = [_THISROW].[ID_PQR], ISNOTBLANK([FechaRespuesta]))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 30: HeaderVirutal

Column name	HeaderVirutal
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://www.appsheet.com:443/fsimage.png?appid=1ff10454-f767-4f1a-99b2-237a4135fa1c&datasource=google&filename=DocId%3D1GKkLSmtwUe6URjEtq6g4JBjNLYNRvDlC&signature=329ed58c2029e3d355372a1cfd5f339089b6bc7c3c0e5fa068fe507f7ba2bb1f&tableprovider=google&userid=678335064\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=" "
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes

LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 31: AvisoEnlaceVirtual

Column name	AvisoEnlaceVirtual
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"=IF(\n ISBLANK([Enlaces_Archivos]),\n \"Recuerda que los enlaces insertados deben ser públicos y de solo lectura.\",\n \"Enlace insertado correctamente.\"\n)","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=" "
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 32: AvisoArchivoRespuestaVirtual

Column name	AvisoArchivoRespuestaVirtual
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"=IF(\n ISBLANK([ArchivoRespuesta]),\n \"Recuerda: evita subir archivos mayores a 15 MB. Usa enlaces de Drive/OneDrive si el archivo es pesado.\",\n \"Archivo insertado correctamente.\"\n)","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=" "
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 33: Footer

Column name	Footer
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://github.com/oviedojceballos-ops/LogoPersonalOviedo/blob/main/LogoHorizontalOV2_Footer.png?

	raw=true\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=" "
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Departamentos_Schema

Schema Name	Departamentos_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_Departamento

Column name	ID_Departamento
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	="Dep-SIERRAMAR-" & RIGHT("00" & TEXT(MAX(Departamentos[ID_SEQ_Virtual_Column]) + 1), 2)
System Defined?	No
Key	Yes
Part of Key?	Yes

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Departamento

Column name	Departamento
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Estado

Column name	Estado
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Activo","Inactivo"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=Activo
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: CorreoDpto

Column name	CorreoDpto
Visible?	ALWAYS
Display name	="Email acceso Appsheet"

Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 6: CorreoCorporativo

Column name	CorreoCorporativo
Visible?	ALWAYS
Display name	="Correo corporativo"
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 7: Related Pqrs

Column name	Related Pqrs
Visible?	ALWAYS
Description	Pqrs entries that reference this entry in the Departamento column
Display name	=PQRs relacianadas a este departamento
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"Pqrs\",\"ReferencedRootTableName\":\"Pqrs\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_PQR\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("Pqrs", "Departamento")
Read-Only	Yes
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 8: Related Gestores

Column name	Related Gestores
Visible?	ALWAYS
Description	Gestores entries that reference this entry in the ID_Departamento column
Display name	=Gestores en este departamento
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"Gestores\",\"ReferencedRootTableName\":\"Gestores\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_Gestor\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,

	","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("Gestores", "ID_Departamento")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 9: Related GestionPqrs

Column name	Related GestionPqrs
Visible?	ALWAYS
Description	GestionPqr entries that reference this entry in the Departamento column
Display name	=GestionPqr relacianadas a este departamento
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"GestionPqr\",\"ReferencedRootTableName\":\"GestionPqr\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Erro

	r_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":\\\"=FALSE\\\",\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_Gestion\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("GestionPqr", "Departamento")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 10: ID_SEQ_Virtual_Column

Column name	ID_SEQ_Virtual_Column
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

App formula	=IF(ISNOTBLANK([ID_Departamento]), NUMBER(RIGHT([ID_Departamento], 2)), 0)
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Related Reportes

Column name	Related Reportes
Visible?	ALWAYS
Description	Reportes entries that reference this entry in the Departamento column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":" {\"ReferencedTableName\":\"Reportes\",\"ReferencedRootTableName\":\"Reportes\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_Reporte\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Requ

	ired_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("Reportes", "Departamento")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name Filtros_Schema

Schema Name	Filtros_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_Filtro

Column name	ID_Filtro
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No

Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 3: FechaInicio

Column name	FechaInicio
Visible?	ALWAYS
Display name	="Fecha Inicial"
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
Initial value	=TODAY()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: FechaFin

Column name	FechaFin
Visible?	ALWAYS
Display name	="Fecha Final"
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=TODAY()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Servicio

Column name	Servicio
Visible?	ALWAYS
Display name	="Servicio"
Type	Ref
Type Qualifier	{"ReferencedTableName":"Servicio","ReferencedRootTableName":"Servicio","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain

	Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Servicio","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: TotalPqr_virtual

Column name	TotalPqr_virtual
Visible?	ALWAYS
Display name	=Total Pqr Presentadas entre fechas
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(SELECT(Pqrs[ID_PQR], AND(ISNOTBLANK([_THISROW].[FechaInicio]), ISNOTBLANK([_THISROW].[FechaFin]), [Fecha_Creacion] >=

	[_THISROW].[FechaInicio], [Fecha_Creacion] <= [_THISROW].[FechaFin])))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 7: Total_Pqrs_Virtual

Column name	Total_Pqrs_Virtual
Visible?	ALWAYS
Description	=este campo muestra el total de pqr presentadas.
Display name	="Total Pqrs Presentadas"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(Pqrs[ID_PQR])
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 8: servicioAmbulancia_Vitual

Column name	servicioAmbulancia_Vitual
Visible?	ALWAYS
Display name	="Servicio de Ambulancia"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(SELECT(Pqrs[ID_PQR], [Servicio] = "Ser-01"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	No

Scannable	No
Sensitive data	No

Column 9: AtencionUsuario_Virtual

Column name	AtencionUsuario_Virtual
Visible?	ALWAYS
Display name	="Atención al Usuario"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(SELECT(Pqrs[ID_PQR], [Servicio] = "Ser-02"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 10: Bascula_Virtual

Column name	Bascula_Virtual
Visible?	ALWAYS
Display name	="Servicio de Bascula"

Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(SELECT(Pqrs[ID_PQR], [Servicio] = "Ser-03"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Colpass_Virtual

Column name	Colpass_Virtual
Visible?	ALWAYS
Display name	="Servicio COLPASS"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(SELECT(Pqrs[ID_PQR], [Servicio] = "Ser-04"))
Read-Only	Yes
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 12: CarroTaller_Virutal

Column name	CarroTaller_Virutal
Visible?	ALWAYS
Display name	="Servicio de Carro Taller"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(SELECT(Pqrs[ID_PQR], [Servicio] = "Ser-05"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes

LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 13: Grua_Virtual

Column name	Grua_Virtual
Visible?	ALWAYS
Display name	="Servicio de Grua"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(SELECT(Pqrs[ID_PQR], [Servicio] = "Ser-06"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 14: Peajes_Virutal

Column name	Peajes_Virutal

Visible?	ALWAYS
Display name	="Servicio de Peaje"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(SELECT(Pqrs[ID_PQR], [Servicio] = "Ser-07"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 15: Predial

Column name	Predial
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(SELECT(Pqrs[ID_PQR], [Servicio] = "Ser-08"))
Read-Only	Yes
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 16: Estado_Vial_Virtual

Column name	Estado_Vial_Virtual
Visible?	ALWAYS
Display name	="Estado de la Vía"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(SELECT(Pqrs[ID_PQR], [Servicio] = "Ser-09"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	Yes
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 17: Mantenimiento_Inf_Vitual

Column name	Mantenimiento_Inf_Vitual
Visible?	ALWAYS
Display name	="Mantenimiento de Infraestructura"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(SELECT(Pqrs[ID_PQR], [Servicio] = "Ser-10"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 18: Señalizacion_Virtual

Column name	Señalizacion_Virtual
Visible?	ALWAYS
Display name	="Señalización Víal"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(SELECT(Pqrs[ID_PQR], [Servicio] = "Ser-11"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 19: Baños_Virtual

Column name	Baños_Virtual
Visible?	ALWAYS
Display name	="Servicio de Baños"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

App formula	=COUNT(SELECT(Pqrs[ID_PQR], [Servicio] = "Ser-12"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 20: Comunidad_Virtual

Column name	Comunidad_Virtual
Visible?	ALWAYS
Display name	="Atención a la Comunidad"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(SELECT(Pqrs[ID_PQR], [Servicio] = "Ser-13"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 21: Otros_Virtual

Column name	Otros_Virtual
Visible?	ALWAYS
Display name	="Otros"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(SELECT(Pqrs[ID_PQR], [Servicio] = "Ser-14"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Noticias_Schema

Schema Name	Noticias_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_NOTICIA

Column name	ID_NOTICIA
Visible?	ALWAYS

Display name	=N°
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	="NOTI-SIERRAMAR # " & RIGHT("000" & TEXT(MAX(Noticias[ID_SEQ_Virtual_Column]) + 1), 3)
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: TITULO_NOTICIA

Column name	TITULO_NOTICIA
Visible?	ALWAYS
Display name	=Título
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: DESCRIPCION_NOTICIA

Column name	DESCRIPCION_NOTICIA
Visible?	ALWAYS
Display name	=Descrición
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: TIPO_NOTICIA

Column name	TIPO_NOTICIA
Visible?	ALWAYS
Display name	=Tipo
Type	Enum
Type Qualifier	{"EnumValues": ["Emergencias","Alertas","Notificaciones"],"AllowOtherValues":false ,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQua lifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"P lain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message _If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\": null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode" :"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null," Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value s":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	="Alertas"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO

Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: ESTADO_NOTICIA

Column name	ESTADO_NOTICIA
Visible?	ALWAYS
Display name	=Estado
Type	Enum
Type Qualifier	{"EnumValues":["Vigente","Vencida"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	="Vigente"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No

Sensitive data	No

Column 7: FECHA_HORA

Column name	FECHA_HORA
Visible?	ALWAYS
Display name	=Publicado
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=NOW()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: ID_SEQ_Virtual_Column

Column name	ID_SEQ_Virtual_Column
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","

	Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(ISNOTBLANK([ID_NOTICIA]), NUMBER(RIGHT([ID_NOTICIA], 3)), 0)
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 9: EncabezadoVirtual

Column name	EncabezadoVirtual
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://www.appsheet.com:443/fsimage.png?appid=7a056a0d-0016-4679-bc49-5c8ecae6fe4a&datasource=google&filename=DocId%3D1Xsl-GP_8po3Pa7qfui4Ycu-5nocdi8qn&signature=8a0af1092c328f04beeb9ab617cd9fcb246d150261f4fe8e10f5570298d000a9&tableprovider=google&userid=815704067\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=" "
Read-Only	Yes

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Schema Name ConsecutivosPqr_Schema

Schema Name	ConsecutivosPqr_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0

Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_Consecutivo

Column name	ID_Consecutivo
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	="PQR"
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes

Scannable	No
Sensitive data	No

Column 3: Ultimo_Numero

Column name	Ultimo_Numero
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Año

Column name	Año
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto",

	"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 5: Logovirtual

Column name	Logovirtual
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=CONCATENATE(\n\"https://drive.google.com/uc?export=view&id=\",\nindex(\nSplit(\nIndex(Split(\n\"https://drive.google.com/file/d/1iHGalXxvZPtQmKiUknDsFZ7J4h-px-nA/view?usp=drive_link\"\n,\"/d/\")\n,2),\n\"/view\"),\n1)\n)","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=" "
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Schema Name ArchivosPostPqr_Schema

Schema Name	ArchivosPostPqr_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_APP

Column name	ID_APP
Visible?	ALWAYS
Display name	="ID"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
Initial value	="Anx-" & RIGHT("0000" & TEXT(MAX(ArchivosPostPqr[ContadorVirtual]) + 1), 4)
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ID_PQR

Column name	ID_PQR
Visible?	ALWAYS
Display name	="ID PQR"
Type	Ref
Type Qualifier	{"ReferencedTableName":"Pqrs","ReferencedRootTableName":"Pqrs","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_PQR","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=SELECT(\n Pqrs[ID_PQR],\n [Estado_Pqr] <> \"Cerrada\"\n)","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: ID_InternoPQR

Column name	ID_InternoPQR
Visible?	ALWAYS
Display name	="ID Interno PQR"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[ID_PQR].[ID_Interno]
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: DescripcionPqr

Column name	DescripcionPqr
Visible?	ALWAYS
Display name	="Descripción de PQR"
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

App formula	=[ID_PQR].[Descripcion]
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Archivo_Post

Column name	Archivo_Post
Visible?	ALWAYS
Display name	="Insertar Archivo"
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Fecha_Archivo

Column name	Fecha_Archivo
Visible?	ALWAYS
Display name	="Fecha"
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=NOW()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Observaciones

Column name	Observaciones
Visible?	ALWAYS
Display name	="Observaciones"
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: ContadorVirtual

Column name	ContadorVirtual
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(ISNOTBLANK([ID_APP]), NUMBER(RIGHT([ID_APP], 4)), 0)
Read-Only	Yes

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Schema Name festivos_2025_2036_Schema

Schema Name	festivos_2025_2036_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0

Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_Festivos

Column name	ID_Festivos
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes

Scannable	No
Sensitive data	No

Column 3: Fecha

Column name	Fecha
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
Initial value	TODAY()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Festivo

Column name	Festivo
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In

	valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Año

Column name	Año
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Column 6: Dia_Semana

Column name	Dia_Semana
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Miércoles","Lunes","Jueves","Viernes","Martes"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Reportes_Schema

Schema Name	Reportes_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	No
Scannable	No

Sensitive data	No

Column 2: ID_Reporte

Column name	ID_Reporte
Visible?	ALWAYS
Display name	="ID Reporte"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Tipo_Pqr

Column name	Tipo_Pqr
Visible?	ALWAYS
Display name	="Tipo Pqr"
Type	Enum

Type Qualifier	{"EnumValues":["Petición","Queja","Reclamo","Sugerencia","Denuncia","Todos"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	="Todos"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Tipo_Reporte

Column name	Tipo_Reporte
Visible?	ALWAYS
Display name	="Tipo Reporte"
Type	Enum
Type Qualifier	{"EnumValues":["Estado","Departamento","Apelación","Servicios","Todos"],"AllowOth

	erValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	="Todos"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Por_Servicio

Column name	Por_Servicio
Visible?	ALWAYS
Display name	="Servicio"
Type	Ref
Type Qualifier	{"ReferencedTableName":"Servicio","ReferencedRootTableName":"Servicio","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain

	Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Servicio","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[Tipo_Reporte]=\"Servicios\"","Required_If":"=[Tipo_Reporte]=\"Servicios\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Departamento

Column name	Departamento
Visible?	ALWAYS
Display name	="Departamento"
Type	Ref
Type Qualifier	{"ReferencedTableName":"Departamentos","ReferencedRootTableName":"Departamentos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":

	null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Departamento","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[Tipo_Reporte]=\"Departamento\"","Required_If":"=[Tipo_Reporte]=\"Departamento\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Estado_Pqr

Column name	Estado_Pqr
Visible?	ALWAYS
Display name	="Estado Pqr"
Type	Enum
Type Qualifier	{"EnumValues":["Abierta","Atendida","Cerrada"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=

	[Tipo_Reporte]=\"Estado\"","Required_If":"=[Tipo_Reporte]=\"Estado\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Fecha_Inicio

Column name	Fecha_Inicio
Visible?	ALWAYS
Display name	="Fecha Inicio"
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=TODAY()
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Fecha_Fin

Column name	Fecha_Fin
Visible?	ALWAYS
Display name	="Fecha Fin"
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=TODAY()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: Archivo_Excel

Column name	Archivo_Excel
Visible?	ALWAYS
Display name	="Archivo Generado"
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: Fecha_Reporte

Column name	Fecha_Reporte
Visible?	ALWAYS
Display name	="Fecha Generación Reporte"
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

App formula	=NOW()
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-CO
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: Footer

Column name	Footer
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://github.com/oviedojceballos-ops/LogoPersonalOviedo/blob/main/LogoHorizontalOV2_Footer.png?raw=true\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=" "
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-CO
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Process for Actualizar_Estado Process Table_Schema

Schema Name	Process for Actualizar_Estado Process Table_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: ID_Gestion

Column name	ID_Gestion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ID_PQR

Column name	ID_PQR
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Pqrs","ReferencedRootTableName":"Pqrs","ReferencedType":"Text","ReferencedTypeQualifier":"

	{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_PQR","IsAPartOf":true,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=SELECT(\n Pqrs[ID_PQR],\n AND(\n [Estado_Pqr] <> \"Cerrada\",\n OR(\n IN(\n LOOKUP(USEREMAIL(), \"Gestores\", \"CorreoGestor\", \"Rol\"),\n {\"Administrador\",\"Creador\"}\n),\n [Departamento] = LOOKUP(USEREMAIL(), \"Departamentos\", \"CorreoDpto\", \"ID_Departamento\")\n)\n)\n)","Error_Message_If_Invalid":null,"Show_If":"","Required_If":null,"Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: ID_Interno

Column name	ID_Interno
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In

	valid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: ID_InternoPQR

Column name	ID_InternoPQR
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: FechaPqr

Column name	FechaPqr
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Fecha_Gestion

Column name	Fecha_Gestion
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":

	null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Servicio

Column name	Servicio
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: DescripcionPqr

Column name	DescripcionPqr
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: RespuestaPQR

Column name	RespuestaPQR
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In

	valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: FechaRespuesta

Column name	FechaRespuesta
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: EstadoPqr

Column name	EstadoPqr
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Atendida","Cerrada"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Apelacion

Column name	Apelacion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: FechaApelacion

Column name	FechaApelacion
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: ComentariosApelacion

Column name	ComentariosApelacion
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[Apelacion]=\"Sí\"","Required_If":null,"Editable_If":"=[Apelacion]=\"Sí\"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No

Column 16: Departamento

Column name	Departamento
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Departamentos","ReferencedRootTableName":"Departamentos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Departamento","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: Gestor

Column name	Gestor

Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Gestores","ReferencedRootTableName":"Gestores","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Gestor","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=SELECT(\n Gestores[ID_Gestor],\n [ID_Departamento] = [_THISROW].[Departamento]\n)","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Departamento])","Required_If":"=[ID_PQR].[Tipo]<>\"AppUser\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: NumeroInterno

Column name	NumeroInterno
Visible?	ALWAYS
Type	Number

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 19: ObservacionPersonalizada

Column name	ObservacionPersonalizada
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"=TRUE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: CoPdf

Column name	CoPdf
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 21: PDF

Column name	PDF
Visible?	ALWAYS

Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 22: ArchivoRespuesta

Column name	ArchivoRespuesta
Visible?	ALWAYS
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 23: Mensajeria_Interna

Column name	Mensajeria_Interna
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ArchivoRespuesta])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: Enlaces_Archivos

Column name	Enlaces_Archivos
Visible?	ALWAYS

Type	Url
Type Qualifier	{"LaunchExternal":false,"IsHyperLink":false,"Valid_If":"","Error_Message_If_Invalid":"=\"Recuerda que los enlaces insertados deben ser públicos y de solo lectura.\"","Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: Estado_Email

Column name	Estado_Email
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Iniciado","Completado","Pendiente"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"

	Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: FirmaDigital

Column name	FirmaDigital
Visible?	ALWAYS
Type	Thumbnail
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 27: Observaciones_PersonalizadasPDF_Virutal

Column name	Observaciones_PersonalizadasPDF_Virutal
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: ID_SEQ_Virtual_Column

Column name	ID_SEQ_Virtual_Column
Visible?	ALWAYS
Type	Number

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 29: Ultima_Gestion_Virtual

Column name	Ultima_Gestion_Virtual
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 30: HeaderVirutal

Column name	HeaderVirutal
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://www.appsheet.com:443/fsimage.png?appid=1ff10454-f767-4f1a-99b2-237a4135fa1c&datasource=google&filename=DocId%3D1GKkLSmtwUe6URjEtq6g4JBjNLYNRvDlC&signature=329ed58c2029e3d355372a1cfd5f339089b6bc7c3c0e5fa068fe507f7ba2bb1f&tableprovider=google&userid=678335064\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 31: AvisoEnlaceVirtual

Column name	AvisoEnlaceVirtual
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"=IF(\n ISBLANK([Enlaces_Archivos]),\n \"Recuerda que los enlaces insertados deben ser públicos y de solo lectura.\",\n \"Enlace insertado correctamente.\"\n)","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 32: AvisoArchivoRespuestaVirtual

Column name	AvisoArchivoRespuestaVirtual
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"=IF(\n ISBLANK([ArchivoRespuesta]),\n \"Recuerda: evita subir archivos mayores a 15 MB. Usa enlaces de Drive/OneDrive si el archivo es pesado.\",\n \"Archivo insertado correctamente.\"\n)","Valid_If":null,"Error_Message_If_Invalid":null,"

	Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 33: Footer

Column name	Footer
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://github.com/oviedojceballos-ops/LogoPersonalOviedo/blob/main/LogoHorizontalOV2_Footer.png?raw=true\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 34: Afectar_Pqrs

Column name	Afectar_Pqrs
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Afectar_Pqrs Output","ReferencedRootTableName":null,"ReferencedType":"Text", "ReferencedTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Instance Id","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No

Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Afectar_Pqrs Output_Schema

Schema Name	Afectar_Pqrs Output_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: ID_Gestion

Column name	ID_Gestion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ID_PQR

Column name	ID_PQR
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Pqrs","ReferencedRootTableName":"Pqrs","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_PQR","IsAPartOf":true,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=SELECT(\n Pqrs[ID_PQR],\n AND(\n

	[Estado_Pqr] <> \"Cerrada\",\n OR(\n IN(\n LOOKUP(USEREMAIL(), \"Gestores\", \"CorreoGestor\", \"Rol\"),\n {\"Administrador\",\"Creador\"}\n),\n [Departamento] = LOOKUP(USEREMAIL(), \"Departamentos\", \"CorreoDpto\", \"ID_Departamento\")\n)\n)\n)","Error_Message_If_Invalid":null,"Show_If":"","Required_If":null,"Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: ID_Interno

Column name	ID_Interno
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: ID_InternoPQR

Column name	ID_InternoPQR
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: FechaPqr

Column name	FechaPqr
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Fecha_Gestion

Column name	Fecha_Gestion
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Servicio

Column name	Servicio
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: DescripcionPqr

Column name	DescripcionPqr
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: RespuestaPQR

Column name	RespuestaPQR
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: FechaRespuesta

Column name	FechaRespuesta
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: EstadoPqr

Column name	EstadoPqr
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Atendida","Cerrada"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Apelacion

Column name	Apelacion
Visible?	ALWAYS
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: FechaApelacion

Column name	FechaApelacion
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: ComentariosApelacion

Column name	ComentariosApelacion
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[Apelacion]=\"Sí\"","Required_If":null,"Editable_If":"=[Apelacion]=\"Sí\"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: Departamento

Column name	Departamento
Visible?	ALWAYS

Type	Ref
Type Qualifier	{"ReferencedTableName":"Departamentos","ReferencedRootTableName":"Departamentos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Departamento","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: Gestor

Column name	Gestor
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Gestores","ReferencedRootTableName":"Gestores","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain

	Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Gestor","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=SELECT(\n Gestores[ID_Gestor],\n [ID_Departamento] = [_THISROW].[Departamento]\n)","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Departamento])","Required_If":"=[ID_PQR].[Tipo]<>\"AppUser\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: NumeroInterno

Column name	NumeroInterno
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 19: ObservacionPersonalizada

Column name	ObservacionPersonalizada
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"=TRUE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: CoPdf

Column name	CoPdf
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 21: PDF

Column name	PDF
Visible?	ALWAYS
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 22: ArchivoRespuesta

Column name	ArchivoRespuesta
Visible?	ALWAYS
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 23: Mensajeria_Interna

Column name	Mensajeria_Interna
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ArchivoRespuesta])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: Enlaces_Archivos

Column name	Enlaces_Archivos
Visible?	ALWAYS
Type	Url
Type Qualifier	{"LaunchExternal":false,"IsHyperLink":false,"Valid_If":"","Error_Message_If_Invalid":"=\"Recuerda que los enlaces insertados deben ser públicos y de solo lectura.\"","Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: Estado_Email

Column name	Estado_Email
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues": ["Iniciado","Completado","Pendiente"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: FirmaDigital

Column name	FirmaDigital
Visible?	ALWAYS
Type	Thumbnail
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 27: Observaciones_PersonalizadasPDF_Virutal

Column name	Observaciones_PersonalizadasPDF_Virutal
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: ID_SEQ_Virtual_Column

Column name	ID_SEQ_Virtual_Column
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 29: Ultima_Gestion_Virtual

Column name	Ultima_Gestion_Virtual
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 30: HeaderVirutal

Column name	HeaderVirutal
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://www.appsheet.com:443/fsimage.png?appid=1ff10454-f767-4f1a-99b2-237a4135fa1c&datasource=google&filename=DocId%3D1GKkLSmtwUe6URjEtq6g4JBjNLYNRvDlC&signature=329ed58c2029e3d355372a1cfd5f339089b6bc7c3c0e5fa068fe507f7ba2bb1f&tableprovider=google&userid=678335064\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 31: AvisoEnlaceVirtual

Column name	AvisoEnlaceVirtual
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"=IF(\n ISBLANK([Enlaces_Archivos]),\n \"Recuerda que los enlaces insertados deben ser públicos y de solo lectura.\",\n \"Enlace insertado correctamente.\"\n)","Valid_If":null,"Error_Message_If_Invalid":null,"

	Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 32: AvisoArchivoRespuestaVirtual

Column name	AvisoArchivoRespuestaVirtual
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"=IF(\n ISBLANK([ArchivoRespuesta]),\n \"Recuerda: evita subir archivos mayores a 15 MB. Usa enlaces de Drive/OneDrive si el archivo es pesado.\",\n \"Archivo insertado correctamente.\"\n)","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 33: Footer

Column name	Footer
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://github.com/oviedojceballos-ops/LogoPersonalOviedo/blob/main/LogoHorizontalOV2_Footer.png?raw=true\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Process for Actualizar Fecha_Respuesta Process Table_Schema

Schema Name	Process for Actualizar Fecha_Respuesta Process Table_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: ID_Gestion

Column name	ID_Gestion
Visible?	ALWAYS
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ID_PQR

Column name	ID_PQR
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Pqrs","ReferencedRootTableName":"Pqrs","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_PQR","IsAPartOf":true,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=SELECT(\n Pqrs[ID_PQR],\n AND(\n [Estado_Pqr] <> \"Cerrada\",\n OR(\n IN(\n LOOKUP(USEREMAIL(), \"Gestores\", \"CorreoGestor\", \"Rol\"),\n {\"Administrador\",\"Creador\"}\n),\n [Departamento] = LOOKUP(USEREMAIL(), \"Departamentos\", \"CorreoDpto\",

	\"ID_Departamento\")\n)\n)\n)","Error_Message_If_Invalid":null,"Show_If":"","Required_If":null,"Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: ID_Interno

Column name	ID_Interno
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: ID_InternoPQR

Column name	ID_InternoPQR
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: FechaPqr

Column name	FechaPqr
Visible?	ALWAYS
Type	Date

Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Fecha_Gestion

Column name	Fecha_Gestion
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Servicio

Column name	Servicio
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: DescripcionPqr

Column name	DescripcionPqr
Visible?	ALWAYS
Type	LongText

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: RespuestaPQR

Column name	RespuestaPQR
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: FechaRespuesta

Column name	FechaRespuesta
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: EstadoPqr

Column name	EstadoPqr
Visible?	ALWAYS

Type	Enum
Type Qualifier	{"EnumValues":["Atendida","Cerrada"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Apelacion

Column name	Apelacion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: FechaApelacion

Column name	FechaApelacion
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes

Scannable	No
Sensitive data	No

Column 15: ComentariosApelacion

Column name	ComentariosApelacion
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[Apelacion]=\"Sí\"","Required_If":null,"Editable_If":"=[Apelacion]=\"Sí\"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: Departamento

Column name	Departamento
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Departamentos","ReferencedRootTableName":"Departamentos","ReferencedType":"Text","ReferencedTypeQualifier":"

	{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Departamento","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: Gestor

Column name	Gestor
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Gestores","ReferencedRootTableName":"Gestores","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Gestor","IsAPartOf":false,"RelationshipName":null,"Inpu

	tMode":"Auto","Valid_If":"=SELECT(\n Gestores[ID_Gestor],\n [ID_Departamento] = [_THISROW].[Departamento]\n)","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Departamento])","Required_If":"=[ID_PQR].[Tipo] <>\"AppUser\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: NumeroInterno

Column name	NumeroInterno
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 19: ObservacionPersonalizada

Column name	ObservacionPersonalizada
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"=TRUE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: CoPdf

Column name	CoPdf
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 21: PDF

Column name	PDF
Visible?	ALWAYS
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 22: ArchivoRespuesta

Column name	ArchivoRespuesta
Visible?	ALWAYS
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 23: Mensajeria_Interna

Column name	Mensajeria_Interna
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ArchivoRespuesta])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: Enlaces_Archivos

Column name	Enlaces_Archivos
Visible?	ALWAYS
Type	Url
Type Qualifier	{"LaunchExternal":false,"IsHyperLink":false,"Valid_If":"","Error_Message_If_Invalid":"=\"Recuerda que los enlaces insertados deben ser públicos y de solo lectura.\"","Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: Estado_Email

Column name	Estado_Email
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Iniciado","Completado","Pendiente"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: FirmaDigital

Column name	FirmaDigital
Visible?	ALWAYS
Type	Thumbnail
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 27: Observaciones_PersonalizadasPDF_Virutal

Column name	Observaciones_PersonalizadasPDF_Virutal

Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: ID_SEQ_Virtual_Column

Column name	ID_SEQ_Virtual_Column
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 29: Ultima_Gestion_Virtual

Column name	Ultima_Gestion_Virtual
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 30: HeaderVirutal

Column name	HeaderVirutal

Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://www.appsheet.com:443/fsimage.png?appid=1ff10454-f767-4f1a-99b2-237a4135fa1c&datasource=google&filename=DocId%3D1GKkLSmtwUe6URjEtq6g4JBjNLYNRvDlC&signature=329ed58c2029e3d355372a1cfd5f339089b6bc7c3c0e5fa068fe507f7ba2bb1f&tableprovider=google&userid=678335064\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 31: AvisoEnlaceVirtual

Column name	AvisoEnlaceVirtual
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"=IF(\n ISBLANK([Enlaces_Archivos]),\n \"Recuerda que los enlaces insertados deben ser públicos y de solo lectura.\",\n \"Enlace insertado correctamente.\"\n)","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 32: AvisoArchivoRespuestaVirtual

Column name	AvisoArchivoRespuestaVirtual
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"=IF(\n ISBLANK([ArchivoRespuesta]),\n \"Recuerda: evita subir archivos mayores a 15 MB. Usa enlaces de Drive/OneDrive si el archivo es pesado.\",\n \"Archivo insertado correctamente.\"\n)","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 33: Footer

Column name	Footer
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://github.com/oviedojceballos-ops/LogoPersonalOviedo/blob/main/LogoHorizontalOV2_Footer.png?raw=true\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 34: Afectar_Pqrs

Column name	Afectar_Pqrs

Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Afectar_Pqrs Output 2","ReferencedRootTableName":null,"ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Instance Id","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Afectar_Pqrs Output 2_Schema

Schema Name	Afectar_Pqrs Output 2_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: ID_Gestion

Column name	ID_Gestion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ID_PQR

Column name	ID_PQR
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Pqrs","ReferencedRootTableName":"Pqrs","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_PQR","IsAPartOf":true,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=SELECT(\n Pqrs[ID_PQR],\n AND(\n [Estado_Pqr] <> \"Cerrada\",\n OR(\n IN(\n LOOKUP(USEREMAIL(), \"Gestores\", \"CorreoGestor\", \"Rol\"),\n {\"Administrador\",\"Creador\"}\n),\n [Departamento] = LOOKUP(USEREMAIL(), \"Departamentos\", \"CorreoDpto\", \"ID_Departamento\")\n)\n)\n)","Error_Message_If_Invalid":null,"Show_If":"","Required_If":null,"Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: ID_Interno

Column name	ID_Interno
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: ID_InternoPQR

Column name	ID_InternoPQR
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: FechaPqr

Column name	FechaPqr
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Fecha_Gestion

Column name	Fecha_Gestion
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Servicio

Column name	Servicio
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: DescripcionPqr

Column name	DescripcionPqr
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: RespuestaPQR

Column name	RespuestaPQR
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: FechaRespuesta

Column name	FechaRespuesta
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: EstadoPqr

Column name	EstadoPqr
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Atendida","Cerrada"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":

	null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Apelacion

Column name	Apelacion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: FechaApelacion

Column name	FechaApelacion
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: ComentariosApelacion

Column name	ComentariosApelacion
Visible?	ALWAYS

Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[Apelacion]=\"Sí\"","Required_If":null,"Editable_If":"=[Apelacion]=\"Sí\"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: Departamento

Column name	Departamento
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Departamentos","ReferencedRootTableName":"Departamentos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Departamento","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null

	,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: Gestor

Column name	Gestor
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Gestores","ReferencedRootTableName":"Gestores","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Gestor","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=SELECT(\n Gestores[ID_Gestor],\n [ID_Departamento] = [_THISROW].[Departamento]\n)","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Departamento])","Required_If":"=[ID_PQR].[Tipo]<>\"AppUser\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: NumeroInterno

Column name	NumeroInterno
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No

Scannable	No
Sensitive data	No

Column 19: ObservacionPersonalizada

Column name	ObservacionPersonalizada
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"=TRUE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: CoPdf

Column name	CoPdf
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 21: PDF

Column name	PDF
Visible?	ALWAYS
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No

Scannable	No
Sensitive data	No

Column 22: ArchivoRespuesta

Column name	ArchivoRespuesta
Visible?	ALWAYS
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 23: Mensajeria_Interna

Column name	Mensajeria_Interna
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ArchivoRespuesta])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: Enlaces_Archivos

Column name	Enlaces_Archivos
Visible?	ALWAYS
Type	Url
Type Qualifier	{"LaunchExternal":false,"IsHyperLink":false,"Valid_If":"","Error_Message_If_Invalid":"=\"Recuerda que los enlaces insertados deben ser públicos y de solo lectura.\"","Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No

Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: Estado_Email

Column name	Estado_Email
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues": ["Iniciado","Completado","Pendiente"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: FirmaDigital

Column name	FirmaDigital
Visible?	ALWAYS
Type	Thumbnail
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 27: Observaciones_PersonalizadasPDF_Virutal

Column name	Observaciones_PersonalizadasPDF_Virutal
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: ID_SEQ_Virtual_Column

Column name	ID_SEQ_Virtual_Column
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No

Sensitive data	No

Column 29: Ultima_Gestion_Virtual

Column name	Ultima_Gestion_Virtual
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 30: HeaderVirutal

Column name	HeaderVirutal
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://www.appsheet.com:443/fsimage.png?appid=1ff10454-f767-4f1a-99b2-237a4135fa1c&datasource=google&filename=DocId%3D1GKkLSmtwUe6URjEtq6g4JBjNLYNRvDlC&signature=329ed58c2029e3d355372a1cfd5f339089b6bc7c3c0e5fa068fe507f7ba2bb1f&tableprovider=google&userid=678335064\"","Valid_If":null,"Error_Messag

	e_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 31: AvisoEnlaceVirtual

Column name	AvisoEnlaceVirtual
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"=IF(\n ISBLANK([Enlaces_Archivos]),\n \"Recuerda que los enlaces insertados deben ser públicos y de solo lectura.\",\n \"Enlace insertado correctamente.\"\n)","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 32: AvisoArchivoRespuestaVirtual

Column name	AvisoArchivoRespuestaVirtual
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"=IF(\n ISBLANK([ArchivoRespuesta]),\n \"Recuerda: evita subir archivos mayores a 15 MB. Usa enlaces de Drive/OneDrive si el archivo es pesado.\",\n \"Archivo insertado correctamente.\"\n)","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 33: Footer

Column name	Footer
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://github.com/oviedojceballos-ops/LogoPersonalOviedo/blob/main/LogoHorizontalOV2_Footer.png?raw=true\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Process for Notificar Departamento Process Table_Schema

Schema Name	Process for Notificar Departamento Process Table_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: ID_PQR

Column name	ID_PQR
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ID_Interno

Column name	ID_Interno
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Tipo_Solicitud

Column name	Tipo_Solicitud
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Petición","Queja","Reclamo","Sugerencia","Denuncia"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Prioridad_Solicitud

Column name	Prioridad_Solicitud
Visible?	ALWAYS
Type	Enum

Type Qualifier	{"EnumValues":["General","Documentos o Información"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Servicio

Column name	Servicio
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Servicio","ReferencedRootTableName":"Servicio","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":

	null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Servicio","IsAPartOf":false,"RelationshipName":null,"InputMode":"Dropdown","Valid_If":"=Servicio[ID_Servicio]","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Fecha_Suceso

Column name	Fecha_Suceso
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Descripcion

Column name	Descripcion
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: TipoSolicitante

Column name	TipoSolicitante
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Registrado","Anónimo"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: Identificacion

Column name	Identificacion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In

	valid":null,"Show_If":"=[TipoSolicitante]=\"Registrado\"","Required_If":"=[TipoSolicitante]=\"Registrado\"","Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: NombreCompleto

Column name	NombreCompleto
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[TipoSolicitante]=\"Registrado\"","Required_If":"=[TipoSolicitante]=\"Registrado\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: NombreFormateado

Column name	NombreFormateado
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Email

Column name	Email
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Telefono

Column name	Telefono
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":"=[TipoSolicitante]=\"Registrado\"","Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: Poblacion

Column name	Poblacion
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Ninguno / No aplica","Comunidad indígena","Comunidad afrodescendiente","Población LGBTIQ+","Víctimas del conflicto armado","Migrantes","Personas con discapacidad","Adulto mayor"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: Fecha_Creacion

Column name	Fecha_Creacion
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: Fecha_Respuesta

Column name	Fecha_Respuesta
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":"","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: Tiempo_Respuesta

Column name	Tiempo_Respuesta
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: Estado_Pqr

Column name	Estado_Pqr
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: Apelacion

Column name	Apelacion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 21: ID_Gestion_Apelada

Column name	ID_Gestion_Apelada
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: FechaApelacion

Column name	FechaApelacion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: Departamento

Column name	Departamento
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Departamentos","ReferencedRootTableName":"Departamentos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Departamento","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=IF(\n IN(\n LOOKUP(USEREMAIL(), \"Gestores\", \"CorreoGestor\", \"Rol\"),\n {\"Administrador\",\"Creador\"}\n),\n ORDERBY(\n SELECT(\n Departamentos[ID_Departamento],\n [Estado] = \"Activo\"\n),\n [Departamento]\n),\n ORDERBY(\n SELECT(\n Departamentos[ID_Departamento],\n AND(\n [CorreoDpto] = USEREMAIL(),\n [Estado] = \"Activo\"\n)\n),\n [Departamento]\n)\n)","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No

Column 24: Gestor

Column name	Gestor
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Gestores","ReferencedRootTableName":"Gestores","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Gestor","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=ORDERBY(\n SELECT(\n Gestores[ID_Gestor],\n AND(\n [ID_Departamento] = [_THISROW].[Departamento],\n [Estado] = \"Activo\",\n LOOKUP([ID_Departamento], \"Departamentos\", \"ID_Departamento\", \"Estado\") = \"Activo\"\n)\n),\n [NombreGestor]\n)","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Departamento])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":"=FILTER(\"Gestores\", [Estado] = \"Activo\")"}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No

Column 25: Tipo

Column name	Tipo
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["AppUser","Correo Electronico","Buzón de Sugerencias","Teléfono o verbal"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=AND(ISNOTBLANK([Departamento]),ISNOTBLANK([Gestor]))","Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: Archivo

Column name	Archivo
Visible?	ALWAYS
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 27: Enlaces_Archivos

Column name	Enlaces_Archivos
Visible?	ALWAYS
Type	Url
Type Qualifier	{"LaunchExternal":false,"IsHyperLink":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: DepartamentoNotificado

Column name	DepartamentoNotificado
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"=\"Sí\"","NoLabel":"=\"No\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 29: ContadorNotificacion

Column name	ContadorNotificacion
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 30: UltimaNotificacion

Column name	UltimaNotificacion
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 31: NumeroInterno

Column name	NumeroInterno
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 32: Dias_Habiles_Sheet

Column name	Dias_Habiles_Sheet
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 33: HeaderVirtual

Column name	HeaderVirtual
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://www.appsheet.com:443/fsimage.png?appid=1ff10454-f767-4f1a-99b2-237a4135fa1c&datasource=google&filename=DocId%3D1GKkLSmtwUe6URjEtq6g4JBjNLYNRvDlC&signature=329ed58c2029e3d355372a1cfd5f339089b6bc7c3c0e5fa068fe507f7ba2bb1f&tableprovider=google&userid=678335064\"","Valid_If":null,"Error_Messag

	e_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 34: NombredelServicioVirtual

Column name	NombredelServicioVirtual
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 35: Related GestionPqrs

Column name	Related GestionPqrs
Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"GestionPqr\",\"ReferencedRootTableName\":\"GestionPqr\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":\\\"=FALSE\\\",\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_Gestion\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 36: TiempoRes_Virtual

Column name	TiempoRes_Virtual
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 37: CorreoGestorVirtual

Column name	CorreoGestorVirtual
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null

	}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 38: NombreDepartamentoVirtual

Column name	NombreDepartamentoVirtual
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 39: NombreMesVirtual

Column name	NombreMesVirtual
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 40: ID_SEQ_Virtual_Column

Column name	ID_SEQ_Virtual_Column
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","

	Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 41: Pqr_Mensuales_Virutal

Column name	Pqr_Mensuales_Virutal
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 42: NumeroMesVirutal

Column name	NumeroMesVirutal
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 43: AlertaVencimiento_Virtual

Column name	AlertaVencimiento_Virtual
Visible?	ALWAYS
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 44: TiempoSinRespuesta_Virtual

Column name	TiempoSinRespuesta_Virtual
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 45: Año_VirtualColumn

Column name	Año_VirtualColumn
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 46: Calificacion_Virtual

Column name	Calificacion_Virtual
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 47: AvisoArchivo

Column name	AvisoArchivo
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"=IF(\n ISBLANK([Archivo]),\n \"Si su solicitud contiene múltiples archivos, comprima y adjunte en un solo archivo.\n \",\n \"Archivo insertado correctamente.\"\n)","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 48: Related ArchivosPostPqrs

Column name	Related ArchivosPostPqrs
Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"ArchivosPostPqr\",\"ReferencedRootTableName\":\"ArchivosPostPqr\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_APP\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 49: Footer

Column name	Footer
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://github.com/oviedojceballos-ops/LogoPersonalOviedo/blob/main/LogoHorizontalOV2_Footer.png?raw=true\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No

Sensitive data	No

Column 50: Ejecutar Script

Column name	Ejecutar Script
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Ejecutar Script Output","ReferencedRootTableName":null,"ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Instance Id","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 51: Cambiar estado a False

Column name	Cambiar estado a False

Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Cambiar estado a False Output","ReferencedRootTableName":null,"ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Instance Id","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Ejecutar Script Output_Schema

Schema Name	Ejecutar Script Output_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Cambiar estado a False Output_Schema

Schema Name	Cambiar estado a False Output_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In

	valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: ID_PQR

Column name	ID_PQR
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ID_Interno

Column name	ID_Interno
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Tipo_Solicitud

Column name	Tipo_Solicitud
Visible?	ALWAYS
Type	Enum

Type Qualifier	{"EnumValues":["Petición","Queja","Reclamo","Sugerencia","Denuncia"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Prioridad_Solicitud

Column name	Prioridad_Solicitud
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["General","Documentos o Información"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain

	Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Servicio

Column name	Servicio
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Servicio","ReferencedRootTableName":"Servicio","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Servicio","IsAPartOf":false,"RelationshipName":null,"InputMode":"Dropdown","Valid_If":"=Servicio[ID_Servicio]","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Re

	quired_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Fecha_Suceso

Column name	Fecha_Suceso
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Descripcion

Column name	Descripcion
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: TipoSolicitante

Column name	TipoSolicitante
Visible?	ALWAYS
Type	Enum

Type Qualifier	{"EnumValues":["Registrado","Anónimo"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: Identificacion

Column name	Identificacion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[TipoSolicitante]=\"Registrado\"","Required_If":"=[TipoSolicitante]=\"Registrado\"","Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: NombreCompleto

Column name	NombreCompleto
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[TipoSolicitante]=\"Registrado\"","Required_If":"=[TipoSolicitante]=\"Registrado\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: NombreFormateado

Column name	NombreFormateado
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Email

Column name	Email
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":"","Editable_If":null,"Reset_If":

	null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Telefono

Column name	Telefono
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":"=[TipoSolicitante]=\"Registrado\"","Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: Poblacion

Column name	Poblacion
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Ninguno / No aplica","Comunidad indígena","Comunidad afrodescendiente","Población LGBTIQ+","Víctimas del conflicto armado","Migrantes","Personas con discapacidad","Adulto mayor"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No

Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: Fecha_Creacion

Column name	Fecha_Creacion
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: Fecha_Respuesta

Column name	Fecha_Respuesta
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":"","Error_Message_If_Invalid":null,"Show_

	If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: Tiempo_Respuesta

Column name	Tiempo_Respuesta
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: Estado_Pqr

Column name	Estado_Pqr
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: Apelacion

Column name	Apelacion
Visible?	ALWAYS
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 21: ID_Gestion_Apelada

Column name	ID_Gestion_Apelada
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: FechaApelacion

Column name	FechaApelacion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: Departamento

Column name	Departamento
Visible?	ALWAYS

Type	Ref
Type Qualifier	{"ReferencedTableName":"Departamentos","ReferencedRootTableName":"Departamentos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Departamento","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=IF(\n IN(\n LOOKUP(USEREMAIL(), \"Gestores\", \"CorreoGestor\", \"Rol\"),\n {\"Administrador\",\"Creador\"}\n),\n ORDERBY(\n SELECT(\n Departamentos[ID_Departamento],\n [Estado] = \"Activo\"\n),\n [Departamento]\n),\n ORDERBY(\n SELECT(\n Departamentos[ID_Departamento],\n AND(\n [CorreoDpto] = USEREMAIL(),\n [Estado] = \"Activo\"\n)\n),\n [Departamento]\n)\n)","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: Gestor

Column name	Gestor
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Gestores","ReferencedRootTableName":"Gestores","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Gestor","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=ORDERBY(\n SELECT(\n Gestores[ID_Gestor],\n AND(\n [ID_Departamento] = [_THISROW].[Departamento],\n [Estado] = \"Activo\",\n LOOKUP([ID_Departamento], \"Departamentos\", \"ID_Departamento\", \"Estado\") = \"Activo\"\n)\n),\n [NombreGestor]\n)","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Departamento])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":"=FILTER(\"Gestores\", [Estado] = \"Activo\")"}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: Tipo

Column name	Tipo
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["AppUser","Correo Electronico","Buzón de Sugerencias","Teléfono o verbal"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=AND(ISNOTBLANK([Departamento]),ISNOTBLANK([Gestor]))","Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: Archivo

Column name	Archivo
Visible?	ALWAYS
Type	File

Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 27: Enlaces_Archivos

Column name	Enlaces_Archivos
Visible?	ALWAYS
Type	Url
Type Qualifier	{"LaunchExternal":false,"IsHyperLink":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: DepartamentoNotificado

Column name	DepartamentoNotificado
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"=\"Sí\"","NoLabel":"=\"No\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 29: ContadorNotificacion

Column name	ContadorNotificacion
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto",

	"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 30: UltimaNotificacion

Column name	UltimaNotificacion
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 31: NumeroInterno

Column name	NumeroInterno
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 32: Dias_Habiles_Sheet

Column name	Dias_Habiles_Sheet
Visible?	ALWAYS
Type	Number

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 33: HeaderVirtual

Column name	HeaderVirtual
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://www.appsheet.com:443/fsimage.png?appid=1ff10454-f767-4f1a-99b2-237a4135fa1c&datasource=google&filename=DocId%3D1GKkLSmtwUe6URjEtq6g4JBjNLYNRvDlC&signature=329ed58c2029e3d355372a1cfd5f339089b6bc7c3c0e5fa068fe507f7ba2bb1f&tableprovider=google&userid=678335064\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 34: NombredelServicioVirtual

Column name	NombredelServicioVirtual
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 35: Related GestionPqrs

Column name	Related GestionPqrs
Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"GestionPqr\",\"ReferencedRootTableName\":\"GestionPqr\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":\\\"=FALSE\\\",\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_Gestion\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 36: TiempoRes_Virtual

Column name	TiempoRes_Virtual
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 37: CorreoGestorVirtual

Column name	CorreoGestorVirtual
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 38: NombreDepartamentoVirtual

Column name	NombreDepartamentoVirtual
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 39: NombreMesVirtual

Column name	NombreMesVirtual
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 40: ID_SEQ_Virtual_Column

Column name	ID_SEQ_Virtual_Column
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 41: Pqr_Mensuales_Virutal

Column name	Pqr_Mensuales_Virutal
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 42: NumeroMesVirutal

Column name	NumeroMesVirutal
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 43: AlertaVencimiento_Virtual

Column name	AlertaVencimiento_Virtual
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 44: TiempoSinRespuesta_Virtual

Column name	TiempoSinRespuesta_Virtual
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 45: Año_VirtualColumn

Column name	Año_VirtualColumn
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 46: Calificacion_Virtual

Column name	Calificacion_Virtual
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 47: AvisoArchivo

Column name	AvisoArchivo
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"=IF(\n ISBLANK([Archivo]),\n \"Si su solicitud contiene múltiples archivos, comprima y adjunte en un solo archivo.\n \",\n \"Archivo insertado correctamente.\"\n)","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No

Sensitive data	No

Column 48: Related ArchivosPostPqrs

Column name	Related ArchivosPostPqrs
Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"ArchivosPostPqr\",\"ReferencedRootTableName\":\"ArchivosPostPqr\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_APP\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No

Column 49: Footer

Column name	Footer
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://github.com/oviedojceballos-ops/LogoPersonalOviedo/blob/main/LogoHorizontalOV2_Footer.png?raw=true\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Process for CrearPDF_GestionPqr_General Process Table_Schema

Schema Name	Process for CrearPDF_GestionPqr_General Process Table_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: ID_Gestion

Column name	ID_Gestion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ID_PQR

Column name	ID_PQR
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Pqrs","ReferencedRootTableName":"Pqrs","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_PQR","IsAPartOf":true,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=SELECT(\n Pqrs[ID_PQR],\n AND(\n [Estado_Pqr] <> \"Cerrada\",\n OR(\n IN(\n LOOKUP(USEREMAIL(), \"Gestores\", \"CorreoGestor\", \"Rol\"),\n {\"Administrador\",\"Creador\"}\n),\n [Departamento] = LOOKUP(USEREMAIL(), \"Departamentos\", \"CorreoDpto\", \"ID_Departamento\")\n)\n)\n)","Error_Message_If_Invalid":null,"Show_If":"","Required_If":null,"Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: ID_Interno

Column name	ID_Interno
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: ID_InternoPQR

Column name	ID_InternoPQR
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: FechaPqr

Column name	FechaPqr
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Fecha_Gestion

Column name	Fecha_Gestion
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Servicio

Column name	Servicio
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: DescripcionPqr

Column name	DescripcionPqr
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: RespuestaPQR

Column name	RespuestaPQR
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: FechaRespuesta

Column name	FechaRespuesta
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: EstadoPqr

Column name	EstadoPqr
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Atendida","Cerrada"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":

	null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Apelacion

Column name	Apelacion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: FechaApelacion

Column name	FechaApelacion
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: ComentariosApelacion

Column name	ComentariosApelacion
Visible?	ALWAYS

Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[Apelacion]=\"Sí\"","Required_If":null,"Editable_If":"=[Apelacion]=\"Sí\"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: Departamento

Column name	Departamento
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Departamentos","ReferencedRootTableName":"Departamentos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Departamento","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null

	,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: Gestor

Column name	Gestor
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Gestores","ReferencedRootTableName":"Gestores","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Gestor","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=SELECT(\n Gestores[ID_Gestor],\n [ID_Departamento] = [_THISROW].[Departamento]\n)","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Departamento])","Required_If":"=[ID_PQR].[Tipo]<>\"AppUser\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: NumeroInterno

Column name	NumeroInterno
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No

Scannable	No
Sensitive data	No

Column 19: ObservacionPersonalizada

Column name	ObservacionPersonalizada
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"=TRUE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: CoPdf

Column name	CoPdf
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 21: PDF

Column name	PDF
Visible?	ALWAYS
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No

Scannable	No
Sensitive data	No

Column 22: ArchivoRespuesta

Column name	ArchivoRespuesta
Visible?	ALWAYS
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 23: Mensajeria_Interna

Column name	Mensajeria_Interna
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ArchivoRespuesta])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: Enlaces_Archivos

Column name	Enlaces_Archivos
Visible?	ALWAYS
Type	Url
Type Qualifier	{"LaunchExternal":false,"IsHyperLink":false,"Valid_If":"","Error_Message_If_Invalid":"=\"Recuerda que los enlaces insertados deben ser públicos y de solo lectura.\"","Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No

Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: Estado_Email

Column name	Estado_Email
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues": ["Iniciado","Completado","Pendiente"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: FirmaDigital

Column name	FirmaDigital
Visible?	ALWAYS
Type	Thumbnail
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 27: Observaciones_PersonalizadasPDF_Virutal

Column name	Observaciones_PersonalizadasPDF_Virutal
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: ID_SEQ_Virtual_Column

Column name	ID_SEQ_Virtual_Column
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No

Sensitive data	No

Column 29: Ultima_Gestion_Virtual

Column name	Ultima_Gestion_Virtual
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 30: HeaderVirutal

Column name	HeaderVirutal
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://www.appsheet.com:443/fsimage.png?appid=1ff10454-f767-4f1a-99b2-237a4135fa1c&datasource=google&filename=DocId%3D1GKkLSmtwUe6URjEtq6g4JBjNLYNRvDlC&signature=329ed58c2029e3d355372a1cfd5f339089b6bc7c3c0e5fa068fe507f7ba2bb1f&tableprovider=google&userid=678335064\"","Valid_If":null,"Error_Messag

	e_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 31: AvisoEnlaceVirtual

Column name	AvisoEnlaceVirtual
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"=IF(\n ISBLANK([Enlaces_Archivos]),\n \"Recuerda que los enlaces insertados deben ser públicos y de solo lectura.\",\n \"Enlace insertado correctamente.\"\n)","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 32: AvisoArchivoRespuestaVirtual

Column name	AvisoArchivoRespuestaVirtual
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"=IF(\n ISBLANK([ArchivoRespuesta]),\n \"Recuerda: evita subir archivos mayores a 15 MB. Usa enlaces de Drive/OneDrive si el archivo es pesado.\",\n \"Archivo insertado correctamente.\"\n)","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 33: Footer

Column name	Footer
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://github.com/oviedojceballos-ops/LogoPersonalOviedo/blob/main/LogoHorizontalOV2_Footer.png?raw=true\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Process for Enviar Respuesta Gestion - 1 Process Table_Schema

Schema Name	Process for Enviar Respuesta Gestion - 1 Process Table_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: ID_Gestion

Column name	ID_Gestion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ID_PQR

Column name	ID_PQR
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Pqrs","ReferencedRootTableName":"Pqrs","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_PQR","IsAPartOf":true,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=SELECT(\n Pqrs[ID_PQR],\n AND(\n [Estado_Pqr] <> \"Cerrada\",\n OR(\n IN(\n LOOKUP(USEREMAIL(), \"Gestores\", \"CorreoGestor\", \"Rol\"),\n {\"Administrador\",\"Creador\"}\n),\n [Departamento] = LOOKUP(USEREMAIL(), \"Departamentos\", \"CorreoDpto\", \"ID_Departamento\")\n)\n)\n)","Error_Message_If_Invalid":null,"Show_If":"","Required_If":null,"Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: ID_Interno

Column name	ID_Interno
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: ID_InternoPQR

Column name	ID_InternoPQR

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: FechaPqr

Column name	FechaPqr
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Fecha_Gestion

Column name	Fecha_Gestion
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Servicio

Column name	Servicio
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: DescripcionPqr

Column name	DescripcionPqr
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: RespuestaPQR

Column name	RespuestaPQR
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: FechaRespuesta

Column name	FechaRespuesta

Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: EstadoPqr

Column name	EstadoPqr
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Atendida","Cerrada"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"","Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Apelacion

Column name	Apelacion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No

Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: FechaApelacion

Column name	FechaApelacion
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: ComentariosApelacion

Column name	ComentariosApelacion
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=

	[Apelacion]=\"Sí\"","Required_If":null,"Editable_If":"=[Apelacion]=\"Sí\"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: Departamento

Column name	Departamento
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Departamentos","ReferencedRootTableName":"Departamentos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Departamento","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: Gestor

Column name	Gestor
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Gestores","ReferencedRootTableName":"Gestores","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Gestor","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=SELECT(\n Gestores[ID_Gestor],\n [ID_Departamento] = [_THISROW].[Departamento]\n)","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Departamento])","Required_If":"=[ID_PQR].[Tipo]<>\"AppUser\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: NumeroInterno

Column name	NumeroInterno
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 19: ObservacionPersonalizada

Column name	ObservacionPersonalizada
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"=TRUE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: CoPdf

Column name	CoPdf
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 21: PDF

Column name	PDF
Visible?	ALWAYS
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 22: ArchivoRespuesta

Column name	ArchivoRespuesta
Visible?	ALWAYS
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 23: Mensajeria_Interna

Column name	Mensajeria_Interna
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ArchivoRespuesta])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: Enlaces_Archivos

Column name	Enlaces_Archivos
Visible?	ALWAYS
Type	Url
Type Qualifier	{"LaunchExternal":false,"IsHyperLink":false,"Valid_If":"","Error_Message_If_Invalid":"=\"Recuerda que los enlaces insertados deben ser públicos y de solo lectura.\"","Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: Estado_Email

Column name	Estado_Email
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Iniciado","Completado","Pendiente"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: FirmaDigital

Column name	FirmaDigital
Visible?	ALWAYS

Type	Thumbnail
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 27: Observaciones_PersonalizadasPDF_Virutal

Column name	Observaciones_PersonalizadasPDF_Virutal
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: ID_SEQ_Virtual_Column

Column name	ID_SEQ_Virtual_Column
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 29: Ultima_Gestion_Virtual

Column name	Ultima_Gestion_Virtual
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 30: HeaderVirutal

Column name	HeaderVirutal
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://www.appsheet.com:443/fsimage.png?appid=1ff10454-f767-4f1a-99b2-237a4135fa1c&datasource=google&filename=DocId%3D1GKkLSmtwUe6URjEtq6g4JBjNLYNRvDlC&signature=329ed58c2029e3d355372a1cfd5f339089b6bc7c3c0e5fa068fe507f7ba2bb1f&tableprovider=google&userid=678335064\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 31: AvisoEnlaceVirtual

Column name	AvisoEnlaceVirtual
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"=IF(\n ISBLANK([Enlaces_Archivos]),\n \"Recuerda que los enlaces insertados deben ser públicos y de solo lectura.\",\n \"Enlace insertado correctamente.\"\n)","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No

Searchable	No
Scannable	No
Sensitive data	No

Column 32: AvisoArchivoRespuestaVirtual

Column name	AvisoArchivoRespuestaVirtual
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"=IF(\n ISBLANK([ArchivoRespuesta]),\n \"Recuerda: evita subir archivos mayores a 15 MB. Usa enlaces de Drive/OneDrive si el archivo es pesado.\",\n \"Archivo insertado correctamente.\"\n)","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 33: Footer

Column name	Footer
Visible?	ALWAYS
Type	Show

Type Qualifier	{"Category":"Image","Content":"=\"https://github.com/oviedojceballos-ops/LogoPersonalOviedo/blob/main/LogoHorizontalOV2_Footer.png?raw=true\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 34: Ejecutar Script

Column name	Ejecutar Script
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Ejecutar Script Output 2","ReferencedRootTableName":null,"ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Instance Id","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","V

	alid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 35: Completado

Column name	Completado
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Completado Output","ReferencedRootTableName":null,"ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Instance Id","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Ejecutar Script Output 2_Schema

Schema Name	Ejecutar Script Output 2_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Completado Output_Schema

Schema Name	Completado Output_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No

Column 2: ID_Gestion

Column name	ID_Gestion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ID_PQR

Column name	ID_PQR
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Pqrs","ReferencedRootTableName":"Pqrs","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message

	_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_PQR","IsAPartOf":true,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=SELECT(\n Pqrs[ID_PQR],\n AND(\n [Estado_Pqr] <> \"Cerrada\",\n OR(\n IN(\n LOOKUP(USEREMAIL(), \"Gestores\", \"CorreoGestor\", \"Rol\"),\n {\"Administrador\",\"Creador\"}\n),\n [Departamento] = LOOKUP(USEREMAIL(), \"Departamentos\", \"CorreoDpto\", \"ID_Departamento\")\n)\n)\n)","Error_Message_If_Invalid":null,"Show_If":"","Required_If":null,"Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: ID_Interno

Column name	ID_Interno
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: ID_InternoPQR

Column name	ID_InternoPQR
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No

Column 6: FechaPqr

Column name	FechaPqr
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Fecha_Gestion

Column name	Fecha_Gestion
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Servicio

Column name	Servicio
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: DescripcionPqr

Column name	DescripcionPqr
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: RespuestaPQR

Column name	RespuestaPQR
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: FechaRespuesta

Column name	FechaRespuesta
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: EstadoPqr

Column name	EstadoPqr
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Atendida","Cerrada"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Apelacion

Column name	Apelacion
Visible?	ALWAYS
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: FechaApelacion

Column name	FechaApelacion
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: ComentariosApelacion

Column name	ComentariosApelacion
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[Apelacion]=\"Sí\"","Required_If":null,"Editable_If":"=[Apelacion]=\"Sí\"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: Departamento

Column name	Departamento
Visible?	ALWAYS

Type	Ref
Type Qualifier	{"ReferencedTableName":"Departamentos","ReferencedRootTableName":"Departamentos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Departamento","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: Gestor

Column name	Gestor
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Gestores","ReferencedRootTableName":"Gestores","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain

	Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Gestor","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=SELECT(\n Gestores[ID_Gestor],\n [ID_Departamento] = [_THISROW].[Departamento]\n)","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Departamento])","Required_If":"=[ID_PQR].[Tipo]<>\"AppUser\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: NumeroInterno

Column name	NumeroInterno
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 19: ObservacionPersonalizada

Column name	ObservacionPersonalizada
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"=TRUE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: CoPdf

Column name	CoPdf
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 21: PDF

Column name	PDF
Visible?	ALWAYS
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 22: ArchivoRespuesta

Column name	ArchivoRespuesta
Visible?	ALWAYS
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 23: Mensajeria_Interna

Column name	Mensajeria_Interna
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ArchivoRespuesta])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: Enlaces_Archivos

Column name	Enlaces_Archivos
Visible?	ALWAYS
Type	Url
Type Qualifier	{"LaunchExternal":false,"IsHyperLink":false,"Valid_If":"","Error_Message_If_Invalid":"=\"Recuerda que los enlaces insertados deben ser públicos y de solo lectura.\"","Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: Estado_Email

Column name	Estado_Email
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues": ["Iniciado","Completado","Pendiente"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: FirmaDigital

Column name	FirmaDigital
Visible?	ALWAYS
Type	Thumbnail
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 27: Observaciones_PersonalizadasPDF_Virutal

Column name	Observaciones_PersonalizadasPDF_Virutal
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: ID_SEQ_Virtual_Column

Column name	ID_SEQ_Virtual_Column
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 29: Ultima_Gestion_Virtual

Column name	Ultima_Gestion_Virtual
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 30: HeaderVirutal

Column name	HeaderVirutal
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://www.appsheet.com:443/fsimage.png?appid=1ff10454-f767-4f1a-99b2-237a4135fa1c&datasource=google&filename=DocId%3D1GKkLSmtwUe6URjEtq6g4JBjNLYNRvDlC&signature=329ed58c2029e3d355372a1cfd5f339089b6bc7c3c0e5fa068fe507f7ba2bb1f&tableprovider=google&userid=678335064\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 31: AvisoEnlaceVirtual

Column name	AvisoEnlaceVirtual
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"=IF(\n ISBLANK([Enlaces_Archivos]),\n \"Recuerda que los enlaces insertados deben ser públicos y de solo lectura.\",\n \"Enlace insertado correctamente.\"\n)","Valid_If":null,"Error_Message_If_Invalid":null,"

	Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 32: AvisoArchivoRespuestaVirtual

Column name	AvisoArchivoRespuestaVirtual
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"=IF(\n ISBLANK([ArchivoRespuesta]),\n \"Recuerda: evita subir archivos mayores a 15 MB. Usa enlaces de Drive/OneDrive si el archivo es pesado.\",\n \"Archivo insertado correctamente.\"\n)","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 33: Footer

Column name	Footer
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://github.com/oviedojceballos-ops/LogoPersonalOviedo/blob/main/LogoHorizontalOV2_Footer.png?raw=true\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Process for Bot_Radicacion_IDInterno Process Table_Schema

Schema Name	Process for Bot_Radicacion_IDInterno Process Table_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: ID_PQR

Column name	ID_PQR
Visible?	ALWAYS
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ID_Interno

Column name	ID_Interno
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Tipo_Solicitud

Column name	Tipo_Solicitud
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Petición","Queja","Reclamo","Sugerencia","Denuncia"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes

Scannable	No
Sensitive data	No

Column 5: Prioridad_Solicitud

Column name	Prioridad_Solicitud
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["General","Documentos o Información"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Servicio

Column name	Servicio
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Servicio","ReferencedRootTableName":"Servicio","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Servicio","IsAPartOf":false,"RelationshipName":null,"InputMode":"Dropdown","Valid_If":"=Servicio[ID_Servicio]","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Fecha_Suceso

Column name	Fecha_Suceso
Visible?	ALWAYS
Type	Date

Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Descripcion

Column name	Descripcion
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: TipoSolicitante

Column name	TipoSolicitante
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Registrado","Anónimo"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes

Scannable	No
Sensitive data	No

Column 10: Identificacion

Column name	Identificacion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[TipoSolicitante]=\"Registrado\"","Required_If":"=[TipoSolicitante]=\"Registrado\"","Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: NombreCompleto

Column name	NombreCompleto
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In

	valid":null,"Show_If":"=[TipoSolicitante]=\"Registrado\"","Required_If":"=[TipoSolicitante]=\"Registrado\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: NombreFormateado

Column name	NombreFormateado
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Email

Column name	Email
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Telefono

Column name	Telefono
Visible?	ALWAYS
Type	Phone

Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":"=[TipoSolicitante]=\"Registrado\"","Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: Poblacion

Column name	Poblacion
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Ninguno / No aplica","Comunidad indígena","Comunidad afrodescendiente","Población LGBTIQ+","Víctimas del conflicto armado","Migrantes","Personas con discapacidad","Adulto mayor"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=IS

	NOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: Fecha_Creacion

Column name	Fecha_Creacion
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: Fecha_Respuesta

Column name	Fecha_Respuesta
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":"","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: Tiempo_Respuesta

Column name	Tiempo_Respuesta
Visible?	ALWAYS
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: Estado_Pqr

Column name	Estado_Pqr
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: Apelacion

Column name	Apelacion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 21: ID_Gestion_Apelada

Column name	ID_Gestion_Apelada

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: FechaApelacion

Column name	FechaApelacion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: Departamento

Column name	Departamento
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Departamentos","ReferencedRootTableName":"Departamentos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Departamento","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=IF(\n IN(\n LOOKUP(USEREMAIL(), \"Gestores\", \"CorreoGestor\", \"Rol\"),\n {\"Administrador\",\"Creador\"}\n),\n ORDERBY(\n SELECT(\n Departamentos[ID_Departamento],\n [Estado] = \"Activo\"\n),\n [Departamento]\n),\n ORDERBY(\n SELECT(\n Departamentos[ID_Departamento],\n AND(\n [CorreoDpto] = USEREMAIL(),\n [Estado] = \"Activo\"\n)\n),\n [Departamento]\n)\n)","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: Gestor

Column name	Gestor
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Gestores","ReferencedRootTableName":"Gestores","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Gestor","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=ORDERBY(\n SELECT(\n Gestores[ID_Gestor],\n AND(\n [ID_Departamento] = [_THISROW].[Departamento],\n [Estado] = \"Activo\",\n LOOKUP([ID_Departamento], \"Departamentos\", \"ID_Departamento\", \"Estado\") = \"Activo\"\n)\n),\n [NombreGestor]\n)","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Departamento])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":"=FILTER(\"Gestores\", [Estado] = \"Activo\")"}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: Tipo

Column name	Tipo
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["AppUser","Correo Electronico","Buzón de Sugerencias","Teléfono o verbal"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=AND(ISNOTBLANK([Departamento]),ISNOTBLANK([Gestor]))","Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: Archivo

Column name	Archivo
Visible?	ALWAYS
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 27: Enlaces_Archivos

Column name	Enlaces_Archivos
Visible?	ALWAYS
Type	Url

Type Qualifier	{"LaunchExternal":false,"IsHyperLink":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: DepartamentoNotificado

Column name	DepartamentoNotificado
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"=\"Sí\"","NoLabel":"=\"No\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 29: ContadorNotificacion

Column name	ContadorNotificacion
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 30: UltimaNotificacion

Column name	UltimaNotificacion
Visible?	ALWAYS
Type	DateTime

Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 31: NumeroInterno

Column name	NumeroInterno
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 32: Dias_Habiles_Sheet

Column name	Dias_Habiles_Sheet
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 33: HeaderVirtual

Column name	HeaderVirtual
Visible?	ALWAYS

Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://www.appsheet.com:443/fsimage.png?appid=1ff10454-f767-4f1a-99b2-237a4135fa1c&datasource=google&filename=DocId%3D1GKkLSmtwUe6URjEtq6g4JBjNLYNRvDlC&signature=329ed58c2029e3d355372a1cfd5f339089b6bc7c3c0e5fa068fe507f7ba2bb1f&tableprovider=google&userid=678335064\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 34: NombredelServicioVirtual

Column name	NombredelServicioVirtual
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 35: Related GestionPqrs

Column name	Related GestionPqrs
Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"GestionPqr\",\"ReferencedRootTableName\":\"GestionPqr\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":\\\"=FALSE\\\",\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_Gestion\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 36: TiempoRes_Virtual

Column name	TiempoRes_Virtual
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 37: CorreoGestorVirtual

Column name	CorreoGestorVirtual
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 38: NombreDepartamentoVirtual

Column name	NombreDepartamentoVirtual
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 39: NombreMesVirtual

Column name	NombreMesVirtual
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 40: ID_SEQ_Virtual_Column

Column name	ID_SEQ_Virtual_Column
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 41: Pqr_Mensuales_Virutal

Column name	Pqr_Mensuales_Virutal
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 42: NumeroMesVirutal

Column name	NumeroMesVirutal
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 43: AlertaVencimiento_Virtual

Column name	AlertaVencimiento_Virtual
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 44: TiempoSinRespuesta_Virtual

Column name	TiempoSinRespuesta_Virtual
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 45: Año_VirtualColumn

Column name	Año_VirtualColumn
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 46: Calificacion_Virtual

Column name	Calificacion_Virtual
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 47: AvisoArchivo

Column name	AvisoArchivo
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"=IF(\n ISBLANK([Archivo]),\n \"Si su solicitud contiene múltiples archivos, comprima y adjunte en un solo archivo.\n \",\n \"Archivo insertado correctamente.\"\n)","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 48: Related ArchivosPostPqrs

Column name	Related ArchivosPostPqrs
Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"ArchivosPostPqr\",\"ReferencedRootTableName\":\"ArchivosPostPqr\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_APP\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 49: Footer

Column name	Footer
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://github.com/oviedojceballos-ops/LogoPersonalOviedo/blob/main/LogoHorizontalOV2_Footer.png?raw=true\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 50: Incrementar_Consecutivo

Column name	Incrementar_Consecutivo
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Incrementar_Consecutivo Output","ReferencedRootTableName":null,"ReferencedType":"Text", "ReferencedTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Instance Id","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 51: Asignar número a la PQR

Column name	Asignar número a la PQR
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Asignar número a la PQR Output","ReferencedRootTableName":null,"ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Instance Id","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 52: Generar ID_PQR

Column name	Generar ID_PQR
Visible?	ALWAYS

Type	Ref
Type Qualifier	{"ReferencedTableName":"Generar ID_PQR Output","ReferencedRootTableName":null,"ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Instance Id","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Incrementar_Consecutivo Output_Schema

Schema Name	Incrementar_Consecutivo Output_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: ID_PQR

Column name	ID_PQR
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ID_Interno

Column name	ID_Interno
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Tipo_Solicitud

Column name	Tipo_Solicitud
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues": ["Petición","Queja","Reclamo","Sugerencia","Denuncia"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Prioridad_Solicitud

Column name	Prioridad_Solicitud
Visible?	ALWAYS

Type	Enum
Type Qualifier	{"EnumValues":["General","Documentos o Información"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Servicio

Column name	Servicio
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Servicio","ReferencedRootTableName":"Servicio","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message

	_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Servicio","IsAPartOf":false,"RelationshipName":null,"InputMode":"Dropdown","Valid_If":"=Servicio[ID_Servicio]","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Fecha_Suceso

Column name	Fecha_Suceso
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Descripcion

Column name	Descripcion
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: TipoSolicitante

Column name	TipoSolicitante
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Registrado","Anónimo"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: Identificacion

Column name	Identificacion
Visible?	ALWAYS
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[TipoSolicitante]=\"Registrado\"","Required_If":"=[TipoSolicitante]=\"Registrado\"","Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: NombreCompleto

Column name	NombreCompleto
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[TipoSolicitante]=\"Registrado\"","Required_If":"=[TipoSolicitante]=\"Registrado\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: NombreFormateado

Column name	NombreFormateado
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Email

Column name	Email
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Telefono

Column name	Telefono
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":"=[TipoSolicitante]=\"Registrado\"","Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: Poblacion

Column name	Poblacion
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Ninguno / No aplica","Comunidad indígena","Comunidad afrodescendiente","Población LGBTIQ+","Víctimas del conflicto armado","Migrantes","Personas con discapacidad","Adulto mayor"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: Fecha_Creacion

Column name	Fecha_Creacion
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: Fecha_Respuesta

Column name	Fecha_Respuesta
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":"","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: Tiempo_Respuesta

Column name	Tiempo_Respuesta
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: Estado_Pqr

Column name	Estado_Pqr
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: Apelacion

Column name	Apelacion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 21: ID_Gestion_Apelada

Column name	ID_Gestion_Apelada
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: FechaApelacion

Column name	FechaApelacion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: Departamento

Column name	Departamento
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Departamentos","ReferencedRootTableName":"Departamentos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Departamento","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=IF(\n IN(\n LOOKUP(USEREMAIL(), \"Gestores\", \"CorreoGestor\", \"Rol\"),\n {\"Administrador\",\"Creador\"}\n),\n ORDERBY(\n SELECT(\n Departamentos[ID_Departamento],\n [Estado] = \"Activo\"\n),\n [Departamento]\n),\n ORDERBY(\n SELECT(\n Departamentos[ID_Departamento],\n AND(\n [CorreoDpto] = USEREMAIL(),\n [Estado] = \"Activo\"\n)\n),\n [Departamento]\n)\n)","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No

Column 24: Gestor

Column name	Gestor
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Gestores","ReferencedRootTableName":"Gestores","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Gestor","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=ORDERBY(\n SELECT(\n Gestores[ID_Gestor],\n AND(\n [ID_Departamento] = [_THISROW].[Departamento],\n [Estado] = \"Activo\",\n LOOKUP([ID_Departamento], \"Departamentos\", \"ID_Departamento\", \"Estado\") = \"Activo\"\n)\n),\n [NombreGestor]\n)","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Departamento])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":"=FILTER(\"Gestores\", [Estado] = \"Activo\")"}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No

Column 25: Tipo

Column name	Tipo
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["AppUser","Correo Electronico","Buzón de Sugerencias","Teléfono o verbal"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=AND(ISNOTBLANK([Departamento]),ISNOTBLANK([Gestor]))","Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: Archivo

Column name	Archivo
Visible?	ALWAYS
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 27: Enlaces_Archivos

Column name	Enlaces_Archivos
Visible?	ALWAYS
Type	Url
Type Qualifier	{"LaunchExternal":false,"IsHyperLink":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: DepartamentoNotificado

Column name	DepartamentoNotificado
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"=\"Sí\"","NoLabel":"=\"No\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 29: ContadorNotificacion

Column name	ContadorNotificacion
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 30: UltimaNotificacion

Column name	UltimaNotificacion
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 31: NumeroInterno

Column name	NumeroInterno
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 32: Dias_Habiles_Sheet

Column name	Dias_Habiles_Sheet
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 33: HeaderVirtual

Column name	HeaderVirtual
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://www.appsheet.com:443/fsimage.png?appid=1ff10454-f767-4f1a-99b2-237a4135fa1c&datasource=google&filename=DocId%3D1GKkLSmtwUe6URjEtq6g4JBjNLYNRvDlC&signature=329ed58c2029e3d355372a1cfd5f339089b6bc7c3c0e5fa068fe507f7ba2bb1f&tableprovider=google&userid=678335064\"","Valid_If":null,"Error_Messag

	e_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 34: NombredelServicioVirtual

Column name	NombredelServicioVirtual
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 35: Related GestionPqrs

Column name	Related GestionPqrs
Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"GestionPqr\",\"ReferencedRootTableName\":\"GestionPqr\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":\\\"=FALSE\\\",\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_Gestion\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 36: TiempoRes_Virtual

Column name	TiempoRes_Virtual
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 37: CorreoGestorVirtual

Column name	CorreoGestorVirtual
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null

	}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 38: NombreDepartamentoVirtual

Column name	NombreDepartamentoVirtual
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 39: NombreMesVirtual

Column name	NombreMesVirtual
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 40: ID_SEQ_Virtual_Column

Column name	ID_SEQ_Virtual_Column
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","

	Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 41: Pqr_Mensuales_Virutal

Column name	Pqr_Mensuales_Virutal
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 42: NumeroMesVirutal

Column name	NumeroMesVirutal
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 43: AlertaVencimiento_Virtual

Column name	AlertaVencimiento_Virtual
Visible?	ALWAYS
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 44: TiempoSinRespuesta_Virtual

Column name	TiempoSinRespuesta_Virtual
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 45: Año_VirtualColumn

Column name	Año_VirtualColumn
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 46: Calificacion_Virtual

Column name	Calificacion_Virtual
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 47: AvisoArchivo

Column name	AvisoArchivo
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"=IF(\n ISBLANK([Archivo]),\n \"Si su solicitud contiene múltiples archivos, comprima y adjunte en un solo archivo.\n \",\n \"Archivo insertado correctamente.\"\n)","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 48: Related ArchivosPostPqrs

Column name	Related ArchivosPostPqrs
Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"ArchivosPostPqr\",\"ReferencedRootTableName\":\"ArchivosPostPqr\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_APP\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 49: Footer

Column name	Footer
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://github.com/oviedojceballos-ops/LogoPersonalOviedo/blob/main/LogoHorizontalOV2_Footer.png?raw=true\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No

Sensitive data	No

Schema Name Asignar número a la PQR Output_Schema

Schema Name	Asignar número a la PQR Output_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: ID_PQR

Column name	ID_PQR
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ID_Interno

Column name	ID_Interno
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Tipo_Solicitud

Column name	Tipo_Solicitud
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues": ["Petición","Queja","Reclamo","Sugerencia","Denuncia"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No

Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Prioridad_Solicitud

Column name	Prioridad_Solicitud
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["General","Documentos o Información"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Servicio

Column name	Servicio
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Servicio","ReferencedRootTableName":"Servicio","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Servicio","IsAPartOf":false,"RelationshipName":null,"InputMode":"Dropdown","Valid_If":"=Servicio[ID_Servicio]","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Fecha_Suceso

Column name	Fecha_Suceso
Visible?	ALWAYS
Type	Date

Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Descripcion

Column name	Descripcion
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: TipoSolicitante

Column name	TipoSolicitante
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Registrado","Anónimo"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes

Scannable	No
Sensitive data	No

Column 10: Identificacion

Column name	Identificacion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[TipoSolicitante]=\"Registrado\"","Required_If":"=[TipoSolicitante]=\"Registrado\"","Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: NombreCompleto

Column name	NombreCompleto
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In

	valid":null,"Show_If":"=[TipoSolicitante]=\"Registrado\"","Required_If":"=[TipoSolicitante]=\"Registrado\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: NombreFormateado

Column name	NombreFormateado
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Email

Column name	Email
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Telefono

Column name	Telefono
Visible?	ALWAYS
Type	Phone

Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":"=[TipoSolicitante]=\"Registrado\"","Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: Poblacion

Column name	Poblacion
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Ninguno / No aplica","Comunidad indígena","Comunidad afrodescendiente","Población LGBTIQ+","Víctimas del conflicto armado","Migrantes","Personas con discapacidad","Adulto mayor"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=IS

	NOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: Fecha_Creacion

Column name	Fecha_Creacion
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: Fecha_Respuesta

Column name	Fecha_Respuesta
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":"","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: Tiempo_Respuesta

Column name	Tiempo_Respuesta
Visible?	ALWAYS
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: Estado_Pqr

Column name	Estado_Pqr
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: Apelacion

Column name	Apelacion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 21: ID_Gestion_Apelada

Column name	ID_Gestion_Apelada

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: FechaApelacion

Column name	FechaApelacion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: Departamento

Column name	Departamento
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Departamentos","ReferencedRootTableName":"Departamentos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Departamento","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=IF(\n IN(\n LOOKUP(USEREMAIL(), \"Gestores\", \"CorreoGestor\", \"Rol\"),\n {\"Administrador\",\"Creador\"}\n),\n ORDERBY(\n SELECT(\n Departamentos[ID_Departamento],\n [Estado] = \"Activo\"\n),\n [Departamento]\n),\n ORDERBY(\n SELECT(\n Departamentos[ID_Departamento],\n AND(\n [CorreoDpto] = USEREMAIL(),\n [Estado] = \"Activo\"\n)\n),\n [Departamento]\n)\n)","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: Gestor

Column name	Gestor
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Gestores","ReferencedRootTableName":"Gestores","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Gestor","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=ORDERBY(\n SELECT(\n Gestores[ID_Gestor],\n AND(\n [ID_Departamento] = [_THISROW].[Departamento],\n [Estado] = \"Activo\",\n LOOKUP([ID_Departamento], \"Departamentos\", \"ID_Departamento\", \"Estado\") = \"Activo\"\n)\n),\n [NombreGestor]\n)","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Departamento])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":"=FILTER(\"Gestores\", [Estado] = \"Activo\")"}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: Tipo

Column name	Tipo
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["AppUser","Correo Electronico","Buzón de Sugerencias","Teléfono o verbal"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=AND(ISNOTBLANK([Departamento]),ISNOTBLANK([Gestor]))","Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: Archivo

Column name	Archivo
Visible?	ALWAYS
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 27: Enlaces_Archivos

Column name	Enlaces_Archivos
Visible?	ALWAYS
Type	Url

Type Qualifier	{"LaunchExternal":false,"IsHyperLink":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: DepartamentoNotificado

Column name	DepartamentoNotificado
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"=\"Sí\"","NoLabel":"=\"No\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 29: ContadorNotificacion

Column name	ContadorNotificacion
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 30: UltimaNotificacion

Column name	UltimaNotificacion
Visible?	ALWAYS
Type	DateTime

Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 31: NumeroInterno

Column name	NumeroInterno
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 32: Dias_Habiles_Sheet

Column name	Dias_Habiles_Sheet
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 33: HeaderVirtual

Column name	HeaderVirtual
Visible?	ALWAYS

Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://www.appsheet.com:443/fsimage.png?appid=1ff10454-f767-4f1a-99b2-237a4135fa1c&datasource=google&filename=DocId%3D1GKkLSmtwUe6URjEtq6g4JBjNLYNRvDlC&signature=329ed58c2029e3d355372a1cfd5f339089b6bc7c3c0e5fa068fe507f7ba2bb1f&tableprovider=google&userid=678335064\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 34: NombredelServicioVirtual

Column name	NombredelServicioVirtual
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 35: Related GestionPqrs

Column name	Related GestionPqrs
Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"GestionPqr\",\"ReferencedRootTableName\":\"GestionPqr\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":\\\"=FALSE\\\",\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_Gestion\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 36: TiempoRes_Virtual

Column name	TiempoRes_Virtual
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 37: CorreoGestorVirtual

Column name	CorreoGestorVirtual
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 38: NombreDepartamentoVirtual

Column name	NombreDepartamentoVirtual
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 39: NombreMesVirtual

Column name	NombreMesVirtual
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 40: ID_SEQ_Virtual_Column

Column name	ID_SEQ_Virtual_Column
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 41: Pqr_Mensuales_Virutal

Column name	Pqr_Mensuales_Virutal
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 42: NumeroMesVirutal

Column name	NumeroMesVirutal
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 43: AlertaVencimiento_Virtual

Column name	AlertaVencimiento_Virtual
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 44: TiempoSinRespuesta_Virtual

Column name	TiempoSinRespuesta_Virtual
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 45: Año_VirtualColumn

Column name	Año_VirtualColumn
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 46: Calificacion_Virtual

Column name	Calificacion_Virtual
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 47: AvisoArchivo

Column name	AvisoArchivo
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"=IF(\n ISBLANK([Archivo]),\n \"Si su solicitud contiene múltiples archivos, comprima y adjunte en un solo archivo.\n \",\n \"Archivo insertado correctamente.\"\n)","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 48: Related ArchivosPostPqrs

Column name	Related ArchivosPostPqrs
Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"ArchivosPostPqr\",\"ReferencedRootTableName\":\"ArchivosPostPqr\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_APP\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 49: Footer

Column name	Footer
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://github.com/oviedojceballos-ops/LogoPersonalOviedo/blob/main/LogoHorizontalOV2_Footer.png?raw=true\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Generar ID_PQR Output_Schema

Schema Name	Generar ID_PQR Output_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: ID_PQR

Column name	ID_PQR
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ID_Interno

Column name	ID_Interno
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Tipo_Solicitud

Column name	Tipo_Solicitud
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues": ["Petición","Queja","Reclamo","Sugerencia","Denuncia"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Prioridad_Solicitud

Column name	Prioridad_Solicitud
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["General","Documentos o Información"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes

Scannable	No
Sensitive data	No

Column 6: Servicio

Column name	Servicio
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Servicio","ReferencedRootTableName":"Servicio","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Servicio","IsAPartOf":false,"RelationshipName":null,"InputMode":"Dropdown","Valid_If":"=Servicio[ID_Servicio]","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Fecha_Suceso

Column name	Fecha_Suceso
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Descripcion

Column name	Descripcion
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: TipoSolicitante

Column name	TipoSolicitante
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Registrado","Anónimo"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: Identificacion

Column name	Identificacion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[TipoSolicitante]=\"Registrado\"","Required_If":"=[TipoSolicitante]=\"Registrado\"","Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: NombreCompleto

Column name	NombreCompleto

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[TipoSolicitante]=\"Registrado\"","Required_If":"=[TipoSolicitante]=\"Registrado\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: NombreFormateado

Column name	NombreFormateado
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Email

Column name	Email
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Telefono

Column name	Telefono
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":"=[TipoSolicitante]=\"Registrado\"","Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: Poblacion

Column name	Poblacion
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Ninguno / No aplica","Comunidad indígena","Comunidad afrodescendiente","Población LGBTIQ+","Víctimas del conflicto armado","Migrantes","Personas con discapacidad","Adulto mayor"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain

	Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: Fecha_Creacion

Column name	Fecha_Creacion
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: Fecha_Respuesta

Column name	Fecha_Respuesta
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":"","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: Tiempo_Respuesta

Column name	Tiempo_Respuesta
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: Estado_Pqr

Column name	Estado_Pqr
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: Apelacion

Column name	Apelacion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 21: ID_Gestion_Apelada

Column name	ID_Gestion_Apelada
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: FechaApelacion

Column name	FechaApelacion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: Departamento

Column name	Departamento
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Departamentos","ReferencedRootTableName":"Departamentos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Departamento","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=IF(\n IN(\n LOOKUP(USEREMAIL(), \"Gestores\", \"CorreoGestor\", \"Rol\"),\n {\"Administrador\",\"Creador\"}\n),\n ORDERBY(\n SELECT(\n Departamentos[ID_Departamento],\n [Estado] = \"Activo\"\n),\n [Departamento]\n),\n ORDERBY(\n SELECT(\n Departamentos[ID_Departamento],\n AND(\n [CorreoDpto] = USEREMAIL(),\n [Estado] = \"Activo\"\n)\n),\n [Departamento]\n)\n)","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: Gestor

Column name	Gestor
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Gestores","ReferencedRootTableName":"Gestores","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Gestor","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=ORDERBY(\n SELECT(\n Gestores[ID_Gestor],\n AND(\n [ID_Departamento] = [_THISROW].[Departamento],\n [Estado] = \"Activo\",\n LOOKUP([ID_Departamento], \"Departamentos\", \"ID_Departamento\", \"Estado\") = \"Activo\"\n)\n),\n [NombreGestor]\n)","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Departamento])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":"=FILTER(\"Gestores\", [Estado] = \"Activo\")"}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: Tipo

Column name	Tipo
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["AppUser","Correo Electronico","Buzón de Sugerencias","Teléfono o verbal"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=AND(ISNOTBLANK([Departamento]),ISNOTBLANK([Gestor]))","Required_If":null,"Editable_If":"=ISBLANK([_THISROW].[NumeroInterno])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: Archivo

Column name	Archivo
Visible?	ALWAYS
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 27: Enlaces_Archivos

Column name	Enlaces_Archivos
Visible?	ALWAYS
Type	Url
Type Qualifier	{"LaunchExternal":false,"IsHyperLink":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: DepartamentoNotificado

Column name	DepartamentoNotificado
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"=\"Sí\"","NoLabel":"=\"No\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 29: ContadorNotificacion

Column name	ContadorNotificacion
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 30: UltimaNotificacion

Column name	UltimaNotificacion
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 31: NumeroInterno

Column name	NumeroInterno
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 32: Dias_Habiles_Sheet

Column name	Dias_Habiles_Sheet
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 33: HeaderVirtual

Column name	HeaderVirtual
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://www.appsheet.com:443/fsimage.png?appid=1ff10454-f767-4f1a-99b2-237a4135fa1c&datasource=google&filename=DocId%3D1GKkLSmtwUe6URjEtq6g4JBjNLYNRvDlC&signature=329ed58c2029e3d355372a1cfd5f339089b6bc7c3c0e5fa068fe507f7ba2bb1f&tableprovider=google&userid=678335064\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 34: NombredelServicioVirtual

Column name	NombredelServicioVirtual
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In

	valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 35: Related GestionPqrs

Column name	Related GestionPqrs
Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"GestionPqr\",\"ReferencedRootTableName\":\"GestionPqr\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":\\\"=FALSE\\\",\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_Gestion\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":"","Valid_If":null,"Error_Messag

	e_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 36: TiempoRes_Virtual

Column name	TiempoRes_Virtual
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 37: CorreoGestorVirtual

Column name	CorreoGestorVirtual
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 38: NombreDepartamentoVirtual

Column name	NombreDepartamentoVirtual
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In

	valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 39: NombreMesVirtual

Column name	NombreMesVirtual
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 40: ID_SEQ_Virtual_Column

Column name	ID_SEQ_Virtual_Column
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 41: Pqr_Mensuales_Virutal

Column name	Pqr_Mensuales_Virutal
Visible?	ALWAYS
Type	Number

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 42: NumeroMesVirutal

Column name	NumeroMesVirutal
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 43: AlertaVencimiento_Virtual

Column name	AlertaVencimiento_Virtual
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 44: TiempoSinRespuesta_Virtual

Column name	TiempoSinRespuesta_Virtual
Visible?	ALWAYS

Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 45: Año_VirtualColumn

Column name	Año_VirtualColumn
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 46: Calificacion_Virtual

Column name	Calificacion_Virtual
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 47: AvisoArchivo

Column name	AvisoArchivo

Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"=IF(\n ISBLANK([Archivo]),\n \"Si su solicitud contiene múltiples archivos, comprima y adjunte en un solo archivo.\n \",\n \"Archivo insertado correctamente.\"\n)","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Tipo_Solicitud])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 48: Related ArchivosPostPqrs

Column name	Related ArchivosPostPqrs
Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"ArchivosPostPqr\",\"ReferencedRootTableName\":\"ArchivosPostPqr\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_V

	alues\\\":null}\",\"ReferencedKeyColumn\":\"ID_APP\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" ,","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 49: Footer

Column name	Footer
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://github.com/oviedojceballos-ops/LogoPersonalOviedo/blob/main/LogoHorizontalOV2_Footer.png?raw=true\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Process for Bot_Radicacion_IDInterno ges Process Table_Schema

Schema Name	Process for Bot_Radicacion_IDInterno ges Process Table_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: ID_Gestion

Column name	ID_Gestion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ID_PQR

Column name	ID_PQR
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Pqrs","ReferencedRootTableName":"Pqrs","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_PQR","IsAPartOf":true,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=SELECT(\n Pqrs[ID_PQR],\n AND(\n [Estado_Pqr] <> \"Cerrada\",\n OR(\n IN(\n LOOKUP(USEREMAIL(), \"Gestores\", \"CorreoGestor\", \"Rol\"),\n {\"Administrador\",\"Creador\"}\n),\n [Departamento] = LOOKUP(USEREMAIL(), \"Departamentos\", \"CorreoDpto\", \"ID_Departamento\")\n)\n)\n)","Error_Message_If_Invalid":null,"Show_If":"","Required_If":null,"Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: ID_Interno

Column name	ID_Interno

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: ID_InternoPQR

Column name	ID_InternoPQR
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: FechaPqr

Column name	FechaPqr
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Fecha_Gestion

Column name	Fecha_Gestion

Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Servicio

Column name	Servicio
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: DescripcionPqr

Column name	DescripcionPqr
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: RespuestaPQR

Column name	RespuestaPQR

Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: FechaRespuesta

Column name	FechaRespuesta
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: EstadoPqr

Column name	EstadoPqr
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Atendida","Cerrada"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No

Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Apelacion

Column name	Apelacion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: FechaApelacion

Column name	FechaApelacion
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Sho

	w_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: ComentariosApelacion

Column name	ComentariosApelacion
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[Apelacion]=\"Sí\"","Required_If":null,"Editable_If":"=[Apelacion]=\"Sí\"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: Departamento

Column name	Departamento
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Departamentos","ReferencedRootTableName":"Departamentos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Departamento","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No

Column 17: Gestor

Column name	Gestor
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Gestores","ReferencedRootTableName":"Gestores","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Gestor","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=SELECT(\n Gestores[ID_Gestor],\n [ID_Departamento] = [_THISROW].[Departamento]\n)","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Departamento])","Required_If":"=[ID_PQR].[Tipo]<>\"AppUser\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: NumeroInterno

Column name	NumeroInterno
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 19: ObservacionPersonalizada

Column name	ObservacionPersonalizada
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"=TRUE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: CoPdf

Column name	CoPdf
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 21: PDF

Column name	PDF
Visible?	ALWAYS
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 22: ArchivoRespuesta

Column name	ArchivoRespuesta
Visible?	ALWAYS
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 23: Mensajeria_Interna

Column name	Mensajeria_Interna
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ArchivoRespuesta])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: Enlaces_Archivos

Column name	Enlaces_Archivos
Visible?	ALWAYS
Type	Url
Type Qualifier	{"LaunchExternal":false,"IsHyperLink":false,"Valid_If":"","Error_Message_If_Invalid":"=\"Recuerda que los enlaces insertados deben ser públicos y de solo lectura.\"","Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: Estado_Email

Column name	Estado_Email
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Iniciado","Completado","Pendiente"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain

	Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: FirmaDigital

Column name	FirmaDigital
Visible?	ALWAYS
Type	Thumbnail
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 27: Observaciones_PersonalizadasPDF_Virutal

Column name	Observaciones_PersonalizadasPDF_Virutal
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: ID_SEQ_Virtual_Column

Column name	ID_SEQ_Virtual_Column
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 29: Ultima_Gestion_Virtual

Column name	Ultima_Gestion_Virtual
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 30: HeaderVirutal

Column name	HeaderVirutal
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://www.appsheet.com:443/fsimage.png?appid=1ff10454-f767-4f1a-99b2-237a4135fa1c&datasource=google&filename=DocId%3D1GKkLSmtwUe6URjEtq6g4JBjNLYNRvDlC&signature=329ed58c2029e3d355372a1cfd5f339089b6bc7c3c0e5fa068fe507f7ba2bb1f&tableprovider=google&userid=678335064\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No

Sensitive data	No

Column 31: AvisoEnlaceVirtual

Column name	AvisoEnlaceVirtual
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"=IF(\n ISBLANK([Enlaces_Archivos]),\n \"Recuerda que los enlaces insertados deben ser públicos y de solo lectura.\",\n \"Enlace insertado correctamente.\"\n)","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 32: AvisoArchivoRespuestaVirtual

Column name	AvisoArchivoRespuestaVirtual
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"=IF(\n ISBLANK([ArchivoRespuesta]),\n \"Recuerda: evita subir archivos

	mayores a 15 MB. Usa enlaces de Drive/OneDrive si el archivo es pesado.\",\n \"Archivo insertado correctamente.\"\n)","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 33: Footer

Column name	Footer
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://github.com/oviedojceballos-ops/LogoPersonalOviedo/blob/main/LogoHorizontalOV2_Footer.png?raw=true\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 34: Incrementar_Consecutivo

Column name	Incrementar_Consecutivo
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Incrementar_Consecutivo Output 2","ReferencedRootTableName":null,"ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Instance Id","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 35: Asignar número a la Gestion

Column name	Asignar número a la Gestion
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Asignar número a la Gestion Output","ReferencedRootTableName":null,"ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Instance Id","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes

Scannable	No
Sensitive data	No

Column 36: Generar ID_Gestion

Column name	Generar ID_Gestion
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Generar ID_Gestion Output","ReferencedRootTableName":null,"ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Instance Id","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Incrementar_Consecutivo Output 2_Schema

Schema Name	Incrementar_Consecutivo Output 2_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: ID_Gestion

Column name	ID_Gestion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In

	valid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ID_PQR

Column name	ID_PQR
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Pqrs","ReferencedRootTableName":"Pqrs","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_PQR","IsAPartOf":true,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=SELECT(\n Pqrs[ID_PQR],\n AND(\n [Estado_Pqr] <> \"Cerrada\",\n OR(\n IN(\n LOOKUP(USEREMAIL(), \"Gestores\", \"CorreoGestor\", \"Rol\"),\n {\"Administrador\",\"Creador\"}\n),\n [Departamento] = LOOKUP(USEREMAIL(), \"Departamentos\", \"CorreoDpto\", \"ID_Departamento\")\n)\n

	)\n)","Error_Message_If_Invalid":null,"Show_If":"","Required_If":null,"Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: ID_Interno

Column name	ID_Interno
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: ID_InternoPQR

Column name	ID_InternoPQR
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: FechaPqr

Column name	FechaPqr
Visible?	ALWAYS
Type	Date

Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Fecha_Gestion

Column name	Fecha_Gestion
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Servicio

Column name	Servicio
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: DescripcionPqr

Column name	DescripcionPqr
Visible?	ALWAYS
Type	LongText

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: RespuestaPQR

Column name	RespuestaPQR
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: FechaRespuesta

Column name	FechaRespuesta
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: EstadoPqr

Column name	EstadoPqr
Visible?	ALWAYS

Type	Enum
Type Qualifier	{"EnumValues":["Atendida","Cerrada"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Apelacion

Column name	Apelacion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: FechaApelacion

Column name	FechaApelacion
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes

Scannable	No
Sensitive data	No

Column 15: ComentariosApelacion

Column name	ComentariosApelacion
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[Apelacion]=\"Sí\"","Required_If":null,"Editable_If":"=[Apelacion]=\"Sí\"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: Departamento

Column name	Departamento
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Departamentos","ReferencedRootTableName":"Departamentos","ReferencedType":"Text","ReferencedTypeQualifier":"

	{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Departamento","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: Gestor

Column name	Gestor
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Gestores","ReferencedRootTableName":"Gestores","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Gestor","IsAPartOf":false,"RelationshipName":null,"Inpu

	tMode":"Auto","Valid_If":"=SELECT(\n Gestores[ID_Gestor],\n [ID_Departamento] = [_THISROW].[Departamento]\n)","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Departamento])","Required_If":"=[ID_PQR].[Tipo] <>\"AppUser\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: NumeroInterno

Column name	NumeroInterno
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 19: ObservacionPersonalizada

Column name	ObservacionPersonalizada
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"=TRUE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: CoPdf

Column name	CoPdf
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 21: PDF

Column name	PDF
Visible?	ALWAYS
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 22: ArchivoRespuesta

Column name	ArchivoRespuesta
Visible?	ALWAYS
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 23: Mensajeria_Interna

Column name	Mensajeria_Interna
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ArchivoRespuesta])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: Enlaces_Archivos

Column name	Enlaces_Archivos
Visible?	ALWAYS
Type	Url
Type Qualifier	{"LaunchExternal":false,"IsHyperLink":false,"Valid_If":"","Error_Message_If_Invalid":"=\"Recuerda que los enlaces insertados deben ser públicos y de solo lectura.\"","Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: Estado_Email

Column name	Estado_Email
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Iniciado","Completado","Pendiente"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: FirmaDigital

Column name	FirmaDigital
Visible?	ALWAYS
Type	Thumbnail
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 27: Observaciones_PersonalizadasPDF_Virutal

Column name	Observaciones_PersonalizadasPDF_Virutal

Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: ID_SEQ_Virtual_Column

Column name	ID_SEQ_Virtual_Column
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 29: Ultima_Gestion_Virtual

Column name	Ultima_Gestion_Virtual
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 30: HeaderVirutal

Column name	HeaderVirutal

Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://www.appsheet.com:443/fsimage.png?appid=1ff10454-f767-4f1a-99b2-237a4135fa1c&datasource=google&filename=DocId%3D1GKkLSmtwUe6URjEtq6g4JBjNLYNRvDlC&signature=329ed58c2029e3d355372a1cfd5f339089b6bc7c3c0e5fa068fe507f7ba2bb1f&tableprovider=google&userid=678335064\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 31: AvisoEnlaceVirtual

Column name	AvisoEnlaceVirtual
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"=IF(\n ISBLANK([Enlaces_Archivos]),\n \"Recuerda que los enlaces insertados deben ser públicos y de solo lectura.\",\n \"Enlace insertado correctamente.\"\n)","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 32: AvisoArchivoRespuestaVirtual

Column name	AvisoArchivoRespuestaVirtual
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"=IF(\n ISBLANK([ArchivoRespuesta]),\n \"Recuerda: evita subir archivos mayores a 15 MB. Usa enlaces de Drive/OneDrive si el archivo es pesado.\",\n \"Archivo insertado correctamente.\"\n)","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 33: Footer

Column name	Footer
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://github.com/oviedojceballos-ops/LogoPersonalOviedo/blob/main/LogoHorizontalOV2_Footer.png?raw=true\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Asignar número a la Gestion Output_Schema

Schema Name	Asignar número a la Gestion Output_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: ID_Gestion

Column name	ID_Gestion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In

	valid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ID_PQR

Column name	ID_PQR
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Pqrs","ReferencedRootTableName":"Pqrs","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_PQR","IsAPartOf":true,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=SELECT(\n Pqrs[ID_PQR],\n AND(\n [Estado_Pqr] <> \"Cerrada\",\n OR(\n IN(\n LOOKUP(USEREMAIL(), \"Gestores\", \"CorreoGestor\", \"Rol\"),\n {\"Administrador\",\"Creador\"}\n),\n [Departamento] = LOOKUP(USEREMAIL(), \"Departamentos\", \"CorreoDpto\", \"ID_Departamento\")\n)\n

	)\n)","Error_Message_If_Invalid":null,"Show_If":"","Required_If":null,"Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: ID_Interno

Column name	ID_Interno
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: ID_InternoPQR

Column name	ID_InternoPQR
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: FechaPqr

Column name	FechaPqr
Visible?	ALWAYS
Type	Date

Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Fecha_Gestion

Column name	Fecha_Gestion
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Servicio

Column name	Servicio
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: DescripcionPqr

Column name	DescripcionPqr
Visible?	ALWAYS
Type	LongText

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: RespuestaPQR

Column name	RespuestaPQR
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: FechaRespuesta

Column name	FechaRespuesta
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: EstadoPqr

Column name	EstadoPqr
Visible?	ALWAYS

Type	Enum
Type Qualifier	{"EnumValues":["Atendida","Cerrada"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Apelacion

Column name	Apelacion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: FechaApelacion

Column name	FechaApelacion
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes

Scannable	No
Sensitive data	No

Column 15: ComentariosApelacion

Column name	ComentariosApelacion
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[Apelacion]=\"Sí\"","Required_If":null,"Editable_If":"=[Apelacion]=\"Sí\"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: Departamento

Column name	Departamento
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Departamentos","ReferencedRootTableName":"Departamentos","ReferencedType":"Text","ReferencedTypeQualifier":"

	{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Departamento","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: Gestor

Column name	Gestor
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Gestores","ReferencedRootTableName":"Gestores","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Gestor","IsAPartOf":false,"RelationshipName":null,"Inpu

	tMode":"Auto","Valid_If":"=SELECT(\n Gestores[ID_Gestor],\n [ID_Departamento] = [_THISROW].[Departamento]\n)","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Departamento])","Required_If":"=[ID_PQR].[Tipo] <>\"AppUser\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: NumeroInterno

Column name	NumeroInterno
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 19: ObservacionPersonalizada

Column name	ObservacionPersonalizada
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"=TRUE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: CoPdf

Column name	CoPdf
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 21: PDF

Column name	PDF
Visible?	ALWAYS
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 22: ArchivoRespuesta

Column name	ArchivoRespuesta
Visible?	ALWAYS
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 23: Mensajeria_Interna

Column name	Mensajeria_Interna
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ArchivoRespuesta])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: Enlaces_Archivos

Column name	Enlaces_Archivos
Visible?	ALWAYS
Type	Url
Type Qualifier	{"LaunchExternal":false,"IsHyperLink":false,"Valid_If":"","Error_Message_If_Invalid":"=\"Recuerda que los enlaces insertados deben ser públicos y de solo lectura.\"","Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: Estado_Email

Column name	Estado_Email
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Iniciado","Completado","Pendiente"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: FirmaDigital

Column name	FirmaDigital
Visible?	ALWAYS
Type	Thumbnail
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 27: Observaciones_PersonalizadasPDF_Virutal

Column name	Observaciones_PersonalizadasPDF_Virutal

Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: ID_SEQ_Virtual_Column

Column name	ID_SEQ_Virtual_Column
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 29: Ultima_Gestion_Virtual

Column name	Ultima_Gestion_Virtual
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 30: HeaderVirutal

Column name	HeaderVirutal

Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://www.appsheet.com:443/fsimage.png?appid=1ff10454-f767-4f1a-99b2-237a4135fa1c&datasource=google&filename=DocId%3D1GKkLSmtwUe6URjEtq6g4JBjNLYNRvDlC&signature=329ed58c2029e3d355372a1cfd5f339089b6bc7c3c0e5fa068fe507f7ba2bb1f&tableprovider=google&userid=678335064\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 31: AvisoEnlaceVirtual

Column name	AvisoEnlaceVirtual
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"=IF(\n ISBLANK([Enlaces_Archivos]),\n \"Recuerda que los enlaces insertados deben ser públicos y de solo lectura.\",\n \"Enlace insertado correctamente.\"\n)","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 32: AvisoArchivoRespuestaVirtual

Column name	AvisoArchivoRespuestaVirtual
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"=IF(\n ISBLANK([ArchivoRespuesta]),\n \"Recuerda: evita subir archivos mayores a 15 MB. Usa enlaces de Drive/OneDrive si el archivo es pesado.\",\n \"Archivo insertado correctamente.\"\n)","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 33: Footer

Column name	Footer
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://github.com/oviedojceballos-ops/LogoPersonalOviedo/blob/main/LogoHorizontalOV2_Footer.png?raw=true\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Generar ID_Gestion Output_Schema

Schema Name	Generar ID_Gestion Output_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: ID_Gestion

Column name	ID_Gestion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In

	valid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ID_PQR

Column name	ID_PQR
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Pqrs","ReferencedRootTableName":"Pqrs","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_PQR","IsAPartOf":true,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=SELECT(\n Pqrs[ID_PQR],\n AND(\n [Estado_Pqr] <> \"Cerrada\",\n OR(\n IN(\n LOOKUP(USEREMAIL(), \"Gestores\", \"CorreoGestor\", \"Rol\"),\n {\"Administrador\",\"Creador\"}\n),\n [Departamento] = LOOKUP(USEREMAIL(), \"Departamentos\", \"CorreoDpto\", \"ID_Departamento\")\n)\n

	)\n)","Error_Message_If_Invalid":null,"Show_If":"","Required_If":null,"Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: ID_Interno

Column name	ID_Interno
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: ID_InternoPQR

Column name	ID_InternoPQR
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: FechaPqr

Column name	FechaPqr
Visible?	ALWAYS
Type	Date

Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Fecha_Gestion

Column name	Fecha_Gestion
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Servicio

Column name	Servicio
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: DescripcionPqr

Column name	DescripcionPqr
Visible?	ALWAYS
Type	LongText

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: RespuestaPQR

Column name	RespuestaPQR
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: FechaRespuesta

Column name	FechaRespuesta
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: EstadoPqr

Column name	EstadoPqr
Visible?	ALWAYS

Type	Enum
Type Qualifier	{"EnumValues":["Atendida","Cerrada"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Apelacion

Column name	Apelacion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: FechaApelacion

Column name	FechaApelacion
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes

Scannable	No
Sensitive data	No

Column 15: ComentariosApelacion

Column name	ComentariosApelacion
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[Apelacion]=\"Sí\"","Required_If":null,"Editable_If":"=[Apelacion]=\"Sí\"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: Departamento

Column name	Departamento
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Departamentos","ReferencedRootTableName":"Departamentos","ReferencedType":"Text","ReferencedTypeQualifier":"

	{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Departamento","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: Gestor

Column name	Gestor
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Gestores","ReferencedRootTableName":"Gestores","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Gestor","IsAPartOf":false,"RelationshipName":null,"Inpu

	tMode":"Auto","Valid_If":"=SELECT(\n Gestores[ID_Gestor],\n [ID_Departamento] = [_THISROW].[Departamento]\n)","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Departamento])","Required_If":"=[ID_PQR].[Tipo] <>\"AppUser\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: NumeroInterno

Column name	NumeroInterno
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 19: ObservacionPersonalizada

Column name	ObservacionPersonalizada
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"=TRUE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: CoPdf

Column name	CoPdf
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 21: PDF

Column name	PDF
Visible?	ALWAYS
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 22: ArchivoRespuesta

Column name	ArchivoRespuesta
Visible?	ALWAYS
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 23: Mensajeria_Interna

Column name	Mensajeria_Interna
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ArchivoRespuesta])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: Enlaces_Archivos

Column name	Enlaces_Archivos
Visible?	ALWAYS
Type	Url
Type Qualifier	{"LaunchExternal":false,"IsHyperLink":false,"Valid_If":"","Error_Message_If_Invalid":"=\"Recuerda que los enlaces insertados deben ser públicos y de solo lectura.\"","Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: Estado_Email

Column name	Estado_Email
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Iniciado","Completado","Pendiente"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: FirmaDigital

Column name	FirmaDigital
Visible?	ALWAYS
Type	Thumbnail
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 27: Observaciones_PersonalizadasPDF_Virutal

Column name	Observaciones_PersonalizadasPDF_Virutal

Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: ID_SEQ_Virtual_Column

Column name	ID_SEQ_Virtual_Column
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 29: Ultima_Gestion_Virtual

Column name	Ultima_Gestion_Virtual
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 30: HeaderVirutal

Column name	HeaderVirutal

Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://www.appsheet.com:443/fsimage.png?appid=1ff10454-f767-4f1a-99b2-237a4135fa1c&datasource=google&filename=DocId%3D1GKkLSmtwUe6URjEtq6g4JBjNLYNRvDlC&signature=329ed58c2029e3d355372a1cfd5f339089b6bc7c3c0e5fa068fe507f7ba2bb1f&tableprovider=google&userid=678335064\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 31: AvisoEnlaceVirtual

Column name	AvisoEnlaceVirtual
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"=IF(\n ISBLANK([Enlaces_Archivos]),\n \"Recuerda que los enlaces insertados deben ser públicos y de solo lectura.\",\n \"Enlace insertado correctamente.\"\n)","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 32: AvisoArchivoRespuestaVirtual

Column name	AvisoArchivoRespuestaVirtual
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"=IF(\n ISBLANK([ArchivoRespuesta]),\n \"Recuerda: evita subir archivos mayores a 15 MB. Usa enlaces de Drive/OneDrive si el archivo es pesado.\",\n \"Archivo insertado correctamente.\"\n)","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 33: Footer

Column name	Footer
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://github.com/oviedojceballos-ops/LogoPersonalOviedo/blob/main/LogoHorizontalOV2_Footer.png?raw=true\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Process for Notificar_Apelacion_Deepseek Process Table_Schema

Schema Name	Process for Notificar_Apelacion_Deepseek Process Table_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: ID_Gestion

Column name	ID_Gestion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In

	valid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ID_PQR

Column name	ID_PQR
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Pqrs","ReferencedRootTableName":"Pqrs","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_PQR","IsAPartOf":true,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=SELECT(\n Pqrs[ID_PQR],\n AND(\n [Estado_Pqr] <> \"Cerrada\",\n OR(\n IN(\n LOOKUP(USEREMAIL(), \"Gestores\", \"CorreoGestor\", \"Rol\"),\n {\"Administrador\",\"Creador\"}\n),\n [Departamento] = LOOKUP(USEREMAIL(), \"Departamentos\", \"CorreoDpto\", \"ID_Departamento\")\n)\n

	)\n)","Error_Message_If_Invalid":null,"Show_If":"","Required_If":null,"Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: ID_Interno

Column name	ID_Interno
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: ID_InternoPQR

Column name	ID_InternoPQR
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: FechaPqr

Column name	FechaPqr
Visible?	ALWAYS
Type	Date

Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Fecha_Gestion

Column name	Fecha_Gestion
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Servicio

Column name	Servicio
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: DescripcionPqr

Column name	DescripcionPqr
Visible?	ALWAYS
Type	LongText

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: RespuestaPQR

Column name	RespuestaPQR
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: FechaRespuesta

Column name	FechaRespuesta
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: EstadoPqr

Column name	EstadoPqr
Visible?	ALWAYS

Type	Enum
Type Qualifier	{"EnumValues":["Atendida","Cerrada"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Apelacion

Column name	Apelacion
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: FechaApelacion

Column name	FechaApelacion
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes

Scannable	No
Sensitive data	No

Column 15: ComentariosApelacion

Column name	ComentariosApelacion
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[Apelacion]=\"Sí\"","Required_If":null,"Editable_If":"=[Apelacion]=\"Sí\"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: Departamento

Column name	Departamento
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Departamentos","ReferencedRootTableName":"Departamentos","ReferencedType":"Text","ReferencedTypeQualifier":"

	{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Departamento","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: Gestor

Column name	Gestor
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Gestores","ReferencedRootTableName":"Gestores","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Gestor","IsAPartOf":false,"RelationshipName":null,"Inpu

	tMode":"Auto","Valid_If":"=SELECT(\n Gestores[ID_Gestor],\n [ID_Departamento] = [_THISROW].[Departamento]\n)","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Departamento])","Required_If":"=[ID_PQR].[Tipo] <>\"AppUser\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: NumeroInterno

Column name	NumeroInterno
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 19: ObservacionPersonalizada

Column name	ObservacionPersonalizada
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":"=TRUE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: CoPdf

Column name	CoPdf
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 21: PDF

Column name	PDF
Visible?	ALWAYS
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 22: ArchivoRespuesta

Column name	ArchivoRespuesta
Visible?	ALWAYS
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 23: Mensajeria_Interna

Column name	Mensajeria_Interna
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ArchivoRespuesta])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: Enlaces_Archivos

Column name	Enlaces_Archivos
Visible?	ALWAYS
Type	Url
Type Qualifier	{"LaunchExternal":false,"IsHyperLink":false,"Valid_If":"","Error_Message_If_Invalid":"=\"Recuerda que los enlaces insertados deben ser públicos y de solo lectura.\"","Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: Estado_Email

Column name	Estado_Email
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Iniciado","Completado","Pendiente"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=FALSE","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: FirmaDigital

Column name	FirmaDigital
Visible?	ALWAYS
Type	Thumbnail
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 27: Observaciones_PersonalizadasPDF_Virutal

Column name	Observaciones_PersonalizadasPDF_Virutal

Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: ID_SEQ_Virtual_Column

Column name	ID_SEQ_Virtual_Column
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 29: Ultima_Gestion_Virtual

Column name	Ultima_Gestion_Virtual
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 30: HeaderVirutal

Column name	HeaderVirutal

Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://www.appsheet.com:443/fsimage.png?appid=1ff10454-f767-4f1a-99b2-237a4135fa1c&datasource=google&filename=DocId%3D1GKkLSmtwUe6URjEtq6g4JBjNLYNRvDlC&signature=329ed58c2029e3d355372a1cfd5f339089b6bc7c3c0e5fa068fe507f7ba2bb1f&tableprovider=google&userid=678335064\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 31: AvisoEnlaceVirtual

Column name	AvisoEnlaceVirtual
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"=IF(\n ISBLANK([Enlaces_Archivos]),\n \"Recuerda que los enlaces insertados deben ser públicos y de solo lectura.\",\n \"Enlace insertado correctamente.\"\n)","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 32: AvisoArchivoRespuestaVirtual

Column name	AvisoArchivoRespuestaVirtual
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"=IF(\n ISBLANK([ArchivoRespuesta]),\n \"Recuerda: evita subir archivos mayores a 15 MB. Usa enlaces de Drive/OneDrive si el archivo es pesado.\",\n \"Archivo insertado correctamente.\"\n)","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID_PQR])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 33: Footer

Column name	Footer
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://github.com/oviedojceballos-ops/LogoPersonalOviedo/blob/main/LogoHorizontalOV2_Footer.png?raw=true\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 34: Ejecutar Script

Column name	Ejecutar Script

Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Ejecutar Script Output 3","ReferencedRootTableName":null,"ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Instance Id","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Ejecutar Script Output 3_Schema

Schema Name	Ejecutar Script Output 3_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Process for Anexos - 1 Process Table_Schema

Schema Name	Process for Anexos - 1 Process Table_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In

	valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: ID_APP

Column name	ID_APP
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ID_PQR

Column name	ID_PQR
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Pqrs","ReferencedRootTableName":"Pqrs","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_PQR","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=SELECT(\n Pqrs[ID_PQR],\n [Estado_Pqr] <> \"Cerrada\"\n)","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No

Column 4: ID_InternoPQR

Column name	ID_InternoPQR
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: DescripcionPqr

Column name	DescripcionPqr
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Archivo_Post

Column name	Archivo_Post
Visible?	ALWAYS
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No

Sensitive data	No

Column 7: Fecha_Archivo

Column name	Fecha_Archivo
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Observaciones

Column name	Observaciones
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: ContadorVirtual

Column name	ContadorVirtual
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No

Scannable	No
Sensitive data	No

Column 10: Ejecutar Script

Column name	Ejecutar Script
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Ejecutar Script Output 4","ReferencedRootTableName":null,"ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Instance Id","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Ejecutar Script Output 4_Schema

Schema Name	Ejecutar Script Output 4_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Process for Todas las Pqr - 1 Process Table_Schema

Schema Name	Process for Todas las Pqr - 1 Process Table_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: ID_Reporte

Column name	ID_Reporte
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Tipo_Pqr

Column name	Tipo_Pqr
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Petición","Queja","Reclamo","Sugerencia","Denuncia","Todos"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Tipo_Reporte

Column name	Tipo_Reporte
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Estado","Departamento","Apelación","Servicios","Todos"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No

Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Por_Servicio

Column name	Por_Servicio
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Servicio","ReferencedRootTableName":"Servicio","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Servicio","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[Tipo_Reporte]=\"Servicios\"","Required_If":"=[Tipo_Reporte]=\"Servicios\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Departamento

Column name	Departamento
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Departamentos","ReferencedRootTableName":"Departamentos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Departamento","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[Tipo_Reporte]=\"Departamento\"","Required_If":"=[Tipo_Reporte]=\"Departamento\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Estado_Pqr

Column name	Estado_Pqr

Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Abierta","Atendida","Cerrada"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[Tipo_Reporte]=\"Estado\"","Required_If":"=[Tipo_Reporte]=\"Estado\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Fecha_Inicio

Column name	Fecha_Inicio
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Fecha_Fin

Column name	Fecha_Fin
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes

Scannable	No
Sensitive data	No

Column 10: Archivo_Excel

Column name	Archivo_Excel
Visible?	ALWAYS
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Fecha_Reporte

Column name	Fecha_Reporte
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: Footer

Column name	Footer
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://github.com/oviedojceballos-ops/LogoPersonalOviedo/blob/main/LogoHorizontalOV2_Footer.png?raw=true\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 13: Crear Ruta Archivo

Column name	Crear Ruta Archivo
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Crear Ruta Archivo Output","ReferencedRootTableName":null,"ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Instance Id","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Crear Ruta Archivo Output_Schema

Schema Name	Crear Ruta Archivo Output_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: ID_Reporte

Column name	ID_Reporte
Visible?	ALWAYS
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Tipo_Pqr

Column name	Tipo_Pqr
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Petición","Queja","Reclamo","Sugerencia","Denuncia","Todos"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Tipo_Reporte

Column name	Tipo_Reporte
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues": ["Estado","Departamento","Apelación","Servicios","Todos"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Por_Servicio

Column name	Por_Servicio
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Servicio","ReferencedRootTableName":"Servicio","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Servicio","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[Tipo_Reporte]=\"Servicios\"","Required_If":"=[Tipo_Reporte]=\"Servicios\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Departamento

Column name	Departamento
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Departamentos","ReferencedRootTableName":"Departamentos","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"ID_Departamento","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[Tipo_Reporte]=\"Departamento\"","Required_If":"=[Tipo_Reporte]=\"Departamento\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No

Column 7: Estado_Pqr

Column name	Estado_Pqr
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Abierta","Atendida","Cerrada"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[Tipo_Reporte]=\"Estado\"","Required_If":"=[Tipo_Reporte]=\"Estado\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Fecha_Inicio

Column name	Fecha_Inicio

Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Fecha_Fin

Column name	Fecha_Fin
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: Archivo_Excel

Column name	Archivo_Excel
Visible?	ALWAYS
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Fecha_Reporte

Column name	Fecha_Reporte
Visible?	ALWAYS

Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: Footer

Column name	Footer
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Image","Content":"=\"https://github.com/oviedojceballos-ops/LogoPersonalOviedo/blob/main/LogoHorizontalOV2_Footer.png?raw=true\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Slices

Slice Name Pqr x mes

Slice Name	Pqr x mes
Slice Columns	_RowNumber ID_PQR Servicio Fecha_Suceso Descripcion Identificacion NombreCompleto Email Telefono Fecha_Creacion Fecha_Respuesta Tiempo_Respuesta Estado_Pqr Departamento Gestor Tipo Archivo HeaderVirtual NombredelServicioVirtual Related GestionPqrs TiempoRes_Virtual CorreoGestorVirtual

	NombreDepartamentoVirtual NombreMesVirtual ID_SEQ_Virtual_Column Pqr_Mensuales_Virutal NumeroMesVirutal AlertaVencimiento_Virtual TiempoSinRespuesta_Virtual Año_VirtualColumn Tipo_Solicitud TipoSolicitante Poblacion Apelacion DepartamentoNotificado ID_Interno NumeroInterno FechaApelacion NombreFormateado ID_Gestion_Apelada Calificacion_Virtual AvisoArchivo Enlaces_Archivos ContadorNotificacion UltimaNotificacion Related ArchivosPostPqrs Dias_Habiles_Sheet Prioridad_Solicitud Footer
Row filter condition	=AND([Fecha_Creacion] >= DATE(Filtros[FechaInicio]), [Fecha_Creacion] <= DATE(Filtros[FechaFin]), OR([Servicio] = TEXT(Filtros[Servicio]), ISBLANK(Filtros[Servicio])))
Update mode	READ_ONLY
Source Table	Pqrs
Visible?	ALWAYS
Slice Actions	

Slice Name Pqrs x Años

Slice Name	Pqrs x Años
Slice Columns	_RowNumber

ID_PQR
Servicio
Fecha_Suceso
Descripcion
Identificacion
NombreCompleto
Email
Telefono
Fecha_Creacion
Fecha_Respuesta
Tiempo_Respuesta
Estado_Pqr
Departamento
Gestor
Tipo
Archivo
HeaderVirtual
NombredelServicioVirtual
Related GestionPqrs
TiempoRes_Virtual
CorreoGestorVirtual
NombreDepartamentoVirtual
NombreMesVirtual
ID_SEQ_Virtual_Column
Pqr_Mensuales_Virutal
NumeroMesVirutal
AlertaVencimiento_Virtual
TiempoSinRespuesta_Virtual
Año_VirtualColumn
Tipo_Solicitud
TipoSolicitante
Poblacion
Apelacion
DepartamentoNotificado
ID_Interno
NumeroInterno
FechaApelacion
NombreFormateado
ID_Gestion_Apelada
Calificacion_Virtual

	AvisoArchivo Enlaces_Archivos ContadorNotificacion UltimaNotificacion Related ArchivosPostPqrs Dias_Habiles_Sheet Prioridad_Solicitud Footer
Update mode	READ_ONLY
Source Table	Pqrs
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Noticias Publicadas

Slice Name	Noticias Publicadas
Slice Columns	_RowNumber ID_NOTICIA TITULO_NOTICIA DESCRIPCION_NOTICIA TIPO_NOTICIA ESTADO_NOTICIA FECHA_HORA ID_SEQ_Virtual_Column EncabezadoVirtual
Row filter condition	=[FECHA_HORA] >= (NOW() - 30)
Update mode	ALL_CHANGES
Source Table	Noticias
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Gestores_Solo_Lectura

Slice Name	Gestores_Solo_Lectura
Slice Columns	_RowNumber ID_Gestor ID_Departamento NombreGestor

	Identificacion Rol Estado CorreoGestor TelefonoGestor FotoGestor FirmaGestor SVG Related Pqrs Related GestionPqrs ID_SEQ_Virtual_Column SVGFinal_virtual SVGImagen_vitual Fecha_Creacion Ultima_Edicion CorreoCorporativo
Update mode	READ_ONLY
Source Table	Gestores
Visible?	ALWAYS
Slice Actions	**auto**

UX

Views

View name Agregar Pqr

View name	Agregar Pqr
Created by	App owner
View type	table
Position	right
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":["ID_Interno","AlertaVencimiento_Virtual","Fecha_Creacion","Estado_Pqr","Servicio","Departamento","Gestor","Related ArchivosPostPqrs","Related GestionPqrs"],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[{"Column":"Estado_Pqr","Order":"Ascending"},{"Column":"Fecha_Creacion","Order":"Ascending"}],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"far fa-ad","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	Ad
Menu order	1

View name DashBoard

View name	DashBoard
Created by	App owner
View type	dashboard
Position	menu
View configuration	{"ViewEntries":[{"ViewName":"Poblacion y Servicio","ViewSize":"Wide"},{"ViewName":"Servicios","ViewSize":"Large"},{"ViewName":"Departamentos - Gestor","ViewSize":"Large"},{"ViewName":"Estado Pqrs","ViewSize":"Wide"},{"ViewName":"Grafica entre Fechas","ViewSize":"Wide"},{"ViewName":"Pqrs por Años","ViewSize":"Wide"},{"ViewName":"filtros","ViewSize":"Large"}],"InteractiveMode":true,"Show

	Tabs":false,"Events":[],"Icon":"far fa-chart-pie","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=IN(LOOKUP(USEREMAIL(), "Gestores", "CorreoGestor", "Rol"), {"Administrador","Creador"})

View name Departamentos

View name	Departamentos
Created by	App owner
View type	table
Position	menu
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":true,"ColumnOrder":["Departamento","Estado","CorreoDpto","CorreoCorporativo","Related Gestores","Related Pqrs"],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fal fa-hotel","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=IN(LOOKUP(USEREMAIL(), "Gestores", "CorreoGestor", "Rol"), {"Administrador","Creador"})

View name Gestores

View name	Gestores
Created by	App owner
View type	gallery
ActionType	Small
Position	menu
View configuration	{"ImageSize":"Small","ActionBarEntries":null,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":

	[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fas fa-user-lock","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Reportes

View name	Reportes
Created by	App owner
View type	table
Position	menu
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":["ID_Reporte","Archivo_Excel","Tipo_Pqr","Tipo_Reporte","Por_Servicio","Departamento","Estado_Pqr","Fecha_Inicio","Fecha_Fin","Fecha_Reporte"],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[{"Column":"Fecha_Reporte","Order":"Descending"}],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fal fa-file-chart-line","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=IN(LOOKUP(USEREMAIL(), "Gestores", "CorreoGestor", "Rol"), {"Administrador","Creador"})

View name Servicio

View name	Servicio
Created by	App owner
View type	table
Position	menu
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"far fa-concierge-bell","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS

Icon	
Menu order	1
Show if	=IN(LOOKUP(USEREMAIL(), "Gestores", "CorreoGestor", "Rol"), {"Administrador","Creador"})

View name AnexosPqr

View name	AnexosPqr
Created by	App owner
View type	deck
ActionType	Square Image
Position	ref
View configuration	{"MainDeckImageColumn":"**auto**","ImageShape":"Square Image","PrimaryDeckHeaderColumn":"**auto**","SecondaryDeckHeaderColumn":"Observaciones","DeckSummaryColumn":"ID_InternoPQR","DeckNestedTableColumn":null,"ShowActionBar":true,"ActionColumns":[],"ActionBarEntries":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"},{"EventType":"Row Swiped Left","EventAction":"**auto**"},{"EventType":"Row Swiped Right","EventAction":"**auto**"}],"Icon":"fas fa-books-medical","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name ArchivosPostPqr_Detail

View name	ArchivosPostPqr_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":["ID_PQR","Fecha_Archivo","DescripcionPqr","Archivo_Post","Observaciones","ID_APP"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"De

	sktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name ArchivosPostPqr_Form

View name	ArchivosPostPqr_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":["ID_PQR","NombreCompleto","DescripcionPqr","Archivo_Post","Observaciones"],"AutoSave":false,"AutoReopen":false,"FinishView":"Pqrs_Inline","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":11,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"View Ref (ID_PQR)"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name ArchivosPostPqr_Inline

View name	ArchivosPostPqr_Inline
Created by	System
View type	deck
ActionType	Square Image
Position	ref
View configuration	{"MainDeckImageColumn":"**auto**","ImageShape":"Square Image","PrimaryDeckHeaderColumn":"ID_APP","SecondaryDeckHeaderColumn":"Observaciones","DeckSummaryColumn":"ID_PQR","DeckNestedTableColumn":null,"ShowActionBar":true,"ActionColumns":[],"ActionBarEntries":["Delete","Edit","View Ref (ID_PQR)","Open File (Archivo_Post)","Agregar Anexos","Gestionar-Pqr"],"GroupBy":[],"GroupAggregate":"NONE","SortBy":

	[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"},{"EventType":"Row Swiped Left","EventAction":"**auto**"},{"EventType":"Row Swiped Right","EventAction":"**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name ConsecutivosPqr_Detail

View name	ConsecutivosPqr_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name ConsecutivosPqr_Form

View name	ConsecutivosPqr_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}

Visible?	ALWAYS
Icon	
Menu order	1

View name Datos Empresa

View name	Datos Empresa
Created by	App owner
View type	deck
ActionType	Square Image
Position	ref
View configuration	{"MainDeckImageColumn":"**auto**","ImageShape":"Square Image","PrimaryDeckHeaderColumn":"**auto**","SecondaryDeckHeaderColumn":"**auto**","DeckSummaryColumn":"**auto**","DeckNestedTableColumn":null,"ShowActionBar":true,"ActionColumns":[],"ActionBarEntries":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"},{"EventType":"Row Swiped Left","EventAction":"**auto**"},{"EventType":"Row Swiped Right","EventAction":"**auto**"}],"Icon":"fas fa-copyright","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Datos_Rm_Detail

View name	Datos_Rm_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":{"style":{"type":"style","backgroundColor":"transparent","boxSizing":"border-box","height":"100%","id":"18803ca8-6cbf-41d7-b090-4509e0201431","inspection":{"isInspectable":true,"eventHandlers":

{}}},"children":[{"style":{"type":"style","color":{"type":"variable","value":"primaryText","id":"10ee5459-af8f-45ac-b486-193a9968c81e","inspection":{"isInspectable":true,"eventHandlers":{}}},"height":"100%","display":"flex","flexDirection":"column","justifyContent":"space-between","background":{"type":"variable","value":"mainContentBackground","id":"847233a2-0243-4f05-ac39-9d608383512f","inspection":{"isInspectable":true,"eventHandlers":{}}},"fontSize":14,"id":"0ed6623e-e7c8-4fc6-af1f-01adbfb245a0","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"value":"Logo","child":{"id":"media","type":"image","style":{"type":"style","width":"100%","height":194,"borderRadius":"4px 4px 0 0","objectFit":"cover","id":"3a9f1a4f-a1c1-4e0b-b789-dcf4b8995969","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"mainImage","type":"binding","inspection":{"isInspectable":true,"eventHandlers":{}}},{"style":{"type":"style","padding":16,"id":"fffb7450-5688-4ea1-b955-ce6f572d4f4b","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"value":"Nombre_Empresa","child":{"id":"label","type":"text","style":{"type":"style","fontSize":21,"lineHeight":1.15,"id":"97559953-75d9-4b10-919d-c416d183b4c9","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"c6a3a013-0faf-4db7-8829-39efc6704784","type":"binding","inspection":{"isInspectable":true,"eventHandlers":{}}},{"value":"Nit","child":{"id":"subheader","type":"text","style":{"type":"style","fontSize":14,"opacity":0.6,"paddingTop":4,"overflow":"hidden","id":"f3a98f74-a901-451b-9b64-8c00e5632325","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"bba2d2cb-c355-43aa-a0a3-46e89a578400","type":"binding","inspection":{"isInspectable":true,"eventHandlers":{}}}],"id":"headerTextContainer","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}},{"value":"Detalles","child":{"id":"description","type":"text","style":{"type":"style","fontSize":14,"padding":16,"paddingTop":8,"maxHeight":100,"overflow":"hidden","id":"f3a98f74-a901-451b-9b64-8c00e5632327","inspection":{"isInspectable":true,"eventHandlers":

{}}},"inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"bba2d2cb-c355-43aa-a0a3-46e89a5783d0","type":"binding","inspection":{"isInspectable":true,"eventHandlers":{}}},{"style":{"type":"style","display":"flex","alignItems":"center","justifyContent":"space-between","padding":8,"paddingTop":0,"paddingBottom":0,"id":"5fa06ef2-6010-4c1e-aa84-668f8ac967aa","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"value":"Instagram","child":{"id":"Action 1","type":"text","onClick":{"type":"action","id":"8faa486e-80a1-4bf8-9911-ff05823f7018","inspection":{"isInspectable":true,"eventHandlers":{}},"value":"Instagram"},"style":{"type":"variable","value":"actionButtonTextStyle","id":"4fcb9585-70b2-4bc0-a407-be6849bea1a7","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"c503ebe1-33d7-49e6-979d-a4f4a0345863","type":"actionDisplayText","inspection":{"isInspectable":true,"eventHandlers":{}}},{"value":"Compose Email (Correo)","child":{"id":"Action 2","type":"text","onClick":{"type":"action","id":"fb9d48ba-a444-4617-8859-7065b058efac","inspection":{"isInspectable":true,"eventHandlers":{}},"value":"Compose Email (Correo)"},"style":{"type":"variable","value":"actionButtonTextStyle","id":"77f5bd38-248e-4f75-bf97-18e3b5c54d50","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"63cee5fc-bcf9-4cce-bcfe-d330b69732b9","type":"actionDisplayText","inspection":{"isInspectable":true,"eventHandlers":{}}},{"style":{"type":"style","display":"flex","alignItems":"center","marginLeft":"auto","id":"ff7fc872-bf93-4502-963e-ecfc16771fd8","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"value":"fa-comment","child":{"id":"Action 3","type":"icon","onClick":{"type":"action","id":"c49470ae-b53e-4109-9bb7-d85a93cd0fdf","inspection":{"isInspectable":true,"eventHandlers":{}},"value":"Send SMS (Telefono_1)"},"style":{"type":"variable","value":"actionButtonIconStyle","id":"cd0faa93-c489-4d7b-bcd9-c8dd3e551dd1","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"45097ee1-733e-4faa-

b049-2e9be8ba402b","type":"constant","inspection":{"isInspectable":true,"eventHandlers":{}}},{"value":"fa-trash-alt","child":{"id":"Action 4","type":"icon","onClick":{"type":"action","id":"aaba7aa9-9bc5-4ca5-aef0-0e834f3b26e2","inspection":{"isInspectable":true,"eventHandlers":{}},"value":"Delete"},"style":{"type":"variable","value":"actionButtonIconStyle","id":"441cc05d-5e46-4753-bd34-6053ef27f305","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"5205cdc0-a69d-4f46-9a0a-4cc48950745a","type":"constant","inspection":{"isInspectable":true,"eventHandlers":{}}}],"id":"65eb11c1-7b76-4565-9284-94d6783d8ec0","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}}],"variables":[{"name":"actionButtonTextStyle","value":{"type":"style","maxHeight":60,"maxWidth":100,"display":"flex","alignItems":"center","overflow":"hidden","overflowWrap":"break-word","textTransform":"uppercase","fontSize":12,"cursor":"pointer","color":{"type":"variable","value":"actionIcon"},"border":5,"padding":8,"transition":"background 0.8s","hover":{"type":"style","background":{"type":"variable","value":"mainBackgroundVariant"},"transition":"background 0.8s"},"down":{"type":"style","background":{"type":"variable","value":"mainBackgroundVariant"},"transition":"background 0.8s"}}},{"name":"actionButtonIconStyle","value":{"type":"style","fontSize":16,"color":{"type":"variable","value":"secondaryText"},"border":"50%","cursor":"pointer","padding":8,"transition":"background 0.8s","hover":{"type":"style","background":{"type":"variable","value":"mainBackgroundVariant"},"transition":"background 0.8s"},"down":{"type":"style","background":{"type":"variable","value":"mainBackgroundVariant"},"transition":"background 0.8s"}}}],"id":"2a07cf3b-cdec-4e45-90cb-f2b2e14dae8d","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}}],"id":"55f59616-6c4f-48c8-88cc-1edd8388e4c9","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}}],"name":"detail","variables":[{"name":"imageName","value":"https://www.appsheet.com/Content/editor/img/empty-media-template.png"},{"name":"labelName","value":"Title goes here"}],"version":0,"id":"52405288-3f27-45d7-8c68-

	c7d489a76db4","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}},"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Datos_Rm_Form

View name	Datos_Rm_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Departamentos - Gestor

View name	Departamentos - Gestor
Created by	App owner
View type	chart
ActionType	Aggregate DonutChart
Position	ref
View configuration	{"ChartType":"Aggregate DonutChart","UseNewChartExperience":false,"ChartConfig":null,"ChartColumns":["Departamento","Gestor","Estado_Pqr","ContadorNotificacion"],"GroupAggregate":"COUNT","TrendLine":"None","ChartColors":

	[],"LabelType":"Value","ShowLegend":true,"SortBy":[],"Events":[],"Icon":"fas fa-chart-area","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Departamentos_Detail

View name	Departamentos_Detail
Created by	System
View type	detail
ActionType	Normal
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":["Departamento","ID_Departamento","Estado","CorreoDpto","Related Gestores","Related Pqrs","Related GestionPqrs"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Normal","MaxNestedRows":0,"SlideshowMode":true,"DesktopSplitMode":"Full screen","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Departamentos_Form

View name	Departamentos_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":["Departamento","Estado","CorreoDpto","CorreoCorporativo"],"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form

	Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Estado Pqrs

View name	Estado Pqrs
Created by	App owner
View type	chart
ActionType	Aggregate DonutChart
Position	ref
View configuration	{"ChartType":"Aggregate DonutChart","UseNewChartExperience":false,"ChartConfig":null,"ChartColumns":["Estado_Pqr"],"GroupAggregate":"NONE","TrendLine":"None","ChartColors":["red","yellow","green"],"LabelType":"Percent","ShowLegend":true,"SortBy":[],"Events":[],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name festivos_2025_2036_Detail

View name	festivos_2025_2036_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}

Visible?	ALWAYS
Icon	
Menu order	1

View name filtros

View name	filtros
Created by	App owner
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":["FechaInicio","FechaFin","Servicio"],"ColumnOrder":["FechaInicio","FechaFin","Servicio","TotalPqr_virtual","servicioAmbulancia_Vitual","AtencionUsuario_Virtual","Bascula_Virtual","Colpass_Virtual","CarroTaller_Virutal","Grua_Virtual","Peajes_Virutal","Predial","Estado_Vial_Virtual","Mantenimiento_Inf_Vitual","Señalizacion_Virtual","Baños_Virtual","Comunidad_Virtual","Otros_Virtual","Total_Pqrs_Virtual"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"far fa-calendar-alt","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Filtros_Detail

View name	Filtros_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"

	Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Filtros_Form

View name	Filtros_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Filtros_Inline

View name	Filtros_Inline
Created by	System
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name GestionPqr_Detail

View name	GestionPqr_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**none**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":["Apelacion","ComentariosApelacion","Estado_Email","ID_Interno","ID_PQR","Mensajeria_Interna","EstadoPqr","FechaPqr","Servicio","DescripcionPqr","ObservacionPersonalizada","Fecha_Gestion","FechaRespuesta","FechaApelacion","Departamento","Gestor","ArchivoRespuesta","Enlaces_Archivos","Footer"],"ImageStyle":"Fit","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":0,"SlideshowMode":true,"DesktopSplitMode":"Full screen","UseDesktopMultiColumn":false,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name GestionPqr_Form

View name	GestionPqr_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":["HeaderVirutal","ID_PQR","FechaPqr","Servicio","DescripcionPqr","RespuestaPQR","FechaRespuesta","EstadoPqr","Departamento","Gestor","ObservacionPersonalizada","ArchivoRespuesta","AvisoArchivoRespuestaVirtual","Mensajeria_Interna","Enlaces_Archivos","AvisoEnlaceVirtual","Footer"],"AutoSave":false,"AutoReopen":false,"FinishView":"GestionPqr_Detail","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":

	[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name GestionPqr_Inline

View name	GestionPqr_Inline
Created by	System
View type	table
Position	ref
View configuration	{"ColumnWidth":"Wide","EnableQuickEdit":false,"ColumnOrder":["ID_Interno","ID_PQR","FechaPqr","Servicio","FechaRespuesta"],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Gestores_Detail

View name	Gestores_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"SVGImagen_Virtual","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":["NombreGestor","Identificacion","CorreoGestor","CorreoCorporativo","Rol","Estado","TelefonoGestor","Fecha_Creacion","Ultima_Edicion","Related Pqrs","Related GestionPqrs","FirmaGestor"],"ImageStyle":"Fit","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":0,"SlideshowMode":false,"DesktopSplitMode":"Split

	view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Gestores_Form

View name	Gestores_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":["ID_Gestor","ID_Departamento","NombreGestor","Identificacion","Rol","Estado","CorreoGestor","CorreoCorporativo","TelefonoGestor","FotoGestor","FirmaGestor"],"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Gestores_Inline

View name	Gestores_Inline
Created by	System
View type	deck
ActionType	Square Image
Position	ref
View configuration	{"MainDeckImageColumn":null,"ImageShape":"Square Image","PrimaryDeckHeaderColumn":"NombreGestor","SecondaryDeckHeaderColumn":"ID_Departamento","DeckSummaryColumn":"Estado","DeckNestedTableColumn":"**none**","ShowActionBar":true,"ActionColumns":null,"ActionBarEntries":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":

	[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"},{"EventType":"Row Swiped Left","EventAction":"**auto**"},{"EventType":"Row Swiped Right","EventAction":"**auto**"}],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Grafica entre Fechas

View name	Grafica entre Fechas
Created by	App owner
View type	chart
ActionType	Aggregate DonutChart
Position	ref
View configuration	{"ChartType":"Aggregate DonutChart","UseNewChartExperience":false,"ChartConfig":{"ChartType":"Bar","FlipXY":false,"HideDataButton":true,"UnstackBarChart":null,"HideTitle":false,"DisableClickThrough":false,"HideDataZoomFilter":true,"Legend":{"Hide":true,"LegendPosition":"Top","Kpi":{"ShowLastValue":false,"ShowPercentDiff":false,"IsLowerValueBetter":false,"UseAccessibleColor":false}},"SortBy":null,"Encodings":{"Major":[{"AggregateFunc":"","ColumnName":"NombreMesVirtual","Trendline":null}],"Minor":[{"AggregateFunc":"Unique","ColumnName":"ID_PQR","Trendline":null}],"Color":[],"Size":[]}},"ChartColumns":["NombreMesVirtual","Estado_Pqr","Servicio"],"GroupAggregate":"NONE","TrendLine":"None","ChartColors":[],"LabelType":"Percent","ShowLegend":true,"SortBy":[],"Events":[],"Icon":"fas fa-calendar-check","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Insertar Noticias

View name	Insertar Noticias

Created by	App owner
View type	form
Position	ref
View configuration	{"ColumnOrder": ["EncabezadoVirtual","ID_NOTICIA","TITULO_NOTICIA","DESCRIPCION_NOTICIA","TIPO_NOTICIA","ESTADO_NOTICIA","FECHA_HORA"],"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events": [{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=IN(LOOKUP(USEREMAIL(), "Gestores", "CorreoGestor", "Rol"), {"Creador"})

View name Noticias Publicadas_Detail

View name	Noticias Publicadas_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder": ["ID_NOTICIA","ESTADO_NOTICIA","TIPO_NOTICIA","TITULO_NOTICIA","DESCRIPCION_NOTICIA","FECHA_HORA"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": [],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Noticias Publicadas_Form

View name	Noticias Publicadas_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Noticias_Detail

View name	Noticias_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":["EncabezadoVirtual","ESTADO_NOTICIA","TITULO_NOTICIA","ID_NOTICIA","DESCRIPCION_NOTICIA","TIPO_NOTICIA","FECHA_HORA","ID_SEQ_Virtual_Column"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Noticias_Form

View name	Noticias_Form

Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":["EncabezadoVirtual","ID_NOTICIA","TITULO_NOTICIA","DESCRIPCION_NOTICIA","TIPO_NOTICIA","ESTADO_NOTICIA","FECHA_HORA","ID_SEQ_Virtual_Column"],"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Poblacion y Servicio

View name	Poblacion y Servicio
Created by	App owner
View type	chart
ActionType	Aggregate DonutChart
Position	ref
View configuration	{"ChartType":"Aggregate DonutChart","UseNewChartExperience":false,"ChartConfig":null,"ChartColumns":["Poblacion","Servicio"],"GroupAggregate":"COUNT","TrendLine":"None","ChartColors":[],"LabelType":"Value","ShowLegend":true,"SortBy":[],"Events":[],"Icon":"fas fa-chart-area","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Portada

View name	Portada
Created by	App owner

View type	card
ActionType	Square Image
Position	ref
View configuration	{"Layout":{"style":{"type":"style","backgroundColor":"transparent","padding":8,"boxSizing":"border-box","height":"100%","id":"18803ca8-6cbf-41d7-b090-4509e0201431","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"style":{"type":"style","color":{"type":"variable","value":"primaryText","id":"10ee5459-af8f-45ac-b486-193a9968c81e","inspection":{"isInspectable":true,"eventHandlers":{}}},"height":"100%","cursor":"pointer","display":"flex","flexDirection":"column","justifyContent":"space-between","background":{"type":"variable","value":"mainContentBackground","id":"847233a2-0243-4f05-ac39-9d608383512f","inspection":{"isInspectable":true,"eventHandlers":{}}},"border":{"type":"variable","value":"cardBorderStyle","id":"e8419f6d-50c3-4897-b405-799e227f4a46","inspection":{"isInspectable":true,"eventHandlers":{}}},"borderRadius":{"type":"variable","value":"cardBorderRadius","id":"4c5b434c-818b-494c-8e90-ac6d86163982","inspection":{"isInspectable":true,"eventHandlers":{}}},"borderColor":{"type":"variable","value":"cardOutline","id":"076cdaba-ebb7-43f8-8272-8657c896661e","inspection":{"isInspectable":true,"eventHandlers":{}}},"highlighted":{"type":"style","background":{"type":"variable","value":"tableRowFocus","id":"d220ae1c-9b38-45ec-b75a-b03d8592fed3","inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"b10155de-960d-4680-99ab-12250e16f94e","inspection":{"isInspectable":true,"eventHandlers":{}}},"highlightedUpdate":{"type":"style","border":{"type":"variable","value":"cardBorderStyleSelected","id":"57fc1f11-5f3d-4989-bdaa-b7352960cd1b","inspection":{"isInspectable":true,"eventHandlers":{}}},"borderColor":{"type":"variable","value":"focusColor","id":"77fab2c0-a3db-44bb-b901-0c19299a21eb","inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"8136a902-287f-4c23-9be2-a32093206a0e","inspection":{"isInspectable":true,"eventHandlers":{}}},"hover":{"type":"style","boxShadow":{"type":"variable","value":"cardHoverShadow","id":"d220ae1c-9b38-45ec-b75a-b03d8592fede","inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"b10155de-960d-4680-99ab-12250e16f9ee","inspection":

{"isInspectable":true,"eventHandlers":{}}},"down":
{"type":"style","boxShadow":
{"type":"variable","value":"cardHoverShadow","id":"21f41bc4-1d8f-4212-a6e4-057bd3a8fe0b","inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"9205c7a9-35ed-4237-b9c8-92d448dc9b11","inspection":
{"isInspectable":true,"eventHandlers":{}}},"fontSize":14,"id":"0ed6623e-e7c8-4fc6-af1f-01adbfb245a0","inspection":
{"isInspectable":true,"eventHandlers":{}}},"children":[{"style":
{"type":"style","display":"flex","flexDirection":"column","id":"b326848a-0e5d-45b6-92e7-18b1eaff4fbf","inspection":
{"isInspectable":true,"eventHandlers":{}}},"children":[{"style":
{"type":"style","display":"flex","alignItems":"center","padding":16,"justifyContent":"flex-start","maxHeight":180,"overflow":"hidden","id":"ae5d4091-fbd2-4ae7-82e0-564ca1ea2a77","inspection":
{"isInspectable":true,"eventHandlers":{}}},"children":
[{"value":"https://www.appsheet.com/Content/editor/img/empty-media-template.png","child":{"id":"headerAvatar","type":"image","style":
{"type":"style","overflow":"hidden","width":40,"height":40,"marginRight":8,"borderRadius":"50%","objectFit":"cover","flex":"0 0 40px","id":"22ed7929-a8cb-4a0a-b78b-fe7853b18125","inspection":
{"isInspectable":true,"eventHandlers":{}}},"inspection":
{"isInspectable":true,"eventHandlers":{}}},"id":"63273175-9e0e-4379-95b5-8da5342d6fa8","type":"constant","inspection":
{"isInspectable":true,"eventHandlers":{}}},{"style":
{"type":"style","display":"flex","flexDirection":"column","flexShrink":1,"flexGrow":0,"id":"fe240110-04af-4b08-983c-f4e4624c8207","inspection":
{"isInspectable":true,"eventHandlers":{}}},"children":
[{"value":"Nombre_Empresa","child":{"id":"topLabel","type":"text","style":
{"type":"style","fontSize":14,"fontWeight":"bold","id":"4fc94630-1b53-4c2e-8477-826a4ef826c6","inspection":
{"isInspectable":true,"eventHandlers":{}}},"inspection":
{"isInspectable":true,"eventHandlers":{}},"ignore":false},"id":"c58c3166-430e-40ee-b9e1-
cab07ce2b356","type":"binding","ignore":false,"inspection":
{"isInspectable":true,"eventHandlers":{}}},{"value":"Nit","child":
{"id":"subtitleText","type":"text","style":
{"type":"style","opacity":0.6,"fontSize":12,"maxHeight":40,"id":"32687c50-44cb-4d0d-a848-d84a72d94ef2","inspection":
{"isInspectable":true,"eventHandlers":{}}},"inspection":
{"isInspectable":true,"eventHandlers":{}},"ignore":false},"id":"6d1502ac-

f3f3-4ce9-91ce-1f632c1a706b","type":"binding","ignore":false,"inspection":{"isInspectable":true,"eventHandlers":{}}}],"id":"7be4f9c6-7504-426f-b944-5a94795c043f","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}}],"id":"704fef38-ab0b-4dd1-95d6-8a07a7990d5f","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}}],"id":"af91500b-b30c-4746-9c04-115cba83dd48","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}},{"value":"Logo","child":{"id":"media","type":"image","style":{"type":"style","width":"100%","height":194,"objectFit":"contain","borderRadius":{"type":"variable","value":"cardImageBorderRadius","id":"bc1efa50-0822-405a-93aa-c0b193226416","inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"3a9f1a4f-a1c1-4e0b-b789-dcf4b8995969","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}},"ignore":false},"id":"389aa175-46a6-4aa3-86a5-e62e641007fc","type":"binding","ignore":false,"inspection":{"isInspectable":true,"eventHandlers":{}}},{"style":{"type":"style","padding":16,"overflowWrap":"break-word","id":"cf4cbdbf-95fe-43cc-a1b1-64bc37b2a6ca","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"value":"Web","child":{"id":"label","type":"text","style":{"type":"style","fontSize":21,"lineHeight":1.15,"id":"97559953-75d9-4b10-919d-c416d183b4c9","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{},"ignore":false},"id":"c6a3a013-0faf-4db7-8829-39efc6704784","type":"binding","ignore":false,"inspection":{"isInspectable":true,"eventHandlers":{}}},{"value":"Telefono_1","child":{"id":"subheader","type":"text","style":{"type":"style","fontSize":14,"opacity":0.6,"paddingTop":4,"id":"f3a98f74-a901-451b-9b64-8c00e5632325","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{},"ignore":false},"id":"bba2d2cb-c355-43aa-a0a3-46e89a578400","type":"binding","ignore":false,"inspection":{"isInspectable":true,"eventHandlers":{}}}],"id":"headerTextContainer","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}},{"value":"Detalles","child":

{"id":"description","type":"text","style":
{"type":"style","fontSize":14,"padding":16,"paddingTop":8,"paddingBotto
m":0,"marginBottom":16,"WebkitLineClamp":4,"overflow":"hidden","Webk
itBoxOrient":"vertical","display":"-webkit-box","id":"f3a98f74-a901-451b-
9b64-8c00e5632327","inspection":
{"isInspectable":true,"eventHandlers":{}}},"inspection":
{"isInspectable":true,"eventHandlers":{}},"ignore":false},"id":"bba2d2cb-
c355-43aa-a0a3-
46e89a5783d0","type":"binding","ignore":false,"inspection":
{"isInspectable":true,"eventHandlers":{}}},{"style":
{"type":"style","display":"flex","alignItems":"center","justifyContent":"spac
e-
between","padding":8,"paddingTop":0,"paddingBottom":0,"id":"5fa06ef2-
6010-4c1e-aa84-668f8ac967aa","inspection":
{"isInspectable":true,"eventHandlers":{}}},"children":[{"value":"Open Url
(Instagram)","child":{"id":"Action 1","type":"text","onClick":
{"type":"action","id":"8faa486e-80a1-4bf8-9911-
ff05823f7018","inspection":{"isInspectable":true,"eventHandlers":
{}},"ignore":false,"value":"Open Url (Instagram)"},"style":
{"type":"variable","value":"actionButtonTextStyle","id":"4fcb9585-70b2-
4bc0-a407-be6849bea1a7","inspection":
{"isInspectable":true,"eventHandlers":{}}},"inspection":
{"isInspectable":true,"eventHandlers":{}},"ignore":false},"id":"c503ebe1-
33d7-49e6-979d-
a4f4a0345863","type":"actionDisplayText","ignore":false,"inspection":
{"isInspectable":true,"eventHandlers":{}}},{"value":"Open Url
(Facebook)","child":{"id":"Action 2","type":"text","onClick":
{"type":"action","id":"fb9d48ba-a444-4617-8859-
7065b058efac","inspection":{"isInspectable":true,"eventHandlers":
{}},"ignore":false,"value":"Open Url (Facebook)"},"style":
{"type":"variable","value":"actionButtonTextStyle","id":"77f5bd38-248e-
4f75-bf97-18e3b5c54d50","inspection":
{"isInspectable":true,"eventHandlers":{}}},"inspection":
{"isInspectable":true,"eventHandlers":{}},"ignore":false},"id":"63cee5fc-
bcf9-4cce-bcfe-
d330b69732b9","type":"actionDisplayText","ignore":false,"inspection":
{"isInspectable":true,"eventHandlers":{}}},{"style":
{"type":"style","display":"flex","alignItems":"center","marginLeft":"auto","id"
:"ff7fc872-bf93-4502-963e-ecfc16771fd8","inspection":
{"isInspectable":true,"eventHandlers":{}}},"children":[{"value":"fa-

external-link","child":{"id":"Action 3","type":"icon","onClick":
{"type":"action","id":"c49470ae-b53e-4109-9bb7-
d85a93cd0fdf","inspection":{"isInspectable":true,"eventHandlers":
{}},"ignore":false,"value":"Open Url (Web)"},"style":
{"type":"variable","value":"actionButtonIconStyle","id":"cd0faa93-c489-
4d7b-bcd9-c8dd3e551dd1","inspection":
{"isInspectable":true,"eventHandlers":{}}},"inspection":
{"isInspectable":true,"eventHandlers":{}},"ignore":false},"id":"45097ee1-
733e-4faa-b049-
2e9be8ba402b","type":"constant","ignore":false,"inspection":
{"isInspectable":true,"eventHandlers":{}}},{"value":"far fa-
comment","child":{"id":"Action 4","type":"icon","onClick":
{"type":"action","id":"aaba7aa9-9bc5-4ca5-aef0-
0e834f3b26e2","inspection":{"isInspectable":true,"eventHandlers":
{}},"ignore":false,"value":"WhatsApp-1"},"style":
{"type":"variable","value":"actionButtonIconStyle","id":"441cc05d-5e46-
4753-bd34-6053ef27f305","inspection":
{"isInspectable":true,"eventHandlers":{}}},"inspection":
{"isInspectable":true,"eventHandlers":{}},"ignore":false},"id":"5205cdc0-
a69d-4f46-9a0a-
4cc48950745a","type":"constant","ignore":false,"inspection":
{"isInspectable":true,"eventHandlers":{}}}],"id":"65eb11c1-7b76-4565-
9284-94d6783d8ec0","type":"container","inspection":
{"isInspectable":true,"eventHandlers":{}}}],"variables":
[{"name":"actionButtonTextStyle","value":
{"type":"style","maxHeight":60,"maxWidth":100,"display":"flex","alignItem
s":"center","overflow":"hidden","overflowWrap":"break-
word","textTransform":"uppercase","fontSize":12,"cursor":"pointer","color
":
{"type":"variable","value":"actionIcon"},"border":5,"padding":8,"transition":"
background 0.8s","hover":{"type":"style","background":
{"type":"variable","value":"mainBackgroundVariant"},"transition":"backgr
ound 0.8s"},"down":{"type":"style","background":
{"type":"variable","value":"mainBackgroundVariant"},"transition":"backgr
ound 0.8s"}}},{"name":"actionButtonIconStyle","value":
{"type":"style","fontSize":16,"display":"flex","alignItems":"center","color":
{"type":"variable","value":"secondaryText"},"border":"50%","cursor":"point
er","padding":16,"transition":"background 0.8s","hover":
{"type":"style","background":
{"type":"variable","value":"mainBackgroundVariant"},"transition":"backgr

	ound 0.8s"},"down":{"type":"style","background":{"type":"variable","value":"mainBackgroundVariant"},"transition":"background 0.8s"}}}],"id":"2a07cf3b-cdec-4e45-90cb-f2b2e14dae8d","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}}],"onClick":{"id":"mainClickAction","type":"action","ignore":false,"inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"55f59616-6c4f-48c8-88cc-1edd8388e4c9","type":"container","ignore":false,"inspection":{"isInspectable":true,"eventHandlers":{}}}],"name":"large","variables":[{"name":"imageName","value":"https://www.appsheet.com/Content/editor/img/empty-media-template.png"},{"name":"labelName","value":"Title goes here"}],"version":0,"id":"52405288-3f27-45d7-8c68-c7d489a76db4","type":"container","ignore":false,"inspection":{"isInspectable":true,"eventHandlers":{}}},"MainDeckImageColumn":"**auto**","ImageShape":"Square Image","PrimaryDeckHeaderColumn":"**auto**","SecondaryDeckHeaderColumn":"**auto**","DeckSummaryColumn":"**auto**","DeckNestedTableColumn":null,"ShowActionBar":true,"ActionColumns":[],"ActionBarEntries":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"far fa-eye","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Pqrs por Años

View name	Pqrs por Años
Created by	App owner
View type	chart
ActionType	Aggregate DonutChart
Position	ref
View configuration	{"ChartType":"Aggregate DonutChart","UseNewChartExperience":false,"ChartConfig":null,"ChartColumns":["Año_VirtualColumn","NombreMesVirtual","Servicio"],"GroupAggregate":"COUNT","TrendLine":"None","ChartColors":

	["orange"],"LabelType":"Percent","ShowLegend":true,"SortBy":[],"Events":[],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Pqrs_Detail

View name	Pqrs_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":["HeaderVirtual","AlertaVencimiento_Virtual","ContadorNotificacion","UltimaNotificacion","ID_Interno","Servicio","Fecha_Suceso","Descripcion","Identificacion","NombreCompleto","Email","Telefono","Fecha_Creacion","Fecha_Respuesta","Tiempo_Respuesta","Calificacion_Virtual","Estado_Pqr","Departamento","Gestor","Tipo","Archivo","Tipo_Solicitud","Prioridad_Solicitud","TipoSolicitante","Poblacion","Apelacion","FechaApelacion","Related ArchivosPostPqrs","Related GestionPqrs","Footer"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":50,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Pqrs_Form

View name	Pqrs_Form
Created by	System
View type	form
Position	ref

View configuration	{"ColumnOrder":["_RowNumber","HeaderVirtual","Tipo_Solicitud","Servicio","Fecha_Suceso","Descripcion","Prioridad_Solicitud","TipoSolicitante","Identificacion","NombreCompleto","Email","Telefono","Poblacion","Departamento","Gestor","Tipo","Archivo","AvisoArchivo","Footer"],"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Default","PageStyle":"Simple","FormFooterStyle":"Bottom","MaxNestedRows":9,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Pqrs_Inline

View name	Pqrs_Inline
Created by	System
View type	table
Position	ref
View configuration	{"ColumnWidth":"Wide","EnableQuickEdit":false,"ColumnOrder":["ID_Interno","Estado_Pqr","Prioridad_Solicitud","AlertaVencimiento_Virtual","Fecha_Creacion","Apelacion","Tiempo_Respuesta","Departamento","Gestor"],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[{"Column":"Estado_Pqr","Order":"Ascending"}],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Realizar Gestion

View name	Realizar Gestion
Created by	App owner
View type	table
Position	ref

View configuration	{"ColumnWidth":"Default","EnableQuickEdit":true,"ColumnOrder":["ID_Interno","ID_PQR","FechaPqr","Servicio","FechaRespuesta","EstadoPqr","Departamento","Gestor","Ultima_Gestion_Virtual"],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"far fa-business-time","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Reportes_Detail

View name	Reportes_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Reportes_Form

View name	Reportes_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":["Tipo_Pqr","Tipo_Reporte","Por_Servicio","Departamento","Estado_Pqr","Fecha_Inicio","Fecha_Fin","Footer"],"AutoSave":false,"AutoReopen":true,"

	FinishView":"Reportes_Detail","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Reportes_Inline

View name	Reportes_Inline
Created by	System
View type	table
Position	ref
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Servicio_Detail

View name	Servicio_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":["Servicio","ID_Servicio"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":

	[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Servicio_Form

View name	Servicio_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Servicios

View name	Servicios
Created by	App owner
View type	chart
ActionType	Aggregate DonutChart
Position	ref
View configuration	{"ChartType":"Aggregate DonutChart","UseNewChartExperience":false,"ChartConfig":null,"ChartColumns":["Servicio","Estado_Pqr"],"GroupAggregate":"COUNT","TrendLine":"None","ChartColors":[],"LabelType":"Value","ShowLegend":true,"SortBy":[],"Events":[],"Icon":"fas fa-chart-area","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	

Menu order	1

View name Ultimas Noticias

View name	Ultimas Noticias
Created by	App owner
View type	table
Position	ref
View configuration	{"ColumnWidth":"Wide","EnableQuickEdit":true,"ColumnOrder":["ESTADO_NOTICIA","TIPO_NOTICIA","FECHA_HORA","TITULO_NOTICIA","DESCRIPCION_NOTICIA"],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[{"Column":"ESTADO_NOTICIA","Order":"Ascending"}],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"far fa-newspaper","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=IN(LOOKUP(USEREMAIL(), "Gestores", "CorreoGestor", "Rol"), {"Creador"})

Format Rules

Rule name Instagram

Rule name	Instagram
Format these columns and actions	__action__Open Url (Instagram)
For this data	Datos_Rm
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"#fd025f","highlightColor":"#fd025f","textSize":1.3,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-camera-retro","imageSize":null}
Visible?	ALWAYS

Rule name Facebook

Rule name	Facebook
Format these columns and actions	__action__Open Url (Facebook)
For this data	Datos_Rm
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"#0845ff","highlightColor":"","textSize":1.3,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"","imageSize":null}
Visible?	ALWAYS

Rule name WhatsApp_1

Rule name	WhatsApp_1
Format these columns and actions	__action__WhatsApp-1
For this data	Datos_Rm
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"#0dc143","highlightColor":"","textSize":1.3,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"","imageSize":"Large"}
Visible?	ALWAYS

Rule name Abierta

Rule name	Abierta
Format these columns and actions	Estado_Pqr
For this data	Pqrs
If this condition is true	=[Estado_Pqr]="Abierta"
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"minorText","highlightColor":"minorText","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":fal

	se,"uppercase":false,"icon":"fas fa-times-circle","imageSize":null}
Visible?	ALWAYS

Rule name Tipo_AppUser

Rule name	Tipo_AppUser
Format these columns and actions	Tipo
For this data	Pqrs
If this condition is true	=[Tipo]="AppUser"
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"purple","highlightColor":"purple","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-tags","imageSize":null}
Visible?	ALWAYS

Rule name Cerrada

Rule name	Cerrada
Format these columns and actions	Estado_Pqr
For this data	Pqrs
If this condition is true	=[Estado_Pqr]="Cerrada"
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"green","highlightColor":"green","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-circle","imageSize":null}
Visible?	ALWAYS

Rule name ID_Gestion_Cerrada

Rule name	ID_Gestion_Cerrada
Format these columns and actions	ID_Interno

For this data	GestionPqr
If this condition is true	=AND([EstadoPqr]="Cerrada",ISNOTBLANK([ID_PQR].[ID_PQR]))
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"green","highlightColor":"green","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-circle","imageSize":null}
Visible?	ALWAYS

Rule name ID_Gestion_Atendida

Rule name	ID_Gestion_Atendida
Format these columns and actions	ID_Interno
For this data	GestionPqr
If this condition is true	=AND([EstadoPqr]="Atendida",ISNOTBLANK([ID_PQR].[ID_PQR]))
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"orange","highlightColor":"orange","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-weight","imageSize":null}
Visible?	ALWAYS

Rule name Atendida

Rule name	Atendida
Format these columns and actions	Estado_Pqr
For this data	Pqrs
If this condition is true	=[Estado_Pqr]="Atendida"
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"orange","highlightColor":"orange","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-hourglass-half","imageSize":null}

Visible?	ALWAYS

Rule name Actualizar Datos

Rule name	Actualizar Datos
Format these columns and actions	__action__Actualizar Fecha_Respuesta
For this data	Pqrs
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"purple","highlightColor":"purple","textSize":1.1,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-marker","imageSize":null}
Visible?	ALWAYS

Rule name Action_Cerrada

Rule name	Action_Cerrada
Format these columns and actions	__action__Cerrada
For this data	GestionPqr
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"green","highlightColor":"green","textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"far fa-check-circle","imageSize":null}
Visible?	ALWAYS

Rule name Action_Atendida

Rule name	Action_Atendida
Format these columns and actions	__action__Atendida
For this data	GestionPqr
Rule order	1
Is this format rule disabled?	No

Like this	{"textColor":"orange","highlightColor":"orange","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-weight","imageSize":null}
Visible?	ALWAYS

Rule name Tipo_Correo

Rule name	Tipo_Correo
Format these columns and actions	Tipo
For this data	Pqrs
If this condition is true	=[Tipo]="Correo Electronico"
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"minorText","highlightColor":"minorText","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-at","imageSize":null}
Visible?	ALWAYS

Rule name Tipo_Buzon

Rule name	Tipo_Buzon
Format these columns and actions	Tipo
For this data	Pqrs
If this condition is true	=[Tipo]="Buzón de Sugerencias"
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"cyan","highlightColor":"cyan","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-box-check","imageSize":null}
Visible?	ALWAYS

Rule name EnviarCorreoUsuario_Pendiente

Rule name	EnviarCorreoUsuario_Pendiente

Format these columns and actions	Estado_Email
For this data	GestionPqr
If this condition is true	=[Estado_Email]="Pendiente"
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"red","highlightColor":"","textSize":1.4,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-paper-plane","imageSize":null}
Visible?	ALWAYS

Rule name EnviarCorreoUsuario_Iniciado

Rule name	EnviarCorreoUsuario_Iniciado
Format these columns and actions	Estado_Email
For this data	GestionPqr
If this condition is true	=[Estado_Email]="Iniciado"
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"orange","highlightColor":"","textSize":1.4,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-paper-plane","imageSize":null}
Visible?	ALWAYS

Rule name EnviarCorreoUsuario_Completado

Rule name	EnviarCorreoUsuario_Completado
Format these columns and actions	Estado_Email
For this data	GestionPqr
If this condition is true	=[Estado_Email]="Completado"
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"green","highlightColor":"","textSize":1.4,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-check","imageSize":null}

Visible?	ALWAYS

Rule name Abrir PDF

Rule name	Abrir PDF
Format these columns and actions	__action__Open File (PDF)
For this data	GestionPqr
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"red","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name Abrir PDF 2

Rule name	Abrir PDF 2
Format these columns and actions	__action__Open File (ArchivoRespuesta)
For this data	GestionPqr
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"purple","highlightColor":"purple","textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name Atendida_Estado

Rule name	Atendida_Estado
Format these columns and actions	EstadoPqr
For this data	GestionPqr
If this condition is true	=[EstadoPqr]="Atendida"
Rule order	1
Is this format rule disabled?	No

Like this	{"textColor":"orange","highlightColor":"","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name Cerrada_Estado

Rule name	Cerrada_Estado
Format these columns and actions	EstadoPqr
For this data	GestionPqr
If this condition is true	=[EstadoPqr]="Cerrada"
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"green","highlightColor":"","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name Add Gestion

Rule name	Add Gestion
Format these columns and actions	__action__Agregar Gestion
For this data	GestionPqr
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"minorText","highlightColor":"minorText","textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name Enviar Correo

Rule name	Enviar Correo
Format these columns and actions	__action__Enviar Correo con Respuesta

For this data	GestionPqr
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"primaryText","highlightColor":"primaryText","textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name Reenviar Correo

Rule name	Reenviar Correo
Format these columns and actions	__action__Reenviar Correo con Respuesta 2
For this data	GestionPqr
If this condition is true	=[Estado_Email]="Completado"
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"green","highlightColor":"green","textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fas fa-envelope-open","imageSize":null}
Visible?	ALWAYS

Rule name Ver Pqr

Rule name	Ver Pqr
Format these columns and actions	__action__View Ref (ID_PQR)
For this data	GestionPqr
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"blue","highlightColor":"","textSize":2.2,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name Alerta Dentro del tiempo

Rule name	Alerta Dentro del tiempo
Format these columns and actions	ID_Interno
For this data	Pqrs
If this condition is true	=[Estado_Pqr]<>"Abierta"
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"blue","highlightColor":"","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name Alertas

Rule name	Alertas
Format these columns and actions	TIPO_NOTICIA
For this data	Noticias
If this condition is true	=[TIPO_NOTICIA]="Alertas"
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"red","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-engine-warning","imageSize":"Tiny"}
Visible?	ALWAYS

Rule name Emergencias

Rule name	Emergencias
Format these columns and actions	TIPO_NOTICIA
For this data	Noticias
If this condition is true	=[TIPO_NOTICIA]="Emergencias"
Rule order	1
Is this format rule disabled?	No

Like this	{"textColor":"orange","highlightColor":"orange","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-ambulance","imageSize":"Tiny"}
Visible?	ALWAYS

Rule name Notificaciones

Rule name	Notificaciones
Format these columns and actions	TIPO_NOTICIA
For this data	Noticias
If this condition is true	=[TIPO_NOTICIA]="Notificaciones"
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"blue","highlightColor":"blue","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fal fa-eye","imageSize":"Tiny"}
Visible?	ALWAYS

Rule name Vigente

Rule name	Vigente
Format these columns and actions	ESTADO_NOTICIA
For this data	Noticias
If this condition is true	=[ESTADO_NOTICIA]="Vigente"
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"green","highlightColor":"","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"","imageSize":"Tiny"}
Visible?	ALWAYS

Rule name Vencida

Rule name	Vencida

Format these columns and actions	ESTADO_NOTICIA
For this data	Noticias
If this condition is true	=[ESTADO_NOTICIA]="Vencida"
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"red","highlightColor":"","textSize":1.0,"underline":false,"strikethrough":true,"bold":true,"italic":false,"uppercase":false,"icon":"","imageSize":"Tiny"}
Visible?	ALWAYS

Rule name Accion vigente

Rule name	Accion vigente
Format these columns and actions	__action__Vigente
For this data	Noticias
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"green","highlightColor":"green","textSize":1.9,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name Accion Vencida

Rule name	Accion Vencida
Format these columns and actions	__action__Vencida
For this data	Noticias
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"red","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":"Large"}
Visible?	ALWAYS

Rule name Tipo_Telefono

Rule name	Tipo_Telefono
Format these columns and actions	Tipo
For this data	Pqrs
If this condition is true	=[Tipo]="Teléfono o verbal"
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"yellow","highlightColor":"yellow","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-at","imageSize":null}
Visible?	ALWAYS

Rule name Apelacion

Rule name	Apelacion
Format these columns and actions	__action__Actualizar PQR desde Apelacion 2
For this data	GestionPqr
Rule order	1
Is this format rule disabled?	Yes
Like this	{"textColor":"purple","highlightColor":"purple","textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name Apelacion color texto

Rule name	Apelacion color texto
Format these columns and actions	ID_Interno Estado_Pqr Departamento Gestor
For this data	Pqrs
If this condition is true	=[Apelacion]="Sí"
Rule order	1

Is this format rule disabled?	No
Like this	{"textColor":"pink","highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name Apelacion color accion

Rule name	Apelacion color accion
Format these columns and actions	__action__Apelacion
For this data	GestionPqr
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"pink","highlightColor":"pink","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":null,"imageSize":"Medium"}
Visible?	ALWAYS

Rule name Cometarios Apelación Insertar

Rule name	Cometarios Apelación Insertar
Format these columns and actions	__action__Comentarios Apelación Insertar
For this data	GestionPqr
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"cyan","highlightColor":"cyan","textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name Cometarios Apelación Editar

Rule name	Cometarios Apelación Editar
Format these columns and actions	__action__Comentarios Apelación Editar

For this data	GestionPqr
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"minorText","highlightColor":"minorText","textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name Gestion Apelada

Rule name	Gestion Apelada
Format these columns and actions	ID_Interno ID_InternoPQR
For this data	GestionPqr
If this condition is true	=[Apelacion]="Sí"
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"pink","highlightColor":"pink","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name Action Agregar Pqr

Rule name	Action Agregar Pqr
Format these columns and actions	__action__Agregar Pqr
For this data	Gestores
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"purple","highlightColor":"purple","textSize":1.1,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name Alerta Dentro del tiempo abierta

Rule name	Alerta Dentro del tiempo abierta
Format these columns and actions	ID_Interno
For this data	Pqrs
If this condition is true	=[Estado_Pqr]="Abierta"
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"minorText","highlightColor":"","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name Corregir PDF

Rule name	Corregir PDF
Format these columns and actions	__action__Corregir PDF
For this data	GestionPqr
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"minorText","highlightColor":"minorText","textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name Mensaje para insertar enlaces rojo

Rule name	Mensaje para insertar enlaces rojo
Format these columns and actions	AvisoEnlaceVirtual
For this data	GestionPqr
If this condition is true	=ISBLANK([Enlaces_Archivos])
Rule order	1
Is this format rule disabled?	No

Like this	{"textColor":"red","highlightColor":null,"textSize":0.8,"underline":false,"strikethrough":false,"bold":false,"italic":true,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name Mensaje para insertar Archivo rojo

Rule name	Mensaje para insertar Archivo rojo
Format these columns and actions	AvisoArchivo
For this data	Pqrs
If this condition is true	=ISBLANK([Archivo])
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"red","highlightColor":null,"textSize":0.8,"underline":false,"strikethrough":false,"bold":false,"italic":true,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name Mensaje para insertar ArchivoRespuesta Azul

Rule name	Mensaje para insertar ArchivoRespuesta Azul
Format these columns and actions	AvisoArchivoRespuestaVirtual
For this data	GestionPqr
If this condition is true	=ISNOTBLANK([ArchivoRespuesta])
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"blue","highlightColor":null,"textSize":0.8,"underline":false,"strikethrough":false,"bold":false,"italic":true,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name Mensaje para insertar enlaces Azul

Rule name	Mensaje para insertar enlaces Azul

Format these columns and actions	AvisoEnlaceVirtual
For this data	GestionPqr
If this condition is true	=ISNOTBLANK([Enlaces_Archivos])
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"blue","highlightColor":null,"textSize":0.8,"underline":false,"strikethrough":false,"bold":false,"italic":true,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name Mensaje para insertar ArchivoRespuesta Azul 2

Rule name	Mensaje para insertar ArchivoRespuesta Azul 2
Format these columns and actions	AvisoArchivo
For this data	Pqrs
If this condition is true	=ISNOTBLANK([Archivo])
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"blue","highlightColor":null,"textSize":0.8,"underline":false,"strikethrough":false,"bold":false,"italic":true,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name Mensaje para insertar ArchivoRespuesta rojo 2

Rule name	Mensaje para insertar ArchivoRespuesta rojo 2
Format these columns and actions	AvisoArchivoRespuestaVirtual
For this data	GestionPqr
If this condition is true	=ISBLANK([ArchivoRespuesta])
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"red","highlightColor":null,"textSize":0.8,"underline":false,"strikethrough":false,"bold":false,"italic":true,"uppercase":false,"icon":null,"imageSize":null}

Visible?	ALWAYS

Rule name PQRSD Vencida

Rule name	PQRSD Vencida
Format these columns and actions	ID_Interno AlertaVencimiento_Virtual
For this data	Pqrs
If this condition is true	=AND([Estado_Pqr] = "Abierta", ISBLANK([Fecha_Respuesta]), [Dias_Habiles_Sheet] >= IFS([Prioridad_Solicitud] = "Documentos o Información", 10, [Prioridad_Solicitud] = "General", 15, TRUE, 15))
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"red","highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name Editar

Rule name	Editar
Format these columns and actions	__action__Edit
For this data	Pqrs
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"blue","highlightColor":"blue","textSize":1.1,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name Evidencia Cargada

Rule name	Evidencia Cargada
Format these columns and actions	__action__Open File (Archivo)
For this data	Pqrs

Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"purple","highlightColor":"purple","textSize":1.1,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name Gestinar Pqr

Rule name	Gestinar Pqr
Format these columns and actions	__action__Gestionar Pqr
For this data	Pqrs
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"orange","highlightColor":"orange","textSize":1.1,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name Editar 2

Rule name	Editar 2
Format these columns and actions	__action__Edit
For this data	GestionPqr
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"blue","highlightColor":"blue","textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name Archivos anexados relacionados

Rule name	Archivos anexados relacionados

Format these columns and actions	Related ArchivosPostPqrs
For this data	Pqrs
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"purple","highlightColor":"purple","textSize":1.3,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-books-medical","imageSize":null}
Visible?	ALWAYS

Rule name Gestiones relacionadas

Rule name	Gestiones relacionadas
Format these columns and actions	Related GestionPqrs
For this data	Pqrs
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"orange","highlightColor":"","textSize":1.3,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"","imageSize":null}
Visible?	ALWAYS

Rule name Archivos

Rule name	Archivos
Format these columns and actions	__action__Open File (Archivo_Post)
For this data	ArchivosPostPqr
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"purple","highlightColor":"purple","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"","imageSize":null}
Visible?	ALWAYS

Rule name ID App

Rule name	ID App
Format these columns and actions	ID_APP
For this data	ArchivosPostPqr
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"purple","highlightColor":"","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"","imageSize":null}
Visible?	ALWAYS

Rule name Accion Gestionar pqr

Rule name	Accion Gestionar pqr
Format these columns and actions	__action__Gestionar-Pqr
For this data	ArchivosPostPqr
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"orange","highlightColor":"orange","textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name anexar archivos

Rule name	anexar archivos
Format these columns and actions	__action__Anexar Archivos
For this data	Pqrs
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"purple","highlightColor":"purple","textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name Notificar departamento

Rule name	Notificar departamento
Format these columns and actions	__action__NotificarGestor
For this data	Pqrs
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"cyan","highlightColor":"cyan","textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name Renotificar departamento

Rule name	Renotificar departamento
Format these columns and actions	__action__NotificarGestor 2
For this data	Pqrs
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"blue","highlightColor":"blue","textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name Editar Correo PQR

Rule name	Editar Correo PQR
Format these columns and actions	__action__Editar Correo PQR
For this data	Pqrs
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"red","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}

Visible?	ALWAYS

Rule name Activo

Rule name	Activo
Format these columns and actions	ID_Gestor ID_Departamento NombreGestor Identificacion Rol Estado CorreoGestor CorreoCorporativo TelefonoGestor
For this data	Gestores
If this condition is true	=[Estado]="Activo"
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"green","highlightColor":null,"textSize":1.1,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name Inactivo

Rule name	Inactivo
Format these columns and actions	ID_Gestor ID_Departamento NombreGestor Identificacion Rol Estado CorreoGestor CorreoCorporativo TelefonoGestor
For this data	Gestores
If this condition is true	=[Estado]="Inactivo"
Rule order	1

Is this format rule disabled?	No
Like this	{"textColor":"red","highlightColor":null,"textSize":1.1,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name Prioridad_Solicitud General

Rule name	Prioridad_Solicitud General
Format these columns and actions	Prioridad_Solicitud
For this data	Pqrs
If this condition is true	=[Prioridad_Solicitud]="General"
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"orange","highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name Prioridad_Solicitud Doc

Rule name	Prioridad_Solicitud Doc
Format these columns and actions	Prioridad_Solicitud
For this data	Pqrs
If this condition is true	=[Prioridad_Solicitud]="Documentos o Información"
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"blue","highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Behavior

Actions

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Only if this condition is true	=AND(ISBLANK([Related GestionPqrs]),IN(LOOKUP(USEREMAIL(), "Gestores", "CorreoGestor", "Rol"), LIST("Administrador", "Creador")))
Disable automatic updates?	No
Action icon	
For a record of this table	Pqrs
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	2
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Prominently","NeedsConfirmation":f

	alse,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Only if this condition is true	=AND(ISBLANK([Related GestionPqrs]), IN(ANY(SELECT(Gestores[Rol], [CorreoGestor] = USEREMAIL())), {"Administrador", "Creador"}))
Disable automatic updates?	No
Action icon	
For a record of this table	Pqrs
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Compose Email (Email)

Action name	Compose Email (Email)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	3
With these properties	{"EmailTo":"[Email]","EmailCc":null,"EmailBcc":null,"Subject":null,"Body":null,"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	EMAIL
Attach to column	Email
Set this column	Email
Only if this condition is true	NOT(ISBLANK([Email]))
Disable automatic updates?	No
Action icon	
For a record of this table	Pqrs
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	4
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Display name	Agregar nueva Pqr
Action icon	+
For a record of this table	Pqrs
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	5
With these properties	{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	🗑
For a record of this table	Datos_Rm
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	6
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Datos_Rm
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	7
With these properties	{"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Datos_Rm
Does this action apply to the whole table?	Yes

Visible?	ALWAYS

Action name Call Phone (Telefono)

Action name	Call Phone (Telefono)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	8
With these properties	{"Number":"[Telefono]","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	CALL
Attach to column	Telefono
Set this column	Telefono
Only if this condition is true	NOT(ISBLANK([Telefono]))
Disable automatic updates?	No
Display name	Phone call
Action icon	
For a record of this table	Pqrs
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Send SMS (Telefono)

Action name	Send SMS (Telefono)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	9
With these properties	{"Number":"[Telefono]","Message":"","Prominence":"Do_Not_Display","NeedsCo

	nfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	SMS
Attach to column	Telefono
Set this column	Telefono
Only if this condition is true	NOT(ISBLANK([Telefono]))
Disable automatic updates?	No
Display name	Text message
Action icon	
For a record of this table	Pqrs
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (Servicio)

Action name	View Ref (Servicio)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	10
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Servicio&row=\", ENCODEURL([Servicio]))","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Servicio
Set this column	Servicio
Only if this condition is true	NOT(ISBLANK([Servicio]))
Disable automatic updates?	No
Display name	Ir a Servicio
Action icon	
For a record of this table	Pqrs
Does this action apply to the whole table?	No

Visible?	ALWAYS

Action name Open Url (Web)

Action name	Open Url (Web)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	11
With these properties	{"NavigateTarget":"[Web]","LaunchExternal":false,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_URL
Attach to column	Web
Set this column	Web
Disable automatic updates?	No
Display name	Web
Action icon	
For a record of this table	Datos_Rm
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Call Phone (Telefono_2)

Action name	Call Phone (Telefono_2)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	12
With these properties	{"Number":"[Telefono_2]","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}

Do this	CALL
Attach to column	Telefono_2
Set this column	Telefono_2
Only if this condition is true	NOT(ISBLANK([Telefono_2]))
Disable automatic updates?	No
Display name	Phone call
Action icon	
For a record of this table	Datos_Rm
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Send SMS (Telefono_2)

Action name	Send SMS (Telefono_2)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	13
With these properties	{"Number":"[Telefono_2]","Message":"","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	SMS
Attach to column	Telefono_2
Set this column	Telefono_2
Only if this condition is true	NOT(ISBLANK([Telefono_2]))
Disable automatic updates?	No
Display name	Text message
Action icon	
For a record of this table	Datos_Rm
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Open Url (Instagram)

Action name	Open Url (Instagram)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	14
With these properties	{"NavigateTarget":"[Instagram]","LaunchExternal":false,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_URL
Attach to column	Instagram
Set this column	Instagram
Only if this condition is true	NOT(ISBLANK([Instagram]))
Disable automatic updates?	No
Display name	Instagram
Action icon	
For a record of this table	Datos_Rm
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Open Url (Facebook)

Action name	Open Url (Facebook)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	15
With these properties	{"NavigateTarget":"[Facebook]","LaunchExternal":false,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}

Do this	NAVIGATE_URL
Attach to column	Facebook
Set this column	Facebook
Only if this condition is true	NOT(ISBLANK([Facebook]))
Disable automatic updates?	No
Display name	Facebook
Action icon	
For a record of this table	Datos_Rm
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Call Phone (Telefono_1)

Action name	Call Phone (Telefono_1)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	16
With these properties	{"Number":"[Telefono_1]","Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	CALL
Attach to column	Telefono_1
Set this column	Telefono_1
Only if this condition is true	NOT(ISBLANK([Telefono_1]))
Disable automatic updates?	No
Display name	Phone call
Action icon	
For a record of this table	Datos_Rm
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Send SMS (Telefono_1)

Action name	Send SMS (Telefono_1)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	17
With these properties	{"Number":"[Telefono_1]","Message":"","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	SMS
Attach to column	Telefono_1
Set this column	Telefono_1
Only if this condition is true	NOT(ISBLANK([Telefono_1]))
Disable automatic updates?	No
Display name	Text message
Action icon	
For a record of this table	Datos_Rm
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Compose Email (Correo)

Action name	Compose Email (Correo)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	18
With these properties	{"EmailTo":"[Correo]","EmailCc":null,"EmailBcc":null,"Subject":null,"Body":null,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}

Do this	EMAIL
Attach to column	Correo
Set this column	Correo
Only if this condition is true	NOT(ISBLANK([Correo]))
Disable automatic updates?	No
Action icon	
For a record of this table	Datos_Rm
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Instagram

Action name	Instagram
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	19
With these properties	{"NavigateTarget":"=[Instagram]","LaunchExternal":true,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_URL
Attach to column	Instagram
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	Datos_Rm
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name facebook

Action name	facebook

Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	20
With these properties	{"NavigateTarget":"=[Facebook]","LaunchExternal":true,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_URL
Attach to column	Instagram
Only if this condition is true	true
Disable automatic updates?	No
Display name	=[LogoFace]
Action icon	
For a record of this table	Datos_Rm
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name WhatsApp-1

Action name	WhatsApp-1
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	21
With these properties	{"NavigateTarget":"=\"https://wa.me/\" & \"573106303030\" & \"?text=\" & ENCODEURL(\"Buen día, necesito servicio de \")","LaunchExternal":true,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_URL
Attach to column	Telefono_1
Only if this condition is true	true

Disable automatic updates?	No
Display name	WhatsApp
Action icon	
For a record of this table	Datos_Rm
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	22
With these properties	{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Display name	Borrar
Action icon	
For a record of this table	GestionPqr
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Confirmation Message	¿Estás seguro de editar esta gestión?
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently

Action order	23
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"¿Estás seguro de editar esta gestión?","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Only if this condition is true	=AND([Apelacion]="No",ISBLANK([PDF]))
Disable automatic updates?	No
Display name	Editar
Action icon	
For a record of this table	GestionPqr
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	24
With these properties	{"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Only if this condition is true	=AND(CONTEXT("View")="Realizar Gestion",[EstadoPqr]<>"Cerrada")
Disable automatic updates?	No
Display name	Agregar nueva Gestión
Action icon	
For a record of this table	GestionPqr
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name View Ref (ID_PQR)

Action name	View Ref (ID_PQR)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	25
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Pqrs&row=\", ENCODEURL([ID_PQR]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	ID_PQR
Set this column	ID_PQR
Only if this condition is true	NOT(ISBLANK([ID_PQR]))
Disable automatic updates?	No
Display name	Ver PQR
Action icon	👁
For a record of this table	GestionPqr
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Edit

Action name	Edit
Bulk action?	No
Confirmation Message	Desea editar este Gestor?
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Overlay
Action order	26
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":true,"C

	onfirmationMessage":"Desea editar este Gestor?","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Only if this condition is true	=OR(IN(LOOKUP(USEREMAIL(), "Gestores", "CorreoGestor", "Rol"), {"Administrador","Creador"}), COUNT(SELECT(Pqrs[ID_PQR], [Gestor] = [_THISROW].[ID_Gestor])) = 0)
Disable automatic updates?	No
Display name	Editar
Action icon	
For a record of this table	Gestores
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	27
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Only if this condition is true	=IN(LOOKUP(USEREMAIL(), "Gestores", "CorreoGestor", "Rol"), LIST("Administrador", "Creador"))
Disable automatic updates?	No
Display name	Agregar Gestor
Action icon	
For a record of this table	Gestores
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Compose Email (CorreoGestor)

Action name	Compose Email (CorreoGestor)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	28
With these properties	{"EmailTo":"[CorreoGestor]","EmailCc":null,"EmailBcc":null,"Subject":null,"Body":null,"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	EMAIL
Attach to column	CorreoGestor
Set this column	CorreoGestor
Only if this condition is true	NOT(ISBLANK([CorreoGestor]))
Disable automatic updates?	No
Display name	Correo Electronico
Action icon	
For a record of this table	Gestores
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Call Phone (TelefonoGestor)

Action name	Call Phone (TelefonoGestor)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	29
With these properties	{"Number":"[TelefonoGestor]","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	CALL
Attach to column	TelefonoGestor

Set this column	TelefonoGestor
Only if this condition is true	NOT(ISBLANK([TelefonoGestor]))
Disable automatic updates?	No
Display name	Llamar
Action icon	
For a record of this table	Gestores
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Send SMS (TelefonoGestor)

Action name	Send SMS (TelefonoGestor)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	30
With these properties	{"Number":"[TelefonoGestor]","Message":"","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	SMS
Attach to column	TelefonoGestor
Set this column	TelefonoGestor
Only if this condition is true	NOT(ISBLANK([TelefonoGestor]))
Disable automatic updates?	No
Display name	Text message
Action icon	
For a record of this table	Gestores
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name WhatsApp

Action name	WhatsApp
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	31
With these properties	{"NavigateTarget":"=\"https://wa.me/\" & [TelefonoGestor] & \"?text=\" & ENCODEURL(\"Buen día \" & [NombreGestor])","LaunchExternal":false,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_URL
Only if this condition is true	=IN(LOOKUP(USEREMAIL(), "Gestores", "CorreoGestor", "Rol"), LIST("Administrador", "Creador"))
Disable automatic updates?	No
Action icon	
For a record of this table	Gestores
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name ejecucion Action - 1

Action name	ejecucion Action - 1
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"Assignments":[{"ColumnToEdit":"ID_Gestion","NewColumnValue":null}],"ColumnToEdit":"ID_Gestion","NewColumnValue":null,"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE

Attach to column	ID_Gestion
Set this column	ID_Gestion
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	GestionPqr
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name ejecucion Action - 2

Action name	ejecucion Action - 2
Bulk action?	Yes
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"ReferencedTable":"Pqrs","ReferencedRows":null,"ReferencedAction":null,"InputAssignments":[],"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":true}
Do this	REF_ACTION
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	Pqrs
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Actualizar campos Action - 1

Action name	Actualizar campos Action - 1
Bulk action?	Yes

Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"Assignments": [{"ColumnToEdit":"EstadoPqr","NewColumnValue":"=[ID_PQR].[Estado_Pqr]"}, {"ColumnToEdit":"TiempoRespuesta","NewColumnValue":"=[ID_PQR].[Fecha_Respuesta]"}],"ColumnToEdit":"EstadoPqr","NewColumnValue":"=[ID_PQR].[Estado_Pqr]","InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	EstadoPqr
Set this column	EstadoPqr
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	GestionPqr
Does this action apply to the whole table?	No
To this value	=[ID_PQR].[Estado_Pqr]
Visible?	ALWAYS

Action name Actualizar campos Action - 2

Action name	Actualizar campos Action - 2
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"Assignments": [{"ColumnToEdit":"Estado_Pqr","NewColumnValue":"=[Related GestionPqrs]

	[EstadoPqr]"}],"ColumnToEdit":"Estado_Pqr","NewColumnValue":"=[Related GestionPqrs][EstadoPqr]","InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	Estado_Pqr
Set this column	Estado_Pqr
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	Pqrs
Does this action apply to the whole table?	No
To this value	=[Related GestionPqrs][EstadoPqr]
Visible?	ALWAYS

Action name New step Action - 1

Action name	New step Action - 1
Bulk action?	Yes
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"ReferencedTable":"Pqrs","ReferencedRows":null,"ReferencedAction":null,"InputAssignments":[],"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":true}
Do this	REF_ACTION
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	Datos_Rm
Does this action apply to the whole table?	No

Visible?	ALWAYS

Action name Actualizar Fecha_Respuesta

Action name	Actualizar Fecha_Respuesta
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	32
With these properties	{"Assignments": [{"ColumnToEdit":"Fecha_Respuesta","NewColumnValue":"=DATETIME(\n MAX(\n SELECT(\n GestionPqr[FechaRespuesta],\n [ID_PQR] = [_THISROW].[ID_PQR]\n)\n)\n)"}],"ColumnToEdit":"Fecha_Respuesta","NewColumnValue":"=DATETIME(\n MAX(\n SELECT(\n GestionPqr[FechaRespuesta],\n [ID_PQR] = [_THISROW].[ID_PQR]\n)\n)\n)","InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	Estado_Pqr
Set this column	Fecha_Respuesta
Disable automatic updates?	No
Action icon	
For a record of this table	Pqrs
Does this action apply to the whole table?	No
To this value	=DATETIME(MAX(SELECT(GestionPqr[FechaRespuesta], [ID_PQR] = [_THISROW].[ID_PQR])))
Visible?	ALWAYS

Action name Atendida

Action name	Atendida
Bulk action?	Yes
Confirmation Message	Desea cambiar el EstadoPqr a Atendida?

Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	33
With these properties	{"Assignments":[{"ColumnToEdit":"EstadoPqr","NewColumnValue":"=\"Atendida\""}],"ColumnToEdit":"EstadoPqr","NewColumnValue":"=\"Atendida\"","InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"Desea cambiar el EstadoPqr a Atendida?","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	EstadoPqr
Set this column	EstadoPqr
Only if this condition is true	=AND([EstadoPqr]="Cerrada", [Ultima_Gestion_Virtual],LOOKUP(USEREMAIL(), "Gestores", "CorreoGestor", "Rol") = "Administrador")
Disable automatic updates?	No
Action icon	
For a record of this table	GestionPqr
Does this action apply to the whole table?	No
To this value	="Atendida"
Visible?	ALWAYS

Action name Cerrada

Action name	Cerrada
Bulk action?	Yes
Confirmation Message	Desea cerrar la PQR?
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	34
With these properties	{"Assignments":[{"ColumnToEdit":"EstadoPqr","NewColumnValue":"=\"Cerrada\""}],"ColumnToEdit":"EstadoPqr","NewColumnValue":"=\"Cerrada\"","InputParametersUsed":null,"Prominence":"Display_Prominently","Nee

	dsConfirmation":true,"ConfirmationMessage":"Desea cerrar la PQR?","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	EstadoPqr
Set this column	EstadoPqr
Only if this condition is true	=AND([EstadoPqr] = "Atendida", [Ultima_Gestion_Virtual], LOOKUP(USEREMAIL(), "Gestores", "CorreoGestor", "Rol") = "Administrador")
Disable automatic updates?	No
Display name	Cerrar
Action icon	⊘
For a record of this table	GestionPqr
Does this action apply to the whole table?	No
To this value	="Cerrada"
Visible?	ALWAYS

Action name Afectar_Pqrs Action - 1

Action name	Afectar_Pqrs Action - 1
Bulk action?	Yes
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"ReferencedTable":"Pqrs","ReferencedRows":"=SELECT(\n Pqrs[ID_PQR],\n [ID_PQR]=[_THISROW].[ID_PQR]\n)","ReferencedAction":"ActualizarEstado","InputAssignments":[],"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":true}
Do this	REF_ACTION
Only if this condition is true	true
Disable automatic updates?	No
Action icon	➤
For a record of this table	GestionPqr

Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Afectar_Pqrs Action - 2

Action name	Afectar_Pqrs Action - 2
Bulk action?	Yes
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"ReferencedTable":"Pqrs","ReferencedRows":"=SELECT(\n Pqrs[ID_PQR],\n [ID_PQR]=[_THISROW].[ID_PQR]\n)","ReferencedAction":"Actualizar Fecha_Respuesta","InputAssignments":[],"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":true}
Do this	REF_ACTION
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	GestionPqr
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Open File (Archivo)

Action name	Open File (Archivo)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	35

With these properties	{"FileTarget":"[Archivo]","Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	OPEN_FILE
Attach to column	Archivo
Set this column	Archivo
Only if this condition is true	NOT(ISBLANK([Archivo]))
Disable automatic updates?	No
Display name	Evidencia Cargada
Action icon	
For a record of this table	Pqrs
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (Departamento)

Action name	View Ref (Departamento)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	36
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Departamentos&row=\", ENCODEURL([Departamento]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Departamento
Set this column	Departamento
Only if this condition is true	NOT(ISBLANK([Departamento]))
Disable automatic updates?	No
Action icon	
For a record of this table	Pqrs

Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	37
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Only if this condition is true	=OR(IN(LOOKUP(USEREMAIL(), "Gestores", "CorreoGestor", "Rol"), {"Administrador","Creador"}), COUNT(SELECT(Gestores[ID_Gestor], [ID_Departamento] = [_THISROW].[ID_Departamento])) = 0)
Disable automatic updates?	No
Action icon	
For a record of this table	Departamentos
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	38

With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Only if this condition is true	=IN(LOOKUP(USEREMAIL(), "Gestores", "CorreoGestor", "Rol"), {"Administrador","Creador"})
Disable automatic updates?	No
Action icon	+
For a record of this table	Departamentos
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name View Ref (Gestor)

Action name	View Ref (Gestor)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	39
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Gestores&row=\", ENCODEURL([Gestor]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Gestor
Set this column	Gestor
Only if this condition is true	NOT(ISBLANK([Gestor]))
Disable automatic updates?	No
Action icon	
For a record of this table	Pqrs
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (ID_Departamento)

Action name	View Ref (ID_Departamento)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	40
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Departamentos&row=\", ENCODEURL([ID_Departamento]))","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	ID_Departamento
Set this column	ID_Departamento
Only if this condition is true	NOT(ISBLANK([ID_Departamento]))
Disable automatic updates?	No
Action icon	
For a record of this table	Gestores
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Compose Email (CorreoDpto)

Action name	Compose Email (CorreoDpto)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	41
With these properties	{"EmailTo":" [CorreoDpto]","EmailCc":null,"EmailBcc":null,"Subject":null,"Body":null,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	EMAIL
Attach to column	CorreoDpto
Set this column	CorreoDpto

Only if this condition is true	NOT(ISBLANK([CorreoDpto]))
Disable automatic updates?	No
Display name	Gmail
Action icon	✉
For a record of this table	Departamentos
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Compose Email (CorreoGestorVirtual)

Action name	Compose Email (CorreoGestorVirtual)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	42
With these properties	{"EmailTo":"[CorreoGestorVirtual]","EmailCc":null,"EmailBcc":null,"Subject":null,"Body":null,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	EMAIL
Attach to column	CorreoGestorVirtual
Set this column	CorreoGestorVirtual
Only if this condition is true	NOT(ISBLANK([CorreoGestorVirtual]))
Disable automatic updates?	No
Action icon	✉
For a record of this table	Pqrs
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (Departamento)

Action name	View Ref (Departamento)

Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	52
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Departamentos&row=\", ENCODEURL([Departamento]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Departamento
Set this column	Departamento
Only if this condition is true	NOT(ISBLANK([Departamento]))
Disable automatic updates?	No
Display name	Ir a Departamento
Action icon	
For a record of this table	GestionPqr
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (Gestor)

Action name	View Ref (Gestor)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	53
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Gestores&row=\", ENCODEURL([Gestor]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Gestor
Set this column	Gestor

Only if this condition is true	NOT(ISBLANK([Gestor]))
Disable automatic updates?	No
Display name	Ir a Gestor
Action icon	
For a record of this table	GestionPqr
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Open File (PDF)

Action name	Open File (PDF)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	56
With these properties	{"FileTarget":"[PDF]","Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	OPEN_FILE
Attach to column	PDF
Set this column	PDF
Only if this condition is true	NOT(ISBLANK([PDF]))
Disable automatic updates?	No
Display name	Abrir PDF
Action icon	
For a record of this table	GestionPqr
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Open File (ArchivoRespuesta)

Action name	Open File (ArchivoRespuesta)

Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	57
With these properties	{"FileTarget":"[ArchivoRespuesta]","Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	OPEN_FILE
Attach to column	ArchivoRespuesta
Set this column	ArchivoRespuesta
Only if this condition is true	NOT(ISBLANK([ArchivoRespuesta]))
Disable automatic updates?	No
Display name	Abrir PDF 2
Action icon	
For a record of this table	GestionPqr
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Confirmation Message	Desea Borrar este Gestor?
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Overlay
Action order	59
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Overlay","NeedsConfirmation":true,"ConfirmationMessage":"Desea Borrar este Gestor?","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Only if this condition is true	=AND(IN(LOOKUP(USEREMAIL(), "Gestores", "CorreoGestor", "Rol"), {"Administrador","Creador"}), COUNT(SELECT(

	Pqrs[ID_PQR], [Gestor] = [_THISROW].[ID_Gestor])) = 0)
Disable automatic updates?	No
Action icon	
For a record of this table	Gestores
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Crear PDF_GestionPqr_General

Action name	Crear PDF_GestionPqr_General
Bulk action?	Yes
Confirmation Message	Desea Crear PDF?
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	62
With these properties	{"Assignments":[{"ColumnToEdit":"CoPdf","NewColumnValue":"=[CoPDF]+1"},{"ColumnToEdit":"PDF","NewColumnValue":"=\"/Gestion_PDF/\"&[ID_PQR]&\"-\"&[ID_Gestion]&\"-\"&[CoPDF]&\".pdf\""}],"ColumnToEdit":"CoPdf","NewColumnValue":"=[CoPDF]+1","InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"Desea Crear PDF?","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	CoPdf
Set this column	CoPdf
Only if this condition is true	=AND(ISNOTBLANK([ID_Interno]),ISBLANK([PDF]))
Disable automatic updates?	No
Display name	Crear Pdf
Action icon	
For a record of this table	GestionPqr
Does this action apply to the whole table?	No
To this value	=[CoPDF]+1

Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	63
With these properties	{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Filtros
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	64
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	

For a record of this table	Filtros
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	65
With these properties	{"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	Filtros
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Agregar Gestion

Action name	Agregar Gestion
Bulk action?	No
Confirmation Message	Desea agregar una gestión?
Modifies data?	No
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	67
With these properties	{"NavigateTarget":"=LINKTOFORM(\"GestionPqr_Form\",\"ID_PQR\", [ID_PQR])","Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"Desea agregar una gestión?","ModifiesData":false,"BulkApplicable":false}

Do this	NAVIGATE_APP
Attach to column	ID_PQR
Only if this condition is true	=OR(AND([ID_PQR].[Estado_Pqr] <> "Cerrada", [EstadoPqr] <> "Cerrada", [Ultima_Gestion_Virtual], [Estado_Email] = "Completado"), [Apelacion] = "Sí")
Disable automatic updates?	No
Action icon	+
For a record of this table	GestionPqr
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Enviar Correo con Respuesta

Action name	Enviar Correo con Respuesta
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	66
With these properties	{"Assignments":[{"ColumnToEdit":"Estado_Email","NewColumnValue":"=\"Iniciado\""}, {"ColumnToEdit":"FechaRespuesta","NewColumnValue":"=NOW()"}],"ColumnToEdit":"Estado_Email","NewColumnValue":"=\"Iniciado\"","InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	Estado_Email
Set this column	Estado_Email
Only if this condition is true	=AND(ISNOTBLANK([PDF]),[Estado_Email]="Pendiente",[Apelacion]="No",ISNOTBLANK([ID_Interno]))
Disable automatic updates?	No
Display name	Enviar Correo
Action icon	✉
For a record of this table	GestionPqr

Does this action apply to the whole table?	No
To this value	="Iniciado"
Visible?	ALWAYS

Action name Completado Action - 1

Action name	Completado Action - 1
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"Assignments":[{"ColumnToEdit":"Estado_Email","NewColumnValue":"=\"Completado\""}],"ColumnToEdit":"Estado_Email","NewColumnValue":"=\"Completado\"","InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	Estado_Email
Set this column	Estado_Email
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	GestionPqr
Does this action apply to the whole table?	No
To this value	="Completado"
Visible?	ALWAYS

Action name View Ref (Servicio)

Action name	View Ref (Servicio)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No

Prominence	Display_Inline
Action order	68
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Servicio&row=\", ENCODEURL([Servicio]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Servicio
Set this column	Servicio
Only if this condition is true	NOT(ISBLANK([Servicio]))
Disable automatic updates?	No
Action icon	
For a record of this table	Filtros
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Chart Data for Grafica entre Fechas

Action name	Chart Data for Grafica entre Fechas
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	69
With these properties	{"NavigateTarget":"=\"#page=fastTable&table=Pqr%20x%20mes\"","Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Only if this condition is true	=CONTEXT("View") = "Grafica entre Fechas"
Disable automatic updates?	No
Display name	Data
Action icon	
For a record of this table	Pqrs

Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Chart Data for Pqrs por Años

Action name	Chart Data for Pqrs por Años
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	70
With these properties	{"NavigateTarget":"=\"#page=fastTable&table=Pqrs%20x%20A%C3%B1os\"","Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Only if this condition is true	=CONTEXT("View") = "Pqrs por Años"
Disable automatic updates?	No
Display name	Data
Action icon	
For a record of this table	Pqrs
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Chart Data for Estado Pqrs

Action name	Chart Data for Estado Pqrs
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	71
With these properties	{"NavigateTarget":"=\"#page=fastTable&table=Pqr%20x%20mes\"","Prominence":"Display_Prominently","NeedsConfirmation":false,"

	ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Only if this condition is true	=CONTEXT("View") = "Estado Pqrs"
Disable automatic updates?	No
Display name	Data
Action icon	
For a record of this table	Pqrs
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name ActualizarEstado

Action name	ActualizarEstado
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	72
With these properties	{"Assignments": [{"ColumnToEdit":"Estado_Pqr","NewColumnValue":"=LOOKUP(\n MAXROW(\"GestionPqr\", \"FechaRespuesta\", [ID_PQR] = [_THISROW].[ID_PQR]),\n \"GestionPqr\",\n \"ID_Gestion\",\n \"EstadoPqr\"\n)"}],"ColumnToEdit":"Estado_Pqr","NewColumnValue":"=LOOKUP(\n MAXROW(\"GestionPqr\", \"FechaRespuesta\", [ID_PQR] = [_THISROW].[ID_PQR]),\n \"GestionPqr\",\n \"ID_Gestion\",\n \"EstadoPqr\"\n)","InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	Estado_Pqr
Set this column	Estado_Pqr
Only if this condition is true	true
Disable automatic updates?	No
Action icon	

For a record of this table	Pqrs
Does this action apply to the whole table?	No
To this value	=LOOKUP(MAXROW("GestionPqr", "FechaRespuesta", [ID_PQR] = [_THISROW].[ID_PQR]), "GestionPqr", "ID_Gestion", "EstadoPqr")
Visible?	ALWAYS

Action name Gestionar Pqr

Action name	Gestionar Pqr
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	73
With these properties	{"NavigateTarget":"=IF(\n LOOKUP(\n MAXROW(\n \"GestionPqr\",\n \"FechaRespuesta\",\n [ID_PQR] = [_THISROW].[ID_PQR]\n),\n \"GestionPqr\",\n \"ID_Gestion\",\n \"Apelacion\"\n) = \"Sí\",\n \n LINKTOFORM(\n \"GestionPqr_Form\",\n \"ID_PQR\", [_THISROW].[ID_PQR]\n),\n \n IF(\n [Estado_Pqr] <> \"Cerrada\",\n IF(\n ISBLANK(\n MAXROW(\n \"GestionPqr\",\n \"FechaRespuesta\",\n [ID_PQR] = [_THISROW].[ID_PQR]\n)\n),\n LINKTOFORM(\n \"GestionPqr_Form\",\n \"ID_PQR\", [_THISROW].[ID_PQR]\n),\n IF(\n LOOKUP(\n MAXROW(\n \"GestionPqr\",\n \"FechaRespuesta\",\n [ID_PQR] = [_THISROW].[ID_PQR]\n),\n \"GestionPqr\",\n \"ID_Gestion\",\n \"Estado_Email\"\n) = \"Completado\",\n LINKTOFORM(\n \"GestionPqr_Form\",\n \"ID_PQR\", [_THISROW].[ID_PQR]\n),\n LINKTOROW(\n MAXROW(\n \"GestionPqr\",\n \"FechaRespuesta\",\n [ID_PQR] = [_THISROW].[ID_PQR]\n),\n \"GestionPqr_Detail\"\n)\n)\n),\n \"\"\n)\n)","Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	ID_PQR
Only if this condition is true	=[Estado_Pqr]<>"Cerrada"
Disable automatic updates?	No

Action icon	»
For a record of this table	Pqrs
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Agregar Pqr

Action name	Agregar Pqr
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	74
With these properties	{"NavigateTarget":"=LINKTOFORM(\n \"Pqrs_Form\",\n \"Gestor\", [ID_Gestor],\n \"Departamento\", [ID_Departamento]\n)","Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Only if this condition is true	=AND(CONTEXT("ViewType") = "Detail",[Estado]="Activo")
Disable automatic updates?	No
Action icon	➤
For a record of this table	Gestores
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Overlay
Action order	75

With these properties	{"InputParametersUsed":null,"Prominence":"Display_Overlay","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Only if this condition is true	=AND(OR(IN(LOOKUP(USEREMAIL(), "Gestores", "CorreoGestor", "Rol"), {"Administrador","Creador"}), COUNT(SELECT(Gestores[ID_Gestor], [ID_Departamento] = [_THISROW].[ID_Departamento])) = 0), COUNT(SELECT(Gestores[ID_Gestor], [ID_Departamento] = [_THISROW].[ID_Departamento])) = 0)
Disable automatic updates?	No
Action icon	
For a record of this table	Departamentos
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	76
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Only if this condition is true	=IN(LOOKUP(USEREMAIL(), "Gestores", "CorreoGestor", "Rol"), LIST("Administrador", "Creador"))
Disable automatic updates?	No
Action icon	
For a record of this table	Noticias
Does this action apply to the whole table?	No

Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	77
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Only if this condition is true	=IN(LOOKUP(USEREMAIL(), "Gestores", "CorreoGestor", "Rol"), LIST("Administrador", "Creador"))
Disable automatic updates?	No
Action icon	
For a record of this table	Noticias
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	78
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Only if this condition is true	=IN(LOOKUP(USEREMAIL(), "Gestores", "CorreoGestor", "Rol"), LIST("Administrador", "Creador"))

Disable automatic updates?	No
Action icon	+
For a record of this table	Noticias
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Vigente

Action name	Vigente
Bulk action?	Yes
Confirmation Message	Desea cambiar el estado de la noticia?
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Inline
Action order	79
With these properties	{"Assignments": [{"ColumnToEdit":"ESTADO_NOTICIA","NewColumnValue":"=\"Vigente\""}],"ColumnToEdit":"ESTADO_NOTICIA","NewColumnValue":"=\"Vigente\"","InputParametersUsed":null,"Prominence":"Display_Inline","NeedsConfirmation":true,"ConfirmationMessage":"Desea cambiar el estado de la noticia?","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	ESTADO_NOTICIA
Set this column	ESTADO_NOTICIA
Only if this condition is true	=AND([ESTADO_NOTICIA]="Vencida",[FECHA_HORA] >= (NOW() - 15))
Disable automatic updates?	No
Action icon	⊘
For a record of this table	Noticias
Does this action apply to the whole table?	No
To this value	="Vigente"
Visible?	ALWAYS

Action name Vencida

Action name	Vencida
Bulk action?	Yes
Confirmation Message	Desea cambiar el estado de la noticia?
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Inline
Action order	80
With these properties	{"Assignments": [{"ColumnToEdit":"ESTADO_NOTICIA","NewColumnValue":"=\"Vencida\""}],"ColumnToEdit":"ESTADO_NOTICIA","NewColumnValue":"=\"Vencida\"","InputParametersUsed":null,"Prominence":"Display_Inline","NeedsConfirmation":true,"ConfirmationMessage":"Desea cambiar el estado de la noticia?","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	ESTADO_NOTICIA
Set this column	ESTADO_NOTICIA
Only if this condition is true	=[ESTADO_NOTICIA]="Vigente"
Disable automatic updates?	No
Action icon	
For a record of this table	Noticias
Does this action apply to the whole table?	No
To this value	="Vencida"
Visible?	ALWAYS

Action name Reenviar Correo con Respuesta 2

Action name	Reenviar Correo con Respuesta 2
Bulk action?	Yes
Confirmation Message	=if([Estado_Email]="Completado","Desea enviar nuevamente el correo","Estas seguro de enviar este correo?")
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	66

With these properties	{"Assignments":[{"ColumnToEdit":"Estado_Email","NewColumnValue":"=\"Iniciado\""}],"ColumnToEdit":"Estado_Email","NewColumnValue":"=\"Iniciado\"","InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"=if([Estado_Email]=\"Completado\",\"Desea enviar nuevamente el correo\",\"Estas seguro de enviar este correo?\")","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	Estado_Email
Set this column	Estado_Email
Only if this condition is true	=AND(ISNOTBLANK([PDF]),[Estado_Email]="Completado",[Apelacion]="No")
Disable automatic updates?	No
Display name	Reenviar Correo
Action icon	
For a record of this table	GestionPqr
Does this action apply to the whole table?	No
To this value	="Iniciado"
Visible?	ALWAYS

Action name Actualizar PQR desde Apelacion 2

Action name	Actualizar PQR desde Apelacion 2
Bulk action?	Yes
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"ReferencedTable":"Pqrs","ReferencedRows":"=LIST([ID_PQR])","ReferencedAction":"Actualizar PQR desde Apelacion","InputAssignments":[],"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":true}
Do this	REF_ACTION

Attach to column	Apelacion
Disable automatic updates?	No
Action icon	
For a record of this table	GestionPqr
Does this action apply to the whole table?	No
To this value	="Sí"
Visible?	ALWAYS

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	ConsecutivosPqr
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Incrementar_Consecutivo_PQR

Action name	Incrementar_Consecutivo_PQR
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently

Action order	1
With these properties	{"Assignments":[{"ColumnToEdit":"Ultimo_Numero","NewColumnValue":"=[Ultimo_Numero]+1"}],"ColumnToEdit":"Ultimo_Numero","NewColumnValue":"=[Ultimo_Numero]+1","InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	Ultimo_Numero
Set this column	Ultimo_Numero
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	ConsecutivosPqr
Does this action apply to the whole table?	No
To this value	=[Ultimo_Numero]+1
Visible?	ALWAYS

Action name Action for actualizar Consecutivo

Action name	Action for actualizar Consecutivo
Bulk action?	Yes
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"ReferencedTable":"ConsecutivosPqr","ReferencedRows":"","ReferencedAction":"ConsecutivosPqr","InputAssignments":[],"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":true}
Do this	REF_ACTION
Only if this condition is true	true
Disable automatic updates?	No
Action icon	

For a record of this table	ConsecutivosPqr
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	ConsecutivosPqr
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No

Action icon	+
For a record of this table	ConsecutivosPqr
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Incrementar_Consecutivo Action - 1

Action name	Incrementar_Consecutivo Action - 1
Bulk action?	Yes
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"ReferencedTable":"ConsecutivosPqr","ReferencedRows":"=LIST(\"PQR\")","ReferencedAction":"Incrementar_Consecutivo_PQR","InputAssignments":[],"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":true}
Do this	REF_ACTION
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	Pqrs
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Incrementar_Consecutivo Action - 2

Action name	Incrementar_Consecutivo Action - 2
Bulk action?	Yes
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1

With these properties	{"ReferencedTable":"ConsecutivosPqr","ReferencedRows":"=LIST(\"PQR\")","ReferencedAction":"ConsecutivosPqr","InputAssignments":[],"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":true}
Do this	REF_ACTION
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	Pqrs
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Asignar el número a la PQR

Action name	Asignar el número a la PQR
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"Assignments":[{"ColumnToEdit":"NumeroInterno","NewColumnValue":"=LOOKUP(\"PQR\",\"ConsecutivosPqr\",\"ID_Consecutivo\",\"Ultimo_Numero\")"}],"ColumnToEdit":"NumeroInterno","NewColumnValue":"=LOOKUP(\"PQR\",\"ConsecutivosPqr\",\"ID_Consecutivo\",\"Ultimo_Numero\")","InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	NumeroInterno
Set this column	NumeroInterno
Only if this condition is true	true
Disable automatic updates?	No
Action icon	

For a record of this table	Pqrs
Does this action apply to the whole table?	No
To this value	=LOOKUP("PQR","ConsecutivosPqr","ID_Consecutivo","Ultimo_Numero")
Visible?	ALWAYS

Action name Crear el ID final

Action name	Crear el ID final
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"Assignments":[{"ColumnToEdit":"ID_Interno","NewColumnValue":"=Text(CONCATENATE(\n\"PQR-\",\nYEAR(TODAY()),\n\"-\",\nRIGHT(\"000000\" & TEXT([NumeroInterno]),6)\n))"}],"ColumnToEdit":"ID_Interno","NewColumnValue":"=Text(CONCATENATE(\n\"PQR-\",\nYEAR(TODAY()),\n\"-\",\nRIGHT(\"000000\" & TEXT([NumeroInterno]),6)\n))","InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	ID_Interno
Set this column	ID_Interno
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	Pqrs
Does this action apply to the whole table?	No
To this value	=Text(CONCATENATE("PQR-", YEAR(TODAY()), "-", RIGHT("000000" & TEXT([NumeroInterno]),6)))
Visible?	ALWAYS

Action name Action for Asignar número a la PQR

Action name	Action for Asignar número a la PQR
Bulk action?	Yes
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"ReferencedTable":"Pqrs","ReferencedRows":"=LIST([_THISROW].[ID_PQR])","ReferencedAction":"Asignar el número a la PQR","InputAssignments":[],"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":true}
Do this	REF_ACTION
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	Pqrs
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Action for Generar ID_PQR

Action name	Action for Generar ID_PQR
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"Actions":[{"ActionName":"Crear el ID final"}],"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	COMPOSITE
Only if this condition is true	true

Disable automatic updates?	No
Action icon	
For a record of this table	Pqrs
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Asignar el número a la Gestion

Action name	Asignar el número a la Gestion
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"Assignments": [{"ColumnToEdit":"NumeroInterno","NewColumnValue":"=LOOKUP(\"GES\",\"ConsecutivosPqr\",\"ID_Consecutivo\",\"Ultimo_Numero\")"}],"ColumnToEdit":"NumeroInterno","NewColumnValue":"=LOOKUP(\"GES\",\"ConsecutivosPqr\",\"ID_Consecutivo\",\"Ultimo_Numero\")","InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	NumeroInterno
Set this column	NumeroInterno
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	GestionPqr
Does this action apply to the whole table?	No
To this value	=LOOKUP("GES","ConsecutivosPqr","ID_Consecutivo","Ultimo_Numero")
Visible?	ALWAYS

Action name Crear el ID final 2

Action name	Crear el ID final 2
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"Assignments": [{"ColumnToEdit":"ID_Interno","NewColumnValue":"=Text(CONCATENATE(\n\"Gestion-\",\nYEAR(TODAY()),\n\"-\",\nRIGHT(\"000000\" & TEXT([NumeroInterno]),6)\n))"}],"ColumnToEdit":"ID_Interno","NewColumnValue":"=Text(CONCATENATE(\n\"Gestion-\",\nYEAR(TODAY()),\n\"-\",\nRIGHT(\"000000\" & TEXT([NumeroInterno]),6)\n))","InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	ID_Interno
Set this column	ID_Interno
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	GestionPqr
Does this action apply to the whole table?	No
To this value	=Text(CONCATENATE("Gestion-", YEAR(TODAY()), "-", RIGHT("000000" & TEXT([NumeroInterno]),6)))
Visible?	ALWAYS

Action name Incrementar_Consecutivo Action - 4

Action name	Incrementar_Consecutivo Action - 4
Bulk action?	Yes
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently

Action order	1
With these properties	{"ReferencedTable":"ConsecutivosPqr","ReferencedRows":"=LIST(\"PQR\")","ReferencedAction":"Incrementar_Consecutivo_PQR","InputAssignments":[],"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":true}
Do this	REF_ACTION
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	Pqrs
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Action for Asignar número a la PQR 2

Action name	Action for Asignar número a la PQR 2
Bulk action?	Yes
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"ReferencedTable":"Pqrs","ReferencedRows":"=LIST([_THISROW].[ID_PQR])","ReferencedAction":"Asignar el número a la PQR","InputAssignments":[],"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":true}
Do this	REF_ACTION
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	Pqrs
Does this action apply to the whole table?	No

Visible?	ALWAYS

Action name Action for Generar ID_PQR 2

Action name	Action for Generar ID_PQR 2
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"Actions":[{"ActionName":"Crear el ID final"}],"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	COMPOSITE
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	Pqrs
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Incrementar_Consecutivo Action - 5

Action name	Incrementar_Consecutivo Action - 5
Bulk action?	Yes
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"ReferencedTable":"ConsecutivosPqr","ReferencedRows":"=LIST(\"GES\")","ReferencedAction":"Incrementar_Consecutivo_PQR","InputAssignments":[],"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":true}

Do this	REF_ACTION
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	GestionPqr
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Action for Asignar número a la Gestion

Action name	Action for Asignar número a la Gestion
Bulk action?	Yes
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"ReferencedTable":"GestionPqr","ReferencedRows":"=LIST([_THISROW].[ID_Gestion])","ReferencedAction":"Asignar el número a la Gestion","InputAssignments":[],"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":true}
Do this	REF_ACTION
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	GestionPqr
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Action for Generar ID_Gestion

Action name	Action for Generar ID_Gestion
Bulk action?	Yes
Modifies data?	Yes

Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"Actions":[{"ActionName":"Crear el ID final 2"}],"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	COMPOSITE
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	GestionPqr
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name NotificarGestor

Action name	NotificarGestor
Bulk action?	Yes
Confirmation Message	Desea notificar al gestor?
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"Assignments":[{"ColumnToEdit":"DepartamentoNotificado","NewColumnValue":"=True"}],"ColumnToEdit":"DepartamentoNotificado","NewColumnValue":"=True","InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"Desea notificar al gestor?","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	DepartamentoNotificado
Set this column	DepartamentoNotificado
Only if this condition is true	=AND(IN(LOOKUP(USEREMAIL(), "Gestores", "CorreoGestor", "Rol"), LIST("Administrador", "Creador")), [Estado_Pqr] <> "Cerrada", ISBLANK([ContadorNotificacion]))

Disable automatic updates?	No
Display name	Notificar Gestor
Action icon	
For a record of this table	Pqrs
Does this action apply to the whole table?	No
To this value	=True
Visible?	ALWAYS

Action name Actualizar PQR desde Apelacion

Action name	Actualizar PQR desde Apelacion
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"Assignments": [{"ColumnToEdit":"Apelacion","NewColumnValue":"=ANY(\n SELECT(\n GestionPqr[Apelacion],\n AND(\n [ID_PQR] = [_THISROW].[ID_PQR],\n [Apelacion] = \"Sí\"\n)\n)\n)"}, {"ColumnToEdit":"FechaApelacion","NewColumnValue":"=TEXT(\n MAX(\n SELECT(\n GestionPqr[FechaApelacion],\n [ID_PQR] = [_THISROW].[ID_PQR]\n)\n),\n \"DD/MM/YYYY\"\n)"}, {"ColumnToEdit":"Estado_Pqr","NewColumnValue":"=\"Atendida\""} , {"ColumnToEdit":"ID_Gestion_Apelada","NewColumnValue":"=ANY(\n SELECT(\n GestionPqr[ID_Interno],\n AND(\n [ID_PQR] = [_THISROW].[ID_PQR],\n [Apelacion] = \"Sí\",\n [FechaApelacion] = MAX(\n SELECT(\n GestionPqr[FechaApelacion],\n AND(\n [ID_PQR] = [_THISROW].[ID_PQR],\n [Apelacion] = \"Sí\"\n)\n)\n)\n)\n)\n)\n)"}],"ColumnToEdit":"Apelacion","NewColumnValue":"=ANY(\n SELECT(\n GestionPqr[Apelacion],\n AND(\n [ID_PQR] = [_THISROW].[ID_PQR],\n [Apelacion] = \"Sí\"\n)\n)\n)","InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}

Do this	SET_COLUMN_VALUE
Attach to column	Apelacion
Set this column	Apelacion
Disable automatic updates?	No
Action icon	
For a record of this table	Pqrs
Does this action apply to the whole table?	No
To this value	=ANY(SELECT(GestionPqr[Apelacion], AND([ID_PQR] = [_THISROW].[ID_PQR], [Apelacion] = "Sí")))
Visible?	ALWAYS

Action name apelacion_actualizar_Datos

Action name	apelacion_actualizar_Datos
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"Assignments": [{"ColumnToEdit":"Apelacion","NewColumnValue":"=Sí"}, {"ColumnToEdit":"FechaApelacion","NewColumnValue":"=NOW()"}, {"ColumnToEdit":"EstadoPqr","NewColumnValue":"=\"Atendida\""}], "ColumnToEdit":"Apelacion","NewColumnValue":"=Sí","InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	Apelacion
Set this column	Apelacion
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	GestionPqr
Does this action apply to the whole table?	No

To this value	=Sí
Visible?	ALWAYS

Action name Apelacion

Action name	Apelacion
Bulk action?	Yes
Confirmation Message	Desea apelar esta gestión?
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"Actions":[{"ActionName":"apelacion_actualizar_Datos"}, {"ActionName":"Actualizar PQR desde Apelacion 2"}],"Prominence":"Display_Prominently","NeedsConfirmation":true, "ConfirmationMessage":"Desea apelar esta gestión?","ModifiesData":true,"BulkApplicable":true}
Do this	COMPOSITE
Only if this condition is true	=AND([EstadoPqr] = "Cerrada", [Ultima_Gestion_Virtual], IN(LOOKUP(USEREMAIL(), "Gestores", "CorreoGestor", "Rol"), LIST("Administrador", "Creador")))
Disable automatic updates?	No
Action icon	
For a record of this table	GestionPqr
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1

With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Only if this condition is true	=ISBLANK([Related Pqrs])
Disable automatic updates?	No
Action icon	
For a record of this table	Servicio
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Only if this condition is true	=ISBLANK([Related Pqrs])
Disable automatic updates?	No
Action icon	
For a record of this table	Servicio
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes

Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Only if this condition is true	=IN(LOOKUP(USEREMAIL(), "Gestores", "CorreoGestor", "Rol"), LIST("Administrador", "Creador"))
Disable automatic updates?	No
Action icon	+
For a record of this table	Servicio
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Comentarios Apelación Insertar

Action name	Comentarios Apelación Insertar
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"Assignments":[{"ColumnToEdit":"ComentariosApelacion","NewColumnValue":"=[_INPUT].[Comentarios de apelación]"}],"ColumnToEdit":"ComentariosApelacion","NewColumnValue":"=[_INPUT].[Comentarios de apelación]","InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	ComentariosApelacion
Set this column	ComentariosApelacion
Only if this condition is true	=AND(IN(LOOKUP(USEREMAIL(), "Gestores", "CorreoGestor", "Rol"), LIST("Administrador", "Creador")), [Apelacion] = "Sí",

	ISBLANK([ComentariosApelacion]))
Disable automatic updates?	No
Display name	Insertar comentario
Action icon	
For a record of this table	GestionPqr
Does this action apply to the whole table?	No
To this value	=[_INPUT].[Comentarios de apelación]
Visible?	ALWAYS

Action name Comentarios Apelación Editar

Action name	Comentarios Apelación Editar
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"Assignments": [{"ColumnToEdit":"ComentariosApelacion","NewColumnValue":"=[_INPUT].[Comentarios de apelación]"}],"ColumnToEdit":"ComentariosApelacion","NewColumnValue":"=[_INPUT].[Comentarios de apelación]","InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	ComentariosApelacion
Set this column	ComentariosApelacion
Only if this condition is true	=AND(IN(LOOKUP(USEREMAIL(), "Gestores", "CorreoGestor", "Rol"), LIST("Administrador", "Creador")), ISNOTBLANK([ComentariosApelacion]))
Disable automatic updates?	No
Display name	Editar comentario
Action icon	
For a record of this table	GestionPqr

Does this action apply to the whole table?	No
To this value	=[_INPUT].[Comentarios de apelación]
Visible?	ALWAYS

Action name EstadisticasLocker

Action name	EstadisticasLocker
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"NavigateTarget":"=\"https://lookerstudio.google.com/reporting/f3d00b85-766a-4512-8d08-9830886f6fc1\"","LaunchExternal":false,"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_URL
Only if this condition is true	=IN(LOOKUP(USEREMAIL(), "Gestores", "CorreoGestor", "Rol"), LIST("Administrador", "Creador"))
Disable automatic updates?	No
Display name	Estadísticas
Action icon	
For a record of this table	Pqrs
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Compose Email (CorreoCorporativo)

Action name	Compose Email (CorreoCorporativo)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1

With these properties	{"EmailTo":"[CorreoCorporativo]","EmailCc":null,"EmailBcc":null,"Subject":null,"Body":null,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	EMAIL
Attach to column	CorreoCorporativo
Set this column	CorreoCorporativo
Only if this condition is true	NOT(ISBLANK([CorreoCorporativo]))
Disable automatic updates?	No
Display name	Corporativo
Action icon	
For a record of this table	Departamentos
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Corregir PDF

Action name	Corregir PDF
Bulk action?	Yes
Confirmation Message	¿Estás seguro de eliminar el documento?
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"Assignments":[{"ColumnToEdit":"CoPdf","NewColumnValue":"=\"\""},{"ColumnToEdit":"PDF","NewColumnValue":"=\"\""}],"ColumnToEdit":"CoPdf","NewColumnValue":"=\"\"","InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"¿Estás seguro de eliminar el documento?","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	CoPdf
Set this column	CoPdf
Only if this condition is true	=AND(ISNOTBLANK([PDF]),[Estado_Email]="Pendiente")

Disable automatic updates?	No
Action icon	
For a record of this table	GestionPqr
Does this action apply to the whole table?	No
To this value	=" "
Visible?	ALWAYS

Action name Open Url (Enlaces_Archivos)

Action name	Open Url (Enlaces_Archivos)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"[Enlaces_Archivos]","LaunchExternal":false,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_URL
Attach to column	Enlaces_Archivos
Set this column	Enlaces_Archivos
Only if this condition is true	NOT(ISBLANK([Enlaces_Archivos]))
Disable automatic updates?	No
Action icon	
For a record of this table	GestionPqr
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Open Url (Enlaces_Archivos)

Action name	Open Url (Enlaces_Archivos)
Bulk action?	No
Modifies data?	No

Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"[Enlaces_Archivos]","LaunchExternal":false,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_URL
Attach to column	Enlaces_Archivos
Set this column	Enlaces_Archivos
Only if this condition is true	NOT(ISBLANK([Enlaces_Archivos]))
Disable automatic updates?	No
Action icon	
For a record of this table	Pqrs
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Compose Email (CorreoCorporativo)

Action name	Compose Email (CorreoCorporativo)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"EmailTo":"[CorreoCorporativo]","EmailCc":null,"EmailBcc":null,"Subject":null,"Body":null,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	EMAIL
Attach to column	CorreoCorporativo
Set this column	CorreoCorporativo
Only if this condition is true	NOT(ISBLANK([CorreoCorporativo]))
Disable automatic updates?	No

Display name	Crear Correo
Action icon	
For a record of this table	Gestores
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Only if this condition is true	=AND(AND([_THISROW].[ID_APP] = MAXROW("ArchivosPostPqr", "Fecha_Archivo", [ID_PQR] = [_THISROW].[ID_PQR]), [ID_PQR].[Estado_Pqr] <> "Cerrada"), IN(LOOKUP(USEREMAIL(), "Gestores", "CorreoGestor", "Rol"), LIST("Administrador", "Creador")))
Disable automatic updates?	No
Action icon	
For a record of this table	ArchivosPostPqr
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No

Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Only if this condition is true	=AND(AND([_THISROW].[ID_APP] = MAXROW("ArchivosPostPqr", "Fecha_Archivo", [ID_PQR] = [_THISROW].[ID_PQR]), [ID_PQR].[Estado_Pqr] <> "Cerrada"), IN(LOOKUP(USEREMAIL(), "Gestores", "CorreoGestor", "Rol"), LIST("Administrador", "Creador")))
Disable automatic updates?	No
Action icon	
For a record of this table	ArchivosPostPqr
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Only if this condition is true	=AND(AND([_THISROW].[ID_APP] = MAXROW("ArchivosPostPqr", "Fecha_Archivo", [ID_PQR] = [_THISROW].[ID_PQR]), [ID_PQR].[Estado_Pqr] <> "Cerrada"), IN(LOOKUP(USEREMAIL(), "Gestores", "CorreoGestor", "Rol"), LIST("Administrador", "Creador")))
Disable automatic updates?	No
Action icon	

For a record of this table	ArchivosPostPqr
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Open File (Archivo_Post)

Action name	Open File (Archivo_Post)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"FileTarget":"[Archivo_Post]","Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	OPEN_FILE
Attach to column	Archivo_Post
Set this column	Archivo_Post
Only if this condition is true	NOT(ISBLANK([Archivo_Post]))
Disable automatic updates?	No
Display name	Archivos
Action icon	
For a record of this table	ArchivosPostPqr
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Agregar Anexos

Action name	Agregar Anexos
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently

Action order	1
With these properties	{"NavigateTarget":"=LINKTOFORM(\n \"ArchivosPostPqr_Form\",\n \"ID_PQR\", [ID_PQR]\n)","Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	ID_PQR
Only if this condition is true	=AND(IN(LOOKUP(USEREMAIL(), "Gestores", "CorreoGestor", "Rol"), LIST("Administrador", "Creador")), [_THISROW].[ID_APP] = MAXROW("ArchivosPostPqr", "Fecha_Archivo", [ID_PQR] = [_THISROW].[ID_PQR]), [ID_PQR].[Estado_Pqr] <> "Cerrada")
Disable automatic updates?	No
Action icon	+
For a record of this table	ArchivosPostPqr
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Gestionar-Pqr

Action name	Gestionar-Pqr
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"NavigateTarget":"=IF(\n LOOKUP(\n MAXROW(\n \"GestionPqr\",\n \"Fecha_Gestion\",\n [ID_PQR].[ID_PQR] = [_THISROW].[ID_PQR]\n),\n \"GestionPqr\",\n \"ID_Gestion\",\n \"Apelacion\"\n) = \"Sí\",\n \n LINKTOFORM(\n \"GestionPqr_Form\",\n \"ID_PQR\", [_THISROW].[ID_PQR]\n),\n \n IF(\n [ID_PQR].[Estado_Pqr] <> \"Cerrada\",\n IF(\n ISBLANK(\n MAXROW(\n \"GestionPqr\",\n \"Fecha_Gestion\",\n [ID_PQR].[ID_PQR] = [_THISROW].[ID_PQR]\n)\n),\n LINKTOFORM(\n \"GestionPqr_Form\",\n \"ID_PQR\", [_THISROW].[ID_PQR]\n),\n IF(\n LOOKUP(\n MAXROW(\n \"GestionPqr\",\n \"Fecha_Gestion\",\n [ID_PQR].[ID_PQR] = [_THISROW].[ID_PQR]\n

	),\n \"GestionPqr\",\n \"ID_Gestion\",\n \"Estado_Email\"\n) = \"Completado\",\n LINKTOFORM(\n \"GestionPqr_Form\",\n \"ID_PQR\", [_THISROW].[ID_PQR]\n),\n LINKTOROW(\n MAXROW(\n \"GestionPqr\",\n \"Fecha_Gestion\",\n [ID_PQR].[ID_PQR] = [_THISROW].[ID_PQR]\n),\n \"GestionPqr_Detail\"\n)\n)\n),\n \"\"\n)\n)","Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Only if this condition is true	=AND([_THISROW].[ID_APP] = MAXROW("ArchivosPostPqr", "Fecha_Archivo", [ID_PQR] = [_THISROW].[ID_PQR]), [ID_PQR].[Estado_Pqr] <> "Cerrada")
Disable automatic updates?	No
Action icon	»
For a record of this table	ArchivosPostPqr
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Anexar Archivos

Action name	Anexar Archivos
Bulk action?	No
Confirmation Message	Desea anexar nuevos archivos?
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"NavigateTarget":"=IF(\n [Estado_Pqr] <> \"Cerrada\",\n LINKTOFORM(\n \"ArchivosPostPqr_Form\",\n \"ID_PQR\", [_THISROW].[ID_PQR]\n),\n \"\"\n)","Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"Desea anexar nuevos archivos?","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	ID_PQR

Only if this condition is true	=AND(IN(LOOKUP(USEREMAIL(), "Gestores", "CorreoGestor", "Rol"), LIST("Administrador", "Creador")), [Estado_Pqr] <> "Cerrada")
Disable automatic updates?	No
Action icon	
For a record of this table	Pqrs
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name NotificarGestor 2

Action name	NotificarGestor 2
Bulk action?	Yes
Confirmation Message	Desea renotificar al gestor?
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"Assignments":[{"ColumnToEdit":"DepartamentoNotificado","NewColumnValue":"=True"}],"ColumnToEdit":"DepartamentoNotificado","NewColumnValue":"=True","InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"Desea renotificar al gestor?","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	DepartamentoNotificado
Set this column	DepartamentoNotificado
Only if this condition is true	=AND(IN(LOOKUP(USEREMAIL(), "Gestores", "CorreoGestor", "Rol"), LIST("Administrador", "Creador")), [Estado_Pqr] <> "Cerrada", [ContadorNotificacion] > 0)
Disable automatic updates?	No
Display name	Renotificar Gestor
Action icon	
For a record of this table	Pqrs
Does this action apply to the whole table?	No

To this value	=True
Visible?	ALWAYS

Action name Consultar Archivos

Action name	Consultar Archivos
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"NavigateTarget":"=LINKTOFILTEREDVIEW(\n \"ArchivosPostPqr_Inline\",\n [ID_PQR] = [_THISROW].[ID_PQR]\n)","Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	ID_PQR
Only if this condition is true	=ISNOTBLANK([Related ArchivosPostPqrs])
Disable automatic updates?	No
Action icon	
For a record of this table	Pqrs
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Cambiar estado a False Action - 1

Action name	Cambiar estado a False Action - 1
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"Assignments":[{"ColumnToEdit":"DepartamentoNotificado","NewColumnValue":"=False"},

	{"ColumnToEdit":"ContadorNotificacion","NewColumnValue":"=[ContadorNotificacion]+1"},{"ColumnToEdit":"UltimaNotificacion","NewColumnValue":"=NOW()"}],"ColumnToEdit":"DepartamentoNotificado","NewColumnValue":"=False","InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	DepartamentoNotificado
Set this column	DepartamentoNotificado
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	Pqrs
Does this action apply to the whole table?	No
To this value	=False
Visible?	ALWAYS

Action name Editar Correo PQR

Action name	Editar Correo PQR
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"Assignments":[{"ColumnToEdit":"Email","NewColumnValue":"=[_input].[Email]"}],"ColumnToEdit":"Email","NewColumnValue":"=[_input].[Email]","InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	ID_Interno
Set this column	Email

Only if this condition is true	=AND(IN(LOOKUP(USEREMAIL(), "Gestores", "CorreoGestor", "Rol"), LIST("Administrador", "Creador")), [Estado_Pqr] <> "Abierta")
Disable automatic updates?	No
Action icon	@
For a record of this table	Pqrs
Does this action apply to the whole table?	No
To this value	=[_input].[Email]
Visible?	ALWAYS

Action name Chart Data for Departamentos - Gestor

Action name	Chart Data for Departamentos - Gestor
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"NavigateTarget":"=\"#page=fastTable&table=Pqrs%20x%20A%C3%B1os\"","Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Only if this condition is true	=CONTEXT("View") = "Departamentos - Gestor"
Disable automatic updates?	No
Display name	Data
Action icon	⊞
For a record of this table	Pqrs
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Chart Data for Servicios

Action name	Chart Data for Servicios
Bulk action?	No

Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"NavigateTarget":"=\"#page=fastTable&table=Pqrs%20x%20A%C3%B1os\"","Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Only if this condition is true	=CONTEXT("View") = "Servicios"
Disable automatic updates?	No
Display name	Data
Action icon	
For a record of this table	Pqrs
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Chart Data for Poblacion y Servicio

Action name	Chart Data for Poblacion y Servicio
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"NavigateTarget":"=\"#page=fastTable&table=Pqrs%20x%20A%C3%B1os\"","Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Only if this condition is true	=CONTEXT("View") = "Poblacion y Servicio"
Disable automatic updates?	No
Display name	Data
Action icon	
For a record of this table	Pqrs

Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Ir a los Anexos

Action name	Ir a los Anexos
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"NavigateTarget":"=LINKTOFILTEREDVIEW(\n \"ArchivosPostPqr_Inline\",\n [ID_PQR] = [_THISROW].[ID_PQR]\n)","Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	ID_PQR
Only if this condition is true	=IN([_THISROW].[ID_PQR], ArchivosPostPqr[ID_PQR])
Disable automatic updates?	No
Action icon	
For a record of this table	GestionPqr
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (ID_PQR)

Action name	View Ref (ID_PQR)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Pqrs&row=\", ENCODEURL([ID_PQR]))

	)","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	ID_PQR
Set this column	ID_PQR
Only if this condition is true	NOT(ISBLANK([ID_PQR]))
Disable automatic updates?	No
Display name	Ir a la PQR
Action icon	
For a record of this table	ArchivosPostPqr
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Reportes
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit

Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Reportes
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (Departamento)

Action name	View Ref (Departamento)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Departamentos&row=\", ENCODEURL([Departamento]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Departamento
Set this column	Departamento
Only if this condition is true	NOT(ISBLANK([Departamento]))
Disable automatic updates?	No
Action icon	
For a record of this table	Reportes

Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	Reportes
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name View Ref (Por_Servicio)

Action name	View Ref (Por_Servicio)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Servicio&row=\", ENCODEURL([Por_Servicio]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Por_Servicio

Set this column	Por_Servicio
Only if this condition is true	NOT(ISBLANK([Por_Servicio]))
Disable automatic updates?	No
Action icon	
For a record of this table	Reportes
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Open File (Archivo_Excel)

Action name	Open File (Archivo_Excel)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"FileTarget":"[Archivo_Excel]","Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	OPEN_FILE
Attach to column	Archivo_Excel
Set this column	Archivo_Excel
Only if this condition is true	NOT(ISBLANK([Archivo_Excel]))
Disable automatic updates?	No
Display name	Descargar Reporte
Action icon	
For a record of this table	Reportes
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Crear Ruta Archivo Action - 1

Action name	Crear Ruta Archivo Action - 1

Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"Assignments": [{"ColumnToEdit":"Archivo_Post","NewColumnValue":"=CONCATENATE(\"Reportes/Reportes_Generados/\",\"Reporte_\", [Tipo_Reporte], \"_\", TEXT([Fecha_Inicio], \"YYYYMMDD\"),\".xlsx\")"}],"ColumnToEdit":"Archivo_Post","NewColumnValue":"=CONCATENATE(\"Reportes/Reportes_Generados/\",\"Reporte_\", [Tipo_Reporte], \"_\", TEXT([Fecha_Inicio], \"YYYYMMDD\"),\".xlsx\")","InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	Archivo_Post
Set this column	Archivo_Post
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	ArchivosPostPqr
Does this action apply to the whole table?	No
To this value	=CONCATENATE("Reportes/Reportes_Generados/","Reporte_", [Tipo_Reporte], "_", TEXT([Fecha_Inicio], "YYYYMMDD"),".xlsx")
Visible?	ALWAYS

Action name Crear Ruta Archivo Action - 2

Action name	Crear Ruta Archivo Action - 2
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1

With these properties	{"Assignments": [{"ColumnToEdit":"Archivo_Excel","NewColumnValue":"=CONCATENATE(\"Reportes/Reportes_Generados/\",\"Reporte_\", [Tipo_Reporte], \"_\", TEXT([Fecha_Inicio], \"YYYYMMDD\"),\".xlsx\")"}],"ColumnToEdit":"Archivo_Excel","NewColumnValue":"=CONCATENATE(\"Reportes/Reportes_Generados/\",\"Reporte_\", [Tipo_Reporte], \"_\", TEXT([Fecha_Inicio], \"YYYYMMDD\"),\".xlsx\")","InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	Archivo_Excel
Set this column	Archivo_Excel
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	Reportes
Does this action apply to the whole table?	No
To this value	=CONCATENATE("Reportes/Reportes_Generados/","Reporte_", [Tipo_Reporte], "_", TEXT([Fecha_Inicio], "YYYYMMDD"),".xlsx")
Visible?	ALWAYS