

corporate_accounts	
id	INT(10)
corporate_name	VARCHAR(255)
email	VARCHAR(255)
password	VARCHAR(255)
name	VARCHAR(255)
address	VARCHAR(255)
phone	VARCHAR(255)
account_number	VARCHAR(255)
remember_token	VARCHAR(255)
credit_card	VARCHAR(255)
created_at	TIMESTAMP
updated_at	TIMESTAMP
Indexes	

crm_password_resets	
email	VARCHAR(255)
token	VARCHAR(255)
created_at	TIMESTAMP
Indexes	

accounts	
id	INT(10)
name	VARCHAR(255)
email	VARCHAR(255)
mobile	VARCHAR(255)
password	VARCHAR(255)
remember_token	VARCHAR(100)
created_at	TIMESTAMP
updated_at	TIMESTAMP
Indexes	

dispatcher_password_resets	
email	VARCHAR(255)
token	VARCHAR(255)
created_at	TIMESTAMP
Indexes	

promocodes	
id	INT(10)
promo_code	VARCHAR(255)
discount	DOUBLE(10,2)
expiration	DATETIME
set_limit	VARCHAR(100)
number_of_time	INT(10)
user_type	VARCHAR(200)
status	ENUM(...)
zone	INT(10)
deleted_at	TIMESTAMP
created_at	TIMESTAMP
updated_at	TIMESTAMP
Indexes	

provider_profiles	
id	INT(10)
provider_id	INT(11)
language	VARCHAR(255)
address	VARCHAR(255)
address_secondary	VARCHAR(255)
city	VARCHAR(255)
country	VARCHAR(255)
postal_code	VARCHAR(255)
description	VARCHAR(1000)
created_at	TIMESTAMP
updated_at	TIMESTAMP
Indexes	

oauth_clients	
id	INT(10)
user_id	INT(11)
name	VARCHAR(255)
secret	VARCHAR(100)
redirect	TEXT
personal_access_client	TINYINT(1)
password_client	TINYINT(1)
revoked	TINYINT(1)
created_at	TIMESTAMP
updated_at	TIMESTAMP
Indexes	

crm_requests	
id	INT(11)
crm_user_id	INT(10)
booking_id	VARCHAR(255)
user_id	INT(10)
driver_id	INT(11)
request_type	VARCHAR(255)
reason	VARCHAR(255)
status	VARCHAR(255)
created_at	TIMESTAMP
updated_at	TIMESTAMP
Indexes	

referral_history	
id	INT(11)
user_id	INT(11)
referral_used_by	INT(11)
referral_discount	INT(11)
referral_status	INT(11)
trip_id	INT(11)
used_date	DATETIME
created_at	TIMESTAMP
updated_at	TIMESTAMP
Indexes	

complaints	
id	INT(11)
name	VARCHAR(100)
email	VARCHAR(100)
phone	INT(11)
subject	VARCHAR(250)
message	VARCHAR(250)
type	VARCHAR(50)
attachment	TEXT
status	INT(10)
transfer	INT(10)
reply	TEXT
created_at	TIMESTAMP
updated_at	TIMESTAMP

settings	
id	INT(10)
key	VARCHAR(255)
value	TEXT
Indexes	
capacity	VARCHAR(222)
fixed	INT(11)
price	FLOAT
minute	FLOAT
distance	FLOAT
calculator	ENUM(...)
description	VARCHAR(255)
status	INT(11)
created_at	TIMESTAMP
states	
id	INT(11)
name	VARCHAR(30)
country_id	INT(11)

city	
id	INT(10)
name	VARCHAR(200)
state_id	VARCHAR(200)

payment_methods	
id	INT(10)
name	VARCHAR(255)
created_at	TIMESTAMP

admins
id INT(10)
name VARCHAR(255)
email VARCHAR(255)
password VARCHAR(255)
picture VARCHAR(255)
remember_token VARCHAR(100)
created_at TIMESTAMP
updated_at TIMESTAMP
Indexes

cms_password_resets
email VARCHAR(255)
token VARCHAR(255)
created_at TIMESTAMP
Indexes

chats
id INT(10)
request_id INT(11)
user_id INT(11)
provider_id INT(11)
message BLOB
type ENUM('up', 'pu')
delivered TINYINT(1)
created_at TIMESTAMP
updated_at TIMESTAMP
Indexes

support_users
id INT(10)
name VARCHAR(255)
email VARCHAR(255)
mobile VARCHAR(255)
password VARCHAR(255)
remember_token VARCHAR(100)
created_at TIMESTAMP
updated_at TIMESTAMP
Indexes

fare_settings
id INT(4)
peak_night_id VARCHAR(12)
fare_plan_name VARCHAR(122)
from_km VARCHAR(255)
upto_km VARCHAR(255)
price_per_km VARCHAR(255)
waiting_price_per_min VARCHAR(255)
peak_hour ENUM('YES', 'NO')
late_night ENUM('YES', 'NO')
extra_on_base_price VARCHAR(34)
convenience_fee VARCHAR(255)
status VARCHAR(255)
created_at TIMESTAMP
updated_at TIMESTAMP
Indexes
sortname VARCHAR(255)
name VARCHAR(255)
phonecode VARCHAR(255)
created_at TIMESTAMP
updated_at TIMESTAMP
deleted_at DATETIME
Indexes

redeem_transaction
id INT(11)
user_id INT(11)
redeem_point INT(11)
redeem_amount FLOAT
created_at TIMESTAMP
updated_at TIMESTAMP
Indexes

fleet_password_resets
email VARCHAR(255)
token VARCHAR(255)
created_at TIMESTAMP
Indexes
created_at TIMESTAMP
updated_at TIMESTAMP
Indexes

cards
id INT(10)
user_id INT(11)
stripe_cust_id VARCHAR(100)
card_fingerprint VARCHAR(100)
last_four VARCHAR(255)
card_id VARCHAR(255)
brand VARCHAR(255)
is_default INT(11)
created_at TIMESTAMP
updated_at TIMESTAMP
Indexes

crm_users
id INT(10)
name VARCHAR(255)
email VARCHAR(255)
mobile VARCHAR(255)
password VARCHAR(255)
remember_token VARCHAR(100)
created_at TIMESTAMP
updated_at TIMESTAMP
Indexes

fleets
id INT(10)
name VARCHAR(255)
email VARCHAR(255)
password VARCHAR(255)
company VARCHAR(255)
mobile VARCHAR(255)
logo VARCHAR(255)
remember_token VARCHAR(100)
created_at TIMESTAMP
updated_at TIMESTAMP
Indexes

support_password_resets
email VARCHAR(255)
token VARCHAR(255)
created_at TIMESTAMP
Indexes
key VARCHAR(255)
value TEXT
created_at TIMESTAMP
updated_at TIMESTAMP
Indexes

item_has_images
id INT(11)
image_id INT(11)
item_id INT(11)

blogs
id INT(12)
en_title TEXT
ar_title TEXT

user_request_ratings
id INT(10)
request_id INT(11)
user_id INT(11)

password_resets
email VARCHAR(255)
token VARCHAR(255)
created_at TIMESTAMP
dexes

oauth_personal_access_clients
id INT(10)
client_id INT(11)
created_at TIMESTAMP
updated_at TIMESTAMP
Indexes

oauth_access_tokens
id VARCHAR(100)
user_id INT(11)
client_id INT(11)
name VARCHAR(255)
scopes TEXT
revoked TINYINT(1)
created_at TIMESTAMP
updated_at TIMESTAMP
expires_at DATETIME
dexes

bank_accounts
id INT(8)
provider_id INT(8)
paypal_id VARCHAR(200)
account_name VARCHAR(222)
bank_name VARCHAR(222)
account_number VARCHAR(200)
routing_number VARCHAR(200)
country VARCHAR(222)
currency VARCHAR(22)
status VARCHAR(122)
type ENUM(...)
created_at TIMESTAMP
updated_at TIMESTAMP
oauth_auth_codes
id VARCHAR(100)
user_id INT(11)
client_id INT(11)
scopes TEXT
revoked TINYINT(1)
expires_at DATETIME
Indexes

coporate_password_resets
email VARCHAR(255)
token VARCHAR(255)
created_at INT(11)

items
id INT(11)
user_id INT(11)
request_id INT(11)
name VARCHAR(255)
qty VARCHAR(255)
image VARCHAR(255)
discription VARCHAR(255)
instructions TEXT
special_notes VARCHAR(255)
weight VARCHAR(255)
height VARCHAR(100)
width VARCHAR(100)
rec_name VARCHAR(100)
rec_mobile VARCHAR(15)
rec_email VARCHAR(100)
rec_address TEXT
created_at TIMESTAMP
updated_at TIMESTAMP
document_type VARCHAR(255)
dexes

cms_users
id INT(10)
name VARCHAR(255)
email VARCHAR(255)
mobile VARCHAR(255)
password VARCHAR(255)
remember_token VARCHAR(100)
created_at TIMESTAMP
updated_at TIMESTAMP
Indexes

lost_items
id INT(11)
user_id INT(10)
trip_id INT(10)
name VARCHAR(100)
email VARCHAR(100)
phone VARCHAR(50)
lost_item VARCHAR(100)
subject VARCHAR(255)
description TEXT
status ENUM(...)
created_at TIMESTAMP
updated_at TIMESTAMP
Indexes

request_filters
id INT(10)
request_id INT(11)
provider_id INT(11)
status INT(11)
created_at TIMESTAMP
updated_at TIMESTAMP
Indexes

zones
id INT(10)
country VARCHAR(200)
city VARCHAR(200)

peak_and_nights
id INT(3)
peak_night_id VARCHAR(100)
fare_setting_id INT(11)

user_complaints
id INT(11)
complaint_type VARCHAR(80)
description VARCHAR(255)

created_at	TIMESTAMP
updated_at	TIMESTAMP
deleted_at	DATETIME
Indexes	

updated_at	TIMESTAMP
Indexes	

created_at	TIMESTAMP
updated_at	TIMESTAMP
deleted_at	DATETIME
Indexes	

packages	
id	INT(4)
fare_setting_id	INT(6)
cab_id	INT(6)
zone_id	VARCHAR(200)
category	VARCHAR(122)
description	VARCHAR(2000)
status	INT(2)
created_at	TIMESTAMP
updated_at	TIMESTAMP
one_passanger_percent	INT(11)
two_passanger_percent	INT(11)
Indexes	

withdrawal_moneys	
id	INT(8)
bank_account_id	INT(20)
provider_id	INT(7)
amount	VARCHAR(34)
status	VARCHAR(50)
created_at	TIMESTAMP
updated_at	TIMESTAMP
Indexes	

push_notifications	
id	INT(10)
to_user	TEXT
from_user	INT(10)
type	INT(10)
title	VARCHAR(255)
notification_text	TEXT
image	VARCHAR(255)
url	VARCHAR(255)
expiration_date	DATE
zone	INT(10)
all	TEXT
msg_type	VARCHAR(255)
show_in_promotion	INT(10)
created_at	TIMESTAMP
updated_at	TIMESTAMP
Indexes	

providers	
id	INT(10)
zone_id	INT(11)
first_name	VARCHAR(255)
last_name	VARCHAR(255)
email	VARCHAR(255)
mobile	VARCHAR(255)
password	VARCHAR(255)
avatar	VARCHAR(255)
device_id	VARCHAR(255)
rating	DECIMAL(4,2)
status	ENUM(...)
fleet	INT(11)
latitude	DOUBLE(15,8)
longitude	DOUBLE(15,8)
otp	MEDIUMINT(9)
remember_token	VARCHAR(100)
created_at	TIMESTAMP
updated_at	TIMESTAMP
login_by	ENUM(...)
social_unique_id	VARCHAR(255)
device_type	ENUM(...)
device_token	VARCHAR(255)
term_n	INT(2)
is_read	INT(11)
logged_in	INT(10)
access_token	TEXT
Indexes	

user_location_types	
id	INT(11)
user_id	INT(11)
location_type	VARCHAR(50)
address	VARCHAR(255)
latitude	VARCHAR(50)
longitude	VARCHAR(50)
created_at	TIMESTAMP
updated_at	TIMESTAMP
deleted_at	TIMESTAMP
Indexes	

provider_zone	
id	INT(10)
driver_id	INT(11)
zone_id	INT(11)
in_out_status	TINYINT(4)
created_at	TIMESTAMP
updated_at	TIMESTAMP
Indexes	

dispatchers	
id	INT(10)
name	VARCHAR(255)
email	VARCHAR(255)
mobile	VARCHAR(255)
password	VARCHAR(255)
remember_token	VARCHAR(100)
created_at	TIMESTAMP
updated_at	TIMESTAMP
Indexes	

corporate_account_documents	
id	INT(10)
corporate_id	INT(11)
document_id	VARCHAR(255)
url	VARCHAR(255)
expires_at	TIMESTAMP
created_at	TIMESTAMP
updated_at	TIMESTAMP
Indexes	

provider_documents	
id	INT(10)
provider_id	INT(11)
document_id	VARCHAR(255)
url	VARCHAR(255)
unique_id	VARCHAR(255)
status	ENUM(...)
expires_at	DATE
created_at	TIMESTAMP
updated_at	TIMESTAMP
Indexes	

documents	
id	INT(10)
name	VARCHAR(255)
type	ENUM(...)
expire	VARCHAR(500)
created_at	TIMESTAMP
updated_at	TIMESTAMP
Indexes	

created\_at TIMESTAMP  
updated\_at TIMESTAMP  
deleted\_at TIMESTAMP

Indexes ▶

#### provider\_devices ▼

id INT(10)  
provider\_id INT(11)  
udid VARCHAR(255)  
token VARCHAR(255)  
sns\_arn VARCHAR(255)  
type ENUM(...)  
created\_at TIMESTAMP  
updated\_at TIMESTAMP

Indexes ▶

fr\_title TEXT  
ru\_title TEXT  
sp\_title TEXT  
en\_description TEXT  
ar\_description TEXT  
fr\_description TEXT  
ru\_description TEXT  
sp\_description TEXT  
image VARCHAR(200)  
created\_at TIMESTAMP

#### cities ▼

id SMALLINT(4)  
city VARCHAR(128)  
state ENUM(...)  
country ENUM('US', 'CA')  
created\_at TIMESTAMP  
updated\_at TIMESTAMP

Indexes ▶

provider\_id INT(11)  
user\_rating INT(11)  
provider\_rating INT(11)  
user\_comment VARCHAR(255)  
provider\_comment VARCHAR(255)  
created\_at TIMESTAMP  
updated\_at TIMESTAMP

Indexes ▶

#### account\_password\_resets ▼

email VARCHAR(255)  
token VARCHAR(255)  
created\_at TIMESTAMP

Indexes ▶

#### users ▼

id INT(10)  
first\_name VARCHAR(255)  
last\_name VARCHAR(255)  
payment\_mode ENUM(...)  
email VARCHAR(255)  
mobile VARCHAR(255)  
password VARCHAR(255)  
picture VARCHAR(255)  
device\_token VARCHAR(255)  
device\_id VARCHAR(255)  
device\_type ENUM(...)  
login\_by ENUM(...)  
social\_unique\_id VARCHAR(255)  
latitude DOUBLE(15,8)  
longitude DOUBLE(15,8)  
zone\_id INT(11)  
stripe\_cust\_id VARCHAR(255)  
wallet\_balance DOUBLE(8,2)  
rating DECIMAL(4,2)  
otp MEDIUMINT(9)  
remember\_token VARCHAR(100)  
status INT(11)  
access\_token VARCHAR(64)  
paypal\_id VARCHAR(255)  
multiple\_payment\_method VARCHAR(255)  
referral\_code VARCHAR(25)  
refer\_id INT(11)  
total\_points INT(11)  
referral\_used INT(11)  
referrals INT(11)

3 more...

Indexes ▶

#### testimonials ▼

id INT(11)  
en\_name VARCHAR(200)  
name1 VARCHAR(200)  
en\_type VARCHAR(200)  
type1 VARCHAR(200)  
en\_description VARCHAR(2000)  
description1 VARCHAR(1000)  
image VARCHAR(1000)  
ar\_name TEXT  
fr\_name TEXT  
ru\_name TEXT  
sp\_name TEXT  
ar\_type TEXT  
fr\_type TEXT  
ru\_type TEXT  
sp\_type TEXT  
ar\_description TEXT  
fr\_description TEXT  
ru\_description TEXT  
sp\_description TEXT  
deleted\_at TIMESTAMP  
created\_at TIMESTAMP  
updated\_at TIMESTAMP

Indexes ▶

#### oauth\_refresh\_tokens ▼

id VARCHAR(100)  
access\_token\_id VARCHAR(100)  
revoked TINYINT(1)  
expires\_at DATETIME

Indexes ▶

#### contact\_us ▼

id INT(11)  
name VARCHAR(100)  
email VARCHAR(100)  
phone INT(11)  
subject VARCHAR(250)  
message VARCHAR(250)  
attachment TEXT  
created\_at TIMESTAMP  
updated\_at TIMESTAMP

Indexes ▶

#### promocode\_usages ▼

id INT(10)  
user\_id INT(11)  
promocode\_id INT(11)  
status ENUM(...)  
created\_at TIMESTAMP  
updated\_at TIMESTAMP

Indexes ▶

#### admin\_helps ▼

help\_id INT(11)  
description LONGTEXT  
updated\_at TIMESTAMP  
created\_at TIMESTAMP  
deleted\_at TIMESTAMP

Indexes ▶

state VARCHAR(200)
zone_name VARCHAR(255)
currency VARCHAR(200)
status VARCHAR(200)
background VARCHAR(255)
draw_lines VARCHAR(255)
created_at TIMESTAMP
updated_at TIMESTAMP
coordinate LONGBLOB
<b>Indexes</b>

<b>rewarded_history</b>
id INT(11)
user_id INT(11)
request_id INT(11)
point_earn FLOAT
created_at TIMESTAMP
updated_at TIMESTAMP
<b>Indexes</b>

<b>user_requests</b>
id INT(10)
booking_id VARCHAR(255)
user_id INT(11)
provider_id INT(11)
current_provider_id INT(11)
service_type_id INT(11)
item_id INT(11)
status ENUM(...)
cancelled_by ENUM(...)
cancel_reason VARCHAR(255)
payment_mode ENUM(...)
paid TINYINT(1)
distance DOUBLE(15,3)
s_address VARCHAR(255)
s_latitude DOUBLE(15,8)
s_longitude DOUBLE(15,8)
d_address VARCHAR(255)
d_latitude DOUBLE(15,8)
d_longitude DOUBLE(15,8)
s_address_2 VARCHAR(500)
s_latitude_2 DOUBLE(15,8)
s_longitude_2 DOUBLE(15,8)
d_address_2 VARCHAR(500)
d_latitude_2 DOUBLE(15,8)
d_longitude_2 DOUBLE(15,8)
s_address_3 VARCHAR(500)
s_latitude_3 DOUBLE(15,8)
s_longitude_3 DOUBLE(15,8)
d_address_3 VARCHAR(500)
d_latitude_3 DOUBLE(15,8)
18 more...
<b>Indexes</b>

day VARCHAR(22)
start_time TIME
end_time TIME
peak_night_type ENUM(...)
fare_in_percentage VARCHAR(30)
status INT(2)
created_at TIMESTAMP
updated_at TIMESTAMP
<b>Indexes</b>

<b>ride_types</b>
id INT(11)
name VARCHAR(100)
icon VARCHAR(255)
status INT(10)
created_at TIMESTAMP
updated_at TIMESTAMP
<b>Indexes</b>

<b>pages</b>
id INT(12)
en_title TEXT
ar_title TEXT
fr_title TEXT
ru_title TEXT
sp_title TEXT
slug VARCHAR(255)
en_meta_keys TEXT
ar_meta_keys TEXT
fr_meta_keys TEXT
ru_meta_keys TEXT
sp_meta_keys TEXT
en_meta_description TEXT
ar_meta_description TEXT
fr_meta_description TEXT
ru_meta_description TEXT
sp_meta_description TEXT
en_description TEXT
ar_description TEXT
fr_description TEXT
ru_description TEXT
sp_description TEXT
image VARCHAR(200)
en_question VARCHAR(200)
ar_question TEXT
fr_question TEXT
ru_question TEXT
sp_question TEXT
created_at TIMESTAMP
updated_at TIMESTAMP
<b>Indexes</b>

user_id INT(11)
booking_id INT(11)
provider_id INT(11)
created_at TIMESTAMP
updated_at TIMESTAMP
deleted_at TIMESTAMP
<b>Indexes</b>

<b>provider_services</b>
id INT(10)
provider_id INT(11)
service_type_id INT(11)
status ENUM(...)
full INT(5)
service_number VARCHAR(255)
service_model VARCHAR(255)
created_at TIMESTAMP
updated_at TIMESTAMP
<b>Indexes</b>

<b>user_request_payments</b>
id INT(10)
user_service_hour VARCHAR(222)
earning_money VARCHAR(222)
provider_base_amount VARCHAR(222)
service_type VARCHAR(222)
request_id INT(11)
promocode_id INT(11)
payment_id VARCHAR(255)
payment_mode VARCHAR(255)
fixed DOUBLE(10,2)
total_minute DOUBLE(10,2)
per_price DOUBLE(10,2)
distance DOUBLE(10,2)
commision DOUBLE(10,2)
discount DOUBLE(10,2)
tax DOUBLE(10,2)
wallet DOUBLE(10,2)
surge DOUBLE(10,2)
insurance DOUBLE(10,2)
total DOUBLE(10,2)
base_earn DOUBLE(10,2)
created_at TIMESTAMP
updated_at TIMESTAMP
<b>Indexes</b>

<b>images</b>
id INT(11)
image_path VARCHAR(100)
created_at TIMESTAMP
updated_at TIMESTAMP
deleted_at TIMESTAMP
<b>Indexes</b>