

client_id VARCHAR(15) client_name VARCHAR(150) first_name VARCHAR(150) last name VARCHAR(150) position VARCHAR(150) phone VARCHAR(150) ax VARCHAR(150) email VARCHAR(150) mobile VARCHAR(150) created DATETIME created by INT(11) links_cats cat id INT(2) cat_title VARCHAR(255) cat_order INT(2)

itemtypes itemtype_id INT(11) itemtype_title VARCHAR(255) itemtype_desc VARCHAR(255)



filesharing_links link id INT(11) token VARCHAR(100) ♦ link job id INT(11) ♦ link_type VARCHAR(100) ♦ link_language VARCHAR(250) created DATETIME created_by INT(3) ♦ link_status VARCHAR(100) last_accessed_ip VARCHAR(250)

jobs_languages ▼ iob_lang_id INT(11) job_id INT(11) ♦ language_id INT(11) trans_notes TEXT ♦ lang_status VARCHAR(100) ♦ lang_due_date DATE staff_id INT(11)

resources resource_id INT(11) resource_title VARCHAR(255) resource_file VARCHAR(255)

🔲 quotes_items_langs 🔻 item_id INT(11) lang_id INT(11)

___ staff PEmployeeID INT(11) EmployeeName VARCHAR(255) emp username VARCHAR(255) emp_password VARCHAR(255) emp_type VARCHAR(255) emp_permission VARCHAR(255) emp_email VARCHAR(255) osalt TEXT emp_image VARCHAR(100) emp_hr_cost DECIMAL(4,2) emp_hr_charge INT(11) email_sig TEXT emp dashboard VARCHAR(50) emp_reminder TEXT inv_rcvd VARCHAR(200)

inv amount DOUBLE(6,2)

payment_ref VARCHAR(150)

payment_notes VARCHAR(250)

date_paid DATE

staff_hours_log

hours_worked INT(11)

staff_type VARCHAR(255)

created DATETIME

___ jobs_invoices

invoice_id INT(11)

invoice_date DATE

created DATETIME

notes

note_id INT(3)

note_desc TEXT

job_id INT(11)

task_id INT(11)

item_id INT(11)

lang_id INT(11)

client id INT(11)

created DATETIME

created_by INT(11)

onote_sticky INT(11)

jobs_items

status_title VARCHAR(255)

♦ tags VARCHAR(200)

invoice_title VARCHAR(255)

invoice_amount DECIMAL(12,2)

invoice_status VARCHAR(50)

invoice_paid_date DATE

created_by VARCHAR(200)

invoice_ref VARCHAR(100)

note_title VARCHAR(255)

invoice_notes VARCHAR(255) last modified DATETIME

loa id INT(11)

staff_id INT(11)

___ files file_id INT(10) file_title VARCHAR(255) file_filename VARCHAR(255) ∫ file_type VARCHAR(100) file_size INT(10) parent_id VARCHAR(25) created DATETIME created by INT(11) file_category VARCHAR(250)

__ clients ? client_id INT(6) client_name VARCHAR(150) ABN VARCHAR(150) ACN VARCHAR(150) AddressCountry VARCHAR(150) AddressPostCode VARCHAR(150) AddressStreet VARCHAR(150) AddressState VARCHAR(150) AddressSuburb VARCHAR(150) BankAccount VARCHAR(150) BankAccountName VARCHAR(150) BankBSB VARCHAR(150) Client_flag VARCHAR(150) ○ FaxMain VARCHAR(150) Mailing_List VARCHAR(150) NAATI_Number VARCHAR(150) ♦ PhoneMain VARCHAR(150) PostalAddressCountry VARCHAR(150) PostalAddressStreet VARCHAR(150) PostalAddressState VARCHAR(150) PostalAddressSuburb VARCHAR(150) Prospect_flag VARCHAR(150) ProspectStaffMember VARCHAR(150) Supplier_flag VARCHAR(150) Translators_Rate VARCHAR(150) Type_Mail VARCHAR(150)

PostalAddressPostCode VARCHAR(150)

■ suppliers_services ▼ client_id INT(11) rservice_id INT(11) ⊋lang_id INT(11) item_id INT(11) supplier_type VARCHAR(100) agreed_rate DECIMAL(10,2) supplier_sent_to DATE supplier_received DATE word_count INT(11) ♦ due_date DATETIME supplier_inv VARCHAR(50) supplier_inv_date DATE ♦ date_paid DATE payment_ref VARCHAR(150) payment_notes VARCHAR(255) status VARCHAR(100) dtp_by INT(11) typeset DATE ♦ first_qa DATE ♦ first_qa_staff_id INT(11) supplier_proof_sent DATE supplier_updates_received DATE supplier_amends_taken_in DATE \$\infty\$ ∫ final_qa DATE client_pdf_proof_created DATE client_finals_returned DATE client_feedback_received DATE 15 more.

item_id INT(11) item_type VARCHAR(255) item_desc TEXT item_charge_type VARCHAR(25) item_langs INT(3) item_words INT(7) item_rate DECIMAL(10,2) item_qty INT(3) item_amt DECIMAL(10,2) item_status VARCHAR(25) master artwork file created INT(1) master_rtl_artwork_file_created INT(1) item_notes TEXT item_due DATE ___ task_tags tag_id INT(11) tag_title VARCHAR(150) 50) ACN VARCHAR(150) AddressCountry VARCHAR(150) AddressPostCode VARCHAR(150) AddressStreet VARCHAR(150) AddressState VARCHAR(150) AddressSuburb VARCHAR(150) BankAccount VARCHAR(150) BankAccountName VARCHAR(150) BankBSB VARCHAR(150) Client_flag VARCHAR(150) EmailMain VARCHAR(150) FaxMain VARCHAR(150) Language_Mail VARCHAR(150) Mailing_List VARCHAR(150) NAATI_Number VARCHAR(150) PhoneMain VARCHAR(150) PostalAddressCountry VARCHAR(150) PostalAddressPostCode VARCHAR(150) PostalAddressStreet VARCHAR(150) PostalAddressState VARCHAR(150) PostalAddressSuburb VARCHAR(150) Prospect_flag VARCHAR(150) ProspectStaffMember VARCHAR(150) Supplier_flag VARCHAR(150) Translator_Holidays VARCHAR(150) Translators_Rate VARCHAR(150) ♦ Type_Mail VARCHAR(150)

jobs_items_langs ▼ item_id INT(11) lang_id INT(11) client_id INT(11) contact_id INT(11) job_date DATETIME job_trans_date DATETIME job to client DATETIME ⇒job_invoiced TINYINT(1) ♦ job_invoiced_date DATETIME job_formats VARCHAR(255) job_timeframes VARCHAR(255) job_terms VARCHAR(255) job_typesetter VARCHAR(3) job_ponumber VARCHAR(100) job_total_amt DECIMAL(10,2) created_by INT(11) job_due_date DATE last_modified DATETIME job_status VARCHAR(100) job_notes TEXT job_completed_date DATE po_number VARCHAR(255) job_quote_files_final INT(11) job_quote_files_final_date DATE job_files_rcvd INT(11) job_files_rcvd_date DATE job_wc_check INT(11)

integral in the property in the pr job_wc_check_date DATE 15 more.

 jobs_languages_files ▼ link_id INT(11) file_id INT(11) ♦ lang_id INT(11) service_types

service_id INT(11)

service_title VARCHAR(255)

■ staff_hours_log_bkup ▼

hours_worked DECIMAL(6,2)

staff_type VARCHAR(255)

log_id INT(11)

staff_id INT(11)

created DATETIME

quotes quote_id INT(11) ♦ job_title VARCHAR(255) client_id INT(11) contact_id INT(11) job_formats VARCHAR(255) job_timeframes VARCHAR(255) job terms VARCHAR(255) quote_total_amt DECIMAL(10,2) job_id INT(11) author_id INT(3) quote_status VARCHAR(50) created DATETIME last_modified DATETIME quote_comments VARCHAR(255) quote_won_rejected DATETIME production_days INT(11) quote_notes VARCHAR(255) quote_warmth INT(2) quote_eta DATE quote_source VARCHAR(255)

___ jobs_members_bkup2 ▼ // jm_id INT(11) job_id INT(11) staff_id INT(11) staff_role VARCHAR(200) job_hours INT(11) rate INT(11)

settings setting_id INT(11) sales_targets VARCHAR(255) quote_cost DECIMAL(6,2) invoice_cost DECIMAL(6,2) operating_cost DOUBLE(6,2)

quotes_emails comms_id INT(11) filename VARCHAR(255) ♦ date_sent DATETIME sent_to VARCHAR(200) sent from VARCHAR(200) quote_id INT(11) email_content TEXT

job_status_list fraction states states from the states of th status_title VARCHAR(255) status order INT(2)

 jobs_members_bkup ▼ im id INT(11) staff_id INT(11) staff_role VARCHAR(200) job_hours DECIMAL(6,2) rate INT(11)

ratecard_trans_dtp rate_id INT(11) rate_combined DECIMAL(4,2) rate_trans DECIMAL(4,2) rate_dtp DECIMAL(4,2) rate_words INT(11) rate_langs INT(11)

🔲 suppliers_languages 🔻 ? client_id INT(11) 💡 lang_id INT(11) staff_role_VARCHAR(200) oiob hours INT(11) rate INT(11)

■ standard_terms ▼

item_id INT(11) item_qa TEXT item_sterms TEXT

supplier_status_options fraction states states states states from the states states are states as the states are states are states as the states are states are states as the states are states are states are states are states as the states are states are status_title VARCHAR(255)

🔲 lead_status_options 🔻 💡 status_id INT(11) status_title VARCHAR(256) status_order INT(11)

lead_log log_id INT(11) client_id INT(11) lead_event VARCHAR(150) lead_comment TEXT ♦ lead_date DATE log_created DATETIME ♦ log_created_by INT(11) task_created INT(11) ♦ lead_contact_id VARCHAR(255)

activity_log ? activity_id INT(11) activity_title VARCHAR(255) activity_desc TEXT activity_staff_id INT(11) activity_datetime DATETIME activity_type VARCHAR(50) activity_link_id INT(11)

email_log remail_id INT(11) • email_to VARCHAR(255) oemail from VARCHAR(255) email subject VARCHAR(255) email_contents TEXT ♦ email_sent DATETIME email_job_id INT(11) email_supplier_id INT(11) oemail_client_id INT(11) ♦ email_js_id INT(11) oemail_attachments VARCHAR(500) email opened DATETIME 🔲 quotes_languages 🔻 quote_id INT(11) Planguage_id INT(11)

languages Plang_id INT(3) lang_title VARCHAR(255) ♦ lang_naati INT(1) lang_gengo INT(1)

quotes_revisions revision id INT(11) revision_quote INT(11) revision_created_by VARCHAR(255) revision_created DATETIME revision_folder VARCHAR(255)

terms_options item_id INT(11) item_title VARCHAR(255)

___ tasks task_id INT(2) task_title VARCHAR(255) assigned_to INT(3) priority VARCHAR(50) due_date DATE task_status VARCHAR(100) milestone_id INT(2) assigned_to_bkup INT(3) item_id INT(11) task_created_by INT(11) task_created DATETIME ♦ lang_id INT(11) ♦ task_tags VARCHAR(255) task_desc TEXT client_id INT(11) ♦ task_order INT(4)