Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Epitalon - 10mg

4X TESTED

PASS

Tested for: Mei Sheung Direct (MSD) Peptides

COA #:	**COA-2026-VGTWKM**	Analysis Date:	**11/03/2026**
Lot Number:	**MSD-001-Oct-11-2026**	Appearance:	**Good**
Accession #:	**ACC-2026-24703**	Sample Matrix:	**Lyophilized**
Labeled Content:	**10mg**	Volume:	**3mL**
		Date Received:	**10/30/2026**

Scan to verify authenticity at ils-lab.com
Access Code: 8AP7S48T

Method: **Purity, Identity & Quantitation (HPLC)**

Identity	Peptide Purity
Epitalon	**96.19%**




Epitalon 10mg - MSD-001-Oct-11-2026

Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	**96.19%**	%	**PASS**
Net Peptide Content	Report Only	**10.14**	mg	N/A
Identity (HPLC-RTM)	Epithalon	**Confirmed**	-	**PASS**

HPLC Chromatogram



Epitalon 10mg - MSD-001-Oct-11-2026: UV Chromatogram

Notes & Methodology

1. Date Tested: 11/03/2026. Methods: Purity, Identity & Quantitation (HPLC).
2. The sample was confirmed to be Epitalon by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
4. Quality System: ILS Laboratories operates an ISO/IEC 17025 quality management system. Peptide testing is performed for Research Use Only.
5. This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.

Issued by ILS Laboratories
(619) 329-3999
ils-lab.com

Dr. Greg Kalyuzhny
Lab Director
11/03/2026

COA #: **COA-2026-VGTWKM**
Access Code: **8AP7S48T**
Verify: portal.ils-lab.com/verify/24s7RubMl_9PAeAv
Issued: 11/03/2026