```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1" />
 <title>Student Portfolio - Your Name</title>
 <meta name="description" content="A creative, single-file HTML+CSS portfolio</pre>
template for students." />
  <style>
   THEME & RESET
      :root{
     --bg: #0f1226;
     --card: rgba(255,255,255,0.06);
     --text: #e9ecff;
     --muted: #b8c0ff;
     --brand: #8a7dff; /* primary accent */
     --brand-2: #ff77b7; /* secondary accent */
     --ring: #ffffff22;
     --shadow: 0 10px 30px rgba(0,0,0,0.35);
     --radius: 22px;
     --glass: blur(12px) saturate(120%);
   }
   /* CSS-only theme toggle (checkbox hack) */
   #themeToggle:checked ~ .site{
     --bg: #fbfbfe;
     --card: rgba(0,0,30,0.04);
     --text: #1a1c2e;
     --muted: #4b4f77;
     --brand: #5b6cff;
     --brand-2: #ff5ca1;
     --ring: #00000011;
     --shadow: 0 10px 30px rgba(28, 25, 58, 0.12);
   }
   *,*::before,*::after{box-sizing:border-box}
   html,body{height:100%}
   body{margin:0;font-family:ui-sans-serif, system-ui, -apple-system, Segoe UI,
Roboto, "Helvetica Neue", Arial; background:var(--bg); color:var(--text);}
   img{max-width:100%; display:block}
   a{color:inherit; text-decoration:none}
    .site{isolation:isolate}
   GLOBAL LAYOUT
      */
    .container{width:min(1100px, 92vw); margin:0 auto}
```

```
.grid{display:grid; gap:1.2rem}
    .two{grid-template-columns:repeat(2, minmax(0,1fr))}
   @media (max-width: 860px){.two{grid-template-columns:1fr}}
    .card{background:var(--card); backdrop-filter:var(--glass);
-webkit-backdrop-filter:var(--glass); border:1px solid var(--ring);
border-radius:var(--radius); box-shadow:var(--shadow)}
    .tag{display:inline-flex; align-items:center; gap:.35rem; font-size:.8rem;
padding:.35rem .6rem; background:linear-gradient( to right, var(--brand) 0%,
var(--brand-2) 100% ); color:white; border-radius:999px}
   THEME SWITCHER CONTROL
      */
    .theme-switch{position:fixed; z-index:50; inset:auto 18px 18px auto;}
    .theme-switch label{cursor:pointer; display:flex; align-items:center;
gap:.6rem; padding:.6rem .8rem; border-radius:999px; background:var(--card);
border:1px solid var(--ring); box-shadow:var(--shadow)}
    .theme-switch .pill{width:42px; height:22px; border-radius:999px;
background:var(--ring); position:relative}
    .theme-switch .thumb{position:absolute; inset:3px auto 3px 3px; width:16px;
height:16px; border-radius:50%; background:linear-gradient(180deg,#fff,#d9defd);
transition:transform .25s}
   #themeToggle:checked ~ .site .theme-switch .thumb{transform:translateX(20px)}
   HERO
      */
    .hero{position:relative; padding:80px 0 60px; overflow:hidden}
    .hero .orb{position:absolute; filter:blur(40px); opacity:.55; animation: float
12s ease-in-out infinite}
    .orb.one{width:420px; height:420px; background:radial-gradient(circle at 30%
30%, var(--brand), transparent 60%); top:-100px; left:-120px}
    .orb.two{width:520px; height:520px; background:radial-gradient(circle at 70%
70%, var(--brand-2), transparent 60%); bottom:-160px; right:-140px;
animation-duration: 16s}
   @keyframes float{50%{transform:translateY(-14px)}}
    .hero-inner{display:grid; grid-template-columns: 1.1fr .9fr; gap:2rem;
align-items:center}
   @media (max-width: 860px){.hero-inner{grid-template-columns:1fr;
text-align:center}}
    .title{font-size: clamp(2rem, 5vw, 3.6rem); line-height:1.05; margin:0 0 .6rem;
letter-spacing:-0.02em}
    .subtitle{font-size: clamp(1rem, 2.1vw, 1.2rem); color:var(--muted)}
    .cta{display:flex; gap:.8rem; flex-wrap:wrap; margin-top:1.2rem}
    .btn{display:inline-flex; align-items:center; gap:.6rem; padding:.8rem 1rem;
border-radius:14px; font-weight:600; border:1px solid var(--ring);
```

```
background:var(--card)}
    .btn.primary{background:linear-gradient( to right, var(--brand), var(--brand-2)
); color:white; border-color:transparent}
   /* Avatar + orbiting badges */
    .avatar{position:relative; aspect-ratio:1/1; width:min(340px, 70vw);
margin-inline:auto}
    .avatar .img{border-radius:28px; overflow:hidden; border:1px solid var(--ring);
box-shadow:var(--shadow)}
    .badge{position:absolute; padding:.45rem .65rem; background:var(--card);
border:1px solid var(--ring); border-radius:999px; font-size:.8rem;
box-shadow:var(--shadow)}
    .b1{top:-10px; left:-10px; animation:orbit 12s linear infinite}
    .b2{top:18%; right:-16px; animation:orbit 16s linear reverse infinite}
    .b3{bottom:-12px; left:8%; animation:orbit 20s linear infinite}
   @keyframes orbit{to{transform:rotate(1turn) translateY(0)}}
   SECTION BASE
      */
   section{padding:60px 0}
    .section-title{display:flex; align-items:center; gap:.7rem; font-weight:800;
letter-spacing:.08em; text-transform:uppercase; color:var(--muted);
font-size:.9rem; margin-bottom:18px}
    .section-title::before{content:""; width:26px; height:2px;
background:linear-gradient( to right, var(--brand), var(--brand-2) );
border-radius:2px}
   ABOUT
      */
    .about p{margin:0; font-size:1.05rem; line-height:1.7}
    .about .high{color:transparent; background: linear-gradient( to right,
var(--brand), var(--brand-2) ); -webkit-background-clip:text; background-clip:text;
font-weight:700}
   PROJECTS
      .projects{display:grid; grid-template-columns: repeat(3, minmax(0,1fr));
gap:1rem}
   @media (max-width: 1040px){.projects{grid-template-columns: repeat(2,
minmax(0,1fr))}}
   @media (max-width: 680px){.projects{grid-template-columns: 1fr}}
    .project{position:relative; overflow:hidden; transition:transform .25s ease,
box-shadow .25s ease}
    .project:hover{transform: translateY(-6px) rotate(-.2deg); box-shadow: 0 20px
40px rgba(0,0,0,.25)}
   .project .thumb{height:160px; background:linear-gradient(120deg, var(--brand)
0%, var(--brand-2) 100%); border-bottom:1px solid var(--ring)}
```

```
.project .body{padding:1rem}
    .project h3{margin:.2rem 0 .3rem; font-size:1.1rem}
    .project p{margin:0; color:var(--muted); font-size:.95rem}
    .project .pill{position:absolute; top:10px; right:10px;
background:rgba(255,255,255,.25); color:#fff; font-weight:700; padding:.3rem .6rem;
border-radius:999px; font-size:.75rem; border:1px solid var(--ring)}
   SKILLS - radial meters via conic-gradient
      .skills{display:grid; grid-template-columns:repeat(4, minmax(0,1fr)); gap:1rem}
   @media (max-width: 1040px){.skills{grid-template-columns: repeat(3,
minmax(0,1fr))}}
   @media (max-width: 760px){.skills{grid-template-columns: repeat(2,
minmax(0,1fr))}}
    .skill{display:grid; place-items:center; padding:1rem}
    .ring{--val: 0.75turn; width:120px; aspect-ratio:1/1; border-radius:50%;
background:
     conic-gradient( from -90deg, var(--brand) 0turn, var(--brand-2) var(--val),
#9990 var(--val) 1turn);
     display:grid; place-items:center; border:1px solid var(--ring)}
    .ring span{display:grid; place-items:center; width:90px; aspect-ratio:1/1;
border-radius:50%; background:var(--card); border:1px solid var(--ring);
font-weight:700}
    .skill label{margin-top:.7rem; color:var(--muted)}
   TIMELINE
      .timeline{position:relative; padding-left:18px}
    .timeline::before{content:""; position:absolute; left:6px; top:0; bottom:0;
width:2px; background:linear-gradient(var(--brand),var(--brand-2))}
    .t-item{position:relative; margin:0 0 18px; padding:14px 16px 14px 16px}
   .t-item::before{content:""; position:absolute; left:-2px; top:18px; width:10px;
height:10px; border-radius:50%; background:var(--brand-2); box-shadow:0 0 0 4px
var(--ring)}
   .t-item h4{margin:.1rem 0; font-size:1.05rem}
    .t-item small{color:var(--muted)}
   CONTACT
      .contact form{display:grid; gap:.8rem}
    .field{display:grid}
    .field label{font-size:.9rem; color:var(--muted); margin-bottom:.35rem}
    .field input, .field textarea{padding:.9rem 1rem; border-radius:14px;
border:1px solid var(--ring); background:var(--card); color:var(--text)}
    .field textarea{min-height:140px; resize:vertical}
```

```
FOOTER
       */
    footer{padding:30px 0 70px; color:var(--muted)}
   /* fun little hover underline */
    .uline{background:
     linear-gradient(currentColor, currentColor) 0 100%/0 2px no-repeat;
     transition:background-size .3s}
    .uline:hover{background-size:100% 2px}
  </style>
</head>
<body>
  <!-- Theme toggle lives OUTSIDE .site so the checkbox can affect variables via
general sibling selector. -->
  <input id="themeToggle" type="checkbox" hidden>
  <div class="site">
    <div class="theme-switch">
      <label for="themeToggle" title="Toggle light/dark">
        <span class="pill"><span class="thumb"></span></span>
        <span>Theme</span>
      </label>
    </div>
    <!-- HERO -->
    <header class="hero">
      <div class="orb one"></div>
      <div class="orb two"></div>
      <div class="container hero-inner">
        <div>
          <span class="tag">Open to Internships</span>
          <h1 class="title">Hi, I'm <span class="uline">Oviya</span> a student who
builds delightful web experiences.</h1>
          I design and develop playful, accessible interfaces.
Currently exploring creative coding, data viz, and inclusive design.
          <div class="cta">
           <a class="btn primary" href="#container">Skills</a>
           <a class="btn" href="#contact">Contact Me</a>
           <a class="btn" href="resume.pdf" download>Download resume</a>
          </div>
        </div>
        <div>
          <div class="avatar">
           <div class="img">
           <span class="badge b1">CSS • UI</span>
           <span class="badge b2">JavaScript</span>
           <span class="badge b3">Python</span>
          </div>
        </div>
      </div>
    </header>
```

```
<!-- ABOUT -->
   <section class="about">
     <div class="container grid two">
       <div class="card" style="padding:1.2rem">
         <div class="section-title">About</div>
         >
           I'm a <span class="high">curious problem-solver</span> who loves
turning ideas into interactive things.
           In the past year I've built class projects, hackathon prototypes, and
personal experiments - from
           micro-games to data dashboards. I care about <span
class="high">accessibility</span>, <span class="high">performance</span>, and <span
class="high">joyful details</span>.
         </div>
       <div class="card" style="padding:1.2rem">
         <div class="section-title">Quick Facts</div>
         Cli>Degree: B.C.A (Bachalor of Computer application)
           Location: Puducherry 
           Interests: UI UX, data viz, creative coding
           Looking for: Summer 2026 internship
         </div>
     </div>
   </section>
   <!-- SKILLS -->
   <section>
     <div class="container">
       <div class="section-title">Skills</div>
       <div class="skills card" style="padding:1rem">
         <div class="skill">
           <div class="ring" style="--val:.85turn"><span>85%</span></div>
           <label>HTML/CSS</label>
         </div>
         <div class="skill">
           <div class="ring" style="--val:.75turn"><span>75%</span></div>
           <label>JavaScript</label>
         </div>
         <div class="skill">
           <div class="ring" style="--val:.70turn"><span>70%</span></div>
           <label>Python</label>
         </div>
         <div class="skill">
           <div class="ring" style="--val:.60turn"><span>60%</span></div>
           <label>Figma</label>
         </div>
         <div class="skill">
```

```
<div class="ring" style="--val:.65turn"><span>65%</span></div>
            <label>Accessibility</label>
          </div>
          <div class="skill">
            <div class="ring" style="--val:.55turn"><span>55%</span></div>
            <label>Data Viz</label>
          </div>
          <div class="skill">
            <div class="ring" style="--val:.50turn"><span>50%</span></div>
            <label>UI Motion</label>
          </div>
          <div class="skill">
            <div class="ring" style="--val:.45turn"><span>45%</span></div>
            <label>Backend</label>
          </div>
        </div>
      </div>
    </section>
    <!-- CONTACT -->
    <section id="contact">
      <div class="container grid two">
        <div>
          <div class="section-title">Get in touch</div>
          <div class="card" style="padding:1.2rem">
            <form action="#" method="post">
              <div class="field">
                <label for="name">Name</label>
                <input id="name" name="name" type="text" placeholder="Your name"</pre>
required>
              </div>
              <div class="field">
                <label for="email">Email</label>
                <input id="email" name="email" type="email"</pre>
placeholder="you@example.com" required>
              </div>
              <div class="field">
                <label for="msg">Message</label>
                <textarea id="msg" name="message" placeholder="Say hello..."</pre>
required></textarea>
              </div>
              <button class="btn primary" type="submit">Send Message</button>
            </form>
          </div>
        </div>
        <div>
          <div class="section-title">Links</div>
          <div class="card" style="padding:1.2rem">
```

```
Prefer email: <a class="uline"</pre>
href="mailto:oviya220507@gmail.com">oviya220507@gmail.com</a>
          Elsewhere:
            <a class="uline" href="https://github.com/dashboard"> GitHub</a>
          </div>
       </div>
     </div>
   </section>
   <footer>
     <div class="container">
       © <span id="year">2025</span> Oviya . Built with semantic HTML and
</div>
   </footer>
 </div>
 <!-- Optional: keep year current without JS by just editing by hand. If JS
becomes allowed later, you can auto-update it. -->
</body>
</html>
```