 DRUG INTERNATIONAL LIMITED	Form : Test Report Drug International Ltd. Laboratory	Document No.	FM-DIL-GN-021
		Revision No.	01
		Effective Date	01 Aug 2020

Test Report No.	RP-GN-2010-0019
Report Date	04-Oct-2020

Customer Information

Company	Drug International Ltd
Address	DIL Laboratory, Drug International Ltd. (Unit-2) 13A, 14A, Tongi I/A, Gazipur, Bangladesh.
Contact No.	+880-02-9811886
Email	Not Applicable

Sample Information


Name of Sample	Shell Flupen 500
Sample ID	CM20R0019
Date of Sample Received	14-Apr-2020
Batch No	0220
Manufacturing Date	15-Apr-2020
Expiry Date	30-Apr-2020
Received Quantity	406.0 null
Condition of Sample	8

Condition as received	In Case of "Abnormal" please specify
<input checked="" type="checkbox"/> Normal <input type="checkbox"/> Abnormal	<input type="radio"/> Leak <input type="radio"/> Broken <input type="radio"/> Size <input type="radio"/> Weight <input type="radio"/> Other

Test Date	null
------------------	------

Detailed Description of Test Analysis :

SL.	Test Items	Acceptance Criteria	Test Result	Unit	LOD	Reference Method
1 (*)	Description	i) Cap - White opaque color and printed monogram in Grey ink. ii) Body - White opaque color and printed Flupen- 500 in red brick ink in between over and and underline.	gh	n/a	-	
2 (*)	Weight Variation	Not more than $\pm 10\%$	df	%	-	
3 (*)	Average Weight	97 mg $\pm 10\%$	as	null	-	
4 (*)	Outer Diameter	Cap: 7.63 ± 0.06 mm Body : 7.32 ± 0.06 mm	hfg	null	-	
5 (*)	Length	Cap : 11.18 ± 0.36 mm Body: 18.72 ± 0.36 mm	cxv	null	-	
6 (*)	Size	# 0	rt	n/a	-	
7 (*)	Disintegration Time	Not more than 10 minutes.	zxc	null	-	
8 (*)	Loss On Drying (LOD)	12.5% to 17.5%	kjk	%	-	
9 (*)	Total Aerobic Microbial Count (TAMC)	1000 CFU/gm	ok	cfu/g	-	

 DRUG INTERNATIONAL LIMITED	Form : Test Report Drug International Ltd. Laboratory	Document No.	FM-DIL-GN-021
		Revision No.	01
		Effective Date	01 Aug 2020

SL.	Test Items	Acceptance Criteria	Test Result	Unit	LOD	Reference Method
10 (*)	Total Combined Yeasts and Molds Count (TYMC)	100 CFU/gm	ds Count (TYMC)	cfu/g	-	
11 (*)	Escherichia coli	Absent in 1 gm	Escherichia c	n/a	-	
12 (**)	Salmonella spp.	Absent in 10 gm	lmonella sp	n/a	-	
13 (*)	Pseudomonas aeruginosa	Absent in 1gm	nas aeruginosa	n/a	-	
14 (*)	Staphylococcus aureus	Absent in 1 gm	taphylococcus a	n/a	-	

Remarks (If any)

tm new remarks

Additional Information from Laboratory

Not Applicable

Additional Information from Customer

Not Applicable

Definition/ Abbreviation

1. *means that item(s) is/are not accreditation. 2. **means that item(s) is/are sub-contracted.



14.04.2020

Verified by
MD. ABDUL OWARES
General Manager (Factory)



14.04.2020

Approved by
MD. ABDUL OWARES
General Manager (Factory)

End of the Test Report

The above results are effect only to the sample tested as indicate in this report and shall not be produced except in full, without approval of the laboratory.