


Operation Manual

CUBASE PRO 14



Steinberg Documentation Team: Cristina Bachmann, Martina Becker, Lillie Harris, Christina Kaboth, Dennis Martinez, Insa Mingers, Matthias Obrecht, Sabine Pfeifer

Translation: Ability InterBusiness Solutions (AIBS), Moon Chen, Jérémie Dal Santo, Rosa Freitag, GiEmme Solutions, Josep Llodra Grimalt, Vadim Kupriianov, Roland Münchow, Boris Rogowski, Sergey Tamarovsky

This document provides improved access for people who are blind or have low vision. Please note that due to the complexity and number of images in this document, it is not possible to include text descriptions of images.

The information in this document is subject to change without notice and does not represent a commitment on the part of Steinberg Media Technologies GmbH. The software described by this document is subject to a License Agreement and may not be copied to other media except as specifically allowed in the License Agreement. No part of this publication may be copied, reproduced, or otherwise transmitted or recorded, for any purpose, without prior written permission by Steinberg Media Technologies GmbH. Registered licensees of the product described herein may print one copy of this document for their personal use.

All product and company names are ™ or ® trademarks of their respective owners. For more information, please visit www.steinberg.net/copyrights/.

© Steinberg Media Technologies GmbH, 2025.

All rights reserved.

Cubase Pro_14.0.30_en-US_2025-06-04

Table of Contents

| | | | |
|------------|--|------------|---|
| 9 | New Features | 142 | Group Channel Tracks |
| 14 | Introduction | 144 | Effect Channel Tracks |
| 14 | Platform-Independent Documentation | 146 | VCA Fader Track |
| 14 | PDF Documents and Online Documentation | 148 | Marker Track |
| 15 | Documentation Structure | 149 | Ruler Track |
| 15 | Typographical Conventions | 151 | Folder Tracks |
| 17 | Key Commands | 153 | Tempo Track |
| 18 | Setting up Your System | 154 | Signature Track |
| 18 | Studio Setup Dialog | 156 | Arranger Track |
| 19 | Setting up Audio | 156 | Transpose Track |
| 28 | Setting up MIDI | 157 | Chord Track |
| 32 | Synchronizers | 158 | Video Tracks |
| 33 | Audio Connections | 158 | Set up Inspector Sections Pane |
| 33 | Audio Connections Window | 179 | Set up Channel Sections Pane |
| 39 | Renaming the Hardware Inputs and Outputs | 181 | Track Controls Settings Dialog |
| 40 | Adding Input and Output Busses | 187 | Add Track Dialog |
| 41 | Adding Child Busses | 189 | Track Handling |
| 41 | Presets for Input and Output Busses | 189 | Adding Tracks via Double-Click |
| 42 | Adding Group and Effect Channels | 189 | Adding Tracks via the Add Track Dialog |
| 43 | Monitoring Bus | 190 | Adding Tracks Using Track Presets |
| 43 | External Instruments and Effects | 190 | Adding Tracks by Dragging Files from the MediaBay |
| 49 | Bus Configurations | 191 | Track Import from Projects or Track Archives |
| 51 | Project Window | 196 | Track Export |
| 52 | Menus in Cubase | 198 | Exporting MIDI Tracks as Standard MIDI Files |
| 52 | Showing/Hiding Zones | 199 | Channel Configurations |
| 53 | Project Zone | 200 | Splitting Multi-Channel Audio Tracks |
| 70 | Channel Tab | 202 | Merging Mono Audio Tracks to Multi-Channel Tracks |
| 71 | Project Window Left Zone | 203 | Removing Selected Tracks |
| 80 | Project Window Lower Zone | 204 | Removing Empty Tracks |
| 89 | Project Window Right Zone | 204 | Reordering Tracks in the Track List |
| 96 | Keyboard Focus in the Project Window | 205 | Renaming Tracks |
| 98 | Zooming in the Project Window | 205 | Automatically Assigning Colors to New Tracks/Channels |
| 102 | Snap Function | 206 | Showing Track Pictures |
| 106 | Snap Grid | 208 | Setting the Track Height |
| 107 | Cross-Hair Cursor | 209 | Selecting Tracks |
| 107 | Edit History Dialog | 210 | Deselecting Tracks |
| 109 | Color Handling | 210 | Duplicating Tracks |
| 117 | Project Handling | 210 | Disabling Tracks |
| 117 | Creating New Projects | 210 | Freezing Multiple Tracks |
| 117 | Cubase Hub | 212 | Organizing Tracks in Folder Tracks |
| 119 | Project Files and Project Location | 213 | Handling Overlapping Audio |
| 120 | Template Files | 213 | Track Folding Menu |
| 123 | Project Setup Dialog | 214 | Events Display on Folder Tracks |
| 126 | Opening Project Files | 215 | Lanes, Takes, and Overlapping Events |
| 127 | Saving Project Files | 218 | Defining the Track Time Base |
| 129 | Reverting to the Last Saved Version | 219 | Track Versions |
| 129 | Self-Contained Projects | 226 | Track Presets |
| 132 | Tracks and Channels | 233 | Parts and Events |
| 133 | Audio Tracks and Channels | 233 | Events |
| 135 | Instrument Tracks and Channels | 237 | Parts |
| 136 | Sampler Tracks and Channels | 239 | Editing Techniques for Parts and Events |
| 138 | Drum Tracks | | |
| 140 | MIDI Tracks and Channels | | |

| | | | |
|------------|---|------------|--|
| 273 | Range Editing in the Project Window and in the Editors | 408 | Keep Transpose in Octave Range |
| 273 | Creating Selection Ranges | 409 | Transpose on the Info Line |
| 275 | Selection Range Editing | 410 | Excluding Individual Parts or Events from Global Transpose |
| 283 | Playback and Transport | 411 | Markers |
| 283 | Transport Panel | 411 | Marker Track |
| 288 | Transport Menu | 413 | Position Markers |
| 294 | Transport Bar | 413 | Cycle Markers |
| 299 | Transport Pop-Up Window | 413 | Adding and Editing Markers on the Marker Track |
| 300 | Time Display Window | 414 | Showing/Hiding Marker Lines in the Project Window |
| 301 | Left and Right Locators | 415 | Showing/Hiding Marker Lines in the Key Editor Markers Window |
| 303 | Setting the Project Cursor | 420 | Setting the Locators Using Cycle Markers |
| 304 | Auto-Scroll Settings Menu | 420 | Using Markers to Select Ranges |
| 305 | Time Formats | 421 | Importing and Exporting Markers |
| 306 | Pre-Roll and Post-Roll | 423 | MixConsole |
| 307 | Punch In and Punch Out | 423 | MixConsole in Lower Zone |
| 307 | Metronome Click | 426 | MixConsole Window |
| 318 | Chase | 504 | VCA Faders |
| 320 | On-Screen Keyboard | 504 | VCA Fader Settings |
| 320 | Recording MIDI With the On-Screen Keyboard | 505 | Creating VCA Faders in the MixConsole |
| 321 | On-Screen Keyboard Window | 506 | Assigning VCA Faders to Link Groups |
| 323 | Recording | 507 | Removing VCA Faders from Link Groups |
| 323 | Basic Recording Methods | 507 | Nested VCA Faders |
| 328 | Monitoring | 508 | VCA Fader Automation |
| 330 | Audio Recording Specifics | 509 | Control Room |
| 335 | MIDI Recording Specifics | 509 | Adding Channels to the Control Room |
| 344 | Remaining Record Time | 510 | Output Routing |
| 344 | Lock Record | 510 | Exclusive Assignment of Monitor Channels |
| 345 | Importing Audio and MIDI Files | 510 | Control Room Channels |
| 345 | Audio File Import | 512 | Control Room - Main Tab |
| 352 | MIDI File Import | 517 | Control Room - Inserts Tab |
| 355 | Quantizing MIDI and Audio | 519 | Setting up a Cue Mix |
| 355 | Quantize Functions | 520 | Adjusting the Overall Cue Send Level |
| 356 | Quantizing MIDI Event Starts | 522 | Metering and Loudness |
| 357 | Quantizing MIDI Event Lengths | 522 | Metering |
| 357 | Quantizing MIDI Event Ends | 529 | Audio Effects |
| 357 | Quantizing Audio Event Starts | 529 | Insert Effects and Send Effects |
| 358 | Quantizing Audio Event Lengths (AudioWarp Quantizing) | 532 | Insert Effects |
| 359 | Quantizing Multiple Audio Tracks | 539 | VST Effect Selector |
| 360 | Quantize Panel | 540 | Send Effects |
| 370 | Fades, Crossfades, and Event Volume | 546 | Side-Chaining |
| 371 | Event Handles | 550 | Dither Effects |
| 372 | Event-Based Fades | 551 | External Effects |
| 376 | Creating Clip-Based Fades | 551 | Effect Control Panel |
| 377 | Crossfades | 555 | Effect Presets |
| 385 | Auto Fades and Crossfades | 560 | System Component Information Window |
| 387 | Event Volume Curves | 563 | Direct Offline Processing |
| 390 | Adjusting the Event Volume | 564 | Direct Offline Processing Workflow |
| 391 | Adjusting the Event Volume of Audio Segments | 565 | Direct Offline Processing Window |
| 393 | Arranger Track | 577 | Built-In Audio Processes |
| 393 | Adding Arranger Events on the Arranger Track | 585 | Key Commands for Direct Offline Processing |
| 394 | Arranger Editor | 587 | Time Stretch and Pitch Shift Algorithms |
| 398 | Setting up an Arranger Chain and Adding Events | 587 | élastique |
| 400 | Jump Mode | 588 | MPEX |
| 401 | Arranging Music to Video | 588 | Standard |
| 403 | Transpose Functions | 589 | Limitations |
| 403 | Project Root Key | | |
| 406 | Transpose Track | | |

| | | | |
|------------|---|------------|---|
| 591 | Audio Functions | 691 | Permanently Applying Extension Edits to Audio Events |
| 591 | Detect Silence Dialog | 692 | Activating Extensions for Audio Tracks |
| 595 | Spectrum Analyzer Window | 693 | Removing Extensions from Audio Tracks |
| 596 | Statistics Window | 693 | Permanently Applying Extension Edits to Audio Tracks |
| 599 | Sample Editor | 693 | Editor |
| 600 | Sample Editor Toolbar | 695 | Audio Event Editing |
| 607 | Info Line | 696 | Sampler Tracks |
| 608 | Overview Line | 696 | Loading Audio Samples into Sampler Control |
| 608 | Sample Editor Inspector | 697 | Loading MIDI Parts into Sampler Control |
| 614 | Ruler | 697 | Creating Sampler Tracks |
| 614 | Waveform Display | 697 | Sampler Control |
| 617 | Regions List | 716 | Transferring Samples from Sampler Control to VST Instruments |
| 619 | Snap Point | 717 | Sample Editing and Playback Functions |
| 622 | Hitpoints | 724 | Pool |
| 623 | Calculating Hitpoints | 724 | Pool Window |
| 627 | Locating to Hitpoints in the Project Window | 729 | Working with the Pool |
| 627 | Slices | 746 | MediaBay and Media Rack |
| 629 | Creating a Groove Quantize Preset | 746 | Media Rack in Right Zone |
| 630 | Creating Markers | 757 | MediaBay Window |
| 630 | Creating Regions | 788 | Working with Volume Databases |
| 631 | Creating Events | 790 | MediaBay Settings |
| 631 | Creating Warp Markers | 792 | Surround Sound |
| 631 | Creating MIDI Notes | 793 | Deliverables |
| 634 | Tempo Matching Audio | 793 | Surround Channel Configurations |
| 634 | Algorithm Presets | 795 | Preparations for Creating Surround Mixes |
| 635 | Stretching Audio Events to the Project Tempo | 798 | VST MultiPanner |
| 635 | Musical Mode | 815 | MixConvert V6 |
| 637 | Auto Adjust | 820 | Surround Mix Export |
| 638 | Manual Adjust | 821 | Object Audio in Cubase |
| 640 | Free Warp | 839 | Ambisonics Mixes |
| 643 | Flattening Realtime Processing | 854 | Automation |
| 643 | Unstretching Audio Files | 854 | Automation Curves |
| 645 | Pitch Editing and Time Correction with VariAudio | 854 | Static Value Line |
| 645 | VariAudio and Offline Processes | 854 | Write/Read Automation |
| 645 | VariAudio Inspector Section | 855 | Writing Automation Data |
| 648 | Segments and Gaps | 857 | Editing Automation Events |
| 651 | Sample Editor Piano Keyboard Display | 862 | Automation Tracks |
| 652 | Navigating and Zooming through Segments | 863 | Virgin Territory vs. Initial Value |
| 652 | Auditioning | 864 | Automation Panel |
| 653 | Smart Controls | 876 | Pattern Editor |
| 654 | Segment Editing | 877 | Opening the Pattern Editor |
| 657 | Selecting a Musical Scale for VariAudio Segments | 877 | Pattern Mode |
| 658 | Using the Chord Track Data as a Musical Scale | 878 | Pattern and MIDI Part Flexibility |
| 659 | Pitch Changes | 878 | Step Lanes |
| 668 | Timing Modifications | 881 | Step Lane Inspector |
| 669 | Showing MIDI Reference Tracks | 883 | Pattern Editor Toolbar |
| 670 | Formant Shifting | 886 | Parameter Lane |
| 671 | Editing Volume | 887 | Synchronization between the Drum Machine and the Pattern Editor |
| 672 | Functions Menu | 888 | Step Parameter Automation |
| 676 | Harmony Voices for Audio | 889 | Step Editor |
| 678 | Audio Part Editor | 891 | Drum Machine |
| 679 | Audio Part Editor Toolbar | 891 | Drum Machine Toolbar |
| 684 | Info Line | 895 | Drum Pad Section |
| 684 | Ruler | 896 | Edit Pages |
| 685 | Lanes | 932 | Drum Machine Automation |
| 685 | Operations | 934 | Managing Drum Machine Samples in the Pool |
| 689 | Extensions in Cubase | | |
| 689 | Activating Extensions for Audio Events | | |
| 690 | Removing Extensions from Audio Events | | |

| | | | |
|-------------|---|-------------|--|
| 935 | VST Instruments | 1048 | MIDI Modifiers |
| 935 | Adding VST Instruments | 1053 | MIDI Effects |
| 936 | VST Instrument Control Panel | 1056 | Transpose and Velocity on the Info Line |
| 938 | VST Instrument Selector | 1057 | Using MIDI Devices |
| 939 | Creating Instrument Tracks | 1057 | Program Change Messages and Bank Select Messages |
| 939 | VSTi Rack in the Right Zone | 1058 | Patch Banks |
| 940 | VST Instruments Window | 1058 | MIDI Device Manager |
| 940 | VST Instruments Window Toolbar | 1064 | Device Panels |
| 941 | VST Instrument Controls | 1067 | MIDI Functions |
| 943 | Presets for Instruments | 1067 | Transpose Setup Dialog |
| 945 | Playing Back VST Instruments | 1068 | Merging MIDI Events into a New Part |
| 948 | Latency | 1070 | Dissolve Part Dialog |
| 949 | Import and Export Options | 1072 | Bouncing MIDI Parts |
| 950 | Side-Chaining for VST Instruments | 1072 | Repeating MIDI Events of Independent Track Loops |
| 952 | External Instruments | 1072 | Extending MIDI Notes |
| 953 | Installing and Managing VST Plug-ins | 1073 | Fixing MIDI Note Lengths |
| 953 | Plug-ins and Collections | 1073 | Fixing MIDI Note Velocities |
| 957 | Adding New Plug-in Collections | 1074 | Rendering Sustain Pedal Data to Note Lengths |
| 957 | Hiding Plug-ins | 1075 | Deleting Overlaps |
| 958 | Reactivating Plug-ins from the Blocklist | 1075 | Editing Velocity |
| 959 | Track Quick Controls | 1076 | Deleting Double Notes |
| 960 | Parameter Assignment | 1077 | Deleting Controller Data |
| 964 | Controlling Automatable Parameters | 1077 | Deleting Continuous Controller Data |
| 966 | MIDI Remote | 1077 | Restricting Polyphonic Voices |
| 966 | MIDI Remote Tab | 1078 | Thinning Out Controller Data |
| 970 | Using Supported MIDI Controllers with MIDI Remote | 1078 | Extracting MIDI Automation |
| 971 | Other MIDI Controllers and MIDI Remote | 1079 | Reversing the Playback Order of MIDI Events |
| 976 | Add MIDI Controller Surface Dialog | 1079 | Inverting the Order of Selected MIDI Events |
| 984 | MIDI Controller Settings Pane | 1079 | Creating a Tempo Track from MIDI Events |
| 985 | MIDI Remote Mapping Assistant | 1081 | MIDI Editors |
| 993 | MIDI Remote Manager Window | 1081 | Common MIDI Editor Functions |
| 999 | MIDI Remote Script Console | 1093 | Global Tracks |
| 1000 | MIDI Remote API | 1097 | Visibility Tab |
| 1001 | Modulators | 1106 | Controller Display |
| 1001 | Modulators in the Lower Zone | 1138 | Key Editor |
| 1005 | Modulators Window | 1155 | Key Editor Operations |
| 1009 | Modulator Control Panel | 1169 | Drum Editor |
| 1010 | Adding Modulators | 1183 | Drum Maps |
| 1020 | Setting up Modulators | 1188 | Drum Editor Operations |
| 1021 | Assigning Parameters to Modulators | 1191 | List Editor |
| 1021 | Changing Destination Parameters | 1201 | List Editor Operations |
| 1022 | Modulation Connections on Control Panels | 1207 | In-Place Editor |
| 1023 | Modulator Presets | 1210 | Expression Maps |
| 1024 | Side-Chain Routing for Modulators | 1211 | Articulations |
| 1026 | Triggering Modulators by MIDI Notes | 1211 | Expression Map Setup Window |
| 1026 | Removing Modulators | 1212 | Creating and Editing Expression Maps |
| 1027 | Remote-Controlling Cubase | 1219 | Inserting Articulations |
| 1027 | Connecting Remote Devices | 1221 | Note Expression |
| 1027 | Removing the Remote Input from All MIDI Inputs | 1222 | VST Note Expressions |
| 1028 | Setting up Remote Devices | 1222 | MIDI Controllers |
| 1030 | Remote Devices and Automation | 1228 | Note Expression Inspector Section |
| 1031 | Assigning Commands to Remote Devices | 1231 | Note Expression Tools |
| 1032 | Remote Control Editor | 1231 | Controller Mapping |
| 1036 | Joysticks | 1233 | Recording |
| 1037 | Track Quick Controls | 1236 | Note Expression Event Editor |
| 1038 | VST Quick Controls | 1242 | Trimming Note Expression Data |
| 1040 | Generic Remote Page (Legacy) | 1242 | Removing All Note Expression Data |
| 1045 | MIDI Realtime Parameters and MIDI Effects | 1242 | Note Expression MIDI Setup Dialog |
| 1045 | MIDI Track Parameters | | |

| | | | |
|-------------|--|-------------|--|
| 1247 | Chord Functions | 1392 | Process Bars Dialog |
| 1247 | Chord Track | 1393 | Time Warp |
| 1248 | Chord Events | 1395 | Copying Warp Markers to Other Events |
| 1258 | Scale Events | 1395 | Set Definition from Tempo Dialog |
| 1261 | Voicings | 1396 | Time Signature Events |
| 1264 | Converting Chord Events to MIDI | 1399 | Rendering Audio and MIDI |
| 1265 | Controlling MIDI or Audio Playback Using the Chord Track | 1399 | Render Tracks Dialog |
| 1269 | Assigning Voices to Notes | 1402 | Render Selection Dialog |
| 1269 | Creating Chord Events from MIDI | 1406 | Export Audio Mixdown |
| 1271 | Creating Chord Events from Audio Events | 1406 | Export Audio Mixdown Dialog |
| 1272 | Recording Chord Events with a MIDI Keyboard | 1417 | Mixing Down to Audio Files |
| 1274 | Using Chord Pads | 1418 | Mixing Down to Audio Files Using Job Queues |
| 1274 | Chord Pads Zone | 1422 | Available Channels for Export |
| 1284 | Chord Assignment | 1422 | File Formats |
| 1290 | Root Key | 1429 | Saving File Format Presets |
| 1294 | Chord Pad Playback and Recording | 1430 | Synchronization |
| 1297 | Inserting Chord Events via Step Input | 1430 | Master and Slave |
| 1298 | Creating Chord Events from Chord Pads | 1431 | Timecode Formats |
| 1298 | Creating MIDI Parts from Chord Pads | 1433 | Clock Sources |
| 1298 | Chord Pads Presets | 1434 | Project Synchronization Setup Dialog |
| 1300 | Chord Assistant | 1439 | MMC Master Panel |
| 1304 | Players and Voicings | 1440 | External Synchronization |
| 1306 | Player Mode Settings | 1440 | Setting up Synchronization for a Personal Music Studio |
| 1313 | Chord Pads Remote Settings Dialog | 1442 | VST System Link |
| 1318 | Chord Pads Display Settings Pane | 1442 | Setting up VST System Link |
| 1320 | Project Input Transformer | 1447 | Activating VST System Link |
| 1320 | Project Input Transformer Window Overview | 1449 | Application Examples |
| 1322 | Project Input Transformer Presets Browser | 1453 | Video |
| 1324 | Project Input Transformer Filter Settings | 1453 | Video File Compatibility |
| 1329 | Project Input Transformer Functions | 1454 | Frame Rates |
| 1329 | Project Input Transformer Action Settings | 1455 | Video Output Devices |
| 1331 | Project Input Transformer Operations | 1455 | Preparations for Creating Video Projects |
| 1333 | Logical Editor | 1457 | Preparations for Video Playback |
| 1333 | Logical Editor Window Overview | 1461 | Editing Video |
| 1334 | Logical Editor Presets Browser | 1462 | Export Video Dialog |
| 1337 | Logical Editor Filter Settings | 1468 | Extracting Audio from Video |
| 1347 | Logical Editor Functions | 1469 | Exchanging Files with Other Applications |
| 1348 | Logical Editor Action Settings | 1469 | AAF Files |
| 1352 | Project Logical Editor | 1473 | ADM Files |
| 1352 | Project Logical Editor Window Overview | 1474 | DAWproject Files |
| 1353 | Project Logical Editor Presets Browser | 1475 | OMF Files |
| 1356 | Project Logical Editor Filter Settings | 1480 | Key Commands |
| 1367 | Project Logical Editor Functions | 1480 | Key Commands Dialog |
| 1368 | Project Logical Editor Action Settings | 1483 | Assigning Key Commands |
| 1369 | Project Logical Editor Operations | 1484 | Searching for Key Commands or Assignments |
| 1372 | Project Logical Editor Pre- and Post-Process Commands | 1484 | Removing Key Command Assignments |
| 1374 | Editing Tempo and Time Signature | 1484 | Adding Macros |
| 1374 | Project Tempo Modes | 1485 | Saving Key Command Presets |
| 1374 | Track Time Base | 1485 | Loading Key Command Presets |
| 1375 | Tempo Track Editor | 1485 | Exporting Key Command Assignments |
| 1377 | Tempo Track | 1486 | Resetting Key Commands |
| 1379 | Projects with Tempo Changes | 1486 | Default Key Commands |
| 1384 | Projects in Fixed Tempo Mode | 1500 | Setting up Tool Modifier Keys |
| 1386 | Tap Tempo Modes | 1501 | Customizing |
| 1387 | Calculating Tempo from MIDI Events | 1501 | Setup Panes |
| 1388 | Tempo Detection | 1502 | Workspaces |
| 1390 | Exporting a Tempo Track | 1505 | Profiles |
| 1390 | Importing a Tempo Track in XML Format | 1509 | Windows Dialog |
| 1391 | Process Tempo Dialog | 1510 | Where are the Settings Stored? |

| | |
|-------------|-------------------------------------|
| 1510 | Safe Mode Dialog |
| 1513 | Optimizing Audio Performance |
| 1513 | Performance Aspects |
| 1514 | Settings That Affect Performance |
| 1515 | Audio Performance Monitor Panel |
| 1517 | ASIO-Guard |
| 1519 | Preferences |
| 1519 | Preferences Dialog |
| 1521 | Editing |
| 1528 | Editors |
| 1529 | Event Display |
| 1533 | General |
| 1535 | MIDI |
| 1539 | MediaBay |
| 1540 | Metering |
| 1540 | Record |
| 1542 | Transport |
| 1543 | User Interface |
| 1545 | VST |
| 1548 | VariAudio |
| 1548 | Video |
| 1549 | Index |

New Features

The following list informs you about the most important improvements in Cubase and provides links to the corresponding descriptions.

New Features in Version 14.0.30

Audio Export Improvements

- You can now choose whether to mark the left and right channels of a stereo signal as stereo channels or as dual mono channels in the iXML chunk. See [Export Audio Mixdown Dialog](#).

DAWproject Support

- Support of the DAWproject file format now also includes channel strip settings for import and export. See [DAWproject Files](#).

New Features in Version 14.0.20

Highlights

Score Editor

- The **Score Editor** now allows you to import Dorico projects and MusicXML files. The new **Notation Settings** allows you to control how music is notated. New options in the **Layout Settings** dialog allow you to make adjustments for bar numbers. Further notation types, such as rhythm slashes, bar repeats, numbered bar regions, tremolos and grace notes are now supported. See [Score Editor](#).

Pattern Editor

- You can now undo/redo any actions you perform in the **Pattern Editor** via the **Edit History** dialog. See [Edit History Dialog](#).
- The audio samples that you use in the drum machine are automatically added to the audio pool. See [Managing Drum Machine Samples in the Pool](#).

Range Tool Improvements

- The **Range Selection** tool now offers a automatic detection of segments within the audio such as words, drum hits, or phrases, allowing for quick and intuitive editing. See [Creating Selection Ranges](#).
- This allows for quick volume changes of individual segments in your audio. See [Adjusting the Event Volume of Audio Segments](#).

More New Features

Transport improvements

- You can now instantly play back a selected event or selection range once or in a loop, with the selected tracks soloed. See [Transport Menu](#).
- You can now start a recording at the start position of a selected event or selection range. See [Common Record Modes Menu](#).

Extract Markers from Wave Files

- Cubase allows you to extract marker information from the marker chunk of wave files and to add the corresponding markers to your project. See [Importing Markers from Wave Files](#).

Enhanced Synchronization between Drum Machine and Pattern Editor

- Extending the pitch range for the drum pads in the **Drum Machine** now displays the pitch ranges for the respective step lanes in the **Pattern Editor**. See [Synchronization between the Drum Machine and the Pattern Editor](#).

Modulator Improvements

- Reactivating Learn mode allows you to quickly change the destination parameter for your modulator. See [Changing Destination Parameters](#).

New Key Command to Insert Tempo Events at the Project Cursor Position

- You can now assign a key to the command **Insert Tempo Event at Cursor**. See [Inserting Tempo Events at the Cursor Position](#).

New Key Command to Insert Time Signature Events at the Project Cursor Position

- You can now assign a key to the command **Insert Time Signature Event**. See [Inserting Time Signature Events at the Cursor Position](#).

Audio Export Improvements

- You can now mix down and export the audio of arranger chains. Furthermore, you can now specify a marker track for exporting cycle marker ranges. When exporting wave files, Cubase allows you to embed markers from your project via marker chunk. See [Export Audio Mixdown Dialog](#).
- The number of attributes for customized naming schemes is no longer limited. See [Naming Scheme Dialog](#).

Color Space Management

- You can change the color space for the video output device and for the video files in your project. When using calibrated external video hardware, you can also disable the internal color space management in Cubase. See [Video Player Page](#).

DAWproject Support

- Support of the DAWproject file format now also includes automation data for import and export. See [DAWproject Files](#).

New Features in Version 14.0.0

Highlights

Score Editor

- Cubase introduces a revamped **Score Editor**, built upon technology from Dorico, our music notation and composition application. The new Dorico-powered **Score Editor** replaces the existing **Score Editor**, and with it brings both many new benefits but also a change in focus. The **Score Editor** is described in a separate document. See [Score Editor](#).

Shimmer

- The new **Shimmer** plug-in allows you to create a typical shimmer effect by using reverb and pitch shifting in a delay loop. The plug-in is described in the separate document **Plug-in Reference**. See [Shimmer](#).

StudioDelay

- The new **StudioDelay** plug-in is a characterful, easy-to-use delay effect with quick access to integrated effects, like modulation, distortion, reverb, and pitch. The plug-in is described in the separate document **Plug-in Reference**. See [StudioDelay](#).

AutoFilter

- The new **AutoFilter** plug-in is a characterful filter, designed for modulating its cutoff frequency via the input track signal or a side-chain signal. The plug-in is described in the separate document **Plug-in Reference**. See [AutoFilter](#).

Underwater

- The new **Underwater** plug-in allows you to create a typical underwater or party next door effect. The plug-in is described in the separate document **Plug-in Reference**. See [Underwater](#).

SpectraLayers Go 11

- The SpectraLayers Go extension adds new spectral audio editing tools for music, sound design, restoration, and repair. SpectraLayers Go is described in a separate document. See [SpectraLayers Go 11](#).

Drum Track

- The new track class drum track allows you to enhance your beat production workflow. You can create complex drum patterns and drum kits. The **Drum Machine** and the **Pattern Editor** represent the core of the drum track. See [Drum Tracks](#).

Range Tool Improvements

- You can now use the **Move** submenu options for moving events within a selection range to specific positions. See [Move Submenu](#).
- You can glue events within a selection range together. See [Gluing Events Together](#).
- You can fill selection ranges with content from the clipboard. See [Filling Selection Ranges with Content from the Clipboard](#).
- The new **Slip Range Content** function allows you to move the content of an event within a selection range. See [Moving the Content of Events without changing the Event Position](#).
- You can invert the phase of audio events within a selection range. See [Inverting the Phase of Audio Events](#).
- You can mute audio events in selection ranges. See [Muting Events](#).
- You can now create selection ranges by double-clicking between them. See [Creating Selection Ranges](#).
- Selection ranges are now maintained after performing editing operations. See [Selection Range Editing](#).
- It is now easier to create and adjust selection ranges. See [Adjusting the Size of Selection Ranges](#).
- You can choose to automatically split and edit partially selected events when performing editing operations on selection ranges. In addition to this, you can automatically move selection ranges when selecting another track. See [Editing](#).

Event Volume Editing Improvements

- The usability of the event volume control has been improved. See [Adjusting the Event Volume](#).
- You can customize how event volume curves are displayed on audio events. See [Event Display - Audio](#).

Reorder MixConsole Channels

- You can now reorder channels in the **MixConsole**. See [Reordering Channels in the MixConsole](#).

Pattern Editor

- The **Pattern Editor** is an integral part of the drum track and harmonizes with the **Drum Machine**. The **Pattern Editor** allows you to create and tweak drum patterns. See [Pattern Editor](#).

Drum Machine

- The new **Drum Machine** is a drum sampler and percussion synthesizer that allows you to create and edit unique sounds. In synergy with the **Pattern Editor**, it forms the core of the drum track. See [Drum Machine](#).

Modulators

- Cubase comes with a set of six **Modulators** allowing you to create different modulation signals that can modulate parameters of your plug-ins and VST 3 instruments, any **MixConsole** parameters, and even parameters of another modulator. See [Modulators](#).

Key Editor and Drum Editor Improvements

- In the controller display of the **Key Editor** and in the **Drum Editor** you can now edit off-velocity values of note events. See [Editing Note-Off Velocities](#).
- In the controller display of the **Key Editor** and in the **Drum Editor** you can now add velocity variance to the velocity of note events. This can be useful to add more liveliness to static sequences and grooves. See [Velocity Variance](#).
- In the controller display of the **Key Editor** and in the **Drum Editor** you can now edit the play probability of note events. This can be useful, to add more liveliness to static sequences and grooves. See [Play Probability](#).

More New Features

Volume

- The new **Volume** plug-in allows you to control the volume independently from the volume fader of the **MixConsole**. This is useful for adjusting the gain/volume between different plug-ins within a plug-in chain or for modulation. The plug-in is described in the separate document **Plug-in Reference**. See [Volume](#).

SuperVision

- The **SuperVision** plug-in now offers an additional **Color Mapping** option for several modules. The mapping allows you to assign colors to the visualization, based on specific parameters. Furthermore, modules with loudness measurement now provide an additional **Music** scale. The plug-in is described in the separate document **Plug-in Reference**. See [SuperVision](#).

Non-Exclusive Port Assignment for External Instruments and Effects

- The port exclusivity for device ports between external instruments and effects on the one side and input and output busses on the other has been relaxed. See [Non-Exclusive Port Assignments](#).

Improved Auto Save Handling

- Cubase now automatically saves copies of project files in a dedicated **Auto Saves** folder inside the project folder. See [Auto Save](#).

Ruler Track Improvements

- You can now select the time format for ruler tracks when you add them. See [Add Track Dialog – Ruler](#).
- You can now set up a time offset for ruler tracks in the corresponding time format, and activate/deactivate it by using the corresponding control in the track list. If you deactivate the time offset, the ruler track follows the transport offset specified in the **Project Setup** dialog. See [Ruler Track Controls](#).

Creating Empty MIDI Parts via Double-Click

- You can now double-click in an empty area of the **Project** window event display to create an empty MIDI part. See [Creating Empty MIDI Parts](#).

Full MixConsole in Lower Zone

- The **MixConsole** in the lower zone of the **Project** window now contains the full **MixConsole** feature set. See [MixConsole in Lower Zone](#).

Control Room Overhaul

- The **Control Room** has been redesigned. See [Control Room](#).

ADM Authoring Improvements

- The **Renderer for Dolby Atmos** plug-in supports additional output channel configurations. See [Dolby Atmos Authoring](#).
- The **Trim and Downmix Editor** for ADM projects supports additional downmix formats. See [Trim and Downmix Editor](#).

Ambisonics Improvements

- Fourth-order (4OA) Ambisonics is now supported. See [Ambisonics Mixes](#).
- The **AmbiDecoder** plug-in can now generate an LFE channel from Ambisonics signals for playback on speaker configurations with an LFE channel. See [AmbiDecoder Panel](#).

Video Playback Improvements

- Cubase provides an improved video performance and supports the playback of video files with a resolution of up to 8K. See [Video](#).

Audio Performance Monitor

- The new **Audio Performance Monitor** panel visualizes audio dropouts that have been detected during the playback of your project. It provides detailed information about dropouts and suggests measures to decrease the processing load. See [Audio Performance Monitor Panel](#).

New Preference for Bouncing/Rendering Audio

- A new preference allows you to determine what happens when you apply **Bounce Selection** on an audio event in the **Project** window, or on an audio selection in the **Sample Editor**. See [Editing - Audio](#).

Color Settings for Control Room Inserts

- You can modify the color settings for the **Inserts (Control Room)** in the **Preferences** dialog. See [User Interface](#).

Introduction

This is the **Operation Manual** for Steinberg's Cubase. Here you will find detailed information about all the features and functions in the application.

Platform-Independent Documentation

The documentation applies to the operating systems Windows and macOS.

Features and settings that are specific to one of these platforms are clearly indicated. In all other cases, the descriptions and procedures in the documentation are valid for Windows and macOS.

Some points to consider:

- The screenshots are taken from Windows.
- Some functions that are available on the **File** menu on Windows can be found in the program name menu on macOS.

PDF Documents and Online Documentation

The documentation consists of several documents. You can read them online or download them from [steinberg.help](#).

You can reach [steinberg.help](#) from within Cubase by selecting **Help > Cubase Help**.

Operation Manual

The main Cubase reference documentation, with detailed descriptions of operations, parameters, functions, and techniques.

Score Editor

Describes the professional music notation, score editing, and printing features included in the **Score Editor**.

Plug-in Reference

Describes the features and parameters of the included VST plug-ins, VST instruments, and MIDI effects.

Remote Control Devices

Lists the supported MIDI remote control devices.

MIDI Devices

Describes how to manage MIDI devices and device panels.

Groove Agent SE

Describes the features and parameters of the included VST instrument Groove Agent SE.

HALion Sonic

Describes the features and parameters of the included VST instrument HALion Sonic.

Retrologue

Describes the features and parameters of the included VST instrument Retrologue.

Padshop

Describes the features and parameters of the included VST instrument Padshop.

Iconica Sketch

Describes the features and parameters of the included VST instrument Iconica Sketch.

Verve

Describes the features and parameters of the included VST instrument Verve.

SpectraLayers Go

Describes the features and functions of the included extension SpectraLayers Go.

Steinberg Library Manager

Describes how you can register and manage your VST Sound libraries.

Documentation Structure

In our documentation, we divide information into three different types of topics, according to their content.

Descriptions of the User Interface

Topics that describe the functionality of user interface items and list the options and settings of dialogs, panels, or other items.

Descriptions of Basic Concepts

Topics that describe concepts and explain the functionality of a specific software feature.

Descriptions of Procedures

Topics that provide step-by-step instructions for how to perform a specific task. These topics often provide an example for why you might want to follow the steps and a brief summary of the result, including consequences to be aware of.

Because of this division of information, our documentation structure functions as a reference you can consult for specific information or instructions as required, rather than a guide you must read from start to finish.

TIP

Descriptive topics do not describe how to perform a task, and procedural topics do not explain what something is. To find general information about items or concepts, we recommend searching for them by name, such as "events". To find instructions for performing particular actions, we recommend including a relevant verb in your search, such as "recording".

Links at the bottom of topics guide you to further relevant content. You can also check the sidebar for nearby, related topics in the documentation structure.

Typographical Conventions

In our documentation, we use structural and markup elements to present information according to its purpose.

Structural Elements

Prerequisite

Describes any actions or conditions you must have fulfilled before starting a procedure.

Procedure

Lists the steps that you must take to achieve a specific result.

Important

Informs you about serious issues; for example, issues that affect the system, the connected hardware, or that risk data loss.

Note

Informs you about issues or other relevant information.

Tip

Adds further information or useful suggestions.

Example

Provides you with an example.

Result

Describes the result of the procedure.

After Completing This Task

Informs you about actions or tasks that you can perform after completing the procedure.

Related Links

Lists related topics that you can find in this documentation.

Markup

Bold text indicates the name of a menu, option, function, dialog, window, and so on.

EXAMPLE

To open the **Functions** menu, click **Functions Menu** in the top right corner of the **MixConsole**.

If bold text is separated by a greater-than symbol, this indicates a sequence of different menus to open.

EXAMPLE

Select **Project > Add Track**.

File names and folder paths are shown in a different font.

EXAMPLE

`example_file.txt`

Key Commands

Many of the default key commands, also known as keyboard shortcuts, use modifier keys, some of which are specific to each operating system.

Whenever key commands with modifier keys are described in this manual, the Windows modifier key is indicated first, followed by the macOS modifier key and the key.

EXAMPLE

Ctrl/Cmd-Z means: press **Ctrl** on Windows or **Cmd** on macOS, then press **Z**.


Setting up Your System

To use Cubase, you must set up your audio, and if required, your MIDI system.

Studio Setup Dialog

The **Studio Setup** dialog allows you to set up your connected audio, MIDI, and remote control devices.

- To open the **Studio Setup** dialog, select **Studio > Studio Setup**.



The following options are available in the **Devices** section to the left:

Add Device

Allows you to manually add devices, such as a **Note Expression Input Device**, an additional **Time Display** device, or specific remote control devices.

Remove Selected Device

Allows you to remove manually added devices.

Reset All Devices



Resets all devices in the devices list.

Devices list

Select a device in the **Devices** list to show its settings in the right section.

The following options are available at the bottom of the page for each device:

Reset

Sends a reset signal to the active ASIO device and restarts the audio processing. This can solve problems with audio playback.

NOTE

This leads to a short interruption of the playback.

Apply

Applies your settings on this page.

RELATED LINKS

[Audio System Page](#) on page 22

[ASIO Driver Setup Page](#) on page 24

[MIDI Port Setup Page](#) on page 29

Setting up Audio


You must set up your audio equipment before you can use it in Cubase.

IMPORTANT

Make sure that all equipment is turned off before making any connections.

Simple Stereo Input and Output Setup

If you only use a stereo input and output from Cubase, you can connect your audio hardware, for example, the inputs of your audio card or your audio interface, directly to the input source and the outputs to a power amplifier and speaker.



Audio Connections

Your system setup depends on many different factors, for example, on the kind of project that you want to create, on the external equipment that you want to use, or on the computer hardware that is available to you. Therefore, the following sections can only serve as examples.

How to connect your equipment, that is, whether to use digital or analog connections also depends on your setup.

Recording Levels and Inputs

When you connect your equipment, make sure that the impedance and levels of the audio sources and inputs are matched. Using the correct type of input is important to avoid distortion or noisy recordings. For example, different inputs can be used, such as consumer line level (-10 dBV) or professional line level (+4 dBu).

Sometimes, you can adjust input characteristics on the audio interface or on its control panel. For details, refer to the documentation that came with the audio hardware.

IMPORTANT

Cubase does not provide any input level adjustments for the signals that are coming into your audio hardware, since these are handled differently for each card. Adjusting input levels is either done in a special application that is included with the hardware or via its control panel.

Word Clock Connections

If you are using a digital audio connection, you may also need a word clock connection between the audio hardware and external devices. For details, refer to the documentation that came with the audio hardware.

IMPORTANT

Set up word clock synchronization correctly, or you may experience clicks and crackles in your recordings.

Selecting an Audio Driver

By selecting an audio driver, you allow Cubase to communicate with the audio hardware. Normally, when you start Cubase, a dialog opens that prompts you to select a driver, but you can also select your audio hardware driver as described below.

NOTE

On Windows operating systems, we recommend that you access your hardware via an ASIO driver developed specifically for the hardware. If no ASIO driver is installed, contact the manufacturer of your audio hardware for information on available ASIO drivers. If no specific ASIO driver is available, you can use the Steinberg built-in ASIO Driver.

PROCEDURE

1. Select **Studio > Studio Setup**.
 2. In the **Devices** list, select **Audio System**.
 3. Open the **ASIO Driver** pop-up menu and select your audio hardware driver.
 4. Click **Switch** to confirm your choice.
-

Setting up Audio Hardware

You must select and set up your audio hardware in the **Studio Setup** dialog before you can use it.

PREREQUISITE

You have selected a driver for your audio hardware.

PROCEDURE

1. Select **Studio > Studio Setup**.
2. In the **Devices** list, select your audio hardware driver.
3. Do one of the following to open the control panel for your audio hardware:
 - On Windows, click **Control Panel**.
 - On macOS, click **Open Config App**.

This button is available only for particular hardware products. If it is not available in your setup, refer to the documentation of your audio hardware.

NOTE


The control panel is provided by the manufacturer of your audio hardware, and it is different for each audio interface brand and model. However, control panels for the Steinberg built-in ASIO Driver (Windows only) are provided by Steinberg.

4. Set up your audio hardware as recommended by the manufacturer.

Audio System Page

On the **Audio System** page, you can select an ASIO driver for your audio hardware.

- To open the **Audio System** page, select **Studio > Studio Setup** and select **Audio System** in the **Devices** list.



The following options are available:

ASIO Driver

Allows you to select a driver.

Release Driver when Application is in Background

Releases the driver and allows other applications to play back via your audio hardware even if Cubase is running.

Input Latency

Shows the input latency of the audio hardware.

Output Latency

Shows the output latency of the audio hardware.

ASIO-Guard Latency

Shows the ASIO-Guard latency.

HW Sample Rate

Shows the sample rate of your audio hardware.

HW Pull Up/Down

Shows the pull up/down status of the audio hardware.

In the **Advanced Options** section, the following options are available:

Reset

Allows you to reset the options in this section to their defaults.

Processing Precision

Allows you to set the audio processing precision to 32 bit float or 64 bit float.

Depending on this setting, all channels are processed and mixed in 32-bit floating-point or 64-bit floating-point format.

NOTE

A processing precision of 64 bit float can increase CPU load and memory consumption.

To show all plug-ins that support 64-bit float processing, open the **VST Plug-in Manager** from the **Studio** menu, and activate **Show Plug-ins That Support 64-Bit Float Processing** in the **Display Options** pop-up menu.

NOTE

VST 2 plug-ins and instruments are always processed with 32-bit precision.

Activate Multi Processing

Allows you to distribute the processing load evenly to all available CPUs. This way, Cubase can make full use of the combined power of multiple processors.

Activate ASIO-Guard

Activates the ASIO-Guard. This is only available if **Activate Multi Processing** is activated.

ASIO-Guard Level

Allows you to set the ASIO-Guard level. The higher the level, the higher the processing stability and the audio processing performance. However, higher levels also lead to increased ASIO-Guard latency and memory usage.

Activate Steinberg Audio Power Scheme

Deactivates all power save modes that have an impact on real-time processing.

NOTE

This only works for very low latencies, and it increases the power consumption of your computer.

Disk Preload

Allows you to specify how many seconds of audio are preloaded into RAM prior to starting playback. This allows for smooth playback.

Adjust for Record Latency

If this option is activated, the plug-in latencies are taken into account during recording.

Record Shift

Allows you to shift the recordings by the specified value.

Volume Automation Precision

Allows you to set the number of samples after which a new volume automation event is processed. The automation curve between the processed events is interpolated. This smoothes transitions between automation events and prevents sudden jumps which may lead to crackles.

At the bottom of the page, the following options are available:

Reset

Sends a reset signal to the active ASIO device and restarts the audio processing. This can solve problems with audio playback.

NOTE

This leads to a short interruption of the playback.

Apply

Applies your settings on this page.


RELATED LINKS

[VST Plug-in Manager Window](#) on page 954

ASIO Driver Setup Page

This page allows you to set up your ASIO driver.

- To open the page where you can set up the ASIO driver, select **Studio > Studio Setup** and select the audio driver in the **Devices** list.



The following options are available:

Control Panel

Opens the control panel for the audio hardware.

Input Latency

Shows the input latency of the audio driver.

Output Latency

Shows the output latency of the audio driver.

Clock Source

Allows you to select a clock source.

Externally Clocked

Activate this option if you use an external clock source.

Direct Monitoring

Activate this option to monitor via your audio hardware and to control it from Cubase.

In the **Ports** section, the following options are available:

Reset

Allows you to restore the default port names and to enable the visibility for all ports.

I/O

The port input/output status.

Port System Name

The system name of the port.

Show As

Allows you to rename the port. This name is used in the **Input Routing** and **Output Routing** pop-up menus.

Visible

Allows you to activate/deactivate audio ports.

State

The state of the audio port.

At the bottom of the page, the following options are available:

Reset

Sends a reset signal to the active ASIO device and restarts the audio processing. This can solve problems with audio playback.

NOTE

This leads to a short interruption of the playback.

Apply

Applies your settings on this page.

Using External Clock Sources

If you use an external clock source, Cubase must be notified that it receives external clock signals and derives its speed from that source.

PROCEDURE

1. Select **Studio > Studio Setup**.
 2. In the **Devices** list, select your audio hardware driver.
 3. Activate **Externally Clocked**.
-

RESULT

Cubase now derives its speed from the external source.

NOTE

For proper audio playback and recording, you must set the sample rate of the project to the sample rate of the incoming clock signals.

When a sample rate mismatch occurs, the **Record Format** field on the **Project** window status line is highlighted in a different color. Cubase accepts a sample rate mismatch, and playback is therefore faster or slower.

Using Several Audio Applications Simultaneously

You can allow other applications to play back via your audio hardware even if Cubase is running.

PREREQUISITE

You have set other audio applications that access the audio hardware to release the audio driver.

PROCEDURE

1. Select **Studio > Studio Setup**.
 2. In the **Devices** list, select **Audio System**.
 3. Activate **Release Driver when Application is in Background**.
-

RESULT

The application that has the focus can access the audio hardware.

Audio Hardware Configuration

Most audio cards provide one or more small applications that allow you to customize your hardware.

The settings are normally gathered on a control panel that can be opened from within Cubase or separately, when Cubase is not running. For details, refer to the audio hardware documentation.

Settings include:

- Selecting which inputs/outputs are active.
- Setting up word clock synchronization.
- Turning on/off monitoring via the hardware.
- Setting levels for each input.

- Setting levels for the outputs so that they match the equipment that you use for monitoring.
- Selecting digital input and output formats.
- Making settings for the audio buffers.

Setting up Input and Output Ports

Once you have selected the driver for your audio hardware and have set it up, you must specify which inputs and outputs to use.

PREREQUISITE

You have selected a driver for your audio hardware.

PROCEDURE

1. Select **Studio > Studio Setup**.
 2. In the **Devices** list, select your audio hardware driver.
 3. Make your changes.
 4. Click **OK**.
-

RELATED LINKS

[ASIO Driver Setup Page](#) on page 24

Audio Bus Setup

Cubase uses a system of input and output busses to transfer audio between the program and the audio hardware.

- Input busses let you route audio from the inputs of your audio hardware into Cubase. This means that audio is always recorded through one or several input busses.
- Output busses let you route audio from Cubase to the outputs of your audio hardware. This means that audio is always played back through one or several output busses.

Once you have set up the internal input and output busses, you can connect your audio source, for example, a microphone, to your audio interface and start recording, playing back, and mixing.

RELATED LINKS

[Audio Connections](#) on page 33

Monitoring

In Cubase, monitoring means listening to the input signal while recording.

The following ways of monitoring are available:

- Externally by listening to the signal before it reaches Cubase.
- Via Cubase.
- By using **ASIO Direct Monitoring**.

This is a combination of the other methods.

RELATED LINKS

[External Monitoring](#) on page 328

[Monitoring via Cubase](#) on page 328
[ASIO Direct Monitoring](#) on page 329

Setting up MIDI

You must set up your MIDI equipment before you can use it in Cubase.

IMPORTANT

Turn off all equipment before making any connections.

PROCEDURE

1. Connect your MIDI equipment (keyboard, MIDI interface, etc.) to your computer.
 2. Install the drivers for your MIDI equipment.
-

RESULT

You can use your MIDI equipment in Cubase.

MIDI Connections

To play back and record MIDI data from your MIDI device, for example, a MIDI keyboard, you need to connect the MIDI ports.

Connect the MIDI output port of your MIDI device to the MIDI input port of your audio hardware. This way, the MIDI device sends MIDI data to be played back or recorded inside your computer.

Connect the MIDI input port of your MIDI device to the MIDI output port of your audio hardware. This way, you can send MIDI data from Cubase to the MIDI device. For example, you can record your own playing, edit the MIDI data in Cubase, and then play it back on the keyboard and record the audio that is coming out of the keyboard.

Showing or Hiding MIDI Ports

You can show the MIDI ports that you want to use and hide those that you do not use on the MIDI pop-up menus in the program.

PROCEDURE

1. Select **Studio > Studio Setup**.
 2. In the **Devices** list, select **MIDI Port Setup**.
 3. To hide a MIDI port, deactivate its **Visible** column.
 4. Click **OK**.
-

Setting up All MIDI Inputs

When you record MIDI, you can specify which MIDI input each recording MIDI track should use. However, you can also record any MIDI data from any MIDI input. For this to work, you must first set up which inputs are included when you select **All MIDI Inputs** for a MIDI track.

PROCEDURE

1. Select **Studio > Studio Setup**.

2. In the **Devices** list, select **MIDI Port Setup**.
3. Activate **In 'All MIDI Inputs'** for a port.

NOTE

If you have connected a MIDI remote control unit, make sure to deactivate the **In 'All MIDI Inputs'** option for that MIDI input. This avoids accidental recording of data from the remote control when **All MIDI Inputs** is selected as input for a MIDI track.

4. Click **OK**.


RESULT

When you select **All MIDI Inputs** on the **Input Routing** pop-up menu of a MIDI track in the **Routing** section of the **Inspector**, the MIDI track uses all MIDI inputs that you specified in the **MIDI Port Setup**.

MIDI Port Setup Page

The **MIDI Port Setup** page in the **Studio Setup** dialog displays the connected MIDI devices and allows you to set up their ports.

- To open the **MIDI Port Setup** page, select **Studio > Studio Setup** and activate **MIDI Port Setup** in the **Devices** list.



The following columns are displayed:

Device

The connected MIDI devices.

I/O

The port input/output status.

Port System Name

The system name of the port.

Show As

Allows you to rename the port. This name is used in the **Input Routing** and **Output Routing** pop-up menus.

Visible

Allows you to activate/deactivate MIDI ports.

State

The state of the MIDI port.

In 'All MIDI Inputs'

Allows you to record MIDI data from all MIDI inputs.

NOTE

Deactivate this option if you use remote control devices.

State

The state of the MIDI port.

Monitor

Opens the **Input Monitor/Output Monitor** window that allows you to monitor incoming/outgoing MIDI events.

Usage

If you connect a MIDI controller and use it on the **MIDI Remote** tab in the lower zone of the **Project** window, the corresponding port **Usage** columns change to display the name of the connected controller. These ports are used for remote control only.

The following options are available:

Use System Timestamp for 'Windows MIDI' Inputs

Activate this option if you have persistent timing problems, such as shifted notes. If this is activated, the system timestamp is used as a time reference.

Use Device 'DirectMusic'

If you do not use a device with a DirectMusic device driver, you can leave this option deactivated. This enhances the system performance.

Use System Timestamp for 'DirectMusic' Inputs

Activate this option if you have persistent timing problems, such as shifted notes. If this is activated, the system timestamp is used as a time reference.

Use Device 'WinRT MIDI'

Activates the Windows **Runtime MIDI API**, **WinRT MIDI**, that allows for native support of bluetooth MIDI in Windows, better plug and play, and better handling of multiple identical devices.

If you have problems with bluetooth MIDI and plug and play, deactivate **Use Device 'WinRT MIDI'**, reconnect your bluetooth MIDI device, and activate **Use Device 'WinRT MIDI'** again.

Use System Timestamp for 'WinRT MIDI' Inputs

Activate this option if you have persistent timing problems, such as shifted notes. If this is activated, the system timestamp is used as a time reference.

At the bottom of the page, the following options are available:

Reset

Allows you to restore the default port names and to enable the visibility for all ports.

Apply

Applies your settings on this page.


Plug and Play Support for MIDI Devices

Cubase supports plug and play of USB MIDI devices. These devices can be plugged in and switched on while the application is running.

MIDI Remote Page

The **MIDI Remote** page in the **Studio Setup** dialog displays the connected MIDI controllers.

- To open the **MIDI Remote** page, select **Studio > Studio Setup** and activate **MIDI Remote** in the **Devices** list.



The following columns are displayed:

Vendor

Shows information about the vendor of the connected MIDI controller.

Device

Shows the connected MIDI controller.

Created By

Shows information about the script creator for the connected MIDI controller.

Input

Shows the input port of your MIDI controller.

Output

Shows the output port of your MIDI controller.

Open MIDI Remote in Lower Zone

Opens the **MIDI Remote** tab in the lower zone of the **Project** window.

Open MIDI Remote Manager

Opens the **MIDI Remote Manager** that shows information about the connected MIDI controllers and the installed scripts.

At the bottom of the page, the following options are available:

Reset

Allows you to restore the default port names and to enable the visibility for all ports.

Apply

Applies your settings on this page.

RELATED LINKS

[MIDI Remote](#) on page 966

Synchronizers

When using Cubase with external tape transports, you must probably add a synchronizer to your system.

IMPORTANT

Make sure that all equipment is turned off before making any connections.

For information on how to connect and set up your synchronizer, refer to the documentation of your synchronizer.

RELATED LINKS

[Synchronization](#) on page 1430

Audio Connections

To play back and record in Cubase, you must set up input and output busses in the **Audio Connections** window. Here, you can also set up group and effect channels, external effects, external instruments, and the **Control Room**.

The bus types that you need depend on your audio hardware, on your general audio setup, for example, your surround speaker setup, and on the projects that you use.

Audio Connections Window


The **Audio Connections** window allows you to set up input and output busses, group and effect channels, external effects, and external instruments. Furthermore, you can use this window to access and configure the **Control Room**.

To open the **Audio Connections** window, do one of the following:


- Select **Studio > Audio Connections**.
- Press **F4**.

Inputs/Outputs Tab

The **Inputs** and **Outputs** tabs allow you to set up and configure input and output busses.



Inputs tab



Outputs tab

The following options are available above the bus list:

Add Bus

Opens the **Add Input Bus** dialog, where you can create a new bus configuration.

Presets

Opens the **Presets** pop-up menu, where you can select bus configuration presets. **Save Preset** allows you to save a bus configuration as preset. **Remove Preset** deletes the selected preset.

Expand All/Collapse

Expands/Collapses all busses in the bus list.

The following columns are available for the bus list:

Bus Name

Lists the busses. Click the name of a bus to select or rename it.

Speakers

Indicates the speaker configuration (mono, stereo, surround formats) of each bus.

Audio Device

Shows the selected ASIO driver.

Device Port

Shows which physical inputs/outputs on your audio hardware are used by the bus. Expand the bus entry to show all speaker channels. If the bus entry is collapsed, only the first port that is used by this bus is visible.


The **Device Port** pop-up menu displays how many busses are connected to a given port. The busses are shown in square brackets next to the port name.

Up to three bus assignments can be displayed in this way. If more connections have been made, this is indicated by a number at the end of the port name.

For example, "Adat 1 [Stereo1] [Stereo2] [Stereo3] (+2)" means that the Adat1 port is already assigned to three stereo busses plus two additional busses.

Group/Effect Tab

This tab allows you to create group and effect channels/tracks and to make output assignments for them.



Group/Effect tab

The following options are available above the bus list:

Add Group

Opens the **Add Track** dialog, where you can create a new group channel track.

Add Effect

Opens the **Add Track** dialog, where you can create a new effect channel track.

Expand All/Collapse

Expands/Collapses all busses in the bus list.

The following columns are available for the bus list:

Bus Name

Lists the busses. Click the name of a bus to select or rename it.

Speakers

Indicates the speaker configuration (mono, stereo, surround formats) of each bus.

Output Routing

Lets you select the output routing for the corresponding bus.

External Effects Tab

This tab allows you to create send effect or return busses. Use them to connect external effects. You can then select them via the effect pop-up menus from inside the program.

| Inputs | Outputs | Group/FX | External FX | External Instruments | Control Room | | | | |
|-------------------|---------------|---------------------------|---------------|----------------------|--------------|-------------|-------------|------------|--------------|
| Add External FX | | | Favorites | | | | | Expand All | Collapse All |
| Bus Name | Speakers | Audio Device | Device Port | Delay | Send Gain | Return Gain | MIDI Device | Used | |
| ▼ External Effect | Stereo/Stereo | | | 0.00 ms (0) | 0.00 dB | 0.00 dB | No Link | | |
| ▼ Send Bus 1 | Stereo | Yamaha Steinberg USB ASIO | UR44 FX Bus L | | | | | | |
| → Left | | | UR44 FX Bus R | | | | | | |
| → Right | | | | | | | | | |
| ▼ Return Bus 1 | Stereo | Yamaha Steinberg USB ASIO | UR44 Input 2 | | | | | | |
| → Left | | | UR44 Input 3 | | | | | | |
| → Right | | | | | | | | | |

External Effects tab

The following options are available above the bus list:

Add External Effects

Opens the **Add External Effects** dialog, where you can configure a new external effect.

Favorites

Lets you store external effect configurations as favorites.

Expand All/Collapse

Expands/Collapses all busses in the bus list.

The following columns are available for the bus list:

Bus Name

Lists the busses. Click the name of a bus to select or rename it.

Speakers

Indicates the speaker configuration (mono, stereo, surround formats) of each bus.

Audio Device

Shows the selected ASIO driver.

Device Port

Shows which physical inputs/outputs on your audio hardware are used by the bus.

Expand the bus entry to show all speaker channels. If the bus entry is collapsed, only the first port that is used by this bus is visible.

The **Device Port** pop-up menu displays how many busses are connected to a given port. The busses are shown in square brackets next to the port name.

Up to three bus assignments can be displayed in this way. If more connections have been made, this is indicated by a number at the end of the port name.

For example, "Adat 1 [Stereo1] [Stereo2] [Stereo3] (+2)" means that the Adat1 port is already assigned to three stereo busses plus two additional busses.

Delay

Allows you to enter a value to compensate for an inherent delay (latency) of your hardware effect device during playback. You can right-click the **Delay** column for the effect and select **Check User Delay** to automatically determine the delay value.

NOTE

The latency of the audio hardware is handled automatically by Cubase.

Send Gain

Allows you to adjust the level of the signal that is sent to the external effect.

Return Gain

Allows you to adjust the level of the signal that the external effect sends.

NOTE

Excessive output levels from an external effect device can cause clipping in the audio hardware. You cannot use the **Return Gain** setting to compensate for this. You must lower the output level on the effect device instead.

MIDI Device


When you click in this column, a pop-up menu opens. It allows you to disconnect the effect from the associated MIDI device, select a MIDI device, create a new device, or open the **MIDI Device Manager** to edit the MIDI device.

Used

Whenever you insert an external effect into an audio track, this column shows a checkmark (x) to indicate that the effect is being used.

External Instruments Tab

This tab allows you to create input/output busses that can be used to connect external instruments.



External Instruments tab

The following options are available above the bus list:

Add External Instrument

Opens the **Add External Instrument** dialog, where you can configure a new external instrument.

Favorites

Lets you store external instrument configurations as favorites.

Expand All/Collapse

Expands/Collapses all busses in the bus list.

The following columns are available for the bus list:

Bus Name

Lists the busses. Click the name of a bus to select or rename it.

Speakers

Indicates the speaker configuration (mono, stereo, surround formats) of each bus.

Audio Device

Shows the selected ASIO driver.

Device Port

Shows which physical inputs/outputs on your audio hardware are used by the bus. Expand the bus entry to show all speaker channels. If the bus entry is collapsed, only the first port that is used by this bus is visible.

The **Device Port** pop-up menu displays how many busses are connected to a given port. The busses are shown in square brackets next to the port name.

Up to three bus assignments can be displayed in this way. If more connections have been made, this is indicated by a number at the end of the port name.

For example, “Adat 1 [Stereo1] [Stereo2] [Stereo3] (+2)” means that the Adat1 port is already assigned to three stereo busses plus two additional busses.

Delay

Allows you to enter a value to compensate for an inherent delay (latency) of your hardware effect device during playback. You can right-click the **Delay** column for the instrument and select **Check User Delay** to automatically determine the delay value that is used for delay compensation.

NOTE

The latency of the audio hardware is handled automatically by Cubase.

Return Gain

Allows you to adjust the level of the signal coming in from the external instrument.

NOTE

Excessive output levels from an external effect device can cause clipping in the audio hardware. The **Return Gain** setting cannot be used to compensate for this. You must lower the output level on the effect device instead.

MIDI Device

When you click in this column, a pop-up menu opens. It allows you to disconnect the instrument from the associated MIDI device, select a MIDI device, create a new device, or open the **MIDI Device Manager** to edit the MIDI device.

Used

Whenever you insert the external instrument into a VST instrument slot, this column shows a checkmark (x) to indicate that the instrument is being used.

Control Room Tab

This tab allows you to enable and configure the **Control Room**.

Audio Connections

Audio Connections Window

| Inputs | Outputs | Group/FX | External FX | External Instruments | Control Room | |
|----------|------------------|-------------|---------------------------|------------------------------|---------------|--------|
| | | Add Channel | Presets | No Preset | Configuration | Stereo |
| Bus Name | | Speakers | Audio Device | Device Port | | |
| | Stereo Out | Stereo | Not Connected | Not Connected | | |
| ▼ | Phones | Stereo | Yamaha Steinberg USB ASIO | UR44 Mix 2 L UR44 Mix 2 R | | |
| | -○ Left | | | | | |
| | -○ Right | | | | | |
| ▼ | Monitor 1 | Stereo | Yamaha Steinberg USB ASIO | UR44 Mix 1 L UR44 Mix 1 R | | |
| | -○ Left | | | | | |
| | -○ Right | | | | | |
| ► | Metering Channel | Stereo | Not Connected | Not Connected | | |

The following options are available above the bus list:

Enable/Disable Control Room

Enables/Disables the **Control Room**.

Open Control Room

Opens the **Control Room** window.

Add Channel

Opens a pop-up menu where you can select the type of channel that you want to add.
You can add the following channels:

- External Input
- Talkback
- Cue
- Headphone
- Monitor

Presets

Opens the **Presets** pop-up menu, where you can select bus configuration presets.
Store allows you to save a bus configuration as preset. **Delete** deletes the selected preset.

NOTE

You can save the insert slots for **Cue**, **Monitor** and **Control Room** channels in the presets. This is useful, as they are not saved with the project.

Configuration

Displays the selected channel configuration.

Expand All/Collapse

Expands/Collapses all busses in the bus list.

The following columns are available for the bus list:

Bus Name

Lists the busses. Click the name of a bus to select or rename it.

Speakers

Indicates the speaker configuration (mono, stereo, surround formats) of each bus.

Audio Device

Shows the selected ASIO driver.

Device Port

Shows which physical inputs/outputs on your audio hardware are used by the bus. Expand the bus entry to show all speaker channels. If the bus entry is collapsed, only the first port that is used by this bus is visible.

The **Device Port** pop-up menu displays how many busses are connected to a given port. The busses are shown in square brackets next to the port name.

Up to three bus assignments can be displayed in this way. If more connections have been made, this is indicated by a number at the end of the port name.

For example, "Adat 1 [Stereo1] [Stereo2] [Stereo3] (+2)" means that the Adat1 port is already assigned to three stereo busses plus two additional busses.

RELATED LINKS

[Control Room](#) on page 509

Renaming the Hardware Inputs and Outputs

Before you set up busses, you should rename the default inputs and outputs of your audio hardware. This allows you to transfer projects between different computers and setups.

For example, if you move your project to another studio, the audio hardware may be of a different model. But if you and the other studio have agreed on identical names for your inputs and outputs, Cubase corrects inputs and outputs for your busses.

NOTE

If you open a project that was created on another computer and the port names do not match or the port configuration is not the same, the **Missing Ports** dialog opens. This allows you to manually re-route ports that are used in the project to ports on your computer.

PROCEDURE

1. Select **Studio > Studio Setup**.
 2. In the **Devices** list, select **Audio System**.
 3. Open the **ASIO Driver** pop-up menu and select your audio hardware driver.
 4. In the **Devices** list, select your audio hardware driver.
 5. In the **Show As** column, click on a port name and enter a new name.
 6. Repeat the previous step until you have renamed all required ports.
 7. Click **OK**.
-

RELATED LINKS

[Re-Routing Missing Ports](#) on page 127

Hiding Ports

You can hide ports that you are not using. Hidden ports are not displayed in the **Audio Connections** window.

PROCEDURE

1. Select **Studio > Studio Setup**.
2. In the **Devices** list, select your audio hardware driver.

3. In the **Visible** column, deactivate the ports that you want to hide.
 4. Click **OK**.
-

Activating and Deactivating Ports (macOS only)

On macOS, you can specify which input and output ports are active. This allows you to use the microphone input instead of the line input or to deactivate the audio card input or output.

NOTE

This function is only available for built-in audio, standard USB audio devices, and some other audio cards.

PROCEDURE

1. Select **Studio > Studio Setup**.
 2. In the **Devices** list, select your audio hardware driver.
 3. Click **Control Panel**.
 4. Activate/Deactivate ports.
 5. Click **OK**.
-

Adding Input and Output Busses

You must add input and output busses to establish the connection between your audio hardware and Cubase.

PROCEDURE

1. In the **Audio Connections** dialog, click the **Inputs** or **Outputs** tab.
 2. Click **Add Bus**.
 3. In the **Add Input Bus** dialog, configure the bus.
 4. Optional: Enter a name for the bus.
If you do not specify a name, the bus is named according to the channel configuration.
 5. Click **Add Bus**.
The new bus is added to the bus list.
 6. For each of the speaker channels in the bus, click in the **Device Port** column and select a port for your audio hardware.
-

Setting the Default Output Bus (Main Mix)

Main Mix is the default output bus to which each new audio, group, or effect channel is automatically routed. If only one bus is available, this bus is automatically used as the default output bus.

PREREQUISITE

Add an output bus.

PROCEDURE

1. In the **Audio Connections** dialog, right-click the output bus that you want to use as default output bus.
 2. Select **Set <bus name> as Main Mix**.
-

RESULT

The selected bus is used as the default bus. **Main Mix** is indicated by a speaker icon next to its name.

RELATED LINKS

[Inputs/Outputs Tab on page 33](#)

Adding Child Busses

Child busses allow you to route tracks to particular channels within a bus.

For example, you can route a stereo track to a stereo channel pair within a surround bus. Or you can record a stereo channel pair in the surround bus to a separate stereo track.

PROCEDURE

1. On the **Inputs** tab, **Outputs** tab, or **Group/FX** tab, right-click a surround bus.
 2. Click **Add Child Bus** and select a channel configuration.
-

RESULT

The child bus is created and can be used for routing.

Presets for Input and Output Busses

For input and output bus configurations, you can use different kinds of presets.

- Standard bus configurations.
- Automatically created presets tailored to your specific hardware configuration.
On startup, Cubase analyzes the physical inputs and outputs that are provided by your audio hardware and creates a number of hardware-dependent presets.
- Your own presets.

NOTE

You can create default presets for input and output bus configurations. If you create a new empty project, these default presets are applied. To create default presets, save your preferred input and output bus configurations under the name **Default**. If you have not defined default presets, the last used input and output bus configuration is applied when you create a new empty project.

Saving a Bus Configuration Preset

You can save your own input and output bus configuration and the studio configuration as presets.

PROCEDURE

1. Select **Studio > Audio Connections**.
 2. Click the **Inputs** or **Outputs** tab, and set up your bus configuration.
 3. Open the **Presets** menu, and select **Save Preset**.
 4. In the **Save Preset** dialog, enter a name.
 5. Click **OK**.
-

RESULT

The preset is available in the **Presets** menu.

Deleting a Bus Configuration Preset

You can delete bus configuration presets that you no longer need.

PROCEDURE

1. Select **Studio > Audio Connections**.
 2. Click the **Inputs** or **Outputs** tab.
 3. From the **Presets** menu, select the preset that you want to delete.
 4. Select **Remove Preset**.
-

RESULT

The preset is deleted.

Adding Group and Effect Channels

Group channels and effect channels allow you to group bus configurations.

Adding group and effect channels in the **Audio Connections** window is identical to creating group channel tracks or effect channel tracks in the **Project** window.

PROCEDURE

1. In the **Audio Connections** dialog, click the **Group/Effect** tab.
 2. Do one of the following:
 - To create a group channel, click **Add Group**.
 - To create an effect channel, click **Add Effect**.
 3. Configure the channel.
 4. Optional: Enter a name for the group channel track.
 5. Click **OK**.
The group channel or effect channel is added to the bus list.
 6. For each of the speaker channels in the bus, click in the **Output Routing** column, and select a port for your audio hardware.
-

RELATED LINKS

[Audio Effects](#) on page 529

Monitoring Bus

In the **Audio Connections** window, you can set up the busses that are used for monitoring. From here, you can also activate/deactivate and open the **Control Room**.

When the **Control Room** is disabled on the **Control Room** tab of the **Audio Connections** window, the **Main Mix** bus is used for monitoring. In this case, you can adjust the monitoring level in the **MixConsole**.

RELATED LINKS

[Setting the Default Output Bus \(Main Mix\)](#) on page 40

[Control Room](#) on page 509

[MixConsole](#) on page 423

External Instruments and Effects

You can integrate external effect devices and external instruments, for example, hardware synthesizers, into the sequencer signal flow.

Requirements

To use external effects, you need the following:

- Audio hardware with multiple inputs and outputs.
- A MIDI interface that is connected to your computer.
- Audio hardware with low-latency drivers.

Cubase compensates for the input/output latency and ensures that the audio that is processed through external effects is not shifted in time.

Connecting an External Instrument/Effect

You can connect external instruments/effects to the audio hardware of your computer.

PREREQUISITE

The hardware device has stereo inputs and outputs.

PROCEDURE

1. Connect an output pair on your audio hardware to the input pair on your external hardware device.
 2. Connect an input pair on your audio hardware to the output pair on your hardware device.
-

AFTER COMPLETING THIS TASK

Once the external device is connected to the audio hardware of your computer, you must set up the external input/output busses as well as the external effects/instruments in Cubase.

RELATED LINKS

[Setting up Input and Output Ports](#) on page 27

[Setting up External Effects](#) on page 44


[Setting up External Instruments](#) on page 46

Setting up External Effects

You must set up external effects in Cubase before you can use them.

PROCEDURE

1. In the **Audio Connections** window, click the **External Effects** tab.
2. Click **Add External Effect**.
3. In the **Add External Effect** dialog, enter a name for the external effect and specify the send and return configurations.
Depending on the type of effect, you can specify mono, stereo, or surround configurations.
4. Click **Associate MIDI Device** and select a MIDI device.



You can also select **MIDI Devices > Create Device** and create a new MIDI device association.

NOTE

Delay compensation is only applied for the effect if you use MIDI devices.

5. Click **OK**.
This adds a new external effects bus.
6. Click in the **Device Port** column for the left and right ports of the send bus and select the outputs of your audio hardware that you want to use.
7. Click in the **Device Port** column for the left and right ports of the return bus and select the inputs of your audio hardware that you want to use.
8. Make additional settings for the bus.
You can also adjust the settings while using the external effect. This allows you to hear the result.

RELATED LINKS

[Using MIDI Devices on page 1057](#)
[Delay Compensation on page 948](#)

Adding External Effects


You can use the external effects bus as an insert effect or as a send effect, which is an insert effect on an effect channel track.

PREREQUISITE

Set up your external effects in the **Audio Connections** window.


PROCEDURE

1. In the **Inspector**, open the **Inserts** section.
2. Open the **Select Insert** menu.



3. Select an external effect from the **External Plug-ins** submenu.

External effects are indicated by an **x** icon in the list next to their names in the **Select Insert** pop-up menu.



RESULT

The external effects bus is loaded into the effect slot.

A parameter window opens, showing the **Delay**, **Send Gain**, and **Return Gain** settings for the external effects bus. You can adjust these settings while playing back.

The audio signal from the channel is sent to the outputs on the audio hardware, through your external effect device, and back to the program via the inputs on the audio hardware.


RELATED LINKS

[Setting up External Effects](#) on page 44

External Effect Parameter Window

This window allows you to adjust delay and gain settings for the selected external effect.

- To open the **External Effect Parameter** window, select an external effect from the **Select Insert** pop-up menu in the **Inspector**.



Activate Effect

Activates/Deactivates the external effect.

Bypass Effect

Allows you to bypass the external effect.

Measure Delay

If this button is activated, Cubase automatically determines the delay value that is used for delay compensation. This is the same function as the **Check User Delay** option in the **Audio Connections** window.

When you have defined a MIDI device for the effect, the corresponding device window opens.

Delay

Allows you to adjust the delay for the external effect.

Send Gain

Allows you to adjust the send gain for the external effect.

Return Gain

Allows you to adjust the return gain for the external effect.

Setting up External Instruments

You must set up external instruments in Cubase before you can use them.

PROCEDURE

1. In the **Audio Connections** window, click the **External Instruments** tab.
 2. Click **Add External Instrument**.
 3. In the **Add External Instrument** dialog, enter a name for the external instrument and specify the number of required mono and/or stereo returns.
Depending on the type of instrument, a specific number of mono and/or stereo return channels is required.
 4. Click **Associate MIDI Device** and select a MIDI device.
 5. Click **OK**.
This adds a new external instrument bus.
 6. Click in the **Device Port** column for the left and right ports of the return bus and select the inputs of your audio hardware to which you connected the external instrument.
 7. Make additional settings for the bus.
You can also adjust the settings while using the external instrument. This allows you to hear the result.
-

RELATED LINKS

[Using MIDI Devices](#) on page 1057

Adding External Instruments

You can add external instruments to the VST instruments list.

PREREQUISITE


Set up your external instruments in the **Audio Connections** window.

PROCEDURE

1. Select **Studio > VST Instruments**.
2. Click **Add Track Instrument**.

3. Select an external instrument from the **Instrument** pop-up menu.


External instruments are indicated by an **x** icon in the list next to their names in the **Instrument** pop-up menu.



4. Click **OK**.
-

RESULT

The external instrument is added to the VST instruments list.



A parameter window for the external instrument opens. This can either be the device window that allows you to create a generic device panel, an OPT editor window, or a default editor.


RELATED LINKS

[VST Instruments Window](#) on page 940

External Instruments Parameter Window

This window allows you to make delay and gain settings for the selected external instrument.

- To open the **External Instrument Parameter** window, select an external instrument in the **VST Instruments** window.



Activate External Instrument

Activates/Deactivates the external instrument.

Bypass External Instrument

Allows you to bypass the external instrument.

Delay

Allows you to adjust the delay for the external instrument.

Return Gain

Allows you to adjust the return gain for the external instrument.

Sending MIDI Notes to External Instruments

You can send MIDI notes from a MIDI track to an external instrument.

PREREQUISITE

Set up your external instruments in the **Audio Connections** window and add a MIDI track.

PROCEDURE

1. In the **Routing** section of the **Inspector**, open the **Output Routing** pop-up menu for the corresponding MIDI track.

2. Select the MIDI device to which the external instrument is connected.
-

RESULT

The instrument plays any MIDI notes that it receives from the track and returns them to Cubase through the return channels that you have set up. Delay compensation is used.

The external instrument behaves like any other VST instrument in Cubase.

RELATED LINKS

[Delay Compensation](#) on page 948

Saving External Instrument and Effect Configurations as Favorites

You can save external instruments and external effects as favorites. Favorites allow you to save different configurations for the same device, for example, a multi-effect board or an effect that provides both a mono and a stereo mode.

PROCEDURE

1. Select **Studio > Audio Connections**.
 2. Open the **External Instruments** or the **External Effects** tab.
 3. Select the bus in the list, and click **Favorites**.
 4. Select **Add Selected Instrument to Favorites/Add Selected Effect to Favorites**.
-

RESULT

The external instrument or effect configuration is saved as a favorite. You can recall a favorite by clicking **Favorites** and selecting the configuration that you want to recall.

Freezing External Instruments/Effects

You can freeze external instruments or effects to save processing power.

PROCEDURE

1. Select the audio track that uses the external effect or the instrument track that uses the external instrument.
2. In the **Inspector**, click **Freeze Channel**.
3. In the dialog, adjust the **Tail Size** value.

When the **Tail Size** is set to 0 s, freezing only takes into account the data within the part boundaries.

RESULT

The freeze function is performed in real time to ensure that external effects are taken into account.

RELATED LINKS

[VST Instruments](#) on page 935

[Audio Effects](#) on page 529

[Freezing Instruments](#) on page 945

[Freezing Insert Effects](#) on page 536

[Freezing Multiple Tracks](#) on page 210

Missing Plug-ins

Possible causes of missing plug-ins:

- You removed an external device from the **Audio Connections** window although it is used in a saved project.
- You transferred a project to another computer on which the external device is not defined.
- You opened a project that was created with an earlier version of Cubase.

In the **Audio Connections** window, the broken connection to the external device is indicated by an icon in the **Bus Name** column.

- To reestablish the broken connection to the external device, right-click the entry for the device in the **Bus Name** column and select **Connect External Effect**.

NOTE

Busses that are set up for external instruments or external effects are saved globally, that is, for your particular computer setup.

Bus Configurations

After you have set up all the required busses for a project, you can edit the names and change port assignments. The bus configuration is saved with the project.

Removing Busses

You can remove busses that you no longer need.

PROCEDURE

- In the **Audio Connections** window, do one of the following:
 - To remove a single bus, right-click the bus in the list and select **Remove Bus**. Alternatively, you can select the bus and press **Backspace**.
 - To remove multiple input or output busses at the same time, use **Shift** or **Ctrl/Cmd** to select them in the list, right-click them, and select **Remove Selected Busses**.

Changing Port Assignments

You can change the port assignment of busses.

PROCEDURE

1. Select **Studio > Audio Connections**.
2. Do one of the following:
 - To change the assignment of a single bus, open the **Device Port** pop-up menu, and select a new port.
 - To assign subsequent busses to several selected busses, open the **Device Port** pop-up menu for the first selected entry, press **Shift**, and select a device port.

NOTE

Exclusive ports, for example, ports that are already assigned to **Control Room** channels, are skipped.

- To assign the same port to several selected busses, open the **Device Port** pop-up menu for the first selected entry, press **Shift-Alt/Opt**, and select a device port.
-

Renaming Multiple Busses

You can rename all the selected busses at once using incrementing numbers or letters.

PROCEDURE

1. Select **Studio > Audio Connections**.
 2. Select the busses that you want to rename.
 3. Do one of the following:
 - Enter a new name for one of the busses, followed by a number.
 - Enter a new name for one of the busses, followed by a space and a capital letter.
 4. Press **Return**.
-

RESULT

The busses are renamed automatically, using either incrementing numbers or letters.

NOTE

The renaming starts from the bus where you edit the name and runs to the bottom. Then it continues from the top until all selected busses have been renamed.

Non-Exclusive Port Assignments

You can use same input or output ports for multiple external effects or instruments. This is useful, if you work with multiple analog effects and synthesizers, and your audio interface has a limited number of inputs and outputs.

The input and output assignment for external effects/instruments in the **Audio Connections** window is non-exclusive, that is, you can use the same port for input or output busses and for multiple external effects and instruments.

NOTE

However, if you work with external instruments or effects, and you record audio at the same time, make sure to use dedicated device ports.

RELATED LINKS

[External Instruments and Effects](#) on page 43

Project Window

The **Project** window provides you with an overview of the project and allows you to navigate and perform large scale editing.

Each project has one **Project** window. The **Project** window is displayed whenever you open or create a new project.

- To open a project, select **File > Open**.
- To create a new project, select **File > New Project**.



The **Project** window is divided into several sections:

1 Channel

The **Channel** tab shows the channel-related sections and layouts for the track that is selected in the track list.

2 Left Zone

The left zone shows the **Inspector** that features the **Track** tab and the **Editor** tab:

- The **Track** tab shows the settings for the track that is selected in the track list.

NOTE

In this documentation, we use **Inspector** to refer to the **Track** tab of the **Inspector**.

-
- The **Editor** tab shows the settings for the editor that is open in the lower zone.

The left zone also features a **Visibility** tab.

3 Project Zone

The project zone shows the toolbar, the track list with the tracks, the event display with the parts and events of the project, and the **Project** window ruler.

On the toolbar, you can activate/deactivate the status line, the info line, the overview line, and the **Transport Bar**.

4 Lower Zone

The lower zone features the following tabs: **Chord Pads, Editor, Sampler Control, MixConsole, Drum Machine, MIDI Remote, and Modulators.**

5 Right Zone

The right zone shows the **VSTi** rack, the **Media** rack, the **Control Room** rack, and the **Meter** rack.

RELATED LINKS

[Project Zone](#) on page 53

[Track Visibility](#) on page 76

[Channel Tab](#) on page 70

[Opening the Editor Visibility in the Project window](#) on page 74

[Project Window Left Zone](#) on page 71

[Project Window Lower Zone](#) on page 80

[Project Window Right Zone](#) on page 89

[Project Window Toolbar](#) on page 54

Menus in Cubase

The main menus and submenus in Cubase provide access to all features and settings of the program.

On Windows, the full menu is available in the **Project** window. Other windows offer their own menus with a reduced number of menu entries which are useful in the respective context. In the **Hub**, the menu is always shown. The menu of all other windows can be shown/hidden by activating/deactivating **Show Menu Bar** in the context menu of the corresponding window title.

On macOS, all menus are available via the system menu bar on the top of the screen.

Showing/Hiding Menu Bars (Windows only)

On Windows, you can choose whether to show or hide the menu bars of most windows.

NOTE

For the **Hub** you cannot hide the menu bar.

PROCEDURE

- To show/hide the menu bar of a window, right-click its title bar and activate/deactivate **Show Menu Bar**.
-

RELATED LINKS

[Menus in Cubase](#) on page 52

Showing/Hiding Zones

You can show/hide the zones in the **Project** window according to your needs.

PROCEDURE

- Do one of the following:

- To show/hide the **Channel** tab, click **Show/Hide Channel** on the **Project** window toolbar.
- To show/hide the left zone, click **Show/Hide Left Zone** on the **Project** window toolbar.
- To show/hide the lower zone, click **Show/Hide Lower Zone** on the **Project** window toolbar.
- To show/hide the right zone, click **Show/Hide Right Zone** on the **Project** window toolbar.

NOTE

The project zone is always shown.

RELATED LINKS

[Project Window Toolbar](#) on page 54

[Channel Tab](#) on page 70

[Project Window Left Zone](#) on page 71


[Project Window Lower Zone](#) on page 80

[Project Window Right Zone](#) on page 89

Project Zone

The project zone is the heart of the **Project** window and cannot be hidden.

The project zone features the track list and the event display with the ruler. Furthermore, you can activate/deactivate the status line, the info line, the overview line, and the **Transport Bar** for the project zone.



RELATED LINKS

[Track List](#) on page 62

[Event Display](#) on page 63

[Global Track Controls](#) on page 64

[Ruler](#) on page 65

[Status Line](#) on page 67

[Info Line](#) on page 68

[Overview Line](#) on page 69

[Transport Bar](#) on page 70

Project Window Toolbar

The toolbar contains tools and shortcuts for opening other windows and various project settings and functions.

- To show/hide tools, right-click an empty area of the toolbar and activate the tools that you want to display. To show all tools, click **Show All**.

NOTE

The number of elements that are shown also depends on the size of the **Project** window and the screen resolution.

The following options are available:

Project Activation Control

Activate Project



NOTE

Only available if more than one project is open.

Activates a project.

Project History

Undo/Redo



Undoes/Redoes actions in the **Project** window.

Constrain Delay Compensation

Constrain Delay Compensation



Minimizes the latency effects of the delay compensation.

Left Divider

Left Divider

Tools that are placed to the left of the divider are always shown.

Media & MixConsole Windows

Open MediaBay



Opens/Closes the **MediaBay**.

Open Pool Window




Opens/Closes the **Pool** window.

Open MixConsole



- Opens/Closes the **MixConsole**.
Open Control Room 
Opens/Closes the **Control Room**.
- Open Direct Offline Processing Window** 
Opens/Closes the **Direct Offline Processing** window.

Track Visibility Configurations

- Track Visibility Configurations** 
Allows you to create configurations that are useful for switching between different visibility setups.
- Set Track Visibility Agents** 
Allows you to set a visibility agent to filter the tracks.
- Set Track Type Filter** 
Allows you to filter the tracks by track type. **Ctrl/Cmd**-click to reset the track type filter.

State Buttons

- Deactivate All Mute States** 
Deactivates all mute states.
- Deactivate All Solo States** 
Deactivates all solo states.
- Deactivate All Listen States** 
Deactivates all listen states.
- Activate/Deactivate Read for All Tracks** 
Activates/Deactivates read automation for all tracks.
- Activate/Deactivate Write for All Tracks** 
Activates/Deactivates write automation for all tracks.
- Suspend All Read/Write Automation** 
Suspends all read/write automation.

Automation Mode

- Automation Follows Events** 

Lets your automation events follow automatically when you move an event or part on a track.

Global Automation Mode



Allows you to select the global automation mode.

Open Automation Panel



Opens the **Automation Panel**.

Auto-Scroll

Auto-Scroll



Keeps the project cursor visible during playback.

Select Auto-Scroll Settings



Allows you to activate **Page Scroll** or **Stationary Cursor** and to activate **Suspend Auto-Scroll When Editing**.

Locators

Go to Left Locator Position



Allows you to go to the left locator position.

Left Locator Position

1. 5. 1. 0

Shows the left locator position.

Go to Right Locator Position



Allows you to go to the right locator position.

Right Locator Position

4. 8. 1. 0

Shows the right locator position.

Locator Range Duration

Locators to Selection



Allows you to set the locators to the selection.

Locator Range Duration

4. 8. 1. 0

Shows the duration of the locator range.

Transport Controls

Go to Previous Marker/Zero



Moves the project cursor to the previous marker/zero position on the timeline.

Go to Next Marker/Project End



Moves the project cursor to the next marker/project end.

Rewind



Moves backward.

Forward



Moves forward.

Activate Cycle



Activates/Deactivates cycle mode.

Stop



Stops playback.

Start



Starts playback.

Transport Record



Activates/Deactivates record mode.

Time Displays

Select Primary Time Format



Allows you to select a time format for the primary time display.

Primary Time Display

6. 1. 1. 0

Shows the position of the project cursor in the selected time format.

Select Secondary Time Format



Allows you to select a time format for the secondary time display.

Secondary Time Display

0:00:11.000

Shows the position of the project cursor in the selected time format.

Markers

Jump to Marker

1 2 3 4 5 6 7 8

Allows you to set and locate marker positions.

Open Markers Window



Opens the **Markers** window.

Tool Buttons

Combine Selection Tools



Combines the **Object Selection** tool and the **Range Selection** tool.

Object Selection



Selects events and parts.

Range Selection



Selects ranges.

Draw



Draws events.

Erase



Erases events.

Split



Splits events.

Glue



Glues events together.

Mute



Mutes events.

Zoom



Zooms in. Hold **Alt/Opt** and click to zoom out.

Comp



Assembles takes.

Time Warp



Allows you to adjust musical positions of events to time positions and to perform warp operations for individual time positions.

Line



Creates a series of contiguous events.

Play



Allows you to play back events.

Color



Allows you to colorize events.

Color Menu


Select Color for Selected Tracks or Events



Opens the **Colorize** pane that allows you to colorize the selected tracks or events.

Nudge

Nudge Settings



Allow you to set up a snap grid for the nudge commands.

- By default, the snap grid for nudge operations is set to **Link to Grid**, and the step width corresponds to the snap grid.
- If you activate **Link to Primary Time Format**, the snap grid for nudge operations follows the primary time format, and you can set up the step width in the **Nudge Settings** pop-up menu.
- If you deactivate **Link to Grid** and **Link to Primary Time Format**, you can set up a snap grid that is fully independent for nudge operations. In this case, you can select a time format and a value from the **Nudge Settings** pop-up menu.

NOTE

To show the nudge buttons, click the points to the right of the **Nudge Settings**.

Nudge Start Left



Increases the length of the selected event by moving its start to the left.

Nudge Start Right



Decreases the length of the selected event by moving its start to the right.

Move Left



Moves the selected event to the left.

Move Right



Moves the selected event to the right.

Nudge End Left



Decreases the length of the selected event by moving its end to the left.

Nudge End Right



Increases the length of the selected event by moving its end to the right.

Project Root Key

Project Root Key



Changes the root key of the project.

Snap

Snap to Zero Crossing




Restricts editing to zero crossings, that is, positions where the amplitude is zero.

Snap On/Off



Restricts horizontal movement and positioning to the positions specified by the **Snap Type**.

Snap Type



Allows you to specify to what positions you want events to snap.

Grid Type

Grid Type



Allows you to specify a grid type for the **Snap** function. This setting only has effect if **Snap Type** is set to one of the grid options.

Quantize

Apply Quantize



Applies the quantize settings.

Quantize Presets



Allows you to select a quantize preset.

Soft Quantize On/Off



Activates/Deactivates soft quantize.

AudioWarp Quantize On/Off



Activates/Deactivates **AudioWarp** quantize.

Open Quantize Panel



Opens the **Quantize Panel**.

Audio Alignment


Open Audio Alignment Panel



Opens the **Audio Alignment Panel**.

Audio Performance Meter

Audio Performance Meter



The upper bar displays either the current realtime peak or the ASIO-Guard load, depending on which of the two has the higher value. The lower bar shows the hard disk transfer load of the disk engine.

For a more detailed display of realtime peak and ASIO-Guard load, click to open the **Audio Performance** panel.

MIDI Remote Mapping Assistant

Open MIDI Remote Mapping Assistant



Opens the **MIDI Remote Mapping Assistant**.

Right Divider

Right Divider

Tools that are placed to the right of the divider are always shown.

Window Zone Controls

Show/Hide Channel



Shows/Hides the **Channel** tab.

Show/Hide Left Zone



Shows/Hides the left zone of the window.

Show/Hide Lower Zone



Shows/Hides the lower zone of the window.

Show/Hide Right Zone



Shows/Hides the right zone of the window.

Set up Window Layout



Allows you to set up the window layout.

RELATED LINKS

[Left/Right Toolbar Divider](#) on page 62

[Snap Types Menu](#) on page 102

[Markers](#) on page 411

[Time Warp](#) on page 1393
[Automation](#) on page 854
[Synchronization](#) on page 1430
[Audio Alignment](#) on page 249
[Audio Performance Monitor Panel](#) on page 1515

Left/Right Toolbar Divider

The left and right toolbar dividers allow you to lock the position of specific tools on the left or on the right side of the toolbar, so that they are always shown.

All other items are shown in the center of the toolbar. When you reduce the width of the **Project** window, these toolbar items are hidden successively. When you increase the width, they are shown again.

Toolbox


The toolbox makes the editing tools from the toolbar available at the mouse pointer position. It can be opened instead of the standard context menus in the event display and editors.



- To activate the toolbox function, activate **Show Toolbox on Right-Click** in the **Preferences** dialog (**Editing—Tools** page).
- To open the toolbox, right-click in the event display or editor.
If **Show Toolbox on Right-Click** is deactivated, the context menu opens.
- To open the context menu instead of the toolbox, press any modifier key and right-click in the event display or editor.
If **Show Toolbox on Right-Click** is deactivated, press any modifier key to open the toolbox instead of the context menu.

Track List

The track list shows the tracks that are used in the project. When a track is added and selected, it contains name fields and settings for this track.



- To decide which controls are visible for each track type, right-click the track list and open the **Track Controls Settings** dialog.

RELATED LINKS

[Track Controls Settings Dialog](#) on page 181


Dividing the Track List

You can divide the track list into an upper track list and a lower track list. These track lists can have independent zoom and scroll controls. Dividing the track list is useful if you are working with a video track and multi-track audio, for example. It allows you to place the video track in the

upper track list and to scroll the audio tracks separately in the lower track list, so that they can be arranged with the video.

PROCEDURE

- Do one of the following:
 - Select **Project > Divide Track List**.
 - Click **Divide Track List** in the top right corner of the **Project** window below the ruler.



RESULT

The track list is divided, and video, marker, or arranger tracks are automatically moved to the upper track list. All other track types are moved to the lower track list.

NOTE

The area of the project zone that has the focus is indicated by a highlighted and solid focus frame, whereas the non-active area is shown with a dashed frame.

AFTER COMPLETING THIS TASK


- To move any type of track from the lower track list to the upper track list and vice versa, right-click it in the track list and select **Toggle Track List** from the context menu.
- To resize the upper part of the track list, click and drag the divider between the track list sections.
- To revert to a single track list, click **Divide Track List** again.

RELATED LINKS

[Keyboard Focus in the Project Window](#) on page 96

Event Display


The event display shows the parts and events that are used in the project. They are positioned along the timeline.



Global Track Controls

The global track controls allow you to manage the tracks in the track list.

- The global track controls are shown above the track list.



1 Add Track

Opens the **Add Track** dialog.

2 Use Track Preset

Allows you to add a track using a track preset.

3 Number of Visible Tracks

Displays how many tracks are filtered out by the **Visibility** tab.

4 Set Track Visibility Agents

Allows you to set a visibility agent to filter the tracks.

5 Set Track Type Filter

Determines which track types are shown in the track list.

6 Find Tracks

Allows you to search for specific tracks in the track list.

RELATED LINKS

[Opening the Track Visibility](#) on page 77


Filtering Track Types

You can filter tracks by their track type.

PROCEDURE

1. Click **Set Track Type Filter** above the track list.

This opens the track type filter.



2. Uncheck a track type to hide it.
-

RESULT

Filtered track types are removed from the track list. The color of the **Set Track Type Filter** button changes to indicate that one or more track types are hidden.

NOTE

To reset the track type filter **Ctrl/Cmd**-click **Set Track Type Filter**.

Finding Tracks

The **Find Tracks** function allows you to find specific tracks. This is useful if you have a large project with many tracks or if you have hidden tracks via the **Visibility** tab.

PROCEDURE

1. Click **Find Tracks** above the track list to open a selector that lists all tracks.
 2. In the search field, enter the name of the track.
As you type, the selector updates automatically.
 3. In the selector, select the track.
-

RESULT

The selector closes and the track is selected in the track list.

NOTE

Hidden tracks and tracks outside the view are now visible to you. Tracks that are hidden using **Set Track Type Filter** are not shown.

Ruler

By default, the ruler shows the timeline and the time format of the project.



Initially, the **Project** window ruler uses the time format that is specified in the **Project Setup** dialog.

However, you can select an independent time format for the ruler.

- To select an independent time format for the ruler, click the arrow button to the right of the ruler and select an option from the pop-up menu, or right-click anywhere in the ruler.

The ruler settings affect the ruler, the info line, and the tooltip position values.

You can also select independent formats for other rulers and position displays.

NOTE

To set the time format globally for all windows, use the **Time Format** pop-up menu in the **Project Setup** dialog or the **Select Primary Time Format** pop-up menu on the **Transport** panel, or hold down **Ctrl/Cmd** and select a format in any ruler.

RELATED LINKS

[Project Setup Dialog](#) on page 123


[Ruler Modes](#) on page 67

[Selecting the Primary Time Format](#) on page 305

Ruler Time Format Menu

You can select a time format for the ruler.

- To show the ruler time formats, click the arrow button to the right of the ruler.



The selection that you make affects the time formats in the following areas:

- Ruler
- Info line
- Tooltip position values

The following options are available:

Bars+Beats

Sets the ruler to display bars, beats, sixteenth notes, and ticks. By default, there are 120 ticks per sixteenth note. To change this, adjust the **MIDI Display Resolution** setting in the **Preferences** dialog (**MIDI** page).

Seconds

Sets the ruler to display hours, minutes, seconds, and milliseconds.

Timecode

Sets the ruler to display hours, minutes, seconds, and frames. You can set the number of frames per second (fps) via the **Project Frame Rate** pop-up menu in the **Project Setup** dialog. To display subframes, activate **Show Timecode Subframes** in the **Preferences** dialog (**Transport** page).

Samples

Sets the ruler to display samples.

fps (User)

Sets the ruler to display hours, minutes, seconds, and frames, and it allows you to define the number of frames per second. To display subframes, activate **Show Timecode Subframes** in the **Preferences** dialog (**Transport** page).


RELATED LINKS

[Ruler Modes](#) on page 67

Ruler Modes

By default, the ruler follows the primary time format, that is, the time format that you set up in the **Project Setup** dialog or on the **Transport**. The ruler modes, however, allow you to set up a time format for the ruler that differs from the time format in the main time display.

- To show the ruler modes, click the arrow button to the right of the ruler.



Time Linear

Sets the ruler relative to the time. If there are tempo changes on the **Tempo** track, the distance between the bars varies in **Bars+Beats** mode.

Bars+Beats Linear

Sets the ruler relative to the meter position, that is, bars and beats. If there are tempo changes on the **Tempo** track, the distance between the bars remains the same in **Bars+Beats** mode. If the ruler is set to a time-based mode, the distance between seconds varies depending on the tempo changes.

RELATED LINKS

[Editing Tempo and Time Signature](#) on page 1374
[Ruler Time Format Menu](#) on page 66
[Project Setup Dialog](#) on page 123
[Selecting the Primary Time Format](#) on page 305

Status Line

The status line shows the most important project settings.

- To activate the status line, click **Set up Window Layout** on the toolbar and activate **Status Line**.

The following information is shown on the status line:

| | | | | | | | |
|---------------|-------------------|--------------------|-----------|-----------------|---------------|------------------|--------------------|
| Audio Inputs | Connected | Audio Outputs | Connected | Control Room | Not Connected | Max. Record Time | 1082 hours 12 mins |
| Record Format | 44.1 kHz - 16 bit | Project Frame Rate | 30 fps | Project Pan Law | Equal Power | External Sync | OFFLINE |

NOTE

To show/hide status line elements, right-click an empty area of the status line and activate the corresponding options. To show all elements, click **Show All**.

Audio Inputs

Audio Inputs

Displays the connection status of the **Audio Inputs**. Click to open the **Audio Connections** dialog.

Audio Outputs

Audio Outputs

Displays the connection status of the **Audio Outputs**. Click to open the **Audio Connections** dialog.

Control Room

Control Room

Displays the connection status of the **Control Room**. Click to open the **Audio Connections** dialog.

Record Time

Max. Record Time

Displays the remaining time for recording, depending on your project settings and the available hard disk space. Click to display the remaining record time in a separate window.

Record File Format

Record Format

Displays the sample rate and the bit depth used for recording. Click to open the **Project Setup** dialog.

Project Frame Rate

Project Frame Rate

Displays the frame rate used in the project. Click to open the **Project Setup** dialog.

Project Pan Law

Project Pan Law

Displays the current pan law setting. Click in this field to open the **Project Setup** dialog.

External Sync State

External Sync State

Displays the current pan law setting. Click in this field to open the **Project Setup** dialog.

RELATED LINKS

[Project Window Toolbar](#) on page 54

Info Line

The info line shows information about the event or part that you selected in the project zone.

To activate the info line, click **Set up Window Layout** on the toolbar and activate **Info Line**.

| | | | | |
|---------|------------|------------|------------|------------------|
| Name | Start | End | Length | Offset |
| MIDI 01 | 1. 1. 1. 0 | 2. 2. 1. 0 | 1. 1. 0. 0 | 0. 0. 0. 0 |
| Mute | - | Lock | Transpose | Global Transpose |
| - | - | 0 | Follow | Velocity |
| | | | 0 | Root Key |

NOTE

To show/hide info line elements, right-click an empty area of the info line and activate the corresponding options. To show all elements, click **Show All**.

RELATED LINKS

[Project Window Toolbar](#) on page 54

Value Editing Rules on the Info Line

On the info line you can edit almost all event or part data using regular value editing.

If you select several events or parts, the information on the info line is shown in another color and only. In this case, only information about the first item in the selection is displayed. The following rules apply:

- Value changes are applied to all selected elements, relative to the current values.
Example: You have selected two audio events. The first event has a length of 1 bar, the second event has a length of 2 bars. If you change the info line value to 3, the first event is resized to 3 bars and the second event is resized to 4 bars.
- Value changes are applied absolute to the current values if you press **Ctrl/Cmd** while modifying the value on the info line.
In the example above, both events are resized to 3 bars.

NOTE

To change the modifier, select a new modifier in the **Info Line** category of the **Preferences** dialog (**Editing—Tool Modifiers** page).

Overview Line

The overview line allows you to zoom and to navigate to other sections in the project.

To activate the overview line, click **Set up Window Layout** on the toolbar and activate **Overview**.



On the overview line, events and parts are displayed as boxes. A rectangle indicates the section of the project that is displayed in the event display.

- To zoom the event display in or out horizontally, resize the rectangle by dragging the edges.
- To navigate to another section of the event display, drag the rectangle to the left or to the right, or click in the upper part of the overview.

RELATED LINKS

[Project Window Toolbar](#) on page 54

Transport Bar

The **Transport Bar** displays the transport functions in an integrated zone of the **Project** window.

- To activate the **Transport Bar**, click **Set up Window Layout** on the **Project** window toolbar and activate **Transport Bar**.
- To show/hide tools, right-click an empty area of the **Transport Bar**, and activate the tools that you want to display. To show all tools, click **Show All**.

RELATED LINKS

[Common Record Modes Menu](#) on page 327

[Audio Record Modes](#) on page 332

[MIDI Record Modes](#) on page 340

[Left/Right Toolbar Divider](#) on page 62

[Project Window Toolbar](#) on page 54

Channel Tab

The **Channel** tab shows the channel-related sections and layouts for the track that is selected in the track list.

To show/hide the **Channel** tab, do one of the following:

- In the **Project** window toolbar, click **Show/Hide Channel**.
- In the **Project** window toolbar, click **Set up Window Layout**, and activate **Channel**.



- If the selected track does not have a corresponding channel or if the track is disabled, the **Channel** tab is empty.
- If the selected track is a MIDI or instrument track that is routed to an external MIDI port, the **Channel** tab shows the MIDI channel.

- If the selected track is a MIDI or instrument track that is routed to a multitimbral rack or track instrument, the **Channel** tab shows the first return channel.
- If the selected track is a MIDI or instrument track that is routed to a multi-out instrument, the **Channel** tab shows a control that allows the user to choose which return channel is displayed.

NOTE

You can adjust the width of the **Channel** tab by dragging its right divider to the left or to the right.

RELATED LINKS

[Track List](#) on page 62

[Channel Sections](#) on page 179

[Inspector](#) on page 72

Opening the Channel Tab

If the **Channel** tab is not shown, you can show it via the **Project** window toolbar.

PROCEDURE

1. Select a track in the track list.
2. Do one of the following:
 - On the **Project** window toolbar, activate **Show/Hide Channel**.
 - On the **Project** window toolbar, click **Set up Window Layout**, and activate the **Channel** option.

RESULT

The **Channel** tab for the selected track opens. If more than one track is selected in the track list, the controls and parameters for the topmost selected track are shown.

RELATED LINKS

[Channel Tab](#) on page 70

[Track Inspector Sections](#) on page 159


Project Window Left Zone

The left zone of the **Project** window allows you to display the **Inspector** and the **Visibility** tabs.

To show/hide the left zone, click **Show/Hide Left Zone** on the **Project** window toolbar.

The top of the left zone features the following tabs:

- **Inspector**
- **Visibility**



RELATED LINKS

[Inspector](#) on page 72

[Track Visibility](#) on page 76

[Project Window Toolbar](#) on page 54

Inspector

The **Inspector** displays controls and parameters for either the selected track in the track list or the event or part that is displayed in the editor in the lower zone.

- To show/hide the **Inspector**, click **Show/Hide Left Zone** in the **Project** window toolbar.



The following tabs are available:

Track

Opens the **Track Inspector** for the selected track.

Editor

Opens the **Editor Inspector** for the event or part that is shown in the editor in the lower zone.

NOTE

You can adjust the width of the **Inspector** by dragging its right divider to the left or to the right.

RELATED LINKS


- [Opening the Track Inspector on page 73](#)
- [Opening the Editor Inspector on page 74](#)
- [Opening the Editor in the Lower Zone on page 84](#)

Opening the Track Inspector

The **Track Inspector** shows controls and parameters for the track that is selected in the track list.

PROCEDURE

1. If the **Left Zone** is not visible, click **Show/Hide Left Zone** on the Project window toolbar to activate it.
2. At the bottom of the left zone, click the **Track** tab.



RESULT

The **Track Inspector** for the selected track opens. If more than one track is selected in the track list, the controls and parameters for the topmost selected track are shown.

NOTE

In this documentation, we use **Inspector** to refer to the **Track** tab of the **Inspector**.

RELATED LINKS

[Opening the Editor Inspector on page 74](#)

Opening the Editor Inspector


The **Editor Inspector** shows controls and parameters for the event or part that is displayed in the editor in the lower zone.

PREREQUISITE

The **Sample Editor**, the **Audio Part Editor**, the **Key Editor**, the **Drum Editor**, the **Pattern Editor**, the **Drum Machine** or the **Score Editor** is shown in the lower zone.

PROCEDURE

1. If the left zone is not visible, click **Show/Hide Left Zone** on the **Project** window toolbar to activate the **Left Zone**.
2. At the bottom of the left zone, click the **Editor** tab.



RESULT

The **Editor Inspector** for the event or part opens.

NOTE

The **Editor Inspector** only contains information if an editor is displayed in the lower zone. Otherwise, it is empty.

RELATED LINKS

[Opening the Track Inspector on page 73](#)

[Opening the Editor in the Lower Zone on page 84](#)

[Opening the Editor Visibility in the Project window on page 74](#)

Opening the Editor Visibility in the Project window


The editor **Visibility** tab allows you to show or hide individual tracks from the lower zone editor event display.

PREREQUISITE

The **Key Editor** or the **Drum Editor** is shown in the lower zone of the **Project** window.

PROCEDURE

1. If the left zone is not visible, click **Show/Hide Left Zone** on the **Project** window toolbar to activate the **Left Zone**.
2. At the bottom of the left zone, click the **Editor** tab.
3. At the top of the left zone, click the **Visibility** tab.



RESULT

The **Visibility** tab for the lower zone editor opens.

RELATED LINKS

- [Opening the Editor in the Lower Zone](#) on page 84
[Visibility Tab](#) on page 1097

Inspector Sections

The **Track** tab and the **Editor** tab of the **Inspector** are divided into sections that each contain different controls for the track, event or part.

Not all **Inspector** sections are shown by default. The available sections depend on the type of the selected track, event, or part and on the settings in the setup dialog for the **Track** tab and the **Editor** tab of the **Inspector**.

- To show/hide sections, right-click an empty space in the **Inspector**, and activate/deactivate the corresponding options.
- To open/close sections, click their names.

NOTE

To show the selected section exclusively and collapse the other sections, right-click the section header and activate **Expand Sections Exclusively**.


RELATED LINKS

- [Set up Inspector Sections Pane](#) on page 158
[Track Inspector Sections](#) on page 159
[Basics Section for Audio Tracks](#) on page 161
[Basics Section for Instrument Tracks](#) on page 165
[Basics Section for MIDI Tracks](#) on page 167
[Basics Section for Sampler Tracks](#) on page 163
[Arranger Track Inspector](#) on page 176
[Basics Section for Marker Tracks](#) on page 173
[Signature Track Inspector](#) on page 175
[Tempo Track Inspector](#) on page 175
[Transpose Track Inspector](#) on page 177
[Basics Section for VCA Fader Tracks](#) on page 173
[Video Track Inspector](#) on page 178
[Key Editor Inspector](#) on page 1148
[Drum Editor Inspector](#) on page 1180
[Sample Editor Inspector](#) on page 608

Track Visibility

The track **Visibility** allows you to show or hide individual tracks from the track list and to determine the position of particular **MixConsole** channels in the lower zone.

- To open the **Visibility** tab, click **Track** at the bottom of the left zone, and **Visibility** at the top of the left zone.
- To open the **Visibility** tab, click **Visibility** at the top of the left zone.



At the bottom of the **Visibility**, the following tabs are available:

Track

Allows you to show or hide individual tracks from the track list.

Editor

Allows you to show or hide individual tracks from the editor event display.

Zones

Allows you to determine and lock the position of certain **MixConsole** channels in the lower zone.

RELATED LINKS

[Opening the MixConsole in the Lower Zone](#) on page 83

[Visibility Tab](#) on page 1097


[Opening the Editor Visibility in the Project window](#) on page 74

Opening the Track Visibility

The track **Visibility** allows you to show or hide individual tracks from the track list.

PROCEDURE

1. Click **Show/Hide Left Zone** on the Project window toolbar to activate the **Left Zone**.
2. At the top of the left zone, click the **Visibility** tab.
3. At the bottom of the left zone, click the **Track** tab.




RELATED LINKS

[Showing/Hiding Individual Tracks](#) on page 78

Showing/Hiding Individual Tracks

The **Visibility** tab shows a list of all the tracks of your project. You can show and hide individual tracks in the track list of the **Visibility** tab.



- To show/hide a track in the track list, check/uncheck it by clicking to the left of the track name.
- To activate/deactivate several tracks at the same time, select them, and press **Return**.
- To exclusively show a hidden track, check it by **Shift**-clicking to the left of the track name.
- To expand or collapse a folder, click the triangle to the left of a folder track.
- To reorder tracks, select them, and drag them up or down.

NOTE

You can also reorder tracks/channels by selecting them on the **Visibility** tab of the **MixConsole** and dropping them on the **Project** window track list or the **MixConsole** fader section, and vice versa.

NOTE

- The channels of the **MixConsole** in the lower zone are updated accordingly. This means that if you hide a track using the **Visibility** tab, the channel corresponding to that track is also hidden in the **MixConsole**.
- To synchronize the track and the channel visibility in a separate **MixConsole** window, use the **Sync Visibility of Project and MixConsole** function.

RELATED LINKS


[Synchronizing Track and Channel Visibility](#) on page 78

Synchronizing Track and Channel Visibility

You can synchronize the track visibility in the **Project** window with the channel visibility in a separate **MixConsole** window.

PROCEDURE

1. At the top of the left zone, select the **Visibility** tab.
2. At the bottom of the left zone, select the **Track** tab.
3. Click the equals sign to open the **Sync Visibility of Project and MixConsole: On/Off** menu.



4. Select **Sync Project and MixConsole** to synchronize the track visibility with the channel visibility.
-

RESULT

The track and channel visibility are synchronized.

NOTE

- You can only synchronize the track visibility in the **Project** window with the channel visibility of one **MixConsole**. If you enable **Sync Visibility of Project and MixConsole: On/Off** for a second **MixConsole**, the first link is lost.
 - If you divide the track list, the top part of the list is not affected. Likewise, channels in the left or right zones of the **MixConsole** are not synchronized.
-

RELATED LINKS

[Synchronizing Channel and Track Visibility](#) on page 431

Opening the Project Window Zones Tab

The **Zones** tab allows you to attach **MixConsole** channels to the left or right edge of the fader section.

PROCEDURE

1. At the top of the left zone, click the **Visibility** tab.
2. At the bottom of the left zone, click the **Zones** tab.



RESULT

The **MixConsole** opens in the lower zone.

RELATED LINKS


[Opening the MixConsole in the Lower Zone](#) on page 83

Project Window Lower Zone

The lower zone of the **Project** window allows you to display specific windows and editors in an integrated and fixed zone of the **Project** window. This is useful if you work on single screen systems and notebooks, for example.

To show/hide the lower zone, click **Show/Hide Lower Zone** on the **Project** window toolbar.

The lower zone features the following tabs: **Chord Pads**, **Editor**, **Sampler Control**, **MixConsole**, **Drum Machine**, **MIDI Remote**, and **Modulators**.



NOTE

You can show/hide specific tabs in the lower zone by right-clicking a tab and activating/deactivating the options in the **Set up Tabs** pane.

To close the lower zone, click **Close Lower Zone** to the left of the tabs.

RELATED LINKS


- [Opening Chord Pads](#) on page 82
- [Opening the MixConsole in the Lower Zone](#) on page 83
- [Opening Sampler Control](#) on page 83
- [Opening the Editor in the Lower Zone](#) on page 84
- [Opening MIDI Remote in the Lower Zone](#) on page 87
- [Project Window Toolbar](#) on page 54
- [Setup Panes](#) on page 1501

Setting up the Lower Zone Tabs

The lower zone shows the **Chord Pads**, the **Editor**, the **Sampler Control**, the **MixConsole**, the **Drum Machine**, **MIDI Remote**, and the **Modulators**. You can change the order of the tabs, and you can hide tabs that you do not need.

PROCEDURE

1. Right-click a tab header in the lower zone.



2. Do one of the following:
 - Activate/Deactivate options to show/hide particular tabs in the lower zone.
 - Drag the items up or down in the list to change the order of the tabs.
 - Use the **Preset** menu to save your configuration as a preset.
-

RESULT


The tabs are shown in the lower zone, according to your configuration.

Opening Chord Pads

Chord Pads allow you to play with chords and to change their voicings and tensions.

PROCEDURE

1. Click **Show/Hide Lower Zone** on the **Project** window toolbar to activate the lower zone.
2. At the bottom of the lower zone, click the **Chord Pads** tab.



RESULT

The **Chord Pads** are opened.

RELATED LINKS

[Using Chord Pads](#) on page 1274
[Setting up the Lower Zone Tabs](#) on page 81
[Project Window Toolbar](#) on page 54

Opening the MixConsole in the Lower Zone

The **MixConsole** in the lower zone allows you to perform all basic mixing procedures in the lower zone of the **Project** window. At the same time, you see your tracks and events in context.

PROCEDURE

1. Click **Show/Hide Lower Zone** on the **Project** window toolbar to activate the lower zone.
2. At the bottom of the lower zone, click the **MixConsole** tab.



RESULT

The **MixConsole** is displayed in the lower zone.

RELATED LINKS

[MixConsole in Lower Zone](#) on page 423
[Project Window Toolbar](#) on page 54

Opening Sampler Control

Sampler Control allows you to display and edit the waveform of an audio sample on a sampler track.

PROCEDURE

1. Click **Show/Hide Lower Zone** on the **Project** window toolbar to activate the lower zone.

- At the bottom of the lower zone, click the **Sampler Control** tab.



RESULT

Sampler Control is opened.

RELATED LINKS

[Sampler Tracks](#) on page 696

[Project Window Toolbar](#) on page 54

Opening the Editor in the Lower Zone


The **Editor** in the lower zone allows you to edit events from within the lower zone of the **Project** window. At the same time, you see the context of your tracks and events.

NOTE

By default, double-clicking an audio event/part or a MIDI part in the event display or selecting it and pressing **Return** opens the corresponding editor in the lower zone of the **Project** window. Using a menu command opens a separate editor window. You can change this in the **Preferences** dialog (**Editors** page).

PROCEDURE

- Click **Show/Hide Lower Zone** on the **Project** window toolbar to activate the lower zone.
- At the bottom of the lower zone, click the **Editor** tab.
- In the event display, do one of the following:
 - Select a MIDI part.
 - Select an audio event.
 - Select an audio part.



RESULT

Depending on your event or part selection, the lower zone shows either the **Audio Part Editor**, the **Sample Editor**, or one of the MIDI editors.

NOTE

To change the default MIDI editor, select **MIDI > Set up Editor Preferences**, and select an option from the **Default MIDI Editor** pop-up menu.

NOTE

If you open the editor and no event or part is selected, the editor in the lower zone is empty.

RELATED LINKS

[Selecting a different MIDI Editor](#) on page 85
[Project Window Toolbar](#) on page 54

Selecting a different MIDI Editor

You can display the MIDI part that is opened in the editor in the lower zone in a different MIDI editor. You can do this without changing the default MIDI editor.

PROCEDURE

1. On the **Editor** tab in the editor in the lower zone, click **Select MIDI Editor**.
2. Select an editor from the pop-up menu.



RESULT

The MIDI part is displayed in the selected editor.

NOTE

This selection is temporary. The next time you open the MIDI part, the default MIDI editor is used.

Link Project and Lower Zone Editor Cursors


You can link cursors and zoom factors of the project zone as well as the **Key Editor**, **Drum Editor**, and the **Audio Part Editor** in the lower zone.

NOTE

Link Project and Lower Zone Editor Cursors is not available in the **Sample Editor**.

NOTE

The time format of the ruler is not affected by this function. You can still set the project zone ruler and the editor ruler in the lower zone to different time formats.



If you activate **Link Project and Lower Zone Editor Cursors** , the cursors and zoom factors are linked in the event displays of the project zone and the lower zone. This is useful if you edit in both zones and you want to keep the same position in view.

NOTE

In the **Key Commands** dialog in the **Edit** category, you can assign a key command for this.

RELATED LINKS

[Ruler](#) on page 65

[Ruler Time Format Menu](#) on page 66

[Zooming in the Project Window](#) on page 98

Opening MIDI Remote in the Lower Zone

The **MIDI Remote** tab in the lower zone of the **Project** window allows you to load scripts for MIDI remote controllers. It shows a visual representation of the actual physical controller and its control mappings to Cubase parameters.

PROCEDURE

1. If the lower zone is not visible, click **Show/Hide Lower Zone** on the **Project** window toolbar to activate the lower zone.
2. At the bottom of the lower zone, click the **MIDI Remote** tab.



RESULT

The **MIDI Remote** tab is opened in the lower zone.

NOTE

The **MIDI Remote** tab is not a clickable user interface. All operations are meant to be performed on the connected MIDI controller.

RELATED LINKS

[MIDI Remote](#) on page 966

Opening Modulators in the Lower Zone

The **Modulators** tab in the lower zone of the **Project** window allows you to add modulators that modulate any kind of parameters of a track or channel containing audio material, for example, parameters of a VST 3 Instrument or of a plug-in, channel settings, or **MixConsole** parameters.

PROCEDURE

1. If the lower zone is not visible, click **Show/Hide Lower Zone** on the **Project** window toolbar to activate the lower zone.
2. At the bottom of the lower zone, click the **Modulators** tab.



RESULT

The **Modulators** tab is opened in the lower zone.

RELATED LINKS

[Modulators](#) on page 1001

Opening the Pattern Editor in the Lower Zone

The **Pattern Editor** allows you to create and tweak drum patterns.

PREREQUISITE

You have created a drum track.

PROCEDURE

1. Click **Show/Hide Lower Zone** on the **Project** window toolbar to activate the lower zone.
2. At the bottom of the lower zone, click the **Editor** tab.



RESULT

The **Pattern Editor** is opened.

RELATED LINKS

[Pattern Editor](#) on page 876

[Project Window Toolbar](#) on page 54

Opening the Drum Machine in the Lower Zone

The **Drum Machine** is a drum sampler and percussion synthesizer that allows you to create and edit unique sounds.

PROCEDURE

1. Click **Show/Hide Lower Zone** on the **Project** window toolbar to activate the lower zone.
2. At the bottom of the lower zone, click the **Drum Machine** tab.



RESULT

The **Drum Machine** is opened.

RELATED LINKS


[Drum Machine](#) on page 891

Project Window Right Zone

The right zone of the **Project** window allows you to display the **VSTi** rack, the **Media** rack, the **Control Room** tab, and the **Meter** tab.

To show/hide the right zone, click **Show/Hide Right Zone** on the **Project** window toolbar.

The top of the right zone features the following tabs: **VSTi**, **Media**, **CR**, and **Meter**.



NOTE

You can show/hide specific tabs in the right zone by right-clicking a tab and activating/deactivating the options in the **Set up Tabs** pane.

RELATED LINKS

[VSTi Rack in the Right Zone](#) on page 91
[Media Rack in the Right Zone](#) on page 94
[Project Window Toolbar](#) on page 54
[Setup Panes](#) on page 1501

Opening the VSTi Rack in the Right Zone

You can open the **VSTi** rack in the right zone of the **Project** window. This allows you to add and edit VST instruments, and, at the same time, to see the context of your tracks and events.

PROCEDURE

1. Click **Show/Hide Right Zone** on the **Project** window toolbar to activate the **Right Zone**.
2. At the top of the right zone, click the **VSTi** tab.



RESULT

The **VSTi** rack is opened in the right zone of the **Project** window.

RELATED LINKS

[VSTi Rack in the Right Zone](#) on page 91
[VST Instruments](#) on page 935
[Project Window Toolbar](#) on page 54

VSTi Rack in the Right Zone

The **VSTi** rack in the right zone of the **Project** window allows you to add and edit VST instruments in the context of the **Project** window.

The following sections are available:



- **Track**

Shows the associated VST instrument for an instrument track.

- **Rack**

Shows a VST instrument.

The following controls are available:

Add Track Instrument



Opens the **Add Track** dialog that allows you to select an instrument and to add an instrument track that is associated with this instrument.

Find Instruments



Opens a selector that allows you to find a loaded instrument.

Set Remote-Control Focus for VST Quick Controls to Previous Instrument



Allows you to set the remote control focus to the previous instrument.

Set Remote-Control Focus for VST Quick Controls to Next Instrument



Allows you to set the remote control focus to the next instrument.

Show/Hide all VST Quick Controls



Shows/Hides the default quick controls for all loaded instruments.

Settings



Opens the **Settings** pop-up menu, where you can activate/deactivate the following modes:

- **Show VST Quick Controls for One Slot Only** shows the **VST Quick Controls** exclusively for the selected instrument.
- **MIDI Channel follows track selection** ensures that the **Channel** selector follows the MIDI track selection in the **Project** window. Use this mode if you work with multitimbral instruments.
- **Remote-Control Focus for VST Quick Controls follows track selection** ensures that the **VST Quick Controls** remote control focus follows the track selection.

RELATED LINKS


[VST Instruments Window](#) on page 940

Opening the Media Rack in the Right Zone

You can show the **Media** rack in the right zone of the **Project** window. This allows you to see the context of your tracks and events when you drag audio events, MIDI parts, presets, or instruments into the **Project** window.

PROCEDURE

1. Click **Show/Hide Right Zone** on the **Project** window toolbar to activate the **Right Zone**.
2. At the top of the right zone, click the **Media** tab.



RESULT


The **Media** rack is opened in the right zone of the **Project** window.

RELATED LINKS

- [Media Rack in the Right Zone on page 94](#)
- [MediaBay and Media Rack on page 746](#)
- [Project Window Toolbar on page 54](#)

Media Rack in the Right Zone

The **Media** rack in the right zone of the **Project** window allows you to drag audio events, MIDI parts, or instrument presets into the event display. It lists Steinberg factory content and any installed Steinberg content sets.



The **Media** rack **Home** tab displays the following tiles:

VST Instruments

Shows all included VST instruments.

VST Effects

Shows all included VST effects.

Loops & Samples

Shows audio loops, MIDI loops, or instrument sounds ordered by content set.

Presets

Shows track presets, strip presets, pattern banks, FX chain presets, and VST FX presets.

User Presets

Shows track presets, strip presets, pattern banks, FX chain presets, VST FX presets, and instrument presets that are listed in the **User** folder.

Favorites

Shows your favorite folders and allows you to add new favorites. The favorites are automatically added to the **MediaBay** database.

File Browser

Shows your file system and the pre-defined folders **Favorites**, **This Computer**, **VST Sound**, **Factory Content**, and **User Content** where you can search for media files and access them immediately.

RELATED LINKS

[Media Rack in Right Zone](#) on page 746
[MediaBay and Media Rack](#) on page 746

Opening the Control Room in the Right Zone

You can show the **Control Room** in the right zone of the **Project** window.

PROCEDURE

1. Click **Show/Hide Right Zone** on the **Project** window toolbar to activate the **Right Zone**.
2. At the top of the right zone, click the **CR** tab.



RESULT

The **Control Room** is opened in the right zone of the **Project** window. It has exactly the same features as the **Control Room** that you open from the **Studio** menu as a separate window.

RELATED LINKS


[Control Room](#) on page 509
[Project Window Toolbar](#) on page 54

Opening the Meter in the Right Zone

You can show the **Meter** in the right zone of the **Project** window.

PROCEDURE

1. Click **Show/Hide Right Zone** on the **Project** window toolbar to activate the **Right Zone**.
2. At the top of the right zone, click the **Meter** tab.



RESULT

The **Meter** is opened in the right zone of the **Project** window. It has exactly the same features as the **Meter** that you open in the right zone of the **MixConsole**.

RELATED LINKS

[Metering and Loudness](#) on page 522
[Project Window Toolbar](#) on page 54

Keyboard Focus in the Project Window


The different zones in the **Project** window can be controlled by key commands. For this to work, you must set the keyboard focus to the zone that you want to control by key commands.

The following **Project** window zones can have the keyboard focus:

- Project zone

NOTE

If you activate **Divide Track List**, the area of the project zone that has the focus is indicated by a highlighted and solid focus frame, whereas the non-active area is shown with a dashed frame.



- Channel tab
- Left zone
- Lower zone
- Right zone

If a zone has the keyboard focus, the border that surrounds it is highlighted in a specific color.

NOTE

You can change the focus color in the **Preferences** dialog (**User Interface—Color Schemes** page).

RELATED LINKS

[Project Zone](#) on page 53

[Channel Tab](#) on page 70

[Project Window Left Zone](#) on page 71

[Project Window Lower Zone](#) on page 80

[Project Window Right Zone](#) on page 89

[Project Window](#) on page 51

[Dividing the Track List](#) on page 62

[Keyboard Focus in the Event Display](#) on page 1096

Activating Keyboard Focus for a Zone

You can activate the keyboard focus for a zone via mouse-click or key commands.

PROCEDURE

- Do one of the following:
 - To activate any zone, click in it.
 - To activate the next zone, press **Tab**. This allows you to move forward through the zones.
 - To activate the previous zone, press **Shift - Tab**.

NOTE

The editor in the lower zone automatically gets the keyboard focus if you double-click an event or part in the event display, if you select an event or part and press **Return**, or if you use key commands to open the zone.

RESULT

The keyboard focus is activated for this zone and the border of the zone is highlighted.

NOTE

The project zone and the lower zone have separate toolbars and info lines. If you use the toolbar or the info line for one of these zones, the corresponding zone automatically gets the focus.

RELATED LINKS

[Keyboard Focus in the Project Window](#) on page 96
[Keyboard Focus in the Event Display](#) on page 1096

Zooming in the Project Window

To zoom in the **Project** window, use the standard zoom techniques.

NOTE

If screen redraws are slow on your system, activate **Quick Zoom** in the **Preferences** dialog (**Editing—Zoom** page).

Zooming Horizontally

- Select the **Zoom** tool and click in the event display to zoom in. To zoom out, hold down **Alt/Opt** and click.
- Move the mouse pointer over the event display, hold down **Ctrl/Cmd**, and move the mouse wheel.
- Click **Horizontal Zoom Presets**, and from the menu, select an option.
- Use the horizontal zoom sliders to zoom in and out.
- Click the lower half of the ruler and drag down to zoom in horizontally. Click the lower half of the ruler and drag up to zoom out horizontally.
- Press **H** to zoom in horizontally. Press **G** to zoom out horizontally.

NOTE

If the **Grid Type** in the **Project** window toolbar is set to **Adapt to Zoom**, the horizontal zoom level affects the grid and snap resolution in the event display.

Zooming Vertically

- Select the **Zoom** tool, click in the event display, and drag a selection rectangle to zoom in vertically and horizontally.

NOTE

For this to work, you must deactivate the **Zoom Tool Standard Mode: Horizontal Zooming Only** option in the **Preferences** dialog (**Editing—Zoom** page).

- Move the mouse pointer over the event display, hold down **Ctrl/Cmd + Shift**, and move the mouse wheel.
- Click **Track Height Presets**, and from the menu, select an option.

- Use the vertical zoom sliders to zoom in and out. If you have made any individual track height adjustments, the relative height differences are maintained.
- Press **Shift - H** to zoom in vertically. Press **Shift - G** to zoom out vertically.

RELATED LINKS

[Zoom Submenu](#) on page 99

[Horizontal Zoom Presets](#) on page 100

[Track Height Presets Menu](#) on page 208

[Zooming in on Cycle Markers](#) on page 101

[Zoom History](#) on page 101

[Link Project and Lower Zone Editor Cursors](#) on page 86


[Grid Type Menu](#) on page 104

Zooming in on Audio Contents

You can zoom in vertically on the contents of audio parts and events. This is useful when viewing quiet audio passages.

PROCEDURE

- Click the waveform zoom slider in the top right corner of the event display and drag up.



RESULT

The contents of audio parts and events in your project are zoomed in vertically.

AFTER COMPLETING THIS TASK

To get an approximate reading on the level of the audio events by viewing the waveforms, zoom out by dragging the slider all the way down again. Otherwise, zoomed waveforms may be mistaken for clipped audio.

Zoom Submenu

The **Zoom** submenu contains options for zooming in the **Project** window.

- To open the **Zoom** submenu, select **Edit > Zoom**.

The following options are available:

Zoom In

Zooms in one step, centering on the project cursor.

Zoom Out

Zooms out one step, centering on the project cursor.

Zoom Full

Zooms out so that the whole project is visible. The whole project means the timeline from the project start to the length set in the **Project Setup** dialog.

Zoom to Selection

Zooms in horizontally and vertically so that the current selection fills the screen.

Zoom to Selection (Horiz.)

Zooms in horizontally so that the current selection fills the screen.

Zoom to Event

Zooms in to show the currently selected event. This option is available in the **Sample Editor** and in some MIDI editors.

Zoom In Vertically

Zooms in one step vertically.

Zoom Out Vertically

Zooms out one step vertically.

Zoom In Tracks

Zooms the selected tracks in one step vertically.

Zoom Out Tracks

Zooms the selected tracks out one step vertically.

Zoom Selected Tracks

Zooms in vertically on the selected tracks and minimizes the height of all other tracks.

Undo Zoom

These options allow you to undo the last zoom operation.

Redo Zoom

These options allow you to redo the last zoom operation.


RELATED LINKS

[Zoom Submenu](#) on page 616

Horizontal Zoom Presets

You can create horizontal zoom presets to set up different zoom settings. For example, you can create a preset that displays the entire project and a second preset with a high zoom factor for detailed editing. The **Horizontal Zoom Presets** pop-up menu allows you to select, create, and organize presets.

- To open the **Horizontal Zoom Presets** menu, click the button to the left of the horizontal zoom control.



- To save the current zoom setting as a preset, open the **Horizontal Zoom Presets** pop-up menu and select **Add**. In the **Save Preset** dialog that opens, type in a name for the preset and click **OK**.
- To apply a preset, select it from the **Horizontal Zoom Presets** pop-up menu.
- To display the entire project, open the **Horizontal Zoom Presets** pop-up menu and select **Zoom Full**.

This displays the project from the **Project Start Time** to the **Project Length**, as set in the **Project Setup** dialog.

Project Window

Zooming in the Project Window

- To delete a preset, open the **Horizontal Zoom Presets** pop-up menu and select **Organize**. In the dialog that opens, select the preset in the list and click **Delete**.
- To rename a preset, open the **Horizontal Zoom Presets** pop-up menu and select **Organize**. In the dialog that opens, select a preset from the list and click **Rename**. Type in a new name for the preset. Click **OK** to close the dialogs.

IMPORTANT

Once set, presets are available for all projects that you open or create.

RELATED LINKS

[Zooming in the Project Window](#) on page 98

[Track Height Presets Menu](#) on page 208

Zooming in on Cycle Markers


You can zoom in on the area between cycle markers in the project.

PREREQUISITE

You have created at least one cycle marker for the project.

PROCEDURE

- Click the button to the left of the horizontal zoom control to open the **Horizontal Zoom Presets** pop-up menu, and select a cycle marker.



The middle part of the pop-up menu lists any cycle markers that you have added to the project.

RESULT

The event display is zoomed in to encompass the marker area.

RELATED LINKS

[Markers Window](#) on page 415

Zoom History

You can undo and redo zoom operations. This enables you to zoom in several steps and then easily go back to the zoom stage at which you started.

You can undo and redo zoom operations in the following ways:

- To undo zoom, select **Edit > Zoom > Undo Zoom** or double-click with the zoom tool.
- To redo zoom, select **Edit > Zoom > Redo Zoom** or press **Alt/Opt** and double-click with the zoom tool.

Snap Function

The **Snap** function helps you to find exact positions when editing in the **Project** window. It does this by restricting horizontal movement and positioning to certain positions. Operations affected by **Snap** include moving, copying, drawing, sizing, splitting, range selection, etc.

- To activate/deactivate **Snap**, activate/deactivate **Snap**  on the toolbar.

Setting the Snap Point

You can set the snap point at any position of the audio event.

PROCEDURE

1. Select an event.
 2. Position the project cursor within the selected audio event.
 3. Select **Audio > Snap Point to Cursor**.
-

RESULT

The snap point is set at the cursor position. The snap point for an event is displayed as a vertical line in the **Project** window.

NOTE

You can also set the snap point in the **Sample Editor**.

RELATED LINKS

[Adjusting Snap Points](#) on page 620
[Snap Point](#) on page 619

Snap to Zero Crossing

Splitting and resizing of audio events can lead to sudden amplitude changes that might cause pops and clicks. To avoid this, activate **Snap to Zero Crossing** to snap to points where the amplitude is zero.

- To activate **Snap to Zero Crossing**, activate **Snap to Zero Crossing**  on the toolbar.

Snap Types Menu

You can select between different snap types to determine the snap point.

- To open the **Snap Type** pop-up menu, click **Snap Type**  on the toolbar.

The following snap types are available:

Grid

The snap points are set with the **Grid Type** pop-up menu. The options depend on the primary time format.

If you select **Seconds** as ruler format, time-based grid options are available.

If you select **Bars+Beats** as ruler format, musical grid options are available.

Grid Relative

Events and parts are not magnetic to the grid. Rather, the grid determines the step size for moving the events. This means that a moved event keeps its original position relative to the grid.

For example, if an event starts at the position 3.04.01, with **Snap** set to **Grid Relative** and **Grid Type** set to **Bar**, you can move the event in steps of one bar to the positions 4.04.01, 5.04.01, and so on.

NOTE

This only applies to dragging existing events or parts. When you create new events or parts, this **Snap Type** works like **Grid**.

Events

If this option is activated, the start and end positions of other events and parts become magnetic. This means that, if you drag an event to a position near the start or the end of another event, it is automatically aligned with the start or end of the other event.

For audio events, the position of the snap point is also magnetic. This includes marker events on the marker track.

Shuffle

Shuffle is useful when you want to change the order of adjacent events. If you have two adjacent events and drag the first one to the right, past the second event, the two events change places.



The same principle works when changing the order of more than two events.

Cursor

This grid type causes the project cursor to become magnetic. Dragging an event near the cursor causes the event to be aligned with the cursor position.

Grid + Cursor

This is a combination of **Grid** and **Cursor**.

Events + Cursor

This is a combination of **Events** and **Cursor**.

Events + Grid + Cursor

This is a combination of **Events**, **Grid**, and **Cursor**.

RELATED LINKS


[Selecting the Primary Time Format](#) on page 305

Grid Type Menu

Allows you to specify a grid type that determines the grid and snap resolution in the event display.

NOTE

This setting only has an effect if **Snap Type** is set to one of the grid options.

- To open the **Grid Type** pop-up menu, click **Grid Type**  on the toolbar.

If you select **Bars+Beats** as time format, the following grid types are available:

Bar

Sets the grid and snap resolution to bars.

Beat

Sets the grid and snap resolution to beats.

Use Quantize

Sets the grid and snap resolution to the value that is activated in the **Quantize Presets** pop-up menu.

Adapt to Zoom

Sets the grid and snap resolution to the horizontal zoom level. The more you zoom in on the event display, the finer the resolution. High zoom levels allow you to snap to 64th notes, low zoom levels allow you to snap to bars.

NOTE

Adapt to Zoom is only available if **Bars+Beats** is set as ruler time format.

NOTE

You can assign key commands to the grid types in the **Key Commands** dialog in the **Edit** category.

If you select **Seconds** as the time format, the following grid types are available:

1 ms

Sets the grid and snap resolution to 1 ms.

10 ms

Sets the grid and snap resolution to 10 ms.

100 ms

Sets the grid and snap resolution to 100 ms.

1000 ms

Sets the grid and snap resolution to 1000 ms.

If you select **Timecode** as the time format, the following grid types are available:

Subframe

Sets the grid and snap resolution to 1 subframe.

1/4 frame

Sets the grid and snap resolution to ¼ frame.

1/2 frame

Sets the grid and snap resolution to $\frac{1}{2}$ frame.

1 frame

Sets the grid and snap resolution to 1 frame.

2 frames

Sets the grid and snap resolution to 2 frames.

1 second

Sets the grid and snap resolution to 1 second.

NOTE

If you activate this as a time format and **Show Timecode Subframes** is activated in the **Preferences** dialog (**Transport** page), the frames will also display subframes. There are 80 subframes per frame.

If you select **Samples** as the time format, the following grid types are available:

1 sample

Sets the grid and snap resolution to 1 sample.

10 samples

Sets the grid and snap resolution to 10 samples.

100 samples

Sets the grid and snap resolution to 100 samples.

44100 samples

Sets the grid and snap resolution to 44100 samples.

If you select **60 fps (user)** as the time format, the following grid types are available:

Subframe

Sets the grid and snap resolution to 1 subframe.

1/4 frame

Sets the grid and snap resolution to $\frac{1}{4}$ frame.

1/2 frame

Sets the grid and snap resolution to $\frac{1}{2}$ frame.

1 frame

Sets the grid and snap resolution to 1 frame.

2 frames

Sets the grid and snap resolution to 2 frames.

1 second

Sets the grid and snap resolution to 1 second.

NOTE

If you activate this as a time format and **Show Timecode Subframes** is activated in the **Preferences** dialog (**Transport** page), the frames will also display subframes. There are 80 subframes per frame.

RELATED LINKS

- [Snap Types Menu](#) on page 102
- [Zooming in the Project Window](#) on page 98
- [Ruler Time Format Menu](#) on page 66

Snap Grid

In the **Project** window, and in some of the editors, you can have events, parts, and ranges snap to the grid.

The grid is based on the following settings:

- **Primary time format**

You can set the primary time format on the **Transport** panel.

- **Snap Type**

You can select the **Snap Type** on the **Project** window toolbar.

- **Grid Type**

You can select the **Grid Type** on the **Project** window toolbar.

The **Snap Type** pop-up menu allows you to determine if the events snap to the grid, to other events, or to the cursor.

NOTE

If you want your events to snap to the grid while you are editing, select one of the grid-related snap types, **Grid** or **Grid Relative**.

If you selected one of the grid-related snap types, the **Grid Type** pop-up menu on the **Project** window toolbar defines what the events snap to. The values that are shown depend on the primary time format:

- If you select **Bars+Beats** as a primary time format, you can select **Bar** or **Beat** as the **Grid Type** to snap your events to bars or beats. If you activate **Use Quantize** as the **Grid Type**, your events snap to the value that you set up in the **Quantize Presets** pop-up menu. If you activate **Adapt to Zoom** as the **Grid Type**, snapping depends on the zoom level.
- If you select **Seconds**, **Timecode**, **Samples**, or **fps (User)** as the primary time format, the **Grid Type** pop-up menu shows the corresponding values so that you can snap your events to time positions.

You can also set up a different grid in the following editors:

- **Key Editor**
- **Drum Editor**
- **List Editor**
- **Audio Part Editor**
- **Sample Editor**

NOTE

In the **Project** window and in the editors, the grid is represented by vertical grid lines in the event display. You can change the overlay intensity of the displayed grid lines by raising the **Grid Overlay Intensity** in the **Preferences** dialog (**Event Display** page).

RELATED LINKS

- [Snap Function](#) on page 102
- [Project Setup Dialog](#) on page 123
- [Ruler](#) on page 65
- [Snap Types Menu](#) on page 102
- [Ruler Modes](#) on page 67
- [Selecting the Primary Time Format](#) on page 305
- [Grid Type Menu](#) on page 104

Cross-Hair Cursor

The cross-hair cursor is displayed when working in the **Project** window and in the editors, facilitating navigation and editing, especially for large projects.

- You can set up the cross-hair cursor in the **Preferences** dialog (**Editing—Tools** page). You can set up the colors for the line and the mask of the cross-hair cursor and define their width.

The cross-hair cursor works as follows:

- When the **Object Selection** tool or one of its subtools is selected, the cross-hair cursor appears when you start moving/copying a part/event, or when using the event handles.



Cross-hair cursor when moving an event.

- When the **Object Selection** tool, the **Split** tool, or any other tool that makes use of this function is selected, the cross-hair cursor appears as soon as you move the mouse over the event display.
- The cross-hair cursor is only available for particular tools. The **Mute** tool, for example, does not use a cross-hair cursor, as you click on an event to mute it.

NOTE

If the **Key Editor**, the **Drum Editor** or the **Audio Part Editor** is open in the lower zone of the **Project** window and if **Link Project and Lower Zone Cursors** is activated, the cross-hair cursor is shown in the editor in the lower zone and in the **Project** window.

Edit History Dialog

The **Edit History** dialog lists all your edits. This allows you to undo any actions in the **Project** window as well as in the editors.

- To open the **Edit History** dialog, select **Edit > History**.

| # | Action | Time | State | Details |
|---|--------|------------|----------|---|
| 1 | Delete | 7:20:33 AM | Executed | Note - Note - Note - Note - Note - Note - Not |
| 2 | Split | 9:04:37 AM | Executed | Acoustic Guitar , Track: Acoustic Guitar |
| 3 | Split | 9:04:40 AM | Undone | Track: Rhythms - Rhythms - Rhythms - R |
| 4 | Glue | 9:04:43 AM | Undone | Rhythms - Rhythms - Rhythms |

Action

Shows the name of the action.

Time

Shows the time when this action was performed.

State

Shows the state of the action.

Details

Shows further details, and allows you to enter new text.

Separator

Move the separator upwards to undo your actions. To redo an action, move the separator down.

NOTE

- You can also undo applied plug-in effects or audio processes. However, we recommend to use **Direct Offline Processing** window to modify or delete plug-in effects or audio processes.
- Offline processing that you have applied permanently to the audio via the **Make Direct Offline Processing Permanent** function cannot be undone. Therefore, it is not shown in the **Edit History** dialog.
- **Sampler Control** offers its own 20-step edit history for sampler tracks. Edits in **Sampler Control** are not available via the **Edit History** dialog.

RELATED LINKS

[Direct Offline Processing](#) on page 563

[Applying Offline Processing Permanently](#) on page 576

[Sample Editing and Playback Functions](#) on page 717

Setting the Number of Maximum Undo Steps

You can limit the number of maximum undo steps. This is useful if you run out of memory, for example.

PROCEDURE

1. In the **Preferences** dialog, select **General**.

2. Set the number in the **Maximum Undo Steps** field.
-

Color Handling

You can colorize events and tracks in Cubase. This contributes to an easier overview in the **Project** window.

RELATED LINKS

- [Color Picker](#) on page 115
[Project Colors Setup Dialog](#) on page 112
[Event Colors Menu](#) on page 1083
[Setting Event Colors to Track Colors](#) on page 112
[Colorizing Events on the Fly](#) on page 111
[Colorizing Selected Events or Parts](#) on page 111
[Resetting the Track Color](#) on page 110
[Colorizing Single Tracks](#) on page 110
[Colorizing Selected Tracks](#) on page 109
[Color Handling](#) on page 109
[User Interface - Track & MixConsole Channel Colors](#) on page 1544
[Automatically Assigning Colors to New Tracks/Channels](#) on page 205

Colorizing Selected Tracks

You can colorize selected tracks.

PROCEDURE

1. In the **Project** window, deselect all events or parts.

NOTE

To select colors by names, activate the **Select Colors by Name** option in the **Project Colors Setup** dialog on the **Options** page.

2. Select the tracks that you want to colorize.
 3. On the **Project** window toolbar, select **Select Color for Selected Tracks or Events**.
The **Colorize Selected Tracks** pane opens.
 4. Select a color.
-

RESULT

The selected tracks are colorized, and the events and parts get the track color.

NOTE

If you assign a different color to individual events or parts with the **Color** tool, events or parts no longer follow any color changes of the track.

RELATED LINKS

- [Colorizing Events on the Fly](#) on page 111
[Project Colors Setup Dialog](#) on page 112
[Options Tab](#) on page 114

Colorizing Single Tracks

You can colorize single tracks via the **Inspector** or the track list. This is useful if you want to ensure that no other tracks, events, or parts are colorized accidentally.

PROCEDURE

1. Do one of the following:

- Select the track that you want to colorize, and **Alt/Opt**-click the header of the basic track **Inspector** section.



- **Alt/Opt**-click the left area of the track list.

The **Choose Track Color** pane opens.

NOTE

To select colors by names, activate the **Select Colors by Name** option in the **Project Colors Setup** dialog on the **Options** page.

2. Select a color.
-

RESULT

The track is colorized, and any events or parts on that track get the same color.

NOTE

If you assign a different color to individual events or parts with the **Color** tool, they no longer follow any color changes of the track.

RELATED LINKS

[Colorizing Events on the Fly](#) on page 111
[Options Tab](#) on page 114

Resetting the Track Color

You can reset the color of a track to the default color.

PROCEDURE

1. In the **Project** window, select the track that you want to reset to the default color, and deselect all events or parts.
 2. On the **Project** window toolbar, select **Select Color for Selected Tracks or Events**.
 3. On the **Colorize Selected Tracks** pane, click **Set Track Color to Default**.
-

RESULT

The default color is assigned to the selected track.

Colorizing Selected Events or Parts

You can colorize selected events or parts with **Select Color for Selected Tracks or Events**. By default, events or parts follow the color of the corresponding track. However, you can overwrite this setting and, for example, select the same color for events or parts on different tracks.

PROCEDURE

1. In the **Project** window, select all events or parts that you want to colorize.

NOTE

To select colors by names, activate the **Select Colors by Name** option in the **Project Colors Setup** dialog on the **Options** page.

2. On the **Project** window toolbar, select **Select Color for Selected Tracks or Events**.
The **Colorize Selected Events** pane opens.
3. Select a color.

RESULT

The selected events are colorized and no longer follow any color changes of the track.

RELATED LINKS

[Colorizing Events on the Fly](#) on page 111

[Options Tab](#) on page 114

[Event Colors Menu](#) on page 1083

Colorizing Events on the Fly

You can colorize events or parts with the **Color** tool. By default, events or parts follow the color of the corresponding track. However, you can overwrite this setting and, for example, select the same color for events or parts that reside on different tracks.

PROCEDURE

1. In the **Project** window toolbar, select the **Color** tool.
2. Do one of the following to select a tool color:
 - **Alt/Opt**-click an event or part to copy its color.
 - Move the mouse pointer over the **Color** tool, and use the mouse wheel to step through the colors of the current color set.
3. Optional: Select the events or parts that you want to colorize with the **Object Selection** tool.
This is only necessary if you want to colorize multiple events or parts.
4. On the **Project** window toolbar, select the **Color** tool.
5. Click the events or parts that you want to colorize.

RESULT

The events or parts are colorized and no longer follow color changes of the track.

NOTE

You can also **Ctrl/Cmd**-click an event or part with the **Color** tool to open the **Choose Event Color** pane or to select colors by names.

RELATED LINKS

[Colorizing Selected Events or Parts](#) on page 111
[Options Tab](#) on page 114
[Event Colors Menu](#) on page 1083

Setting Event Colors to Track Colors

You can set the color of events or parts to the track color. This is useful if you previously colorized events or parts with the **Color** tool and you want them to follow the track color again.

PROCEDURE

1. In the **Project** window, select the event or part that you want to set to the track color.
 2. On the **Project** window toolbar, click **Select Color for Selected Tracks or Events**.
 3. On the **Colorize Selected Events** pane, click **Set Event Color to Track**.
-

RESULT

The track color is assigned to the selected event or part.

RELATED LINKS

[Colorizing Events on the Fly](#) on page 111
[Event Colors Menu](#) on page 1083

Project Colors Setup Dialog

The **Project Colors Setup** dialog allows you to set up colors for your project.

- To open the **Project Colors Setup** dialog, select **Project > Project Colors Setup**.




RELATED LINKS

[Color Picker](#) on page 115
[Color Set Tab](#) on page 113

[Presets Tab](#) on page 114
[Options Tab](#) on page 114

Color Set Tab

The **Color Set** tab allows you to change the color set that is used in the project.



The following options are available:

Color fields

Click a field to open the **Color Picker** and specify a new color.

Name

Shows the name of the color. Double-click to change it.

Set up

Allows you to add or remove color fields.

- **Insert Color**

Adds a new color field.

- **Duplicate Color**

Duplicates the selected color field.

- **Remove Color**

Removes the selected color field.

- **Reset Color**

Resets the selected color field to the factory settings.

Apply


Applies your changes and closes the dialog.

RELATED LINKS

[Color Picker](#) on page 115

Presets Tab

The **Presets** tab allows you to expand the color set to 24 or even 32 colors or to reduce it to 8 colors. You can add tints, and you can sort colors according to their color tint or their basic color.



In the **New Color Set Settings** section, the following options are available:

Number of Basic Colors

You can set up 8, 16, 24, or 32 basic colors.

Number of Color Tints

You can set up 1, 2, or 4 color tints.

Sort Colors by

Allows you to sort the colors of the color set by their basic color or by their color tint.

The **New Color Set** section displays the current colors of the new color set.


The **Missing Current Project Colors** section shows which missing colors are replaced. Move the mouse pointer over the color field of a missing color to highlight the color that is used to replace it in the **New Color Set** section.

Apply

Applies your changes and closes the dialog.

Options Tab

The **Options** tab allows you to access the color set options.



In the **Color Set Options** section, the following options are available:

Save Color Set as Default

Saves the current set of colors as default.

Reset Color Set to Default

Applies the default set of colors.

Reset Color Set to Factory Settings

Returns to the standard color palette.

Select Colors by Name

Allows you to select colors by name.

Apply

Applies your changes and closes the dialog.

Color Picker

The **Color Picker** allows you to define new custom colors.

To open the **Color Picker**, do one of the following:

- Select **Project > Project Colors Setup**, and, in the **Project Colors Setup** dialog on the **Color Set** tab, click a color field.
This allows you to define custom project colors.
- Select **Edit > Preferences**, select one of the **User Interface** entries, and click a color field.
This allows you to define custom user interface colors.



Color selectors

Allow you to select a color shade and the nuance of the shade.

Context menu

Allows you to copy, paste, or reset colors.

Current Color/New Color

Shows the current color and the new color.

Hue/Saturation/Value

Allows you to edit the colors numerically.

Red/Green/Blue

Allows you to edit the colors numerically.

OK

Confirms the color changes.

NOTE

You must restart the application for some changes to take effect.

Project Handling

In Cubase, projects are the central documents. You must create and set up a project to work with the program.

Creating New Projects

You can create empty projects or projects that are based on a template.

PROCEDURE

1. Select **File > New Project**.
The **Hub** opens.
 2. In the location options section, select where to store the new project.
 - To use the default location, select **Use default location**.
 - To choose another location, select **Prompt for project location**.
 3. Do one of the following:
 - To create an empty new project, click **Create Empty**.
 - To create a new project from a template, select a template and click **Create**.
-

RESULT

A new, untitled project is created. If you selected a template, the new project is based on this template and includes the corresponding tracks, events, and settings.

NOTE

If you create an empty project, your default presets for the input and output bus configurations are applied. If you have not defined default presets, the last used configurations are applied.

RELATED LINKS

[Cubase Hub](#) on page 117


[Presets for Input and Output Busses](#) on page 41

Cubase Hub

The Cubase **Hub** keeps you up to date with the latest information and assists you with organizing your projects.

To open the Cubase **Hub**, do one of the following:

- Select **Hub > Open Hub**.
- Select **File > New Project**.



News Section

The **News** section displays Steinberg news as well as links to interesting deals, video tutorials, the user manuals, the user forum, and the support.

NOTE

- Make sure that you have an active Internet connection to access this material.
- You can show/hide this section by activating/deactivating **Show News in Hub** option in the **Preferences** dialog (**General** page).

Projects Section

The **Projects** section allows you to create new projects, which can either be empty or based on a template. It allows you to specify where to save the projects. It also allows you to access recently opened projects or projects that are stored in other locations.

Category bar

The **Recent** category contains a list of the recently opened projects.

The available factory templates are sorted into the predefined categories **Recording**, **Scoring**, **Production**, and **Mastering**.

The **More** category contains the default project template and all templates that are not assigned to any of the other categories.

Template list

When you click on one of the category items, the list below the category bar shows the available templates for this category. Any new templates that you create are added at the top of the corresponding list.

Location options

This section allows you to specify where the project is stored.

Open Other

Allows you to open any project file on your system.

NOTE

This is identical to using the **Open** command on the **File** menu.

Create Empty

Allows you to create a new empty project.

Cancel

Closes the **Hub**.

Quit Cubase (Windows only)

Closes Cubase.

RELATED LINKS

[General](#) on page 1533

Project Files and Project Location

A project file (extension *.cpr) is the central document in Cubase. It contains references to the media data that is used in your project.

We recommend to save project files in the project folder. You can specify the location of the project folder in the **Hub**.

In addition to the project files, the project folder contains the following folders that Cubase automatically creates, if required:

- Audio
- Edits
- Images
- Track Pictures
- Auto Saves

IMPORTANT

Project file sizes larger than 2 GB are only supported by program version 13.0.30 or newer. If a file exceeds this limit, you can choose to reduce the project size in order to maintain compatibility with older versions.

RELATED LINKS

[Cubase Hub](#) on page 117

[Choosing a Project Location](#) on page 119

Choosing a Project Location

You can specify a project location for saving projects in the **Hub**.

PROCEDURE

1. Do one of the following:

- Select **Use default location** to create a project in the default project location. In the **Project Folder** field, specify a name for the project folder. If you do not specify a project folder here, the project is saved in a folder named Untitled.



- Click in the path field to change the default project location. Specify the new default location in the file dialog that opens.
 - Activate **Prompt for project location** to open a file dialog where you can specify the project folder location.
2. Do one of the following:
- Click **Create Empty** to create a new empty project.
 - Select one of the template projects and click **Create** to create a project based on a template.
-

RESULT

The project is created and saved in the specified location.

RELATED LINKS

[Cubase Hub](#) on page 117

Template Files

Templates can be a good starting point for new projects. Templates are projects where you can save all settings that you regularly use, such as bus configurations, sample rates, record formats, basic track layouts, VSTi setups, drum map setups, etc.

The following template types are available from within the **Hub**:

- Factory templates for specific scenarios. These are listed in the **Recording**, **Scoring**, **Production**, or **Mastering** categories.
- The default template. This is listed in the **More** category.
- Any new user templates that you create and save. These are listed in the **More** category.


Template projects are not saved in project folders. Therefore, they contain no subfolders and no media files.

- To open the location of a specific template, right-click a template in the template list and select **Show in Explorer** (Windows only) or **Reveal in Finder** (macOS only).

Save As Template Dialog

The **Save As Template** dialog allows you to save projects as templates.

- To open the **Save As Template** dialog, select **File > Save As Template**.



The following options are available in the **Current Presets** section:

New Folder

Allows you to add a folder to the template list.

Template list

Lists the templates and the folders.

The following options are available in the **Attribute Inspector** section:

Value

Click this field to enter a description for the **Content Summary** attribute or to select a template category for **Template Category** attribute.

The following options are available in the **New Preset** section:

New Preset

Allows you to enter a name for the new project template.

Show Attribute Inspector

Allows you to show/hide the **Attribute Inspector**.

Saving a Project Template File


You can save the current project as a template. When you create a new project, you can select this template as a starting point.

PREREQUISITE

You have removed all clips from the **Pool**. This ensures that references to media data from the original project folder are deleted.

PROCEDURE

1. Set up a project.
2. Select **File > Save as Template**.
3. In the **New Preset** section of the **Save as Template** dialog, enter a name for the new project template.



4. In the **Attribute Inspector** section, double-click the **Value** field of the **Content Summary** attribute to enter a description for the template.
5. Click the **Value** field of the **Template Category** attribute and select a template category from the pop-up menu.
If you do not select a category, the new template will be listed in the **Hub**, as part of the **More** category.
6. Click **OK** to save the template.

RELATED LINKS

[Pool on page 724](#)

Renaming Templates

You can rename template files from within the **Hub**.

PROCEDURE


1. In the **Hub**, right-click a template and select **Rename**.

2. In the **Rename** dialog, enter a new name and click **OK**.

Project Setup Dialog

The **Project Setup** dialog allows you to make general settings for your project.

- To open the **Project Setup** dialog, select **Project > Project Setup**.
- To open the **Project Setup** dialog automatically when you create a new project, activate the **Run Setup on Create New Project** option in the **Preferences** dialog (**General** page).



IMPORTANT

While you can change most **Project Setup** settings at any time, you must set the sample rate right after creating a new project. If you change the sample rate at a later stage, you must convert all audio files in the project to the new sample rate to ensure that they play back properly.

In the **Project Duration** section, the following options are available:

Project Start Time

Allows you to specify the start time of the project in timecode format. This also determines the sync start position when synchronizing to external devices.

Project Duration

Allows you to specify the duration of the project.

Project Frame Rate

In the **Project Frame Rate** section, the following options are available:

Project Frame Rate

Allows you to specify the timecode standard and the frame rate for the project. When synchronizing to an external device, this setting must correspond to the frame rate of any incoming timecode.

Get Frame Rate From Video

Allows you to set the project frame rate to the frame rate of an imported video file.

Project Time Displays

In the **Project Time Displays** section, the following options are available:

Time Format

Allows you to specify the global time format for all rulers and position displays in the program, except for the ruler tracks. However, you can make independent time format selections for the individual rulers and displays.

Time Offset

Allows you to specify an offset for the time positions in the rulers and position displays to compensate for the **Project Start Time** setting.

Time Offset (Bars+Beats)

This setting is only used in conjunction with the **Bars+Beats** format. Allows you to specify an offset for the time positions in the rulers and position displays to compensate for the **Project Start Time** setting.

Record File Format

In the **Record File Format** section, the following options are available:

Sample Rate

Allows you to specify the sample rate at which Cubase records and plays back audio.

- If your audio hardware generates the sample rate internally and you select a non-supported sample rate, this is indicated by a different color. In this case, you must set a different sample rate to ensure that your audio files play back properly.
- If you select a sample rate that your audio hardware supports but that differs from its current sample rate setting, it is automatically changed to the project sample rate.
- If your audio hardware is externally clocked and receives external clock signals, sample rate mismatches are accepted.

Bit Depth

Allows you to specify the bit depth of the audio files that you record in Cubase. Select the record format according to the bit depth that is delivered by your audio hardware. The available options are 16 bit, 24 bit, 32 bit, 32 bit float, and 64 bit float.

NOTE

- If your audio interface supports a bit depth of 32 bit and you want to maintain this precision in your recordings, select a **Processing Precision** of 64 bit float in the **Studio Setup** dialog.
- When you record with effects, consider setting the bit depth to 32 bit float or 64 bit float. This prevents clipping (digital distortion) in the recorded files and keeps the audio quality very high. Effect processing and level or EQ changes in the input channel are performed in 32-bit float or 64-bit float format, depending on the **Processing Precision** setting in the **Studio Setup** dialog. If you record at 16 bit

or at 24 bit, the audio is converted to this lower bit depth when it is written to a file. As a result, the signal may degrade. This is independent of the actual bit depth of your audio hardware. Even if the signal from the audio hardware has a bit depth of 16 bit, the signal is 32 bit float or 64 bit float after the effects are added to the input channel.

- The higher the bit depth value, the larger the files and the more strain is put on the disk system. If this is an issue, lower the record format setting.
-

Record File Type

Allows you to specify the file type of the audio files that you record in Cubase.

NOTE

- For wave file recordings larger than 4 GB, the EBU RIFF standard is used. If you use a FAT 32 disk (not recommended), audio files are split automatically. In the **Preferences** dialog, you can specify what happens if your recorded Wave file is larger than 4 GB.
 - You can set up embedded strings in the **Preferences** dialog.
-

Project Ownership

In the **Project Ownership** section, the following options are available:

Author

Allows you to specify a project author that is written into the file when you export audio files and activate the **Insert iXML chunk** option. You can specify a default author in the **Default Author Name** field of the **Preferences** dialog (**General—Personalization** page).

Company

Allows you to specify a company name that is written into the file when you export audio files and activate the **Insert iXML chunk** option. You can specify a default company in the **Default Company Name** field in the **Preferences** dialog (**General—Personalization** page).

Other Project Settings

In the **Other Project Settings** section, the following options are available:

Stereo Pan Law

If you pan a channel left or right, the sum of the left and the right side is higher (louder) than if this channel is panned center. These modes allow you to attenuate signals panned center. **0 dB** turns off constant-power panning. **Equal Power** means that the power of the signal remains the same, regardless of the pan setting.

Volume Max

Allows you to specify the maximum fader level. By default, this is set to +6 dB.

Hermode Tuning

In the **Hermode Tuning** section, the following options are available:

HMT Type (MIDI only)

Allows you to specify a mode for Hermode tuning of MIDI notes.

HMT Depth (MIDI only)

Allows you to specify the overall degree of retuning.

Project Location

In the **Project Location** section, the following options are available:

Project Location information

Displays the project location.

Show in Explorer/Reveal in Finder

Opens a file dialog that shows the location of the project file.

RELATED LINKS

[Audio System Page](#) on page 22

[Hermode Tuning](#) on page 1052

[Record - Audio](#) on page 1541

Opening Project Files

You can open several saved project files at the same time.

IMPORTANT

If you open a project saved with a different program version and it contains data for functions that are not available in your version, this data may be lost when you save the project with your version.

NOTE

- If you open an external project, the last used view that was saved on your computer is used. You can change this setting in the **Preferences** dialog (**General** page).
- External projects are automatically connected to the input and output busses. If you open a project created on a computer with an ASIO port configuration that differs from the configuration of your computer, this can result in unwanted audio connections. You can deactivate the automatic connection of input and output busses in the **Preferences** dialog (**VST** page).

PROCEDURE

1. Select **File > Open**.
2. In the file dialog that opens, select the project that you want to open and click **Open**.
3. If there is already an open project, you are asked if you want to activate the new project. Do one of the following:
 - To activate the project, click **Activate**.
 - To open the project without activating it, click **No**.
This reduces load times for projects.

RELATED LINKS

[Workspaces for External Projects](#) on page 1503

[Do Not Connect Input/Output Busses When Loading External Projects](#) on page 1546

[Activating Projects](#) on page 127

Activating Projects

In Cubase you can have several projects opened at the same time. However, only one project can be active. The active project is indicated by the lit **Activate Project** button in the upper left corner of the **Project** window. To work on another project, activate the other project.

PROCEDURE

- To activate a project, click **Activate Project**.

NOTE

If you close the active project, you must activate another open project manually, as Cubase cannot automatically activate one of the other open projects.

Opening Recent Projects

You can open recent projects from the recent projects list.

PROCEDURE

- Do one of the following:
 - In the category bar of the **Hub**, click **Recent**, select a project from the projects list, and click **Open**.
 - In Cubase, select **File > Recent Projects** and select a recently opened project.

Re-Routing Missing Ports

If you open a Cubase project that was created on a different system with other audio hardware, Cubase tries to find matching audio inputs and outputs for the input/output busses. If Cubase cannot resolve all audio/MIDI inputs and outputs that are used in the project, the **Missing Ports** dialog opens.

This allows you to manually re-route any ports specified in the project to ports that are available on your system.

NOTE

To improve the search for matching audio inputs and outputs for the input/output busses, use descriptive, generic names for your input and output ports.

RELATED LINKS

[Renaming the Hardware Inputs and Outputs](#) on page 39

Saving Project Files

You can save the active project as a project file. To keep your projects as manageable as possible, make sure that you save project files and all related files in the respective project folders.

- To save the project and to specify a file name and location, open the **File** menu and select **Save As**.
- To save the project with its current name and location, open the **File** menu and select **Save**.

Auto Save

Cubase can automatically save copies of all open project files with unsaved changes.

NOTE

Only the project files are automatically saved. To include the files from the **Pool** and to save your project at a different location, use **Back up Project**.

Cubase can automatically save copies of all open projects with unsaved changes. To set this up, activate the **Auto Save** option in the **Preferences** dialog (**General** page).

Auto save files are saved in the **Auto Saves** folder inside your project folder.

The files are named Name-xx-(last edit).bak, where "Name" corresponds to the name of the project and "xx" is an incremental number. Unsaved projects files are automatically saved in a similar way as UntitledX-xx-(last edit).bak, with "X" being the incremental number for unsaved projects.

In the **Preferences** dialog (**General** page), you can use the **Auto Save Interval** setting to define the time intervals at which a project file is automatically saved. You can use the **Maximum Number of Auto Save Files** option to specify how many files are created with the **Auto Save** function.

NOTE

When the maximum number of files is reached, the existing files are overwritten, starting with the oldest file.

RELATED LINKS

[Project Files and Project Location](#) on page 119

[Auto Save](#) on page 1534

[Maximum Number of Auto Save Files](#) on page 1534

Saving Project Files As a New Version

You can create and activate a new version of an active project file. This is useful if you are experimenting with edits and arrangements and want to be able to go back to a previous version.

PROCEDURE

- Do one of the following:
 - Select **File > Save New Version**.
 - Press **Ctrl/Cmd - Alt/Opt - S**.

RESULT

The new file is saved under the same name as the original project, with an incremental number attached to it. For example, if your project is called "My Project", new versions are called "My Project-01", "My Project-02", and so on.

Reverting to the Last Saved Version

You can return to the last saved version and discard all changes that have been made.

PROCEDURE

1. Select **File > Revert**.
2. In the warning message, click **Revert**.

If you have recorded or created new audio files since the last version was saved, you are prompted to delete or keep the files.

Self-Contained Projects

To share your work or to transfer it to another computer, your project must be self-contained.

The following functions facilitate this task:

- Select **Media > Prepare Archive** to verify that every clip that is referenced in the project is located in the project folder and to take actions if that is not the case.
- Select **File > Back up Project** to create a new project folder where you can save the project file and the necessary work data. The original project remains unchanged.

RELATED LINKS

- [Preparing Archives on page 129](#)
[Backing up Projects on page 129](#)

Preparing Archives

The **Prepare Archive** function allows you to gather all files that are referenced by your project and to ensure that they are in the project folder. This is useful if you want to move or archive your project.

PROCEDURE

1. Select **Media > Prepare Archive**.

If your project references external files, you are prompted to copy them to your working directory.

2. Click **Proceed**.

External audio files are copied to the **Audio** folder of your project. Video files are copied to the project root folder.

RESULT

Your project is ready to be archived. You can move or copy the project folder to another location.

Backing up Projects

You can create a backup copy of your project. Backups only contain the necessary work data. All media files, except for the files from VST Sound archives, are included as a copy.

PROCEDURE

1. Select **File > Back up Project**.
2. Select an empty folder or create a new one.

3. Make your changes in the **Back up Project Options** dialog and click **OK**.

RESULT

A copy of the project is saved in the new folder. The original project remains unaffected.

NOTE

VST Sound content provided by Steinberg is copy-protected and is not included in the backup project. If you want to use a backup copy that uses VST Sound content on a different computer, make sure that the corresponding content is also available on that computer.


RELATED LINKS

[Back up Project Options Dialog](#) on page 130

Back up Project Options Dialog

The **Back up Project Options** dialog allows you to create a backup copy of your project.

- To open the **Back up Project Options** dialog, select **File > Back up Project**.



Project Name

Allows you to change the name of the backed up project.

Keep Current Project Active

Allows you to keep the current project active after clicking **OK**.

Minimize Audio Files

Allows you to include only the audio file portions that are actually used in the project. This can significantly reduce the size of the project folder if you are using small sections of large files. It also means that you cannot use other parts of the audio files if you continue working with the project in its new folder.

Make Direct Offline Processing Permanent

Allows you to flatten all edits and to apply all processing and effects permanently to each clip in the **Pool**.

Remove Unused Files

Allows you to remove unused files and to back up only the files that are actually used.

Do Not Back up Video

Allows you to exclude video clips from the video track or from the **Pool** of the current project.

Do Not Back up Mixdown Folder

Allows you to exclude the **Mixdown** folder of your project from the backup.

RELATED LINKS

[Export Audio Mixdown Dialog](#) on page 1406

[Backing up Projects](#) on page 129

Tracks and Channels

Tracks are the building blocks of your project. They allow you to import, add, record, and edit parts and events. Tracks are listed from top to bottom in the track list and extend horizontally across the **Project** window. Channels can be shown for all audio-related and MIDI-related tracks.

Tracks


If you select a track in the **Project** window, the controls, settings, and parameters that are displayed in the **Inspector** and in the track list allow you to control the track.



A full overview of all added tracks listed from top to bottom is shown in the track list.

Channels

All audio-related and MIDI-related tracks, that is, audio tracks, instrument tracks, sampler tracks, group channel tracks, effect channel tracks, and MIDI tracks are assigned to a particular channel that can be displayed on the **Channel** tab. The **Channel** tab represents a **MixConsole** channel, and the handling and usability is similar. The **Channel** tab, however, shows only the sections that correspond to the channel of the selected track.



A full overview of the corresponding audio-related and MIDI-related channels listed from left to right is provided in the **MixConsole**.

RELATED LINKS

[Track Inspector Sections](#) on page 159

[Channel Sections](#) on page 179

[Channel Tab on page 70](#)

[Project Window Left Zone on page 71](#)

[Inspector on page 72](#)

[MixConsole on page 423](#)

Audio Tracks and Channels

You can use audio tracks for recording and playing back audio events and audio parts. Each audio track has a corresponding audio channel. An audio track can have any number of automation tracks for automating channel parameters, effect settings, etc.

You can add audio tracks via the **Add Track** dialog.

RELATED LINKS

[Add Track Dialog – Audio on page 133](#)


Add Track Dialog – Audio

The **Audio** page of the **Add Track** dialog allows you to set up and add audio tracks.

To open the **Audio** page of the **Add Track** dialog, do one of the following:


- Click **Add Track** + in the global track controls area of the track list, and click **Audio**.

This opens the global **Add Track** dialog on the **Audio** page.



- Select **Project > Add Track > Audio** or right-click in an empty area of the track list, and select **Add Audio Track**.

This opens the **Audio** page of the **Add Track** dialog.



The following settings are available:

Audio Inputs

Opens a window where you can select an input of your connected audio hardware.

If you have added an input bus in the **Audio Connections** window, you can connect to that input bus.

The **Open Audio Connections** button opens the **Audio Connections** window.

Configuration

Allows you to set the channel configuration. Audio-related tracks can be configured as mono, stereo, or surround tracks.

Audio Outputs

Allows you to set the output routing.

Name

Allows you to specify a track name.

Count

Allows you to enter the number of tracks that you want to add.

NOTE

You can add an unlimited number of tracks. However, you can only add 100 tracks at a time.

Keep Dialog Open

You can activate this to keep the dialog open after clicking **Add Track**. This allows you to click the page of another track type to set up and add more tracks.

NOTE

This option is only available if you open the **Add Track** dialog from the global track controls.

Add Track

Adds one or more tracks, according to the track type and the settings of the active page, and closes the dialog.

RELATED LINKS

[Audio Connections Window](#) on page 33

Instrument Tracks and Channels

You can use instrument tracks for dedicated VST instruments. Each instrument track has a corresponding instrument channel. An instrument track can have any number of automation tracks.

You can add instrument tracks via the **Add Track** dialog.

RELATED LINKS

[Add Track Dialog – Instrument](#) on page 135


Add Track Dialog – Instrument

The **Instrument** page of the **Add Track** dialog allows you to set up and add instrument tracks.

To open the **Instrument** page of the **Add Track** dialog, do one of the following:


- Click **Add Track** + in the global track control area of the track list, and click **Instrument**.

This opens the global **Add Track** dialog on the **Instrument** page.



- Select **Project > Add Track > Instrument** or right-click in an empty area of the track list, and select **Add Instrument Track**.

This opens the **Instrument** page of the **Add Track** dialog.



The following settings are available:

Instrument

Allows you to select an instrument.

MIDI Inputs

Allows you to set the MIDI inputs.

Audio Outputs

Allows you to set the output routing.

Name

Allows you to specify a track name.

Count

Allows you to enter the number of tracks that you want to add.

NOTE

You can add an unlimited number of tracks. However, you can only add 100 tracks at a time.

Keep Dialog Open

You can activate this to keep the dialog open after clicking **Add Track**. This allows you to click the page of another track type to set up and add more tracks.

NOTE

This option is only available if you open the **Add Track** dialog from the global track controls.

Add Track

Adds one or more tracks, according to the track type and the settings of the active page, and closes the dialog.

Sampler Tracks and Channels

You can use sampler tracks for controlling the playback of audio samples via MIDI. Each sampler track has a corresponding channel. A sampler track can have any number of automation tracks.

You can add sampler tracks via the **Add Track** dialog.

RELATED LINKS

- [Add Track Dialog – Sampler](#) on page 137
- [Creating Sampler Tracks](#) on page 697
- [Sampler Control](#) on page 697


Add Track Dialog – Sampler

The **Sampler** page of the **Add Track** dialog allows you to set up and add sampler tracks.

To open the **Sampler** page of the **Add Track** dialog, do one of the following:


- Click **Add Track**  in the global track control area of the track list, and click **Sampler**.

This opens the global **Add Track** dialog on the **Sampler** page.



- Select **Project > Add Track > Sampler** or right-click in an empty area of the track list, and select **Add Sampler Track**.

This opens the **Sampler** page of the **Add Track** dialog.



The following settings are available:

MIDI Inputs

Allows you to set the MIDI inputs.

Audio Outputs

Allows you to set the output routing.

Name

Allows you to specify a track name.

Count

Allows you to enter the number of tracks that you want to add.

Keep Dialog Open

You can activate this to keep the dialog open after clicking **Add Track**. This allows you to click the page of another track type to set up and add more tracks.

NOTE

This option is only available if you open the **Add Track** dialog from the global track controls.

Add Track

Adds one or more tracks, according to the track type and the settings of the active page, and closes the dialog.

Drum Tracks

Drum tracks allow you to enhance your beat production workflow. You can create complex drum patterns and drum kits.

You can add drum tracks via the **Add Track** dialog.

RELATED LINKS

[Add Track Dialog – Drum](#) on page 138


Add Track Dialog – Drum

The **Drum** page of the **Add Track** dialog allows you to set up and add drum tracks.

To open the **Drum** page of the **Add Track** dialog, do one of the following:


- Click **Add Track**  in the global track control area of the track list, and click **Drum**.

This opens the global **Add Track** dialog on the **Drum** page.



- Select **Project > Add Track > Drum**, or right-click in an empty area of the track list, and select **Add Drum Track**.

This opens the **Drum** page of the **Add Track** dialog.



- Select **Drum Machine** in the **Lower Zone** and click **Add Drum Track**.

This opens the global **Add Track** dialog on the **Drum** page.

The following options are available:

MIDI Inputs

Allows you to set the MIDI inputs.

Audio Outputs

Allows you to set the output routing.

Event Type

Allows you to set the **Pattern Event** or **MIDI Part** as the event type.

NOTE

The default is **Pattern Event**, which uses the **Pattern Editor** for beat creation. If **Event Type** is set to **MIDI Part**, you can use the **Drum Machine** with the **Key Editor** or the **Drum Editor**.

Count

Allows you to enter the number of tracks that you want to add.

Name

Allows you to specify a track name.

Keep Dialog Open

You can activate this to keep the dialog open after clicking **Add Track**. This allows you to click the page of another track type to set up and add more tracks.

NOTE

This option is only available if you open the **Add Track** dialog from the global track controls.

Add Track

Adds one or more tracks, according to the track type and the settings of the active page, and closes the dialog.

MIDI Tracks and Channels

You can use MIDI tracks for recording and playing back MIDI parts. Each MIDI track has a corresponding MIDI channel. A MIDI track can have any number of automation tracks.

You can add MIDI tracks via the **Add Track** dialog.

RELATED LINKS


[Add Track Dialog – MIDI](#) on page 140

Add Track Dialog – MIDI

The **MIDI** page of the **Add Track** dialog allows you to set up and add MIDI tracks.

To open the **MIDI** page of the **Add Track** dialog, do one of the following:

- Click **Add Track**  in the global track control area of the track list, and click **MIDI**.
This opens the global **Add Track** dialog on the **MIDI** page.



- Select **Project > Add Track > MIDI** or right-click in an empty area of the track list, and select **Add MIDI Track**.

This opens the **MIDI** page of the **Add Track** dialog.



The following settings are available:

MIDI Inputs

Allows you to set the MIDI inputs.

MIDI Outputs

Allows you to set the MIDI outputs.

Output Group and Channel

Allows you to specify the MIDI output channel.

NOTE

If you use MIDI 2.0 devices with dedicated device ports, this allows you to specify the MIDI output group, and the MIDI output channels.

Name

Allows you to specify a track name.

Count

Allows you to enter the number of tracks that you want to add.

NOTE

You can add an unlimited number of tracks. However, you can only add 100 tracks at a time.

Keep Dialog Open

You can activate this to keep the dialog open after clicking **Add Track**. This allows you to click the page of another track type to set up and add more tracks.

NOTE

This option is only available if you open the **Add Track** dialog from the global track controls.

Add Track

Adds one or more tracks, according to the track type and the settings of the active page, and closes the dialog.

Group Channel Tracks

You can use group channel tracks to create a submix of several audio channels and to apply the same effects to them. A group channel track contains no events as such, but displays settings and automation for the corresponding group channel.

For easy management, all group channel tracks are automatically placed in a special group channel track folder in the track list. Each group channel track has a corresponding channel. A group channel track can have any number of automation tracks.

You can add group channel tracks via the **Add Track** dialog.

RELATED LINKS


[Add Track Dialog – Group Channel](#) on page 142

Add Track Dialog – Group Channel

The **Group** page of the **Add Track** dialog allows you to set up and add group channel tracks.


To open the **Group** page of the **Add Track** dialog, do one of the following:

- Click **Add Track**  in the global track control area of the track list, and click **Group**.
This opens the global **Add Track** dialog on the **Group** page.



- Select **Project > Add Track > Group**.

This opens the **Group** page of the **Add Track** dialog.



The following settings are available:

Configuration

Allows you to set the channel configuration. Audio-related tracks can be configured as mono, stereo, or surround tracks.

Audio Outputs

Allows you to set the output routing.

Folder Setup

Allows you to select whether you want to create the effect inside or outside a dedicated folder.

Name

Allows you to specify a track name.

Count

Allows you to enter the number of tracks that you want to add.

Keep Dialog Open

You can activate this to keep the dialog open after clicking **Add Track**. This allows you to click the page of another track type to set up and add more tracks.

NOTE

This option is only available if you open the **Add Track** dialog from the global track controls.

Add Track

Adds one or more tracks, according to the track type and the settings of the active page, and closes the dialog.

Effect Channel Tracks

You can use effect channel tracks for adding send effects. By routing sends from an audio track to an effect channel track, you send audio from the audio track to the effects on the effects channel track. You can place effect channel tracks inside or outside a dedicated **Effect** folder in the track list. Each effect channel track has a corresponding channel. An effect channel track can have any number of automation tracks.

You can add effect channel tracks via the **Add Track** dialog.

RELATED LINKS


[Add Track Dialog – Effect](#) on page 144

Add Track Dialog – Effect

The **Effect** page of the **Add Track** dialog allows you to set up and add effect channel tracks.


To open the **Effect** page of the **Add Track** dialog, do one of the following:

- Click **Add Track**  in the global track control area of the track list, and click **Effect**.
This opens the global **Add Track** dialog on the **Effect** page.



- Select **Project > Add Track > Effect**.

This opens the **Effect** page of the **Add Track** dialog.



The following settings are available:

Effect

Allows you to select an effect.

Configuration

Allows you to set the channel configuration. Audio-related tracks can be configured as mono, stereo, or surround tracks.

Audio Outputs

Allows you to set the output routing.

Folder Setup

Allows you to select whether you want to create the effect inside or outside a dedicated folder.

Name

Allows you to specify a track name.

Count

Allows you to enter the number of tracks that you want to add.

Keep Dialog Open

You can activate this to keep the dialog open after clicking **Add Track**. This allows you to click the page of another track type to set up and add more tracks.

NOTE

This option is only available if you open the **Add Track** dialog from the global track controls.

Add Track

Adds one or more tracks, according to the track type and the settings of the active page, and closes the dialog.

RELATED LINKS

[Adding Effect Channel Tracks](#) on page 541

[Adding Effect Channels to Selected Channels](#) on page 542

VCA Fader Track

You can use a VCA fader track to add VCA faders to your project.

VCA stands for Voltage-Controlled Amplifier. You can add VCA fader tracks via the **Add Track** dialog.

RELATED LINKS

[Add Track Dialog – VCA](#) on page 146

[VCA Faders](#) on page 504

[VCA Fader Automation](#) on page 508

[Automation](#) on page 854


Add Track Dialog – VCA

The **VCA** page of the **Add Track** dialog allows you to set up and add VCA fader tracks.

To open the **VCA** page of the **Add Track** dialog, do one of the following:


- Click **Add Track**  in the global track control area of the track list, and click **VCA**.

This opens the global **Add Track** dialog on the **VCA** page.



- Select **Project > Add Track > VCA**.

This opens the **VCA** page of the **Add Track** dialog.



The following settings are available:

Folder Setup

Allows you to select whether you want to create the effect inside or outside a dedicated folder.

Name

Allows you to specify a track name.

Count

Allows you to enter the number of tracks that you want to add.

Keep Dialog Open

You can activate this to keep the dialog open after clicking **Add Track**. This allows you to click the page of another track type to set up and add more tracks.

NOTE

This option is only available if you open the **Add Track** dialog from the global track controls.

Add Track

Adds one or more tracks, according to the track type and the settings of the active page, and closes the dialog.

Marker Track

You can use marker tracks to add and edit markers that help you locate positions quickly.

You can add marker tracks via the **Add Track** dialog.

You can add up to 10 marker tracks to a project.

RELATED LINKS

[Add Track Dialog – Marker](#) on page 148


Add Track Dialog – Marker

The **Marker** page of the **Add Track** dialog allows you to set up and add marker tracks.

To open the **Marker** page of the **Add Track** dialog, do one of the following:


- Click **Add Track**  in the global track control area of the track list, and click **Marker**.

This opens the global **Add Track** dialog on the **Marker** page.



- Select **Project > Add Track > Marker**.

This opens the **Marker** page of the **Add Track** dialog.



The following settings are available:

Name

Allows you to specify a track name.

Count

Allows you to enter the number of tracks that you want to add.

Keep Dialog Open

You can activate this to keep the dialog open after clicking **Add Track**. This allows you to click the page of another track type to set up and add more tracks.

NOTE

This option is only available if you open the **Add Track** dialog from the global track controls.

Add Track

Adds one or more tracks, according to the track type and the settings of the active page, and closes the dialog.

RELATED LINKS

[Marker Track](#) on page 148

Ruler Track

You can use ruler tracks to show several rulers with different time formats for the timeline. This is completely independent from the main ruler, as well as from rulers and position displays in other windows.

You can add ruler tracks via the **Add Track** dialog.

RELATED LINKS


[Add Track Dialog – Ruler](#) on page 149

Add Track Dialog – Ruler

The **Ruler** page of the **Add Track** dialog allows you to set up and add ruler tracks.


To open the **Ruler** page of the **Add Track** dialog, do one of the following:

- Click **Add Track**  in the global track control area of the track list, and click **Ruler**.
This opens the global **Add Track** dialog on the **Ruler** page.



- Select **Project > Add Track > Ruler**.

This opens the **Ruler** page of the **Add Track** dialog.



The following settings are available:

Time Format

Allows you to select the time format for the ruler track.

Time Offset

Allows you to set up a time offset for the ruler track.

Count

Allows you to enter the number of tracks that you want to add.

Keep Dialog Open

You can activate this to keep the dialog open after clicking **Add Track**. This allows you to click the page of another track type to set up and add more tracks.

NOTE

This option is only available if you open the **Add Track** dialog from the global track controls.

Add Track

Adds one or more tracks, according to the track type and the settings of the active page, and closes the dialog.

Ruler Track Controls

In the track list for ruler tracks, you can change the time format for the ruler.



The following options are available:

Time Format

Allows you to select the time format for the ruler track.

Time Offset On/Off

Allows you to activate/deactivate the time offset for the ruler track.

Time Offset

Allows you to set up a time offset for the ruler track.

NOTE

You can now set up a time offset for ruler tracks in the corresponding time format, and activate/deactivate it by using the corresponding control in the track list. If you deactivate the time offset, the ruler track follows the transport offset specified in the **Project Setup** dialog.

Set Time Offset to Project Cursor Position

Sets the time offset for the ruler track to the project cursor position.

NOTE

Ruler tracks are not affected by the time format setting in the **Project Setup** dialog.

RELATED LINKS

[Ruler Time Format Menu](#) on page 66

Folder Tracks

Folder tracks function as containers for other tracks, making it easier to organize and manage the track structure. They also allow you to edit several tracks at the same time.

You can add folder tracks via the **Add Track** dialog.

RELATED LINKS


[Add Track Dialog – Folder](#) on page 151

Add Track Dialog – Folder

The **Folder** page of the **Add Track** dialog allows you to set up and add folder tracks.


To open the **Folder** page of the **Add Track** dialog, do one of the following:

- Click **Add Track**  in the global track control area of the track list, and click **Folder**.
This opens the global **Add Track** dialog on the **Folder** page.



- Select **Project > Add Track > Folder**.

This opens the **Folder** page of the **Add Track** dialog.



The following settings are available:

Name

Allows you to specify a track name.

Count

Allows you to enter the number of tracks that you want to add.

Keep Dialog Open

You can activate this to keep the dialog open after clicking **Add Track**. This allows you to click the page of another track type to set up and add more tracks.

NOTE


This option is only available if you open the **Add Track** dialog from the global track controls.

Add Track

Adds one or more tracks, according to the track type and the settings of the active page, and closes the dialog.

Folder Track Controls

The track list for folder tracks contains controls and parameters that allow you to edit all tracks in the folder.



Expand/Collapse Folder



Shows/Hides the tracks in the folder. Hidden tracks are played back as usual.

Track name



Double-click to rename the track.

Mute



Mutes the track.

Solo



Solos the track.

Record Enable



Activates the track for recording.

Monitor



For audio-related tracks, this routes incoming signals to the selected output.

For MIDI and instrument-related tracks, this allows you to route incoming MIDI signals to the selected MIDI output. For this to work, activate **MIDI Thru Active** in the **Preferences** dialog (**MIDI** page).

Group Editing



Allows you to activate the group editing mode.

Phase-Coherent AudioWarp



Activates phase-coherent editing of parts and events in the edit group for **AudioWarp** operations.

Lock



Disables all editing of any events on the track.

RELATED LINKS

[Group Editing Mode](#) on page 262

Tempo Track

You can use the tempo track to create tempo changes within a project.

You can add this track type to a project only once.

- To add a tempo track to your project, select **Project > Add Track > Tempo**.

Tempo Track Controls

The track list for the tempo track contains controls and parameters that allow you to edit the tempo track.



Activate Tempo Track



Allows you to activate the tempo track. In this mode, the tempo cannot be changed on the **Transport** panel.

Lock



Disables all editing of any events on the track.

Current Tempo



Allows you to change the tempo at the project cursor position.

Open Process Tempo Dialog



Allows you to open the **Process Tempo** dialog.

New Tempo Points Type



Allows you to specify whether the tempo should change gradually (**Ramp**) or instantly (**Step**) from the previous curve point to the new one.

Visible Tempo Upper Limit/Visible Tempo Lower Limit



Allows you to specify the display range. This changes the display scale of the tempo track, but not the tempo setting.

Signature Track

You can use the signature track to add and edit signature events, and to set up click patterns for them. The background of a signature track always displays bars. This is independent of the ruler time format setting.

You can add this track type to a project only once.

- To add the signature track to your project, select **Project > Add Track > Signature**.

RELATED LINKS

[Time Signature Events](#) on page 1396

[Click Patterns Tab](#) on page 316

Signature Track Controls

The track list for the signature track contains controls and parameters that allow you to edit the signature track.



Lock



Disables all editing of any events on the track.

Signature Track Options



- Copy Click Pattern to Clipboard**

Copies the click pattern of the selected signature event to the clipboard.

- Paste Click Pattern to Selected Signatures**

Pastes the click pattern from the clipboard to selected signature events.

NOTE

This only works if the selected signature events are equal.

- Apply Click Pattern to Equal Signatures**

Pastes the click pattern from the clipboard to signature events that are equal.

NOTE

This does not require you to select the signature events beforehand.

- Reset Click Pattern to Default**

Sets the click pattern of the selected signature event to default. If no signature event is selected, the click patterns of all signature events are set to default.

- Show Click Patterns**

Allows you to show/hide the click patterns for the signature events.

- Render MIDI Click between Locators**

Adds a MIDI track to your project and creates a MIDI part that contains the click pattern between the left and right locator.

- Render Audio Click between Locators**

Adds an audio track to your project and creates an audio event that contains the click pattern between the left and right locator.

- Process Bars Dialog**

Opens the **Process Bars** dialog.

RELATED LINKS

[Click Patterns Tab](#) on page 316

[Process Bars Dialog](#) on page 1392

Arranger Track

You can use the arranger track for arranging your project by marking out sections and determining in which order they are to be played back.

You can add this track type to a project only once.


- To add the arranger track to your project, select **Project > Add Track > Arranger**.

Arranger Track Controls

The track list for the arranger track contains controls and parameters that allow you to edit the arranger track.



Select Active Arranger Chain



Allows you to select the active arranger chain.

Current Item



Displays which arranger event is active.

Current Repeat



Displays which repeat is active.

Activate Arranger Mode



Allows you to activate and to deactivate the arranger mode.

Switch Time Base



Switches between musical (tempo-related) and linear (time-related) time base for the track.

Open Arranger Editor



Opens the **Arranger Editor** for the track.

Transpose Track

You can use the transpose track to set global key changes.

You can add this track type to a project only once.

- To add the transpose track to your project, select **Project > Add Track > Transpose**.

Transpose Track Controls

The track list for the transpose track contains parameters that allow you to control the transpose track.



Mute Transpose Events



Mutes the track.

Keep Transpose in Octave Range



Allows you to keep the transposition in the octave range and ensures that nothing is transposed by more than seven semitones.

Switch Time Base



Switches between musical (tempo-related) and linear (time-related) time base for the track.

Lock



Disables all editing of any events on the track.

Chord Track

You can use the chord track for adding chord and scale events to your project. These can transform the pitches of other events.

You can add this track type to a project only once.

- To add the chord track to your project, select **Project > Add Track > Chord**.

Chord Track Controls

The track list for the chord track contains controls and parameters that allow you to edit the chord track.



The track list for the chord track contains the following controls:

Record Enable



Activates the track for recording.

Mute Chord Track



Mutes the track.

Select Track for Auditioning



Allows you to select a track for auditioning the chord events.

Resolve Display Conflicts



Allows you to show all chord events on the track properly, even at low horizontal zoom levels.

Show Scales



Allows you to show the scale lane in the lower part of the chord track.

Video Tracks

You can use video tracks to play back video events. Video files are displayed as events/clips on the video track, with thumbnails representing the frames in the film.

You can add up to 2 video tracks to a project.

- To add a video track, select **Project > Add Track > Video**.

Video Track Controls

The track list for the video track contains parameters to control the video track.



Mute Video Track



Mutes the track.

Name



Shows the name of the track. Double-click to rename the track.

Lock



Disables all editing of any events on the track.

Show Thumbnails



Allows you to activate/deactivate the thumbnails of a video track.

Show Frame Numbers




Allows you to show each thumbnail with the corresponding video frame number.

Set up Inspector Sections Pane

For audio-related and MIDI-related tracks you can configure the visibility settings of the individual **Inspector** sections. You can also specify the order of the sections.

- To configure the sections for the **Inspector**, right-click an empty area of the **Inspector**, and select **Set up Sections**.



Section options

Activate/Deactivate the option for the section that you want to show/hide.

Preset

Allows you to save the settings as presets.

Show All

Shows all sections.

Reset All

Allows you to restore the default settings.

NOTE

You can change the order of the sections by dragging them up or down in the list.

RELATED LINKS

[Track Inspector Sections](#) on page 159

[Channel Sections](#) on page 179

Track Inspector Sections

For audio-related and MIDI-related tracks, you can set up track-specific **Inspector** sections on the **Set up Sections** pane.

Depending on the track type, you can set up the following track **Inspector** sections:

Basics

Allows you to set up the basic track settings.

Routing

For audio-related channels/tracks, this allows you to set up the input and output routing.
For MIDI-related tracks, this allows you to set up the input routing, the output routing, and the group and channel.

Track Versions

Allows you to create and edit **Track Versions**.

Chords

For audio-related channels/tracks, this allows you to specify how the track follows the chord track.
For MIDI-related channels/tracks, this allows you to specify how the track follows the chord track.

Notepad

Allows you to enter annotations for the track.

Expression Map

For MIDI-related channels/tracks, this allows you to work with the **Expression Map** features.

Note Expression

For MIDI-related channels/tracks, this allows you to work with the **Note Expression** features.

MIDI Inserts

For MIDI-related channels/tracks, this allows you to add MIDI insert effects.

MIDI Modifiers

For MIDI-related channels/tracks, this allows you to transpose or to adjust the velocity of the MIDI track events in real time during playback.

MIDI Sends

For MIDI-related channels/tracks, this allows you to add MIDI send effects.

MIDI Fader

Shows a duplicate of the corresponding **MixConsole** channel.

Modulators

For audio-related channels/tracks and drum channels/tracks, this allows you to add modulators.

Inserts

For audio-related channels/tracks, this allows you to add audio insert effects.

EQ

For audio-related channels/tracks, this allows you to adjust up to four bands of EQs.

Sends

For audio-related channels/tracks, this allows you to select send effects.

Direct Routing

For audio-related channels/tracks, this allows you to set up direct routing.

Fader

Shows a duplicate of the corresponding **MixConsole** channel.

Cue Sends

For audio-related tracks/channels and for MIDI-related channels/tracks that are routed to an instrument, this allows you to activate and control the level and pan for up to 4 cue sends.

Surround Pan

For audio-related tracks/channels, this shows the pan control for a track.

Device Panel

Allows you to display and use device panels.

Quick Controls

Allows you to configure quick controls to use remote devices, for example.

NOTE


To expand/collapse a section, click its header or the arrow to the left of the section header. If the section is too narrow, the arrow is automatically hidden.

RELATED LINKS

- [Inspector Sections on page 75](#)
- [Set up Inspector Sections Pane on page 158](#)
- [Track Versions Section on page 220](#)
- [Insert Effects on page 532](#)
- [Send Effects on page 540](#)
- [Equalizer Section on page 468](#)
- [Chords Section for MIDI Tracks on page 1266](#)
- [Chords Section for Audio Tracks on page 1265](#)
- [Cue Sends Section on page 481](#)
- [Strip Section on page 470](#)
- [Direct Routing Section on page 481](#)
- [Miniature Views on page 804](#)
- [Device Panels on page 1064](#)
- [Track Quick Controls on page 959](#)
- [Modulators on page 1001](#)
- [Expression Maps on page 1210](#)
- [Note Expression on page 1221](#)
- [MIDI Modifiers Section on page 1048](#)
- [MIDI Inserts on page 1053](#)
- [MIDI Sends on page 1055](#)

Basics Section for Audio Tracks

The **Basics** section for audio tracks contains controls and parameters that allow you to edit your audio track.



The top section of the audio track **Inspector** contains the following basic track settings:

Track name

 **Audio 01**

Click to show/hide the basic track settings section. Double-click to rename the track.
Alt/Opt-click to colorize the track.

Edit Channel Settings



Opens the **Channel Settings** window for the track.

Mute



Mutes the track.

Solo



Solos the track.

Read Automation



Allows you to read track automation.

Write Automation



Allows you to write track automation.

Listen



Indicates if **Listen** mode is enabled in the **Control Room**.

Auto Fades Settings



Opens a dialog where you can make separate fade settings for the track.

Record Enable



Activates the track for recording.

Monitor



Routes incoming signals to the selected output.

Switch Time Base



Switches between musical (tempo-related) and linear (time-related) time base for the track.

Lock



Disables all editing of any events on the track.

Show Lanes



Divides the tracks into lanes.

Freeze Channel



Allows you to freeze the audio channel.

Volume



Allows you to adjust the level of the track.

Pan



Allows you to adjust the panning of the track.

Delay



Allows you to adjust the playback timing of the track.

Load/Save/Reload Track Preset



Loads or saves a track preset or reverts the default presets.

Select Extension




Allows you to select an extension for the track.

RELATED LINKS

[Track Inspector Sections](#) on page 159

Basics Section for Sampler Tracks

The **Basics** section for sampler tracks contains controls and parameters that allow you to edit your sampler track.



The top section of the sampler track **Inspector** contains the following basic track settings:

Track name

Sampler Track 01

Click once to show/hide the basic track settings section. Double-click to rename the track.

Edit Channel Settings



Opens the **Channel Settings** window for the track.

Mute



Mutes the track.

Solo



Solos the track.

Read Automation



Allows you to read track automation.

Write Automation



Allows you to write track automation.

Listen



Indicates if **Listen** mode is enabled in the **Control Room**.

Open/Close Sampler



Opens/Closes the **Sampler Control** in the lower zone.

Record Enable



Activates the track for recording.

Monitor



Routes incoming MIDI to the selected MIDI output. For this to work, activate **MIDI Thru Active** in the **Preferences** dialog (**MIDI** page).

Switch Time Base



Switches between musical (tempo-related) and linear (time-related) time base for the track.

Lock



Disables all editing of any events on the track.

Show Lanes



Divides the tracks into lanes.

Freeze Channel



Allows you to freeze the sampler track.

Volume



Allows you to adjust the level of the track.

Pan



Allows you to adjust the panning of the track.

Delay



Allows you to adjust the playback timing of the track.

Load/Save/Reload Track Preset



Loads or saves a track preset or reverts the default presets.

Retrospective Recording

 Insert Recording...

Opens a pop-up menu that allows you to insert a retrospective track recording, that is, MIDI data that was captured during playback.


RELATED LINKS

[Track Inspector Sections](#) on page 159

[Freezing Sampler Tracks](#) on page 721


Basics Section for Instrument Tracks

The **Basics** section for instrument tracks contains controls and parameters that allow you to control your instrument track. It shows some of the sections from VST instrument channels and MIDI tracks.



The top section of the instrument track **Inspector** contains the following basic track settings:

Track name

 HALion Sonic 01

Click once to show/hide the basic track settings section. Double-click to rename the track.

Edit Channel Settings



Opens the **Channel Settings** window for the track.

Mute



Mutes the track.

Solo



Solos the track.

Read Automation



Allows you to read track automation.

Write Automation



Allows you to write track automation.

Listen



Indicates if **Listen** mode is enabled in the **Control Room**.

Edit In-Place



Allows you to edit MIDI events and parts on the track in the **Project** window.

Record Enable



Activates the track for recording.

Monitor



Routes incoming MIDI to the selected MIDI output. For this to work, you must activate **MIDI Thru Active** in the **Preferences** dialog (**MIDI** page).

Switch Time Base



Switches between musical (tempo-related) and linear (time-related) time base for the track.

Lock



Disables all editing of any events on the track.

Show Lanes



Divides the tracks into lanes.

Freeze Channel



Allows you to freeze the instrument.

Volume



Allows you to adjust the level of the track.

Pan



Allows you to adjust the panning of the track.

Delay



Allows you to adjust the playback timing of the track.

Load/Save/Reload Track Preset



Loads or saves a track preset or reverts the default presets.

Retrospective Recording



Opens a pop-up menu that allows you to insert a retrospective track recording, that is, MIDI data that was captured during playback.

RELATED LINKS

[Track Inspector Sections](#) on page 159

[Freezing Instruments](#) on page 945

Basics Section for MIDI Tracks

The **Basics** section for MIDI tracks contains controls and parameters that allow you to control your MIDI track. These affect MIDI events in real time, on playback, for example.



The top section of the MIDI track **Inspector** contains the following basic track settings:

Track name

MIDI 01

Click once to show/hide the basic track settings section. Double-click to rename the track.

Edit Channel Settings

e

Opens the **Channel Settings** window for the track.

Mute

M

Mutes the track.

Solo

S

Solos the track.

Read Automation

R

Allows you to read track automation.

Write Automation

W

Allows you to write track automation.

Listen

L

Indicates if **Listen** mode is enabled in the **Control Room**.

Edit In-Place

E

Allows you to edit MIDI events and parts on the track in the **Project** window.

Record Enable

•

Activates the track for recording.

Monitor

Speaker

Routes incoming MIDI to the selected MIDI output. For this to work, activate **MIDI Thru Active** in the **Preferences** dialog (**MIDI** page).

Switch Time Base



Switches between musical (tempo-related) and linear (time-related) time base for the track.

Lock



Disables all editing of any events on the track.

Show Lanes




Divides the tracks into lanes.

ASIO Latency Compensation



Moves all recorded events on the track by the current latency.

Volume



Allows you to adjust the level of the track.

MIDI Pan



Allows you to adjust the MIDI panning of the track.

Delay



Allows you to adjust the playback timing of the track.

Load/Save/Reload Track Preset



Loads or saves a track preset or reverts the default presets.

Retrospective Recording




Opens a pop-up menu that allows you to insert a retrospective track recording, that is, MIDI data that was captured during playback.

RELATED LINKS

[Track Inspector Sections](#) on page 159

Basics Section for Drum Tracks

The **Basics** section for drum tracks contains controls and parameters that allow you to control your drum track.



The top section of the drum track **Inspector** contains the following basic track settings:

Track Name



Click once to show/hide the basic track settings section. Double-click to rename the track.

Edit Channel Settings



Opens the **Channel Settings** window for the track.

Mute



Mutes the track.

Solo



Solos the track.

Read Automation



Allows you to read track automation.

Write Automation



Allows you to write track automation.

Listen



Indicates if **Listen** mode is enabled in the **Control Room**.

Open/Close Drum Machine



Opens/Closes the **Drum Machine** in the lower zone.

Record Enable



Activates the track for recording.

Monitor



Routes incoming MIDI to the selected MIDI output. For this to work, activate **MIDI Thru Active** in the **Preferences** dialog (**MIDI** page).

Switch Time Base



Switches between musical (tempo-related) and linear (time-related) time base for the track.

Lock



Disables all editing of any events on the track.

Show Lanes



Divides the tracks into lanes.

Freeze Channel



Allows you to freeze the sampler track.

Volume



Allows you to adjust the level of the track.

Pan



Allows you to adjust the panning of the track.

Delay



Allows you to adjust the playback timing of the track.

Event Type




Allows you to switch the event type between pattern event and MIDI part.

Load/Save/Reload Track Preset



Loads or saves a track preset or reverts the default presets.

Retrospective Recording




Opens a pop-up menu that allows you to insert a retrospective track recording, that is, MIDI data that was captured during playback.

RELATED LINKS

[Track Inspector Sections](#) on page 159

Basics Section for Group Channel Tracks

The **Basics** section for group channel tracks shows the settings for the group channel.



Track name



Click once to show/hide the basic track settings section. Double-click to rename the track.

Edit Channel Settings



Opens the **Channel Settings** window for the track.

Mute



Mutes the track.

Solo



Solos the track.

Read Automation



Allows you to read track automation.

Write Automation



Allows you to write track automation.

Switch Time Base



Switches between musical (tempo-related) and linear (time-related) time base for the track.

Lock



Disables all editing of any events on the track.

Volume



Allows you to adjust the level of the track.


Pan



Allows you to adjust the panning of the track.

NOTE

When you select the group folder track, the **Inspector** shows the folder and the group channels it contains. You can click one of the group channels shown in the folder to display the settings for that group channel in the **Inspector**.




RELATED LINKS

[Track Inspector Sections](#) on page 159

Basics Section for Effect Channel Tracks

The **Basics** section for effect channel tracks shows the settings for the effect channel.



Track name



Click once to show/hide the basic track settings section. Double-click to rename the track.

Edit Channel Settings



Opens the **Channel Settings** window for the track.

Mute



Mutes the track.

Solo



Solos the track.

Read Automation



Allows you to read track automation.

Write Automation



Allows you to write track automation.

Switch Time Base



Switches between musical (tempo-related) and linear (time-related) time base for the track.

Lock



Disables all editing of any events on the track.

Volume



Allows you to adjust the level of the track.


Pan



Allows you to adjust the panning of the track.

NOTE

When you select the effect folder track, the **Inspector** shows the folder and the effect channel tracks it contains. You can click one of the effect channel tracks shown in the folder to display the settings for that track in the **Inspector**.




RELATED LINKS

[Track Inspector Sections](#) on page 159

Basics Section for VCA Fader Tracks

The **Basics** section for VCA fader tracks shows the settings for the VCA faders.



Track name

VCA 01

Click once to show/hide the basic track settings section. Double-click to rename the track.

Read Automation

R

Allows you to read track automation.

Write Automation

W

Allows you to write track automation.

Switch Time Base

Switches between musical (tempo-related) and linear (time-related) time base for the track.

Lock

Disables all editing of any events on the track.

Volume

0.00 dB

Allows you to adjust the level of the track.

RELATED LINKS

[Track Inspector Sections](#) on page 159

Basics Section for Marker Tracks

The **Basics** section for marker tracks displays the marker list.

| Markers | | | |
|---------|--|-------------|-------------|
| > | | Position | Description |
| 1 | | 9. 1. 1. 0 | |
| 2 | | 17. 1. 1. 0 | |
| > [1] | | 1. 1. 1. 0 | |
| [2] | | 21. 1. 1. 0 | |

Track name

Markers 01

Double-click to rename the track.

Open Markers Window

Opens the **Markers** window.

Marker attributes

> ID Position Description

Shows the markers, their IDs, their time positions, and their descriptions. Click in the leftmost column to move the project cursor to the marker position.

RELATED LINKS

[Track Inspector Sections](#) on page 159

Folder Track Inspector

The **Inspector** for folder tracks shows the folder and its underlying track, similar to the folder structure in the File Explorer/macOS Finder. When you select one of the tracks shown under the folder, the **Inspector** shows the settings for that track.



Track name

Folder

Double-click to rename the track.

Mute

M

Mutes the track.

Solo

S

Solos the track.

Group Editing

=

Allows you to activate the group editing mode.

Record Enable

•

Activates the track for recording.

Monitor

🔊

For audio-related tracks, this routes incoming signals to the selected output.

For MIDI and instrument-related tracks, this allows you to route incoming MIDI signals to the selected MIDI output. For this to work, activate **MIDI Thru Active** in the **Preferences** dialog (**MIDI** page).

Lock

🔒

Disables all editing of any events on the track.

RELATED LINKS

[Track Inspector Sections](#) on page 159

Tempo Track Inspector

The tempo track **Inspector** displays a list of all tempo events.

| Tempo | | | |
|--------------|---------|------|-------------|
| Position | Tempo | Type | Text |
| 1. 1. 1. 0 | 120.000 | Step | |
| 1. 2. 1. 0 | 125.000 | Step | Allegro nor |
| 74. 2. 1. 0 | 120.000 | Step | accel. |
| 75. 1. 3. 0 | 152.000 | Step | |
| 76. 2. 1. 0 | 150.000 | Ramp | |
| 103. 1. 4. 0 | 120.000 | Step | rall. |

Open Tempo Track Editor



Opens the **Tempo Track Editor**.

Tempo event list

| Position | Tempo | Type | Text |
|------------|---------|------|------|
| 1. 1. 1. 0 | 120.000 | Step | |

Shows a list of all tempo events that allows you to edit tempo events and their positions.

Signature Track Inspector

The signature track **Inspector** displays a list of all time signature events.

| Signature | | |
|-----------|-------|---------|
| Bar | Sign. | Pattern |
| 1 | 4/4 | - - - - |

Bar

Shows the number of the bar where the signature event is positioned. Double-click the field and enter a new value to change the position of the signature event.

NOTE

The first signature event is always positioned at bar 1. You cannot change this.

Sign.

Shows the value of the signature event. Double-click the field and enter a new value to change the time signature.

Pattern

Shows the click pattern that is used. Double-click the field to open the **Click Pattern Editor** where you can change the pattern.

RELATED LINKS

[Click Pattern Editor](#) on page 309

Arranger Track Inspector

The arranger track **Inspector** displays the lists of available arranger chains and arranger events.



The arranger track **Inspector** contains the following settings:

Track name

Arranger Track

Double-click to rename the track.

Open Arranger Editor



Opens the **Arranger Editor**.

Select Active Arranger Chain + Functions

Arranger Chain 1

Allows you to select the active arranger chain, to rename it, to create a new one, to duplicate, or to flatten it.

Arranger Events

Arranger Events

Lists all arranger events in your project. Click the arrow of an arranger event to play it back and start the live mode.

Stop

Stop

Stops playback after the time interval set in the **Jump Mode** pop-up menu.

Jump Mode

End

Allows you to define how long the active arranger event is played before jumping to the next one.


RELATED LINKS

[Jump Mode](#) on page 400

[Arranger Editor](#) on page 394

Transpose Track Inspector

The transpose track **Inspector** contains parameters to control the transpose track.



Keep Transpose in Octave Range



Allows you to keep the transposition in the octave range and ensures that nothing is transposed by more than seven semitones.

Switch Time Base



Switches between musical (tempo-related) and linear (time-related) time base for the track.

Chord Track Inspector

The chord track **Inspector** contains settings for the chord events.



The top section of the chord track **Inspector** contains the following settings:

Track name



Click to show/hide the basic track settings section.

Mute Chord Track



Mutes the track.

Acoustic Feedback



Allows you to audition the events on the chord track. For this to work, you need to select a track for auditioning in the track list.

Record Enable



Activates the track for recording.

Switch Time Base



Switches between musical (tempo-related) and linear (time-related) time base for the track.

Lock



Disables all editing of any events on the track.

Voice library



Allows you to set up a voicing library for the track.

Voice library subset



Allows you to select a library subset.

Set up Voicing



Allows you to configure your own voicing parameters for a specific voicing scheme.

Adaptive Voicings



If this option is activated, the voicings are set automatically.

Automatic Scales



If this option is activated, the program automatically creates scale events.

Shift Chords




Allows you to specify an offset value to ensure that chord events also affect the MIDI notes. Enter a negative value to affect notes that have been triggered too early. Enter a positive value to affect notes that have been triggered too late.

RELATED LINKS

[Track Inspector Sections](#) on page 159

Video Track Inspector

The video track **Inspector** contains parameters to control the video track.



Reveal Video Window



Opens the **Video Player** window.

Mute Video Track



Mutes the track.

Show Frame Numbers



Allows you to show each thumbnail with the corresponding video frame number.

Show Thumbnails



Allows you to activate/deactivate the thumbnails of the video track.

Lock



Disables all editing of any events on the track.


RELATED LINKS

[Track Inspector Sections](#) on page 159

Set up Channel Sections Pane

For audio-related and MIDI-related tracks you can configure the visibility settings of the individual **Channel** sections. You can also specify the order of the sections.

- To configure the sections for the **Channel** tab, right-click an empty area of the **Channel** tab, and select **Set up Sections**.



Section options

Activate/Deactivate the option for the section that you want to show/hide.

Show All

Shows all sections.

Reset All

Allows you to restore the default settings.

NOTE

You can change the order of the sections by dragging them up or down in the list.

RELATED LINKS

[Track Inspector Sections](#) on page 159

[Channel Sections](#) on page 179

Channel Sections

You can set up channel-specific sections on the **Set up Sections** pane for the **Channel** tab.

Depending on the track type, you can set up the following **Channel** sections:

Equalizer Curve

For audio-related tracks/channels, this allows you to draw an EQ curve. Click in the curve display to open a larger view, where you can edit the curve points.

Routing

For audio-related channels/tracks, this allows you to set up the input and output routing.

For MIDI-related tracks, this allows you to set up the input routing, the output routing, and the group and channel.

Pre

For audio-related tracks/channels, it contains input filter and gain controls along with **Phase** and **Gain** controls.

For MIDI channels, it contains an **Input Transformer** control.

Modulators

For audio-related channels/tracks and drum channels/tracks, this allows you to add modulators.

Inserts

For audio-related channels/tracks, this allows you to add audio insert effects.

Inserts

For MIDI-related channels/tracks, this allows you to add MIDI insert effects.

EQ

For audio-related channels/tracks, this allows you to adjust up to four bands of EQs.

Strip

For audio-related tracks/channels, this allows you to integrate channel strip modules that enable you to enhance your sound.

Sends

For audio-related channels/tracks, this allows you to select send effects.

Sends

For MIDI-related channels/tracks, this allows you to add MIDI send effects.

Cue Sends

For audio-related tracks/channels and for MIDI-related channels/tracks that are routed to an instrument, this allows you to activate and control the level and pan for up to 4 cue sends.

Direct Routing

For audio-related channels/tracks, this allows you to set up direct routing.

Picture

Allows you to add a picture to the channel.

Latency

For audio-related tracks/channels, this displays the latencies caused by insert effects, channel strip modules, or panners.

To expand/collapse a section, click its header or the arrow to the left of the section header. If the section is too narrow, the arrow is automatically hidden.

RELATED LINKS

[Channel Tab](#) on page 70

[Channel Sections on page 179](#)
[Set up Inspector Sections Pane on page 158](#)


Track Controls Settings Dialog

The **Track Controls Settings** dialog allows you to configure which track controls are displayed in the track list. You can also specify the order of controls and group controls so that they are always shown adjacent to each other.

NOTE

The **Track Controls Settings** dialog is available for the main track types. The track types that are shown in the **More Tracks** section of the **Add Track** dialog, however, have a fixed set of track-specific controls. Exceptions to this are the chord track and the video track.

- To open the **Track Controls Settings** dialog, right-click a track in the track list and select **Track Controls Settings** from the context menu, or click **Open Track Controls Settings Dialog** in the bottom right corner of the track list.



Track type

Allows you to select the track type to which your settings are applied.

Hidden Controls

Displays controls that are hidden in the track list.

Visible Controls

Displays controls that are visible in the track list.

Width

Allows you to set the maximum length for the track name.

Group

Displays the group number.

Add

Allows you to move a selected item from the list of hidden controls to the list of visible controls.

Remove

Allows you to move a selected item from the list of visible controls to the list of hidden controls. All controls can be removed, except for **Mute** and **Solo**.

Move Up/Move Down

Allows you to change the order of items in the list of visible controls.

Group

Allows you to group two or more selected items in the visible controls list that are next to each other. This ensures that they are always positioned side by side in the track list.

Ungroup

Allows you to ungroup grouped controls in the visible controls list. To remove an entire group, select the first (topmost) element of this group and click **Ungroup**.

Reset

Allows you to restore all default track controls settings for the selected track type.

Controls Area Preview

Shows a preview of the customized track controls.

Presets

Allows you to save settings for track controls as presets. To recall a preset, click **Switch Presets** in the bottom right corner of the track list. The name of the selected preset is shown in the left corner.

Controls Area Width

Allows you to determine the width of the track controls area for the selected track type. In the **Controls Area Preview**, this area is shown with a frame.

Track Name Width (global)

Allows you to determine the global name width for all track types.

Output Group and Channel Width (MIDI)

Allows you to determine the width for the **Output Group and Channel** field for MIDI-related track types.

Apply

Applies your settings.

Reset All

Allows you to restore all default settings for track controls for all track types.

Track Controls

You can configure which track controls are shown in the track list.

NOTE

You can only configure track controls for the main track types. The track types that are shown in the **More Tracks** section of the **Add Track** dialog, however, have a fixed set of track-specific controls. The chord track and the video track are exceptions to this.

The following track controls are always shown:

Mute



Mutes the track.

Solo



Solos the track.

The track name control is available for all track types:

Name



Shows the name of the track. Double-click to rename the track.

Audio-Related Tracks

The following track controls are specific to audio-related tracks, that is, audio tracks, instrument tracks, sampler tracks, group channel tracks, and effect channel tracks:

Modulators State



Shows the state of the modulators for the track. Click the button to bypass the modulators. Right-click it to show which modulators are added.

Inserts State



Shows the state of the inserts for the track. Click the button to bypass the inserts. Right-click it to show which insert effect is loaded.

Bypass EQs



Shows the state of the equalizers for the track. Click the button to bypass the equalizers.

Bypass Sends



Shows the state of the sends for the track. Click the button to bypass the sends. Right-click it to show which send effect is loaded.

Freeze Channel



Opens a dialog that allows you to set the **Tail Size** time in seconds.

Channel Configuration



Shows the channel configuration of the track.

For mono and stereo tracks, it allows you to switch between mono and stereo.

Listen



Indicates if **Listen** mode is enabled in the **Control Room**.

MIDI-Related Tracks


The following controls are specific to MIDI-related tracks, that is, MIDI tracks, sampler tracks, and instrument tracks:

ASIO Latency Compensation



Moves all recorded events on the track by the current latency.

Programs



Allows you to select a program.

Edit In-Place



Allows you to edit MIDI events and parts on the track in the **Project** window.

Drum Map



Allows you to select a drum map for the track.

Audio- and MIDI-Related Tracks

The following track controls are specific to audio- and MIDI-related tracks:

Record Enable



Activates the track for recording.

Monitor



For audio-related tracks, this routes incoming signals to the selected output.

For MIDI and instrument-related tracks, this allows you to route incoming MIDI signals to the selected MIDI output. For this to work, activate **MIDI Thru Active** in the **Preferences** dialog (**MIDI** page).

Edit Channel Settings



Opens the **Channel Settings** window for the track.

Show Lanes



Divides the tracks into lanes.

Lock



Disables all editing of any events on the track.

Read Automation



Allows you to read track automation.

Write Automation



Allows you to write track automation.

Instrument Tracks

The following controls are specific to instrument tracks:

Edit Instrument



Allows you to open the instrument panel.

Instrument



Allows you to select an instrument.

Sampler Tracks

The following controls are specific to sampler tracks:

Open/Close Sampler



Opens/Closes the **Sampler Control** in the lower zone.

Drum Tracks

The following controls are specific to drum tracks:

Event Type



Allows you to switch the event type between pattern event and MIDI part.

MIDI Tracks

The following controls are specific to MIDI tracks:

Output Group and Channel



Allows you to specify the MIDI output channel.

NOTE

If you use MIDI 2.0 devices with dedicated device ports, this allows you to specify the MIDI output group, and the MIDI output channels.

Output



Allows you to specify the output for the track.

Inserts State



Shows the state of the inserts for the track. Click the button to bypass the inserts. Right-click it to show which insert effect is loaded.

Bypass Sends



Shows the state of the sends for the track. Click the button to bypass the sends. Right-click it to show which send effect is loaded.

Group/FX/VCA Tracks

The following track controls are specific to group/FX/VCA tracks:

Mute



Mutes the track.

Solo



Solos the track.

Edit Channel Settings



Opens the **Channel Settings** window for the track.

Channel Configuration



Shows the channel configuration of the track.

For mono and stereo tracks, it allows you to switch between mono and stereo.

Marker Tracks

The following controls are specific to marker tracks:

Add Position Marker



Allows you to add a position marker at the project cursor position. This track control is always shown.

NOTE

Shift-clicking allows you to add a marker and instantly rename it.

Add Cycle Marker



Allows you to add a cycle marker at the project cursor position. This track control is always shown.

NOTE

Shift-clicking allows you to add a marker and instantly rename it.

Locate



Allows you to move the project cursor to the selected marker position.

Cycle



Allows you to select a cycle marker.

Zoom



Allows you to zoom in on a cycle marker.

Activate Track



Activates this marker track.

Folder Tracks

The following controls are specific to folder tracks:

Group Editing



Allows you to activate the group editing mode.

Expand/Collapse Folder




Shows/Hides the tracks in the folder. Hidden tracks are played back as usual.

Add Track Dialog

The **Add Track** dialog allows you to set up and add tracks.

To open the **Add Track** dialog, click **Add Track** in the global track control area of the track list.



RELATED LINKS

- [Add Track Dialog – Audio](#) on page 133
- [Add Track Dialog – Instrument](#) on page 135
- [Add Track Dialog – Sampler](#) on page 137
- [Add Track Dialog – MIDI](#) on page 140
- [Add Track Dialog – Group Channel](#) on page 142
- [Add Track Dialog – Effect](#) on page 144

[Add Track Dialog – VCA](#) on page 146
[Add Track Dialog – Marker](#) on page 148
[Add Track Dialog – Ruler](#) on page 149
[Add Track Dialog – Folder](#) on page 151
[Tempo Track](#) on page 153
[Signature Track](#) on page 154
[Arranger Track](#) on page 156
[Transpose Track](#) on page 156
[Chord Track](#) on page 157
[Video Tracks](#) on page 158

Track Handling

Tracks are the building blocks of your project. In Cubase, events and parts are placed on tracks.

Adding Tracks via Double-Click

You can add tracks by double-clicking in the track list.

PROCEDURE

- Do one of the following:
 - To add a MIDI track, make sure no track is selected, and double-click an empty area of the track list.
 - To add an audio track or a MIDI and adapt the same input bus, output bus of a track of the same type, select that track and double-click an empty area of the track list.
-

RELATED LINKS

[Deselecting Tracks](#) on page 210

Adding Tracks via the Add Track Dialog

You can add tracks via the **Add Track** dialog.

PROCEDURE

1. In the global track control area of the track list, click **Add Track** .
 2. Do one of the following:
 - Click the track type and set up the options according to your needs.
 - To add other track types, open the **More Tracks** section and click the track type.
 3. Click **Add Track**.
-

RESULT

The new track is added to the project below the selected track.

RELATED LINKS

[Add Track Dialog – Audio](#) on page 133
[Add Track Dialog – Instrument](#) on page 135
[Add Track Dialog – Sampler](#) on page 137
[Add Track Dialog – MIDI](#) on page 140
[Add Track Dialog – Effect](#) on page 144
[Add Track Dialog – Group Channel](#) on page 142
[Add Track Dialog – VCA](#) on page 146
[Add Track Dialog – Marker](#) on page 148
[Add Track Dialog – Ruler](#) on page 149
[Add Track Dialog – Folder](#) on page 151
[Tempo Track](#) on page 153

- [Signature Track](#) on page 154
- [Arranger Track](#) on page 156
- [Transpose Track](#) on page 156
- [Chord Track](#) on page 157
- [Video Tracks](#) on page 158

Adding Tracks Using Track Presets

You can add tracks based on track presets. Track presets contain sound and channel settings.

PROCEDURE

1. In the global track control area of the track list, click **Use Track Preset** .
 2. In the **Choose Track Preset** dialog, select a track preset.
The number and type of the added tracks depend on the selected track preset.
 3. Click **OK**.
-

RESULT

The new tracks are added to the project below the selected track.

RELATED LINKS

[Track Presets](#) on page 226

Adding Tracks by Dragging Files from the MediaBay

You can add tracks by dragging files from the **MediaBay**.

PREREQUISITE

One of the following prerequisites must apply:

- The **MediaBay** is open. To open the **MediaBay**, press **F5**.
 - The **Media** rack in the right zone of the **Project** window is open. Click **Show/Hide Right Zone** and click the **Media** tab to open it.
-

PROCEDURE

1. In the **MediaBay**, select the files for which you want to add tracks.
 2. Drag the files into the track list.
 - The indicator highlights the position at which the new tracks will be added.
 - If you drag multiple audio files into the track list, choose if you want to place all files on one track or on different tracks.
 - If you drag multiple audio files into the track list, the **Import Options** dialog opens. It allows you to edit the import options.
-

RESULT

The new tracks are added at the position that was highlighted by the indicator in the track list. The audio files are inserted at the cursor position.

RELATED LINKS

[MediaBay and Media Rack](#) on page 746

[Media Rack in Right Zone](#) on page 746

[Import Options Dialog for Audio Files](#) on page 345

Track Import from Projects or Track Archives

You can import tracks from other Nuendo or Cubase projects or track archives. This allows you, for example, to import premixed tracks or stems into your active project, or to reuse the mix settings of a previous project for a new song.

For each individual track, you can decide whether to create a new track in your active project or to replace data on an existing track. If you use identical track names in both the imported and the active project, you can automatically select matching tracks as the import destination. You can choose to import the track events or the track settings only, to include or to exclude automation data, to import a specific range only, or to import all track data.

NOTE

The track settings for read/write automation status, record enable, monitor, muting/soloing, and visibility are not imported.

When importing multiple tracks that are related to each other via sends, output routing, quick link, or a VCA fader within the source project, their relations are retained in your active project.

NOTE

If your active project contains routing targets with names that are identical to names in the source project, imported tracks are connected accordingly.

Depending on the track type, the following import rules apply:

Audio, instrument, MIDI, and sampler tracks

- If you select **New Track** as the destination, a new track is created in the active project. This track contains all imported track data, including track versions.
- If you select an existing track as the destination, you can choose whether to add the imported audio to the existing events, to replace them, or to create a new track version.
Existing track versions in the active project are maintained, and track versions of the source project are added.

VCA, group, and effect channel tracks

- If you select **New Track** as the destination, a new track is created in the active project.
- If you select an existing VCA, group, or effect channel track as the destination, this track is replaced by the imported track.

Folder tracks

- If you select **New Track** as the destination, a new track is created in the active project.
- If you import a folder track to an existing track, the entire content of this track is replaced by the tracks of the imported folder track.

Marker tracks

- If you select **New Track** as the destination, a new marker track is created. If your project already contains 10 marker tracks, you cannot import marker tracks from another project. In this case, you must first remove an existing marker track.

NOTE

Nuendo projects can contain more than 10 marker tracks. If you import marker tracks from Nuendo projects to Cubase, only the first 10 selected marker tracks in the **Import Options** dialog are imported into your Cubase project.

- If you select an existing marker track as the destination, the imported track data replaces the existing track data.

Chord, signature, and tempo tracks

- If you import chord, signature, or tempo tracks, existing track versions in the active project are maintained.

NOTE

- Signature and tempo tracks can only be imported if **Bars+Beats** is selected as **Primary Time Format** on the **Project** window toolbar or the **Transport Bar**.
- If you select a signature track for import, **Cursor Position** cannot be selected in the **Import Options** dialog.

Video tracks

- If you select **New Track** as the destination, a new video track is created. If your project already contains 2 video tracks, you cannot import a video track from another project. In this case, you must first remove an existing video track.
- If you select an existing video track as the destination, the imported track data replaces the existing track data.

RELATED LINKS

[Importing Tracks from Projects](#) on page 192

[Importing Tracks from Track Archives](#) on page 193

[Import Options Dialog for Tracks](#) on page 193

[Project Window Toolbar](#) on page 54

Importing Tracks from Projects

You can import tracks from other Nuendo or Cubase projects.

PROCEDURE

1. Select **File > Import > Tracks from Project**.
2. In the File Explorer/macOS Finder, select the project file that contains the tracks that you want to import, and click **Open**.
3. In the **Import Options** dialog, select the tracks that you want to import, and make further settings, if necessary.
4. Click **OK**.

RESULT

The tracks are imported into your active project.

RELATED LINKS

[Track Import from Projects or Track Archives](#) on page 191

[Import Options Dialog for Tracks](#) on page 193

[Track Versions](#) on page 219

Importing Tracks from Track Archives

You can import tracks from track archives.

PREREQUISITE

You have created at least one track archive by exporting selected tracks from a project.

PROCEDURE

1. Select **File > Import > Track Archive**.
2. In the File Explorer/macOS Finder, select the .xml file of the track archive, and click **Open**.
3. In the **Import Options** dialog, select the tracks that you want to import, and make further settings, if necessary.
4. Click **OK**.

RESULT

The tracks are imported into the active project.

RELATED LINKS

[Track Import from Projects or Track Archives](#) on page 191


[Import Options Dialog for Tracks](#) on page 193

[Track Versions](#) on page 219

Import Options Dialog for Tracks

The **Import Options** dialog allows you to activate tracks for import, to specify the destination in the active project and the track data that is to be imported, and to set up further import options.

- To open the **Import Options** dialog, select **File > Import > Track Archive** or **File > Import > Tracks from Project**, and open the project file from which you want to import tracks.



Tracks

Select All

Selects all tracks.

Deselect All

Deselects all tracks.

Expand All

Expands the track list.

Collapse All

Collapses the track list.

Select Matching

Sets tracks with identical names as the corresponding destination for all selected tracks in the track list.

Reset

Sets **New Track** as the destination for all selected tracks in the track list.

Search

Allows you to filter the track list. **Clear Search** resets the filter.

Track list

Shows the tracks that are selected in the project. The **Source Track** column allows you to select the tracks that you want to import into your project. The **Destination Track** column allows you to choose a destination for the corresponding track.

Track Data to be Imported

Events and Parts

Imports events and parts.

NOTE

- If the imported track contains track versions, the track versions are also imported.
 - If events or parts are imported to an existing track, a new track version is created.
-

On Import on Existing Tracks

- **Replace All Events and Parts**

Replaces all existing events and parts on the target tracks with the imported audio data.

- **Add Events and Parts**

Adds the imported events and parts to the existing audio on the target tracks.

- **Create a New Track Version**

Creates new track versions.

NOTE

When importing on existing tracks, existing track versions in the active project are maintained, and track versions of the source project are added.

Import Position

- **Absolute Position**

Places imported track data at its original timecode position in your active project.

- **Relative Position**

Places imported track data relative to the start time of your active project, taking the start time of the source project into account.

For example, if the source project starts at timecode 01:00:00:00, with an event located at 02:00:00:00, and if the active project starts at 02:00:00:00, the imported event is placed at timecode 03:00:00:00.

- **Cursor Position**

Places imported track data relative to the cursor position in your active project, taking the start time of the source project into account.

For example, if the source project starts at timecode 01:00:00:00, with an event located at 02:00:00:00, and if the cursor in your active project is located at 02:00:00:00, the imported event is placed at timecode 03:00:00:00.

NOTE

- The position of imported events depends on the **Primary Time Format** that is selected on the **Project** window toolbar or the **Transport Bar**: If **Bars+Beats** is selected, events are inserted at a musical position. If any other option is selected, events are inserted at a time linear position.
- If the start of your active project on the timeline is after the end position of the imported track data in the source project, the imported data is not visible in the active project. In this case, you must adjust the start time of the active project accordingly.
- If the end time of your active project precedes the end time of the imported track data, the end time of your project is modified accordingly.
- If you have selected a signature track for import, **Import at Cursor Position** is not available.

Range

Allows you to specify a range to be imported into the source project. If this option is activated, only track data within this range is imported. **Use Locators** allows you to set the **Range** values for the left and right locator positions, respectively.

Channel and Inspector Settings

Imports all track settings, such as volume, panning, EQ, channel strip and **Inspector** settings, output routing, sends, cues, VCA connections, and plug-ins.

NOTE

The track settings for read/write automation status, record enable, monitor, muting/soloing, and visibility are not imported from other projects.

Automation

Imports all automation data that is related to the imported track data.

NOTE

If this option is deactivated when importing events or settings to an existing track, its automation data is reset.

Import Position for New Tracks

- **Below Selected Track**

Places imported tracks below the track that is selected in the track list.

- **Bottom of Track List**

Places imported tracks at the bottom of the track list.

Project Settings

Source Project/Active Project

Shows the file name, the sample rate, the frame rate, and the project start time for both the imported tracks and your active project.

NOTE

Imported tracks may contain media files with a sample rate that differs from the sample rate of your destination project. Files with a sample rate different from the one of the destination project play back at a wrong speed and pitch.

Media Files

Copy to Active Project Folder

Copies the media files of the imported tracks to your active project folder. If this option is deactivated, the media file path of the original project is referenced.

Convert Sample Rate

Converts the sample rate of the imported tracks to the sample rate of your active project.

NOTE

This option is available only if the sample rates of the imported tracks and of your active project differ, with **Copy to Active Project Folder** activated.

RELATED LINKS

[Track Import from Projects or Track Archives](#) on page 191

[Track Versions](#) on page 219

[Project Window Toolbar](#) on page 54

Track Export

You can export selected tracks as track archives. This is useful if you want to use specific tracks in other projects, for example.

Track archives contain information about the tracks, such as channel settings, parts and events, and automation.

NOTE

Project-specific settings, such as the tempo, are not exported to track archives.

Track archives are saved as .xml files.

When exporting audio and video tracks, you can either reference the media files or copy them to a separate folder.

RELATED LINKS

[Track Presets](#) on page 226

[Exporting Tracks as Track Archives](#) on page 197
[Export Selected Tracks Dialog](#) on page 197

Exporting Tracks as Track Archives

You can convert tracks into track archives by exporting and saving them as .xml files.

PROCEDURE

1. Select the tracks that you want to export.
 2. Select **File > Export > Selected Tracks**.
 3. In the **Export Selected Tracks** dialog, choose one of the following options:
 - Select **Copy Media Files** to create copies of the media files on export.
 - Click **Reference Media Files** to reference the original media files on export.
 4. Optional: If you want to use the exported tracks with older versions of Cubase or Nuendo, select the appropriate product version from the **Compatibility** pop-up menu.
 5. Click **OK**.
 6. In the file dialog that opens, select or create a folder for saving the track archive.
 7. Enter a file name, and click **Save**.
-

RESULT

The track archive is saved as an .xml file. If you have chosen to create copies of the media files, an additional media subfolder is created.


RELATED LINKS

[Export Selected Tracks Dialog](#) on page 197

Export Selected Tracks Dialog

The **Export Selected Tracks** dialog allows you to specify how media files are handled on export, and which older program versions the exported track archive should be compatible with.

- To open the **Export Selected Tracks** dialog, select **File > Export > Selected Tracks**.



Copy Media Files

Creates copies of the media files when exporting them.

Reference Media Files

References the original media files when exporting them, instead of creating copies of the files.

Compatibility

Allows you to select which versions of Cubase or Nuendo you want the exported files to be compatible with.

RELATED LINKS

[Exporting Tracks as Track Archives](#) on page 197

Exporting MIDI Tracks as Standard MIDI Files

You can export MIDI tracks as standard MIDI files. This allows you to transfer MIDI material to virtually any MIDI application on any platform.

PROCEDURE

1. Select **File > Export > MIDI File**.
 2. In the file dialog that opens, specify a location and name for the file.
 3. Click **Save**.
 4. In the **Export Options** dialog, activate the settings that you want to export, and click **OK**.
-

RESULT

The MIDI file is exported. It includes the tempo and the time signature events of the **Tempo Track Editor** or, if the tempo track is deactivated on the **Transport** panel, the current tempo and time signature.

NOTE

If you want to include **Inspector** settings that differ from those specified in the **Export Options**, use **Merge MIDI in Loop** to convert these settings to real MIDI events.


RELATED LINKS

[Export Options Dialog for MIDI Files](#) on page 198[Merging MIDI Events into a New Part](#) on page 1068

Export Options Dialog for MIDI Files

The **Export Options** for MIDI files allow you to specify what data to include in the exported MIDI files.

- To open the **Export Options** for MIDI files, select **File > Export > MIDI File**.



Export Inspector Patch

Includes MIDI patch settings in the **Inspector** as MIDI bank select and program change events in the MIDI file.

Export Inspector Volume/Pan

Includes volume and pan settings in the **Inspector** as MIDI volume and pan events in the MIDI file.

Export Automation

Includes automation as MIDI controller events in the MIDI file. This also includes automation recorded with the **MIDI Control** plug-in.

If you record a continuous controller (CC 7, for example) and deactivate **Read Automation** for the automation track, only the part data for this controller is exported.

Export Inserts

Includes MIDI modifiers and MIDI inserts in the MIDI file.

Export Sends

Includes MIDI sends in the MIDI file.

Export Markers

Includes markers as standard MIDI file marker events in the MIDI file.

Export as Type 0

Exports a type 0 MIDI file with all data on a single track, but on different MIDI channels. If you deactivate this option, a type 1 MIDI file with data on separate tracks is exported.

Export Resolution

Allows you to set a MIDI resolution between 24 and 960 for the MIDI file. The resolution is the number of pulses, or ticks, per quarter note (PPQ) and determines the precision with which you will be able to view and edit the MIDI data. The higher the resolution, the higher the precision. Choose the resolution based on the application or sequencer to be used, because certain applications and sequencers may not be able to handle certain resolutions.

Export Locator Range

Exports only the range between the left and the right locator.

Export includes Delay

Includes delay settings you have made in the MIDI file via the **Inspector**.

RELATED LINKS

[Automation](#) on page 854

[Markers](#) on page 411

[MIDI Track Parameters](#) on page 1045

[Merging MIDI Events into a New Part](#) on page 1068

[Export Options](#) on page 1537

[Exporting MIDI Parts as MIDI Files](#) on page 265

Channel Configurations

The channel configuration of audio, group channel, and effect channel tracks defines their number and configuration of speaker channels. Cubase supports mono, stereo, and several 2D and 3D surround channel configurations.

The channel configuration is set when creating a track. For other channel configurations than mono and stereo, you cannot change the configuration of existing tracks.

For audio, group channel, and effect channel tracks in your project, you can change the channel configuration from mono to stereo and vice versa at any time.

NOTE

- You cannot switch channel configurations during recording.

- You cannot switch the channel configuration of a frozen track.
-

When you switch the channel configuration, the following routing rules apply:

- When switching from stereo to mono, the left signal of the stereo input is used.
- When switching a mono track that uses a mono input bus to stereo, the mono input bus is kept.

RELATED LINKS

[Switching the Channel Configuration between Mono and Stereo](#) on page 200
[Surround Channel Configurations](#) on page 793



Switching the Channel Configuration between Mono and Stereo

You can switch the channel configuration between mono and stereo for audio, group channel, and effect channel tracks.

PREREQUISITE

Recording is not activated.

PROCEDURE

- Do one of the following:
 - In the track control area of an audio, group channel, and effect channel track in mono or stereo channel configuration, click **Channel Configuration**.

 - In the **MixConsole** fader section of an audio, group channel, and effect channel track in mono or stereo channel configuration, click **Channel Configuration**.


RESULT

The channel configuration of the track switches from mono to stereo, or vice versa.

RELATED LINKS

[Channel Configurations](#) on page 199

Splitting Multi-Channel Audio Tracks

You can split multi-channel tracks, such as stereo or surround, into several mono tracks. This is useful if you want to use the tracks in an application that only supports mono tracks or if you want to edit individual channels of a multi-channel file.

PROCEDURE

1. In the **Project** window, select the track that you want to split.
2. Select **Project > Convert Tracks > Multi-Channel to Mono**.

3. In the **Split Multi-Channel to Mono** dialog, make your changes and click **OK**.
-

RESULT

- The resulting number of mono tracks corresponds to the channel configuration of the source track.
- All channel settings of the source tracks are copied to the tracks created by the split operation.
- The multi-channel audio material of the source track is split into mono events, which are inserted on the new tracks.
- In the **Audio** folder of the project, a subfolder called **Split** is created, which contains the new mono files.


NOTE

- If you split a stereo track, the resulting mono tracks are panned hard left and hard right, using the standard stereo panner.
 - If you split a multi-channel track and this track is routed to an output bus, a group channel, or an effect channel with corresponding child busses, all resulting mono tracks are routed to their assigned channels. Otherwise, the resulting mono tracks are panned to center.
 - If the channel configurations of the source track and the source file do not match because the multi-channel source track contains a mono file, for example, this mono file is copied onto the first 2 destination tracks. However, as panning information is not considered during the split, the volume of the new mono file may not match that of the file on the original track.
-

Split Multi-Channel to Mono Dialog

The **Split Multi-Channel to Mono** dialog allows you to specify how to convert multi-channel tracks to mono tracks.

- To open the **Split Multi-Channel to Mono** dialog, select **Project > Convert Tracks > Multi-Channel to Mono**.



Source Tracks

Allows you to choose whether you want to split all multi-channel tracks or only the selected ones.

Options

Allows you to specify what happens when you split the multi-channel file:

- **Keep Source Tracks**
Inserts new tracks below the source tracks.
- **Mute Source Tracks**
Inserts new tracks below the source tracks and mutes the source tracks.
- **Delete Source Tracks**
Inserts new tracks and deletes the source tracks.

- **Create New Project**

Creates a new project containing only the resulting tracks.

Split File Name Format

This pop-up menu allows you to specify how the split tracks and files are named.

Merging Mono Audio Tracks to Multi-Channel Tracks

Converting mono tracks to multi-channel tracks makes editing and mixing more convenient.

PREREQUISITE

- Your project contains tracks with audio events that are not in **Musical Mode**.
- The tracks fit evenly into a number of multi-channel files of the destination format.
- The tracks reside on the same level in the track list, that is, either on the top level or within the same folder track.
- The tracks match, in terms of channel settings and automation.
If the settings differ, the settings of the topmost track of each group are used.
If the separate audio events have different volume envelopes, these are calculated into the new clip.
- The level of the source events should not exceed 0 dB. Otherwise, clipping can occur in the created files. The only exception to this are files in 32-bit float format.

PROCEDURE

1. Optional: Select the tracks that you want to convert in the **Project** window.
 2. Select **Project > Convert Tracks > Mono to Multi-Channel**.
 3. In the **Merge Mono to Multi-Channel** dialog, make your changes and click **OK**.
-

RESULT

- The resulting number of multi-channel tracks corresponds to the channel configuration of the source track.
- The names of the multi-channel tracks derive from the mono source tracks.

NOTE

The following naming rules apply:

- If the track names of the source tracks end with a suffix, separated by a space or a special character that indicates the corresponding speaker channel, for example, “_L” or “(L)” for the left channel, this suffix is removed for the multi-channel track name.
 - If the track names of the source tracks do not end with a channel suffix, the channel configuration of the multi-channel track is added to its name.
-
- Events that have the same timeline position are converted into a multi-channel event on the new track.
 - If the lengths of the source events do not match exactly, the overlap is included in the new events.
 - In the **Audio** folder of the project, a subfolder called **Merge** is created, which contains the new multi-channel files.

NOTE

If the outputs of the mono tracks are routed to separate channels within one output bus, this bus is selected as output for the multi-channel track.


RELATED LINKS

[Merge Mono to Multi-Channel Dialog](#) on page 203
[Export Audio Mixdown](#) on page 1406

Merge Mono to Multi-Channel Dialog

The **Merge Mono to Multi-Channel** dialog allows you to specify how to convert mono tracks to multi-channel tracks.

- To open the **Merge Mono to Multi-Channel** dialog, select **Project > Convert Tracks > Mono to Multi-Channel**.



Source Tracks

Allows you to choose whether you want to merge all mono tracks or only the selected ones.

Options

Allows you to specify what happens when the mono files are merged:

- **Keep Source Tracks**
Inserts new tracks below the source tracks.
- **Mute Source Tracks**
Inserts new tracks below the source tracks and mutes the source tracks.
- **Delete Source Tracks**
Inserts new tracks and deletes the source tracks.
- **Create New Project**
Creates a new project containing only the resulting tracks.

Destination Format

Allows you to select the format for the multi-channel file.

NOTE

The number of selected tracks must match this format. The tracks are combined according to their order in the track list.

Removing Selected Tracks

You can remove selected tracks from the track list.

PROCEDURE

- Select **Project > Remove Selected Tracks**.

If you delete tracks that are not empty, a warning message is displayed.

NOTE

You can deactivate this message. To reactivate the message, activate **Display Warning before Deleting Non-Empty Tracks** in the **Preferences** dialog (**Editing** page).

Removing Empty Tracks

You can remove empty tracks from the track list.

PROCEDURE

- Select **Project > Remove Empty Tracks**.
-

Reordering Tracks in the Track List

You can reorder tracks in the track list of the **Visibility** tab. The corresponding channels in the **MixConsole** follow.

PROCEDURE

1. Select the tracks that you want to reorder.
2. In the track list, click the track name or an empty area of one of the tracks, and drag the tracks up or down.

A green line indicates the positions where you can drop the tracks.

NOTE

You can also move the channels by right-clicking one of the selected channels and selecting one of the following commands from the **Move Selected Tracks** menu:

- **To New Folder** moves the tracks into a newly created folder.
 - **To Previous Available Position** moves the tracks to the previous position.
 - **To Next Available Position** moves the tracks to the subsequent position.
 - **To First Available Position** moves the tracks to the first position.
 - **To Last Available Position** moves the tracks to the final position.
-

RESULT

The tracks are reordered, and the corresponding channels in the **MixConsole** follow. You can restore the original order via the **Edit History** dialog.

NOTE

- You can also reorder tracks/channels by selecting them on the **Visibility** tab of the **Project** window or the **MixConsole** and dropping them onto the **Project** window track list or the **MixConsole** fader section, or vice versa.
 - When you drag a track and drop it onto a folder track, the track is moved to the last position in the folder.
-

RELATED LINKS

[Reordering Channels in the MixConsole](#) on page 485
[MixConsole Visibility](#) on page 431
[Track Visibility](#) on page 76

Renaming Tracks

You can rename tracks.

PROCEDURE

1. Do one of the following:
 - Double-click a track name, and type in a new name for the track.
 - With multiple tracks selected, to rename the first one, select **Edit > Rename > Rename First Selected Track**.

NOTE

Alternatively, you can use a key command (by default **Alt-F2**).

2. Press **Return**.

To assign the same name to all events on the track, hold down any modifier key, and press **Return**.

AFTER COMPLETING THIS TASK

If the **Parts Get Track Names** option is activated in the **Preferences** dialog (**Editing** page) and you move an event from one track to another, the moved event is automatically named according to its new track.

Automatically Assigning Colors to New Tracks/Channels

You can automatically assign colors to newly added tracks or channels.

PROCEDURE

1. Select **Edit > Preferences**.
2. Open the **User Interface** page, and select **Track & MixConsole Channel Colors**.
3. Open the **Auto Track/Channel Color Mode** pop-up menu and select an option.
4. Click **OK**.

RESULT

Any tracks/channels that you added by using **Add Track**, or by dragging files from the **Media** rack to the event display, are automatically colorized according to your settings.

RELATED LINKS

[User Interface - Track & MixConsole Channel Colors](#) on page 1544

Showing Track Pictures

Track pictures can help you to recognize your tracks. Track pictures are available for audio, instrument, MIDI, effect channel, and group channel tracks.

PREREQUISITE

Adjust the track height to at least two rows.

PROCEDURE

1. Right-click any track in the track list.
2. From the track list context menu, select **Show Track Pictures**.



If you move the mouse to the left on a track, a highlighted rectangle appears.

3. Double-click the rectangle.
 4. In the **Track Pictures Browser**, select a picture.
 5. Click **OK**.
-

RESULT

The picture is shown in the track list and in the **MixConsole** pictures section.

RELATED LINKS


[Track Pictures Browser](#) on page 206

[Adding Pictures to MixConsole Channels](#) on page 486

Track Pictures Browser

The **Track Pictures Browser** allows you to set up and select pictures that can be shown in the track list and in the **MixConsole**. With track pictures, you can recognize tracks and channels. You can select pictures from the factory content or add new ones to the user library.

- To open the **Track Pictures Browser** for a track, double-click the square in the lower left side of the track list.



Pictures browser

Shows the pictures that you can assign to the selected track/channel.

Factory

Shows the factory content in the pictures browser.

User

Shows your user content in the pictures browser.

Import

Opens a file dialog that allows you to select pictures in bmp, jpeg, or png format and add them to the user library.

Remove Selected Pictures from User Library

Removes the selected pictures from the user library.

Reset Current Picture

Removes the picture from the selected track/channel.

Preview

Opens/Closes a section with further color and zoom settings.

Track Picture Preview

Shows the current track picture. When you zoom in the picture, you can drag it with the mouse to change its visible part.

Rotate

Allows you to rotate the track picture.

Track Color

Opens the **Colorize** pane that allows you to select a track color.

Intensity

Allows you to apply the track color to the track picture and to set the color intensity.

Zoom

Allows you to change the size of the track picture.

RELATED LINKS

[Showing Track Pictures](#) on page 206

[Adding Pictures to MixConsole Channels](#) on page 486

Setting the Track Height

You can enlarge the track height to show the events on the track in detail, or you can decrease the height of several tracks to get a better overview of your project.

- To change the height of an individual track, click its lower border in the track list and drag up or down.
- To change the height of all tracks simultaneously, hold down **Ctrl/Cmd**, click the lower border of one track, and drag up or down.
- To set the number of tracks to view in the **Project** window, use the track zoom menu.
- To set the track height automatically when you select a track, click **Edit > Enlarge Selected Track**.

RELATED LINKS


[Track Height Presets Menu](#) on page 208

[Track Controls Settings Dialog](#) on page 181

Track Height Presets Menu

The **Track Height Presets** menu allows you to set the number of tracks and the track height in the **Project** window.

- To open the **Track Height Presets** menu in the lower right of the **Project** window, click the arrow button above the vertical zoom control.



The following options are available:

Zoom Tracks 1 Row

Zooms all tracks to a height of 1 row.

Zoom Tracks 2 Rows

Zooms all tracks to a height of 2 rows.

Zoom Tracks 3 Rows

Zooms all tracks to a height of 3 rows.

Zoom Tracks 4 Rows

Zooms all tracks to a height of 4 rows.

Zoom Tracks N Rows

Opens a dialog where you can define a custom number of rows.

Zoom Tracks Full

Zooms all tracks to fit in the active **Project** window.

Zoom 4 Tracks

Zooms in on the selected and 3 adjacent tracks.

Zoom 8 Tracks

Zooms in on the selected and 7 adjacent tracks.

Zoom N Tracks

Opens a dialog where you can define a custom number of tracks.

Zoom Tracks Minimal

Zooms all track heights to the minimum size.

Snap Track Heights

Changes the track height in fixed increments when you resize it.

RELATED LINKS

[Horizontal Zoom Presets](#) on page 100

[Zooming in the Project Window](#) on page 98

Selecting Tracks

You can select one or multiple tracks in the track list.

- To select a track, click on it in the track list.
- To select several tracks, **Ctrl/Cmd**-click several tracks.
- To select a continuous range of tracks, **Shift**-click the first and last track in a continuous range of tracks.

Selected tracks are highlighted.

RELATED LINKS

[Track Selection Follows Event Selection](#) on page 1522

[Scroll to Selected Track](#) on page 1526

[Select Channel/Track on Solo](#) on page 1526

[Select Channel/Track on Edit Settings](#) on page 1526

Selecting Tracks with Arrow Keys

You can select tracks and events with the **Up Arrow** key or the **Down Arrow** key on the computer keyboard. You can also make the **Up Arrow** key and the **Down Arrow** key exclusively available for selecting tracks.

- To make the **Up Arrow** key and the **Down Arrow** key exclusively available for selecting tracks, activate **Use Up/Down Navigation Commands for Selecting Tracks Only** in the **Preferences** dialog ([Editing](#) page).

The following applies:

- If this option is deactivated and no event/part is selected in the **Project** window, the **Up Arrow** key and the **Down Arrow** key are used to step through the tracks in the track list.
- If this option is deactivated and an event/part is selected in the **Project** window, the **Up Arrow** key and the **Down Arrow** key still step through the tracks in the track list – but on the selected track, the first event/part is automatically selected as well.

- If this option is activated, the **Up Arrow** key and the **Down Arrow** key are only used to change the track selection – the current event/part selection in the **Project** window is not altered.

Deselecting Tracks

You can deselect tracks that are selected in the track list.

PROCEDURE

- **Shift**-click a selected track.
-

RESULT

The track is deselected.

Duplicating Tracks

You can duplicate a track with all of its contents and channel settings.

PROCEDURE

- Select **Project > Duplicate Tracks**.
-

RESULT

The duplicated track appears below the original track.

Disabling Tracks

You can disable audio, instrument, MIDI, and sampler tracks that you do not want to play back or process at the moment. Disabling a track zeroes its output volume and shuts down all disk activity and processing for the track.

PROCEDURE

1. Select the tracks that you want to disable.
 2. Right-click in the track list and select **Disable Selected Tracks** from the context menu.
-

RESULT

The track color changes and the corresponding channel in the **MixConsole** is hidden.

To enable the disabled tracks and to restore all channel settings, right-click in the track list and select **Enable Selected Tracks**.

Freezing Multiple Tracks

You can freeze multiple selected audio, instrument, or sampler tracks.

PROCEDURE

1. In the track list, select the tracks that you want to freeze.
2. Do one of the following:
 - Select **Edit > Freeze/Unfreeze > Selected Tracks**.

- Right-click one of the selected tracks, and from the context menu, select **Freeze/Unfreeze Selected Tracks**.

NOTE

If you select several tracks, and you click **Freeze Channel** in the **Inspector**, only the active track is frozen.

-
- 3. In the **Freeze Channel Options** dialog, make your changes.

NOTE

You can also select **Edit > Freeze/Unfreeze > Selected Tracks (with Current Settings)** to freeze the tracks without showing the **Freeze Channel Options** dialog. In this case, the last settings are applied.

-
- 4. Click **OK**.

RESULT

- The output of the tracks are rendered to audio files, and on playback you hear the same sound as before freezing.
- Less CPU load is used.
- The **Freeze Channel** buttons light up.
- The track controls are grayed out.
- The audio events and MIDI parts are locked.
- You can still adjust the level and panning, make EQ settings, and adjust the effect sends.
- The **Sampler Control** section in the lower zone of the **Project** window is disabled.

NOTE

The audio file is saved in the **Freeze** folder that can be found in the following location:

- Windows: within the **Project** folder
- macOS: **User/Documents**

The freeze options are saved and used for all further freeze operations.

NOTE

In the **Key Commands** dialog in the **Edit** category, you can also assign a key command for **Freeze/Unfreeze Selected Tracks** and **Freeze/Unfreeze Selected Tracks (with Current Settings)**.

AFTER COMPLETING THIS TASK

To unfreeze the frozen tracks, select them and select **Edit > Freeze/Unfreeze > Selected Tracks** or **Edit > Freeze/Unfreeze > Selected Tracks (with Current Settings)**.

RELATED LINKS

[Freezing Insert Effects](#) on page 536

[Freezing Instruments](#) on page 945

[Freeze Channel Options Dialog for Instruments](#) on page 946

[Unfreeze Channel Options Dialog for Instruments](#) on page 947

[Freezing External Instruments/Effects](#) on page 48

[Freezing Sampler Tracks](#) on page 721

[Freeze Channel Options Dialog for Sampler Tracks](#) on page 722

[Unfreeze Channel Options Dialog for Sampler Tracks](#) on page 723

Organizing Tracks in Folder Tracks

You can organize your tracks in folders by moving tracks into folder tracks. This allows you to perform editing on several tracks as one entity. Folder tracks can contain any type of track, including other folder tracks.

- To add a folder track, click **Add Track** in the global track control area of the track list, and click **Folder**.
- To add a folder track and to move all selected tracks into it, open the **Project** menu. From the **Track Folding** submenu, select **Move Selected Tracks to New Folder**.
- To move tracks into a folder, select them and drag them into the folder track.
- To remove tracks from a folder, select them and drag them out of the folder.
- To hide/show tracks in a folder, click the **Expand/Collapse Folder** button of the folder track.
- To hide/show data on a folder track, open the context menu for the folder track, and select an option from the **Show Data on Folder Tracks** submenu.
- To mute/solo all tracks in a folder track, click the **Mute** or **Solo** button for the folder track.

NOTE

Hidden tracks are played back as usual.

RELATED LINKS

[Group Editing Mode](#) on page 262

Modifying Event Display on Folder Tracks

You can modify the event display on folder tracks.

PROCEDURE

1. Right-click the folder track.
2. On the context menu, select **Show Data on Folder Tracks**.

You have the following options:

- **Always Show Data**
Always displays data blocks or event details.
- **Never Show Data**
Displays nothing.
- **Hide Data When Expanded**
Hides the display of events when you open folder tracks.
- **Show Event Details**
Displays event details instead of data blocks.

NOTE

You can change these settings in the **Preferences** dialog (**Event Display—Folders** page).

RELATED LINKS

[Event Display - Folders](#) on page 1532

Moving Tracks to Folder Tracks

You can move your tracks to folder tracks to organize them and to perform editing on several tracks as one entity. You can move any type of track, including other folder tracks to folder tracks.

PROCEDURE

- Select **Project > Track Folding > Move Selected Tracks to New Folder**.
-

RESULT

This creates a new folder and moves all selected tracks into it.

NOTE

You can also drag and drop tracks into or out of a folder track.

RELATED LINKS

[Folder Tracks](#) on page 151

Handling Overlapping Audio

The basic rule for audio tracks is that each track can only play back a single audio event at a time. If two or more events overlap, only the one that is in the front is played back. You can, however, select the event/region that you want to play back.

PROCEDURE

- Do one of the following:
 - Right-click the audio event in the event display and select the desired event or region from the **To Front** or **Set to Region** submenu.

NOTE

The available options depend on whether you performed a linear or a cycle recording and on the record mode you used. When recording audio in cycle mode, the recorded event is divided into regions, one for each take.

- Click the middle handle on the lower border of a stacked event, and select an entry from the pop-up menu.
 - In the track list, activate **Show Lanes**, and select the desired take.
-

RELATED LINKS

[Lanes, Takes, and Overlapping Events](#) on page 215

Track Folding Menu

You can show, hide, or invert tracks that are displayed in the **Project** window event display. This allows you to divide the project into several parts by creating several folder tracks for the

different project elements and showing/hiding their contents by selecting a menu function or using a key command. You can also fold in automation tracks this way.

- To open the **Track Folding** submenu, select **Project > Track Folding**.

The following options are available:

Toggle Selected Track

Reverses the fold state of the selected track.

Fold Tracks

Folds in all open folder tracks in the **Project** window.

NOTE

The behavior of this function depends on the **Deep Track Folding** setting in the **Preferences** dialog.

Unfold Tracks

Unfolds all folder tracks in the **Project** window.

NOTE

The behavior of this function depends on the **Deep Track Folding** setting in the **Preferences** dialog.

Flip Fold States

Flips the fold states of the tracks in the **Project** window. This means that all tracks that were folded in will be unfolded and all unfolded tracks will be folded in.

Move Selected Tracks to New Folder

Moves all selected tracks to the folder track. This menu option is available if at least one folder track is available.

NOTE

- You can assign key commands to these menu options in the **Key Commands** dialog in the **Project** category.
 - If you activate **Deep Track Folding** in the **Preferences** dialog (**Editing—Project & MixConsole** page), track folding is applied to all subelements of the tracks.
-

Events Display on Folder Tracks

Closed folder tracks can display data of the contained audio, MIDI, and instrument tracks as data blocks or as events.


When you close folder tracks, the contents of the contained tracks are displayed as data blocks or events. Depending on the folder track height, the display of the events can be more or less detailed.

Lanes, Takes, and Overlapping Events

In the following, we focus on cycle recordings with takes. However, you can also apply lane operations and comping methods to overlapping events or parts that you assemble on one track.

If you perform a cycle recording in the **Keep History** or **Cycle History + Replace** modes (audio) or in the **Stacked** or **Mix-Stacked** modes (MIDI), the recorded cycle laps are shown on the track with the last recorded take, active and on top.

The **Show Lanes** mode gives you a good overview of all your takes. If you activate the **Show Lanes** button, the recorded takes are shown on separate lanes.



Lanes are handled differently, depending on whether you work with audio or MIDI:

Audio

As each audio track can only play back one single audio event at a time, you only hear the take that is activated for playback, for example, the last lap of a cycle recording.

MIDI

Overlapping MIDI takes (parts) can be played back simultaneously. If you recorded in **Mix-Stacked** mode, you hear all takes from all cycle laps.

Lanes can be reordered, sized, and zoomed like regular tracks.

To solo a lane, you can activate the **Solo** button for it. This allows you to hear the lane in the project context. If you want to hear the take without the project context, you also have to activate the **Solo** button of the main track.

Assembling a Perfect Take

You can play back, split, and activate takes to combine the best parts of your recording in a final take.

PROCEDURE

1. Select the **Comp** tool or the **Object Selection** tool.
 2. Bring a take to the front to select it for playback, and listen to it.
 3. Audition different takes to compare them in more detail.
 4. If necessary, split your takes into smaller sections, create new ranges, and bring them to the front.
 5. Proceed until you are satisfied with the result.
-

AFTER COMPLETING THIS TASK

After assembling your perfect take, you can improve your take.

- To automatically resolve overlaps and remove empty lanes, right-click the track and select **Clean Up Lanes**.

For audio, proceed as follows:

- Apply auto fades and crossfades to the comped takes.
- To put all takes on a single lane and to remove all takes in the background, select all takes and select **Audio > Advanced > Delete Overlaps**.

- To create a new and continuous event of all selected takes, select **Audio > Bounce Selection**.

For MIDI, proceed as follows:

- Open your takes in a MIDI editor to perform fine adjustments like removing or editing notes.
- To create a new and continuous part of all selected takes that is placed on a single lane, select all takes and select **MIDI > Bounce MIDI**.
- To create a new part and place it on a new track, select **MIDI > Merge MIDI in Loop**.

Finally, clean up the lanes as follows:

- Right-click a track and select **Create Tracks from Lanes**.

The lane is converted into a new track.

Assembling Operations

Unless otherwise stated, all operations can be performed in the **Project** window and in the **Audio Part Editor**. **Snap** is taken into account, and all operations can be undone.

To assemble a perfect take, you can use the **Comp** tool, the **Object Selection** tool, or the **Range Selection** tool.

- The **Comp** tool modifies all takes on all lanes simultaneously.
This is useful if the recorded takes have the same start and end positions.
- The **Object Selection** tool and the **Range Selection** tool affect single takes on individual lanes.
If this is not what you want, you can either perform your edits on the main track or use the **Comp** tool.

NOTE

If you assemble stacked events on an audio track, deactivate **Treat Muted Audio Events like Deleted** in the **Preferences** dialog (**Editing—Audio** page).

You can perform the following operations:

Assembling Operations

| Operation | Comp tool | Object Selection/Range Selection tool |
|---------------------------------|---|--|
| Select (Project window only) | Hold down Shift and click on a take. | Click on a take. |
| Bring to front | Click on a take. Click twice to toggle. | Position the mouse pointer over the middle of the lower border of a take until it changes to a Comp symbol, and click. Click twice to toggle. For MIDI, this mutes/unmutes a take. |

| Operation | Comp tool | Object Selection/Range Selection tool |
|---|--|---|
| Comping (create a new range and bring it to the front, Project window only) | Click and drag on a lane. All takes are split at the start and end of the range. If the audio takes are adjacent, without gaps or fades, and if the material itself matches, the takes are merged within the range. | - |
| Audition | Press Ctrl/Cmd to activate the Speaker tool, and click at the position where you want playback to start. | See left. |
| Move | Click and drag on the main track. | Click and drag on any lane. |
| Resize | Drag the resize handles. All takes with the same start and end positions are affected. Resizing is constrained to the end or start of the adjacent takes. This ensures that you do not accidentally create overlaps. | Drag the resize handles. |
| Correct timing (Slip Event) | Select a take, hold down Alt/Opt-Shift (the tool modifier for Slip Event), and drag with the mouse. | See left. |
| Split | Alt/Opt -click on a take. If you split a MIDI part and the split position intersects one or several MIDI notes, the result depends on the Split MIDI Events option in the Preferences dialog (Editing—MIDI page). | See left. |
| Adjust splits | Position the mouse pointer over a split and drag to the left or to the right. | See left. |
| Gluing splits | Bring a new range to front. | Select a range spanning all the splits that you want to glue, and double-click. |

RELATED LINKS

[Splitting Events](#) on page 256

Defining the Track Time Base

The time base of a track determines if the events on a track are positioned to bars and beats (musical time base) or to the timeline (linear time base). Changing the playback tempo affects only the time position of events on tracks with a musical time base.

PROCEDURE

- In the track **Inspector**, click **Switch time base between Musical and Linear**  to change the time base.
-

RESULT

Musical time base is indicated by a note symbol .

Linear time base is indicated by a clock symbol .

NOTE

Switching between linear and musical time base results in a very small loss of positioning precision. Therefore, avoid switching repeatedly between the two modes.

RELATED LINKS


[Editing Tempo and Time Signature](#) on page 1374[Project Tempo Modes](#) on page 1374

Defining the Default Track Time Base

You can specify the default track time type for new tracks (audio, group/FX, MIDI, and marker tracks).

PROCEDURE

1. In the **Preferences** dialog, select **Editing**.
2. Open the **Default Track Time Type** pop-up menu and select a default track time type.



RESULT

If you selected **Follow Transport Main Display**, the primary time format setting on the **Transport** panel is used. When this is set to **Bars+Beats**, tracks with musical time base are added. When this is set to any of the other options (Seconds, Timecode, Samples, etc.), all new tracks use linear time base.

RELATED LINKS

[Default Track Time Type](#) on page 1521

Track Versions

Track versions allow you to create and manage multiple versions of events and parts on the same track.

Track versions are available for audio tracks, MIDI tracks, instrument tracks, sampler tracks, and video tracks. You can also have track versions of the chord track, the signature track, and the tempo track.

Track versions are useful for the following tasks:

- Starting new recordings from scratch.
- Comparing different takes and comps.
- Managing takes that were recorded in a multi-track recording.

NOTE

Track versions are not available for automation tracks.

Track versions are included in track archives and project backups.

The track version key commands can be found in the **Track Versions** category of the **Key Commands** dialog.

Track Versions Pop-Up Menu

The **Track Versions** pop-up menu is available for all track types that support track versions. It contains the most important functions for managing track versions and a track versions list.

- To open the **Track Versions** pop-up menu for a track, click the arrow to the right of the track name.



The following options are available:

Track Version list

Lists all track versions of the track for which you opened the **Track Versions** pop-up menu and allows you to activate a track version.

New Version

Creates a new, empty track version for all selected tracks.

Duplicate Version

Creates a copy of the active track version for all selected tracks.

Rename Version

Opens a dialog that allows you to change the track version name for the selected tracks.

Delete Version

Deletes the active track version for all selected tracks. This is only available if the track has more than one track version.

Select Tracks with Same Version ID

Selects all tracks that have a track version with the same ID.


Show Version Name in Track List

Shows/Hides the version name next to the track name in the track list.

Track Versions Section

The **Track Versions** section in the **Inspector** allows you to view and manage track versions for a selected track. It is available for audio tracks, MIDI tracks, instrument tracks, sampler tracks, video tracks, and the chord track.

- To open the **Track Versions** section for a track, select the track. In the **Inspector**, click the **Track Versions** section.



Track Version Indicator

Indicates that more than one track version exists.

Name

Shows the version name. Double-click to change it. The name will be changed for all selected tracks.

ID

Shows the track version ID.

Track Version list

Lists all track versions and allows you to activate one of them for all selected tracks.

Add new Track Version

Creates a new, empty track version for all selected tracks.

Duplicate active Track Version

Creates a copy of the active track version for all selected tracks.

Delete active Track Version

Deletes the active track version for all selected tracks. This function is only available if the track has more than one track version.

Creating New Track Versions

You can create new, empty track versions for selected tracks.

PROCEDURE

1. In the track list, select the tracks for which you want to create a new track version.
2. Select **Project > Track Versions > New Version**.

NOTE

You can also use the **Track Versions** section in the **Inspector** (only available for audio tracks, MIDI tracks, instrument tracks, sampler tracks, video tracks, and the chord track) or the **Track Versions** pop-up menu in the track list to create a new track version.

RESULT

The event display shows a new, empty track version. Events of previous track versions are hidden. The track list shows a default version name.

Track Version IDs

All track versions are automatically assigned an ID. Track versions that are created together receive the same track version ID and can be selected together.

In the **Track Versions** section in the **Inspector**, the track version ID is shown in the **ID** column of the track version list.

In the track list, you can open the **Track Versions** pop-up menu to see the track version ID.

Selecting Tracks by Track Version ID

You can simultaneously select all tracks that share the same track version ID.

PROCEDURE

1. Activate the track version.
 2. Select **Project > Track Versions > Select Tracks with Same Version ID**.
-

RESULT

All tracks that have track versions with the same ID are selected.

Assigning a Common ID

Track versions on different tracks that were not created together have different track version IDs. Track versions with different IDs cannot be activated together. To do this, you must assign a new version ID to these tracks.

PROCEDURE

1. Select the tracks and activate the track versions to which you want to assign a common version ID.
 2. Select **Project > Track Versions > Assign Common Version ID**.
-

RESULT

A new ID is assigned to all active track versions on the selected tracks. The tracks are now marked as belonging together. You can now activate them all at once.

Active Track Version


If you created more than one track version for a track, you can show the events of a specific track version in the event display. This process is referred to as activating track versions.

Activating Track Versions

You can activate one of your track versions. This also shows its events in the event display.

PROCEDURE

1. Click the arrow to the right of the track name to open the **Track Versions** pop-up menu.



2. Select the track version that you want to activate.
3. Optional: Activate **Show Version Name in Track List**.

This shows the version name next to the track name in the track list.

RESULT

The selected version is activated and its events are shown in the event display.

NOTE

If you work with audio tracks, MIDI tracks, instrument tracks, sampler tracks, video tracks, or the chord track, you can also use the **Track Versions** section of the **Inspector** to activate a track version.

RELATED LINKS

[Track Versions Pop-Up Menu on page 219](#)

[Track Version Names on page 224](#)

Activating Track Versions on Multiple Tracks

You can simultaneously activate track versions on multiple tracks if these track versions share the same ID.

PROCEDURE

1. Select all tracks for which you want to activate a specific track version.
2. Click the arrow to the right of a track name to open the **Track Versions** pop-up menu.
3. Select the track version that you want to activate from the list.

RESULT

The selected track version is activated for all selected tracks, and the corresponding events are shown in the event display.

NOTE

If you work with audio tracks, MIDI tracks, instrument tracks, sampler tracks, video tracks, or the chord track, you can also use the **Track Versions** section of the **Inspector** to activate a track version.

Duplicating Track Versions

You can duplicate a track version by creating a new track version that contains a copy of the active track version.

PROCEDURE

1. In the track list, select the track, and activate the track version that you want to duplicate.
2. Select **Project > Track Versions > Duplicate Version**.

In the event display, a duplicate track version is displayed. In the track list, a default version name for the duplicate is shown.

NOTE

You can also use the **Track Versions** section of the **Inspector** for audio tracks, MIDI tracks, instrument tracks, sampler tracks, video tracks, and the chord track, or the **Track Versions** pop-up menu in the track list to duplicate a track version.

Deleting Track Versions

You can delete track versions that you no longer need.

PROCEDURE

1. Select the tracks and activate the track versions that you want to delete.
2. Select **Project > Track Versions > Delete Version**.

NOTE

You can also use the **Track Versions** section of the **Inspector** for audio tracks, MIDI tracks, instrument tracks, sampler tracks, video tracks, and the chord track, or the **Track Versions** pop-up menu in the track list to delete the active track version for selected tracks.

Copying and Pasting Selection Ranges Between Track Versions

You can copy and paste ranges between different track versions, even across multiple tracks.

PREREQUISITE

You have at least 2 track versions.

PROCEDURE

1. Select the **Range Selection** tool.
2. Select a range of the track version that you want to copy.
3. Select **Edit > Copy**.
4. Activate the track version into which you want to insert the copied range.

5. Select **Edit > Paste**.
-

RESULT

The copied range from the first track version is pasted to the second track version at the exact same position.

NOTE

If you want to perform more complicated comping tasks, we recommend that you select **Project > Track Versions > Create Lanes from Versions** and proceed with the **Comp** tool.

Copying and Pasting Selected Events between Track Versions

You can copy and paste selected events between different track versions, even across multiple tracks.

PREREQUISITE

You have at least 2 track versions, and you have split the corresponding events with the **Split** tool, for example.

PROCEDURE

1. Select the **Object Selection** tool.
 2. Select the events that you want to copy.
 3. Select **Edit > Copy**.
 4. Activate the track version into which you want to insert the copied events.
 5. Select **Edit > Functions > Paste at Origin**.
-

RESULT

The copied events from the first track version are pasted to the second track version at the exact same position.

Track Version Names

Each track version has a default track version name.

If more than one version is available for the track, the track version name is shown in the track list and in the **Track Versions** section in the **Inspector**. By default, track versions are named v1, v2, etc. However, you can rename each track version to your liking.

NOTE

You can show/hide the version name next to the track name in the track list by activating/deactivating **Show Version Name in Track List** in the **Track Versions** pop-up menu for a track.

RELATED LINKS

[Track Versions Pop-Up Menu on page 219](#)

Renaming a Track Version

You can rename track versions.

PROCEDURE

- In the **Track Versions** section in the **Inspector**, double-click the track version name and enter a new name.
-

RESULT

The name is changed. If the available space in the track list is too small, the name is abbreviated automatically.

| Name | ID |
|-----------|----|
| v1 | 1 |
| best take | 2 |
| v3 | 3 |

Renaming Track Versions on Multiple Tracks

You can rename track versions on multiple tracks.

PROCEDURE

1. Activate all track versions that you want to rename, and select the corresponding tracks.
 2. Select **Project > Track Versions > Rename Track Version**.
 3. Enter a new track version name and click **OK**.
-

RESULT

In the track list, the new track version name is shown.

NOTE

If you want to assign the same ID to track versions, select **Project > Track Versions > Assign Common Version ID**.

Track Versions vs. Lanes

Track versions and lanes (only available for audio tracks, MIDI tracks, instrument tracks, and sampler tracks) are individual features that complement each other. Every track version can have its own set of lanes.

Creating Lanes from Track Versions

If your project contains track versions and you want to continue working with lanes, using the **Comp** tool, for example, you can create lanes (only available for audio tracks, MIDI tracks, instrument tracks, and sampler tracks) from track versions.

PROCEDURE

1. Select the tracks for which you want to create lanes.
2. Select **Project > Track Versions > Create Lanes from Versions**.

A new track version named **Lanes from Version** is added. This track version contains all track versions on separate lanes. The original track versions are kept. Lanes that you create from MIDI track versions are muted.

3. In the track list or in the **Inspector**, activate the **Show Lanes** button for the track.
 4. On the **Project** window toolbar, activate the **Comp** tool.
-

Creating Track Versions from Lanes

If your project contains lanes and you want to continue working with the track version functions, you can create track versions from lanes (only available for audio tracks, MIDI tracks, instrument tracks, and sampler tracks).

PROCEDURE

1. Select the tracks for which you want to create track versions.
If you only want to convert specific lanes, select these lanes.
 2. Select **Project > Track Versions > Create Versions from Lanes**.
-

RESULT

New track versions are added, one for each lane. The original lanes are kept. Any crossfades that you have created between different lanes are discarded.

Track Presets

Track presets are templates that can be applied to newly created or existing tracks of the same type.

You can create them from any track types (audio, MIDI, instrument, sampler, group, effect, VST instrument return, input, and output channels). They contain sound and channel settings, and they allow you to quickly browse, preview, select, and change sounds, or to reuse channel settings across projects.

Track presets are organized in the **MediaBay**. There, you can categorize them with attributes.

When you apply a track preset, all the settings that are saved in the preset are applied.

Track presets can only be applied to tracks of their own type. The only exception are instrument tracks. For these, VST presets are also available.

NOTE

- Once a track preset is applied, you cannot undo the changes. It is not possible to remove an applied preset from a track and return to the previous state. If you are not satisfied with the track settings, you have to either edit the settings manually or apply another preset.
 - Applying VST presets to instrument tracks leads to the removal of modifiers, MIDI inserts, inserts, or EQs. These settings are not stored in VST presets.
-

Audio Track Presets

Track presets for audio tracks, group channel tracks, effect channel tracks, VST instrument channels, input channels, and output channels include all the settings that define the sound.

You can use the factory presets as a starting point for your own editing and save the audio settings that you optimized for an artist you often work with as a preset for future recordings.

The following data is saved in audio track presets:

- Insert effects settings (including VST effect presets)
- EQ settings
- Volume and pan
- Input gain and phase

NOTE

To access the track presets functions for input and output channels, activate the **Write** buttons for input and output channels in the **MixConsole**. This creates input and output channel tracks in the track list.

MIDI Track Presets

You can use MIDI track presets for multitimbral VST instruments. You can also use them for external instruments.

When creating MIDI track presets, you can either include the channel or the patch.

- To ensure that saved MIDI track presets for external instruments work again with the same instrument, install the instrument as a MIDI device, see the separate document **MIDI Devices**.

The following data is saved in MIDI track presets:

- MIDI modifiers (Transpose, etc.)
- MIDI insert effects
- Output and Channel or Program Change
- Input Transformer settings
- Volume and pan
- Staff settings
- Color settings
- Drum map settings

Creating a Track Preset

You can create a track preset from a single track or from a combination of tracks.

PROCEDURE

1. In the **Project** window, select one or more tracks.
2. In the track list, right-click one of the selected tracks and select **Save Track Preset**.
3. In the **New Preset** section, enter a name for the new preset.

NOTE

You can also define attributes for the preset.

-
4. Click **OK** to save the preset and exit the dialog.
-

RESULT

Track presets are saved within the application folder in the track presets folder. They are saved in default subfolders, named according to their track type: audio, MIDI, instrument, and multi.

RELATED LINKS

[Attribute Inspector](#) on page 780

Loading Presets for Tracks

You can choose from a variety of track presets.

PROCEDURE

1. In the **Inspector**, open the **Inserts** section.
 2. Right-click the **Inserts** section header, and select **From Track Preset**.
 3. In the **Results** browser, double-click a track preset to apply it.
-

RELATED LINKS

[Track Presets](#) on page 226

Loading Presets for VST Instruments

When working with VST instruments, you can choose from a variety of presets via the **Results** browser.

PROCEDURE

1. In the track list, right-click the instrument track and select **Load Track Preset**.
 2. In the **Results** browser, double-click a preset to apply it.
-

Instrument Track Presets

Instrument track presets offer both MIDI and audio features and are the best choice when handling sounds of simple, mono-timbral VST instruments.

Use instrument track presets to audition your tracks or to save your preferred sound settings, for example. You can also extract sounds from instrument track presets to use them in instrument tracks.

The following data is saved in instrument track presets:

- Audio insert effects
- Audio EQ
- Audio volume and pan
- Audio input gain and phase
- MIDI insert effects
- MIDI track parameters
- Input Transformer settings
- The VST instrument used for the track
- Staff settings
- Color settings

- Drum map settings

VST Presets

VST instrument presets behave like instrument track presets. You can extract sounds from VST presets to use them in instrument tracks.

The following data is saved in VST instrument presets:

- VST instrument
- VST instrument settings

NOTE

Modifiers, inserts, and EQ settings are not saved.

VST effect plug-ins are available in VST 3 and VST 2 format.

NOTE

In this manual, VST presets stands for VST 3 instrument presets, unless stated otherwise.

Extracting the Sound from an Instrument Track or VST Preset

For instrument tracks, you can extract the sound of an instrument track preset or VST preset.

PROCEDURE

1. Select the instrument track to which you want to apply a sound.
2. In the **Inspector**, open the **Routing** section.
3. Click **Extract Sound from Track Preset** .
4. In the preset browser, select an instrument track preset or a VST preset.
5. Double-click the preset to load the settings.

RESULT

The VST instrument and its settings (but no inserts, EQs, or modifiers) on the existing track are overwritten with the data of the track preset. The previous VST instrument for this instrument track is removed. The new VST instrument is set up for the instrument track.

Multi-Track Presets

You can use multi-track presets, for example, when recording setups that require several microphones (a drum set or a choir, where you always record under the same conditions), and you have to edit the resulting tracks in a similar way. Furthermore, they can be used when working with layered tracks, where you use several tracks to generate a certain sound instead of manipulating only one track.

If you select more than one track when creating a track preset, the settings of all selected tracks are saved as a single multi-track preset. Multi-track presets can only be applied if the target tracks are of the same type, number, and sequence as the tracks in the track preset. Therefore, they should be used in recurring situations with similar tracks and settings.

Loading Multi-Track Presets

You can apply multi-track presets to several selected tracks.

PROCEDURE

1. In the **Project** window, select several tracks.

NOTE

Multi-track presets can only be applied if track type, number, and sequence are identical for the selected tracks and the track preset.

2. In the track list, right-click a track and select **Load Track Preset**.
 3. In the preset browser, select a multi-track preset.
 4. Double-click the preset to load it.
-

RESULT

The preset is applied.

Sampler Track Presets

You can use sampler track presets to reuse created sounds in later projects or newly created sampler tracks.

The following data is saved in sampler track presets:

- Audio insert effects
- Audio EQ
- Audio volume and pan
- Audio input gain and phase
- MIDI insert effects
- MIDI track parameters
- Input Transformer settings
- Color settings

RELATED LINKS

[Sampler Tracks and Channels on page 136](#)

Creating a Sampler Track Preset

You can create a sampler track preset from a sampler track or you can use the **Sampler Control** toolbar.

PROCEDURE

1. In the **Sampler Control** toolbar, click **Preset Management** .
 2. Click **Save Track Preset**.
 3. In the **Save Track Preset** dialog, type in a name for the new preset.
 4. Click **OK** to save the preset and to exit the dialog.
-

RESULT

The new sampler track preset is saved. It is displayed in the **Preset Name** field on the info line. Sampler track presets are saved within the application folder of the sampler track presets folder.

RELATED LINKS

[Creating a Track Preset](#) on page 227

Pattern Banks

Pattern banks are presets that are created for the **Beat Designer** MIDI effect.

They behave similarly to track presets.

RELATED LINKS

[Pattern Banks Previewer](#) on page 775

[Track Presets](#) on page 226

Loading Track or VST Presets

You can apply track or VST presets to selected tracks.

PROCEDURE

1. In the **Project** window, select a track.
 2. Do one of the following:
 - In the **Inspector**, click **Load Track Preset**.
 - In the track list, right-click the track and select **Load Track Preset**.
 - In the **Sampler Control** toolbar, click the **Preset Management** button next to the **Preset Name** field and select **Load Track Preset**.
 3. In the preset browser, select a track, VST, or sampler track preset.
 4. Double-click the preset to load it.
-

RESULT

The preset is applied.

NOTE

You can also drag and drop track presets from the **MediaBay** or from the File Explorer/macOS Finder onto a track of the same type.

RELATED LINKS

[Filters Section](#) on page 776

Loading Inserts and EQ from Track Presets

Instead of loading complete track presets, you can also apply insert or equalizer settings from track presets.

PROCEDURE

1. Select a track, and in the **Inspector** or the **Channel Settings** window, open the **Inserts** or the **Equalizer** section.

2. Right-click the section header, and select **From Track Preset**.
 3. In the preset browser, select a track preset.
 4. Double-click the preset to load the settings.
-

Track Quick Control Presets


For audio, instrument, MIDI, effect channel, and group channel tracks, you can save and load your own **Quick Control** assignments as presets or use the factory presets.

Saving/Loading Track Quick Control Assignments as Presets

You can save track quick control assignments as presets and load them later or in other projects.

PROCEDURE

1. In the **Inspector** for your track, open the **Quick Controls** section.
For instrument tracks, the track quick controls are set to the 8 default VST quick controls of the loaded instrument by default.
2. Right-click the **Quick Controls** section header, and from the **Presets** submenu, select one of the presets.



The **Track Quick Control** assignment changes and gives you access to the channel parameters.

NOTE

You can also make your own assignments and save them as presets, and delete, rename, or reset the presets to the default assignments.

Parts and Events

Parts and events are the basic building blocks in Cubase.

Events

In Cubase, you can view and edit most event types on their specific tracks in the **Project** window.

You can add events by importing or recording.

RELATED LINKS

[Audio Regions](#) on page 235

[MIDI Events](#) on page 237

Audio Events

Audio events are created automatically when you record or import audio in the **Project** window.

You can view and edit audio events in the **Project** window and in the **Sample Editor**.

An audio event triggers the playback of the corresponding audio clip. By adjusting the **Offset** and the **Length** values of the event, you can determine which section of the audio clip is played back. The audio clip itself remains unchanged.

RELATED LINKS

[Project Window](#) on page 51

[Sample Editor](#) on page 599

[Audio Files and Audio Clips](#) on page 235

[Basic Recording Methods](#) on page 323

Creating Audio Events

You can create audio events by recording or importing audio into the **Project** window.

PROCEDURE

- Do one of the following:
 - Record some audio.
 - Select **File > Import > Audio File** to import an audio file from your hard disk or from any external storage device.
 - Select **File > Import > Audio CD** to import an audio file from an audio CD.
 - Select **File > Import > Audio from Video File** to import audio from a video file on your hard disk or from any external storage device.
 - Drag an audio file from the **MediaBay**, the **Audio Part Editor**, or the **Sample Editor**, and drop it in the event display.
 - Copy an event from a different Cubase project, and paste it in the event display.
-

RELATED LINKS

- [Basic Recording Methods](#) on page 323
[Audio File Import](#) on page 345
[Importing Audio CD Tracks](#) on page 348
[Importing Audio from Video Files](#) on page 351
[MediaBay and Media Rack](#) on page 746
[Audio Part Editor](#) on page 678
[Sample Editor](#) on page 599

Creating New Files From Events

An audio event plays a section of an audio clip, which, in turn, refers to one or more audio files on the hard disk. However, you can create a new file that consists only of the section that is played by the event.

PROCEDURE

1. Select one or several audio events.
2. Set up fade in, fade out, and event volume.
These settings will be applied to the new file.
3. Select **Audio > Bounce Selection**.
You are asked whether you want to replace the selected event or not.
4. Do one of the following:
 - To create a new file that only contains the audio in the original event, click **Replace**.
 - To create a new file and add a clip for the new file to the **Pool**, click **No**.

TIP

To always apply the selected setting without opening the dialog again, activate **Please, don't ask again**. You can reset this with the **On Bouncing/Rendering Audio** option in the **Preferences** dialog (**Editing—Audio** page).

RESULT

If you clicked **Replace**, a clip for the new file is added to the **Pool**, and the original event is replaced by a new event playing the new clip.

If you clicked **No**, the original event is not replaced.

NOTE

You can also apply the **Bounce Selection** function to audio parts. In that case, the audio of all events in the part is combined to a single audio file. If you select **Replace** when asked, the part is replaced with a single audio event playing a clip of the new file.

RELATED LINKS

- [Event-Based Fades](#) on page 372
[On Bouncing/Rendering Audio](#) on page 1523

Audio Files and Audio Clips

In Cubase, audio editing and processing are non-destructive.

When you edit or process audio in the **Project** window, the audio file on the hard disk remains untouched. Instead, your changes are saved to an audio clip that is automatically created on import or during recording, and that refers to the audio file. This allows you to undo changes or revert to the original version.

If you apply processing to a specific section of an audio clip, a new audio file that contains only this section is created. The processing is applied to the new audio file only, and the audio clip is automatically adjusted, so that it refers both to the original file and to the new, processed file. During playback, the program will switch between the original file and the processed file at the correct positions. You will hear this as a single recording, with processing applied to one section only.

This allows you to undo processing at a later stage, and to apply different processing to different audio clips that refer to the same original file.

You can view and edit audio clips in the **Pool**.

RELATED LINKS

[Pool](#) on page 724

[Audio Regions](#) on page 235

[Replacing Clips in Events](#) on page 235

Replacing Clips in Events

You can replace the clips in audio events.

PROCEDURE

- Do one of the following:
 - Hold down **Shift**, drag an audio file from the File Explorer/macOS Finder, and drop it onto the event.
 - Click a clip in the **Pool**, hold down **Shift**, and drop it onto the event.

RESULT

The clip in the event is replaced. However, the event edits remain unchanged. If the new clip is shorter than the replaced clip, the length of the event is adapted. If the new clip is longer than the replaced clip, the length of the event stays the same.

RELATED LINKS

[Inserting Clips into a Project via Drag and Drop](#) on page 731

Audio Regions

Cubase allows you to create audio regions within audio clips to mark important sections in the audio.

You can view audio regions in the **Pool**. You can create and edit them in the **Sample Editor**.

NOTE

If you want to use an individual audio file in different contexts, or if you want to create several loops from one audio file, convert the corresponding regions of the audio clip to events and

bounce them into separate audio files. This is necessary because different events that refer to the same clip access the same clip information.

RELATED LINKS

[Pool](#) on page 724

[Regions List](#) on page 617

Creating Regions

You can create regions from several selected audio events or from selection ranges.

PROCEDURE

1. Select several audio events or selection ranges.
 2. Select **Audio > Advanced > Event or Range as Region**.
 3. In the **Create Regions** dialog, enter a name for the regions, and click **OK**.
-

RESULT

A region is created in the corresponding clip, with the start and the end position of the region determined by the start and the end position of the event or selection range within the clip.

RELATED LINKS

[Creating Regions](#) on page 617

Creating Events from Regions

You can create events from regions, which replace the original event.

PROCEDURE

1. Select an audio event whose clip contains regions within the boundaries of the event.
 2. Select **Audio > Advanced > Events from Regions**.
-

RESULT

The original event is removed and replaced by events positioned and sized according to the regions.

Audio Segments

Cubase can automatically detect segments within an audio event such as words, drum hits, or phrases.

When working with the **Range Selection** tool, you can use a key modifier to create a selection range that encompass audio segments. This allows you to quickly edit these audio segments individually; for example, when changing the event volume.



Automatically detected audio segment within an audio event



Selection range that encompasses the audio segment

RELATED LINKS

[Creating Selection Ranges](#) on page 273

[Editing - Tool Modifiers](#) on page 1526

[Adjusting the Event Volume of Audio Segments](#) on page 391

MIDI Events

MIDI events are created automatically when you record or import MIDI in the **Project** window.

The **In-Place Editor** allows you to view and edit MIDI events in the **Project** window. You can also view and edit MIDI events in the **Key Editor**, the **Drum Editor**, **List Editor**, or the **Score Editor**.

RELATED LINKS

[Project Window](#) on page 51

[In-Place Editor](#) on page 1207

[List Editor](#) on page 1191

[Key Editor](#) on page 1138

[Drum Editor](#) on page 1169

[Basic Recording Methods](#) on page 323

Creating MIDI Events

You can create MIDI events by recording or importing MIDI into the **Project** window.

PROCEDURE

- Do one of the following:
 - Record MIDI.
 - Select **File > Import > MIDI File** to import a MIDI file from your hard disk.
 - Drag a MIDI file from the File Explorer/macOS Finder, from one of the MIDI editors, or from the **MediaBay**, and drop it into the event display.
 - Copy an event from a different Cubase project and paste it in the event display.

RELATED LINKS

[Basic Recording Methods](#) on page 323

[Importing MIDI Files](#) on page 353

[MIDI Editors](#) on page 1081

[MediaBay and Media Rack](#) on page 746

Parts

Parts are containers for MIDI or audio events and for tracks.

RELATED LINKS

[Audio Parts](#) on page 238

[MIDI Parts](#) on page 238

[Folder Parts](#) on page 239

Audio Parts

Audio parts are containers for audio events. If you want to treat several audio events as one unit in the **Project** window, you can convert them into a part.

RELATED LINKS

[Audio Part Editor](#) on page 678

Creating Audio Parts

In the **Project** window, you can create empty audio parts.

PROCEDURE

- Do one of the following:
 - Select the **Draw** tool, and draw on the audio track.
 - Press **Alt/Opt**, select the **Object Selection** tool, and draw on the audio track.
 - Select the **Object Selection** tool, and double-click on the audio track, between the left and right locator.
 - Select several audio events on an audio track, and select **Audio > Events to Part**.

NOTE

To make the events appear as independent objects on the track again, select the part, and select **Audio > Dissolve Part**.

RELATED LINKS

[Audio Parts](#) on page 238

MIDI Parts

MIDI parts are containers for MIDI events.

MIDI parts are automatically created when you record or import MIDI in the **Project** window. The MIDI parts contain the recorded or imported events. You can also create empty MIDI parts.

RELATED LINKS

[MIDI Recording](#) on page 338

[Importing MIDI Files](#) on page 353

[Creating Empty MIDI Parts](#) on page 238

Creating Empty MIDI Parts

In the **Project** window, you can create empty MIDI parts on MIDI tracks, instrument tracks, drum tracks, and sampler tracks.

PROCEDURE

- Do one of the following:
 - To create an empty one-bar MIDI part, regardless of the used time format, select the **Object Selection** tool, and double-click an empty area on the track.

- To create an empty MIDI part that spans the length of the locator range, select the **Object Selection** tool, and double-click on the track, between the left and the right locator.



- To draw an empty MIDI part with the **Draw** tool, select the tool and draw on the track.
 - To draw an empty MIDI part with the **Object Selection** tool, select the tool, press **Alt/Opt**, and draw on the track.
-

RESULT

The empty MIDI part is created accordingly.

NOTE

Depending on what **Event Type** you selected when creating the drum track via the **Add Track** dialog, a MIDI part or a pattern event is created.

RELATED LINKS

[MIDI Parts](#) on page 238

Folder Parts

A folder part is a graphic representation of events and parts on the tracks in the folder.

Folder parts indicate the time position as well as the vertical track position. If part colors are used, these are also shown in the folder part.

Any editing that you perform on a folder part affects all the events and parts it contains. Tracks inside a folder can be edited as one entity.

NOTE

To edit the individual tracks within the folder, you can double-click the folder part. This opens the editors for the events and parts that are present on the tracks.

RELATED LINKS

[Event Colors Menu](#) on page 1083
[Group Editing Mode](#) on page 262

Editing Techniques for Parts and Events

This section describes techniques for editing in the **Project** window. If not explicitly stated, all descriptions apply to both events and parts, even though we use the term event for convenience.

In the **Project** window, you can edit events using the following techniques:

- By selecting and using one of the tools in the **Project** window toolbar.

NOTE

Some editing tools feature additional functions if you press modifier keys. You can customize the default modifier keys in the **Preferences** dialog (**Editing—Tool Modifiers** page).

- By opening the **Edit** menu and selecting one of the functions.
- By editing on the info line.
- By using a key command.

NOTE

Snap is taken into account.

RELATED LINKS

[Editing Tool Modifiers](#) on page 1527

Auditioning Audio Parts and Events

You can audition audio parts and events in the **Project** window by using the **Audition** tool.

PROCEDURE

1. On the **Project** window toolbar, click **Play** and select **Play**.
2. Click where you want playback to start, and keep the mouse button pressed.
3. Optional: Select **Media > MediaBay**, and in the **Previewer** section, adjust the **Preview Level**.

RESULT

The track on which you click is played back, starting at the click position. Playback is stopped when you release the mouse button.

NOTE

When auditioning, audio is routed directly to the **Control Room** if the **Control Room** is activated. If the **Control Room** is deactivated, audio is routed to the default output bus, bypassing the settings of the audio channel, effects and EQs.

RELATED LINKS

[Project Window Toolbar](#) on page 54

[Previewer Section](#) on page 768

Scrubbing

The **Scrub** tool allows you to locate positions in events by playing back, forwards or backwards.

PROCEDURE

1. On the **Project** window toolbar, click **Play**.
2. Click again to open a pop-up menu.
3. Select **Scrub**.
4. Click the event and keep the mouse button pressed.
5. Drag to the left or right.

RESULT

The project cursor moves correspondingly, and the event is played back. The speed and the pitch of the playback depend on how fast you move the mouse.

NOTE

Insert effects are bypassed when scrubbing with the mouse.

RELATED LINKS

[Project Window Toolbar](#) on page 54

Scrub Tool

Scrubbing can be quite a burden on your system. If playback problems occur, open the **Preferences** dialog (**Transport—Scrub** page), and deactivate **Use High Quality Scrub Mode**. This lowers the resampling quality but makes scrubbing less demanding on the processor, especially with large projects.

In the **Preferences** dialog (**Transport—Scrub** page), you can also adjust the **Scrub** volume.

Selecting with the Object Selection Tool

PROCEDURE

1. Click **Object Selection**.
2. In the event display, click the events that you want to select.

NOTE

You can also use the **Up Arrow**, **Down Arrow** [Selecting with the Object Selection Tool](#), **Left Arrow** or **Right Arrow** keys on the computer keyboard to select the event on the upper or lower track, or the previous or next event on the same track.

RESULT

You can choose to display red borders around selected events in the event display by activating **Highlight Borders of Selected Events** in the **Preferences** dialog (**Event Display** page).

RELATED LINKS

[Project Window Toolbar](#) on page 54


[Event Display](#) on page 1529

Combine Selection Tools Mode

The **Combine Selection Tools** mode allows you to combine the **Object Selection** tool and the **Range Selection** tool. This is useful in situations where you often switch between these tools.

If you activate **Combine Selection Tools** on the **Project** window toolbar and the track height is set to at least 2 rows, the vertical track height of each track is divided into two areas. The mouse pointer changes automatically from **Object Selection** to the **Range Selection** tool and vice versa, according to the track area where you click.

- If you move the mouse pointer to the upper area of the track, the **Range Selection** tool is activated, and you can select ranges that are independent from event and part boundaries.



- If you move the mouse pointer to the lower area of the track, the **Object Selection** tool is activated, and you can select entire events or parts.

NOTE

You can also activate/deactivate the **Combine Selection Tools** mode by pressing **Alt-Shift-1**.

RELATED LINKS

[Project Window Toolbar](#) on page 54

[Setting the Track Height](#) on page 208

[Creating Selection Ranges](#) on page 273

[Resizing Events with the Object Selection Tool - Normal Sizing](#) on page 252

[Resizing Events with the Object Selection Tool - Sizing Moves Contents](#) on page 253

[Resizing Events with the Object Selection Tool - Sizing Applies Time Stretch](#) on page 253

Select Submenu

If the **Object Selection** tool is selected, the **Select** submenu features specific options for selecting events in the **Project** window.

- To open the **Select** submenu, select **Edit > Select**.

All

Selects all events in the **Project** window.

None

Deselects all events in the **Project** window.

Invert

Inverts the selection. All selected events are deselected, and all events that were not selected are selected instead.

In Loop

Selects all events that are located partly or entirely within the area between the left and right locator.

From Start to Cursor

Selects all events that end to the left of the project cursor.

From Cursor to End

Selects all events that start to the right of the project cursor.

Equal Pitch all Octaves/Equal Pitch same Octave

These functions are available in the MIDI editors and the **Sample Editor**.

Select Controllers in Note Range

This function is available in the MIDI editors.

All on Selected Tracks

Selects all events on the selected track.

Events under Cursor

Automatically selects all events on the selected tracks that are touched by the project cursor.

Select Event

This function is available in the **Sample Editor**.

Left Selection Side to Cursor/Right Selection Side to Cursor

These functions are only used for range selection editing.

NOTE

- When the **Range Selection** tool is selected, the **Select** submenu features different functions.
 - You can choose to display red borders around selected events in the event display by activating **Highlight Borders of Selected Events** in the **Preferences** dialog (**Event Display** page).
-

RELATED LINKS

[Event Display](#) on page 1529

[Range Editing in the Project Window and in the Editors](#) on page 273

Removing Events

You can remove events from the **Project** window.

PROCEDURE

- To remove an event from the **Project** window, do one of the following:
 - On the **Project** window toolbar, activate **Erase** and click the event.
 - In the event display, select the events and select **Edit > Delete**.
 - In the event display, select the events and press **Backspace**.
-

RELATED LINKS

[Project Window Toolbar](#) on page 54

Event Movement Options

Cubase provides several methods to move events in the **Project** window.

You can move events using any of the following methods:

- Use the **Object Selection** tool.
- Use the **Range Selection** tool.
- Use the **Nudge** buttons.
- Select **Edit > Move**, and select one of the options.
- Select the event, and edit the start position on the info line.
- Select multiple events, and use the **Set Spacer Between Selected Events** function.

RELATED LINKS

[Moving Events with the Object Selection Tool](#) on page 244

[Moving Events with the Range Selection Tool](#) on page 244

[Moving Events with the Nudge Buttons](#) on page 245

[Move Submenu](#) on page 247

[Moving Events via the Info Line](#) on page 248

[Setting Spacers between Events](#) on page 248

Moving Events with the Object Selection Tool

You can select one or several events with the **Object Selection** tool and drag them to a new position.

PROCEDURE

1. Select **Object Selection** .
2. Click the events that you want to move, and drag them to a new position.

NOTE

You can only drag events to tracks of the same type. If you hold down **Ctrl/Cmd** while dragging, you can restrict the movement either horizontally or vertically.

RESULT

The events are moved. If you moved several events, their relative positions are kept.

NOTE

To avoid accidentally moving events when you click them in the **Project** window, when you move an event by dragging, the response is slightly delayed. You can adjust this delay with the **Drag Delay** setting in the **Preferences** dialog (**Editing** page).

RELATED LINKS

[Editing](#) on page 1521

Moving Events with the Range Selection Tool

You can select one or several events with the **Range Selection** tool and drag them to a new position.

PROCEDURE

1. Select **Range Selection** .
2. Create a selection range.
3. Drag the selection range to a new position.

NOTE

You can only drag events to tracks of the same type. If you hold down **Ctrl/Cmd** while dragging, you can restrict the movement either horizontally or vertically.

RESULT

The selection range and the encompassed events are moved. If you moved several events, their relative positions are kept.

NOTE

To avoid accidentally moving events when you click them in the **Project** window, when you move an event by dragging, the response is slightly delayed. You can adjust this delay with the **Drag Delay** setting in the **Preferences** dialog (**Editing** page).

RELATED LINKS

[Creating Selection Ranges](#) on page 273
[Editing](#) on page 1521

Moving Events with the Nudge Buttons

You can move one or several selected events by using the nudge buttons on the **Project** window toolbar.

PREREQUISITE

You have activated the **Nudge** section in the **Project** window toolbar.

PROCEDURE

1. Click the points to the right of the **Nudge** section.

The **Nudge** buttons become available.



2. In the event display, select the events that you want to move, and do one of the following:
 - Click **Move Left** or use the corresponding key command **Ctrl/Cmd - Left Arrow** to move the events to the left.
 - Click **Move Right** or use the corresponding key command **Ctrl/Cmd - Right Arrow** to move the events to the right.

NOTE

If you use the **Range Selection** tool, you must **Ctrl/Cmd**-click **Move Left** or **Move Right** to move the content of the selection range.

RESULT

The selected events or parts are moved.

RELATED LINKS

[Setting up a Snap Grid for Nudge Operations](#) on page 245
[Project Window Toolbar](#) on page 54
[Snap Grid](#) on page 106
[Ruler](#) on page 65
[Ruler Time Format Menu](#) on page 66
[Grid Type Menu](#) on page 104
[Moving the Content of Selection Ranges to a New Position](#) on page 279

Setting up a Snap Grid for Nudge Operations

You can set up an independent snap grid just for nudge operations. This way, you can perform all editing with the mouse using a musical (tempo-related) grid that is set to **Bars+Beats** while all nudge operations and corresponding key commands are based on a linear (time-related) grid.


PREREQUISITE

The primary time format on the **Transport** panel is set to **Bars+Beats**. Your project contains some parts or events that you want to move to a time-related position.


PROCEDURE

1. Right-click the **Project** window toolbar and activate **Nudge**.

The **Nudge Settings** become available on the toolbar.



2. Open the **Nudge Settings** pop-up menu to select a time-related format for your nudge operations.



The settings **Link to Grid** and **Link to Primary Time Format** are deactivated.

3. Optional: Select **Project > Add Track > Ruler** to add a ruler track. In the track list for the ruler track, select the same time format as for your nudge operations.
This is not necessary, but it helps you to get visual control over your nudge operations.
4. On the **Project** window toolbar, click the points to the right of the **Nudge Settings** section.
The **Nudge** buttons become available.



5. In the event display, select the events or parts that you want to move, and do one of the following:
 - To nudge the events to the left, click **Move Left** or use the corresponding key command **Ctrl/Cmd - Left Arrow**.
 - To nudge the events to the right, click **Move Right** or use the corresponding key command **Ctrl/Cmd - Right Arrow**.

RESULT

The selected events or parts that you nudged are moved. They snap to the linear grid that you set in the **Nudge Settings** pop-up menu. If you now move some events or parts using the mouse, these will snap to the musical grid that you set with the primary time format.

RELATED LINKS

- [Selecting the Primary Time Format](#) on page 305
- [Ruler Track Controls](#) on page 151
- [Snap Grid](#) on page 106
- [Nudge](#) on page 59
- [Moving Events with the Nudge Buttons](#) on page 245
- [Resizing Events with the Nudge Buttons](#) on page 254
- [Resizing Events Using the Nudge Settings](#) on page 255

Move Submenu

With the **Object Selection** tool or the **Range Selection** tool selected, the **Move** submenu contains options for moving events to specific positions in the **Project** window.

- To open the **Move** submenu, select **Edit > Move**.

The following options are available:

Event Start/Range Start to Cursor

Moves the start of a selected event or a selection range to the project cursor position. With several events selected, the subsequent events keep their relative positions.

NOTE

If you use the **Range Selection** tool with **Range Tool Splits Partly Selected Events** activated in the **Preferences** dialog (**Editing** page), partially selected events are split.

Event End/Range End to Cursor

Moves the end of a selected event or a selection range to the project cursor position. With several events selected, the subsequent events keep their relative positions.

NOTE

If you use the **Range Selection** tool with **Range Tool Splits Partly Selected Events** activated in the **Preferences** dialog (**Editing** page), partially selected events are split.

Events to Origin

Moves selected events to the positions at which they were originally recorded.

Event/Range to Selected Track

Moves selected events to separate tracks, starting on the selected track, and inserts them at their current positions.

NOTE

The following applies when using the **Range Selection** tool:

- To keep the selection range when selecting another track, you must deactivate **Range Selection Follows Track Selection** in the **Preferences** dialog (**Editing** page).
- If **Range Tool Splits Partly Selected Events** is activated in the **Preferences** dialog (**Editing** page), partially selected events are split.

Events to Front

Moves the selected events to the front. This is useful if you have overlapping audio events and you want to play back another event.

NOTE

For this to work, make sure that the **Objection Selection** tool is selected.

Events to Back

Moves the selected events to the back. This is useful if you have overlapping audio events and you want to play back another event.

NOTE

For this to work, make sure that the **Objection Selection** tool is selected.

RELATED LINKS

[Editing](#) on page 1521

Moving Events via the Info Line

You can move a selected event by changing its start value on the info line.

PROCEDURE

1. Select the event that you want to move.
 2. On the info line, double-click the **Start** field, and enter a new value for the event start.
-

RESULT

The event is moved by the set value.

Setting Spacers between Events

You can rearrange multiple events on a track so that they are at a specified distance from each other.

PREREQUISITE

- A track contains multiple events.
 - The events are not locked.
-

PROCEDURE

1. Select all events that you want to rearrange.
 2. Select **Edit > Functions > Set Spacer between Selected Events**.
 3. Set the **Spacer in Seconds** value.
 4. Click **OK**.
-

RESULT

All selected events on the track are at the specified distance from each other.

NOTE

- Grouped events are handled like single events.
 - This function does not work for automation and signature tracks.
-

RELATED LINKS

- [Locking Events](#) on page 263
[Grouped Events](#) on page 262

Audio Alignment

The **Audio Alignment** panel allows you to automatically match the timing of similar audio events or selection ranges that you want to play back simultaneously.

Audio Alignment enables you to match the timing of different instrument or vocal tracks. You can also solve phasing problems that occur when using different microphones on the same take. In postproduction contexts, you can match the timing of a voice recording take or an alternative take to the production sound, for example.

The audio alignment functions analyze the audio of overlapping events that you have selected for aligning and either use the warping function of the **Sample Editor** for time stretching or shift the audio.

The **Audio Alignment Panel** provides a **Match Words** option for aligning audio that contains identical wording. Its algorithm detects phonemes and syllables and allows for an exact word-to-word synchronization.

The **Prefer Time Shifting** option is especially suited for audio that results from the same recording, for example, in case of a multiple microphone recording. Whenever possible, it avoids time stretching. However, if necessary, time stretching is still used.

NOTE

- If time stretching is necessary, **Audio Alignment** uses the warping algorithm that is selected in the **Sample Editor**.
- If the audio already contains real-time effects, **Audio Alignment** allows you to bounce it first, keeping the existing effects, or to overwrite the existing processing.
- If the reference and target events overlap only partially, the target track is split and only its overlapping part is processed. If necessary, a crossfade is added, and existing fades are removed automatically.
- If the audio is in **Musical Mode**, you must bounce it first.
- **Audio Alignment** only works as intended if the audio to be aligned and the project have the same sample rate.

RELATED LINKS


- [Algorithm Presets](#) on page 634
[Aligning the Audio of Events](#) on page 250
[Audio Alignment Panel](#) on page 249
[Musical Mode](#) on page 635

Audio Alignment Panel

On the **Audio Alignment Panel**, you can select your reference and target events and make settings for analyzing and aligning the audio.

To open the **Audio Alignment Panel**, do one of the following:

- Click **Open Audio Alignment Panel** on the **Project** window toolbar.
- Select **Audio > Open Audio Alignment Panel**.



Audio Alignment Selection

In this section, you define the reference and target events or selection ranges for the alignment operation. In the waveform displays, the overlapping time range between reference and target is highlighted.

If multiple targets are selected, a pop-up menu allows you to toggle between their waveforms.

Audio Alignment Settings

Allow you to activate/deactivate options for analyzing and aligning.

- The **Match Words** option analyzes phonemes and syllables and allows for an exact word-to-word synchronization. This option provides best results if the wording on the aligned events is identical.
- The **Prefer Time Shifting** option is especially suited for aligning audio that results from the same recording, for example, in case of a multiple microphone recording. Whenever possible, it avoids time stretching. However, if necessary, time stretching is still used.
- Alignment Precision** allows you to set the degree of alignment. Reducing the precision can help to retain a more natural sound.

Align Audio

Starts the alignment operation.

Aligning the Audio of Events

The **Audio Alignment Panel** allows you to automatically align the audio of overlapping audio events or selection ranges on different tracks.

PREREQUISITE

- Your project contains two or more audio events, located on different tracks and overlapping in time.
- The audio that you want to align with the reference is not modified by **VariAudio** or **AudioWarp** operations.


NOTE

- If the audio already contains real-time effects, you will be asked if you want to bounce it first, keeping the existing effects, or overwrite the existing processing.
 - If the audio is in **Musical Mode**, you must bounce it first.
-

PROCEDURE

1. Select the event or range that you want to use as alignment reference.
2. On the **Project** window toolbar, click **Open Audio Alignment Panel**.
3. On the **Audio Alignment Panel**, click **Add Selection as Alignment Reference**.
4. Select one or multiple events that you want to align with the reference.
5. On the **Audio Alignment Panel**, click **Add Selection as Alignment Target**.

The overlapping time range between reference and target is highlighted in the corresponding waveforms. If multiple targets are selected, you can toggle their waveforms using the pop-up menu.



6. In the **Audio Alignment Settings** section, make your changes.
7. Click **Align Audio** to start the processing.

The target events are processed.

RESULT

The audio of the target events is aligned with the reference event within the time range where the events overlap.

If the reference and target events overlap only partially, the target track is split and only its overlapping part is processed. If necessary, a crossfade is added, and existing fades are removed automatically.

AFTER COMPLETING THIS TASK

To visualize the result of the alignment in the **Sample Editor**, select the reference and target events, and select **Show All Clips** as **Clip Display Mode** on the **Sample Editor** toolbar.

If the result of the time stretching does not meet your expectations, you can change the warping algorithm on the **Sample Editor** toolbar. This algorithm change is instantly applied to the audio. Alternatively, you can use the **Free Warp** tool to align the audio events.

RELATED LINKS

[Sample Editor Toolbar](#) on page 600

[Algorithm Presets](#) on page 634

[Time Stretch and Pitch Shift Algorithms](#) on page 587


[Free Warp](#) on page 640

[Audio Alignment Panel](#) on page 249

Renaming Events

PROCEDURE

- Do one of the following:
 - Select the events, select **Edit > Rename > Rename Selected Events**, and type the new name into the text field of the **Rename Selected Events** dialog.



NOTE

Alternatively, you can open the **Rename Selected Events** dialog via a key command (by default **F2**) or the context menu.

- Select the events, and type a new name into the **File** field on the info line.



- Change the track name, hold down a modifier key, and press **Return** to rename all events according to the track.

Event Resize Options

You can resize events by moving their start or end positions individually.

To resize events, you can use the **Object Selection**, the **Scrub** tool or the **Nudge** buttons.

Resizing also works if the **Combine Selection Tools** mode is active.

IMPORTANT

When resizing events, automation data is not taken into account.

RELATED LINKS

[Combine Selection Tools Mode](#) on page 241

[Resizing Events with the Object Selection Tool - Normal Sizing](#) on page 252

[Resizing Events with the Object Selection Tool - Sizing Moves Contents](#) on page 253

[Resizing Events with the Object Selection Tool - Sizing Applies Time Stretch](#) on page 253

[Resizing Events with the Nudge Buttons](#) on page 254

[Resizing Events with the Scrub Tool](#) on page 255

[Snap Function](#) on page 102

Resizing Events with the Object Selection Tool - Normal Sizing

You can move the start or end point of the event.

PROCEDURE

1. Select **Object Selection**.
2. Click the **Object Selection** tool again, and select **Normal Sizing** from the pop-up menu.
3. Click and drag the lower left or right corner of the event.



NOTE

If your event contains fades and you want to adapt their length while sizing the event, hold down **Ctrl/Cmd - Alt/Opt**.

RESULT

The event is resized and, depending on where you dragged, more or less of the content is revealed. If several events are selected, they are all resized in the same way.

RELATED LINKS


[Project Window Toolbar](#) on page 54
[Editing - Tool Modifiers](#) on page 1526

Resizing Events with the Object Selection Tool - Sizing Moves Contents

You can move the start or end point of the event and move the content.

PROCEDURE

1. Select **Object Selection**.
2. Click the **Object Selection** tool again, and select **Sizing Moves Contents** from the pop-up menu.
3. Click and drag the lower left or right corner of the event.



RESULT

The event is resized, and the content follows. If several events are selected, they are all resized in the same way.

RELATED LINKS

[Project Window Toolbar](#) on page 54

Resizing Events with the Object Selection Tool - Sizing Applies Time Stretch

You can move the start or the end point of the event and time-stretch the content to fit the new event length.

PROCEDURE

1. Select **Object Selection**.
2. Click the **Object Selection** tool again, and select **Sizing Applies Time Stretch** from the pop-up menu.
3. Click and drag the lower left or right corner of the event.

RESULT

The part is stretched or compressed to fit the new length.

- If you resize MIDI parts, the note events are stretched (moved and resized). Controller data and Note Expression data are stretched, too.
- If you resize audio parts, the events are moved, and the referenced audio files are time-stretched to fit the new length.
If several events are selected, they are all resized in the same way.

RELATED LINKS

[Time Stretch](#) on page 584

[Project Window Toolbar](#) on page 54

Resizing Events with the Nudge Buttons

You can change the start or the end position of events. The setting on the **Grid Type** pop-up menu applies.


PREREQUISITE

The **Object Selection** tool is set to **Normal Sizing** or **Sizing Moves Contents**.

PROCEDURE

1. Right-click the Project window toolbar and activate **Nudge**.

The **Nudge Settings** become available on the toolbar.



2. Click the points to the right of the section.

The **Nudge** buttons become available.



3. Select the event.

4. Do one of the following:

- Click **Nudge Start Left** or use the corresponding key command **Alt/Opt-Left Arrow** to move the event start to the left.
- Click **Nudge Start Right** or use the corresponding key command **Alt/Opt-Shift-Right Arrow** to move the event start to the right.
- Click **Nudge End Left** or use the corresponding key command **Alt/Opt-Shift-Left Arrow** to move the event end to the left.
- Click **Nudge End Right** or use the corresponding key command **Alt/Opt-Right Arrow** to move the event end to the right.

RESULT

The start or end position of the selected events is moved, and the setting on the **Grid Type** pop-up menu applies.

RELATED LINKS

[Project Window Toolbar](#) on page 54

[Resizing Events Using the Nudge Settings](#) on page 255

[Setting up a Snap Grid for Nudge Operations](#) on page 245

[Ruler](#) on page 65

[Ruler Time Format Menu](#) on page 66
[Grid Type Menu](#) on page 104

Resizing Events Using the Nudge Settings

You can move the start or the end position of events. The setting on the **Nudge Settings** pop-up menu applies.


PREREQUISITE

The **Object Selection** tool is set to **Normal Sizing** or **Sizing Moves Contents**.

PROCEDURE

1. Right-click the **Project** window toolbar and activate **Nudge**.

The **Nudge Settings** become available on the toolbar.



2. Open the **Nudge Settings** pop-up menu, and activate a format and a value for your operations.

3. Click the points to the right of the section.

The **Nudge** buttons become available.



4. Select the event.

5. Do one of the following:

- Click **Nudge Start Left** or use the corresponding key command **Alt/Opt - Left Arrow** to move the event start to the left.
- Click **Nudge Start Right** or use the corresponding key command **Alt/Opt - Shift - Right Arrow** to move the event start to the right.
- Click **Nudge End Left** or use the corresponding key command **Alt/Opt - Shift - Left Arrow** to move the event end to the left.
- Click **Nudge End Right** or use the corresponding key command **Alt/Opt - Right Arrow** to move the event end to the right.

RESULT

The start or the end position of the selected events is moved, and the setting on the **Nudge Settings** pop-up menu applies.

RELATED LINKS

[Setting up a Snap Grid for Nudge Operations](#) on page 245

[Selecting the Primary Time Format](#) on page 305

[Snap Grid](#) on page 106

[Resizing Events with the Nudge Buttons](#) on page 254

Resizing Events with the Scrub Tool

You can scrub the event when moving the start or the end point of the event.

PROCEDURE

1. Click **Play**.
2. Click **Play** again to open a pop-up menu.

3. Select **Scrub**.
 4. Click and drag the lower left or right corner of the event.
-

RESULT

The event is resized, and you get an acoustic feedback while dragging.

RELATED LINKS

[Project Window Toolbar](#) on page 54

Splitting Events

PROCEDURE

- Do one of the following:
 - Select **Split**, and click the event that you want to split.
 - Select **Object Selection**, hold down **Alt/Opt**, and click the event.
 - Move the project cursor to the position where you want to split the events, and select **Edit > Functions > Split at Cursor**.

NOTE

This splits all events on all tracks that are intersected by the project cursor. If you select specific events, only these events are split.

- Set up the left and right locators at the position where you want to split the events, and select **Edit > Functions > Split Loop**.

NOTE

This splits all events on all tracks that are intersected by the locators. If you select specific events, only these events are split.

RESULT

The events are split.

NOTE

If you split a MIDI part so that the split position intersects one or several MIDI notes and **Split MIDI Events** is activated in the **Preferences** dialog (**Editing—MIDI** page), the intersected notes are split and new notes are created at the beginning of the second part. If **Split MIDI Events** is deactivated, the notes remain in the first part, but stick out after the end of the part.

RELATED LINKS

[Project Window Toolbar](#) on page 54

Splitting Events Repeatedly

You can repeatedly split events into multiple events of equal size.

PROCEDURE

- Select **Split** , hold down **Alt/Opt**, and click the event where you want to make the first split.
-

RESULT

The event is automatically split into as many equal events as the length of the original event allows.

Using Cut Head and Cut Tail

You can cut everything to the left or right of the cursor or a selected range.

PROCEDURE

- Do one of the following:
 - Select **Edit > Range > Cut Head** to delete everything to the left of the cursor/selection range.
 - Select **Edit > Range > Cut Tail** to delete everything to the right of the cursor/selection range.
-

Gluing Events Together

In the **Project** window, you can glue two or more events that are on the same track together.

PROCEDURE

- Do one of the following:
 - Use the **Object Selection** tool or the **Range Selection** tool to select the events that you want to glue together, and select **Edit > Glue**.
 - To glue an event to the next event, select **Glue**, and click the event that you want to glue to the next event.
 - To glue an event to all subsequent events, select **Glue**, hold down **Alt/Opt**, and click the event that you want to glue to all subsequent events.
-

RESULT

The events are glued together.

NOTE

Splitting an audio event and then gluing the parts together again, results in an event. In any other case, a part is created.

RELATED LINKS

[Project Window Toolbar](#) on page 54

Pasting Events

You can paste events from the clipboard.

PROCEDURE

- Do one of the following:
 - Select the events, and select **Edit > Functions > Paste at Origin** to paste the event at the same position from which you cut or copied it.
 - Select the events, select the track where you want to paste them, and select **Edit > Functions > Paste Relative to Cursor** to paste the events while keeping their relative position to the project cursor.
-

RESULT

If you paste an audio event, it is inserted on the selected track, positioned so that its snap point is aligned with the cursor position.

If the selected track is of the wrong type, the event is inserted on its original track.

Pasting Events to Matching Track Names

You can copy events in one project and paste them at the first track that matches the exact track name in another project.

PROCEDURE

1. Copy the events in one project.
 2. Activate the project where you want to paste the events.
 3. Select **Edit > Functions > Paste to Matching Track Name**.
-

RESULT

The events are inserted on the track with the name that exactly matches the original track name. For all events that have no matching track name, new tracks are created.

Duplicating Events

In the **Project** window, you can duplicate selected events.

PROCEDURE

- Select the event and do one of the following:
 - Select **Edit > Functions > Duplicate**.
 - Hold down **Alt/Opt**, and drag the event to a new position.

NOTE

If you hold down **Ctrl/Cmd** as well, direction of the movement is restricted to either horizontal or vertical.

RESULT

A copy of the selected event is created and placed after the original. If several events are selected, all of these are copied as one unit, maintaining the relative distance between the events.

NOTE

If you duplicate audio events, the copies always refer to the same audio clip.

Repeating Events

PROCEDURE

- Do one of the following:
 - Select the events, and select **Edit > Functions > Repeat** to open the **Repeat Events** dialog, which allows you to create a number of real or shared copies of the selected events.
 - Select the events, hold down **Alt/Opt**, click the handle in the lower right corner of the last selected event, and drag to the right to create a real copy.
 - Move the mouse pointer over the middle of the right event border so that it becomes a pointing hand symbol. Click and drag to the right to create a real copy.
 - Select the events, hold down **Alt/Opt - Shift**, and drag to the right to create a shared copy.

NOTE

This applies to MIDI events only.

- Move the mouse pointer over the middle of the right event border so that it becomes a pointing hand symbol, hold down **Shift**, click and drag to the right to create a shared copy.

NOTE

Repeating by dragging only works if the track has a height of at least 2 rows.


RELATED LINKS

[Shared Copies](#) on page 260
[Repeat Events Dialog](#) on page 259
[Setting the Track Height](#) on page 208

Repeat Events Dialog

The **Repeat Events** dialog allows you to create a number of real or shared copies of the selected events.

- To open the **Repeat Events** dialog, select an event, and select **Edit > Functions > Repeat**.



Count

Allows you to specify how many times you want the event to be repeated.

Shared Copies

Activate to create a shared copy.

RELATED LINKS

[Shared Copies](#) on page 260

Shared Copies

Shared copies are useful if you want to create copies that are automatically edited in the same way as the original event.

You can create shared copies by using the **Repeat Events** dialog.

You can convert a shared copy to a real copy by selecting **Edit > Functions > Convert to Real Copy**. This creates a new version of the clip that you can edit independently. The new clip is automatically added to the **Pool**.

RELATED LINKS

[Repeating Events](#) on page 259

[Repeat Events Dialog](#) on page 259

Filling the Locator Range with Copies of Events

The **Fill Loop** function allows you to create multiple copies of a selected event or a selection range within the locator range on the same track.

PROCEDURE

1. Select events or selection ranges in your project.
 2. Select **Edit > Functions > Fill Loop**.
-

RESULT

The range between the left and right locators is filled with as many copies of the selected content as fit into the range. The last copy is automatically cut off at the right locator position.

Filling Selection Ranges with Content from the Clipboard

You can fill selection ranges with multiple copies of events or selection ranges from the clipboard.

PREREQUISITE

- You have copied events or selection ranges to the clipboard.

PROCEDURE

1. With the **Range Selection** tool, create a selection range.
 2. Select **Edit > Range > Fill Range from Clipboard**.
-

RESULT

The selection range is filled with as many copies of events from the clipboard as fit into the range. The last copy is automatically cut off at the right border of the selection range.

RELATED LINKS

[Creating Selection Ranges](#) on page 273

Moving the Content of Events without changing the Event Position

You can move the content of an event or a selection range without changing its position in the **Project** window.

PROCEDURE

- Do one of the following:
 - Hold down the tool modifier key for **Slip Event Content**, click an event, and drag to the left or to the right.

NOTE

You can change the modifier key for **Slip Event Content** in the **Select Tool** category of the **Preferences** dialog (**Editing-Tool Modifiers** page).

- Hold down the tool modifier key for **Slip Range Content**, click a selection range, and drag to the left or to the right.

NOTE

You can change the modifier key for **Slip Range Content** in the **Range Tool** category of the **Preferences** dialog (**Editing-Tool Modifiers** page).

RESULT

The content of the event is moved. If you only selected a part of an event with a selection range, the event is split accordingly.

NOTE

- You cannot move the content of an audio event past the start or the end of the actual audio clip. If the event plays the whole clip, you cannot move the content at all.
- To move the content of events to the left or to the right, you can set up key commands for **Slip Event Content Left** and **Slip Event Content Right** in the **Edit** category of the **Key Commands** dialog.

RELATED LINKS

[Editing - Tool Modifiers](#) on page 1526

[Setting up Tool Modifier Keys](#) on page 1500

Grouping Events

You can treat several events on the same or different tracks as one unit by grouping them.

PROCEDURE

- Select the events and select **Edit > Group**.

RESULT

The events are grouped. This is indicated by an icon.



Grouped Events

If you edit one of the grouped events in the **Project** window, this affects all other events in the group as well.

Group editing operations include:

- Selecting
- Moving and duplicating
- Resizing
- Adjusting fade-in and fade-out (audio events only)
- Splitting
- Locking
- Muting
- Deleting

RELATED LINKS

[Fades, Crossfades, and Event Volume](#) on page 370

Group Editing Mode

The **Group Editing** mode for folder tracks allows you to edit parts and events in a folder as a group.

If **Group Editing** = is activated and you select an event, a part or a range on a track inside the folder track, other events, parts, or ranges that have the same start and end time and the same playback priority, are also selected and temporarily grouped. This allows you to edit different drum tracks for bass drum, snare, and toms at the same time, for example.

Temporary grouping means that, on every new selection with the **Object Selection** or the **Range Selection** tool, Cubase looks for corresponding events or parts inside the folder and groups them. If you edit the start or the end point of a single event or part before activating the **Group Editing** mode, the event or part is excluded from the group.

Edit actions in **Group Editing** mode affect all grouped events, parts, or ranges. If you select another take by using the **To Front** submenu, all other tracks inside the edit group also switch to the corresponding take. This is useful for comparing takes of a multi-track recording.

If **Phase-Coherent AudioWarp** ✎ is activated, the relation between all tracks inside the folder track remains intact when performing **AudioWarp** operations. This is useful, for example, for warping multi-microphone recordings with crosstalk or pre-mixed multi-channel audio.

NOTE

- **Group Editing** overwrites any regular group settings in the edit group.
- Phase-coherent **AudioWarp** editing requires events with the same start point and length and only allows for warp markers at the same time positions. If the events in your edit group do not meet these requirements, activating **Phase-Coherent AudioWarp** opens a warning

message. Click **Bounce** to bounce the events of your edit group, in order to create files that allow phase-coherent editing.

RELATED LINKS

[Folder Track Controls](#) on page 153

[Muting Events](#) on page 265

[Organizing Tracks in Folder Tracks](#) on page 212

Performing Group Editing

You can group events and parts on multiple tracks that have the same start and end time and the same playback priority to edit them together.

PROCEDURE

1. In the global track controls area of the track list, click **Add Track** .
 2. Click **Folder**.
 3. Click **Add Track**.
 4. Move the tracks that contain the events that you want to edit as a group into the folder track.
 5. In the track list for the folder track, activate **Group Editing** .
 6. Optional: If you want to perform AudioWarp operations, activate **Phase-Coherent AudioWarp** .
-

RESULT

All events, parts, or ranges inside the folder that have the same start and end time and the same playback priority are temporarily grouped.

RELATED LINKS

[Folder Track Controls](#) on page 153

Locking Events

If you want to make sure that you do not edit or move an event by accident, you can lock it.

PROCEDURE

- Do one of the following:
 - Select the events, and select **Edit > Lock** to lock the selected events.
 - Click the padlock button in the track list or in the **Inspector** to lock all events on a track.
-

RESULT

The events are locked. This is indicated by a padlock symbol.




To unlock an event, select the event and select **Edit > Unlock**.

Lock Event Attributes Dialog

The **Lock Event Attributes** dialog allows you to lock specific event attributes.

- To open the **Lock Event Attributes** dialog, select a locked event and select **Edit > Lock**.



Position

Activate this to prevent the event from being moved.

Length

Activate this to prevent the event from being resized.

Other

Activate this to prevent the event from being edited. This includes adjusting the fades and event volume, processing, etc.

NOTE

You can also set these attributes in the **Preferences** dialog (**Editing** page).

RELATED LINKS

[Lock Event Attributes](#) on page 1522

Inverting the Phase of Audio Events

You can invert the phase of audio events in the **Project** window.

PROCEDURE

- In the **Project** window, select one or multiple audio events.

NOTE


If you use the **Range Selection** tool with **Range Tool Splits Partly Selected Events** activated in the **Preferences** dialog (**Editing** page), partially selected events are split.

- Do one of the following:

- Select **Audio > Invert Phase On/Off**
 - On the info line, click the **Invert Phase** field.
-

RESULT

The phase of the events is inverted. This is reflected on the info line.



RELATED LINKS

[Info Line](#) on page 68

Muting Events

You can mute events in the **Project** window. Muted events can be edited as usual, with the exception of adjusting fades, but they cannot be played back.

PROCEDURE

- Do one of the following:
 - Select the **Mute** tool, and click the events or drag a selection rectangle around them.
 - Select events or create a selection range, and select **Edit > Mute**.

RESULT

The selected events are muted and grayed out.



If you have activated **Range Tool Splits Partly Selected Events** in the **Preferences** dialog (**Editing** page), partly selected events are split.

You can unmute events by selecting them and selecting **Edit > Unmute**.

RELATED LINKS

[Project Window Toolbar](#) on page 54

[Editing](#) on page 1521

Exporting MIDI Parts as MIDI Files

You can export MIDI parts as MIDI files.

PROCEDURE

1. In the **Project** window, select the MIDI part that you want to export.
2. Drag the MIDI part to the File Explorer/macOS Finder.

RESULT

A corresponding MIDI file is exported. The **Export Options** for MIDI files are taken into account.

RELATED LINKS

[Export Options Dialog for MIDI Files](#) on page 198

Exporting Selected Events

You can render selections or range selections of audio events and/or MIDI parts and export the rendered material as .wav files.

PROCEDURE

1. Select one or more audio events and/or MIDI parts or make a range selection.
2. Select **File > Export > Selected Events**.
3. In the **Export Selected Events** dialog, specify the render options.
4. Click **Export**.


RESULT

All selected source material is processed according to your render settings. Your render options are saved and used for all further render operations.

Export Selected Events Dialog

The **Export Selected Events** dialog allows you to render selections or range selections of audio events and/or MIDI parts and to export the rendered material as .wav files.

- To open the **Export Selected Events** dialog, select an event in the **Project** window, and select **File > Export > Selected Events**.



The following settings are available in the **Mode** section:

As Separate Events

Creates one or more tracks that contain separate events or parts that are saved as separate audio files.

As Block Events

Creates one or more tracks that contain adjacent events/parts that are combined so that they become blocks. Every block is saved as a separate audio file.

As One Event

Creates one or more tracks that contain the events/parts and combines them so that they become one event/part. Every combination is saved as a separate audio file.

The following settings are available in the **Processing** section:

Dry

Copies all effects and panner settings to new audio tracks. The resulting audio tracks keep the formats of their source tracks. A mono track results in a mono track, for example.

Channel Settings

Renders all effects into the resulting audio files. This includes insert effects, channel strip settings, group channel settings, and effect send channel settings. Panner settings are transferred to the new audio tracks. The resulting audio tracks keep the formats of their source tracks. A mono track results in a mono track, for example.

Complete Signal Path

Renders the complete signal path into the new audio files, including all channel settings, group channel settings, effect send channel settings, and panner settings. The new audio track is created without effects. Stereo balance panner settings are activated. The resulting audio file format is determined by the output channel of the source track. A mono track that is routed to a stereo bus results in a stereo audio file.

Complete Signal Path + Master FX

Renders the complete signal path and the master bus settings into the resulting audio files. This includes all channel settings, group channel settings, effect send channel settings, and panner settings. The resulting audio file format is determined by the output channel of the source track. A mono track that is routed to a stereo bus results in a stereo audio file.

The following settings are available in the **Properties** section:

Tail Mode

Allows you to set the tail mode to **Bars & Beats**, **Seconds** or **Off**.

Tail Size

Allows you to set a tail length for the rendered files. This adds time at the end of the rendered file to allow reverb and delay tails to fully fade out.

Bit Depth

Allows you to set the bit depth for the resulting file.

The following settings are available in the **File Name Settings** section:

Use Custom Name

Activates the use of custom names for the rendered files.

Name

Allows you to enter a custom name for the rendered files.

The following settings are available in the **File Location** section:

File Path

Allows you to select a custom folder to which the resulting .wav files are rendered.

Mix down to One Audio File

Creates one audio file from all of your source material. This option is only available if several tracks are selected and **Dry (Transfer Channel Settings)** is deactivated.


RELATED LINKS

[Naming Scheme Dialog](#) on page 267

Naming Scheme Dialog

The **Naming Scheme** dialog allows you to define naming schemes for the audio material that you want to export.

- To open the **Naming Scheme** dialog, select an event in the **Project** window, select **File > Export > Selected Events**, and click **Open Naming Scheme Window**.



Scheme

Allows you to save and delete naming schemes.

NOTE

The name of a naming scheme is unique.

Attributes

Holds the following naming scheme attributes:

- **Name**

Adds the text you entered on the **Export Selected Events** dialog in the **Name** field to the resulting file name.

NOTE

The resulting file name only contains the text in the **Name** field of the **File Name Settings** in the **Export Selected Events** dialog, if you did not define a naming scheme. If the naming scheme contains attributes, the file name corresponds to the naming scheme.

- **Project Name**

Adds the project name to the resulting file name.

- **Free Text**

Allows you to enter free text.

- **Folder Path**

Adds the folder path of the events from the track list to the resulting file name.

- **Track Name**

Adds the track name of the audio event or MIDI part to the resulting file name.

- **Event Name**

Adds the event name of the audio event or MIDI part to the resulting file name.

- **Counter**

Adds a number to the resulting file name.

Result

Allows you to drop attributes for the file name and to rearrange them by dragging.

Settings

Allows you to select separator and counter settings.

- **Separator**

Divides attributes from each other.

- **Counter**

The value from which the counter starts counting.

- **Digits**

The number of digits of the counter value.

Preview

Displays a preview of your current settings.

RELATED LINKS

[Defining Naming Schemes](#) on page 269

[Entering Free Text](#) on page 270

Defining Naming Schemes

You can define naming schemes by setting up attributes. Attributes determine the structure of the file name of the exported audio files.


PREREQUISITE

The **Export Selected Events** dialog is open and **Mix Down to One Track** is deactivated.

PROCEDURE

1. In the **Export Selected Events** dialog, click **Open Naming Scheme Window**.

The **Naming Scheme** dialog opens.



2. Open the **Scheme** pop-up menu, and select **New Scheme**.

3. Optional: Double-click the name in the field, and enter a name.
4. Double-click an attribute in the **Attributes** field to add it to the **Result** field.
You can also drag an attribute and drop it in the **Result** field.

NOTE

Each attribute is available only once, except for the **Free Text** attribute. You can set up a maximum of seven attributes.

To remove an attribute, click its **x** icon.

5. Optional: To change the order of attributes, drag an attribute to the left/right in the **Result** field.
6. Click **OK**.

RESULT

The naming scheme is saved and applied on export.

RELATED LINKS

[Entering Free Text](#) on page 270

Entering Free Text


You can enter free text that is added to the file name of the exported audio files.

PREREQUISITE

The **Export Selected Events** dialog is open and **Mix Down to One Track** is deactivated.

PROCEDURE

1. In the **Export Selected Events** dialog, click **Open Naming Scheme Window**.
The **Naming Scheme** dialog opens.



2. Open the **Scheme** pop-up menu and select **New Scheme**.
3. Double-click the **Free Text** attribute to add it to the **Result** field.

4. In the **Result** field, double-click the **Free Text** label, and enter the text that you want to add.
 5. Press **Return** to confirm your changes.
 6. Click **OK**.
-

RESULT

The text that you entered is added to the file name scheme and applied on export.

Saving Naming Schemes

You can save several naming schemes in the **Naming Scheme** window. Saved naming schemes are displayed on the **Scheme** pop-up menu. Every change that you make to the active naming scheme is saved immediately.

PROCEDURE

1. Define a naming scheme by adding attributes to the **Result** field.
 2. Enter separator and counter settings.
 3. To rename the naming scheme, double-click its name in the field, type in the new name, and press **Enter**.
-

WaveLab as External Editor for Cubase

You can use WaveLab Pro or WaveLab Elements as an external editor for Cubase audio parts and events. This allows you to use the editing capabilities of WaveLab and apply them to Cubase events.

NOTE

This function is only available for WaveLab Pro 9.0 or higher, or WaveLab Elements 9.0.

RELATED LINKS

[Editing Cubase Audio Events in WaveLab Pro/WaveLab Elements](#) on page 271

Editing Cubase Audio Events in WaveLab Pro/WaveLab Elements

You can open Cubase events in WaveLab Pro or WaveLab Elements, use the editing functions of WaveLab, and apply the edited audio to your Cubase project.

PREREQUISITE

You have installed WaveLab Pro 9.0 or higher, or WaveLab Elements 9.0 or higher on your computer.

PROCEDURE

1. In the **Project** window, select the audio event that you want to edit in WaveLab Pro/WaveLab Elements.
You can also select only a part of the audio event with the **Object Selection** tool.
2. Select **Audio > Edit in WaveLab**.
The audio event is opened in WaveLab.
3. In WaveLab Pro/WaveLab Elements, edit the audio event.

4. When you have finished the editing, click **Trigger Cubase/Nuendo Update** on the WaveLab Pro/WaveLab Elements command bar.
-

RESULT

The changes to the audio event are applied to the Cubase project.

Range Editing in the Project Window and in the Editors

Editing is not restricted to handling whole events and parts. You can also work with selection ranges, which can be independent from event, part, and track boundaries.

You can select only one range at a time.

Creating Selection Ranges

You can create selection ranges in the **Project** window, the **Sample Editor**, the **Audio Part Editor**, the **Key Editor**, or the **Drum Editor**.


PROCEDURE

1. Select the **Range Selection** tool on the **Project** window, **Sample Editor**, **Audio Part Editor**, **Key Editor**, or **Drum Editor** toolbar.
2. Optional: Activate **Snap**, and select a **Snap Type** option.
This ensures that the range start and the range end snap to the set snap type option.
3. Optional: On the **Project** window, **Sample Editor**, or **Audio Part Editor** toolbar, activate **Snap to Zero Crossing**.
This ensures that the start and the end of a selection of audio material are always at zero crossings.
4. Do one of the following:
 - To create a selection range, click at the position in the event display where you want the range to start, and drag to the position where you want it to end.
 - To create a selection range that encompasses an event, double-click the event.

NOTE

To create a selection range that encompasses multiple events, hold down **Shift**, and double-click several events in a row.

-
- To create a selection range that encompasses the space between two events, double-click between the events.
 - To create a selection range that encompasses an automatically detected individual segment within the audio such as a word, a drum hit, or a phrase, hold the modifier key for **Audio Segment Editing**, move the cursor over the audio event, and click.



Range Selection tool with automatically detected audio segment



Selection range that encompasses an audio segment

- To choose a selection range function from the menu, select **Edit > Select**.

NOTE

If you are working with audio in the **Project** window, the **Sample Editor**, or the **Audio Part Editor**, you can select one of the commands related to hitpoints or audio segments. This allows you to enlarge/reduce the range or to move it to the next/previous hitpoint or audio segment.

RESULT

The selected range is highlighted in the event display, and the **Range Start**, **Range End**, and **Range Length** are shown on the info line.

RELATED LINKS

- [Adjusting the Size of Selection Ranges](#) on page 276
[Selection Range Editing](#) on page 275
[Switching from Range Selection to other Tools](#) on page 274
[Combine Selection Tools Mode](#) on page 241
[Audio Segments](#) on page 236
[Adjusting the Event Volume of Audio Segments](#) on page 391
[Editing - Tool Modifiers](#) on page 1526
[Hitpoints](#) on page 622

Selecting Ranges Covering Several Tracks

You can create selection ranges that cover several tracks. It is also possible to include or exclude tracks.

PROCEDURE

1. With the **Range Selection** tool, select a range that covers several tracks.
 2. Optional: To include or exclude tracks, press **Ctrl/Cmd** and select the tracks.
-

Switching from Range Selection to other Tools

When you create a selection range with the **Range Selection** tool, you can switch tools, and the events stay selected.

PROCEDURE

1. Select a range with the **Range Selection** tool.
 2. Select the **Object Selection** tool or any other tool.
-

RESULT

The events that are part of the selected range stay selected. This way, you can transpose or nudge MIDI events in the MIDI editors, for example.

RELATED LINKS

[Creating Selection Ranges](#) on page 273

Selection Range Editing

You can edit selection ranges, for example by adjusting their size, splitting them, moving them, or duplicating their contents.

General Rules

- When editing selection ranges, settings referring to snapping and quantizing are taken into account. The snapping types **Events**, **Cursor**, and their combinations are supported.
- With the **Range Selection** tool selected, you can adjust the **Range Start**, the **Range End**, and the **Range Length** on the info line.
- When editing selection ranges on multiple parts/tracks, **Part Editing Mode** is taken into account.
- Clicking in the event display with the **Range Selection** tool selected defines the **Range Start**. If you do not define a **Range End**, the selection range has a length of zero. This is indicated on the info line and by the range selection cursor.



- After performing editing operations, selection ranges are maintained.

NOTE

In the **Range Selection Cursor** section of the **Preferences** dialog (**Editing—Tools** page), you can customize the color of the range selection cursor, as well as its width. You can also show an outline for the cursor.

Selection Ranges Containing Audio

- If you edit a selection range that contains audio material in the **Sample Editor**, the **Audio Part Editor**, or the **Project** window, activate **Snap to Zero Crossing** on the corresponding toolbar to limit editing to zero crossings, that is, positions where the amplitude is zero.

Selection Ranges Containing MIDI

- If you edit a selection range that contains MIDI notes in the **Key Editor**, the **Drum Editor**, or the **Project** window, all MIDI note events that intersect at the start or the end of the selection range are split.

NOTE

- In the **Project** window, notes are only split if **Split MIDI Events** is activated in the **Preferences** dialog (**Editing—MIDI** page).
- To see if a note is split or not and to display the note length in the event, activate **Show Note Length On/Off** on the toolbar when editing selection ranges in the **Drum Editor**.
- The diamond symbols do not reflect the actual note length. If you want to work with the diamond symbols, refer to the info line for the actual start and end values of a selected symbol.

- If you edit a selection range that intersects with a controller curve, additional controller events are created at the range start and the range end. This ensures that the area outside the range is not edited. The controller event editor is also available for selection ranges on controller lanes.

NOTE

Selection ranges that contain MIDI can also contain data on controller lanes and articulations, even if these are not shown. To extent your selection to cover all events, including events on hidden controller lanes, activate **Full Vertical** in the **Selection Mode** field on the info line.

- If you create a selection range in the editor event display, you cannot extend it to the global tracks event display, and vice versa. Selection ranges for MIDI data and global track data are handled separately.

RELATED LINKS

- [Project Window Toolbar](#) on page 54
[Sample Editor Toolbar](#) on page 600
[Audio Part Editor Toolbar](#) on page 679
[Expanding Selection Ranges Vertically \(MIDI only\)](#) on page 277
[Key Editor Toolbar](#) on page 1139
[Drum Editor Toolbar](#) on page 1170
[Drum Editor Info Line](#) on page 1178
[Drum Editor Note Display](#) on page 1181
[Global Tracks](#) on page 1093
[Controller Display](#) on page 1106
[Controller Event Editor](#) on page 1135
[Range Selection Cursor](#) on page 1528
[Editing - Tools](#) on page 1528

Adjusting the Size of Selection Ranges

You can adjust the size of a selection range horizontally, that is, its start and its end. You can also change its vertical size, which allows you to specify how many tracks or lanes it covers.

PREREQUISITE

You have created a selection range.

CHOICES

- Drag the edges of the selection range horizontally.
- Drag the edges of the selection range vertically.
- To extend/reduce the size of the selection range, hold down **Shift**, and click and drag outside of the selection range.
- To extend/reduce the size of the selection range to the start/end of an audio segment, hold the modifier key for **Audio Segment Editing**, and click and drag the start/end of the selection range.
- To create a new selection range, hold down **Shift**, and click and drag inside of the selection range.
- On the info line, adjust the values for **Range Start**, **Range End**, and **Range Length**.
- **Audio Part Editor** and **Project** window only: On the info line, adjust the values for **Top Track** or **Bottom Track**.
- Use the buttons **Nudge Start Left**, **Nudge Start Right**, **Nudge End Left**, or **Nudge End Right** in the **Nudge** section of the corresponding toolbar.

The edges are moved by the amount specified in the **Grid** pop-up menu or by the amount set in the **Nudge Settings** pop-up menu.

- Choose from the following key commands in the **Nudge** category of the **Key Commands** dialog:
 - **Nudge Start Left:** **Alt/Opt - Left Arrow**
 - **Nudge Start Right:** **Alt/Opt - Right Arrow**
 - **Nudge End Left:** **Alt/Opt - Shift - Left Arrow**
 - **Nudge End Right:** **Alt/Opt - Shift - Right Arrow**
 - **Nudge Bottom Down (Audio Part Editor and Project window only):** **Alt/Opt - Down Arrow**
 - **Nudge Bottom Up (Audio Part Editor and Project window only):** **Alt/Opt - Shift - Up Arrow**
 - **Nudge Top Down: (Audio Part Editor and Project window only):** **Alt/Opt - Shift - Down Arrow**
 - **Nudge Top Up (Audio Part Editor and Project window only):** **Alt/Opt - Up Arrow**

RELATED LINKS

- [Creating Selection Ranges](#) on page 273
[Editing - Tool Modifiers](#) on page 1526
[Nudge Category](#) on page 1493
[Moving Events with the Nudge Buttons](#) on page 245
[Resizing Events with the Nudge Buttons](#) on page 254
[Resizing Events Using the Nudge Settings](#) on page 255
[Nudge](#) on page 59
[Lanes](#) on page 685

Expanding Selection Ranges Vertically (MIDI only)

You can expand a selection range vertically.

PROCEDURE

1. Select the **Range Selection** tool on the **Key Editor** or the **Drum Editor** toolbar.
2. Do one of the following:
 - To select a range that encompasses note events or controller events, click at the position in the event display or in the controller lane where you want the range to start, and drag horizontally, to the position where you want the range to end.
3. Do one of the following:
 - To include/exclude a single controller lane, press **Ctrl/Cmd** and click the corresponding controller lane.
 - To expand the selection by multiple controller lanes, press **Shift** and click the corresponding controller lane.
 - To expand the selection to note events, press **Shift** and click in the event display.
 - To expand the selection to all events, including events on hidden controller lanes, click the **Selection Mode** field on the info line to activate the **Full Vertical** mode.

NOTE

You can also use the tool modifiers that are specified for the **Range Tool** in the **Preferences** dialog (**Editing > Tool Modifiers** page).

RESULT

The selection range is expanded.

NOTE

Range selections for MIDI data and global track data are handled separately. If you select a range in the editor event display, you cannot expand it to the global tracks event display, and vice versa.

RELATED LINKS

[Editing - Tool Modifiers](#) on page 1526
[Selection Range Editing](#) on page 275

Moving Selection Ranges

You can move selection ranges to a new position without moving their contents.

PREREQUISITE

- You have created a selection range.
 - You have activated the **Nudge** section by right-clicking the corresponding toolbar and activating **Nudge**.
-

PROCEDURE

1. Set the nudge amount by doing one of the following:
 - Open the **Grid Type** pop-up menu, and select a value.
 - Open the **Nudge Settings** pop-up menu, and select a value.
 2. Do one of the following:
 - In the **Nudge** section of the toolbar, click **Move Left**, or use the corresponding key command **Ctrl/Cmd - Left Arrow**.
 - In the **Nudge** section of the toolbar, click **Move Right**, or use the corresponding key command **Ctrl/Cmd - Right Arrow**.
-

RESULT

The selection range is nudged according to your settings, but the contents of the selection are not moved.

RELATED LINKS

[Setting up a Snap Grid for Nudge Operations](#) on page 245
[Selection Range Editing](#) on page 275
[Moving the Content of Selection Ranges to a New Position](#) on page 279
[Creating Selection Ranges](#) on page 273
[Duplicating Events](#) on page 258

Moving the Content of Selection Ranges to a New Position

You can move the content of selection ranges to a new position.

PREREQUISITE

- You have created a selection range.
- If you want to move the content via nudge commands, you have set the nudge amount via the **Grid Type** pop-up menu or the **Nudge Settings** pop-up menu.

PROCEDURE

- Do one of the following:
 - Click the selection range, and drag it to a new position.
 - Click the **Move Left** or **Move Right** buttons on the toolbar, or use the corresponding key commands.

RESULT

The content of the selection range are moved to the new position. If the range intersected with any events or parts, these are split before moving, so that only the sections within the selection range are affected.

RELATED LINKS

[Nudge](#) on page 59

[Moving Selection Ranges](#) on page 278

[Creating Selection Ranges](#) on page 273

[Duplicating Events](#) on page 258

Duplicating the Contents of Selection Ranges

You can duplicate the contents of selection ranges.

PREREQUISITE

You have created a selection range.

PROCEDURE

- Do one of the following:
 - Click the selection range, hold down **Alt/Opt**, and drag.
 - Select **Edit > Functions > Duplicate**.
 - Right-click the selection range, and select **Duplicate**.

RESULT

The contents of the selection range are duplicated at the new position. If the range intersects with events or parts, these are split before moving, so that only the sections within the selection range are affected.

RELATED LINKS

[Creating Selection Ranges](#) on page 273

[Selection Range Editing](#) on page 275

Deleting the Contents of Selection Ranges

You can delete the contents of selection ranges.

PREREQUISITE

You have created a selection range.

PROCEDURE

- Do one of the following:
 - To delete the contents of a selection range and replace it with empty space, select **Edit > Delete**, or press **Backspace**.
 - To delete the contents of a selection range and move events that are situated at later timeline positions to the left, to close the gap, select **Edit > Range > Delete Time**.
-

RESULT

The content of the selection range is deleted.

RELATED LINKS

[Selection Range Editing](#) on page 275

Cutting the Contents of Selection Ranges

You can cut the contents of selection ranges.

PREREQUISITE

You have created a selection range.

PROCEDURE

- Do one of the following:
 - To cut the contents of a selection range and replace it with empty space, select **Edit > Cut**, or press **Ctrl/Cmd-X**.
 - To cut the contents of a selection range and move events that are situated at later timeline positions to the left, to close the gap, select **Edit > Range > Cut Time**.
-

RESULT

The cut data is saved to the clipboard.

RELATED LINKS

[Selection Range Editing](#) on page 275

Inserting Silence

You can insert silence at the start of a selection range and move events that are situated at later timeline positions to the right, to make room for the silence.

PROCEDURE

- Select **Edit > Range > Insert Silence**.
-

RESULT

Events to the right of the selection range start are moved farther to the right, to make room for the silence. The length of the silence corresponds to the length of the selection range.

RELATED LINKS

[Selection Range Editing](#) on page 275

Splitting Events at Selection Range Edges

You can split events or parts at the selection range edges, that is, at the start and at the end of a selection range.

PROCEDURE

1. On the **Project** window toolbar, activate the **Range Selection** tool.
 2. Do one of the following:
 - Select **Edit > Range > Split**.
 - Right-click the selection range, and from the context menu select **Split**.
 - Press **Shift-X**.
-

RESULT

The events or parts are split at the edges of the selection range.

If you activated **Combine Selection Tools** mode on the **Project** window toolbar to split the split event, the event is automatically selected.

NOTE

Alternatively, you can split partly selected events automatically when performing editing operations by activating **Range Tool Splits Partly Selected Events** in the Preferences dialog ([Editing](#) page).

RELATED LINKS

[Selection Range Editing](#) on page 275

[Combine Selection Tools Mode](#) on page 241

[Editing](#) on page 1521

Cropping Events to Selection Ranges

You can crop events to selection ranges, that is, remove the audio or MIDI outside the selection range from events or parts.

PREREQUISITE

You have created a selection range.

PROCEDURE

- Do one of the following:
 - Select **Edit > Range > Crop**.
 - Right-click the selection range, and from the context menu select **Crop**.
-

RESULT

The events are cropped to the selection range. Events that are entirely inside or outside the selection range are not affected.

RELATED LINKS

[Selection Range Editing](#) on page 275

Creating Audio Events from Selection Ranges

You can create a new audio event that exclusively contains a selection range in the **Sample Editor**.

PROCEDURE

1. On the **Sample Editor** toolbar, activate the **Range Selection** tool.
 2. Select a range by clicking at the position in the waveform display where you want the range to start, and drag to the position where you want the range to end.
 3. Drag the selection range to an audio track in the **Project** window.
-

RELATED LINKS

[Selection Range Editing](#) on page 275

Creating Audio Clips from Selection Ranges

You can create a new audio clip that exclusively contains a selection range in the **Sample Editor**.

PROCEDURE

1. On the **Sample Editor** toolbar, activate the **Range Selection** tool.
2. Select a range by clicking at the position in the waveform display where you want the range to start, and drag to the position where you want the range to end.
3. Select **Audio > Bounce Selection**.
4. Perform one of the following actions:
 - To replace the original, click **Replace**.
 - To keep the original, click **No**.

TIP

To always apply the selected setting without opening the dialog again, activate **Please, don't ask again**. You can reset this with the **On Bouncing/Rendering Audio** option in the **Preferences** dialog (**Editing—Audio** page).

RESULT

A new **Sample Editor** window opens with the new clip. It refers to the same audio file as the original clip, but it only contains the audio corresponding to the selection range.

RELATED LINKS

[Selection Range Editing](#) on page 275

[On Bouncing/Rendering Audio](#) on page 1523

Playback and Transport

Cubase offers multiple methods and functions to control playback and transport.

Transport Panel

The **Transport** panel contains the main transport functions as well as many other options related to playback and recording.

- To show the **Transport** panel, select **Transport > Transport Panel** or press **F2**.

Transport Panel Sections


The **Transport** panel has different sections that you can show or hide by activating the corresponding options in the **Set up Transport Panel** pane.

- To show all **Transport** panel sections, right-click anywhere on the **Transport** panel and select **Show All**.

The following sections are available:

Audio Performance Meter

Audio Performance Meter



The upper bar displays either the current realtime peak or the ASIO-Guard load, depending on which of the two has the higher value. The lower bar shows the hard disk transfer load of the disk engine.

For a more detailed display of realtime peak and ASIO-Guard load, click to open the **Audio Performance** panel.

Common Record Modes


Common Record Modes



Allow you to determine what happens if you click **Record** during an audio or MIDI recording, and where to start the recording.

Audio Record Modes

Audio Record Modes



Allow you to select what happens when you record over existing audio events.

MIDI Record Modes

MIDI Record Modes



Allow you to select what happens when you record over existing MIDI parts.

MIDI Auto Quantize

Automatic MIDI Record Quantize



Activates automatic quantizing during a MIDI recording.

Locators

Go to Left Locator Position



Allows you to go to the left locator position.

Left Locator Position

1. 5. 1. 0

Shows the left locator position.

Go to Right Locator Position



Allows you to go to the right locator position.

Right Locator Position

4. 8. 1. 0

Shows the right locator position.

Locator Range Duration

Locators to Selection



Allows you to set the locators to the selection.

Locator Range Duration

4. 8. 1. 0

Shows the duration of the locator range.

Punch Points

Lock Punch Points to Locators



Locks the punch points to the left and right locator positions.

Punch In



Activates **Punch In**.

Punch In Position

20. 1. 1. 0

Allows you to set up the punch in position. For this to work, **Lock Punch Points to Locators** must be deactivated. To show/hide this, click the points on the divider.

Punch Out



Activates **Punch Out**.

Punch Out Position

1. 1. 1. 0

Allows you to set up the punch out position. For this to work, **Lock Punch Points to Locators** must be deactivated. To show/hide this, click the points on the divider.

Transport Controls

Go to Previous Marker/Zero



Moves the project cursor to the previous marker/zero position on the timeline.

Go to Next Marker/Project End



Moves the project cursor to the next marker/project end.

Rewind



Moves backward.

Forward



Moves forward.

Cycle



Activates/Deactivates cycle mode.

Stop



Stops playback.

Start



Starts playback.

Transport Record



Activates/Deactivates record mode.

Time Display

Select Primary Time Format



Allows you to select a time format for the primary time display.

Primary Time Display

6. 1. 1. 0

Shows the position of the project cursor in the selected time format.

Select Secondary Time Format



Allows you to select a time format for the secondary time display.

Secondary Time Display

0:00:11.000

Shows the position of the project cursor in the selected time format.

Markers

Jump to Marker



Allows you to set and locate marker positions.

Open Markers Window



Opens the **Markers** window.


Pre-roll & Post-roll

Activate Pre-roll



Activates pre-roll.

Pre-roll Amount



Allows you to set the pre-roll position. To show/hide this, click the points on the divider.

Activate Post-roll



Activates post-roll.

Post-roll Amount



Allows you to set the post-roll position. To show/hide this, click the points on the divider.

Tempo & Time Signature

Activate Tempo Track



Allows you to activate/deactivate the tempo track.

Tempo



Allows you to set the tempo value.

Time Signature



Allows you to set the first time signature value. To show/hide this, click the points on the divider.

Tap Tempo



Allows you to insert tempo changes into your project by tapping.

Tap Tempo Mode



Defines where new tempo events are inserted.

Activate External Sync

Activate External Sync



Activates external synchronization.

Open Synchronization Setup



Allows you to open the **Project Synchronization Setup** dialog.

Click & Count-in & Click Pattern

Activate Metronome Click



Activates the metronome click.

Activate Count-in



Activates the metronome click in count-in.

Click Pattern



Allows you to set up a click pattern. To show/hide this, click the points on the divider.

Open Metronome Setup



Opens the **Metronome Setup** dialog. To show/hide this, click the points on the divider.

Input/Output Activity

MIDI In Activity



Displays the MIDI input signals.

MIDI Out Activity



Displays the MIDI output signals.

Audio Activity



Displays the audio input/output signals.

Audio Clipping



Displays audio clipping.

Level Display



Displays the output level.

Level Control



Allows you to control the output level.

RELATED LINKS

- [Transport](#) on page 1542
- [Transport - Scrub](#) on page 1543
- [Tap Tempo Modes](#) on page 1386

Transport Menu

The **Transport** menu contains several transport functions as well as many other options related to playback and recording.

Transport Panel

Opens the **Transport** panel.

Transport Commands

Start

Starts playback.

Stop

Stops playback.

Start/Stop

Starts/Stops playback.

Cycle

Activates/Deactivates cycle mode.

Record

Activates/Deactivates record mode.

Rewind

Moves backward.

Forward

Moves forward.

Fast Rewind

Moves backward at a faster speed.

Fast Forward

Moves forward at a faster speed.

Nudge Cursor Left

Moves the project cursor position to the left.

Nudge Cursor Right

Moves the project cursor position to the right.

Enter Project Cursor Position

Allows you to enter the project cursor position manually.

Go to Project Start

Moves the project cursor position to the start of the project.

Go to Project End

Moves the project cursor position to the end of the project.

Exchange Time Formats

Switches the primary and the secondary time display.

Start Mode

Start from Project Cursor Position

If activated, playback starts from the current project cursor position.

Start from Cycle Start

If activated, playback starts from the left locator.

Start from Selection

If activated, playback starts from the start of the current selection.

Start from Selection or Cycle Start

If activated, playback starts from the start of the current selection. If nothing is selected, playback starts from the left locator.

Return to Start Position on Stop

If activated, the project cursor returns to its start position when playback is stopped.

Locators

Go to Left Locator Position

Moves the project cursor position to the left locator.

Go to Right Locator Position

Moves the project cursor position to the right locator.

Set Left Locator to Project Cursor Position

Sets the left locator to the project cursor position.

Set Right Locator to Project Cursor Position

Sets the right locator to the project cursor position.

Enter Left Locator Position

Allows you to enter the position of the left locator manually.

Enter Right Locator Position

Allows you to enter the position of the right locator manually.

Enter Locator Range Duration

Allows you to enter the duration of the locator range manually.

Set Locators to Selection Range

Sets the locators to encompass the selection.

Exchange Left & Right Locator Positions

Switches the positions of the left and right locator.

Punch Points

Activate Punch In

Activates/Deactivates punch in.

Activate Punch Out

Activates/Deactivates punch out.

Go to Punch In Position

Moves the project cursor position to the punch in position.

Go to Punch Out Position

Moves the project cursor position to the punch out position.

Lock Punch Points to Locators

Allows you to unlock/lock the punch-in and punch-out position to the left and the right locator.

Set Punch In to Project Cursor Position

Moves the punch-in position to the project cursor position.

Set Punch Out to Project Cursor Position

Moves the punch-out position to the project cursor position.

Enter Punch In Position

Allows you to enter the punch-in position manually.

Enter Punch Out Position

Allows you to enter the punch-out position manually.

Set Punch Points to Selection Range

Sets the punch-in and the punch-out position to the selected event range.

Set Project Cursor Position

Locate Selection Start

Moves the project cursor to the beginning of the selection.

Locate Selection End

Moves the project cursor to the end of the selection.

Locate Next Marker

Moves the project cursor to the next marker.

Locate Previous Marker

Moves the project cursor to the previous marker.

Locate Next Hitpoint

Moves the project cursor to the next hitpoint on the selected track.

Locate Previous Hitpoint

Moves the project cursor to the previous hitpoint on the selected track.

Locate Next Event

Moves the project cursor to the next event on the selected track.

Locate Previous Event

Moves the project cursor to the previous event on the selected track.

Play Project Range

Play from Selection Start

Activates playback from the start of the current selection.

Play from Selection End

Activates playback from the end of the current selection.

Play until Selection Start

Activates playback two seconds before the start of the current selection and stops at the selection start.

Play until Selection End

Activates playback two seconds before the end of the current selection and stops at the selection end.

Play until Next Marker

Activates playback from the project cursor and stops at the next marker.

Play Selection

Activates playback from the start of the current selection and stops at the selection end.

Loop Selection

Sets the locators to encompass the current selection, and starts playback at the start of the selection and keeps starting over again at the selection end.

Play Selection Solo

Activates playback from the start of the current selection, with the selected tracks soloed, and stops at the selection end.

Loop Selection Solo

Sets the locators to encompass the current selection, and starts playback at the start of the selection, with the selected tracks soloed, and keeps starting over again at the selection end.

Pre-roll & Post-roll

Use Pre-roll

Activates/Deactivates the pre-roll.

Use Post-roll

Activates/Deactivates the post-roll.

Post-roll from Selection Start

Starts playback from the beginning of the selected range and stops after the time set in the post-roll field on the **Transport** panel.

Post-roll from Selection End

Starts playback from the end of the selected range and stops after the time set in the post-roll field on the **Transport** panel.

Pre-roll to Selection Start

Stops playback at the selection start. The playback start position can be specified via the pre-roll field on the **Transport** panel.

Pre-roll to Selection End

Stops playback at the selection end. The playback start position can be specified via the pre-roll field on the **Transport** panel.

Use Tempo Track

Activates/Deactivates the tempo track.

Common Record Modes

Punch In/Out

Activates/Deactivates punch in/out.

Re-Record

Activates/Deactivates the re-record mode.

Start Recording at Project Cursor Position

Activates/Deactivates the start of the recording at the project cursor position.

Start Recording at Left Locator/Punch In Position

Activates/Deactivates the start of the recording at the left locator.

Audio Record Mode

These options allow you to select what happens when you record over existing events.

Keep History

Keeps existing events or portions of events.

Cycle History + Replace

Replaces existing events or portions of events with the new recording. In cycle mode, all takes from the current cycle recording are kept.

Replace

Replaces existing events or portions of events with the last take.

MIDI Record Mode

These options allow you to select what happens when you record over existing parts.

New Parts

Keeps existing parts and saves the new recording as a new part.

Merge

Keeps existing events in parts and adds the newly recorded events.

Replace

Replaces existing events in parts with the new recording.

Auto Quantize in Record

Activates automatic quantizing during recording.

MIDI Cycle Record Mode

Mix

Adds everything you record to what was previously recorded.

Overwrite

Overwrites any MIDI that you have recorded on previous laps as soon as you play a MIDI note or send any MIDI message.

Keep Last

Replaces previously recorded laps only if the new lap is completed.

Stacked

Turns each recorded cycle lap into a separate MIDI part, and divides the track into lanes for each cycle lap. The parts are stacked above each other, each on a different lane. All takes but the last one are muted.

Mix-Stacked (No Mute)

Same as **Stacked**, but parts are not muted.

Auto Quantize in Record

Activates automatic quantizing during recording.

MIDI Retrospective Recording

Allows you to recover MIDI data that you play in **Stop** mode or during playback. The following options are available:

Insert from All MIDI Inputs

Inserts MIDI data that was sent to all track inputs as a linear MIDI part on the selected track.

Insert from Track Input as Linear Recording

Inserts MIDI data that was sent to the track input as a linear MIDI part on the selected track.

Insert from Track Input as Cycle Recording

Inserts MIDI data that was sent to the track input as stacked MIDI parts on the selected track.

Empty All Buffers

Empties the retrospective record buffer for the selected track.

Video Follows Editing

If this option is activated, the project cursor automatically follows when you make selections or when you perform editing operations.

Metronome Setup

Opens the **Metronome Setup** dialog.

Activate Metronome

Activates/Deactivates the metronome click.

Project Synchronization Setup

Opens the **Project Synchronization Setup** dialog.

Activate External Sync

Sets Cubase to be synchronized externally.

RELATED LINKS

[Left and Right Locators](#) on page 301

[Punch In and Punch Out](#) on page 307

[Pre-Roll and Post-Roll](#) on page 306

[Common Record Modes Menu](#) on page 327

[Audio Record Modes](#) on page 332
[MIDI Record Modes](#) on page 340
[Recovery of MIDI Recordings](#) on page 341
[Metronome Click](#) on page 307

Transport Bar

The **Transport Bar** contains all transport functions in an integrated and fixed zone of the **Project** window.

- To activate the **Transport Bar**, click **Set up Window Layout** on the **Project** window toolbar and activate **Transport Bar**.
- To display all transport elements, right-click in an empty area of the **Transport Bar** and click **Show All**.
- To show all controls of a section, click the points to the right of the section, and drag all the way to the right. To hide the controls again, drag to the left.



RELATED LINKS

[Transport Bar](#) on page 70
[Project Window Toolbar](#) on page 54

Transport Bar Sections

The **Transport Bar** panel has different sections that you can show or hide by activating the corresponding options in the **Set up Transport Bar** pane.

- To activate the **Transport Bar**, click **Set up Window Layout** on the **Project** window toolbar and activate **Transport Bar**.
- To show/hide tools, right-click an empty area of the **Transport Bar**, and activate the tools that you want to display. To show all tools, click **Show All**.

Constrain Delay Compensation

Constrain Delay Compensation



Minimizes the latency effects of the delay compensation.

Common Record Modes


Common Record Modes



Allow you to determine what happens if you click **Record** during an audio or MIDI recording, and where to start the recording.

Audio Record Modes

Audio Record Modes



Allow you to select what happens when you record over existing audio events.

MIDI Record Modes

MIDI Record Modes



Allow you to select what happens when you record over existing MIDI parts.

MIDI Auto Quantize

Automatic MIDI Record Quantize



Activates automatic quantizing during a MIDI recording.


Left Divider

Left Divider

Tools that are placed to the left of the divider are always shown.

Audio Performance Meter

Audio Performance Meter



The upper bar displays either the current realtime peak or the ASIO-Guard load, depending on which of the two has the higher value. The lower bar shows the hard disk transfer load of the disk engine.

For a more detailed display of realtime peak and ASIO-Guard load, click to open the **Audio Performance** panel.

Locators

Go to Left Locator Position



Allows you to go to the left locator position.

Left Locator Position




Shows the left locator position.

Go to Right Locator Position



Allows you to go to the right locator position.

Right Locator Position



Shows the right locator position.


Locator Range Duration

Locators to Selection



Allows you to set the locators to the selection.

Locator Range Duration



Shows the duration of the locator range.

Punch Points

Punch In



Activates **Punch In**.

Punch Out



Activates **Punch Out**.

Lock Punch Points to Locators



Locks the punch points to the left and right locator positions.

Punch In Position

20. 1. 1. 0

Allows you to set up the punch in position. For this to work, **Lock Punch Points to Locators** must be deactivated. To show/hide this, click the points on the divider.

Punch Out Position

1. 1. 1. 0

Allows you to set up the punch out position. For this to work, **Lock Punch Points to Locators** must be deactivated. To show/hide this, click the points on the divider.

Transport Controls

Go to Previous Marker/Zero



Moves the project cursor to the previous marker/zero position on the timeline.

Go to Next Marker/Project End



Moves the project cursor to the next marker/project end.

Rewind



Moves backward.

Forward



Moves forward.

Cycle



Activates/Deactivates cycle mode.

Stop



Stops playback.

Start



Starts playback.

Transport Record



Activates/Deactivates record mode.

Retrospective Record

Insert Retrospective Recording from All MIDI Inputs on Selected Track



Allows you to recover MIDI notes that you played in stop mode or during playback.

Time Displays

Select Primary Time Format



Allows you to select a time format for the primary time display.

Primary Time Display

6. 1. 1. 0

Shows the position of the project cursor in the selected time format.

Select Secondary Time Format



Allows you to select a time format for the secondary time display.

Secondary Time Display

0:00:11.000

Shows the position of the project cursor in the selected time format.

Markers

Jump to Marker

1 2 3 4 5 6 7 8

Allows you to set and locate marker positions.

Open Markers Window



Opens the **Markers** window.

Pre-roll & Post-roll

Activate Pre-roll



Activates pre-roll.

Pre-roll Amount

0. 0

Allows you to set the pre-roll position. To show/hide this, click the points on the divider.

Activate Post-roll



Activates post-roll.

Post-roll Amount

0. 0

Allows you to set the post-roll position. To show/hide this, click the points on the divider.

Tempo & Time Signature

Activate Tempo Track



Tempo Track

Allows you to activate/deactivate the tempo track.

Tempo

120.000

Allows you to set the tempo value.

Time Signature

4/4

Allows you to set the first time signature value. To show/hide this, click the points on the divider.

Tap Tempo



Allows you to insert tempo changes into your project by tapping.

Tap Tempo Mode



Defines where new tempo events are inserted.

Right Divider

Right Divider

Tools that are placed to the right of the divider are always shown.

Activate External Sync

Activate External Sync



Activates external synchronization.

Open Synchronization Setup



Allows you to open the **Project Synchronization Setup** dialog.

Click & Count-in & Click Pattern

Activate Metronome Click



Activates the metronome click.

Activate Count-in



Activates the metronome click in count-in.

Click Pattern



Allows you to set up a click pattern. To show/hide this, click the points on the divider.

Open Metronome Setup



Opens the **Metronome Setup** dialog. To show/hide this, click the points on the divider.

Input/Output Activity

MIDI In Activity



Displays the MIDI input signals.

MIDI Out Activity



Displays the MIDI output signals.

Audio Activity



Displays the audio input/output signals.

Audio Clipping



Displays audio clipping.

Level Display



Displays the output level.

Level Control



Allows you to control the output level.

Transport Pop-Up Window

The **Transport** pop-up window allows you to access specific transport commands if the **Transport** panel, the **Transport Bar**, and the **Transport Controls** in the **Project** window toolbar are closed or hidden.

The following default key commands open the **Transport Bar** pop-up window:

Enter Left Locator

Shift - L

Enter Right Locator

Shift - R

Enter Project Cursor Position

Shift - P

Enter Tempo

Shift - T

Enter Time Signature

Shift - C

Enter Punch In Position

Shift - I

Enter Punch Out Position

Shift - O


Go to Left Locator

Num 1

Go to Right Locator

Num 2

A specific key command opens the corresponding section of the **Transport** pop-up window:



Transport pop-up window for entering the left **Locator** position.


NOTE

To close the **Transport** pop-up window, press **Esc**.

Time Display Window

The **Time Display** window allows you to view the current time position in a separate window. You can adjust its size and specify the time format that you want to display.

- To open the **Time Display** window, select **Studio > More Options > Time Display**.



Right-click the window to access the following options:

Bars+Beats

Displays the time in bars and beats.

Seconds

Displays the time in seconds.

Fps

Displays the time in frames per second.

Samples

Displays the time in samples.

Show Beat Count Only

Shows the beat counts only. This is useful if you want to use the **Time Display** window as a visual metronome.

Increase Window Size

Increases the size of the window and the displayed values.

Decrease Window Size

Decreases the size of the window and the displayed values.

NOTE

You can set up the **Window Transparency** in the **Studio Setup** dialog (**Time Display** page).

RELATED LINKS

[Time Signature Events](#) on page 1396

Left and Right Locators

The left and right locators are a pair of markers that you can use as reference positions in the **Project** window and in the editors.

Locators help you, for example, to do the following:

- Positioning the project cursor.
- Defining start and stop positions for recording.
- Defining start positions for importing or exporting events.
- Setting up a cycle range.
- Selecting, copying, creating or splitting events.



Locators are indicated by the flags in the ruler.

The area between the left and the right locator is the locator range. The locator range is highlighted in the ruler and in the event display.

NOTE

In the event display of the MIDI editors, the locator range is only highlighted if **Show Part Borders** is deactivated.

- To activate/deactivate cycle mode, click the locator range in the upper part of the ruler or activate **Activate Cycle** in the transport controls.



- #### NOTE

If you activate cycle mode and the right locator is positioned before the left locator, the locator range is skipped during playback.



RELATED LINKS

- [Project Window Toolbar](#) on page 54
- [Setting the Project Cursor](#) on page 303
- [Activating Recording Manually](#) on page 324
- [Activating Recording Automatically](#) on page 324
- [Cycle Recording](#) on page 326
- [Punch In and Punch Out](#) on page 307
- [Common Record Modes Menu](#) on page 327
- [Import Options for MIDI Files](#) on page 352
- [Export Options Dialog for MIDI Files](#) on page 198
- [Export Audio Mixdown](#) on page 1406
- [Setting the Locators Using Cycle Markers](#) on page 420
- [Select Submenu](#) on page 242
- [Audio Parts](#) on page 238
- [MIDI Parts](#) on page 238
- [Signature Track Controls](#) on page 155
- [Filling the Locator Range with Copies of Events](#) on page 260
- [Splitting Events](#) on page 256
- [Transport](#) on page 1542

Setting the Left Locator

Setting the left locator can be useful if you want to add a reference position in the **Project** window and in the editors.

PROCEDURE

- Do one of the following:
 - Press **Ctrl/Cmd**, and click in the upper part of the ruler to set the left locator to that position.
 - Adjust the **Left Locator Position** value.
This is available in the **Locators** section of the **Project** window toolbar, the editor toolbars, the **Transport** panel, and the **Transport Bar**.
 - Drag the left locator handle in the upper part of the ruler.
 - Press **Ctrl/Cmd**, and, on the numeric keypad, press **1** to set the left locator to the project cursor position.
 - Press **Alt/Opt**, and click **Go to Left Locator Position** on the **Transport** panel.

Setting the Right Locator

Setting the right locator can be useful if you want to add a reference position in the **Project** window and in the editors.

PROCEDURE

- Do one of the following:
 - Press **Alt/Opt**, and click in the upper part of the ruler to set the right locator to that position.

- Adjust the **Right Locator Position** value.
This is available in the **Locators** section of the **Project** window toolbar, the editor toolbars, the **Transport** panel, and the **Transport Bar**.
 - Drag the right locator handle in the upper part of the ruler.
 - Press **Ctrl/Cmd**, and, on the numeric keypad, press **2** to set the right locator to the project cursor position.
 - Press **Alt/Opt**, and click **Go to Right Locator Position** on the **Transport** panel.
-

Setting up Locator Ranges

You can set up the locator range, that is, the area between the left and the right locator.

PROCEDURE

- Do one of the following:
 - Press **Shift-D** to activate the **Locator Range Duration** value field in the **Locator Range Duration** section of the toolbar, and enter a value.
 - Click and drag in the upper part of the ruler.
 - Select a range or an event, and press **P** to set the locators to the selection.
 - Double-click a cycle marker.
 - Press **Ctrl/Cmd-Alt/Opt**, and click at a position in the upper part of the ruler to set both locators to the nearest snap position.
-

RESULT

The locator range is set up and highlighted in the ruler and in the event display. **Snap** is taken into account.

Moving Locator Ranges

In the ruler, you can move the locator range.

PREREQUISITE

You have set up a locator range.

PROCEDURE

1. Move the mouse pointer to the upper part of the ruler inside a locator range.
A hand symbol is shown.
 2. Click and drag to the left or to the right to move the locator range.
-

Setting the Project Cursor

You can set the project cursor by clicking at a position, or you can predefine a position.

PROCEDURE

- Do one of the following:
 - Hold down **Shift-Alt/Opt**, and click in the **Project** window event display.
 - Click **Go to Previous Marker/Zero** or **Go to Next Marker/Project End**.

These are available in the **Transport Controls** section of the **Project** window toolbar, the editor toolbars, the **Transport** panel, and the **Transport Bar**.

- Click in the lower part of the ruler.
- Select **Transport > Set Project Cursor Position**, and select an entry in the submenu.
- Use a key command.

NOTE

You can assign key commands for setting the project cursor location in the **Transport** category of the **Key Commands** dialog. In addition to the default key commands, you can set up further commands, for example, for moving the project cursor forward or backward in fixed intervals.

RELATED LINKS

[Transport Panel Sections](#) on page 283

[Ruler](#) on page 65

[Transport Menu](#) on page 288

[Transport](#) on page 1542

[Transport Bar](#) on page 294

[Left and Right Locators](#) on page 301


[Key Commands](#) on page 1480

Auto-Scroll Settings Menu

Auto-Scroll allows you to keep the project cursor visible in the window during playback.


If you activate **Auto-Scroll** on the toolbar of the **Project** window or in one of the editors, the following modes are available in the **Select Auto-Scroll Settings** pop-up menu:

Page Scroll



The project cursor moves from the left side to the right side of the window. When the project cursor reaches the right side of the window, the ruler and the project cursor jump to the left side of the window and start over again. This behavior can be compared to turning a page of a book.

Stationary Cursor



The project cursor is kept in the middle of the window, and the ruler scrolls continuously to the left.

RELATED LINKS

[Project Window Toolbar](#) on page 54

Suspend Auto-Scroll When Editing

If you do not want the **Project** window display to change when editing during playback, activate **Suspend Auto-Scroll when Editing**.

Suspend Auto-Scroll when Editing is available as an option in the **Select Auto-Scroll Settings** pop-up menu to the right of the **Auto-Scroll** button.

If this option is activated, auto-scrolling is suspended as soon as you click anywhere in the event display during playback, until playback stops or until you click **Auto-Scroll** again.

As a visual feedback, the **Auto-Scroll** button changes its color.

Time Formats


You can set up different time formats.

Selecting the Primary Time Format

On the **Transport** panel, you can select the primary time format. This is the global time format that is used for all rulers and position displays in the program, except for the ruler tracks.

PROCEDURE

1. In the main transport section on the **Transport** panel, click **Select Primary Time Format**.
2. Select a time format from the pop-up menu.



RESULT

The time format on the **Transport** panel and all rulers and position displays are updated.

NOTE

You can also select **Project > Project Setup**. In the **Project Time Displays** section, open the **Time Format** pop-up menu to select the primary time format.

RELATED LINKS

[Project Setup Dialog](#) on page 123

Independent Time Displays

You can show time displays that are independent from the global time format.

To select an independent time display, do one of the following:

- In the ruler of the **Project** window or any editor, click the arrow button to the right of the ruler.
- Select **Project > Add Track > Ruler** to add a ruler track, and right-click the ruler.
- In the **Main Transport** section of the **Transport** panel, click **Select Secondary Time Format**.

RELATED LINKS

[Ruler](#) on page 65

[Ruler Track](#) on page 149

Pre-Roll and Post-Roll

You can activate pre-roll and post-roll with the corresponding buttons in the **Pre-roll & Post-roll** section on the **Transport** panel or by selecting **Transport > Pre-roll & Post-roll > Use Pre-roll/Use Post-roll**.

NOTE

To show the **Pre-roll & Post-roll** section, right-click anywhere in the **Transport** panel or in the **Transport Bar** and activate **Pre-roll & Post-roll**.

- By setting a pre-roll value, you instruct Cubase to roll back a short section whenever playback is activated.
 1. 0. 0. 0
- By setting a post-roll value, you instruct Cubase to play back a short section after automatic punch out before stopping.
 1. 0. 0. 0

NOTE

This only works if **Punch Out** is activated on the **Transport** panel, and if **Stop after Automatic Punch Out** is activated in the **Preferences** dialog (**Record** page).

Using Pre-Roll and Post-Roll

You can set up a pre-roll and a post-roll value for recording.

PREREQUISITE

On the **Transport** panel, **Lock Punch Points to Locators** is activated.

PROCEDURE

1. Set the locators to where you want to start and end recording.
2. On the **Transport** panel or in the **Transport Bar**, activate **Punch In** and **Punch Out**.
3. In the **Preferences** dialog, select **Record**.
4. Activate **Stop after Automatic Punch Out**.
5. Right-click anywhere on the **Transport** panel or in the **Transport Bar** and activate **Pre-roll & Post-roll**.
6. In the **Pre-roll & Post-roll** section, activate **Pre-roll**  and **Post-roll** .
7. In the **Pre-roll Amount** and **Post-roll Amount** fields, enter the pre-roll and post-roll values.
8. Activate **Record**.

RESULT

The project cursor rolls back by the specified pre-roll value, and playback starts. When the cursor reaches the left locator, recording is automatically activated. When the cursor reaches the right

locator, recording is deactivated, but playback continues for the specified post-roll value before stopping.

Punch In and Punch Out

The punch in and the punch out points are a pair of markers that you can use for punch in and punch out of recordings. The punch in position determines the record start position and the punch out position determines the record stop position.

You can activate punch in and punch out by activating the corresponding buttons on the **Transport** panel.


The punch in position is locked to the left locator position and the punch out position to the right locator position. The punch position fields are unavailable.



However, you can detach the punch points from the locators by deactivating **Lock Punch Points to Locators**.

If you do so, the value fields become available, and you can use them to set up the punch positions, regardless of the locator positions.

You can also drag the punch in and punch out handles in the ruler to set the punch positions.



RELATED LINKS

[Activating Recording Automatically](#) on page 324

[Stopping Recording Automatically with Punch Out](#) on page 325

Metronome Click

You can use the metronome click as a timing reference for playing along and recording. The two parameters that govern the timing of the metronome are project tempo and the time signature.

- To activate the metronome click, activate **Activate Metronome Click** on the **Transport** panel.
You can also select **Transport > Activate Metronome** or use the corresponding key command.
- To define if the metronome click is played during playback, recording or count-in, select **Transport > Metronome Setup**, and make your changes on the **General** tab.
- To set up the sounds for the metronome click, select **Transport > Metronome Setup**, and make your changes on the **Click Sounds** tab.

RELATED LINKS

[Transport Panel Sections](#) on page 283

[Project Tempo Modes](#) on page 1374

Click Patterns

Click patterns allow you to set up a custom metronome click.

By default, the metronome click in Cubase has a 4/4 pattern with a fixed number of 4 clicks. The click level of the first click is high, while the level of the other beats is low.



The default metronome click pattern with 4 clicks at a 4/4 time signature



A metronome click pattern with 3 clicks at a 3/4 time signature

By setting up click patterns for the metronome at the current time signature, you can create a custom metronome click. You can determine the number of clicks and the level of the clicks to your liking.

If you have different project parts with different time signatures or tempos and you want to set up different click patterns to match the rhythm and feel of these parts, you can set up a metronome click pattern for each signature event in your project.

You can also add the same time signature for different sections and set up different patterns for them.

NOTE

- If you want to visualize the current click pattern in the **Project** window, **Key Editor** or **Drum Editor** event display, activate **Use Metronome Click Pattern Level for Grid Line Emphasis** in the corresponding ruler context menu. This is useful if **Snap** is activated and the **Snap Type** is set to **Grid**.
- Grid lines are only emphasized if they are shown. If you want to visualize a click pattern that is set to 6 **Clicks** and a 4/4 **Time Signature**, you must set the **Grid Type** to a triplet value.

The **Click Patterns** tab in the **Metronome Setup** dialog allows you to manage factory and user click patterns. You can remove and rename them, create new click patterns, and change the default click pattern for a specific time signature.

RELATED LINKS

[Click Patterns Tab](#) on page 316

[Click Pattern Editor](#) on page 309

[Setting up a Metronome Click Pattern](#) on page 309

[Setting up Metronome Click Patterns for Signature Events](#) on page 310


[Project Window Toolbar](#) on page 54

Click Pattern Editor

The **Click Pattern Editor** allows you to set up a click pattern for your project to create new grooves and feels for the metronome click. This is useful if you want to create a triplet pattern for a 4/4 signature, for example.

The **Click Pattern Editor** is available in the **Transport Bar**. If you add a signature track, it is available in the **Inspector** and on the info line.

- To open the **Click Pattern Editor** in the **Transport Bar**, click the points to the right of the **Click & Count-in & Click Pattern** section, and drag all the way to the right. Click the pattern field to open the **Click Pattern Editor**.



Clicks

Allows you to define the number of clicks that are used in the pattern.

Pattern

Allows you to select a factory pattern or to save your own user patterns. Which patterns are available in this menu depends on the current time signature and on the settings in the **Metronome Setup** dialog on the **Click Patterns** tab.

NOTE

To view, edit and rename the pattern presets, open the **Click Patterns** tab in the **Metronome Setup** dialog.

Event display

Shows the defined number of beats for the selected pattern.

You can change the accent level for a beat by changing its vertical position in the event display. There are 4 different settings. These correspond to the settings in the **Metronome Setup** dialog on the **Click Sounds** tab. You can mute a beat by clicking the lowest vertical position.

RELATED LINKS

[Transport Bar Sections](#) on page 294

[Signature Track](#) on page 154

Setting up a Metronome Click Pattern

You can set up a different metronome click pattern for your project.

PROCEDURE

- In the **Transport Bar**, click the points to the right of the **Click & Count-in & Click Pattern** section, and drag all the way to the right to show the click pattern section.
- Click the pattern field to open the **Click Pattern Editor**.
- Do one of the following:
 - Select one of the patterns that are available for the current time signature in the **Pattern** pop-up menu.

- Set up a new user pattern by changing the number of clicks in the **Clicks** value field. You can also change the accent level for a beat by changing its vertical position in the event display.
4. When you are done, click outside the **Click Pattern Editor** to close it.
 5. Activate the metronome click.
-

RESULT

The metronome click is played back with the defined click pattern.

RELATED LINKS

[Click Pattern Editor on page 309](#)
[Transport Bar Sections on page 294](#)
[Click Patterns Tab on page 316](#)
[Saving User Patterns on page 310](#)

Setting up Metronome Click Patterns for Signature Events

You can set up a metronome click pattern for each signature event in your project. This is useful if you have different project parts with different time signatures and you want to customize click patterns to the rhythm and feel of these parts. You can also add the same time signature for different sections and set up different patterns for them.

PROCEDURE

1. Double-click the plus sign to open the **Click Pattern Editor**.
 2. Do one of the following:
 - Select one of the patterns that are available for the current time signature in the **Pattern** pop-up menu.
 - Set up a new user pattern by changing the number of clicks in the **Clicks** value field. You can also change the accent level for a beat by changing its vertical position in the event display.
 3. When you are done, click outside the **Click Pattern Editor** to close it.
 4. Repeat this for each signature event for which you want to set up a click pattern.
-

RESULT

If you play back the project and activate the metronome click, the different project parts use the defined click patterns. The **Click Pattern Editor** in the **Transport Bar** shows the pattern at the project cursor position.

RELATED LINKS

[Click Pattern Editor on page 309](#)
[Signature Track on page 154](#)
[Time Signature Events on page 1396](#)

Saving User Patterns

You can set up and save your own user pattern for the metronome click. This is useful if you want to use your click pattern in other projects as well.

PREREQUISITE

The time signature for which you want to set up a user pattern is selected in the **Tempo & Time Signature** section of the **Transport Bar**.

PROCEDURE

1. In the **Transport Bar**, click the points to the right of the **Click & Count-in & Click Pattern** section, and drag all the way to the right to show the click pattern section.
2. Click the pattern field to open the **Click Pattern Editor**.
3. Use the **Clicks** setting to define the number of clicks that you want to hear.
4. Change the accent level for a beat by changing its vertical position in the event display.

As soon as you make changes to the default pattern, the pattern name in the **Pattern** field changes to **User Pattern**.

5. When you are done, click in the **Pattern** field, and select **Store Pattern** from the pop-up menu.

The pattern name changes to **Untitled**, and a message informs you that a new pattern is created for the selected time signature.

New Pattern Created (3/4)

RESULT

Your user pattern is saved.

AFTER COMPLETING THIS TASK

Rename the untitled user pattern in the **Metronome Setup** dialog (**Click Patterns** tab).

RELATED LINKS

[Click Patterns Tab on page 316](#)

[Renaming Click Patterns on page 311](#)

Renaming Click Patterns

By default, newly created user patterns are called **Untitled**, but you can rename them in the **Metronome Setup** dialog.

PROCEDURE

1. Select **Transport > Metronome Setup**.
 2. Click **Click Patterns** to open the **Click Patterns** tab.
 3. Navigate to the time signature for which you have added a new, untitled user pattern, and double-click its name.
 4. Enter a name for the click pattern, and press **Enter** to confirm.
-

RELATED LINKS


[Click Patterns Tab on page 316](#)

Metronome Setup Dialog

The **Metronome Setup** dialog allows you to make settings for the metronome.

To open the **Metronome Setup** dialog, do one of the following:

- Select **Transport > Metronome Setup**.
- In the **Transport Bar**, open the **Click & Count-in & Click Pattern** section, and click **Open Metronome Setup**.




RELATED LINKS

- [General Tab](#) on page 313
- [Click Sounds Tab](#) on page 314
- [Click Patterns Tab](#) on page 316
- [Transport Bar Sections](#) on page 294

General Tab

The **General** tab allows you to make basic metronome settings.



In the topmost section, the following options are available:

Activate Metronome Click

Activates/Deactivates the metronome click.

In the **Click Destinations** section, the following options are available:

Use MIDI Click

Activates a MIDI click for the metronome.

Use Audio Click

Activates an audio click for the metronome that is output via the audio hardware.

Audio Click Outputs

If you use multiple output busses, this allows you to activate the output bus where you want to route the metronome click.

In the **Click Options** section, the following options are available:

Click while Recording

Activates the metronome click during recording.

Click while Playing

Activates the metronome click during playback.

Click during Count-In


Activates a musical count-in that is played when you start recording from stop mode.

In the **Count-In** section, the following options are available:

- **Number of Bars in Count-In**
Allows you to set the number of bars that the metronome counts in before recording starts.
- **Time Signature at Record Start Position**
Activate this to let the count-in automatically use the time signature and tempo set at the position where recording starts.
- **Time Signature at Project Position**
Activate this to let the count-in use the time signature at the project position.
- **Use Custom Time Signature**
Allows you to set a time signature for the count-in. In this mode, signature changes in the project do not affect the count-in.

Click Sounds Tab

The **Click Sounds** tab allows you to set up and audition the MIDI click and the audio click. You can use the default audio or MIDI click, choose from a list of factory preset sounds, or assign your own custom sounds.



The **MIDI Click Settings** section allows you to set up the MIDI click that sounds if you activate **Use MIDI Click** in the **Click Destinations** section on the **General** tab.

MIDI Output Port

Allows you to select a MIDI output port for the MIDI click. You can also select a VST instrument previously set up in the **VST Instruments** window.

MIDI Output Channel

Allows you to select a MIDI output channel for the MIDI click.

Note

Allows you to set the MIDI note number, that is, the pitch from C-2 to G8. Set the note number for the first beat in a bar in the top row, and the note numbers for the other beats in the rows below.

Velocity

Allows you to set the velocity of the MIDI click sound. Set the velocity for the first beat in a bar in the top row and the velocities for the other beats in the rows below.

The **Audio Click Settings** section allows you to set up the audio click that sounds if you activate **Use Audio Click** in the **Click Destinations** section on the **General** tab.

Use Steinberg Click Sound

Activates the default sounds for the metronome click.

Pitch

Allows you to set the pitch for the default sounds. Set the pitch for the first beat in a bar in the top row and the pitches for the other beats in the rows below.

Level

Allows you to set the level for the default sounds. Set the level for the first beat in a bar in the top row and the levels for the other beats in the rows below.

Use Custom Sounds

Activates custom sounds for the metronome click. For this to work, you must select an audio file for the custom sounds by clicking in the **Sound** column.

Sound

Allows you to select an audio file for the custom sounds. Select an audio file for the first beat in a bar in the top row and the audio files for the other beats in the rows below.

Level

Allows you to set the level for the custom sounds. Set the level for the first beat in a bar in the top row and the levels for the other beats in the rows below.

Audio Click Level

Allows you to adjust the level of the audio click.

Click Sound Presets

Allows you to load one of the click sound presets that supports up to 4 accents. Amongst other click sounds that are suited for a broad range of applications, you can also select **Steinberg Click Sound**, the default click sound of Cubase.

You can also create your own presets and save them.

Audition Click Sounds

Click **Start** to audition the activated click sounds.

Setting up a Custom Audio Click Sound

If you do not want to use the default click sound, you can set up your own custom sound.

PREREQUISITE

In the **Metronome Setup** dialog on the **General** tab, **Activate Metronome Click** is activated. In the **Click Destinations** section, **Use Audio Click** is activated, and an audio output selected in the **Audio Click Outputs** pop-up menu.

PROCEDURE

1. Open the **Click Sounds** tab, and in the **Audio Click Settings** section, activate **Use Custom Sounds**.
 2. In the **Sound** column, click the top row.
 3. In the file dialog, navigate to the audio file that you want to use as a custom sound for the first beat and select it.
 4. Click **Open**.
 5. Click the other rows to select audio files for the other beats.
 6. Set the level of the sounds by clicking the respective rows in the **Level** column and adjusting the value.
 7. Optional: Click **Start** to audition the custom sounds.
-

RESULT


The metronome uses the defined custom sounds for the audio click.

AFTER COMPLETING THIS TASK

Open the **Click Sound Presets** pop-up menu, and save your custom sounds as a preset.

Click Patterns Tab

The **Click Patterns** tab allows you to manage click patterns. Click patterns allow you to edit the default metronome click.



The following options are available:

1 Add New Signature

Click and enter a time signature value to add a new time signature.

2 Available Time Signatures

Shows the available time signatures.

3 Available Patterns

Shows the available click patterns.

4 Add New Pattern

Double-click to add a new click pattern for the time signature.

5 Clicks

Allows you to change the number of clicks used in the click pattern.

6 Click Pattern

Shows the click pattern. You can open the **Click Pattern Editor** by clicking the pattern.

7 Remove Click Pattern

Removes the click pattern from the list of available patterns.

8 Add New Pattern

Adds a new default click pattern for the time signature.

9 Default Pattern for Time Signature

Cubase comes with several factory click patterns for every time signature. And for every time signature, one click pattern is defined as default click pattern that is used for every new project in that specific time signature.

NOTE

You can set another click pattern as the default pattern for a time signature by clicking to the left of the number field of this pattern. An asterisk indicates that this pattern is the new default pattern.

NOTE

If you scroll all the way down, you can reset all click patterns to the factory settings by clicking **Reset to Factory Patterns**.

You can double-click the name of a pattern to rename it.

RELATED LINKS

[Saving User Patterns](#) on page 310

[Renaming Click Patterns](#) on page 311

Creating a Click Track

You can create an audio or a MIDI track that contains the click.

PROCEDURE

- Do one of the following:
 - Select **Project > Signature Track > Render Audio Click between Locators**.
 - Select **Project > Signature Track > Render MIDI Click between Locators**.
-

RESULT

- An audio track containing an audio event with the click is added to your project. The level corresponds to the **Audio Click Level** setting on the **Click Sounds** tab of the **Metronome Setup** dialog.
- A MIDI track containing a MIDI part with the click is added to your project. The output of the MIDI track is routed to the **MIDI Output Port** that you set up on the **Click Sounds** tab of the **Metronome Setup** dialog.

Chase

Chase is a function that makes sure your MIDI instruments sound as they should when you locate to a new position and start playback. This is accomplished by the program transmitting a number of MIDI messages to your instruments each time that you move to a new position in the project, making sure all MIDI devices are set up correctly with regard to program change, controller messages (such as MIDI volume), etc.

EXAMPLE


You have a MIDI track with a program change event inserted at the beginning. This event makes a synth switch to a piano sound.

At the beginning of the first chorus, you have another program change event, which makes the same synth switch to a string sound.

You now play back the song. It begins with the piano sound and then switches to the string sound. In the middle of the chorus, you stop and rewind to some point between the beginning and the second program change. The synth now still plays the string sound, although, in this section, it should really be a piano.

The **Chase** function takes care of that. If program change events are set to be chased, Cubase tracks the music back to the beginning, finds the first program change, and transmits it to your synth, setting it to the correct sound.

The same can apply to other event types as well. In the **Preferences** dialog (**MIDI** page), the **Chase Events** settings determine which event types are chased when you locate to a new position and start playback.



RELATED LINKS

[Chase Events](#) on page 1535

On-Screen Keyboard

The **On-Screen Keyboard** window allows you to play and record MIDI notes by using your computer keyboard or mouse. This is useful if you have no external MIDI instrument at hand and you do not want to draw in notes with the **Draw** tool.

When the **On-Screen Keyboard** window is displayed, the usual key commands are blocked because they are reserved for the on-screen keyboard. The only exceptions are:

- Save: **Ctrl/Cmd - S**
- Start/Stop Record: **Num ***
- Start/Stop Playback: **Space**
- Jump to Left Locator: **Num 1**
- Delete: **Delete** or **Backspace**
- Cycle on/off: **Num /**
- Show/Hide Transport panel: **F2**
- Show/Hide On-Screen Keyboard: **Alt/Opt - K**

RELATED LINKS

[Recording MIDI With the On-Screen Keyboard](#) on page 320

[On-Screen Keyboard Window](#) on page 321

Recording MIDI With the On-Screen Keyboard

You can use the **On-Screen Keyboard** window to record MIDI in Cubase.

PREREQUISITE

You have selected a MIDI or instrument track and activated **Record Enable**.

PROCEDURE

1. Select **Studio > On-Screen Keyboard**.

NOTE

You can adjust the size of the **On-Screen Keyboard** window by dragging its edges.

2. On the **Transport** panel, activate **Record**.

3. Perform one of the following actions to enter notes:

- Click on the keys of the **On-Screen Keyboard** window.
- Press the corresponding key on your computer keyboard.

NOTE

Press several keys simultaneously to enter polyphonic parts. The maximum number of notes that can be played at one time varies between the different operating systems and hardware configurations.

AFTER COMPLETING THIS TASK

Close the **On-Screen Keyboard** window to make all key commands available again.

RELATED LINKS

[On-Screen Keyboard Window](#) on page 321


On-Screen Keyboard Window

The **On-Screen Keyboard** window offers two different display modes. It also allows you to pitchbend and modulate played notes, and to adjust the velocity level.

- To open the **On-Screen Keyboard** window, select **Studio > On-Screen Keyboard**.



On-Screen Keyboard in computer keyboard mode



On-Screen Keyboard in piano keyboard mode

1 Pitchbend/Modulation indicators

The left indicator shows pitchbend, the right indicator shows modulation changes. To introduce pitchbend, click on a key and drag left or right. To introduce modulation, drag upwards or downwards.

2 Octave Offset

This slider allows you to switch the keyboard range to a lower or higher octave. You have seven full octaves at your disposal.

3 Note Velocity Level

This slider allows you to adjust the velocity level of the notes played.

4 Change On-Screen Keyboard Type

This button allows you to switch between computer keyboard and piano keyboard display mode.

In computer keyboard mode, you can use the two rows of keys that are displayed on the **On-Screen Keyboard** window to enter notes.

The piano keyboard has a wider range of keys. It allows you to enter notes in more than one voice simultaneously.

RELATED LINKS

[Recording MIDI With the On-Screen Keyboard](#) on page 320

Recording

In Cubase, you can record audio and MIDI.

Make the following initial preparations:

- Set up, connect, and calibrate your audio hardware.
- Open a project and set up the parameters in the **Project Setup** dialog according to your specifications.

The parameters in the **Project Setup** dialog determine the record file format, sample rate, project duration, etc. that affect the audio recordings that you make during the course of the project.

- If you plan to record MIDI, set up and connect your MIDI equipment.

RELATED LINKS

[Setting up Audio](#) on page 19

[Setting up MIDI](#) on page 28

[Setting up a Metronome Click Pattern](#) on page 309

Basic Recording Methods

The basic recording methods apply to audio and MIDI recordings.

Record Enabling Tracks

To be able to record, you must record-enable the tracks on which you want to record.

PROCEDURE

- Do one of the following:
 - Activate **Record Enable** in the track list.
 - Activate **Record Enable** in the **MixConsole**.
 - Select the track that you want to record-enable, and activate **Record Enable** in the **Inspector**.

RESULT

The tracks are record-enabled.

NOTE

If you set up a key command for **Activate Record Enable for all Audio Tracks** in the **Mixer** category of the **Key Commands** dialog, you can record-enable all audio tracks simultaneously. The exact number of audio tracks that you can record simultaneously depends on your computer CPU and hard disk performance. Activate the **Warn on Processing Overloads** option in the **Preferences** dialog (**VST** page) to show a warning message as soon as the **Processing Overload** indicator lights up during recording.

RELATED LINKS

[Editing - Project & MixConsole](#) on page 1526

[VST](#) on page 1545

Record Enabling Tracks on Selection

You can set up a preference so that tracks are record-enabled when you select them.

PROCEDURE

1. Select **Edit > Preferences**.
 2. Open the **Editing—Project & MixConsole** page and activate **Enable Record on Selected Audio Track** or **Enable Record on Selected MIDI Track**.
-

RESULT

The tracks are record-enabled when you select them.

Activating Recording Manually

You can activate recording manually.

PROCEDURE

- Do one of the following:
 - Click **Record** on the **Transport** panel, on the toolbar, or in the **Transport Bar**.
 - Press **Num ***.
-

RESULT

Recording starts from the current cursor position.

NOTE

When you start recording in stop mode, you can start recording from the left locator. For this to work, you must select **Transport > Common Record Modes** and activate **Start Record at Left Locator/Punch In Position**. The pre-roll setting or the metronome count-in will be applied.

Activating Recording Automatically

Cubase can automatically switch from playback to recording at a given position. This is useful if you must replace a section of a recording and want to listen to what is already recorded up to the recording start position.


PROCEDURE

1. Set the left locator to the position where you want to start recording.
If you want to set up the punch points independently from the locators, deactivate **Lock Punch Points to Locators** on the **Transport** panel, and set up the punch in and punch out positions in the value fields to the right.
 2. Activate **Punch In** on the **Transport** panel.
 3. Activate playback from any position before the left locator.
-

RESULT

If you have unlocked the punch positions from the locator positions, recording is automatically activated when the project cursor reaches the punch in position.

If cycle mode is activated, the punch in point corresponds to the left locator position, and the punch out point is positioned before the right locator, recording is stopped at the punch out position and resumed at the punch in position.



If the punch positions are locked to the locators, recording is automatically activated when the project cursor reaches the left locator.

RELATED LINKS

[Punch In and Punch Out](#) on page 307

Stopping Recording

You can stop recording manually.

PROCEDURE

- Do one of the following:
 - Click **Stop** on the **Transport** panel.
 - Press **Num ***.
-

RESULT

Recording stops while playback continues.

Stopping Recording Automatically with Punch Out

Activating **Punch Out** allows you to stop recording automatically at the defined punch out position.

PROCEDURE

- Activate **Punch Out** on the **Transport** panel.
-

RESULT

Recording stops automatically when the project cursor reaches the punch out position. Playback continues.

NOTE

If you have unlocked the punch positions from the locator positions, recording is automatically stopped when the project cursor reaches the punch out position.

NOTE

If cycle mode is activated, the punch in point is set after the left locator, and the punch out point corresponds to the right locator: recording is started at the punch in position, stopped at the punch out position, and resumed at the punch in position.

RELATED LINKS

[Punch In and Punch Out](#) on page 307

Stopping Recording and Playback

You can manually stop recording and playback.

PROCEDURE

- Do one of the following:
 - Click **Stop** on the **Transport** panel.
 - Press **Num 0**.

RESULT

Recording and playback stops.

Cycle Recording

You can record in a cycle, that is, you can record a selected section repeatedly and seamlessly.

PREREQUISITE

A cycle is set up with the left and right locators.

PROCEDURE

1. Click **Activate Cycle** on the **Transport** panel to activate cycle mode.
2. Activate recording from the left locator, before or within the cycle.

As soon as the project cursor reaches the right locator, it jumps back to the left locator and continues recording a new lap.

RESULT

The results of cycle recording depend on the selected record mode. They also differ for audio and MIDI.

RELATED LINKS

[Left and Right Locators](#) on page 301

[MIDI Recording](#) on page 338

[Audio Recording](#) on page 332

Using Pre-Roll and Post-Roll

You can set up a pre-roll and a post-roll for recording.

PREREQUISITE

Activate **Stop after Automatic Punch Out** in the **Preferences** dialog (**Record** page).

PROCEDURE

1. Set the locators to where you want to start and end recording.
2. On the **Transport** panel, activate **Punch In** and **Punch Out**.
3. Activate **Pre-roll** and **Post-roll**.
4. Specify a **Pre-roll Amount** and a **Post-roll Amount**.

5. Click **Record**.

RESULT

The project cursor rolls back and starts playback at the time that has been set as pre-roll amount. When the cursor reaches the left locator, recording is automatically activated. When the cursor reaches the right locator, recording is deactivated, and playback continues for the time that has been set as post-roll amount.

Common Record Modes Menu

The **Common Record Modes** determine what happens if you click **Record** during an audio or MIDI recording.

- To access the record modes, select **Transport > Common Record Modes**.

You can also access the **Common Record Modes** by clicking the upper part of the **Record Modes** section on the **Transport** panel.

Punch In/Out

In this mode, the recording is stopped.

Re-Record

In this mode, the recording is reinitiated, the events are removed, and recording is restarted from the exact same position.

Start Recording at Project Cursor Position

In this mode, recording starts at the cursor position.

Start Recording at Left Locator/Punch In Position

In this mode, recording starts at the left locator position, or at the punch in position if **Punch In** is activated.

Start Recording at Selection

In this mode, recording starts at the selection start position.

RELATED LINKS

[Transport Menu](#) on page 288

[Transport Panel Sections](#) on page 283

Re-Recording

If you activate the **Re-Record** mode, you can reinitiate your recording by hitting the **Record** button again. Recording will restart from the initial position.

PROCEDURE

- Select **Transport > Common Record Modes**, and activate **Re-Record**.
 - Activate recording.
 - Click **Record** again to restart recording.
-

RESULT

The project cursor jumps back to the record start position, and recording is reinitiated. Pre-roll and count-in settings are taken into account.

NOTE

The previous recordings are removed from the project and cannot be retrieved using **Undo**. However, they remain in the **Pool**.

Monitoring

In Cubase, monitoring means listening to the input signal while preparing to record or while recording.

The following ways of monitoring are available:

- Via Cubase.
- Externally by listening to the signal before it reaches Cubase.
- By using ASIO Direct Monitoring.

This is a combination of both other methods.

Monitoring via Cubase

If you use monitoring via Cubase, the input signal is mixed with the audio playback. This requires an audio hardware configuration with a low latency value.

PROCEDURE

1. In the track list, activate **Monitor**.



2. In the **MixConsole**, adjust the monitoring level and the panning.

You can add effects and EQ to the monitor signal using the channel of the track. If you are using plug-in effects with large inherent delays, the automatic delay compensation function in Cubase will increase the latency. If this is a problem, you can use the **Constrain Delay Compensation** function while recording.

3. In the **Preferences** dialog, select **VST**.
 4. Open the **Auto Monitoring** pop-up menu, and select a monitoring mode.
-

RESULT

The monitored signal will be delayed according to the latency value, which depends on your audio hardware and drivers. You can check the latency of your hardware in the **Studio Setup** dialog (**Audio System** page).

RELATED LINKS

[VST](#) on page 1545

[Constrain Delay Compensation](#) on page 948

External Monitoring

External monitoring means listening to the input signal before it is sent into Cubase. It requires an external mixer for mixing the audio playback with the input signal. The latency value of the audio hardware configuration does not affect the monitor signal. When using external

monitoring, you cannot control the level of the monitor signal from within Cubase or add VST effects or EQ to the monitor signal.

PROCEDURE

1. In the **Preferences** dialog, select **VST**.
 2. Open the **Auto Monitoring** pop-up menu and select **Manual**.
 3. Deactivate **Monitor** in Cubase.
 4. On your mixing desk or mixer application for your audio hardware, activate the **Thru** or **Direct Thru** mode to send the input audio back out again.
-

ASIO Direct Monitoring

If your audio hardware is ASIO 2.0 compatible, it may support ASIO Direct Monitoring. This feature may also be available for audio hardware with macOS drivers. In ASIO Direct Monitoring mode, the monitoring is done in the audio hardware, and monitoring is controlled via Cubase. The latency value of the audio hardware configuration does not affect the monitor signal when using ASIO Direct Monitoring.

PROCEDURE

1. In the track list, activate **Monitor**.



2. Select **Studio > Studio Setup**.
 3. In the **Devices** list, select your audio hardware driver, and activate **Direct Monitoring**.
If the checkbox is grayed out, your audio hardware (or its driver) does not support ASIO Direct Monitoring. Consult the audio hardware manufacturer for details.
 4. In the **Preferences** dialog, select **VST**.
 5. Open the **Auto Monitoring** pop-up menu, and select a monitoring mode.
 6. In the **MixConsole**, adjust the monitoring level and panning.
Depending on the audio hardware, this might not be possible.
-

AFTER COMPLETING THIS TASK

You can monitor the input levels of audio tracks, that is, you can map the input bus metering to monitor-enabled audio tracks and watch the input levels of your audio tracks when working in the **Project** window.

- Activate **Map Input Bus Metering to Audio Track (in Direct Monitoring)** in the **Preferences** dialog (**Metering** page).
As the tracks are mirroring the input bus signal, you will see the same signal in both places. When using mapped metering, any functions that you apply to the audio track are not reflected in its meters.

NOTE

With Direct Monitoring activated, Direct Routing cannot be used for routing destinations 2-8. Only the first bus can be used for Direct Monitoring.

RELATED LINKS
[VST](#) on page 1545

Monitoring MIDI Tracks

You can monitor everything you play and record through the MIDI output and channel that are selected for the MIDI track.

PREREQUISITE

Local Off is activated on your MIDI instrument.

PROCEDURE

1. In the **Preferences** dialog, select **MIDI**.
2. Make sure **MIDI Thru Active** is activated.
3. In the track list, activate **Monitor**.



RESULT

Incoming MIDI is echoed back out again.

RELATED LINKS

[MIDI](#) on page 1535

Audio Recording Specifics

Specific preparations and settings are required for audio recording.

Audio Recording Preparations

Before you can record audio, you must make some preparations.

Selecting a Record File Format

You can set up the record file format, that is, the sample rate, bit depth, and the record file type for new audio files.

PROCEDURE

1. Select **Project > Project Setup**.
2. Set up the settings for **Sample Rate**, **Bit Depth**, and **Record File Type**.

IMPORTANT

The bit depth and the file type can be changed at any time, while the sample rate of a project cannot be changed at a later stage.

RELATED LINKS

[Creating New Projects](#) on page 117

Setting the Audio Record Folder

Each Cubase project has a project folder containing an **Audio** folder. By default, this is where recorded audio files are stored. However, if needed, you can select record folders independently for each audio track.

PROCEDURE

1. In the track list, select all tracks to which you want to assign the same record folder.
2. Right-click one of the tracks to open the context menu.
3. Select **Set Record Folder**.
4. In the file dialog, navigate to the folder that you want to use as the record folder or create a new folder by clicking **New Folder**.

If you want separate folders for different types of material (speech, ambient sounds, music, etc.), you can create subfolders within the project **Audio** folder and assign different tracks to different subfolders. This way, all audio files still reside within the project folder, which makes managing the project easier.

Getting the Track Ready for Recording

Before you can record audio, you must add a track and set it up.

Adding a Track and Setting the Channel Configuration

To record audio, you must add an audio track and set up its channel configuration. The channel configuration of the track determines the channel configuration of the recorded audio file.

PROCEDURE

1. In the global track controls area of the track list, click **Add Track** .
 2. Click **Audio**.
 3. In the **Count** value field, select the number of tracks that you want to add.
 4. Open the **Configuration** pop-up menu, and select a channel configuration.
 5. Optional: In the **Name** field, enter a track name.
 6. Click **Add Track**.
-

RELATED LINKS

[Add Track Dialog – Audio](#) on page 133

RAM Requirements for Recording

Each track on which you record requires a certain amount of RAM, and the memory usage increases, the longer the recording lasts. For each audio channel, 2.4 MB of RAM are required for **MixConsole** settings, etc. The memory usage increases with the length of the recording, the sample rate, and the number of tracks you record. Consider the RAM limitation of your operating system when setting up your project for recording.

Selecting an Input Bus for the Track

Before you can record on your track, you must add and set up the required input busses and specify from which input bus the track records.

PROCEDURE

1. In the **Inspector** for the audio track, open the **Routing** section.
2. Open the **Input Routing** pop-up menu.



3. Select an input bus.
-

RELATED LINKS

- [Setting up Input and Output Ports](#) on page 27
[Audio Bus Setup](#) on page 27
[Basics Section for Audio Tracks](#) on page 161

Audio Recording

To record audio, use any of the basic recording methods.

When you finish recording, an audio file is created in the **Audio** folder within the project folder. In the **Pool**, an audio clip is created for the audio file, and an audio event that plays the whole clip appears on the recording track. Finally, a waveform image is calculated for the audio event. If the recording was very long, this may take a while.

NOTE

The waveform image is calculated and displayed during the actual recording process. This real-time calculation uses some processing power. If your processor is slow or if you are working on a CPU-intensive project, deactivate **Create Audio Images during Record** in the **Preferences** dialog (**Record—Audio** page).

RELATED LINKS

- [Basic Recording Methods](#) on page 323
[Cycle Recording](#) on page 326

Audio Record Modes

By selecting an **Audio Record Mode**, you decide what happens to your recording and to any existing events on the track where you are recording. This is necessary because the tracks you

record on are not necessarily empty. There may be situations where you record over existing events, especially in cycle mode.

- To access the record modes, select **Transport > Audio Record Mode**.

You can also access the **Audio Record Modes** by clicking to the right of the audio symbol in the **Record Modes** section on the **Transport** panel.

Keep History

Existing events or portions of events that overlap with a new recording are kept.

Cycle History + Replace

Existing events or portions of events that overlap with a new recording are replaced by the new recording. However, if you record in cycle mode, all takes from the current cycle recording are kept.

Replace

Existing events or portions of events that overlap with a new recording are replaced by the last recorded take.

RELATED LINKS

[Transport Menu](#) on page 288

[Transport Panel Sections](#) on page 283

Recording and Effects

Cubase allows you to add effects and/or EQ while recording. This is done by adding insert effects and/or making EQ settings for the input channel in the **MixConsole**.

IMPORTANT

If you record with effects, the effects become part of the audio file itself. You cannot change the effect settings after recording.

When you record with effects, consider using 32-bit float or 64-bit float format. This way, the bit depth is not reduced, which means there is no risk of clipping at this stage. Also, this preserves the signal quality perfectly. If you record in 16-bit or 24-bit format, the available headroom is lower, which means clipping can occur if the signal is too loud.

Recording a Mix of Separate Tracks

You can create a downmix of separate tracks, bass drum, hi-hats, or snare, for example. To do this, select an output bus, a group bus, or an effect channel bus as an input for your recording.

PROCEDURE

1. Set up your separate tracks, and add a group channel track.
2. For each of the drum tracks, open the **Output Routing** pop-up menu, and select the group channel track as the output.
3. Create a new audio track, open the **Input Routing** pop-up menu, and select the group channel track as the input for this audio track.
4. Record-enable this audio track and start recording.

RESULT

The output of the group channel track is recorded on the new track. This results in a mix of your separate tracks.

NOTE

You can also select an effect channel as the recording source. In this case, only the output of the effect channel is recorded.

RELATED LINKS

[Routing Section](#) on page 460

Undoing Recordings

You can undo a recording immediately after recording it.

PROCEDURE

- Select **Edit > Undo**.
-

RESULT

- The events that you just recorded are deleted from the **Project** window.
- The audio clips in the **Pool** are moved to the trash folder.

AFTER COMPLETING THIS TASK

To remove the recorded audio files from the hard disk, select **Media > Open Pool Window**, right-click the **Trash** icon and select **Empty Trash**.

RELATED LINKS

[Pool Window](#) on page 724

Recovery of Audio Recordings

Cubase allows you to recover audio recordings.

You can recover audio recordings in two situations:

- You hit **Record** too late.
For this to work, you must specify an audio pre-record time.
- The system failed during recording.

Specifying an Audio Pre-Record Time

You can capture up to 1 minute of any incoming audio that you play in stop mode or during playback. This is possible because Cubase can capture audio input in buffer memory, even when not recording.

PROCEDURE

1. In the **Preferences** dialog, select **Record > Audio**.
2. Specify a time (up to 60 seconds) in the **Audio Pre-Record Seconds** field.
This activates the buffering of audio input, making pre-recording possible.
3. Make sure that the audio track is record-enabled and receives audio from the signal source.
4. When you have played some audio material that you want to capture (either in stop mode or during playback), click **Record**.
5. Stop the recording after a few seconds.

This creates an audio event that starts where the cursor position was when you activated recording. If you were in stop mode, and the cursor was at the beginning of the project, you may have to move the event to the right in the next step. If you were playing along to a project, you can leave the event where it is.

6. Select the **Object Selection** tool.
 7. Place the cursor on the bottom left edge of the event, so that a double arrow appears. Then click and drag to the left.
-

RESULT

The event is now extended, and the audio that you played before activating the recording is inserted. This means that if you played along during playback, the captured notes end up exactly where you played them in relation to the project.

RELATED LINKS

[Record - Audio](#) on page 1541

Recovery of Audio Recordings after System Failure

Cubase allows you to recover audio recordings after a system failure.

When you experience a computer crash during a recording, relaunch the system, and check the project record folder. By default, this is the **Audio** subfolder inside the project folder. It should contain the audio file that you recorded, from the moment when you started recording to the time when your computer crashed.

NOTE

- This feature does not constitute an overall guarantee by Steinberg. While the program itself is capable of recovering audio recordings after a system failure, it is always possible that a computer crash, power cut, etc. might have damaged another component of the computer, making it impossible to save or recover any of the data.
 - Do not try to actively bring about this kind of situation to test this feature. Although the internal program processes are designed to cope with such situations, Steinberg cannot guarantee that other parts of the computer are not damaged as a consequence.
-

MIDI Recording Specifics

Specific preparations and settings are required for MIDI recordings.

RELATED LINKS

[MIDI Recording Specifics](#) on page 335
[Recording in MIDI Editors](#) on page 337
[MIDI Record Modes](#) on page 340

MIDI Recording Preparations

The preparations described in the following sections mainly focus on external MIDI devices.

MIDI Instruments and Channels

Most MIDI synthesizers can play several sounds simultaneously, each on a different MIDI channel. This allows you to play back several sounds (bass, piano, etc.) from the same instrument.

Some devices, such as General MIDI compatible sound modules, always receive on all 16 MIDI channels. If you have such an instrument, you do not have to adjust any settings in the instrument.

On other instruments, use the front panel controls to specify the number of parts, timbres, and the like, so that they all receive on one MIDI channel.

For more information, refer to the manual that came with your instrument.

Naming MIDI Ports

MIDI inputs and outputs are often displayed with long and complicated names. In Cubase, you can rename your MIDI ports to more descriptive names.

PROCEDURE

1. Select **Studio > Studio Setup**.
 2. In the **Devices** list, select **MIDI Port Setup**.
The available MIDI inputs and outputs are listed. On Windows, the device to choose depends on your system.
 3. Click in the **Show As** column, and type in a new name.
 4. Click **OK**.
-

RESULT

The new port names appear on the **Input Routing** on the **Output Routing** pop-up menus.

Setting the MIDI Input

In the **Inspector**, set the MIDI input for the track.

PROCEDURE

1. In the track list, select the track to which you want to assign a MIDI input.
2. In the topmost **Inspector** section, open the **Input Routing** pop-up menu, and select an input.

The available inputs depend on the type of MIDI interface that you use. If you hold down **Shift - Alt/Opt**, the selected MIDI input is used for all selected MIDI tracks.

NOTE

If you select **All MIDI Inputs**, the track receives MIDI data from all available MIDI inputs.

Setting the MIDI Channel and Output

The MIDI channel and the output settings determine where the recorded MIDI is routed during playback. They are also relevant for monitoring MIDI in Cubase. You can select the channel and the output from the track list or in the **Inspector**.

PROCEDURE

1. In the track list, select the track to which you want to assign a MIDI channel and an output.
2. In the topmost **Inspector** section, open the **Output Routing** pop-up menu and select an output.
The available outputs depend on the type of MIDI interface that you use. If you hold down **Shift - Alt/Opt**, the selected MIDI output is used for all selected MIDI tracks.
3. Open the **Output Group and Channel** pop-up menu, and select a MIDI channel.

NOTE

If you select **Any** as the **Output Group and Channel**, the MIDI material is routed to the channels that are used by your MIDI instrument.

Selecting a Sound

You can select sounds from within Cubase by instructing the program to send Program Change and Bank Select messages to your MIDI device.

PROCEDURE

1. In the track list, select the track to which you want to assign a sound.
2. In the **Routing** section of the **Inspector**, open the **Program Selector** pop-up menu, and select a program.
Program Change messages give you access to 128 different program locations.
3. If your MIDI instruments have more than 128 programs, you can open the **Bank Selector** pop-up menu and select different banks, each containing 128 programs.

NOTE

Bank Select messages are recognized differently by different MIDI instruments. The structure and the numbering of banks and programs may also vary. Refer to the documentation of your MIDI instruments for details.

RELATED LINKS

[Basics Section for MIDI Tracks](#) on page 167

Recording in MIDI Editors

You can record MIDI data into the MIDI part that is opened in a MIDI editor.

PREREQUISITE

You have selected **Merge** or **Replace** as the **MIDI Record Mode**.

PROCEDURE

1. Click in the MIDI editor so that it gets the focus.

2. In the MIDI editor toolbar, activate **Record in Editor**.
3. Click **Record** on the **Transport** panel.

You can also trigger the **Record** function via remote devices or via the corresponding key command.

RESULT

The MIDI data is recorded into the MIDI part that is open in the MIDI editor. If you record outside the part borders, the part is automatically enlarged.

RELATED LINKS

[Key Editor Toolbar](#) on page 1139

MIDI Recording

To record MIDI, use any of the basic recording methods.

When you finish recording, a part that contains MIDI events is created in the **Project** window.

NOTE

If you perform a live recording on a VST instrument, you usually compensate the latency of the audio card by starting to play earlier. As a consequence, the timestamps are recorded too early. If you activate **ASIO Latency Compensation** on the track list, all recorded events are moved by the current latency setting.

The following preferences affect MIDI recording:

- Length Adjustment
- Snap MIDI Parts to Bars
- MIDI Record Catch Range in ms
- ASIO Latency Compensation Active by Default

You can find them in the **Preferences** dialog on the **MIDI** and on the **Record—MIDI** page.

RELATED LINKS

[Basic Recording Methods](#) on page 323

[MIDI](#) on page 1535

[Record - MIDI](#) on page 1541

Types of MIDI Messages

You can record different types of MIDI messages.

- To specify which event types are recorded, deactivate the options for the type of MIDI message that you want to record in the **Preferences** dialog (**MIDI—MIDI Filter** page).

RELATED LINKS

[MIDI - MIDI Filter](#) on page 1539

Note Messages

Cubase records note-on, note-off, and MIDI channel messages.

If you press and release a key on your synthesizer or on another MIDI keyboard, the following messages are recorded:

- Note-on (key down)
- Note-off (key up)
- MIDI channel

NOTE

Normally, the MIDI channel information is overridden by the MIDI channel setting for the track. However, if you set the track **Any** as the MIDI channel, the notes are played back on their original channels.

Continuous Messages

Pitchbend, aftertouch, and controllers, such as modulation wheel, sustain pedal, volume, etc. are considered continuous MIDI events, as opposed to the momentary key down and key up messages.

You can record continuous messages with or separate from the notes, that is, afterwards or before.

You can record continuous messages on their own tracks, separately from the notes to which they belong. As long as you set the two tracks to the same output and MIDI channel, the MIDI instrument identifies them as two simultaneously created recordings.

Program Change Messages

When you switch from one program to another on your synthesizer or on another MIDI keyboard, a number corresponding to that program is sent out as a Program Change Message via MIDI.

You can record Program Change Messages with or separate from the notes, that is, afterwards or before.

You can record Program Change Messages on their own tracks, separately from the notes to which they belong. As long as you set the two tracks to the same output and MIDI channel, the MIDI instrument identifies them as two simultaneously created recordings.

System Exclusive Messages

SysEx (System Exclusive) messages are special types of MIDI messages that are used to send data that only makes sense to a unit of a certain make and type.

SysEx can be used to transmit a list of the numbers that make up the settings of one or more sounds in a synth.

Reset Function

The **Reset** function sends out note-off messages and resets controllers on all MIDI channels. This is sometimes necessary if you experience hanging notes, constant vibrato, etc. when punching in and out on MIDI recordings with pitchbend or controller data.

- To perform a manual MIDI reset, select **MIDI > Reset**.

- If you want Cubase to perform a MIDI reset on stop, activate **Reset on Stop** in the **Preferences** dialog (**MIDI** page).
- If you want Cubase to insert a reset event at the end of a recorded part, activate **Insert Reset Events after Record** in the **Preferences** dialog (**MIDI** page).

This resets controller data such as sustain, aftertouch, pitchbend, modulation, and breath control. This is useful if a MIDI part is recorded and the sustain pedal is still held after stopping the recording. Usually, this would cause all following parts to be played with sustain, as the pedal off command was not recorded.

RELATED LINKS

[MIDI](#) on page 1535

MIDI Record Modes

By selecting a **MIDI Record Mode**, you decide what happens to any existing parts on the track where you are recording. MIDI tracks can play back all events in overlapping parts. If you record several parts in the same locations or move parts so that they overlap, you will hear the events in all parts.

NOTE

If you activate **Record in Editor** to record MIDI data in the editor, all new recordings are merged into the active part, and the **MIDI Record Modes** do not apply.

- To access the record modes, select **Transport > MIDI Record Mode**.

You can also access the **MIDI Record Modes** by clicking to the right of the MIDI symbol in the **MIDI Recording Modes** section on the **Transport** panel.

MIDI Record Mode

New Parts

Existing parts that overlap with a new recording are kept. The new recording is saved as a new part.

Merge

Existing events in parts that overlap with a new recording are kept. The newly recorded events are added to the existing part.

Replace

Existing events in parts that overlap with a new recording are replaced.

MIDI Cycle Record Mode

When you record MIDI in cycle mode, the result not only depends on the MIDI record mode, but also on the cycle record mode that is selected in the **Cycled MIDI Recording Only** section.

Mix

For each completed lap, everything you record is added to what was previously recorded. This is useful for building up rhythm patterns. Record a hi-hat part on the first lap, the bass drum part on the second lap, etc.

Overwrite

As soon as you play a MIDI note or send any MIDI message, all MIDI that you have recorded on previous laps is overwritten from that point. Make sure that you stop playing before the next lap begins. Otherwise, you will overwrite the entire take.

Keep Last

Each completed lap replaces the previously recorded lap. If you deactivate recording or press **Stop** before the cursor reaches the right locator, the previous take will be kept. If you do not play or input any MIDI during a lap, nothing happens, and the previous take is kept.

Stacked

Each recorded cycle lap is turned into a separate MIDI part, and the track is divided into lanes, one for each cycle lap. The parts are stacked above each other, each on a different lane. All takes but the last one are muted.

Mix-Stacked (No Mute)

Same as **Stacked**, but parts are not muted.

RELATED LINKS

- [MIDI Recording Specifics](#) on page 335
- [Recording in MIDI Editors](#) on page 337
- [Transport Menu](#) on page 288
- [Transport Panel Sections](#) on page 283

Automatic MIDI Record Quantize

Cubase can automatically quantize MIDI notes on recording.

- **Automatic MIDI Record Quantize**  is available in the **MIDI Auto Quantize** section of the **Transport Bar**.

If you activate **Auto Quantize**, the notes that you record are automatically quantized according to the quantize settings.

RELATED LINKS

- [Quantizing MIDI and Audio](#) on page 355
- [Quantize Panel](#) on page 360

Recovery of MIDI Recordings

Cubase allows you to recover MIDI data, including controller data, that was captured in **Stop** mode or during playback.

The MIDI data is stored in the retrospective record buffer, and you can insert it as a MIDI part on the selected MIDI track.

The buffer captures up to 10000 MIDI events. This can amount to a MIDI recording of around 2 minutes and 30 seconds. However, if you use a keyboard that produces a large amount of MIDI controller events, such as the ROLI Seaboard, this only corresponds to a recording of around 20 seconds.

NOTE

In the **Preferences** dialog (**Record—MIDI** page), you can specify a **Retrospective Record Buffer Size**.

If the buffer is full, the MIDI events that were captured first are replaced by the new events. MIDI events in the buffer are also replaced in the following situations:

- You have inserted the retrospective recording on a track, and you play new events in **Stop** mode or during playback.

- You play MIDI notes in **Stop** mode, and you do not play for more than 30 seconds, before playing further MIDI events in **Stop** mode.

NOTE

You can also empty the buffer manually.

RELATED LINKS

[Record - MIDI](#) on page 1541

[Emptying the Retrospective Record Buffer](#) on page 344

Inserting a Retrospective Recording from All MIDI Inputs into the Selected Track

You can insert a retrospective recording, that is, MIDI data that was sent to **All MIDI Inputs** in **Stop** mode or during playback, into the selected track.

PREREQUISITE

You have played MIDI notes in **Stop** mode or during playback, and you want to recover them.

PROCEDURE

1. Select the MIDI track into which you want to insert the captured MIDI data.
2. Select **Transport > MIDI Retrospective Recording > Insert from All MIDI Inputs**.

RESULT

The MIDI data that was captured at **All MIDI Inputs** is inserted into the selected track as a single, linear MIDI part.

NOTE

If you insert buffer data from multiple selected tracks, the timing offsets between the data played on the different tracks are retained.

NOTE

If your MIDI track uses MIDI inserts and **Record Output to Track** is enabled in the **MIDI Inserts** section, the buffer data includes the events that are created by the MIDI inserts.

RELATED LINKS

[Recording a MIDI Insert Effect](#) on page 1054

[MIDI Inserts](#) on page 1053

Inserting a Retrospective Track Recording


You can insert a retrospective track recording, that is, MIDI data that was sent to the track input in **Stop** mode or during playback, into the selected track.

PREREQUISITE

You have played MIDI notes in **Stop** mode or during playback, and you want to recover them.

PROCEDURE

1. Select the MIDI track into which you want to insert the captured MIDI data.
2. In the top section of the MIDI track **Inspector**, click **Retrospective Recording**.



3. From the pop-up menu, select one of the following:

- To insert the MIDI data as one, continuous MIDI part, select **Insert as Linear Recording**.
- To insert the MIDI data as stacked MIDI parts, select **Insert as Cycle Recording**.

NOTE

This is only available if your MIDI data was captured during playback, and if cycle mode was active.

RESULT

The MIDI data that was captured at the track input is inserted into the track.

NOTE

If the data was captured during playback, it is inserted at the position where you played it. If the data was captured in **Stop** mode, it is inserted at the project cursor position.

Inserting a Retrospective Track Recording into an Editor

You can insert a retrospective track recording, that is, MIDI data that was sent to the track input in **Stop** mode or during playback, into the MIDI part that is open in a MIDI editor.

PREREQUISITE

You have played MIDI notes in **Stop** mode or during playback, and you want to recover them.

PROCEDURE

1. Double-click the MIDI part where you want to insert the captured MIDI data to open it in a MIDI editor.
2. On the MIDI editor toolbar, click **Insert MIDI Retrospective Recording in Editor**.

RESULT

The MIDI data that was captured on the track input is inserted into the MIDI part.

- If the data was captured during playback, it is inserted into the MIDI part along the timeline.
- If the data was captured in **Stop** mode, it is inserted at the project cursor position.

Emptying the Retrospective Record Buffer

You can empty the retrospective record buffer manually.

PROCEDURE

- Do one of the following:
 - In the top section of the MIDI track **Inspector**, open the **Retrospective Recording** pop-up menu, and select **Empty Retrospective Record Buffer**.
 - Select a track, and select **Transport > MIDI Retrospective Recording > Empty All Buffers**.
-

Remaining Record Time

The **Max. Record Time** displays the time that is left for recording.

51h 25min

The available time depends on the current setup, for example, on the amount of tracks that are record-enabled, the sample rate for your project, and the available hard disk space.

- To open the display, select **Studio > More Options > Max. Record Time**.

NOTE

The remaining recording time is also shown in the status line above the track list.

If you use individual record folders to store your tracks on different drives, the time display refers to the medium with the least available storage space.

Lock Record

The **Lock Record** function prevents you from accidentally deactivating record mode.

- Select **Edit > Key Commands**. In the **Transport** category, assign key commands to the **Lock Record** and **Unlock Record** commands.

If **Lock Record** is activated and you want to enter stop mode, confirm this in the corresponding dialog. You can also use the **Unlock Record** key command first and then enter stop mode as usual.

NOTE

An automatic punch out at the right locator position is ignored in **Lock Record** mode.

Importing Audio and MIDI Files

You can add audio and MIDI files to your project by importing them.

Audio File Import

You can import compressed and uncompressed audio files in a variety of different formats. You can also import audio from audio CDs or extract the audio of video files.

RELATED LINKS

[Importing Audio Files](#) on page 347

[Importing Audio CD Tracks](#) on page 348

[Importing Audio from Video Files](#) on page 351

[Importing ReCycle Files](#) on page 351


[Importing Media](#) on page 738

Setting up Audio File Import Options

You can specify how to handle audio files on import.

PROCEDURE

1. In the **Preferences** dialog, select **Editing > Audio**.
2. Select an option from the **On Import Audio Files** pop-up menu.



3. Click **OK**.
-

RESULT

The import settings are saved and take effect when you import audio.

- If you selected **Open Options Dialog**, the **Import Options** dialog opens on every import and allows you to make your changes.
- If you selected **Use Settings**, the settings specified in the **On Import Audio Files** section of the **Preferences** dialog are used.

RELATED LINKS


[Import Options Dialog for Audio Files](#) on page 345

[On Import Audio Files Settings](#) on page 347


Import Options Dialog for Audio Files

The **Import Options** dialog allows you to make specific settings for the audio import.

- When you import audio files and **Open Options Dialog** is activated in the **On Import Audio Files** section of the **Preferences** dialog (**Editing—Audio** page), the **Import Options** dialog opens.



Import Options dialog for single file import



Import Options dialog for multiple file import

Copy File to Project Folder/Copy All Files to Project Folder

Copies the audio file to the **Audio** folder of the project and causes the clip refer to the copy.

Deactivate this option if you want the clip to refer to the original file in the original location. In this case, it is marked as "external" in the **Pool**.

Convert to Project Settings/Convert to Project Settings and Copy to Project Folder If Needed

Converts the imported file if the sample rate or the bit depth differ from the settings in the **Project Setup** dialog. For single file import, you can choose which properties are converted.

Split Channels

Splits stereo or multi-channel audio files into a corresponding number of mono files, one for each channel, and copies the imported files to the **Audio** folder of the project.

The split files are inserted into the project and into the **Pool** as separate mono tracks.

The **Name Format** pop-up menu allows you to specify the names of the split files. This allows for compatibility with other products when exchanging audio files.

Do not ask again

Always applies the current settings without opening the dialog again. You can reset this option in the **Preferences** dialog (**Editing—Audio** page).


RELATED LINKS

[Setting up Audio File Import Options](#) on page 345

On Import Audio Files Settings

You can set up standard settings that are performed automatically, each time you import audio files.

- When you import audio files and **Use Settings** is activated in the **On Import Audio Files** section of the **Preferences** dialog (**Editing—Audio** page), the settings are used for importing audio.



Copy File to Project Folder/Copy All Files to Project Folder

Copies the audio file to the **Audio** folder of the project and causes the clip refer to the copy.

Deactivate this option if you want the clip to refer to the original file in the original location. In this case, it is marked as "external" in the **Pool**.

Convert to Project Settings/Convert to Project Settings and Copy to Project Folder If Needed

Converts the imported file if the sample rate or the bit depth differ from the settings in the **Project Setup** dialog. For single file import, you can choose which properties are converted.

Split Channels

Splits stereo or multi-channel audio files into a corresponding number of mono files, one for each channel, and copies the imported files to the **Audio** folder of the project.

The split files are inserted into the project and into the **Pool** as separate mono tracks.

The **Name Format** pop-up menu allows you to specify the names of the split files. This allows for compatibility with other products when exchanging audio files.

Importing Audio Files

You can import uncompressed audio and compressed audio in several formats.

PROCEDURE

- Select **File > Import > Audio File**.
- In the file dialog that opens, locate and select the audio file, and click **Open**.
- Make your changes in the **Import Options** dialog.

NOTE

If **Use Settings** is activated in the **Preferences** dialog (**Editing—Audio** page), the corresponding import settings are used.

RESULT

In the **Project** window, an event referencing the audio file is inserted into the selected track at the project cursor position. If no track was selected, a new track is created.

A new audio clip is created and added to the **Pool**.

If you chose a compressed audio file other than FLAC, Cubase copies the original compressed file and converts it to wave format (Windows) or AIFF format (macOS).

NOTE

The resulting Wave/AIFF file is significantly larger than the original compressed file.

The imported file is placed in the **Audio** folder of the project.

RELATED LINKS

[Setting up Audio File Import Options](#) on page 345

Supported Compressed Audio File Formats

Cubase allows you to import compressed audio files.

The following compressed audio file formats are supported:

FLAC file

This is an open source format that reduces the size of audio files by 50% to 60%, compared to regular Wave files. The file extension is **.flac**.

MPEG 1 Layer 3 file

This is a family of standards used for encoding audio-visual information, such as movies, video, and music in a digital compressed format. Cubase can read MPEG Layer 2 and MPEG Layer 3. MP3 files are highly compressed files that still provide good audio quality. The file extension is **.mp3**.

Ogg Vorbis file

This is an open source, patent-free audio encoding and streaming technology. The Ogg Vorbis encoder uses variable bit rate encoding. It offers small, compressed audio files of comparatively high audio quality. The file extension is **.ogg**.

Windows Media Audio file (Windows only)

This is an audio file format defined by Microsoft Inc. WMA files can be decreased in size, with no loss of audio quality. WMA Pro features the possibility of mixing down to 5.1 surround sound. The file extension is **.wma**.

Importing Audio CD Tracks

You can import audio from audio CDs into Cubase projects.

PROCEDURE

1. Select **File > Import > Audio CD** to import CD tracks into the **Project** window.
 2. Activate every audio file that you want to import in the **Copy** column.
 3. Optional: Set a **Default Name** and a **Destination Folder** for the imported audio files.
 4. Click the **Copy** button to create a local copy of the audio files or sections.
 5. Click **OK**.
-

RESULT

The copied audio files are imported into the **Project** window and inserted into new tracks at the project cursor position. By default, imported audio CD tracks are saved as wave files (Windows) or AIFF files (macOS), in the **Audio** folder of the current project.

New audio clips are created and added to the **Pool**.

NOTE

You can also import audio files to the **Pool** without importing them into the **Project** window.


RELATED LINKS

[Importing Media](#) on page 738

Import From Audio CD Dialog

The **Import from Audio CD** dialog allows you to specify how the CD tracks are imported.

- To open the **Import from Audio CD** dialog, select **File > Import > Audio CD**.



Drive

Opens a pop-up menu that allows you to select the correct CD drive.

Speed (Windows only)

Allows you to select the data transfer speed.

NOTE

While you normally want to use the fastest possible speed, you may have to select a slower speed for flawless audio extraction.

Eject CD

Opens the CD drive.

Secure Mode (Windows only)

Activates error checking and correction when reading the CD.

Columns

The columns in the dialog have the following functions:

Copy

Activate this option for the tracks that you want to copy/import.

#

Shows the track number.

CD Track

The name of the CD track. On import, this is used as file name. It is provided automatically from CDDB, if available.

To rename a track, click the track name and enter a new name.

Length

The length of the audio CD track in minutes and seconds.

Size

The file size of the audio CD track in MB.

Copy Start


The start of the section that is imported. On the ruler, drag the **Left Marker** to the right to adjust this.

Copy End

The end of the section that is imported. On the ruler, drag the **Right Marker** to the left to adjust this.

The Ruler

The ruler has the following functions:



1 Play Tracks

Plays back the selected track from the start to the end or from the left marker to the right marker.

2 Stop Playback

Stops playback.

3 Play from Left Marker

Starts playback at the left marker.

4 Play to Right Marker

Starts playback a few moments prior to the right marker and stops at the right marker.

5 Left Marker

Allows you to set the copy start manually.

6 Right Marker

Allows you to set the copy end manually.

Destination Folder

Allows you to select a folder for the imported files.

Copy

Copies the files.

Copied Files

Lists the files that you copied for import.

Importing Audio from Video Files

You can import audio from a video file without importing the video itself.

PROCEDURE

1. Select **File > Import > Audio from Video File**.
 2. In the file dialog that opens, locate and select the video file, and click **Open**.
-

RESULT

The audio of the selected video file is extracted and converted to a wave file that is saved in the **Audio** folder.

A new audio clip is created and added to the **Pool**. In the **Project** window, an event referencing the audio file is inserted on the selected track at the project cursor position. If no track was selected, a new track is created.

RELATED LINKS

[Extracting Audio from Video](#) on page 1468

[Importing Video Files](#) on page 1456

Importing ReCycle Files

You can import REX and REX2 audio files created by ReCycle from Propellerhead Software. ReCycle slices a loop and creates separate samples of each beat, so that you can tempo match and edit a loop as if it was made of individual sounds.

PREREQUISITE

REX Shared Library is installed on your system.

PROCEDURE

1. Select an audio track, and move the project cursor to where you want the imported file to start.
If you set the audio track to musical time base, you can change the tempo later on, and the imported REX file automatically adjusts.
 2. Select **File > Import > Audio File**.
 3. In the file dialog, open the file type pop-up menu, and select **REX File** or **REX 2 File**.
 4. Select the file you want to import, and click **Open**.
-

RESULT

The file is imported and automatically adjusted to the current Cubase tempo.

The imported REX file consists of several events, one for each slice in the loop. The events are automatically placed in an audio part on the selected track and positioned so that the original internal timing of the loop is preserved.

AFTER COMPLETING THIS TASK

Open the part in the **Audio Part Editor** to edit each slice separately by muting, moving, and resizing events, adding effects and processing, for example.

You can also adjust the tempo and have the REX file automatically follow, provided that its track is set to a musical time base.

NOTE

You can achieve similar results by using Cubase's own loop slicing features.

RELATED LINKS


[Slices](#) on page 627

MIDI File Import

Cubase can import standard MIDI files. This allows you to transfer MIDI material to and from virtually any MIDI application, on any platform.

Import Options for MIDI Files

The **Import Options** for MIDI files allow you to specify what data to include in imported MIDI files.



Extract First Patch

Converts the first **Program Change** and **Bank Select** events for each track to **Inspector** settings for the track.

Extract First Volume/Pan

Converts the first **MIDI Volume** and **Pan** events for each track to **Inspector** settings for the track.

Import Controller as Automation Tracks

Converts **MIDI Controller** events in the MIDI file to automation data for the MIDI tracks.

Import to Left Locator

Aligns the imported MIDI file to the position of the left locator.

Import Markers

Imports Standard MIDI File Markers in the file and converts them to Cubase markers.

Import Dropped File as Single Part

Places the file on one track if you drag a MIDI file into the project.

Ignore Master Track Events on Merge

Ignores tempo track data if you import a MIDI file into the current project. The imported MIDI file adapts to the current tempo track in the project.

Auto Dissolve Format 0

Automatically dissolves imported MIDI files of type 0. Each embedded MIDI channel in the file is placed on a separate track in the **Project** window.

Destination

Allows you to specify what happens when you drag a MIDI file into the project.

- **MIDI Tracks** creates MIDI tracks for the imported file.
- **Instrument Tracks** creates instrument tracks for each MIDI channel in the MIDI file and causes the program to automatically load appropriate presets.
- **HALion Sonic multi-timbral** creates several MIDI tracks, each routed to a separate instance of HALion Sonic in the **VST Instruments** window, and loads the appropriate presets.

Import Karaoke Lyrics as Text

If this option is deactivated, lyrics are only shown in the **List Editor**.

Importing MIDI Files

You can import MIDI files into Cubase.

PROCEDURE

1. Select **File > Import > MIDI File**.
 2. Optional: If a project is open, choose if you want to create a new project.
If you select **No**, the MIDI file is imported into the current project.
 3. In the file dialog that opens, locate and select the MIDI file, and click **Open**.
-

RESULT

The MIDI file is imported. The result depends on the contents of the MIDI file and the settings you made in the **Import Options** section of the **Preferences** dialog (**MIDI—MIDI File** page). It is also possible to import a MIDI file from disk by dragging it from the File Explorer/macOS Finder into the **Project** window. The **Import Options** apply as well.

RELATED LINKS

[Import Options for MIDI Files](#) on page 352

[Markers](#) on page 411

Yamaha XF Format

Cubase supports the Yamaha XF format. XF is an extension of the standard MIDI file format that allows you to save song-specific data with a MIDI file of type 0.

When importing a MIDI file containing XF data, this data is placed in parts on separate tracks called **XF Data**, **Chord Data**, or **SysEx Data**. You can edit such a part in the **List Editor** to add or change lyrics, for example.

IMPORTANT

Do not change the order of events within the XF data or the event data itself, unless you have a lot of experience with XF data.

Cubase can also export XF data as part of a MIDI file of type 0. If you do not want to export the XF data with the MIDI data, mute or delete the tracks containing the XF data.

MIDI Loops

In Cubase, you can import MIDI loops.

To import MIDI loops, use the **MediaBay**. MIDI loops have the file extension .midiloop.

RELATED LINKS

[Importing MIDI Loops](#) on page 949

Quantizing MIDI and Audio

Quantizing means moving recorded audio or MIDI and positioning it on the nearest grid position that is musically relevant. Quantizing is designed to correct errors, but you can also use it in a creative way.

You can quantize audio and MIDI to a grid or to a groove. You can also quantize multiple audio tracks simultaneously.

Audio and MIDI can be quantized at the same time. However, what exactly happens during quantizing differs for audio and MIDI:

- Audio quantizing affects the audio event starts or the content of your audio.
- MIDI quantizing can affect the starts of MIDI events in a part, the MIDI event lengths, or the MIDI event ends.

NOTE

Quantizing is based on the original position of the events. Therefore, you can freely try out different quantize settings without the risk of destroying anything.

RELATED LINKS

[Quantizing Audio Event Starts](#) on page 357

[Quantizing Audio Event Lengths \(AudioWarp Quantizing\)](#) on page 358

[Quantizing MIDI Event Starts](#) on page 356

[Quantizing MIDI Event Lengths](#) on page 357

[Quantizing MIDI Event Ends](#) on page 357

Quantize Functions

The quantize functions are available in the **Edit** menu and in the **Snap** and **Quantize** sections of the **Project** window toolbar and the **Sample Editor** toolbar.

Quantize Functions on the Edit Menu

Quantize

Quantizes audio or MIDI event starts.

Reset Quantize

Reverts your audio or MIDI to its original, unquantized state, and resets any length changes that you performed in the **Quantize Panel**.

Quantize Panel

Opens the **Quantize Panel**.

Advanced Quantize

From this submenu, you can select the following functions:

- **Quantize MIDI Event Lengths**

Cuts off the ends of selected MIDI events so that the events match the length quantize value. The start positions are kept.

- **Quantize MIDI Event Ends**

Moves the ends of MIDI events to the nearest grid positions.

- **Freeze MIDI Quantize**

Makes the start and end positions of MIDI events permanent. This function is useful in situations where you want to quantize a second time, based on the current quantized positions rather than the original positions.

- **Create Groove Quantize Preset**

Creates a groove quantize preset based on hitpoints that you have created in the **Sample Editor**.

Quantize Functions on the Project Window Toolbar and on the Sample Editor Toolbar

Apply Quantize



Applies the quantize settings.

Quantize Presets



Allows you to select a quantize preset.

Soft Quantize On/Off



Activates/Deactivates soft quantize.

AudioWarp Quantize On/Off



Activates/Deactivates **AudioWarp** quantize.

Open Quantize Panel



Opens the **Quantize Panel**.

Quantizing MIDI Event Starts

You can quantize the MIDI event start positions.

PREREQUISITE

You have set up a quantize grid on the **Quantize Presets** pop-up menu on the **Project** window toolbar.

PROCEDURE

1. Perform one of the following actions:

- In the **Key Editor**, select the MIDI events that you want to quantize.
- In the **Project** window, select a MIDI part.

2. Select **Edit > Quantize**.

RESULT

The starts of the selected MIDI events or all events of the selected MIDI part are quantized. Events that do not match exact note positions are moved to the closest grid position. The note lengths are maintained.

Quantizing MIDI Event Lengths

You can quantize the MIDI event lengths.

PREREQUISITE

You have set up a length quantize value on the **Length Quantize** pop-up menu on the **Key Editor** toolbar.

PROCEDURE

1. Perform one of the following actions:
 - In the **Key Editor**, select the MIDI events that you want to quantize.
 - In the **Project** window, select a MIDI part.
 2. Select **Edit > Advanced Quantize > Quantize MIDI Event Lengths**.
-

RESULT

The ends of the selected MIDI events are cut off so that the events match the length quantize value. The start positions are kept.

NOTE

If you have selected **Quantize Link** in the **Length Quantize** pop-up menu of the **Key Editor** toolbar, the events are resized according to the grid that is set up in the **Quantize Presets** pop-up menu. The **Swing**, **Tuplet**, and **Catch Range** settings on the **Quantize Panel** are taken into account.

Quantizing MIDI Event Ends

You can quantize the MIDI event end positions.

PREREQUISITE

You have set up a quantize grid on the **Quantize Presets** pop-up menu on the **Project** window toolbar.

PROCEDURE

1. Perform one of the following actions:
 - In the **Key Editor**, select the MIDI events that you want to quantize.
 - In the **Project** window, select a MIDI part.
 2. Select **Edit > Advanced Quantize > Quantize MIDI Event Ends**.
-

RESULT

The ends of the MIDI events are moved to the nearest grid positions.

Quantizing Audio Event Starts

You can quantize the audio event start positions.

PREREQUISITE

You have set up a quantize grid on the **Quantize Presets** pop-up menu on the **Project** window toolbar.

PROCEDURE

1. In the **Project** window, select an audio event, a sliced loop, or an audio part.
 2. Select **Edit > Quantize**.
-

RESULT

The event snap point, or, if not available, the start of the audio event, is quantized. Event starts that do not match exact note positions are moved to the closest grid positions.

NOTE

If you use the **Quantize** function on an audio part, the starts of the events inside the part are quantized.

Quantizing Audio Event Lengths (AudioWarp Quantizing)

You can quantize an audio event or an audio selection range by applying time stretch to the content of the audio event.

PROCEDURE

1. Perform one of the following actions:
 - Select the audio event that you want to quantize.
 - Select a range of the event that you want to quantize.
 2. On the toolbar, activate **AudioWarp Quantize On/Off**.
 3. Perform one of the following actions:
 - Click **Quantize Presets**, and select a quantize grid preset from the pop-up menu.
 - Click **Open Quantize Panel**, and define the quantize grid with the available parameters.
 4. Select **Edit > Quantize**.
-

RESULT

The audio event is quantized, that is, its warp markers are aligned with the quantize grid by applying time stretch, and the audio sections between the warp markers are stretched or compressed to fit into the time interval that you set up on the **Quantize Presets** pop-up menu.

NOTE

If you use a quantize value of 1/4 on audio that is based on 16th notes, the warp markers at the 1/4 note positions are quantized to the grid, and the remaining warp markers are moved, keeping the relative distances between the warp markers.

RELATED LINKS

[Quantize Panel](#) on page 360

[Slices](#) on page 627

Quantizing Multiple Audio Tracks

You can quantize multiple audio tracks at the same time.

PROCEDURE

1. In the global track controls area of the track list, click **Add Track** .
2. Click **Folder**.
3. Click **Add Track**.
4. Move all audio tracks that you want to quantize into the folder track.

NOTE

The audio on all tracks must have the same start and end positions.

5. Select the folder track, and activate **Group Editing** in the track list.
6. In the event display, select one of the events.
All audio events in the folder track are selected.
7. On the **Project** window toolbar, click **Open Quantize Panel** to open the **Quantize Panel**.
8. Make your changes in the **Slice Rules** section of the **Quantize Panel**, and click **Slice**.
The audio events in the edit group are sliced.
9. Make your changes in the quantize section of the **Quantize Panel**, and click **Quantize**.
The sliced events are quantized.
10. Optional: To correct overlaps or gaps in the quantized audio, make your changes in the **Crossfades** section of the **Quantize Panel**, and click **Crossfade**.

RESULT

The audio events are quantized.

RELATED LINKS

[Quantize Panel](#) on page 360

[Group Editing Mode](#) on page 262

AudioWarp Quantizing Multiple Audio Tracks

You can use warp markers for quantizing multiple audio tracks. However, AudioWarp quantizing does not maintain phase coherence.

PROCEDURE

1. In the global track controls area of the track list, click **Add Track** .
2. Click **Folder**.
3. Click **Add Track**.
4. Move all audio tracks that you want to quantize into the folder track.

NOTE

The audio on all tracks must have the same start and end positions.

5. Select the folder track, and activate **Group Editing** in the track list.

6. In the event display, select one of the events.
All audio events in the folder track are selected.
 7. On the **Project** window toolbar, activate **AudioWarp Quantize On/Off**.
 8. Click **Open Quantize Panel** to open the **Quantize Panel**.
 9. Make your changes in the **Warp Marker Creation Rules** section of the **Quantize Panel**, and click **Create**.
 10. Make your changes in the **Quantize Settings** section of the **Quantize Panel**, and click **Quantize**.
-

RESULT

AudioWarp quantizing is applied to all tracks in the edit group.

RELATED LINKS

[Quantize Panel](#) on page 360


[Group Editing Mode](#) on page 262

Quantize Panel

The **Quantize Panel** allows you to define how to quantize audio or MIDI to the grid or to a groove. Depending on what method you choose, different parameters are shown.


To open the **Quantize Panel**, perform one of the following actions:

- Click **Open Quantize Panel** on the toolbar.
- Select **Edit > Quantize Panel**.



Quantize Presets

The quantize presets are displayed at the top of the **Quantize Panel**. Here, you can load and save presets that include all settings for quantizing.



Select Preset

Allows you to select a preset.

Save Preset

Allows you to save the current settings as presets, so that they become available on all **Quantize Presets** pop-up menus.

Remove Preset

Allows you to remove the selected preset.

Rename Preset

Opens a dialog where you can rename the selected preset.

Restore Factory Presets

Allows you to restore the factory presets.

Creating Groove Quantize Presets

You can create a groove quantize preset, based on hitpoints that you have created in the **Sample Editor**.

PROCEDURE

1. In the **Project** window, double-click the audio event from which you want to extract the timing.
The **Sample Editor** opens.
 2. Open the **Hitpoints** section.
The hitpoints for the audio event are automatically detected and displayed.
 3. Open the **Create** section, and click **Groove**.
The groove is extracted.
-

RESULT

The groove is extracted from the audio event and made available in the **Quantize Presets** pop-up menu on the **Project** window toolbar.

AFTER COMPLETING THIS TASK

Open the **Quantize Panel**, and save the groove as a preset.


RELATED LINKS

[Creating a Groove Quantize Preset](#) on page 629
[Quantize Presets](#) on page 361

Options For Quantizing to a Musical Grid

You can use the musical grid to quantize your recorded music.

- To access the options for quantizing to a musical grid, select a musical time format from the **Select Preset** pop-up menu on the **Quantize Panel**.



The following options are available:

Grid

Allows you to select the basic value for the quantize grid.

Swing

Offsets every second position in the grid, creating a swing or shuffle feel.

NOTE

Swing is only available if **Grid** is set to a straight value and **Tuplet** is deactivated.

Catch Range

Allows you to set a value that determines that quantizing only affects audio or MIDI within the set distance from the grid lines. This is reflected in the grid display.

Safe Range

Creates a safe zone before and after the quantize positions. If you specify a distance in ticks (120 ticks = one 16th note), events within this zone are not quantized. As a result, slight variations are kept.

Grid Display

Shows the quantize grid. Quantized audio or MIDI is moved to the positions indicated by the vertical grid lines.

Tuplet

Creates rhythmically more complex grids by dividing the grid into smaller steps, thereby creating n-tuplets.

Rough

Allows you to set a distance in ticks, so that your audio or MIDI is quantized to random positions within the specified distance from the quantize grid. This allows for slight variations and, at the same time, prevents your audio or MIDI from ending up too far away from the grid.

Soft Quantize Mode

Applies a loose quantization so that your audio or MIDI moves only part of the way to the closest quantize grid position. The **Quantize Strength** value to the right determines how close your audio or MIDI moves towards the grid.

NOTE

Soft quantizing is based on the current quantized positions and not on the original event positions. You can repeatedly use the soft quantize mode to gradually move your audio or MIDI closer to the quantize grid until you have found the right timing.

AudioWarp

Quantizes the content of your audio event by applying time stretch. The warp markers are aligned with the defined quantize grid.

MIDI CC

Automatically moves controllers related to MIDI notes (pitchbend, etc.) with the notes when these are quantized.

Reset Quantize

Resets your audio or MIDI to its original, unquantized state.

IMPORTANT

This function has no effect on an event that was moved manually.

Auto

Immediately applies any changes to the selected parts or events. A way of using this feature is to set up a playback loop and to adjust the settings until you are satisfied with the result.

Quantize


Applies your settings.

Options for Quantizing to a Groove

You can generate a timing grid from a MIDI part or an audio loop and use this groove to quantize your recorded music. This way, you can recreate the rhythmic feel of this specific event or part.

To access the options for quantizing to a groove, select a MIDI part from an audio loop, an audio event with hitpoints, or sliced audio. Perform one of the following actions:

- Drag the part or event to the grid display in the middle of the **Quantize Panel**.
- Select **Edit > Advanced Quantize > Create Groove Quantize Preset**.



The following options become available:

Position

Determines how much the timing of the groove affects the music.

Velocity (MIDI Only)

Determines how much the velocity values within the groove affect the music.

NOTE

Not all grooves contain velocity information.

Length (MIDI Only)

Allows you to specify how much the lengths of the notes are affected by the groove.

NOTE

For drums, the **Length** setting is ignored.

Safe Range

Allows you to create a safe zone before and after the quantize positions. If you specify a distance in ticks (120 ticks = one 16th note), events within this zone are not quantized. As a result, slight variations are kept.

Grid display

Shows the quantize grid. Quantized audio or MIDI is moved to the positions indicated by the vertical grid lines.

Pre-Q

Allows you to select a musical grid to which you can quantize your audio or MIDI first. This moves the notes closer to their groove destination.

NOTE

If you apply a shuffle groove to a 16th-note pattern, for example, set up a pre-quantize value of 16 to straighten up the timing before applying the groove quantizing.

Max. Move

Allows you to select a note value to specify a maximum distance for audio or MIDI movement.

Orig. Position

Sets the original starting position of the quantized material as the starting point of the quantizing. This allows you to synchronize material that does not start from bar 1 of the project.

Rough Quantize

Allows you to set a distance in ticks so that your audio or MIDI is quantized to random positions within the specified distance from the quantize grid. This allows for slight variations and, at the same time, prevents your audio or MIDI from ending up too far away from the grid.

Soft Quantize Mode

Applies a loose quantization so that your audio or MIDI moves only part of the way to the closest quantize grid position. The **Quantize Strength** value to the right determines how close your audio or MIDI moves towards the grid.

NOTE

Soft quantizing is based on the current quantized positions and not on the original event positions. You can repeatedly use the soft quantize mode to gradually move your audio or MIDI closer to the quantize grid until you have found the right timing.

AudioWarp

Quantizes the content of your audio event by applying time stretch. The warp markers are aligned with the defined quantize grid.

MIDI CC

Automatically moves controllers related to MIDI notes (pitchbend, etc.) with the notes when these are quantized.

Reset Quantize

Resets your audio or MIDI to its original, unquantized state.

IMPORTANT

This function has no effect on an event that was moved manually.

Auto

Immediately applies any changes to the selected parts or events. A way of using this feature is to set up a playback loop and to adjust the settings until you are satisfied with the result.

Quantize


Applies your settings.

RELATED LINKS

[Creating Groove Quantize Presets](#) on page 362

Options for Quantizing Multiple Audio Tracks

If you quantize multiple audio tracks, the **Slice Rules** section becomes available in the **Quantize Panel**. Use it to determine how the audio events are sliced at the hitpoints.



- To access the **Slice Rules** section, move your audio tracks to a folder track, activate **Group Editing**, and open the **Quantize Panel**.

Hitpoint Tracks

Lists all audio tracks of your edit group that have hitpoints.

Priority

Click and drag to the right or to the left to specify a priority. The hitpoints of the track with the highest priority determine slice positions for the audio on all tracks. If the zoom factor is high enough, cutting positions are marked by vertical lines in the **Project** window.

Range

Allows you to specify the distance at which two hitpoints on different tracks are considered to mark the same beat.

Offset

Allows you to set an offset that determines how much earlier, in relation to the actual hitpoint, an audio event is sliced. This allows for slight variations of the cutting position. This is useful if you want to create crossfades at the slice positions. Furthermore, it helps to avoid cutting off signals on tracks that do not contain any hitpoints.

AudioWarp Quantize On/Off

Activate this button to quantize the content of your audio event by applying time stretch. This enables the **Warp Marker Creation Rules** section, which allows you to specify a priority. The hitpoints of the track with the highest priority determine the warp marker positions for the audio on all tracks.

Slice

Slices all audio events of the edit group and sets the event snap points to the position of the hitpoint with the highest priority.

Reset

Undoes the slicing and restores the original state of the audio events.

RELATED LINKS

[Options for AudioWarp Quantizing Multiple Audio Tracks](#) on page 368


[Crossfades Section](#) on page 368

[AudioWarp Quantizing Multiple Audio Tracks](#) on page 359

[Group Editing Mode](#) on page 262

Crossfades Section

The **Crossfades** section becomes available after you have sliced the audio events. The functions in this section allow you to correct the overlaps or the gaps that might appear due to the re-positioning of your audio.



Clicking **Crossfade** cuts the end of the first event at the start position of the following event (in case of overlaps), and stretches the second event until it starts at the end of the previous event (in case of gaps).

For seamless transitions, applying crossfades after closing the gaps. Use the following parameters:

Open Crossfade Editor

Opens the **Crossfade** editor, where you can specify curve type, length, and other parameters for your crossfades.

Nudge Crossfade Left/Right

Moves the fade area in the audio event to the left or to the right in steps of one millisecond. This is useful if the **Offset** value in the **Slice Rules** section was not high enough, and you want to avoid that the crossfade cuts an attack.

Length


Specifies the length of the crossfade area.

RELATED LINKS

[Crossfade Editor](#) on page 378

Options for AudioWarp Quantizing Multiple Audio Tracks

The **Warp Marker Creation Rules** section becomes available when you activate AudioWarp quantizing for multiple audio tracks.



Priority

In this column, you can define a priority for each track. The track with the highest priority defines where the warp markers are created.

If you set up the same priority for several tracks, the warp marker position is defined by the track that contains the first hitpoint within the specified range. This is performed for each individual warp marker position.

- To specify a priority, click and drag to the right or to the left.

If no star is shown, the hitpoints on the corresponding track are not taken into account.

Range

Two hitpoints on different tracks are considered to mark the same beat if they are located within a certain distance from each other. The **Range** parameter specifies this distance. The following rules apply:

- If one of the tracks has a higher priority, its hitpoint is used to create the warp marker.
- If the tracks have the same priority, the first hitpoint in the range is used.

Reset

Undoes the creation of warp markers.

AudioWarp Quantize On/Off

Activates/Deactivates AudioWarp quantizing. This enables the **Slice Rules** section.

Create

Creates warp markers for all the tracks.

RELATED LINKS

[Options for Quantizing Multiple Audio Tracks](#) on page 366

[AudioWarp Quantizing Multiple Audio Tracks](#) on page 359

[Group Editing Mode](#) on page 262

Fades, Crossfades, and Event Volume

Fades allow you to gradually increase or decrease the volume at the start or at the end of audio events or audio clips, and to create smooth transitions. To change the volume of the entire event, you can create a volume curve and also define an event volume offset.

You can create the following fades:

- Fade ins/fade outs

Fade ins and fade outs allow you to gradually increase or decrease the volume of audio events or audio clips. Fade ins and fade outs can be either event-based or clip-based.

Event-based fades are calculated in real time when you play back audio events. You can create different fade curves for several events, even if they refer to the same audio clip.

NOTE

The more event-based fades you apply, the more processing power is required.

Clip-based fades are applied to an audio clip. Events that refer to the same clip obtain the same fades.

- Crossfades

Crossfades allow you to create smooth transitions for consecutive audio events on the same track. Crossfades are event-based.

- Auto fades

Auto fades allow you to automatically apply short fade ins and fade outs to the events on specific audio tracks. You can also apply them globally, on all audio tracks. This creates smooth transitions between events.

- Event volume curves

Event volume curves allow you to manipulate the event volume by using curve points and bézier curves.

NOTE

Alternatively, you can make clip-based volume changes by using the **Direct Offline Processing** audio process **Envelope**.

- Event volume

You can adjust the event volume by setting an offset value for the entire event.

RELATED LINKS

[Event-Based Fades on page 372](#)

[Creating Clip-Based Fades on page 376](#)

[Crossfades on page 377](#)

[Auto Fades and Crossfades on page 385](#)

[Event Volume Curves on page 387](#)

[Adjusting the Event Volume on page 390](#)

[Envelope on page 577](#)


Event Handles

Audio events have a fade-in and a fade-out handle, as well as a volume handle. These handles provide a quick way to change the fade length or the volume of events in the **Project** window.

By default, event handles become visible when you move the mouse pointer to an event or select events.

NOTE

You can choose when to display fades, event volume curves, and event volume controls in the **Preferences** dialog (**Event Display—Audio** page).



In the upper left and right corners, you can find triangular fade handles that allow you to change the fade-in or fade-out length. The event volume control at the bottom left allows you to change the volume.

- To change the fade-in length, drag the fade handle to the right or to the left.



- To change the fade-out length, drag the fade handle to the left or to the right.




- To change the event volume, click the event volume control and move the fader.



Changes affecting fades or the volume are reflected in the event waveform and on the info line.

NOTE

To change the event volume and the fades with the mouse wheel, activate **Use Mouse Wheel for Event Volume and Fades** in the **Preferences** dialog (**Editing—Audio** page). To move the fade-in end point, press **Shift** while moving the mouse wheel, and position the mouse pointer anywhere in the left half of the event. When the mouse pointer is in the right half of the event, the fade-out start point is moved.



RELATED LINKS

- [Event Display - Audio on page 1530](#)
[Editing - Audio on page 1523](#)

Event-Based Fades

You can create event-based fade ins and fade outs. These are calculated in real time when you play back audio events. You can create different fade curves for several events, even if they refer to the same audio clip.

There are several ways to create event-based fades:

- By using the event handles
- By using range selections

You can edit event-based fades in the **Fade** dialogs.

RELATED LINKS


- [Creating and Editing Fades with the Handles on page 372](#)
[Creating and Editing Fades with the Range Selection Tool on page 373](#)
[Fade Dialog for Event-Based Fades on page 374](#)

Creating and Editing Fades with the Handles


You can create and edit event-based fade ins and fade outs using the event handles. This gives you a visual feedback and allows you to apply the same fade type to several selected events.

PROCEDURE

1. Select the audio events for which you want to create fades, and point at one of them with the mouse.
 Triangular fade handles become visible in the upper left and right corners.



2. Perform one of the following actions:
 - To create a fade in, drag the left fade handle to the right.



- To create a fade out, drag the right fade handle to the left.

RESULT

The fade is applied and displayed in the event waveform. If you select multiple events, the same fade is applied to all selected events.

NOTE

You can change the length of the fades at any time by dragging the handles.

Creating and Editing Fades with the Range Selection Tool

You can create and edit event-based fades with the **Range Selection** tool. Using the **Range Selection** tool is useful if you want to create fades for multiple audio events on separate tracks.

PROCEDURE

1. On the **Project** window toolbar, select the **Range Selection** tool.

NOTE

If you select a range that spans multiple audio events on multiple audio tracks, you can create fades on multiple tracks.

2. Perform one of the following actions:

- To create a fade in that starts at the event start, select a range, and select **Audio > Fades > Fade In to Range Start**.

NOTE

If the range starts at the event start or earlier, the fade in starts at the event start and ends at the range end.

- To create a fade out that ends at the event end, select a range that ends at the event end, and select **Audio > Fades > Fade Out from Range End**.

NOTE

If the range ends at the event end or later, the fade out starts at the range start and ends at the event end.

- To create a fade in and a fade out, select a range in the middle of the event, and select **Audio > Fades > Adjust Fades to Range**.

RELATED LINKS

[Project Window Toolbar](#) on page 54

Applying Default Fades

You can use default fades to create event-based fade ins and fade outs.

PROCEDURE

1. Select one or more audio events in the **Project** window.
2. Perform one of the following actions:
 - To create a fade in, select **Audio > Fades > Apply Standard Fade In**.
 - To create a fade out, select **Audio > Fades > Apply Standard Fade Out**.

RESULT

An event-based fade of the same length and shape as the default fade is applied.

NOTE

To change the default fade, select **Audio > Fades > Open Fade Editor(s)**, set up the fade, and click **As Default**.

RELATED LINKS

[Fade Dialog for Event-Based Fades](#) on page 374

Removing Event-Based Fades

You can remove event-based fades.

PROCEDURE

1. Select the event with the **Object Selection** tool.
2. Do one of the following:
 - To remove a fade in, select **Audio > Fades > Remove Fade In**.
 - To remove a fade out, select **Audio > Fades > Remove Fade Out**.
 - To remove a fade in and a fade out, select **Audio > Fades > Remove Fades**.


Fade Dialog for Event-Based Fades

The fade dialog for event-based fades allows you to set up the selected event-based fades.

- To open the dialog for event-based fades, create a fade for one or more audio events, select the events, and select **Audio > Fades > Open Fade Editor(s)**.

NOTE

If you select several events, you can adjust the fade curves for all selected events at the same time. This is useful if you want to apply the same type of fade in to more than one event, for example.



The following options are available:

1 Presets pop-up menu

Allows you to set up presets for fade-in or fade-out curves.

- To apply a saved preset, select it from the pop-up menu.
- To remove a saved preset, select it from the pop-up menu and click **Remove**.

2 Curve Type buttons

Apply a spline interpolation, a damped spline interpolation, or a linear interpolation to the curve.

3 Restore

Click this button to cancel any changes you have made since opening the dialog.

4 Fade display

Shows the shape of the fade curve. The darker waveform displays the result, whereas the current waveform is displayed in a lighter shade.

- To add points, click the curve.
- To change the curve shape, click and drag existing points.
- To remove a point from the curve, drag it outside the display.

5 Curve Shape buttons

Give you quick access to some common curve shapes.

6 Length field

Allows you to enter fade lengths numerically. The format of the values displayed here is determined by the time display on the **Transport** panel.

- If you activate **Apply Length**, the value entered in the **Fade Length** value field is used when clicking **Apply** or **OK**.

- If you set the current fade as the default fade, the length value is included as part of the default settings.
- 7 As Default**
- Saves the current settings as the default fade.
- 8 Apply**
- Applies the current fade settings to the selected events.

Creating Clip-Based Fades

You can create and edit clip-based fade ins and fade outs using **Direct Offline Processing**. These fades are applied to the audio clip. Events that refer to the same clip receive the same fades.

PROCEDURE

1. In the **Project** window, select one or more audio events or a range for which you want to create a fade.
The length of your selection determines the length of the fade area.
2. Perform one of the following actions:
 - To create a fade in, select **Audio > Processes > Fade In**.
 - To create a fade out, select **Audio > Processes > Fade Out**.
3. In the **Direct Offline Processing** window, click the **Curve Type** buttons to specify a fade curve, or click and drag with the mouse to draw in a curve in the curve display.
4. Optional: Activate **Audition** to hear the effect of the specified fade on the selected audio event.

RESULT

The fade is applied to the audio. You can remove or modify the fades at any time using the **Direct Offline Processing** window.

RELATED LINKS


[Direct Offline Processing](#) on page 563

[Fade In/Fade Out](#) on page 578

[On Processing Shared Clips](#) on page 376

On Processing Shared Clips

If several events refer to the same audio clip, this clip is a shared clip. If you edit one of the events that refer to a shared clip, you can decide if you want to apply the processing to all events referring to this clip.



Continue

Click **Continue** to apply the processing to all events that refer to the audio clip.

New Version


Click **New Version** to create a separate, new version of the audio clip for the selected event.

Crossfades


Crossfades allow you to create smooth transitions for consecutive audio events on the same track. Crossfades are always event-based.

You can only create crossfades if the consecutive events or their respective clips overlap.

- If the audio events overlap, a crossfade of the default shape (linear, symmetric) is applied in the overlapping area.



Overlapping events



Overlapping events with a crossfade

NOTE

You can edit the default crossfade length and shape in the **Crossfade** editor.

- If the respective audio clips overlap, the two events are resized so that they overlap, and a crossfade of the default length and shape is applied in the overlapping area.
- If neither the audio events nor the clips overlap, a crossfade cannot be created.

RELATED LINKS

[Crossfade Editor](#) on page 378

Creating Crossfades

You can create crossfades between two consecutive audio events.

PROCEDURE

1. Perform one of the following actions:
 - To create a crossfade between two events, select the **Object Selection** tool, and select two consecutive audio events.
 - To create a crossfade to a selected range between two events, select the **Range Selection** tool, and select a range covering the area where you want to apply a crossfade.
 2. Select **Audio > Fades > Crossfade** or use the key command **X**.
-

RESULT

The crossfade is applied.

Changing the Crossfade Length

You can change the length of a crossfade.

PROCEDURE

1. Select the **Range Selection** tool.
 2. Select a range between two events that covers the length of the crossfade you want to apply.
 3. Select **Audio > Fades > Adjust Fades to Range**.
-

RESULT

The crossfade length is adjusted to the selected range.


Crossfade Editor

The **Crossfade** editor allows you to edit crossfades. It shows a fade display of the selected audio and the fade curves, in conjunction with fade-in and fade-out curve settings and common settings.


- To open the **Crossfade** editor, select one or both crossfaded events, and select **Audio > Fades > Crossfade** or double-click the crossfade zone.

NOTE

You can activate a simplified **Crossfade** editor in the **Preferences** dialog. Select **Editing > Audio**, and activate the **Simple Crossfade Editor** option.



Advanced Crossfade Editor



Simplified Crossfade Editor

Curve Type buttons

Determine whether the corresponding fade curve uses **Spline Interpolation** , **Damped Spline Interpolation** , or **Linear Interpolation** .

Curve Shape buttons

Give you quick access to some common curve shapes.



Fade Curve displays

Show the shape of the fade-out and fade-in curve, respectively.

- To add points, click a curve.
- To change the fade shape, click and drag existing points.
- To remove a point, drag a point outside the display.

Length

Specifies the length of the crossfade area.

Overlap

Defines the position of the splice point in the crossfade area.

Volume

Changes the volume of the crossfaded events. This is the same as using the volume handles in the event display.

Nudge

Nudges the fade area or the audio in the desired direction.

Nudge Range

Specifies the range that is moved when using **Nudge**.

Nudge modes

Determines what is moved when you use **Nudge**.

- To move the audio, activate **Nudge: Move Audio**.

- To move the fade, activate **Nudge: Move Fade**.

Chaining Mode

Determines how the audio to the right of the crossfade on the track behaves when you move the crossfade for an event.

- To move all the following events on the track, activate **Until End**.
- To move all the following events on the track up to the next gap, activate **Until Gap**.
- To move none of the following events on the track, activate **None**.

NOTE

The behavior depends on whether the next audio event on the track follows seamlessly or with a gap.

Splice Point Offset

The dotted vertical line in the fade-in and fade-out curves marks the splice point. If you work with asymmetric crossfades, you can set a splice point offset. This means that the splice points for the fade-in and the fade-out event are different.

Symmetric Fades

Activate this to link the editing controls of the fade-out and fade-in curves. This allows you to use the fade-out or fade-in controls to move both fade curves symmetrically.

Presets

Click **Save Preset** on the **Presets** pop-up menu to store the crossfade settings so that you can apply them to other events.

- To remove a preset, select it on the pop-up menu and click **Remove Preset**.

Default buttons

Click **As Default** to store the current settings as default. Default settings are used whenever you create new crossfades.

Click **Recall Default** to apply the curves and settings of the default crossfade.

Equal Gain

Adjusts the fade curves so that the summed fade-in and fade-out amplitudes are the same all along the crossfade region. This can be beneficial for short crossfades.

Equal Power

Adjusts the fade curves so that the energy (power) of the crossfade is constant all along the crossfade region.

Equal Power curves have only one editable curve point. You cannot change the curve shape if this mode is selected.

Auto Zoom

Automatically zooms and centers the display on the current crossfade when you resize it. This also works when you select the next crossfade using **Select Crossfade**.

Auto-Scroll

Scrolls the crossfade display during playback, so that the position cursor is always visible. This only applies when using the **Transport** panel, and it works like the corresponding function in the **Project** window.

Zoom to Fade

Zooms and centers the display on the selected crossfade area.

Volume

Allows you to set the audition level.

Pre-roll and Post-roll

- To start playback before the fade area, activate **Use Pre-roll**.
- To stop playback after the fade area, activate **Use Post-roll**.
- To adjust the pre-roll time, use the **Pre-roll Amount** value field.
- To adjust the post-roll time, use the **Post-roll Amount** value field.

Audition buttons

- To audition the fade-out part of the crossfade, click **Play Fade Out**.
- To audition the whole crossfade, click **Play Crossfade**.
- To audition the fade-in part of the crossfade, click **Play Fade In**.

You can set up key commands for this in the **Key Commands** dialog.

Select Crossfade buttons

Allow you to select the previous/next crossfade area, provided that the current track contains more than one crossfade.

Project Selection Follows Fade

If this option is activated, selecting another crossfade automatically changes the event selection in the **Project** window.

RELATED LINKS

[Moving the Crossfade Area with the Nudge buttons](#) on page 382

[Moving the Crossfade Area with the Overlap Controls](#) on page 381

[Resizing the Crossfade Area](#) on page 383

[Key Commands](#) on page 1480

[Event Handles](#) on page 371

[Auto-Scroll Settings Menu](#) on page 304

Moving the Crossfade Area

You can edit crossfades by moving the crossfade area, that is, the overlapping area between two audio events or clips.


In the **Crossfade** editor, you have the following options to move the crossfade area:

- You can use the **Overlap** controls to determine how much of the fade-out and how much of the fade-in event is included in the crossfade area.
- You can use the **Nudge** buttons in **Move Fade** mode to move the crossfade area. The audio events or clips keep their positions.
- You can use the **Nudge** buttons in **Move Audio** mode to move the audio of the fade-in event. The size of the crossfade area is kept.

Moving the Crossfade Area with the Overlap Controls

The **Overlap** controls allow you to determine how much of the fade-out and how much of the fade-in event are included in the crossfade area. By moving the **Overlap** controls, you move

the overlapping area between two audio events or clips. The audio events or clips keep their positions.




- If you activate the **Symmetric Fades** option, the splice point for the fade out and the fade in is initially situated in the center of the crossfade. If you move the **Overlap** control for the fade in, the fade out control moves accordingly.
- If you deactivate the **Symmetric Fades** option, you can move the **Overlap** controls separately to set up different overlap values for the fade-in and fade-out curves. This is indicated in the **Splice Point Offset** field.

Moving the Crossfade Area with the Nudge buttons

You can use the **Nudge** buttons in **Move Fade** mode to move the crossfade area. You can use the **Nudge** buttons in **Move Audio** mode to move the audio of the fade-in event. Each time you click **Nudge**, the crossfade area or audio clip is moved in the corresponding direction by the amount specified on the **Nudge Range** pop-up menu.


- To move the fade area, activate **Move Fade** in the **Nudge Mode** section.
- To move the audio clip, activate **Move Audio** in the **Nudge Mode** section.
- If you activate **Symmetric Fades** with the **Nudge Mode** set to **Move Fade**, the fade out area and the fade in area are moved by the same amount.

You can also move the fade by using the middle handle of the fade out or the fade in curve.



- If you activate **Symmetric Fades** with the **Nudge Mode** set to **Move Audio**, the **Nudge** buttons in the fade in event move the audio event.

You can also move the audio by clicking the fade in event and dragging with the hand symbol that appears.



NOTE

You cannot move the audio of the fade out event.

Resizing the Crossfade Area

You can edit crossfades by resizing the crossfade area, that is, the overlapping area between two audio events or clips.

In the **Crossfade** editor, you have the following options to resize the crossfade area:

- You can use the **Length** controls to resize the crossfade areas between two audio events or clips without moving the splice points.
- You can use the fade in curve and fade out curve handles to resize the crossfade area between two audio events or clips and move the splice points at the same time.

IMPORTANT


To be able to resize a crossfade, it must be possible to resize the corresponding event. If the fade out event already plays its audio clip to the end, its end point cannot be moved any further to the right.

Changing the Crossfade Length Without Moving the Splice Points

You can resize the crossfade area between two audio events or clips without moving the splice points.

- To resize the crossfade area, use the **Length** controls or the **Length** fields.

You can also resize the crossfade area by clicking and dragging the length handles for the fade out and the fade in curve in the crossfade display.




- If you activate **Symmetric Fades**, the fade out and the fade in lengths are changed by the same amount.
- If you deactivate **Symmetric Fades**, you can use the upper **Length** controls to change the length of the fade out curve and the lower controls to change the length of the fade in curve.

Changing the Crossfade Length and Moving the Splice Points

You can resize the crossfade area between two audio events or clips and move the splice points at the same time.

- To resize the crossfade area with the splice points, drag the right handle of the fade out curve to the left or drag the left handle of the fade in curve to the right.



- If **Symmetric Fades** is activated, the length and the splice points of both the fade out curve and the fade in curve are changed.
- If **Symmetric Fades** is deactivated, the right handle of the fade out curve changes the length and the splice point of the fade out curve, and the left handle of the fade in curve changes the length and the splice point of the fade in curve.

Removing Crossfades

You can remove crossfades.

PROCEDURE

1. Perform one of the following actions:
 - Select the **Object Selection** tool, and select one of the crossfaded events.

- Select the **Range Selection** tool, and select the crossfades you want to remove.
2. Select **Audio > Fades > Remove Fades**.
-

RESULT

The selected crossfades are removed.

NOTE

You can also remove a crossfade by clicking and dragging it outside the event.

Auto Fades and Crossfades

Cubase features an **Auto Fade** function that can be set either globally or separately for each audio track. Auto fades allow you to create smoother transitions between events by applying fade ins and fade outs with a length between 1 and 500 ms.

IMPORTANT

As event-based fades are calculated in real time during playback, applying auto fades to a higher number of audio events results in a higher demand on the processor.


NOTE

Auto fades are not indicated by fade lines.

Auto Fades Dialog

The **Auto Fades** dialog allows you to set up auto fades and crossfades, either for the entire project or individually, for each audio track.

- To open the global **Auto Fades** dialog, select **Project > Auto Fades Settings**.
- To open the **Auto Fades** dialog for a track, right-click in the track list and select **Auto Fades Settings**.



1 Auto Fade In

Activates auto fade ins.

2 Auto Fade Out

Activates auto fade outs.

3 Auto Crossfades

Activates auto crossfades.

4 Use Project Settings

This is only available if you opened the **Auto Fades** dialog for individual tracks. Deactivate this to set up and apply the settings to individual tracks only. To apply the global settings again, activate **Use Project Settings**.

5 Length

Specifies the length of the auto fades or crossfades.

6 As Default

Saves the current settings as default.

7 Fades section

Provides the settings for auto fades.

The **Curve Type** buttons allow you to determine whether the corresponding fade curve uses **Spline Interpolation** , **Damped Spline Interpolation**  or **Linear Interpolation** .

The **Curve Shape** buttons give you quick access to common curve shapes.

8 Crossfades section

Provides the settings for auto crossfades.

Equal Gain allows you to adjust the fade curves so that the summed fade-in and fade-out amplitudes are the same, all along the crossfade region.

Equal Power allows you to adjust the fade curves so that the energy (power) of the crossfade is constant, all along the crossfade region.

Making Global Auto Fade Settings

You can set up auto fades and crossfades for the whole project.

PROCEDURE

1. Select **Project > Auto Fades Settings**.

This opens the **Auto Fades** dialog for the project.

2. Set up the fades as desired.

3. Click **OK**.
-

RELATED LINKS

[Fade Dialog for Event-Based Fades](#) on page 374

[Crossfade Editor](#) on page 378

Making Auto Fade Settings for Individual Tracks

As auto fades use computing power, we recommend turning global auto fades off and activating them for individual tracks only.

PROCEDURE

1. Perform one of the following actions:

- Right-click the track in the track list. From the context menu, select **Auto Fades Settings**.
- Select the track. In the **Inspector**, click **Auto Fades Settings**.

The **Auto Fades** dialog for the track opens.

2. Deactivate **Use Project Settings**.

Any settings you make are applied to the track only.

3. Set up the auto fades.


4. Click **OK**.
-

Event Volume Curves

Event volume curves allow you to make volume changes affecting the entire event or a selection range.

Volume curves are used to change the volume envelope and thus, the volume of an audio event. The volume envelope is a part of the audio event. When you move or copy the event, the event envelope follows.

You can refine a curve by adding additional curve points and bézier curves with the **Draw** tool.



IMPORTANT

When loading projects from Cubase version 14.0.0 or newer in older versions, the following applies:

- Cubase version 13.0.50: Volume curves are properly applied. However, the curve cannot exceed 0 dB, and bézier curves are transformed into ramps.
 - Cubase versions older than 13.0.50: Volume curves cannot be properly applied.
-

RELATED LINKS

[Editing Event Volume Curves with the Draw Tool](#) on page 388

[Adjusting the Event Volume of Audio Segments](#) on page 391

Creating Event Volume Curves

You can add volume curves to apply volume changes to an audio event.

PREREQUISITE

You have zoomed in on an event so that you can clearly see its waveform.

PROCEDURE

1. On the **Project** window toolbar, select the **Draw** tool.
2. To create curve points, click at the positions in the event where you want to change the volume.
3. Drag the curve points to adjust the volume curve.

The waveform image of the event changes according to the volume change.

RESULT

The volume of the audio is changed according to the volume curve.

AFTER COMPLETING THIS TASK

You can create smooth transitions between curve points by using bézier curves.

RELATED LINKS

[Zooming in the Project Window](#) on page 98

[Project Window Toolbar](#) on page 54

Editing Event Volume Curves with the Draw Tool

You can edit the shape of volume curves with additional curve points and create smooth transitions between curve points using the **Draw** tool.

When the **Draw** tool is selected and you click an event, you can perform the following editing techniques on volume curves:


- To add a single curve point, click on the volume curve.



- To draw a volume curve, hold **Ctrl/Cmd**, click, and draw a curve by creating multiple curve points.



- To move a single curve point, click and drag it.
- To select a single curve point, click on it.
- To select multiple curve points, click and draw a rectangle. Alternatively, you can hold **Shift** and click single curve points to select them together.
- To nudge curve points, select them and use the **Nudge** buttons.
- To create a smooth transition via a bézier curve, move the mouse pointer between two curve points, and drag the curve handle that appears.



- To remove a curve point, select it, and press **Delete**, or use the **Erase** tool.

To adjust selected curve points of an event volume curve, you can use the volume curve editor, which provides smart controls for specific editing modes.

RELATED LINKS


[Volume Curve Editor](#) on page 389

Volume Curve Editor

The event volume editor allows you to edit selected curve points on event volume curves using smart controls for specific editing modes.

- To open the volume curve editor, activate the **Object Selection** tool, and drag a selection rectangle onto the event volume curve, or select multiple curve points by **Shift**-clicking them.

The volume curve editor features the following smart controls for specific editing modes:



1 Tilt Left

If you click in the upper left corner of the editor, you can tilt the left part of the curve.

2 Compress Left

If you **Alt/Opt**-click in the upper left corner of the editor, you can compress or expand the left part of the curve.

3 Scale Vertically

If you click in the middle of the upper border of the editor, you can scale the curve vertically.

4 Move Vertically

If you click on the upper border of the editor, you can move the entire curve vertically.

5 Compress Right

If you **Alt/Opt**-click in the upper right corner of the editor, you can compress or expand the right part of the curve.

6 Tilt Right

If you click in the upper right corner of the editor, you can tilt the right part of the curve.

7 Scale Around Relative Center

If you **Alt/Opt**-click in the center of the right border of the editor, you can scale the curve relative to its center.

8 Scale Around Absolute Center

If you click in the center of the right corner of the editor, you can scale the curve absolute to its center.

9 Stretch

If you click on the lower border of the editor, you can stretch the curve horizontally.

RELATED LINKS

[Editing Event Volume Curves with the Draw Tool](#) on page 388

Removing Volume Curves

You can reset the volume of an entire event or a selection range to its original level.

PROCEDURE

- To reset the event volume curve of a selected event or a selection range, select **Audio > Remove Volume Curve**.

RESULT

The volume of the event or of the selection range is reset to its original level.

Adjusting the Event Volume


To adjust the volume of an entire event, you can specify an offset value.

PREREQUISITE


You have zoomed in on the event so that the event volume control is displayed.

PROCEDURE

- On the **Project** window toolbar, select the **Object Selection** or the **Draw** tool.
- On an audio event, click and hold the event volume control at the bottom left of the event.



3. Drag the fader up or down to adjust the volume offset value. For finer volume adjustments, press **Shift** while moving the fader.



The waveform image of the event changes according to the volume change.

RESULT

The volume of the entire event is changed.

NOTE

- If **Use Mouse Wheel for Event Volume and Fades** is activated in the **Preferences** dialog (**Editing—Audio** page), you can use the mouse wheel to change the event volume.
 - Alternatively, you can adjust the event volume by changing the **Volume** value on the info line.
 - You can quickly change the volume of automatically detected audio segments using the modifier key for **Audio Segment Editing**.
-

RELATED LINKS

[Zooming in the Project Window](#) on page 98

[Editing - Audio](#) on page 1523

[Info Line](#) on page 68

[Adjusting the Event Volume of Audio Segments](#) on page 391

Adjusting the Event Volume of Audio Segments

You can quickly change the volume of an automatically detected audio segment using the **Range Selection** tool.

PREREQUISITE

You created a selection range that encompasses an audio segment with the **Range Selection** tool using the modifier key for **Audio Segment Editing**.



Selection range that encompasses an audio segment

PROCEDURE

- To adjust the event volume, drag the event volume handle at the top of the selection range.



Audio segment with modified event volume

RELATED LINKS

[Creating Selection Ranges](#) on page 273


Arranger Track

The arranger functions in Cubase allow you to work in a non-linear fashion. Using an arranger track allows you to determine how and when specific sections are played back, even for live performances. This way, you do not need to move, copy, and paste events in the **Project** window.

NOTE

There can only be one arranger track in a project.

To use the arranger functions, add an arranger track and define arranger events. Arranger events can be of any length. They can overlap and are not bound to the start or end of existing events and parts. You can order them in a list and add repeats.



To edit arranger events, use the standard techniques. Copies from arranger events are independent from the original event.

You can create several arranger chains that allow you to save different versions of a song within the project.

You can flatten arranger chains to convert them into a linear project.

RELATED LINKS

[Adding Arranger Events on the Arranger Track](#) on page 393

[Setting up an Arranger Chain and Adding Events](#) on page 398

[Flattening the Arranger Chain](#) on page 399

Adding Arranger Events on the Arranger Track

On the arranger track, you can add arranger events that define specific sections of the project.

PREREQUISITE

Snap is activated, and **Snap Type** is set to **Events**.

PROCEDURE

1. Select **Project > Add Track > Arranger**.

The arranger track is added.

2. Select the **Draw** tool, and draw an arranger event on the arranger track.

An arranger event is added.

3. Draw as many events as you need.

RESULT

The arranger events are added to your project.

AFTER COMPLETING THIS TASK

Use the functions of the **Arranger Editor** to arrange the events.

RELATED LINKS


- [Arranger Track](#) on page 156
- [Setting up an Arranger Chain and Adding Events](#) on page 398
- [Snap Function](#) on page 102
- [Snap Types Menu](#) on page 102

Renaming Arranger Events

When you add arranger events, they are automatically named in alphabetical order. You can change the names so that they reflect the structure of your project, such as Intro, Chorus, Bridge.

PROCEDURE

1. Select the arranger event that you want to rename.
2. Perform one of the following actions:
 - Select the event name on the info line.
 - In the **Arranger** section of the **Inspector** or in the **Arranger Editor**, hold down **Alt/Opt**, and double-click the name in the arranger chain.




3. Enter a new name.
-

Arranger Editor

The **Arranger Editor** allows you to set up arranger chains.

To open the **Arranger Editor**, select the arranger track, and do one of the following:

- Click **Open Arranger Editor**  in the track list.
- Click **Open Arranger Editor**  on the **Arranger Track** section header of the **Inspector**.



Arranger toolbar

Shows the transport buttons, the arranger transport buttons, and the arranger tools.

Current Arranger Chain

Shows the order in which the events are played back, from top to bottom, and how many times they are repeated.

NOTE

Initially, the arranger chain is empty. To use it, add events from the **Arranger Events** list.

Arranger Events

Lists the available arranger events in the same order as they appear on the timeline.

Arranger Editor Toolbar

The **Arranger Editor** contains tools and shortcuts for setting the flatten options.

To open the **Arranger Editor**, select the arranger track, and do one of the following:

- Click **Open Arranger Editor**  in the track list.
- Click **Open Arranger Editor**  on the **Arranger Track** section header of the **Inspector**.

Activate Arranger Mode



Activates playback in arranger mode.

Previous Chain Step



Navigates to the previous entry in the current arranger chain list. **Alt**-click to jump to the first chain step.

Next Chain Step



Navigates to the next entry in the current arranger chain list. **Alt**-click to jump to the last chain step.

First Repeat of Current Chain Step



Navigates to the first repeat of the current entry in the current arranger chain list.

Last Repeat of Current Chain Step



Navigates to the last repeat of the current entry in the current arranger chain list.

Select Active Chain



Allows you to select and activate an arranger chain.

Rename Arranger Chain



Allows you to rename the current arranger chain.

Create New Chain



Creates a new, empty arranger chain.

Duplicate Current Chain



Creates a duplicate of the current arranger chain, containing the same events.

Remove Current Chain



Removes the selected arranger chain. This is only available if you have created more than one arranger chain.

Flatten Chain

Flatten Chain

Converts the current arranger chain into a linear project.

NOTE

Flattening the arranger chain may remove events and parts from the project. Only use **Flatten** when you are sure that you do not want to edit the arranger track/chain any more. If in doubt, save a copy of the project before flattening the arranger chain.

Flatten (with Options & Preferences)



Allows you to set up the flatten options.

Arranger Chain Repeat Modes

The **Arranger Editor** comes with a function that allows you to repeat and loop your arranger events. This way, you can create a sketch of a song structure.

To open the **Arranger Editor**, select the arranger track, and do one of the following:

- Click **Open Arranger Editor** in the track list .
- Click **Open Arranger Editor** on the **Arranger Track** section header of the **Inspector** .

To select one of the repeat modes, click the **Mode** column in the **Current Arranger Chain** list.

1 Normal

Plays back the arranger chain exactly the way you set it up.

2 Repeat Forever

Repeats the current arranger event in a loop until you click another event in the **Arranger Editor** or until you click **Play** once again.

3 Pause After Repeats

Pauses playback after all repeats of the current arranger event have been played back.

NOTE

During playback, the **Counter** column indicates which repetition of the event is playing.


Flatten Options & Preferences

The flatten options allow you to define what happens when you flatten the arranger track.

NOTE

Flattening the arranger chain may remove events and parts from the project. Only use **Flatten** when you are sure that you do not want to edit the arranger track/chain any more. If in doubt, save a copy of the project before flattening the arranger chain.

- To show the flatten options, open the **Arranger Editor**, and click **Flatten (with Options & Preferences)**.



In the **Source** section, you can specify which arranger chains are flattened.

Current Chain

Flattens the current chain only.

Checked Chains

Opens a list of the available arranger chains where you can activate the arranger tracks that you want to flatten.

All Chains

Flattens all arranger chains of the current project.

The **Destination** section allows you to choose where the result of the flattening is saved.

Current Project

This is only available if **Source** is set to **Current Chain**. Activate this option to save the flattened chain in the current project.

New Project

Allows you to flatten one or more chains in a new project with the following naming options:

- **Append Chain Name**

Appends the chain names to the project name.

- **Use Chain Name**

Names the new projects after the current arranger chains.

- **Add Number**

Names the new projects after the old ones and adds a number.

The **Options** section contains further settings.

Keep Arranger Track

Keeps the arranger track after flattening. Activate **Rename Arranger Events** to append numbers to the events.

Make Real Event Copies

Allows you to create real copies of the arranger track instead of shared copies.

Don't Split Events

Excludes MIDI notes that start before or are longer than the arranger event. Only MIDI notes that begin and end inside the arranger event are taken into account.

Open New Projects

Creates a new project for every flattened arranger chain. If you activate **Cascade New Projects**, the opened projects are cascaded.

RELATED LINKS

[Flattening the Arranger Chain](#) on page 399

Setting up an Arranger Chain and Adding Events


In the **Arranger Editor**, you can set up arranger chains and add events to them.

PROCEDURE

1. Do one of the following:

- Click **Open Arranger Editor**  in the track list.
- Click **Open Arranger Editor**  on the **Arranger Track** section header of the **Inspector**.

2. Activate **Activate Arranger Mode**.



3. Perform one of the following actions to add arranger events to the arranger chain:

- Double-click an event in the **Arranger Events** list.
- Select one or more events in the **Arranger Events** list, right-click, and select **Append Selected In Arranger Chain**.
- Drag an arranger event from the **Arranger Events** list, and drop it in the **Current Arranger Chain** list.
- Drag an arranger event from the **Project** window, and drop it in the **Current Arranger Chain** list.

4. Click **Play**.
-

RESULT

The arranger events are played back in the order that you specified in the arranger chain.

RELATED LINKS

[Arranger Chain Repeat Modes](#) on page 396

Adding a New Arranger Chain

You can create several arranger chains in order to set up alternative versions for playback.

PREREQUISITE

Arranger Mode is activated.

PROCEDURE

1. Open the **Arranger Editor**.
 2. Click **Create New Chain**.
-

RESULT

A new, empty arranger chain is activated. This is reflected by a new name in the **Select Active Chain** pop-up menu and a new, empty **Current Arranger Chain** list.

Editing Arranger Events in the Arranger Chain

In the **Current Arranger Chain** list, you can edit your arranger events.

You can perform the following actions:

- To select multiple events, **Ctrl/Cmd**-click or **Shift**-click them.
- To move events in the list, drag them up or down.
- To copy events, select them, hold **Alt/Opt** and drag.
- To repeat events, click in the **Repeats** column, and enter the number of repeats.
- To specify how the event is repeated, click in the **Mode** column, and select a **Repeat Mode** from the pop-up menu.
- To move the playback position to the start of an event, click the arrow to the left of the event.
- To remove an event from the list, right-click, and select **Remove Touched**.
- To remove several events, select them, right-click, and select **Remove Selected**.

RELATED LINKS

[Arranger Chain Repeat Modes](#) on page 396

Flattening the Arranger Chain

When you have set up an arranger chain that you like, and you are sure that you do not want to edit it any more, you can convert it into a linear project.

PREREQUISITE

You have saved a copy of the project before flattening the arranger chain.

NOTE

Flattening the arranger chain may remove events and parts from the project. Only use **Flatten** when you are sure that you do not want to edit the arranger track/chain any more. If in doubt, save a copy of the project before flattening the arranger chain.

PROCEDURE

1. Select the arranger chain that you want to convert into a linear project.
2. Optional: Click **Flatten (with Options & Preferences)**.



3. Optional: Activate the desired flattening options.

NOTE

If you realize that you want to do further adjustments, click **Go Back**. The activated flatten options are kept.

4. Click **Flatten**.

RESULT

The events and parts in the project are reordered, repeated, resized, moved and/or deleted, so that they correspond exactly to the arranger chain.

Jump Mode


If you have set up an arranger track and play it back, you have live access to the playback order. This way, you can loop your arranger events with more flexibility regarding the length of the playback.

PREREQUISITE

An arranger chain is set up, and the arranger mode is activated.

PROCEDURE

1. Play back your project.
2. In the lower part of the **Inspector**, open the **Jump Mode** pop-up menu, and select an option from the pop-up menu.



This determines how long the active arranger event is played before jumping to the next one.

3. In the **Arranger Events** list of the **Inspector**, click the arrow to the left of the arranger event that you want to trigger.
-

RESULT

The arranger event is looped according to your settings, until you click another arranger event.

NOTE

You can assign key commands to trigger arranger events in the **Arranger** category of the **Key Commands** dialog.

AFTER COMPLETING THIS TASK

- To stop **Jump Mode** after the time interval set in pop-up menu, click **Stop**.
- To continue playback from a specific arranger event, click the arranger event in the **Current Arranger Chain** list.


RELATED LINKS

[Jump Mode Options](#) on page 400

Jump Mode Options

The **Jump Mode** pop-up menu allows you to define how long the active arranger event is played before jumping to the next one.

- To show the **Inspector** for the arranger track, select the arranger track in the track list.



The following options are available:

None

Jumps to the next section immediately.

4 Bars, 2 Bars

Jumps to the next arranger event after 2 or 4 bars. If the current arranger event is shorter than 2 or 4 bars, playback jumps to the next arranger event at the end of the event.

1 Bar

Jumps to the next section at the next barline.

1 Beat

Jumps to the next section at the next beat.

End

Plays the current section to the end, then jumps to the next section.

Arranging Music to Video

When you compose music for video, you can use arranger events to fill a specific video section with music.

PREREQUISITE

You have connected and set up an external sync master device to your computer. You have created a new, empty project and added a MIDI track.

NOTE

The following values and settings are just meant as an example.

PROCEDURE

1. Create a MIDI part that starts at position 00:00:00:00 and ends at position 00:01:00:00.
2. Create a MIDI part that starts at position 00:01:00:00 and ends at position 00:02:00:00.
3. Create a MIDI part that starts at position 00:02:00:00 and ends at position 00:03:00:00.
4. On the **Transport** panel, activate **Sync**.
5. Select **Project > Add Track > Arranger**.
The arranger track is added.
6. On the arranger track, add arranger events at the positions of the MIDI parts.
7. Set up the arranger chain A-A-B-B-C-C.
8. Activate **Arranger** mode and start playback.

9. On your external sync master device, start the external timecode at position 00:00:10:00.
In your project, the position 00:00:10:00 is located, and arranger part A is played back.
 10. Start your external sync master device at a position that does not match the project start time, for example, 00:01:10:00.
In your project, the position 00:01:10:00 is located, and arranger part A is played back.
-

RESULT

If you position the external sync master device to a position that does not match the project start time, Cubase automatically jumps to the right position in the arranger track.

NOTE

The reference for the external timecode can be MIDI or any other timecode that can be interpreted by Cubase.

RELATED LINKS

[Arranger Track](#) on page 156

Transpose Functions

The transpose functions for audio and MIDI in Cubase allow you to change the pitches of audio and MIDI for playback without changing the actual MIDI notes or the audio.

You can transpose the following:

- An entire project by changing the **Project Root Key** on the **Project** window toolbar.
- Specific sections of your project by creating a transpose track and adding transpose events.
- Individual parts or events by changing their transpose value on the **Project** window info line.

IMPORTANT

As a general rule, always set the root key first when you work with content that has a defined root key.

NOTE

To transpose MIDI notes on a selected track, you can also use MIDI modifiers. If you want to change the actual notes, use the MIDI transpose functions in the **Transpose Setup** dialog and in the MIDI effects (see the separate document **Plug-in Reference**).

RELATED LINKS

[Transposing with the Project Root Key](#) on page 404

[Transposing Sections of a Project with Transpose Events](#) on page 407

[Transposing Individual Parts or Events using the Info Line](#) on page 409

[MIDI Modifiers](#) on page 1048

[Transpose and Velocity on the Info Line](#) on page 1056

[Transpose Setup Dialog](#) on page 1067

Project Root Key

The **Project Root Key** allows you to transpose your project. Audio or MIDI events in your project use it as a reference.

Right-click the toolbar and activate **Project Root Key**. To change the project root key, use the **Project Root Key** pop-up menu.



If you change the project root key, loops that already contain root key information will follow automatically.

RELATED LINKS

[Transposing with the Project Root Key](#) on page 404

Transposing with the Project Root Key


The loops included in Cubase already contain root key information. If you change the project root key, these loops will follow automatically.

PREREQUISITE


You have opened a project that contains audio loops with different root keys.

PROCEDURE

1. Optional: Select the drum and percussion loops in your project, and set the **Global Transpose** setting on the info line to **Independent**.
This setting excludes the loops from being transposed.
2. On the **Project** window toolbar, open the **Project Root Key** pop-up menu, and set a root key for the project.



This changes the root key for the entire project and transposes the loops to match this key.



RESULT

The loops follow the project root key.

AFTER COMPLETING THIS TASK

Record audio or MIDI. The newly recorded events are set to the project root key. Change the project root key. The events with root key information follow.

RELATED LINKS

[Excluding Individual Parts or Events from Global Transpose](#) on page 410
[Transpose Track and Recording](#) on page 409


Assigning the Project Root Key to Parts or Events

Some audio or MIDI events that you have created by recording, for example, might not contain root key information. If you want them to follow the transposition changes, you must set them to the **Project Root Key**.

PROCEDURE

1. On the **Project** window toolbar, open the **Project Root Key** pop-up menu, and set a root key for the project.

2. Optional: Select the drum and percussion loops in your project, and set the **Global Transpose** setting on the info line to **Independent**.
This setting excludes the loops from being transposed.
3. Select **Project > Add Track > Transpose**.
The transpose track is added to the track list. You can only have one transpose track in a project.
4. In the track list, right-click the transpose track, and select **Set root key for unassigned events** from the context menu.



RESULT

All parts or events that do not contain any root key information are set to the project root key.

RELATED LINKS

[Excluding Individual Parts or Events from Global Transpose on page 410](#)

Recording with a Project Root Key

If you record with a project root key, the recorded events follow this root key automatically. This function is useful if you want to change the root key later and you want the events to follow.

PROCEDURE

1. Optional: Select the drum and percussion loops in your project, and set the **Global Transpose** setting on the info line to **Independent**.
This setting excludes the loops from being transposed.
 2. On the **Project** window toolbar, open the **Project Root Key** pop-up menu, and set the root key.
All parts and events are transposed in order to match the root key.
 3. Record your music.
-

RESULT

All recorded audio events and MIDI parts receive the project root key information. On the info line, the **Global Transpose** setting for recorded events is set to **Follow**.

AFTER COMPLETING THIS TASK

Change the project root key. Your events follow.

Changing the Root Key of Individual Audio Events

You can change or set the root key information for individual audio events or parts in the **Pool**.

PROCEDURE

1. Select **Media > Open Pool Window**.
2. Open the **View/Attributes** pop-up menu, and activate the **Root Key** option.
The **Key** column is displayed in the **Pool** window.
3. Click the **Key** column for the audio event or part that you want to assign a different root key to, and select a key from the pop-up menu.

RESULT

The root key of the audio event or part is changed. The corresponding audio file, however, remains unchanged. If you change the project root key, the audio events or parts keep their own root key settings and are transposed to match the **Project Root Key**.

NOTE

You can also assign root keys in the **MediaBay**.

NOTE

Save the root key in the audio file by selecting the audio event in the event display and by selecting **Audio > Bounce Selection**.

Changing the Root Key of Individual MIDI Parts

You can change the root key information for individual MIDI parts in the **Project** window info line.

PROCEDURE

1. In the event display, select the MIDI part.
2. In the **Project** window info line, click **Root Key**, and select a key from the pop-up menu.

RESULT

The root key of the MIDI part is changed. If you change the project root key, the MIDI parts keep their own root key settings and are transposed to match the **Project Root Key**.

Transpose Track

The transpose track allows you to transpose the entire project or sections of it. This function is useful if you want to create harmonic variations.

For this function to work, you must add transpose events. These transpose events allow you to transpose specific sections of your project in semitones.

TIP

- If your singer does not reach a certain pitch, you can transpose the entire project by adding a transpose track and creating a transpose event with the value -2 semitones. After recording, set the transpose event back to 0.

- If you want to brighten up your loops in C major, you can transpose them by adding a transpose track and creating a transpose event with the value 5. This transposes them by 5 semitones, so that the subdominant on F major is played back.
 - If you want to make your song more interesting, you can transpose the last chorus of your project by adding a transpose track and creating a transpose event with the value 1.
-

Transposing Sections of a Project with Transpose Events

You can transpose specific sections of your project by creating transpose events on the transpose track.

PROCEDURE

1. Select **Project > Add Track > Transpose**.

The transpose track is added to the track list. You can only have one transpose track in a project.

2. Select the **Draw** tool, and click on the transpose track.

A transpose event is created from the point where you clicked until the end of the project.



3. Click at a new position to add another transpose event.



4. Click the value in the lower left corner of the event, and enter a transpose value between -24 and 24 semitones.
 5. Play back your project.
-

RESULT

The sections of your project that are situated at the same time positions as the transpose events are transposed.

RELATED LINKS

[Excluding Individual Parts or Events from Global Transpose](#) on page 410

Muting Events on the Transpose Track

You can mute transpose events on the transpose track. This is useful if you want to compare the effect of the transposition with the original sound, for example.

PROCEDURE

- In the track list of the transpose track, click **Mute Transpose Events**.
-

RESULT

The transpose events are not taken into account during playback.

Transpose Lock

The lock function on the transpose track allows you to prevent your transpose events from being moved or changed by mistake.

To lock the transpose track, activate **Lock** in the track list.



Keep Transpose in Octave Range

Keep Transpose in Octave Range on the transpose track keeps the transposition in the octave range.

This ensures that nothing is transposed by more than seven semitones and that your music never sounds unnatural because the pitch was raised too high or too low. We also recommend activating this function when you work with audio loops.

EXAMPLE

You have opened the **Key Editor** and activated **Indicate Transpositions**.


You have added a transpose track and activated **Transpose in Octave Range**.

If you add a transpose event with a value of 8 semitones or higher, the chord is transposed to the nearest interval or pitch.


Indicate Transpositions

For MIDI parts, you can get a visual feedback that allows you to compare the original sounds and the music transposed for playback.

- To activate **Indicate Transpositions** for a MIDI part, open the part in the **Key Editor**, and click **Indicate Transpositions**.



If **Indicate Transpositions** is activated, the transposed note pitches are shown.



If **Indicate Transpositions** is deactivated, the original pitches of the notes in the MIDI part are shown.

Transpose Track and Recording

The transpose track affects the result of the recorded parts or events.

If your project contains a transpose track with transpose events and you record audio or MIDI, the following happens:

- **Global Transpose** is automatically set to **Independent** for the recorded parts or events.
- The project root key is not taken into account.

If your project does not contain a transpose track or if no transpose events are added, the following happens:

- **Global Transpose** is automatically set to **Follow** for the recorded parts or events.
- The recorded parts or events receive the project root key.

Transpose on the Info Line

In the **Project** window info line, you can change the transpose value for individual parts or events.

To do this, change the transpose value in the **Transpose** field, on the info line.



The Transpose field also indicates transpositions introduced by changing the **Project Root Key**.

Transposing Individual Parts or Events using the Info Line

You can transpose individual audio events and MIDI parts on the info line **Transpose** field.

PROCEDURE

1. Select the event or part that you want to transpose.
2. On the **Project** window info line, click the **Transpose** field and enter a transpose value in semitones.

NOTE

If the project already contains global transpose changes, it might be useful to activate **Keep Transpose in Octave Range**.

RESULT

The event is transposed accordingly. The transpose value is added to any global transpose change that you have created by using the root key or the transpose track.

RELATED LINKS

[Keep Transpose in Octave Range](#) on page 408

Excluding Individual Parts or Events from Global Transpose

If you add global transposition, for example, by changing the root key or by creating transpose events, you can exclude specific events from being transposed. This is useful for drum and percussion loops or special effects (FX) loops.

PROCEDURE

1. Select the event or part that you want to exclude from being transposed.
2. On the info line, click the **Global Transpose** field to set the value to **Independent**.
Events that are excluded from **Global Transpose** carry a symbol in the upper right corner.

**RESULT**

If you change the project root key or add transpose events, the **Independent** parts or events are not affected.

NOTE

Ready-made parts or events that are tagged as drums or effects are automatically set to **Independent**.

Markers

Markers are used to locate certain positions quickly. There are two types of markers: position markers and cycle markers.

If you often find yourself jumping to a specific position within a project, you should insert a marker at this position. You can also use markers to make range selections or for zooming.

Markers are located on the marker track. You can add up to 10 marker tracks.

You can show vertical marker lines that indicate marker positions on all tracks throughout the entire project. Marker lines are displayed in the **Project** window and in the **Global Tracks** section of the **Key Editor Inspector**.

NOTE

- Marker lines are shown behind other events on other tracks. If you need a more pronounced indication of the lines, consider lowering the **Event Opacity** in the **Preferences** dialog (**Event Display** page).
- In the **Project** window, marker lines are only shown if the marker track is not hidden in the **Visibility** tab.

RELATED LINKS

[Position Markers](#) on page 413

[Cycle Markers](#) on page 413

[Marker Track](#) on page 411

[Event Opacity](#) on page 1529

[Event Display - Markers](#) on page 1533

[Showing/Hiding Marker Lines in the Project Window](#) on page 414


[Showing/Hiding Marker Lines in the Key Editor](#) on page 415

[Showing/Hiding Individual Tracks](#) on page 78

[Showing/Hiding Global Tracks](#) on page 1095

Marker Track

Marker tracks are used for adding and editing markers.



1 Add Position Marker

Adds a position marker at the cursor position.

2 Add Cycle Marker

Adds a cycle marker at the cursor position.

3 Activate this track

Activates the marker track.

4 Locate pop-up menu

If you select a position or a cycle marker in this pop-up menu, the corresponding marker in the event display or in the **Markers** window is selected.

5 Cycle pop-up menu

If you select a cycle marker in this pop-up menu, the left and right locators are set to the corresponding cycle marker.

6 Zoom pop-up menu

If you select a cycle marker in this pop-up menu, the view zooms to the corresponding cycle marker.

7 Cycle marker event (inactive)

Shows an inactive cycle marker event.

8 Position marker event (inactive)

Shows an inactive marker event.

9 Position marker event (active)

Shows an active marker event.

Adding, Moving, and Removing the Marker Track

You can add, move, and remove the marker track.

- To add a marker track to the project, select **Project > Add Track > Marker**.
- To move a marker track to another position in the track list, click and drag it up or down.
- To remove one or more marker tracks, right-click them in the track list and select **Remove Selected Tracks**.
- To remove an empty marker track, select **Project > Remove Empty Tracks**.
This also removes any other tracks that are empty.

NOTE

When you remove all marker tracks, the marker track that you removed last (including all its markers) is moved to the clipboard. If you insert a new marker track at a later time, this track is pasted into the track list from the clipboard.

Multiple Marker Tracks

You can create up to 10 marker tracks.

Naming Marker Tracks

By default, the first marker track you create is called “Markers”, the second one “Marker 01”, and so on.

You can name marker tracks by double-clicking on the marker track name in the track list or in the **Inspector** and entering a new name.

The Active Marker Track

When you are working with multiple marker tracks, only one track is active. All editing functions affect the markers on the active track only. You activate a track by clicking **Activate this track** in the track list.

The following rules apply:

- When you add a new marker track, this track is automatically active.
- When you remove an active track, the topmost marker track in the track list is activated.
When using cycle markers for zooming, only the cycle markers of the active track are displayed on the **Zoom** pop-up menu.
- When exporting an audio mixdown of the audio between the cycle markers, only the cycle markers of the active track are displayed in the **Export Audio Mixdown** dialog.
- Most marker key commands affect the active track. However, you can use key commands to add markers on selected tracks.

Locking Marker Tracks

You can lock one or more marker tracks by clicking the corresponding lock button of the track. When a marker track is locked, you cannot edit the track and its markers. However, you can still rename the track or change its status (active/inactive). In the **Markers** window and in the Project Browser, the unavailable features of a locked track are grayed out.

RELATED LINKS

[Adding and Editing Markers on the Marker Track](#) on page 413

[Importing and Exporting Markers](#) on page 421

Position Markers

Position markers allow you to save a specific position.

Position markers on the marker track are shown as marker events: vertical lines with the marker description (if assigned) and number beside it. If you select a marker track, all of its markers are shown in the **Inspector**.

Cycle Markers

By creating cycle markers, you can save any number of left and right locator positions as start and end positions of a range and recall them by double-clicking on the corresponding marker.

Cycle markers are shown on a marker track as two markers bridged by a horizontal line. Cycle markers are ideal for saving sections of a project.

By defining cycle markers for the intro, verse, and chorus of a song, for example, you can quickly navigate to the song sections and repeat the section by activating **Activate Cycle** on the **Transport** panel.

You can zoom in on a cycle marker, by holding **Alt/Opt**, and double-clicking the cycle marker.

RELATED LINKS

[Setting the Locators Using Cycle Markers](#) on page 420

Adding and Editing Markers on the Marker Track

Cubase offers several ways to add position and cycle markers to a marker track and to edit them.

NOTE

When editing markers on a marker track, snapping is taken into account.

Markers

Showing/Hiding Marker Lines in the Project Window

- To add a position marker, press **Alt/Opt**, and click on the marker track.
To add a position marker and instantly rename it, press **Shift-Alt**, and click on the marker track.
- To add a position marker at the project cursor position, click **Add Position Marker** in the track control area, or use a key command.
- To add a cycle marker, press **Ctrl/Cmd**, click and drag on the marker track.
To add a cycle marker and instantly rename it, press **Shift-Ctrl/Cmd**, and drag on the marker track.
- To add a cycle marker to the locator range, click **Add Cycle Marker** in the track control area, or use a key command.
To add and instantly rename a cycle marker to the locator range, use **Shift**-click **Add Cycle Marker**.
- To change the start/end position of a cycle marker, drag the start/end handle.
Alternatively, you can edit the marker positions on the info line.
- To cut a range in a cycle marker, select a range in the cycle marker, and press **Ctrl/Cmd-X**.
- To set the marker start/end of the selected cycle marker to the cursor position, select **Project > Markers** to open the **Markers** window, and select **Functions > Set Marker Start/End to Cursor**.
- To move a position marker, select it and drag it. To move a cycle marker to another position, drag its upper border.
Alternatively, you can edit the marker positions on the info line.
If you move markers from one track to another, the marker is assigned the numbering of the first free marker ID on the track where it is dropped.
- To delete a marker, select it, and press **Delete**, or use the **Erase** tool.
To delete all markers on a track that are situated at a later timeline position, select the **Erase** tool, and **Alt/Opt**-click.

RELATED LINKS

[Marker Track](#) on page 411

Showing/Hiding Marker Lines in the Project Window

You can activate/deactivate vertical marker lines that indicate marker positions on all tracks throughout the entire project. Marker lines are shown in the **Project** window event display. By default, marker lines are shown for the active marker track.

PREREQUISITE

- You have added at least one marker track and one marker to your project.
- The marker track is visible and not filtered out with the **Visibility** tab.

PROCEDURE

- In the **Project** window track list, right-click a marker track, and select an option from the **Show Marker Lines** menu.

You can show marker lines of the active marker track, of all marker tracks, or you can hide them.

RESULT

In the **Project** window event display, marker lines are shown according to your settings.

NOTE

The **Show Marker Lines** options are also available in the **Preferences** dialog (**Event Display—Markers** page).

Marker lines are shown behind other events on other tracks. If you need a more pronounced indication of the lines, consider lowering the **Event Opacity** in the **Preferences** dialog (**Event Display** page).

RELATED LINKS

[Event Display - Markers](#) on page 1533

Showing/Hiding Marker Lines in the Key Editor

You can activate/deactivate vertical marker lines that indicate marker positions on all tracks throughout the entire project. Marker lines are shown in the event display for global tracks in the **Key Editor**. By default, marker lines are shown for the active marker track.

PREREQUISITE

- You have added at least one marker track and one marker to your project.
- The marker track is visible and not filtered out with the **Visibility** tab.

PROCEDURE

1. In the **Key Editor Inspector**, activate the **Global Tracks** section.
2. In the track list of the **Global Tracks** section, activate one or more marker tracks.
3. In the **Project** window track list, right-click a marker track, and select an option from the **Show Marker Lines** menu.

You can show marker lines for the active marker track, for all marker tracks, or you can hide them.

RESULT

In the event display for global tracks in the **Key Editor**, marker lines are shown according to your settings.

NOTE

The **Show Marker Lines** options are also available in the **Preferences** dialog (**Event Display—Markers** page).

Marker lines are shown behind other events on other tracks. If you need a more pronounced indication of the lines, consider lowering the **Event Opacity** in the **Preferences** dialog (**Event Display** page).

RELATED LINKS


[Event Display - Markers](#) on page 1533

Markers Window

In the **Markers** window, you can view and edit markers.

To open the **Markers** window, you have the following possibilities:

- Select **Project > Markers**.
- On the **Transport** panel in the marker section, click **Open Markers Window**.
- Use a key command (by default **Ctrl/Cmd - M**).



Track Section

Set Focus to Marker Track

Selects a marker track for editing. If your project contains more than one marker track, the selected marker track is activated in the **Project** window.

Settings Section

Show Marker IDs on Marker Track

If this option is activated, the marker IDs are shown on marker track events.

Cycle Follows When Locating to Markers

This automatically sets the left and right locators to a position or cycle marker when locating to this marker. This is useful if you need to set the locators on the fly during recording for Punch In/Punch Out, for example.

Sync Selection

If this option is activated, the selection in the **Markers** window is linked to the selection in the **Project** window.

NOTE

- **Sync Selection** is automatically deactivated when a recording is started and activated again after stopping the recording.

Marker List Section

Add Position Marker

Adds a position marker at the cursor position.

Add Cycle Marker

Adds a cycle marker at the cursor position.

Remove Marker

Removes the marker that is selected in the marker list.

Functions pop-up menu

Allows you to move selected markers on the project timeline and to reassign the marker IDs of all position or cycle markers in the marker list.

- **Move Markers to Cursor** moves position markers or start positions of cycle markers to the cursor position.
- **Reassign Position Marker IDs** reassigns the IDs for all position markers on the active marker track to match the order of markers on the track.
- **Reassign Cycle Marker IDs** reassigns the IDs for all cycle markers on the active marker track to match the order of markers on the track.

Auto-Scroll with Project Cursor

Allows you to keep track of the locate arrow, even if your project contains a high number of markers. If this option is activated, the **Markers** window is automatically scrolled to keep the locate arrow visible.

List of markers

Lists the markers of the selected track.

RELATED LINKS

[Reassigning Marker IDs](#) on page 420

Editing in the Markers Window

In the **Markers** window, you can select, edit, add, move, and remove markers. You can edit multiple markers at the same time.

- To select or edit a marker, click on it.
To select multiple markers, **Shift**- or **Ctrl/Cmd**-click them.
- To add a position marker at the cursor position, click **Add Position Marker**.
A position marker is added at the current project cursor position on the active marker track.
- To add a cycle marker at the cursor position, click **Add Cycle Marker**.
This adds a cycle marker between the left and right locators on the active marker track.
- To move position markers or the start of cycle markers to the cursor position, select the markers. From the **Functions** pop-up menu, select **Move Markers to Cursor**. For cycle markers, this operation moves the end of the marker accordingly.

NOTE

Alternatively, you can enter the new position numerically in the **Position** column.

-
- To remove markers, select them, and click **Remove Marker**.

RELATED LINKS

[Markers Window](#) on page 415

Navigating in the Marker List

You can navigate in the marker list using your computer keyboard, and you can select entries by pressing **Return**. This is a quick and easy way to jump to markers during playback or recording.

- To move to the previous/next marker in the list, press the **Up Arrow / Down Arrow** keys.

- To jump to the first/last marker, press the **Home / End** keys.
- To move up/down a page in the list, press the **Page Up / Page Down** keys.

Sorting and Reordering the Marker List

You can customize the display of the marker attributes in the marker list by sorting or reordering the columns.

- To sort the marker list by a specific attribute, click on the corresponding column header.
- To reorder the marker attributes, drag and drop the corresponding column headers.
- To adjust the width of a column, place the mouse pointer between two column headers, and drag left or right.

NOTE

Regardless of what attributes you sort by, the second sort criterion will always be the position attribute.

Marker Attributes

Marker attributes are shown in the marker list of the **Markers** window.

- To open the **Markers** window, select **Project > Markers**.

The following attribute columns are available:

Locate



An arrow indicates which marker is at the project cursor position (or closest to the project cursor). If you click in this column, the project cursor is moved to the corresponding marker position. This column cannot be hidden.

ID

Shows the marker ID numbers.

Type

Indicates whether a marker is a position marker or a cycle marker.

Position

Allows you to view and edit the time positions for position markers and the start positions for cycle markers. This column cannot be hidden.

End

Allows you to view and edit the end positions of cycle markers.

Length

Allows you to view and edit the length of cycle markers.

Description

Allows you to view and edit marker descriptions.

RELATED LINKS

[Marker IDs](#) on page 419

[Cycle Markers](#) on page 413

Editing Attributes

You can edit marker attributes in the **Markers** window or on the info line.

To edit marker attributes in the **Markers** window, proceed as follows:

- To edit a marker attribute, select the corresponding marker, click in the desired attribute column, and make your changes.
- To change the attributes of several markers, select the markers, and activate the checkbox for the attribute.

All selected markers change their attributes accordingly. Note that this does not work when clicking on a timecode value or a text field.

NOTE

To navigate in the list of marker attributes, you can also use the **Tab** key and the **Up Arrow**, **Down Arrow**, **Left Arrow**, and **Right Arrow** keys.

To edit a marker attribute on the info line, select the marker in the **Project** window, and click the corresponding attribute field on the info line.

NOTE

To choose which marker attributes are displayed on the info line, click **Set up Info Line** to the right of the info line.

RELATED LINKS

[Info Line](#) on page 68

Marker IDs

Each position or cycle marker on a marker track has its own marker ID.

When you add a position marker, it is automatically and sequentially assigned an ID number, starting from 1. IDs for cycle markers are shown in brackets and start from 1.

NOTE

If you move a marker from one marker track to another by drag and drop in the **Project** window and the marker ID is already used on this track, the inserted marker automatically receives a new ID.

You can change ID numbers at any time, which allows you to assign specific markers to key commands.

You can also automatically reassign the IDs for all position or cycle markers to match the order of markers on a track. To do so, select the corresponding function from the **Functions** pop-up menu.

RELATED LINKS

[Reassigning Marker IDs](#) on page 420

Reassigning Marker IDs

Sometimes, especially when setting markers on the fly, you may forget or miss to set a marker. When added later, the ID of this marker does not correspond to its position on the marker track. Therefore, it is possible to reassign the IDs for all markers on a track.

PROCEDURE

1. Open the **Markers** window.
 2. Select the marker track whose ID numbers you want to reassign.
 3. From the **Functions** pop-up menu, select either **Reassign Position Marker IDs** or **Reassign Cycle Marker IDs**.
-

RESULT

The marker IDs of the selected type are reassigned to match the order of markers on the marker track.

Setting the Locators Using Cycle Markers

Cycle markers represent ranges in your project. You can use them for moving the left and right locators.

PROCEDURE

- To set the left locator to the cycle marker start and the right locator to the cycle marker end, perform one of the following actions:
 - Double-click on a cycle marker.
 - Select a cycle marker from the **Cycle** pop-up menu in the track list.
-

RESULT

The left and right locators are moved to encompass the cycle marker.

AFTER COMPLETING THIS TASK

Now you can move the project cursor position to the start or the end of the cycle marker by moving it to the corresponding locator or use cycle markers to export specific ranges of your project with the **Export Audio Mixdown** dialog.

RELATED LINKS

[Cycle Markers](#) on page 413

Using Markers to Select Ranges

Markers can be used in conjunction with the **Range Selection** tool to make range selections in the **Project** window. This is useful if you quickly want to make a selection that spans all tracks in the project.

PROCEDURE

1. Set markers at the start and at the end of the section that you want to move or copy.
2. Select the **Range Selection** tool, and double-click on the marker track between the markers.
Everything in the project within the marker boundaries is selected. Any function or processing you perform now affects the selection only.

3. Click on the marker track in the selected range, and drag the range to a new position.

If you hold down **Alt/Opt** while you drag the range, the selection in the **Project** window is copied instead.

Importing and Exporting Markers

Markers and marker tracks can be imported and exported.

The following files can contain markers:

- Wave files
- MIDI files
- Track archives

RELATED LINKS

[Importing Markers from Wave Files](#) on page 421

[Importing Markers via MIDI](#) on page 421

[Exporting Markers via MIDI](#) on page 422

[Importing Markers as Part of a Track Archive](#) on page 422

[Exporting Markers as Part of a Track Archive](#) on page 422

Importing Markers from Wave Files

You can add position and cycle markers from wave files that contain a marker chunk.

The **Extract Markers from Wave File** function allows you to extract marker information from the marker chunk of the audio and to add the corresponding markers to the active marker track.

NOTE

If your project does not contain a marker track, it is added automatically.

- Select an audio event with a marker chunk, and select **Audio > Advanced > Extract Markers from Wave File**.

Importing Markers via MIDI

You can import position markers by importing MIDI files that contain markers. This is useful if you want to use your marker tracks in other projects or if you want to share them with other Cubase users. Any markers you have added are included in the MIDI file as standard MIDI file marker events.

- Activate **Import Markers** in the **Preferences** dialog (**MIDI—MIDI File** page).

The following settings are imported:

- The start position of position markers and cycle markers
- The track assignment of markers
- All marker tracks

NOTE

If you import a standard MIDI file created in other applications, all markers are merged on one marker track.

RELATED LINKS

[Importing MIDI Files](#) on page 353

Exporting Markers via MIDI

You can export your markers as part of a MIDI file.

- To include any markers in the MIDI file, activate **Export Markers** in the **Export Options** dialog.

The following settings are exported:

- The start position of position markers and cycle markers
- The track assignment of markers
- All marker tracks

NOTE

To export markers via MIDI export, your project must contain at least one marker track.

RELATED LINKS

[Exporting MIDI Tracks as Standard MIDI Files](#) on page 198

Importing Markers as Part of a Track Archive

You can import position markers and cycle markers by importing track archives that contain marker tracks. Select the tracks that you want to import in the **Import Options** dialog.

The following settings are imported:

- The start and end positions of cycle markers
- The track assignment of markers
- The marker IDs
- All marker tracks

RELATED LINKS

[Importing Tracks from Track Archives](#) on page 193

Exporting Markers as Part of a Track Archive

If you want to use your marker tracks in other projects, for example, share them with other users, you can export them as part of a track archive. To do so, select the marker tracks that you want to export. Then select **File > Export > Selected Tracks**.

The following settings are exported:

- The start and end positions of cycle markers
- The track assignment of markers
- The marker IDs
- All marker tracks

RELATED LINKS

[Track Export](#) on page 196

MixConsole

The **MixConsole** provides a common environment for producing mixes in stereo or surround. It allows you to control level, pan, solo/mute status, etc. for audio and MIDI channels. Furthermore, you can set up input and output routing for multiple tracks or channels at the same time. You can undo/redo **MixConsole** parameter changes for an open project at any time.

You can open multiple **MixConsole** windows.

- You can configure the individual **MixConsole** windows so that each one shows different channel types, for example.
- You can link multiple **MixConsole** windows so that you can display all channels that are visible in the fader section in different windows, on different monitors, for example, while the scrollbars and other elements are linked.

You can open the **MixConsole** in a separate window or in the lower zone of the **Project** window.

RELATED LINKS

[MixConsole in Lower Zone](#) on page 423

[MixConsole Window](#) on page 426

[Filtering Channel Types](#) on page 443

[Link MixConsoles](#) on page 451

MixConsole in Lower Zone

You can show a **MixConsole** in the lower zone of the **Project** window. This enables you to access the **MixConsole** functions in a fixed zone of the **Project** window. The **MixConsole** in the lower zone of the **Project** window does not follow any visibility changes that you perform in the **MixConsole** window.

To open a **MixConsole** in the lower zone of the **Project** window, do one of the following:

- Press **Alt/Opt-F3**.
- Select **Studio > MixConsole in Project Window**.

The **MixConsole** in the lower zone of the **Project** window is divided into the following sections:



Toolbar

The toolbar shows tools and shortcuts for settings and functions in the **MixConsole**.

Channel section

The channel section displays **MixConsole** functions that are organized in sections, such as routing, insert, or sends.

Fader section

The fader section is optional. The fader section shows all channels in the same order as in the track list.

RELATED LINKS

[Set up Window Layout Pane](#) on page 428

[Fader Section](#) on page 452

[Inserts Section](#) on page 466

[Sends Section](#) on page 479

[Filtering Channel Types](#) on page 443

[Undoing/Redoing MixConsole Parameter Changes](#) on page 439

[Linking Channels](#) on page 446


[Functions Menu](#) on page 450

Showing/Hiding MixConsole Channels in the Lower Zone

You can show or hide individual **MixConsole** channels in the lower zone of the **Project** window.

PROCEDURE

1. Click **Show/Hide Left Zone** on the **Project** window toolbar to activate the **Left Zone**.
2. At the top of the left zone, click the **Visibility** tab.
3. At the bottom of the left zone, click the **Track** tab.



4. Click to the left of a track name to activate/deactivate the visibility of a channel.
-

RESULT

The track in the track list and the corresponding **MixConsole** channel are shown/hidden in the lower zone of the **Project** window.

RELATED LINKS


- [Opening the Track Visibility](#) on page 77
[Showing/Hiding Individual Tracks](#) on page 78
[Track Visibility](#) on page 76

Attaching MixConsole Channels to the Left/Right in the Lower Zone

In the lower zone of the **Project** window, you can attach **MixConsole** channels to the left or to the right of the fader section.

PROCEDURE

1. At the top of the left zone, click the **Visibility** tab.
2. At the bottom of the left zone, click the **Zones** tab.



3. Do one of the following:

- To attach a channel to the left edge of the fader section, click the dot to the left of the channel name.
- To attach a channel to the right edge of the fader section, click the dot to the right of the channel name.

RESULT

The channel is attached to the right or to the left of the fader section as specified. Channels that are attached to a particular position are always displayed.

RELATED LINKS

[Opening the Project Window Zones Tab](#) on page 79

MixConsole Window


You can open the **MixConsole** in a separate window.

To open the **MixConsole** in a separate window, do one of the following:

- Press **F3**.
- Select **Studio > MixConsole**.
- On the **Project** window toolbar, click **Open MixConsole**.

NOTE

This is only visible on the toolbar if the **Media & MixConsole Windows** section is activated.



The **MixConsole** is divided into the following sections:

Toolbar

The toolbar shows tools and shortcuts for settings and functions in the **MixConsole**.

Left Zone

The left zone features the following tabs:

- The **Visibility** tab with the following tabs:
 - The **Channel** tab allows you to show/hide individual channels from the **MixConsole**.
 - The **Zones** tab allows you to determine and lock the position of particular **MixConsole** channels.
- The **History** tab lists all **MixConsole** parameter changes and allows you to undo/redo specific changes.
- The **Snapshots** tab lists all snapshots of **MixConsole** settings and allows you to recall them later.

Channel section

The channel section displays **MixConsole** functions that are organized in sections, such as routing, insert, or sends.

Fader section

The fader section is optional. The fader section shows all channels in the same order as in the track list.

RELATED LINKS

[Set up Window Layout Pane](#) on page 428

[MixConsole Left Zone](#) on page 430


[MixConsole Toolbar](#) on page 433

- [Project Window Toolbar](#) on page 54
- [Fader Section](#) on page 452
- [Adding Pictures to MixConsole Channels](#) on page 486
- [Adding Notes to a MixConsole Channel](#) on page 486
- [Channel Latency Overview](#) on page 487
- [Control Room](#) on page 509
- [Master Meter](#) on page 522
- [Loudness Meter](#) on page 525
- [Strip Section](#) on page 470

Set up Window Layout Pane

The **Set up Window Layout** pane allows you to select the sections to be shown in the **MixConsole**.

To open the **Set up Window Layout** pane, click **Set up Window Layout** on the **MixConsole** toolbar.



You can choose to display the following sections:

Channel Overview (not available in the lower zone)

Displays all channels as boxes. If you have more channels than can be displayed in the window, you can use the channel overview to navigate to further channels and select them.

Meter Bridge (not available in the lower zone)

Allows you to monitor the levels of your channels.

To select a meter type, open the **Meter Bridge** context menu, and choose either **PPM** or **Wave**.

Left Zone

Shows the left zone with the following tabs:

- Visibility
- History
- Snapshots

Right Zone

Shows the right zone with the following tabs:

- CR
- Meter

Channel Name

Shows the name of the channel.

Equalizer Curve

Allows you to draw an EQ curve. You can click in the curve display to open a larger view, where you can edit the curve points.

Channel sections

Allows you to show additional channel sections, as needed.

- Hardware
- Routing
- Pre
- Modulators
- Inserts
- EQ
- Strip
- Sends
- Cue Sends
- Direct Routing
- Quick Controls
- Device Panel

Pictures

Allows you to add a track picture to the selected channel. Pictures can help you to quickly identify your **MixConsole** channels.

Notepad

Allows you to enter notes and comments about a channel. Each channel has its own notepad.

Channel Latency

Allows you to show the latencies caused by insert effects or channel strip modules.

Fader

Allows you to show the fader section. The fader section displays input and output channels in conjunction with audio, instrument, MIDI, drum, sampler, group, effect, and VCA fader channels.

Right Zone (Control Room/Meter)

Allows you to divide the studio environment into a performing area (studio) and an engineering/producer area (control room).

RELATED LINKS

[MixConsole Window](#) on page 426

[MixConsole in Lower Zone](#) on page 423


[Channel Sections](#) on page 459

[MixConsole Left Zone](#) on page 430

MixConsole Left Zone

The left zone of the **MixConsole** shows several tabs that allow you to change the visibility and the position of specific channels, to undo parameter changes, or to save **MixConsole** snapshots.

- To show/hide the left zone of the **MixConsole**, click **Show/Hide Left Zone** on the **MixConsole** window toolbar.



The following tabs are available at the top of the left zone:

Visibility

Lists all channels contained in your project and allows you to show/hide specific channels.

History

Lists all **MixConsole** parameter changes and allows you to undo/redo specific changes.

Snapshots

Lists all **MixConsole** snapshots that you have saved and allows you to recall snapshots.

The following tabs are available at the bottom of the left zone:

Channel

Lists all channels contained in your project.

Zones

Allows you to lock the position of specific channels.


RELATED LINKS

[Undoing/Redoing MixConsole Parameter Changes](#) on page 439

[MixConsole Toolbar](#) on page 433

MixConsole Visibility

The **Visibility** tab in the **MixConsole** lists all channels in your project and allows you to show/hide specific channels.



- To show/hide channels, check/uncheck them by clicking to the left of the channel name.

NOTE

The **MixConsole** in the lower zone of the **Project** window does not reflect any visibility changes that you perform in the **MixConsole** window, and vice versa.

- To collapse/expand groups and folders, click the group or folder name.
- To reorder channels, select them, and drag them up or down.

NOTE

You can also reorder tracks/channels by selecting them on the **Visibility** tab of the **Project** window or the **MixConsole** and dropping them on the **Project** window track list or the **MixConsole** fader section, and vice versa.

RELATED LINKS

- [Synchronizing Channel and Track Visibility](#) on page 431
[Reordering Channels in the MixConsole](#) on page 485
[Track Visibility](#) on page 76

Synchronizing Channel and Track Visibility

You can synchronize the channel visibility in the **MixConsole** with the track visibility in the **Project** window.

PROCEDURE

- In the left zone of the **MixConsole**, open the **Visibility** tab.
- Click **Sync Visibility of Project and MixConsole: On/Off**
- Select **Sync Project and MixConsole** to synchronize the channel visibility with the track visibility.

RESULT

The track and the channel visibility are synchronized.

NOTE

Channels that are locked on the **Zones** tab are not synchronized.


RELATED LINKS

[MixConsole Visibility](#) on page 431

[Synchronizing Track and Channel Visibility](#) on page 78

MixConsole Zones

The **Zones** tab lists all channels contained in your project and allows you to lock the position of specific channels.



- To lock channels to the left/right of the fader section, click either the left or the right dot next to the channel name.
- Locked channels are excluded from scrolling. They are always visible.

NOTE

The **MixConsole** in the lower zone of the **Project** window does not follow any visibility changes that you perform in the **MixConsole** window, and vice versa.

MixConsole History

The **History** tab lists all parameter changes that you performed in the **MixConsole**, including changes on **Modulators**, and allows you to undo/redo specific actions.

| Action | Details | Time |
|------------------------|----------------------------|----------|
| EnvelopeShaper / Atta | -4.60, -47.8, 1000.0Hz, 0% | 7:11:01. |
| GROUP - ALL VOCALS | 1.51 | 7:50:07. |
| GROUP - SYNTH AND | -0.20, -0.20 | 7:54:54. |
| Envelope Follower ins | Channel settings applied | 8:04:13. |
| Envelope Follower / Rr | 76.0 | 8:10:05. |
| LFO / Waveform | Saw | 8:10:15. |

- To undo parameter actions in the **MixConsole**, click **Undo** on the **MixConsole** toolbar. You can also click the orange line in the history list, and drag it up.

- To redo parameter actions in the **MixConsole**, click **Redo** on the **MixConsole** toolbar. You can also click the orange line in the history list, and drag it down.

RELATED LINKS

[Saving Snapshots of MixConsole Settings](#) on page 440
[Undoing/Redoing MixConsole Parameter Changes](#) on page 439
[MixConsole Snapshots](#) on page 433
[Modulators](#) on page 1001

MixConsole Snapshots

The **Snapshots** tab lists all snapshots of **MixConsole** settings and allows you to recall them later. This is useful if you want to compare different versions of a mix.

In Cubase, you can save up to 10 snapshots for audio-related channels. These snapshots save settings for input/output, audio, VST instrument, drum track, sampler track, group, effect, and VCA fader channels. Snapshots are saved with the project.

| Visibility | History | Snapshots | = |
|------------|-------------|-----------|---|
| | | | |
| Snapshots | Time | | |
| Snapshot 1 | 03:28:37 PM | ○ | |
| Snapshot 2 | 03:28:41 PM | ○ | |
| Snapshot 3 | 03:28:44 PM | ○ | |

- To recall a specific **MixConsole** snapshot, select it in the list, and click **Recall Snapshot x**.
- To set up the recall settings, right-click in the list, and select **MixConsole Snapshot Recall Settings**.

NOTE

Recalling a snapshot can be undone/redone in the **MixConsole** history.

RELATED LINKS

[Saving Snapshots of MixConsole Settings](#) on page 440
[Renaming MixConsole Snapshots](#) on page 440
[Recalling MixConsole Snapshots via the Snapshots Tab](#) on page 441
[MixConsole Snapshot Recall Settings](#) on page 442
[MixConsole History](#) on page 432

MixConsole Toolbar

The toolbar contains tools and shortcuts for settings and functions in the **MixConsole**.

NOTE

Settings that are available in the **Project** window toolbar, such as **Locators**, **State Buttons**, **Markers**, are not shown in the **MixConsole** toolbar in the lower zone.

MixConsole History

Undo/Redo



These buttons allow you to undo/redo **MixConsole** parameter changes.

MixConsole Snapshots

Save MixConsole Snapshot



Saves a **MixConsole** snapshot.

MixConsole Snapshot Functions



Opens the **MixConsole Snapshot Functions** menu.

Left Divider

Left Divider

Allows you to use the left divider. Tools that are placed to the left of the divider are always shown.

Search


Find Track/Channel



Opens a selector that lists all tracks/channels.

Channel Visibility Configuration

Channel Visibility Configurations



Allows you to create configurations that are useful for switching quickly between different visibility setups.

Set Channel Visibility Agents



Allows you to set a visibility agent to filter the channels.

Set Channel Type Filter



Opens the channel filter that allows you to show/hide all channels of a particular channel type.

Locators

Go to Left Locator Position



Allows you to go to the left locator position.

Left Locator Position




Shows the left locator position.

Go to Right Locator Position



Allows you to go to the right locator position.

Right Locator Position



Shows the right locator position.

Locator Range Duration

Locators to Selection



Allows you to set the locators to the selection.

Locator Range Duration

4. 8. 1. 0

Shows the duration of the locator range.

Transport Buttons

Go to Previous Marker/Zero



Moves the project cursor to the previous marker/zero position on the timeline.

Go to Next Marker/Project End



Moves the project cursor to the next marker/project end.

Rewind



Moves backward.

Forward



Moves forward.

Activate Cycle



Activates/Deactivates cycle mode.

Stop



Stops playback.

Start



Starts playback.

Transport Record



Activates/Deactivates record mode.

Time Displays

Primary Time Display

6. 1. 1. 0


Shows the position of the project cursor in the selected time format.

Select Primary Time Format



Allows you to select a time format for the primary time display.

Secondary Time Display



Shows the position of the project cursor in the selected time format.

Select Secondary Time Format



Allows you to select a time format for the secondary time display.

Markers

Jump to Marker



Allows you to set and locate marker positions.

Open Markers Window



Opens the **Markers** window.

State Buttons

Deactivate All Mute States



Deactivates all mute states.

Deactivate All Solo States



Deactivates all solo states.

Deactivate All Listen States



Deactivates all listen states.

Activate/Deactivate Read for All Tracks



Activates/Deactivates read automation for all tracks.

Activate/Deactivate Write for All Tracks



Activates/Deactivates write automation for all tracks.

Suspend All Read/Write Automation



Suspends all read/write automation.

Bypass Modulators of All Visible Channels



Bypasses the modulators of all visible channels.

Bypass Inserts of All Visible Channels



Bypasses the inserts of all visible channels.

Bypass EQs of All Visible Channels



Bypasses the EQs of all visible channels.

Bypass Channel Strip of All Visible Channels



Bypasses the channel strip modules of all visible channels.

Bypass Sends of All Visible Channels



Bypasses the sends of all visible channels.

Link Group

Link/Unlink Selected Channels



Links the selected channels/removes their link.

Edit Link Group Settings



Allows you to change the link group settings.

Suspend All Channel Linking



Suspends all channel linking.

Absolute Mode



Enables absolute value changes.

Temporary Link Mode



Synchronizes all touched parameters of selected channels.

Zoom Palette

Reduce Channel Width



Allows you to reduce the channel width.

Set Number of Channels



Displays the number of channels that are currently set.

Increase Channel Width



Allows you to increase the channel width.

Reduce Section Height



Allows you to reduce the height of the sections.


Increase Section Height



Allows you to increase the height of the sections.

Audio Performance Meter

Audio Performance Meter



The upper bar displays either the current realtime peak or the ASIO-Guard load, depending on which of the two has the higher value. The lower bar shows the hard disk transfer load of the disk engine.

For a more detailed display of realtime peak and ASIO-Guard load, click to open the **Audio Performance** panel.

Right Divider

Right Divider

Tools that are placed to the right of the divider are always shown.

Mixer Functions Menu

Functions Menu



Opens a pop-up menu, where you can select a **MixConsole** function.

Window Zone Controls

Show/Hide Left Zone



Shows/Hides the left zone of the window.

Show/Hide Right Zone



Shows/Hides the right zone of the window.

Set up Window Layout



Allows you to set up the window layout.

Finding Channels

The **Find Track/Channel** function allows you to find specific channels. This is useful if you have a large project with many channels or if you have hidden channels using the visibility features.

PROCEDURE

1. Click **Find Track/Channel** on the **MixConsole** toolbar to open a selector that lists all channels.
 2. In the search field, enter the name of the channel.
As you type, the selector filters automatically.
 3. In the selector, select the channel, and press **Return**.
-

RESULT

The channel is selected in the channel list.

NOTE

If the channel was outside the view or hidden, it is now shown. Channels that are hidden using **Set Channel Type Filter** are not shown.

Undoing/Redoing MixConsole Parameter Changes

You can undo/redo **MixConsole** parameter changes, including **Modulators**, and experiment with different **MixConsole** settings.

NOTE

MixConsole parameters that change due to read automation actions are not part of the **MixConsole** history.

To undo/redo a parameter in the **MixConsole**, do one of the following:

- On the **MixConsole** toolbar in the **MixConsole** window or in the lower zone of the **Project** window, click **Undo** or **Redo**.
- Press **Alt/Opt-Z** to undo **MixConsole** parameter changes or press **Alt/Opt-Shift-Z** to redo parameter changes.

The following parameter changes can be undone/redone:

- Volume changes
- Panorama changes
- Changes on the **Routing** section
- Filter, gain, and phase changes in the **Pre** section
- Plug-in changes in the **Inserts** section
- **Modulators** changes, including adding/removing modulators on the **Modulators** tab in the lower zone of the **Project** window
- EQ changes
- Changes on the **Channel Strip** section
- Changes on the **Sends** section
- Changes on the **Cue Sends** section
- Changes on the **Direct Routing** section

IMPORTANT

The **MixConsole** history is not saved with the project.

RELATED LINKS

- [MixConsole History](#) on page 432
[MixConsole Toolbar](#) on page 433
[Modulators](#) on page 1001

Saving Snapshots of MixConsole Settings

You can save **MixConsole** settings for audio-related channels in a snapshot. Snapshots save settings for input/output, audio, VST instrument, drum track, sampler track, group, effect, and VCA fader channels.

PROCEDURE

- On the toolbar, click **Save MixConsole Snapshot**.

NOTE

You can assign a key command to **Save MixConsole Snapshot** in the **MixConsole Snapshots** category of the **Key Commands** dialog.

RESULT

The **MixConsole** settings are saved in a snapshot. You can save up to 10 snapshots. Snapshots are saved with the project, and shown on the **Snapshots** tab in the left zone of the **MixConsole**.

NOTE

Automation data is not saved in **MixConsole** snapshots.

AFTER COMPLETING THIS TASK

You can open the **MixConsole Snapshot Recall Settings** dialog and activate the settings that you want to recall.

RELATED LINKS

[MixConsole Snapshot Recall Settings](#) on page 442

Renaming MixConsole Snapshots

You can rename **MixConsole** snapshots.

PROCEDURE

1. In the left zone of the **MixConsole**, open the **Snapshots** tab.
 2. Double-click the snapshot name, and type in a new name for the snapshot.
-

Updating a MixConsole Snapshot

You can update a snapshot. This is useful if you want to apply changes to an existing setting, or if you already saved 10 snapshots.

PROCEDURE

- Do one of the following:
 - On the **MixConsole** toolbar, click **MixConsole Snapshot Functions**, and select **Update Selected Snapshot: Snapshot x**.
 - On the **Snapshots** tab, right-click the snapshot that you want to update, and select **Update Selected Snapshot: Snapshot x**.
-

RESULT

The snapshot is updated.

NOTE

Automation data is not saved in **MixConsole** snapshots.

AFTER COMPLETING THIS TASK

You can open the **MixConsole Snapshot Recall Settings** dialog and activate the settings that you want to recall.

RELATED LINKS

[MixConsole Snapshot Recall Settings](#) on page 442

Recalling MixConsole Snapshots via the Snapshots Tab

You can recall **MixConsole** snapshots via the **Snapshots** tab.

PREREQUISITE

You have saved at least one **MixConsole** snapshot.


PROCEDURE

1. In the left zone of the **MixConsole**, open the **Snapshots** tab.
2. Optional: Click **MixConsole Snapshot Functions**, and select **MixConsole Snapshot Recall Settings** to open a dialog where you can activate the settings that you want to recall. Click **OK**.
3. Select the snapshot that you want to recall, and click **Recall Snapshot x**.

NOTE

- You can assign a key command to **Recall Snapshot x** in the **MixConsole Snapshots** category of the **Key Commands** dialog.
 - Automation data is not saved in **MixConsole** snapshots. If you recall a snapshot to a channel that contains automation data, you receive a warning message.
-

A message informs you that the snapshot is recalled.



RESULT

The snapshot is recalled, and the settings are applied. If you recall a snapshot during playback, you might hear a short gap, depending on how different the settings are from the current state.

RELATED LINKS

[MixConsole Snapshot Recall Settings](#) on page 442

Recalling MixConsole Snapshots via the MixConsole Toolbar

You can recall **MixConsole** snapshots via the **MixConsole** toolbar.

PREREQUISITE

You have saved at least one **MixConsole** snapshot.

PROCEDURE

1. On the toolbar, click **MixConsole Snapshot Functions**.

- From the menu, select the snapshot that you want to recall.

NOTE

- You can assign a key command to **Recall Snapshot x** in the **MixConsole Snapshots** category of the **Key Commands** dialog.
 - Automation data is not saved in **MixConsole** snapshots. If you recall a snapshot to a channel that contains automation data, you receive a warning message.
-

A message informs you that the snapshot is recalled.

Snapshot: "Snapshot 2" applied

RESULT

The snapshot is recalled, and the settings are applied. If you recall a snapshot during playback, you might hear a short gap, depending on how different the settings are from the current state.

RELATED LINKS

[MixConsole Snapshot Recall Settings](#) on page 442

Adding Notes to Snapshots

You can add notes and comments to a snapshot.

PREREQUISITE

You have saved at least one **MixConsole** snapshot.

PROCEDURE


- In the left zone of the **MixConsole**, open the **Snapshots** tab.
 - Select the snapshot for which you want to add comments.
 - Click in the **Snapshot Notes** section of the **Snapshots** tab and type in your notes.
-

MixConsole Snapshot Recall Settings

The **MixConsole Snapshot Recall Settings** allow you to specify the channel settings that are recalled when you load a saved snapshot.

To open the **MixConsole Snapshot Recall Settings**, do one of the following:

- Open the **MixConsole Snapshot Functions** pop-up menu on the **MixConsole** toolbar, and select **MixConsole Snapshot Recall Settings**.
- In the left zone of the **MixConsole**, right-click in the **Snapshots** tab, and select **MixConsole Snapshot Recall Settings**.



The following options allow you to specify which settings are recalled:

Pre (Filters/Gain/Phase)

Activate this to recall the filters, gain and phase settings.

Inserts

Activate this to recall the inserts.

EQ

Activate this to recall the equalizers.

Channel Strip

Activate this to recall the channel strip modules.

Sends

Activate this to recall the sends.

Pan

Activate this to recall the panorama.

Volume

Activate this to recall the volume.

Selected Channels only

Activate this to recall the settings for selected channels only.

Warn Before Deleting Plug-in Automation

If this option is activated, a warning opens if plug-in automation might be deleted.


Filtering Channel Types

The channel types filter on the **MixConsole** toolbar allows you to determine which channel types are shown.

PROCEDURE

1. Click Set Channel Type Filter.

This opens the channel types filter.



2. Click to the left of a channel type to uncheck it and to hide all channels of that type.
-

RESULT

Channels of the filtered type are removed from the fader section, and the color of the **Set Channel Type Filter** button changes to indicate that a channel type is hidden.

Channel Visibility Configurations Menu

The **Channel Visibility Configurations** button on the **MixConsole** toolbar allows you to create configurations that are useful for switching quickly between different visibility setups.

The button displays the name of the active configuration. A list of configurations is shown as soon as you create at least one configuration. To load a configuration, select it from the menu. Channel visibility configurations are saved with the project.

Add Configuration

Opens the **Add Configuration** dialog that allows you to save the configuration and to enter a name for it.

Update Configuration

If you change the active configuration, this is indicated by an asterisk after the configuration name. Use this function to save changes to the active configuration.

Rename Configuration

Opens the **Rename Configuration** dialog that allows you to rename the active configuration.

Delete Configuration

Allows you to delete the active configuration.

Move Configuration to Position

This function becomes available if 2 or more configurations exist. It allows you to change the position of the active configuration on the menu. This is useful, as you can assign key commands to the first 8 configurations in the **Channel & Track Visibility** category of the **Key Commands** dialog.

Saving Configurations

To quickly switch between different channel setups, you can save configurations. The configurations contain visibility and zone settings as well as the show/hide status of channel types and sections.

PROCEDURE

1. Set up the configuration that you want to save.
 2. On the toolbar, click **Channel Visibility Configurations**.
 3. From the pop-up menu, select **Add Configuration**.
 4. In the **Add Configuration** dialog, enter a name for the configuration.
 5. Click **OK**.
-

RESULT

The configuration is saved, and you can return to it at any time.

Channel Visibility Agents

Channel visibility agents allow you to show or hide all channels, selected channels, or channels with certain properties.

To open the **Channel Visibility Agents** pop-up menu, do one of the following:

- Click **Channel Visibility Agents** on the toolbar.
- In the left zone of the **MixConsole**, select the **Visibility** tab and right-click an empty area to open the context menu.

Channel Visibility Agents Menu

The **Channel Visibility Agents** pop-up menu contains options that allow you to show or hide all channels, selected channels, or channels with certain properties.

- To open the **Channel Visibility Agents** pop-up menu, click **Channel Visibility Agents** on the toolbar.

Show All Channels

Shows all channels of your project.

Show Only Selected Channels

Shows only channels that are selected.

Hide Selected Channels

Hides all channels that are selected.

Show Channels for Tracks with Data

Shows all channels for tracks with events or parts.

Show Channels for Tracks with Data at the Cursor Position

Shows all channels for tracks with events or parts at the cursor position.

Show Channels for Tracks with Data between the Locators

Shows all channels for tracks with events or parts between the locators.

Show Channels that are Connected to the First Selected Channel

Shows all channels that are connected to the channel you first selected.

Undo Visibility Change

Undoes visibility changes.

Redo Visibility Change

Redoes visibility changes.

NOTE

You can assign key commands for the channel visibility agents in the **Channel & Track Visibility** category of the **Key Commands** dialog.

Undoing/Redoing Visibility Changes

You can undo/redo up to 10 visibility changes.

PROCEDURE

1. On the **MixConsole** toolbar, click **Channel Visibility Agents**.
2. Select **Undo Visibility Change** or **Redo Visibility Change**.

Linking Channels

You can link selected channels in the **MixConsole** to form a link group. Any change that is applied to one channel is mirrored by all linked channels, depending on which settings are activated in the link group settings. **Q-Link** allows you to temporarily synchronize all touched parameters of selected channels.


The **Link Group** options on the **MixConsole** toolbar allow you to link channels and to edit links and linking configuration.



Link Group Settings Dialog

The **Link Group Settings** dialog allows you to specify the channel settings that are linked.

- To open the **Link Group Settings** dialog, click **Link** on the **MixConsole** toolbar.



The following options are available:

New Link Group Name

Allows you to enter a name for the link group.

Use VCA Fader

Activate this option to assign the link group to a VCA fader.

Select VCA Fader

Allows you to select a VCA fader channel.

Volume

Activate this to link the volume of the linked channels.

Pan

Activate this to link the panorama of the linked channels.

EQ

Activate this to link the equalizers of the linked channels.

Dynamics (Compressor, Gate, etc.)

Activate this to link the dynamics of the linked channels.

Sends

Activate this to link the sends of the linked channels.

Inserts

Activate this to link the inserts of the linked channels.

Mute/Solo/Listen

Activate this to link the mute, solo, and listen states of the linked channels.

Automation Read/Write

Activate this to link the automation read/write states of the linked channels.

Routing

Activate this to link the routing of the linked channels.

Selection

Activate this to link the selection of the linked channels.

Record Enable/Monitor

Activate this to link the record enable/monitor states of the linked channels.

NOTE

By default, the volume, sends, routing, and selection settings are activated. If you associate a link group to a VCA fader, only the sends and the routing parameters are activated.

Display Line

Whenever you create a link group, a display line is added on top of the fader section in the **MixConsole**.



The display line shows the number and the name of the created link group and provides a **Link Settings** pop-up menu that allows you to edit the link group settings.

On the display line, you can change the name of the link group by double-clicking and entering a different name. If you hold down a modifier key and double-click the name, the **Link Group Settings** dialog opens.

NOTE

If you use a VCA fader for the link group, the link group name displayed on the fader is also changed.

The pop-up menu provides the following options:

Unlink Selected Channels

Only available for a selected link group. Select this option to remove the link between the channels. This removes the link group. If you use a VCA fader, specify if you want to revert to the original automation of the linked channels. A VCA fader that controls this link group is not removed.

Edit Link Group Settings

Allows you to change the link group settings.

Included in Link Group: <name of link group>

Shows the link group to which the selected channel belongs. You can assign the selected channel to a different link group. This removes the channel from the current group. If you only want to remove the selected channel from the link group, select **None**.

Linked Channels

Shows which channels are linked in the link group.

RELATED LINKS

[Changing the Link Group Settings](#) on page 449

[Adding Channels to Link Groups](#) on page 449

[Removing Channels from Link Groups](#) on page 450

[VCA Faders](#) on page 504

Creating Link Groups

You can link several channels to form a link group.

PROCEDURE

1. Select the channels that you want to link.
 2. Do one of the following:
 - On the **MixConsole** toolbar, click **Link**.
 - Right-click one of the selected channels, and select **Link Selected Channels**.
 3. In the **Link Group Settings** dialog, activate the parameters that you want to link.
 4. Click **OK**.
-

RESULT

The number and the name of the link group are indicated above the channel name in the display line.

NOTE

- If you link groups, insert and channel strip module linking is applied at the slot level. For example, if you change the settings for insert slot 3 on one channel, these changes are also applied to slot 3 on the other channels. Insert effects in other slots remain unaffected.
 - If you select a channel that belongs to a link group, all channels in this link group are selected by default. To prevent the selection of all channels that belong to a link group, deactivate **Selection** in the **Link Group Settings** dialog.
-

RELATED LINKS

[Link Group Settings Dialog](#) on page 446

Changing the Link Group Settings

If you change a setting for a channel of a link group, the change is applied to the whole group.

- To change the link settings for an existing link group, select the group. On the **MixConsole** toolbar, click **Edit Link Group Settings**, and change the settings in the **Link Group Settings** dialog.
- To unlink channels, select one of the linked channels, and click **Link** on the **MixConsole** toolbar.
- To prevent the selection of all channels that belong to a link group, deactivate **Selection** in the **Link Group Settings** dialog.
- To make individual settings and changes for a channel in a link group, activate **Sus** on the **MixConsole** toolbar or press **Alt/Opt**.
- To make absolute instead of relative value changes, activate **Abs** on the **MixConsole** toolbar.

NOTE

The automation tracks for linked channels are not affected by the **Link** function.

RELATED LINKS

[Link Group Settings Dialog](#) on page 446

Adding Channels to Link Groups

You can add a channel to an existing link group.

PROCEDURE

1. On the display line of the channel that you want to add, open the **Link Settings** pop-up menu.
 2. Select **Included in Link Group: <None>**, and select the link group.
-

RESULT

The channel is added to the link group.

Removing Channels from Link Groups

You can remove a channel from an existing link group.

PROCEDURE

1. On the display line of the channel that you want to remove, open the **Link Settings** pop-up menu.
 2. Select **Included in Link Group: <link group name>**, and, from the link group list, select **None**.
 3. If the channel is controlled by a VCA fader, specify if the channel keeps the combined automation.
-

RESULT

The channel is removed from the link group.

Using Quick Link

You can activate **Q-Link** to synchronize all touched parameters of selected channels.

PROCEDURE

1. Select the channels that you want to link.
2. On the **MixConsole** toolbar, activate **Q-Link**.

NOTE

You can also press **Shift - Alt/Opt** to temporarily link channels. In that case, the link is only active as long as you press the keys.

3. Change the parameters for one of the selected channels.
-

RESULT

The changes are applied to all selected channels until you deactivate **Q-Link**.

Functions Menu

The **Functions Menu** contains tools and shortcuts for settings and functions in the **MixConsole**.

- To open the **Functions Menu**, click **Functions Menu**  on the **MixConsole** toolbar.

Scroll to Selected Channel

If this option is activated and you select a channel on the **Visibility** tab, the selected channel is automatically displayed in the fader section.

Copy First Selected Channel's Settings

Copies the settings of the first selected channel.

Paste Settings to Selected Channels

Pastes the settings to the selected channels.

Zoom

Opens a submenu where you can increase or reduce the channel width and the section height.

Link Sections to Configurations

If this option is activated, the section status is taken into account when you save and load a configuration.

Open Audio Connections

Opens the **Audio Connections** window.

Control Room Cue Channels

Opens a submenu where you can activate/deactivate cue channels and change level and panning settings.

Constrain Delay Compensation

Allows you to activate/deactivate the **Constrain Delay Compensation** that keeps all channels in perfect sync and automatically compensates any delay inherent in VST plug-ins during playback.

Direct Routing: Summing Mode On/Off

Allows you to feed your signals to several outputs at the same time.

After Fader Listen Mode

Allows you to enable/disable that the signal of a listen-enabled channel is routed to the **MixConsole** channel after applying the fader and pan settings.

EQ/Filter Transition

Allows you to change the **EQ/Filter Transition** mode from **Soft** to **Quick**.

Save Selected Channels

Saves the settings for the selected channels.

Load Selected Channels

Loads the settings for the selected channels.

Global Meter Settings

Opens a submenu where you can set up the global meter settings.

Reset MixConsole Channels

Allows you to reset EQ, insert, and send effect settings for all channels or for selected channels only. Solo and mute buttons are deactivated, the volume fader is set to 0 dB, and pan is set to the center position.

Link MixConsoles

You can link multiple **MixConsole** windows. This allows you to display all channels that are visible in the fader section in different windows, on different monitors, for example. The scrollbars, the visibility configurations, filters, and the toolbar functions that affect the fader section are linked.

NOTE

The **MixConsole** in the lower zone of the **Project** window is excluded from the link function.

RELATED LINKS

[MixConsole Toolbar](#) on page 433

Saving MixConsole Settings

You can save **MixConsole** settings for selected audio-related channels and load them into any project.

PROCEDURE

1. Select the channels with the settings that you want to save.
 2. Select **Functions Menu > Save Selected Channels**.
 3. In the file dialog, specify the file name and location.
 4. Click **Save**.
-

RESULT

The settings for the selected channels are saved with the file extension .vmx. The input/output routing is not saved.

Loading MixConsole Settings

You can load **MixConsole** settings that have been saved for selected channels.

PROCEDURE

1. Select the same number of channels that you selected when you saved your **MixConsole** settings.
The loaded **MixConsole** settings are applied in the same order as originally saved. For example, if you have saved the settings for channels 4, 6, and 8, and apply these settings to channels 1, 2, and 3, the settings saved for channel 4 are applied to channel 1, the settings saved for channel 6 to channel 2, and so on.
 2. Select **Functions Menu > Load Selected Channels**.
 3. In the **Load Selected Channels** dialog, select the .vmx file and click **Open**.
-

RESULT


The channel settings are applied to the selected channels.

NOTE

When you apply loaded **MixConsole** settings to fewer channels, some of the saved settings are not applied. Since the saved settings are applied from left to right, as shown in the **MixConsole**, the settings for the channels furthest to the right are not applied to any channels.

Fader Section

The fader section is the heart of the **MixConsole**. It shows input and output channels in conjunction with audio, instrument, MIDI, drum, sampler, group, effect, and VCA fader channels.



NOTE

If a channel is deactivated on the **Visibility** tab or if its channel type is deactivated, it is not shown in the fader section. The **MixConsole** in the lower zone of the **Project** window does not follow any visibility changes you perform in the **MixConsole** window and vice versa. It is linked to the track visibility of the **Project** window.

The fader section allows you to do the following:

- Edit link group settings
- Set panorama
- Activate mute and solo
- Enable listen mode
- Open channel settings
- Set volume
- Enable automation
- Set input levels

NOTE

All fader section functions and settings are also available in the **MixConsole** in the lower zone of the **Project** window.

RELATED LINKS

[Changing the Link Group Settings](#) on page 449

[Channel Settings](#) on page 488

[Write/Read Automation](#) on page 854

[Showing/Hiding MixConsole Channels in the Lower Zone](#) on page 424

Pan Control

For each audio-related channel with at least a stereo output configuration, you can find a pan control at the top of the fader section. For MIDI channels, the pan control sends out MIDI pan messages. The result depends on how your MIDI instrument is set to respond to pan.

The pan control allows you to position a channel in the stereo spectrum. This control is different for stereo and surround configurations. Channels with a multi-channel output configuration feature a miniature **VST MultiPanner** control.

- To make fine adjustments, hold down **Shift** when you move the pan control.
- To select the default center pan position, hold down **Ctrl/Cmd**, and click the pan control.
- To edit the value numerically, double-click the pan control.


RELATED LINKS

[Creating New Projects](#) on page 117

[Surround Sound](#) on page 792

Stereo Balance Panner

The stereo balance panner allows you to control the balance between the left and right channels. It is activated by default.



Stereo Combined Panner

With the stereo combined panner, the left and right pan controls are linked and keep their relative distance if you move them. It is available for channels with a stereo input and output configuration.

- To activate this panner, open the context menu for a pan control, and select **Stereo Combined Panner**.



- To set the pan independently for the left and right channels, hold down **Alt/Opt** and drag left or right.
- To reverse the left and right channels, pan the left channel to the right and the right channel to the left.
The area between the pan controls changes color to indicate that the channels are reversed.
- To sum two channels, set them to the same pan position (mono).
Note that this increases the volume of the signal.
- To specify the default stereo panner mode for new audio tracks, set the **Default Stereo Panner Mode** in the **Preferences** dialog (**VST** page).

Pan Bypass

You can bypass the panning for all audio-related channels.

- To activate panning bypass, activate the bypass button to the left or press **Ctrl/Cmd - Alt/Opt - Shift** and click the pan control.
- To deactivate panning bypass, press **Ctrl/Cmd - Alt/Opt - Shift**, and click again.

When panning is bypassed for a channel, the following happens:

- Mono channels are panned center.

- Stereo channels are panned hard left and right.
- Surround channels are panned center.

Using Solo and Mute

You can silence one or several channels using **Solo** and **Mute**.

- To silence a channel, click **Mute**.
Click again to deactivate the mute state for the channel.
- To mute all other channels, click **Solo** for a channel.
Click again to deactivate the solo state.
- To deactivate the mute or solo states for all channels simultaneously, click **Deactivate All Mute States** or **Deactivate All Solo States** on the toolbar.
- To activate exclusive solo mode, hold down **Ctrl/Cmd**, and click **Solo** for the channel.
The **Solo** buttons of all other channels are deactivated.
- To activate **Solo Defeat** for a channel, **Alt/Opt**-click **Solo** or click and hold **Solo**.



In **Solo Defeat** mode, the channel is not muted when you solo another channel. Click again to deactivate **Solo Defeat**.

Listen Mode

The listen mode allows you to quickly check the signal that is coming from selected channels without interrupting and interfering with the actual mix. During a recording session, it allows the sound engineer in the control room to attenuate the signal that is coming from one of the musicians while the recording continues undisturbed, for example.

NOTE

To enable the listen mode, activate the **Control Room**.

-
- To enable the listen mode, click **Listen** for a channel.
This routes the channel to the **Control Room** without interrupting the signal flow.
 - To turn off listen mode for all channels simultaneously, click **Deactivate All Listen States** on the **MixConsole** toolbar.

Volume

Each channel in the fader section of the **MixConsole** has a volume fader. The fader levels are displayed below the fader, in dB for audio-related channels and as MIDI volume (0 to 127) for MIDI channels.

- To change the volume, move the fader up or down.
- To make fine volume adjustments, press **Shift** while moving the faders.
- To reset the volume to its default value, press **Ctrl/Cmd** and click a fader.

For audio channels, the volume fader controls the volume of the channel before it is routed to an output bus, directly or via a group channel. For output channels, the volume fader controls the master output level of all audio channels that are routed to an output bus. For MIDI channels, the volume fader controls the volume changes in the **MixConsole** by sending out MIDI volume messages to the connected instruments that are set to respond to MIDI messages.

Global Meter Settings Menu

You can change the meter characteristics for audio channels using the context menu of the channel meter.

Right-click the channel meter and select one of the following options from the **Global Meter Settings** menu:

Meter Peak - Hold Peaks

If this option is activated, the highest registered levels are held and shown as static horizontal lines in the meter.

Meter Peak - Hold Forever

If this option is activated, the peak levels are shown until you reset the meters. If this option is deactivated, you can use the **Meters' Peak Hold Time** parameter in the **Preferences** dialog (**Metering** page) to specify for how long the peak levels are held. The peak hold time can be between 500 and 30000 ms.

Meter Position - Input

If this option is activated, the meters show input levels for all audio channels and input/output channels. The input meters are post input gain.

Meter Position - Post-Fader

If this option is activated, the meters show post-fader levels.

Meter Position - Post-Panner

If this option is activated, the meters show post-fader levels and also reflect pan settings.

Reset Meters


Resets the meters.

Setting up Meter Colors

Setting up meter colors can help you to keep an overview of what levels are being reached.

PROCEDURE

1. In the **Preferences** dialog, select **Metering > Appearance**.



2. Select a scale from the **Scale** pop-up menu for editing.

NOTE

The **+3 dB Digital Scale** is used in the channel meters.

3. Do one of the following to set the level position for a color change:
 - Double-click a level position to the right of the meter scale and enter the level (dB) value. To enter dB values smaller than zero, add a minus sign before the entered number.
 - Click a level position, and drag it to a specific level. Press **Shift** for more accurate positioning.
 - Click a level position, and nudge it up or down with the **Up Arrow / Down Arrow** keys. Press **Shift** for faster positioning.
4. Click the upper or lower part of a color handle so that a frame is shown. In the color picker, select a color.

Selecting the same color for the upper and lower part of the handle results in a meter that changes its colors gradually. Different colors indicate level changes even more precisely.

NOTE

- To add more color handles, click **Add**, or **Alt**-click at a level position to the right of the meter scale. Each new handle is automatically associated with a default color.
- To remove a handle, select the handle and click **Remove**, or **Ctrl/Cmd**-click the handle.

5. Click **OK**.
-

RELATED LINKS

[Metering - Appearance](#) on page 1540

Level Meters

The channel meters show the level when you play back audio or MIDI. The **Meter Peak Level** indicator shows the highest registered level.

- To reset the peak level, click the **Meter Peak Level** value.

NOTE

Input and output channels have clipping indicators. When they light up, lower the gain or the levels until the indicator is no longer lit.

Input Levels

When recording digital sound, it is important to set the input levels high enough to ensure low noise and high audio quality. At the same time, you must avoid clipping (digital distortion).

Setting Input Levels

In the **MixConsole**, you can set the input level. Make sure that the signal is loud enough but does not exceed 0 dB.

PROCEDURE

1. Select **Functions Menu > Global Meter Settings > Meter Position** and activate **Input**.

In this mode, the input channel level meters show the level of the signal at the input of the bus, before any adjustments, such as input gain, EQ, effects, level, or pan are made. This allows you to check the level of the unprocessed signal coming into the audio hardware.

2. Play back the audio, and check the level meter for the input channel.

The signal should be as loud as possible without exceeding 0 dB, that is, the clipping indicator for the input bus should not light up.

3. If necessary, adjust the input level in one of the following ways:

- Adjust the output level of the sound source or the external mixer.
- If possible, use the application program of the audio hardware to set the input levels. Refer to the documentation for the audio hardware.
- If your audio hardware supports the ASIO control panel function, it may be possible to make input level settings. To open the ASIO control panel, select **Studio > Studio Setup**. In the **Devices** list, select your audio card. When this is selected, you can open the control panel by clicking **Control Panel** in the settings section to the right.

4. Optional: Select **Functions Menu > Global Meter Settings > Meter Position** and activate **Post-Fader**.

NOTE

This allows you to check the level of the audio being written to a file on your hard disk, which is only necessary if you make any adjustments to the input channel.

5. Optional: In the **Inserts** section, click a slot and select an effect, or adjust the settings in the **Equalizer** section.

For some effects, you may want to adjust the level of the signal going into the effect. Use the input gain function for this. Press **Shift** or **Alt/Opt** to adjust the input gain.

6. Play back the audio, and check the level meter of the input channel.

The signal should be reasonably loud without exceeding 0 dB, that is, the clipping indicator for the input bus should not light up.

7. If necessary, use the input channel fader to adjust the signal level.
-


Clipping

Clipping typically occurs in the audio hardware when an analog signal is too loud and therefore converted to digital in the A/D converters of the hardware.

Clipping can also occur when the signal from the input bus is written to a file on your hard disk. The reason for this is that you can make settings for the input bus, adding EQ, effects, etc. to the signal while it is being recorded. This may raise the level of the signal, which causes clipping in the recorded audio file.

Channel Sections

Specific **MixConsole** functions, such as routing, insert, or sends, are organized in sections.



By default, all sections are expanded. To exclusively show the selected section and collapse the other sections, right-click the section and activate **Expand Sections Exclusively**.

RELATED LINKS

- [Routing Section](#) on page 460
- [Pre Section](#) on page 462
- [Inserts Section](#) on page 466
- [Equalizer Section](#) on page 468
- [Strip Section](#) on page 470
- [Sends Section](#) on page 479
- [Set up Window Layout Pane](#) on page 428
- [Cue Sends Section](#) on page 481
- [Direct Routing Section](#) on page 481
- [Track Quick Controls Section](#) on page 484
- [Device Panels Section](#) on page 485

Copying and Moving Section and Channel Settings

You can use drag and drop to copy or move section and channel settings.

NOTE

- The **Device Panel** section cannot be copied or moved via drag and drop.
- The **Routing** section can only be copied, not moved via drag and drop.
- Copying the **Routing** section via drag and drop is not possible for input channels and output channels.

Drag and drop works between different channels or different section slots on the same channel. When you drag, a visual feedback indicates the sections where you can drop your settings.

The following applies:

- To move the section settings from one section to another, drag the section, and drop it on the section to which you want to move the settings.
- To copy the section settings from one section to another, press **Alt/Opt**, drag the section, and drop it on the section to which you want to copy the settings.
- To copy the channel settings from one channel to another, drag the channel, and drop it on the channel to which you want to copy the settings.

- To copy the channel settings from one channel to another, including the direct routing and output routing settings, press **Alt/Opt**, drag the channel, and drop it on the channel to which you want to copy the settings.

You can copy section and channel settings between different types of channels, provided that the target channels have corresponding settings.

- For example, copying from input/output channels leaves the sends settings in the target channel unaffected.
- For projects with surround sound, any insert effects that are routed to surround speaker channels become muted when the settings are pasted to a mono or stereo channel.

Routing Section

The **Routing** section allows you to configure input and output routing, that is, to set up input and output busses.

NOTE

This channel section is exclusively available in the **MixConsole** window.

Input busses are used when you record on an audio track. In this case, you must select from which input bus to receive the audio.

NOTE

Your settings for the input channel become a permanent part of the recorded audio file.

Output busses are used when you play back an audio, group, or effect channel. In this case, you must route the channel to an output bus.

Setting up Routing

You can set up the input and output busses in the **Routing** section of the **MixConsole**.

PREREQUISITE

You have set up busses and group channels in the **Audio Connections** window.

PROCEDURE

1. On the **MixConsole** toolbar, click **Set up Window Layout**, and activate **Routing** to show the **Routing** section above the fader section.
2. Click one of the slots of the **Routing** section to open the input or the output routing pop-up menu for a channel.
3. In the routing selector, select an entry.
 - To set up the routing for multiple selected channels simultaneously, press **Shift - Alt/Opt**, and select a bus.
 - To set several selected channels to incrementing busses (the second selected channel to the second bus, the third one to the third bus, etc.), press **Shift**, and select a bus.
 - To disconnect input or output bus assignments, select **No Bus**.

Input Busses

The **Input Routing** selector only lists busses that correspond to the channel configuration.

NOTE

If you select a group channel as the input for an audio channel, you can record a downmix.

Input Routing Configurations for Mono Channels

For mono channels, the following input routing configurations are available:

- Mono input busses or individual channels within a stereo or surround input bus.
- External inputs that are configured on the **Control Room** tab of the **Audio Connections** window.

These can be mono or individual channels within a stereo or surround bus. They can also be routed to the **Talkback** input.

- Mono output busses, mono group output busses, or mono effect output busses.

These should not lead to feedback.

RELATED LINKS

[Routing Section](#) on page 460

Input Routing Configurations for Stereo Channels

For stereo channels, the following input routing configurations are available:

- Mono or stereo input busses or stereo child busses within a surround bus.
- External inputs that are configured via the **Control Room** tab of the **Audio Connections** window.

These can be mono input busses or stereo input busses. They can also be routed to the **Talkback** input.

- Mono or stereo output busses, mono or stereo group output busses, and mono or stereo effect output busses.

These should not lead to feedback.

RELATED LINKS

[Routing Section](#) on page 460

Input Routing Configurations for Surround Channels

For surround channels, the following input routing configurations are available:

- Surround input busses.
- External inputs that are configured via the **Control Room** tab of the **Audio Connections** window.

These must have the same input configuration.

- Output busses.

These must have the same input configuration and should not lead to feedback.

RELATED LINKS

[Routing Section](#) on page 460

Output Busses

For output busses, any assignment is possible.

You can route the output of audio, instrument, group, and effect channels to output, group, and effect channels, or use it as an effect side-chain source.

Routing the outputs from multiple audio channels to a group allows you to control the channel levels using one fader, and to apply the same effects and equalization to all the channels.

Using Group Channels

You can route the outputs from multiple audio channels to a group. This enables you to control the channel levels using one fader, to apply the same effects and EQ to all channels, etc. You can also select a group channel as the input for an audio track, to record a downmix of separate tracks, for example.

PREREQUISITE

You have created and set up a group channel track in stereo.

PROCEDURE

1. Route the group channel track to an output bus.
 2. Add effects to the group channel as insert effects.
 3. Route the mono audio track to the group channel.
-

RESULT

The signal from the mono audio track is sent directly to the group, where it passes through the insert effect in stereo.

Pre Section

The **Pre** section for audio-related channels features a high-cut and a low-cut filter as well as gain and phase settings.

For MIDI channels, the **Pre** section allows you to open the **Input Transformer**.

NOTE

You cannot edit the **Pre** section settings in the EQ curve display.

RELATED LINKS

[Track Input Transformer Window Overview](#) on page 1046

[Equalizer Settings](#) on page 468

Making Filter Settings

Each audio-related channel has separate high-cut and low-cut filters that allow you to attenuate signals with frequencies that are higher or lower than the cutoff frequency.

PROCEDURE

1. On the **MixConsole** toolbar, click **Set up Window Layout**, and activate **Pre** to show the **Pre** section above the fader section.
2. Click to the left of the high-cut filter to activate the high-cut filter. You have the following options:

- Drag the slider to adjust the cutoff frequency.
The available range spans from 20 kHz to 50 Hz.
 - Click **Select Filter Slope** to the right of the high-cut filter to select a filter slope.
You can choose 6, 12, 24, 36, or 48 dB. The default value is 12 dB.
3. Click to the left of the low-cut filter to activate the low-cut filter. You have the following options:
- Drag the slider to adjust the cutoff frequency.
The available range spans from 20 Hz to 20 kHz.
 - Click **Select Filter Slope** to the right of the low-cut filter to select a filter slope.
You can choose 6, 12, 24, 36, or 48 dB. The default value is 12 dB.
-

RESULT

The changed settings are visible in the curve display. If you deactivate the high-cut and low-cut filters, the filter curves are removed from the display. Bypassed high-cut and low-cut filters are displayed in a different color.

Making Input Gain Settings

The **Pre-Gain** slider allows you to change the level of a signal before it reaches the EQ and the effects section. This is useful as the level going into certain effects can change the way the signal is affected. A compressor, for example, can be driven harder by raising the input gain. You can also use gain to boost the level of poorly recorded signals.

PROCEDURE

1. On the **MixConsole** toolbar, click **Set up Window Layout**, and activate **Pre** to show the **Pre** section above the fader section.
 2. Drag the **Gain** slider to the left or to the right to cut or boost the gain.
-

Making Phase Settings

Each audio-related channel and input/output channel has a **Phase** button that allows you to correct the phase for balanced lines and microphones that are wired backwards or that are out of phase due to their positioning.

PROCEDURE

1. On the **MixConsole** toolbar, click **Set up Window Layout**, and activate **Pre** to show the **Pre** section above the fader section.
 2. Activate **Phase** to invert the phase polarity for the signal.
-


View Options for Pre

The view options allow you to choose how the **Pre** controls are shown in the corresponding section.

- To open the view options for **Pre**, right-click the **Pre** section header, and select **Show Pre as**.


The following options are available:

Combined Label & Setting



Shows a combination of the label and the setting.

Separate Label & Setting



Shows the label and the setting separately.

Combined Label & Setting (Compact)



Shows a combination of the label and the setting on one line.

NOTE

The view options only have an effect on audio channels.

Modulators Section

The **Modulators** section for audio-related channels features modulator slots that allow you to add modulators to a channel.

You can add up to 8 modulators to the selected channel.

The following modulators are available:

- **LFO**
- **Envelope Follower**
- **Shaper**
- **Macro Knob**
- **Step Modulator**
- **ModScripter**

RELATED LINKS

[Modulators](#) on page 1001

[Adding Modulators](#) on page 465

Adding Modulators

You can add modulators to **MixConsole** channels.

NOTE

Modulation is restricted to audio-related channels and to parameters that belong to the same channel as the modulator.

PROCEDURE

1. On the **MixConsole** toolbar, click **Set up Window Layout**, and activate **Modulators** to show the **Modulators** section above the fader section.
 2. Click one of the modulators slots to open the modulators selector.
 3. Select a modulator.
-

RESULT

The modulator is added to the channel.

AFTER COMPLETING THIS TASK

- To open the modulator panel, click the modulator slot.

RELATED LINKS

[Modulators](#) on page 1001

[Setting up Modulators](#) on page 1020

[Modulators Section](#) on page 464

Bypassing Modulators

You can bypass all modulators.

- To bypass all modulators, activate **Modulators Bypass on/off** at the top of the **Modulators** section.
- To deactivate bypassing, deactivate **Modulators Bypass on/off**.


View Options for Modulators

The view options allow you to choose how to show the selected **Modulators** in the corresponding section.

- To open the view options for modulators, right-click the **Modulators** section header, and select **Show Modulators as**.


The following options are available:

Plug-in Names



Shows a combination of the plug-in names and the modulator controls.

Plug-in Names & Modulator Controls



Shows the plug-in names and the modulator controls separately.

Inserts Section

The **Inserts** section for audio-related channels features insert effect slots that allow you to load insert effects for a channel. For MIDI channels, you can load MIDI inserts.

For further information, see the separate document **Plug-in Reference**.

RELATED LINKS

[Audio Effects](#) on page 529

Adding Insert Effects

You can add insert effects to **MixConsole** channels.

PROCEDURE

1. On the **MixConsole** toolbar, click **Set up Window Layout**, and activate **Inserts** to show the **Inserts** section above the fader section.
 2. Click one of the insert slots to open the insert selector.
 3. Click an insert effect to select it.
-

RESULT

The selected insert effect is loaded and automatically activated. Its plug-in panel opens.

Changing the Number of Pre-Fader/Post-Fader Slots


For each audio-related channel, you can add and specify the number of pre-fader and post-fader inserts.

PROCEDURE

- Do one of the following:
 - Right-click an insert effect in a pre-fader position. From the context menu, select **Set as last Pre-Fader Slot**.
 - Click and drag the separator for pre-/post-fader slots up or down.
-

RESULT

The number of pre-fader and post-fader slots is adjusted. The color and the separator line show which effect is pre-fader and which effect is post-fader.



Bypassing Insert Effects

You can bypass all insert effects.

- To bypass all inserts, activate **Inserts Bypass on/off** at the top of the **Inserts** section.
- To bypass a single insert, activate **Bypass Insert on/off** on the left of the inserts slot.
- To deactivate bypassing, deactivate **Bypass Insert on/off**.

- To activate/deactivate an insert, **Alt**-click **Bypass Insert on/off**.

Activating Side-Chaining for Inserts

Some of the inserts feature side-chain functionality.

PROCEDURE

1. Right-click an insert effect that supports side-chaining.
 2. From the context menu, select **Activate/Deactivate Side-Chaining**.
-

Saving/Loading FX Chain Presets

You can save and load all insert section settings using FX chain presets. FX chain presets have the file name extension .fxchainpreset.

PROCEDURE

- Right-click the **Inserts** section header, and perform one of the following actions:
 - To save the current settings as a preset, select **Save FX Chain Preset**, and name your preset.
 - To load a preset, select **Load FX Chain Preset**, and select a preset.

NOTE

You can also apply inserts with EQ and channel strip settings from track presets. You can load, tag, and save FX chain presets in the **MediaBay**.

View Options for Inserts

The view options allow you to choose how to show the selected **Inserts** in the corresponding section.

- To open the view options for inserts, right-click the **Inserts** section header, and select **Show Inserts as**.

The following options are available:

Plug-in Names



Shows a combination of the plug-in names and the insert controls.

Plug-in Names & Insert Controls



Shows the plug-in names and the insert controls separately.

Equalizer Section


The **EQ** section is only available for audio-related channels. It features a built-in parametric equalizer with up to 4 bands for each audio channel.

Activating Equalizer Bands

In the **EQ** section, you can activate up to 4 EQ bands for each audio channel.


PROCEDURE

1. On the **MixConsole** toolbar, click **Set up Window Layout**, and activate **EQ** to show the **EQ** section above the fader section.
2. Click **EQ Band on/off** to activate an EQ band.



Equalizer Settings

You can make equalizer settings for the 4 bands. The bands have different default frequency values and different Q names. However, they all have the same frequency range (20 Hz to 20 kHz). You can specify different filter types for each individual module.



1 Equalizers Bypass on/off

Click to bypass all EQ bands.

2 Curve display

Click on the display in a channel to show a larger version. The display is also available in the **EQ** section of the track **Inspector**, in the **Project** window and in the **Channel Settings** window.

Clicking the curve display enlarges the view and shows a cross-hair cursor. The current mouse position shows the frequency, note value, offset, and level at the top or bottom of the display.


- Click to add a curve point and activate the corresponding EQ band.
- Double-click the curve point to deactivate it.
- Drag the curve point up or down to adjust the gain.
- Press **Ctrl/Cmd** to edit only the gain.
- Drag left or right to adjust the frequency.
- Press **Alt/Opt** to edit only the frequency.
- Press **Shift** while dragging to set the Q-factor.
- To invert the EQ curve, open the context menu, and select **Invert EQ Settings**.

The final curve shows the EQ settings as well as active high-cut and low-cut filters of the **Pre** section settings. Bypassed filter settings are shown in a different color than the active settings. Disabled filter settings are hidden from the display.

NOTE

You cannot edit the high-cut and low-cut filters in the curve display. To edit the filters, open the **Pre** section.

Band Settings



1 EQ Band on/off

Activates/Deactivates the equalizer band.

2 Select EQ Band Type

Opens a pop-up menu, where you can select an EQ type for the band. Bands 1 and 4 can act as parametric, shelving, or high/low-cut filters. EQ bands 2 and 3 are always parametric filters.

3 Gain

Sets the amount of cut or boost. The range is ±24 dB.

4 Frequency

Sets the center frequency of the frequency range to be cut or boosted. You can set the frequency either in Hz or as a note value. If you enter a note value, the frequency is automatically displayed in Hz. For example, a note value of A3 sets the frequency to 440

Hz. When you enter a note value, you can also enter a cent offset; for example, A5 -23 or C4 +49.

NOTE

Enter a space between the note and the cent offset. Otherwise, the cent offsets are not taken into account.

5 Q-Factor

Determines the width of the affected frequency range. Higher values result in narrower frequency ranges.

RELATED LINKS

[Making Filter Settings](#) on page 462

Saving/Loading EQ Presets

You can save and load EQ presets.

PROCEDURE

- Right-click the **EQ** section header, and perform one of the following actions:
 - To save the current settings as a preset, select **Save Preset**, and name your preset.
 - To load a preset, select **Load Preset**, and select a preset.

NOTE

You can also apply EQ with insert and channel strip settings from track presets. You can load, tag, and save EQ presets in the **MediaBay**.

Strip Section

The **Strip** section is available for audio-related channels only. It allows you to load built-in processing modules for separate channels. You can change the position of specific modules in the signal flow via drag and drop.

Noise Gate

Allows you to silence audio signals below a set threshold level. As soon as the signal level exceeds the set threshold, the gate opens to let the signal through.

Compressor

Allows you to create smooth compression effects. Drag the compressor up or down to change its position in the signal flow.

EQ

Allows you to make EQ settings.

Tools

Provides various tools.

Sat

Allows you to add warmth to the sound.

Limit

Allows you to prevent clipping, even at high levels.

Noise Gate

Noise gating silences audio signals below a set threshold. As soon as the signal level exceeds the threshold, the gate opens to let the signal through.

Threshold

Determines the level at which **Gate** is activated. Signal levels above the set threshold open the gate, and signal levels below the set threshold close the gate.

Range

Adjusts the attenuation of the gate when it is closed. The higher the value, the higher the level of the signal that passes through the closed gate.

Attack

Sets the time after which the gate opens when it is triggered.

Release

Sets the time after which the gate closes.

Listen Filter

Allows you to monitor the filtered signal.

Activate Filter

Activates/Deactivates the internal side-chain and allows you to set up a filter to modify the signal detection.

Auto Release

Automatically finds the best **Release** setting for the audio material.

Filter Frequency

If the internal side-chain is activated, this parameter sets the filter frequency for the signal detection.

Q-Factor

If the internal side-chain is activated, this parameter sets the resonance of the filter for the signal detection.

State LED

Indicates whether the gate is open (LED lights up in green), closed (LED lights up in red), or in an intermediate state (LED lights up in yellow).

Activate/Deactivate Side-Chaining

Activates/Deactivates the side-chain functionality.

Compressor

This channel strip module reduces the dynamic range of the audio, making softer sounds louder or louder sounds softer, or both.

Open the pop-up menu to select **Standard Compressor**, **Tube Compressor**, or **Vintage Compressor**.

Standard Compressor

The **Standard Compressor** allows you to create smooth compression effects. Drag the compressor up or down to change its position in the signal flow.

Threshold

Determines the level where the compressor kicks in. Only signal levels above the set threshold are processed.

Ratio

Sets the amount of gain reduction that is applied to signals above the set threshold. A ratio of 3:1 means that for every 3 dB the input level increases, the output level increases by 1 dB.

Attack

Determines how fast the compressor responds to signals above the set threshold. The longer the attack time, the more of the early part of the signal passes through unprocessed.

Release

Sets the time it takes for the gain to return to its original level when the signal drops below the threshold.

AutoMakeUp

Automatically adjusts the output for gain loss.

Auto Release

Automatically finds the best **Release** setting for the audio material.

MakeUp Gain

Compensates for output gain loss caused by compression.

Gain Reduction LED

Indicates the level of compression of the signal.

Activate/Deactivate Side-Chaining

Activates/Deactivates the side-chain functionality.

RELATED LINKS

[Standard Compressor – Details View](#) on page 494

Tube Compressor

The **Tube Compressor** with integrated tube-simulation allows you to achieve smooth and warm compression effects. The VU meter shows the level of gain reduction. This compressor features an internal side-chain section that lets you filter the trigger signal.

Input Gain

Determines the compression level. The higher the input gain, the more compression is applied.

Output Gain

Sets the output gain.

Gain Reduction LED

Indicates the level of compression of the signal.

Attack

Determines how fast the compressor responds. The longer the attack time, the more of the early part of the signal passes through unprocessed.

Release

Sets the time it takes for the gain to return to its original level.

Auto Release

Automatically finds the best **Release** setting for the audio material.

Drive

Controls the amount of tube saturation.

Mix

Sets the level balance between the dry signal and the wet signal.

Activate/Deactivate Side-Chaining

Activates/Deactivates the side-chain functionality.

RELATED LINKS

[Tube Compressor – Details View](#) on page 494

VintageCompressor

The **VintageCompressor** is modeled after vintage compressors.

Input Gain

In combination with the **Output Gain** setting, this parameter determines the compression level. The higher the input gain setting and the lower the output gain setting, the more compression is applied.

Output Gain

Sets the output gain.

Attack

Determines the response time of the compressor. The longer the attack time, the more of the early part of the signal passes through unprocessed.

Release

Sets the time it takes for the gain to return to its original level.

Attack Mode (Punch)

If this option is activated, the early attack phase of the signal is preserved, retaining the original punch in the audio material, even with short **Attack** settings.

Auto Release

Automatically finds the best **Release** setting for the audio material.

Gain Reduction LED

Indicates the level of compression of the signal.

Activate/Deactivate Side-Chaining

Activates/Deactivates the side-chain functionality.

RELATED LINKS

[VintageCompressor - Details View](#) on page 495

EQ

You can make equalizer settings for each of the 4 bands. They have different default frequency values and different Q names. However, they all have the same frequency range (20 Hz to 20 kHz). You can specify different filter types for each individual module.

1 EQ Band on/off

Activates/Deactivates the equalizer band.

2 Select EQ Band Type

Opens a pop-up menu, where you can select an EQ type for the band. Bands 1 and 4 can act as parametric, shelf, or high/low-cut filters. EQ bands 2 and 3 are always parametric filters.

3 Gain

Sets the amount of cut or boost. The range is ±24 dB.

4 Q-Factor

Determines the width of the affected frequency range. Higher values result in narrower frequency ranges.

5 Frequency

Sets the center frequency of the frequency range to be cut or boosted.

Tools

Provides tools that allow you to reduce sibilance and attenuate or boost the gain of the attack and release phase of your audio.

DeEsser

This channel strip module reduces excessive sibilance, primarily for vocal and speech recordings. Basically, it is a special type of compressor that is sensitive to the frequencies produced by the s-sound. Close proximity microphone placement and equalizing can lead to situations where the overall sound is just right, but there is a problem with sibilants.

Threshold

Sets a threshold for the incoming signal level above which the plug-in starts to reduce the sibilants.

Reduction

Controls the intensity of the de-essing effect.

Auto Threshold

Automatically and continually chooses an optimum threshold setting, independent of the input signal. The **Auto Threshold** option does not work for low-level signals (<-30 dB peak level). To reduce the sibilants in such a signal, set the threshold manually.

Release

Sets the time it takes for the de-essing effect to return to zero when the signal drops below the threshold.

Solo

Allows you to solo the frequency band to find the appropriate position and width of that band.

Diff

Allows you to listen to the sounds that the de-esser removes from the signal.

Low-Frequency

Allows you to set the low frequency band.

High-Frequency

Allows you to set the high frequency band.

Gain Reduction LED

Indicates the level of compression of the signal.

Activate/Deactivate Side-Chaining

Activates/Deactivates the side-chain functionality.

EnvelopeShaper

This channel strip module can be used to attenuate or boost the gain of the attack and the release phases of audio material. You can use the knobs to change parameter values. Be careful with levels when boosting the gain. If needed, reduce the output level to avoid clipping.

Attack

Changes the gain of the attack phase of the signal.

Release

Changes the gain of the release phase of the signal.

Attack Length

Determines the length of the attack phase.

Output Gain

Sets the output level.

Activate/Deactivate Side-Chaining

Activates/Deactivates the side-chain functionality.

Sat

Allows you to add warmth to the sound. Open the pop-up menu to choose between **Magneto II**, **Tape Saturation**, and **Tube Saturation**.

Magneto II

This channel strip module simulates the saturation and compression of recording on analog tape machines.

Saturation

Determines the amount of saturation and the generation of overtones. This leads to a small increase in input gain.

Low-Frequency

Sets the frequency range of the spectrum band to which the tape effect is applied.

To avoid the saturation of lower frequencies, set the value to 200 Hz or 300 Hz.

HF-Adjust

Sets the amount of high frequency content of the saturated signal.

High-Frequency

Sets the frequency range of the spectrum band to which the tape effect is applied.

To avoid the saturation of very high frequencies, set this parameter to values below 10 kHz.

HF-Adjust On/Off

Activates/Deactivates the **HF-Adjust** filter.

Solo

Allows you to hear just the set frequency range, including the tape simulation effect.

This helps you to determine the appropriate frequency range.

Output

Allows you to adjust the output level.

Saturation Amount LED

Indicates the amount of saturation of the signal.

Tape Saturation

This channel strip module simulates the saturation and compression of recording on analog tape machines.

Drive

Controls the amount of tape saturation.

Low Filter

A low shelving filter with fixed frequency.

High Filter

A high-cut filter. Use the frequency fader to reduce the harshness of the output signal.

Dual

Simulates the use of two tape machines.

Auto Gain

Adjusts the gain automatically.

Output

Sets the output gain.

Drive Amount LED

Indicates the amount of drive of the signal.

Tube Saturation

This channel strip module simulates the saturation and compression of recording of analogue tube compressors.

Drive

Controls the amount of tube saturation.

Low Filter

A low shelving filter with fixed frequency.

High Filter

A high-cut filter. Use the frequency fader to reduce harshness.

Output Gain

Sets the output gain.

Drive Amount LED

Indicates the amount of drive of the signal.

Limit

Allows you to prevent clipping, even at high levels. Open the pop-up menu to choose between **Brickwall Limiter**, **Maximizer**, and **Standard Limiter**.

Brickwall Limiter

Brickwall Limiter ensures that the output level never exceeds a set limit. Due to its fast attack time, **Brickwall Limiter** can even reduce short audio level peaks without creating audible artifacts. However, this channel strip module creates a latency of 1 ms.

Threshold

Determines the level where the limiter kicks in. Only signal levels above the set threshold are processed.

Release

Sets the time it takes for the gain to return to the original level when the signal drops below the threshold.

Auto Release

Automatically finds the best **Release** setting for the audio material.

Gain Reduction LED

Displays the amount of gain reduction.

Maximizer

This channel strip module raises the loudness of audio material without the risk of clipping.

Optimize

Determines the loudness of the signal.

Mix Amount

Sets the level balance between the dry signal and the wet signal.

Output

Determines the maximum output level. Set this to 0 dB to avoid clipping.

Gain Reduction LED

Displays the amount of gain reduction.

Standard Limiter

This channel strip module ensures that the output level does not exceed a set output level, to prevent clipping in subsequent devices. **Standard Limiter** can adjust and optimize the **Release** parameter automatically, according to the audio material, or it can be set manually.

Input

Adjusts the input gain.

Release

Sets the time it takes for the gain to return to its original level. If **Auto Release** is activated, **Standard Limiter** automatically finds the best **Release** setting for the audio material.

Output

Determines the maximum output level.

Gain Reduction LED

Displays the amount of gain reduction.

Saving/Loading Strip Presets

You can save and load strip presets. Strip presets have the file name extension .strippreset.

PROCEDURE

- Right-click the **Channel Strip** section header, and perform one of the following actions:
 - To save the current settings as a preset, select **Save Strip Preset**, and name your preset.
 - To load a preset, select **Load Strip Preset**, and select a preset.

NOTE

You can also apply channel strip settings with insert and EQ settings from track presets. You can load, tag, and save strip presets in the **MediaBay**.

RELATED LINKS

[Loading Strip Presets](#) on page 787

View Options for Strip Modules

The view options allow you to choose how to show the **Strip** modules in the corresponding section.

- To open the view options for the **Strip** section, right-click the section header, and select **Show Strip Modules as**.

The following options are available:

Pop-up Modules



Shows the strip modules and their controls in a pop-up pane.

Strip Modules



Shows the strip modules and their controls in the strip section.

Strip Modules (Exclusive)



Shows only the selected strip module and its controls in the strip section.

NOTE

The view options only have an effect on audio channels.

Sends Section

The **Sends** section for audio-related channels offers send effect slots. These slots allow you to load send effects and value sliders for determining the send level for a channel. For MIDI channels, the **Sends** section features send effect slots that allow you to load send effects.

You can use sends to route audio, instrument, group, and effect channels to output, group, effect channels, or as effect side-chain sources.

Adding Send Effects

In the **Sends** section, you can add send effects.

PROCEDURE

1. On the **MixConsole** toolbar, click **Set up Window Layout**, and activate **Sends** to show the section above the fader section.
 2. Click one of the send slots to open the send selector.
 3. Click a send effect to select it.
The selected send effect is loaded.
 4. Click on the left of the slot to activate the send.
-

Bypassing Send Effects

You can bypass all send effects.

- To bypass all sends, activate **Sends Bypass on/off** at the top of the **Sends** section.
- To deactivate bypassing, deactivate **Sends Bypass on/off**.

Adding Effect Channel Tracks to a Send Effect

You can add an effect channel track that is routed to a send effect from within the **MixConsole**.

PROCEDURE

1. Right-click on the send slot to open the context menu.
 2. Select **Add Effect Track to <send name>**.
 3. In the **Add Effect Track** window, select the effect and configuration.
 4. Click **OK**.
-

RESULT

The effect channel track is added to the **Project** window, and the send is automatically routed to it.


View Options for Send Effects

The view options allow you to choose how to show the selected **Sends** in the corresponding section.

- To open the view options for sends, right-click the **Sends** section header, and select **Show Sends as**.


The following options are available:

Send Destination & Gain



Shows the destination and the gain control separately.

Send Destination, Gain & Send Controls



Shows a combination of the destination, the gain control, and the send controls.

Send Destination & Gain (Compact)



Shows a combination of the destination and the gain control in one line.

Cue Sends Section

Cue sends allow you to create discrete cue mixes that performers can listen to while recording. Essentially, cue sends are stereo aux sends that are routed to cue channel outputs in the **Control Room**.

NOTE

This channel section is available in the **MixConsole** window only.

For every cue channel defined in the **Audio Connections** window, each channel in the **MixConsole** has a cue send, with a level, pan, and pre/post-fader selection.

Adding Cue Sends

You can add cue sends that are routed to cue channel outputs in the **Control Room**.

PREREQUISITE

Create a cue channel in the **Audio Connections** window, and activate the **Control Room**.

PROCEDURE

1. On the **MixConsole** toolbar, click **Set up Window Layout**, and activate **Cue Sends** to show the section above the fader section.
2. Click on the left of the slot to activate the cue send.

RESULT

You can now change the level and pan settings.

Direct Routing Section

In addition to the main output, the **Direct Routing** section allows you to set up a maximum of 7 routing destinations that are positioned post-fader and post-panner in the signal path. This way, you can switch the destination of channels and create different mix versions in one go.

In the **Direct Routing** section, the first routing slot mirrors the routing of the main output.

Direct routing is available for audio, instrument, sampler, effect channel, and group channel tracks, and for output busses. You can also set and activate outputs for several selected channels at once.

RELATED LINKS

[Setting up Direct Routing](#) on page 482

[Automatic Downmixing](#) on page 483

Setting up Direct Routing

In the **Direct Routing** section, you can assign up to 8 routing destinations to each channel.

PROCEDURE

1. On the **MixConsole** toolbar, click **Set up Window Layout**, and activate **Direct Routing**.
The **Direct Routing** section is shown above the fader section.
2. Select all channels for which you want to set up the same destinations. Press **Shift - Alt/Opt**, and click in the first slot of the **Direct Routing** section.
3. In the routing selector, select the main output for the selected channels.

NOTE

We recommend to choose the same set of destinations for all channels that belong together. The main output should also have the widest channel configuration, as it is used as a reference for all additional output destinations.

IMPORTANT

The routing of the main output in the first **Direct Routing** slot defines the channel width. For several functions in Cubase, such as **Export Audio Mixdown** or surround panning to work as expected, the main output routing must be set correctly.

4. Click in the next destination slot, and select another output.
5. Repeat this for as many destination slots as required (up to 8).
After routing your audio tracks to groups, you can route the groups to output busses.
6. For each channel, you can now activate the appropriate routing destination by clicking the corresponding slot.
The active routing destination lights up.

Automating Destination Switches

PROCEDURE

1. Play back your project, and take note of the positions where routing changes are necessary.
2. Write-enable the corresponding track.
3. At the right moment, click on the routing destination to which you want to switch.
The new destination is now active, and the switch has been recorded as automation data.
4. Continue to record destination changes for your project.

NOTE


To switch destinations for multiple channels simultaneously, select these channels, and keep **Shift - Alt/Opt** pressed when activating a different destination.

Feeding Signals to Multiple Destinations

Direct routing offers a summing mode, allowing you to feed your signals to several outputs at the same time. This is useful if you want to apply an effect to several stems simultaneously, for example.

PROCEDURE

1. Set up your output busses as routing destinations.
2. In the **Direct Routing** section, open the context menu, and activate **Summing Mode** for the channels that you want to sum.



NOTE

To activate this setting for all channels at once, use the **Link** function.

3. Activate all outputs to which you want to route the selected channels.

RELATED LINKS

[Setting up Routing](#) on page 460

Automatic Downmixing

The output in the first **Direct Routing** slot defines the channel width. As the other destinations are positioned post-panner in the signal path, they have the same channel width to start with, and the signal needs to be converted accordingly by downmixing. Cubase performs the conversion automatically.

NOTE

Select the output with the widest channel configuration in the first slot. It is not recommended to use a setup where the main output has fewer channels than the direct routing destination, even though it is technically possible. Upmixing might lead to unexpected side effects.

When performing an automatic downmix from 5.1 to stereo, the levels are adjusted as follows:

Automatic Downmixing from 5.1 to stereo

| | L | R | C | Lfe | Ls | Rs |
|---|-----|-----|-------|-------|-------|-------|
| L | 0.0 | | -3.01 | -3.01 | -6.02 | |
| R | | 0.0 | -3.01 | -3.01 | | -6.02 |

Center and Lfe signals are split into L and R channels. Ls and Rs are sent to L and R respectively, but reduced in volume.

When performing an automatic downmix from 7.1 to 5.1, the levels are adjusted as follows:

Automatic Downmixing from 7.1 to 5.1

| | L | R | C | Lfe | Ls | Rs | SI | Sr |
|-----|-----|-----|-----|-----|-----|-----|-------|-------|
| L | 0.0 | | | | | | -3.01 | |
| R | | 0.0 | | | | | -3.01 | |
| C | | | 0.0 | | | | | |
| Lfe | | | | 0.0 | | | | |
| Ls | | | | | 0.0 | | -3.01 | |
| Rs | | | | | | 0.0 | | -3.01 |

SI and Sr signals are split into L/R and Ls/Rs respectively, but reduced in volume.

Track Quick Controls Section

The **Quick Controls** section gives you instant access to 32 different parameters, for example, track, effect, or instrument controls.

This saves you from having to click your way through the various windows and sections pertaining to your track.

NOTE

The **Quick Controls** section is available in the **MixConsole** window only.

Adding Track Quick Controls in the MixConsole

You can add **Quick Controls** in the **MixConsole**.

PROCEDURE

1. On the **MixConsole** toolbar, click **Set up Window Layout**, and activate **Quick Controls** to show the section above the fader section.
 2. Click one of the slots to open a selector.
 3. Select a parameter from the list.
-

RESULT

The selected parameter is loaded and automatically activated as a **Quick Control**.

RELATED LINKS

[Parameter Assignment](#) on page 960


View Options for Track Quick Controls

The view options allow you to choose how to show the selected **Quick Controls** in the corresponding section.

- To open the view options for quick controls, right-click the **Quick Controls** section header, and select **Show Quick Controls as**.


The following options are available:

Combined Destination & Value



Shows a combination of the destination and the value.

Separate Destination & Value



Shows the destination and the value separately.

Device Panels Section

You can display device panels; for example, for external MIDI devices, audio track panels, or VST insert effect panels.

NOTE

The **Device Panel** section is available in the **MixConsole** window only.

For information on how to create or import MIDI device panels, see the separate document **MIDI Devices**.

RELATED LINKS

[Device Panels](#) on page 1064

Reordering Channels in the MixConsole

You can reorder channels in the **MixConsole**. The corresponding tracks in the track list follow.

PROCEDURE

1. Select the channels that you want to reorder.
2. Click the channel name or the meter section of one of the channels, and drag the channels to the left or to the right in the fader section.

The cursor becomes a hand symbol to indicate that you can drag the channel. A green line indicates the positions where you can drop the channels.

NOTE

You can also move channels by right-clicking a selected channel and selecting one of the following commands from the **Move Selected Channels** menu:

- **To New Folder** moves the corresponding tracks from the track list into a newly created folder. Folders are not shown in the **MixConsole**.
- **To Previous Available Position** moves the channels to the previous position.
- **To Next Available Position** moves the channels to the subsequent position.
- **To First Available Position** moves the channels to the first position.

- **To Last Available Position** moves the channels to the final position.
-

RESULT

The **MixConsole** channels are reordered, and the corresponding tracks in the track list are rearranged accordingly. You can restore the original order via the **Edit History** dialog.

NOTE

- You can also reorder tracks/channels by selecting them on the **Visibility** tab of the **Project** window or the **MixConsole** and dropping them onto the **Project** window track list or the **MixConsole** fader section, and vice versa.
 - Multi-out instrument return channels cannot be positioned outside their group.
 - Input and output channels have fixed positions in the **MixConsole**. You cannot reorder them, and they are not rearranged accordingly in the track list.
-

RELATED LINKS

[Reordering Tracks in the Track List](#) on page 204

[MixConsole Window](#) on page 426

[MixConsole Visibility](#) on page 431

[Track Visibility](#) on page 76

Adding Pictures to MixConsole Channels

You can add track pictures to one or multiple channels in the **MixConsole**.

PROCEDURE

1. On the **MixConsole** toolbar, click **Set up Window Layout**, and activate **Pictures**.
 2. Do one of the following:
 - To add a picture to a channel, select the channel, and double-click the pictures section.
 - To add the same picture to multiple channels, select multiple channels, hold **Shift**, and double-click the pictures section.
 3. In the **Track Pictures Browser**, select a picture.
 4. Click **OK**.
-

RESULT

The picture is shown in the track list and in the **MixConsole** pictures section.

RELATED LINKS

[Track Pictures Browser](#) on page 206

[Showing Track Pictures](#) on page 206

Adding Notes to a MixConsole Channel

You can add annotations to **MixConsole** channels.

PROCEDURE

1. On the **MixConsole** toolbar, click **Set up Window Layout**, and activate **Notepad**.
The **Notepad** section is shown above the fader section.

2. Select the channel for which you want to add notes, click in the **Notepad** section, and enter your notes.
 3. To close the **Notepad**, press **Esc**, or click in another section of the **MixConsole**.
-

Applying Channel Colors to Channel Controls

You can apply channel colors to the channel controls. This is useful if you have many channels in the **MixConsole** and you want to identify them by their color.

PREREQUISITE

You have manually or automatically assigned track/channel colors.

PROCEDURE

1. Select **Edit > Preferences**.
2. Open the **User Interface** page, and select **Track & MixConsole Channel Colors**.
3. In the **Colorize Tracks and MixConsole Channels** section, activate **MixConsole Channels**.
4. Optional: To adjust the brightness of a selected channel, adjust the **Selection Brightness** slider.

NOTE

By default, the selected channel is shown in gray. If you want to display the selected channel in color, activate **Show Color for Selected Channel**. You can then discern it from the other channels by its pronounced color strength.

-
5. Click **OK**.
-

RESULT

The channel colors are applied to the channel controls.

RELATED LINKS

- [Automatically Assigning Colors to New Tracks/Channels](#) on page 205
[Colorizing Single Tracks](#) on page 110
[Colorizing Selected Tracks](#) on page 109
[User Interface](#) on page 1543
[User Interface - Track & MixConsole Channel Colors](#) on page 1544

Channel Latency Overview

The **Channel Latency Overview** displays the latencies caused by insert effects, channel strip modules, or panners for audio-related channels in the **MixConsole**.

- Click **Set up Window Layout** on the **MixConsole** toolbar, and activate **Channel Latency** to show channel latencies in the fader section, then click **Open Channel Latency Overview** to open an overview of the latencies for a specific channel.



NOTE

The **Channel Latency Overview** is only available if latencies are present.

The **Channel Latency Overview** shows the following information:

| Channel Latency Overview | | | |
|--------------------------|-----------|--------------|-------------------|
| Name | Type | Latency (ms) | Latency (Samples) |
| MultibandCompressor | Inserts 1 | 113.4 (*) | 5442 |
| Brickwall Limiter | Inserts 2 | 1.0 (**) | 48 |
| Total Channel Latency | | 114.4 | 5490 |

Name

The name of the plug-in that causes the latency.

Type

Indicates if the latency is caused by an insert effect, a channel strip module, or a panner.

Latency (ms)

Shows the latency in milliseconds.

NOTE

- If the latency value is marked with (*), the corresponding plug-in features a **Live** button or a low latency mode. If you activate **Constrain Delay Compensation**, this mode is automatically activated.
- If the latency value is marked with (**), the corresponding plug-in does not feature a **Live** button or a low latency mode. If you activate **Constrain Delay Compensation** and the plug-in latency is higher than the **Constrain Delay Compensation** threshold, this plug-in is automatically deactivated.

NOTE

If you want any plug-in delay to be compensated during playback, make sure that **Constrain Delay Compensation** is deactivated.

Latency (Samples)

Shows the latency in samples.

Total Channel Latency

Shows the total latency for that channel in milliseconds and in samples.

RELATED LINKS

- [Plug-In Delay Compensation](#) on page 531
[Functions Menu](#) on page 450
[Constrain Delay Compensation](#) on page 948
[MixConsole Window](#) on page 426
[VST](#) on page 1545

Channel Settings

You can open each **MixConsole** channel in a separate **Channel Settings** window. This allows for a better overview and easy editing of individual channels and their settings.

The channel selection in the **Channel Settings** window is synchronized with the channel selection in the **MixConsole** and the track selection in the **Project** window.

NOTE

To separate the channel selection in the **Channel Settings** window from the channel selection in the **MixConsole**, open the **Functions Menu** on the toolbar of the **Channel Settings** window, and deactivate **Follow 'e' buttons or selection changes**.

To separate the channel selection in the **Channel Settings** window from the track selection in the **Project** window, deactivate **Sync Selection in Project Window and MixConsole** in the **Preferences** dialog (**Editing—Project & MixConsole** page).

To open the channel settings for an audio-related channel, do one of the following:

- In the fader section of the **MixConsole**, select the channel, and click **Edit Channel Settings**.
- In the track list, select the track, and, in the top section of the **Inspector**, click **Edit Channel Settings**.
- In the track list, select the track, and, on the track, click **Edit Channel Settings**.



The **Channel Settings** window is divided into several sections:

1 Toolbar

The toolbar shows tools and shortcuts for settings and functions in the **Channel Settings** window.

2 Inserts/Strip

The **Inserts** section features insert effect slots that allow you to load insert effects for a channel.

The **Strip** section allows you to load built-in processing modules for separate channels.

3 Channel Strip/Equalizer

The **Channel Strip** section allows you to load built-in processing modules for separate channels.

The **Equalizer** section features a built-in parametric equalizer with up to 4 bands for each audio channel.

4 Sends/Cue Sends

The **Sends** section features send effect slots that allow you to load send effects.

The **Cue Sends** section allows you to create discrete cue mixes that performers can listen to during recording.

5 Direct Routing

The **Direct Routing** section allows you to set up 7 routing destinations that are positioned post-fader and post-panner in the signal path. This way, you can switch the destination of channels and create different mix versions in one go.

6 Fader

The fader section shows the current channel.

7 Output Chain

The output chain allows you to keep track of more complicated output routings.

The sections are arranged in zones at the left and right of the **Channel Settings** window.

RELATED LINKS

[Channel Settings – Channel Inserts](#) on page 492

[Channel Settings – Channel Strip](#) on page 493

[Channel Settings – Equalizer](#) on page 498

[Channel Settings – Channel Sends](#) on page 500

[Channel Settings – Direct Routing](#) on page 501

[Channel Settings – Channel Faders](#) on page 502

[Equalizer Settings](#) on page 468

[Routing Editor](#) on page 538

[Direct Routing Section](#) on page 481

Channel Settings Toolbar

The toolbar in the **Channel Settings** window contains tools and shortcuts for settings and functions in the **Channel Settings** window.

Channel Navigation

Go to Last Edited Channel



Shows the channel that you last edited in the **Channel Settings** window. This is only available if you have edited at least 2 channels.

Go to Next Edited Channel



Shows the next channel in the **Channel Settings** window. This is only available if you have edited at least 2 channels.

Go to Previous MixConsole Channel



Shows the previous **MixConsole** channel in the **Channel Settings** window.

Go to Next MixConsole Channel



Shows the next **MixConsole** channel in the **Channel Settings** window.

Search Channels



Allows you to search for specific channels and to display them in the **Channel Settings** window.

Left Divider

Left Divider

Tools that are placed to the left of the divider are always shown.

Channel Sources

Input



Opens the name of the input channel.

Go to Input>Select an Input



Shows the input channel in the **Channel Settings** window.

Channel Name

Channel Name



Shows the name of the channel that is shown in the **Channel Settings** window.


Channel Destinations

Go to Output>Select an Output



Opens the output channel in the **Channel Settings** window.

Output



Shows the name of the output channel.

Edit Instrument

Edit VST Instrument



Allows you to open the VST instrument control panel. This is available for MIDI and instrument channels only.

Output Chain

Show Output Chain



Shows the output chain. This allows you to keep track of more complicated output routings.

Track Templates

Load Track Preset



Allows you to load/save track presets.

Preset Management



Opens a pop-up menu that allows you to load, save or reload a track preset.

Channel Functions

Functions Menu



Opens a pop-up menu where you can select a **Channel Settings** function.

Window Zone Controls


Set up Window Layout



Allows you to set up the window layout.

Channel Settings – Channel Inserts

The **Channel Inserts** section is shown in the **Channel Settings** window.



Inserts Bypass on/off

Bypasses the insert effects for the channel.

Inserts

Allows you to add insert effects for the channel.

Preset Management

Allows you to load or save FX Chain presets.

Move Channel Strip to Pre/Post-Inserts Position

Allows you to move the channel strip to a pre-fader position or to a post-fader position in the signal flow.

Strip

Allows you to activate and set up channel strip modules for the channel.

Routing

Allows you to set up the routing for insert effects.

RELATED LINKS

[Channel Settings](#) on page 488

Channel Settings – Channel Strip

The **Channel Strip/Equalizer** section is shown in the **Channel Settings** window.



Channel Strip Bypass on/off

Bypasses the channel strip modules for the channel.

NOTE

You can reset the channel strip modules for the channel by **Alt/Opt**-clicking this button.

Channel Strip

Allows you to activate and set up channel strip modules for the channel.

Preset Management

Allows you to load or save strip presets.

Channel Strip Modules

The following channel strip modules are shown:

- Noise Gate
- Compressor
- EQ
- Tools
- Sat
- Limit

You can change the position of channel strip modules in the signal chain by dragging.

RELATED LINKS

[Noise Gate](#) on page 471

[Compressor](#) on page 471

[EQ](#) on page 473

- [Tools on page 474](#)
- [Sat on page 475](#)
- [Limit on page 476](#)
- [Channel Settings on page 488](#)

Standard Compressor – Details View

The **Standard Compressor** features a details view with more controls and value readouts for the meters.

- To open the details view, click **Edit Module** .



In the details view, the following additional parameters are available:

- Soft Knee/High Ratio
- Hold
- Analysis
- Dry Mix
- Input Gain meter
- Output Gain meter
- Gain Reduction meter

You can close the details view by clicking **Close Module** .

RELATED LINKS

[Standard Compressor on page 471](#)

Tube Compressor – Details View

The **Tube Compressor** features a details view with more controls and value readouts for the meters.

- To open the details view, click **Edit Module** .



In the details view, the following additional parameters are available:

- Character
- Low/High switch for Ratio
- Side-chain section with Frequency, Filter Type, Q-Factor, and Monitor
- Input Gain meter
- Output Gain meter

You can close the details view by clicking **Close Module**

RELATED LINKS

[Tube Compressor](#) on page 472

VintageCompressor - Details View

The **VintageCompressor** features a details view with more controls and value readouts for the meters.

- To open the details view, click **Edit Module**



In the details view, the following additional parameters are available:

- Mix
- Ratio buttons
- Input Gain meter
- Output Gain meter
- Gain Reduction meter

You can close the details view by clicking **Close Module**

RELATED LINKS

[VintageCompressor](#) on page 473

Maximizer – Details View

The **Maximizer** features a details view with more controls and value readouts for the meters.

- To open the details view, click **Edit Module**



In the details view, the following additional parameters are available:

- Classic
This mode is suited for all styles of music.
- Modern
This mode is particularly suited for contemporary styles of music. **Release** allows you to set the overall release time, **Recover** allows for a faster signal recovering at the beginning of the release phase.
- Soft Clip
Activate this to start limiting or clipping the signal softly and to generate harmonics that add a warm, tube-like characteristic to the audio material.
- High resolution input/output meter with gain reduction.

You can close the details view by clicking **Close Module**

RELATED LINKS

[Maximizer](#) on page 477

Channel Settings – Equalizer

The **Channel Strip/Equalizer** section is shown in the **Channel Settings** window.



Equalizers Bypass on/off

Bypasses the equalizer settings for the channel.

NOTE

You can reset the equalizers by **Alt/Opt**-clicking this button.

Preset Management

Allows you to load or save equalizer presets.

Activate Channel Comparison

Activates the channel comparison mode that allows you to view and edit the spectral curves and EQ settings of two channels at the same time.

Select Reference Channel

Allows you to select the reference channel for the channel comparison. Click **Solo** to solo the channel.

Select Comparison Channel pop-up menu

Allows you to select a channel as comparison channel.

Equalizer Settings

Opens the **Equalizer Settings** panel.

Equalizer display

Allows you to make equalizer settings for the 4 bands in a large EQ curve display with several modes.

Here, you can also view and edit the reference and the comparison channel.

NOTE

You can modify the color settings for the **EQ Reference Channel** and the **EQ Comparison Channel** in the **Preferences** dialog (**User Interface—MixConsole Section Colors** page).

Equalizer Controls

Allows you to make equalizer settings for the 4 bands in a large EQ curve display with several modes.


RELATED LINKS

[Channel Settings](#) on page 488

Equalizer Settings Panel

The **Equalizer Settings** panel allows you to set up the equalizer.

- To open the **Equalizer Settings** panel, click **Equalizer Settings** in the **Equalizer** section of the **Channel Settings** window.



Show Equalizer Controls

Shows/Hides the equalizer controls.

Show Controls as Sliders

Shows the equalizer controls as sliders.

Show Controls as Knobs

Shows the equalizer controls as knobs.

Show FFT Pre EQ Curve

Shows/Hides the FFT (Fast Fourier Transform) input curve for the reference channel.

Hold FFT Post EQ Peak Curve

Holds the peak values of the FFT (Fast Fourier Transform) output curve for the reference channel.

Transparency for Reference/Comparison Channel Curve

Allows you to adjust the transparency of the filled area for the spectral curves. This is useful if you compare the spectral curves of two channels and you want to see both spectral curves at once: the curve of the selected channel in the front, and the curve of the other channel in the back.

Comparing Channels

You can compare the EQ settings and the spectral curves of two channels in the equalizer display of the **Channel Settings** window.

PROCEDURE

1. In the **MixConsole**, select a channel that you want to compare to another one, and click **Edit Channel Settings**.
2. In the **Channel Settings** window, open the **Channel Strip/Equalizer** section, and activate the **Equalizer** section.
3. Click **Activate Channel Comparison**, and start playback.
The EQ settings and the spectral curve of the selected reference channel are shown in the EQ display.
4. Open the **Select Comparison Channel** pop-up menu, and select the channel that you want to compare to the reference channel.
Both spectral curves are shown in the equalizer display, and you can compare and edit them.
5. Do one of the following:
 - Adjust the settings for the selected reference channel.
 - Click **Select Comparison Channel**, and adjust the settings for the selected comparison channel.

RESULT


You have now compared and edited the settings for two channels. To compare the reference channel with another channel, open the **Select Comparison Channel** pop-up menu again, and select a new comparison channel.

RELATED LINKS

- [Equalizer Settings Panel](#) on page 499
[Channel Settings – Equalizer](#) on page 498
[User Interface](#) on page 1543

Channel Settings – Channel Sends

The **Channel Sends** section is shown in the **Channel Settings** window.



Sends Bypass on/off

Bypasses the send effects for the channel.

Sends—Destinations

Allows you to set up a destination for the send effects of the channel.

Sends—Panning

Allows you to set up panning for the send effects.

Cue Sends Bypass on/off

Bypasses the cue send effects for the channel.

Cue Sends

Allows you to add cue send effects for the channel.


RELATED LINKS

[Channel Settings](#) on page 488

Channel Settings – Direct Routing

You can open the **Direct Routing** section in the **Channel Settings** window.

- To open the **Direct Routing** section in the **Channel Settings** window, click **Set up Window Layout**, and activate **Direct Routing**.



The **Direct Routing** section allows you to set up routing destinations that are positioned post-fader and post-panner in the signal path. This way, you can switch the destination of channels and create different mix versions in one go.

RELATED LINKS

[Channel Settings](#) on page 488

[Direct Routing Section](#) on page 481

Channel Settings – Channel Faders

The **Channel Faders** section is shown in the **Channel Settings** window.



The controls are the same as in the **MixConsole** fader section.

RELATED LINKS

[Fader Section](#) on page 452

[Channel Settings](#) on page 488

Keyboard Focus in the MixConsole

You can control the left zone, the channel section, and the fader section with the computer keyboard.

For this to work, the section must have the focus. If a section has the keyboard focus, the border that surrounds it is highlighted in a specific color.

Activating Keyboard Focus

To be able to control the **MixConsole** with the keyboard, you must activate the keyboard focus.

PROCEDURE

1. Click in an empty area of the section to activate the keyboard focus.
 2. Press **Tab** to activate the next section. This allows you to cycle forward through the sections.
 3. Press **Shift - Tab** to activate the previous section.
-

Navigating in a Section

Once you have activated the focus for a section, you can control it with the computer keyboard. The channel sections and the fader controls that are selected for keyboard control are indicated by a red border.

CHOICES

- To navigate through the controls, use the **Up Arrow**, **Down Arrow**, **Left Arrow**, or **Right Arrow** keys.
 - To activate or deactivate a switch, press **Return**.
 - To expand or collapse an active section, to open or close a value field in a slot, or to open the plug-in panel for a loaded plug-in, press **Return**.
 - To access the controls in the left zone, press **Ctrl/Cmd-Return**.
 - To access the controls in the middle zone, press **Return**.
 - To access the controls in the right zone, press **Alt/Opt-Return**.
 - To close a pop-up menu or a plug-in panel, press **Esc**.
 - To enable or disable the loaded plug-in, press **Ctrl/Cmd-Alt/Opt-Return**.
-

VCA Faders

VCA faders serve as remote controls for groups of channel faders in the **MixConsole**.

VCA stands for Voltage-Controlled Amplifier. VCA faders were originally found on hardware mixing desks. They allowed users to control the volume levels of several mixer channels with only one fader. To assign channel faders to a VCA fader, the respective channels must be physically connected with the VCA fader.

In Cubase, the VCA fader function is based on the same concept. VCA faders are assigned to a group of linked channels, a link group. The VCA faders control the following parameters of the link group: volume, mute, solo, listen, monitor, and record.

When you assign VCA faders, they become part of the link group.

IMPORTANT

If a VCA fader controls a link group, it cannot control another link group. If you assign a VCA fader to another group, the VCA fader is automatically removed from the former group.

You can create several VCA faders without assigning them to link groups straight away.

From a technical perspective, moving a VCA fader to a different dB level adds or subtracts the new value to or from the original values of the channels in the link group.

EXAMPLE

A channel in a link group has a level of -6 dB, the VCA fader is at the 0 position. If you move the VCA fader to a level of +3 dB, this value is added to the level of the linked channel. The linked channel now has a level of -3 dB.

VCA Fader Settings

VCA fader channels are different from the default fader channels.

Instead of the panner, the VCA faders display the link group to which they are assigned. The VCA faders also provide a pop-up menu that allows you to change the VCA fader settings.



- 1 Link group number
- 2 Link group name
- 3 VCA fader pop-up menu
- 4 Peak meter that displays the summed up level of all channel meters in the link group
- 5 Fader handle

The VCA fader pop-up menu provides the following options:

Edit Link Group Settings

Allows you to change the link group settings.

VCA Channel Controls Link Group: <link group name>

Shows the link group that the VCA fader controls. You can assign the VCA fader to a different link group. This removes the VCA fader from the current group. You can also remove the VCA fader assignment altogether. In this case, select **None**. In all cases, you must specify if you want the linked channels to revert to their original automation.

Combine Automation of VCA and Linked Channels

Combines the automation curves of VCA fader and linked channels in the **Project** window. As a result, the original automation curves of the linked channels are no longer used. In the **Project** window, the automation of the VCA fader is reset to the static value line. In the **MixConsole**, the VCA fader is reset to the 0 position.

NOTE

If you use this function together with bézier automation curves, the combined automation curve will consist of linear ramps with varying resolution. These should emulate the bézier curves as precisely as possible.

Linked Channels

Shows which channels are linked in the link group.

RELATED LINKS

[VCA Fader Automation](#) on page 508

[Creating Smooth Transitions Between Automation Events \(Bézier Automation Curves\)](#) on page 858

[Link Group Settings Dialog](#) on page 446

Creating VCA Faders in the MixConsole

You can create VCA faders in the **MixConsole**.

PROCEDURE

1. Select **Studio > MixConsole**.
 2. Right-click in the fader section, and select **Add VCA Track**.
-

RESULT

This creates an unassigned VCA fader and places it at the right end of the fader section, in front of the output channels.

RELATED LINKS

[Assigning VCA Faders to Link Groups](#) on page 506

[VCA Fader Track](#) on page 146

[Add Track Dialog – VCA](#) on page 146

Creating VCA Faders for a Selection of Channels

You can select several channels and automatically connect the channels to a new link group, create a VCA fader, and assign the VCA fader to this link group.

PROCEDURE

1. Select several channels in the **MixConsole**.
 2. Right-click one of the selected channels.
 3. In the context menu, select **Add VCA Track to Selected Tracks**.
-

RESULT

The channels are linked in a link group. A VCA fader is created, and assigned to the link group.

NOTE

If a VCA fader is created for a selection of channels, the **Selection** option is deactivated for the link group by default. You can change this setting in the **Link Group Settings** dialog.

RELATED LINKS

[Linking Channels](#) on page 446

[Changing the Link Group Settings](#) on page 449

[Link Group Settings Dialog](#) on page 446

Assigning VCA Faders to Link Groups

You can link channels and assign VCA faders to control them.

PREREQUISITE

You have selected channels.

PROCEDURE

1. Click **Link** on the **MixConsole** toolbar.
 2. In the **Link Group Settings** dialog, click in the **Name** field to enter a name for the link group.
 3. Activate **Use VCA Channel**.
The **Volume** parameter is automatically deactivated.
 4. Specify if you want to create a new VCA fader or select an existing VCA fader from the pop-up menu.
 5. Click **OK**.
-

RESULT

The channels are now linked to the VCA fader. At the top of the fader section, the display line shows the number and the name of the link group. The VCA fader also displays the link group name.

NOTE

- If you want to assign the VCA fader to a different link group, you can open the pop-up menu of the VCA fader, select **VCA Channel Controls Link Group: <name of group>**, and select a different group from the list of available link groups.
- If you want to add a VCA fader quickly, select **Add VCA Track to Selected Tracks**. This automatically creates a VCA fader with a default name.

RELATED LINKS

[Link Group Settings Dialog](#) on page 446

Removing VCA Faders from Link Groups

You can remove VCA faders from link groups.

PREREQUISITE

You have selected the VCA fader that you want to remove.

PROCEDURE

1. Click **Edit Link Group Settings** on the **MixConsole** toolbar.
2. In the **Link Group Settings** dialog, deactivate **Use VCA Channel**.
The **Volume** parameter is automatically reactivated.
3. Click **OK**.
4. Specify if the channels in the link group keep the combined automation.

RESULT

The VCA fader is removed from the link group and deleted from the list of channels.

NOTE

You can keep the VCA fader in the fader section. In this case, open the VCA fader pop-up menu, select **VCA Channel Controls Link Group: <name of group>**, and select **None**. This removes only the VCA fader assignment.

RELATED LINKS

[Link Group Settings Dialog](#) on page 446

Nested VCA Faders

VCA faders can control other VCA faders.

If you use several VCA faders that control different link groups, you can create another VCA fader that controls the VCA faders. This allows you to control the volume level of several link groups at the same time.

Technically, a VCA fader that controls other VCA faders affects the volume level of all VCA faders and linked channels.

EXAMPLE

A VCA fader (main fader) controls a nested VCA fader that has been set to -10 dB. The latter VCA fader controls a linked channel with an original level of -3 dB that is set to -13 dB. If you change

the main fader level from 0 to +4 dB, the controlled VCA fader is set to a level of -6 dB, and the linked channel is set to a level of -9 dB.

VCA Fader Automation

VCA fader automation influences the automation of link groups.

When you create VCA faders, their tracks in the **Project** window contain the static value line that is default for all automation tracks. Once you start writing automation, the static value line turns into an automation curve.

Whenever you write automation for a VCA fader of a link group, it affects the volume automation of the linked channels. This has different effects:

- If a linked channel has no automation, the VCA fader automation curve is automatically added to the automation tracks of the linked channels. The automation tracks of the linked channels show the automation that is applied through the VCA fader.
- If a linked channel has volume automation, the VCA fader automation modifies the existing volume automation of the linked channel. The VCA fader automation and the linked channel automation are combined. The automation tracks show the original automation and the combined automation of VCA fader and linked channels.

RELATED LINKS

[VCA Fader Settings on page 504](#)

[Creating Smooth Transitions Between Automation Events \(Bézier Automation Curves\) on page 858](#)

Control Room

The **Control Room** allows you to divide the studio environment into the performing area (studio) and the engineer/producer area (control room).

To open the **Control Room**, you have the following options:

- To open the **Control Room** in a separate window, select **Studio > Control Room**.
- To open the **Control Room** section in the **MixConsole** window, click **Show/Hide Right Zone** on the **MixConsole** toolbar.
- To open the **Control Room** section in the **Project** window, click **Show/Hide Right Zone** on the **Project** window toolbar.

The **Control Room** is divided into 2 sections.

- The **Main** tab contains all controls that you use regularly during recording, mixing, and mastering, for example.
- The **Inserts** tab contains settings that you probably use only once in a project.

RELATED LINKS

[MixConsole Toolbar](#) on page 433

[Project Window Toolbar](#) on page 54

Adding Channels to the Control Room

To be able to use the **Control Room**, you must first add the channels that you need.

PROCEDURE

1. Select **Studio > Audio Connections**.
2. Click **Control Room**.
3. Make sure that **Control Room**  is enabled.
4. Click **Add Channel**.
A pop-up menu lists all available channel types and shows how many instances of each type are available.
5. Select a channel type.
For most channel types, a dialog opens that allows you to choose the channel configuration.
6. Click the **Audio Device** column to set an audio device for the channel type.
7. Click the **Device Port** column to assign a port for the channel.

IMPORTANT

You cannot assign the same device port to a bus or channel and a **Control Room** channel at the same time.

RESULT

The **Control Room** functions are available for use. If you disable the **Control Room**, the configuration is saved and restored when you reenable the **Control Room**.

Output Routing

For the **Control Room** to work properly, assign the **Main Mix** bus to the set of outputs that contains the mix that you want to hear.

If you only have one output bus, it automatically becomes the **Main Mix**. All other outputs are not routed through the **Control Room**.

Exclusive Assignment of Monitor Channels

Generally, the port assignment to the **Control Room** channels is exclusive. However, it can be useful to create monitor channels that share device ports with each other as well as inputs and outputs. This can be helpful if you use the same speakers as a stereo pair and also as the left and right channels of a surround speaker configuration, for example.

Switching between monitors that share device ports is seamless. Multi channel audio is mixed down to stereo, as needed. Only one monitor set can be active at a time.

If your scenario does not require you to assign ports to several monitor channels, we recommend to activate the **Exclusive Device Ports for Monitor Channels** option in the **Preferences** dialog (**VST—Control Room** page). This ensures that you do not accidentally assign ports to inputs/outputs and monitor channels at the same time.

IMPORTANT

The state of the **Exclusive Device Ports for Monitor Channels** preference is saved with the **Control Room** presets. Therefore, if you recall a preset, your current setting in the **Preferences** dialog might be overwritten.

Control Room Channels

Each **Control Room** channel type that you create defines an input or output of the **Control Room**.

Monitor Channels

A monitor channel represents a set of outputs that are connected to monitor speakers in the **Control Room**.

You can create up to 4 monitor channels for a mono, stereo, or surround speaker configuration. Each monitor can have its own custom downmix settings, input gain, and input phase settings.

NOTE

Monitor channels can share hardware inputs or outputs with another bus or channel. When you create the connections for the monitor channels, device ports that are already used for other busses or channels are shown in red on the **Device Port** pop-up menu. If you select a used port, its previous connection is lost.

Phones Channel

You can use the phones channel in the **Control Room** to listen to cue mixes.

You can create 1 phones channel for a stereo configuration. It allows you to listen to the main mix or cue mixes or to external inputs on a pair of headphones. You can also use it for previewing.

Cue Channels

You can use cue channels for sending cue mixes, also known as headphone mixes, to performers in the studio during recording.

You can create up to 4 cue channels in mono or stereo for 4 discrete cue mixes. Cue channels have talkback and click functions. They allow you to monitor the main mix, external inputs, or a dedicated cue mix.

EXAMPLE

If you have 2 available headphone amplifiers for performers, you can create 1 cue channel for each cue mix and name them according to their function: vocalist mix, bass player mix, etc.

Cue Channels and Cue Sends

For every cue channel that you define in the **Audio Connections** window, each channel in the **MixConsole** has a cue send with level, pan, and pre/post-fader selection. These cue sends can be used to create discrete cue mixes that performers can listen to.

- To display the cue sends, open the **MixConsole**, click **Set up Window Layout**, and activate **Cue Sends**.

External Inputs

You can use external inputs for monitoring external devices, such as CD players, multi-channel recorders, or any other audio source.

You can create up to 6 external inputs for a mono, stereo, or surround speaker configuration.

NOTE

If you select external inputs as the input source of an audio channel, you can record them. In this case, you do not need to assign the device ports to the input channel.

Talkback Channels

You can use talkback channels for communication between the **Control Room** and performers in the studio.

You can create 1 talkback channel and assign a mono input channel to it.

You can also use talkback channels as the input source for audio tracks and record them. You can route them to each cue channel and use different levels.

You can insert effects like a compressor or limiter on talkback channels. This prevents erratic levels from disturbing performers and ensures clear communication.


NOTE

The **Auto Disable Talkback Mode** option in the **Preferences** dialog (**VST—Control Room** page) allows you to specify how talkback works during playback and recording.

Control Room - Main Tab


The **Control Room Main** tab displays information and controls for the channels that you define on the **Control Room** tab in the **Audio Connections** window.

The **Control Room Main** tab is divided into a number of sections that you open by clicking their header. To open several sections simultaneously, use **Ctrl/Cmd**-click.



External


The **External** section allows you to use external inputs for monitoring external devices. It is only shown if you have added more than one external input in the **Audio Connections** window.



To switch to another external input, click the input name, and select a new external input from the pop-up menu.

Cue Channel

The **Cue Channel** section allows you to set up cue channels for sending cue mixes.



Activate Cue Channel

Allows you to activate/deactivate the cue channel.

Source selectors

Allow you to select the source for the cue channel: monitor mix (**Mix**), external inputs (**Ext**), or the cue sends (**Cues**). The signal presence indicators in the upper left corner light up when the source channel is sending data to the cue channel.

Cue Level

Allows you to set the cue level.

Enable Talkback to Cue Channel

Allows you to activate talkback for communication between the **Control Room** and the performers in the studio. You can set the level of the talkback signal with the slider.


Activate Metronome Click

Activates the metronome click. Use the **Click Level** and **Click Pan** controls to set the volume and the pan position of the metronome click.

Channels

The **Channels** section shows the speaker arrangement of the **Main Mix** bus.

You can use the solo functions to listen to individual channels of the **Main Mix**. You can also use this to test your multi-channel speaker system and make sure that the correct channels are routed to the speakers.



Solo Left and Right Channels

Allows you to solo the left and right channels.

Solo Front Channels

Allows you to solo the front channels.

Solo Surround Channels

Allows you to solo the surround channels.

Listen to Solo Channels on Center Channel

Allows you to listen to all soloed speakers in the center channel. If the center channel is not available, the channels are distributed equally to the left and right.

Listen to Surround Channels on Front Channels

Allows you to solo the surround channels and route them to the front speakers.

Solo LFE Channel

Allows you to solo the LFE channel.

To open the **Main Mix** bus in the **MixConvert V6** plug-in, double-click the channel display.

RELATED LINKS

[MixConvert V6](#) on page 815

Monitors

The **Monitors** section allows you to select and configure the monitor sets.



Downmix Presets

The **Downmix Presets** section allows you to configure downmix presets.



Assign Downmix Preset

Allows you to configure a downmix preset for the monitor that is selected in the **Monitors** section.

Select Output Configuration

Allows you to select an output channel configuration. You can also select **Open/Close MixConvert** to open the **MixConvert V6** plug-in.

RELATED LINKS

[MixConvert V6](#) on page 815

Phones

The **Phones** section allows you to use the phones channel in the **Control Room** to listen to cue mixes.



Activate Phones Channel

Allows you to activate/deactivate the phones channel.

Activate Metronome Click

Activates/Deactivates the metronome click.

Source selectors

Allow you to select the source for the phones channel: monitor mix (**Mix**), external inputs (**Ext**), or the cue sends (**Cues**). The signal presence indicators in the upper left corner light up when the source channel is sending data to the phones channel.

Phones Level

Allows you to set the phones level. **Ctrl/Cmd**-click to set the level to the reference level, as specified in the **Preferences** dialog (**VST—Control Room** page).

Click Level and Click Panning

Use the **Click Level** and the **Click Panning** controls to set the volume and the pan position of the metronome click.

Enable Listen for Output


Enables the listen bus function.

Listen Level

Allows you to set the listen level.

Control Room Channel

The **Control Room** channel is the representation of the bus that is set up as the **Main Mix** bus on the **Outputs** tab in the **Audio Connections** window.



Activate Control Room Channel

Allows you to activate/deactivate the **Control Room** channel.

Source selectors

Allow you to select the source for the **Control Room** channel. The available sources depend on the channels that you added to the **Control Room**. The signal presence indicators in the upper left corner light up when the source channel is sending data to the **Control Room** channel.

Activate Metronome Click

Activates the metronome click.

Enable Listen for Output

Enables the listen bus function for the **Control Room** output.

Dim Signal

Activate this to lower the **Control Room** level by a fixed amount. This allows for a quick reduction in monitor volume without disturbing the current monitor level. Clicking **Dim** again returns the monitor level to the previous setting.

Use Reference Level

Enable this button to set the **Control Room** level to the reference level, as specified in the **Preferences** dialog (**VST—Control Room** page). The reference level is the level that is used in calibrated mixing environments, such as film dubbing stages.

Control Room Level

Allows you to set the volume for the **Control Room** output. This does not affect the recording input level or the **Main Mix** level for exporting mixdowns. **Ctrl/Cmd**-click to set the level to the reference level, as specified in the **Preferences** dialog (**VST—Control Room** page).

Signal meter

Shows the volume for the **Control Room** output.

Monitor selectors

Allow you to select another monitor source.

Downmix Preset selectors

Allow you to select another downmix preset.

Activate Talkback

Allows you to activate talkback for communication between the **Control Room** and the performers in the studio. Click to activate, click and hold for momentary mode.

Click Level/Click Pan

Use the **Click Level** and the **Click Pan** controls to set the volume and the pan position of the metronome click for the **Control Room** channel.

Talk Dim Level

When **Talkback** is active, this slider controls how much the output of all the channels in the **Control Room** is reduced to prevent unwanted feedback.

AFL/PFL

Allows you to determine whether the signal of a listen-enabled channel is routed to the **Control Room** channel after applying the fader and pan settings **AFL** or before applying the fader and pan settings **PFL**.

Listen Level

Allows you to adjust the volume of listen bus signals that are routed to the **Control Room** output.

Listen Dim

Allows you to adjust the volume of the **Main Mix** when channels are in listen mode. This keeps listen-enabled channels in context with the **Main Mix**. If the **Listen Dim** level is set to the minimum value, you hear the listen-enabled channels only.


Control Room - Inserts Tab

The **Control Room Inserts** tab contains additional settings for the channels.

The **Control Room Inserts** tab is divided into a number of sections that you open by clicking their headers.




Input Gain



Setting up the input gain can be useful in the following situations:


- To balance the level of external inputs, for example, CD players and other sources, to the **Main Mix** level, for A/B comparisons.
- To balance the level of your monitor systems, so that switching between sets of speakers does not change the playback volume.

Input Phase



Inverting the input phase can be useful for external inputs and monitor speaker outputs.

Insert Effects



Each **Control Room** channel has a set of insert effect slots.

Control Room Channel Inserts

For metering and spectral analysis plug-ins. All solos including the Listen bus will come through the **Control Room** channel and allow analysis of individual sounds. A brickwall limiter in the last insert slot of the **Control Room** channel can prevent accidental overloads and damage to speaker systems.

Talkback Channel Inserts

To control the dynamics of the talkback microphone. This helps to prevent hearing damage and ensures that everyone can be heard over the talkback microphone.

Monitor Inserts

For surround decoding or brickwall limiting, to protect sensitive monitor speakers. Each monitor channel has a set of eight inserts, all of which are post **Control Room** faders.

NOTE

- You can save the insert slots for **Cue**, **Monitor**, and **Control Room** channels by saving a preset on the **Control Room** tab of the **Audio Connections** window. This is useful, as they are not saved with the project.
- You can modify the color settings for the **Inserts (Control Room)** in the **Preferences** dialog (**User Interface—MixConsole Section Colors** page).

RELATED LINKS

[Audio Connections Window](#) on page 33

[User Interface](#) on page 1543


Setting up a Cue Mix

You can create a cue mix from the fader and pan levels that are used in the **MixConsole** and change them to meet the needs of the individual performers.

PROCEDURE

1. In the **MixConsole**, select the channels whose settings you want to copy.

2. In the **Control Room**, right-click on a cue channel to open the context menu.
3. Do one of the following:
 - To apply the function exclusively to this cue channel, select **Cue "x" (Selected Channels)**, and select one of the functions.
 - To apply the function to all cue channels, select **All Cues (Selected Channels)**, and select one of the functions.



Cue Mix Context Menu

Change Cue Sends Levels

Allows you to adjust multiple send levels at the same time.

Use Current Mix Levels

Allows you to copy the fader levels of the selected tracks to the cue sends. This sets all cue send levels for the selected tracks to the level of the main channel fader. It also changes the cue send status to pre-fader, so that changes in the main mix do not affect the cue sends.

Use Current Pan Settings

Allows you to copy pan information from the main mix to the cue sends of the selected tracks. If the cue send is mono, the pan setting is copied, but the output of the cue send is the sum of the left and right channels.

Activate Cue Sends

Allows you to activate the cue sends of the selected channels. To hear the cue mix for a cue channel, the cue sends must be enabled.

Deactivate Cue Sends

Allows you to deactivate the cue sends of the selected channels.

Reset Cue Sends

Allows you to deactivate the cue sends, to change the send level of all selected channels to 0 dB, and to set the signal source to post-fader. This way, any changes to the main mix also change the cue mix. To raise the level of individual cue channels, raise the level on the channel in question.

Adjusting the Overall Cue Send Level

You can adjust multiple send levels for the cue send mix at the same time, keeping the blend intact while lowering the overall volume. This is sometimes necessary, because the levels in the main mix are often optimized for the loudest possible signal level without clipping.

This means that when you create a “more me” mix, you may find that there is not enough headroom available in the cue send to raise levels without causing clipping.

PROCEDURE

1. In the **MixConsole**, select the channels that you want to modify.
 2. In the **Control Room**, right-click a cue channel to open the context menu.
 3. Select **Cue "x" (Selected Channels) > Change Cue Sends Levels**.
 4. Activate **Relative Mode**.
This enables you to adjust the existing levels. By deactivating **Relative Mode**, all cue sends are set to the same absolute level.
 5. Adjust the level as necessary.
The level of all selected cue sends is adjusted by the set amount.
 6. Click **OK**.
-

Metering and Loudness

Cubase provides a master meter that works as a multi-channel true peak meter and a loudness meter that allows you to measure the loudness in compliance with the loudness recommendation R 128 of the European Broadcasting Union (EBU).


Metering

Cubase provides a master meter and a loudness meter that can be displayed in the right zone of the **Project** window and the **MixConsole**, or in a separate window in the **Control Room**.

Master Meter

The master meter is a multi-channel true peak meter.

- To open the master meter, select the **Master** tab at the bottom of the meter display in the **MixConsole** or in the **Control Room**.



Switch between different Peak Program Meter scale standards

Allows you to select a scale for one of the following standards: Digital, DIN, EBU, British, Nordic, K-20, K-14, K-12, +3 dB Digital, +6 dB Digital, or +12 dB Digital. The headroom is indicated by red lines on the meter scale.

NOTE

You can customize the appearance of the meter for individual scales in the **Preferences** dialog (**Metering—Appearance** page).

Alignment level standards

Allows you to select an alignment level (offset) for your scale. This option is unavailable for digital and K-System scales. The broadcast meter scales DIN, EBU, Nordic, and British have a default alignment level of -18 dBFS.

Configure Meter Settings

Opens the **Meter Settings** pane, which allows you to change the RMS settings for the master meter.

Reset RMS Max. and PPM Max.

Resets the measurement.

Activate Control Room View

Shows/Hides the **Control Room** section.

RMS/Peak meter

Shows the RMS and peak hold values as blue lines and the peak values as gray lines.

RMS Max.

Shows the maximum RMS value.

NOTE

You can reset the maximum RMS value to the default value with **Ctrl/Cmd + click**.

Peak Max.

Shows the maximum peak value.

NOTE

You can reset the maximum peak value to the default value with **Ctrl/Cmd + click**.

RELATED LINKS

[Control Room](#) on page 509
[Metering - Appearance](#) on page 1540
[Meter Settings Pane](#) on page 526

Displaying Meters

Meters can be displayed in the right zone of the **Project** window and the **MixConsole**, or in a separate window in the **Control Room**.

PROCEDURE

1. In the **Project** window or in the **MixConsole**, click **Show/Hide Right Zone** to show the right zone with the **Control Room/Meter**.
 2. Click the **Meter** tab at the top of the **Control Room/Meter** section.
By default, the master meter is displayed.
-

Loudness Measurement

Loudness measurements that correspond to the recommendation R 128 of the European Broadcasting Union (EBU) consider loudness, loudness range, and maximum true peak level values.

Loudness Measurement

The following measurements are performed:

- **Integrated Loudness**

Average loudness that is measured over the entire program in LUFS (Loudness Unit, referenced to Full Scale).

According to the loudness recommendation R 128, audio should be normalized at -23 LUFS (± 1 LU).

- **Short-Term Loudness**

Loudness that is measured every second on an audio block of 3 seconds. This provides information about the loudest audio passages.

- **Momentary Loudness**

Maximum value of all momentary loudness values that are measured every 100 ms in an audio range of 400 ms.

Loudness Range

The loudness range measures the dynamic range over the whole program in LU (Loudness Units). It reports the ratio between the loudest and the quietest non-silent sections. The audio is divided into small blocks. There is one audio block every second, and each block lasts 3 seconds, so that the analyzed blocks overlap.

The top 10% of the quiet blocks and the top 5% of the loud blocks are excluded from the final analysis. The calculated loudness range is the ratio between the loudest and quietest remaining audio blocks. This measurement helps you to decide how much compression or expansion to apply to the audio.

True Peak

When a digital signal is converted to an analog signal, EBU R 128 recommends that you rather measure an estimation of the real peaks instead of relying on digital peaks. This avoids clipping and distortion.

Naming and Units

EBU R 128 proposes the following naming and units conventions:

- A relative measurement, such as a value that is relative to a reference level, LU as Loudness Unit (1 LU is 1 dB).
- An absolute measurement, LUFS as loudness unit referenced to full scale. 1 LUFS can be understood as 1 dB in the AES17 scaling.

Scales


The loudness meter offers two different scales:

- The EBU +9 scale has a range from -18.0 LU to +9.0 LU (-41.0 LUFS to -14.0 LUFS).
- The EBU +18 scale has a range from -36.0 LU to +18 LU (-59.0 LUFS to -5.0 LUFS).

Loudness Meter

The **Loudness** meter allows you to analyze, measure, and monitor the loudness of your project in real time during playback or mixing.

- To open the loudness meter, select the **Loudness** tab at the bottom of the meter display in the right zone of the **Project** window or the **MixConsole**, or in the **Control Room**.



Activate Control Room View

Shows/Hides the **Control Room** section.

Loudness meter

Shows the **Integrated** value as a triangle in the left meter scale and the **Short-Term** value as a triangle in the right meter scale.

Measure Loudness

Activates the loudness measurement.

Switch between LU and LUFS

Switches the meter scale between LUFS (absolute values) and LU (relative values).

Configure Loudness Settings

Allows you to specify a threshold value for the **Momentary Max.**, the **Short-Term**, the **Integrated**, and the **True Peak** clipping indicators. If values above the set thresholds are detected, the corresponding indicators turn red.

You can switch the loudness meter between the EBU +9 scale and the EBU +18 scale.
To reset all values on playback start, activate the **Reset on Start** option.

Reset Loudness

Resets all loudness values.

Momentary Max.

Shows the maximum value of all momentary loudness values, based on a time window of 400 ms. The measurement is not gated.

Short-Term

Shows the maximum value of all short-term loudness values, based on a time window of 3 s. The measurement is not gated.

Integrated

Shows the average loudness, measured from start to stop. The period of measurement is shown in the **Time** display. The recommended value for the integrated loudness is -23 LUFS. This absolute value is the reference point for the relative LU scale, where -23 LUFS equals 0 LU.

Range

Shows the dynamic range of the audio, measured from start to stop. This value helps you to decide how much dynamic compression you can apply. The recommended range for highly dynamic audio, such as film music scores, is 20 LU.

True Peak

Shows the true peak level of the audio. The maximum true peak level permitted in production is -1 dB.

Time


Shows the duration of the integrated loudness measurement.

RELATED LINKS

- [Displaying Meters](#) on page 523
- [Control Room](#) on page 509
- [Metering and Loudness](#) on page 522
- [Meter Settings Pane](#) on page 526

Meter Settings Pane

- To open the **Meter Settings** pane, click **Configure Meter Settings** on the **Master** tab or **Configure Loudness Settings** on the **Loudness** tab.



In the **Loudness Settings** section, the following parameters are available:

Save Preset/Remove Preset

Allows you to create, load, and remove loudness presets.

Momentary Max.

Allows you to specify a reference value and a tolerance value for the maximum momentary loudness. If higher values are detected, the clipping indicator in the loudness meter turns red.

Short-Term

Allows you to specify a reference value and a tolerance value for the short-term loudness. If higher values are detected, the clipping indicator in the loudness meter turns red.

Integrated

Allows you to specify a reference value and a tolerance value for the integrated loudness. If higher values are detected, the clipping indicator in the loudness meter turns red.

True Peak

Allows you to specify a reference value and a tolerance value for the true peak level. If higher values are detected, the clipping indicator in the loudness meter turns red.

Switch between LU and LUFS

Allows you to switch the meter scale between LUFS (absolute values) and LU (relative values).

Switch between EBU +9 Scale and EBU +18 Scale

Allows you to switch the meter between the EBU +9 scale and the EBU +18 scale.

Reset on Start

If this option is activated, all loudness values are reset when playback starts.

Hold on Stop

If this option is activated, the values for **Integrated**, **Range**, and **True Peak** are held when playback stops.

In the **RMS Settings** section, the following parameters are available:

AES 17

Activates the AES17 standard that adds an offset of 3 dB to the RMS value.

Resolution

Allows you to set the length of audio that is measured and averaged between 1 ms and 1000 ms. Lowering the resolution raises the influence of short passages of loud/weak audio on the RMS value and vice versa.

RELATED LINKS

[Loudness Meter](#) on page 525

[Master Meter](#) on page 522

Audio Effects

Cubase comes with a number of included effect plug-ins that you can use to process audio, group, and instrument channels.

The effects and their parameters are described in the separate document [Plug-in Reference](#).

Insert Effects and Send Effects

You can apply effects to audio channels by using insert effects or send effects.

NOTE

To apply audio effects to individual audio events, use [Direct Offline Processing](#).

Insert Effects

Insert effects are inserted into the signal chain of an audio channel. As a result, the whole channel signal passes through the effect.

You can add up to 16 different insert effects per channel.


Use insert effects for effects such as distortion, filters, or other effects that change the tonal or dynamic characteristics of the sound.

To add and edit insert effects, you can use the following inserts sections:


- The **Inserts** section in the **MixConsole**.



- The **Inserts** section in the **Channel Settings** window.



- The **Inserts** section in the **Inspector**.



- The **Inserts** section on the **Channel** tab.



Send Effects

Send effects can be added to effect channel tracks, and the audio data to be processed can be routed to the effect. This way, the send effects remain outside the audio channel's signal path.


Each audio channel has 8 sends, each of which can be freely routed to an effect (or to a chain of effects).

Use send effects in the following cases:

- To control the balance between the dry and the wet sound individually for each channel.
- To use the same effect for several different audio channels.

To edit send effects, you can use the following sends sections:


- The **Sends** section in the **MixConsole**.



- The **Sends** section in the **Channel Settings** window.



- The **Sends** section in the **Inspector**.



- The **Sends** section on the **Channel** tab.



RELATED LINKS

[Direct Offline Processing](#) on page 563

VST Standard

Audio effects can be integrated in Cubase, thanks to the VST standard. At the moment, the VST 3 and VST 2 standards are supported.

The VST 3 plug-in standard offers improvements like smart plug-in processing and side-chain inputs. VST 3 retains full backwards compatibility to VST 2.

Smart Plug-In Processing

Smart plug-in processing is a technology that serves to disengage the processing for plug-ins when no signal is present. This reduces the CPU load on silent passages and allows you to load more effects.

To activate smart plug-in processing, activate **Suspend VST 3 plug-in processing when no audio signals are received** in the **Preferences** dialog (**VST—Plug-ins** page).

NOTE

Check the processor for the passage with the largest number of events playing simultaneously to make sure that your system offers the required performance at every time position.

Side-Chain Inputs

Several VST 3 effects as well as some of the modulators feature side-chain inputs. These allow you to control the operation of the effect via external signals that are routed to the side-chain input.

The effect processing is still applied to the main audio signal.

RELATED LINKS

[Side-Chaining](#) on page 546

[Side-Chain Routing for Modulators](#) on page 1024

Plug-In Delay Compensation

Some audio effects, especially dynamics processors that feature a look-ahead functionality, may take a brief time to process the audio fed into them. As a result, the output audio is slightly delayed. To compensate for this, Cubase provides plug-in delay compensation.

Plug-in delay compensation is featured throughout the entire audio path, maintaining the sync and timing of all audio channels.

VST 3 dynamics plug-ins with look-ahead functionality feature a **Live** button that allows you to disengage the look-ahead. This minimizes latency during real-time recording. For details, see the separate document **Plug-in Reference**.

To avoid latency during real-time recording or real-time playback of VST instruments, you can also use **Constrain Delay Compensation**.

RELATED LINKS

[Constrain Delay Compensation](#) on page 948

[MixConsole Window](#) on page 426

Tempo Sync

Plug-ins can receive timing and tempo information from Cubase. This is useful to synchronize plug-in parameters, such as modulation rates or delay times, to the project tempo.

Timing and tempo information is provided to plug-ins of the standard VST 2.0 or later.

To set up tempo sync, you must specify a base note value. Straight, triplet, or dotted note values (1/1 to 1/32) are supported.

For details about the included effects, see the separate document **Plug-in Reference**.

Insert Effects

Insert effects can be inserted in the signal chain of an audio channel. This way, the whole channel signal passes through the effect.

You can add up to 16 different insert effects for each audio-related channel (audio track, group channel track, effect channel track, or instrument channel) or output bus.

The signal passes through the insert effects from top to bottom, according to their slot positions.

You can define post-fader insert slots for any channel. Post-fader insert slots are always post-EQ and post-fader.

NOTE

To show all post-fader slots for insert effects in the **MixConsole**, right-click the inserts section, and in the context menu activate **Show all available Slots for Inserts**.

Use post-fader slots for insert effects where you want the level to remain unchanged after the effect. Dithering and maximizers are typically used as post-fader insert effects for output busses, for example.

NOTE

If you want to use an effect with identical settings on several channels, set up a group channel, and apply your effect as a single insert for this group.

RELATED LINKS

[Dither Effects](#) on page 550

[Changing the Number of Pre-Fader/Post-Fader Slots](#) on page 466


[Adding Insert Effects to Group Channels](#) on page 533

Adding Insert Effects

If you add insert effects to audio channels, the audio is routed through the insert effects.

PROCEDURE

1. Select the audio track.
2. In the track list, click **Edit Channel Settings**.
The **Channel Settings** window for the audio channel opens.
3. In the **Inserts** section, click the first insert slot on the **Inserts** tab, and select an effect from the selector.



RESULT

The selected insert effect is loaded and activated, and the audio is routed through it. The effect control panel is opened.

RELATED LINKS

[Effect Control Panel](#) on page 551

Adding Insert Effects to Busses

If you add insert effects to input busses, the effects become a permanent part of the recorded audio file. If you add insert effects to output busses, all audio routed to that bus is affected. Insert effects that are added to output busses are sometimes referred to as master effects.

PROCEDURE

1. Select **Studio > MixConsole** to open the **MixConsole**.
 2. In the fader section, perform one of the following actions:
 - Locate the input channel, and click **Edit Channel Settings** to edit the input bus.
 - Locate the output channel, and click **Edit Channel Settings** to edit the output bus.The **Channel Settings** window for the selected channel opens.
 3. In the **Inserts** section, click the first insert slot on the **Inserts** tab, and select an effect from the selector.
-

RESULT

The selected insert effect is added to the bus and activated. The effect control panel is opened.

Adding Insert Effects to Group Channels

If you add insert effects to group channels, you can process several audio tracks through the same effect.

PROCEDURE

1. In the global track controls area of the track list, click **Add Track** .
 2. Click **Group**.
 3. Open the **Audio Outputs** pop-up menu, and select the desired output bus.
 4. Click **Add Track**.
The group channel track is added to the track list.
 5. In the **Inspector** for the group channel track, open the **Inserts** section.
 6. Click the first effect slot, and select an effect from the selector.
 7. In the **Inspector** for the audio tracks, open the **Output Routing** pop-up menus and select the group.
-

RESULT

The signal from the audio track is routed through the group channel and passes through the insert effect.

RELATED LINKS

[Add Track Dialog – Group Channel](#) on page 142

Adding Group Channels to Selected Channels

You can add a group channel to several selected channels.

PREREQUISITE

Your project contains some tracks that you want to route to a group channel.

PROCEDURE

1. In the track list, right-click the tracks that you want to route to a group channel, and select **Add Track > Group Track to Selected Tracks**.
 2. In the **Add Track** dialog, open the **Configuration** pop-up menu, and select a channel configuration for the group channel track.
 3. Open the **Folder Setup** pop-up menu, and select whether to create group channel tracks inside or outside a dedicated folder.
 4. Click **OK**.
-

RESULT

The group channel track is added to the track list. In the **Output Routing** pop-up menu of the selected tracks, the group is selected. The tracks are routed to the group channel.

RELATED LINKS

[Add Track Dialog – Group Channel](#) on page 142

Copying Insert Effects

You can add insert effects to audio channels by copying them from other audio channels or from other slots of the same audio channel.

PREREQUISITE

You have added at least one insert effect to an audio channel.

PROCEDURE

1. Select **Studio > MixConsole**.
 2. In the **Inserts** section, locate the insert effect that you want to copy.
 3. Hold down **Alt/Opt**, and drag the insert effect on an insert slot.
-

RESULT

The insert effect is copied. If the destination slot already contains an insert effect, the existing effect is moved down one slot.

Rearranging Insert Effects

You can change the position of an insert effect in the signal chain of the audio channel by moving it to a different slot of the same channel. You can also move an insert effect to another audio channel.

PREREQUISITE

You have added at least one insert effect to an audio channel.

PROCEDURE

1. Select **Studio > MixConsole**.
 2. In the **Inserts** section, locate the insert effect that you want to rearrange.
 3. Drag the insert effect to another insert slot.
-

RESULT

The insert effect is removed from the source slot and placed on the destination slot. If the destination slot already contains an insert effect, this effect is moved to the next insert slot.

Deactivating Insert Effects


If you want to listen to a track without having it processed by an effect, but do not want to remove this effect completely from the insert slot, you can deactivate it.

PREREQUISITE

You have added an insert effect to an audio channel.


PROCEDURE

1. In the track list, select the audio track with the insert effect that you want to deactivate.
2. In the **Inspector**, open the **Inserts** section, and **Alt/Opt-click Bypass Insert on/off**.



RESULT

The effect is deactivated, and all processing is terminated, but the effect is still loaded.



Bypassing Insert Effects


If you want to listen to the track without having it processed by a particular effect, but do not want to remove this effect completely from the insert slot, you can bypass it. A bypassed effect is still processing in the background. This allows for crackle-free comparison of the original with the processed signal.

PREREQUISITE

You have added an insert effect to an audio channel.


PROCEDURE

1. In the track list, select the audio track with the insert effect that you want to bypass.
2. In the **Inspector**, open the **Inserts** section, and click **Bypass Insert on/off**.



RESULT

The effect is bypassed but still processing in the background.



Removing Insert Effects

PROCEDURE

1. In the track list, select the audio track with the insert effect that you want to remove.
 2. In the **Inspector**, open the **Inserts** section.
 3. On the effect that you want to remove, click **Select Insert**.
 4. In the effect selector, select **No Effect**.
-

RESULT

The insert effect is removed from the audio channel.

Freezing Insert Effects

Freezing an audio track and its insert effects allows you to reduce processor power. However, frozen tracks are locked for editing. You cannot edit, remove, or add insert effects for the frozen track.

PREREQUISITE

You have made all settings for the track and you are sure that you do not need to edit it anymore.

PROCEDURE

1. In the **Inspector** for the audio track that you want to freeze, click **Freeze Channel**.



2. In the **Freeze Channel Options** dialog, specify a **Tail Size** in seconds.

This adds time at the end of the rendered file. As a result, reverb and delay tails can fully fade out.

RESULT

- The output of the audio track is rendered to an audio file, and on playback you hear the same sound as before freezing.
- Less CPU load is used.
- The **Freeze Channel** button lights up.

- The track controls are grayed out.
- The audio events are locked.
- You can still adjust the level and panning, make EQ settings, and adjust the effect sends.

NOTE

The audio file is saved in the **Freeze** folder that can be found in the following location:

- Windows: within the **Project** folder
- macOS: **User/Documents**

AFTER COMPLETING THIS TASK

To unfreeze a frozen track, click **Freeze Channel** again.

RELATED LINKS

[Freezing Multiple Tracks](#) on page 210

Insert Effects in Multi-Channel Configurations

You can insert VST 2 and VST 3 effects on tracks with a multi-channel configuration. However, not all effect plug-ins support multi-channel processing.

Mono or stereo effects can only process 1 or 2 channels, whereas surround-capable plug-ins are applied to all speaker channels, or to a subset of these.

- To set up to what speaker channels the insert effect is applied, use the **Routing Editor**.

RELATED LINKS


[Routing Editor](#) on page 538

Routing Insert Effects through Specific Audio Channels

If you insert a stereo insert effect on a multi-channel track, the first speaker channels of the track are routed through the available effect channels. The other channels remain unprocessed. However, you can route the effect through different speaker channels.


PROCEDURE

1. In the track list, click **Edit Channel Settings** to open the **Channel Settings** window for the track into which the effect is inserted.
2. In the **Inserts** section, click **Routing** to open the **Routing** tab.
3. Double-click the signal diagram for the insert effect to open the **Routing Editor**.



The first speaker channels of the track are routed through the available effect channels.

4. Optional: Activate **Link** to link the input and output channel assignment.
5. Click the arrow buttons to route different speaker channels through the effect.



RESULT

The effect is routed through different channels of the audio.

NOTE

To route a stereo plug-in through all 6 channels of a 5.1 track, add 3 instances of it, and use different speaker channels for each instance.


RELATED LINKS

[Routing Editor](#) on page 538

Routing Editor

The **Routing Editor** allows you to set up, to what speaker channels the effect is applied to.

- To open the **Routing Editor**, select the track that contains the insert effect, and click **Edit Channel Settings**. In the **Channel Settings** window, click the **Inserts** tab first, then the **Routing** tab. Double-click the signal diagram for the insert effect.



The **Routing Editor** shows the channels in the current configuration, with signals passing from top to bottom.

1 Inputs

The upper squares represent the inputs to the effect plug-in.

2 Effect plug-in

The field in the middle represents the effect plug-in.

3 Outputs

The lower squares represent the outputs from the effect plug-in.

4 Reset

This button allows you to reset the original channel setup.

5 Connections

The lines represent the connections.

6 Input channel assignment

These buttons allow you to assign the input channels.

7 Link

Activate this to link the input and output channel assignment.

8 Output channel assignment

These buttons allow you to assign the output channels.

Routing Connections

In the **Routing Editor**, you can set up the routing connections.

NOTE

You can only make settings in the **Routing Editor** if you route multi-channel audio through an effect that supports fewer channels.

The following connections are possible:

Routing Connection



The audio on the speaker channel is routed through the effect channel and processed by the effect.

Bypass Connection




The audio on the speaker channel passes the effect without being processed.

Broken Connection



The audio on the speaker channel is not sent to the output.

Cross Connection



The audio on the specific channels is processed by the effect and output on other channels.


In this example, the audio on the Ls-Rs channels is output on the L-R channels. Since the L-R channels are bypassed, the final L-R output contains both the original L-R signals and the processed Ls-Rs signals.

VST Effect Selector

The VST effect selector allows you to select VST effects from the active collection.

- To open the VST effect selector, open the **Inserts** section of the audio track **Inspector**, and on an insert slot, click **Select Insert**.

The following controls are available:



1 Expand Tree/Collapse Tree

Expands/Collapses the tree.

2 Search VST Effect

Allows you to search for VST effects by typing in the name or parts of the name or the category.

3 Plug-in Collections and Options

Allows you to select a collection.

If you select the **Default** collection, the options **Sort By Category** and **Sort by Vendor** become available. These allow you to sort the default collection.

Send Effects

Send effects are outside the signal path of an audio channel. The audio data to be processed must be sent to the effect.

- You can select an effect channel track as the routing destination for a send.
- You can route different sends to different effect channels.
- You can control the amount of signals sent to the effect channel by adjusting the effect send level.

NOTE

In the **Preferences** dialog (**VST** page), you can set a default send level. Use **Ctrl/Cmd**-click to set the send level to this default value.

To do this, create effect channel tracks.

RELATED LINKS

[Effect Channel Tracks](#) on page 540
[VST](#) on page 1545


Effect Channel Tracks

You can use effect channel tracks as routing destinations for audio sends. The audio is sent to the effect channel track and through any insert effects set up for it.

- You can add several insert effects to an effect channel track.
The signal passes through the effects in series, from the top downward.

- You can rename effect channel tracks, just like any other tracks.
- You can add automation tracks to effect channel tracks.
This allows for automating various effect parameters.
- You can route the effect return to any output bus.
- You can adjust the effect channel in the **MixConsole**.
This includes adjusting the effect return level, the balance, and the EQ.

When you add an effect channel track, you can choose whether to create effect channel tracks inside or outside a dedicated folder. If you select **Create Inside Folder**, effect channel tracks are shown in a dedicated folder.



This results in a better overview and facilitates editing the effect channel tracks.

NOTE

To save screen space, collapse the **Effect** folder.

RELATED LINKS

[Adding Effect Channel Tracks on page 541](#)

Adding Effect Channel Tracks

PROCEDURE

1. In the global track controls area of the track list, click **Add Track**
 2. Click **Effect**.
 3. Open the **Effect** pop-up menu, and select an effect for the effect channel track.
 4. Open the **Configuration** pop-up menu, and select a channel configuration for the effect channel track.
 5. Open the **Folder Setup** pop-up menu, and choose whether to create effect channel tracks inside or outside a dedicated folder.
 6. Click **Add Track**.
-

RESULT

The effect channel track is added to the track list, and the selected effect is loaded into the first available insert effect slot of the effect channel track.

RELATED LINKS

[Add Track Dialog – Effect on page 144](#)

Adding Effect Channels to Send Slots

PROCEDURE

1. In the track list, select the tracks to which you want to add an effect channel.
2. In the **Inspector**, open the **Sends** section.

3. Right-click the send slot for the effect channel, and select **Add Effect Track to Send**.
 4. Open the **Effect** pop-up menu, and select an effect for the effect channel track.
 5. Open the **Configuration** pop-up menu, and select a channel configuration for the effect channel track.
 6. Open the **Folder Setup** pop-up menu, and choose whether to create effect channel tracks inside or outside a dedicated folder.
 7. Click **Add Track**.
-

RESULT

The effect channel track is added to the track send slot.

Adding Effect Channels to Selected Channels

PREREQUISITE

Your project contains some tracks to which you want to add an effect channel.

PROCEDURE

1. In the track list, select all tracks to which you want to add an effect channel.
 2. Right-click one of the tracks, and select **Add Track > Effect Track to Selected Tracks**.
 3. In the **Add Track** dialog, open the **Effect** pop-up menu, and select an effect for the effect channel track.
 4. Open the **Configuration** pop-up menu, and select a channel configuration for the effect channel track.
 5. Open the **Folder Setup** pop-up menu, and choose whether to create effect channel tracks inside or outside a dedicated folder.
 6. Click **OK**.
-

RESULT

The effect channel track is added to the track list. The selected effect is loaded into the first available insert effect slot of the effect track and to the first available send effect slot of all tracks that you selected.

RELATED LINKS

[Add Track Dialog – Effect](#) on page 144

Adding Insert Effects to Effect Channel Tracks

You can add insert effects to effect channel tracks.

PREREQUISITE

You have added an effect channel track and set up the correct output bus in the **Output Routing** pop-up menu.

PROCEDURE

1. In the track list for the effect channel track, click **Edit Channel Settings**.
The **Channel Settings** window for the effect channel track opens.

2. In the **Inserts** section, click an insert slot on the **Inserts** tab, and select an effect from the selector.
-

RESULT


The selected effect is added to the effect channel track as an insert effect.

Routing Audio Channels to Effect Channels


If you route an audio channel send to an effect channel, the audio is routed through the insert effects that you have set up for the effect channel.

PROCEDURE

1. Select the audio track.
2. In the track list, click **Edit Channel Settings** to open the **Channel Settings** window.
3. In the **Sends** section, click **Select Destination** for an effect slot, and select the effect channel track from the selector.



4. On the send slot, click **Send on/off**.



RESULT

The audio is routed through the effect channel.

AFTER COMPLETING THIS TASK

In the **Channel Settings** window for the audio channel, hold down **Alt/Opt** and double-click to show the send destination. If you have routed the send to an effect channel, the effect control panel is opened.

RELATED LINKS

[Adding Effect Channel Tracks on page 541](#)

Pre/Post Fader Sends

You can choose whether to send the signal from the audio channel to the effect channel before or after the audio channel volume fader.


- Pre-fader sends

The audio channel signal is sent to the effect channel before the audio channel volume fader.


- Post-fader sends

The audio channel signal is sent to the effect channel after the audio channel volume fader.

- To move a send to a pre-fader position, open the **Channel Settings** window for the audio channel, right-click a send, and select **Move to Pre-Fader**.




The **Pre-/Post-Fader** button indicates that the send is in pre-fader position.



- To move a send to post-fader position, open the **Channel Settings** window for the audio channel, right-click a send, and select **Move to Post-Fader**.

The **Pre-/Post-Fader** button indicates that the send is in post-fader position.



NOTE

If you activate **Mute Pre-Send when Mute** in the **Preferences** dialog (**VST** page), sends in pre-fader mode are muted if you mute their channels.

Setting Pan for the Sends

PROCEDURE


1. Select the audio track.
2. In the track list, click **Edit Channel Settings** to open the **Channel Settings** window.
3. On the **Sends** tab, click **Panning**.

For each send, a pan fader is shown.

NOTE

Depending on the routing, different pan controls are available for the sends.

4. Optional: Open the **Functions Menu** and activate/deactivate **Link Panners**.




If activated, the send panners will follow the pan for the channel, making the stereo imaging as clear and true as possible.

NOTE

In the **Preferences** dialog (**VST** page), you can set this as a default behavior for all channels.

5. Click and drag the pan control for the send.



NOTE

You can reset the pan control to the center position by **Ctrl/Cmd**-clicking on the pan control.


RELATED LINKS

[Surround Sound](#) on page 792

Setting the Level for the Sends

PROCEDURE

1. In the track list, select the effect channel track that contains the effect for which you want to set the level.
2. Open the **Inserts** section of the **Inspector**, and click the effect slot to open the effect control panel.
3. In the effect control panel, set the **Mix** control to 100.
This allows for full control of the effect level when you use the effect sends to control the signal balance later.
4. In the track list, select the audio track that is routed through the effect for which you want to set the level.
5. Click **Edit Channel Settings** to open the **Channel Settings** window for the audio track.
6. In the **Sends** section, locate the effect slot and drag to the left or to the right to set the send level. **Ctrl/Cmd**-click to set the level to the default send level, as specified in the **Preferences** dialog (**VST** page).



This determines how much of the signal is routed from the audio channel to the effect channel.

RESULT

The effect level is adjusted according to your settings.

NOTE

To determine how much of the signal is sent from the effect channel to the output bus, open the **Channel Settings** window for the effect channel track, and adjust the effect return level.

Side-Chaining

Many VST 3 effects support side-chaining. Side-chaining allows you to use the output of one track to control the action of an effect on another track.

Effects from the following categories feature side-chaining:

- Modulation
- Delay
- Filter

By activating side-chaining, you can do the following:

- Use the side-chain signal as a modulation source.
- Apply ducking to the instrument, that is, reduce the volume of the instrument track when a signal is present on the audio track.
- Compress the signals on one audio track when a second audio track starts.

This is commonly used to add compression on a bass sound when the drums are hit.

NOTE

For detailed descriptions of the plug-ins that feature side-chaining, see the separate document **Plug-in Reference**.

NOTE

- Certain combinations of tracks and side-chain inputs may lead to feedback loops and additional latency. If this is the case, the side-chain options are not available.
 - Side-chain connections are only kept when you move an effect within a channel. When you drag and drop an effect between channels, or when you copy an effect into another effect slot, the side-chain connections are lost.
-

Side-Chain and Modulation

Side-chain signals bypass the built-in LFO modulation and apply modulation according to the envelope of the side-chain signal. Since each channel is analyzed and modulated separately, this allows for creating astonishing spatial modulation effects.

RELATED LINKS

- [Side-Chain Routing on page 548](#)
[Triggering a Delay Effect with Side-Chain Signals on page 547](#)
[Triggering a Compressor with Side-Chain Signals on page 548](#)
[Creating Side-Chain Connections From Multiple Inputs on page 550](#)

Triggering a Delay Effect with Side-Chain Signals

You can use side-chain signals to create a ducking delay effect. This is useful if you want to apply a delay effect that is audible only when no signal is present on a track.

PROCEDURE

1. Select the audio track that contains the audio you want to delay.
2. Select **Project > Duplicate Tracks**.
The events on the duplicated track are only used to reduce the volume of the effect that is added to the original track.
3. Select the original track.
4. In the **Inspector**, open the **Inserts** section and select **Delay > PingPongDelay**, for example.
5. On the effect control panel, make your effect settings, and click **Activate/Deactivate Side-Chaining**.



6. Click **Set up Side-Chain Routing**.
 7. Click **Add Side-Chain Source**, and select the duplicate track from the selector.
 8. Optional: Adjust the send level in the **Level** value field.
 9. In the **Project** window, select the duplicate track.
 10. In the **Inspector**, click **Output Routing**, and select the side-chain node for the **PingPongDelay** effect.
-

RESULT

The signals from the duplicated track are routed to the effect. Every time the audio signals on the track set in, the delay effect is deactivated.

NOTE

To ensure that audio signals of low or medium volume also silence the delay effect, you can adjust the volume of the duplicated track.

RELATED LINKS

[Side-Chaining](#) on page 546

[Side-Chain Routing](#) on page 548

Triggering a Compressor with Side-Chain Signals

Compression, expansion, or gating can be triggered by side-chain signals exceeding a specified threshold. This allows you to lower the volume of one audio signal every time another audio signal sets in.

PREREQUISITE

You have set up a project with a bass guitar and a bass drum track, for example, and you want to lower the bass guitar volume each time the bass drum hits.

PROCEDURE

1. Select the bass guitar track.
 2. In the **Inspector**, open the **Inserts** section.
 3. Click the first effect slot, and, from the selector, select **Dynamics > Compressor**.
 4. On the effect control panel, make your effect settings, and click **Activate/Deactivate Side-Chaining**.
 5. On the effect control panel, click **Set up Side-Chain Routing**.
 6. Click **Add Side-Chain Source**, and select the bass drum track from the selector.
 7. Optional: Adjust the send level in the **Level** value field.
-

RESULT

You have connected the bass drum track side-chain to the **Compressor** on the destination track. The bass drum signal triggers the **Compressor** on the bass guitar track. When you now play back the project, the bass guitar is compressed whenever the signals on the bass drum track exceed the set threshold.

RELATED LINKS

[Side-Chaining](#) on page 546


[Side-Chain Routing](#) on page 548

Side-Chain Routing

The **Side-Chain Routing** panel allows you to set up the side-chain routing for the selected plug-in.

- To open the **Side-Chain Routing** panel, click **Set up Side-Chain Routing** on the plug-in control panel.

The following controls are available:



Select the Plug-in Side-Chain Input

This pop-up menu is only available if your plug-in supports several side-chain inputs. From the pop-up menu, select the input for which you want to add a side-chain source. Side-chain plug-in inputs that are routed to side-chain sources are indicated by a rhombus next to the input name. The number of available side-chain inputs depends on the plug-in.

Activate/Deactivate Side-Chaining

Activates/Deactivates the side-chain functionality.

Activate/Deactivate Side-Chaining

Enables/Disables the side-chain source.

Name

Shows the name of the side-chain source.

Type

Shows the type of the side-chain source.

Level

Allows you to adjust the send level.

Meter

Shows the volume level of the input track.

Pre-/Post-Fader

Allows you to set the insert to pre-fader position or to post-fader position.

Edit Channel Settings

Opens the **Channel Settings** window for the selected side-chain source.

Remove Side-Chain Source

Removes the side-chain source.

Add Side-Chain Source

Opens a selector that allows you to add a side-chain source.

RELATED LINKS

[Side-Chaining](#) on page 546

[Creating Side-Chain Connections From Multiple Inputs](#) on page 550

Creating Side-Chain Connections From Multiple Inputs

For plug-ins that support multiple side-chain inputs, you can create side-chain connections coming from multiple side-chain inputs of that plug-in.

PREREQUISITE

You are using an effect plug-in that supports several side-chain inputs, such as the **Squasher** plug-in.

PROCEDURE

1. In the **Project** window, select an audio track.
2. In the track list, click **Edit Channel Settings**.
The **Channel Settings** window for the audio channel opens.
3. In the **Inserts** section, click the first insert slot on the **Inserts** tab, and, from the selector select the effect plug-in that supports several side-chain inputs.
The selected insert effect is loaded and activated, and the audio is routed through it. The effect control panel opens.
4. On the effect control panel, click **Set up Side-Chain Routing**.
5. In the **Side-Chain Routing** panel, click **Select the Plug-in Side-Chain Input**, and, from the pop-up menu, select the plug-in input for the side-chain source.
The number of available side-chain inputs depends on the plug-in.
6. Click **Add Side-Chain Source**, and select a source from the pop-up menu.
7. Optional: Repeat the steps above to activate more plug-in inputs.
8. Adjust the effect plug-in, as required and do not forget to activate the corresponding side-chain inputs.

RESULT

The number of possible side-chain inputs determines the number of bands that can be controlled by side-chain sources.

RELATED LINKS

[Side-Chaining](#) on page 546
[Side-Chain Routing](#) on page 548

Dither Effects

Dither effects allow you to control the noise produced by quantization errors that can occur when you mix down to a lower bit depth.

Dithering adds a special kind of noise at an extremely low level to minimize the impact of quantization errors. This is hardly noticeable and preferable to the distortion caused by the errors.

Applying Dither Effects

PROCEDURE

1. Select **Studio > MixConsole**.
2. Click **Edit Channel Settings** for the output channel.

3. In the **Inserts** section, click a post-fader effect slot, and select **Mastering > Lin Dither**.
 4. On the plug-in panel, select a bit depth for the mixdown file you want to create.
-

RELATED LINKS

[Export Audio Mixdown](#) on page 1406

External Effects

You can integrate external effect devices into the sequencer signal flow by setting up external effect busses.

An external effect bus is a combination of outputs (sends) and inputs (returns) on your audio hardware, along with a few additional settings.

All external effect busses you have created are available on the effect pop-up menus. If you select an external effect as an insert effect for an audio track, the audio is sent to the corresponding audio output, processed in your hardware effect, and returned via the specified audio input.

RELATED LINKS

[Audio Connections](#) on page 33

[External Instruments and Effects](#) on page 43

Effect Control Panel

The effect control panel allows you to set up the effect parameters. The contents, design, and layout of the control panel depend on the selected effect.

- To open the control panel for a plug-in, click the effect slot.

The following controls are available for all effects:



1 Activate Effect

Activates/Deactivates the effect.

2 Bypass Effect

- Allows you to bypass the effect.
- 3 Read Automation/Write Automation**
Allows you to read/write automation for the effect parameter settings.
- 4 Switch between A/B Settings**
Switches to setting B when setting A is active, and to setting A when setting B is active.
- 5 Apply current settings to A and B**
Copies the effect parameters of effect setting A to effect setting B, and vice versa.
- 6 Activate/Deactivate Side-Chaining**
Activates/Deactivates the side-chain functionality.
- 7 Set up Side-Chain Routing**
Allows you to set up the side-chain routing for the selected plug-in.
- 8 Preset browser**
Opens the preset browser, where you can select another preset.
- 9 Load previous Program/Load next Program**
Loads the previous/next program in the preset browser.
- 10 Preset Management**
Opens a pop-up menu that allows you to save or load a preset.
- 11 Add VST Plug-in Picture to Media Rack**
Adds a picture of the VST plug-in to the **Media** rack. This is available for plug-ins of other vendors only.
- 12 Functions menu**
Opens a pop-up menu with specific functions and settings.
- 13 Show/Hide Modulation Connections**
Shows/hides the modulation connections.
- 14 Show/Hide VST Quick Controls**
Shows/hides the quick controls.
- 15 Focus Quick Controls Lock State: Locked/Unlocked**
Allows you to lock the focus of the quick control to the plug-in window.
- 16 Focus Quick Controls Indicator**
If this indicator is lit, the plug-in window has the quick control focus.

NOTE

For detailed information about the included effects and their parameters, see the separate document **Plug-in Reference**.

RELATED LINKS

[Hiding/Showing Effect Control Panels](#) on page 554

[Creating Modulation Connections for Control Panels](#) on page 1023

Effect Control Panel Context Menu

The context menu and the **Functions** menu on the effect control panel display functions and settings that are specific to the effect.

Do one of the following:

- Right-click into an empty area of the effect control panel.
- Open the **Functions** pop-up menu on the effect control panel.

The following functions are available:

Copy <VST effect name> Setting/Paste <VST effect name> Setting

Allows you to copy the effect settings and to paste them to another effect.

Load Preset/Save Preset

Allows you to load/to save a preset.

Default Preset

Allows you to define and save a default preset.

Switch to A Setting/Switch to B Setting

Switches to setting B when setting A is active, and to setting A when setting B is active.

Apply Current Settings to A/Apply Current Settings to B

Copies the effect parameters of effect setting A to effect setting B, and vice versa.

Activate Outputs

Allows you to activate one or more outputs for the effect.

Activate/Deactivate Side-Chainning

Activates/Deactivates side-chainning for the effect.

NOTE

This option is only available for VST 3 effects that support side-chainning.

Remote Control Editor

Opens the **Remote Control Editor**.

Switch to Generic Editor

Opens the generic editor for the effect.

Allow Window to be Resized

Allows for dynamic resizing of third-party plug-in windows in Cubase. This is useful if you activated **Enable HiDPI** (Windows only) in the **Preferences** dialog (**General** page) and your plug-in does not support dpi settings.

NOTE

Allow Window to be Resized is a plug-in-specific setting. Activate/deactivate it for every plug-in that requires it.

RELATED LINKS

[General](#) on page 1533

[Side-Chainning](#) on page 546

Fine-Tuning Effect Settings

You can take your effect parameter settings as a starting point for further fine-tuning and subsequent comparison of the new settings with the original settings.

PREREQUISITE

You have adjusted the parameters for an effect.

PROCEDURE

1. On the control panel for the effect, click **Switch between A/B Settings**.
This copies the initial parameter setting A to setting B.
 2. Fine-tune the effect parameters.
These parameter settings are now saved as setting B.
-

RESULT

You can now switch between both settings by clicking **Switch between A/B Settings**. You can compare them, make further adjustments or just go back to setting A. Settings A and B are saved with the project.

AFTER COMPLETING THIS TASK

You can copy the settings between A and B by clicking **Copy A to B**. These settings can serve as a starting point for further fine-tuning.

Hiding/Showing Effect Control Panels

When you add an audio effect, the respective plug-in control panel opens automatically. You can hide the control panels from view. This contributes to a better overview, in case you added a number of plug-ins to your project whose control panels clutter up the screen.

PROCEDURE

- Select **Window > Hide Plug-in Windows**.

NOTE

Hide Plug-in Windows also hides VST instrument control panels.

RESULT

The control panels are hidden and sent to the back of the application. To show them again, select **Show Plug-in Windows**.

RELATED LINKS

[Effect Control Panel](#) on page 551

Closing All Control Panels

When you add an audio effect, the respective plug-in control panel opens automatically. You can close all control panels at once.

PROCEDURE

- Select **Window > Close All Plug-in Windows**.

NOTE

Close All Plug-in Windows also closes VST instrument control panels.

RESULT

The control panels are closed.

RELATED LINKS

[Effect Control Panel](#) on page 551

Effect Presets

Effect presets store the parameter settings of an effect. The included effects feature a number of presets that you can load, adjust, and save.

The following effect preset types are available:

- VST presets for a plug-in are plug-in parameter settings for a specific effect.
- Insert presets that contain the whole insert effects section with settings for each effect.

Effect presets are saved in the following location:

- Windows: `\Users\<user name>\My Documents\VST 3 Presets\<company>\<plug-in name>`
- macOS: `/Users/<user name>/Library/Audio/Presets/<company>/<plug-in name>`

RELATED LINKS


[Loading Presets for Effects](#) on page 556

[Loading Insert Presets](#) on page 559

Preset Browser

The preset browser allows you to select a VST preset for the loaded effect.

- To open the preset browser, click the preset browser field in the effect control panel.



The **Results** section of the presets browser lists the available presets for the selected effect.

Loading Presets for Effects

Most VST effect plug-ins feature a number of useful presets that you can instantly select.

PREREQUISITE

You have loaded an effect, either as a channel insert or into an effect channel, and the effect control panel is open.

PROCEDURE

1. Click the preset browser field at the top of the control panel.



2. In the **Results** section, select a preset from the list.
 3. Double-click to load the preset that you want to apply.
-

RESULT

The preset is loaded.

AFTER COMPLETING THIS TASK

To return to the preset that was selected when you opened the preset browser, click **Revert to Last Setting**.

Saving Effect Presets

You can save your effect settings as presets for further use.

PROCEDURE

1. Open the **Preset Management** pop-up menu.



2. Select **Save Preset**.
The **Save <plug-in name> Preset** dialog opens.
 3. In the **New Preset** section, enter a name for the new preset.
 4. Optional: Click **New Folder** to add a subfolder inside the effect preset folder.
 5. Optional: Click **Show Attribute Inspector** in the bottom left corner of the dialog, and define attributes for the preset.
 6. Click **OK**.
-

RESULT

The effect preset is saved.

RELATED LINKS

[Attribute Inspector](#) on page 780

Saving Default Effect Presets

You can save your effect parameter settings as default effect presets. This allows you to load your parameter settings automatically, every time you select the effect.

PROCEDURE

1. Open the **Preset Management** pop-up menu.



2. Select **Save as Default Preset**.
 3. Click **Yes**.
-

RESULT

The effect settings are saved as default presets. Every time you load the effect, the default preset is loaded automatically.

Copying and Pasting Presets Between Effects

You can copy and paste effect presets between different instances of the same plug-in.

PROCEDURE

1. Open the control panel for the effect that you want to copy.
 2. Right-click the control panel and select **Copy <plug-in name> Setting** from the context menu.
 3. Open another instance of the same effect.
 4. Right-click the control panel, and select **Paste <plug-in name> Setting** from the context menu.
-

Saving Insert Presets


You can save the inserts for a channel as an inserts preset, including all parameter settings. Insert presets can be applied to audio, instrument, effect channel, or group channel tracks.

PREREQUISITE

You have loaded a combination of insert effects, and the effect parameters are set up for each effect.

PROCEDURE

1. Select the track.
2. In the **Inspector**, open the **Inserts** section.
3. Right-click the **Inserts** section header, and select **Save FX Chain Preset**.



4. In the **Save FX Chain Preset** pane, enter a name for the new preset in the **New Preset** section.
 5. Click **OK**.
-

RESULT

The insert effects and their effect parameters are saved as insert presets.

RELATED LINKS

[Applying FX Chain Presets](#) on page 573

Loading Insert Presets

You can load insert presets into audio, group, instrument, and effect channels.

PREREQUISITE

You have saved a combination of insert effects as insert presets.


PROCEDURE

1. Select the track to which you want to apply the new preset.
2. In the **Inspector**, open the **Inserts** section.
3. Right-click the **Inserts** section header, and select **Load FX Chain Preset**.

TIP

You can also assign a key command to the function **Load FX Chain Preset for Selected Channel** in the **Mixer** category of the **Key Commands** dialog, and use it to open the presets pane.

-
4. Select an insert preset.



5. Double-click to apply the preset, and close the pane.
-

RESULT

The effects of the insert effect preset are loaded and any plug-ins that were previously loaded for the track are removed.

Loading Insert Effect Settings from Track Presets

You can extract the effects that are used in a track preset and load them into your inserts section.

PROCEDURE

1. Select the track to which you want to apply the new preset.
 2. In the **Inspector**, open the **Inserts** section.
 3. Right-click the **Inserts** section header, and select **From Track Preset**.
 4. In the track preset pane, select the preset that contains the insert effects you want to load.
 5. Double-click to load the effects and close the pane.
-

RESULT

The effects used in the track preset are loaded.

RELATED LINKS

[Track Presets](#) on page 226

System Component Information Window

The **System Component Information** window lists all available MIDI plug-ins, audio-codec plug-ins, program plug-ins, project import-export plug-ins, and the virtual file system plug-ins.

- To open the **System Component Information** window, select **Studio > More Options > System Component Information**.

Audio Effects

System Component Information Window

| System Component Information Window | | | | | |
|-------------------------------------|-----------|----------------------|--------------|------------------------------|------------------|
| MIDI Plug-ins | | Audio-Codec Plug-ins | | Program Plug-ins | |
| | Instances | Name | Architecture | Vendor | File |
| ✓ | - | Apache 5 | x64 | Steinberg Media Technologies | Cubase13.exe |
| ✓ | - | Apache SX | x64 | Steinberg Media Technologies | Cubase13.exe |
| ✓ | - | Auto LFO | x64 | Steinberg Media Technologies | Cubase13.exe |
| ✓ | - | Beat Designer | x64 | Steinberg Media Technologies | Cubase13.exe |
| ✓ | - | Chorder | x64 | Steinberg Media Technologies | Cubase13.exe |
| ✓ | - | Compressor | x64 | Steinberg Media Technologies | Cubase13.exe |
| ✓ | - | Context Gate | x64 | Steinberg Media Technologies | Cubase13.exe |
| ✓ | - | Density | x64 | Steinberg Media Technologies | Cubase13.exe |
| ✓ | - | Micro Tuner | x64 | Steinberg Media Technologies | Cubase13.exe |
| ✓ | - | MIDI Control | x64 | Steinberg Media Technologies | Cubase13.exe |
| ✓ | - | MIDI Echo | x64 | Steinberg Media Technologies | Cubase13.exe |
| ✓ | 1 | MIDI Modifiers | x64 | Steinberg Media Technologies | Cubase13.exe |
| ✓ | - | MIDI Monitor | x64 | Steinberg Media Technologies | Cubase13.exe |
| ✓ | - | No Effect | x64 | Steinberg Media Technologies | Cubase13.exe |
| ✓ | - | Note To CC | x64 | Steinberg Media Technologies | Cubase13.exe |
| ✓ | - | Quantizer | x64 | Steinberg Media Technologies | Cubase13.exe |
| ✓ | - | StepDesigner | x64 | Steinberg Media Technologies | stepdesigner.dll |
| ✓ | - | Transformer | x64 | Steinberg Media Technologies | Cubase13.exe |

Update

The following columns are available:

Active

Allows you to activate or deactivate a plug-in.

Instances

The number of plug-in instances that are used in Cubase.

Name

The name of the plug-in.

Architecture

The architecture of the plug-in.

Vendor

The manufacturer of the plug-in.

File

The name of the plug-in, including its file name extension.

Path

The path on which the plug-in file is located.

Category

The category of each plug-in.

Version

The version of the plug-in.

SDK

The version of the VST protocol that is compatible with the plug-in.

Update (only available for MIDI Plug-ins)

Re-scans the designated plug-in folders for updated system component information.

Managing System Components in the System Component Information Window

- To make a plug-in available for selection, activate it in the left column. Only activated plug-ins are displayed in the effect selectors.
- To see where a plug-in is used, click the **Instances** column.

NOTE

A plug-in may be in use, even if it is not activated in the left column. The left column only determines whether or not the plug-in is visible on the effect selectors.

Exporting System Component Information Files

For archiving purposes or troubleshooting, you can save system component information as an XML file.

- The system component file contains information on the installed/available plug-ins, their version, vendor, etc.
- The XML file can be opened in any editor application that supports the XML format.

NOTE

The export function is not available for program plug-ins.

PROCEDURE

1. In the **System Component Information** window, right-click in the middle of the window, and select **Export**.
 2. In the dialog, specify a name and a location for the export file.
 3. Click **Save** to export the file.
-

Direct Offline Processing

Direct Offline Processing allows you to instantly add plug-in effects and audio processes to the selected audio events, clips, or ranges, without destroying the original audio.

Applying offline effects is common practice in dialogue editing and sound design. Offline processing has several advantages over applying real-time mixer effects:

- The workflow is clip-based. This allows you to apply different effects to events on the same track.
- The **MixConsole** can be kept clean from insert effects and parameter changes. This facilitates subsequent mixing by another person, on a different system.
- Less CPU load is used.

Direct Offline Processing allows you to undo any changes regarding plug-in effects and audio processes, at any point and in any order. You can always revert to the original version. This is possible because processing does not affect the actual audio files.

If you process an event, a clip, or a selection range, the following happens:

- A new audio file is created in the **Edits** folder within your project folder.
This file contains the processed audio, and the processed section of the audio clip refers to it.
- The original file remains unaffected.
The unprocessed sections still refer to it.

All applied offline processing is saved with the project and can still be modified after reopening the project. **Direct Offline Processing** operations on the selected audio are persistent in track archives and project backups.

Processing is always applied to the selection. The selection can include one or multiple events in the **Project** window or in the **Audio Part Editor**, an audio clip in the **Pool**, or a selection range on one or multiple events in the **Project** window or in the **Sample Editor**. If a selection is shorter than the audio file, only the selected range is processed.

If you select an event that is a shared copy and therefore refers to a clip that is used by other events in the project, you can decide how to proceed:

- Select **Continue** to process all shared copies.
- Select **New Version** to process the selected event only.

NOTE

This only works if **Open Options Dialog** is selected for the **On Processing Shared Clips** setting in the **Preferences** dialog (**Editing—Audio** page).

RELATED LINKS

[Modifying Processes](#) on page 574

[Applying Offline Processing Permanently](#) on page 576

[Editing - Audio](#) on page 1523

[Direct Offline Processing Workflow](#) on page 564

[Direct Offline Processing Window](#) on page 565

Direct Offline Processing Workflow

You can perform offline processing operations in the **Direct Offline Processing** window. The window always shows the processing of the selected audio.

When you add or modify offline processing, the following applies:

- You can add processing by adding plug-ins or audio processes. Furthermore, you can add FX chain presets, track presets, or effect favorites within the **Direct Offline Processing** window, or drag plug-ins or plug-in chains from **Inserts** or from the **Media** rack.
- If you add a plug-in effect or a process, its last used parameter settings are loaded. You can reset it to its default settings by clicking **Reset to Default Values**.
- All changes are instantly applied to the audio.

NOTE

You can change this by deactivating **Auto Apply** in the **Direct Offline Processing** window. This can be necessary if you work with long events or if you use plug-ins that have a learning function.

- If you modify parameters or remove processing, these changes are instantly applied to the audio.
- You get a visual feedback while a process is running.

NOTE

You can add, modify, or delete plug-in effects or audio processes at any time, even while a process is running. A new rendering process is instantly started.

- You can undo and redo all **Direct Offline Processing** operations by using **Ctrl/Cmd-Z** or **Shift-Ctrl/Cmd-Z**.
- If an event is locked, you cannot edit it in the **Direct Offline Processing** window.
- You can apply all offline processing permanently to the audio.
- If you load a project with offline processing of plug-in effects or audio processes that are not available on your computer, these processes are shown as **Not available** in the **Direct Offline Processing** window.

RELATED LINKS

[Direct Offline Processing Window](#) on page 565

[Auto Apply](#) on page 564

[Key Commands for Direct Offline Processing](#) on page 585

[Locking Events](#) on page 263

[Applying Offline Processing Permanently](#) on page 576

Auto Apply

When you add or modify plug-in effects or audio processes, the processing is by default automatically applied to the audio. If you work with long events or if you use plug-ins with learning functions, you can deactivate **Auto Apply**.

If **Auto Apply** is deactivated, the following applies:

- Click **Apply** or use the corresponding key command to apply processing to the audio.

NOTE

If the **Direct Offline Processing** window has the focus, you can also press **Return** to apply the processing.

- Click **Discard** or use the corresponding key command to cancel processing.

IMPORTANT

Audio processes without adjustable parameters, for example, **Reverse** or **Silence**, are instantly applied to the audio, even if **Auto Apply** is deactivated.

RELATED LINKS

[Applying Plug-in Effects with Learning Function](#) on page 570

[Key Commands](#) on page 1480

[Built-In Audio Processes](#) on page 577

Direct Offline Processing Window


The **Direct Offline Processing** window allows you to instantly add, modify, or delete audio processing for one or multiple events, clips, or selection ranges in one window. Furthermore, you can undo any audio processing, at any point and in any order.

To open the **Direct Offline Processing** window, do one of the following:

- Select **Audio > Direct Offline Processing**.
- Press **F7**.
- On the **Project** window toolbar, click **Open Direct Offline Processing Window**.
- Select **Audio > Processes**, and, from the submenu, select a process.

NOTE

Processes without adjustable parameter settings, such as **Silence**, do not open the **Direct Offline Processing** window when applied from the menu or using a key command.



In the **Direct Offline Processing** window, the following options and settings are available:

Toolbar

Allows you to add audio processing, to audition the audio with the current edits, and to make global settings for offline processing.

Process list

Lists all plug-in effects and built-in audio processes that you add to the selected event, clip, or range. You can bypass items in this list. An icon to the right of each process shows the status.

If only a range of a selected event is processed, this is indicated by a waveform icon in the **Range** column.

If more than one processed event or clip is selected, the **Count** column shows how many instances of each process are used on the whole selection.

You can copy or cut processes with all settings and paste them to other events, clips, or ranges, delete them, and make offline processing permanent by using the context menu.

If a process is not available on your computer, it is shown as **Not available**.

Process panel

Allows you to modify, reset, or delete the selected plug-in effect or audio process.

Apply and **Discard** allow you to manually apply a new plug-in effect or audio process or a parameter change to the audio or to discard it.

NOTE

- If **Auto Apply** is activated, the **Apply** and **Discard** buttons are not available.
- The effect parameters for plug-ins are described in the separate document **Plug-in Reference**.

Favorites

Allow you to add and manage single processes or process batches with dedicated parameter settings. You can create up to 36 favorites that are available on 4 banks.

RELATED LINKS

- [Applying Processing](#) on page 568
- [Bypass Processes](#) on page 575
- [Copying and Pasting Processes](#) on page 576
- [Favorites](#) on page 571
- [Batch Processing](#) on page 573
- [Applying Offline Processing Permanently](#) on page 576
- [Applying Processing to Multiple Events](#) on page 569
- [Auto Apply](#) on page 564
- [Direct Offline Processing Toolbar](#) on page 566


Direct Offline Processing Toolbar

The toolbar of the **Direct Offline Processing** window allows you to apply audio processing, to audition the audio with the current edits, and to make global settings for offline processing.

On the toolbar, the following options and settings are available:

Add Processes

Add Plug-in




Allows you to add a plug-in effect to the selected event or clip.

Select Preset



Allows you to select a plug-in preset.


Add Process



Allows you to add a built-in audio process to the selected event or clip.

Apply Options

Auto Apply



If this option is activated and you add or modify a plug-in effect or an audio process, it is instantly rendered into the audio and added to the process list in the left zone of the **Direct Offline Processing** window.

If this option is deactivated, you can make changes on the process panel without instantly rendering them. To add the plug-in effect or the audio process to the process list or to apply parameter changes of a process that you have already added, click **Apply**. To discard a plug-in effect, an audio process, or a parameter change, click **Discard**.

NOTE

- The **Auto Apply** function for instant rendering is suited for most workflows. However, if you work with long events, we recommend to deactivate it.

Left Divider

Left Divider

Tools that are placed to the left of the divider are always shown.

Audition

Audition



Allows you to audition the selected audio with all processing from the top of the process list to the process selected in the list. All processes below the selected process are ignored during playback.

To bypass the selected process for auditioning, press **Alt/Opt** and click **Audition**.

Audition Loop



Loops the playback until you deactivate the **Audition** button.


Audition Volume



Allows you to adjust the volume.

Process Range


Activate Extend Process Range



Allows you to extend the process range beyond the left and right event borders, enabling you to enlarge the event later while retaining the processing that you applied.

Tail

Activate Tail



Allows you to add time at the end of the rendered files. This way, reverb and delay effects can fully fade out.

Right Divider

Right Divider

Tools that are placed to the right of the divider are always shown.

Window Zone Controls

Show/Hide Left Zone



Shows/Hides the left zone of the **Direct Offline Processing** window that contains the process list.

NOTE

This setting is applied globally.

RELATED LINKS

[Auto Apply](#) on page 564

[Process Range Extension](#) on page 573

[Tail](#) on page 574

Applying Processing

You can add processing to one or multiple events, clips, or ranges in the **Direct Offline Processing** window. This includes plug-in effects, audio processes, and **Sample Editor** operations, such as **Cut**, **Paste**, **Delete**, and using the **Draw** tool.

The **Auto Apply** function for instant rendering is suited for most workflows. However, if you work with long events or if you use plug-ins that have a learning function, you might want to deactivate it.

PROCEDURE

1. Do one of the following:

- Select an event or a range in the **Project** window.
- Select a clip in the **Pool**.
- Select a range in the **Sample Editor**.
- Select an event or a range in the **Audio Part Editor**.

2. Select **Audio > Direct Offline Processing**.
3. Do one of the following:
 - On the **Direct Offline Processing** toolbar, click **Add Process**, and select an audio process.
 - On the **Direct Offline Processing** toolbar, click **Add Plug-in**, and select a plug-in effect.
 - In the **Media** rack, click the **VST Effects** tile, select a plug-in effect, and drag it to the process list in the left zone.

IMPORTANT

- You can select all installed VST plug-ins for offline processing. However, not every plug-in is suited for offline processing.
- If you apply a stereo effect to mono audio material, the left side of the stereo output of the effect is used.

The selected plug-in effect or audio process is added to the process list.

4. Activate **Audition**, and make your changes on the process panel.
You get a visual feedback while a process is running. However, even if the processing is not finished, you can activate **Audition** at any time.
5. Optional: If **Auto Apply** is deactivated, choose whether you want to apply the processing to the audio or to discard it.
 - Click **Apply** to add the plug-in effect or audio process to the process list and to render it into the audio.
 - Click **Discard** to discard the plug-in effect or audio process. The process panel is emptied.

RESULT

The plug-in effect or audio process is rendered into the audio.

In the **Project** window, the **Pool** or the **Audio Part Editor**, a waveform symbol is displayed for the processed events.

Applying Processing to Multiple Events

Direct Offline Processing allows you to add plug-in effects or built-in audio processes to multiple events at once. You can also modify or delete processing on multiple events simultaneously.

- To apply plug-ins or audio processes to multiple events, select the audio and add, modify, or delete the processing.

If you select multiple events, the **Count** column of the process list shows how many instances of each process are used on the whole audio selection. The processes in the process list are ordered alphabetically.

NOTE

Applying plug-in effects to multiple events that have different channel configurations may lead to unwanted results, depending on the plug-in used.

NOTE

In the **Direct Offline Processing** window, you can also edit the audio processing of multiple clips in the **Pool** simultaneously.

RELATED LINKS

[Built-In Audio Processes](#) on page 577
[Direct Offline Processing Window](#) on page 565

Applying Insert Effects as Offline Processing

You can apply audio effects from **MixConsole** or **Inspector** insert slots or entire plug-in chains with their current parameter settings as offline processing.

PREREQUISITE

Your project contains tracks with audio insert plug-in effects.

PROCEDURE

1. Select an audio event, clip, or range.
2. Select **Audio > Direct Offline Processing**.
3. Do one of the following:
 - In the **MixConsole** or **Inspector**, click an **Inserts** slot with a loaded plug-in, and drag the plug-in to the **Direct Offline Processing** process list.
 - In the **MixConsole**, click the **Inserts** section header, and drag the entire section with all loaded plug-ins to the **Direct Offline Processing** process list.

NOTE

The plug-in effect or the complete plug-in chain is instantly added to the process list, even if **Auto Apply** is deactivated.

RESULT

The plug-in effect or the complete plug-in chain is rendered into the audio with its current parameter settings.

Applying Plug-in Effects with Learning Function

You can train a plug-in effect that has a learning function, for example, a plug-in for noise reduction.

PROCEDURE

1. Select an audio range that you want to use for training the plug-in about the noise spectrum. For example, you can use a pause that only contains noise and no dialog.
2. In the **Direct Offline Processing** window, deactivate **Auto Apply**.
3. Add the noise reduction plug-in, and activate its learning mode.
4. On the **Direct Offline Processing** window toolbar, activate **Audition Loop**.
5. Activate **Audition**.
6. After you have trained the plug-in, deactivate its learning mode.
7. Deactivate **Audition**.

8. Click **Discard**.

Noise reduction is not applied at this point, but the plug-in keeps the parameter settings for the learned noise spectrum.

9. Select the whole event.

10. In the **Direct Offline Processing** window, add the noise reduction plug-in, and click **Apply** or use the corresponding key command.

RESULT

Noise reduction is applied to the whole event with the current parameter settings.

Favorites

For plug-ins or audio processes that you use frequently, you can create favorites in the **Direct Offline Processing** window.

Favorites allow you to instantly apply single or multiple plug-ins and audio processes with dedicated parameter settings to the selected audio. You can create up to 36 favorites on 4 banks by dragging plug-ins and audio processes to the favorites section below the process list.

RELATED LINKS

[Creating Favorites](#) on page 571

[Applying Processing via Favorites](#) on page 572

[Batch Processing](#) on page 573

Creating Favorites

In the **Direct Offline Processing** window, you can create favorites for frequently used plug-ins or processes with dedicated parameter settings.

PREREQUISITE

The process list contains plug-ins or audio processes with parameter settings that you want to save as favorites.

PROCEDURE

1. Optional: In the favorites section, select a bank.

2. Do one of the following:

- In the process list, select one or multiple processes, and drag them to the favorites section.

NOTE

If you drag multiple processes, you must enter a batch name in the **New Batch** window.

-
- In the **Media** rack, click the **VST Effects** tile, select a plug-in effect, and drag it to the favorites section.
-

RESULT

A single favorite or a batch of favorites is created on the selected bank in the favorites section.

AFTER COMPLETING THIS TASK

You can rename or delete the favorite or batch via the context menu.

RELATED LINKS

[Batch Processing](#) on page 573

Creating Favorites from Insert Effects

You can use audio effects from **MixConsole** or **Inspector** insert slots or entire plug-in chains with their current parameter settings to create favorites in the **Direct Offline Processing** window.

PREREQUISITE

Your project contains tracks with audio insert plug-in effects.

PROCEDURE

1. Select an audio event, clip, or range.
2. Select **Audio > Direct Offline Processing**.
3. Do one of the following:
 - In the **MixConsole** or **Inspector**, click an **Inserts** slot with a loaded plug-in, and drag the plug-in to the **Direct Offline Processing** favorites section.
 - In the **MixConsole**, click the **Inserts** section header, and drag the entire section with all loaded plug-ins to the **Direct Offline Processing** favorites section.If you drag multiple processes, you must enter a batch name in the **New Batch** window.

RESULT

A single favorite or a batch of favorites is created on the selected bank in the favorites section.

AFTER COMPLETING THIS TASK

You can rename or delete the favorite or batch via the context menu.

Applying Processing via Favorites

Favorites allow you to instantly apply processing to one or multiple events, clips, or ranges.

NOTE

If you apply plug-in effects or audio processes by clicking a favorite, the processing is instantly rendered to the audio, even if **Auto Apply** is deactivated.

PROCEDURE

1. Select one or multiple events.
2. In the **Direct Offline Processing** window, click a favorite.

RESULT

The corresponding plug-in, audio process, or process batch is instantly applied to the audio.

RELATED LINKS

[Favorites](#) on page 571

[Auto Apply](#) on page 564

[Batch Processing](#) on page 573

Batch Processing

Direct Offline Processing allows you to save multiple plug-in effects or audio processes with dedicated settings as batches in the **Favorites** section, and to apply these batches with one click. You can also apply FX chain presets or insert effects of track presets as batches.

- You can create batches by dragging multiple processes from the process list to the favorites section.
- You can apply a batch to the audio by clicking the corresponding favorite.
- You can apply FX chain presets or insert effects of track presets as batches by clicking **Select Preset** in the **Direct Offline Processing** toolbar.

NOTE

- Batches are instantly applied to the audio, even if **Auto Apply** is deactivated.
- Batches are saved globally.
- If batches contain plug-in effects that are not available on your computer, these batches are applied without the plug-ins.

RELATED LINKS

- [Creating Favorites](#) on page 571
[Applying Processing via Favorites](#) on page 572
[Applying FX Chain Presets](#) on page 573
[Auto Apply](#) on page 564

Applying FX Chain Presets

You can import FX chain presets or insert effects of track presets and apply them as batch processes.

NOTE

Batches are instantly applied to the audio, even if **Auto Apply** is deactivated.

PROCEDURE

1. In the **Direct Offline Processing** toolbar, click **Select Preset**, and load an FX chain preset or an insert effect from a track preset.
2. From the selector, select an FX chain preset or a track preset.

RESULT

The effects of the FX chain preset or track preset are instantly applied to the audio.

RELATED LINKS

- [Auto Apply](#) on page 564
[Saving Insert Presets](#) on page 558
[Track Presets](#) on page 226

Process Range Extension

You can extend the process range over the left and the right borders of the audio event.

When adding processing to an event, by default, only the part of the audio clip that corresponds to the event is processed. If you extend the process range, a specified additional range of the clip

before and after the event borders is also processed. This allows you to enlarge the event, even after applying the processing.

- To extend the process range, click **Activate Extend Process Range** on the **Direct Offline Processing** toolbar, and specify a value in milliseconds.

NOTE

- For this to work, audio must be available outside the event borders.
- This setting works globally for all events.
- You cannot use **Activate Extend Process Range** and **Activate Tail** at the same time.

RELATED LINKS

[Tail](#) on page 574

Tail

You can add time at the end of the rendered audio when applying plug-in effects.

Adding tail avoids that a reverb tail or a delay effect is cut off. Tail is added at the end of the event, and the event is automatically resized.

- To add tail when applying a plug-in effect, click **Activate Tail** on the **Direct Offline Processing** toolbar, and specify a value in milliseconds.

NOTE

- This setting works globally for all events.
- Tail is only added if you add plug-in effects. If you add audio processes, for example **Gain**, no tail is added.
- If you add tail to an event that you have manually resized before, the tail is added, but the event length is not adjusted automatically. Therefore, you must manually adjust the event. In this case, the tail is mixed with the underlying audio clip.
- You cannot use **Activate Extend Process Range** and **Activate Tail** at the same time.

RELATED LINKS

[Event Resize Options](#) on page 252

[Process Range Extension](#) on page 573

Modifying Processes

You can delete or modify some or all processing from a clip in the **Direct Offline Processing** window. This includes the audio processes on the **Processes** pop-up menu, any applied plug-in effects, and **Sample Editor** operations, such as **Cut**, **Paste**, **Delete**, and drawing with the **Draw** tool.

The **Auto Apply** function for instant rendering is suited for most workflows. However, if you work with long events or if you use plug-ins that have a learning function, you might want to deactivate it.

PROCEDURE

1. Do one of the following:
 - Select the processed event in the **Project** window or in the **Audio Part Editor**.

NOTE

In the **Project** window or in the **Audio Part Editor**, processed events are indicated by a waveform symbol in the upper right corner.

- Select the processed clip from the **Pool**.

NOTE

In the **Pool**, processed clips are indicated by a waveform symbol in the **Status** column.

- Select the processed range in the **Sample Editor**.

2. Select **Audio > Direct Offline Processing**.

3. In the process list, select the process that you want to edit by clicking on it.

4. Do one of the following:

- Activate **Audition**, and modify the settings of the process.
- Reset the process to its default settings by clicking **Reset to Default Values**.
- Delete the process by clicking **Delete**  on the process panel.

NOTE

Alternatively, you can right-click the process list and select **Delete**.

- To delete all processing applied to the event, right-click the process list, and select **Delete All**.

5. Optional: If **Auto Apply** is deactivated, choose whether you want to apply your parameter changes to the audio or to discard them.

- Click **Apply** to apply the parameter changes to the audio.
- Click **Discard** to discard the parameter changes.

RELATED LINKS

[Direct Offline Processing Window](#) on page 565

[Pool Window Columns](#) on page 726

Reordering the Process List

You can reorder the operations in the **Direct Offline Processing** process list by dragging.

PROCEDURE

- Click a plug-in effect or an audio process, and move it by dragging.

RESULT

The offline processing operations are rendered into the audio in the specified order.

Bypass Processes

In the **Direct Offline Processing** window, you can bypass processes. This allows you to hear the audio without the processes.

- To activate/deactivate bypass for a process, click the **Bypass Process** button to the left of the process.

NOTE

- If you activate/deactivate **Bypass Process**, the complete process chain is recalculated. Depending on the length of the audio and on the number of processes, this may take some time. In the process list, you get a visual feedback while a process is running.
 - The bypass status is saved with the project.
-

Copying and Pasting Processes

You can copy and paste plug-in effects and audio processes, including their parameter settings, between events, clips, and ranges.

PROCEDURE

1. Select a processed audio event, clip, or range.

NOTE

Processing on selections of multiple events cannot be copied.

2. In the **Direct Offline Processing** window, select one or multiple items from the process list.
 3. Right-click the process in the process list, and select **Copy** from the context menu.
 4. Select the target events or clips.
 5. In the **Direct Offline Processing** window, right-click the process in the process list and select **Paste**.
-

RESULT

The copied processes and all parameter settings are added to the process list of the selected audio.

Applying Offline Processing Permanently

You can apply all offline processing permanently to the audio.

PREREQUISITE

You have applied plug-in effects or audio processes to an event, clip, or range, and you are sure that you do not need to edit the processing anymore.

IMPORTANT

Making offline processing permanent cannot be undone.

PROCEDURE

1. Select the processed event, clip, or range.
2. Select **Audio > Make Direct Offline Processing Permanent**.

NOTE

Alternatively, select **Make All Permanent** from the context menu of the **Direct Offline Processing** process list.

3. Click **OK**.
-

RESULT

- All processing and all applied effects are permanently added to the selected event, clip, or range.
- The process list is emptied.
- The event or clip is no longer marked as offline-processed by a waveform symbol.

Built-In Audio Processes


Cubase provides several built-in audio processes that can be used for **Direct Offline Processing**.

IMPORTANT

Audio processes without adjustable parameters, for example, **Reverse** or **Silence**, are instantly applied to the audio, even if **Auto Apply** is deactivated.

Envelope

Envelope allows you to apply a volume envelope to the selected audio.



Curve Type buttons

Determine whether the corresponding envelope uses **Spline Interpolation**, **Damped Spline Interpolation**, or **Linear Interpolation**.

Envelope display

Shows the shape of the envelope. The resulting waveform shape is shown in a dark tone, while the current waveform shape is displayed in a light tone.

- To add a curve point, click the curve.
- To move a curve point, click and drag.
- To remove a curve point, click and drag it outside the display.


Presets pop-up menu

Allows you to manage your presets.

- To save a preset, select **Save Preset** from the pop-up menu, enter a name, and click **OK**.
- To apply a preset, select it from the pop-up menu.
- To remove a preset, select it from the pop-up menu, and click **Remove Preset**.

Fade In/Fade Out

Fade In and **Fade Out** allow you to apply a fade to the selected audio.



Curve Type buttons

Determine whether the corresponding envelope uses **Spline Interpolation**, **Damped Spline Interpolation**, or **Linear Interpolation**.

Fade display

Shows the shape of the fade curve. The resulting waveform shape is shown in a dark tone, while the current waveform shape is displayed in a light tone.

- To add points, click the curve.
- To change the curve shape, click and drag existing points.
- To remove a point from the curve, drag it outside the display.

Presets pop-up menu

Allows you to manage your presets.


- To save a preset, select **Save Preset** from the pop-up menu, enter a name, and click **OK**.
- To apply a preset, select it from the pop-up menu.
- To remove a preset, select it from the pop-up menu, and click **Remove Preset**.

Curve Shape buttons

These buttons give you quick access to some common curve shapes.

Gain

Gain allows you to change the gain, that is, the level of the selected audio.



Gain

Allows you to set a gain value between -50 dB and +20 dB.

Clipping Detection text

This text is displayed if you use **Audition** and the gain setting results in audio levels above 0 dB.

NOTE


In case of clipping, lower the **Gain** value, and use the **Normalize** audio process instead. This allows you to increase the level of the audio to the highest extent possible without causing clipping.

RELATED LINKS

[Normalize on page 579](#)

Invert Phase


Invert Phase allows you to invert the phase of the selected audio.



For stereo audio files, a pop-up menu is available. It allows you to specify which channels are phase-inverted: the left channel, the right channel, or both.

Normalize

Normalize allows you to raise or lower the level of audio that was recorded at an inappropriate input level. You can use the maximum peak level or the loudness of the audio as a normalization reference.



Peak Normalization

Allows you to normalize your audio based on the maximum peak level. **Maximum Peak Level in dBFS** sets a maximum peak level for the audio, between -50 dB and 0 dB. The current maximum level of the selected audio is subtracted from this maximum level, and the gain is raised or lowered by the resulting amount.

Loudness Normalization

Allows you to normalize your audio based on the integrated loudness, according to the recommendation R 128 of the European Broadcasting Union (EBU). **Integrated Loudness in LUFS** sets a loudness value for the audio, between -34 LUFS and 0 LUFS.

NOTE


- For audio shorter than 0.4 s, no loudness normalization is applied, in order to avoid unexpectedly high gain changes.
 - Normalizing a highly dynamic signal based on the integrated loudness may cause peaks over 0 dB. To avoid this, we recommend that you add the **Brickwall Limiter** plug-in after the **Normalize** process.
-

RELATED LINKS

[Loudness Measurement on page 524](#)

Pitch Shift

Pitch Shift allows you to change the pitch of the audio with or without affecting its length. You can also create harmonies by specifying several pitches or apply pitch shift based on an envelope curve.



On the **Transpose** tab, the following options are available:

Keyboard display

Shows a graphic overview of the transposition, with the root note indicated in red and the transposed key indicated in blue.

NOTE

The indicated root note has nothing to do with the key or pitch of the original audio. It just provides a way to display transpose intervals.

- To change the root note, use the settings in the **Pitch Shift Base** section, or hold **Alt**, and click the keyboard display.
- To specify a transpose interval, click one of the keys.
- To specify a chord, activate **Multi Shift**, and click several keys.
To remove a transpose interval, click a blue key.

Pitch Shift Settings

Transpose

Allows you to specify the amount of pitch shift in semitones.

Fine-Tune

Allows you to specify the amount of pitch shift in cents.

Preview Settings

Volume

Allows you to lower the volume of the pitch-shifted sound. This is not available if **Time Correction** is activated.

Listen Key Level

Allows you to adjust the level of the pitch-shifted sound. Click **Listen Key/Listen Chord** to play a test tone of the pitch-shifted sound.

Pitch Shift Base

Root Note/Pitch

Allows you to set the root note.

NOTE

The indicated root note has nothing to do with the key or pitch of the original audio. It just provides a way to display transpose intervals.

Multi Shift

Activate this to specify several transpose keys and to create multi-part harmonies. If the intervals you add make up a standard chord, this chord is displayed to the right.

- To include the original, untransposed sound, click the root key on the keyboard display so that it is displayed in blue.

Algorithm Settings

Time Correction

Activate this option to shift the pitch without affecting the length of the audio. If this is deactivated and you raise the pitch, the audio section is shortened.

Preset


Allows you to select an algorithm.

RELATED LINKS

[Time Stretch and Pitch Shift Algorithms on page 587](#)

Envelope-Based Pitch Shift

On the **Envelope** tab, you can specify an envelope curve as a base for the pitch shift.



Curve Type buttons

Determine whether the corresponding envelope uses **Spline Interpolation**, **Damped Spline Interpolation**, or **Linear Interpolation**.

Envelope display

Shows the shape of the envelope curve over the waveform image of the audio selected for processing. Envelope curve points above the center line indicate a positive pitch shift, curve points below the center line indicate a negative pitch shift. Initially, the envelope curve is a horizontal, centered line, indicating zero pitch shift.

- To add a curve point, click the curve.
- To move a curve point, click and drag.
- To remove a curve point, click and drag it outside the display.
- To remove all curve points, click **Reset** above the envelope display.

Pitch Shift Settings

Range

Allows you to determine the vertical pitch range of the envelope. Moving a curve point to the top of the display shifts the pitch by this value.

Transpose

Allows you to specify the amount of pitch shift in semitones.

Fine-Tune

Allows you to specify the amount of pitch shift in cents.

Algorithm Settings

Time Correction

Activate this option to shift the pitch without affecting the length of the audio. If this is deactivated, raising the pitch shortens the audio section and vice versa, similarly to changing the playback speed on a tape recorder.

Preset

Allows you to select an algorithm.

RELATED LINKS

[MPEX](#) on page 588

Remove DC Offset Option

Remove DC Offset allows you to remove any DC offset in the audio selection.

If your audio signal contains too large a component of direct current, you may notice that it is not centered around the zero level axis. This is called DC offset.

- To verify if your audio contains DC offsets, select the audio, and select **Audio > Statistics**.

IMPORTANT

DC offset is normally present throughout the entire recording. Therefore, always apply **Remove DC Offset** to complete audio clips.

There are no adjustable parameters for this audio process.

RELATED LINKS

[Statistics Window](#) on page 596

Resample

Resample allows you to change the length, tempo, and pitch of an event.

If you resample to a higher sample rate, the event gets longer, and the audio plays back at a slower speed, with a lower pitch. If you resample to a lower sample rate, the event gets shorter, and the audio plays back at a faster speed, with a higher pitch.



File Sample Rate

Shows the original sample rate of the event.

New Sample Rate

Allows you to resample the event by specifying a sample rate.

Difference

Allows you to resample the event by specifying the difference between the original sample rate and the new sample rate.

Reverse

Reverse allows you to reverse the audio selection so that it sounds as if you play a tape backwards. There are no adjustable parameters for this audio process.

Silence

Silence allows you to replace the selection with silence. There are no adjustable parameters for this audio process.

Stereo Flip

Stereo Flip allows you to manipulate the left and the right channels of stereo audio selections.

In the **Mode** pop-up menu, the available options are:

Flip Left-Right

Swaps the left and right channel.

Left to Stereo

Copies the left channel sound to the right channel.

Right to Stereo

Copies the right channel sound to the left channel.

Merge


Merges both channels on each side for mono sound.

Subtract

Subtracts the left channel information from the right. This function is typically used for karaoke background as it removes the centered mono material from a stereo signal.

Time Stretch

Time Stretch allows you to change the length and the tempo of the selected audio without affecting the pitch.



Define Bars

You can set the length of the selected audio and the time signature in this section.

Bars

Allows you to set the length of the selected audio in bars.

Beats

Allows you to set the length of the selected audio in beats.

Signature

Allows you to set the time signature.

Original Length

This section contains information and settings regarding the audio that is selected for processing.

Length in Samples

Shows the length of the selected audio in samples.

Length in Seconds

Shows the length of the selected audio in seconds.

Tempo in BPM

Allows you to enter the actual tempo of the audio in beats per minute. This option allows you to time-stretch the audio to another tempo, without having to compute the actual time stretch amount.

Resulting Length

These values change automatically if you adjust the **Time Stretch Ratio** to stretch the audio so that it fits within a specific time span or tempo.

Samples

Shows the resulting length in samples.

Seconds

Shows the resulting length in seconds.

BPM

Shows the resulting tempo in beats per minute. For this to work, the **Original Length** values must be specified.

Range

These settings allow you to set a range for the time stretch.

Arbitrary Range Start Time

Allows you to set a start position for the range.

Arbitrary Range End Time

Allows you to set an end position for the range.

Use Locators

Allows you to set the **Range** values to the left and right locator positions, respectively.

Algorithm

Allows you to select a time stretch algorithm.

Time Stretch Ratio

Allows you to set the amount of time stretch as a percentage of the original length. If you use the settings in the **Resulting Length** section to specify the amount of time stretch, this value changes automatically.

RELATED LINKS

[Time Stretch and Pitch Shift Algorithms on page 587](#)

Key Commands for Direct Offline Processing

You can apply offline processing by using key commands.

If you add plug-in effects or audio processes via key commands, the following applies:

- If you add plug-ins or audio processes directly, their current settings are used.
- If you add plug-ins or audio processes via favorites or batches, the dedicated settings of the favorites or batches are used.
- The **Direct Offline Processing** window opens. This does not apply if the selected process does not feature any adjustable parameters or if the window is in the background or minimized.
- You can apply offline processing by using key commands, even with **Auto Apply** deactivated.

If the corresponding section in the **Direct Offline Processing** window has the focus, the following default key commands apply:

| Option | Key command |
|--|-------------|
| Open/Close Direct Offline Processing window | F7 |
| Set focus within Direct Offline Processing window | Tab |

| Option | Key command |
|--|------------------------------|
| Navigate in the process list | Up Arrow / Down Arrow |
| Activate/Deactivate Audition (Playback Toggle Space triggers Local Preview must be activated in the Preferences dialog) | |
| Apply process in process panel (only available if Auto Apply is deactivated) | Enter |
| Discard process in process panel (only available if Auto Apply is deactivated) | Delete |
| Delete selected item from process list | Delete |
| Select all items in process list | Ctrl / Cmd - A |
| Cut selected items from process list | Ctrl / Cmd - X |
| Copy selected items in process list | Ctrl / Cmd - C |
| Paste items to process list | Ctrl / Cmd - V |
| Undo | Ctrl / Cmd - Z |

To define key commands for further **Direct Offline Processing** operations, and for directly adding particular plug-in effects and audio processes, use the **Key Commands** dialog.

RELATED LINKS

[Favorites](#) on page 571

[Batch Processing](#) on page 573

[Direct Offline Processing Window](#) on page 565

[Transport](#) on page 1542

[Auto Apply](#) on page 564

[Key Commands](#) on page 1480

Time Stretch and Pitch Shift Algorithms

In Cubase, time-stretching and pitch-shifting algorithms are used for offline processes, in the **Sample Editor**, or for the **Flattening Realtime Processing** function. Depending on the feature, **élastique**, **MPEX**, or **Standard** algorithm presets are available.

NOTE

MPEX algorithms are not supported on Apple silicon-based computers.

RELATED LINKS

[Time Stretch](#) on page 584

[Pitch Shift](#) on page 580

[Sample Editor](#) on page 599

[élastique](#) on page 587

[MPEX](#) on page 588

[Standard](#) on page 588

[Limitations](#) on page 589

élastique

The **élastique** algorithm is suited for polyphonic and monophonic material.

The following modes are available:

élastique Pro

For best audio quality, without formant preservation.

élastique Pro Formant

For best audio quality, but including formant preservation.

élastique efficient

Requires less computing power, but has a lower audio quality than the **Pro** modes.

The modes support the following variants:

Time

Favors timing accuracy over pitch accuracy.

Pitch

Favors pitch accuracy over timing accuracy.

Tape

Locks the pitch shift to the time stretch as if playing back a tape at varying speeds. If you stretch the audio material, the pitch decreases automatically. This variant has no effect if you use it with event transpose or the transpose track.

MPEX

MPEX is an alternative high-quality algorithm.

You can choose between the following quality settings:

MPEX – Preview Quality

For preview purposes.

MPEX – Mix Fast

A very fast mode for preview. This mode works best with composite music signals (mono or stereo material).

MPEX – Solo Fast

For single instruments (monophonic material) and voice.

MPEX – Solo Musical

Higher quality for single instruments (monophonic material) and voice.

MPEX – Poly Fast

For monophonic and polyphonic material. This is the fastest setting that still delivers very good results. You can use this for drum loops, mixes, and chords.

MPEX – Poly Musical

For monophonic and polyphonic material. This is the recommended **MPEX** quality setting. You can use this for drum loops, mixes, or chords.

MPEX – Poly Complex

For complex material or for higher stretch factors. This high-quality setting is quite CPU-intensive.

NOTE

- If you apply **Pitch Shift** as an offline process, you can choose between the regular setting and a setting where the formants are preserved for each quality setting.
- **MPEX** algorithms are not supported on Apple silicon-based computers. If you load a project that uses **MPEX**, you can choose to use a comparable **élastique** algorithm instead, or to keep the **MPEX** processing by making all processes permanent.

Standard

The **Standard** algorithm is optimized for CPU-efficient realtime processing.

The following presets are available:

Standard – Drums

For percussive sounds. This mode does not change the timing of your audio. If you use it with certain tuned percussion instruments, you may experience audible artifacts. In this case, try **Mix** mode as an alternative.

Standard – Plucked

For audio with transients and a relatively stable spectral sound character like plucked instruments.

Standard – Pads

For pitched audio with slower rhythm and a stable spectral sound character. This minimizes sound artifacts, but the rhythmic accuracy is not preserved.

Standard – Vocals

For slower signals with transients and a prominent tonal character like vocals.

Standard – Mix

For pitched material with a less homogenous sound character. This mode preserves the rhythm and minimizes the artifacts.

Standard – Custom

Allows you to set the time-stretching parameters manually.

Standard – Solo

For monophonic material like solo woodwind/brass instruments or solo vocals, monophonic synths or string instruments that do not play harmonies. This mode preserves the timbre of the audio.

Custom Warp Settings

If you select the **Standard – Custom** mode, a dialog opens where you can manually adjust the parameters that govern the sound quality of the time stretching:

Grain Size

Allows you to determine the size of the grains into which the standard time-stretching algorithm splits the audio. Low grain size values lead to good results for material that has many transients.

Overlap

This is the percentage of the whole grain that will overlap with other grains. Use higher values for material with a stable sound character.

Variance

This is the percentage of the whole length of the grains, and it sets a variation in positioning, so that the overlapping area sounds smooth. A variance setting of 0 produces a sound akin to the time stretching used in early samplers, whereas higher settings produce more rhythmic smearing effects but fewer audio artifacts.

Limitations

Applying time stretching or pitch shifting to audio material can lead to a degradation in audio quality and to audible artifacts. The result depends on the source material, the particular stretch and pitch operations applied, and the selected audio algorithm preset.

As a rule of thumb, smaller changes in pitch or duration cause less degradation. However, there are additional issues you should be aware of when working with time stretching and pitch shifting algorithms.

NOTE

In rare cases, editing warped audio events may cause discontinuities at the edit points. You can then try to move the edit point to a different position or bounce the audio event prior to editing.

Reverse Playback and Scrubbing

Most of the algorithms used for time stretching and pitch shifting only support forward playback. Reverse playback or scrubbing of warped audio events can lead to recurring artifacts in playback.

Pitch and Stretch Factor

Some algorithms may put limitations on the maximum degree of time stretching or pitch shifting supported. However, with **élastique**, there are no limitations.

Audio Functions

Cubase offers particular functions for analyzing the audio in your project.

RELATED LINKS

[Detect Silence Dialog](#) on page 591

[Spectrum Analyzer Window](#) on page 595

[Statistics Window](#) on page 596

Detect Silence Dialog

The **Detect Silence** dialog allows you to search for silent sections in events. You can split events and remove the silent parts from the project, or create regions corresponding to the non-silent sections.

- To open the **Detect Silence** dialog for a selected audio event, clip, or selection range, select **Audio > Advanced > Detect Silence**.

NOTE

If you select multiple events, you can process the selected events successively with individual settings or apply the same settings to all selected events simultaneously.



The following options are available:

Waveform display

Shows the waveform of the selected audio and allows you to preview the analyzed audio before it is processed.

When you move the mouse over the waveform, the mouse pointer changes to a speaker icon. Click the waveform, and hold to play back the audio from this position. The **Preview** slider allows you to set the preview level. **Mute Gaps** mutes sections that are detected as silence when previewing.

- To zoom in and out of the waveform, use the zoom slider to the right, or hold **Ctrl/Cmd** and use the mouse wheel.
- To scroll the waveform, use the scrollbar or the mouse wheel.
- To adjust the **Open Threshold** and **Close Threshold** values, move the squares at the beginning and at the end of the audio file.

The **Detection** section features the following options:

Open Threshold

When the audio level exceeds this value, the function opens and lets the sound pass. Audio material below the set level is detected as silence.

Close Threshold

When the audio level drops below this value, the function closes and detects sounds below this level as silence. This value cannot be higher than the **Open Threshold** value.

Linked

Activate this option to set the same values for **Open Threshold** and **Close Threshold**.

Minimum Time Open

Determines the minimum time that the function lets the sound pass. If your audio contains repeated short sounds and this results in too many short open sections, try raising this value.

Minimum Time Closed

Determines the minimum time that the function remains closed after detecting silence. Set this to a low value to make sure that you do not remove sounds.

Pre-roll

Causes the function to open slightly before an open section. Use this option to avoid removing the attack of sounds.

Post-roll

Causes the function to close slightly after an open section. Use this option to avoid removing the natural decay of sounds.

The **Result** section features the following options:

Number of Sections

Shows the number of events that are created if you click **Process**.

Add as Regions

Creates regions of the non-silent sections.

Region Name

Allows you to specify a name for the non-silent sections.

Auto Number Start

Allows you to specify the start number for the numbers that are automatically appended to the region names.

Strip Silence

Splits the event at the beginning and at the end of each non-silent section and removes the silent sections in between.

Process All Selected Events

Applies the same settings to all selected events. This option is only available if you selected more than one event.

Apply Fades

Applies fade ins and fade outs of the set length to the resulting events.

Analyze

Analyzes the audio event and redraws the waveform display to indicate which sections are considered silent.

Auto

Activate this option to analyze the audio event and to update the display automatically every time you change the settings.

NOTE

If you are working with very long files, consider deactivating the **Auto** option, as this may slow down the process.

Process

Processes the audio according to your settings.

RELATED LINKS

[Removing Silent Sections](#) on page 594

Removing Silent Sections

The **Detect Silence** dialog allows you to detect and remove silent sections of your audio.

PROCEDURE

1. Select one or multiple audio events in the **Project** window.
2. Select **Audio > Advanced > Detect Silence**.
3. In the **Detect Silence** dialog, make your changes.
4. Click **Analyze** to analyze the audio.

The audio is analyzed, and the waveform is redrawn to indicate which sections are considered silent according to your settings. The number of detected regions is displayed.

5. Optional: Click and hold the waveform display to preview the result.
If **Mute Gaps** is activated, silent sections are muted during preview.
6. Optional: In the **Detection** section, readjust the settings until you are satisfied with the result.
7. Optional: In the **Result** section, activate **Add as Regions**.
8. In the **Result** section, activate **Strip Silence**.
9. Click **Process**.

RESULT

The event is split and the silent sections are removed.



AFTER COMPLETING THIS TASK

- If you have selected more than one event and did not activate **Process All Selected Events**, the **Detect Silence** dialog opens again after processing, allowing you to make separate settings for the next event.


RELATED LINKS

[Detect Silence Dialog](#) on page 591

Spectrum Analyzer Window

The **Spectrum Analyzer** window displays the audio spectrum of an event, clip, or selection range as a two-dimensional graph, with frequency range on the x-axis and level distribution on the y-axis.

- To open the **Spectrum Analyzer** window for a selected audio event, clip, or selection range, select **Audio > Spectrum Analyzer**.



Frequency display

Shows the frequency graphs for the analyzed audio.

If you hover the mouse pointer over a certain position, the channel, frequency, note, and level at that position are shown in the value field at the top of the display.

Channel selector

For multi-channel audio, this pop-up menu allows you to select which channels are shown in the frequency display.

Zoom slider

Allows you to zoom in and out horizontally.

RELATED LINKS

[Analyzing the Audio Spectrum](#) on page 595

Analyzing the Audio Spectrum

The **Spectrum Analyzer** allows you to analyze the audio of a selected event, clip, or selection range.

PROCEDURE

1. Select an audio event, clip, or a selection range.
 2. Select **Audio > Spectrum Analyzer**.
-

RESULT

The audio spectrum of the selected event, clip, or selection range is displayed as a two-dimensional graph in the **Spectrum Analyzer** window.

AFTER COMPLETING THIS TASK

You can display the difference in level between two positions on the same or on different graphs.

RELATED LINKS

[Comparing Level Values](#) on page 596

Comparing Level Values


You can display the difference in level between two positions on the same or on different graphs in the **Spectrum Analyzer** window.

PROCEDURE

1. Move the mouse pointer to the first position and right-click to select it.
 2. Move the mouse pointer to the second frequency position.
-

RESULT

The difference in level between the positions is displayed as value **D** in the value field.



AFTER COMPLETING THIS TASK

Click the frequency display to reset the selection of the first position.

RELATED LINKS

[Spectrum Analyzer Window](#) on page 595

Statistics Window

The **Statistics** function analyzes the selected audio events, clips, or selection ranges.

- To open the **Statistics** window for a selected audio event, clip, or selection range, select **Audio > Statistics**.

| Channel | Left | Right |
|--|-------------|------------|
| Min. Sample Value | -0.18 dB | -0.79 dB |
| Max. Sample Value | -0.05 dB | -0.76 dB |
| Peak Amplitude | -0.05 dB | -0.76 dB |
| True Peak | -0.04 dB | -0.74 dB |
| DC Offset | -0.04 % | -0.04 % |
| | -86.70 dB | -85.11 dB |
| Bit Depth | 24 bit | 24 bit |
| Estimated Pitch | 473.3Hz/A#3 | 484.4Hz/B3 |
| Sample Rate | 44.100 kHz | |
| Average RMS (AES-17) | -12.22 dB | -12.44 dB |
| Max. RMS | -8.89 dB | -9.48 dB |
| Max. RMS All Channels | -8.89 dB | |
| Loudness (EBU R 128) | | |
| Max. Momentary Loudness | -7.9 LUFS | |
| Max. Short-Term Loudness | -10.9 LUFS | |
| Integrated Loudness ! | -13.0 LUFS | |
| Loudness Range | 3.9 LU | |
| Max. True Peak Level ! | -0.04 dBTP | |

The **Statistics** window shows the following information:

Channel

Shows the name of the analyzed channel.

Min. Sample Value

Shows the lowest sample value in dB.

Max. Sample Value

Shows the highest sample value in dB.

Peak Amplitude

Shows the largest amplitude in dB.

True Peak

Shows the maximum absolute level of the audio signal waveform in the continuous time domain.

DC Offset

Shows the amount of DC offset as a percentage and in dB.

Bit Depth

Shows the current calculated bit depth.

Estimated Pitch

Shows the estimated pitch.

Sample Rate

Shows the sample rate.

Average RMS (AES17)

Shows the average loudness, in accordance with the AES17 standard.

Max. RMS

Shows the highest RMS value.

Max. RMS All Channels

Shows the highest RMS value of all channels.

Loudness (EBU R 128)

Max. Momentary Loudness

Shows the maximum value of all momentary loudness values, based on a time window of 400 ms. The measurement is not gated.

Max. Short-Term Loudness

Shows the maximum value of all short-term loudness values, based on a time window of 3 s. The measurement is not gated.

Integrated Loudness

Shows the average loudness over the whole title in LUFS (Loudness Unit, referenced to Full Scale) in accordance with EBU R 128 that recommends to normalize audio at -23 LUFS.

Loudness Range

Shows the dynamic range over the whole title in LU (Loudness Units). This value allows you to see if dynamic processing is needed.

Max. True Peak Level

Shows the maximum value of the audio signal waveform in the continuous time domain.

RELATED LINKS

[Remove DC Offset Option](#) on page 582

Sample Editor

The **Sample Editor** provides an overview of the selected audio event. It allows you to view and edit audio by cutting and pasting, removing, or drawing audio data, as well as by processing audio. Editing is non-destructive so that you can undo modifications at any time.

You can open the **Sample Editor** in a separate window or in the lower zone of the **Project** window. This is useful if you want to access the **Sample Editor** functions from within a fixed zone of the **Project** window.

To open an audio event in the **Sample Editor**, do one of the following:

- Double-click an event in the **Project** window.
- Select an event in the **Project** window, and press **Return** or **Ctrl/Cmd - E**.
- Select an event in the **Project** window, and select **Audio > Open Sample Editor**.
- In the **Key Commands** dialog in the **Editors** category, assign a key command for **Open Sample Editor**. Select an event in the **Project** window, and use the key command.

NOTE

If you select **Audio > Set up Editor Preferences**, the **Preferences** dialog opens on the **Editors** page. Make your changes to specify if you want the **Sample Editor** to open in a separate window or in the lower zone of the **Project** window.

The **Sample Editor** window:



The **Sample Editor** is divided into several sections:

1 Toolbar

- Contains tools for selecting, manipulating, and playing back audio.
- 2 Info Line**
Shows information about the audio.
- 3 Overview**
Shows an overview of the whole audio clip and indicates which part of the clip is shown in the waveform display.
- 4 Sample Editor Inspector**
Contains audio editing tools and functions.

NOTE

The **Inspector** for the lower zone editor is shown in the left zone of the **Project** window.

- 5 Ruler**
Shows the timeline and the time format of the project.
- 6 Waveform display**
Shows the waveform image of the edited audio clip.
- 7 Regions**
Allows you to add and edit regions.

NOTE

The info line, the overview line, and the regions can be activated/deactivated by clicking **Set up Window Layout** on the toolbar and activating/deactivating the corresponding options.

RELATED LINKS

- [Opening the Editor in the Lower Zone](#) on page 84
[Opening the Editor Inspector](#) on page 74
[Sample Editor Toolbar](#) on page 600
[Info Line](#) on page 607
[Overview Line](#) on page 608
[Sample Editor Inspector](#) on page 608
[Ruler](#) on page 614
[Waveform Display](#) on page 614
[Regions List](#) on page 617

Sample Editor Toolbar

The toolbar contains tools for selecting, editing, and playing back audio.

- To show or hide the toolbar elements, right-click the toolbar, and activate or deactivate the elements.

The following options are available:

Default Items

Solo Editor



Solos the selected audio during playback.

Solo Editor Mode



Allows you to select a mode for the **Solo Editor** function.

- **Solo All Clips** uses all clips in the editor display.
- **Solo follows 'Clip Editing Mode'** uses only the clips specified via the **Clip Editing Mode**.

Left Divider

Left Divider

Tools that are placed to the left of the divider are always shown.

Keep Editor Contents

Keep Editor Contents (Don't follow Project window event selection)



Activate this if you do not want the editor event display to be updated when you select events or hide tracks in the **Project** window.

Auto-Scroll

Auto-Scroll



Keeps the project cursor visible during playback.

Select Auto-Scroll Settings



Allows you to activate **Page Scroll** or **Stationary Cursor** and to activate **Suspend Auto-Scroll When Editing**.

Preview

Audition



Plays back the selected audio.

Audition Loop



Loops the playback until you deactivate **Audition**.

Audition Volume



Allows you to adjust the volume.

Tool Buttons

Range Selection



Selects ranges.

Draw



Draws a volume curve.

Zoom



Zooms in. Hold **Alt/Opt**, and click to zoom out.

Play



Allows you to play back the clip from the position where you click until you release the mouse button.

Scrub



Allows you to locate positions.

Time Warp



Adjusts musical positions of events to time positions.

Acoustic Feedback

Acoustic Feedback



Automatically plays back a VariAudio segment when you modify the pitch.

Snap

Snap to Zero Crossing



Restricts editing to zero crossings, that is, positions where the amplitude is zero.

Snap On/Off



Restricts horizontal movement and positioning to the specific positions.

Grid Options

Show/Hide Grid



Shows/Hides the grid in the waveform display.

Grid Type



Allows you to select a grid type. The options depend on the time format that is selected for the ruler. If you select **Seconds** as the ruler format, time-based grid options are available. If you select **Bars+Beats** as the ruler format, musical grid options are available.

Quantize

Apply Quantize



Applies the quantize settings.

Quantize Presets



Allows you to select a quantize preset.

Soft Quantize On/Off



Activates/Deactivates soft quantize.

AudioWarp Quantize On/Off



Activates/Deactivates **AudioWarp** quantize.

Open Quantize Panel



Opens the **Quantize Panel**.

Musical Mode

Musical Mode



Locks audio clips to the project tempo by using realtime time stretching.

Musical Information

Number of Bars Defined in Audio File



Displays the estimated bars of your audio file.

Remaining Number of Beats Defined in Audio File



Displays the remaining number of beats of your audio file.

Defined Tempo of Audio File




Displays the estimated tempo of your audio file.

Defined Time Signature of Audio File



Displays the estimated time signature of your audio file.


Warping Algorithm for Audio Clip



Allows you to select a warp algorithm.

View Options

Zoom Mode



Allows you to select a zoom mode for the waveform display.

- If **Global Zoom** is selected, the display follows the zoom and scroll controls of the **Sample Editor**.
- If **Clip-Based Zoom** is selected, the display automatically zooms to the clip of the selected event. In this mode, you cannot scroll beyond the clip borders.

- If **Auto-Zoom to Event** is selected, the display automatically zooms to the active event. In this mode, you can scroll between project start and end.

NOTE

If the **Definition** section of the **Sample Editor** Inspector is opened, **Zoom Mode** is automatically switched from **Global Zoom** to **Clip-Based Zoom**.

Editor Display Mode



Allows you to select a display mode for the waveform display.

- If **Show Clips and Events** is selected, the display shows the clips and the start and end boundaries of the events that are opened in the **Sample Editor**.
- If **Show Events** is selected, the display shows only the waveform between the start and end boundaries of the events that are opened in the **Sample Editor**.
- If **Show Clips** is selected, the display shows only the clips of the events that are opened in the **Sample Editor**, but not the event boundaries.

Clip Editing Mode



Sets the editing mode for clips.

- **All Clips** allows you to edit all clips that are opened in the **Sample Editor**.
- **Active Clip** restricts editing operations to the clip that you activated in the **Activate Clip for Editing** pop-up menu.
- **All Clips on Active Track** allows you to edit all clips on the active track.


Clip Display Mode



Sets the display mode for clips.

- **Show All Clips** shows the waveform images of all clips that are opened in the **Sample Editor**.
- **Show Active Clip** shows only the waveform image of the clip that you activated for editing in the **Activate Clip for Editing** pop-up menu.

Activate Clip for Editing



Lists all audio clips that are opened in the **Sample Editor** and allows you to activate one of them for editing.

VariAudio Segment Colors

VariAudio Segment Colors



Allows you to select a color scheme for VariAudio segments. This makes it easier to see which segments belong to which event when working with several audio events.

Independent Track Loop

Independent Track Loop



Activates/Deactivates the independent track loop.

NOTE

If you activate **Independent Track Loop**, the **Link Project and Lower Zone Editor Cursors** function is automatically deactivated in the lower zone editor.

Loop Start Time

 2. 1. 1. 0

The independent track loop start time.

Loop End Time

 5. 1. 1. 0

The independent track loop end time.

Right Divider

Right Divider

Tools that are placed to the right of the divider are always shown.

Window Zone Controls

Open in Separate Window



This button is available in the lower zone editor. It opens the editor in a separate window.

Open in Lower Zone



This button is available in the editor window. It opens the editor in the lower zone of the **Project** window.

Set up Window Layout



Allows you to set up the window layout.

Show/Hide Left Zone



Allows you to activate/deactivate the left zone.

Show/Hide Regions



Allows you to activate/deactivate the regions.

RELATED LINKS

[Auto-Scroll Settings Menu](#) on page 304

[Suspend Auto-Scroll When Editing](#) on page 305

Locating Positions with the Scrub Tool

The **Scrub** tool allows you to locate positions in the audio.

PROCEDURE

1. On the toolbar, activate the **Scrub** tool.
 2. Click in the waveform display, and keep the mouse button pressed.
The project cursor moves to the position where you clicked.
 3. Drag to the left or to the right.
-

RESULT

The audio is played back, and you can hear at which position the cursor is located.

NOTE


You can determine the speed and the pitch of the playback by dragging faster or more slowly.

Editing Audio Samples with the Draw Tool

You can edit the audio clip at sample level with the **Draw** tool. This way, you can remove audio clicks manually, for example.

PROCEDURE

1. On the audio waveform, locate the sample position that you want to edit, and zoom in to the highest zoom level.
2. On the toolbar, select the **Draw** tool.



3. Click at the beginning of the section that you want to correct, and draw in the new curve.
-

RESULT

A range selection covering the edited section is automatically applied.

NOTE

The **Draw** tool cannot be used when the **VariAudio** section is open.

Selecting a Range with the Range Selection Tool

The **Range Selection** tool in the **Sample Editor** toolbar allows you to select a range.

PREREQUISITE

Snap to Zero Crossing is activated on the toolbar. This option ensures that the start and the end of the selection are always at zero crossings.

PROCEDURE

1. On the toolbar, activate the **Range Selection** tool.
2. Click at the position in the waveform display where you want the range to start, and drag to the position where you want the range to end.
3. Optional: Perform one of the following actions to resize the selection range:
 - Drag the left or the right edge of the selection to a new position.
 - Hold down **Shift**, and click at a new position.

RESULT

The selected range is highlighted in the waveform display.

NOTE

You can also use the functions in the **Select** pop-up menu in the **Range** section of the **Sample Editor Inspector** to select ranges.

RELATED LINKS

[Range Editing in the Project Window and in the Editors](#) on page 273

[Select Menu in the Range Section](#) on page 611

Info Line

The info line shows information about the audio clip, such as the audio format and the selection range.

| | | | | | | | |
|------------------------------|-----|---|-------------------------------|-----------------------------------|---------------------------|-----------------------------|---------------------------|
| Sample Rate 44.100 | kHz | Bit Depth 16 | Length 280. 0. 0. 0 | Global Transpose Follow | Processing None | Domain Bars+Beats | Offline Edits 0 |
| Zoom 39.9977 | | Selection 3. 2. 3. 98 [1. 1. 1. 0 - 1. 1. 1. 0] | | Current Pitch - | Original Pitch - | | |

- To show or hide the info line, click **Set up Window Layout** on the toolbar, and activate or deactivate **Info Line**.

The on/off status of the info line in the **Sample Editor** window and in the lower zone editor are independent of each other.

NOTE

Initially, length and position values are displayed in the format specified in the **Project Setup** dialog.

Overview Line

The overview line displays the whole clip and indicates which part of the clip is shown in the waveform display.



- To show or hide the overview line, click **Set up Window Layout** on the toolbar, and activate or deactivate the **Overview** option.

The on/off status of the overview line in the **Sample Editor** window and in the lower zone editor are independent of each other.

1 Event Start

Indicates the start of the audio event.

2 Waveform display

The area in lighter gray indicates the section of the audio that is displayed in the waveform display.

- You can specify which section of the audio is shown by clicking in the lower half of this display and dragging to the left or right.
- You can zoom in or out horizontally by dragging the left or the right edge of this display.
- You can show a different section of the audio by clicking in the upper half of this display and dragging a rectangle.

3 Snap Point

The dotted vertical line indicates the start of the audio event.

4 Selection

The blue area indicates which section is selected in the waveform display.

5 Event End

Indicates the end of the audio event.

Sample Editor Inspector


The **Inspector** shows controls and parameters that allow you to edit the audio event that is opened in the **Sample Editor**.

- In the **Sample Editor** window, you can show or hide the **Inspector** by clicking **Set up Window Layout** on the toolbar and activating or deactivating **Inspector**.

NOTE

In the lower zone editor, the **Inspector** is always shown in the left zone of the **Project** window.

-
- To open or close the **Inspector** sections, click their names.




RELATED LINKS

[Opening the Editor Inspector on page 74](#)

Definition Section

The **Definition** section allows you to adjust the audio grid and to define the musical context of your audio. You can use the available functions to match an audio file or an audio loop to the project tempo.

- To open the **Definition** section, click its tab in the **Sample Editor Inspector**.



NOTE

If the **Definition** section is opened, the **Sample Editor Zoom Mode** is automatically switched from **Global Zoom** to **Clip-Based Zoom**.

RELATED LINKS

[Musical Mode on page 635](#)


[Matching Audio to the Project Tempo on page 636](#)

[Correcting the Audio Definition Grid on page 638](#)

AudioWarp Section

The **AudioWarp** section allows you to perform timing settings for your audio. This includes applying **Swing** and manually changing the rhythm of the audio by dragging beats to time positions on the grid.

- To open the **AudioWarp** section, click its tab in the **Sample Editor Inspector**.




RELATED LINKS

[Tempo Matching Audio on page 634](#)

VariAudio Section

The **VariAudio** section allows you to edit single sounds of your audio file and to change their pitch or timing. Furthermore, you can extract MIDI from your audio.

- To open the **VariAudio** section, click its tab in the **Sample Editor Inspector**.




RELATED LINKS

[VariAudio Inspector Section on page 645](#)

Hitpoints Section

The **Hitpoints** section allows you to edit hitpoints to slice your audio. Here, you can create groove quantize presets, markers, regions, events, and warp markers based on hitpoints.

- To open the **Hitpoints** section, click its tab in the **Sample Editor Inspector**.




RELATED LINKS

[Hitpoints on page 622](#)

Range Section

The **Range** section allows you to edit ranges and selections or to create a sampler track from the selected range.

- To open the **Range** section, click its tab in the **Sample Editor Inspector**.



Select

Opens a pop-up menu with functions to select ranges.

Start

Shows the start position of the selection range.

End

Shows the end position of the selection range.

Length

Shows the length of the selection range.

Zoom

Opens a pop-up menu with the zoom functions for ranges.

Create Sampler Track

Allows you to create a sampler track from the range selection.

Select Menu in the Range Section

- To open the **Select** pop-up menu for ranges, click the **Range** tab in the **Sample Editor Inspector**.

The following options are available:

Select All

Selects the whole clip.

Select None

Deselects everything.

Select in Loop

Selects the audio between the left and the right locator.

Select Event

Selects only the audio that is included in the edited event. If the **VariAudio** section is open and you segmented the audio, all segments that start or end within the event boundaries are selected.

Set Locators to Selection Range

Sets the locators to encompass the current selection. This option is available if you have selected one or several events or made a selection range.

Locate Selection

Moves the project cursor to the beginning or to the end of the current selection. This option is available if you have selected one or several events or made a selection range.

Loop Selection

Sets the locators to encompass the current selection, and starts playback from the start of the selection and keeps starting over again at the selection end.

Creating Sampler Tracks from Selection Ranges

You can create a sampler track that contains only the selected range.

PROCEDURE

1. Select a range.
If you select no range, the event start/end is used.
 2. Open the **Range** section in the **Sample Editor Inspector**.
 3. Click **Create Sampler Track**.
-

RESULT

A new **Sampler Track** is created and added to the track list. **Sampler Control** shows the corresponding audio clip. The sample start and the sample end are set to the selected range, or, if you did not select a range, to the start and to the end of the clip.

RELATED LINKS

[Selecting a Range with the Range Selection Tool](#) on page 607

[Range Section](#) on page 611


[Sampler Tracks](#) on page 696

[Sampler Control](#) on page 697

Process Section

The **Process** section regroups the most important audio editing commands from the **Audio** and **Edit** menus.

- To open the **Process** section, click its tab in the **Sample Editor Inspector**.



Basic Commands Menu

The **Basic Commands** pop-up menu in the **Process** section of the **Sample Editor Inspector** allows you to perform basic commands on selection ranges.

- To edit a selection range, open the **Process** section in the **Sample Editor Inspector**, and select one of the **Basic Commands** pop-up menu functions.

NOTE

If you edit ranges of events that are shared copies, you are asked whether you want to create a new version of the clip. Select **New Version** if you want to edit the event. Select **Continue** to edit all shared copies.

The following options are available:

Cut

Cuts the selected range from the clip and saves it in the clipboard. The section to the right of the range is moved to the left to fill the gap.

Copy

Copies the selected range to the clipboard.

Paste

Replaces the selected range with the data from the clipboard.

Delete

Removes the selected range from the clip. The section to the right of the range is moved to the left to fill the gap.

Insert Silence

Inserts a silent section of the same length as the current range selection at the selection start. The selected range is not replaced, but moved to the right.

Event or Range as Region

Creates a region from the selected range.

Make Direct Offline Processing Permanent

Allows you to apply all offline processing permanently to the audio.

RELATED LINKS

[Selecting a Range with the Range Selection Tool](#) on page 607

[Shared Copies](#) on page 260

[Applying Offline Processing Permanently](#) on page 576

Direct Offline Processing for Ranges

You can apply plug-in effects and audio processes to selection ranges.

- To apply a plug-in effect or an audio process to a selection range, open the **Process** section in the **Sample Editor Inspector**, and select one of the options in the **Add Plug-in** pop-up menu or in the **Add Process** pop-up menu.

NOTE

If you apply offline processing to ranges of events that are shared copies, you are asked if you want to create a new version of the clip. Select **New Version** if you want to edit the event. Select **Continue** if all shared copies should be edited.

RELATED LINKS

[Selecting a Range with the Range Selection Tool](#) on page 607

[Direct Offline Processing](#) on page 563


[Applying Processing](#) on page 568

[Shared Copies](#) on page 260


Ruler

The ruler shows the timeline and the time format of the project, the project tempo grid.

The ruler is located above the waveform display. It is always shown.




When the **Definition** section is open, an additional ruler is shown below the project tempo grid. It displays the musical structure of the audio file, the audio tempo grid.



Waveform Display

The waveform display shows the waveform image of the edited audio clip.



1 Level Scale menu

Allow you to show the level as a percentage or in dB. Here, you can also activate the display of the half level axis.

2 Ruler

Shows the project tempo grid.

3 Half Level Axis

To show the half level axis, open the level scale menu, and select **Show Half Level Axis**.

4 Audio waveform

Shows the waveform image of the selected audio.

NOTE

You can show the waveform images of multiple selected audio events at once by selecting **Show All Clips as Clip Display Mode** on the **Sample Editor** toolbar.

NOTE

You can set up a wave image style in the **Preferences** dialog (**Event Display—Audio** page).

Zooming Vertically

You can zoom in the waveform vertically. This allows you to see a specific detail of the waveform.

PROCEDURE

- Drag the vertical zoom slider down to zoom in or drag it upwards to zoom out.



NOTE

In the **VariAudio** section you can also zoom vertically if you deactivate **Zoom Tool Standard Mode: Horizontal Zooming only** in the **Preferences** dialog (**Editing—Zoom** page) and drag a rectangle with the **Zoom** tool.

RESULT

The vertical scale changes relative to the height of the **Sample Editor**.

Zooming Horizontally

You can zoom in the waveform horizontally. This allows you to zoom in or out on the time scale.

PROCEDURE

- Drag the horizontal zoom slider to the right to zoom in or to the left to zoom out.



RESULT

The horizontal zoom setting is shown on the info line as samples per pixel. You can zoom in horizontally to a scale of less than one sample per pixel. This is required for using the **Draw** tool.

NOTE

- If you have zoomed in to one sample per pixel or less, the appearance of the samples depends on the **Interpolate Audio Waveforms** option in the **Preferences** dialog (**Event Display—Audio** page).
-

Zoom Submenu

The **Zoom** submenu of the **Edit** menu contains options for zooming in the **Sample Editor**.

- To open the **Zoom** submenu, select **Edit > Zoom**.

The following options are available:

Zoom In

Zooms in one step, centering on the project cursor.

Zoom Out

Zooms out one step, centering on the project cursor.

Zoom Full

Zooms out according to the **Zoom Mode** in the **Sample Editor**.

- If **Global Zoom** is activated, this function zooms out so that the entire project is visible in the waveform display. The entire project means the timeline from the project start to the length set in the **Project Setup** dialog.
- If **Clip-Based Zoom** or **Auto-Zoom to Event** is activated, this function zooms out so that the entire clip is visible in the waveform display.

Zoom to Selection

Zooms out so that the entire clip is visible in the waveform display. If the **VariAudio** section is open, this zooms in horizontally and vertically so that the current selection fills the waveform display.

Zoom to Selection (Horiz.)

Zooms in horizontally so that the current selection fills the waveform display.

Zoom to Event

Zooms in so that the waveform display shows the section of the clip corresponding to the edited audio event. This is not available if you have opened the **Sample Editor** from the **Pool**.

Zoom In Vertically

Zooms in one step vertically.

Zoom Out Vertically

Zooms out one step vertically.

Zoom In On Waveform Vertically

Zooms in on the waveform vertically.

Zoom Out Of Waveform Vertically

Zooms out of the waveform vertically.

Undo/Redo Zoom

Allows you to undo/redo the last zoom operation.


RELATED LINKS

[Zoom Category](#) on page 1499

Regions List

Regions are sections within an audio clip that allow you to mark important sections in the audio. You can add and edit regions for the selected audio clip in the regions zone.

- To show or hide the **Regions**, click **Set up Window Layout** on the toolbar, and activate or deactivate **Regions**.



The following controls are available:

1 Region Start

Shows the start of the region in the audio waveform.

2 Region End

Shows the end of the region in the audio waveform.

3 Add Region

Allows you to create a region of the current range selection.

4 Remove Region

Allows you to remove the selected region.

5 Select Region

If you select a region from the list and click this button above, the corresponding section of the audio clip is selected (as if you had selected it with the **Range Selection** tool) and zoomed. This is useful if you want to apply processing to the region only.

6 Play Region

Plays back the selected region.

7 Regions list

Allows you to select and display regions in the audio waveform.

Creating Regions

PREREQUISITE

You have clicked **Set up Window Layout** on the toolbar, and you have activated **Regions**.

PROCEDURE

1. On the **Sample Editor** toolbar, activate the **Range Selection** tool.
 2. In the waveform display, select the range that you want to convert into a region.
 3. Perform one of the following actions:
 - Above the regions list, click **Add Region**.
 - Select **Audio > Advanced > Event or Range as Region**.A region is created, corresponding to the selected range.
 4. Optional: Double-click the region name in the list, and enter a new name.
-

RESULT

The region is added to the regions list.

AFTER COMPLETING THIS TASK

Click the region in the regions list to instantly display it in the **Sample Editor**.

RELATED LINKS

[Creating Regions](#) on page 630

Creating Regions from Hitpoints

You can create regions from hitpoints. This is useful to isolate specific sounds.

PREREQUISITE

The audio event from which you want to create regions is opened in the **Sample Editor**, and the hitpoints are set at the correct positions.

PROCEDURE

- In the **Hitpoints** section of the **Sample Editor Inspector**, click **Create Regions**.
-

RESULT

Regions are created between two hitpoint positions and shown in the **Sample Editor**.

Adjusting Start and End Positions of Regions

PREREQUISITE

You have clicked **Set up Window Layout** on the toolbar, and you have activated **Regions**. You have created regions.

PROCEDURE

- Perform one of the following actions:
 - Drag the **Region Start** or **Region End** handle to a different position in the waveform display.
 - Double-click the **Start** or **End** field in the regions list, and enter a new value.

NOTE

The positions are shown in the time format selected for the ruler and the info line, but they are relative to the start of the audio clip.

Removing Regions

PREREQUISITE

You have clicked **Set up Window Layout** on the toolbar, and you have activated **Regions**. You have created regions.

PROCEDURE

1. In the regions list, select the region that you want to remove.
 2. Above the regions list, click **Remove Region**.
-

RESULT

The region is removed from the regions list.

Creating Audio Events from Regions

You can create new audio events from regions using drag and drop.

PREREQUISITE

You have clicked **Set up Window Layout** on the toolbar, and you have activated **Regions**. You have created regions.

PROCEDURE

1. Select the region in the regions list.
 2. Drag the region to the desired position in the **Project** window.
-

RESULT

An event is created from the region.

Snap Point

The snap point is a marker within an audio event that can be used as a reference position. An event can only have one snap point.


- To show the snap point, click **Editor Display Mode** on the toolbar, then choose **Show Clips and Events** or **Show Event**.

Depending on the context, the event snap point is set as follows:

- If you record an audio event, the snap point is set to the next grid position.
- If you bounce a selection of one or multiple events, the snap point is set to the start of the new event. If there are any existing snap points in the selection that you have set manually, the first one of them on the timeline is used for the new event.
- If you make offline processing permanent, the snap point is set to the start of the new event. If you set the snap point manually, it maintains its current position.

- If you export audio, the snap point is set to the start of the new audio file.

You can manually move the snap point to any other relevant position in the audio.



The snap point is used when **Snap** is activated and you insert a clip from the **Sample Editor** in the event display. It is also used when you move or copy events in the event display.

In the **Sample Editor**, you can edit the following snap points:

- Event Snap Point
This is shown in the **Sample Editor** if you open a clip from within the **Project** window.
- Clip Snap Point
This is shown in the **Sample Editor** if you open a clip from the **Pool**.

NOTE

The clip snap point serves as a template for the event snap point. However, it is the event snap point that is taken into account when snapping.

IMPORTANT

When you set the grid start in the **Definition** section, the snap point is moved to the grid start.

RELATED LINKS

[Sample Editor Toolbar](#) on page 600

[Adjusting Snap Points](#) on page 620

[Applying Offline Processing Permanently](#) on page 576

Adjusting Snap Points

You can manually set the snap point to any position in the audio event.

PREREQUISITE

- You have opened the audio event in the **Sample Editor**.


- To show the snap point, click **Editor Display Mode** on the toolbar, then choose **Show Clips and Events** or **Show Event**.
-

PROCEDURE

1. Optional: On the **Sample Editor** toolbar, select the **Scrub** tool.
This allows you to audition the audio while setting the snap point.
 2. Move the mouse pointer over the snap point, and drag it to the desired position in the audio event.
The mouse pointer becomes a hand symbol, and a tooltip indicates that you can set the snap point.
-

RESULT

The event snap point is moved to the position to which you dragged it.



NOTE

You can also adjust the snap point by setting the project cursor at the desired position and selecting **Audio > Snap Point to Cursor**.

RELATED LINKS

[Snap Point](#) on page 619

Hitpoints

Hitpoints mark musically relevant positions in audio files. Cubase can detect these positions and create hitpoints automatically by analyzing onsets and melodic changes of the audio.

NOTE

All hitpoint operations can be performed in the **Sample Editor** window and in the lower zone editor.

When you add an audio file to your project by recording or by importing, Cubase automatically detects hitpoints if **Enable Automatic Hitpoint Detection** is activated in the **Preferences** dialog (**Editing—Audio** page).

In the **Project** window, hitpoints are shown for the selected event, provided that the zoom factor is high enough.

The hitpoint functions are available in the **Hitpoints** section of the **Sample Editor**.

You can use hitpoints for the following purposes:

- Create slices of the audio
Slices allow you to change the tempo and the timing of the audio without affecting its pitch and quality, or to replace or extract individual sounds from loops.
- Quantize audio
- Extract the groove from the audio
The timing is extracted from the audio, and a groove quantize preset is created. You can use this to quantize other events.
- Create markers from the audio
- Create regions from the audio
- Create events from the audio
- Create warp markers from the audio
- Create MIDI notes from the audio

NOTE

Hitpoints work best with drums, rhythmic recordings, or loops.

If the automatic hitpoint detection does not meet your expectations, you can edit hitpoints manually or add additional hitpoints. The following editing operations are available in the **Sample Editor**:

- Locking hitpoints prevents them from being filtered out, regardless of the settings in the **Hitpoints** section. You can lock a hitpoint by pointing at the triangle that represents the hitpoint and clicking on it.
- Disabling hitpoints excludes them from further operations. You can disable a hitpoint that you do not need by pressing **Shift** and clicking on the line that represents the hitpoint.
- You can insert an additional hitpoint by pressing **Alt/Opt** and clicking at the position where you want to insert the hitpoint.

- You can move a hitpoint by moving the mouse pointer on the vertical line that represents the hitpoint and dragging to the left or to the right.

RELATED LINKS

[Calculating Hitpoints](#) on page 623

[Editing Hitpoints Manually](#) on page 625

Calculating Hitpoints

When you add an audio file to your project by recording or by importing, Cubase can automatically detect hitpoints.

PREREQUISITE

Enable Automatic Hitpoint Detection is activated in the **Preferences** dialog (**Editing—Audio** page).

PROCEDURE

1. Import or record an audio file.

Cubase automatically detects hitpoints.

NOTE

If your audio file is very long, this may take a while.

2. Select the audio event in the **Project** window, and make sure the zoom factor is high enough.

RESULT

The hitpoints calculated for the selected event are shown in the **Project** window.

AFTER COMPLETING THIS TASK

You can manually edit detected hitpoints or add further hitpoints in the **Sample Editor**.

RELATED LINKS

[Editing - Audio](#) on page 1523


[Editing Hitpoints Manually](#) on page 625

Hitpoint Filters in the Hitpoint Section

Cubase can automatically detect and filter hitpoints.

For the automatic hitpoint detection to work, **Enable Automatic Hitpoint Detection** must be activated in the **Preferences** dialog (**Editing—Audio** page). If the detection result does not meet your expectations, you can adjust the hitpoint filtering manually.

- To filter hitpoints, open the audio event in the **Sample Editor**, and open the **Hitpoints** section.



Main Section

Edit Hitpoints

Allows you to edit hitpoints manually in the event display.

Threshold

Filters hitpoints by their peaks. Drag the slider to the right to discard hitpoints of quieter crosstalk signals, for example.

Intensity

Filters hitpoints by their intensity. Drag the slider to the right to discard less intense hitpoints.

Minimum Length

Filters hitpoints by their distance between two hitpoints. This option allows you to avoid creating slices that are too short.

Beats

Filters hitpoints by their musical position. This option allows you to discard hitpoints that do not fit within a certain range of a defined beat value.

Remove All

Removes all automatically calculated and manually created hitpoints. To restore all automatically calculated hitpoints, click **Edit Hitpoints**.

Create Section

Slices

Creates slices at hitpoint positions.

Groove

Creates a groove quantize preset at hitpoint positions.

Markers

Creates markers at hitpoint positions.

Regions

Creates regions at hitpoint positions.

Events

Creates events at hitpoint positions.

Warp Markers

Creates warp markers at hitpoint positions.

MIDI Notes

Creates MIDI notes at hitpoint positions.

RELATED LINKS

[Editing Hitpoints Manually](#) on page 625

Editing Hitpoints Manually


It is crucial for any further editing that the hitpoints are set at the correct positions. Therefore, if the automatic hitpoint detection does not meet your expectations, you can edit hitpoints manually.

PREREQUISITE

The audio event is opened in the **Sample Editor**, and in the **Hitpoints** section, hitpoints are filtered by their peak and/or intensity, by their distance, or by their musical position.

PROCEDURE

1. In the **Hitpoints** section in the **Sample Editor Inspector**, activate the **Edit Hitpoints** tool.



2. Move the mouse to the waveform display, and click between two hitpoints.

The mouse pointer changes to a speaker icon, and the tooltip **Play back Slice** is shown. The slice is played back from the beginning to the end.



3. To disable a hitpoint that you do not need, press **Shift**, and click on the line that represents the hitpoint.

The mouse pointer changes to a cross icon, and the tooltip **Disable Hitpoints** is shown. Disabled hitpoints are not taken into account for further operations.



4. Press **Tab** to navigate to the next slice.

The slice is played back automatically.

5. To insert a hitpoint, press **Alt/Opt**, and click at the position where you want to insert the hitpoint.

The mouse pointer changes to a draw icon, and the tooltip **Insert Hitpoint** is shown.

6. To move a hitpoint, move the mouse pointer on the vertical line that represents the hitpoint, and drag to the left or to the right.

The mouse pointer changes to a double arrow, and the tooltip **Move Hitpoint** is shown. Moved hitpoints are locked by default.

7. To make sure that a hitpoint is not accidentally filtered out, lock it by pointing at the triangle that represents it and clicking on it.

The tooltip **Lock Hitpoint** is shown.

RESULT

The hitpoints are edited according to your settings.

NOTE

To reset a hitpoint to its original state, press **Ctrl/Cmd - Alt/Opt** until the tooltip **Enable/Unlock Hitpoints** is shown, and click on the line that represents the hitpoint.

RELATED LINKS

[Hitpoint Filters in the Hitpoint Section](#) on page 623

Locating to Hitpoints in the Project Window

You can navigate through the hitpoints of an audio event in the **Project** window.

PREREQUISITE

Enable Automatic Hitpoint Detection is activated in the **Preferences** dialog (**Editing—Audio** page).

PROCEDURE

1. Select the audio track that contains the audio event for which you want to locate hitpoints.
 2. Perform one of the following actions:
 - Press **Alt/Opt-N** to navigate to the next hitpoint.
 - Press **Alt/Opt-B** to navigate to the previous hitpoint.
-

RESULT

The project cursor jumps to the respective hitpoint.

Slices

You can create slices from hitpoints, where each slice ideally represents an individual sound or beat of the audio.

You can use these slices to change the tempo and the timing of the audio without affecting its pitch and quality.

NOTE

Slices are created in the **Sample Editor** and edited in the **Audio Part Editor**.

Audio that meets the following characteristics is suitable:

- Individual sounds have a noticeable attack.
- The recording quality is good.
- The recording is free of crosstalk signals.
- The audio is free of smearing effects like delays, for example.

Slicing Audio

Slicing audio is useful if you want to change the tempo and the timing of the audio without affecting its pitch and quality.

PREREQUISITE

The audio event is opened in the **Sample Editor**, and the hitpoints are set at the correct positions.

NOTE


When slicing audio, all events referring to the edited clip are also replaced.

PROCEDURE

- Perform one of the following actions:
 - In the **Hitpoints** section in the **Sample Editor Inspector**, open the **Create** section, and click **Slices**.
 - Select **Audio > Hitpoints > Create Audio Slices from Hitpoints**.
-

RESULT

The areas between the hitpoints are sliced and become separate events. The original audio event is replaced by an audio part containing the slices.



On playback, the audio plays back seamlessly at the project tempo.

AFTER COMPLETING THIS TASK

Change the project tempo. The slices are moved accordingly, keeping their relative positions within the part.

Double-click the sliced audio part, and replace or extract individual slices in the **Audio Part Editor**.

RELATED LINKS

[Slices and the Project Tempo](#) on page 628

[Audio Part Editor](#) on page 678

Slicing Multi-Track Drum Recordings

You can slice all tracks of a multi-track drum recording at once.

PREREQUISITE

You have created a multi-track drum recording and set up an edit group for all the tracks.

PROCEDURE

- Select the folder track, and select **Audio > Hitpoints > Divide Audio Events at Hitpoints**.
-

RESULT

The audio of all tracks in the folder track is sliced.

RELATED LINKS

[Quantizing Multiple Audio Tracks](#) on page 359

[Group Editing Mode](#) on page 262

Slices and the Project Tempo

The project tempo affects how the sliced audio is played back.

RELATED LINKS

[Closing Gaps](#) on page 629

[Deleting Overlaps](#) on page 629

[Musical Mode](#) on page 635

[Making Global Auto Fade Settings on page 387](#)

[Making Auto Fade Settings for Individual Tracks on page 387](#)

Closing Gaps

If the project tempo is slower than the tempo of the original audio event, there may be audible gaps between the slice events in the part. You can close these gaps so that the audio plays without any breaks.

PROCEDURE

- Do one of the following:
 - Select **Audio > Advanced > Close Gaps (Time Stretch)** to apply time stretch to each slice and to close the gaps.
Consider activating auto fades for the corresponding audio track and setting the fade-out to 10 ms to eliminate clicks.
 - Select **Audio > Advanced > Close Gaps (Crossfade)** to apply crossfades to the slices and to close the gaps.
-

AFTER COMPLETING THIS TASK

NOTE

If you decide to change the tempo again, undo your actions and use the original, unstretched file.

Deleting Overlaps

If the project tempo is higher than the tempo of the original audio event, the slice events in the part may overlap. You can delete these overlaps.

PROCEDURE

1. Right-click the track in the track list, and from the context menu, select **Auto Fades Settings**.
 2. In the **Auto Fades** dialog, activate **Auto Crossfades**.
 3. Click **OK**.
 4. Select the overlapping events in the part, and select **Audio > Advanced > Delete Overlaps**.
-

RESULT

The sound is smoothed out.

Creating a Groove Quantize Preset

You can use hitpoints to create a groove quantize preset.

PREREQUISITE

The audio event from which you want to extract the timing is opened in the **Sample Editor**, and the hitpoints are set at the correct positions.

PROCEDURE

- In the **Hitpoints** section in the **Sample Editor Inspector**, open the **Create** section, and click **Groove**.
-

RESULT

The groove is extracted from the audio event and automatically selected in the **Quantize Presets** pop-up menu on the **Project** window toolbar.

AFTER COMPLETING THIS TASK

Open the **Quantize Panel**, and save the groove as a preset.

RELATED LINKS

[Quantize Panel](#) on page 360

Creating Markers

You can create markers at hitpoint positions. This allows you to snap to hitpoint positions.

PREREQUISITE

The audio event from which you want to create markers is opened in the **Sample Editor**, and the hitpoints are set at the correct positions.

PROCEDURE

- In the **Hitpoints** section in the **Sample Editor Inspector**, open the **Create** section, and click **Markers**.
-

RESULT

If your project has no marker track, a marker track is added and activated automatically, and a marker is created at every hitpoint position.

RELATED LINKS

[Markers](#) on page 411

Creating Regions

You can create regions at hitpoint positions. This allows you to isolate recorded sounds.

PREREQUISITE

The audio event from which you want to create regions is opened in the **Sample Editor**, and the hitpoints are set at the correct positions.

PROCEDURE

- In the **Hitpoints** section in the **Sample Editor Inspector**, open the **Create** section, and click **Regions**.
-

RESULT

Regions are created between two hitpoint positions and shown in the **Sample Editor**.

RELATED LINKS

[Creating Regions](#) on page 617

Creating Events

You can create events at hitpoint positions.

PREREQUISITE

The audio event from which you want to create events is opened in the **Sample Editor**, and the hitpoints are set at the correct positions.

PROCEDURE

- In the **Hitpoints** section in the **Sample Editor Inspector**, open the **Create** section, and click **Events**.
-

RESULT

Events are created between two hitpoint positions.

Creating Warp Markers

You can create warp markers at hitpoint positions. This allows you to quantize audio based on hitpoint positions.

PREREQUISITE

- The audio event from which you want to create warp markers is opened in the **Sample Editor**, and the hitpoints are set at the correct positions.
 - If you want to create warp markers for all audio events that are opened in the **Sample Editor**, open the **Clip Editing Mode** pane and activate **All Clips**.
-

PROCEDURE

- In the **Hitpoints** section in the **Inspector**, open the **Create** section, and click **Warp Markers**.
-

RESULT

Warp markers are created at every hitpoint position.

AFTER COMPLETING THIS TASK

Open the **AudioWarp** section to show and edit the warp markers.

RELATED LINKS

[Sample Editor Toolbar](#) on page 600

[Tempo Matching Audio](#) on page 634

Creating MIDI Notes

You can create MIDI notes from hitpoints. This allows you to double, replace, or enrich drum hits by triggering sounds of a VST instrument.

PREREQUISITE

The audio event from which you want to create MIDI notes is opened in the **Sample Editor**, and the hitpoints are set at the correct positions.

PROCEDURE

1. In the **Hitpoints** section in the **Sample Editor Inspector**, open the **Create** section, and click **MIDI Notes**.
 2. In the **Convert Hitpoints to MIDI Notes** dialog, set up the parameters.
 3. Click **OK**.
-

RESULT

A MIDI track is added to your project, and MIDI notes are created at every hitpoint position.


AFTER COMPLETING THIS TASK

Assign a VST instrument to the MIDI track, and select a sound to enrich the audio.

Convert Hitpoints to MIDI Notes Dialog

The **Convert Hitpoints to MIDI Notes** dialog allows you to specify how to convert hitpoints when you create MIDI notes from hitpoints.

- To open the **Convert Hitpoints to MIDI Notes** dialog, open the **Create** section in the **Hitpoints** section of the **Sample Editor Inspector**, and click **MIDI Notes**.



The following options are available:

Velocity Mode

Allows you to select a velocity mode:

- If you want the velocity values of the created MIDI notes to vary according to the peak levels of the corresponding hitpoints, select **Dynamic Velocity**.
- If you want to assign the same velocity value to all created MIDI notes, select **Fixed Velocity**.

Velocity

Sets the **Fixed Velocity**.

Pitch

Sets a note pitch for all created MIDI notes.

Length

Sets a note length for all created MIDI notes.

Destination

Allows you to select a destination:

- To place the MIDI part on the first selected MIDI or instrument track, select **First Selected Track**.

NOTE

Any MIDI parts from previous conversions on this track will be deleted.

- To create a new MIDI track for the MIDI part, select **New MIDI Track**.
- To copy the MIDI part to the clipboard, select **Project Clipboard**.

Tempo Matching Audio

Cubase offers several functions that allow you to match the tempo of the audio in your project.

In the **Sample Editor** window and in the lower zone editor, you can perform the following tempo matching operations:

- **Stretch to Project Tempo**

Stretches the selected event to match the project tempo.

- **Musical Mode**

Applies realtime time stretching to audio clips, so that they match the project tempo.

- **Auto Adjust**

Extracts a definition grid from your audio. After that, you can match the audio with the project tempo by using **Musical Mode**.

- **Manual Adjust**

Allows you to manually modify the grid and the tempo of your audio file. After that, you can match the audio with the project tempo by using **Musical Mode**.

- **Free Warp**

Allows you to change the timing of individual positions in your audio.

NOTE

In the **Project** window, you can match the tempo of different audio events by using the **Audio Alignment** tool. This allows you to match the timing of audio events on different tracks.

RELATED LINKS

[Stretching Audio Events to the Project Tempo](#) on page 635

[Musical Mode](#) on page 635

[Auto Adjust](#) on page 637

[Manual Adjust](#) on page 638

[Free Warp](#) on page 640


[Audio Alignment](#) on page 249

Algorithm Presets

You can select an algorithm preset that is applied for realtime playback and time stretching.

The **Warping Algorithm for Audio Clip** pop-up menu on the toolbar and in the **Inspector** of the **Sample Editor** contains various presets that determine the audio quality of the realtime time stretching.

These presets are sorted into the categories **élastique** and **Standard**, according to the technology used.



The algorithm preset affects warp changes in **Musical Mode**, **FreeWarp**, and **Swing**. For the VariAudio warping and pitching features, **Standard – Solo** is applied automatically.

RELATED LINKS

[Algorithm Presets](#) on page 634

[Time Stretch and Pitch Shift Algorithms](#) on page 587

[Audio Alignment](#) on page 249

Stretching Audio Events to the Project Tempo

You can stretch audio loops to the project tempo.

PROCEDURE

1. Select **File > Import > Audio File**, select the audio loop that you want to import, and click **OK**.
2. Select the audio loop in the project.
3. Select **Audio > Advanced > Stretch to Project Tempo**.

RESULT

The audio loop is stretched to match the project tempo.

Musical Mode

The **Musical Mode** allows you to tempo-match audio loops to the project tempo.

If you activate **Musical Mode** for an audio clip, realtime time stretching is applied to the clip so that it matches the project tempo. The audio events adapt to any tempo changes in Cubase, just like MIDI events.

In the **Sample Editor**, you can activate **Musical Mode** in the **AudioWarp** section, in the **Definition** section, and on the toolbar.

NOTE

- You can also activate/deactivate **Musical Mode** from within the **Pool** by clicking the corresponding checkbox in the **Musical Mode** column.
- Cubase supports ACID® loops. These loops are standard audio files, but with embedded tempo/length information. When ACID® files are imported into Cubase, **Musical Mode** is automatically activated, and the loops adapt to the project tempo.


Matching Audio to the Project Tempo

You can use **Musical Mode** to adjust audio loops to the project tempo. Loops are short audio files that have a defined number of bars.

PROCEDURE

1. Select **File > Import > Audio File**, and select an audio loop in the file dialog.
2. In the **Project** window, double-click the imported audio loop to open it in the **Sample Editor**.
3. Open the **Definition** section, and verify the rulers.

The project tempo grid shown in the upper ruler and the grid of your audio shown in the lower ruler do not match.



4. In the **Definition** section, verify that the length in bars corresponds to the length of the imported audio file. If necessary, listen to your audio, and enter the correct length in bars and beats.
5. In the **AudioWarp** section, select a preset from the **Warping Algorithm for Audio Clip** pop-up menu.
6. Listen to the loop. If necessary, correct the **Bars** and **Beats** values.
7. Activate **Musical Mode**.

RESULT

The loop is warped and stretched to the project tempo. The rulers reflect the change.

In the **Project** window, the audio event shows a note symbol and a warp symbol. This indicates that time stretching has been applied.

RELATED LINKS

- [Musical Mode on page 635](#)
- [Definition Section on page 609](#)
- [Algorithm Presets on page 634](#)

Applying Swing

The **Swing** function allows you to add swing to audio that sounds too straight.


PREREQUISITE

You have opened your audio in the **Sample Editor**, and **Musical Mode** is activated.

PROCEDURE

1. Open the **AudioWarp** section, and select a preset from the **Warping Algorithm** pop-up menu.
2. From the **Swing Resolution** pop-up menu, select a grid resolution.

This defines the positions that the swing is applied to. If you select **1/2**, the swing is applied in steps of half notes, for example.



3. Move the **Swing** fader to the right.
-

RESULT

This offsets the grid positions and creates a swing or shuffle feel. If you selected **1/2**, every second position in the grid is offset.

Auto Adjust

The **Auto Adjust** function is useful if you do not know the tempo of your audio file, or if the beat is not straight. It allows you to extract a definition grid from your audio. After that, you can tempo match the file to the project tempo with the **Musical Mode**.

The **Auto Adjust** function extracts a local definition grid that you can match with the project tempo, using **Musical Mode**.

NOTE

For the **Auto Adjust** function to work, the audio must contain hitpoints.

RELATED LINKS

[Musical Mode](#) on page 635

[Hitpoints](#) on page 622

Extracting a Tempo Definition Grid from Audio

If you have an audio file with an unknown tempo or a beat that is not straight and you want to match it to the project tempo, you must first extract its tempo definition grid. In order to do so, use the **Auto Adjust** function in the **Definition** section of the **Sample Editor**.

PREREQUISITE

You have defined a range in your audio clip or event that starts and ends at a barline, and contains hitpoints.

PROCEDURE

1. Double-click the audio clip or event in the **Project** window to open it in the **Sample Editor**.
2. Open the **Definition** section, and select a value from the **Grid Resolution** pop-up menu.
This determines the grid resolution for your audio.
3. With the **Range Selection** tool, select the section that you want to use in your project and that covers one or several bars.

NOTE

If you do not select a range, the grid is calculated for the audio event. If no audio event is defined, the grid is calculated for the clip. Make sure that the event or the clip starts and ends on a barline.

-
4. Click **Auto Adjust**.

RESULT

The definition grid is calculated for the selected section. The snap point moves to the start of the selected range. The audio tempo definition ruler changes to reflect your edits. Bars and beats positions are marked with vertical lines.

Manual Adjust

The **Manual Adjust** function is useful if you need to manually modify the grid and the tempo of your audio file. This is the case if the extraction of a definition grid with the **Auto Adjust** function did not lead to satisfying results, for example.

The **Manual Adjust** function allows you to correct the local definition grid. After this, you can match it with the project tempo, using **Musical Mode**.

RELATED LINKS

[Musical Mode](#) on page 635


Correcting the Audio Definition Grid

If the extraction of a definition grid with the **Auto Adjust** function did not lead to satisfying results, you can correct the grid and the tempo of your audio file with the **Manual Adjust** function.


PROCEDURE

1. Double-click the audio clip or event in the **Project** window to open it in the **Sample Editor**.
2. Open the **Definition** section, and activate **Manual Adjust**.
3. Move the mouse pointer to the beginning of the audio clip.

The tooltip **Set Grid Start** is shown, and the mouse pointer turns into a double arrow.




4. Click and drag to the right until the first downbeat, and release the mouse button.
This matches the grid start and the snap point with the first main beat. The audio tempo definition ruler changes to reflect your edits.
5. In the upper part of the waveform, move the mouse pointer to the vertical line closest to the second bar.
The tooltip **Stretch Grid** and a blue vertical line are shown.
6. Click and drag to the position of the first downbeat in the second bar, and release the mouse button.
This sets the beginning of the next bar. All following bar positions in the grid are stretched or compressed so that all bars have the same length.



7. In the lower part of the waveform, move the mouse pointer over the grid lines.
The tooltip **Set Bar Position (Move Following Bars)** and a green vertical line are shown.
8. For incorrect bar positions, click and drag the green vertical line to the position of the first downbeat of the following bar, and release the mouse button.
This also moves the bars to the right. The area to the left remains unaffected.



9. Move the mouse pointer over the grid lines for single beats.
The tooltip **Set Beat Position** and a blue vertical line are shown.
10. Click and drag the grid line to align single, incorrect beat positions, and release the mouse button.



NOTE

You can delete misplaced beat edits. Press any modifier key so that the mouse pointer changes to an eraser, and click the beat edit that you wish to delete.

RESULT

The definition grid is corrected, the audio tempo definition ruler reflects your edits.

AFTER COMPLETING THIS TASK

Activate **Musical Mode**.

Free Warp

The **Free Warp** tool allows you to correct the timing of individual positions in the audio material.

You can create and edit warp markers and drag them to musically relevant time positions in an audio event. This way, the audio before and after the warp marker is stretched. The amount of stretch is shown next to the warp marker handle.



A stretch factor higher than 1.0 indicates that the audio preceding the warp marker is stretched, a stretch factor lower than 1.0 indicates that the audio is compressed.

NOTE

The **Free Warp** tool snaps to hitpoint positions and warp markers.

RELATED LINKS

[Correcting the Timing with the Free Warp Tool in the Event Display](#) on page 1394

[Creating Warp Markers for Multiple Audio Events](#) on page 641

[Correcting Warp Marker Positions](#) on page 642

[Deleting Warp Markers](#) on page 642

[Resetting Warp Edits](#) on page 642

Correcting the Timing with the Free Warp Tool in the Sample Editor

PREREQUISITE

You have opened an audio clip or event in the **Sample Editor**.

PROCEDURE

1. Optional: If the track belongs to a folder track and you want correct the timing phase-coherently for all tracks within the folder track, activate **Group Editing** and **Phase-Coherent AudioWarp** on the folder track.
 2. On the **Sample Editor** toolbar, activate **Snap to Zero Crossing**.
If this button is activated, warp markers snap to zero crossings.
 3. Optional: If you want to correct the timing of individual positions in the audio, specify the local definition with the **Auto Adjust** or the **Manual Adjust** function, and activate **Musical Mode**.
 4. On the **Transport** panel, activate **Click**, and play back the audio to determine positions where the beat is not on time with the click.
 5. In the **AudioWarp** section, activate **Free Warp**, place the mouse pointer at the position of the beat that you want to adjust, click, and hold.
The mouse pointer changes to a clock with arrows, and a warp marker is inserted.
 6. Drag the warp marker to the new position, and release the mouse button.
-

RESULT

The beat is now aligned with the corresponding position in the project.

RELATED LINKS

[Sample Editor](#) on page 599
[Folder Track Controls](#) on page 153
[Sample Editor Toolbar](#) on page 600
[Auto Adjust](#) on page 637
[Manual Adjust](#) on page 638
[Musical Mode](#) on page 635

Creating Warp Markers for Multiple Audio Events

PREREQUISITE

You have opened multiple audio clips or events in the **Sample Editor**.

PROCEDURE

1. On the **Sample Editor** toolbar, open the **Clip Editing Mode** pane and activate **All Clips**.
 2. In the **AudioWarp** section, activate **Free Warp**, move the mouse pointer to the position of the beat that you want to adjust, click, and hold.
 3. Drag the warp marker to the new position, and release the mouse button.
-


RESULT

The beats are now aligned for all selected events.

Correcting Warp Marker Positions

PROCEDURE

1. In the **AudioWarp** section, activate **Free Warp**.
2. In the **Sample Editor** event display, click the warp marker handle, and drag it to a new position.



A tooltip is shown to indicate that you can drag to correct the warp marker position.

RESULT

The warp marker moves to the new position, and the audio is stretched or compressed accordingly.

Deleting Warp Markers

PROCEDURE

1. In the **AudioWarp** section, activate **Free Warp**.
2. Press any modifier key so that the mouse pointer changes to an eraser, and click the beat edit that you wish to delete.

NOTE

To delete several markers, draw a selection rectangle.

RESULT

The warp marker is removed from the waveform.

Resetting Warp Edits

PROCEDURE

- In the **AudioWarp** section, click **Reset**.

RESULT

The warp markers are removed from the waveform, and the warp edits of the waveform are reset.

NOTE

If **Musical Mode** is activated, only **Free Warp** edits are reset.

Flattening Realtime Processing

You can flatten warp modifications. This is useful if you want to reduce the CPU load, optimize the sound quality of the processing, or apply any offline processing.

PROCEDURE

1. Select the audio events that you want to process.
 2. Perform one of the following actions:
 - Select **Audio > Realtime Processing > Flatten Realtime Processing**.
 - In the **Process** section of the **Sample Editor**, click **Flatten**.
 3. In the **Flatten Realtime Processing** dialog, select an algorithm preset.
 4. Click **OK**.
-

RESULT

Any loop that was previously stretched in realtime plays back in exactly the same way, but the warp markers are discarded.

RELATED LINKS

[MPEX](#) on page 588


Flatten Realtime Processing Dialog

The **Flatten Realtime Processing** dialog allows you to select an algorithm.

- To open the **Flatten Realtime Processing** dialog, select one or more audio events in the **Project** window, and select **Audio > Realtime Processing > Flatten Realtime Processing**.

NOTE

This option is only available if you have performed warp modifications.



The following options are available:

Algorithm Preset

Allows you to select an algorithm preset.

Unstretching Audio Files

You can remove realtime time stretching from audio events.

PREREQUISITE

You have stretched an audio event in the **Sample Editor** with the **Free Warp** tool, or in the **Project** window with the **Object Selection** tool in **Sizing Applies Time Stretch** mode.

PROCEDURE

1. Select the audio event that you want to unstretch.
 2. Select **Audio > Realtime Processing > Unstretch Audio**.
-

RESULT

All realtime time stretching is removed.

Pitch Editing and Time Correction with VariAudio

The VariAudio features in Cubase allow you to edit pitch, and correct the timing and intonation of individual notes in monophonic vocal recordings.

All VariAudio operations can be performed in the **Sample Editor** window and in the lower zone editor. Any modifications to the audio material can be undone.

NOTE

The VariAudio features are optimized for monophonic recordings of vocals. It may work well for other monophonic recordings, such as a saxophone, as well. However, the quality of the result depends greatly on the recording.

Before you can edit the pitch and correct the timing of monophonic recordings, Cubase must analyze the audio and split it into segments. These segments are graphic representations of the individual notes.

NOTE

Due to the data gained during segmentation, the audio and thus, the size of your project, can increase.

RELATED LINKS

[Segmenting Monophonic Audio](#) on page 649

[Segments and Gaps](#) on page 648

VariAudio and Offline Processes

If you apply offline processes and edits that affect the length of audio files that contain VariAudio data, existing VariAudio data becomes invalid. We therefore recommend that you apply offline processing or edits before using the VariAudio features.


The following processes and edits may lead to the reanalysis of the audio material:

- All offline processes in the **Processes** submenu of the **Audio** menu, except **Envelope**, **Fade In**, **Fade Out**, **Normalize**, and **Silence**.
- Effect processes in the submenu **Audio > Plug-ins**.
- Cutting, pasting, deleting, or drawing in the **Sample Editor**.

VariAudio Inspector Section

The **VariAudio** section allows you to edit individual notes of your audio file, to change their pitch or timing, and to extract MIDI from your audio.

- To show the **VariAudio** section, open an audio event in the **Sample Editor**, and, in the **Sample Editor Inspector**, open the **VariAudio** section.



Main Section

VariAudio Changes Bypass on/off

Bypasses pitch, formant shift, and volume changes so that you can compare the changes to the original audio.

Edit VariAudio

Activates the audio analysis, splits the audio into segments that are shown in the waveform image, and enables VariAudio editing.

Smart Controls

Allows you to select how many smart controls are shown on the segments. **Show Default Smart Controls** shows frequently used smart controls, while **Show All Smart Controls** shows all smart controls.

Pitch Snap Mode

Allows you to choose how a segment snaps to a specific pitch when you move it with the mouse or the **Up Arrow / Down Arrow** keys. When you use the **Quantize Pitches** function in the **Scale Assistant** section, this determines how the segments snap to the pitches of the selected scale.

MIDI Input

Allows you to change the pitch of a segment via MIDI input.

Step

Allows you to change the pitch of a segment via MIDI step input.

Correct Pitch

Allows you to correct the pitch of a segment to the nearest pitch.

Straighten Curve

Allows you to straighten the pitch curve of a segment.

Shift Formant

Allows you to shift the formants of a segment without affecting the pitch or timing.

Volume

Allows you to edit the volume of a segment.

Scale Assistant Section

Use Editor Scale

Allows you to select a scale for the segments in the **Sample Editor** event display.

- **Editor Scale**

Allows you to select a scale.

- **Scale Suggestions**

Shows the number of scale suggestions that match the analyzed pitches of the VariAudio note segments. Open the pop-up menu to select one of the suggestions. To receive scale suggestions for specific segments, you must select them. If no segment is selected, the scale suggestions are made for all segments in the event display.

NOTE

The **Scale Assistant** is also available in the **Key Editor**, and the **Editor Scale** is linked. If you select a scale in the **Sample Editor** the same scale is selected in the **Key Editor**, and vice versa.

Use Chord Track

Allows you to use the chord track data as a musical scale.

- **Chord Track Mode**

Allows you to select whether you want to use the scale events of the chord track, the chord events, or both as a musical scale.

Show Scale Note Guides

Changes the event display background according to the selected scale. Pitches that do not belong to the selected scale are shown with a darker background.

Snap Pitch Editing

Snaps the pitches of the note segments to the selected scale when you add, edit, or move them.

Quantize Pitches

Quantizes the pitches of the selected segments to the nearest pitch of the selected scale.

NOTE

Quantize Pitches takes the **Pitch Snap Mode** into account.

Lower Section

MIDI Reference Track

Allows you to select a MIDI reference track whose events are shown as lines in the event display.

Choose Function


Opens a pop-up menu with other functions.

RELATED LINKS

- [VariAudio Section on page 610](#)
- [Smart Controls on page 653](#)
- [Pitch Snap Mode on page 660](#)
- [Step Mode on page 662](#)
- [Correcting Pitches on page 662](#)
- [Straightening Pitch Curves on page 667](#)
- [Formant Shifting on page 670](#)
- [Showing MIDI Reference Tracks on page 669](#)
- [Editing Volume on page 671](#)
- [Functions Menu on page 672](#)
- [Chord Track on page 1247](#)
- [Selecting a Musical Scale for VariAudio Segments on page 657](#)
- [Using the Chord Track Data as a Musical Scale on page 658](#)
- [Quantizing Segment Pitches to Musical Scales on page 663](#)
- [Quantizing Segment Pitches to the Chord Track on page 664](#)
- [Snapping Segment Pitches While Editing on page 664](#)

Segments and Gaps

Cubase automatically analyzes the audio and splits it into segments.



The following concepts are crucial to understanding the segmentation:

1 Time Position

The time position and the length of the segments are indicated by the timeline.

2 Segment

The segments represent the tonal portions of the analyzed audio. The pitch and time position of the segments allow you to associate the segments with the original audio.

3 Pitch Curve

The pitch curves that are shown in the segments represent the progression of the pitch.

4 Gap

The gaps in between segments represent the non-tonal portions of the analyzed audio. These can be caused by breath sounds or rests, for example.

NOTE

Gaps, caused by weak audio signals or audio sections with unclear pitch information, such as consonants or effect sounds, must be included in the segments manually. To do this, you must change the start and the end points of a segment. Otherwise, subsequent pitch modifications affect only the tonal portions.

5 Audio Waveform

The audio waveform is always shown as mono, even if you have opened a stereo or multi-channel file.

6 Pitch Position

The pitch position of the segments is displayed on the piano keyboard, to the left of the waveform. If you move the mouse pointer over a segment, the pitch of that segment is also shown on the segment. Pitches represent the perceived fundamental frequency of the note. The average pitch of a segment is calculated from its pitch curve.

RELATED LINKS


[Changing the Start and End Point of Segments](#) on page 657

Segmenting Monophonic Audio

To be able to edit the pitch and to correct the timing of monophonic recordings, Cubase must analyze the audio and split it into segments.


PROCEDURE

1. In the **Project** window, double-click the monophonic vocal recording to open the **Sample Editor**.
2. In the **Sample Editor Inspector**, click **VariAudio** to open the **VariAudio** section.
A waveform image of the audio is shown.
3. Activate **Edit VariAudio**.



RESULT

Cubase automatically analyzes the audio and splits it into segments that are shown in the waveform image. The segments allow you to associate the individual notes with their pitch, which is displayed on the piano keyboard to the left, and their duration, which is displayed on the timeline. If you hover the mouse pointer over a segment, the pitch of that segment is shown on the segment.



NOTE


The analysis of long audio files may take some time.

RELATED LINKS

[Segments and Gaps](#) on page 648

VariAudio Segment Colors Menu

You can select a color scheme for VariAudio segments. If you work with several audio events, this makes it easier to see which segments belong to which event.



The following options are available:

Auto

Segments that belong to the same voice assume the same color.

Event

Segments assume the same color as the corresponding event in the **Project** window.

Pitch

Segments assume colors depending on their pitches.

Scale/Chords

Segments that match the editor scale, or chord events/scale events on the chord track assume a specific color.

NOTE

The **Pitch** and **Scale/Chords** options use the same color scheme as the corresponding options in the **Key Editor**. To change the color scheme, use the **Chord and Scale Colors Setup** dialog or the **Pitch Colors Setup** dialog of the **Key Editor**.


RELATED LINKS

[VariAudio Inspector Section](#) on page 645

[Chord and Scale Colors Setup on page 1085](#)
[Pitch Colors Setup on page 1084](#)
[VariAudio Segment Colors Menu on page 650](#)

Sample Editor Piano Keyboard Display

The piano keyboard display is shown to the left of the note display in the **Sample Editor** if you open the **VariAudio Inspector** section.



The piano keyboard gives you a visual orientation over the pitch positions in the event display, helping you to find specific note pitches.

If you move the mouse to the far left of the piano keyboard display, the mouse pointer changes, allowing you to scroll up and down and to zoom in and out of the keyboard display:

- Drag upwards/downwards to scroll up/down in the piano keyboard display.
- Drag to the right/left to zoom in on/out of the piano keyboard display.

The keys show the note names of the corresponding pitches. If you zoom all the way out of the piano keyboard display, only the C keys display the note names.

NOTE

You can change the naming format and the note names of the pitches in the **Pitch Notation** section of the **Preferences** dialog (**Event Display—Chords & Pitches** page). The MIDI note number is only shown at high zoom levels.

If you select note segments in the event display, the corresponding keys on the piano keyboard display are shown in the same color as the segments.

NOTE

You can use the **VariAudio Segment Colors** menu in the **Sample Editor** toolbar to select a color scheme.

If you move the mouse pointer in the event display, the corresponding pitch position on the piano keyboard display is highlighted.

- Hold down **Ctrl/Cmd**, and click a key on the piano keyboard display to select all note segments of that pitch. Note segments that deviate slightly from the exact pitch are taken into account.

RELATED LINKS

[Segments and Gaps](#) on page 648

[Pitch Notation](#) on page 1531

[Navigating and Zooming through Segments](#) on page 652

[VariAudio Segment Colors Menu](#) on page 650

Navigating and Zooming through Segments

You can navigate through the segments and zoom in on them.

CHOICES

- To navigate through the segments, use the **Left Arrow** key or the **Right Arrow** key on your computer keyboard.
 - To zoom in on segments, hold down **Alt/Opt**, and draw a selection rectangle.
 - To zoom out, hold down **Alt/Opt**, and click in an empty area of the waveform.
 - To zoom out to show all segments, hold down **Alt/Opt**, and double-click in an empty area of the waveform.
-

Auditioning

You can audition the segments one by one or in a loop, or play them back from the beginning to the end.

PROCEDURE

- Do one of the following:
 - Select the segments and activate **Audition**.

NOTE

To play back selected segments in a loop, activate **Audition Loop**.

- Select the **Play** tool, and click the position where you want to start the playback.
-

RELATED LINKS

[Sample Editor Toolbar](#) on page 600

Smart Controls

Each segment has smart controls that allow you to change the start and the end points of the segment and to perform pitch changes, volume editing, formant shifting, and timing modifications of the associated audio.


- To show the smart controls on a segment, zoom in on the segment, and move the mouse pointer over it.

NOTE

In the **Smart Controls** pop-up menu in the **Sample Editor Inspector**, you can select **Show All Smart Controls** to show all smart controls or **Show Default Smart Controls** to show frequently used smart controls.

Show Default Smart Controls Mode

The following smart controls are available in **Show Default Smart Controls** mode:



1 Straighten Pitch Curve

Allows you to straighten the pitch curve. This also works on a selection of segments.

2 Warp Start/Correct Segment Start

Allows you to warp the segment start. Press **Alt/Opt** to correct the segment start.

3 Warp End/Correct Segment End

Allows you to warp the segment end. Press **Alt/Opt** to correct the segment end.

4 Glue Segments

Allows you to glue the segment to the adjacent segment. This also works on a selection of segments.

5 Split Segment


Allows you to split the segment. This also works on a selection of segments.

6 Correct Pitch

Allows you to correct the pitch of the segment to the nearest semitone position. This also works on a selection of segments.

Show All Smart Controls Mode

The following additional smart controls are only shown if you select **Show All Smart Controls** in the **Smart Controls** pop-up menu in the **Sample Editor Inspector**:



1 Tilt

It allows you to tilt the pitch curve upwards or downwards. The smart control on the left allows you to tilt the start of the curve. The smart control on the right allows you to tilt the end of the curve. Press **Alt/Opt** to rotate the curve around the tilt/rotate anchor.

2 Set Tilt/Rotate Anchor

By default, the pitch curve is tilted or rotated around the center of the segment. This smart control allows you to move the anchor to the left or to the right.

3 Set Range for Straighten Pitch Curve

By default, the entire pitch curve is straightened. These smart controls allow you to set a range for **Straighten Pitch Curve**. Use this smart control for several selected segments to set the same range for all selected segments.

4 Shift Formant

Allows you to shift the formants of the segment. This also works on a selection of segments.

5 Volume

Allows you to edit the volume of the segment. To mute a segment, turn the volume down. This also works on a selection of segments.

RELATED LINKS

[Navigating and Zooming through Segments](#) on page 652

[Tilting a Pitch Curve](#) on page 666

[Straightening Pitch Curves](#) on page 667

[Pitch Snap Mode](#) on page 660

[Warping Segments](#) on page 668

[Changing the Start and End Point of Segments](#) on page 657

[Splitting Segments](#) on page 655

[Gluing Segments](#) on page 656

[Correcting Pitches](#) on page 662

[Formant Shifting](#) on page 670

[Editing Volume](#) on page 671

Segment Editing

Segment editing might be necessary if the original audio contains non-tonal portions of the analyzed audio, that is, signals or sections with unclear pitch information, such as consonants or effect sounds.

Non-tonal portions of the analyzed audio might not be included in a segment. If this is the case, pitch changes, volume editing, formant shifting, or timing modifications affect only the tonal portions. On the other hand, segments can contain unwanted notes or tonal portions.

To prevent this, you can edit the segments manually by using the smart controls.

Segment editing includes:

- Shortening segments by splitting them, or changing their start or end point
- Enlarging segments by gluing them to the next segment, or by changing their start or end point
- Deleting segments

NOTE

Changing the length of a segment may lead to a different average pitch and therefore to a pitch change.

RELATED LINKS

[Changing the Start and End Point of Segments](#) on page 657

[Splitting Segments](#) on page 655

[Gluing Segments](#) on page 656

[Deleting Segments](#) on page 656

[Segments and Gaps](#) on page 648

[Smart Controls](#) on page 653

Splitting Segments

If a segment includes more than one note, you can split it.

PREREQUISITE

You have opened the audio in the **Sample Editor** and activated **Edit VariAudio** in the **VariAudio** section.

PROCEDURE

1. Select one or several segments.
2. On the **Sample Editor** toolbar, activate **Audition** to audition the segments.
3. Compare the segments with the pitch curve for each note.
4. If a segment includes more than one note, do one of the following:
 - Use the smart control for **Split Segment** on the bottom edge of the segment, and click.
 - Hold down **Alt/Opt**, and click anywhere above the smart control for **Split Segment**.

RESULT

The segment is split, and the average pitch is recalculated.

NOTE

Splitting a segment may lead to a different average pitch and therefore, to a pitch change.

AFTER COMPLETING THIS TASK

If splitting the segment results in a wrong pitch, move the segment vertically.

RELATED LINKS

[Segmenting Monophonic Audio](#) on page 649

[Smart Controls](#) on page 653

Gluing Segments

If a single sound is spread over multiple segments, you can glue these segments together.

PREREQUISITE

You have opened the audio in the **Sample Editor**, and you have activated **Edit VariAudio** in the **VariAudio** section.

PROCEDURE

1. On the **Sample Editor** toolbar, activate **Audition** to audition the segments.
 2. Compare the segments with the pitch curve for each note.
 3. Do one of the following:
 - Use the smart control for **Glue Segments** on the bottom left edge of a segment, and click to glue it to the previous segment.
 - Use the smart control for **Glue Segments** on the bottom right edge of a segment, and click to glue it to the next segment.
 - Select several contiguous segments. Use the smart control for **Glue Segments** on the bottom left or right edge of one of the segments, and click to glue the selected segments.
-

RESULT

The segments are glued together. The average pitch of the segment is recalculated.

RELATED LINKS

[Segmenting Monophonic Audio](#) on page 649
[Smart Controls](#) on page 653

Deleting Segments

You can delete segments. This is useful if a segment contains only non-tonal portions of the audio and therefore does not require any pitch editing.

PREREQUISITE

You have opened the audio in the **Sample Editor**, and you have activated **Edit VariAudio** in the **VariAudio** section.

PROCEDURE

1. Select one or several segments.
 2. On the **Sample Editor** toolbar, activate **Audition** to audition the segments.
 3. Compare the segments with the pitch curve for each note.
 4. Select the segment that you want to delete, and press **Backspace**.
-

RESULT

The segment is deleted.

RELATED LINKS

[Segmenting Monophonic Audio](#) on page 649

Changing the Start and End Point of Segments

If the start or the end point of a segment does not match the associated audio, you can change it.

PREREQUISITE

You have opened the audio in the **Sample Editor**, and you have activated **Edit VariAudio** in the **VariAudio** section.

PROCEDURE

1. Select one or several segments.
2. On the **Sample Editor** toolbar, activate **Audition** to audition the segments.
3. Compare the start and the end positions of the segments with the pitch curve.
4. Do one of the following:
 - If a segment starts too early or too late, hold down **Alt/Opt**, move the mouse pointer over the smart control on the middle left corner of the segment, and click and drag to the right or to the left.
 - If a segment ends too early or too late, hold down **Alt/Opt**, move the mouse pointer over the smart control on the middle right corner of the segment, and click and drag to the right or to the left.

NOTE

You can only drag the segment start or the segment end up to the boundaries of the next segment. Segments cannot overlap.

RESULT

The start and the end positions of the segments are changed according to your edits. The average pitch of the segment is recalculated.

NOTE

Changing the length of a segment may lead to a different average pitch and therefore, to a pitch change.

RELATED LINKS

[Segmenting Monophonic Audio](#) on page 649

[Smart Controls](#) on page 653

Selecting a Musical Scale for VariAudio Segments

The **Scale Assistant** suggests musical scales based on the note segments in the **Sample Editor** event display. You can select one of the suggestions and use it as a basis for further editing your project.

PREREQUISITE

The audio file is segmented. You have opened the audio in the **Sample Editor**, and you have activated **Edit VariAudio** in the **VariAudio** section.

PROCEDURE

1. Open the **Scale Assistant** section of the **VariAudio Inspector**.
 2. Do one of the following:
 - To get scale suggestions for specific note segments only, select the note segments in the event display.
 - To get scale suggestions for all note segments, make sure that no note segment is selected.
 3. In the **Scale Assistant** section, activate **Use Editor Scale**.
 4. Open the **Scale Suggestions** pop-up menu, and select one of the suggested scales.
-

RESULT

The selected musical scale is set, and the **Editor Scale** fields change to show the selected musical scale.

NOTE

The **Scale Assistant** is also available in the **Key Editor**, and the **Editor Scale** is linked. If you select a musical scale in the **Sample Editor**, the same musical scale is selected in the **Key Editor**, and vice versa.

AFTER COMPLETING THIS TASK

- Activate **Show Scale Note Guides** to change the event display background according to the selected musical scale. Pitches that do not belong to the selected musical scale are shown with a darker background.
- On the **Sample Editor** toolbar, set **VariAudio Segment Colors** to **Scale/Chords**. This changes the colors of the segments in the event display according to whether or not the pitches match the selected musical scale.

RELATED LINKS

- [Segmenting Monophonic Audio](#) on page 649
[VariAudio Inspector Section](#) on page 645
[VariAudio Segment Colors Menu](#) on page 650
[Quantizing Segment Pitches to Musical Scales](#) on page 663
[Scale Assistant in the Key Editor](#) on page 1150
[Snapping Segment Pitches While Editing](#) on page 664
[Chord and Scale Colors Setup](#) on page 1085

Using the Chord Track Data as a Musical Scale

The **Scale Assistant** can use the chord track data as a musical scale.

PREREQUISITE

- You have added a chord track with chord events to your project.
- The audio file is segmented. You have opened the audio in the **Sample Editor**, and you have activated **Edit VariAudio** in the **VariAudio** section.

PROCEDURE

1. Open the **Scale Assistant** section of the **VariAudio Inspector**.

2. Activate **Use Chord Track**.
 3. Open the **Chord Track Mode** pop-up menu, and select whether you want to use chord events, scale events, or both as a musical scale.
-

RESULT

The **Chord Track Mode** is set.

NOTE

The **Scale Assistant** is also available in the **Key Editor**, and the **Editor Scale** is linked. If you select a **Chord Track Mode** in the **Sample Editor**, the same mode is selected in the **Key Editor**, and vice versa.

AFTER COMPLETING THIS TASK

- Activate **Show Scale Note Guides** to change the event display background according to the selected **Chord Track Mode**. Pitches that do not match the current chord or scale event on the chord track are shown with a darker background.
- On the **Sample Editor** toolbar, set **VariAudio Segment Colors** to **Scale/Chords**. This changes the colors of the segments in the event display according to whether or not the pitches match the current chord event/scale event on the chord track.

RELATED LINKS

[Segmenting Monophonic Audio](#) on page 649

[VariAudio Inspector Section](#) on page 645

[VariAudio Segment Colors Menu](#) on page 650

[Quantizing Segment Pitches to Musical Scales](#) on page 663

[Scale Assistant in the Key Editor](#) on page 1150

Pitch Changes

You can change the pitch of audio segments for corrective or creative purposes. By changing note pitches, you can change the melody of the original audio.

Pitch changes include the following:

- Raising or lowering pitches
- Quantizing pitches
- Changing the pitch curve
- Straightening pitches
- Quantizing segment pitches to musical scales
- Quantizing segment pitches to the chord track

To change the pitch of audio segments, you can use the **VariAudio** section in the **Sample Editor Inspector** or the smart controls.

RELATED LINKS


[VariAudio Inspector Section](#) on page 645

[Smart Controls](#) on page 653

Pitch Snap Mode

The **Pitch Snap Mode** defines how a segment snaps to a certain pitch.

- You can set the **Pitch Snap Mode** in the **VariAudio** section of the **Sample Editor Inspector**.



The following modes are available:

Absolute

Segments snap to the next semitone.

Relative

Segments snap to the next semitone, but they keep their original deviation in cents, if available.

Off

Segments do not snap, and you can edit the pitch freely.

NOTE

You can also assign a key command to switch the **Pitch Snap Mode** on and off.

Raising or Lowering Pitches

You can raise or lower the pitch of one or several segments.

PREREQUISITE

The audio file is segmented, and the segments are correct. You have opened the audio in the **Sample Editor**, and you have activated **Edit VariAudio** in the **VariAudio** section.

PROCEDURE

1. Optional: Activate **Acoustic Feedback** to audition pitch modifications while editing.
2. Select one or several segments, and move the mouse pointer over them.

The mouse pointer becomes a hand symbol.

NOTE

If you hold down **Shift** and double-click a segment, all following segments of the same pitch are selected.

3. Do one of the following:

- Drag the segment up or down and release the mouse, or use the **Up Arrow / Down Arrow** keys to take the **Pitch Snap Mode** setting into account.
- Hold down **Shift** while using the **Up Arrow / Down Arrow** keys to change the pitch in cent steps, and ignore the **Pitch Snap Mode**.

NOTE

You can change the **Pitch Snap Mode** on the fly. Use **Shift** to enter **Off** mode, **Ctrl/Cmd** to enter **Absolute** mode, or **Alt** to enter **Relative** mode.

RESULT

The **Solo** algorithm is selected automatically, and the segment pitch is raised or lowered according to your settings.

NOTE

The more the pitch deviates from the original pitch, the less likely it is that your audio sounds natural.

AFTER COMPLETING THIS TASK

To compare your pitch changes to the original audio pitches, activate **VariAudio Changes Bypass on/off** in the **VariAudio** section.



RELATED LINKS

[Select Submenu](#) on page 242

Changing Pitches using MIDI Input

You can change the pitches of one or several selected segments by pressing a key on your MIDI keyboard or by using the **On-Screen Keyboard**.

PREREQUISITE

The audio file is segmented, and the segments are correct. You have opened the audio in the **Sample Editor**, and you have activated **Edit VariAudio** in the **VariAudio** section. You have connected and set up a MIDI keyboard.


PROCEDURE

1. Select one or several segments.

NOTE

If you hold down **Shift** and double-click a segment, all following segments of the same pitch are selected.

2. In the **VariAudio** section, activate **MIDI Input**.



3. Do one of the following to change the pitch:

- Press a key on your MIDI keyboard.
- Use the **On-Screen Keyboard** to change the pitch.

NOTE

The more the pitch deviates from the original pitch, the less likely it is that your audio sounds natural. You cannot choose pitches above **C5** and below **E0**.

RESULT

The **Solo** algorithm is selected automatically, and the segment pitch is raised or lowered according to the note you play. If you select several segments, the pitch of the first selected segment is changed to the pitch of the MIDI note you play. The pitches of the other segments are changed by the same amount.

NOTE

The **MIDI Input** only affects the pitches of the segments. MIDI controller data are ignored.

AFTER COMPLETING THIS TASK

Deactivate **MIDI Input**.

RELATED LINKS

[On-Screen Keyboard](#) on page 320
[Pitch Snap Mode](#) on page 660

Step Mode

The **MIDI Input** function allows you to assign MIDI notes in still mode. If you want to step through the segments while changing their pitches, you can activate **Step** mode.

Step mode allows you to work in a more creative way. You can, for example, develop completely new melody lines via MIDI. After you have assigned a MIDI note to a segment, the next segment is automatically selected.

RELATED LINKS

[Inserting Note Events via Step Input](#) on page 1167

Correcting Pitches

You can correct the pitch of segments to the nearest semitone position.

PREREQUISITE

The audio file is segmented. You have opened the audio in the **Sample Editor**, and you have activated **Edit VariAudio** in the **VariAudio** section.


PROCEDURE

1. Select one or several segments.

NOTE

If you hold down **Shift** and double-click a segment, all following segments of the same pitch are selected.

2. In the **VariAudio** section of the **Sample Editor Inspector**, move the **Correct Pitch** slider to the right.



NOTE

You can also correct the pitch by dragging the **Correct Pitch** smart control in the middle of the bottom edge of the segment upwards or downwards.

RESULT

The **Solo** algorithm is selected automatically, and the segment pitches are corrected.

NOTE

In the **Sample Editor** category of the **Key Commands** dialog, you can set up a key command for **Correct Pitch**. If you use the key command, the segments are immediately quantized to the next semitone position.

RELATED LINKS

[Key Commands](#) on page 1480

[Smart Controls](#) on page 653

Quantizing Segment Pitches to Musical Scales

You can quantize the pitches of specific note segments to a musical scale that you set up for a track, either in the **Sample Editor** or in the **Key Editor**.

PREREQUISITE

- The audio file is segmented. You have opened the audio in the **Sample Editor**, and you have activated **Edit VariAudio** in the **VariAudio** section.
- The **Scale Assistant** is set to **Use Editor Scale**, and you have chosen a musical scale based on the suggestions of the **Scale Assistant**, either in the **Sample Editor** or in the **Key Editor**.

PROCEDURE

1. Open the **Pitch Snap Mode** pop-up menu, and select an option to define how the segments snap to the pitches of the scale.
2. In the event display, select the note segments whose pitches you want to quantize to the selected scale.
3. Click **Quantize Pitches**.

RESULT

The note segments are quantized to the nearest pitches of the scale. The **Pitch Snap Mode** is taken into account.

RELATED LINKS

- [Pitch Snap Mode](#) on page 660
[Segmenting Monophonic Audio](#) on page 649
[VariAudio Inspector Section](#) on page 645
[VariAudio Segment Colors Menu](#) on page 650
[Selecting a Musical Scale for VariAudio Segments](#) on page 657
[Quantizing MIDI Note Pitches to Musical Scales](#) on page 1158
[Snapping Segment Pitches While Editing](#) on page 664

Quantizing Segment Pitches to the Chord Track

You can quantize the pitches of specific note segments to the scale defined by chord events or scale events on the chord track.

PREREQUISITE

- In the **Project** window, you have added a chord track and chord events.
- The audio file is segmented.
- You have opened the audio in the **Sample Editor**, and you have activated **Edit VariAudio** in the **VariAudio** section.
- The **Scale Assistant** is set to **Use Chord Track**, and you have selected a **Chord Track Mode**.

PROCEDURE

1. Open the **Pitch Snap Mode** pop-up menu, and select an option to define how the segments snap to the pitches of the scale.
 2. In the event display, select the note segments whose pitches you want to quantize to the selected **Chord Track Mode**.
 3. Click **Quantize Pitches**.
-

RESULT

Any pitches that do not match the pitches of the current chord or scale event on the chord track are quantized to the nearest pitches.

RELATED LINKS

- [Pitch Snap Mode](#) on page 660
[Segmenting Monophonic Audio](#) on page 649
[VariAudio Inspector Section](#) on page 645
[VariAudio Segment Colors Menu](#) on page 650
[Using the Chord Track Data as a Musical Scale](#) on page 658
[Chord Track](#) on page 1247
[Using the Chord Track to Match Note Events to a Musical Scale](#) on page 1156
[Snapping Segment Pitches While Editing](#) on page 664

Snapping Segment Pitches While Editing

You can snap the pitches of note segments to a musical scale while editing. This is useful if you want to use a musical scale for your VariAudio pitch changes.

PREREQUISITE

- The audio file is segmented.

- You have opened the audio in the **Sample Editor**, and you have activated **Edit VariAudio** in the **VariAudio** section.
- The **Scale Assistant** is either set to **Use Editor Scale**, and you have chosen a scale suggestion, or it is set to **Use Chord Track**, and you have activated a **Chord Track Mode**.

PROCEDURE

1. Open the **Pitch Snap Mode** pop-up menu, and select an option to define how the segments snap to the pitches of the scale.
 2. Activate **Snap Pitch Editing** to snap the pitches of the note segments to the selected musical scale when you move them.
 3. In the event display, move the note segments to the desired pitches.
-

RESULT

The note segments snap to the nearest pitches of the scale. The **Pitch Snap Mode** is taken into account.

RELATED LINKS

[VariAudio Inspector Section](#) on page 645

[Selecting a Musical Scale for VariAudio Segments](#) on page 657

[Pitch Snap Mode](#) on page 660

Pitch Curve Changes

You can perform more detailed editing on the audio by modifying the pitch curves inside the segments.

IMPORTANT

The pitch curve displays the progression of the pitch for the tonal portion of the audio segment. For non-tonal portions of the audio, pitch curves cannot be shown.

Changes of the pitch curve include the following tasks:

- Tilting the pitch curve

This allows you to correct pitch deviations for individual segments. These include deviations from the tonal center.

- Rotating the pitch curve

This allows you to correct pitch deviations for individual segments. These include deviations from the tonal center.

- Straightening the pitch curve

This allows you to reduce the degree of fluctuation or vibrato for individual segments.

RELATED LINKS

[Setting Tilt/Rotate Anchors](#) on page 666

[Tilting a Pitch Curve](#) on page 666

[Rotating a Pitch Curve](#) on page 667

[Straightening Pitch Curves](#) on page 667

[Straightening Ranges of Pitch Curves](#) on page 668

Setting Tilt/Rotate Anchors

By default, the reference or anchor point for tilting and rotating pitch curves is set to the center of the segment. For a different result, you can move that reference point to the left or to the right.

PREREQUISITE

The audio file is segmented, and the segments are correct. You have opened the audio in the **Sample Editor**, and you have activated **Edit VariAudio** in the **VariAudio** section.

PROCEDURE

1. In the **Sample Editor Inspector**, open the **Smart Controls** pop-up menu, and select **Show All Smart Controls**.
 2. Drag the smart control for **Set Tilt/Rotate Anchor** in the center of the upper edge of the segment to the left or to the right.
-

RESULT

The anchor is set to the position where you released the mouse button, and it is used as a reference point when you tilt or rotate the pitch curve.

AFTER COMPLETING THIS TASK

To reset the anchor, hold down **Alt/Opt**, and click the smart control for **Set Tilt/Rotate Anchor**.

RELATED LINKS

[Smart Controls](#) on page 653

[Tilting a Pitch Curve](#) on page 666

[Rotating a Pitch Curve](#) on page 667

Tilting a Pitch Curve

You can tilt the start or the end of a pitch curve. This allows you to correct pitch deviations for a segment.

PREREQUISITE

The audio file is segmented, and the segments are correct. You have opened the audio in the **Sample Editor**, and you have activated **Edit VariAudio** in the **VariAudio** section.

PROCEDURE

1. In the **Sample Editor Inspector**, open the **Smart Controls** pop-up menu, and select **Show All Smart Controls**.
 2. Optional: Move **Set Tilt/Rotate Anchor** to the left or to the right to adjust the reference point for tilting.
 3. Do one of the following:
 - To tilt the start of the curve, drag the smart control for **Tilt** in the upper left corner of the segment upwards or downwards.
 - To tilt the end of the curve, drag the smart control for **Tilt** in the upper right corner of the segment upwards or downwards.
-

RESULT

The **Solo** algorithm is selected automatically, and the pitch curve is tilted according to your settings.

RELATED LINKS

[Smart Controls](#) on page 653

[Setting Tilt/Rotate Anchors](#) on page 666

Rotating a Pitch Curve

You can rotate the pitch curve to correct pitch deviations of individual segments.

PREREQUISITE

The audio file is segmented, and the segments are correct. You have opened the audio in the **Sample Editor**, and you have activated **Edit VariAudio** in the **VariAudio** section.

PROCEDURE

1. In the **Sample Editor Inspector**, open the **Smart Controls** pop-up menu, and select **Show All Smart Controls**.
 2. Optional: Move **Set Tilt/Rotate Anchor** to the left or to the right to adjust the reference point for the rotation.
If you do not move the anchor, the pitch curve is rotated around the center of the segment.
 3. Press **Alt/Opt**, and drag the smart control for **Tilt** in the upper left or the upper right corner of the segment upwards or downwards.
-

RESULT

The **Solo** algorithm is selected automatically, and the pitch curve is rotated around the anchor.

RELATED LINKS

[Setting Tilt/Rotate Anchors](#) on page 666

Straightening Pitch Curves

You can straighten pitch curves to compensate for the rise and fall in pitch, that is, the deviation from a representative pitch.

PREREQUISITE

The audio file is segmented, and the segments are correct. You have opened the audio in the **Sample Editor**, and you have activated **Edit VariAudio** in the **VariAudio** section.

PROCEDURE

1. Select one or several segments.

NOTE

If you hold down **Shift** and double-click a segment, all following segments of the same pitch are selected.

2. Do one of the following:

- Drag the smart control for **Straighten Pitch Curve** in the center of the upper edge of a segment upwards or downwards.
 - In the **Sample Editor Inspector**, move the **Straighten Curve** slider to the right.
-

RESULT

The **Solo** algorithm is selected automatically, and the pitch curves are straightened.

RELATED LINKS

[Smart Controls](#) on page 653

[Straightening Ranges of Pitch Curves](#) on page 668

Straightening Ranges of Pitch Curves

You can restrict the straightening of pitch curves to specific ranges of segments. This allows you to straighten the pitch of segments while preserving a natural transition between the segments.

PREREQUISITE

The audio file is segmented, and the segments are correct. You have opened the audio in the **Sample Editor**, and you have activated **Edit VariAudio** in the **VariAudio** section.

PROCEDURE

1. In the **Sample Editor Inspector**, open the **Smart Controls** pop-up menu, and select **Show All Smart Controls**.
 2. Drag the smart control for **Set Range for Straighten Pitch Curve** in the upper left corner of the segment to the right to set the start of the range.
 3. Drag the smart control for **Set Range for Straighten Pitch Curve** in the upper right corner of the segment to the left to set the end of the range.
 4. Drag the smart control for **Straighten Pitch Curve** in the center of the upper edge of the segment upwards or downwards.
-

RESULT

Only the defined range of the pitch curve is straightened. The **Solo** algorithm is selected automatically.

Timing Modifications

Modifying the timing of segments, or warping, is useful if you want to align a musical accent to a certain time position or change the timing of segments in monophonic recordings.

If you warp audio segments, warp markers are created. These are shown in the **VariAudio** and the **AudioWarp** sections of the **Sample Editor Inspector**.

To modify the timing of audio segments, you can use the **VariAudio** section in the **Sample Editor Inspector** or the smart controls.

RELATED LINKS

[VariAudio Inspector Section](#) on page 645

[Smart Controls](#) on page 653

Warping Segments

PREREQUISITE

The audio file is segmented, and the segments are correct. You have opened the audio in the **Sample Editor**, and you have activated **Edit VariAudio** in the **VariAudio** section.

PROCEDURE

- Do one of the following:
 - Drag the smart control for **Warp Start** to the left or to the right.

- Drag the smart control for **Warp End** to the left or to the right.
-

RESULT


The **Solo** algorithm is selected automatically. The timing of the segment and the adjacent segments is changed according to your settings. Warp markers are shown below the ruler to indicate which portions of the audio are stretched.

NOTE

Timing modifications introduced this way do not adapt to the project tempo. If this is what you want, use **Musical Mode**.

AFTER COMPLETING THIS TASK

To compare your warp changes to the original timing of the audio, activate **Warp Changes Bypass on/off** in the **AudioWarp** section.



RELATED LINKS

[Smart Controls](#) on page 653

[Correcting Warp Marker Positions](#) on page 642

[Deleting Warp Markers](#) on page 642

Showing MIDI Reference Tracks


You can use a MIDI track as a reference for your pitch and timing corrections.

PREREQUISITE

- The audio file is segmented, and the segments are correct. You have opened the audio in the **Sample Editor**, and you have activated **Edit VariAudio** in the **VariAudio** section.
 - Your MIDI track contains a MIDI part with MIDI events that make up a melody that you want to use as a reference for your audio.
-

PROCEDURE

- In the **VariAudio** section of the **Sample Editor Inspector**, open the **Select MIDI Reference Track** pop-up menu, and select the MIDI track that you want to use as a reference for your audio.



RESULT

The events of the selected MIDI track are shown as lines in the **Sample Editor** event display. Their color adapts to the **VariAudio Segment Colors** setting. You can use the **Pitch** or the **Scale/Chords** option, for example, to associate the pitches of audio and MIDI. The MIDI reference track selection applies to all **Sample Editors** in a project. It is saved with the project.

NOTE

- You cannot edit MIDI data that is shown from within the **Sample Editor**.
- You cannot show MIDI reference tracks if you have opened the **Sample Editor** from the **Pool**.

AFTER COMPLETING THIS TASK

To hide the MIDI reference track from the **Sample Editor** event display, deactivate **Show MIDI Reference Track**.

RELATED LINKS

[VariAudio Segment Colors Menu](#) on page 650

Formant Shifting

Formants are the harmonic frequencies that occur in the human voice. They define the timbre and alter the perception of how a vocal is performed (more from the diaphragm than from the throat, for example). Formant shifting does not affect the pitch or the timing of a segment.

PREREQUISITE

The audio file is segmented, and the segments are correct. You have opened the audio in the **Sample Editor**, and you have activated **Edit VariAudio** in the **VariAudio** section.

PROCEDURE

1. Select one or several segments.

2. In the **VariAudio** section of the **Sample Editor Inspector**, move the **Shift Formant** slider to the left or to the right.

You can set positive and negative percentages. 0 leaves the original unaffected.

NOTE

If **Smart Controls** is set to **Show All Smart Controls**, you can also shift the formant by dragging the smart control in the lower left corner of the segment upwards or downwards.

RESULT

The **Solo** algorithm is selected automatically, and the formant is shifted.

RELATED LINKS

[Smart Controls](#) on page 653

Editing Volume

You can raise, lower, or mute the volume of the audio for a segment.

PREREQUISITE

- The audio file is segmented, and the segments are correct. You have opened the audio in the **Sample Editor**, and you have activated **Edit VariAudio** in the **VariAudio** section.
- You have selected **Show All Smart Controls** from the **Smart Controls** pop-up menu in the **Sample Editor Inspector**.

PROCEDURE

- Do one of the following:
 - Drag the smart control for **Volume** in the lower right corner of the segment upwards or downwards.
 - In the **VariAudio** section of the **Sample Editor Inspector**, drag the **Volume** slider to the left or right.


NOTE

To mute a segment, turn down the volume, or select the segment and **Edit > Mute**.

RESULT

The volume of the segment is changed.

Functions Menu



Extract MIDI

Opens the **Extract MIDI** dialog that allows you to specify which audio data to use to create a MIDI part. The entire audio event is taken into account.

Flatten Realtime Processing

Opens the **Flatten Realtime Processing** dialog that allows you to select an algorithm preset for the flattening of VariAudio and warp modifications. The entire audio event is taken into account.

Reset Pitch Changes/Reset Pitch Changes for Selection

Resets all segment pitches. If you select specific segments, only their pitches are reset.

Reset Pitch Curve Changes/Reset Pitch Curve Changes for Selection

Resets all pitch curves. If you select specific segments, only their pitch curves are reset.

Reset Formant Shift Changes/Reset Formant Shift Changes for Selection

Resets all formant shift changes. If you select specific segments, only their formant shift changes are reset.

Reset Volume Changes/Reset Volume Changes for Selection

Resets all volume changes. If you select specific segments, only their volume changes are reset.

Reset Warp Changes/Reset Warp Changes for Selection

Resets all warp changes. If you select specific segments, only their warp changes are reset.

Reset All Changes/Reset All Changes for Selection

Resets all changes. If you select specific segments, only their changes are reset.

Reanalyze Audio

Resets the segmentation and reanalyzes the entire audio event.

RELATED LINKS

[Extract MIDI Dialog on page 673](#)

[Generating Harmony Voices for Monophonic Audio on page 676](#)

[Flattening Realtime Processing on page 675](#)

Extracting MIDI from Audio

You can create a MIDI part from specific data of your audio. This is useful if you want to copy the tune and the sound of your audio with a MIDI instrument or VST instrument.

PREREQUISITE

The audio file is segmented, and the segments are correct. All pitch and timing changes are completed. You have opened the audio in the **Sample Editor**, and you have activated **Edit VariAudio** in the **VariAudio** section.

PROCEDURE

1. In the **VariAudio** section, open the **Functions** menu, and select **Extract MIDI**.
 2. In the **Extract MIDI** dialog that opens, make your changes and click **OK**.
-

RESULT

A MIDI part is created according to your settings.

RELATED LINKS


[Segmenting Monophonic Audio](#) on page 649

[Extract MIDI Dialog](#) on page 673

Extract MIDI Dialog

The **Extract MIDI** dialog allows you to specify which audio data is used when creating a MIDI part with the **Extract MIDI** function.

- To open the **Extract MIDI** dialog, open the **VariAudio** section of the **Sample Editor Inspector**, activate **Edit VariAudio** in the **VariAudio** section, and, in the **Functions** menu, click **Extract MIDI**.



The following pop-up menus are available:

Pitch Extraction Mode

Allows you to specify which data is included if you extract MIDI. The following options are available:

Just Notes and No Pitchbend Data

Extracts MIDI notes only.

Notes and Static Pitchbend Data

Extracts pitchbend events for each segment. In the **Pitchbend Range** field, you can specify a pitchbend value from 1 to 24.

NOTE

If you work with an external MIDI device, set it to the same **Pitchbend Range** value.

Notes and Continuous Pitchbend Data

Extracts pitchbend events that correspond to the pitch curve. In the **Pitchbend Range** field, you can specify a pitchbend value from 1 to 24.

NOTE

If you work with an external MIDI device, set it to the same **Pitchbend Range** value.

Notes and NoteExp Pitchbend Curve

Extracts pitchbend events that correspond to the pitch curve. They are saved as Note Expression data for the resulting MIDI notes.

Notes and NoteExp VST 3 Tuning Curve

Extracts VST 3 events for the **Tuning** parameter. They are created as Note Expression data for the resulting MIDI notes.

NOTE

This only works with a connected VST instrument that is compatible with Note Expression.

Volume Mode

Allows you to specify how to extract volume information from the audio. The following options are available:

Fixed Velocity

Assigns the same velocity to all MIDI notes. In the **Velocity** field, you can specify a velocity value.

Dynamic Velocity

Assigns an individual velocity value to each MIDI note according to the amplitude of the audio signal.

Volume Controller Curve

Creates a continuous volume controller curve within the MIDI part. In the **MIDI Controller** field, you can specify the MIDI controller.

NoteExp Volume Controller Curve

Extracts MIDI volume controller events. These are created as Note Expression data for the resulting MIDI notes.

NoteExp VST 3 Volume Curve

Extracts a VST 3 volume curve. This is created as Note Expression data for the resulting MIDI notes.

NOTE

This option only works with a connected VST instrument that is compatible with Note Expression.

Destination

Allows you to specify where the MIDI part is placed. The following options are available:

First Selected Track

Places the MIDI part on the first selected MIDI or instrument track. Any MIDI parts from previous extractions on this track are deleted.

New MIDI Track

Creates a new MIDI track for the MIDI part.

Project Clipboard

Copies the MIDI part into the clipboard. This option allows you to insert it at the desired position on a MIDI or instrument track in the **Project** window.

NOTE


If you open the **Sample Editor** from the **Pool** and the audio file is not part of your project, the MIDI part is inserted at the beginning of the project.

Flattening Realtime Processing

You can flatten VariAudio and AudioWarp modifications. This is useful if you want to reduce the CPU load, optimize the sound quality of the processing, or apply any offline processing.

PROCEDURE

1. Optional: Select the segments that you want to flatten.
If you do not select anything, all segments are flattened.
2. In the **VariAudio** section, open the **Functions** menu, and select **Flatten Realtime Processing**.
3. In the **Flatten Realtime Processing** dialog, select an algorithm preset.



NOTE

- For time stretch factors between 0.5 and 2, you can choose **Realtime** or **MPEX** as an algorithm preset. For other time stretch factors, **Realtime** is automatically set.
- **MPEX** algorithms are not supported on Apple silicon-based computers.

4. Click **OK**.
-

RESULT

Any loop that was previously pitch shifted plays back exactly the same as before, but **Musical Mode** is deactivated, and VariAudio data, such as pitch changes, volume editing, and formant shifting, is lost.

Harmony Voices for Audio

Cubase allows you to quickly create harmonies for monophonic audio material.

You have the following options:

- You can let Cubase create default harmony voices for your audio.
- You can create a chord track with some chords first, and then create harmony voices for your audio based on that track.

In both cases, a VariAudio analysis is performed for the selected audio event, and up to 4 copies of the corresponding track are created. These new tracks that are named **Soprano**, **Alto**, **Tenor**, and **Bass** contain independent copies of the selected audio event.


If you use the function without a chord track, the voices are distributed by default. If you create a chord track with some chords and set the original track to follow the chord track in **Single Voice** mode, the harmony voices are distributed according to the chord voicing.

Generating Harmony Voices for Monophonic Audio

You can automatically generate harmony voices for monophonic audio.

PROCEDURE

1. Optional: Add a chord track to your project and set it up.
2. Select **File > Import > Audio File**, and import a monophonic audio file.
3. In the **Project** window, select the audio event.
4. Select **Audio > Generate Harmony Voices**.
5. Specify the number of voices that you want to create, enter a value for the vibrato reduction, and click **OK**.



RESULT

The audio event is analyzed, and VariAudio segments are created automatically. A copy of the event with altered pitches is created for every voice and placed on a new track.

NOTE

- If you added a chord track, the pitches of the resulting voices follow the soprano, alto, tenor, and bass voices from the chord track voicing.
- If you work without the chord track, the VariAudio segments generated for voice number 1 (soprano) are transposed 3 semitones upwards, in relation to the original audio. The segments of voice numbers 2, 3, and 4 (alto, tenor, and bass) are transposed 3, 6, and 9 semitones downwards.


RELATED LINKS

[Adding the Chord Track](#) on page 1247

Generate Harmony Voices Dialog

The **Generate Harmony Voices** dialog allows you to quickly create harmonies for monophonic audio material.

- To open the **Generate Harmony Voices** dialog, select an audio event in the **Project** window, and select **Audio > Generate Harmony Voices**.



The following options are available:

Number of Voices

Allows you to select the number of voices to be generated. You can generate up to 4 voices.

Reduce Vibrato Strength

Allows you to set a value for the vibrato reduction.

Open Sample Editor after Completion

Opens the generated voices with the original audio event in the **Sample Editor**.

Audio Part Editor

The **Audio Part Editor** provides an overview of the selected audio parts. It allows you to view, audition, and edit parts by cutting and pasting, crossfading, drawing level curves, or by processing parts. Editing is non-destructive so that you can undo modifications at any time.

You can open the **Audio Part Editor** in a separate window or in the lower zone of the **Project** window. Opening the **Audio Part Editor** in the lower zone of the **Project** window is useful if you want to access the **Audio Part Editor** functions from within a fixed zone of the **Project** window.


To open an audio part in the **Audio Part Editor**, do one of the following:

- Double-click an audio part in the **Project**.
- Select an audio part in the **Project** window, and press **Return** or **Ctrl/Cmd-E**.
- Select an audio part in the **Project** window, and select **Audio > Open Audio Part Editor**.
- In the **Key Commands** dialog in the **Editors** category, assign a key command for **Open Audio Part Editor**. Select an audio part in the **Project** window, and use the key command.

NOTE

If you select **Audio > Set up Editor Preferences**, the **Preferences** dialog opens on the **Editors** page. Specify if you want the **Audio Part Editor** to open in a separate window or in the lower zone of the **Project** window.

The Audio Part Editor



1 Toolbar

Contains tools for selecting, editing, and playing back audio parts.

2 Info Line

Displays information on the audio parts.

3 Ruler

Displays the timeline and the time format of the project.

4 Part Display

Shows the waveform images of the audio parts.

RELATED LINKS

[Opening the Editor in the Lower Zone](#) on page 84

[Opening the Editor Inspector](#) on page 74

[Ruler](#) on page 65

[Info Line](#) on page 68

[Audio Part Editor Toolbar](#) on page 679

[Audio Parts](#) on page 238

Audio Part Editor Toolbar

The toolbar contains tools for selecting, editing, and playing back audio parts.

- To show or hide the toolbar elements, right-click the toolbar and activate or deactivate the elements.

The following options are available:

Info/Solo

Solo Editor



Solos the selected audio during playback.

Solo Editor Mode



Allows you to select a mode for the **Solo Editor** function.

- **Solo All Parts** uses all parts in the editor display.
- **Solo follows 'Part Editing Mode'** uses only the parts specified via the **Part Editing Mode**.

Left Divider

Left Divider

Tools that are placed to the left of the divider are always shown.

Keep Editor Contents

Keep Editor Contents (Don't follow Project window event selection)



Activate this if you do not want the editor event display to be updated when you select events or hide tracks in the **Project** window.

Auto-Scroll

Link Project and Lower Zone Editor Cursors



Links timelines, cursors, and zoom factors of the lower zone editor and the **Project** window.

NOTE

You cannot activate **Link Project and Lower Zone Editor Cursors** if **Independent Track Loop** is active.

Auto-Scroll



Keeps the project cursor visible during playback.

Select Auto-Scroll Settings



Allows you to activate **Page Scroll** or **Stationary Cursor** and to activate **Suspend Auto-Scroll When Editing**.

Preview

Audition



Plays back the selected audio.

Audition Loop



Loops the playback until you deactivate **Audition**.

Audition Volume



Allows you to adjust the volume.

Tool Buttons

Combine Selection Tools



Combines the **Object Selection** tool and the **Range Selection** tool.

Object Selection



Selects audio parts.

Range Selection



Selects ranges.

Draw



Draws a volume curve.

Erase



Deletes audio parts.

Split



Splits audio parts.

Mute



Mutes audio parts.

Zoom



Zooms in. Hold **Alt/Opt**, and click to zoom out.

Comp



Assembles takes.

Scrub



Allows you to locate positions.

Time Warp



Adjusts musical positions of events to time positions.

Play



Allows you to play back the clip from the position where you click until you release the mouse button.

Multiple Part Controls

Show Part Borders



Shows/Hides part borders for the active audio part, within the left and right locators.


Part Editing Mode



Sets the editing mode for parts.

- **All Parts** allows you to edit all parts that are open in the **Editor** at the same time.
- **Active Part** restricts editing operations to the part that is selected in the **Activate Part for Editing** pop-up menu.
- **All Parts on Active Track** allows you to edit all parts on the active track.

Activate Part for Editing



Lists all parts that were selected when you opened the editor and allows you to activate a part.

Nudge

Nudge Settings



Allow you to set up a snap grid for the nudge commands.

- By default, the snap grid for nudge operations is set to **Link to Grid**, and the step width corresponds to the snap grid.
- If you activate **Link to Primary Time Format**, the snap grid for nudge operations follows the primary time format, and you can set up the step width in the **Nudge Settings** pop-up menu.
- If you deactivate **Link to Grid** and **Link to Primary Time Format**, you can set up a snap grid that is fully independent for nudge operations. In this case, you can select a time format and a value from the **Nudge Settings** pop-up menu.

NOTE

To show the nudge buttons, click the points to the right of the **Nudge Settings**.

Nudge Start Left



Increases the length of the selected event by moving its start to the left.

Nudge Start Right



Decreases the length of the selected event by moving its start to the right.

Move Left



Moves the selected event to the left.

Move Right



Moves the selected event to the right.

Nudge End Left



Decreases the length of the selected event by moving its end to the left.

Nudge End Right



Increases the length of the selected event by moving its end to the right.

Snap

Snap to Zero Crossing



Restricts editing to zero crossings, that is, positions where the amplitude is zero.

Snap On/Off



Restricts horizontal movement and positioning to the specific positions.

Snap Type



Allows you to specify to what positions you want events to snap.

Grid Type

Grid Type



Allows you to select a grid type. The options depend on the time format that is selected for the ruler. If you select **Seconds** as the ruler format, time-based grid options are available. If you select **Bars+Beats** as the ruler format, musical grid options are available.

Quantize

Apply Quantize



Applies the quantize settings.

Quantize Presets



Allows you to select a quantize preset.

Soft Quantize On/Off



Activates/Deactivates soft quantize.

AudioWarp Quantize On/Off



Activates/Deactivates **AudioWarp** quantize.

Open Quantize Panel



Opens the **Quantize Panel**.

Event Colors

Select Color for Selected Tracks or Events



Allows you to define audio part colors.

Independent Track Loop

Independent Track Loop



Activates/Deactivates the independent track loop.

NOTE


If you activate **Independent Track Loop**, the **Link Project and Lower Zone Editor Cursors** function is automatically deactivated in the lower zone editor.

Loop Start Time



The independent track loop start time.

Loop End Time



The independent track loop end time.

Right Divider

Right Divider

Tools that are placed to the right of the divider are always shown.

Window Zone Controls

Open in Separate Window



This button is available in the lower zone editor. It opens the editor in a separate window.

Open in Lower Zone



This button is available in the editor window. It opens the editor in the lower zone of the **Project** window.

Show/Hide Info



Allows you to activate/deactivate the info line.

RELATED LINKS

[Link Project and Lower Zone Editor Cursors](#) on page 86

[Auto-Scroll Settings Menu](#) on page 304

[Suspend Auto-Scroll When Editing](#) on page 305

Info Line

The info line shows information about the audio part, such as the start, the end, the length, or the time stretch algorithm.

| | | | | | |
|----------------------------|------------------------|-------------------|-------------------------|-----------------------------------|--------------------|
| File 04 piano 01 | Start 1. 1. 1. 0 | End 3. 1. 1. 0 | Length 2. 0. 0. 0 | Offset 0. 0. 0. 0 | Snap 1. 1. 1. 0 |
| Fade-In 0. 0. 0. 0 | Fade-Out 0. 0. 0. 0 | Volume 0.00 dB | Lock | Transpose 0 | Fine-Tune 0 |
| Global Transpose Follow | Root Key E | Mute - | Musical Mode Musical | Algorithm élastique Pro - Time | |

- To show or hide the info line, activate **Show/Hide Info** on the toolbar.

The on/off status of the info line in the **Audio Part Editor** window and in the lower zone editor are independent of each other.

RELATED LINKS

[Audio Part Editor Toolbar](#) on page 679


Ruler

The ruler shows the timeline and the time format of the project.

You can select a separate time format by clicking on the arrow button on the right. Select an option from the pop-up menu.

Lanes

Lanes can make it easier to work with several audio events in a part. Moving some of the events to another lane can facilitate selecting and editing.



If **Snap** is deactivated and you want to move an event to another lane without accidentally moving it horizontally, press **Ctrl/Cmd** while dragging it up or down.

RELATED LINKS

[Track Handling](#) on page 189

Operations

You can perform all operations in the **Audio Part Editor** window and in the lower zone editor.

Zooming, selecting, and editing in the **Audio Part Editor** is done just as in the **Project** window.

NOTE

If a part is a shared copy, any editing you perform affects all shared copies of this part.

RELATED LINKS

[Project Window](#) on page 51

[Shared Copies](#) on page 260

Audition

When auditioning with the **Play** ▶ tool or the **Audition** ▶ tool, audio is routed directly to the **Control Room** or, if the **Control Room** is disabled, to the main mix (the default output bus).

Auditioning Using the Audition Tool

You can use the **Audition** tool to start a single audition of a selection or to loop an audition by using the **Audition Loop** function.

PROCEDURE

1. Do one of the following:
 - To play back the section between the first and last selected event, select the events with the **Object Selection** tool.
 - To play back a range, select a range with the **Range Selection** tool.
 - To start playback from the current cursor position, set the project cursor to that position.
2. On the toolbar, click **Audition**.

NOTE

If you activate **Audition Loop**, playback continues until you deactivate **Audition**.

RELATED LINKS

[Audio Part Editor Toolbar](#) on page 679

Auditioning Using the Play Tool

PROCEDURE

1. Select **Play** on the toolbar.
2. On an audio part, click and hold at the position from which you want to begin auditioning.

RESULT

You are auditioning the audio part. The audition stops at the end of the part you clicked on.

RELATED LINKS

[Audio Part Editor Toolbar](#) on page 679

Auditioning Using Regular Playback

PROCEDURE

1. Set the project cursor to the position where you want to start playback.
2. Optional: On the toolbar of the **Audio Part Editor**, activate **Solo Editor**.
This way, only the events in the edited part are played back.
3. On the **Transport** panel, activate **Start**.

Setting up the Independent Track Loop

The independent track loop is a sort of mini-cycle, affecting only the edited part. When the loop is activated, the events in the parts within the loop are repeated continuously and completely independent. Other events (on other tracks) are played back as usual. The only interaction between the loop and the regular playback is that, with every iteration of the cycle, the loop starts again as well.

PROCEDURE

1. Activate **Independent Track Loop** on the toolbar.

NOTE

If you activate **Independent Track Loop**, the **Link Project and Lower Zone Editor Cursors** function is automatically deactivated in the lower zone editor.

If it is not visible, right-click the toolbar, and add the **Independent Track Loop** section.

2. **Ctrl/Cmd**-click in the ruler to set the start of the loop. **Alt/Opt**-click to set the end of the loop.

NOTE

You can also edit the start and end positions of the loop numerically in the fields next to the **Loop** button.

RESULT

The loop is displayed in blue in the ruler.

NOTE

The events are looped as long as the **Loop** button is activated and the **Audio Part Editor** is open.

RELATED LINKS

[Audio Part Editor Toolbar](#) on page 679

Scrub

In the **Audio Part Editor**, the **Scrub** tool has a separate icon on the toolbar. Apart from that, scrubbing works exactly as in the **Project** window.


RELATED LINKS

[Scrubbing](#) on page 240

Handling Several Audio Parts

The **Multiple Part Controls** section in the **Audio Part Editor** toolbar features controls and tools for working with multiple parts.

- The **Activate Part for Editing** pop-up menu lists all parts that were selected when you opened the editor. The list is arranged in the same way as the track list, and the parts are listed under the name of their corresponding track. The parts are arranged by their position on the timeline. You can use the search field to search for part names.



To activate a part for editing, click its name in the list. As soon as you select a part, it is activated and centered in the display.

NOTE

You can also activate a part by clicking on it with the **Object Selection** tool.

- **Active Part** in the **Part Editing Mode** pane allows you restrict editing operations to the active part.
If you select **Edit > Select > All** with this option activated, all events in the active part are selected, but no events in other parts.
- You can zoom in on an active part so that it is fully displayed in the window by selecting **Edit > Zoom > Zoom to Event**.
- Select **Show Part Borders** to see clearly defined borders for the active part.
If this option is activated, all parts except the active one are grayed out, so that you can easily identify the borders. There are also two markers in the ruler with the name of the active part, marking its beginning and end. These can be moved freely to change the part borders.
- To switch between parts, activate them via key commands. In the **Key Commands** dialog, there are two functions in the **Edit** category: **Activate Next Part** and **Activate Previous Part**. If you assign key commands to these, you can use them to cycle between parts.

RELATED LINKS

[Key Commands](#) on page 1480

[Audio Part Editor Toolbar](#) on page 679

Extensions in Cubase

Cubase supports extensions such as Audio Random Access (ARA). Extensions allow you to integrate compatible programs as plug-ins into your DAW.

To be able to use a program as a plug-in via an extension in Cubase, you must first install and register that program.

All extensions and plug-ins that are installed on your system are listed in the **System Component Information** window (**Extensions** page). Plug-ins that might cause stability problems or program crashes are deactivated. If you still want to use them, activate them manually in the **System Component Information** window.

In Cubase, extensions are integrated in the **Editor**.

RELATED LINKS

[Activating Extensions for Audio Events on page 689](#)

[System Component Information Window on page 560](#)

[Editor on page 693](#)

Activating Extensions for Audio Events

You can activate extensions, such as the ARA plug-ins Melodyne or SpectraLayers, for individual audio events.

PREREQUISITE

You have installed and registered the program that you want to use as an extension.

PROCEDURE

1. In the **Project** window, select the audio event that you want to edit.
2. Do one of the following:
 - Select **Audio > Extensions**, and select an option.
 - Right-click the audio event, select **Extensions**, and select an option.
 - Click the **Extension** field on the info line, and select an option.

NOTE

If the **Extension** field is not shown, right-click the info line and activate the **Extension** option.

RESULT

The extension is activated, and the interface is shown in the **Editor**. From here, you can edit the audio event.

In the **Project** window event display, the audio event shows a symbol in the upper right corner. This indicates that an extension is active.



For further information about the functions of a specific program that you use as an extension, refer to its documentation.

RELATED LINKS

- [Activating Extensions for More Audio Events](#) on page 690
- [Activating Extensions for Audio Tracks](#) on page 692
- [Removing Extensions from Audio Events](#) on page 690

Activating Extensions for More Audio Events

You can activate extensions for more than one audio event via the **Editor**.

PREREQUISITE

- Your project contains at least two audio events, and you have activated the extension for one of them.
- The **Editor** is open in the lower zone of the **Project** window.

PROCEDURE

1. In the **Editor**, activate **Add Event**.
2. In the **Project** window, select the audio event for which you want to activate the extension.

NOTE

To activate the extension for several events, drag a selection rectangle to select events, and click one of them.

3. Deactivate **Add Event** to avoid accidentally activating the extension for audio events that you select in the **Project** window.

RESULT

The extension is activated for the audio event, and the audio event is shown in the **Editor**.

Removing Extensions from Audio Events

You can remove extensions and edits from audio events.

PREREQUISITE

- The **Editor** is open in the lower zone of the **Project** window.

PROCEDURE

1. In the **Project** window, select the audio event for which you want to remove the extension.

NOTE

To remove the extension for several events, drag a selection rectangle to select the events, and click one of them.

2. Do one of the following:

- Right-click the audio event, and, from the context menu, select **Extensions > Remove Extension from Selected Events**.
- On the **Project** window info line, click the **Extension** field, and select **No Extension**.

- In the **Editor**, activate **Remove Event**, and, in the **Project** window, select the audio event from which you want to remove the extension.

NOTE

Deactivate **Remove Event** to avoid accidentally removing the extension for audio events that you select in the **Project** window.

RESULT

The extension is removed for the audio events.

NOTE

If you activated an extension for the entire audio track, you can only remove it from a single audio event by dragging the event to an audio track for which the extension is not activated. When you are asked if you want to bounce the extension events, select **No**.

RELATED LINKS

[Activating Extensions for Audio Events on page 689](#)

[Activating Extensions for Audio Tracks on page 692](#)

[Permanently Applying Extension Edits to Audio Tracks on page 693](#)

Permanently Applying Extension Edits to Audio Events

You can permanently apply extension edits to audio events. Permanently applying extensions cannot be undone.

PREREQUISITE

You have activated an extension for an audio event and completed your editing.

NOTE

- All edits are applied to the audio clips, which means that you can resize the event, even if it has been trimmed before.
 - Other audio events that refer to the same audio file are also affected.
-

PROCEDURE

- Do one of the following:
 - Select the audio event, and select **Audio > Extensions > Make Extension Permanent**.
 - Right-click the audio event, and select **Extensions > Make Extension Permanent**.
-

RESULT

All editing that you performed with the extension in the **Editor** is permanently applied to the audio event. The **Extension** field on the info line is set to **No Extension**.

Activating Extensions for Audio Tracks


You can activate extensions, such as the ARA plug-ins Melodyne or SpectraLayers, for an audio track. All audio events on the audio track can be edited with that extension. Audio parts are ignored.

PREREQUISITE

You have installed and registered the program that you want to use as an extension.

PROCEDURE

1. In the **Project** window, select the audio track.
2. In the audio track **Inspector**, click **Select Extension**, and, from the pop-up menu, select an option.



RESULT

The extension is activated for all audio events on the audio track.

In the track list, the audio track shows a symbol next to the audio track symbol. This indicates that an extension is active for the track.



NOTE

- If you activated an extension for the audio track, you cannot remove it from single audio events on that track.
 - Audio parts are ignored.
-

For any audio event that you add to that track at a later point in time, the extension is activated as well.

The interface of the selected extension is shown in the **Editor**. To open it and edit the audio events, select an audio event on the track.

In the **Project** window event display, the audio event shows a symbol in the upper right corner. This indicates that an extension is active.



For further information about the functions of a specific program that you use as an extension, refer to its documentation.

AFTER COMPLETING THIS TASK

To remove the extension, click **Extension** in the audio track **Inspector**, and, from the pop-up menu, select **No Extension**.

RELATED LINKS

[Activating Extensions for Audio Events on page 689](#)

Removing Extensions from Audio Tracks

You can remove extensions and edits from audio tracks.

PROCEDURE

- In the audio track **Inspector**, click **Select Extension**, and, from the pop-up menu, select **No Extension**.
-

RESULT

The extension is removed from the audio track and all of its events.

Permanently Applying Extension Edits to Audio Tracks

You can permanently apply extension edits to audio tracks. Permanently applying extensions cannot be undone.

PREREQUISITE

You have activated an extension for an audio event and completed your editing.

NOTE

- All edits are applied to the audio clips, which means that you can resize the event, even if it has been trimmed before.
 - Other audio events that refer to the same audio file are also affected.
-

PROCEDURE

- Do one of the following:
 - Drag the audio event to an audio track for which the extension is not activated. When you are asked if you want to bounce the extension events, select **Yes**.
 - In the audio track **Inspector**, click **Select Extension**, and, from the pop-up menu, select **Make Extension Permanent**.
-

RESULT

The **Select Extension** field in the audio track **Inspector** is set to **No Extension**.


NOTE

For further information about the functions of a specific program that you use as an extension, refer to its documentation.

Editor

In Cubase, the user interface and the functions of a specific program that you activated as an extension are integrated in the **Editor** in the lower zone of the **Project** window.

- To open the **Editor** in the lower zone of the **Project** window, activate the extension, and, select the audio event or the audio track.



The **Editor** for Melodyne in the lower zone of the **Project** window

1 Project window event display

Shows the edited audio event in its musical context.

2 Extension field

Allows you to activate/remove an extension for the selected audio event.

3 Audio event

If an extension is activated for an audio event, the event in the **Project** window is shown with a symbol in the upper right corner.

4 Select Extension pop-up menu

Allows you to activate/remove an extension for the selected audio track.

5 Add Event/Remove Event

Automatically activates/removes the extension for all events that you select in the **Project** window.

6 Editor

Shows the user interface and the functions of a specific program that you activated as an extension. Cubase gives you an acoustic feedback of the changes during editing. All edits are saved with the project.

For further information about the functions of a specific program that you use as an extension, refer to its documentation.

7 Open in Separate Window

Opens the extension in a separate window. To show the extension in the **Editor** in the lower zone of the **Project** window again, click **Open in Lower Zone**.

NOTE

Extensions cannot be open in the **Editor** in the lower zone of the **Project** window and in a separate window at the same time.

RELATED LINKS

[Activating Extensions for Audio Events on page 689](#)
[Activating Extensions for Audio Tracks on page 692](#)

Audio Event Editing

You can edit audio events in the **Editor** in the lower zone of the **Project** window and in the **Project** window event display.

If you activate an extension for audio events or audio tracks, you can instantly edit the audio events in the **Editor** in the lower zone of the **Project** window. All editing that you perform is automatically rendered into the original file, and bouncing audio events to permanently apply the edits is not necessary. As a consequence, you can apply event fades and envelopes as well as warp edits on the edited events. In addition, the audio input for audio events remains in the buffer memory.

In the **Project** window event display, you can split, copy, paste, and resize audio events that you edited with the extension, and you can revert changes by using **Undo**.

Limitations

If the extension is activated, you can only edit with the tools available in the **Editor**. You cannot access any of the **Sample Editor** options. You cannot warp audio events, activate **Musical Mode**, perform **Hitpoint** editing, **AudioWarp Quantizing**, **Direct Offline Processing**, **Sizing Applies Time Stretch**, **Generate Harmony Voices**, or **Audio Alignment**.

You cannot transpose audio events using the info line, nor fine-tune them or invert their phase.

NOTE

All offline processes that you applied to audio events before activating the extension are preserved and become available again when you remove the extension.

NOTE

If you edit multiple selected events in the **Project** window event display, events for which you activated the extension are not affected by these functions.

RELATED LINKS

[Event Resize Options on page 252](#)
[Splitting Events on page 256](#)
[Duplicating Events on page 258](#)
[Pasting Events on page 258](#)
[On Processing Shared Clips on page 1523](#)
[Specifying an Audio Pre-Record Time on page 334](#)

Sampler Tracks

The sampler track feature allows you to chromatically play back any audio from your audio sample library via MIDI. You can create and edit new sounds based on specific samples and integrate them into an existing project.

The sampler track feature includes:

- The **Sampler Control** section in the lower zone of the **Project** window. Here, you can load and edit audio samples, choose from different playback modes, or transfer samples to Steinberg VST instruments.
- A sampler track in your project that allows you to control the playback of the sample that is loaded in **Sampler Control** via MIDI.

RELATED LINKS

[Sampler Control](#) on page 697

[Sampler Tracks and Channels](#) on page 136

[Creating Sampler Tracks](#) on page 697

Loading Audio Samples into Sampler Control

You can load audio samples into **Sampler Control** by dragging.

Cubase allows you to load mono or stereo samples in .wav or .aiff file format or REX and REX2 audio files created by ReCycle from Propellerhead Software into **Sampler Control**.

- To load an audio sample, drag it from the **MediaBay**, the **Project** window event display, or the File Explorer/macOS Finder, and drop it in **Sampler Control**.

IMPORTANT

If **Sampler Control** already contains an audio sample, this sample and all of its settings are overwritten.

NOTE

- Audio samples that you load into **Sampler Control** are not copied to the project audio folder. If you want to archive or share your project, including all audio samples that you have loaded into **Sampler Control**, you must create a self-contained project.
- In the **Pool**, all audio samples that you have loaded into **Sampler Control** are listed in a dedicated sampler track subfolder in the main audio folder.
- Imported REX and REX2 files are converted to files in .wav format. These files are stored in a wav folder, created in addition to the original file.

In **Sampler Control**, slicing is activated, and hitpoints are set according to the slice markers of the imported REX file.

RELATED LINKS

[Self-Contained Projects](#) on page 129

[Pool](#) on page 724

[Playback Section](#) on page 703

Loading MIDI Parts into Sampler Control

You can load MIDI parts from instrument tracks or MIDI tracks into **Sampler Control** by dragging.

NOTE

For this to work, the instrument track or the MIDI track must be routed to a VST instrument.

- To load a MIDI part, drag it from the **MediaBay**, the **Project** window event display, or the File Explorer/macOS Finder, and drop it in **Sampler Control**.

IMPORTANT

If **Sampler Control** already contains MIDI, it is overwritten.

Cubase creates an audio file from the MIDI part. This includes the instrument sound and the channel settings from the VST instrument or the return channel. The audio file is copied to the project audio folder.

RELATED LINKS

[VST Instruments](#) on page 935

[Basics Section for Instrument Tracks](#) on page 165

[Basics Section for MIDI Tracks](#) on page 167

Creating Sampler Tracks

To create a sampler track, do one of the following:

- In the **Project** window, select an audio event, and select **Audio > Create Sampler Track**.
- In the **MediaBay**, right-click an audio file, and select **Create Sampler Track**.
- In the **Sample Editor Inspector**, open the **Range** section, and click **Create Sampler Track**.
This creates a sampler track from the selected range. If no range is selected, the entire event is used.
- From the context menu of the track list, select **Add Sampler Track**.
In this case, **Sampler Control** is empty, and you must load an audio sample by dragging.

Sampler Control

If the sampler track is selected, **Sampler Control** is available in the lower zone of the **Project** window. **Sampler Control** allows you to view, edit, and play back samples or specific sections of the samples.



1 Toolbar

Contains tools that allow you to select and edit the audio sample, to organize track presets, and to transfer the sample, including its settings, to an instrument.

2 Waveform display/Envelope editor

Shows the waveform image of the sample. Allows you to define the playback range for the sample and to set a loop.

If the envelope editors for the pitch, the filter, or the amp section are shown, you can adjust their envelope curve settings here.

3 Playback and Sound Parameter section

Allows you to make settings for playback, warping, and slicing (**Playback** section), tuning and pitch modulation (**Pitch** section), filtering (**Filter** section), and level and panorama (**Amp** section).

4 Keyboard section

Allows you to set the key range of the sample, its root key, and the modulation range of the pitchbend wheel. These settings are used if you work with an external MIDI device.

RELATED LINKS

[Creating Sampler Tracks](#) on page 697

[Waveform Display](#) on page 702

[Envelope Editors](#) on page 708

[Playback and Sound Parameters](#) on page 703

[Keyboard Section](#) on page 715

Sampler Control Toolbar

The **Sampler Control** toolbar contains various settings and functions.

Undo/Redo



These buttons allow you to undo/redo **Sampler Control** parameter changes.

Read Automation



Allows you to read track automation.

Write Automation



Allows you to write track automation.

Switch between A/B Settings



Allows you to switch between different parameter settings.

Event Received Indicator



This LED indicates incoming MIDI messages via the selected MIDI input. The LED lights up on receiving note-on and controller messages. This way, you can check if Cubase and your MIDI keyboard are connected to the same MIDI device input.

Snap to Zero Crossing



Restricts sample editing to zero crossings, that is, to positions where the amplitude is zero.

Auto-Scroll



Keeps the project cursor visible during playback.

Preset section



Shows the name of the track preset that is loaded for the sampler track. You can also save and load presets.

Import Audio File



Opens the **Import Audio** dialog that allows you to load an audio file into **Sampler Control**.

NOTE

If **Sampler Control** already contains an audio file, the original file is replaced by the new file.

File Name



Shows the file name of the sample.

Tempo



Shows the tempo of the loop, as read from the sample file or calculated from the sample length. In **Slice** playback mode, you can manually adjust this value.

Root Key



Shows the root key that determines the pitch of the sample. You can change the root key by entering a new value in the value field or by dragging the root key handle on the **Sampler Control** keyboard.

Fixed Pitch



If a sample is triggered by a MIDI note other than the one defined by the **Root Key** setting, the sample is pitched accordingly. If **Fixed Pitch** is activated, the relation between played note and root key is disregarded, and all keys play the sample just as it was recorded.

NOTE

This setting is only available in **Normal** and **AudioWarp** playback mode.

Loop Mode



Allows you to select a loop mode for playback via MIDI.

- If this is set to **No Loop**, the sample is played once.
- If this is set to **Continuous**, the sample is played in a continuous loop.

- If this is set to **Alternate**, the sample is played back in a loop that alternates between forward and backward playback.
- If this is set to **Once**, the sample is looped once.
- If this is set to **Until Release**, the sample is looped repeatedly until you release the key on the keyboard.
- If this is set to **Alternate Until Release**, the loop alternates between forward and backward playback for as long as you hold the key.

NOTE

This setting is only available in **Normal** and **AudioWarp** playback mode.

Signature

| Signature |
|-----------|
| 1 2 |

Shows the detected time signature of the sample. You can manually adjust this value.

NOTE

This setting is only available in **Slice** playback mode.

Bars/Beats

| Bars | Beats |
|------|-------|
| 1 | 0 |

These value fields show the detected length of the sample in bars and beats. You can manually adjust these values, which affects the grid and the tempo.

NOTE

This setting is only available in **Slice** playback mode.

Grid

| Grid |
|------|
| 1/1 |

Sets the grid.

NOTE

This setting is only available in **Slice** playback mode.

One Shot



The sample is played back once from beginning to end, regardless of any loop settings.

Normalize Sample

| Norm. | Gain |
|-------|------|
| 0.0 | 0.0 |

Normalizes the sample by detecting the highest peak level in the sample and adjusting the gain so that it reaches the set **Normalization Level** value. **Sample Gain** allows you to manually modify the gain value afterwards.

Trim Sample



Trims the sample to a selected range. If no range is selected, the sample is trimmed to the range that is set with the sample start/end markers. **Revert to Full Sample** resets the sample to its original range.

NOTE

This setting is only available in **Normal** and **AudioWarp** playback mode.

Reverse Sample



Reverses the sample. This allows you to play back the sample backwards.

Monophonic Mode



Activates monophonic playback. For solo instruments, this usually results in a more naturally sounding performance. With monophonic playback activated, a note that was stolen by another note is retriggered if you still hold the stolen note when you release the new one. You can play trills by holding one note and quickly and repeatedly pressing and releasing another note, for example.

NOTE

If **Monophonic Mode** is deactivated, you can play up to 128 notes simultaneously.

If **Legato Mode** is activated as well and you play legato notes, only the pitch of the sample is set to the new note. The sample is not retriggered, and the envelopes keep running.

Lock Parameter Settings



With this option is activated, the current **Sampler Control** parameter settings are kept if you load another sample into **Sampler Control**.

NOTE

Parameters that are directly related to the sample, for example, sample start/end, loop start/end, root key, or tempo are not kept, but taken from the new sample instead.

MIDI Reset



Stops playback and resets all MIDI controllers to their default values.

This is useful, for example, if you want to stop the playback of a long audio sample in **One Shot** mode.

Transfer to New Instrument



Allows you to transfer the audio sample with all its **Sampler Control** settings to an instrument that is loaded to a new instrument track.

Open in Separate Window



Opens **Sampler Control** in a separate window.

Open in Lower Zone



Opens **Sampler Control** in the lower zone.

RELATED LINKS

- [Setting the Root Key Manually](#) on page 718
- [Setting up Loops for Audio Samples](#) on page 718
- [Normalizing Samples](#) on page 720
- [Transferring Samples from Sampler Control to VST Instruments](#) on page 716

Waveform Display

The waveform display shows the waveform of your audio sample. It allows you to define the start and the end of the audio sample, of the loop, and of the fade-in/-out.



Set Sample Start

Defines the sample start. On playback, all audio before the sample start is ignored.

Set Sample End

Defines the sample stop. On playback, all audio after the sample end is ignored.

Set Sample Start and End Markers Simultaneously

When you move the mouse cursor between the sample start and the end marker, a connecting bar appears at the height of the marker flags. Dragging this bar moves both markers simultaneously whilst keeping their relative distance to each other.

Set Sustain Loop Start

Defines where the sustain loop starts.

Set Sustain Loop End

Defines where the sustain loop ends. When this marker is reached, playback jumps back to start of the sustain loop.

Set Sustain Loop Start and End Markers Simultaneously

When you move the mouse cursor between the sustain loop start and end marker, a connecting bar appears at the height of the marker flags. Dragging this bar moves both markers simultaneously whilst keeping their relative distance to each other.

Set Fade In Length

Defines the fade-in length.

Set Fade Out Length

Defines the fade-out length.

Set Sustain Loop Crossfade Length

Loop crossfades allow for smoother loops. This marker defines the length for the loop crossfade.

Ruler

The ruler shows the timeline in the specified time format.

- To select the format, click the arrow button to the right of the ruler, and select an option from the pop-up menu.

You can display bars and beats, seconds, or samples.

Zooming

- To zoom in/out on the time and level axes, use the horizontal and vertical zoom sliders or the corresponding key commands.

RELATED LINKS

[Key Commands](#) on page 1480

Playback and Sound Parameters

In the sections below the waveform display, you can edit the settings for playback, warping, and slicing (**Playback** section), tuning and pitch modulation (**Pitch** section), filtering (**Filter** section), and level and panorama (**Amp** section).

RELATED LINKS

[Playback Section](#) on page 703

[Pitch Section](#) on page 706


[Filter Section](#) on page 707

[Amp Section](#) on page 707

Playback Section

In the playback section, you can choose from different playback options.

Playback Tab



Quality

Sets the quality for sample playback. When samples are played back with a pitch other than their original one, you can choose from different algorithms for transposing them in real time.


- Standard, High, Best, and Extreme** provide different algorithms for transposing samples in real time. The higher the quality setting, the better the suppression of artifacts, particularly with higher frequencies. Better quality settings, however, also lead to a higher processor load. For samples with little high-frequency content, we recommend to use **Standard** quality.
- Vintage** allows for a deliberate reduction of the playback quality by lowering the bit rate and the sample rate to emulate the artifacts of early samplers. **Turntable** emulates a memory-optimized sampling workflow of the past, where turntables were sampled at a higher speed to record short samples, and then tuned down again to correct for the change in pitch. A value of **45** rpm leads to typical vintage artifacts. A value of **78** rpm allows you to increase the effect even further.

NOTE

This option is only available if **AudioWarp** is deactivated.

AudioWarp

Activates/Deactivates AudioWarp for sample playback. AudioWarp allows you to apply time stretching and formant shifting to your samples. You can choose from different warp and sync modes.



If **AudioWarp** is activated, the following options are available in the **Playback** section:

Mode

Sets the AudioWarp mode.

- **Music** mode offers parameters for time stretching.

This mode is suitable for complex material, such as drum loops and samples of mixed music. It uses considerably more CPU time than **Solo** mode.

NOTE

The more the sample is stretched, the higher the CPU load.

- **Solo** mode offers parameters for time stretching and formant shifting.

This mode is suitable for loops and samples of solo instruments or vocals.

- **Spectral** mode offers parameters for time stretching and formant shifting.

This mode uses a spectral resynthesis algorithm. It is suitable for all types of audio, such as loops and samples of solo instruments or vocals. It allows for extreme stretching factors down to 0%. This allows you, for example, to play back the static spectrum that is present at the sample start position.

- **Spectral HD** mode offers parameters for time stretching and formant shifting.

This mode works in the same way as **Spectral** mode, but uses a higher internal frequency resolution, which often works better with audio that contains very low frequencies or audio with a high frequency density.

- **Spectral Vocal** mode offers parameters for time stretching and formant shifting.

This mode works in the same way as **Spectral** mode, but is optimized for vocals.

Sync

You can set the playback speed of the sample manually or sync it to the project tempo.

- If **Sync** is deactivated, **Speed** allows you to set the playback speed of the sample manually, in percent.

NOTE

If you set the AudioWarp mode to **Music**, the minimum playback speed adjustment is 12.5%. Values below this limit have no effect.

- If **Sync** is activated, **ORIG BPM** allows you to enter the original tempo of the sample in beats per minute. The playback speed of the sample is adjusted to match the tempo of Cubase.

NOTE

If you set the AudioWarp mode to **Music**, the lower limit of the playback speed adjustment is 12.5%. Values below this limit have no effect.

Legato

If this option is deactivated, each note that is played via MIDI starts playback from the **Sampler Control** position cursor.

If this option is activated, the first note starts playback from the position cursor, and any of the following notes start from the current playback position, for as long as the first note is held.

Formant

Allows you to adjust formant shifting. This is especially useful for samples of human voices or acoustic instruments. **Key F** determines how much the formants follow the pitch. Use positive values to minimize the Mickey Mouse effect when pitch-shifting a sample.

The formant parameters are not available in AudioWarp mode **Music**.


Slice Tab

You can create slices of a sample. These are automatically mapped to the keyboard, so that each slice can be played back individually. During that process, a MIDI phrase that corresponds to the sliced sample is created. If you drag this MIDI phrase to the **Project** window and drop it on the sampler track, a MIDI part is created. Use this part to play back the slices in their original order, or to rearrange the events in the MIDI part in order to change their playback order.

Enabling **Slice Playback** automatically slices the sample. You can choose from different slice detection modes or combine them. You can manually adjust the position of the slice markers by dragging, and you can **Alt**-click to add or remove slices.

NOTE

Slice playback uses the settings for **Quality** and **AudioWarp** on the **Playback** tab.



Slice Playback On/Off

Activates/Deactivates slice playback.

Mode

Sets the slice detection mode.

- **Transient** mode allows you to specify the **Threshold** that determines the minimum peak level that a transient needs to become a hitpoint.
- **Grid** mode sets the hitpoints according to the **Grid Resolution** on the **Sampler Control** toolbar.
- **Transient + Grid** mode combines the conditions of both **Transient** and **Grid** mode.
- **Manual** mode allows you to add and to remove slices manually by **Alt**-clicking in the waveform. In this mode, no automatic hitpoint detection is performed.

Threshold

Determines the minimum level that a hitpoint needs to be detected as the start of a new slice.

Min Length

Sets the minimum length of a slice.

Grid Catch

In **Transient + Grid** slice detection mode, this parameter specifies how close to the grid a hitpoint must be.

Fade-In

Sets the fade-in time for all slices of the loop.

Fade-Out

Sets the fade-out time for all slices of the loop.

Drag MIDI Phrase to Project

Click this button, and drag it to the event display to create a MIDI part that corresponds to the sample in your project.

RELATED LINKS

[Slicing Samples](#) on page 721

Pitch Section

In the **Pitch** section, you can adjust the tuning and the pitch of your audio sample. The pitch envelope allows you to modulate the pitch over time.



Show/Hide Pitch Modulators

Shows/Hides the pitch envelope and the LFO editor in the waveform window.

Octave

Sets the pitch of the sample in octave steps.

Coarse

Sets the pitch of the sample in semitone steps.

Fine

Fine-tunes the pitch of the sample in cents (hundredths of a semitone).

LFO

Allows you to select the LFO and to set the LFO modulation depth.

Glide

Specifies the time that is needed to bend the pitch of the sample from one note to the following note. If you move this control all the way to the left, **Glide** is deactivated.

If **Fingered** is activated, the pitch only glides between notes that are played legato.

RELATED LINKS

[Envelope Editors](#) on page 708

Filter Section

In the **Filter** section, you can adjust the tone color of the sample sound. The filter envelope allows you to control the cutoff frequency to shape the harmonic content over time.



Filter On/Off

Activates/Deactivates the filtering effect.

Show/Hide Filter Modulators

Shows/Hides the filter envelope and the LFO editor in the waveform window.

Type

Sets the filter type.

Shape

Sets the filter shape.

Cutoff

Controls the cutoff frequency of the filter.

Resonance

Sets the filter resonance.

Drive

Determines the level of the input signal and thus, the amount of saturation.

Cutoff Key Follow

Sets the cutoff modulation via the note number. Increase this parameter to raise the cutoff with higher notes. At 100%, the cutoff frequency follows the played pitch exactly.

LFO

Allows you to select the LFO and to set the LFO modulation depth.

RELATED LINKS

[Envelope Editors](#) on page 708

Amp Section

In the **Amp** section, you can set the volume and the pan of the sample. The amplifier envelope allows you to shape the volume over time.



Show/Hide Amp Modulators

Shows/Hides the amp envelope and the LFO editor in the waveform window.

Volume

Sets the level of the sample.

Volume LFO

Allows you to select the volume LFO and to set the volume LFO modulation depth.

Pan

Sets the position of the sample in the stereo panorama.

Pan LFO

Allows you to select the pan LFO and to set the pan LFO modulation depth.


RELATED LINKS

[Envelope Editors](#) on page 708

Envelope Editors

You can adjust the **Pitch**, **Filter**, and **Amp** envelope curves. Each of these envelopes can contain up to 512 nodes.


- Click **Show/Hide Pitch Modulators**, **Show/Hide Filter Modulators**, or **Show/Hide Amp Modulators** in the section header to show/hide the corresponding envelope editor and the LFO section.



Pitch Envelope



Filter Envelope



Amp Envelope

Edit

Allows you to edit single or multiple nodes.

Erase

Allows you to delete envelope nodes.

Draw

Allows you to insert a predefined envelope shape.

You can enter shapes by clicking or by clicking and dragging.

- Click once on the envelope display to insert the selected shape with its predefined length.

If **Sync Envelope** is activated, the shape is inserted at the nearest grid position. If you repeatedly click at the same position, the shape is inserted multiple times.

- Click and drag to insert the shape in the covered drag area. If **Sync Envelope** is activated, the start and the end nodes of the shape snap to the grid, and all nodes in between are scaled relative to the overall length of the shape.

After the shape is inserted, all nodes remain selected. This allows you to switch back to the **Edit** tool for further editing of the shape.

With **Fixed Mode** activated, the inserted nodes replace all nodes that cover the current time range. With **Fixed Mode** deactivated, all consecutive nodes are moved to the right.

Paint

Allows you to paint in a predefined envelope shape. The shape is inserted with its predefined length.

Select Shape

Allows you to select the shape that is used when entering nodes with the **Draw** or the **Paint** tool. A shape consists of multiple nodes making up a progression that can be used when creating your envelopes. The predefined factory shapes are available via the **Factory** tab. You can also create your own shapes and add them to the **User** tab. Up to 48 shapes are available per tab.



Save Shape

Allows you to save the current envelope shape as a user shape. You can add up to 48 user shapes.

Fixed Mode

- With **Fixed Mode** activated, only the selected nodes are moved when you move a node on the time axis.
- With **Fixed Mode** deactivated, all subsequent nodes are moved as well when you move a node.

Mode

Determines how the corresponding envelope is played back when it is triggered.

- Select **Sustain** to play the envelope from the first node to the sustain node. The sustain level is held for as long as you play the note. When you release the note, the envelope continues with the stages following the sustain. This mode is suited for looped samples.
- Select **Loop** to play back the envelope from the first node to the loop nodes. Then, the loop is repeated for as long as the key is held. When you release the note, the envelope continues playing the stages that follow the sustain. This mode is suited for adding motion to the sustain of the envelope.
- Select **One Shot** to play the envelope from the first to the last node, even if you release the key. The envelope has no sustain stage. This mode is suited for drum samples.
- Select **Sample Loop** to preserve the natural attack of the sample. The decay of the envelope does not start until the sample has reached the sample loop start. If you set the second node to the maximum level and use the following nodes to shape the decay during the loop phase of the sample, the envelope only affects the loop phase. The attack of the envelope is still executed.
- Select **Shaper** to use the envelope as a modulator that allows you to create freely programmable cyclic modulations. To ensure a seamless cycle, the start and end node levels are linked.

- The **Pitch** and **Filter** envelopes continue to be played in a loop after releasing notes, which makes it possible to use the modulation in the **Release** phase of a note.
- The **Amp** envelope immediately stops playing when notes are released.

NOTE

The end node of the **Amp** envelope does not need to have a level of zero. However, when switching from **Shaper** mode to another mode, the end node level is set back to zero.

Velocity

Determines how the velocity affects the level of the corresponding envelope.

The level of the envelope depends on the velocity setting and on how hard you hit a key. The higher the values and the harder you hit a key, the more the level of the envelope increases.

Time

Sets the time value for the selected node.

Sync Envelope

Activates/Deactivates tempo sync for the corresponding envelope. **Grid** sets the base note value for tempo-syncing the envelope.

Shaper Sync Mode

Sets the tempo sync mode for the corresponding envelope if **Shaper** mode is selected.

- With **Tempo + Retrig** selected, the entire length of the envelope is scaled with the project tempo and can be retriggered, depending on the selected **Retrigger Mode**.
- With **Tempo + Beat** selected, the entire length of the envelope is scaled with the project tempo. The envelope restarts with the transport and lines up to temporal positions in the project. In this mode, the **Retrigger Mode** is not available.
- **NOTE**

This parameter is only available with **Sync Envelope** activated.

Shaper Retrigger Mode

Determines whether the envelope is restarted when a note is triggered. The envelope restarts either immediately (**Tempo + Retrig**) or lines up with the project position (**Tempo + Beat**).

- With **Off** selected, the envelope is not retriggered and runs freely.
- With **First Note** selected, the envelope restarts when a note is triggered and no other notes are held.
- With **Each Note** selected, the envelope restarts each time that a note is triggered.

Envelope Amount

Determines how much the selected envelope affects the audio. This parameter allows for positive and negative values. If the **Envelope Amount** is set to 0, the envelope has no effect.

NOTE

This parameter is only available for **Pitch** and **Filter**.

Envelope display

Shows the pitch, filter, or amp envelope curve. You can adjust it by adding, moving, and deleting nodes. The nodes for attack (**A**), sustain (**S**), and release (**R**) are always shown and cannot be deleted. Next to the release node, the release time of the envelope is shown.

The upper part of the context menu of the envelope display allows you to edit the nodes of the envelope curve:

- **Copy** copies the selected nodes to the clipboard.
- **Paste** pastes nodes from the clipboard to the cursor position.
- **Replace** replaces the selected nodes with the nodes from the clipboard.
- **Duplicate** duplicates the selected nodes.
- **Invert Levels** flips the nodes horizontally around the center of the selection.
- **Reverse Times** flips the **Time** values of the nodes around the horizontal center of the selection.
- **Set Sustain Node** makes the selected node the sustain node.

The lower part of the context menu allows you to assign automation or quick controls to the attack, decay, sustain, and release segments of the envelope:

- **Env Attack** allows you to scale the first envelope segment. The control range is from 0 (1/30,000) to 1 (30,000). This means that you can stretch/extend an attack time of 1 ms to a length of 30 s, and you can shorten/reduce an attack time of 30 s to a length of 1 ms, for example.
- **Env Decay** allows you to scale all segments after the first node, up to the sustain node. The control range is from 0 (1/100) to 1 (100). This means that a decay time of 5 seconds can be reduced to 50 ms and extended to 500 s, for example.
- **Env Sustain** allows you to scale the sustain level. The range starts at 0 and ends at the sustain level set for the envelope.
- **Env Release** allows you to scale all segments after the sustain node. The control range is from 0 (1/100) to 1 (100).

RELATED LINKS

[Selecting Nodes](#) on page 711

[Node Editing](#) on page 712

[Zoom Functions in the Envelope Editors](#) on page 713

[Synchronizing Envelopes to the Project Tempo](#) on page 720

Selecting Nodes

You can select single nodes or multiple nodes. Selected nodes are edited together.

CHOICES

- To select a node, click on it in the graphical editor.
The focused node is indicated by a frame. The value fields above the graphical envelope editor display the parameters of the focused node.
- To add a node to a selection, **Shift**-click the node. Selected nodes are edited together.
- To select multiple nodes, draw a rectangle around them with the mouse.
- To select all envelope nodes, press **Ctrl/Cmd-A**.
- If the graphical envelope editor has the focus, you can select the next or the previous node with the **Left Arrow** and **Right Arrow** keys.

- If multiple nodes are selected and the **Edit** tool is active, a selection rectangle is shown, allowing for further editing functions.
-

RELATED LINKS

[Keyboard Focus in the Project Window](#) on page 96

Node Editing

You can edit single nodes or multiple selected nodes.

- To add a node, double-click on the envelope curve.
- You can also add nodes by copying and pasting selected nodes.

When you press **Ctrl/Cmd**, the insert position is indicated by a line. With **Sync Envelope** activated, this insert line is aligned with the note value grid.

NOTE

An envelope can consist of up to 512 nodes. If more nodes are copied to the clipboard than can be pasted into the envelope, a warning indicator lights up.

- To delete a node, double-click it, or click it with the **Erase** tool.

NOTE

- You cannot remove the attack (**A**), the sustain (**S**), or the release node (**R**).
- All nodes added after the sustain node affect the release phase of the envelope.

- To delete several nodes, select them, and press **Delete** or **Backspace**. Alternatively, drag a selection rectangle around them with the **Erase** tool.

With **Fixed Mode** activated, the positions of the remaining nodes are not modified. The **Time** value of the node to the right of the deleted selection is automatically adjusted.

With **Fixed Mode** deactivated, the remaining nodes are moved to the left to fill the gap.

- To change the curvature between two nodes, drag the curve segment up or down, or enter a new value in the **Curve** field.

Positive values change the curvature towards logarithmic, and negative values towards exponential behavior.

To reset a curve to linear, **Ctrl/Cmd**-click it.

- To move a node, drag it sideways, or enter a new value in the **Time** field.

For a higher resolution, hold **Shift** while moving the nodes.

To limit the movement to the time axis, that is, to change only the horizontal position of a node, hold **Ctrl/Cmd** while dragging.

- To change the level of a node, drag it up or down, or enter a new value in the **Level** field.

For a higher resolution, hold **Shift** while moving the nodes.

To limit the movement to the level axis, that is, to change only the vertical position of a node, hold **Alt/Opt** while dragging.

Replacing Node Selections

You can replace a selection of nodes with nodes copied to the clipboard or with one of the predefined shapes on the shape selector.

- To replace multiple nodes with a predefined curve, select the nodes, and select the curve from the shape selector.

- The shape is stretched/compressed to replace the exact time range of the selection.
 - To replace multiple nodes with a selection of nodes from the clipboard, select the nodes that you want to replace, open the context menu, and select **Replace**.
- The copied nodes are stretched/compressed to replace the exact time range of the selection.

Multi Selection Editing with the Edit Tool

With multiple envelope nodes selected and with the **Edit** tool active, a selection rectangle is shown in the envelope display. It has six handles that allow you to modify the selected nodes.



- To compress the node levels, drag the right middle handle down.
- To expand the node levels, drag the right middle handle up.
- To tilt the left part of the node selection upwards or downwards, drag the upper left handle.
To use a shelving curve instead of a linear curve, press **Ctrl/Cmd**.
- To tilt the right part of the node selection upwards or downwards, drag the upper right handle.
To use a shelving curve instead of a linear curve, press **Ctrl/Cmd**.
- To scale the node levels, drag the upper middle handle.
- To offset all nodes, press **Shift**. To use a bell curve instead of a linear curve, press **Ctrl/Cmd**.
- To scale the overall time of the selected nodes relative to the start node, drag the lower right handle.
- To scale the overall time of the selected nodes relative to the start node, drag the lower left handle.
- To move the time position of all selected nodes, drag the lower middle handle to the left or right.
To move the nodes in smaller steps, press **Shift**.
- To compress or expand the overall time of the selected nodes relative to the selection center, press **Ctrl/Cmd**, and drag the lower middle handle.
- To change the level and position of all selected nodes, drag one of the nodes.

Zoom Functions in the Envelope Editors

The vertical axis of the envelope editor displays the level. The horizontal axis displays the time.

- To zoom in or out, click the + or - buttons to the right of the scrollbar below the envelope editor or use the corresponding key commands.
- To zoom in or out at the current position, click in the timeline, and drag up or down.
- To zoom to a specific region, hold **Alt/Opt**, and click and drag the mouse over the region.

RELATED LINKS

[Key Commands](#) on page 1480

LFO Editor

Sampler Control provides two monophonic LFOs. These LFOs are only calculated once and feed all voices at the same time.



LFO

Allows you to select LFO 1 or 2 for editing.

Sync

Defines how the speed of the corresponding LFO is set.

- **Off** allows you to set the LFO speed in Hz.
- **Tempo + Retrig** allows you to set the LFO speed in note values. The resulting rate depends on the tempo of your project.
- **Tempo + Beat** allows you to set the LFO speed in note values. The resulting rate depends on the tempo of your project. Additionally, the current start phase is calculated based on the current position.

Retrigger

Defines whether the LFO is restarted with the specified start phase when a new note is triggered. This parameter is available for the sync modes **Off** and **Tempo + Retrig**.

- If **Off** is selected, the LFO is not restarted.
- **First Note** restarts the LFO when a note is triggered and no other note is held.
- **Each Note** restarts the LFO every time that a note is triggered.

MW

Allows you to scale the output level of the LFO via the modulation wheel of your keyboard. This allows you, for example, to control the vibrato of the sound with the modulation wheel.

Waveform

Sets the waveform for the selected LFO. You can adjust the selected waveform using the **Shape** control to the right.

- **Sine** produces smooth modulation, suitable for vibrato or tremolo. **Shape** adds additional harmonics to the waveform.
- **Triangle** is similar to **Sine**. **Shape** continuously changes the triangle waveform to a trapezoid.
- **Saw** produces a ramp cycle. **Shape** continuously changes the waveform from ramp down to triangle to ramp up.
- **Pulse** produces stepped modulation, where the modulation switches abruptly between two values. **Shape** continuously changes the ratio between the high and the low state of the waveform. If **Shape** is set to 50%, an even square wave is produced.
- **Ramp** is similar to the **Saw** waveform. **Shape** increasingly adds silence before the sawtooth ramp up begins.
- **Log** produces a logarithmic modulation. **Shape** continuously changes the logarithmic curvature from negative to positive.

- **S & H 1** produces randomly stepped modulation, where each step is different. When fully turned right, **Shape** puts ramps between the steps and changes the sample and hold signal into a smooth random signal.
- **S & H 2** is similar to **S & H 1**. The steps alternate between random high and low values. When fully turned right, **Shape** puts ramps between the steps and changes the sample and hold signal into a smooth random signal.

Freq

Controls the frequency of the modulation, that is, the speed of the LFO.

If **Sync** is activated for the corresponding LFO, the speed is specified in fractions of beats. If **Sync** is deactivated, you can set the frequency in Hz.

Phase

Sets the initial phase of the waveform when the LFO is retriggered. If **RND** is activated, each note starts with a randomized start phase.

Keyboard Section

In the keyboard section of **Sampler Control**, you can set the root key and the key range of the sample as well as the modulation range of the pitchbend wheel on your MIDI keyboard.



Pitchbend



Determines the maximal modulation that is applied when you move the pitchbend wheel on your MIDI keyboard. You can set the pitchbend range in semitone steps, up to 24 semitones.

Key range handles



Determine the key range of the sample.

NOTE

The set key range is used in **Normal** and **AudioWarp** mode.

Root key handle



Determines the root key of the sample.

RELATED LINKS

[Setting the Root Key Manually](#) on page 718

[Setting the Key Range](#) on page 719

Sampler Control History

Sampler Control offers its own edit history that allows you to undo/redo your most recent edits.

You can undo/redo up to 20 parameter changes or edit steps in **Sampler Control** by clicking **Undo** or **Redo** on the **Sampler Control** toolbar. This can be particularly useful, when editing

complex envelopes, for example, where a single action with the **Paint** tool can significantly alter the existing envelope.

NOTE

Edits in **Sampler Control** are not available via the **Edit History** dialog.

RELATED LINKS

[Sample Editing and Playback Functions](#) on page 717

[Sampler Control Toolbar](#) on page 698

[Edit History Dialog](#) on page 107

Transferring Samples from Sampler Control to VST Instruments

You can transfer audio samples to specific Steinberg VST instruments with any settings that you have made in **Sampler Control**.

Transferring audio samples from **Sampler Control** to a VST instrument creates a new instrument track in the track list. This new track is added below the sampler track. The audio sample and all of its settings are loaded in the VST instrument.

You can transfer audio samples from **Sampler Control** to the following Steinberg VST instruments:

- Groove Agent
- Groove Agent SE
- HALion
- Padshop
- Backbone

Transferring a Sample

PREREQUISITE

You have installed Groove Agent, Groove Agent SE, HALion, Padshop, or Backbone. You have loaded an audio sample in **Sampler Control**.

PROCEDURE

1. In the **Sampler Control** toolbar, click **Transfer to New Instrument**.
 2. In the pop-up menu, select the instrument to which you want to transfer the sample.
-

RESULT

In the track list, a new instrument track is created below the sampler track. The instrument track has the same name as the sampler track. The audio sample and its settings are loaded in the selected VST instrument.

NOTE

If a parameter is not available for the VST instrument that you have chosen as the destination, it is either not transferred or it is adapted to a similar parameter in the VST instrument. The following applies:

- Groove Agent/Groove Agent SE: LFO and filter settings are not used.
 - Padshop: Sample trimming is not used. A transfer in **AudioWarp** playback mode sets the grain settings to a **Number** of 2 grains and the **Speed** value accordingly. A transfer in **Slice** playback mode uses the selected slice only.
 - Backbone: Sample trimming is not used. A transfer in **AudioWarp** playback mode activates **Resynth** mode and sets the **Speed** value accordingly. A transfer in **Slice** playback mode uses the selected slice only.
-

RELATED LINKS

[Transferring a Sample](#) on page 716

Sample Editing and Playback Functions

Sampler Control allows you to tailor the loaded sample to your needs and to specify the way it is played back.

All sample editing in **Sampler Control** is non-destructive, and its edit history allows you to undo/redo your most recent edits and parameter changes.

RELATED LINKS

[Sampler Control History](#) on page 715

Setting Sample Start and End

By setting the sample start and end, you can define what range of the sample is played back when you press a key on your MIDI keyboard.

PREREQUISITE

You have loaded a sample into **Sampler Control**.

PROCEDURE

1. In the waveform display, drag the **Set Sample Start** handle to the right to adjust the sample start point.
 2. Drag the **Set Sample End** handle to the left to adjust the sample end point.
-

RESULT

When you trigger the sample, only the defined range between start and end handle is played back.

AFTER COMPLETING THIS TASK

- You can move both sample start and end markers simultaneously whilst keeping their relative distance to each other by moving the mouse cursor between the two markers and dragging the connecting bar.

NOTE

This only works if no loop mode is selected.

-
- You can trim the sample length to the defined playback range by clicking **Trim Sample** in the **Sampler Control** toolbar.

RELATED LINKS

[Waveform Display](#) on page 702[Sampler Control Toolbar](#) on page 698

Setting up Loops for Audio Samples

You can set up a loop that is played back when the sample is triggered.

PREREQUISITE

You have loaded a sample into **Sampler Control**.

PROCEDURE

1. On the toolbar, click **Loop Mode**, and select a loop mode from the pop-up menu.
The **Set Sustain Loop Start** and **Set Sustain Loop End** handles and the green loop range overlay are shown.
2. Drag the **Set Sustain Loop Start** and **Set Sustain Loop End** handles to adjust the loop start and end points.

To create a smooth loop transition, try to match the shape of the green loop range overlay with the shape of the gray sample waveform.

NOTE

You cannot drag the loop start and end points outside the defined sample range.

RESULT

When you trigger the sample in a loop mode, the defined loop range is used.

AFTER COMPLETING THIS TASK

- You can move both start and end markers simultaneously by dragging the area between the loop markers.

RELATED LINKS

[Setting Sample Start and End](#) on page 717

Setting the Root Key Manually

The **Root Key** shows the original pitch of the sample. Sometimes, if the sample does not contain any root key information or if you want the sample to play at a different pitch, you must set the root key manually. In **Slice** mode, lowering the root key allows you to increase the number of slices that can be mapped to your keyboard.

NOTE

If you load a sample that does not contain any root key information, the root key is automatically set to C3.

PROCEDURE

- Do one of the following:
 - In the keyboard section of **Sampler Control**, click and drag the root key handle.

- On the toolbar of **Sampler Control**, double-click in the **Root Key** field, and enter the new root key via your computer keyboard, your mouse wheel, or your MIDI keyboard.
-

RELATED LINKS

[Keyboard Section](#) on page 715

[Setting the Key Range](#) on page 719

[Slicing Samples](#) on page 721

Setting the Key Range

You can determine the key range for the sample. This is useful for samples that only sound good within a certain key range.

PREREQUISITE

You have loaded a sample into **Sampler Control**.

PROCEDURE

- In the keyboard section, adjust the key range by dragging the range handles above the keyboard display.
-

RESULT

Only keys within the determined key range play a sound when triggered.

RELATED LINKS

[Keyboard Section](#) on page 715

Playing Back Samples

After you have loaded an audio sample into **Sampler Control**, you can play back the sample using an external MIDI keyboard or the **On-Screen Keyboard**.

PREREQUISITE

You have loaded a sample into **Sampler Control** and made all sample editing and settings. You have installed and set up your MIDI keyboard.

PROCEDURE

1. In the track list, activate **Monitor** for the sampler track.
 2. Optional: On the **Sampler Control** toolbar, activate **Fixed Pitch**.
This allows you to play back the sample in its original pitch and speed.
 3. Hit some notes on your keyboard or use the **On-Screen Keyboard** to play back the sample.
-

RESULT

If **Fixed Pitch** is deactivated, the sample is played back, and the pitch is defined by the notes you play. If you hit lower keys, the sample is played back with a low pitch. If you hit higher keys, the sample is played back with a high pitch.

If **Fixed Pitch** is activated, the sample is played back in its original pitch.

AFTER COMPLETING THIS TASK

To use the sound of the edited sample in your project, create or record a MIDI event on the sampler track.

RELATED LINKS

- [Monitoring via Cubase](#) on page 328
- [On-Screen Keyboard](#) on page 320
- [Sampler Control Toolbar](#) on page 698
- [MIDI Events](#) on page 237
- [Basic Recording Methods](#) on page 323

Synchronizing Envelopes to the Project Tempo

You can synchronize the **Pitch Envelope**, the **Filter Envelope**, and the **Amp Envelope** to the tempo of your project. This allows you to set envelope times that relate to musical time intervals, regardless of tempo changes.

PREREQUISITE

You have loaded a sample into **Sampler Control**.

PROCEDURE

1. In the corresponding envelope section, set **Sync** to **On**.
2. Use **Grid** to set a note value. This sets the note resolution to which envelope nodes snap when coming close enough.

NOTE

- The **Time** field of an envelope node displays times in fractions of a whole note. The fraction is always reduced to the smallest possible value, for example, 2/16 is displayed as 1/8.
 - You can also enter note values manually in the **Time** field. Envelope nodes that do not exactly match a note value display the closest note value.
-

Normalizing Samples

You can normalize samples to a target value. An additional gain control allows you to fine-tune the gain value afterwards.

PREREQUISITE

You have loaded a sample into **Sampler Control**.

PROCEDURE

1. On the **Sampler Control** toolbar, set a **Normalization Level** as the target value.
 2. Click **Normalize Sample**.
The sample is normalized to the target value.
 3. Use **Sample Gain** to fine-tune the normalization result.
-

RELATED LINKS

- [Sampler Control Toolbar](#) on page 698

Slicing Samples

You can slice samples into several pieces that are mapped to the keyboard, so that you can play every slice individually.

PREREQUISITE

You have loaded a sample into **Sampler Control**.

PROCEDURE

1. In the playback section, select the **Slice** tab, and activate slicing.
 2. Optional: Change the **Slice Mode**, adjust the slicing parameters, and add or delete slicing markers.
 3. Optional: If you want to increase the number of slices that can be mapped to your keyboard, lower the root key in the keyboard section.
-

RESULT

The slices are automatically mapped to the keyboard, starting on the set root key. You can play a slice by pressing the corresponding key on your MIDI keyboard.

AFTER COMPLETING THIS TASK

You can create a corresponding MIDI phrase in your project by dragging the **Drag MIDI Phrase to Project** button to the event display. This allows you to rearrange the order of the slices.

RELATED LINKS

[Playback Section](#) on page 703

[Setting the Root Key Manually](#) on page 718

[Setting the Key Range](#) on page 719

Freezing Sampler Tracks

You can freeze sampler tracks to reduce the real-time processing load.

PROCEDURE

1. Select the sampler track, and open the top **Inspector** section.
 2. Click **Freeze Channel**.
 3. In the **Freeze Channel Options** dialog, make your changes.
 4. Click **OK**.
-

RESULT

- The output of the sampler track is rendered to an audio file, and on playback you hear the same sound as before freezing.
- Less CPU load is used.
- The **Freeze Channel** button lights up.
- The track controls are grayed out.
- The MIDI parts are locked.
- You can still adjust the level and panning, make EQ settings, and adjust the effect sends.
- The **Sampler Control** section in the lower zone of the **Project** window is disabled.

NOTE

The audio file is saved in the **Freeze** folder that can be found in the following location:

- Windows: within the **Project** folder
 - macOS: **User/Documents**
-

AFTER COMPLETING THIS TASK

To unfreeze a frozen track, click **Freeze Channel** again.

RELATED LINKS

[Freeze Channel Options Dialog for Sampler Tracks](#) on page 722

[Unfreeze Channel Options Dialog for Sampler Tracks](#) on page 723


[Freezing Multiple Tracks](#) on page 210

Freeze Channel Options Dialog for Sampler Tracks

The **Freeze Channel Options** dialog allows you to specify exactly what should happen if you freeze a sampler track.

To open the **Freeze Channel Options** dialog, select the sampler track, and do one of the following:

- In the top **Inspector** section, click **Freeze Channel**.
- Select **Edit > Freeze/Unfreeze > Selected Tracks**.
- Right-click the selected track, and from the context menu, select **Freeze/Unfreeze Selected Tracks**.



Tail Size

Allows you to set a tail size time to let sounds complete their normal release cycle.

Include Inserts for Sampler Tracks

Activate this option if you want to include insert effects on this channel when freezing the sampler track.

NOTE

You can still adjust level, pan, sends, and EQ.

Deactivate this option if you still want to be able to edit insert effects on this channel.

RELATED LINKS

[Freezing Sampler Tracks](#) on page 721

[Freezing Multiple Tracks](#) on page 210


[Unfreeze Channel Options Dialog for Sampler Tracks](#) on page 723

Unfreeze Channel Options Dialog for Sampler Tracks

The **Unfreeze Channel Options** allows you to specify exactly what should happen if you unfreeze a sampler track.

To open the **Unfreeze Channel Options** dialog, select a frozen sampler track, and do one of the following:

- In the top **Inspector** section, click **Freeze Channel**.
- Select **Edit > Freeze/Unfreeze > Selected Tracks**.
- Right-click the selected track, and from the context menu, select **Freeze/Unfreeze Selected Tracks**.



Delete Freeze Files

Deletes the freeze files.

Keep Freeze Files

Keeps the freeze files in the **Freeze** folder that can be found in the following location:

- Windows: within the **Project** folder
- macOS: **User/Documents**

RELATED LINKS

[Freeze Channel Options Dialog for Sampler Tracks](#) on page 722

[Freezing Multiple Tracks](#) on page 210

[Freezing Sampler Tracks](#) on page 721

Pool

Every time that you record on an audio track, a file is created on your hard disk. A reference to this file, a clip, is added to the **Pool**.

The following rules apply to the **Pool**:

- All audio and video clips that belong to a project are listed in the **Pool**.
- Every project has a separate **Pool**.

The way the **Pool** displays folders and their contents is similar to the way the File Explorer/macOS Finder displays folders and file lists. In the **Pool**, you can perform operations that affect files on disk and operations that only affect clips.

Operations That Affect Files

- Importing clips (audio files can automatically be copied and/or converted)
- Converting file formats
- Renaming clips (this also renames the referenced files on disk) and regions
- Deleting clips
- Preparing file archives for backup
- Minimizing files

Operations That Affect Clips

- Copying clips
- Auditioning clips
- Organizing clips
- Applying audio processing to clips
- Saving or importing complete **Pool** files

Pool Window

The **Pool** window allows you to manage the media files of the active project.

To open the **Pool**, do one of the following:

- On the **Project** window toolbar, click **Open Pool Window**. If this icon is not visible, right-click the toolbar and activate **Media & MixConsole Windows**.
- Select **Project > Pool**.
- Select **Media > Open Pool Window**.

| Media | Used | Status | Mus | Tempc | Sign. | Key | Algorithm | Info | Type | Date | Origin Time | Image | Path |
|-----------------|------|--------|--------------------------|--------|-------|-----|---------------|---------------------------------|------|------------|-------------|-------|--------------------|
| Audio | | | | | | | | | | | | | |
| Bass Drum In | 1 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | 44.100 kHz 24 bit Mono 2:26 m | Wave | 11/22/2010 | 3.3.2.99 | | [Windows] C:\Users |
| Bass-01 | 3 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | 44.100 kHz 24 bit Mono 2:11 m | Wave | 11/22/2010 | 7.3.1.87 | | [Windows] C:\Users |
| Bass Drum Out | 1 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | 44.100 kHz 24 bit Mono 2:26 m | Wave | 11/22/2010 | 3.3.2.99 | | [Windows] C:\Users |
| Choir | 3 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | 44.100 kHz 24 bit Stereo 1:28 m | Wave | 11/22/2010 | 15.1.2.19 | | [Windows] C:\Users |
| Close L-01 | 1 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | 44.100 kHz 24 bit Mono 2:26 m | Wave | 11/22/2010 | 3.3.2.99 | | [Windows] C:\Users |
| Close R-01 | 1 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | 44.100 kHz 24 bit Mono 2:26 m | Wave | 11/22/2010 | 3.3.2.99 | | [Windows] C:\Users |
| Doubled Voice | 1 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | 44.100 kHz 24 bit Mono 2:08 m | Wave | 11/22/2010 | 12.4.3.80 | | [Windows] C:\Users |
| FX Voices | 1 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | 44.100 kHz 24 bit Stereo 2:08 m | Wave | 11/22/2010 | 12.4.2.56 | | [Windows] C:\Users |
| HiHat-01 | 1 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | 44.100 kHz 24 bit Mono 2:26 m | Wave | 11/22/2010 | 3.3.2.99 | | [Windows] C:\Users |
| Lead Guitar | 2 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | 44.100 kHz 24 bit Stereo 2:04 m | Wave | 11/22/2010 | 4.1.2.49 | | [Windows] C:\Users |
| Lead Voice | 1 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | 44.100 kHz 24 bit Mono 2:17 m | Wave | 11/22/2010 | 7.4.3.22 | | [Windows] C:\Users |
| Mono | 1 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | 44.100 kHz 24 bit Mono 2:26 m | Wave | 11/22/2010 | 3.3.2.99 | | [Windows] C:\Users |
| Overhead L | 1 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | 44.100 kHz 24 bit Mono 2:26 m | Wave | 11/22/2010 | 3.3.2.99 | | [Windows] C:\Users |
| Overhead R | 1 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | 44.100 kHz 24 bit Mono 2:26 m | Wave | 11/22/2010 | 3.3.2.99 | | [Windows] C:\Users |
| Rhythm Guitar 2 | 1 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | 44.100 kHz 24 bit Stereo 1:56 m | Wave | 11/22/2010 | 19.3.1.67 | | [Windows] C:\Users |
| Rhythm Guitar 3 | 1 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | 44.100 kHz 24 bit Stereo 2:11 m | Wave | 11/22/2010 | 11.2.3.15 | | [Windows] C:\Users |
| Rhythm Guitar1 | 2 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | 44.100 kHz 24 bit Stereo 2:22 m | Wave | 11/22/2010 | 2.1.1.0 | | [Windows] C:\Users |
| Snare Bottom | 1 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | 44.100 kHz 24 bit Mono 2:26 m | Wave | 11/22/2010 | 3.3.2.99 | | [Windows] C:\Users |
| Snare Top | 1 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | 44.100 kHz 24 bit Mono 2:26 m | Wave | 11/22/2010 | 3.3.2.99 | | [Windows] C:\Users |
| Solo_1 | 12 | | <input type="checkbox"/> | 130.00 | 4/4 | - | Standard - Mi | 44.100 kHz 24 bit Mono 17.365 s | Wave | 11/22/2010 | 51.3.1.80 | | [Windows] C:\Users |
| Solo_2 | 13 | | <input type="checkbox"/> | 130.00 | 4/4 | - | Standard - Mi | 44.100 kHz 24 bit Mono 17.166 s | Wave | 11/22/2010 | 51.3.1.20 | | [Windows] C:\Users |
| Solo_3 | 14 | | <input type="checkbox"/> | 130.00 | 4/4 | - | Standard - Mi | 44.100 kHz 24 bit Mono 17.074 s | Wave | 11/22/2010 | 51.3.1.80 | | [Windows] C:\Users |
| Solo_4 | 13 | | <input type="checkbox"/> | 130.00 | 4/4 | - | Standard - Mi | 44.100 kHz 24 bit Mono 16.544 s | Wave | 11/22/2010 | 51.3.1.50 | | [Windows] C:\Users |
| Tom 1-02 | 1 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | 44.100 kHz 24 bit Mono 2:26 m | Wave | 11/22/2010 | 3.3.2.99 | | [Windows] C:\Users |
| Tom 2 | 1 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | 44.100 kHz 24 bit Mono 2:26 m | Wave | 11/22/2010 | 3.3.2.99 | | [Windows] C:\Users |

The content of the **Pool** is divided into the following folders:

Audio folder

Contains all audio clips and regions that are in the project.

If the project contains one or more sampler tracks, a dedicated **Sampler Track** subfolder is created in the **Audio** folder. This subfolder contains all clips of the samples that you have loaded into **Sampler Control**.

Video folder

Contains all video clips that are in the project.

Trash folder

Contains unused clips that have been moved here from the hard disk for permanent removal.

NOTE

You cannot rename or delete these folders, but you can add any number of subfolders.

Pool Window Columns

The **Pool** window columns display information about the clips and regions.

| View/Attributes | | All | Import | Project Folder: | | C:\Users\Pool Record Folder: Media\Audio | | | | | | | | |
|-----------------|--------|--------|--------------------------|-----------------|-------|--|---------------|--------------|---------------|----------|-------------|------------|-----------|--------------------|
| | | All | Search | | | | | | | | | | | |
| Media | Used | Status | Mus | Tempo | Sign. | Key | Algorithm | Info | Type | Date | Origin Time | Image | Path | |
| Audio | Record | | | | | | | | | | | | | |
| Bass Drum In | 1 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | - 44.100 kHz | 24 bit Mono | 2:26 m | Wave | 11/22/2010 | 3.3.2.99 | [Windows] C:\Users |
| Bass-01 | 3 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | - 44.100 kHz | 24 bit Mono | 2:11 m | Wave | 11/22/2010 | 7.3.1.87 | [Windows] C:\Users |
| Bass Drum Out | 1 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | - 44.100 kHz | 24 bit Mono | 2:26 m | Wave | 11/22/2010 | 3.3.2.99 | [Windows] C:\Users |
| Choir | 3 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | - 44.100 kHz | 24 bit Stereo | 1:28 m | Wave | 11/22/2010 | 15.1.2.19 | [Windows] C:\Users |
| Close L-01 | 1 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | - 44.100 kHz | 24 bit Mono | 2:26 m | Wave | 11/22/2010 | 3.3.2.99 | [Windows] C:\Users |
| Close R-01 | 1 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | - 44.100 kHz | 24 bit Mono | 2:26 m | Wave | 11/22/2010 | 3.3.2.99 | [Windows] C:\Users |
| Doubled Voice | 1 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | - 44.100 kHz | 24 bit Mono | 2:08 m | Wave | 11/22/2010 | 12.4.3.80 | [Windows] C:\Users |
| FX Voices | 1 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | - 44.100 kHz | 24 bit Stereo | 2:08 m | Wave | 11/22/2010 | 12.4.2.56 | [Windows] C:\Users |
| HiHat-01 | 1 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | - 44.100 kHz | 24 bit Mono | 2:26 m | Wave | 11/22/2010 | 3.3.2.99 | [Windows] C:\Users |
| Lead Guitar | 2 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | - 44.100 kHz | 24 bit Stereo | 2:04 m | Wave | 11/22/2010 | 4.1.2.49 | [Windows] C:\Users |
| Lead Voice | 1 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | - 44.100 kHz | 24 bit Mono | 2:17 m | Wave | 11/22/2010 | 7.4.3.22 | [Windows] C:\Users |
| Mono | 1 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | - 44.100 kHz | 24 bit Mono | 2:26 m | Wave | 11/22/2010 | 3.3.2.99 | [Windows] C:\Users |
| Overhead L | 1 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | - 44.100 kHz | 24 bit Mono | 2:26 m | Wave | 11/22/2010 | 3.3.2.99 | [Windows] C:\Users |
| Overhead R | 1 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | - 44.100 kHz | 24 bit Mono | 2:26 m | Wave | 11/22/2010 | 3.3.2.99 | [Windows] C:\Users |
| Rhythm Guitar 2 | 1 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | - 44.100 kHz | 24 bit Stereo | 1:56 m | Wave | 11/22/2010 | 19.3.1.67 | [Windows] C:\Users |
| Rhythm Guitar 3 | 1 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | - 44.100 kHz | 24 bit Stereo | 2:11 m | Wave | 11/22/2010 | 11.2.3.15 | [Windows] C:\Users |
| Rhythm Guitar1 | 2 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | - 44.100 kHz | 24 bit Stereo | 2:22 m | Wave | 11/22/2010 | 2.1.1.0 | [Windows] C:\Users |
| Snare Bottom | 1 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | - 44.100 kHz | 24 bit Mono | 2:26 m | Wave | 11/22/2010 | 3.3.2.99 | [Windows] C:\Users |
| Snare Top | 1 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | - 44.100 kHz | 24 bit Mono | 2:26 m | Wave | 11/22/2010 | 3.3.2.99 | [Windows] C:\Users |
| Solo_1 | 12 | | <input type="checkbox"/> | 130.00 | 4/4 | - | Standard - MI | - 44.100 kHz | 24 bit Mono | 17.365 s | Wave | 11/22/2010 | 51.3.1.80 | [Windows] C:\Users |
| Solo_2 | 13 | | <input type="checkbox"/> | 130.00 | 4/4 | - | Standard - MI | - 44.100 kHz | 24 bit Mono | 17.166 s | Wave | 11/22/2010 | 51.3.1.20 | [Windows] C:\Users |
| Solo_3 | 14 | | <input type="checkbox"/> | 130.00 | 4/4 | - | Standard - MI | - 44.100 kHz | 24 bit Mono | 17.074 s | Wave | 11/22/2010 | 51.3.1.80 | [Windows] C:\Users |
| Solo_4 | 13 | | <input type="checkbox"/> | 130.00 | 4/4 | - | Standard - MI | - 44.100 kHz | 24 bit Mono | 16.544 s | Wave | 11/22/2010 | 51.3.1.50 | [Windows] C:\Users |
| Tom 1-02 | 1 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | - 44.100 kHz | 24 bit Mono | 2:26 m | Wave | 11/22/2010 | 3.3.2.99 | [Windows] C:\Users |
| Tom 2 | 1 | | <input type="checkbox"/> | 130.00 | 4/4 | - | élastique Pro | - 44.100 kHz | 24 bit Mono | 2:26 m | Wave | 11/22/2010 | 3.3.2.99 | [Windows] C:\Users |

The following columns are available:

Media

Contains the **Audio**, **Video**, and **Trash** folders. If the folders are opened, the clip or region names are shown and can be edited.

Used

Displays how many times a clip is used in the project. If there is no entry in this column, the corresponding clip is not used.

Status

Displays various icons that relate to the current **Pool** and clip status. The following symbols can be displayed:

- **Record** folder  Indicates the **Record** folder.
 - Process  Indicates that a clip has been processed.
 - Missing  Indicates that a clip is referenced in the project but missing from the **Pool**.
 - External  Indicates that the file the clip relates to is external, for example, located outside the current **Audio** folder for the project.
 - Recorded  Indicates that the clip has been recorded in the open version of the project. This is useful for quickly finding recently recorded clips.

Musical Mode

You can use **Musical Mode** to tempo-match audio loops to the project tempo. The checkbox in this column allows you to activate or deactivate musical mode. If the **Tempo** column displays “??”, you must enter the correct tempo before you can activate **Musical Mode**.

Tempo

Displays the tempo of audio files, if available. If no tempo has been specified, the column displays “???”.

Sign.

Displays the time signature, for example, “4/4”.

Key

Displays the root key if one has been specified for the file.

Algorithm

Displays the algorithm preset that is used if the audio file is processed.

- To change the default preset, click the preset name, and select another preset from the pop-up menu.

Info

For audio clips, this column displays the sample rate, the bit depth, the number of channels, and the length.

For regions, it displays start and end times in frames.

For video clips, it displays frame rate, the resolution, the number of frames, and the length.

Type

Displays the file format of the clip.

Date

Displays the date when the audio file was last changed.

Origin Time

Displays the original start position where a clip was recorded in the project. As this value can be used as a basis for the **Insert into Project** option in the **Media** or context menu, you can change it if the **Origin Time** value is independent (for example, not for regions).

In the Pool, you can change the value by editing the **Origin Time**. In the **Project** window, you can change the value by moving the event to a new position and selecting **Audio > Update Origin**.

Image

Displays waveform images of audio clips or regions.

Path

Displays the path to the location of a clip on the hard disk.

Reel Name

If you have imported an OMF file, it may include this attribute, which is then shown in this column. It refers to the reel or tape from which the media was originally captured.

NOTE

You can rearrange the order of the columns by clicking a header and dragging left or right.

Pool Window Toolbar

The toolbar contains tools and settings for working in the **Pool**.

Show Info



Shows/Hides the info line.

Audition



Plays back the selected audio.

Audition Loop



Loops the playback until you deactivate **Audition**.

Audition Volume



Allows you to adjust the volume.

View/Attributes

Allows you to activate/deactivate the attributes that are displayed in the **Pool** window.

+/- All

Opens/Closes all folders.

Import

Allows you to import media files to the **Pool**.

Search

Allows you to search the **Pool** and connected disks for media files.

Project Folder

Displays the path to the folder of the active project.

Pool Record Folder

Displays the path to the **Record** folder of the active project. By default, this is the **Audio** folder. However, you can create a new **Audio** subfolder and designate this as your **Pool Record** folder.

Info Line

The info line shows information about the event or part that you selected from the **Pool**.

- To activate the info line, click **Show Info** at the left of the toolbar.

The info line shows the following information:

Audio Files

The number of audio files in the **Pool**.

Used

The number of audio files in use.

Total Size

The total size of all audio files in the **Pool**.


External Files

The number of files in the **Pool** that do not reside in the project folder (for example, video files).

Search Section

The search section allows you to search the **Pool** and connected disks for media files.

- To open the search section, activate **Search** on the **Pool** window toolbar.



The following elements are available:

Filter

Allows you to set a filter. Click the **Name** to open a pop-up menu to select one of the following search criteria:

- Name:** partial names or wildcards (*)
- Size:** less than, more than, equal, between (two values), in seconds, minutes, hours, and bytes
- Bit Depth:** 8 bit, 16 bit, 24 bit, 32 bit, 32 bit float, 64 bit float
- Channels:** mono, stereo, and from 3 to 16
- Sample Rate:** various values, choose **Other** for free setting
- Date:** various search ranges

Location

Allows you to define a search location.

Search

Starts the search.

Select/Import

Selects the file that you select from the result list in the **Pool** window. If the selected file is not located in the **Pool**, the label of the button changes to **Import**. Click **Import** to import the selected file into the **Pool**.

Previewer

Allows you to listen to the file that you selected from the result list.

Result list

Lists all the files that match the search criteria.

RELATED LINKS

[Searching for Audio Files](#) on page 733

[Using the Extended Search Functionality](#) on page 734

Working with the Pool

NOTE

Most of the **Pool**-related main menu functions are also available on the **Pool** context menu.

Renaming Clips or Regions in the Pool

IMPORTANT

Renaming clips or regions in the **Pool** also renames the referenced files on disk. We recommend to rename clips or regions in the **Pool**. Otherwise, the reference from the clip to the file may get lost.

PROCEDURE

1. In the **Pool** window, select a clip or region, and click the existing name.
 2. Do one of the following:
 - Enter a new name, and press **Return**.
 - Select **Edit > Rename > Rename Media Files**,
-

RELATED LINKS

[Missing Files](#) on page 735

Duplicating Clips in the Pool

You can create duplicates of clips and apply different processing methods to them.

NOTE

Duplicating a clip does not create a new file on disk, but a new edit version of the clip that refers to the same audio file.

PROCEDURE

1. In the **Pool** window, select the clip that you want to duplicate.
 2. Select **Media > New Version**.
-

RESULT

A new version of the clip appears in the same **Pool** folder. The duplicated clip is named after the original, with a version number added to it. Regions within a clip are also copied but keep their name.

Inserting Clips into a Project

To insert a clip into a project, you can either use the insert commands on the **Media** menu or drag and drop.

Inserting Clips into a Project via Menu Commands

PROCEDURE

1. In the **Pool** window, select the clips that you want to insert into the project.
2. Select **Media > Insert into Project**, and select one of the insert options.
If several clips are selected, choose whether to insert them on one track or each on a different track.

NOTE

The clips are positioned so that their snap points are aligned with the selected insert position. If you want to adjust the snap point before inserting a clip, double-click a clip to open the **Sample Editor**. Here, you can adjust the snap position and then perform the insert options.

RESULT

The clip is inserted on the selected track or on a new audio track. If several tracks are selected, the clip will be inserted on the first selected track.

RELATED LINKS

[Adjusting Snap Points](#) on page 620

Inserting Clips into a Project via Drag and Drop

You can drag a clip from the **Pool** into the **Project** window.

Snap is taken into account if **Snap** is activated.

If you drag the clip into the **Project** window, the cross-hair cursor and a tooltip are shown. The tooltip indicates the timeline position where the snap point of the clip is aligned.

If you position the clip in an empty area of the track list, that is, where no track exists, a new track is created for the inserted event.

NOTE

If you press and hold **Shift** while dragging the clip from the **Pool** onto an event, the clip in this event is replaced.

RELATED LINKS

[Adjusting Snap Points](#) on page 620

[Replacing Clips in Events](#) on page 235

[Cross-Hair Cursor](#) on page 107

Deleting Clips from the Pool

You can delete clips from the **Pool** with or without deleting the corresponding file from the hard disk.

Removing Clips from the Pool

You can remove clips from the **Pool** without deleting the corresponding files from the hard disk.

PROCEDURE

1. In the **Pool** window, select the clips that you want to remove, and select **Edit > Delete**
You can also press **Backspace** or **Delete**.
 2. Depending on whether the clips are used by an event, you have the following options:
 - If the clips are used by an event, click **Remove**, and then click **Remove from Pool**.
 - If the clips are not used by an event, click **Remove from Pool**.
-

RESULT

The clips are no longer available in the **Pool** for this project, but the files still exist on the hard disk and can be used for other projects, etc. This operation can be undone.

Deleting Files from the Hard Disk

You can delete clips from the **Pool** by deleting the corresponding files from the hard disk. To delete a file permanently from the hard disk, you must first move the corresponding clips to the **Trash** folder in the **Pool**.

IMPORTANT

Make sure that the audio files that you want to delete are not used in other projects.

PROCEDURE

1. In the **Pool** window, select the clips that you want to delete from the hard disk, and select **Edit > Delete**.

You can also press **Backspace** or **Delete**, or drag the clips into the **Trash** folder.

NOTE

You can retrieve a clip or region from the **Trash** folder by dragging it back into an **Audio** or **Video** folder.

2. Depending on whether the clips are used by an event, you have the following options:
 - If the clips are used by an event, click **Remove**, then click **Trash**.
 - If the clips are not used by an event, click **Trash**.
 3. Select **Media > Empty Trash**.
 4. Click **Erase**.
-

RESULT

The files are deleted from the hard disk.

Removing Unused Clips from the Pool

You can find all clips that are not used in the project in the **Pool**. This allows you to quickly remove all unused clips.

PREREQUISITE

The **Pool** window is open.

PROCEDURE

1. Select **Media > Remove Unused Media**.
 2. Do one of the following:
 - To move the clips to the **Trash** folder, select **Trash**.
 - To remove the clips from the **Pool**, select **Remove from Pool**.
-

Removing Regions from the Pool

PROCEDURE

- In the **Pool**, select a region, and select **Edit > Delete**.

You can also press **Backspace** or **Delete**.

IMPORTANT

If the region is still in use, you are not warned.

Locating Events and Clips

You can quickly display to which clips the selected events belong and to which events the selected clips belong.

Locating Events via Clips in the Pool

You can find out which events in the project refer to a particular clip in the **Pool**.

PROCEDURE

1. In the **Pool** window, select one or more clips.
2. Select **Media > Select in Project**.

RESULT

All events that refer to the selected clips are now selected in the **Project** window.

Locating Clips via Events in the Project Window

You can find out which clip belongs to a particular event in the **Project** window.

PROCEDURE

1. In the **Project** window, select one or more events.
2. Select **Audio > Find Selected in Pool**.

RESULT

The corresponding clips are located and highlighted in the **Pool**.

Searching for Audio Files

The search functions help you locate audio files in the **Pool**, on your hard disk, or on other media. The process is similar to a regular file search, with some additional options.

PROCEDURE

1. In the **Pool** window, click **Search** on the toolbar.

A search pane appears at the bottom of the window, displaying the search functions.



- Specify the files that you are looking for in the **Name** field.

You can use partial names or wildcards (*).

NOTE

Only audio files of supported formats will be found.

- Use the **Location** pop-up menu to specify where to search.

The pop-up menu lists all of your local drives and removable media.

- To limit the search to certain folders, select **Select Search Path**, and, in the dialog that opens, select the folder in which you want to search.

The search includes the selected folder and all subfolders.

NOTE

Folders that you have recently selected using the **Select Search Path** function appear on the pop-up menu, so that you can quickly select them again.

- Click **Search**.

The search is started.

- To cancel the search, click **Stop**.

When the search is finished, the search results are listed on the right.

- To audition a file, select it from the list, and use the playback controls to the left (Play, Stop, Pause, and Loop). If **Auto Play** is activated, selected files are automatically played back.
- To import a file into the **Pool**, double-click the file in the list or select it and click **Import**.

- To close the search pane, click **Search** on the toolbar again.

RELATED LINKS

[Search Section](#) on page 729

Using the Extended Search Functionality

Apart from the search criterion **Name**, additional search filters are available. The extended search options allow for a detailed search, helping you to master even the largest sound database.

PROCEDURE

- In the **Pool** window, click **Search** on the toolbar.

The search pane is displayed in the lower part of the **Pool** window.

- Click **Name** to open the extended search pop-up menu, where you can select and define a search criterion.



The menu also contains the **Add Filter** and **Presets** submenus.

3. Select one of the search criteria from the pop-up menu.
4. Optional: To display more search options, open the extended search pop-up menu, select the **Add Filter** submenu, and select an element.
5. Optional: To save your search filter settings as a preset, open the extended search pop-up menu, select **Presets > Save Preset**, and enter a name for the preset.
Saved presets are added to the **Presets** submenu.
6. Optional: To remove a search filter settings preset, open the extended search pop-up menu, select the preset, and then select **Remove Preset**.

RELATED LINKS

[Search Section](#) on page 729

Missing Files

If you open a project and one or more files are missing, the **Resolve Missing Files** dialog opens. If you click **Close**, the project opens without the missing files.


In the **Pool**, you can check which files are considered missing. This is indicated by a question mark in the **Status** column.

A file is considered missing under one of the following conditions:

- The file has been moved or renamed outside the program since you last worked with the project, and you ignored the **Resolve Missing Files** dialog when you opened the project for the current session.
- You have moved or renamed the file outside the program during the current session.
- You have moved or renamed the folder that contains the missing files.

Resolve Missing Files Dialog

- To open the **Resolve Missing Files** dialog, select **Media > Find Missing Files**.



The following elements are available:

Missing Files List

Lists the files that are missing from the project.

Browse for File

Opens a file dialog that allows you to locate and select the missing files manually.

Browse Folder

Opens a file dialog that allows you to specify the folder in which the missing files can be found.

Use this method if you have renamed or moved the folder that contains the missing file, and if the file still has the same name.

Search Options

Opens the **Search for File** dialog.


RELATED LINKS

[Locating Missing Files](#) on page 737

[Search for File Dialog](#) on page 736

Search for File Dialog

- To open the **Search for File** dialog, select **Media > Find Missing Files**, and in the **Resolve Missing Files** dialog, click **Search Options**.



The following elements are available:

Name

Displays the name of the file for which Cubase searches. This is the name of the file that you selected in the **Resolve Missing Files** dialog, but you can also enter a file name manually. Activate **Case Sensitive** to search for file names with the entered spelling.

Search Folder

Opens a dialog where you can specify the folder that is searched.

Files list

Lists the found files.

Start

Starts the search.

Stop

Stops the search.

Accept

If the file was found, select it from the list, and click **Accept**. Cubase then tries to map all other missing files automatically.

Close

Closes the dialog.

RELATED LINKS

[Resolve Missing Files Dialog](#) on page 735

[Locating Missing Files](#) on page 737

Locating Missing Files

PROCEDURE

1. Select **Media > Find Missing Files**.
 2. In the **Resolve Missing Files** dialog, do one of the following:
 - To navigate to the missing file, click **Browse for File**.
 - To specify the directory in which the missing file can be found, click **Browse Folder**.
 - To open the **Search for File** dialog, click **Search Options**.
-

RELATED LINKS

[Search for File Dialog](#) on page 736

[Resolve Missing Files Dialog](#) on page 735

Reconstructing Missing Edit Files

If a missing file cannot be found, this is normally indicated by a question mark in the **Status** column of the **Pool**. However, if the missing file is an edit file (a file that is created when you process audio and that is stored in the **Edits** folder within the project folder), it may be possible for the program to reconstruct the edits for the original audio file.

PROCEDURE

1. In the **Pool** window, locate the clips for which files are missing.
 2. Check the **Status** column. If the status of the files is “Reconstructible”, the files can be reconstructed by Cubase.
 3. Select the reconstructible clips, and select **Media > Reconstruct**.
-

RESULT

The editing is performed, and the edit files are recreated.

Removing Missing Files from the Pool

If the **Pool** contains audio files that cannot be found or reconstructed, you may want to remove these.

PROCEDURE

- In the **Pool** window, select **Media > Remove Missing Files**.
-

RESULT

All missing files from the **Pool** and the corresponding events from the **Project** window are removed.

Auditioning Clips in the Pool

You can audition clips in the **Pool** via key commands, the **Audition** button, or by clicking in the waveform image for a clip.

- Use key commands.

If you activate **Playback Toggle Triggers Local Preview** in the **Preferences** dialog (**Transport** page), you can use **Space** to audition. This is the same as activating **Audition** on the toolbar.

- Select a clip and activate **Audition**.

The whole clip plays back. To stop playback, click **Audition** again.

- Click in the waveform image for a clip.

The clip plays back from the selected position in the waveform until the end. To stop playback, click **Audition** or anywhere else in the **Pool** window.

The audio is routed directly to the **Control Room**, if activated. When the **Control Room** is deactivated, the audio is routed to the **Main Mix** (the default output) bus, bypassing the settings of the audio channel, effects, and EQs.

NOTE

You can adjust the auditioning level with the miniature level fader on the toolbar. This does not affect the regular playback level.

If you have activated **Audition Loop** before you audition, the following happens:

- When you click **Audition** to audition a clip, the clip is repeated indefinitely until you stop playback by clicking **Audition** or **Audition Loop** again.
- When you click in the waveform image to audition, the section from the selected point to the end of the clip is repeated indefinitely until you stop playback.

Opening Clips in the Sample Editor

The **Sample Editor** allows you to perform detailed editing on the clip.

- To open a clip in the **Sample Editor**, double-click a clip waveform icon in the **Media** column.
- To open a certain region of a clip in the **Sample Editor**, double-click a region icon in the **Media** column.

You can use this to set a snap point for a clip, for example. When you later insert the clip from the **Pool** into the project, the defined snap point allows it to be properly aligned.

RELATED LINKS

[Adjusting Snap Points](#) on page 620

[Sample Editor](#) on page 599

Importing Media

The **Import Medium** dialog lets you import files directly into the **Pool**.

- To open the dialog, select **Media > Import Medium**, or click **Import** on the **Pool** toolbar.

This opens a standard file dialog, where you can navigate to other folders, audition files, etc.

The following audio file formats can be imported:

- Wave (Normal or Broadcast)
- AIFF and AIFC (Compressed AIFF)
- REX or REX 2
- FLAC (Free Lossless Audio Codec)
- MPEG Layer 2 and Layer 3 (MP2 and MP3 files)
- Ogg Vorbis (OGG files)
- Windows Media Audio (Windows only)
- Wave 64 (W64 files)

The following characteristics are possible:

- Stereo or mono
- Any sample rate

NOTE

Files that have a different sample rate than the project sample rate are played back at the wrong speed and pitch.

-
- 8 bit, 16 bit, 24 bit, 32 bit, 32 bit float, or 64 bit float
 - Various video formats

NOTE

You can also use the commands on the **Import** submenu of the **File** menu to import audio or video files into the **Pool**.

RELATED LINKS

[Wave Files](#) on page 1423

[Importing ReCycle Files](#) on page 351

[Supported Compressed Audio File Formats](#) on page 348

[Video File Compatibility](#) on page 1453

Importing Audio CDs into the Pool

You can import tracks or sections of tracks from an audio CD into the **Pool**. This opens a dialog in which you can specify which tracks are copied from the CD, converted to audio files, and added to the **Pool**.

- To import an audio CD to the **Pool**, select **Media > Import Audio CD**.



RELATED LINKS

[Importing Audio CD Tracks](#) on page 348

Import Options Dialog

The **Import Options** dialog allows you to specify how audio files are imported into the **Pool**.

- If you select a file in the **Import Medium** dialog and click **Open**, the **Import Options** dialog opens.

**Import Options** dialog for single file import**Import Options** dialog for multiple file import

Copy File to Project Folder/Copy All Files to Project Folder

Copies the audio file to the **Audio** folder of the project and causes the clip refer to the copy.

Deactivate this option if you want the clip to refer to the original file in the original location. In this case, it is marked as "external" in the **Pool**.

Convert to Project Settings/Convert to Project Settings and Copy to Project Folder If Needed

Converts the imported file if the sample rate or the bit depth differ from the settings in the **Project Setup** dialog. For single file import, you can choose which properties are converted.

Split Channels

Splits stereo or multi-channel audio files into a corresponding number of mono files, one for each channel, and copies the imported files to the **Audio** folder of the project.

The split files are inserted into the project and into the **Pool** as separate mono tracks.

The **Name Format** pop-up menu allows you to specify the names of the split files. This allows for compatibility with other products when exchanging audio files.

Do not ask again

Always applies the current settings without opening the dialog again. You can reset this option in the **Preferences** dialog (**Editing—Audio** page).

RELATED LINKS

[Pool Window Columns](#) on page 726[Converting Files](#) on page 744

Exporting Regions as Audio Files

If you have created regions within an audio clip, these can be exported as separate audio files. If you have two clips that refer to the same audio file, you can create a separate audio file for each clip.

PROCEDURE

1. In the **Pool** window, select the region that you want to export.
 2. Select **Audio > Bounce Selection**.
 3. Select the folder in which you want the new file to be created and click **OK**.
 4. Optional: If you are using the **Bounce Selection** option to create a separate audio file for a clip that refers to the same audio file as another clip, enter a name for the new audio file.
-

RESULT

A new audio file is created in the specified folder. The file has the name of the region and is automatically added to the **Pool**.

RELATED LINKS

[Creating Audio Events from Regions](#) on page 619

Changing the Pool Record Folder

All audio clips that you record in the project are saved in the **Pool Record** folder. The **Pool Record** folder is indicated by the text **Record** in the **Status** column and by a dot on the folder itself.

By default, this is the main **Audio** folder. However, you can create a new **Audio** subfolder and designate this as your **Pool Record** folder.

NOTE

The folders that you create in the **Pool** are intended for organizing your files in the **Pool** only. All files are recorded to the folder that you specified as the **Pool Record** folder.

PROCEDURE

1. In the **Pool**, select the **Audio** folder or any audio clip.

NOTE

You cannot designate the **Video** folder or any of its subfolders as the **Pool Record** folder.

2. Select **Media > Create Folder**.
 3. Rename the new folder.
 4. Select the new folder and select **Media > Set Pool Record Folder**, or click in the **Status** column of the new folder.
-

RESULT

The new folder becomes the **Pool Record** folder. Any audio recorded in the project is saved in this folder.

Organizing Clips and Folders

If you accumulate a large number of clips in the **Pool**, it can be difficult to find specific items. Organizing clips in new subfolders with names that reflect the content can be a solution. For example, you could put all sound effects in one folder, all lead vocals in another, etc.

PROCEDURE

1. In the **Pool** window, select the folder for which you want to create a subfolder.

NOTE

You cannot put audio clips in a video folder and vice versa.

2. Select **Media > Create Folder**.
 3. Rename the folder.
 4. Drag the clips to the new folder.
-

Applying Processing to Clips in the Pool

You can apply audio processing to clips from within the **Pool** in the same way as to events in the **Project** window.

PROCEDURE

1. In the **Pool** window, select the clips that you want to process.
 2. Select **Audio > Direct Offline Processing**, and select a processing method.
-

RESULT

A waveform symbol indicates that the clips have been processed.

RELATED LINKS

[Direct Offline Processing](#) on page 563

Undoing Processing

You can undo processing that has been applied to clips.

PROCEDURE

1. In the **Pool** window, select the clip from which you want to remove the processing.
 2. Select **Audio > Direct Offline Processing**.
 3. Select the action that you want to remove, and click **Delete**.
-

Minimizing Files

You can minimize the audio files according to the size of the audio clips referenced in the project. The files that are produced using this option only contain the audio file portions that are actually used in the project.

This can significantly reduce the size of the project, if large portions of the audio files are unused. Therefore, the option is useful for archiving purposes after you have completed a project.

IMPORTANT

This operation permanently changes the selected audio files in the **Pool**. It cannot be undone. If you only want to create the minimized audio files as a copy, leaving the original project untouched, you can use the **Back up Project** option.

NOTE

Minimizing files clears the entire **Edit History**.

PROCEDURE

1. In the **Pool** window, select the files that you want to minimize.
2. Select **Media > Minimize File**.
3. Click **Minimize**.
After minimizing, the file references in the stored project become invalid.
4. Do one of the following:
 - To save the updated project, click **Save Now**.
 - To proceed with the unsaved project, click **Later**.

RESULT

Only the audio portions that are actually used in the project remain in the corresponding audio files in the **Pool Record** folder.

RELATED LINKS

[Backing up Projects](#) on page 129

Importing and Exporting Pool Files

You can import or export a **Pool** as a separate file. The file extension is “.npl”.

- To import a **Pool** file, select **Media > Import Pool**.
When you import a **Pool** file, its file references are added to the current **Pool**.

NOTE

Since the audio and video files are referenced but not saved in the **Pool** file, the **Pool** import is only useful if you have access to all referenced files. These files preferably have the same file paths as when the **Pool** was saved.

-
- To export a **Pool** file, select **Media > Export Pool**.

You can also save and open libraries, that is, stand-alone **Pool** files that are not associated with a project.

RELATED LINKS

[Working with Libraries](#) on page 744

Working with Libraries

You can use libraries to save sound effects, loops, video clips, etc., and to transfer media from a library into a project by using drag and drop.

- To create a new library, select **File > New Library**.
Specify a project folder for the new library in which media files are stored. The library appears as a separate **Pool** window.
- To open a library, select **File > Open Library**.
- To save a library, select **File > Save Library**.

Converting Files

In the **Pool**, you can convert files to another format.


PROCEDURE

1. In the **Pool** window, select the files that you want to convert.
 2. Select **Media > Convert Files**.
 3. In the **Convert Options** dialog, make your changes and click **OK**.
-

Convert Options Dialog

In this dialog, you can convert audio files in the **Pool**.

- To open the **Convert Options** dialog, select a clip in the **Pool** window, and select **Media > Convert Files**.



Sample Rate

Allows you to convert to another sample rate.

Bit Depth

Allows you to convert to 16 bit, 24 bit, 32 bit, 32 bit float, or 64 bit float.

Channels

Allows you to convert to mono or stereo interleaved.

File Format

Allows you to convert to Wave, AIFF, FLAC, Wave 64, or Broadcast Wave Format.

Options

You can use the **Options** pop-up menu to set one of the following options:

- **New Files**

Creates a copy of the file in the audio folder and converts this new file according to the chosen attributes. The new file is added to the **Pool**, but all clip references still point to the original, unconverted file.

- **Replace Files**

Converts the original file without changing clip references. However, the references are saved with the next save action.

- **New + Replace in Pool**

Creates a new copy with the chosen attributes, replaces the original file with the new one in the **Pool**, and redirects the current clip references from the original file to the new file. Select this option if you want your audio clips to refer to the converted file but want to keep the original file on disk. This is useful if the file is used in other projects, for example.

Extracting Audio from Video File

You can extract audio from video files. This automatically generates a new audio clip that appears in the **Pool Record** folder.

NOTE

This function is not available for MPEG-1 video files.

PROCEDURE

1. In the **Pool** window, select **Media > Extract Audio from Video File**.
 2. Select the video file from which you want to extract audio, and click **Open**.
-

RESULT

The audio is extracted from the video file. The audio file gets the same file format and sample rate/width as in the current project, and the same name as the video file.

MediaBay and Media Rack

You can manage media files on your computer as well as presets from multiple sources from within the **MediaBay** or the **Media** rack.

The **MediaBay** window offers advanced functions for working with media files and managing database items. To show the media files on your computer in the **MediaBay**, you must scan the folders or volumes that contain the files so that these are added to the database.

The **Media** rack in the right zone of the **Project** window allows you to access some of the most important **MediaBay** functions from within a fixed zone of the **Project** window. For quick access to specific media files, the **Media** rack allows you to add specific folders on your computer as favorites. Media files within the favorite folders that you add to the **Media** rack are automatically scanned and added to the database.

RELATED LINKS

- [MediaBay Window](#) on page 757
- [Scanning Folders](#) on page 761
- [Media Rack in Right Zone](#) on page 746
- [Adding Favorites Using the Favorites Page](#) on page 755
- [Adding Favorites Using the File Browser Page](#) on page 756

Media Rack in Right Zone

The **Media** rack in the right zone of the **Project** window allows you to access the **MediaBay** functions from within a fixed zone of the **Project** window.

- To open the **Media** rack in the right zone, click **Show/Hide Right Zone** on the **Project** window toolbar. At the top of the right zone, click the **Media** tab.

The **Media** rack opens on the **Home** page that features different tiles. These tiles correspond to the available media types.


RELATED LINKS

- [Showing/Hiding Zones](#) on page 52
- [Home Page](#) on page 746
- [Project Window Toolbar](#) on page 54

Home Page

The **Home** page gives you access to the tiles that correspond to the available media types, to the **Favorites**, and to the **File Browser**.

- To open the **Home** page, click the **Home** navigation control on the **Media** rack.



The following tiles are available:

VST Instruments

Shows VST instruments and instrument presets.

VST Effects

Shows VST effects and effect presets.

Loops & Samples

Shows audio loops, MIDI loops, or instrument sounds ordered by content set.

Presets

Shows track presets, strip presets, pattern banks, FX chain presets, and VST FX presets.

User Presets

Shows track presets, strip presets, pattern banks, FX chain presets, VST FX presets, and instrument presets that are listed in the **User Content** folder.

Favorites

Shows your favorite folders and allows you to add new favorites. The folder content is automatically added to the **MediaBay** database.

File Browser

Shows your file system and the pre-defined folders **Favorites**, **This Computer**, **VST Sound**, **Factory Content**, and **User Content**, where you can search for media files and access them immediately.


RELATED LINKS

- [Loading Instrument Presets](#) on page 786
- [Loading Loops and Samples](#) on page 785
- [Loading Track Presets](#) on page 786
- [Loading Effect Plug-In Presets](#) on page 786

[Loading FX Chain Presets](#) on page 787
[Loading Strip Presets](#) on page 787
[Loading Pattern Banks](#) on page 788
[Adding Favorites Using the Favorites Page](#) on page 755
[Adding Favorites Using the File Browser Page](#) on page 756

Favorites Page

The **Favorites** page allows you to add your own favorite folders to the **Media** rack.



1 Add Favorite

Opens a file dialog where you can navigate to the location of a folder and add it as a favorite folder.

2 Favorite folders

The folders that you added as favorites are displayed as tiles on the **Favorites** page.

- To show the content of a folder, click it.
- To delete a folder from the **Favorites** page, click its close button.


RELATED LINKS

[Adding Favorites Using the Favorites Page](#) on page 755

Results Page

The **Results** page shows all media files that are found in the defined favorite folder.

- To open the **Results** page, click the **Show All Results** navigation control on the **Media** rack.



The following options are available:

1 Media Rack navigation controls

Allow you to navigate to specific folders and to filter the **Results** list.

2 Attribute filter

Allows you to view and edit some of the standard file attributes found in your media files.

3 Results list

Shows all media files that are found in the selected folder and allows you to select a media file.

4 Previewer

Allows you to preview the selected media file.

RELATED LINKS

[Previewer Section](#) on page 768

[Media Rack Navigation Controls](#) on page 753

[Setting up the Results List Columns](#) on page 763


[Attribute Inspector](#) on page 780

[Results Section](#) on page 763

File Browser Page

The **File Browser** page shows all media files that are found in the **File Browser**.

- To open the **File Browser** page, go to the **Home** page of the **Media** rack, and click **File Browser**.



The following options are available:

1 Media Rack navigation controls

Allow you to navigate to specific folders and to filter the **Results** list.

2 Add Favorite

Allows you to add the selected folder as a favorite folder.

3 Back/Forward/Up

Up navigates to the parent folder. **Back** navigates to the previously used folder. **Forward** navigates to the most recent folder.

4 File browser

Allows you to browse selected folders.

5 Results list

Shows all supported media files that are found in the selected folder and allows you to select a media file.

6 Previewer

Allows you to preview the selected media file.

RELATED LINKS

[Media Rack Navigation Controls](#) on page 753

[File Browser Section](#) on page 761


[Results Section](#) on page 763

[Previewer Section](#) on page 768

VST Instruments Page

The **VST Instruments** page shows all VST instruments of the selected collection.

- To open the **VST Instruments** page, go to the **Home** page of the **Media** rack, and click **VST Instruments**.



The following options are available:

1 Media Rack navigation controls

Allow you to navigate to specific folders and to filter the **Results** list.

2 Expand All/Collapse All

Expands/Collapses all results.

3 Show/Hide VST Plug-in Pictures

Shows/Hides the pictures of the VST instrument control panels.

4 Plug-in Collections and Options

- **Default** activates the default collection.
- **Sort By Category** sorts the collection by category. This is available for the **Default** collection only.
- **Sort By Vendor** sorts the collection by vendor. This is available for the **Default** collection only.
- **Plug-in Manager** opens the **Plug-in Manager** that allows you to create new plug-in collections. These will be listed in the **Plug-in Collections and Options** menu below the **Default** collection.

5 Plug-in list

Shows the plug-ins of the selected collection.

RELATED LINKS

[VST Plug-in Manager Window](#) on page 954

[Adding Pictures of VST Instruments to the Media Rack](#) on page 756

VST Effects Page

The **VST Effects** page shows the VST effects of the selected collection.

- To open the **VST Effects** page, go to the **Home** page of the **Media** rack, and click **VST Effects**.



The following options are available:

1 Media Rack navigation controls

Allow you to navigate to specific folders and to filter the **Results** list.

2 Expand All/Collapse All

Expands/Collapses all results.

3 Show VST Plug-in Pictures/Hide VST Plug-in Pictures

Shows/Hides the pictures of the VST effect control panels.

4 Plug-in Collections and Options

- Default** activates the default collection.
- Sort By Category** sorts the collection by category. This is available for the **Default** collection only.
- Sort By Vendor** sorts the collection by vendor. This is available for the **Default** collection only.

- **Plug-in Manager** opens the **Plug-in Manager** that allows you to create new plug-in collections. These will be listed in the **Plug-in Collections and Options** menu below the **Default** collection.

5 Plug-in list

Shows the plug-ins of the selected collection.

RELATED LINKS

[VST Plug-in Manager Window](#) on page 954

[Adding Pictures of VST Effects to the Media Rack](#) on page 757

Media Rack Navigation Controls

The navigation controls allow you to navigate to files and folders in the **Media** rack.

The following controls allow you to perform a text search, and to show the results on the current page.



1 Search

Allows you to search media files by name or by attribute.

2 Reset Search

Allows you to reset the search.

3 Show All Results

Shows the **Results** page for a selected tile. If no tile is selected, all media files are shown.

The following controls allow you to navigate from the current page to other pages.



1 Back

Allows you to navigate back to the previous page.

2 Home

Allows you to navigate back to the **Home** page.

3 Breadcrumb path

Shows the path to the current page and allows you to navigate back to the previous page.

The following controls allow you to set up and modify the **Results** page.



1 Select Media Types

Allows you to select the media types that are displayed on the **Results** page.

2 Shuffle Results

Shuffles the **Results** page.

3 Reset Attribute Filter

Lights up if an attribute filter is set. Click this button to reset the attribute filter.

4 Set up Result Columns

Allows you to specify which attribute columns are displayed on the **Results** page.

5 Show/Hide Attribute Filters

Shows/Hides the **Attribute Filters** section.

RELATED LINKS

[Home Page](#) on page 746

[Results Page](#) on page 748

[Media File Attributes](#) on page 778

Working with the Media Rack

The **Media** rack in the right zone of the **Project** window allows you to search for supported media files and included VST instruments, and to add them to your project.

The controls on the different pages of the **Media** rack allow you to browse, filter, select, and preview your media files.

The **Favorites** page and the **File Browser** page allow you to add folders where your media files are located as **Favorites**. This helps you to quickly navigate to these media files.

The tiles and controls on the different pages of the **Media** rack allow you to browse, filter, select, and preview the content.

Once you have located the media file, the instrument, or the preset that you want to use and selected it in the **Results** list, you can insert it into your project by using drag and drop, by using the context menu options, or by double-clicking.

RELATED LINKS

[Media Rack in Right Zone](#) on page 746

[Results Page](#) on page 748

Adding VST Instruments to Projects

You can use the **Media** rack to add VST instruments to your project.

PROCEDURE

1. In the **Media** rack, click the **VST Instruments** tile.
2. Drag an instrument on the track list or on the event display.

NOTE

To exchange the VST instrument of an instrument track, drag the instrument from the **Media** rack, and drop it on the top section of the instrument track **Inspector**. Note that you must manually update the track name if needed.

RELATED LINKS

[Loading Instrument Presets](#) on page 786

Adding VST Effects to Projects

You can use the **Media** rack to add VST effects to your project.

PROCEDURE

1. In the **Media** rack, click the **VST Effects** tile.
 2. Do one of the following:
 - To create an effect channel track, drag an effect on the track list.
 - To add the effect to an audio-related track, drag the effect from the **Media** rack, and drop it in the **Inserts** or **Sends** section of the track **Inspector**.
 - To add the effect to an audio-related channel, drag the effect from the **Media** rack, and drop it in the **Inserts** or **Sends** section of the **MixConsole** in the lower zone of the **Project** window or the **Channel Settings** window.
-

RELATED LINKS

[Loading Effect Plug-In Presets](#) on page 786

Applying Track Presets

You can use the **Media** rack to add track presets to your project.

PROCEDURE

1. In the **Media** rack, click the **Presets** tile.
2. Click **Track Presets**.
3. Click **Audio**, **VST Instruments**, **MIDI**, **Multi**, or **Sampler**, depending on the track type.
4. Do one of the following:
 - Drag a track preset on the **Inspector** or into the track list for the corresponding track type.
 - Drag a track preset below the track list to add a new track with the track preset loaded.

NOTE

To exchange the track preset of a track, drag the preset from the **Media** rack, and drop it on the track in the track list. Note that you must manually update the track name if needed.

RESULT

The track preset is applied.

Adding Favorites Using the Favorites Page

You can add favorite folders to the **Favorites** page. This allows you to directly access media files in specific folders.

PROCEDURE

1. In the **Media** rack, click the **Favorites** tile.
2. At the top left of the page, click **Add Favorite**.
3. Select the folder that you want to add as a **Favorite**.

4. Click **OK**.

RESULT

- The favorite folder is added to the database.
- On the **Favorites** page, a new tile with the specified name is added.
- In the **File Browser**, a new folder with the specified name is added to the **Favorites** folder.

RELATED LINKS

[Favorites Page](#) on page 748

Adding Favorites Using the File Browser Page

You can add favorite folders using the **File Browser** page. This allows you to directly access media files in specific folders.

PROCEDURE

1. In the **Media** rack, click the **File Browser** tile.
 2. In the **File Browser**, navigate to the folder that you want to add as a favorite, and select it.
 3. Do one of the following:
 - At the top left of the page, click **Add Favorite**.
 - Right-click the folder, and, from the context menu, select **Add Favorite**.
 4. In the **Add Favorite** dialog that opens, enter a name for the folder.
 5. Click **OK**.
-

RESULT

- The favorite folder is added to the database.
- In the **File Browser**, a new folder with the specified name is added to the **Favorites** folder.
- On the **Favorites** page, a new tile with the specified name is added.

RELATED LINKS

[File Browser Page](#) on page 749

Adding Pictures of VST Instruments to the Media Rack

Pictures of VST instruments from other vendors are not loaded by default. However, you can manually add them to the **Media** rack.

PREREQUISITE

You have added a VST instrument of another vendor as a rack or a track instrument.

PROCEDURE

1. Open the control panel of the VST instrument.
 2. On the control panel, click **Add VST Plug-in Picture to Media Rack**.
-

RESULT

The picture of the VST instrument is shown in the **Media** rack.

RELATED LINKS

[Adding VST Instruments](#) on page 935

[VST Instrument Control Panel](#) on page 936

Adding Pictures of VST Effects to the Media Rack

Pictures of VST effects from other vendors are not loaded by default. However, you can manually add them to the **Media** rack.

PREREQUISITE

You have added a VST effect from another vendor.

PROCEDURE

1. Open the control panel of the VST effect.
2. On the control panel, click **Add VST Plug-in Picture to Media Rack**.

RESULT

The picture of the VST effect is shown in the **Media** rack.

RELATED LINKS

[Adding Insert Effects](#) on page 532

[Effect Control Panel](#) on page 551

MediaBay Window

To open the **MediaBay** in a separate window, do one of the following:

- Select **Media > MediaBay**.
- Press **F5**.



The **MediaBay** is divided into the following sections:

1 File Browser

Allows you to scan specific folders in your file system, and to add favorites.

2 Toolbar

Contains tools and shortcuts for settings and functions in the **MediaBay**, and allows you to switch between the previously defined favorite locations. Favorites in the **MediaBay** window are not automatically scanned.

3 Filters

Allows you to filter the **Results** list by applying a logical or an attribute filter.

4 Results

Displays all supported media files. You can filter the list and perform text searches.

5 Previewer

Allows you to preview the files shown in the **Results** list.

6 Attribute Inspector

Allows you to view, edit, and add media file attributes or tags.

RELATED LINKS

[File Browser Section](#) on page 761

[MediaBay Toolbar](#) on page 758

[Adding Favorites](#) on page 762

[Scanning Folders](#) on page 761

[Filters Section](#) on page 776

[Results Section](#) on page 763

[Previewer Section](#) on page 768

[Attribute Inspector](#) on page 780

[Setting up the MediaBay](#) on page 760

MediaBay Toolbar

The toolbar contains tools and shortcuts for settings and functions in the **MediaBay**.

Navigation

Back



Navigates to the previously used folder.

Forward



Navigates to the most recent folder.

Up



Navigates to the parent folder.

Favorites

Add Favorite



Allows you to add the selected folder as a favorite folder.

Select Defined Favorite



Allows you to select a **Favorite** to quickly browse to the files you are looking for.

Include Folders and Subfolders



Activate this to show the content of folders and subfolders.

Left Divider

Left Divider

Tools that are placed to the left of the divider are always shown.

Text Search


Search



Allows you to search media files by name or by attribute.

Media Types Filter

Select Media Types



Allows you to select the media types that are displayed on the **Results** page.

Rating Filter

Rating Filter



Filters files according to their rating.

Reset Result Filters

Reset Filters



Allows you to reset the filters.

Results

Results



Shows the results.

Update Results



Updates the results.

Shuffle Results



Shuffles the **Results** page.

Set up Result Columns



Allows you to set up the result columns.

Attribute Counter

Attribute Counter



Shows the number of attributes that are being updated.

Right Divider

Right Divider

Tools that are placed to the right of the divider are always shown.

MediaBay Settings

MediaBay Settings



Opens the **MediaBay** settings.

Window Zone Controls

Show/Hide Left Zone



Shows/Hides the left zone of the window.

Show/Hide Lower Zone



Shows/Hides the lower zone of the window.

Show/Hide Right Zone



Shows/Hides the right zone of the window.

Set up Window Layout



Allows you to set up the window layout.

Setting up the MediaBay

You can show and hide the different sections of the **MediaBay**. This saves screen space and allows you to display only the information that you need.


PROCEDURE

1. Click **Set up Window Layout**.
 2. Activate/Deactivate the checkboxes for the sections that you want to show/hide.
 3. Click outside the pane to exit the setup mode.
-

File Browser Section

The **File Browser** section shows your file system with the pre-defined folders **Favorites**, **This Computer**, **VST Sound**, **Factory Content**, and **User Content**.

- To open the **File Browser** section in the **MediaBay**, click **Set up Window Layout**, and activate **File Browser**.



To show the supported media files in the **Results** section of the **MediaBay**, you must scan all folders that you want to include in the search.

You can also add favorite folders. All media files contained in a **Favorite** are automatically scanned.

RELATED LINKS


- [Scanning Folders](#) on page 761
[Adding Favorites](#) on page 762

Scanning Folders

To include specific folders in the **MediaBay** search, you must scan them.

PROCEDURE

1. In the **File Browser** section of the **MediaBay**, navigate to the folder that you want to include in the scan.
2. Activate the checkbox for the folder to activate the scan.



RESULT

All files that are found in the scanned folder are shown in the **Results** list. The scan result is saved in a database file.

The state of the checkbox helps you to identify which folders and subfolders are scanned:

- A square indicates that at least one subfolder is excluded from the scan.
- A checkmark indicates that all subfolders are included in the scan.
- An empty checkbox indicates that all folders and subfolders are excluded from the scan.

The color of the folder indicates its availability:

- Red indicates that a folder is currently being scanned.
- White indicates that all subfolders have been scanned.

NOTE

Please wait until the **MediaBay** completes the scan before you resume your work.

Adding Favorites

You can add favorite folders using the **File Browser** section.

PROCEDURE

1. In the **File Browser** section, navigate to the folder that you want to add as a favorite, and select it.
 2. Right-click the folder or the volume, and, from the context menu, select **Add Favorite**.
 3. In the **Add Favorite** dialog that opens, enter a name for the folder.
 4. Click **OK**.
-

RESULT

- In the **File Browser** section, a new folder with the specified name is added to the **Favorites** folder.
- In the **Favorites** section, the added favorite is available in the **Select Defined Favorite** pop-up menu.
- In the **Media** rack in the right zone of the **Project** window, a new tile with the specified name is added to the **Favorites** page.

NOTE

Favorites in the **MediaBay** window are not automatically scanned.

AFTER COMPLETING THIS TASK

To remove a **Favorite**, select it in the **Favorites** tree of the **File Browser** section, open the context menu, and select **Remove Favorite**.

RELATED LINKS

[Scanning Folders](#) on page 761

Refresh Views

If you change previously scanned folders by adding or removing files with Cubase closed, you must rescan the corresponding media folders. This also applies if you modified attributes of your user content while using another program.

If you have applied changes to your content and want the changes to be displayed in the **MediaBay**, you must refresh the views of the corresponding media folders.

- To refresh a folder, in the **File Browser** section of the **MediaBay**, right-click the folder, and select **Refresh Views**.
- To display a new drive, in the **File Browser** section of the **MediaBay**, right-click the parent node, and select **Refresh Views**. You can then scan the drive for media files.

- To update the scan state of the folders after modifying the volume database with another program, right-click the volume database, and select **Refresh Views**.

Results Section

The **Results** list shows all the media files that are found in the selected folder of the **File Browser**.

- To show media files in the **Results** section, you must select a scanned folder in the **File Browser** section of the **MediaBay**.

| Results | | | | |
|----------------------------|--------|------------------------|--|---------------------|
| Name | Rating | Sub Category | Sub Style | Character |
| 01 175 drums02 | ★★★ | (Drum&Perc) Beats | (Electronica/Dance) Drum'n'Bass/Jungle | |
| 01 90bpm dry | ★★★ | (Drum&Perc) Beats | (Pop) Pop/Rock | |
| 01 95bpm | ★★★ | (Drum&Perc) Beats | (Pop) Pop/Rock | |
| 01 clap hit | ★★★ | (Drum&Perc) Percussion | | Electric+Percussive |
| 01 cymbals hit | ★★★ | (Drum&Perc) Cymbals | | Electric+Percussive |
| 01 Fast Rock 170 | ★★★ | (Drum&Perc) Beats | (Rock/Metal) Hard Rock | |
| 01 guiro hit | ★★★ | (Drum&Perc) Percussion | | Electric+Percussive |
| 01 Hard 90 | ★★★ | (Drum&Perc) Beats | (Rock/Metal) Hard Rock | |
| 01 kick hit | ★★★ | (Drum&Perc) Kick Drum | | Electric+Percussive |
| 01 Rock Grooves 140 | ★★★ | (Drum&Perc) Beats | (Rock/Metal) Hard Rock | |
| 01 Slow Rock 70 | ★★★ | (Drum&Perc) Beats | (Rock/Metal) Hard Rock | |
| 01 snare hit | ★★★ | (Drum&Perc) Snare Drum | | Electric+Percussive |
| 010 Construction Kit 03 SK | ★★★ | (Drum&Perc) Kick Drum | | Percussive |
| 011 Construction Kit 03 SK | ★★★ | (Drum&Perc) Snare Drum | | Percussive |
| 012 Construction Kit 03 SK | ★★★ | (Drum&Perc) Snare Drum | | Percussive |
| 013 Construction Kit 04 SK | ★★★ | (Drum&Perc) Kick Drum | | Percussive |
| 014 Construction Kit 04 SK | ★★★ | (Drum&Perc) Snare Drum | | Percussive |
| 015 Construction Kit 05 SK | ★★★ | (Drum&Perc) HiHats | | Percussive |
| 016 Construction Kit 05 SK | ★★★ | (Drum&Perc) Kick Drum | | Percussive |
| 017 Construction Kit 05 SK | ★★★ | (Drum&Perc) Snare Drum | | Percussive |

NOTE


You can set the maximum number of files to be displayed in the **Results** list in the **MediaBay Settings**.

Setting up the Results List Columns

For each media type, or for combinations of media types, you can specify the attribute columns to be displayed in the **Results** list.

PROCEDURE

1. In the **Results** section, select the media types for which you want to make settings.
2. On the **MediaBay** toolbar, click **Set up Result Columns**, and do one of the following:
 - To show specific columns, activate or deactivate the respective options on the submenus.
 - To remove all columns except **Name**, select **Select None**.
 - To show the default columns, select **Use Defaults**.
 - To show all columns with set attributes, select **All Available**.



NOTE

If **Allow Editing in Results List** is activated in the **MediaBay Settings**, you can also edit attributes in the **Results** list. Otherwise, this is only possible via the **Attribute Inspector**.

RELATED LINKS

[Setting up the MediaBay](#) on page 760

[Attribute Inspector](#) on page 780

Managing Media Files in the Results List

- To move or to copy a file from the **Results** list to another location, drag it to another folder in the **File Browser** section.
- To change the order of the columns in the **Results** list, click a column header, and drag that header to another position.
- To delete a file, right-click it in the list and select **Delete**. The file is permanently deleted from your computer.

IMPORTANT

If you delete a file using the File Explorer/macOS Finder, it is still displayed in the **Results** list, although it is no longer available to the program. To remedy this, rescan the corresponding folder.

Shuffling the Results List

You can display the **Results** list entries in a random order.

- To shuffle the **Results** list, click **Shuffle Results** in the **MediaBay** toolbar.

Finding the Location of a File

You can display the location of a file on your system in the File Explorer/macOS Finder.

NOTE

This function is not available for files which are part of a VST Sound archive.

PROCEDURE

- In the **Results** list, right-click a file, and select **Show in Explorer/Reveal in Finder**.

RESULT


The File Explorer/macOS Finder opens, and the corresponding file is highlighted.

Filtering According to Media Type

You can set up the **Results** list to display only a particular media type or a combination of media types.

PROCEDURE

1. In the **MediaBay** toolbar, open the **Show Media Types** selector.




2. Activate the media types that you want to be displayed in the **Results** list.
-

RESULT

The files are filtered by the selected media type.

Show Media Types Selector

You can activate the media types that you want to be displayed in the **Results** list.



The following media types are available:

Audio Files

Shows all audio files. The supported formats are .wav, .w64, .aiff, .aifc, .rex, .rx2, .mp3, .mp2, .ogg, .wma (Windows only).

MIDI Files

Shows all MIDI files (file name extension .mid).

MIDI Loops

Shows all MIDI loops (file name extension .midiloop).

Pattern Banks

Shows all pattern banks (file name extension .patternbank). Pattern banks are generated via the MIDI plug-in **Beat Designer**. For more information, see the separate document **Plug-in Reference**.

Track Presets

Shows all track presets for audio, MIDI, and instrument tracks (file name extension .trackpreset). Track presets are a combination of track settings, effects, and **MixConsole** settings that can be applied to new tracks of various types.

Plug-in Presets

Shows all VST presets for instrument and effect plug-ins. Furthermore, EQ presets that you save in the **MixConsole** are listed. These presets contain all parameter settings for a particular plug-in. They can be used to apply sounds to instrument tracks and effects to audio tracks.

Strip Presets

Shows all strip presets (file name extension .strippreset). These presets contain channel strip effect chains.

FX Chain Presets

Shows all effect chain presets (file name extension .fxchainpreset). These presets contain insert effect chains.

Video Files

Shows all video files.

Projects

Shows all project files (from Cubase, Nuendo): .cpr, .npr.

RELATED LINKS

[Pattern Banks Previewer](#) on page 775

[Track Presets](#) on page 226

[Saving/Loading Strip Presets](#) on page 477

[Saving/Loading EQ Presets](#) on page 470

[Saving/Loading FX Chain Presets](#) on page 467

[Video File Compatibility](#) on page 1453

Filtering According to Rating

With the **Rating Filter**, you can filter files according to their rating.

NOTE

The **Rating Filter** is not available in the **Media** rack in the right zone.

PROCEDURE

- In the **Rating Filter** section of the **MediaBay** toolbar, select a value from the **Rating Filter** pop-up menu.
-

Performing a Text Search

You can perform a text search of the **Results** list. If you enter text in the text search field on the **MediaBay** toolbar, only media files whose attributes match the entered text are displayed.

NOTE

The **Search MediaBay** field has the same function as the **matches** operator of the logical filter. However, the search is applied to all file attributes.

- Click the field, and enter the text that you want to find.

For example, if you are looking for all audio loops relating to drum sounds, enter "drum" in the search field. The search results will contain loops called "Drums 01", "Drumloop", "Snare Drum", etc. In addition, all media files with the **Drum&Percussion** category attribute or any other attribute that contains "drum" are found. You can also add apostrophes to find exact matches for the entered words, and you can use boolean operators.

A screenshot of the MediaBay window. The search bar at the top contains the text "Blues". Below the search bar is a toolbar with various filters: "All Media Types" (selected), "All Ratings", and several other dropdowns and buttons. The main area is titled "Results" and shows a table with columns: Name, Rating, Sub Category, and Sub Style. The results listed are:

| Name | Rating | Sub Category | Sub Style |
|------------------|--------|------------------------|--|
| 01 175 drums02 | ★★★ | (Drum&Perc) Beats | (Electronica/Dance) Drum'n'Bass/Jungle |
| 01 90bpm dry | ★★★ | (Drum&Perc) Beats | (Pop) Pop/Rock |
| 01 95bpm | ★★★ | (Drum&Perc) Beats | (Pop) Pop/Rock |
| 01 clap hit | ★★★ | (Drum&Perc) Percussion | |
| 01 cymbals hit | ★★★ | (Drum&Perc) Cymbals | |
| 01 Fast Rock 170 | ★★★ | (Drum&Perc) Beats | (Rock/Metal) Hard Rock |

- To reset the text search, delete the text, or click **Reset Filters**.

RELATED LINKS

[Logical Filter](#) on page 776

Boolean Text Search

You can perform advanced searches, using boolean operators or wildcards.

You can use the following elements:

And [+]

[a and b]

When entering strings separated by "and" (or a plus sign), all files that contain both a and b are found.

[And] is the default setting when no boolean operator is used, for example, you can also enter [a b].

Or [,]

[a or b]

When entering strings separated by "or" (or a comma), files that contain either a or b, or both are found.

Not [-]

[not b]

When entering text preceded by "not" (or a minus sign), all files not containing b are found.

Parentheses [()]

[(a or b) + c]

Using parentheses, you can group text strings. In this example, files that contain c and either a or b are found.

Quotation marks ["]

[“your search text”]

With quotation marks, you can define sequences of several words. Files are found if they contain the sequence of words that you entered.

IMPORTANT

When you are searching for files whose names contain a hyphen, put the search text in quotation marks. Otherwise, the program treats the hyphen as the boolean operator “not”.

NOTE

These operators can also be used for logical filtering.

RELATED LINKS

[Applying a Logical Filter](#) on page 777

Resetting the Results List

You can reset all filter settings and filter results.

- In the **MediaBay** toolbar, click **Reset Filter**.

Previewer Section

You can preview individual files in the **Previewer** section to decide which one to use in your project.

The elements that are visible in this section and their functions depend on the media type.

IMPORTANT

The **Previewer** section is not available for video files, project files, and audio track presets.

If you preview a file from the content set, the corresponding picture is displayed on the left side of the **Previewer** section. You can show/hide the picture by activating/deactivating **Show Picture** in the context menu.



NOTE

In the **Media** rack, the picture is only displayed if enough space is available.

RELATED LINKS

[MediaBay Settings](#) on page 790

[Results Page](#) on page 748

Audio Files Previewer

The **Previewer** for audio files allows you to listen to audio files before adding them to your project.



NOTE

- If you preview a file from the content set, the corresponding picture is displayed on the left side of the **Previewer** section. You can show/hide the picture by activating/deactivating **Show Picture** in the context menu.
- In the **Media** rack, the picture is only displayed if enough space is available.

1 Transport controls

Start, stop, pause, and cycle the preview.

2 Preview Level fader

Specifies the preview level.

3 Auto Play New Results Selection

Automatically plays back the selected file.

4 Wait for Project Play

Synchronizes the play and stop functions from the **Transport** panel with the play and stop buttons in the **Previewer** section.

To use this option to its full extent, set the left locator to the beginning of a bar, then start playing back the project using the **Transport** panel. The loops that you now select from the **Results** list start in perfect sync with the project.

5 Link to Transpose Track

Plays back the selected file in sync with the transpose track. Activating this also activates **Link to Project Tempo**.

1 Transpose by Semitones

Allows you to enter a transposition value for the playback of the selected file.

2 Transpose to Root Key

Allows you to enter a root key for the playback of the selected file.

3 Link to Project Tempo

Plays back the selected file in sync with the project, starting at the project cursor position.

NOTE

- This can apply real-time time stretching to your audio file.
- If you import an audio file into your project for which **Link to Project Tempo** is activated in the **Previewer**, **Musical Mode** is automatically activated for the corresponding event.

4 Half Speed Playback

- Plays back the selected file at half the speed.
- 5 **Double Speed Playback**
 - Plays back the selected file at twice the speed.
- 6 **Tapemachine Style**
 - Activates the **Speed** fader that allows you to adjust the tempo, emulating a standard tapemachine behavior.

NOTE

Time stretching is not available for samples that are tagged **One Shot**.

RELATED LINKS

[Musical Mode](#) on page 635

Using Selection Ranges

You can specify selection ranges to preview a particular section of an audio file and to insert it into the project.

NOTE

Selection ranges cannot be used when the **Link to Project Tempo** option is activated in the **Previewer**.

- To select a range, hover the mouse over the upper part of the waveform, so that it turns into a pencil. Click and drag.



- To adjust the borders of the selection range, drag the handles.




- To deselect the range, drag both handles all the way to the left.

MIDI Files Previewer

The **Previewer** for MIDI files allows you to listen to MIDI files before adding them to your project.

- To preview a MIDI file, load a VST instrument, and select it as an output device from the **Select MIDI Output** pop-up menu.



NOTE

- If you preview a file from the content set, the corresponding picture is displayed on the left side of the **Previewer** section. You can show/hide the picture by activating/deactivating **Show Picture** in the context menu.
- In the **Media** rack, the picture is only displayed if enough space is available.

1 Transport controls

Starts and stops the preview.

2 Preview Level fader

Specifies the preview level.

3 Auto Play New Results Selection

Automatically plays back the selected file.

4 Wait for Project Play

Synchronizes the play and stop functions from the **Transport** panel with the play and stop buttons in the **Previewer** section.

To use this option to its full extent, set the left locator to the beginning of a bar, then start playing back the project using the **Transport** panel. The loops that you now select from the **Results** list start in perfect sync with the project.

5 Output

Allows you to select the output device.

6 Link to Project Tempo

Plays back the selected file in sync with the project, starting at the project cursor position.

NOTE

- Note that this can apply real-time time stretching to your audio file.
- If you import an audio file into your project for which **Link to Project Tempo** is activated in the **Previewer**, **Musical Mode** is automatically activated for the corresponding event.

RELATED LINKS


[VST Instruments](#) on page 935

MIDI Loops Previewer

The **Previewer** for MIDI loops allows you to listen to MIDI loops before applying them to your project.

NOTE

MIDI loops are always played back in sync with the project.



NOTE

- If you preview a file from the content set, the corresponding picture is displayed on the left side of the **Previewer** section. You can show/hide the picture by activating/deactivating **Show Picture** in the context menu.
 - In the **Media** rack, the picture is only displayed if enough space is available.
-

1 Transport controls

Starts and stops the preview.

2 Preview Level fader

Specifies the preview level.

3 Auto Play New Results Selection

Automatically plays back the selected file.

4 Wait for Project Play

Synchronizes the play and stop functions from the **Transport** panel with the play and stop buttons in the **Previewer** section.

To use this option to its full extent, set the left locator to the beginning of a bar, then start playing back the project using the **Transport** panel. The loops that you now select from the **Results** list start in perfect sync with the project.

5 Link to Project Tempo

Plays back the selected file in sync with the project, starting at the project cursor position.

NOTE

- Note that this can apply real-time time stretching to your audio file.
 - If you import an audio file into your project for which **Link to Project Tempo** is activated in the **Previewer**, **Musical Mode** is automatically activated for the corresponding event.
-

6 Link Playback to Chord Track

Transposes the events of the MIDI loop to play back in context with the chord track.

NOTE

You need a chord track with chord events for this.

If this option is activated and you insert a MIDI loop into the project, **Follow Chord Track** is automatically activated for the track.


RELATED LINKS

[Using Follow Chord Track](#) on page 1267

VST Presets and Track Presets Previewer for MIDI and Instrument Tracks

The **Previewer** for VST presets and track presets allows you to listen to presets before adding them to your project.

- To preview track presets for MIDI or instrument tracks and VST presets, you must send some MIDI notes to the track preset via MIDI input, using a MIDI file, the **Memo Recorder** mode, or the computer keyboard.



1 Transport controls

Starts and stops the preview.

2 Preview Level fader

Specifies the preview level.

3 Auto Play New Results Selection

Automatically plays back the selected file.

4 Wait for Project Play

Synchronizes the play and stop functions from the **Transport** panel with the play and stop buttons in the **Previewer** section.

To use this option to its full extent, set the left locator to the beginning of a bar, then start playing back the project using the **Transport** panel. The loops that you now select from the **Results** list start in perfect sync with the project.

5 Keyboard display

You can display the **Keyboard** in keyboard display mode or in piano display mode.

6 Previewer Sequence Mode

Allows you to load a MIDI file to apply the selected preset to the MIDI file. You can also select the **Memo Recorder** mode, which continually repeats a given sequence of notes as a loop.

7 MIDI Activity

Allows you to monitor incoming MIDI messages.

8 Computer Keyboard Input

Allows you to use your computer keyboard to preview the presets.

RELATED LINKS

[Previewing Presets Using the Memo Recorder Mode](#) on page 774

[On-Screen Keyboard](#) on page 320

Previewing Presets Via MIDI Input

MIDI input is always active. For example, when a MIDI keyboard is connected to your computer and set up properly, you can start playing the notes to preview the selected preset.

Previewing Presets Using a MIDI File

PROCEDURE

- From the **Previewer Sequence Mode** pop-up menu, select **Load MIDI File**.
 - In the file dialog that opens, select a MIDI file and click **Open**.
The name of the MIDI file is displayed on the pop-up menu.
 - Click **Play** to the left of the pop-up menu.
-

RESULT

The notes received from the MIDI file are played back, with the settings of the track preset applied.

NOTE

The recently used MIDI files are still displayed on the menu for quick access. To remove an entry from this list, select it from the menu and select **Remove MIDI File**.

Previewing Presets Using the Memo Recorder Mode

The **Memo Recorder** mode continually repeats a given sequence of notes as a loop.

NOTE

You cannot use the **Memo Recorder** mode when using a MIDI file to preview presets.

PROCEDURE

1. From the **Previewer Sequence Mode** pop-up menu, select **Memo Recorder**.
 2. Activate **Play**.
 3. Play some notes on the MIDI keyboard or on the computer keyboard.
-

RESULT

The notes are played back with the instrument preset you selected in the **Results** section.

When you pause for 2 seconds, the note sequence that you played until this moment is played back in a continuous loop.

To use another sequence, start entering notes again.

Previewing Presets Via the Computer Keyboard

NOTE


If you activate **Computer Keyboard Input**, the computer keyboard is used exclusively for the **Previewer** section. However, you can still use the following key commands: **Ctrl/Cmd-S** (Save), **Num *** (Start/Stop Record), **Space** (Start/Stop Playback), **Num 1** (Jump to left locator), **Delete** or **Backspace**, **Num /** (Cycle on/off), and **F2** (Show/Hide Transport panel).

PROCEDURE

1. Activate **Computer-Keyboard Input**.
 2. Play some notes on the computer keyboard.
-

Pattern Banks Previewer

The **Previewer** for pattern banks allows you to listen to pattern banks before adding them to your project.



1 Transport controls

Starts and stops the preview.

2 Preview Level fader

Specifies the preview level.

3 Auto Play New Results Selection

Automatically plays back the selected file.

4 Wait for Project Play

Synchronizes the play and stop functions from the **Transport** panel with the play and stop buttons in the **Previewer** section.

To use this option to its full extent, set the left locator to the beginning of a bar, then start playing back the project using the **Transport** panel. The loops that you now select from the **Results** list start in perfect sync with the project.

5 Keyboard display

The keyboard allows you to preview the selected pattern bank. In the **Previewer** section, choose a subbank, that is, the number at the top, and a pattern, that is, a key, and click **Play**.

One pattern bank contains 4 subbanks, which in turn contain 12 patterns each.

Subbanks can contain empty patterns. Selecting an empty pattern in the **Previewer** section has no effect. Patterns containing data are indicated by a circle in the upper part of the key in the display.

6 Link to Project Tempo

Plays back the selected file in sync with the project, starting at the project cursor position.

NOTE

- This can apply real-time time stretching to your audio file.
- If you import an audio file into your project for which **Link to Project Tempo** is activated in the **Previewer**, **Musical Mode** is automatically activated for the corresponding event.

7 Link Playback to Chord Track

Transposes the events of the pattern bank to play back in context with the chord track.

NOTE

- You need a chord track with chord events for this.
- You can create drum patterns with the MIDI plug-in **Beat Designer**. You can find detailed information on the **Beat Designer** and its functions in the separate document **Plug-in Reference** in the **MIDI Effects** chapter.

Filters Section


The **MediaBay** allows you to refine your file searches. You have two possibilities: **Logical** or **Attribute** filtering.

Logical Filter

The logical filter allows you to set up complex search conditions that must be met to find files.

NOTE

The **Logical Filter** is not available in the **Media** rack in the right zone.



contains

The search result must contain the text or the number specified in the text field to the right.

matches words

The search result must match the words specified in the text field to the right.

omits

The search result must not contain the text or the number specified in the text field to the right.

equals

The search result must correspond exactly to the text or the number specified in the text field to the right, including any file extension. Text searches are not case-sensitive.

>=

The search result must be higher than or equal to the number specified in the field to the right.

<=

The search result must be lower than or equal to the number specified in the field to the right.

is empty

Use this option to find files for which certain attributes have not been specified yet.

matches

The search result must include the text or number entered in the text field to the right. You can also use boolean operators. Add apostrophes to find exact matches for the entered words, for example, 'drum' AND 'funky'. This option allows for a very advanced text search.

in range

If this option is selected, you can specify a lower and an upper limit for the search result in the fields to the right.

Applying a Logical Filter


To quickly find certain audio files, you can search for a specific file attribute value, for example.

PREREQUISITE

The folder in which you want to search for files is selected.

PROCEDURE

1. In the **Filters** section, activate **Logical**.
2. Click **Search in these Attributes** to open the **Select Filter Attributes** dialog.
3. Select the attributes that you want to use.
If you select more than one attribute, the search results match either one or the other attribute.
4. Click **OK**.
5. On the condition pop-up menu, select one of the search operators.



6. Enter the text or the number that you want to find into the field on the right.

NOTE

If you enter 2 or more strings or filter lines, the files that are found match all strings or filter lines.

- To add more than one string to the text field, enter a **Space** between them.
- To add another filter line, click **+** to the right of the text field. You can add up to seven filter lines in which you can define further search conditions.
- To remove a filter line, click **-**.
- To reset all search fields to their default settings, click **Reset Filter** at the top of the **Filters** section.

RESULT

The **Results** list is automatically updated, showing only the files that correspond to your search conditions.

Advanced Text Search

You can perform advanced text searches using boolean operators.

PREREQUISITE

The folder in which you want to search for files is selected.

PROCEDURE

1. In the **Filters** section, activate **Logical**.
 2. Select an attribute from the **Search in these Attributes** pop-up menu or leave the **Any Attribute** setting on.
 3. Set the condition to **matches**.
 4. Specify the text that you want to search for in the field to the right using boolean operators.
-

RELATED LINKS

[Performing a Text Search](#) on page 767

Media File Attributes

Media file attributes are sets of metadata that provide additional information on the file.

The different types of media files have different attributes. For example, .wav audio files have attributes such as name, length, size, sample rate, content set, etc., while .mp3 files have additional attributes, such as artist or genre.


RELATED LINKS

[Attribute Inspector](#) on page 780

Attribute Filter

Assigning attribute values facilitates organizing your media files. The **Attribute** filter allows you to view and edit some of the standard file attributes in your media files.

If you click **Attribute**, the **Filters** section displays all the values that have been specified for the displayed attribute categories. Selecting one of these values filters the results to display only the files to which this attribute value is assigned.



| Filters | | | | | |
|----------------|--------------|-------------------|------------------|-----------|-----|
| Category | Sub Category | Style | Sub Style | Character | Key |
| Accordion | Beats | Alternative/Indie | 80's Pop | Acoustic | |
| Bass | Clap | Ambient/ChillOut | Alternative Rock | Analog | |
| Brass | Cymbals | Country | Big Beats | Attack | |
| Chromatic Perc | Drumset | Electronica/Dance | Chart Dance | Bright | |
| Drum&Perc | Drumset GM | Experimental | Classic House | Clean | |
| Ethnic | HiHats | Jazz | Classic Rock | Clear | |
| Guitar/Plucked | Kick Drum | None | College Rock | Cold | |
| Keyboard | Other | Pop | Detroit Techno | Dark | |
| Musical FX | Percussion | Rock/Metal | Disco | Decay | |

1 Attribute column titles

Allow you to select different attribute categories. If the columns are wide enough, the number of files that match these criteria is displayed to the right of the value.

2 Attribute values

Displays the attribute values and indicates how often a certain attribute value has been assigned to your media files.

NOTE

- Some attributes are linked to each other. For example, there are certain sub-category values available for each category value. Changing the value in one of these attribute columns results in different values in the other column.

- Each attribute column displays only the attribute values that are found.

RELATED LINKS

[Attribute Inspector](#) on page 780

Applying an Attribute Filter

With the **Attribute** filter, you can quickly find tagged media files with certain attributes.

- To apply an **Attribute** filter, select an attribute value.
The **Results** list is filtered accordingly. Apply further attribute filters to narrow down the result.
- To find files that match either one or the other attribute, **Ctrl/Cmd**-click different attribute values in the same column.
- To change the displayed attribute values of a column, click the attribute column title, and select another attribute.


NOTE

Character attributes always form an AND condition.

Performing a Context Menu Search

You can search for files that have the same attribute as the selected file. This allows you to find all the files that have a value in common, for example, if you want to view all the files that were created on the same day.

- In the **Results** list or the **Attribute Inspector**, right-click a file, and select the attribute value from the **Search for** submenu.




The **Filters** section automatically switches to **Logical** filtering, and the corresponding filter condition line is displayed.

- To reset the filter, click **Go Back**.

Resetting the Filter

PROCEDURE

- To reset the filter, click **Reset Filter** at the top of the **Filters** section.



This also resets the **Results** list.

Attribute Inspector


When you have selected one or more files in the **Results** list, the **Attribute Inspector** shows a list of attributes and their values.

NOTE

The **Attribute Inspector** is not available in the **Media** rack in the right zone.

In the **Attribute Inspector**, you can also edit and add new attribute values.

The available attributes are divided into several groups (Media, Musical, Preset, etc.), to keep the list manageable and to facilitate finding items.



Dynamic

Displays all available values for the selected files.

Defined


Displays a configured set of attributes for the selected media type, regardless of whether corresponding values are available for the selected files or not.

Configure Defined Attributes

Activates the configuration mode, in which you can set up the attributes that are displayed by the **Attribute Inspector**.

Configuration Mode

When you click **Configure Defined Attributes**, the configuration mode is enabled.



Select Media Types

Allows you to select the media types that are displayed on the **Results** page.

Add User Attribute

Opens the **Add User Attribute** dialog, where you can add custom user attributes. You can select the **Attribute Type** and the **Display Name**.

Reset to Default

Resets the attribute list to the default settings.

Attribute

Shows the attribute name.

Select

Shows whether an attribute is activated or deactivated.

Type

Shows whether the value for an attribute is a number, text, or a Yes/No switch.

Precision

Shows the number of decimals displayed for number attributes.

RELATED LINKS

[Media File Attributes](#) on page 778

[Managing Attribute Lists](#) on page 784

Editing Attributes

The search functions, especially the attribute filter, are a powerful media management tool when making extensive use of tagging, that is, when adding and editing attributes.

Media files are usually organized in complex folder structures to provide a logical way of guiding the user to certain files, with the folder and/or file names indicating the instrument, style, tempo, etc.

Tags help you to find a particular sound or loop in such a folder structure.

Editing Attributes in the Attribute Inspector

In the **Attribute Inspector**, you can edit the attribute values of the various media files. Attribute values can be chosen from pop-up lists, entered as text or numbers, or set to Yes or No.

NOTE

- Changing an attribute value in the **Attribute Inspector** permanently changes the corresponding file, unless the file is write-protected or part of a VST Sound archive.
 - Some attributes cannot be edited. In this case, the file format does not permit changing this value, or changing a particular value makes no sense. For example, you cannot change the file size in the **MediaBay**.
-

PROCEDURE

1. In the **Results** list, select the file for which you want to make settings.

The corresponding attribute values are displayed in the **Attribute Inspector**.

You can also select several files and make settings for them simultaneously. The only exception is the name attribute, which must be unique for every file.

2. In the **Attribute Inspector**, click in the **Value** column of an attribute.

Depending on the selected attribute, the following happens:

- For most of the attributes, a pop-up menu opens, from which you can choose a value. Some of the pop-up menus also have a **more** entry to open a window with further attribute values.
- For the **Rating** attribute, you can click in the **Value** column. Drag left or right to modify the setting.
- For the **Character** attribute (Musical group), the **Edit Character** dialog opens. To define values, click a radio button on the left or on the right side and click **OK**.

3. Set the attribute value.

To remove the attribute value from the selected files, right-click in the corresponding **Value** column, and select **Remove Attribute** from the context menu.

Editing Attributes in the Results List

You can edit attributes in the **Results** list. This allows you to assign attributes to a number of loop files, for example.

PREREQUISITE

Allow Editing in Results List is activated in the **MediaBay Settings**.

PROCEDURE

1. In the **Results** list, select the files for which you want to make settings.

You can make settings for several files simultaneously, except for the attribute name, which must be unique for every file.

2. Click in the column of the value that you want to change, and make the settings.
-

RELATED LINKS

[MediaBay Settings on page 790](#)

Editing Attributes of Multiple Files Simultaneously

You can edit attributes for multiple files at the same time.

NOTE

If you edit a large number of files simultaneously, processing your edits may take some time.

Editing attributes is executed in the background, so that you can continue with your work. The **Attribute Counter** in the **MediaBay** toolbar displays how many files are still being updated.

RELATED LINKS

[MediaBay Toolbar](#) on page 758

Editing Attributes of Write-Protected Files

Media files can be write-protected for a number of reasons: the content may have been provided by someone who write-protected the files, the file format could restrict write operations by the **MediaBay**, etc.

In the **MediaBay**, the write protection status of files is shown as an attribute in the **Attribute Inspector** and in the **Write Protection** column of the **Results** list.

IMPORTANT

You can define attribute values for write-protected files in the **MediaBay**. These changes are only saved in the **MediaBay** database file, they are not saved to disk. This means that if you delete the preferences, the changes are lost.

NOTE

- If the **Write Protection** and/or the **Pending Tags** columns are not visible, activate the corresponding attributes for the file type in the **Attribute Inspector**.
 - If you use other programs than Cubase to change the write-protection status of files, you must rescan the files in the **MediaBay** to reflect these changes.
-
- To set or remove the write protection attribute for a file, right-click the file in the **Results** list and select **Set Write Protection/Remove Write Protection**.
This is only possible if the file type allows write operations and if you have the necessary operating system permission.
 - When you specify attribute values for a file that is write-protected, this is reflected in the **Pending Tags** column, next to the **Write Protection** column of the **Results** list.
If you rescan the **MediaBay** content and a media file on your hard disk has been changed since the last scan, the pending tags for this file are lost.
 - If a file has pending tags and you want to write the corresponding attributes to the file, you must remove the write protection, then right-click the file, and select **Write Tags to File**.

RELATED LINKS

[Disabling the Preferences](#) on page 1511


[Editing Attributes](#) on page 781

Managing Attribute Lists

In the **Attribute Inspector**, you can define which attributes are displayed in the **Results** list and in the **Attribute Inspector** itself. You can configure individual attribute sets for different media types.

PROCEDURE

1. In the **Attribute Inspector**, click **Defined**.
2. Click **Configure Defined Attributes** to enter the configuration mode.



3. Open the **Select Media Types** pop-up menu, activate the media types that you want to display, and click anywhere in the **MediaBay**.

The **Attribute Inspector** now shows a list of all attributes that are available for these media types.

- If you have activated more than one media type, your settings affect all selected types. An orange checkmark indicates that the current display settings for an attribute differ for the selected media types.
- The display settings you made for the **Mixed Media Types** option are applied if you select files of different media types in the **Results** list or in the **Attribute Inspector**.

4. Activate the attributes that you want to be displayed.

You can edit several attributes simultaneously.


5. Click **Configure Defined Attributes** again to exit the configuration mode.
-

Defining User Attributes

You can define your own attributes and save these in the **MediaBay** database and in the corresponding media files. Cubase recognizes all user attributes that are included in media files.

PROCEDURE

1. In the **Attribute Inspector**, click **Defined**.
2. Click **Configure Defined Attributes** to enter the configuration mode.



3. Click **+**.

4. In the **Add User Attribute** dialog, specify the **Attribute Type** and the **Display Name**.

The display name in the attribute list must be unique. The **Database Name** field indicates if a certain name is valid or not.

5. Click **OK**.
-

RESULT

The new attribute is added to the list of available attributes and displayed in the **Attribute Inspector** and in the **Results** list.

Working with the MediaBay

When you work with many music files, the **MediaBay** helps you to find and organize your content. After scanning your folders, all media files of the supported formats are listed in the **Results** section.

You can set up **Favorites**, that is, folders or directories that contain media files. Usually, files are organized on your computer in a specific way. You might have folders reserved for audio content, folders for special effects, folders for combinations of sounds that make up the ambience noise you need for a certain film take, etc. These can all be set as different **Favorites** in the **MediaBay**, allowing you to limit the files available in the **Results** list according to context.

By using the search and filter options, you can narrow down the results.

You can insert the files into your project by using drag and drop, by double-clicking, or by using the context menu options.

Using Media Files

The **MediaBay** window and the **Media** rack in the right zone of the **Project** window offer you multiple possibilities to search for specific files, loops, samples, presets, and patterns that you can use in your project.

Once you have found the media files that you were looking for, you can load them into your project.

Loading Loops and Samples

PROCEDURE

1. Do one of the following:

- In the **MediaBay**, open the media types selector, click **MIDI Files**, **Audio Files**, or **MIDI Loops**, and select a media file.
- In the **Media** rack in the right zone, click the **Loops & Samples** tile, and click the following tiles until you can select the media files from the **Results** list.

2. Do one of the following:

- Double-click a media file to create a new instrument or an audio track with the loaded file.
- Drag the media file to a track in the event display.

RESULT

The media file is inserted on the new track or at the insert position.

RELATED LINKS

[Show Media Types Selector](#) on page 765

Loading Track Presets

PROCEDURE

1. Do one of the following:
 - In the **MediaBay**, open the media types selector, click **Track Presets**, and select a preset.
 - In the **Media** rack in the right zone, click **Presets > Track Presets**, and click the following tiles until you can select the preset from the **Results** list.
 2. Do one of the following:
 - Double-click the track preset to create a new track with the loaded preset.
 - Drag the track preset to a track to apply the preset to the track.
-

RESULT

The preset is applied to the track, and all settings of the preset are loaded.

RELATED LINKS

[Show Media Types Selector](#) on page 765

Loading Instrument Presets

PROCEDURE

1. Do one of the following:
 - In the **MediaBay**, open the media types selector, click **Plug-in Presets**, and select a preset for an instrument plug-in.
 - In the **Media** rack in the right zone, click the **VST Instruments** tile, and click the following tiles until you can select the preset from the **Results** list.
 2. Do one of the following:
 - Double-click the instrument preset to create a new instrument track with the loaded instrument preset.
 - Drag the instrument preset to the track list to create a new instrument track with the loaded instrument preset.
 - Drag the instrument preset to the event display to create a new instrument track with the loaded instrument preset.
 - Drag the instrument preset to an instrument track to apply the preset to the track.
-

RESULT

The instrument is loaded as a track instrument, and the preset is applied to the instrument track.

RELATED LINKS

[Adding VST Instruments to Projects](#) on page 754

[Show Media Types Selector](#) on page 765

Loading Effect Plug-In Presets

PROCEDURE

1. Do one of the following:

- In the **MediaBay**, open the media types selector, click **Plug-in Presets**, and select a preset.
 - In the **Media** rack in the right zone, click **Presets > VST FX Presets**, and click the following tiles until you can select the preset from the **Results** list.
2. Do one of the following:
- Drag the plug-in preset to an audio track or to its **Inserts** section in the **Inspector**.
 - Drag the plug-in preset to an empty area of the track list.
-

RESULT

If you drag the plug-in preset to an audio track, the first free insert slots are filled with the corresponding plug-in. If there are no more free slots available, a warning is displayed.

If you drag the plug-in preset to an empty area of the track list, a new effect channel track is created, and the first insert slots of this new track are filled.

RELATED LINKS

- [Show Media Types Selector on page 765](#)
[Adding VST Effects to Projects on page 755](#)

Loading FX Chain Presets

PROCEDURE

1. Do one of the following:
 - In the **MediaBay**, open the media types selector, click **FX Chain Presets**, and select a preset.
 - In the **Media** rack in the right zone, click **Presets > FX Chain Presets**, and click the following tiles until you can select the preset from the **Results** list.
 2. In the **Project** window, select an audio track.
 3. Drag the preset from the **MediaBay** or **Media** rack, and drop it onto the open **Inserts** section of the **Inspector**.
-

RESULT

The **FX Chain Preset** is applied to the track, and all settings of the preset are loaded. Any previously loaded inserts are overwritten.

RELATED LINKS

- [Show Media Types Selector on page 765](#)

Loading Strip Presets

PROCEDURE

1. Do one of the following:
 - In the **MediaBay**, open the media types selector, click **Strip Presets**, and select a preset.
 - In the **Media** rack in the right zone, click **Presets > Strip Presets**, and click the following tiles until you can select the preset from the **Results** list.
2. In the **Project** window, select an audio track.

3. Drag the preset from the **MediaBay** or **Media** rack and drop it onto the open **Strip** section of the **Inspector**.
-

RESULT

The strip preset is applied to the track, and all settings of the preset are loaded.

RELATED LINKS

- [Show Media Types Selector](#) on page 765
[Saving/Loading Strip Presets](#) on page 477

Loading Pattern Banks

PROCEDURE

1. Do one of the following:
 - In the **MediaBay**, open the media types selector, click **Pattern Banks**, and select a preset.
 - In the **Media** rack in the right zone, click **Presets > Pattern Banks**, and click the following tiles until you can select the preset from the **Results** list.
 2. Do one of the following:
 - Double-click the pattern bank to create a new instrument track with the loaded preset.
 - Drag the pattern bank and drop it onto an instrument track to apply the pattern bank to the track.
 - Drag the pattern bank and drop it onto the track list to create a new instrument track with the loaded pattern bank.
-

RESULT

Groove Agent is loaded as a track instrument. A drum map is loaded for the instrument track, and an instance of the **Beat Designer** is loaded as an insert effect.

RELATED LINKS

- [Show Media Types Selector](#) on page 765

Working with Volume Databases

Cubase saves all media file information used in the **MediaBay**, such as paths and attributes, in a local database file on your computer. However, in some cases, it is necessary to browse and manage this kind of metadata on an external volume.

For example, a sound editor might have to work both at home and in a studio, on two different computers. Therefore, the sound effects are stored on an external storage medium. To be able to connect the external device and browse its contents in the **MediaBay** without having to scan the device, you have to create a volume database for the external device.

You can create volume databases for your computer drives or for external storage media. They contain the same information about the media files as the regular **MediaBay** database.

NOTE

When you launch Cubase, all available volume databases are automatically mounted. Databases that are made available while the program is running have to be mounted manually.

Rescanning Volume Databases

If you have modified the data on your external volume on a different system, you must rescan the **MediaBay**.


RELATED LINKS

[Refresh Views](#) on page 762

Creating Volume Databases

PROCEDURE

- In the **File Browser** section, right-click the external storage medium, drive, or partition of your computer system, and select **Create Volume Database**.



IMPORTANT

Select the topmost directory level for this. You cannot create a database file for a lower-level folder.

NOTE

If you create a volume database on a network drive, multiple users can access it. This can lead to write conflicts, as only one user at a time can write to the database.

RESULT

The file information for this drive is written into a new database file. Volume databases are indicated by the symbol  to the left of the drive name.

NOTE

If the drive contains a large amount of data, this process may take some time.

Volume databases are automatically mounted when Cubase is launched. They are shown in the **File Browser** section, and their data can be viewed and edited in the **Results** list.

RELATED LINKS

[Locked Volume Databases on Network Drives](#) on page 790

Locked Volume Databases on Network Drives

You can unlock volume databases on network drives. This can be necessary, if the system of another user who also used the volume database on the network drive crashed or was not properly disconnected. In this case, Cubase creates a file in a hidden folder, which indicates that the database is still in use.

If this happens, you get a warning message when you launch the program. It shows the name of the user or the system.

Do one of the following:

- Ask the other user to restart Cubase, so that the lock is automatically released.
- If you cannot reach the other user and you do not need to access the database, click **Ignore Database**.
- If you cannot reach the other user and you want to use the database, click **Force unlock** to remove the lock.

Removing Volume Databases

If you have worked on another computer using an external hard disk and return to your own computer and connect the external device as part of your system setup, you no longer need a separate volume database. Any data on this drive can be included in the local database file again, removing the extra database file.

PROCEDURE

- In the **File Browser** section, right-click the volume database, and select **Remove Volume Database**.

RESULT

The metadata is integrated in the local **MediaBay** database file, and the volume database file is deleted.

NOTE

If the drive contains a large amount of data, this process may take some time.

Mounting and Unmounting Volume Databases

Volume databases that are made available while Cubase is running must be mounted manually.

- To manually mount a volume database, right-click the external storage medium, drive, or partition of your computer system that you want to mount, and select **Mount Volume Database**.
- To unmount a volume database, right-click it, and select **Unmount Volume Database**.

MediaBay Settings

- To open a pane with settings for the **MediaBay**, click **MediaBay Settings**.

The following options are available in the **File Browser** section:

Hide Folders That Are Not Scanned

Hides all folders that are not scanned for files. This keeps the tree view in the **File Browser** less cluttered.

Show Only Selected Folder

Shows only the selected folder and its subfolders.

Scan Folders Only When MediaBay Is Open

Scans folders for media files when the **MediaBay** window is open.

If this option is deactivated, the folders are scanned in the background, even when the **MediaBay** window is closed. However, Cubase never scans folders while playing back or recording.

The following options are available in the **Results** section:

Allow Editing in Results List

Allows you to edit attributes in the **Results** list. If this option is deactivated, attributes can only be edited in the **Attribute Inspector**.

Show File Extensions in Results List

Shows file name extensions in the **Results** list.

Scan Unknown File Types

When scanning for media files, the **MediaBay** ignores files with unknown file extensions. If this option is activated, the **MediaBay** tries to open and scan any file in the search location and ignores files that cannot be recognized.

Surround Sound

Cubase provides integrated surround sound features with support for several formats. All audio-related channels and busses can handle multi-channel speaker configurations. A channel in the **MixConsole** can contain either complete surround mixes or an individual speaker channel as part of a surround setup.

Cubase offers the following surround-related features:

- You can route audio-related tracks, that is, audio, instrument, and sampler tracks, to surround channels.
- The **VST MultiPanner** plug-in is automatically applied to audio-related tracks that are routed to output channels with any kind of multi-channel configuration other than stereo. The **VST MultiPanner** plug-in is available in the **Inspector** and in the **MixConsole** and can be used to position channels in the surround field.
- You can create complete mixes with object-based audio content for Dolby Atmos® without additional software or hardware, as well as fully compliant ADM Broadcast Wave files for playback through the Dolby Atmos Renderer application.
- For virtual reality (VR) or augmented reality (AR) productions, you can create mixes in first-order, second-order, and third-order Ambisonics format. Cubase allows you to monitor Ambisonics mixes on headphones or loudspeaker systems and supports VR controllers and head-mounted displays when working with 360° video.
- Third-party panner plug-ins are supported.
- The **MixConvert V6** plug-in is used to convert a surround channel into a different format if the corresponding input/output configuration is not handled by **VST MultiPanner**. Cubase applies **MixConvert V6** automatically, where needed.
- Plug-ins with multi-channel support specifically designed for surround sound mixing tasks are supported; for example, the **Mix6to2** plug-in. Furthermore, any VST 3 plug-in features multi-channel support and can therefore be used in a surround configuration, even if it was not specifically designed for surround. For detailed information about all included plug-ins, see the separate document **Plug-in Reference**.
- You can export surround mixes to different formats using the **Export Audio Mixdown** function.

RELATED LINKS

- [Preparations for Creating Surround Mixes](#) on page 795
[VST MultiPanner](#) on page 798
[Object Audio in Cubase](#) on page 821
[Authoring and Mixing Object-Based Audio Content](#) on page 822
[Dolby Atmos Authoring](#) on page 822
[Ambisonics Mixes](#) on page 839
[Switching the Channel Panner](#) on page 815
[MixConvert V6](#) on page 815
[Insert Effects in Multi-Channel Configurations](#) on page 537
[Surround Mix Export](#) on page 820

Deliverables

A surround mix in Cubase can be sent from the surround output bus to a recorder as multi-channel audio, or it can be exported to audio files on your hard disk.

Exported surround mixes can either be split into one mono file per speaker channel or interleaved to a single file containing all the surround channels.

RELATED LINKS

[Export Audio Mixdown](#) on page 1406

Surround Channel Configurations

In addition to mono and stereo, Cubase supports several 2D and 3D surround channel configurations.

The following surround channel configurations are supported:

LRC

This format uses the channels left, right, and center.

Quadro

This is the original quadraphonic format for music, with one speaker in each corner.

This format was developed for vinyl record players.

5.1

This format, also referred to as Dolby Digital, AC-3, DTS, or MPEG-2 Multichannel, uses the front channels left, center, and right, the surround channels left and right, and an additional LFE (Low Frequency Effects) channel.

The center channel is mainly used for speech, the front and surround channels left and right for music and sound effects, and the LFE channel for boosting low-frequency content.

7.1

This format uses the front channels left, center, and right, the side channels left and right, the surround channels left and right, and an LFE channel.

7.0.2

This is the same format as 7.1.2, but without an LFE channel.

7.1.2

This format, also referred to as 9.1, is used for channel-based beds in 3D Dolby Atmos® mixes. In addition to the front channels left, center, and right, the side channels left and right, the surround channels left and right, and an LFE channel, the 7.1.2 Dolby Atmos speaker setup provides top channels left and right.

7.0.4

This is the same format as 7.1.4, but without an LFE channel.

7.1.4

This format is used for 3D mixes. In addition to the front channels left, center, and right, the side channels left and right, the surround channels left and right, and an LFE channel, this speaker setup provides top front channels left and right and top back channels left and right.

5.0

This format uses the front channels left, center, and right, and the surround channels left and right.

6.0 Cine

This format uses the front channels left, center, and right, and the surround channels left, center, and right.

6.0 Music

This format uses the front channels left and right, the surround channels left and right, and the side channels left and right.

7.0

This format, also referred to as 7.0 Music (Dolby), uses the front channels left, center, and right, the surround channels left and right, and the side channels left and right.

5.0.4

This format is used for 3D mixes. In addition to the front channels left, center, and right, and the surround channels left and right, this speaker setup provides top front channels left and right and top back channels left and right.

5.1.4

This format is used for 3D mixes. In addition to the front channels left, center, and right, the surround channels left and right, and an LFE channel, this speaker setup provides top front channels left and right and top back channels left and right.

Ambisonics 1OA/2OA/3OA/4OA

1OA (first-order Ambisonics), 2OA (second-order Ambisonics), 3OA (third-order Ambisonics), and 4OA (fourth-order Ambisonics) are 3D formats that allow you to create a spherical sound field. They use an encoded bundle of audio signals to position sound sources at any place in the sound sphere. The available Ambisonics formats differ with regard to the number of audio signals that are used. Higher-order Ambisonics provide more signals and allow for a higher precision of positioning.

LRCS

This format uses the channels left, right, center, and surround. The surround channel is center-rear positioned. This is the original surround format that first appeared as Dolby Stereo in movie theaters and later, as the home cinema format Dolby ProLogic.

LRCS+LFE

This is the same format as LRCS, but with an additional LFE channel.

Quadro+LFE

This is the same format as Quadro, but with an additional LFE channel.

LRS

This format uses the channels left, right, and surround. The surround channel is positioned at center-rear.

LRC+LFE

This is the same format as LRC, but with an additional LFE channel.

LRS+LFE

This is the same format as LR,S but with an additional LFE channel.

IMPORTANT

In Cubase, the order of surround channels and side channels follows the specification of Microsoft Inc. To meet the Dolby requirements for side surround channels and surround rear channels, swap the device ports of the surround channels and the side channels.

RELATED LINKS

[Authoring and Mixing Object-Based Audio Content](#) on page 822
[Ambisonics Mixes](#) on page 839


Preparations for Creating Surround Mixes

To prepare Cubase for surround sound, you must define input and output busses in a surround format and specify which audio inputs and outputs are used for the different channels in the busses.

Output Bus Configuration

Before working with surround sound, you must configure a surround output bus through which to route all the speaker channels of the selected surround format.

To set up a surround output bus, add a bus with an appropriate channel configuration on the **Outputs** tab of the **Audio Connections** window.



Output bus in 5.1 channel configuration

NOTE

If you use the **Control Room**, the device ports on the **Outputs** tab should normally not be connected.


RELATED LINKS

[Adding Input and Output Busses](#) on page 40
[Control Room](#) on page 509

Child Busses

Child busses allow you to route tracks to particular channels within a surround bus. Creating stereo busses within your surround bus allows you to route stereo tracks directly to a pair of stereo speakers. You can also add child busses with fewer channels than the parent bus in other surround formats.

- Once you have created a surround bus, you can add one or several child busses to it by right-clicking the bus and selecting **Add Child Bus**.



Output bus in 5.1 channel configuration with stereo child bus

RELATED LINKS


[Adding Child Busses](#) on page 41

Surround Routing

The processing format of **VST MultiPanner** depends on the channel routing. You can use the **Routing** and the **Direct Routing** sections in the **MixConsole** to route audio-related tracks to output busses or group channels with a surround configuration.



Routing section



Direct Routing section

For example, if a mono source channel is routed to a 5.1 bus, the panner works in 5.1 mode. For channel-based 3D mixing, route the source channel to an output bus that provides top channel speakers.

RELATED LINKS

[VST MultiPanner](#) on page 798

[Routing Section](#) on page 460

[Setting up Direct Routing](#) on page 482


[Dolby Atmos Authoring](#) on page 822

[Channel Routing for Ambisonics Mixes](#) on page 840

Routing Channels to Individual Surround Channels

To place an audio source in one separate speaker channel, you can route it directly to that speaker channel. This is useful for premixed material or multi-channel recordings that do not require panning.

- To route a channel to an individual surround channel, select the corresponding output bus of that speaker channel from the **Routing** section.




NOTE

If a stereo audio channel is routed directly to a speaker channel, the left and the right channels are mixed to mono. The pan control for the audio channel determines the balance between the left and the right channel in the resulting mono mix. Center pan produces a mix of equal proportion.

Routing Channels to Child Busses

If you add a child bus within a surround bus, it appears as a subentry of the surround bus on the routing selector. Select this option to route a stereo audio channel directly to that stereo speaker pair of the surround bus, for example, to route a music track directly to the left and right front speakers in a surround channel.



RELATED LINKS

[Child Busses](#) on page 795

Input Bus Configuration

In most cases, you do not need to configure a surround format input bus in order to work with surround sound in Cubase. You can record audio files via standard inputs and easily route the resulting audio channels to surround outputs at any stage. You can also directly import multi-channel files of a specific surround format to audio tracks of the same format.

However, you must add a surround input bus in the following cases:

- You have existing audio material in a specific surround format, and you want to transfer this material to Cubase as a single, multi-channel file.
- You want to make a live recording with a surround setup.
- You have prepared surround premixes, for example, stems, that you want to record on a new audio track with a surround configuration.

RELATED LINKS

[Audio File Import](#) on page 345

[Adding Input and Output Busses](#) on page 40

VST MultiPanner

The **VST MultiPanner** plug-in allows you to position a sound source in the surround field or to modify existing premixes. The plug-in distributes the incoming audio to the output surround channels in various proportions.

In the pan area, the sound sources are displayed as blue panning handles. In stereo or multi-channel configurations, the left and the right front channels are represented by a yellow and a red handle. You can position the sound sources within the room by dragging the panning handles.

To perform rotating movements that you cannot achieve by dragging, you can use the rotation and orbit controls below the pan area. To adjust the size of the sound source, use the controls for distributing the signal to the different speaker channels and for advanced scaling.

For 3D channel configurations, object-based audio, and Ambisonics audio, **VST MultiPanner** offers additional settings and an additional 3D pan area.

NOTE

Whether you can use **VST MultiPanner** for a specific input/output configuration or not depends on whether this configuration can be mapped by the panner.

RELATED LINKS

[VST MultiPanner Plug-in Panel](#) on page 799

[Position of the Sound Source](#) on page 806

[VST MultiPanner Plug-in Panel for 3D Channel Configurations](#) on page 802

[VST MultiPanner Plug-in Panel in Object Mode](#) on page 837

[VST MultiPanner Plug-in Panel in Ambisonics Mode](#) on page 841

[MixConvert V6](#) on page 815

Constant Power Panning

The **VST MultiPanner** plug-in uses constant power panning laws. This means that the power of a source channel is identical to the power of the corresponding output signal.

Constant power laws ensure that the overall volume, as perceived by the listener, is always the same, regardless of the signal panning. This enables you to move the sound source in the pan area, to disable specific speaker channels, or to use the divergence controls, without experiencing any volume changes.

RELATED LINKS

[VST MultiPanner Plug-in Panel](#) on page 799

VST MultiPanner Plug-in Panel

The **VST MultiPanner** plug-in panel allows you to position any supported mono, stereo, or multi-channel sound source.

- To open the **VST MultiPanner** plug-in panel in a separate window, double-click a miniature view of **VST MultiPanner** in the **Inspector** or the **MixConsole**.



The following settings and options are available:

Show/Hide Extended Display



Shows/Hides additional settings and the **Rear View** pan area for 3D channel configurations.

Bed Mode

Sets the panner to bed mode. This mode allows you to create the channel-based bed mix in an object audio ADM project.

NOTE

This button is only available if **VST MultiPanner** is used as channel panner and an ADM renderer has been set up correctly.

Object Mode

Sets the panner to object mode. This mode allows you to create mixes for object-based content, for example, in Dolby Atmos format.

NOTE

- This button is only available if **VST MultiPanner** is used as channel panner and an ADM renderer has been set up correctly.
 - If VST MultiPanner is used as an insert plug-in, **Object Mode** is not available.
-

Movement restriction buttons



Allow you to restrict the movement to one axis when moving the sound source with the mouse.

NOTE

- The movement restrictions only affect the graphic presentation in the two pan areas. Hence, activating **Vertical Movements Only** restricts movements to the y-axis in the **Top View** area and to the z-axis in the **Rear View** area.
 - The movement restriction buttons do not affect the controls in the positioning section below the pan area.
-

Reset Parameters

Alt/Opt-click this button to reset all panner parameters to their default values.

Input level meter

Shows the input level for all speaker channels. The numeric values above the meters indicate the peak levels registered for the channels.

Position Left/Right Channels Independently

Activate this option to adjust the front left and right input channels independently by dragging.

Top View

Shows the room from the top and allows you to position the sound source by dragging the panning handles.

To zoom out of the pan area, activate **Overview Mode**.

Speaker channel buttons

The speaker buttons around the pan area represent the output configuration. The buttons allow you to solo, mute, and disable the corresponding channels.

NOTE

You cannot automate the soloing of output channels.

Output level meter

Shows the output level for all speaker channels. The numeric values above the meters indicate the peak levels registered for the channels.

Left-Right Pan

Sets the position of the signal on the x-axis.

Rear-Front Pan

Sets the position of the signal on the y-axis.

Rotate Signal around Z-Axis

Rotates the sound source around its positioning handle. This option is only available for stereo and multi-channel signals.

Orbit Center

Rotates the sound source, including all input channels and the positioning handle signal, around the center of the room.

Click **Counter Shot** to rotate the sound source by exactly 180 degrees.

Radius

Sets the distance of the sound source from the center of the room when using **Orbit Center**.

Center Distribution

Distributes part or all of the center signal to the left and right front speakers.

NOTE

If **Front Divergence** is set to 100%, **Center Distribution** has no effect.

Front Divergence

Determines the attenuation curve that is used when positioning the sound source on the front x-axis.

Front/Rear Divergence

Determines the attenuation curve that is used when positioning the sound source on the y-axis.

Rear Divergence

Determines the attenuation curve that is used when positioning the sound source on the rear x-axis.

Signal Width

Sets the expansion of the sound source on the x-axis.

NOTE

This parameter is only available for channels with stereo or multi-channel output configurations.

Signal Depth

Sets the expansion of the sound source on the y-axis.

NOTE

This parameter is only available for channels with multi-channel output configurations.

LFE Level

Sets the signal amount that is sent to the LFE (Low Frequency Effects) channel.

- If the selected input already contains an LFE channel (x.1 configuration), it is routed through **VST MultiPanner**, and **LFE Level** is used to control the volume of this channel.
- If the selected input does not contain an LFE channel (x.0 configuration), all input channels are evenly distributed to the output LFE channel. In this case, you can use **LFE Level** to raise the volume of this downmix.

NOTE

The LFE channel is used as a full-range channel. No low-pass filtering is applied.

RELATED LINKS

[Authoring and Mixing Object-Based Audio Content](#) on page 822
[ADM Authoring Window](#) on page 832
[Movement Restriction Modes](#) on page 807
[Overview Mode](#) on page 809
[Soloed, Muted, and Disabled Speaker Channels](#) on page 813
[Pan Controls](#) on page 809
[Rotate and Tilt Controls](#) on page 810
[Orbit Controls](#) on page 810
[Center Distribution Control](#) on page 811
[Divergence Controls](#) on page 811
[Scale Controls](#) on page 812
[VST MultiPanner Plug-in Panel for 3D Channel Configurations](#) on page 802
[VST MultiPanner Plug-in Panel in Object Mode](#) on page 837
[VST MultiPanner Plug-in Panel in Ambisonics Mode](#) on page 841

VST MultiPanner Plug-in Panel for 3D Channel Configurations

The **VST MultiPanner** plug-in panel offers additional settings and a 3D pan area for channels that are routed to an output bus or group channel with a 3D channel configuration, such as 7.1.2 Dolby Atmos.

NOTE

The processing mode of the panner is determined by the routing of the audio channels. If an audio channel is routed to a 7.1.2 output bus or a group channel, the panner operates in 7.1.2 bed mode. If the channel is routed to an output bus or a group channel in 2D channel configuration, the 3D panning functions are disabled.

-
- To open the **VST MultiPanner** plug-in panel in a separate window, double-click a miniature view of **VST MultiPanner** in the **Inspector** or the **MixConsole**.



VST MultiPanner plug-in panel in Bed Mode with the Renderer for Dolby Atmos selected as ADM renderer

- To show/hide the additional settings and the 3D pan area, click **Show/Hide Extended Display** .

Elevation Pattern buttons



Allow you to activate/deactivate predefined elevation patterns for the height parameter.

If no elevation pattern is active, you can manually adjust **Bottom-Top Pan**.

Top View

Shows the room from the top. The position on the z-axis is represented by the size of the panning handles: the bigger the panning handle, the higher the sound source is positioned in the room. To adjust the position on the z-axis, middle-click and drag.

Rear View

Shows the room from the rear and allows you to position the sound source on the x-axis and z-axis by dragging the panning handles. The position on the y-axis is represented by the size of the panning handles: the bigger the panning handle, the closer to the rear of the room the sound source is positioned. To adjust the position on the y-axis, middle-click and drag.

Bottom-Top Pan

Sets the position of the signal on the z-axis. If you move this control all the way to the right, the sound is transmitted from the top speakers only.

Elevation On/Off

Activates/Deactivates the height parameter.

NOTE

With elevation deactivated, **Bottom-Top Pan** is set to bottom, even if automation for bottom-top panning is present. **Elevation On/Off** can also be automated.

Tilt Signal around Y-Axis

Tilts the sound source around its own y-axis. This option is available for stereo and multi-channel signals only.

Tilt Signal around X-Axis

Tilts the sound source around its own x-axis. This option is available for stereo and multi-channel signals only.

Height Divergence

Determines the attenuation curve that is used when positioning sound sources on the z-axis.

Signal Height

Determines the expansion of the sound source on the z-axis.

RELATED LINKS

[VST MultiPanner Plug-in Panel](#) on page 799

[Authoring and Mixing Object-Based Audio Content](#) on page 822

[Elevation Patterns for 3D Mixing](#) on page 812

[Pan Laws for 3D Mixing](#) on page 813

[Divergence Controls](#) on page 811

[Scale Controls](#) on page 812

Miniature Views

In the **MixConsole**, in the **Channel Settings** window, and in the **Inspector**, miniature views of **VST MultiPanner** allow basic panning operations.

While you need to open the **VST MultiPanner** plug-in panel to access all of the panner features, you can perform basic panning operations in the following areas:

- In the **MixConsole** and in the **Channel Settings** window, a miniature view of the panner is displayed at the top of the fader section.



- In the **Surround Pan** section of the **Inspector**, a miniature view of the panner is displayed.



In the miniature views, you have the following options:

- To move the signal source in the surround field, click and drag.
- In the **Inspector** miniature view, you can also solo, mute, and disable channels.

NOTE

In all miniature panner views, you can hold **Shift** while moving the sound source to allow for more accurate positioning.

RELATED LINKS

[Soloed, Muted, and Disabled Speaker Channels](#) on page 813
[Movement Restriction Modes](#) on page 807

General Plug-in Controls

Bypass Effect

Bypass Effect  at the top of the plug-in panel allows you to bypass **VST MultiPanner**.

The following applies:

- If the input and output configurations are identical, the input signals are directly routed to the output channels.
- If the input and output configurations differ from each other, the panner attempts to route the input signals to the appropriate output channels. To illustrate this with an example: If you pan a stereo signal to a 5.1 configuration, the left and the right front speakers are used.

NOTE

If you use **VST MultiPanner** as an insert effect, the **Bypass Effect** button works in the same way as it does for audio plug-ins.

Mute/Solo

Mute  and **Solo** , at the top of the plug-in panel, are identical to the corresponding channel controls.

IMPORTANT

These buttons are not available if **VST MultiPanner** is used as an insert effect.

Read/Write

Read  and **Write** , at the top of the **VST MultiPanner** window, allow you to apply and record automation data. If the panner is used on an output channel, these buttons are identical to the corresponding channel controls. If used as an insert effect, automation data for this insert is written separately.

RELATED LINKS

[Bypassing Insert Effects](#) on page 535
[Using Solo and Mute](#) on page 455
[Automation Parameters in the VST MultiPanner](#) on page 806

Automation Parameters in the VST MultiPanner

Most of the parameters in the **VST MultiPanner** plug-in can be automated in the same manner as any other channel or insert parameter.

Recording automation for the orbit controls and the independent positioning mode, however, is handled differently. Automation data for these parameters is written as a combination of front-rear panning, left-right panning, and **Rotate Signal** parameters. For the independent positioning mode, scaling is added. For this reason, modifying existing automation data is a complex task, as it involves changing many different parameters. If an automation pass does not meet your expectations, we recommend to start from scratch.

RELATED LINKS

[Orbit Controls](#) on page 810


[Movement Restriction Modes](#) on page 807

[Writing Automation Data](#) on page 855

Position of the Sound Source

The pan area of the **VST MultiPanner** plug-in shows you the position of the sound source and allows you to move it.

In the pan area, the virtual position of the sound source is represented by a circle. The left and right front channels are displayed in yellow and red. All other input channels are displayed in blue.



The pan area showing a 5.1 sound source

- 1 Left and right front channels
- 2 Center channel
- 3 Virtual position of the sound source
- 4 Left and right rear channels

You can position the sound source anywhere inside the room and even move it out of the pan area. This can be useful for extreme panning positions, such as panning all channels hard right. To display the position outside the pan area, activate **Overview Mode**.

NOTE

If you work with mono channels, the sound source corresponds to the mono channel.

RELATED LINKS

[Positioning a Sound Source in the Pan Area on page 807](#)

[Overview Mode on page 809](#)

Positioning a Sound Source in the Pan Area

The pan area of the **VST MultiPanner** plug-in allows you to use the mouse for positioning the sound source.

PROCEDURE

- To position the sound source, do one of the following:
 - Click at the exact position where you want to place the sound source.
 - Click and drag the positioning handle to the exact position where you want to place the sound source.
-

RELATED LINKS

[Position of the Sound Source on page 806](#)

[Movement Restriction Modes on page 807](#)

Movement Restriction Modes

VST MultiPanner allows you to restrict the movement within the pan area. This enables you to move the sound source along a specific axis, for example, from bottom left to top right.

The following positioning modes and modifier keys are available:

Standard Positioning Mode



Mouse movements are not restricted.

Fine-Scaled Positioning Mode



Mouse movements are scaled to allow for very subtle positioning adjustments. This is useful when panning in one of the miniature displays, for example.

Modifier key: **Shift**

Horizontal Movements Only



Mouse movements are restricted to the horizontal direction.

Modifier key: **Ctrl/Cmd**

Vertical Movements Only



Mouse movements are restricted to the vertical direction.

Modifier key: **Ctrl/Cmd - Shift**

Diagonal Movements - Bottom Left to Top Right



Mouse movements are restricted to diagonal motions from bottom left to top right.

Modifier key: **Alt/Opt**

Diagonal Movements - Bottom Right to Top Left



Mouse movements are restricted to diagonal motions from bottom right to top left.

Modifier key: **Alt/Opt - Shift**

Jump to Positioning Handle



In this mode, the mouse pointer immediately jumps to the positioning handle, even if it is located outside the pan area.

Modifier key: **Ctrl/Cmd - Alt/Opt - Shift**

NOTE

If **Position Left/Right Channels Independently** is activated, clicking anywhere in the pan area moves the mouse pointer to the closest panning handle.

Position Left/Right Channels Independently



Mouse movements are restricted to left channels or right channels.

IMPORTANT

- If **Position Left/Right Channels Independently** is activated, automation data is written for several parameters. Due to this, specific automation rules apply.
- Automation data for the independent positioning mode is always written for the complete sound source, not for individual channels. As a consequence, it is not possible to record automation for one stereo channel and then add automation for the other stereo channel in a second step, for example.

NOTE

The movement restriction buttons do not affect the controls in the positioning section at the bottom of the window.

RELATED LINKS

[Restricting Movements When Dragging the Sound Source](#) on page 808

Restricting Movements When Dragging the Sound Source

When dragging the sound source within the pan area, different movement restriction modes enable you to limit the movement to a specific axis, allowing for very accurate positioning.

PROCEDURE

- To restrict the movement within the pan area, do one of the following:
 - Press the corresponding modifier key. The respective movement restriction button is highlighted, indicating that this mode is active.
As soon as you release the modifier key, you return to **Standard Positioning Mode**.
 - Click the corresponding button to permanently activate a positioning mode.
To deactivate the selected positioning mode, click **Standard Positioning Mode** or another movement restriction button.

RELATED LINKS


[Movement Restriction Modes on page 807](#)

Overview Mode

Overview Mode visualizes panning movements outside the pan area. However, the actual panning is performed in the standard view.

If you have moved the sound source outside the pan area, **Overview Mode** allows you to see where the positioning handle and the panning handles are located. A thin line connects these theoretical positions with their acoustically effective positions.

- To activate/deactivate overview mode, click **Overview Mode**  below the pan area.



- 1 Acoustically effective positions of the left and right channel within the pan area
- 2 Theoretical positions of the left and right panning handle outside the pan area
- 3 Positioning handle outside the pan area

Pan Controls

Left-Right Pan and **Rear-Front Pan** allow you to pan the sound source on the x-axis and on the y-axis. For 3D channel configurations, **Bottom-Top Pan** allows you to pan the sound source on the z-axis.



NOTE

The panning controls are not affected by the movement restriction buttons.

RELATED LINKS

[Movement Restriction Modes on page 807](#)

Rotate and Tilt Controls

Rotate Signal around Z-Axis allows you to rotate the sound source. For 3D channel configurations, **Tilt Signal around Y-Axis** and **Tilt Signal around X-Axis** allow you to tilt the sound source around its own axes.



Rotating and tilting the sound source is useful if you work with premixed surround stems. You can rotate the surround sound source within the surround field of the output bus and use this for a scene where the camera turns around, for example.

Orbit Controls

The orbit controls allow you to rotate the sound source, including all input channels, around the center of the surround field.



Orbit Center

This is the main control that allows you to perform the rotation. You can use this for a scene where a person moves around and can still be heard when behind the audience.

Counter Shot

This button allows you to rotate the sound source by exactly 180°, so that all positions in the surround image change sides.

You can use this for a close-up scene with people sitting face to face, and many reverse shots. With **Counter Shot**, you can flip the surround field, each time that the camera switches back and forth between perspective A and perspective B.

Radius

If you use **Orbit Center**, **Radius** allows you to control the distance of the sound source from the center of the surround field, without changing the angle.

IMPORTANT

In terms of automation, **Orbit Center**, **Counter Shot**, and **Radius** are not independent parameters. Instead, a combination of different automation parameters is used.

RELATED LINKS

[Automation Parameters in the VST MultiPanner](#) on page 806

Center Distribution Control

Center Distribution distributes part or all of the center signal to the left and right front speakers.



If you pan the center signal directly to the center speaker and set **Center Distribution** to 0%, you may get a signal that is too discrete. In this case, you can add part of the signal to the left and right front speakers to widen it. By raising the **Center Distribution** value, you can distribute the signal to the 3 speakers. At 100%, the center source is provided entirely by the phantom image created by the left and right speakers.

A line at the top of the surround field indicates the distance up to which a phantom signal is added:



If you position the source signal inside this range, the signal is sent to all 3 channels.


Divergence Controls

Front Divergence, **Front/Rear Divergence**, and **Rear Divergence** determine the attenuation curves used when positioning sound sources for x-axis front, y-axis front/rear, and x-axis rear. For 3D channel configurations, **Height Divergence** allows you to determine the attenuation curve when positioning on the z-axis.



If all divergence controls are set to 0%, positioning a sound source on a speaker sets all other speakers to level zero. With higher values, the other speakers receive a percentage of the sound source.

Horizontal and vertical lines show the effect of changing the divergence settings:



- At 0%, a moving sound source is concentrated in one spot. You can use this to convey the impression that something is taking place right in front of the spectator.
- At 100%, a moving sound source is very diffuse and hard to locate. You can use this to convey the impression that something is taking place far away from the spectator.

NOTE

- **Center Distribution** and **Front Divergence** are combined. If the front divergence is set to 100%, the center distribution has no effect.
 - The setting of the **Height Divergence** is not displayed in the pan areas.
-

Scale Controls

The scale controls allow you to control the horizontal (**Width**) and vertical (**Depth**) expansion of the sound source.



The scale controls influence the perception of spatiality and ambience, as well as the traceability of signals.

- 100% corresponds to the complete width, depth, or height of the surround field.
- If you reduce all values to 0%, the distance is reduced to zero, and all source channels are centered in one spot.

NOTE

Depth is available for configurations with front and rear channels only. **Height** is available for configurations with top channels only.

Elevation Patterns for 3D Mixing

You can use elevation patterns to prompt the height parameter to automatically follow a predefined curve while positioning a sound in the 2D pan area. The active pattern is displayed in the **Rear View** pan area.

- To activate/deactivate an elevation pattern, click one of the **Elevation Pattern** buttons.

NOTE

If an elevation pattern is active, **Bottom-Top Pan** cannot be adjusted manually.

The following elevation patterns are available:

Wedge, Ceiling, Sphere

These patterns correspond to the elevation modes, as defined by Dolby for Dolby Atmos authoring.

Cup, Tunnel, Half-Pipe

These patterns make use of the bottom of the 3D room.

NOTE

With the speakers set up in a small space and the side and top speakers at a close distance to each other, the feature might not evoke the expected effect.

Ridge

This pattern is similar to **Wedge**, but more suitable for 7.1.2 bed-only mixes without an additional object mix.

Automation Rules for Elevation Patterns

- An active elevation pattern overrides any automation for **Bottom-Top Pan** but the automation remains intact.
- If elevation is deactivated, **Bottom-Top Pan** is set to bottom, even if automation for bottom-top panning is present. **Elevation On/Off** can also be automated.

Pan Laws for 3D Mixing

When an audio signal is moving through the room at a changing height, Cubase makes use of a complex set of pan laws to ensure smooth and gapless transitions.

The following applies:

- The pan laws can cause a difference between the graphical position of a panning handle and the audible position of the sound source. If the graphical position of the sound source differs from the audible position, in the **Top View** pan area, the audible position is displayed as a gray circle, and the distance between both positions is represented by a gray line.



- If you move the **Bottom-Top Pan** control all the way to the right, the sound is transmitted from the top speakers only.

Soloed, Muted, and Disabled Speaker Channels

The speaker buttons around the **Top View** and the **Rear View** represent the output configuration and allow you to disable, solo, or mute channels.

Enabled speaker



This channel is enabled.

Disabled speaker



This channel is disabled. Its signal is distributed to the other channels instead.

Soloed speaker



This channel is soloed.

Muted speaker



This channel is muted.

Disabled and muted speaker



This channel is disabled and muted.

- To disable a channel, **Alt/Opt**-click on the corresponding speaker button. As a consequence, no audio is routed to this channel. The signal that would otherwise be sent to this channel is distributed to the other channels instead. To make sure that only dialogue is sent to the center speaker, for example, you can disable the center channels for all stems of a film mix except for the dialogue stem.

NOTE

If the signal of a disabled channel is distributed to other channels, the power level stays constant.

- To solo a channel, click the corresponding speaker button. As a consequence, you only hear the signal sent to this channel, while all other channels are muted. This can be useful for testing purposes, for example, to check if a signal is sent to the intended channel.

NOTE

You can solo several channels at the same time by clicking on the corresponding speaker buttons, one after the other. If you **Ctrl/Cmd**-click a speaker button, only this channel is soloed. All other channels are muted.

IMPORTANT

Solo and mute cannot be automated.

RELATED LINKS

[Constant Power Panning](#) on page 798

Remote-controlling VST MultiPanner

You can choose from several devices to remote-control the **VST MultiPanner** plug-in. To control all panner functions, you may need to update the software for your device.

Yamaha Nuage

To remote-control 3D sound mixing functions of **VST MultiPanner** via a Nuage system, install “Tools for Nuage V1.8” or later.

Avid

The parameters of **VST MultiPanner** are mapped on the following devices:

- System 5-MC
- S6
- Artist Series

Panning with a Joystick

You can use a joystick to remote-control **Rear-Front Pan** and **Left-Right Pan** in **VST MultiPanner**.

PREREQUISITE

You have connected a joystick to your computer and restarted Cubase.

PROCEDURE

- To position the sound source in the room, pull the joystick trigger, and move the joystick.
-

RELATED LINKS

[Joysticks](#) on page 1036

Switching the Channel Panner

VST MultiPanner is the default panner plug-in for audio channels in Cubase. Depending on the channel configuration, you can also use other panner plug-ins.

PROCEDURE

- In the **MixConsole**, in the **Channel Settings** window, or in the **Inspector**, right-click the miniature view of the **VST MultiPanner** plug-in, and select a panner plug-in from the **Channel Panner** submenu.
-

RELATED LINKS

[Miniature Views](#) on page 804

MixConvert V6

MixConvert V6 is a plug-in that converts a multi-channel audio source into another multi-channel destination. It is most frequently used to downmix a multi-channel surround mix into a format with fewer channels, for example, a 5.1 surround mix into a stereo mix.

MixConvert V6 can be used as an insert effect in the **MixConsole**, similarly to other plug-ins, but with additional functions.

Cubase automatically inserts **MixConvert V6** instead of **VST MultiPanner** if the channel, for example, an audio track or a group channel, is routed to a destination with fewer audio channels.

MixConvert V6 is also inserted in place of any cue send panner, if the channel configuration of the destination is different from that of the source.

NOTE

There is one exception to this behavior. If a stereo channel is routed to a mono destination by the channel routing or a cue send routing, a normal stereo panner is inserted. However, this stereo panner controls the balance of the left and right channels, as they are blended into the mono destination. The center position blends both channels together by equal amounts. With the pan set all the way to the left, only the left channel can be heard, and vice versa.

The following table gives you an overview of which plug-in is used in a specific configuration:

Mono Tracks

| Routing Destination | Surround Pan Option |
|---------------------|----------------------------------|
| Mono | n.a. |
| Stereo | Mono - Standard Panner |
| Surround | VST MultiPanner MixConvert V6 |
| 3D | VST MultiPanner MixConvert V6 |

Stereo Tracks

| Routing Destination | Surround Pan Option |
|---------------------|---|
| Mono | Stereo - Standard Panner |
| Stereo | Stereo - Balance Panner Stereo - Combined Panner |
| Surround | VST MultiPanner MixConvert V6 |
| 3D | VST MultiPanner MixConvert V6 |

Surround Tracks

| Routing Destination | Surround Pan Option |
|-------------------------------------|----------------------------------|
| Mono | MixConvert V6 |
| Stereo | MixConvert V6 |
| Surround | VST MultiPanner MixConvert V6 |
| Surround with larger channel width | VST MultiPanner MixConvert V6 |
| Surround with smaller channel width | MixConvert V6 |

| Routing Destination | Surround Pan Option |
|---------------------|----------------------------------|
| 3D | VST MultiPanner MixConvert V6 |
| | |

3D Tracks

| Routing Destination | Surround Pan Option |
|-------------------------------------|----------------------------------|
| Mono | MixConvert V6 |
| Stereo | MixConvert V6 |
| Surround | MixConvert V6 |
| Surround with larger channel width | MixConvert V6 |
| Surround with smaller channel width | MixConvert V6 |
| 3D | VST MultiPanner MixConvert V6 |

You can select the surround pan option from the context menu of the panner miniature views in the **MixConsole**, in the **Channel Settings** window, or in the **Inspector**.

RELATED LINKS

[MixConvert V6 Plug-in Panel](#) on page 817

[VST MultiPanner](#) on page 798


[Input and Output Channel Configurations](#) on page 819

[Miniature Views](#) on page 804

MixConvert V6 Plug-in Panel

The **MixConvert V6** plug-in panel allows you to set the levels of the surround channels and to solo or mute channels for input and output channels.

- To show/hide the **Input** or **Output** sections, click the corresponding arrow button.





The plug-in panel is divided into three sections: the **Input** section, the **Output** section, and the center section. The **Input** and **Output** sections are hidden by default.

Input section

Shows all input channels and allows you to solo or mute channels.

Output section

Shows all output channels and allows you to solo or mute channels.

The center section contains the main plug-in parameters as well as buttons for soloing several speaker channels in one step.

Input Channel Configuration

Shows the input channel configuration.

Output Channel Configuration>Select Output Channel Configuration

Shows the output channel configuration.

If **MixConvert V6** is used as an insert effect, the pop-up menu allows you to set the output channel configuration.

Solo Channel buttons

Solos all front channels, the LFE channel, or all surround channels in the input or output display. All other channels are muted.

Listen to Solo Channels on Center Channel

Routes all soloed channels to the center channel. If no center channel is present, the signal is distributed equally from the soloed channels to the left and right speakers.

Listen to Surround Channels on Front Channels

Solos all surround channels, including the side channels, and routes or downmixes them to the front speakers.

Center Level

Sets the level of the front center channel.

LFE Fader Level

Sets the level of the LFE channel.

Surround Level

Sets the level of the surround channels. The level of the surround channels cannot be adjusted individually.

Side Level

Sets the level of the side channels. The level of the side channels cannot be adjusted individually.

Top Level

Sets the level of the top channels. The level of the top channels cannot be adjusted individually.

Global Gain Level

Sets the level of all output channels.

Activate/Deactivate Low-Pass Filter

Activates/Deactivates the low-pass filter that is applied to the LFE channel.

Activate/Deactivate Lt/Rt Matrix Encoding

Activates/Deactivates Lt/Rt matrix encoding when downmixing a 5.1 signal to stereo. If this option is activated, the surround channels are matrix encoded to the L/R channels, in accordance with Dolby Pro Logic II specifications.

Apply 90 Degree Phase Shift to Surround Channels allows you to apply an additional 90° phase shift to the surround channels before encoding them with the front channel signals.

NOTE

- **Activate/Deactivate Lt/Rt Matrix Encoding** and **Apply 90 Degree Phase Shift to Surround Channels** are only available for 5.1 channels that are routed to a stereo bus.
- Full Dolby Pro Logic II compliance requires Lt/Rt encoding with a 90° phase shift of the surround channels.
- Activating Lt/Rt encoding automatically sets the **Surround** level to -1.2 dB, according to Dolby Pro Logic II specifications. However, you can still modify this value manually.
- Applying phase shift introduces a latency of 512 samples.

Reset Parameters

Alt/Opt-click this button to reset all panner parameters to their default values.

RELATED LINKS

[Input and Output Channel Configurations](#) on page 819

Input and Output Channel Configurations

The input channel configuration is determined by the channel width of the track, the group, or the output bus into which **MixConvert V6** is inserted. The output channel configuration depends on whether **MixConvert V6** is used or not.

- If **MixConvert V6** replaces the panner, the output configuration is determined by the destination of the channel or cue send.
- If **MixConvert V6** is used as an insert effect, the output configuration can be modified via the **Select Output Channel Configuration** pop-up menu. You can select any configuration from the VST 3 specification that contains speakers that are also present in the input configuration.



NOTE

You can also modify the output configuration by loading a preset.

Soloing Channels

To solo or mute channels, you can click the speaker icons in the input and output channel displays or the solo channel buttons in the center section.

Soloing an input channel allows you to hear the influence of the soloed channel on the downmix. Soloing an output channel allows you to hear only the soloed channel in the downmix.

To solo channels, do one of the following:

- To solo a channel, click the corresponding speaker icon.
You can solo several channels at the same time. All other channels are muted.
To deactivate the solo state of a channel, click the corresponding speaker icon again.
- To solo a single channel, **Ctrl/Cmd**-click the corresponding speaker icon.
- To solo all front channels, all surround channels, all side channels, or all top channels, click the corresponding button in the center section.
- To solo the LFE channel, click the corresponding cross-hair icon in the center of the channel display.

NOTE

Alternatively, click the **Solo Input/Output LFE Channel** button in the center section.

- To mute a channel, **Shift**-click the corresponding speaker icon.

RELATED LINKS

[MixConvert V6 Plug-in Panel](#) on page 817

MixConvert 3D Downmix Rules

The downmix function in Cubase supports channel-based 3D mixing. If the **Control Room** mix is different from the output bus of the main mix, or if the signal is routed to an output bus with a lower number of channels, the signal is automatically converted by the **MixConvert V6** plug-in.

MixConvert V6 allows you to solo or mute the top and side channels, and to adjust the top and side channel level.

For Dolby Atmos 3D mixing, the following downmix rule applies:

- If a 9.1 mix is converted to a 7.1 mix, the top channel signals are attenuated by 1.5 dB and added to the side channel signals.

RELATED LINKS

[Authoring and Mixing Object-Based Audio Content](#) on page 822

Surround Mix Export

Cubase allows you to export a surround mix, using the **Export Audio Mixdown** function.

You have the following export options when working with a surround configuration:

- Split channels, resulting in one mono audio file for each surround channel.

- Export to interleaved format, resulting in a single multi-channel audio file, for example, a 5.1 file containing all 6 surround channels.

RELATED LINKS

[Export Audio Mixdown](#) on page 1406

[Wave Files](#) on page 1423

Object Audio in Cubase

Cubase provides a complete suite of tools for authoring, recording, mixing, and playing back object-based audio content for Dolby Atmos™, using the Audio Definition Model (ADM).

Object audio generally consists of two parts: a pure audio stream that is directly sent to a renderer, and separate metadata providing the renderer with information on how to play back the audio on a dedicated playback system. This can be a movie theater, a home entertainment or gaming setup, or the public address system for a live show.

In the studio, a mix with object audio is usually monitored through a renderer that corresponds to the one used by the end device of the customer.

Objects are accompanied by static and dynamic metadata for playback. Static metadata comprises settings for acoustical trimming and downmixing for playback on dedicated speaker setups or settings for binaural playback. The panning information for the audio stream is provided as dynamic metadata. When exported to an ADM file, audio stream and metadata are also stored separately within this file.

Objects receive object IDs, either automatically or manually. These IDs determine the renderer input port to which the audio stream is sent.

When working with object audio in Cubase, note its following characteristics, which differ from channel-based audio:

- In Cubase, objects can be considered as logical instances in the object structure. Therefore, any audio, group, or VST track can become an object by selecting it as the source track for an object in the object structure. In order to do so, access the **ADM Authoring** window. As a source track, you can select any track that uses the **VST MultiPanner** plug-in as a channel panner. This switches the corresponding **VST MultiPanner** to **Object Mode**.
- Panning data for objects is separately sent or stored as dynamic metadata and only used when played back through a renderer. As a consequence, objects are not summed up and played back through the **Main Mix** channel. For Dolby Atmos content, you can use the corresponding internal renderer plug-in, which allows you to monitor an object-based mix within Cubase.
- The object audio stream is automatically routed to the object bus via send slot 8. For channels that are in object mode, do not use send slot 8 for other purposes.
- Objects are generally meant to be mono, but in Cubase, you can also create multi-objects. If you export multi-objects to an ADM file or play them back through an external renderer, they are split into a corresponding number of mono objects, containing their own panning metadata.

Cubase supports the creation and the export of Audio Definition Model (ADM) files in Broadcast Wave Format (BWF) with Dolby Atmos content. Dolby Atmos projects can contain a single bed and up to 128 objects.

ADM authoring in Cubase involves the following features and functions:

- The **ADM Authoring** window allows you to set up and edit the object structure by adding and configuring objects and beds.

- The **Renderer for Dolby Atmos** plug-in is an internal renderer that allows you to monitor Dolby Atmos projects with up to 128 objects, without using an external renderer.
- The **External Dolby Atmos Renderer Setup** dialog allows you to establish a connection to an external Dolby Atmos Renderer. In this dialog, you can define your audio objects by mapping audio outputs to object IDs. Mapped audio outputs that are connected to output busses in the **Audio Connections** window serve as your object busses.
- The **VST MultiPanner** plug-in provides 3D panning for channel-based bed mixes in **Bed Mode** and for object-based mixes with up to 118 objects in **Object Mode**.

RELATED LINKS

[Authoring and Mixing Object-Based Audio Content](#) on page 822

[Renderer for Dolby Atmos Plug-in Panel](#) on page 829

[Object Mixes with VST MultiPanner](#) on page 837

[VST MultiPanner Plug-in Panel in Object Mode](#) on page 837

Authoring and Mixing Object-Based Audio Content

Cubase allows you to author and mix fully compliant audio content for Dolby Atmos and to create ADM files.

You can create ADM files in Broadcast Wave Format (BWF) with object audio and channel-based beds for playback through external renderer applications or devices.

Cubase supports the creation and the export of Audio Definition Model (ADM) files with Dolby Atmos content. Dolby Atmos projects can contain a single bed and up to 128 objects.

Generally, we recommend that you start a new ADM project by creating a group channel track with a surround channel configuration as a bed. First of all, route the tracks that you want to use as source tracks to this group channel track. This ensures that these tracks use **VST MultiPanner** as the channel panner. This signal routing is automatically modified when you define beds and objects in the **ADM Authoring** window.

All audio objects in your object structure – beds as well as objects – need a source track that sends an audio signal to it. Any audio track, group channel track, or instrument track in your project can act as a source track for audio objects. If a track is selected as a source track, its **VST MultiPanner** channel panner is switched to object mode, and its audio signal is automatically re-routed from the bed to the renderer.

RELATED LINKS

[Object Audio in Cubase](#) on page 821

[ADM Authoring Window](#) on page 832

[ADM Files](#) on page 1473

[Dolby Atmos Authoring](#) on page 822

[Renderer for Dolby Atmos Plug-in Panel](#) on page 829

[Object Mixes with VST MultiPanner](#) on page 837

Dolby Atmos Authoring

Internal Renderer

If you use the internal **Renderer for Dolby Atmos** plug-in, selecting source tracks for beds and objects in the **ADM Authoring** window automatically routes the audio through the renderer plug-in via side-chaining.

When using the **Renderer for Dolby Atmos** plug-in, the following applies:

- The plug-in should generally be inserted in the **Main Mix** output channel. It supports the following output channel configurations: Stereo, 5.1, 7.1, 5.1.2, 5.1.4, 7.1.2, and 7.1.4. The channel configuration of the **Main Mix** should generally match the speaker configuration of your monitoring system.

NOTE

We recommend that you activate solo defeat in the **Main Mix** channel. This avoids unintentional muting of the main mix when soloing channels in your project.

If you have activated the **Control Room**, as an alternative, you can use **Renderer for Dolby Atmos** as an insert plug-in in the **Main** section. In this case, however, you cannot use the **Renderer for Dolby Atmos** for exporting a channel-based downmix of your Dolby Atmos mix via the **Export Audio Mixdown** dialog.

- Using the **Renderer for Dolby Atmos** plug-in requires a multi-channel output bus in your project. If you use a stereo main mix, you must add at least one additional multi-channel output bus to make **VST MultiPanner** available as a channel panner.
- You can use only one instance of the **Renderer for Dolby Atmos** plug-in in your project.
- The project sample rate must be set to 48 kHz.
- The ASIO buffer size must be set to 512 samples.
- The plug-in supports the following bed channel configurations: Stereo, LRC, 5.0, 5.1, 7.0, 7.1, 7.0.2, and 7.1.2.
- When defining beds and objects in the **ADM Authoring** window, object IDs are assigned automatically.

NOTE

We recommend to use the **Setup Assistant for Dolby Atmos** to set up a project that is fully compliant with Dolby Atmos® specifications.

RELATED LINKS

- [ADM Authoring Window](#) on page 832
[Renderer for Dolby Atmos Plug-in Panel](#) on page 829
[Setting the Default Output Bus \(Main Mix\)](#) on page 40
[Requirements for Beds in Dolby Atmos Mixes](#) on page 823
[VST MultiPanner Plug-in Panel in Object Mode](#) on page 837
[Setup Assistant for Dolby Atmos](#) on page 825
[Setting up a Dolby Atmos Project Using the Setup Assistant](#) on page 824
[Setting up a Dolby Atmos Project Manually](#) on page 827

Requirements for Beds in Dolby Atmos Mixes

For the channel-based bed in Dolby Atmos mixes, you must respect several requirements regarding channel configurations and routing.

Beds are in fact channel-based sub-mixes, comparable to stems. When mixing for a Dolby Atmos audio bed using the internal **Renderer for Dolby Atmos** plug-in, the following applies:

- We recommend that you use group channel tracks for the bed. You can then route mono, stereo, or surround channels to the bed group.

NOTE

- If a track is routed to a bed in 3D format, its **VST MultiPanner** channel panner offers additional settings and parameters for 3D mixing.

- Projects from Nuendo projects can contain more than one bed. If you open these projects in Cubase Pro, only the first bed is added to the ADM setup in the **ADM Authoring** window.
- The following bed channel configurations are supported by the internal **Renderer for Dolby Atmos** plug-in and the external Dolby Atmos Renderer: 2.0, 3.0, 5.0, 5.1, 7.0, 7.1, 7.0.2, and 7.1.2.
- Plug-ins that are used in a 3D bus or a group channel must support a corresponding number of channels.

RELATED LINKS

- [Renderer for Dolby Atmos Plug-in Panel](#) on page 829
[VST MultiPanner Plug-in Panel for 3D Channel Configurations](#) on page 802
[MixConvert 3D Downmix Rules](#) on page 820
[ADM Authoring Window](#) on page 832
[Surround Channel Configurations](#) on page 793

Setting up a Dolby Atmos Project Using the Setup Assistant

Using the **Setup Assistant for Dolby Atmos** dialog is an easy way to set up a project that is fully compliant with Dolby Atmos® specifications.

PREREQUISITE

- Your audio system is set to an ASIO buffer size of 512 samples and to a sample rate of 48 kHz.
- The audio tracks that you want to use as objects in your Dolby Atmos project are routed to the main mix channel.

PROCEDURE

1. In the **ADM Authoring** window, select **Dolby Atmos** from the **Format** pop-up menu.
2. Click **Setup Assistant**.
The **Setup Assistant for Dolby Atmos** dialog opens. The LED in the **Audio Settings** section lights up in green, indicating a correct sample rate setting.
3. In the **Renderer** section, select a renderer channel configuration from the **Main Mix Channel Configuration** pop-up menu, and activate **Add Main Mix Channel with Renderer**.
4. In the **Bed** section, select a channel configuration for the bed from the **Bed Channel Configuration** pop-up menu, and activate **Add Bed** and **Route All Tracks to Bed Channel**.
5. Click **OK**.

RESULT

- A main mix channel named **Renderer** that uses the **Renderer for Dolby Atmos** plug-in as an insert is added to your project.
- In the main mix channel, solo defeat is activated. This avoids unintentional muting of the main mix when soloing channels in your project.
- A group channel named **Standard Bed** is added to your project, and used as the source track for the bed that is added to the object structure of your Dolby Atmos project.

NOTE

If your object structure already contained a bed it is replaced by the **Standard Bed** bed.

- All audio tracks that were previously routed to the main mix channel are now routed to this bed group channel.

AFTER COMPLETING THIS TASK

- In the **ADM Authoring** window, you can add further audio objects to the object structure of your project.

NOTE

For adding objects, we recommend to select their source tracks in the **Project** window and then select **Create Objects from Selected Tracks** from the **Functions** pop-up menu.

- You can specify settings for downmixing and monitoring the Dolby Atmos project via the **Settings** pop-up menu and the **Renderer for Dolby Atmos** plug-in panel.

RELATED LINKS

[Setup Assistant for Dolby Atmos](#) on page 825


[ADM Authoring Window](#) on page 832

[Renderer for Dolby Atmos Plug-in Panel](#) on page 829

Setup Assistant for Dolby Atmos

The **Setup Assistant for Dolby Atmos** dialog helps you to set up a project that is fully compliant with Dolby Atmos® specifications, using a main mix output bus in a 3D channel configuration, adding the **Renderer for Dolby Atmos** plug-in for monitoring, and adding a bed group channel.

- To open the **Setup Assistant for Dolby Atmos** dialog, click **Setup Assistant** in the **ADM Authoring** window.



Audio Settings section

The internal **Renderer for Dolby Atmos** requires an ASIO driver buffer size of 512 samples and a project sample rate of 48 kHz.

A green LED indicates that the project sample rate is set up correctly. A red LED indicates that you must adjust the project sample rate.

NOTE

You can adjust the ASIO driver buffer size via the **Studio Setup** dialog and the project sample rate in the **Project Setup** dialog.

Renderer section

A renderer is required for monitoring the Dolby Atmos project. For this purpose, the assistant allows you to set up the internal **Renderer for Dolby Atmos**. A green LED indicates that the **Renderer for Dolby Atmos** plug-in is already set up correctly.

Main Mix Channel Configuration

Allows you to select the channel configuration of your monitoring setup. The assistant adds a corresponding output bus to your audio connections as the main mix.

Add Main Mix Channel with Renderer

If this option is activated, the assistant adds a main mix channel named **Renderer** that uses the **Renderer for Dolby Atmos** plug-in as an insert.

Bed section

We recommend to use a group channel as a bed that sums up all audio tracks of your project for the renderer. The assistant allows you to create a bed group channel and to route all tracks to it. A green LED indicates that your project already contains a bed group channel.

Bed Channel Configuration

Allows you to set the channel configuration of the bed group channel.

Add Bed

If this option is activated, the assistant adds a group channel named **Standard Bed** to your project and uses it as the source track for the bed that is added to the object structure of your Dolby Atmos project.

Route All Tracks to Bed Channel

If this option is activated, the assistant routes all audio tracks in your project that are currently routed to the main mix channel to the new bed group channel. Tracks that are routed to the bed can be defined as objects at a later stage.

NOTE

If your object structure already contains a bed, it is replaced by a new bed named **Standard Bed**.

RELATED LINKS

[Setting up a Dolby Atmos Project Using the Setup Assistant](#) on page 824

[Dolby Atmos Authoring](#) on page 822

[ASIO Driver Setup Page](#) on page 24

[Project Setup Dialog](#) on page 123

[Audio Connections Window](#) on page 33

Setting up a Dolby Atmos Project Manually

This example illustrates how to manually set up a Dolby Atmos project that contains a channel-based 7.1.2 bed for music and effects and 4 mono objects for dialogue. It uses the **Renderer for Dolby Atmos** plug-in as a renderer.

NOTE

Alternatively, you can use the **Setup Assistant for Dolby Atmos** to set up a project that is fully compliant with Dolby Atmos® specifications.

PREREQUISITE

- You have created a new project.
- Your audio system is set to an ASIO buffer size of 512 samples and to a sample rate of 48 kHz.

PROCEDURE

1. In the **Audio Connections** window, on the **Outputs** tab, add an output bus in a channel configuration that matches your speaker setup as the **Main Mix**.

NOTE

The **Renderer for Dolby Atmos** plug-in supports the following output channel configurations: Stereo, 5.1, 7.1, 5.1.2, 5.1.4, 7.1.2, and 7.1.4.

2. In the main mix channel, add **Renderer for Dolby Atmos** as an insert plug-in.
3. In the **ADM Authoring** window, select **Dolby Atmos** from the **Format** pop-up menu.
4. In the main mix channel, **Alt/Opt**-click **Solo** to activate solo defeat. This avoids unintentional muting of the main mix when soloing channels in your project.



5. In the **Project** window, add a group channel track named **Bed** in 7.1.2 channel configuration, and route it to the main mix output bus.

This group serves as the bed in your Dolby Atmos project.

6. Route all tracks with music or effects that you want to use as bed audio to the **Bed** group channel track.
7. Add 4 mono audio tracks named **DIA 1** to **DIA 4** to your project, and route them to the **Bed** group channel track.
8. In the **ADM Authoring** window, click **Add Bed**.

A bed is added to the list of audio objects.

9. For this bed, select **Bed** as the **Source Track**.

You have now established a bed in the object structure of your Dolby Atmos project. The signal of this bed is automatically routed through the **Renderer for Dolby Atmos** plug-in via side-chaining.


10. In your project, select the audio tracks **DIA 1** to **DIA 4**.

11. In the **ADM Authoring** window, select **Create Objects from Selected Tracks** from the **Functions** pop-up menu.

Four objects are added to the list of audio objects and automatically connected to the corresponding source tracks.

RESULT

The object structure of your Dolby Atmos project is shown in the **ADM Authoring** window as follows:



- All audio that is routed to the **Bed** group channel track serves as the premix for the 7.1.2 bed.
- The mono tracks **DIA 1** to **DIA 4** have become objects, using **VST MultiPanner** as the channel panner in **Object Mode**.
- All items in the object structure, bed and objects, automatically received object IDs.
- On playback, you can hear the output signal of the **Renderer for Dolby Atmos** plug-in.
- Pan automation of all object audio is passed on to the renderer as dynamic metadata.

AFTER COMPLETING THIS TASK

Add audio events to music, effect, and dialogue tracks, as well as the source tracks of your objects, and create your Dolby Atmos mix using **VST MultiPanner** for panning.

When you have finalized your mix, you can click **Export ADM File** in the **ADM Authoring** window to export it as an ADM Broadcast Wave file, including the complete object structure and all panning automation as dynamic metadata.

RELATED LINKS

[Setup Assistant for Dolby Atmos](#) on page 825

[Renderer for Dolby Atmos Plug-in Panel](#) on page 829

[Adjusting the Buffer Size](#) on page 1514

[Project Setup Dialog](#) on page 123
[Audio Connections Window](#) on page 33
[Setting the Default Output Bus \(Main Mix\)](#) on page 40
[Switching the Channel Panner](#) on page 815
[Using Solo and Mute](#) on page 455
[ADM Authoring Window](#) on page 832
[Object Mixes with VST MultiPanner](#) on page 837
[VST MultiPanner Plug-in Panel in Object Mode](#) on page 837
[Exporting ADM Files](#) on page 1474

Adding Multi-Objects

In Cubase, you can create multi-objects in addition to standard mono objects. This allows you to tilt and rotate pre-panned multi-channel signals in the Dolby Atmos surround field, for example, a 5.1 channel background mix.

PREREQUISITE

You have set up a valid routing and an ADM structure for Dolby Atmos content, containing objects.

PROCEDURE

1. Add a stereo or multi-channel track.

NOTE

Channel configurations with an LFE channel can be used as multi-objects. However, LFE channels cannot be used as audio objects and are therefore ignored when an object bus is created. For example, if you use a 5.1 channel as the source track, a 5.0 object bus is created.

2. In the **ADM Authoring** window, add an object, and select the created track as the source track.

RESULT

- The audio of the source track is sent to the object, which now acts as a multi-object. Each channel of the source track now has an individual object ID.

AFTER COMPLETING THIS TASK

You can export multi-objects to an ADM file or play back the audio through an external renderer. In both cases, the multi-objects are split into a corresponding number of mono objects that contain their own panning metadata.


Renderer for Dolby Atmos Plug-in Panel

The **Renderer for Dolby Atmos** plug-in allows you to monitor and downmix your Dolby Atmos mix.

- To open the plug-in panel, select **Dolby Atmos** from the **Format** pop-up menu in the **ADM Authoring** window, and click **Renderer Setup**.

NOTE

For this to work, the **Renderer for Dolby Atmos** must be used as an insert plug-in in the **Main Mix** channel.



Trim and Downmix section

This section allows you to select the channel configuration of the downmix and displays the current downmix settings, as received from the **Trim and Downmix Editor**.

Downmix

Sets the channel configuration of the downmix.

Trim (Surround/Height)

Shows the level settings for surround and height channels.

NOTE

You can adjust these settings in the **Trim and Downmix Editor** dialog.

Balance (Overhead/Listener Plane)

Shows the balance settings for overhead and listener plane.

NOTE

You can adjust these settings in the **Trim and Downmix Editor** dialog.

Audio Objects section

This section displays the mapping of object IDs to audio objects. Object IDs that are mapped to a bed are spanned by a square. Object IDs that are mapped to objects are circled. Audio signals on the corresponding source tracks are indicated by a level LED.

The **Mute** buttons allow you to mute all beds, all objects, or all beds and objects at the same time.

Renderer Output Level section

This section displays the renderer output level for all channels and allows you to measure the loudness of the audio signal.

Loudness Measurement On/Off

Activates/deactivates loudness measurement.

Short-Term

Shows the maximum value of all short-term loudness values, based on a time window of 3 s. The measurement is not gated.

Momentary

Shows the momentary loudness value and the maximum value of all momentary loudness values, based on a time window of 400 ms. The measurement is not gated.

Range

Shows the dynamic range of the audio, measured from start to stop. This value helps you to decide how much dynamic compression to apply.

Integrated

Shows the average loudness, measured from start to stop.

Integrated Dial.

Shows the average dialogue-gated loudness, measured from start to stop, and the percentage of speech detected in the audio.

True Peak

Shows the true peak level of the audio. The maximum true peak level permitted in production is -1 dB.

Short-Term Loudness meter

Shows the short-term loudness value, based on a time window of 3 s.

Momentary Loudness meter

Shows the momentary loudness value, based on a time window of 400 ms.

Reset on Start

If this option is activated, all loudness values are reset as soon as playback starts.

Hold on Stop

If this option is activated, all loudness values are held as soon as playback stops.

Output level meters

Displays the renderer output level for all channels.

Object View section


Displays the positions for all audio objects in the room.

RELATED LINKS

[Trim and Downmix Editor](#) on page 834

ADM Authoring Window

In the **ADM Authoring** window, you can create, edit, and export the object structure of your ADM project. It allows you to select a renderer and provides direct access to further related settings.



- To open the **ADM Authoring** window, select **Project > ADM Authoring**.

Format

Allows you to select the format of your ADM project.

Renderer Setup opens the corresponding setup dialog for the corresponding ADM renderer.

NOTE

For this to work, you must first add the renderer ADM plug-in to your project.

Setup Assistant

Opens a **Setup Assistant** for the selected format that helps you to set up your ADM project.

Auto-Connect Object Busses

If this option is activated, all objects in your ADM are automatically connected to object busses. In this case, object busses with the corresponding channel configuration are created automatically.

If this option is deactivated, you can manually select object busses by clicking in the **Object Bus** column. For this to work, you must first create output busses with the corresponding channel configuration in the **Audio Connections** window.

NOTE

This option is only available for external renderers.

Add Objects

Adds the set number of objects to the list of audio objects.

Add Bed

Adds a bed to the list of audio objects.

Remove

Removes selected items from the list.

Functions

This pop-up menu provides the following functions:

- **Create Objects from Selected Tracks** allows you to add objects that use the selected tracks in your project as source tracks.
- **Apply Source Track Name** applies the name of the corresponding source track as the name for selected audio objects.

Settings

This pop-up menu allows you to open the following dialogs:

- **Trim and Downmix Editor**
- **Binaural Render Mode for Beds**
- **Object Group Editor**

NOTE

The **Settings** pop-up menu is only available for particular ADM formats.

The list shows the object structure and the settings for all audio objects and allows you to edit them:

Open/Close Source Track Panner

Opens/Closes the panner of the corresponding source track.

Name

Allows you to enter a name.

Source Track

Allows you to select a source track.

Object Bus

Allows you to select an object bus if an external renderer is used.

NOTE

Objects that are not connected to an object bus are not exported.

Object Group

Allows you to assign the audio object to an object group.

NOTE

This pop-up menu is only available for particular ADM formats.

Binaural

Allows you to select a mode for binaural rendering for playback on headphones or to deactivate binaural rendering for playback on speakers.

NOTE

- Static metadata for binaural rendering is stored in the ADM file when exporting, but not sent to an external Dolby Atmos Renderer in real time.
- For beds, you can make the binaural rendering settings via the **Binaural Render Mode for Beds** dialog.
- This pop-up menu is only available for particular ADM formats.

Object ID

Shows the object ID that a renderer uses to identify the audio object.

Export ADM File

Allows you to export your Dolby Atmos project as an ADM Broadcast Wave file, according to the current settings in this window.

RELATED LINKS

[Renderer for Dolby Atmos Plug-in Panel](#) on page 829

[Trim and Downmix Editor](#) on page 834


[Binaural Render Mode for Beds Dialog](#) on page 835

[Object Group Editor Dialog](#) on page 836

Trim and Downmix Editor

The **Trim and Downmix Editor** dialog allows you to specify the trim and downmix settings for playing back your ADM project.

The settings made in this editor are part of the static metadata of your Dolby Atmos project and stored in the ADM file when exporting. A renderer uses these settings for playback or encoding.



- To open this dialog, select **Trim and Downmix Editor** from the **Settings** pop-up menu in the **ADM Authoring** window.

Trim and Balance Settings

In this section, you can make individual trim and balance settings for Stereo Direct, 5.1/Stereo, 5.1.2, 5.1.4, and 7.1 downmixes.

Automatic

If this option is activated, the default **Trim** and **Balance** values of the Dolby Atmos Renderer are used.

Trim (Surround/Height)

Allows you to lower the level for surround and height channels.

Balance (Overhead/Listener Plane)

Allows you to set the balance for the overhead and listener plane.

Downmix Control Settings

In this section, you can specify the rendering mode for downmixes to 5.1 and stereo, according to the specifications for Dolby Atmos.

Stereo

Allows you to set a rendering mode for stereo downmixes from Dolby Atmos 5.1 downmixes.

5.1

Allows you to set a rendering mode for Dolby Atmos downmixes to 5.1.

Reset

Resets all trim, balance, and downmix settings to default.

Apply


Applies all trim, balance, and downmix settings.

RELATED LINKS

[ADM Authoring Window](#) on page 832

Binaural Render Mode for Beds Dialog

The **Binaural Render Mode for Beds** dialog allows you to individually define the binaural render mode for each subchannel of a bed.



- To open this dialog, select **Binaural Render Mode for Beds** from the **Settings** pop-up menu in the **ADM Authoring** window.

Speaker

Shows the bed channel.

Binaural Render Mode

Allows you to select a mode for binaural rendering or to deactivate it for the corresponding channel.

NOTE

For the LFE channel, binaural rendering is always deactivated.

Reset

Resets all **Binaural Render Mode** settings to default.


RELATED LINKS

[ADM Authoring Window](#) on page 832

[Setting the Default Output Bus \(Main Mix\)](#) on page 40

Object Group Editor Dialog

The **Object Group Editor** dialog allows you to create and edit the groups that are available for objects and the bed in the **ADM Authoring** window.



- To open this dialog, select **Object Group Editor** from the **Settings** pop-up menu in the **ADM Authoring** window.

Add Group

Adds a new group to the list.

Remove Group

Removes selected groups from the list.

Group list

Shows all groups that are available in the **ADM Authoring** window. To edit the name of a group, click it. To select multiple groups, **Ctrl/Cmd**-click or **Shift**-click them.

Reset

Resets the list to the default groups (**Dialog**, **Music**, **Effects**, and **Narration**).

RELATED LINKS

[ADM Authoring Window](#) on page 832

Object Mixes with VST MultiPanner

When you select a track as the source track for an object, its **VST MultiPanner** channel panner plug-in automatically switches to **Object Mode**.

When **VST MultiPanner** is used in **Object Mode**, the following applies:

- The plug-in panel offers additional settings and parameters for object-based mixing.
- The audio stream is sent directly to the **Renderer for Dolby Atmos**.
- All object metadata, including the panning information, is directly sent to the renderer. Therefore, panning functions are always provided, regardless of the audio routing.

NOTE

- If **VST MultiPanner** is used as an insert plug-in, **Object Mode** is not available.
- In **Object Mode**, the audio signal is only sent to the renderer, via **Send 8**. Therefore, it does not reach the output of the channel panner. To make the signal visible on the channel meter, set the **Meter Position** to **Post-Fader** in the **Global Meter Settings**.

RELATED LINKS

[VST MultiPanner](#) on page 798

[VST MultiPanner Plug-in Panel in Object Mode](#) on page 837

[ADM Authoring Window](#) on page 832

[Global Meter Settings Menu](#) on page 456

[Control Room](#) on page 509

[MixConvert 3D Downmix Rules](#) on page 820

VST MultiPanner Plug-in Panel in Object Mode

The **VST MultiPanner** plug-in panel offers additional settings and parameters for object-based mixing when using an external ADM renderer.

- To open the **VST MultiPanner** plug-in panel in a separate window, double-click a miniature view of **VST MultiPanner** in the **Inspector** or in the **MixConsole**.



VST MultiPanner plug-in panel in Object Mode with the Renderer for Dolby Atmos selected as the ADM renderer

Renderer

Shows the object bus to which the channel is connected internally when the **Renderer for Dolby Atmos** is used.

Select Object Zone

Determines which speaker zones are active for the object. Active speaker zones are displayed as small blue squares around the **Top View** pan field.

Active speaker zones are also displayed in the miniature view in the **Inspector**.

Speaker Snap

Moves the object audio to the active speaker that is closest to its established location during playback.

Object Size

Spreads the audio for an object in the room, based on the object position and the active speakers. This parameter is deactivated if **Speaker Snap** is activated.

RELATED LINKS

[VST MultiPanner](#) on page 798

Ambisonics Mixes

Cubase allows you to create 3D mixes in Ambisonics format for virtual reality (VR) or augmented reality (AR) content. You can use the integrated functions and plug-ins for spatial mixing or head-tracking monitoring, or dedicated third-party plug-ins.

Ambisonics is a technology that creates a spherical sound field. In contrast to traditional immersive sound formats, it is not channel-based but utilizes an encoded bundle of multiple audio signals that allows you to place sound sources at any position in the sound sphere.

Cubase supports first-order (1OA), second-order (2OA), third-order (3OA), and fourth-order (4OA) Ambisonics. These formats differ in the number of audio signals that are used. Higher-order Ambisonics provide more signals and provide a higher positioning precision.

To play back the sound sphere, the signals of an Ambisonics file must be decoded. You can play back the sound sphere in the following ways:

- Using headphones and binaural decoding.
Using a properly matched head-related transfer function (HRTF) configuration creates a realistic, full spherical 360° sound field. The sound is perceived as even more realistical if the binaural encoding takes the head movements of the listener into account by using head-tracking technology.
- Using a stereo or multi-channel speaker setup.

When working with Ambisonics audio in Cubase, the following applies:

- You can record from an Ambisonics-capable microphone system.
- You can import pre-produced Ambisonics files in WAV format.
- You can edit Ambisonics events like any other audio in the **Project** window, the **Sample Editor**, or the **Direct Offline Processing** window, for example. All signals of an Ambisonics file are edited simultaneously.

NOTE

Not all editing operations are suited for Ambisonics audio. For example, avoid operations that change the phase and levels of the audio signals against each other.

- The **AmbiDecoder** plug-in decodes Ambisonics audio for monitoring on your headphones or loudspeaker system. When monitoring via the **Phones** channel, Ambisonics audio is automatically decoded for binaural stereo.
- If **AmbiDecoder** is used as a channel panner for Ambisonics channels, you can adjust the rotation angles and focus settings when mixing Ambisonics audio. This allows you, for example, to emphasize the sound that comes from the viewing direction when using a VR controller with head-tracking or to re-balance the sound field of premixed Ambisonics audio.
- You can use **VST MultiPanner** to create Ambisonics mixes from mono, stereo, or multi-channel sources. To use **VST MultiPanner** in Ambisonics mode, route the signal to a group channel track or an output bus in Ambisonics format.
- Cue sends do not work for Ambisonics channels.
- Cubase can use tracking data from external VR controller devices like head-mounted displays or 3D mouse devices to change the listening direction. This allows for realistic monitoring of 360° mixes.
For background music tracks that you do not want to be affected by head movements, you can bypass the tracking by sending a head-locked signal via side-chain.
- Cubase only supports AmbiX format. You can use the **AmbiConverter** insert plug-in to convert between Furse-Malham (FuMa) and AmbiX format.

- You can preview Ambisonics audio in the **MediaBay**, the **Pool**, in the **Direct Offline Processing** window, or the file import dialog, provided that your project is set up for playing back Ambisonics audio.
- You can use dedicated third-party Ambisonics plug-ins for mixing, converting, head-tracking, or binauralization.

NOTE

- To ensure correct channel routing, we recommend that you use only VST 3 Ambisonics plug-ins.
- If you use an Ambisonics panner that is only suited as an insert plug-in, all audio channels in the mix must be in Ambisonics format, even if they only contain mono or stereo audio.
- For details on how to use a third-party plug-in, refer to the documentation that comes with it.

RELATED LINKS

[Channel Routing for Ambisonics Mixes](#) on page 840

[Playback of Ambisonics Audio](#) on page 842

[AmiDecoder Panel](#) on page 842

[Monitoring a Head-Locked Signal in AmiDecoder](#) on page 849

[AmiConverter Panel](#) on page 853

Channel Routing for Ambisonics Mixes

You can route any channel to an Ambisonics channel.

Which channel configurations are allowed in an Ambisonics mix depends on the position of the Ambisonics panner plug-in in the signal path:

- If you use the panner plug-in as a channel panner in the **MixConsole**, you can use any audio channel format.
- If you use the panner as an insert plug-in, all audio channels in the mix must be in Ambisonics format, even if they only contain mono or stereo audio.

NOTE

Cue sends do not work for Ambisonics channels.

RELATED LINKS

[Surround Channel Configurations](#) on page 793

[Switching the Channel Panner](#) on page 815

VST MultiPanner Plug-in Panel in Ambisonics Mode

The **VST MultiPanner** plug-in panel offers additional settings and parameters for Ambisonics mixing.



- To use **VST MultiPanner** in Ambisonics mode for an audio channel, you must route the channel to an output bus in Ambisonics format.

Show/Hide Extended Display

Shows/Hides the **Rear View** pan area.

Top View/Rear View

Shows the sound field from the top and the rear, and allows you to position the sound source by dragging the panning handles. The orientation is bound to the head-tracking viewing angle. This means, what you see in front of you when using a VR display is also in front of the head symbol in both views.

Field Size

Sets the perceived size of the sound field. It is indicated by the size of the head symbol in **Top View** and **Rear View**. The smaller the size, the bigger the distance between listener and sound source. The volume of the sound is attenuated accordingly. Moving the mouse pointer over the scale knob displays the simulated distance in meters in both panning views.

Source Size

Spreads the source audio in the sound field by making it more diffuse.

RELATED LINKS

[VST MultiPanner Plug-in Panel](#) on page 799

Playback of Ambisonics Audio

Cubase allows you to decode Ambisonics audio for monitoring via headphones or speakers. For decoding, you can use **AmbiDecoder** or suitable third-party decoder plug-ins.

When working with **AmbiDecoder**, the following applies:

- In the **Control Room Phones** channel, **AmbiDecoder** is automatically used for decoding Ambisonics audio. Alternatively, you can use suited third-party decoder plug-ins.
- In the **Control Room Main** channel, **AmbiDecoder** is automatically used for decoding Ambisonics audio.
- You can use third-party Ambisonics decoders as insert plug-ins in the **Control Room Main** channel.
- **AmbiDecoder** allows you to send a head-locked signal into your monitor mix via side-chain.

NOTE

To monitor your Ambisonics project, an output bus in Ambisonics format must be set as **Main Mix**.

AmbiDecoder supports the following output channel configurations:

- Mono
- Stereo
- 5.0
- 5.1

RELATED LINKS

[Setting the Default Output Bus \(Main Mix\)](#) on page 40

[Monitoring Ambisonics Audio Binaurally via the Phones Channel](#) on page 847

[Monitoring Ambisonics Audio Binaurally Using Third-Party Insert Plug-ins](#) on page 848

[Monitoring Ambisonics Audio via a Stereo or Multi-Channel Speaker Setup](#) on page 849

[Monitoring a Head-Locked Signal in AmbiDecoder](#) on page 849

[Surround Channel Configurations](#) on page 793

AmbiDecoder Panel

The **AmbiDecoder** plug-in converts Ambisonics audio for playback on headphones or in stereo and multi-channel speaker setups. It is used automatically in the **Control Room Phones** and

Control Room Main channels, and can also be used as an insert plug-in for mixing Ambisonics channels.



AmbiDecoder panel in Headphones mode



AmbiDecoder panel in Speakers mode

Input Format > Output Format

Shows the audio formats of the input and output signals.

Output

Allows you to choose between **Headphones** mode for binaural playback via headphones or **Speakers** mode for playback via a stereo speaker setup.

HRTF Mode

Allows you to set the head-related transfer function (HRTF) mode for binaural playback. This option is only available in **Headphones** mode.

The following HRTF modes are available:

- **Standard** mode uses the standard HRTF algorithm of Cubase.
- **Facebook** mode uses the HRTF algorithm that is used for VR video playback on facebook.com.

NOTE

The availability of this mode depends on the Ambisonics order of the **Main Mix** bus.

-
- **YouTube** mode uses the HRTF algorithm that is used for VR video playback on youtube.com.

NOTE

The availability of this mode depends on the Ambisonics order of the **Main Mix** bus.

-
- **SOFA** mode allows you to use an HRTF saved in SOFA file format.

NOTE

This mode is only available if you have loaded a SOFA file. To select a SOFA file, click the triangle on the right of the **SOFA** button.

-
- **IMMERSE** mode allows you to use HRTF profiles with the **IMMERSE with AmbiDecoder** application.

To select an IMMERSE profile or check for profile updates, click the triangle on the right of the **IMMERSE** button.

NOTE

This mode requires a valid license for **IMMERSE with AmbiDecoder**. For details on how to get a license and use the application, visit steinberg.net.

NOTE

The HRTF settings are only available if **AmbiDecoder** is used in the **Phones** channel of the **Control Room** and if the binaural **Headphones** output mode is selected.

Head Tracking

If this button is activated, **AmbiDecoder** receives head-tracking data from the **Head Tracking** window. If this button is deactivated, you can use the **Yaw**, **Pitch**, and **Roll** controls on the **AmbiDecoder** panel to set the rotation angles.

Yaw

Sets the yaw rotation angle.

Pitch

Sets the pitch rotation angle.

Roll

Sets the roll rotation angle.

Flip L/R

Swaps the left and the right side of the Ambisonics signal.

Flip F/B

Swaps the front and the back of the Ambisonics signal.

Flip T/B

Swaps the top and the bottom of the Ambisonics signal.

Head-Lock

Sets the gain of the head-locked signal that is sent into the side-chain input of **AmbiDecoder**.

LFE

Sets the gain of the LFE signal that is generated by the plug-in from the low-passed signals of the non-LFE channels in equal amounts.

NOTE

This parameter is only available in **Speakers** mode and with **AmbiDecoder** used as the channel panner for a channel that is routed to a channel with an LFE channel.

Output

Sets the output gain of the plug-in.

Front Focus

Activates/Deactivates the emphasis of a defined sector of the Ambisonics sphere.

Off-Focus

Sets the attenuation of any sound that is located out of the **Front Focus** sector.

Size

Sets the **Front Focus** angle, that is, the sector of the Ambisonics sphere that is not attenuated by the amount of the **Off-Focus** value.

Follow Head

If this option is activated, **Front Focus** follows the settings in the **Head Tracking** section above. This allows you, for example, to emphasize the sound that comes from the viewing direction when using a VR controller with head-tracking.

If deactivated, you can control **Azimuth** and **Elevation** manually. This allows you, for example, to re-balance the sound field of premixed Ambisonics audio.

Azimuth

Sets the azimuth angle of the **Front Focus** range. This parameter is only available if **Follow Head** is deactivated.

Elevation

Sets the elevation angle of the **Front Focus** range. This parameter is only available if **Follow Head** is deactivated.

RELATED LINKS

[Head Tracking Window](#) on page 846

[Monitoring a Head-Locked Signal in AmbiDecoder](#) on page 849

Head-Tracking Data from VR Controller Devices

Cubase can receive tracking data from external VR controller devices like head-mounted displays or 3D mouse devices.

When using head-tracking data while monitoring an Ambisonics mix, the following applies:

- Movements of the head or with a 3D mouse are acoustically replicated in real time.
- In **VST MultiPanner**, the Ambisonics mode pan views rotate in sync with the audible front.
- The tracking data is transmitted to the VR video player and the 360° video is panned accordingly.

NOTE

For this to work with GoPro VR Player, you must connect the VR player to Cubase and activate **Send Head-Tracking Data** in the **GoPro VR Player Remote** window.

RELATED LINKS

[Head Tracking Window](#) on page 846


[VST MultiPanner Plug-in Panel in Ambisonics Mode](#) on page 841

[VR Mixing](#) on page 850

[GoPro VR Player Remote Window](#) on page 851

Head Tracking Window

In the **Head Tracking** window, you can set up Cubase for receiving positioning data from an external VR controller device. Alternatively, you can control the rotation angles manually.



- To open the **Head Tracking** window, select **Studio > Head Tracking**.

Yaw

Sets the yaw rotation angle.

Pitch

Sets the pitch rotation angle.

Roll

Sets the roll rotation angle.

Reset

Resets all rotation angles.

Recenter

Defines the current yaw rotation angle as the center. This option is only available if supported by the selected **Tracking Device**.

Tracking Device

Allows you to select a source for positioning data. **Rescan Connected Devices** rescans your system for connected VR controller devices and refreshes the devices that are available on the pop-up menu.

Port

With **OSC Server** set as the **Tracking Device**, this sets the port on which Cubase receives data from the OSC server. Per default, data is received via port 7000 and on the local IP address 127.0.0.1.

NOTE

The following OSC head tracking formats are supported:

- HeadPose message format simple: **/head_pose,fff [pitch] [yaw] [roll]**
- HeadPose message format complex: **/head_pose,fffffff [User_ID] [x] [y] [z] [pitch] [yaw] [roll]**
- HeadPose with rotation message format: **/rotation,fff [pitch] [yaw] [roll]**
- IEM message format:
 - **/SceneRotator/yaw f -3.694705**
 - **/SceneRotator/pitch f -29.721153**
 - **/SceneRotator/roll f -60.208160**
 - **/SceneRotator/quaternions w -x y z**
- Unity message format: **/quaternions w -y z -x**
- Ambix message format: **/quaternion w -x y z**

All position values must be entered in degrees.

Enable Head Tracking

Enables/Disables the transfer of head-tracking data to the VR player.

Keep Inactive Devices Initialized

If this option is activated, connected VR controller devices remain initialized. This reduces the switching time when working with different tracking devices; for example, a VR headset and an OSC server.

Monitoring Ambisonics Audio Binaurally via the Phones Channel

The **Control Room Phones** channel allows you to listen to Ambisonics audio binaurally via headphones, automatically using **AmbiDecoder** for decoding.

PREREQUISITE

- In the **Audio Connections** window, you have set an Ambisonics output bus as main mix and enabled the **Control Room**.
- For the audio preview function to work, you must activate **Use Phones Channel as Preview Channel** in the **Preferences** dialog on the **VST - Control Room** page.

PROCEDURE

1. In the **MixConsole**, route your audio tracks to the Ambisonics output bus.
2. Click **Open/Close Ambisonics Decoder**.



3. On the **AmbiDecoder** panel, select **Headphones** as output.
 4. Make your changes for the **HRTF Mode**.
-

RESULT

You can play back Ambisonics audio binaurally via headphones.

NOTE

Instead of **AmbiDecoder**, you can also use third-party binaural decoding plug-ins that are suited for use within the **Control Room Phones** channel. Select the decoder from the pop-up menu in the **Control Room Phones** section.

RELATED LINKS

[Inputs/Outputs Tab on page 33](#)

[Setting the Default Output Bus \(Main Mix\) on page 40](#)

[Control Room Tab on page 37](#)

[VST - Control Room on page 1547](#)

[AmbiDecoder Panel on page 842](#)

Monitoring Ambisonics Audio Binaurally Using Third-Party Insert Plug-ins

Third-party Ambisonics plug-ins for binaural decoding that are not suited for use within the **Control Room Phones** channel can be used as insert plug-ins in the **Main** channel instead.

PREREQUISITE

In the **Audio Connections** window, you have done the following:

- You have set an Ambisonics output bus as main mix.
- You have enabled the **Control Room**.
- For the **Control Room Monitor** channel, you have selected the correct device port to send the signal to your headphones.

NOTE

For details on how to use a third-party Ambisonics decoder plug-in, refer to the documentation that comes with it.

PROCEDURE

1. In the **MixConsole**, route your audio tracks to the Ambisonics output bus.
 2. In the **Downmix Presets** section of the **Control Room**, select a preset with the same Ambisonics format as the main mix.
 3. In the **Channels** section, disable **Head Tracking** on the miniature view of **AmbiDecoder**.
 4. In the **Main** channel of the **Control Room**, insert the Ambisonics decoder plug-in.
-

RESULT

You can play back Ambisonics audio binaurally via the **Control Room Main** channel.

RELATED LINKS

[Surround Channel Configurations](#) on page 793
[Control Room Tab](#) on page 37
[Inputs/Outputs Tab](#) on page 33
[Setting the Default Output Bus \(Main Mix\)](#) on page 40
[Insert Effects](#) on page 519

Monitoring Ambisonics Audio via a Stereo or Multi-Channel Speaker Setup

The **Control Room Main** channel allows you to listen to Ambisonics audio via a stereo or multi-channel speaker setup. For decoding Ambisonics audio to a stereo or multi-channel format, the **Main** channel automatically uses **AmbiDecoder**.

PREREQUISITE

- You use a stereo or multi-channel studio monitor system.
- In the **Audio Connections** window, you have set an Ambisonics output bus as main mix, and enabled the **Control Room**.

PROCEDURE

1. In the **MixConsole**, route your audio tracks to the Ambisonics output bus.
2. In the **Downmix Presets** section of the **Control Room**, select the preset that matches your speaker setup.
3. In the **Channels** section, make your changes on the miniature view of **AmbiDecoder** or double-click it to open the plug-in panel.
4. For stereo playback, select **Speakers** as output.

RESULT

You can listen to Ambisonics audio via your stereo or multi-channel speaker setup.

RELATED LINKS

[Inputs/Outputs Tab](#) on page 33
[Setting the Default Output Bus \(Main Mix\)](#) on page 40
[Control Room Tab](#) on page 37
[Downmix Presets](#) on page 514
[Playback of Ambisonics Audio](#) on page 842
[Control Room Channel](#) on page 516

Monitoring a Head-Locked Signal in AmbiDecoder

You may not want some audio, for example, background music tracks, to be affected by head movements. **AmbiDecoder** allows you to bypass tracking by sending a head-locked signal via side-chain.

PREREQUISITE

In the **Audio Connections** window, you have set an Ambisonics output bus as main mix and enabled the **Control Room**.

PROCEDURE

1. In your project, create a stereo or multi-channel group channel track and route your background music tracks to this group.
2. Route the output of the group channel track to the side-chain input of **AmbiDecoder**.

3. On the **AmbiDecoder** panel, right-click and select **Activate/Deactivate Side-Chain Inputs**.
 4. Set **Head-Locked Signal** to the required gain.
-

RESULT

You can listen to decoded Ambisonics audio and your music tracks via the **Control Room**. The music tracks are not affected by head-tracking data that Cubase receives from a VR controller.

NOTE

When listening to Ambisonics audio via speakers, the head-locked signal is added after the **Control Room** volume control. Use **Control Room Level** and **Head-Locked Signal** to retain a proper balance between Ambisonics mix and head-locked signal.

RELATED LINKS

[Head Tracking Window](#) on page 846
[AmbiDecoder Panel](#) on page 842

VR Mixing

For mixing immersive audio productions in virtual reality (VR), Cubase can use third-party VR controller software to play back 360° videos.

For VR mixing in Cubase with head tracking and gesture controlling, we recommend to use the dearVR SPATIAL CONNECT VR controller software by Dear Reality.

NOTE

- dearVR SPATIAL CONNECT is available at <https://www.dear-reality.com/>.
 - For details on how to use dearVR SPATIAL CONNECT, refer to the documentation that comes with it.
-

Alternatively, you can use the deprecated Kolor GoPro VR Player controller software. This software can run locally or on another computer connected via network. You can remote-control GoPro VR Player with Cubase using the **GoPro VR Player Remote** function. It allows you to control the GoPro VR Player transport and to send head-tracking data to the player.

NOTE


- This documentation only refers to GoPro VR Player version 3.0.5.
 - For details on how to use GoPro VR Player, refer to the documentation that comes with it.
-

RELATED LINKS

[GoPro VR Player Remote Window](#) on page 851
[Connecting Cubase to GoPro VR Player](#) on page 851

GoPro VR Player Remote Window

GoPro VR Player Remote allows Cubase to control the transport and viewing angle of GoPro VR Player.



- To open the **GoPro VR Player Remote** window, select **Studio > GoPro VR Player Remote**.

Video File

Allows you to enter a path of a video file for playback in GoPro VR Player.

NOTE

If GoPro VR Player is installed on another computer, make sure that the path entered in this field is compatible with the operation system that is used on the remote computer. For example, if Cubase is installed on a Windows system and GoPro VR Player runs on a macOS system, make sure that the file path uses slashes instead of backslashes.

Select Video File

Allows you to select a video file that is located on your local computer or on a remote computer in your network.

Video Stereoscopy

Allows you to select the stereoscopy format of the selected video file.

IP Address/Port

Allows you to enter the IP address of the host computer running GoPro VR Player and the UDP port GoPro VR Player is listening to.

Send Head-Tracking Data

Enables Cubase to transmit head-tracking data from an external VR controller device to GoPro VR Player.

Connect

Connects Cubase to GoPro VR Player.

Connecting Cubase to GoPro VR Player

This example shows you how to connect Cubase to GoPro VR Player version 3.0.5.

PREREQUISITE

You have installed GoPro VR Player version 3.0.5 on your local computer or on another computer in your network.

PROCEDURE

1. In GoPro VR Player, select **File > Preferences**.
2. On the **Video Decoding** page, select **Windows Media Foundation** as **Backend**.

3. On the **Primary/Secondary** page, select **Secondary as Communication Mode**.
4. On the **Controllers** page, change the settings for **Head-Mounted Display SDK** as required.
In most cases, **Auto** mode is suitable.
5. Close the GoPro VR Player preferences menu.
6. In Cubase, select **Studio > GoPro VR Player Remote**.
7. In the **GoPro VR Player Remote** window, click **Select Video File**, and select the video file in the file dialog.

This allows Cubase to remote-control GoPro VR Player. The file selection is saved in your Cubase project.

NOTE

If the video file is located on a remote computer in your network that you cannot access through the file dialog, you can click the video file field and manually enter the full file path.

If GoPro VR Player is installed on another computer, make sure that the path entered in this field is compatible with the operation system that is used on the remote computer. For example, if Cubase is installed on a Windows system and GoPro VR Player runs on a macOS system, make sure that the file path uses slashes instead of backslashes.

8. Select the **Video Stereoscropy** format of the selected video file.
9. Enter the **IP Address/Port** of the computer where the GoPro VR Player is running.
By default, **IP Address/Port** is set to the local computer.
10. Optional: If no head-mounted display is used, activate **Send Head-Tracking Data**.
This allows you to send tracking information from the **Head Tracking** window to GoPro VR Player.
11. Activate **Connect** to sync the transport of GoPro VR Player with Cubase.

RESULT

GoPro VR Player is controlled by the transport of Cubase and head-tracking data that is sent from a VR controller connected to your system.

Ambisonics Audio Export

You can create Ambisonics files from Ambisonics tracks using the **Export Audio Mixdown** function.

The following applies:

- Use only file formats that are suited for Ambisonics audio. We recommend that you only create Ambisonics files in WAV format.
- Before exporting, make sure that you only use Ambisonics decoding plug-ins in the **Control Room** but not in the channel inserts.
- Even though the resulting files look like multi-channel WAV files, they must be played back with a dedicated Ambisonics player or converted into another platform-specific format using an external application.
- Head-locked signals must be exported from a separate output bus. You can export from multiple busses at once.


RELATED LINKS

[Export Audio Mixdown](#) on page 1406

[Mixing Down to Audio Files on page 1417](#)
[Monitoring a Head-Locked Signal in AmbiDecoder on page 849](#)

AmbiConverter Panel

When working with Ambisonics audio, Cubase supports AmbiX format only. The **AmbiConverter** plug-in allows you to convert Ambisonics audio between Furse-Malham (FuMa) and AmbiX format.



Input level meter

Shows the input level for all speaker channels.

Ambisonics format display

Shows the order of the Ambisonics audio format.

Output level meter

Shows the output level for all speaker channels.

FuMa > AmbiX

Converts audio from FuMa to AmbiX format.

AmbiX > FuMA

Converts audio from AmbiX to FuMa format.

Automation

In essence, automation refers to recording values for a particular **MixConsole** or effect parameter. When you create your final mix, Cubase can adjust this particular parameter control.

Automation Curves

Within a Cubase project, the changes affecting parameter values over time are represented by curves on automation tracks.

There are different kinds of automation curves:



1 Ramp curves

Ramp curves are created for any parameter that generates continuous multiple values, such as fader or encoder movements.

2 Step curves

Step curves are created for on/off parameters, such as mute.

Static Value Line

When you open an automation track for the first time, it does not contain any automation events. This is indicated by a dotted horizontal line, the static value line, in the event display. This line represents the current parameter setting.

If you manually add any automation events or use write automation for the corresponding parameter and then disable the reading of automation data, the automation curve is grayed out and the static value line is used instead.

As soon as **Read** is enabled, the automation curve is used.

Write/Read Automation

You can automation-enable tracks and **MixConsole** channels by activating their automation write **W** and read **R** buttons.

- If you activate **W** for a channel, virtually all **MixConsole** parameters that you adjust during playback for that specific channel are recorded as automation events.
- If **R** is activated for a channel, all your recorded **MixConsole** actions for that channel are performed during playback.

The **R** and **W** buttons for a track in the track list are identical to the **R** and **W** buttons in the **MixConsole**.

NOTE

R is automatically enabled when you enable **W**. This allows Cubase to read existing automation data at any time. You can separately deactivate **W** if you only want to read existing data.

You can also find global read and write indicator buttons **Activate/Deactivate Read/Write for All Tracks** on the **Project** window toolbar and on the **MixConsole** toolbar. These buttons light up as soon as an **R** or **W** button on any channel/track within your project is enabled. Furthermore, they can be clicked to activate or deactivate **R/W** of all tracks simultaneously.

NOTE

R/W are also available on the **Automation Panel**.

RELATED LINKS

[Read/Write/Suspend Buttons](#) on page 865

Writing Automation Data

You can create automation curves manually or automatically.

- Manual writing makes it easy to quickly modify parameter values at specific points, without having to activate playback.
- Automatic writing lets you work almost as if you were using a real mixer.

With both methods, any applied automation data is reflected in both the **MixConsole** by a moved fader, for example, and in the corresponding automation track curve.

RELATED LINKS


[Manual Writing of Automation Data](#) on page 856

Automatic Writing of Automation Data

Every action that you perform is automatically recorded on automation tracks which you can later open for viewing and editing.

PROCEDURE

1. In the track list, click **Show/Hide Automation** for a track to open its automation track.



2. Click **W** to enable the writing of automation data on this track.
3. Start playback.
4. Adjust the parameters in the **MixConsole**, in the **Channel Settings** window, or on the effect control panel.

The value settings are recorded and displayed on the automation tracks as a curve. When automation data is being written, the color of the automation track changes, and the delta indicator in the automation track indicates the deviation of the new parameter from any previously automated value.

5. Stop playback and return to the position where you started playback.
6. Click **W** to disable the writing of automation data.

7. Start playback.
-

RESULT

All actions that you record are reproduced exactly. When you drag a plug-in to a different insert slot on the same channel, any existing automation data moves with the plug-in. When you drag it to an insert slot on a different channel, any existing automation data is not transferred to the new channel.

Manual Writing of Automation Data

You can manually add automation events by drawing automation curves on an automation track.

PROCEDURE

1. In the track list, click **Show/Hide Automation** for a track to open its automation track.



2. Click the automation parameter name, and select the parameter from the pop-up menu.
3. Select the **Draw** tool.
4. Click on the static value line.

An automation event is added, read automation mode is automatically activated, and the static value line changes to a colored automation curve.

5. Click and hold to draw a curve by adding automation events.

When you release the mouse button, the number of automation events is reduced.

NOTE

To adjust the thinning out of events, open the **Automation Panel**, open the **Settings** page, and enter a value for **Reduction Level**.

6. Start playback.
-

RESULT

The automated parameter changes with the automation curve, and the corresponding fader in the **MixConsole** moves accordingly.

AFTER COMPLETING THIS TASK

Repeat the procedure in case you are not satisfied with the result. If you draw over existing events, a new curve is created.

Tools for Drawing Automation Data

Apart from the **Draw** tool, you can use the **Object Selection** tool and the **Line** tool to draw automation events. If you click on the automation track with any of these tools, **R** is activated automatically.


- **Object Selection**

If you click on an automation track with the **Object Selection** tool, an automation event is added. If you hold down **Alt/Opt**, you can draw several automation events.

NOTE

Events that are introduced between existing events and do not deviate from the existing curve are removed as soon as you release the mouse button.

To activate the **Line** tool in any other available mode, click the **Line** tool, and click again to open a pop-up menu where you can select the **Line** tool mode.



The following **Line** tool modes are available:

Line

If you click on the automation track and drag, with the **Line** tool in **Line** mode, you can create automation events in a line. This is a quick way to create linear fades, etc.

Parabola

If you click and drag on the automation track, with the **Line** tool in **Parabola** mode, you can create more natural curves and fades.

NOTE

The result depends on the direction from which you draw the parabolic curve.

Sine/Triangle/Square

If you click and drag on the automation track, with the **Line** tool in **Sine**, **Triangle**, or **Square** mode and with the **Snap Type** set to **Grid**, the period of the curve, that is, the length of one curve cycle, is determined by the grid setting. If you press **Shift** and drag, you can set the period length manually, in multiples of the grid value.

NOTE

The **Line** tool can only be used for ramp type automation curves.

Editing Automation Events

Automation events can be edited in the same manner as other events.

NOTE

If you move an event or part on a track and you want the automation events to follow automatically, select **Edit > Automation Follows Events**. Any existing automation events at the new position are overwritten.

- You can use the tools on the **Project** window toolbar to edit automation events.
- You can use the automation event editor to edit selected automation events on ramp automation curves.

RELATED LINKS

[Project Window Toolbar](#) on page 54

[Automation Event Editor](#) on page 859

Creating Smooth Transitions Between Automation Events (Bézier Automation Curves)

Cubase supports bézier automation curves that allow you to create smooth transitions between automation events. This way, you can edit linear ramp curves with more precision, flexibility, and intuition.

PREREQUISITE

The **Object Selection** tool is active.

PROCEDURE

1. Move the mouse pointer on the linear ramp curve segment that you want to edit.

A handle is shown on the curve segment.



NOTE

If the automation events are next to each other on an almost horizontal or vertical line, or if they are too close to each other, the handle is not available.

2. Click and drag, with the mouse button pressed to modify the shape of the curve segment.



3. As soon as you are satisfied with the result, release the mouse button.

RESULT

A smooth transition curve is created, reflecting your edits.

If you are not satisfied with the result and want to start over again from the original linear curve segment, double-click the handle.

You can use bézier automation curves with tracks that are connected to VCA faders.

AFTER COMPLETING THIS TASK

For even more precise editing, add new automation events to your bézier curve segment.



This creates new segments that you can smoothen.



RELATED LINKS

[VCA Fader Settings on page 504](#)

[VCA Fader Automation on page 508](#)

Selecting Automation Events

- To select an automation event, click it with the **Object Selection** tool.

- To select multiple events, drag a selection rectangle with the **Object Selection** tool or **Shift**-click the events.
- To select multiple events, select a range with the **Range Selection** tool or **Shift**-click the events.
- To select all automation events on an automation track, right-click the automation track, and select **Select All Events** from the context menu.

Selected events are indicated by a dark color.

NOTE

If you select several events of a ramp automation curve, the automation event editor becomes available.

RELATED LINKS

[Automation Event Editor](#) on page 859

Automation Event Editor

The automation event editor allows you to edit selected events on the automation track. The automation event editor is only available for automation ramp curves.

NOTE

All editing in the automation event editor only affects the automation events that are part of the selection.


To open the automation event editor, do one of the following:

- Activate the **Object Selection** tool, and drag a selection rectangle on a ramp type automation track.
- Activate the **Range Selection** tool, and select a range on a ramp type automation track.

NOTE

If you work with the **Range Selection** tool, the smart control for **Stretch** is not available.

The automation event editor features the following smart controls for specific editing modes:



1 Tilt Left

If you click in the upper left corner of the editor, you can tilt the left part of the curve.

2 Compress Left

If you **Alt/Opt**-click in the upper left corner of the editor, you can compress or expand the left part of the curve.

3 Scale Vertically

If you click in the middle of the upper border of the editor, you can scale the curve vertically.

4 Move Vertically

If you click on the upper border of the editor, you can move the entire curve vertically.

5 Compress Right

If you **Alt/Opt**-click in the upper right corner of the editor, you can compress or expand the right part of the curve.

6 Tilt Right

If you click in the upper right corner of the editor, you can tilt the right part of the curve.

7 Scale Around Relative Center

If you **Alt/Opt**-click in the center of the right border of the editor, you can scale the curve relative to its center.

8 Scale Around Absolute Center

If you click in the center of the right corner of the editor, you can scale the curve absolute to its center.

9 Stretch

If you click on the lower border of the editor, you can stretch the curve horizontally.

NOTE

To edit the automation curves on several tracks simultaneously, select the automation events on the corresponding automation tracks with the **Object Selection** tool or the **Range Selection** tool, and hold down **Ctrl/Cmd** while using the smart controls.

NOTE

If you select automation events with the **Range Selection** tool, additional automation events are automatically created at the start and at the end of the selection. This ensures that the entire selection is edited.

RELATED LINKS

[Automation Curves](#) on page 854

Quick Vertical Scaling of Automation Events

You can vertically scale the curve segment between two automation events without selecting the events first.

PROCEDURE

1. Move the mouse pointer to the upper border of the automation track, above the linear ramp curve segment that you want to scale.

A handle is shown.



2. Click and drag up or down, with the mouse button pressed.
3. When you are satisfied with the result, release the mouse button.

RESULT

The curve segment between the two automation events is scaled.

Moving Automation Events

Moving Single Automation Events

- To move a selected automation event, click it and drag to the left or to the right.
- To restrict the direction of the movement, press **Ctrl/Cmd** and drag.

NOTE

Snap is taken into account when you move automation curves horizontally. To turn it off temporarily, hold down **Ctrl/Cmd** and any other modifier, and drag.

Moving Multiple Automation Events

- To move a selection of automation events, click inside the selection rectangle, and drag to the left or to the right.
If you made a continuous selection of automation events, events at the destination range are overwritten. However, if you move the same selection range past existing events, they appear again. If a selection range contains automation events that are deselected, dragging is restricted. You cannot move this selection past existing events.
- To copy a continuous selection of automation events, click inside the selection rectangle, hold down **Alt/Opt**, and drag to the left or to the right.

NOTE

If you press **Esc** while dragging the selection rectangle, the selection jumps back to its original position.

RELATED LINKS

[Selecting Automation Events on page 858](#)

Removing Automation Events

- To remove an automation event, click on it with the **Erase** tool.
- To remove multiple automation events, select them, and press **Backspace** or **Delete** or select **Edit > Delete**.
- If **Use Virgin Territory** is enabled, this creates a gap. When disabled, the events within the range are removed.
- To remove all automation events from the automation track and close the automation track, click the automation parameter name in the track list, and select **Remove Parameter** from the pop-up menu.

NOTE

When removing automation events, the curve is redrawn to connect the remaining events.

RELATED LINKS

[Virgin Territory vs. Initial Value on page 863](#)

Automation Tracks

Most of the tracks in your project have automation tracks, one for each automated parameter.
To show automation tracks, open them.

Showing/Hiding Automation Tracks

- Position the mouse pointer over the lower left corner of the track, and click the arrow icon (**Show/Hide Automation**) that appears.
- Right-click the track in the track list, and select **Show/Hide Automation** from the context menu.
- To open another automation track, position the mouse pointer over the lower left corner of an automation track, and click + (**Append Automation Track**).
- To show all used automation tracks in the track list, right-click any track, and select **Show All Used Automation** from the context menu.
- To open the corresponding automation track on writing automation parameters, select **Project > Automation Panel**, and on the **Settings** page, activate **Reveal Parameter on Write**.

Removing Automation Tracks

- To remove an automation track with all automation events, click the parameter name, and select **Remove Parameter** from the pop-up menu.
- To remove all automation tracks from a track that do not contain automation events, select **Remove Unused Parameters** from any of its automation parameter name pop-up menus.
- To remove automation tracks, you can also open the **Automation Functions** pop-up menu on the **Automation Panel** and select one of the options to delete automation.

Assigning a Parameter to an Automation Track

Parameters are already assigned to automation tracks when you open them, according to their order in the parameter list.

PROCEDURE

1. Open an automation track, and click on the automation parameter name.
A parameter list is shown. The content depends on the track type.
2. Do one of the following:
 - Select the parameter.
 - Select **More** to open the **Add Parameter** dialog that lists all parameters that can be automated, and select the parameter.

RESULT

The parameter replaces the current parameter in the automation track.

NOTE

Replacing automation parameters is non-destructive. If the automation track contains any automation data for the parameter that you replaced, this data is still available, although it is not visible. By clicking on the name of the automation parameter in the track list, you can switch

back to the replaced parameter. On the pop-up menu, an asterisk (*) after the parameter name indicates hidden automation tracks.

Muting Automation Tracks

By muting an automation track, you turn off automation for a single parameter.

- To mute individual automation tracks, click **Mute Automation** in the track list.

Virgin Territory vs. Initial Value

For parameter automation, Cubase either works with an initial value or with virgin territory.

When you enable **Use Virgin Territory**, no automation curve is displayed on the automation track, and you find automation data only where you actually perform an automation pass. After an automation pass, you will find virgin territory only to the right of the last automation event.

Creating Gaps

Gaps are empty sections between automation curves. You can create gaps inside a section with automated values.

PROCEDURE

1. Select **Project > Automation Panel**.
 2. Open the **Settings** page, and activate **Use Virgin Territory**.
 3. Use the **Range Selection** tool to select a range with existing automation data on an automation track, and press **Delete** or **Backspace**.
-

RESULT

A gap and new events are created at the beginning and the end of the selection range. These mark the end point of the automation curve to the left and the start of the next automation curve to the right of the gap.

Defining a Terminator Point

You can define any automation event on the automation curve as the terminator point of this part of the curve. This will automatically delete the line between this event and the next one, creating a gap.

PROCEDURE

1. On the automation curve, click to select the event that you want to define as the last point.
2. In the **Project** window info line, set **Terminator** to **Yes**.

The line between this event and the next one is deleted, and a gap is created.

NOTE


If you define the last automation event of an automation curve as a terminator point, any automation data to the right of this event (as defined by an initial value) is deleted.

Automation Panel

The **Automation Panel** is a floating window and can be left open while you work.

To open the **Automation Panel**, do one of the following:

- Select **Project > Automation Panel**.
- On the **Project** window toolbar, click **Open Automation Panel** .
- Press **F6**.




RELATED LINKS

[Operations Tab](#) on page 864

Operations Tab

The **Operations** tab contains all the functions that you need to perform automation operations.



In the topmost section, the following options are available:

Read/Write/Suspend

Activates/Deactivates read/write for all tracks, or suspends read/write for all tracks.

Touch

Writes automation data for as long as you touch a parameter control, punches out when you release the control, and then sets the control to the previously set value.

Auto-Latch

Continues writing automation data for as long as playback lasts or **Write** is enabled, and keeps the last value when you release the control.

Cross-Over

Continues writing automation data for as long as playback lasts or **Write** is enabled, and continues with the same value setting when you release the control.

When you re-touch the fader and move it towards the original value, a punch out occurs automatically as soon as you cross the original curve.

Trim

Allows you to modify the automation curve from a previous pass.

Automation Functions

Gives you access to a number of general automation functions.

In the main section, the following options are available:

Fill

These options define what happens in a specific section of your project when you punch out of a running automation pass.

Suspend Read

Suspends the reading for the activated parameter during automation so that you get full manual control of it.

Suspend Write

Suspends the writing for the activated parameter during automation so that this parameter punches out of the automation pass.

Show

Shows all automation tracks for the activated parameter so that you get an overview of the automated parameter.

RELATED LINKS

[Read/Write/Suspend Buttons on page 865](#)

[Touch on page 867](#)

[Auto-Latch on page 867](#)

[Cross-Over on page 868](#)

[Trim on page 869](#)

[Automation Functions Menu on page 870](#)

[Fill Options on page 871](#)

[Suspend Options on page 873](#)

[Show Options on page 874](#)

Read/Write/Suspend Buttons

The **Read** and **Write** buttons in the upper part of the **Automation Panel** are global for all tracks.

- To open the **Automation Panel**, select **Project > Automation Panel**.

Activate/Deactivate Read for All Tracks

Activates/Deactivates all **Read** buttons for all tracks.

Activate/Deactivate Write for All Tracks

Activates/Deactivates all **Write** buttons for all tracks.


Suspend All Read/Write Automation

Suspends the reading/writing of automation data for all parameters/parameter groups.

Automation Modes

Cubase provides different punch out modes for automation: **Touch**, **Auto-Latch**, and **Cross-Over**. In all modes, automation data is written as soon as a parameter control is touched in play mode. The modes differ with regard to their punch out behavior.

The automation modes are available on the upper part of the **Automation Panel** and on the **Project** window toolbar of the **Global Automation Mode** pop-up menu.



You can change the automation mode at any time, for example, in play or stop mode or during an automation pass. You can also assign key commands to the automation modes.

The current automation pass punches out as soon as one of the following conditions is fulfilled, independent of which automation mode is selected:

- You disable **Write**.
- You stop playback.
- You activate **Forward/Rewind**.
- The project cursor reaches the right locator in **Cycle** mode.
- You click in the ruler to move the project cursor. This is user-definable and can be controlled via the **Automation Panel**.

NOTE


In **Auto-Latch** mode, you can punch out by using the **Punch Out of Latch Automation** key command in the **Automation** category.

RELATED LINKS

[Settings Tab](#) on page 874

Touch

Touch mode is useful to make a change lasting only a few seconds to an already set up parameter.



- **Touch** writes automation data only for as long as you actually touch a parameter control. Punch out occurs as soon as you release the control.
- After punch out, the control returns to the previously set value.

NOTE


You can set the time it takes for the parameter to reach the previously set value with the **Return Time** setting on the **Settings** page of the **Automation Panel**.

RELATED LINKS

[Settings Tab](#) on page 874

Auto-Latch

Auto-Latch is useful to maintain a value over a longer period of time – for example, when making EQ settings for a particular scene.



- Once your pass has started, the writing of automation data continues for as long as playback lasts or **Write** is enabled.
- When you release the control, the last value is kept until you punch out.

NOTE

You can also punch out by using the **Punch Out of Latch Automation** key command in the **Automation** category.

Punch out also occurs, if one of the general punch out conditions is met.

NOTE


The automation mode for on/off switches is always **Auto-Latch**, even if another mode is selected globally or for the track.

RELATED LINKS

[Automation Modes on page 866](#)

Cross-Over

Cross-Over mode allows you to perform a manual return to ensure smooth transitions between new and existing automation settings. For **Cross-Over**, the punch out condition is crossing over an already existing automation curve after touching the parameter for a second time. The **Cross-Over** mode can be used in situations where you are not satisfied with an automation curve or with the automatically applied return settings.




- Once your pass has started, the writing of automation data continues for as long as playback lasts or **Write** is enabled.
- When you release the control, the automation pass continues, with the value setting remaining the same.
- When you re-touch the fader and move it towards the original value, punch out occurs automatically, as soon as you cross the original curve.

RELATED LINKS

[Settings Tab on page 874](#)

Trim

Trim allows you to modify the automation curve from a previous pass. If you activate **Trim**, a trim curve is positioned in the middle of the automation track.



NOTE

Trim works for channel volume and cue send level adjustments.

If you activate **Trim**, all editing and recording affects the trim curve. If you deactivate **Trim**, it affects the original automation curve instead.

You can edit trim data in the same manner as any other automation data. It is stored with the project.

- Drag the trim curve up or down, and add automation events to it.
These increase or decrease the values of the original automation curve but allow you to preserve the original data.

You can use **Trim** either in stop or in play mode:

- In stop mode, you can select one of the **Fill** options and edit the trim curve manually by clicking on it and moving it up or down. The original automation curve is displayed in a lighter color, and its values are merged with the trim curve. The resulting automation curve is displayed in a darker color.
- In play mode, the events of the original automation curve are trimmed as the project cursor passes over them.

NOTE

Trim also works with bézier automation curves.

RELATED LINKS

[Creating Smooth Transitions Between Automation Events \(Bézier Automation Curves\)](#) on page 858

Freeze Trim

You can freeze your trim curve automatically or manually. This renders all trim data into a single automation curve.

- To freeze your trim curve automatically whenever a write operation is finished, open the **Settings** page of the **Automation Panel**, and select **On Pass End** in the **Freeze Trim** pop-up menu.
- To freeze your trim curve automatically with **Trim** mode switched off, open the **Settings** page of the **Automation Panel**, and select **On Leaving Trim Mode** in the **Freeze Trim** pop-up menu.
- To freeze your trim curve manually, open the **Settings** page of the **Automation Panel**, and select **Manually** in the **Freeze Trim** pop-up menu. To freeze a specific parameter for the track, click the parameter name, and, from the pop-up menu, select **Freeze Trim**.
- To freeze the trim automation for all tracks in the project, open the **Functions** pop-up menu of the **Automation Panel**, and select **Freeze All Trim Automation in Project**.

To freeze the trim automation of all selected tracks, open the **Functions** pop-up menu of the **Automation Panel**, and select **Freeze Trim Automation of Selected Tracks**.

Automation Functions Menu

A number of general functions are available for automation.

- To open the **Automation Functions** menu, select **Project > Automation Panel**, and click **Automation Functions**.

Delete All Automation in Project

Removes all automation data from your project.

Delete Automation of Selected Tracks

Removes all automation data on selected tracks.

Delete Automation in Range

Deletes all automation data between the left and right locators on all tracks.

Fill Gaps on Selected Tracks

This option is used with virgin territories. Select this option to fill any gaps in the automation curves of the selected tracks with a continuous value. The value of the last event (the end point) of a section is used to fill the gap. This value is written across the gap, up to one millisecond before the first event of the next automated section. A new event is inserted here; the value will be ramped to the next automated section.

Fill Gaps with Current Value (Selected Tracks)

This option is used with virgin territories. Select this option to fill any gaps in the automation curves of the selected tracks. The gaps are filled with the current value of the corresponding control.

Freeze All Trim Automation in Project

Freezes all trim automation for all tracks in the project.

Freeze Trim Automation of Selected Tracks

Freezes all trim automation for the selected tracks.

Fill Options

The **Fill** options define what happens in a specific section of your project when you punch out of a running automation pass.

The **Fill** options write one particular value across a defined section of your automation track. Any previously created data within this section is overwritten.

You can also combine the various **Fill** options.

Activating To Punch

PROCEDURE

1. On the **Automation Panel**, activate **Touch**, and activate **To Punch** as the **Fill** option.
2. Start playback.
3. Move the fader until you have found the volume setting that you want, and release the fader to punch out.

The volume curve is set, from the punch out point back to where you punched in. The values written while moving the fader to find the correct value are deleted. The volume jumps from the value set in the first scene to the value found for the second scene at the correct moment.

Activating To Start

PROCEDURE

1. On the **Automation Panel**, activate **Touch**, and activate **To Start** as **Fill** option.
2. Start playback.
3. Move the fader until you have found the volume setting that you want, and release the fader to punch out.

The automation track is filled from where you punched out to the start of the project.

Activating To End

PROCEDURE

1. On the **Automation Panel**, activate **Touch**, and activate **To End** as the **Fill** option.
2. Start playback and touch the parameter control to punch in the automation pass.
3. Move the fader until you have found the setting that you want, and release it.

This will punch out the writing of automation data. As you let go of the fader, the automation curve takes the found value setting, from where you punched out to the end of the project.

Activating Loop

PREREQUISITE

You have set up a loop range with the left and right locators.

PROCEDURE

1. On the **Automation Panel**, activate **Touch**, and activate **Loop** as the **Fill** option.
2. Start playback.

3. Move the fader until you have found the volume setting that you want, and release the fader to punch out.

The found value is set within the range defined by the left and right locators.

Activating Gaps

PREREQUISITE

You have set up virgin territories.

NOTE

When **Trim** is active, **Gap** has no effect. This is because **Trim** only modifies existing data.

PROCEDURE

1. On the **Automation Panel**, activate **Touch**, and activate **Gaps as Fill** option.
2. Start playback.
3. Move the fader until you have found the volume setting that you want, and release the fader to punch out.

Any gaps between previously written automation events are filled with the last value that was found during the last automation pass.

RELATED LINKS

[Virgin Territory vs. Initial Value](#) on page 863

One Shot vs Continuous Fill

You can use the **Fill** options in different ways:

- **One shot**

When you click one of the **Fill** buttons, it is highlighted and enabled during the next automation pass. Afterwards, the option is disabled again.

- **Continuous fill**

If you click a **Fill** button a second time, a lock symbol is displayed on the highlighted button, indicating that you are in continuous fill mode and that the operation can be repeated as many times as you want. Click the button a third time to disable the corresponding **Fill** option.

Drawing Fill Manually

You can use the **Fill** options on the **Automation Panel** in combination with the **Draw** tool. This provides you with a powerful method for writing automation data manually.

PROCEDURE

1. Open an automation track, and select the **Draw** tool.
2. On the **Automation Panel**, select **To End** as **Fill** option.
3. Click and draw to create an automation curve.
4. Release the mouse button.

At the moment of release, a final automation event is created. The automation curve is written from this last event to the end of the project.

NOTE

This procedure can be used with all the **Fill** options.

Suspend Options

This section on the **Automation Panel** allows you to exclude specific parameters from the reading or writing of automation data. This gives you full manual control of these parameters.

Suspend Read

Suspending the reading for a specific parameter during automation gives you full manual control of it.

- To suspend the reading of automation data for a specific parameter, click the corresponding parameter.
- To suspend the reading of automation data for all parameters/parameter groups, click **Set All**.

NOTE

When any of the options in the **Suspend Read** category are enabled, clicking **Set All** disables all buttons.

EXAMPLE

Imagine that you have already automated several tracks. While working on the current track, you want one of the other tracks to be louder, to better identify a particular position in your audio material.

By suspending **Read** for the volume parameter, you regain full manual control, and you can set the volume to the required level.

Suspend Write

Suspending the writing for a specific parameter during automation punches this parameter out of the automation pass.

- To suspend the writing of automation data for a specific parameter, click the corresponding parameter.
- To suspend the writing of automation data for all parameters/parameter groups, click **Set All**.

NOTE

When any of the options in the **Suspend Write** category are enabled, clicking **Set All** disables all buttons.

EXAMPLE

Imagine the following situation: To help you concentrate while working on a particular track, you mute several other tracks. However, because write automations are active on these tracks, this mute state is also automated during the next automation pass – a classic situation in mixing.

To avoid inadvertently excluding entire tracks from your mix in this way, you can exclude **Mute** from all automation writing by clicking **Mute** in the **Suspend Write** category on the **Automation Panel**.

Show Options

The **Show** options allow you to open all automation tracks for a specific parameter. This gives you an overview of the automated parameter.

- To open the volume, pan, EQ, sends, or inserts automation tracks for all tracks, click the corresponding parameter.
The automation tracks are opened, even if no automation data was recorded on these tracks.
- To step through the individual parameter sets of parameter groups, for example pan, EQ, sends, and inserts, click the respective button repeatedly.
- To show only the automation tracks for which automation data exist, activate **Used Only**, and click one of the options.
- To show all automation tracks that contain automation data, activate **Show Used**.
- To hide all open automation tracks, activate **Hide All**.

NOTE

The **Show** options on the **Automation Panel** affect all tracks.

Settings Tab

You can make general automation settings for your project.

- To open the automation settings, select **Project > Automation Panel**, and open the **Settings** page.

Show Data on Tracks

If you activate this option, audio waveforms or MIDI events are shown on automation tracks.

The events are displayed only if **Show Waveforms** is enabled in the **Preferences** dialog (**Event Display—Audio** page), and if **Part Data Mode** is set to an option other than **No Data**, **Event Display—MIDI** page.

Use Virgin Territory

Activate this if you want to use virgin territories.

Continue Writing on Transport Jump

If you activate this option, the recording of automation is not blocked when locating to a new position. This can be used to perform multiple automation passes in cycle mode or if you are using the arranger functions.

If this option is deactivated and you write automation data and locate to another position in the project, writing is stopped until the mouse button is released or until a stop command is received.

Reveal Parameter on Write

If you activate this option, the corresponding automation track is revealed on writing automation parameters. This gives you visual control of all parameters changed on writing.

Return Time

This determines how fast the automated parameter returns to any previously automated value when you release the mouse button. Set this to a value higher than 0 to prevent sudden jumps in your parameter settings, which may lead to crackles.

Reduction Level

Punching out removes all superfluous automation events. This results in an automation curve that contains only the events necessary to reproduce your actions. A reduction level value of 0% removes repeated automation points only. A reduction level value between 1 to 100% smoothens the automation curve. The default value of 50% should reduce the automation data amount significantly without touching the sound result of the existing automation.

Spike Detection Range

Defines a period of time in which sudden changes in the automated parameter are considered as unwanted spikes. You can set values from 0 to 200 ms.

Freeze Trim

In this pop-up menu, you can specify how to freeze your trim curve.

- **Manually**
Freezes your trim curve manually.
- **On Pass End**
Performs a freeze whenever a write operation is finished.
- **On Leaving Trim Mode**
Freezes trims data automatically when the trim mode is switched off (globally or individually for a track).

RELATED LINKS

[Virgin Territory vs. Initial Value](#) on page 863

Pattern Editor

The **Pattern Editor** is an integral part of the drum track and harmonizes with the **Drum Machine**. The **Pattern Editor** allows you to create and tweak drum patterns. The **Pattern Editor** can have up to 128 step lanes, a maximum step amount of 128 steps, and unlimited pattern variations.


- To open the **Pattern Editor**, you must create a drum track, assign an instrument in the **Drum Machine** to the drum pad, and select **Editor**.

NOTE

To use the **Pattern Editor**, you must select **Pattern Event** as the **Event Type**.

The **Pattern Mode** allows you to replace MIDI parts with pattern events. Pattern events represent the steps in the **Step Lane** created in the **Pattern Editor**.

You can open the **Pattern Editor** in a separate window or in the **Lower Zone** of the **Project** window. This is useful if you want to access the **Pattern Editor** functions from within a fixed zone of the **Project** window.



The **Pattern Editor** is divided into several sections:

1 Toolbar

Contains tools for playing back audio and the **Pattern Management** option.

2 Step Lane Inspector

Contains parameters to adjust the selected **Step Lane**.

3 Step Lanes

Contain information about the **Pitch**, **Number of Steps**, and **Step Resolution**.

4 Step Editor

Contains information about activated and deactivated steps.

5 Parameter Lane

Contains information about **Velocity**, **Repeats**, **Offset**, **Probability**, **Velocity Variance**, **Gate**, and **Automation Parameters**.

NOTE

The **Pattern Editor** is not limited to the drum track. It works with every VST instrument. You can add **Track Controls** to any instrument track, sampler track, MIDI Track, and drum track.

RELATED LINKS

[Track Controls](#) on page 183
[Drum Machine](#) on page 891

Opening the Pattern Editor

The **Pattern Editor** allows you to create and tweak drum patterns.

PROCEDURE


1. On the **Drum Machine** tab, click **Add Drum Track**.
 2. In the dialog that opens, click **Add Track**.
The drum track is created. The **Pattern Editor** is now active.
 3. In the **Lower Zone**, click **Editor**.
-

RELATED LINKS

[Add Track Dialog – Drum](#) on page 138

Pattern Mode

This mode replaces MIDI parts with pattern events. The pattern events reflect the designed beats in the **Pattern Editor**.



In the **Add Track** dialog, if you select **Pattern Event** as the **Event Type**, the drum track is set to **Pattern Mode**.

You can drag and drop the pattern onto the drum track in the **Project Zone**. You can rearrange and resize the pattern.

NOTE

Alternatively, you can use the draw tool on the drum track to reflect the pattern.

You can switch patterns via **Pattern Management**.

RELATED LINKS

[Parts and Events](#) on page 233

Pattern and MIDI Part Flexibility

Pattern and MIDI part flexibility means that you can add traditional MIDI parts to the drum track that is set to **Pattern**. This allows for a blend of both pattern events and MIDI part.

- You can convert pattern events to MIDI parts by clicking  on the pattern that is in the **Project Zone** and selecting **Convert Pattern Event to MIDI Part**.

IMPORTANT

The conversion from pattern to MIDI is irreversible, except by immediately using the undo function **Ctrl/Cmd + Z**.

NOTE

All properties and their settings are copied to the MIDI part when using the **Convert Pattern Event to MIDI Part** option.

RELATED LINKS

[Parts and Events](#) on page 233

Step Lanes

You can adjust the settings of a step lane that is selected in the **Pattern Editor**.

The following options are available:

Add Step Lane

Allows you to add a step lane to a pattern.

NOTE

You can right-click the selected step lane to configure the step lane controls.

Mute

Mutes the audio during playback.

Solo

Solos the audio during playback.

Select Pitch

Allows you to select a pitch.

Preview



Allows you to prelisten to the audio.

Number of Steps



Sets the amount of steps on the step lane. The maximum number of steps is 128.

Step Resolution



Specifies the playback length, that is, the note value for the steps. The maximum step resolution is **1/64**, including **Triplets** and **Dotted**.

NOTE

The option **Adapt to Pattern** allows you to adapt the step resolution to the number of steps.

Step Lane Play Direction



Allows you to choose **Forward**, **Backward**, or **Alternating** as the **Step Lane Play Direction**.

Randomize



Creates random steps for the selected step lane.

Generate Steps

Generates steps on the selected step lane at every second, third or, fourth position.

IMPORTANT

If you generate steps, they overwrite the existing steps on the selected step lane. Be aware that no undo option is available for this.

Nudge Pattern

Nudge Pattern Left



Moves the global pattern stepwise to the left.

Nudge Pattern Right



Moves the global pattern stepwise to the right.

Nudge Pattern

Nudge Steps Left



Moves the pattern stepwise to the left.

Nudge Steps Right



Moves the pattern stepwise to the right.

Pulses



Determines the number of steps to be evenly distributed on the step lane.

Rotation



If no steps are set, this determines the starting position for the distribution of steps on the selected step lane.

If steps are set, this rotates the steps on the step lane according to the set **Rotation** value.

Swing



Allows you to set a negative or positive swing value for the selected step lane.

Offset



Allows you to set a negative or positive offset value for the selected step lane.

Step Lane Context Menu

The following options are available:

Rename Step Lane

Allows you to rename the selected step lane.

Add Every 2nd Step

Generates steps on the selected step lane at every second position.

Add Every 3rd Step

Generates steps on the selected step lane at every third position.

Add Every 4th Step

Generates steps on the selected step lane at every fourth position.

Remove Step Lane: "[...]"

Removes the selected step lane.

Remove all Steps from Step Lane: "[...]"

Removes all steps on the selected step lane.

Setup Lane Controls

Allows you to display the parameters that you want in the step lane control area.

Setting up Lane Controls

The step lane control area is customizable, allowing you to display the parameters that suit your workflow.

PREREQUISITE

The **Pattern Editor** is opened.

PROCEDURE

1. Right-click the step lane.

2. Select the parameters that you want to display in the step lane control area.
-

Step Lane Inspector

The **Step Lane Inspector** allows you to adjust the selected step lane in the **Pattern Editor**.

The following options are available:

Mute



Mutes the audio during playback.

Solo



Solos the audio during playback.

Select Pitch



Allows you to select a pitch.

Preview



Allows you to prelisten to the audio.

Number of Steps



Sets the amount of steps on the step lane. The maximum number of steps is 128.

Step Resolution



Specifies the playback length, that is, the note value for the steps. The maximum step resolution is **1/64**, including **Triplets** and **Dotted**.

NOTE

The option **Adapt to Pattern** allows you to adapt the step resolution to the number of steps.

Step Lane Play Direction



Allows you to choose **Forward**, **Backward**, or **Alternating** as the **Step Lane Play Direction**.

Generate Steps



Generates steps on the selected step lane at every second, third, or fourth position.

IMPORTANT

If you generate steps, they overwrite the existing steps on the selected step lane. Be aware that no undo option is available for this.

Nudge Pattern

Nudge Steps Left



Moves the pattern stepwise to the left.

Nudge Steps Right



Moves the pattern stepwise to the right.

Euclidean

Euclidean

Euclidean

Generates rhythmic steps on the selected step lane by distributing them as evenly as possible, based on the step amount and step rotation.

Pulses

Pulses 0

Determines the number of steps to be evenly distributed on the step lane.

Rotation

Rotation 0

If no steps are set, this option determines the starting position for the distribution of steps on the selected step lane.

If steps are set, this option rotates the steps on the step lane according to the set rotation value.

Randomization

Density

Density

Allows you to adjust the quantity of steps created in **Randomization Mode**.

Steps

Steps 0

Allows you to adjust the amount of steps.

Randomize



Creates random steps on the selected step lane.

Select Instrument

Kick Drum ▾

Allows you to select an instrument from the menu. The following instruments are available: **Kick Drum**, **Snare Drum**, **Low Tom**, **Mid Tom**, **High Tom**, **Cymbal**, **Open HiHat**, and **Closed HiHat**.

NOTE

The instrument selection and the adjustments you make for randomization influence the density and the amount of generated steps.

TIP

The randomization mode **Musical Randomization** provides the best results.

Swing



Allows you to set a negative or positive swing value for the selected step lane.

Offset



Allows you to set a negative or positive offset value for the selected step lane.

RELATED LINKS

[Inspector](#) on page 72

Pattern Editor Toolbar

The **Pattern Editor** toolbar contains tools for selecting, editing, and playing back audio.

- To show or hide individual toolbar elements, right-click the toolbar, and activate or deactivate the corresponding elements.

The following options are available:

Keep Editor Contents



Activate this if you do not want the editor event display to be updated when you select events or hide tracks in the Project window.

Active Track



Shows the name of the active track.

Step Lane Inspector

Show/Hide Step Lane Inspector



Allows you to toggle the visibility of the **Step Lane Inspector**.

Play with project



Allows you to play audio from the **Pattern Editor**.

NOTE

This option becomes inactive once a pattern event or MIDI part is created in the **Project Zone**.

Number of Steps



Allows you to set the global amount of steps in the step lane. The maximum number of steps is 128.

Step Resolution

1/16 ▾

Specifies the global playback length, that is, the note value for the steps. The maximum step resolution is **1/64**, including **Triplets** and **Dotted**.

Play Direction

→ ▾

Allows you to choose **Forward**, **Backward**, or **Alternating** as the **Pattern Play Direction**.

Nudge Pattern Left

◀

Moves the global pattern stepwise to the left.

Nudge Pattern Right

▶

Moves the global pattern stepwise to the right.

Drag Pattern to Project

↗

Allows you to drag the currently selected pattern to the **Project Zone**.

NOTE

This only works for the corresponding drum track, sampler track, or instrument track.

Pattern Management

1 Pattern ▾

Allows you to edit a pattern.

New Pattern

+

Allows you to add a new, empty pattern.

Duplicate Pattern

복사

Allows you to duplicate the selected pattern.

Randomize Pattern

🎲

Allows you to randomize the steps on the step lane for the selected pattern on a global scale.

Adjust Amount of Steps

100 %

Allows you to adjust the amount of steps on a global scale.

Select Randomization Mode

☒

Allows you to randomize the steps based on one of the three following randomization modes for the selected pattern on a global scale.

- **Musical Randomization** is based on an algorithm for musical-oriented pattern creation.

- **Hybrid Randomization** is a mix of **Musical Randomization** and **Full Randomization**.
- **Full Randomization** generates patterns without any musical-oriented logic attached to it.

Pattern Swing



Allows you to set a negative or positive swing value and to apply it on a global scale.

Colors

Pattern Editor




Applies a default color to the **Pattern**.

Pitch



Applies a default color to the **Pitch**.

Drum Machine



Applies a default color to the **Drum Machine**.

The color of the step lane varies depending on the color of the corresponding drum pad.

Setup

Allows you to select a specific color for the pattern and the pitch.

The color of the step lane varies depending on the color of the corresponding drum pad. The color of the **Drum Machine** cannot be changed in the **Pattern Editor**.

Left Divider

Toolbar elements that are placed to the left of the divider are always shown.

Right Divider

Toolbar elements that are placed to the right of the divider are always shown.

Open in Separate Window



Opens the **Pattern Editor** in a separate window.

Setting up the Toolbar

The toolbar parameters are customizable, allowing you to display the parameters that suit your workflow.

PREREQUISITE

The **Pattern Editor** is opened.

PROCEDURE

1. Right-click the toolbar.
 2. Select the parameters that you want to display on the toolbar.
-

Parameter Lane

The parameter lane displays properties related to the selected step lane.

The following options are available:

Maximum Value for Randomize Parameter

Allows you to set the maximum value for **Parameter Randomization**.

Minimum Value for Randomize Parameter

Allows you to set the minimum value for **Parameter Randomization**.

NOTE

These values are valid for all step lanes. If you restart Cubase, they are reset to their default values.

Randomize Parameter



Randomizes the selected parameter.

Add Parameter

Automation

Allows you to add a parameter that you have already assigned in the **Drum Machine**.

XTra

Allows you to add an AI parameter.

MIDI Controller

Allows you to add a MIDI controller parameter.

Velocity

Allows you to specify the velocity for each step.

Repeats

Allows you to set sub-steps for each step. The maximum number of sub-steps is 10.

Offset

Allows you to add an offset to each step. This allows you to create micro-timing shifts for each step.

Probability

Determines how likely it is that a step is played per cycle.

NOTE

A **Probability** percentage value of 100% means that the step is played back. A **Probability** percentage value of 0% means that the step is not played back. Any values in between mean that there is a chance of the step being played, depending on the **Probability** percentage value: The higher the value, the more likely the step playback.

Velocity Variance

Allows you to add velocity variance to each step in the step lane. The velocity variance of each step can vary by +100% up or -100% down.

NOTE

Pressing **Ctrl/Cmd** and clicking a parameter in the parameter lane resets it to the default value.

Gate

Allows you to shorten the length of the played note.

NOTE

By default, the duration of the played note is as long as the step resolution.

Adding a Parameter

Allows you to add an **Automation** parameter, an **XTra** parameter, or a **MIDI Controller** parameter to the parameter lane.

PROCEDURE

1. Click **Add Parameter**  on the parameter lane.
 2. Select a parameter from the dialog.
-

RESULT

A parameter is now added to the parameter lane.

Adjusting Parameter Randomization Values

You can define the range of the parameter values for the **Randomize Parameter** option. This only affects the selected step lane.

PREREQUISITE

You have selected a step lane in which steps have already been set.

PROCEDURE

1. Select a parameter.
2. Set the maximum value for the parameter randomization.
3. Set the minimum value for the parameter randomization.

NOTE


Each parameter has individual maximum values and minimum values.

4. Click **Randomize Parameter** .
-

Synchronization between the Drum Machine and the Pattern Editor

If you extend the pitch range on the **Group Page** of a drum pad in the **Drum Machine**, the respective step lanes and the extended step lanes are displayed in the **Pattern Editor**.

The extended step lanes or extended drum pads inherit the name of the original drum pad including the pitch. All parameters are shared between the original and the extended drum pads.



Original step lane including the extended step lanes



Original drum pad including the extended drum pads

Step Parameter Automation

You can automate **Drum Machine** parameters on a pitch level and the corresponding steps inside the **Pattern Editor**. The parameter lane can host the automation parameters on a connected instrument's parameter.

After you assign a **Step Parameter** to the **Pattern Editor**, the **Step Parameter** is displayed on the **Parameter Lane**. You can edit the corresponding parameter value independently for each step.

The **Step Parameter** is exclusive to the instrument pitch. It maintains its exclusiveness, even if you switch between step lanes. Each step lane displays the connected automation parameters for the corresponding pitch assignment on the parameter lane.

NOTE

The **Drum Machine** has global parameters, for example for every effect parameter. When you assign a global parameter to the **Pattern Editor**, it is applied to all step lanes.

NOTE

To distinguish pitch-only parameters from global parameters, their respective icons have different color schemes. A gray icon means that it is a global parameter, a colored icon means that it is a pitch-only parameter. The color of the pitch-only parameter is based on the color that you have selected for the respective step lane.

All parameters on the parameter lane can be randomized by clicking the dice icon.

With **Convert Pattern Event to MIDI** activated, the MIDI part inherits all parameter settings.

TIP

- Pressing **Ctrl/Cmd** and clicking a step parameter resets it to its default value.
 - Pressing **Ctrl/Cmd**, clicking, and dragging a step parameter resets multiple step parameters to the default values.
 - Pressing **Shift** and clicking a step parameter adjusts the values of all step parameters in relation to each other.
-

RELATED LINKS

[Drum Machine](#) on page 891

[Drum Machine Automation](#) on page 932

Assigning Step Parameter Automation

PREREQUISITE

You have loaded an instrument or sample in the **Drum Machine**.

PROCEDURE

1. Right-click the desired parameter.
 2. Select **Pattern Editor: Assign to Step Automation**.
-

RESULT

The parameter is added to the **Parameter Lane** in the **Pattern Editor**. You can edit the corresponding parameter value for each step independently.

RELATED LINKS

[Drum Machine](#) on page 891

[Drum Machine Automation](#) on page 932

Step Editor

In the **Step Editor**, you can activate or deactivate steps on the step lane. The default number of steps per step lane is 16.

- In the **Step Editor**, you can set/remove steps by clicking on them.

NOTE

You can set multiple steps by clicking and dragging them to the right.

You can remove multiple steps by clicking and dragging them to the left.

Step Editor Context Menu

When you right-click a step lane in the **Pattern Editor**, a context menu is displayed.

The following options are available:

Rename Step Lane

Allows you to rename the selected step lane.

Remove Step Lane: "Selected Pitch"

Removes the selected step lane.

Remove all Steps from Step Lane

Removes all steps from the selected step lane.

Remove all Steps from Pattern

Removes all steps from the selected pattern.

Double Step Resolution of Step Lane

Allows you to double the resolution of the selected step lane including the steps that you have already set.

Double Step Resolution of Pattern

Allows you to double the resolution of the selected pattern including the steps that you have already set.

Double Length of Pattern

Allows you to double the length of the selected pattern including the steps that you have already set. By default, the pattern consists of 16 steps per step lane. If you double the length of the pattern, it consists of 32 steps, up to a pattern length of 128 steps.

Drum Machine

The **Drum Machine** is a drum sampler and percussion synthesizer that allows you to create and edit unique sounds. It consists of 128 drum pads, divided into eight 4x4 grids. Instruments or drum samples can be assigned to each drum pad. The **Drum Machine** and the **Pattern Editor** represent the core of the drum track.

To open the **Drum Machine**, you need to create a drum track in the global track control area of the track list.



The **Drum Machine** is divided into several sections:

1 Toolbar

Contains tools and page switches for editing sounds in the **Drum Machine**.

2 Drum Pad Section

Contains 128 drum pads, divided into eight 4x4 grids.

3 Editing Pages

Contains several pages for editing instruments or samples that are assigned to a drum pad.

NOTE

You can only have one editing page open at a time.

RELATED LINKS

[Add Track Dialog – Drum](#) on page 138

Drum Machine Toolbar

The **Drum Machine** toolbar contains tools and **Editing Pages** for editing sounds in the **Drum Machine**.

The following options are available:

Undo



Allows you to undo **Drum Machine** parameter changes.

Redo



Allows you to redo **Drum Machine** parameter changes.

Read Automation



Allows you to read track automation.

Write Automation



Allows you to write track automation.

Load Track Preset



Allows you to load a track preset in the **Drum Machine**.

Preset Management



Allows you to save/load track presets in the **Drum Machine**.

Instrument



Contains instruments which can be assigned to an empty drum pad.

NOTE

If an instrument is already assigned to a drum pad, the respective parameters to edit the instrument are displayed and replace the instrument selection.

Pad FX



Contains FX effects for editing instruments assigned to the drum pad.

Group




Provides an overview of assigned drum pads and specific global parameters.

Delay



Provides an overview of the global **Delay** settings. The **Delay** settings apply to all instruments that are assigned to drum pads.

Reverb



The **Reverb** settings apply to all instruments that are assigned to drum pads.

NOTE

You can only have one page open at a time.

MIDI Reset



Stops playback and resets all MIDI controllers to their default values.

MIDI Follow



Follows the played MIDI note.

Bypass All Effects



Bypasses all inserted effects as well as global delay and reverb.

Hot Swap Preview Pad



Replaces the assigned instrument or sample on the drum pad with an instrument or sample from the **Media Rack**. If you deactivate **Hot Swap Preview Pad**, the previously assigned instrument or sample is restored.

Hot Swap Preview Layer



Replaces the assigned instrument or sample on a layer with an instrument or sample from the **Media Rack**. If you deactivate **Hot Swap Preview Layer**, the previously assigned instrument or sample is restored.

Apply Hot Swap



Applies the changes you have made to **Hot Swap Preview Pad** or **Hot Swap Preview Layer**.

Find Samples



Opens a predefined list of samples in the **Media Rack**.

Open File Browser



Opens the browser in the **Media Rack**.

Open in Separate Window



Opens the **Drum Machine** in a separate window.

Managing Drum Machine Presets

Drum Machine presets are presets that include all **Drum Machine** settings as well as channel settings.

PROCEDURE

1. On the **Drum Machine** toolbar, click **Load Track Preset**.
 2. Select a **Drum Machine** preset.
-

RESULT

The preset is loaded in the **Drum Machine**.

Replacing an Instrument or Sample on a Drum Pad

This option allows you to replace instruments or samples that are assigned to a drum pad with an instrument or sample from the **Media Rack**.

PREREQUISITE

You have assigned an instrument or sample to a drum pad.

PROCEDURE

1. Select the drum pad whose instruments or samples you want to replace.
2. Open the **Media Rack**.

NOTE

Click on **Find Samples** on the toolbar to access the **Media Rack**, which offers a predefined filter search.

3. Select an instrument or sample.
4. Click **Hot Swap Preview Pad** on the toolbar.

NOTE

Click **Hot Swap Preview Pad** again to load the previous instrument or sample.

5. Click **Apply Hot Swap** to confirm the change.
-

RESULT

The newly assigned instrument or sample replaces the previous one and inherits all its settings.

RELATED LINKS

[MediaBay and Media Rack](#) on page 746

Replacing an Instrument or Sample on a Layer

This option allows you to replace an assigned instrument or sample of a specific layer on a drum pad with an instrument or sample from the **Media Rack**.

PREREQUISITE

You have assigned at least one instrument or sample to a layer of the drum pad.

PROCEDURE

1. Select the drum pad whose instruments or sample you want to replace.
2. Open the **Media Rack**.

NOTE

Click **Find Samples** on the toolbar to access the **Media Rack**, which offers a predefined filter search.

3. Select an instrument or sample.
4. Select the layer that you want to replace.
5. Click **Hot Swap Preview Layer** on the toolbar.

NOTE

Click **Hot Swap Preview Layer** again to load the previous instrument or sample.

6. Click **Apply Hot Swap** to confirm the change.
-

RESULT


The newly assigned instrument or sample replaces the previous one and inherits all its settings.

RELATED LINKS

[MediaBay and Media Rack](#) on page 746

Drum Pad Section

The drum pad section consists of 128 drum pads, divided into eight groups. Each group consists of 16 drum pads.



- Instruments or drum samples can be assigned to each drum pad.
- Each drum pad is mapped to a specific MIDI note.
- The instrument is played with a MIDI velocity of 127.
- Assigned drum pads are colored light gray, unassigned drum pads are colored gray. When triggered, the drum pad is highlighted.

NOTE

You can choose from 16 colors and assign an individual color to each drum pad.

Drum Pads

Instruments or drum samples can be assigned to each individual drum pad.

The following options are available:

Mute Pad

Mutes the audio during playback.

Solo Pad

Solos the audio during playback.

Load Instrument

Allows you to load a preset from the **Media Rack**.

Save Instrument

Allows you to save the assigned drum pad as a preset.

Find Samples

Opens a list of samples in the **Media Rack**.

Find Instruments

Opens a list of instruments in the **Media Rack** and sets the filter so that only **Drum Machine** instrument presets are displayed.

Rename Pad

Allows you to rename the drum pad.

Set Color

Allows you assign a color to the drum pad.

Assign Output

Allows you to assign the drum pad to one of the 32 available outputs.

Cut Pad

Cuts the drum pad.

Copy Pad

Copies the drum pad.

Reset All Mute

Deactivates all mute states of the drum pad.

Reset All Solo

Deactivates all solo states of the drum pad.

Paste Pad

Pastes a copied or cut drum pad.

Reset Pad

Resets the drum pad to the default settings.

Reset All Pads

Resets all drum pads to the default settings.

RELATED LINKS

[MediaBay and Media Rack](#) on page 746

Edit Pages

There are five different editing pages, including the **Instrument Page**, **Pad FX Page**, **Group Page**, **Delay Page** and **Reverb Page**. The editing pages share the same section and dynamically adapt their layout, depending on the page you selected.

Additionally, the **Delay Page** and **Reverb Page** have on/off buttons to activate/deactivate their effects.

Instrument Page

You can assign up to four instruments or samples to the layer slots and edit their parameters. The parameters may vary, depending on the instrument or sample that is loaded on the specific layer. The pad parameters are always displayed.



The following options are available:

Layer Slots

Layer 1

Allows you to load an instrument or sample.

NOTE

The first layer is the instrument or sample that you have assigned to the respective drum pad.

Layer 2

Allows you to load an instrument or sample.

Layer 3

Allows you to load an instrument or sample.

Layer 4

Allows you to load an instrument or sample.

Drag and Drop Section

Drop Sample or Layer Preset Here

Allows you to load an instrument or sample via drag and drop.

Pad Parameters

Gate Mode On/Off

Allows you to shorten the length of the played note. That way, you can use the gate parameter in the **Pattern Editor** or vary the length of the note as you play.

NOTE

With **Gate** active, **One Shot Mode** and **Hold** in the **Amplifier Envelope** cannot be used and are grayed out.

Level

Specifies the level of the drum pad.

Pan

Specifies the position in the stereo panorama of the drum pad.


Delay

Specifies the amount of global delay.

Reverb

Specifies the amount of global reverb.

Layer Selector



In the layer selector, you can select an instrument or sample to be loaded into a drum pad. The layer selector consists of two rows. In the upper row, the instrument categories are displayed. In the lower row, the respective types of instrument are displayed.

RELATED LINKS

- [Layer Parameters - Kick on page 901](#)
- [Layer Parameters - Snare on page 903](#)
- [Layer Parameters - HiHat on page 905](#)
- [Layer Parameters - Tom on page 909](#)
- [Layer Parameters - Clap on page 911](#)
- [Layer Parameters - Cymbal on page 912](#)
- [Layer Parameters - Percussion on page 914](#)
- [Layer Parameters - Sample on page 918](#)

Layer Slots

You can assign up to four instruments or samples to the layer slots and edit their parameters. Each layer slot can be enabled or disabled by clicking on the on/off button. You can adjust the level of each **Layer Slot** to control the mix. This parameter controls the **Layer Level** which has the same functionality as the **Level** parameter in **Amplifier** section of the layer editor.



To open the context menu, right-click on a layer slot.

Load Layer

Allows you to load a layer preset. A dialog is opened, which allows you to select layer presets.

NOTE

Alternatively, you can use the **Media Rack** to manually navigate to the layer presets of the **Drum Machine** and load layer presets via drag and drop.

Save Layer

Allows you to save a layer preset. A dialog opens, which allows you to edit the layer preset details.

Rename Layer

Allows you to rename the layer slot.

Delete Layer

Allows you to delete the instrument or sample loaded in the layer slot.

Cut Layer

Allows you to cut the layer slot.

Copy Layer

Allows you to copy the layer slot.

Paste Layer

Allows you to paste the layer slot.

Find Samples

Opens a list of samples in the **Media Rack**.

Find Layers

Opens a list of samples in the **Media Rack** and sets the filter to only display **Drum Machine** instrument presets.

Changing Layers

You can change the instrument or sample of a layer slot.

PREREQUISITE

You have loaded an instrument or sample into one of the four layer slots of a drum pad.

PROCEDURE

1. Select the drum pad that you want to change.
2. Select the layer slot that you want to change.
3. Next to the layer slot, click the instrument icon.
4. Select an instrument or sample from the layer selector to replace the current instrument or sample.

NOTE

If you change a layer slot, its settings are not inherited.

Common Layer Parameters

All layers in the **Drum Machine** have some common layer parameters.

The following options are available:

Pitch

Decay

Allows you to specify the decay time of the pitch envelope.

Env Depth

Allows you to adjust the modulation depth of the pitch envelope.

Punch

Allows you to set the balance between a linear and curved envelope segment.

NOTE

This parameter is not available for every instrument.

Glide On/Off

Allows you to bend the pitch between sequential notes.

Sync to Tempo

Synchronizes the glide time to the host tempo.

Glide Time

Sets the time for bending the pitch between notes.

Amp Env

Hold

Specifies the time before the decay segments start.

NOTE

This parameter is not available for every instrument.

Decay

Specifies the decay time of the pitch envelope.

Accent

Specifies the sound based on increasing velocities.

NOTE

This parameter is not available for every instrument.

Vel > Lev

Specifies the sound based on incoming or maximum velocity.

Dist

Distortion

Specifies the sound saturation.

Offset

Allows you to produce odd harmonics and even harmonics.

Amplifier

Level

Specifies the output level.

FX

Specifies the frequency of the signal that is sent to the dry output and the **Pad FX** bus.

Pan

Specifies the position of the stereo panorama.

Tone

Allows you to adjust the brightness of the drum sound.

Layer Parameters - Kick

Allows you to edit specific parameters for the layer in the drum pad if a kick drum is loaded.

The following options are available:

Kick 1

Oscillator

- **Tune**
Allows you to adjust the tuning of the oscillator.
- **Tone**
Allows you to adjust the waveform of the oscillator.

Click

- **Click**
Allows you to adjust the level of the click.
- **Color**
Allows you to adjust the brightness of the click.

Kick 2

Oscillator

- **Tune**
Allows you to adjust the tuning of the oscillator.
- **Osc Color**
Allows you to adjust the waveform of the oscillator.

Click

- **Click**
Allows you to adjust the level of the click.
- **Color**
Allows you to adjust the brightness of the click.

Kick 3

Oscillator

- **Osc**
Allows you to adjust the level of the oscillator.
- **Color**
Allows you to adjust the waveform of the oscillator.
- **Tune**

Allows you to adjust the tuning of the oscillator.

- **Glitch**

Adds noise to the onset of the oscillator.

Noise

- **Noise**

Allows you to adjust the level of the noise.

- **Shape**

Allows you to adjust the balance between noise tail and transient.

- **Width**

Allows you to adjust the stereo width of the noise.

- **HP Freq**

Allows you to adjust the high-pass filter for the noise tail. Frequencies below the threshold are damped.

- **LP Freq**

Allows you to adjust the low-pass filter for the noise tail and transient. Frequencies above the threshold are damped.

- **LP Res**

Allows you to adjust the resonance of the low-pass filter.

- **LP Env**

Allows you to adjust the depth of the envelope on the low-pass filter threshold.

Kick 4

Oscillator

- **FM Level**

Allows you to adjust the level of the modulating operator.

- **FM Ratio**

Allows you to adjust the frequency ratio between the carrier and the modulator.

- **FM Env**

Allows you to adjust the depth of the modulator envelope.

- **Click**

Allows you to adjust the level of the click.

- **Tune**

Allows you to adjust the tuning of the oscillator.

- **FM FB**

Allows you to adjust the level of feedback of the modulator.

- **FM Dec**

Allows you to adjust the decay time of the modulator envelope.

- **Click Color**

Allows you to adjust the waveform of the oscillator.

Filter

- **LP Freq**

Allows you to adjust the high-pass filter for the noise tail. Frequencies above the threshold are damped.

- **LP Res**
Allows you to adjust the resonance of the low-pass filter.
- **LP Env**
Allows you to adjust the depth of the envelope on the low-pass filter threshold.
- **LP Dec**
Allows you to adjust the decay time of the filter envelope.

Layer Parameters - Snare

Allows you to edit specific parameters for the layer in the drum pad if a snare drum is loaded.

The following options are available:

Snare 1

Oscillator

- **Osc**
Allows you to adjust the level of the oscillator.
- **Tone**
Allows you to adjust the waveform of the oscillator.
- **Tune**
Allows you to adjust the tuning of the oscillator.
- **Ratio**
Allows you to adjust the interval between the two oscillators.

Noise

- **Noise**
Allows you to adjust the level of the noise.
- **Cutoff**
Allows you to adjust the frequency of the noise cutoff.
- **Tone**
Allows you to adjust the brightness of the noise.
- **Width**
Allows you to adjust the stereo width of the noise.

Click

- **Click**
Allows you to adjust the level of the click.
- **Color**
Allows you to adjust the brightness of the click.

Snare 2

Oscillator

- **Osc**
Allows you to adjust the level of the oscillator.
- **Tone**
Allows you to adjust the waveform of the oscillator.

- **Tune**
Allows you to adjust the tuning of the oscillator.

Noise

- **Noise**
Allows you to adjust the level of the noise.
- **Width**
Allows you to adjust the stereo width of the noise.
- **Tone**
Allows you to adjust the brightness of the noise.
- **Cutoff**
Allows you to adjust the frequency of the noise cutoff.

Click

- **Click**
Allows you to adjust the level of the click.
- **Color**
Allows you to adjust the brightness of the click.

Snare 3

Oscillator

- **Osc**
Allows you to adjust the level of the oscillator.
- **Color**
Allows you to adjust the waveform of the oscillator.
- **Tune**
Allows you to adjust the tuning of the oscillator.
- **Glitch**
Adds noise to the onset of the oscillator.

Noise

- **Noise**
Allows you to adjust the level of the noise.
- **Shape**
Allows you to adjust the balance between noise tail and transient.
- **Width**
Allows you to adjust the stereo width of the noise.
- **HP Freq**
Allows you to adjust the high-pass filter for the noise tail. Frequencies below the threshold are damped.
- **LP Freq**
Allows you to adjust the high-pass filter for noise tail and transient. Frequencies above the threshold are damped.
- **LP Res**
Allows you to adjust the resonance of the low-pass filter.

- **LP Env**

Allows you to adjust the depth of the envelope on the low-pass filter threshold.

Rimshot 1

Filter

- **Cutoff**

Allows you to adjust the frequency of the filter cutoff.

Rimshot 2

Filter

- **Cutoff**

Allows you to adjust the frequency of the filter cutoff.

Layer Parameters - HiHat

Allows you to edit specific parameters for the layer in the drum pad if a HiHat is loaded.

The following options are available:

Closed HiHat 1

Oscillator

- **Osc**

Allows you to adjust the level of the oscillator.

- **Tune**

Allows you to adjust the tuning of the oscillator.

Noise

- **Noise**

Allows you to adjust the level of the noise.

- **Width**

Allows you to adjust the stereo width of the noise.

- **Cutoff**

Allows you to adjust the frequency of the noise cutoff.

Closed HiHat 2

Oscillator

- **Osc**

Allows you to adjust the level of the oscillator.

- **Att Level**

Allows you to adjust the attack level.

- **Tune**

Allows you to adjust the tuning of the oscillator.

Noise

- **Noise**

Allows you to adjust the level of the noise.

- **Width**
Allows you to adjust the stereo width of the noise.
- **Cutoff**
Allows you to adjust the frequency of the noise cutoff.

Closed HiHat 3

Oscillator

- **Osc**
Allows you to adjust the level of the oscillator.
- **Noise**
Allows you to adjust the level of the noise.
- **Color**
Allows you to adjust the waveform of the oscillator.
- **Tune**
Allows you to adjust the tuning of the oscillator.

Filter

- **Cutoff**
Allows you to adjust the frequency of the filter cutoff.
- **Reso**
Allows you to adjust the resonance of the filter.
- **Att Level**
Allows you to adjust the attack level.
- **Noise**
Allows you to adjust the level of the noise.
- **Width**
Allows you to adjust the stereo width of the noise.

Closed HiHat 4

Oscillator

- **Osc**
Allows you to adjust the level of the oscillator.
- **FM Level**
Allows you to adjust the level of the modulating operator.
- **FM Env**
Allows you to adjust the depth of the modulator envelope.
- **Att Level**
Allows you to adjust the attack level.
- **Tune**
Allows you to adjust the tuning of the oscillator.
- **FM FB**
Allows you to adjust the level of feedback of the modulator.
- **FM Dec**

Allows you to adjust the decay time of the modulator envelope.

- **Cutoff**

Allows you to adjust the frequency of the filter cutoff.

Filter

- **Noise**

Allows you to adjust the level of the noise.

- **Width**

Allows you to adjust the stereo width of the noise.

Open HiHat 1

Oscillator

- **Osc**

Allows you to adjust the level of the oscillator.

- **Tune**

Allows you to adjust the tuning of the oscillator.

Noise

- **Noise**

Allows you to adjust the level of the noise.

- **Width**

Allows you to adjust the stereo width of the noise.

- **Cutoff**

Allows you to adjust the frequency of the noise cutoff.

Open HiHat 2

Oscillator

- **Osc**

Allows you to adjust the level of the oscillator.

- **Att Level**

Allows you to adjust the attack level.

- **Tune**

Allows you to adjust the tuning of the oscillator.

Noise

- **Noise**

Allows you to adjust the level of the noise.

- **Width**

Allows you to adjust the stereo width of the noise.

- **Cutoff**

Allows you to adjust the frequency of the noise cutoff.

Open HiHat 3

Oscillator

- **Osc**

Allows you to adjust the level of the oscillator.

- **Noise**
Allows you to adjust the level of the noise.
- **Color**
Allows you to adjust the waveform of the oscillator.
- **Tune**
Allows you to adjust the tuning of the oscillator.

Filter

- **Cutoff**
Allows you to adjust the frequency of the filter cutoff.
- **Reso**
Allows you to adjust the resonance of the filter.
- **Att Level**
Allows you to adjust the attack level.
- **Noise**
Allows you to adjust the level of the noise.
- **Width**
Allows you to adjust the stereo width of the noise.

Closed HiHat 4

Oscillator

- **Osc**
Allows you to adjust the level of the oscillator.
- **FM Level**
Allows you to adjust the level of the modulating operator.
- **FM Env**
Allows you to adjust the depth of the modulator envelope.
- **Att Level**
Allows you to adjust the attack level.
- **Tune**
Allows you to adjust the tuning of the oscillator.
- **FM FB**
Allows you to adjust the level of feedback of the modulator.
- **FM Dec**
Allows you to adjust the decay time of the modulator envelope.
- **Cutoff**
Allows you to adjust the frequency of the filter cutoff.

Filter

- **Noise**
Allows you to adjust the level of the noise.
- **Width**
Allows you to adjust the stereo width of the noise.

Layer Parameters - Tom

Allows you to edit specific parameters for the layer in the drum pad if a tom is loaded.

The following options are available:

Tom 1

Oscillator

- **Osc**
Allows you to adjust the level of the oscillator.
- **Tune**
Allows you to adjust the tuning of the oscillator.

Noise

- **Noise**
Allows you to adjust the level of the noise.
- **Cutoff**
Allows you to adjust the frequency of the noise cutoff.

Click

- **Click**
Allows you to adjust the level of the click.
- **Color**
Allows you to adjust the brightness of the click.

Tom 2

Oscillator

- **Osc**
Allows you to adjust the level of the oscillator.
- **Glitch**
Adds noise to the onset of the oscillator.
- **Tune**
Allows you to adjust the tuning of the oscillator.

Noise

- **Noise**
Allows you to adjust the level of the noise.

Click

- **Click**
Allows you to adjust the level of the click.
- **Color**
Allows you to adjust the brightness of the click.

Tom 3

Oscillator

- **Osc**

Allows you to adjust the level of the oscillator.

- **Color**
Allows you to adjust the waveform of the oscillator.
- **Glitch**
Adds noise to the onset of the oscillator.
- **Tune**
Allows you to adjust the tuning of the oscillator.

Noise

- **Noise**
Allows you to adjust the level of the noise.
- **Shape**
Allows you to adjust the balance between noise tail and transient.
- **Width**
Allows you to adjust the stereo width of the noise.
- **HP Freq**
Allows you to adjust the high-pass filter for the noise tail. Frequencies below the threshold are damped.
- **LP Freq**
Allows you to adjust the high-pass filter for noise tail and transient. Frequencies above the threshold are damped.
- **LP Res**
Allows you to adjust the resonance of the low-pass filter.
- **LP Env**
Allows you to adjust the depth of the envelope on the low-pass filter threshold.

Tom 4

Oscillator

- **Osc**
Allows you to adjust the level of the oscillator.
- **FM Level**
Allows you to adjust the level of the modulating operator.
- **FM Ratio**
Allows you to adjust the frequency ratio between the carrier and the modulator.
- **Click**
Allows you to adjust the level of the click.
- **Tune**
Allows you to adjust the tuning of the oscillator.
- **FM FB**
Allows you to adjust the level of feedback of the modulator.
- **FM Dec**
Allows you to adjust the decay time of the modulator envelope.
- **Color**
Allows you to adjust the waveform of the oscillator.

Noise

- **Noise**
Allows you to adjust the level of the noise.
- **Width**
Allows you to adjust the stereo width of the noise.

Layer Parameters - Clap

Allows you to edit specific parameters for the layer in the drum pad if a clap is loaded.

The following options are available:

Clap 1

Filter

- **Cutoff**
Allows you to adjust the frequency of the filter cutoff.
- **Key Follow**
Determines the shift cutoff frequency when a note is played.

Claps

- **Claps**
Allows you to adjust the level of the claps.
- **Width**
Allows you to adjust the stereo width of the claps.

Tail

- **Tail**
Allows you to adjust the level of the tail.
- **Decay**
Determines the decay time of the tail.

Clap 2

Filter

- **Cutoff**
Allows you to adjust the frequency of the filter cutoff.
- **Key Follow**
Determines the shift cutoff frequency when a note is played.

Claps

- **Claps**
Allows you to adjust the level of the claps.
- **Width**
Allows you to adjust the stereo width of the claps.

Tail

- **Tail**
Allows you to adjust the level of the tail.
- **Decay**

Determines the decay time of the tail.

Clap 3

Filter

- **Cutoff**
Allows you to adjust the frequency of the filter cutoff.
- **Key Follow**
Determines the shift cutoff frequency when a note is played.

Claps

- **Claps**
Allows you to adjust the level of the claps.
- **Width**
Allows you to adjust the stereo width of the claps.

Tail

- **Tail**
Allows you to adjust the level of the tail.
- **Decay**
Determines the decay time of the tail.

Layer Parameters - Cymbal

Allows you to edit specific parameters for the layer in the drum pad if a cymbal is loaded.

The following options are available:

Cymbal 1

Oscillator

- **Osc**
Allows you to adjust the level of the oscillator.
- **Tune**
Allows you to adjust the tuning of the oscillator.

Noise

- **Noise**
Allows you to adjust the level of the noise.
- **Width**
Allows you to adjust the stereo width of the noise.
- **Cutoff**
Allows you to adjust the frequency of the noise cutoff.

Attack

- **Att Level**
Allows you to adjust the attack level.
- **Att Shape**
Allows you to adjust the duration of the attack phase.

Cymbal 2

Oscillator

- **Osc**
Allows you to adjust the level of the oscillator.
- **Tune**
Allows you to adjust the tuning of the oscillator.

Noise

- **Noise**
Allows you to adjust the level of the noise.
- **Width**
Allows you to adjust the stereo width of the noise.
- **Cutoff**
Allows you to adjust the frequency of the noise cutoff.

Attack

- **Att Level**
Allows you to adjust the attack level.
- **Att Shape**
Allows you to adjust the duration of the attack phase.

Cymbal 3

Oscillator

- **Osc**
Allows you to adjust the level of the oscillator.
- **Color**
Allows you to adjust the waveform of the oscillator.
- **Tune**
Allows you to adjust the tuning of the oscillator.

Noise

- **Noise**
Allows you to adjust the level of the noise.
- **Width**
Allows you to adjust the stereo width of the noise.
- **Reso**
Allows you to adjust the resonance of the filter.
- **Cutoff**
Allows you to adjust the frequency of the noise cutoff.

Attack

- **Att Level**
Allows you to adjust the attack level.
- **Att Shape**
Allows you to adjust the duration of the attack phase.

Cymbal 4

Oscillator

- **Osc**
Allows you to adjust the level of the oscillator.
- **FM Level**
Allows you to adjust the level of the modulating operator.
- **FM Env**
Allows you to adjust the depth of the modulator envelope.
- **Att Level**
Allows you to adjust the attack level.
- **Tune**
Allows you to adjust the tuning of the oscillator.
- **FM FB**
Allows you to adjust the level of feedback of the modulator.
- **FM Dec**
Allows you to adjust the decay time of the modulator envelope.
- **Tune**
Allows you to adjust the tuning of the oscillator.
- **Att Shape**
Allows you to adjust the length of attack.

Noise

- **Noise**
Allows you to adjust the level of the noise.
- **Width**
Allows you to adjust the stereo width of the noise.
- **Cutoff**
Allows you to adjust the frequency of the noise cutoff.

Layer Parameters - Percussion

Allows you to edit specific parameters for the layer in the drum pad if a percussion instrument is loaded.

The following options are available:

Cowbell 1

Oscillator

- **Cutoff**
Allows you to adjust the frequency of the filter cutoff.
- **Tune**
Allows you to adjust the tuning of the oscillator.

Sub-Oscillators

- **Osc 1 Tune**
Allows you to adjust the tuning of the first oscillator.

- **Osc 2 Tune**
Allows you to adjust the tuning of the second oscillator.
- **Balance**
Allows you to adjust the balance of the two oscillators.

Cowbell 2

Oscillator

- **Osc**
Allows you to adjust the level of the oscillator.
- **Noise**
Allows you to adjust the level of the noise.
- **Click**
Allows you to adjust the level of the click.
- **Tune**
Allows you to adjust the tuning of the oscillator.
- **Cutoff**
Allows you to adjust the frequency of the filter cutoff.

Maracas 1

Oscillator

- **Cutoff**
Allows you to adjust the frequency of the filter cutoff.
- **Key Follow**
Determines the shift cutoff frequency when a note is played.
- **Width**
Allows you to adjust the stereo width of the noise.

Claves 1

Oscillator

- **Tune**
Allows you to adjust the tuning of the oscillator.
- **Click**
Allows you to adjust the level of the click.

Conga 1

Oscillator

- **Tune**
Allows you to adjust the tuning of the oscillator.
- **Osc**
Allows you to adjust the level of the oscillator.

Click

- **Click**
Allows you to adjust the level of the click.

- **Color**
Allows you to adjust the brightness of the click.

Conga 2

Oscillator

- **Osc**
Allows you to adjust the level of the oscillator.
- **Color**
Allows you to adjust the waveform of the oscillator.
- **Tune**
Allows you to adjust the tuning of the oscillator.

Noise

- **Noise**
Allows you to adjust the level of the noise.
- **Width**
Allows you to adjust the stereo width of the noise.
- **Cutoff**
Allows you to adjust the frequency of the noise cutoff.

Click

- **Click**
Allows you to adjust the level of the click.
- **Color**
Allows you to adjust the brightness of the click.

Noise 1

Noise

- **Tone**
Allows you to adjust the tuning of the oscillator.
- **Width**
Allows you to adjust the stereo width of the noise.
- **BP Freq**
Allows you to adjust the waveform of the oscillator.

Filter

- **HP Freq**
Allows you to adjust the high-pass filter for the noise tail. Frequencies below the threshold are damped.
- **LP Freq**
Allows you to adjust the high-pass filter for noise tail and transient. Frequencies above the threshold are damped.
- **LP Decay**
Determines the decay time of the low-pass filter envelope.
- **LP Env**

Allows you to adjust the depth of the envelope on the low-pass filter threshold.

- **LP Res**

Allows you to adjust the resonance of the low-pass filter.

Noise 2

Noise

- **Shape**

Allows you to adjust the balance between noise tail and transient.

- **Width**

Allows you to adjust the stereo width of the noise.

Filter

- **HP Freq**

Allows you to adjust the high-pass filter for the noise tail. Frequencies below the threshold are damped.

- **LP Freq**

Allows you to adjust the high-pass filter for noise tail and transient. Frequencies above the threshold are damped.

- **LP Decay**

Determines the decay time of the low-pass filter envelope.

- **LP Env**

Allows you to adjust the depth of the envelope on the low-pass filter threshold.

- **LP Res**

Allows you to adjust the resonance of the low-pass filter.

FM 1

Oscillator

- **FM Level**

Allows you to adjust the level of the modulating operator.

- **FM Ratio**

Allows you to adjust the frequency ratio between the carrier and the modulator.

- **FM FB**

Allows you to adjust the level of feedback of the modulator.

- **FM Env**

Allows you to adjust the depth of the modulator envelope.

- **FM Dec**

Allows you to adjust the decay time of the modulator envelope.

- **FM Att**

Allows you to adjust the attack time of the modulator envelope.

- **Glitch**

Adds noise to the onset of the oscillator.

- **Tune**

Allows you to adjust the tuning of the oscillator.

Filter

- **LP Freq**
Allows you to adjust the high-pass filter for noise tail and transient. Frequencies above the threshold are damped.
- **LP Res**
Allows you to adjust the resonance of the low-pass filter.
- **LP Dec**
Allows you to adjust the decay time of the low-pass filter envelope.
- **LP Env**
Allows you to adjust the depth of the filter envelope.

Layer Parameters - Sample

Allows you to edit specific parameters for the layer in the drum pad if a sample is loaded.

The following options are available:

Sample Display

A loaded sample is surrounded by two yellow and two white markers. To adjust the sample start and sample end, drag the yellow markers. To adjust the fade in and fade out, drag the white markers. You can access the white markers by dragging them in the upper part of the wave display. They are hidden behind the yellow markers.

Sample Start

Allows you to set the sample start in milliseconds.

Sample End

Allows you to set the sample end in milliseconds.

Fade In

Allows you to set the sample fade in in milliseconds.

Fade Out

Allows you to set the sample fade out in milliseconds.

Reverse

Allows you to reverse the sample playback.

Info

Displays the file path of the sample. This allows you to locate the origin of the audio file. Samples that are located inside **VST Sounds** display **Factory Audio File**.

TIP

You can replace a sample by dragging and dropping another sample on the wave display. The new sample inherits the settings of the previous sample.

Pre-Filter

LP Freq

Allows you to trim the spectrum above the specified frequency.

HP Freq

Allows you to trim the spectrum below the specified frequency.

Pitch

Tune

Allows you to adjust the tuning of the sample.

Env Depth

Allows you to adjust the depth of the pitch envelope.

Vel

Allows you to adjust the velocity for the pitch.

Decay

Determines the decay time of the pitch.

Hold

Allows you to adjust the time before the decay starts.

Attack

Allows you to adjust the timing for attack.

Filters

There are different types of filters that specify the basic sound of the filter:

Classic

Offers 24 filter shapes with resonance.

Tube Drive

Adds warm, tube-like distortion. You can set the amount of tube drive with the **Distortion** parameter.

Hard Clip

Adds bright, transistor-like distortion. You can set the amount of hard clipping with the **Distortion** parameter.

Bit Red

Adds digital distortion by means of quantization noise. You can adjust the bit reduction with the **Distortion** parameter.

Rate Red

Adds digital distortion by means of aliasing. You can adjust the rate reduction with the **Distortion** parameter.

There are different **Filter Shapes** that specify the basic sound of the samples:

Low-pass Filter

LP24, **LP18**, **LP12** and **LP6** are low-pass filters. Frequencies above the cutoff are attenuated.

Band-pass Filter

BP12 and **BP24** are band-pass filters. Frequencies below and above the cutoff are attenuated.

High- and Low-pass Filter

HP6 + LP18 as well as **HP6 + LP12** are a combination of high-pass and a low-pass filters. Frequencies below and above the cutoff are attenuated. Attenuation for frequencies below the cutoff is more prominent, though.

High-pass Filter

HP24, HP18, HP12, and HP6 are high-pass filters. Frequencies below the cutoff are attenuated.

Band-reject Filter

BR12 and **BR24** are band-reject filters. Frequencies around the cutoff are attenuated.

High- and Band-reject Filter

HP6 + BR12 as well as **HP12 + BR12** are a combination of high-pass and a band-reject filter. Frequencies below and around the cutoff are attenuated.

All-pass Filter

AP is an all-pass filter. Frequencies around the cutoff are attenuated.

All- and Low-pass Filter

AP + LP6 are a combination of an all-pass and a low-pass filter. Frequencies around and above the cutoff are attenuated.

All- and High-pass Filter

AP + HP6 are a combination of an all-pass and a high-pass filter. Frequencies around and below the cutoff are attenuated.

Filter

Cutoff

Controls the cutoff frequency of the filter.

Resonance

Emphasizes the frequencies around the cutoff. At higher settings, the filter self-oscillates, which results in a ringing tone.

Distortion

Adds distortion to the signal. The effect largely depends on the selected filter type. With higher settings, it creates a very intense distortion effect.

NOTE

This parameter is only available for the filter types **Tube Drive**, **Hard Clip**, **Bit Red**, **Rate Red**, and **Rate Red KF**.

Decay

Determines the decay time of the filter.

Hold

Allows you to adjust the time before the decay starts.

Attack

Allows you to adjust the timing for the attack phase.

Env Depth

Allows you to adjust the depth of the filter envelope.

Vel

Allows you to adjust the velocity for the filter.

Amplifier

Level

Allows you to adjust the level of the sample layer.

Pan

Specifies the position of the sample layer in the stereo panorama.

One Shot Mode

Allows you to play back the sample without **Hold** and **Decay**.

Curved/Linear Decay

Allows you to switch the decay curve from curved to linear, and vice versa.

FX

Allows you to adjust the amount of signal that is sent to the dry output of the pad and to the **FX Bus**.

Vel

Allows you to adjust the velocity for the **Amplifier**.

Decay

Determines the decay time of the **Amplifier**.

Hold


Allows you to adjust the time before the decay starts.

Attack

Allows you to adjust the timing for the attack phase.

Pad FX Page

Every drum pad has its own **Pad FX** bus. You can edit loaded instruments or samples with effects like **Bit Crusher**, **Distortion**, **Filter**, and **Equalizer**. Each layer of the drum pad is editable, so that you can specify the signal amount sent to the **Pad FX** bus individually.



The following options are available:

Pad Parameters

Name

Displays the name of the drum pad.

Level

Specifies the level of the drum pad.

Pan

Specifies the position of the drum pad in the stereo panorama.

Delay Send

Specifies the amount of global delay.

Reverb Send

Specifies the amount of global reverb.

Pad FX Parameters

Layer Slots

Displays the assigned instruments or samples. You can set the signal amount sent to the **Pad FX** bus individually.

FX Chain Effects

Allows you to enable or disable effects in the chain. You can rearrange them via drag and drop.

Preset Management

Allows you to save, load, or delete presets for each effect.

Effect Editor

Bit Crusher

Allows you to adjust the settings for **Bit Crusher**.

Distortion

Allows you to adjust the settings for **Distortion**.

Filter

Allows you to adjust the settings for **Filter**.

Equalizer

Allows you to adjust the settings for **Equalizer**.

Limiter

Allows you to further edit the output. This section is displayed for every **FX Chain** effect.

Bit Crusher

The **Bit Crusher** effect distorts signals digitally. The bit depth of the audio signal is reduced to 8 bits, creating a lo-fi sound by adding quantization noise. You can edit those 8 bits to your liking. You can apply a sample rate reduction to add aliasing.

The following options are available:

Input

In Gain

Allows you to adjust the input level.

Low Bit Mode: Truncate

Discards any sounds whose resolution is lower than 8 bits.

Low Bit Mode: Preserve

Preserves any sounds whose resolution is lower than 8 bits.

Low Bit Mode: Noise

Replaces any sounds whose resolution is lower than 8 bits.

Bit Grid

IMPORTANT

Changing bits 5, 6 or 7 has the most drastic effect. As a result, the sound can become very loud. We recommend that you lower the volume before changing them.

Bit 0 - Bit 7

Allows you to set a **Bit** value.

Op

Allows you to copy, invert, or set the **Bit** value to zero. The more bits you modify, the more impact it has on the sound.

Post Filter and Output

HP Cutoff

Attenuates frequencies below the cutoff.

LP Cutoff

Attenuates frequencies above the cutoff.

Mix

Sets the ratio between the dry and the wet signal.

Out Gain

Allows you to adjust the output level.

Decimate

Distorts the sound using aliasing.

Distortion

Combines four distortion types, allowing you to design any distortion effect, ranging from a soft singing overdrive to extreme distortion.

The following options are available:

Input and Pre Filter

In Gain

Allows you to adjust the signal.

Low Freq

Allows you to adjust low frequencies with a shelving characteristic.

Low Gain

Allows you to adjust low frequencies with a shelving characteristic.

Peak Frequency

Allows you to adjust frequencies with a peak characteristic and an adjustable filter width.

Peak Gain

Allows you to adjust frequencies with a peak characteristic and an adjustable filter width.

Peak Q

Allows you to adjust frequencies with a peak characteristic and an adjustable filter width.

Distortion

Drive

Boosts the signal until it is saturated. The peaks of the waveform are slightly clipped, which adds even harmonics.

Foldback

Boosts the signal until it is saturated. The peaks of the waveform are folded back which adds hard edges.

- **Half Foldback**

The positive half of the waveform is folded in the signal range 0 to 1. The negative half of the waveform is folded in the signal range -1 to 0. This mode is often perceived as brighter than **Full Foldback**.

- **Full Foldback**

The positive half of the waveform is folded in the range -1 to 1.

Oversampling

Increases the accuracy of the distortion stages and reduces aliasing artifacts.

Diode

Bends the waveform, which adds even and odd harmonics to the signal.

Softness

Rounds off clipping, which results in a softer and warmer tone.

Rectify

Allows you to adjust the waveform characteristics.

Post Filter and Output

Out Gain

Allows you to adjust the output level.

Mix

Sets the ratio between the dry and the wet signal.

LP Cutoff

Attenuates frequencies above the cutoff.

HP Cutoff

Attenuates frequencies below the cutoff.

Filter

The filter section allows you to adjust the tone color of the sound.

The following options are available:

Input

In Gain

Adjusts the gain before adding the filter and the distortion. This parameter only affects the wet signal.

There are different types of filter shapes that specify the basic sound of the filter:

Low-pass Filter

LP24, **LP18**, **LP12**, and **LP6** are low-pass filters. Frequencies above the cutoff are attenuated.

Band-pass Filter

BP12 and **BP24** are band-pass filters. Frequencies below and above the cutoff are attenuated.

High- and Low-pass Filter

HP6 + LP18 as well as **HP6 + LP12** are a combination of a high-pass and a low-pass filter. Frequencies below and above the cutoff are attenuated. Attenuation for frequencies below the cutoff is more prominent.

High-pass Filter

HP24, **HP18**, **HP12**, and **HP6** are high-pass filters. Frequencies below the cutoff are attenuated.

Band-reject Filter

BR12 and **BR24** are band-reject filters. Frequencies around the cutoff are attenuated.

High- and Band-reject Filter

HP6 + BR12 as well as **HP12 + BR12** are a combination of a high-pass and a band-reject filter. Frequencies below and around the cutoff are attenuated.

All-pass Filter

AP is an all-pass filter. Frequencies around the cutoff are attenuated.

All- and Low-pass Filter

AP + LP6 are a combination of an all-pass and a low-pass filter. Frequencies around and above the cutoff are attenuated.

All- and High-pass Filter

AP + HP6 are a combination of an all-pass and a high-pass filter. Frequencies around and below the cutoff are attenuated.

Cutoff

Controls the cutoff frequency of the filter.

Resonance

Emphasizes the frequencies around the cutoff. At higher settings, the filter self-oscillates, which results in a ringing tone.

Output

Out Gain

Adjusts the gain after adding the filter and the distortion. This parameter only affects the wet signal.

Mix

Sets the ratio between the dry and the wet signal.

Equalizer

The 4-band parametric **Equalizer** allows you to shape the tone color, for example, to create a brighter or darker sound. All bands are fully parametric with adjustable **Gain**, **Frequency**, and **Quality** parameters. Furthermore, you can add a high-cut and a low-cut filter and edit their settings.

The following options are available:

Output Meter

Allows you to monitor the output level. The peak level is shown below the meter.

Low Cut

Activates/Deactivates the low-cut filter.

Low Band 1

Displays parameters for **Low Band 1**.

Low Band 2

Displays parameters for **Low Band 2**.

Low Band 3

Displays parameters for **Low Band 3**.

Low Band 4

Displays parameters for **Low Band 4**.

High Cut

Activates/Deactivates the high-cut filter.

Slope

Sets the slope for the filter. You can choose from 6, 12, 24, 36, or 48 dB per octave.

Q (Quality)

Adjusts the bandwidth of the mid-range peak filters from wide to narrow. By increasing the Q value on the low and high shelving filters, you can add a dip to their shape.

Freq

Sets the frequency that is cut or boosted with the gain parameter.

Gain


Sets the amount of cut or boost for the corresponding band.

On/Off

Activates/Deactivates the corresponding frequency band.

Group Page

The **Group** page gives you an overview of the drum pad parameters in the selected drum pad group.



The following options are available:

Mute

Mutes the audio during playback.

Solo

Solos the audio during playback.

Pad

Displays the name of the drum pad.

Low Key

Allows you to specify the lowest key for the pad. Each drum pad has a trigger note that applies to both **High Key** and **Low Key**. This allows for melodic playing.

High Key

Allows you to specify the highest key for the drum pad. Each drum pad has a trigger note that applies to both **High Key** and **Low Key**. This allows for melodic playing.

Exclusive Group

Allows you to assign a drum pad to an exclusive group. Drum pads of the same exclusive group can only be played one at a time.

Level

Specifies the output level.

Pan

Specifies the position of the stereo panorama.

Output Bus

All drum pads are routed to the master output of the **Drum Machine**. Additionally, there are 31 output busses that a drum pad can be routed to.

NOTE

The output busses have their own dedicated mixer channels.

Delay

Specifies the amount of global delay.

Reverb


Specifies the amount of global reverb.

Output

Displays the output level of the drum pad.

Delay Page

On the **Delay** page, you can produce delays with adjustable time, feedback, and filters.



The following options are available:

Pad Parameters

Name

Displays the name of the drum pad.

Level

Specifies the level of the drum pad.

Pan

Specifies the position of the drum pad in the stereo panorama.

Delay Send

Specifies the amount of global delay.

Reverb Send

Specifies the amount of global reverb.

Delay Presets

Select Preset

Allows you to load a **Delay** preset in the **Drum Machine**.

Previous Preset

Selects the previous preset in the preset drop-down menu.

Next Preset

Selects the next preset in the preset drop-down menu.

Save Preset

Saves the current preset.

Delete Preset

Deletes the current preset.

Delay Parameters

Mode

- **Stereo**

Applies two delays in parallel, one for the left and one for the right audio channel, each with a feedback path of its own.

- **Cross**

Applies two delay lines with cross feedback, where the delay of the left channel is fed back into the delay of the right channel, and vice versa.

- **Ping-Pong**

Mixes the left and right input channels and sends the mixed signal to hard-panned left and right delays. This way, the echoes bounce from left to right in the stereo panorama, like a ping-pong ball.

Sync

Allows you to synchronize the delay time to the host tempo. If sync is activated, the time is set as a note value.

NOTE

The maximum delay time is 5000 ms. If the note length exceeds this value, it is automatically shortened.

Time

Sets the overall time for the left and right delay. You can use the **Delay L/R** parameter to shorten the time for the left or right delay.

Delay L/R

Offsets the time of the left or right delay from the overall delay time. At a factor of 1, the right or left delay time has the same length as the overall delay time. At a factor of 0.5, the time is half as long as the overall delay time.

- To offset the left delay time, turn the control to the left.
- To offset the right delay time, turn the control to the right.

Feedback

Sets the overall amount of feedback for the left and right delay. Feedback means that the output of the delay is fed back to its input. Set to 0%, you only hear one echo. With a setting of 100%, the echoes are continuously repeated.

FB L/R

Offsets the amount of feedback of the left or right delay from the overall feedback. A factor of 1 means that the amount of feedback corresponds to the overall feedback. A factor of 0.5 means that the amount is half the overall feedback.

- To offset the left feedback, turn the control to the left.
- To offset the right feedback, turn the control to the right.

NOTE

This parameter is only available in stereo mode.

Low Freq

Attenuates the low frequencies of the delays.

High Freq

Attenuates the high frequencies of the delays.

To Reverb


Specifies the amount of reverb.

Level

Specifies the output level.

Reverb Page

On the **Reverb** page, you can generate a high-quality algorithmic reverb with early reflections and reverb tail.



The following options are available:

Pad Parameters

Name

Displays the name of the drum pad.

Level

Specifies the level of the drum pad.

Pan

Specifies the position of the drum pad in the stereo panorama.

Delay Send

Specifies the amount of global delay.

Reverb Send

Specifies the amount of global reverb.

Reverb Presets

Select Preset

Allows you to load a **Delay** preset in the **Drum Machine**.

Previous Preset

Selects the previous preset in the preset context menu.

Next Preset

Selects the next preset in the preset context menu.

Save Preset

Saves the current preset.

Delete Preset

Deletes the current preset.

Reverb Parameters

Predelay

Determines how much time passes before the reverb is applied. This allows you to simulate larger rooms by increasing the time it takes for the first reflections to reach the audience.

Room Size

Controls the dimensions of the simulated room. With a setting of 100%, the dimensions correspond to a cathedral or a large concert hall. With a setting of 50%, the dimensions correspond to a medium-sized room or studio. Settings below 50% simulate the dimensions of a small room or a booth.

Density

Adjusts the echo density of the reverb tail. With a setting of 100%, single reflections from walls cannot be heard. The lower this value, the more audible the single reflections.

Shape

Controls the attack of the reverb tail. With a setting of 0%, the attack is more immediate, which is a suitable setting for drums. The higher this value, the less immediate the attack.

Width

Adjusts the output of the reverb signal between mono and stereo. With a setting of 0%, the output of the reverb is mono. At 100%, it is stereo.

Chorusing

Allows you to enrich the reverb tail through subtle pitch modulations.

Ch Rate

Specifies the frequency of the pitch modulation.

Ch Depth

Sets the intensity of the pitch modulation.

Main Time

Controls the overall reverb time of the tail. The higher this value, the longer the reverb tail decays. With a setting of 100%, the reverb time is infinitely long. The **Main Time** parameter also represents the mid band of the reverb tail.

High

Controls the reverb time for the high frequencies of the reverb tail. With positive values, the decay time of the high frequencies is longer. With negative values, it is shorter. The impact of frequencies depends on the **Freq** parameter.

Freq

Sets the cross-over frequency between the mid and the high band of the reverb tail. You can offset the reverb time for frequencies above this value from the main reverb time with the high frequency parameter.

High Cut

Attenuates the high frequencies of the early reflections. The lower this value, the fewer high frequencies are present in the early reflections.

Level

Specifies the output level.

Freq

Sets the cross-over frequency between the low and the mid band of the reverb tail. The reverb time for frequencies below this value can be offset from the main reverb time with the **Low** parameter.

Low

Controls the reverb time for the low frequencies of the reverb tail. Positive values result in a longer decay for the low frequencies. Negative values result in a shorter decay.

The impact of frequencies depends on the low frequency parameter.

Drum Machine Automation

You can automate most parameters of the **Drum Machine**. You can assign the **Drum Machine** parameters to one of these automation parameters and even assign multiple parameters to the same automation parameter, to control them simultaneously.

By default, some of the slot parameters are already assigned to automation parameters, for example **Mute**, **Solo**, **Volume**, **Pan**, and **Program Change**. When you load a program, the automation parameters are automatically added to the 8 quick controls as well as the sphere control.

Creating Automation Parameters

- To add a **Drum Machine** parameter to an existing automation parameter, right-click the control, select **Add to Automation**, and select the automation parameter.
- To remove a **Drum Machine** parameter from the automation, right-click an automated control, and select **Forget Automation**.
- To assign a parameter to an automation parameter automatically while working in your host application, activate **Automation Read/Write**, start playback, and use the controls on the **Drum Machine** interface.

RELATED LINKS

[Step Parameter Automation](#) on page 888

Automation Context Menu

You can automate most parameters of the **Drum Machine**. Right-clicking on any of the **Drum Machine** parameters displays a context menu with options for working with automation parameters.

The following options are available:

Add "[...]" to Quick Controls

Adds the selected automation parameter to the quick controls.

Add "[...]" to Quick Controls Slot

Opens a submenu that allows you to assign the selected automation parameter to a specific slot.

Show "[]" Automation Track

Shows the automation track of the selected automation parameter in the **Project Window**.

Modulators: Assign to Modulator: [...]

Assigns the selected automation parameter to the **Modulators**.

Pattern Editor: Assign to Step Automation: [...]

Assigns the selected automation parameter to the **Pattern Editor**.

MIDI Remote: Pick for Mapping: [...]

Adds the selected automation parameter to the **MIDI Remote**.

Add to Automation

Adds the selected automation parameter to an existing automation parameter. This controls both automation parameters simultaneously.

Learn CC

Allows you to assign an automation parameter to the MIDI controller.

Forget CC

Allows you to remove an automation parameter from the MIDI controller.

Set Minimum

Sets the minimum range for the selected automation parameter.

Set Maximum

Sets the maximum range for the selected automation parameter.

Assigning MIDI CC

You can assign **Drum Machine** parameters to **MIDI Controllers**.

PROCEDURE

1. Right-click a parameter to open the corresponding context menu.
2. Select **Learn CC**.
3. Move the **MIDI Controller** to confirm the assignment.

NOTE

You can assign a **MIDI CC** to multiple parameters and specify their range independently.

Removing MIDI CC

You can remove **MIDI CC** from the **Drum Machine** parameters.

PROCEDURE

1. Right-click a parameter to open the corresponding context menu.
 2. Select **Forget CC**.
-

Limiting MIDI CC

You can limit the range of a **MIDI CC** on a parameter.


PROCEDURE

1. Set the parameter to the desired value.
2. Right-click a parameter to open the corresponding context menu.
3. Select **Set Minimum/Maximum**.

Managing Drum Machine Samples in the Pool

The audio samples that you use in the **Drum Machine** are added to the **Pool**. This allows for an easy exchange of projects between multiple workstations.

If you add an audio sample to a drum machine pad, the audio sample is automatically added, and a new folder structure in the **Pool** is created.



The algorithm of **Musical Mode** is only set in the **Drum Machine** when you drag and drop audio files from the **Drum Machine** folder to the **Project Window**.

RELATED LINKS

[Pool](#) on page 724

VST Instruments

VST instruments are software synthesizers or other sound sources that are included with Cubase. They are played internally via MIDI. You can add effects or EQ to VST instruments.

Cubase allows you to make use of VST instruments in the following ways:

- By adding a VST instrument and assigning one or several MIDI tracks to it.
- By creating an instrument track.

This is a combination of a VST instrument, an instrument channel, and a MIDI track. You play and record MIDI note data for this track.

NOTE

Some VST instruments are included with Cubase. These are described in the separate document [Plug-in Reference](#).

RELATED LINKS

[Instrument Tracks and Channels](#) on page 135

Adding VST Instruments

PROCEDURE

1. On the **Studio** menu, select **VST Instruments**.
2. Right-click on an empty area of the **VST Instruments** window.
3. From the context menu, select **Add Rack Instrument**.
4. From the instrument selector, select an instrument.
5. Click **Create**.

RESULT

The instrument control panel opens, and the following tracks are added to the track list:

- A MIDI track with the name of the instrument. The output of the MIDI track is routed to the instrument.

NOTE

In the **Preferences** dialog (**VST—Plug-ins** page), you can specify what happens when you load a VST instrument.

- A folder with the name of the instrument that is added within a **Rack Instruments** folder. The instrument folder contains two automation tracks: one for the plug-in parameters and one for the synth channel in the **MixConsole**.

VST Instrument Control Panel

The VST instrument control panel allows you to set up the parameters of the selected instrument. The contents, the design, and the layout of the control panel depend on the selected instrument.

The following controls are available:



1 Activate Instrument

Activates/Deactivates the instrument.

2 Read Automation/Write Automation

Allows you to read/write automation for the instrument parameter settings.

3 Switch between A/B Settings

Switches to setting B when setting A is active, and to setting A when setting B is active.

4 Apply current settings to A and B

Copies the instrument parameters of instrument setting A to instrument setting B, and vice versa.

5 Activate/Deactivate Side-Chain Routing

Activates the side-chain functionality for VST 3 instruments that support side-chaining.

6 Set up Side-Chain Routing

Allows you to set up the side-chain routing for the selected plug-in.

7 Event Received Indicator

Lights up on receiving note-on and controller messages.

8 Preset browser

- Opens the preset browser, where you can select another preset.
- 9 Load previous Program/Load next Program**
Loads the previous/next program in the preset browser.
- 10 Preset Management**
Opens a pop-up menu that allows you to save, rename, or remove a preset.
- 11 Add VST Plug-in Picture to Media Rack**
Adds a picture of the VST plug-in to the **Media** rack. This is only available for plug-ins of other vendors.
- 12 VST Instrument context menu**
Opens a context menu with specific functions and settings.
- 13 Show/Hide Modulation Connections**
Shows/hides the modulation connections.
- 14 Show/Hide VST Quick Controls**
Shows/hides the quick controls.
- 15 Focus Quick Controls Lock State: Locked/Unlocked**
Allows you to lock the focus of the quick control to the plug-in window.
- 16 Focus Quick Controls Indicator**
If this indicator is lit, the plug-in window has the quick control focus.

RELATED LINKS

- [Adding Pictures of VST Instruments to the Media Rack](#) on page 756
- [VST Instrument Context Menu](#) on page 942
- [Hiding/Showing VST Instrument Control Panels](#) on page 937
- [Side-Chaining for VST Instruments](#) on page 950
- [Setting up Focus Quick Controls in the MIDI Remote Mapping Assistant](#) on page 991
- [Focus Quick Controls](#) on page 991
- [Creating Modulation Connections for Control Panels](#) on page 1023

Hiding/Showing VST Instrument Control Panels

When you add a VST instrument, the respective plug-in control panel opens automatically. You can hide the control panels from view. This is useful to get a better overview if you added a number of plug-ins to your project whose control panels clutter up the screen.

PROCEDURE

- Select **Window > Hide Plug-in Windows**.

NOTE

This also hides VST effect control panels.

RESULT

The plug-in windows are hidden and sent to the back of the application. To show them again, select **Show Plug-in Windows**.

RELATED LINKS

- [VST Instrument Control Panel](#) on page 936

Closing All Control Panels

When you add a VST instrument, the respective plug-in control panel opens automatically. You can close all control panels at once.

PROCEDURE

- Select **Window > Close All Plug-in Windows**.

NOTE

This also closes VST effect control panels.

RESULT

The control panels are closed.

RELATED LINKS


[VST Instrument Control Panel](#) on page 936

VST Instrument Selector

The VST instrument selector allows you to select VST instruments from the active collection.

- To open the VST instrument selector, click a slot in the **VST Instruments** window.

The following controls are available:



1 Expand Tree/Collapse Tree

Expands/Collapses the tree.

2 Search VST Instrument

Allows you to search for VST instruments by typing in the name or parts of the name or the category.

3 Plug-in Collections and Options

Allows you to select a collection.

If you select the **Default** collection, the options **Sort By Category** and **Sort by Vendor** become available. They allow you to sort the default collection.

Creating Instrument Tracks

You can create instrument tracks that contain dedicated VST instruments.

PROCEDURE

1. In the global track controls area of the track list, click **Add Track** .
 2. Click **Instrument**.
 3. Open the **Instrument** pop-up menu, and select a VST instrument.
 4. Click **Add Track**.
-

RESULT

The selected VST instrument is loaded for the instrument track. In the **MixConsole**, an instrument channel is added.

VSTi Rack in the Right Zone

The **VSTi** rack in the right zone of the **Project** window allows you to add VST instruments for MIDI and instrument tracks.

All instruments that are used in your project are shown. You can access up to 8 quick controls for each added instrument.

- To open the **VSTi** rack in the right zone, click **Show/Hide Right Zone** on the **Project** window toolbar, and, at the top of the right zone, click the **VSTi** tab.



NOTE

The **VSTi** rack in the right zone is just another representation of the **VST Instruments** window. All features are identical.

RELATED LINKS


- [Showing/Hiding Zones](#) on page 52
[Project Window Toolbar](#) on page 54

VST Instruments Window

The **VST Instruments** window allows you to add VST instruments for MIDI and instrument tracks.

All instruments that are used in your project are shown. You can access up to 8 quick controls for each added instrument.

To open the **VST Instruments** window, select **Studio > VST Instruments**.



RELATED LINKS

[Instrument Tracks and Channels](#) on page 135

VST Instruments Window Toolbar

The **VST Instruments** window toolbar contains controls that allow you to add and set up VST instruments and **VST Quick Controls**.

Add Track Instrument



Opens the **Add Track** dialog that allows you to select an instrument and to add an instrument track that is associated with this instrument.

Find Instruments



Opens a selector that allows you to find a loaded instrument.

Set Remote-Control Focus for VST Quick Controls to Previous Instrument



Allows you to set the remote control focus to the previous instrument.

Set Remote-Control Focus for VST Quick Controls to Next Instrument



Allows you to set the remote control focus to the next instrument.

Show/Hide all VST Quick Controls



Shows/Hides the default quick controls for all loaded instruments.

Settings



Opens the **Settings** pop-up menu, where you can activate/deactivate the following modes:


- **Show VST Quick Controls for One Slot Only** shows the **VST Quick Controls** exclusively for the selected instrument.

- **MIDI Channel follows track selection** ensures that the **Channel** selector follows the MIDI track selection in the **Project** window. Use this mode if you work with multitimbral instruments.
- **Remote-Control Focus for VST Quick Controls follows track selection** ensures that the **VST Quick Controls** remote control focus follows the track selection.

VST Instrument Controls

The VST instrument controls allow you to make settings for a loaded VST instrument.

The following controls are available for each instrument:



1 Activate Instrument

Activates/Deactivates the instrument.

2 Edit Instrument

Opens the instrument panel.

3 Freeze Instrument

Freezes the instrument. This allows you to save CPU power.

4 Activate/Deactivate Side-Chaining

Activates/Deactivates side-chaining.

5 Instrument selector

Allows you to select another instrument. Double-click to rename the instrument. The name is shown in the **Output Routing** pop-up menu for MIDI tracks. This is useful for working with several instances of the same instrument.

6 Preset Browser

Allows you to load or save an instrument preset.

7 Input Options

This lights up when MIDI data is received by the instrument. Click this button to open a pop-up menu that allows you to select, mute/unmute, and solo/unsolo for tracks that send MIDI to the instrument (inputs).

NOTE

If you resize the **VST Instruments** window, you can access this option by using an **Input/Output Options** pop-up menu.

8 Activate Outputs

This control is only available if the instrument provides more than one output. It allows you to activate one or more outputs for the instrument.

NOTE

If you resize the **VST Instruments** window, you can access this option by using an **Input/Output Options** pop-up menu.

RELATED LINKS

[Freezing Instruments](#) on page 945

VST Instrument Context Menu

The VST instrument control panel context menu and the **Functions** menu on the VST instrument control panel display functions and settings that are specific to the instrument.

Do one of the following:

- Right-click an empty area of the VST instrument control panel.
- Open the **Functions** pop-up menu on the VST instrument control panel.

The following functions are available:

Copy <VST instrument name> Setting/Paste <VST instrument name> Setting

Allows you to copy the instrument settings and paste them to another instrument.

Load Preset/Save Preset

Allows you to load/to save a preset.

Default Preset

Allows you to define and save a default preset.

Switch to A Setting/Switch to B Setting

Switches to setting B when setting A is active, and to setting A when setting B is active.

Apply Current Settings to A/Apply Current Settings to B

Copies the instrument parameters of instrument setting A to instrument setting B, and vice versa.

Activate Outputs

Allows you to activate one or more outputs for the instrument.

Activate/Deactivate Side-Chainning

Activates/Deactivates side-chainning for the instrument.

NOTE

This option is only available for VST 3 instruments that support side-chainning.

Remote Control Editor

Opens the **Remote Control Editor**.

Switch to Generic Editor

Opens the generic editor for the instrument.

Allow Window to be Resized

Allows for dynamic resizing of third-party plug-in windows in Cubase. This is useful if you activated **Enable HiDPI** (Windows only) in the **Preferences** dialog (**General** page) and your plug-in does not support dpi settings.

NOTE

Allow Window to be Resized is a plug-in-specific setting. Activate/deactivate it for every plug-in that requires it.

RELATED LINKS

[General](#) on page 1533

[Side-Chainning for VST Instruments](#) on page 950

Presets for Instruments

You can load and save presets for instruments. Presets contain all the settings that are required for the sound that you want.

The following presets for instruments are available:

- **VST Presets**

VST presets include the parameter settings of a VST instrument.

Presets are available from the **VST Instruments** window, from the instrument control panels, and from the **Programs** field in the **Inspector**.

- **Track Presets**

Track presets include the instrument track settings and the settings for the corresponding VST instrument.

Presets are available from the **Inspector** or the track list context menu.

Loading VST Presets

You can load **VST Presets** from the **VST Instruments** window, from the control panel or from the **Inspector**.

PROCEDURE

1. Do one of the following:

- Select the track that contains the VST instrument. In the **Routing** section of the **Inspector**, click **Program Selector**.
- In the **VST Instruments** window, click **Preset Browser** for the instrument, and select **Load Preset**.
- In the control panel for the VST instrument, click **Preset Browser**, and select **Load Preset**.

2. In the preset browser, select a preset from the list, and double-click it to load it.

RESULT

The preset is applied.

Saving VST Presets

You can save your settings on VST instruments as VST presets for further use.

PROCEDURE

1. Do one of the following:

- In the **VST Instruments** window, click **Preset Browser** for the instrument, and select **Save Preset**.
- In the control panel for the VST instrument, click **Preset Browser**, and select **Save Preset**.

2. In the **Save <VST instrument name> Preset** dialog, enter a name for the preset.

3. Optional: Click **Show Attribute Inspector**, and define attributes for the preset.

4. Click **OK** to save the preset and close the dialog.

Loading Track Presets

You can load track presets for instrument tracks from the **Inspector**.

PROCEDURE

1. Do one of the following:
 - Select the instrument track, and, in the **Inspector**, click the **Load Track Preset** field.
 - Right-click the instrument track, and, from the context menu, select **Load Track Preset**.
2. In the preset browser, select a preset from the list, and double-click it to load it.


RESULT

The track preset is applied. To return to the previously loaded preset, open the preset browser again, and click **Revert to Last Setting**.

Instrument Presets Results Browser

The **Results** browser for instrument track presets allows you to preview VST presets and to apply them to your instrument track.

- To open the **Results** browser, right-click an instrument track, and select **Load Track Preset**.



VST presets for instruments can be divided into the following groups:

Presets

Presets contain the settings of the entire plug-in. For multitimbral instruments, this includes the settings for all sound slots as well as the global settings.

Programs

Programs contain only the settings for one program. For multitimbral instruments, this includes only the settings for one sound slot.

Saving Track Presets

You can save your settings on instrument tracks as track presets for further use.

PROCEDURE

1. Right-click the instrument track, and, from the context menu, select **Save Track Preset**.
2. In the **Save Track Preset** dialog, enter a name for the preset.

3. Optional: Click **Show Attribute Inspector**, and define attributes for the preset.
 4. Click **OK** to save the preset and close the dialog.
-

Playing Back VST Instruments

After you have added a VST instrument and selected a sound, you can play back the VST instrument using the instrument or MIDI track in your project.

PROCEDURE

1. In the track list, activate **Monitor** for the track with the loaded VST instrument.
 2. Press one or more keys on your MIDI keyboard or use the **On-Screen Keyboard**.
The corresponding sounds are triggered on your VST instrument.
 3. Select **Studio > MixConsole** to open the **MixConsole**, and adjust the sound, add EQ or effects, assign another output routing, etc.
-

VST Instruments and Processor Load

VST instruments can consume a lot of CPU power. The more instruments you add, the more likely it is that you run out of processor power during playback.

If the **Processing Overload** indicator in the **Audio Performance** panel lights up or you get crackling sounds, you have the following options:

- Activate **Freeze Channel**.
This renders the instrument into an audio file and unloads it.
- Activate **Suspend VST 3 plug-in processing when no audio signals are received** for VST 3 instruments.
This ensures that your instruments do not consume CPU power on silent passages.

RELATED LINKS

[Freezing Instruments](#) on page 945

[Suspend VST 3 plug-in processing when no audio signals are received](#) on page 1547

Freezing Instruments

If you are using a moderately powerful computer or a large number of VST instruments, your computer may not be able to play back all instruments in real time. At this point, you can freeze instruments.

PROCEDURE

1. Do one of the following:
 - Select **Studio > VST Instruments**.
 - Select the instrument track, and open the top **Inspector** section.
 2. Click **Freeze Channel**.
 3. In the **Freeze Channel Options** dialog, make your changes.
 4. Click **OK**.
-

RESULT

- The output of the instrument is rendered to an audio file. On playback you hear the same sound as before freezing.
- Less CPU load is used.
- The **Freeze Channel** button lights up.
- The track controls are grayed out.
- The MIDI parts are locked.
- You can still adjust the level and panning, make EQ settings, and adjust the effect sends.

NOTE

The audio file is saved in the **Freeze** folder that can be found in the following location:

- Windows: within the **Project** folder
- macOS: **User/Documents**

AFTER COMPLETING THIS TASK

To unfreeze a frozen track, click **Freeze Channel** again.

RELATED LINKS


- [Freezing Multiple Tracks](#) on page 210
[Freeze Channel Options Dialog for Instruments](#) on page 946
[Unfreeze Channel Options Dialog for Instruments](#) on page 947

Freeze Channel Options Dialog for Instruments

The **Freeze Channel Options** allows you to specify exactly what is supposed to happen when you freeze an instrument.

To open the **Freeze Channel Options** dialog, select the instrument track, and do one of the following:

- In the top **Inspector** section, click **Freeze Channel**.
- Select **Edit > Freeze/Unfreeze > Selected Tracks**.
- Right-click the selected track, and from the context menu, select **Freeze/Unfreeze Selected Tracks**.



Tail Size

Allows you to set a tail size time to let sounds complete their normal release cycle.

Include Inserts for Instrument Tracks

Activate this option if you want to include insert effects on this channel when freezing the instrument.

NOTE

You can still adjust level, pan, sends, and EQ.

Deactivate this option if you still want to be able to edit insert effects on this channel.

Unload Instruments When Frozen

Activate this option to unload the instrument after freezing. This makes the RAM available again.

RELATED LINKS

[Freezing Multiple Tracks](#) on page 210

[Freezing Instruments](#) on page 945


[Unfreeze Channel Options Dialog for Instruments](#) on page 947

Unfreeze Channel Options Dialog for Instruments

The **Unfreeze Channel Options** allows you to specify exactly what should happen if you unfreeze an instrument track.

To open the **Unfreeze Channel Options** dialog, select a frozen instrument track, and do one of the following:

- In the top **Inspector** section, click **Freeze Channel**.
- Select **Edit > Freeze/Unfreeze > Selected Tracks**.
- Right-click the selected track, and from the context menu, select **Freeze/Unfreeze Selected Tracks**.



Delete Freeze Files

Deletes the freeze files.

Keep Freeze Files

Keeps the freeze files in the **Freeze** folder that can be found in the following location:

- Windows: within the **Project** folder
- macOS: **User/Documents**

RELATED LINKS

[Freeze Channel Options Dialog for Instruments](#) on page 946

[Freezing Instruments](#) on page 945

[Freezing Multiple Tracks](#) on page 210

Latency

Latency stands for the time it takes for the instrument to produce a sound after you press a key on your MIDI controller. It can be an issue when using VST instruments in real time. Latency depends on your audio hardware and its ASIO driver.

In the **Studio Setup** dialog (**Audio System** page), the input and output latency values should ideally be a few milliseconds.

If the latency is too high to allow comfortable real time VST instrument playback from a keyboard, you can use another MIDI sound source for live playback and recording, and switch to the VST instrument for playback.

RELATED LINKS

[Selecting an Audio Driver](#) on page 21

Delay Compensation

During playback, Cubase automatically compensates any delay inherent in the VST plug-ins you use.

You can specify a **Delay Compensation Threshold** in the **Preferences** dialog (**VST** page), so that only plug-ins with a delay higher than this threshold setting are affected.

Constrain Delay Compensation

To prevent additional latency when you play a VST instrument in real time or record live audio, you can activate **Constrain Delay Compensation**. This minimizes the latency effects of the delay compensation while maintaining the sound of the mix as well as possible.

Constrain Delay Compensation is available on the **Project** window toolbar and in the **Transport** zone. You can also find it as a menu item in the **MixConsole** on the **Functions Menu**.

If you activate **Constrain Delay Compensation** for instrument channels, record-enabled audio track channels, group channels, and output channels, the following happens:

- For VST 3 plug-ins that feature a **Live** button, and for third-party VST 3 plug-ins that feature a low latency mode, activating **Constrain Delay Compensation** activates the **Live** button or the low latency mode for that particular plug-in. For details about the included plug-ins that feature a **Live** button, see the separate document **Plug-in Reference**.
- For VST plug-ins that have no low latency mode, activating **Constrain Delay Compensation** turns off that plug-in.

NOTE

VST plug-ins that are activated for effect channels are disregarded.

After recording or using a VST instrument, deactivate **Constrain Delay Compensation** again, in order to restore full delay compensation.

RELATED LINKS

[Project Window Toolbar](#) on page 54


Import and Export Options

Importing MIDI Loops

You can import MIDI loops (file extension .midiloop) in Cubase. These files contain MIDI part information (MIDI notes, controllers, etc.) and all the settings that are saved in instrument track presets. This way, you can reuse instrument patterns in other projects or applications, for example.

PROCEDURE

1. Select **Media > MediaBay**.
2. Optional: On the toolbar, open the **Select Media Types** menu, and activate **MIDI Loops** and **Plug-in Presets**.



3. In the **Results** list, select a MIDI loop and drag it to an empty section in the **Project** window.
-

RESULT

An instrument track is created, and the instrument part is inserted at the position where you dragged the file. The **Inspector** reflects all settings that are saved in the MIDI loop, for example, the VST instrument that was used, applied insert effects, track parameters, etc.

NOTE

You can also drag MIDI loops onto existing instrument or MIDI tracks. However, this only imports the part information. This means that this part only contains the MIDI data (notes, controllers) saved in the MIDI loop, but no **Inspector** settings or instrument parameters.

RELATED LINKS

- [Presets for Instruments](#) on page 943
[Filtering According to Media Type](#) on page 765

Exporting MIDI Loops

You can export MIDI loops to save a MIDI part, including its instrument and effect settings. This allows you to reproduce patterns that you created, without having to search for the correct sound, style, or effect. MIDI loops have the file extension .midiloop.

PROCEDURE

1. Select an instrument part.

2. Select **File > Export > MIDI Loop**.
 3. In the **Save MIDI Loop** dialog, enter a name for the MIDI loop.
 4. Optional: To save attributes for the MIDI loop, click the button below the **New MIDI Loop** section at the bottom left.
The **Attribute Inspector** section opens, allowing you to define attributes for your MIDI loop.
 5. Click **OK**.
-

RESULT

MIDI loop files are saved in the following folder:

Windows: \Users\<user name>\AppData\Roaming\Steinberg\MIDI Loops

macOS: /Users/<user name>/Library/Application Support/Steinberg/MIDI Loops/

The default folder cannot be changed. However, you can create subfolders within this folder to organize your MIDI loops. To create a subfolder, click **New Folder** in the **Save MIDI Loop** dialog.

Exporting Instrument Tracks as MIDI Files

You can export instrument tracks as standard MIDI files.

PROCEDURE

1. Select an instrument track.
2. Select **File > Export > MIDI File**.
3. In the **Export MIDI File** dialog, select a location, and enter a name for the MIDI file.
4. Click **Save**.
5. In the **Export Options** dialog, make your changes.

If you activate **Export Inspector Volume/Pan**, volume and pan information of the VST instrument is converted and written into the MIDI file as controller data.

6. Click **OK**.
-

RESULT

The instrument track is exported as a standard MIDI file. As there is no MIDI patch information in an instrument track, this information is missing in the resulting MIDI file.

RELATED LINKS

[Exporting MIDI Tracks as Standard MIDI Files](#) on page 198

Side-Chaining for VST Instruments

You can send audio into VST 3 instruments that support side-chaining. Side-chaining allows you to use the output of one track to control the action of an instrument on another track.

Depending on the instrument, activating side-chaining allows you to:

- Use the instrument as an effect plug-in on audio events.
- Use the side-chain signal as a modulation source.
- Apply ducking to the instrument, that is, reduce the volume of the instrument track when a signal is present on the audio track.

You can route the audio signal to the side-chain input of an instrument in different ways:

- To process the audio signal completely through the instrument, route the output of the audio track to the side-chain input of an instrument.
- To use both the clean audio signal and the signal processed by the instrument, route a send to the instrument side-chain.

NOTE

To listen to the audio played through the instrument, trigger a note, either by playing MIDI events or by playing notes on your external MIDI keyboard.

RELATED LINKS

[Using Instruments as Effects on Audio Tracks](#) on page 951

Using Instruments as Effects on Audio Tracks

You can use instruments that support side-chaining to modify the audio on audio tracks. The following example shows you how to apply the parameters in Retrologue to a drum loop.

PREREQUISITE

You have a drum loop on an audio track. You have created an instrument track with Retrologue loaded.

PROCEDURE

1. On the Retrologue control panel, click **Activate/Deactivate Side-Chaining**.
2. On the control panel, click **Set up Side-Chain Routing**.
3. Click **Add Side-Chain Source**, and select the audio track from the selector.
4. In the **Project** window, select the audio track.
5. In the **Inspector** for the audio track, open the **Routing** section.
6. Open the **Output Routing** pop-up menu and select Retrologue as a side-chain input.
7. On the Retrologue panel in the **Oscillator Mix** section, adjust the **Input Level** control.
8. Optional: Deactivate oscillators **OSC 1**, **OSC 2**, and **OSC 3**.
9. Do one of the following:
 - On the instrument track, create a MIDI event, set up a cycle with the left and right locators, and activate cycle mode.
 - Play notes on your MIDI keyboard.

NOTE

For this to work, your MIDI keyboard must be installed and set up.

RESULT

When a note is played, the drum loop is played back through Retrologue.

AFTER COMPLETING THIS TASK

Use Retrologue to modify the sound of your drum loop. For example, you can do the following:

- Use the filter and distortion settings on the **Synth** page.
- Modulate the input signal. Select **Modulation Matrix > Destination > Oscillator > Audio Input**.

- Set up a rhythmical modulation on the **Arp** page.
- Use the effects on the **FX** page, for example the **Resonator**.

NOTE

For detailed information about Retrologue and its parameters, see the separate document **Retrologue**.

External Instruments

An external instrument bus is an input (return) to your audio hardware, along with a MIDI connection via Cubase and additional settings.

External instrument busses are created in the **Audio Connections** window. All external instrument busses that you have created appear on the **VST Instrument** pop-up menus and can be selected in the same way as any VST instrument plug-in.

If you select an external instrument, you must create a MIDI device to play it via MIDI. The sound that is output by the synth audio output will come in to the VST environment, where you can apply processing, etc.

RELATED LINKS

[Setting up External Instruments](#) on page 46

Installing and Managing VST Plug-ins

Cubase supports the VST 2 and VST 3 plug-in standards. You can install effects and instruments that comply with these formats.

NOTE

- Cubase supports 64-bit plug-ins only.
- If you want to use VST 2 plug-ins in Cubase, you must activate **Enable VST 2 Plug-ins** in the **VST Plug-in Manager** window.

NOTE

We recommend to replace VST 2 plug-ins with VST 3 versions if possible.

A plug-in is a piece of software that adds a specific functionality to Cubase. The audio effects and instruments that are used in Cubase are VST plug-ins.

VST effect or VST instrument plug-ins normally have their own installation application. Read the documentation or readme files before installing new plug-ins.

When you scan for newly installed plug-ins or relaunch Cubase, the new plug-ins are shown on the VST effect or VST instrument selectors, respectively.

Cubase comes with a number of effect plug-ins included. These effects and their parameters are described in the separate document **Plug-in Reference**.

RELATED LINKS

[VST Plug-in Manager Window](#) on page 954

Plug-ins and Collections

The **VST Plug-in Manager** shows the VST effects and VST instruments that are installed on your computer.

In Cubase, plug-ins are arranged in collections. Only one collection can be active at a time. The plug-ins contained in the active collection are displayed in the plug-in selectors, in various locations of the program.

When you launch Cubase, all plug-ins that are found are automatically placed in the **Default** collection. This is the collection of plug-ins that is active by default.

The **Default** collection is created each time you start Cubase or initiate a rescan.

You can add your own VST effect or VST instrument collections. This is useful if you only want to see specific plug-ins that are used in a specific project, for example. When you activate this collection, only VST effects and VST instruments of this collection are shown in the selectors for VST effects or VST instruments.

NOTE

If an installed VST effect or a VST instrument cannot be loaded by Cubase, it is not shown on the **VST Effects** tab or the **VST Instruments** tab, and it is grayed out in any collection. In this case, verify that the plug-in is not copy-protected.


RELATED LINKS

[VST Plug-in Manager Window](#) on page 954
[Adding New Plug-in Collections](#) on page 957

VST Plug-in Manager Window

You can manage VST effects, VST instruments, and modulators in the **VST Plug-in Manager** window.

- To open the **VST Plug-in Manager** window, select **Studio > VST Plug-in Manager**.



The **VST Plug-in Manager** window is divided into the following sections:

VST Effects

Lists all VST effects that are loaded in Cubase. To sort the list by a specific attribute, click the corresponding column header.

VST Instruments

Lists all VST instruments that are loaded in Cubase. To sort the list by a specific attribute, click the corresponding column header.

VST Modulators

Lists all modulators that are loaded in Cubase. To sort the list by a specific attribute, click the corresponding column header.

Blocklist

Lists all VST effects and VST instruments that are installed on your system but not loaded in Cubase because they can lead to stability problems or even cause Cubase to crash.

Toolbar

Shows tools and shortcuts for functions in the **VST Plug-in Manager** window.

Active plug-in collection

This section to the right shows the active collection for VST effects and VST instruments. The plug-ins of the active collection are displayed in the selectors for VST effects and VST instruments in Cubase; for example, in **Inserts** slots or the **Add Track** dialog.

Plug-in Information



Shows information about the selected plug-in.

Plug-in Report

Opens the File Explorer/macOS Finder, which allows you to save a text file that contains information about your system as well as plug-in information. This is useful for troubleshooting, for example.

Enable VST 2 Plug-ins



Enables/Disables support for VST 2 plug-ins. This option allows you to make VST 2 plug-ins immediately available/unavailable in Cubase. If you deactivate this option although a VST 2 plug-in is used in your current project, a warning message is shown.

VST 2 Plug-in Path Settings



Shows/Hides the settings for VST 2 plug-in paths. This button is only available if **Enable VST 2 Plug-ins** is activated.

RELATED LINKS

[Plug-ins and Collections](#) on page 953

[Audio System Page](#) on page 22

[VST Plug-in Manager Toolbar](#) on page 955

[VST 2 Plug-in Path Settings](#) on page 956

[Hiding Plug-ins](#) on page 957

[Reactivating Plug-ins from the Blocklist](#) on page 958

VST Plug-in Manager Toolbar

Shows tools and shortcuts for functions in the **VST Plug-in Manager**.

- To open the **VST Plug-in Manager** window, select **Studio > VST Plug-in Manager**.

Search field



Allows you to search for specific plug-ins on the **VST Effects** tab or on the **VST Instruments** tab by typing in their name.

Rescan All

Rescans the plug-in list.

Display Options



Allows you to choose which plug-ins are shown:

- **Show All Plug-ins** displays all loaded plug-ins.
- **Hide Plug-ins That Are in Active Collection** hides all plug-ins that are part of the active collection.

- **Show Plug-ins That Support 64-Bit Float Processing** shows all VST 3 plug-ins that support 64-bit float processing.

New Folder



Creates a new folder in the current collection.

Delete



Deletes the selected item from the current collection.

Add Collection



Creates a new collection.

- **Empty** creates a new, empty collection.
- **Add All Plug-ins** creates a new collection that contains all VST effects or VST instruments, respectively.
- **Copy Collection** creates a new collection that contains the current collection.

Plug-in Collections and Options



- **Default** activates the default collection.
- **New Collection** allows you to create a new collection.
- **Remove Unavailable Plug-ins from All Collections** removes all plug-ins that are not available from all user-created collections.
- **Sort By Category** sorts the collection by category.

NOTE

This option is available for the **Default** collection only.

- **Sort By Vendor** sorts the collection by vendor.


NOTE

This option is available for the **Default** collection only.

VST 2 Plug-in Path Settings

This section displays information about VST 2 plug-in paths.

- To open the **VST 2 Plug-in Path Settings** section, select **Studio > VST Plug-in Manager**, activate **Enable VST 2 Plug-in Support**, and click **VST 2 Plug-in Path Settings**.



VST 2 Plug-in path list

Shows all VST 2 plug-in paths.

Add Path

Allows you to add a new VST 2 plug-in path.

Delete Path

Deletes the selected VST 2 plug-in path.

Reset

Resets the list to default.

Adding New Plug-in Collections


You can add new collections of VST effects or VST instruments.

PREREQUISITE

A number of effect plug-ins is installed on your computer. These plug-ins are listed in the **VST Plug-in Manager** on the **VST Effects** tab and the **VST Instruments** tab.

PROCEDURE

1. In the **VST Plug-in Manager** toolbar, click **Add Collection**, and select an option.



2. In the **Add Collection** dialog, enter a name for the new collection, and click **OK**.
3. Optional: Click **New Folder**.
You can then move your plug-ins into these folders to organize them by categories, for example.
4. Enter a name for the new folder, and click **OK**.
5. From the **VST Effects** tab or the **VST Instruments** tab, select the plug-ins that you want to add to the collection, and drag them into the new collection.
If you created folders, you can drag the plug-ins into them.

RESULT

The new collection is saved. If you select it, its plug-ins are shown in the plug-in selectors.

AFTER COMPLETING THIS TASK

To remove a plug-in from a collection, select it, and click **Remove**.

RELATED LINKS

[Plug-ins and Collections](#) on page 953

[VST Plug-in Manager Window](#) on page 954


Hiding Plug-ins

You can hide plug-ins from all collections. This is useful if you have installed plug-ins on your computer that you do not want to use in Cubase.

PROCEDURE

1. Select **Studio > VST Plug-in Manager**.

2. On the **VST Effects** tab or on the **VST Instruments** tab, select the plug-ins that you want to hide from view.
3. Click **Show VST Plug-in Information** to show information about the selected plug-in.
4. Activate **Hide**.



RESULT

The selected plug-in is hidden from view.

RELATED LINKS

[ASIO-Guard](#) on page 1517

Reactivating Plug-ins from the Blocklist

You can reactivate 64-bit plug-ins that are on the blocklist.

PROCEDURE

1. On the **Blocklist** tab, select the plug-ins that you want to reactivate.

NOTE

You cannot reactivate 32-bit plug-ins because they are not supported.

2. Click **Reactivate**.
-

RESULT

Cubase rescans the plug-in and removes it from the blocklist.

AFTER COMPLETING THIS TASK

If you want to move the plug-in back to the blocklist, click **Rescan All** in the **VST 2 Plug-in Path Settings**, and restart Cubase.

RELATED LINKS

[VST Plug-in Manager Window](#) on page 954

Track Quick Controls

Cubase allows you to set up 8 different track parameters or settings as **Track Quick Controls** for quick access.

Track Quick Controls are available for the following track types:

- Audio
- MIDI
- Instrument
- Sampler
- Drum
- Effect
- Group
- VCA

For instrument tracks and for MIDI tracks with a VST instrument assigned to on creation, that is, that you created by loading a rack instrument, **Track Quick Controls** are automatically assigned to the **Quick Controls** of the VST instrument.


For sampler tracks, **Track Quick Controls** are automatically assigned to the sound parameters of **Sampler Control**.

For drum tracks, **Track Quick Controls** are automatically assigned to the sound parameters of the **Drum Machine**.

NOTE

You can change the default assignment by assigning different track parameters or by loading a preset.

You can assign parameters to **Quick Controls** in the **Inspector** or the **MixConsole**.



Quick Controls section in the Inspector



Quick Controls section in the **MixConsole**

Quick Controls assignments are saved with the project.

You can assign **Track Quick Controls** to an external remote control device. For this to work, you must connect **Track Quick Controls** with your remote controller.

You can automate parameter settings in the **Quick Controls** section using the **Read/Write** buttons (**R** and **W**).

RELATED LINKS

[Track Presets](#) on page 226

[Automation](#) on page 854

[Adding Track Quick Controls in the MixConsole](#) on page 484

Parameter Assignment

You can assign track, effect, and instrument parameters to **Quick Controls**.

For the parameter assignment, you can use the **Inspector** or the **MixConsole**. You can assign parameters manually, use the **QC Learn Mode**, or load an assignment preset.

RELATED LINKS

[Assigning Track Parameters to Quick Controls](#) on page 960

[Assigning Effect Parameters to Quick Controls](#) on page 961

[Using QC Learn Mode](#) on page 961

[Adding Track Quick Controls in the MixConsole](#) on page 484

[Setting Instrument Parameter Assignments to Default](#) on page 962

[Removing Parameter Assignments](#) on page 962

[Loading Track Quick Control Assignments as Presets](#) on page 963

Assigning Track Parameters to Quick Controls

You can assign track parameters manually.


NOTE

For instrument tracks and MIDI tracks with a VST instrument assigned to on creation, the main parameters of the instrument are automatically assigned to the slots in the **Quick Controls** section of the **Inspector**.


PROCEDURE

1. In the **Inspector** for your track, open the **Quick Controls** section.
2. Click the first slot to open a selector that lists all parameters for the track.

3. Select the parameter that you want to assign to the first **Quick Controls**.
The parameter name is displayed on the slot.
4. Move the mouse pointer over the slot and do one of the following depending on the parameter type:
 - Drag the slider to change the value.



- Click to change the value.



5. Repeat these steps for all slots for which you want to assign track parameters.
-

RESULT

You can now control the track parameters via the **Quick Controls** section in the **Inspector** or via the **Quick Controls** section in the **MixConsole**.

Assigning Effect Parameters to Quick Controls

You can assign effect parameters to **Quick Control** slots from within plug-in, VST instrument, and modulator control panels.

NOTE

This is available for VST 3 plug-ins that support this function only.

PROCEDURE

- In the effect plug-in panel, right-click the parameter.
 - Select **Add "x" to Quick Controls** (where x is the name of the parameter) to assign the parameter to the next empty slot.
 - Select **Add "x" to Quick Controls Slot** (where x is the name of the parameter), and select the slot from the submenu to assign the parameter to a specific slot.

RESULT

You can now control the effect parameters via the **Quick Controls** section in the **Inspector** or via the **Quick Controls** section in the **MixConsole**.

Using QC Learn Mode

The **QC Learn Mode** allows you to assign a parameter by moving controls. This applies to all automatable controls.

PROCEDURE

1. In the **Inspector** for your track, open the **Quick Controls** section.

2. Activate **QC Learn Mode**.
 3. Select the slot to which you want to assign a parameter.
 4. Move the control.
-

RESULT

The track parameter is assigned to the corresponding control.

RELATED LINKS


[Controlling Automatable Parameters](#) on page 964

Setting Instrument Parameter Assignments to Default

If you have changed the parameter assignment or if you manually routed a MIDI track to a VST instrument, you can retrieve the default assignments.

PROCEDURE

1. In the **Inspector** for the instrument or MIDI track, open the **Quick Controls** section.
2. Click **Get Default QC from Plug-in**.



RESULT


The instrument parameter assignments are set to default.

Removing Parameter Assignments

You can remove parameter assignments for individual **Quick Controls** or for all **Quick Controls** at the same time.

PROCEDURE

- Do one of the following:
 - To remove a parameter from a slot, click in the corresponding slot, and select **No parameter** from the pop-up menu.
 - To remove the **Quick Control** assignments for all slots, right-click the section header, and select **Remove All QC Assignments**.



Saving Track Quick Control Assignments as Presets

You can save **Quick Control** assignments as track presets.

PREREQUISITE

You have assigned track parameters to **Quick Controls**.

PROCEDURE

1. In the **Inspector** for your track, open the **Quick Controls** section.
 2. Right-click the **Quick Controls** section header.
 3. From the **Presets** submenu, select **Save Preset**.
 4. Enter a name in the **Save Preset** dialog.
 5. Click **OK**.
-

RESULT

The **Quick Control** assignment is saved as a preset.

RELATED LINKS

[Assigning Track Parameters to Quick Controls](#) on page 960

Loading Track Quick Control Assignments as Presets

You can load presets for **Quick Control** assignments.

PROCEDURE

1. In the **Inspector** for your track, open the **Quick Controls** section.
 2. Right-click the **Quick Controls** section header.
 3. From the **Presets** submenu, select one of the presets.
-

RESULT

The preset is loaded and allows you to access the channel parameters.

Controlling Automatable Parameters

You can use **Quick Controls** to control all automatable parameters. This allows you to control parameters on other tracks using **Quick Controls**.


IMPORTANT

Use this function with caution, as you might accidentally modify parameters on other tracks.

PROCEDURE

1. Create a new, empty audio track, and open the **Quick Controls** section.
2. Hold down **Ctrl/Cmd**, and click the first **Quick Control** slot.
The selector lists all automatable parameters.
3. Open the **VST Mixer** folder.

The selector lists all channels that are available in the **MixConsole** of your project.



4. Assign a parameter of one particular channel to **Quick Control 1** and a different parameter of another channel to **Quick Control 2**.

RESULT

The **Quick Controls** section now allows you to control automatable parameters on different tracks.

IMPORTANT

You cannot save **Quick Control** assignments for automatable parameters on different tracks as track presets.

Showing Automated Quick Control Assignments

You can show all **Quick Control** assignments that have been automated for one track.

PROCEDURE

1. Click the track for which you want to show automated **Quick Control** assignments.
2. In the **Inspector** for your track, open the **Quick Controls** section.
3. Right-click the **Quick Controls** section header.

4. Select **Show Automated QC Assignments**.

RESULT

The automation tracks of the automated **Quick Control** parameters open for the selected track.

NOTE

- If **Volume** is assigned as a **Quick Control** parameter, it is always shown as automated.
 - You can also show automated **Quick Control** assignments via the **Quick Controls** section in the **MixConsole**.
-

MIDI Remote

MIDI Remote allows you to integrate and use third party MIDI controllers in Cubase.

The **MIDI Remote** concept is based on dedicated scripts for specific MIDI controllers. These scripts establish a connection between a specific MIDI controller and Cubase, and include factory mappings to parameters.

The layout and functions of MIDI controllers with a script can be shown on the **MIDI Remote** tab in the lower zone of the **Project** window. If a script is available for your MIDI controller, all you have to do is plug in the controller, and you can start playing.

Cubase includes several MIDI controller scripts. If no script is yet available for your MIDI controller, we encourage you to create one.

The **MIDI Controller Surface Editor** provides you with an easy way to create your own scripts. It allows you to create a surface that describes the layout and the order of the control elements on your MIDI controller.

As an alternative for those who have some programming skills and want to dive deeper into scripting, we have created a **MIDI Remote API** that allows you to develop a script for your dedicated MIDI controller.

RELATED LINKS

[Using Supported MIDI Controllers with MIDI Remote](#) on page 970

[MIDI Remote Tab](#) on page 966

[MIDI Remote Info Line](#) on page 967

[Generic Remote Page \(Legacy\)](#) on page 1040

[MIDI Remote API](#) on page 1000

[MIDI Remote Mapping Assistant](#) on page 985

[Setting up Focus Quick Controls in the MIDI Remote Mapping Assistant](#) on page 991

MIDI Remote Tab

The **MIDI Remote** tab in the lower zone of the **Project** window allows you to load scripts for MIDI controllers. It shows the layout of your controller and its control mappings to Cubase parameters. All operations that you perform on the connected MIDI controller are displayed on the **MIDI Remote** tab.

NOTE

The purpose of the surfaces that are shown on the **MIDI Remote** tab is to map Cubase functions to your connected MIDI controller. After mapping, you can control those Cubase functions via your MIDI controller.

- To open the **MIDI Remote** tab, click the **MIDI Remote** tab in the lower zone of the **Project** window.



The **MIDI Remote** tab in the lower zone of the **Project** window

The following elements are available:

1 Info line

Shows the **MIDI Remote** info line.

2 MIDI controller surface

Shows which Cubase functions are mapped to which controls on your MIDI controller. You can use multiple MIDI controllers simultaneously. All available supported MIDI controllers are shown in the overview.

RELATED LINKS

[MIDI Remote Info Line](#) on page 967

[MIDI Remote Mapping Assistant](#) on page 985

[Opening MIDI Remote in the Lower Zone](#) on page 87

MIDI Remote Info Line

The **MIDI Remote** info line displays information about the current MIDI controller and the recently used controls.

- To show or hide the info line elements, right-click the info line, and activate or deactivate the elements.

MIDI Controllers Overview

[Go to MIDI Controllers Overview](#)



Click this to display an overview of all connected and supported MIDI controllers. To go back to the surface of a specific controller, click it.

MIDI Controller




Go to Previous Controller



If you have connected more than one MIDI controller, this allows you to go to the previous MIDI controller.

MIDI Controller



Shows the name of the MIDI controller that is currently shown on the **MIDI Remote** tab in the lower zone of the **Project** window.

Incoming MIDI Data from Other Controller



If you have connected more than one MIDI controller, this shows the activity of the controller that is currently not selected.

Go to Next Controller



If you have connected more than one MIDI controller, this allows you to go to the next MIDI controller.

Open MIDI Remote Manager



Opens the **MIDI Remote Manager** that shows information about the connected MIDI controllers and the installed scripts.

Edit MIDI Controller Surface




NOTE

This is only available if you created the script for the selected MIDI controller with the **MIDI Controller Surface Editor**.

Opens the **MIDI Controller Surface Editor** that allows you to create and edit a surface that corresponds to the layout of your MIDI controller. You can use this surface to assign Cubase functions to controls on your MIDI controller.

Mapping Page



Go to Previous Mapping Page



Activates the previous mapping page for the current controller.

Mapping Page



Allows you to activate a mapping page for the current controller.

Go to Next Mapping Page



Activates the next mapping page for the current controller.

Open Mapping Assistant




Opens the **MIDI Remote Mapping Assistant**.

Quick Control Focus



Quick Control Focus



Shows the name of the item that has the quick control focus, that is, either the track name or the plug-in name.

Focus Quick Controls Lock State: Locked/Unlocked



Allows you to lock the focus of the quick controls.

Focus Quick Controls Indicator




Displays which quick controls have the focus.

Quick Control Focus Setup



Opens the **Quick Control Focus Setup** panel.

Zoom Controls



Zoom In



Zooms in on the current MIDI controller surface in the lower zone.

Zoom Out



Zooms out of the current MIDI controller surface in the lower zone.

Zoom Full/Zoom to Fit




Zooms out so that the whole MIDI controller is visible.

NOTE

You can also press **G** to zoom in and **H** to zoom out of the current MIDI controller surface.

Last Touched Control

Last Touched Control



Shows the last hardware control that you touched, the host parameter that the control is assigned to, and its last value.


Last Hovered Control

Last Hovered Control



Shows the control that you last hovered with the mouse on the controller surface, the host parameter that the control is assigned to, and its last value.

Scripting Tools



Reload Scripts



Allows you to reload the scripts.

Open MIDI Remote Script Console



Opens the **MIDI Remote Script Console** with script messages.

Open Script Folder



Opens the location of the scripts folder.

Open MIDI Remote API - Programmer's Guide



Opens the **MIDI Remote API** programmer's guide, which allows you to write your own scripts for your MIDI controller.

Show Surface Element Rectangles



Shows the size and position of surface elements while developing scripts.

Open in Separate Window

Open in Separate Window



Opens the **MIDI Remote** tab in a separate window.

RELATED LINKS

[MIDI Remote API](#) on page 1000

[MIDI Remote Manager Window](#) on page 993

[Quick Control Focus Setup Panel](#) on page 992

Using Supported MIDI Controllers with MIDI Remote

The layout and the functions of supported MIDI controllers, that is, controllers with a script, are shown on the **MIDI Remote** tab in the lower zone of the **Project** window.

PREREQUISITE

If you have previously used an earlier version of Cubase, and if you already set up your MIDI controller using **Generic Remote**, **Track Quick Controls** or **VST Quick Controls**, open the **Studio Setup** dialog, open the **MIDI Port Setup** page. Set the corresponding MIDI ports to **Not**

Connected. This ensures that no double mappings occur when the **MIDI Remote** functionality automatically detects those MIDI controllers on connection.

NOTE

Some of the supported MIDI controllers require additional settings to work with Cubase. To open a document with the necessary information, open the **MIDI Remote** tab, and click **Open Setup Information**  in the upper right corner of the MIDI controller surface.

PROCEDURE

1. Connect your MIDI controller to your computer.
 2. In the lower zone of the **Project** window, click **MIDI Remote**.
 3. Optional: If you have connected several supported MIDI controllers, click the controller surface that you want to use in the MIDI controllers overview.
-

RESULT

In the **MIDI Remote** tab, the layout and the functions of the connected MIDI controller are displayed. Here, you can also see which Cubase functions are mapped to controls on your MIDI controller.

RELATED LINKS

- [MIDI Port Setup Page](#) on page 29
[MIDI Remote](#) on page 966
[VST Quick Controls](#) on page 1038
[Track Quick Controls](#) on page 1037

Other MIDI Controllers and MIDI Remote

You can also use MIDI controllers that do not have a ready-to-use script. For this purpose, you must create a custom controller surface.

Cubase offers an easy way to create your own controller surface. It includes the following steps:

- Adding a MIDI controller surface in the **Add MIDI Controller Surface** dialog.
- Editing the MIDI controller surface in the **MIDI Controller Surface Editor**.
- Mapping the controls to Cubase functions in the **MIDI Remote Mapping Assistant**.

You can also create controller surfaces by writing a script with the **MIDI Remote API**.

RELATED LINKS

- [Adding MIDI Controller Surfaces](#) on page 972
[Editing MIDI Controller Surfaces](#) on page 972
[MIDI Controller Surface Editor](#) on page 978
[Mapping Controls on MIDI Controllers to Cubase Functions](#) on page 974
[MIDI Remote Mapping Assistant](#) on page 985
[MIDI Remote API](#) on page 1000

Adding MIDI Controller Surfaces

If you want to use a MIDI controller that is not yet supported and, for this reason, has no script, you must first add a new MIDI controller surface for it.

PREREQUISITE

If you have previously used an earlier version of Cubase, and if you already set up your MIDI controller using **Generic Remote**, **Track Quick Controls** or **VST Quick Controls**, open the **Studio Setup** dialog, open the **MIDI Port Setup** page, and set the corresponding MIDI ports to **Not Connected**. This ensures that no double mappings occur when the **MIDI Remote** functionality automatically detects those MIDI controllers on connection.

PROCEDURE

1. On the **MIDI Remote** info line, click **Go to MIDI Controllers Overview**.
2. In the overview, click **Add MIDI Controller Surface**.



3. In the **Add MIDI Controller Surface** dialog, enter the required information, and select the MIDI ports of your MIDI controller.

NOTE

- Special characters are not allowed in that dialog.
- Make sure that you select the correct MIDI ports of your MIDI controller. Otherwise, your surface script will not work as expected.

4. Click **Create MIDI Controller Surface**.
-

RESULT

The **MIDI Controller Surface Editor** opens in the lower zone of the **Project** window. Here, you can edit the controller surface.

RELATED LINKS

- [Add MIDI Controller Surface Dialog](#) on page 976
[Editing MIDI Controller Surfaces](#) on page 972
[MIDI Controller Surface Editor](#) on page 978
[MIDI Remote Mapping Assistant](#) on page 985
[Deleting Unused MIDI Controller Scripts](#) on page 998

Editing MIDI Controller Surfaces

You can edit MIDI controller surfaces via the **MIDI Controller Surface Editor** in the lower zone of the **Project** window.

PREREQUISITE

You have added a new surface using the **Add MIDI Controller Surface** dialog and clicked **Create MIDI Controller Surface** to open the **MIDI Controller Surface Editor**.

PROCEDURE

1. In the **MIDI Controller Surface Editor**, follow the instructions on the message board to create a surface that corresponds to the layout of your MIDI controller.

When you touch the hardware controls of your MIDI controller, Cubase detects the incoming MIDI messages and associates them with a control in the **MIDI Controller Surface Editor**.

2. When you are done, do one of the following:

- To map the controls on your MIDI controller to Cubase functions, click **Open Mapping Assistant** on the **MIDI Controller Surface Editor** info line.
 - To close the **MIDI Controller Surface Editor**, click **Go to MIDI Controller Surface**.
-

RESULT

Your controller surface is added to the **MIDI Remote** tab.

RELATED LINKS

[Adding MIDI Controller Surfaces](#) on page 972

[MIDI Controller Surface Editor](#) on page 978

[MIDI Remote Tab](#) on page 966

Importing MIDI Controller Surface Scripts

You can import MIDI controller surface scripts from other users.

PREREQUISITE

Connect the controller that corresponds to the MIDI controller script that you want to import.

PROCEDURE

1. Do one of the following:

- Select **Studio > MIDI Remote Manager** to open the **MIDI Remote Manager**.
- Click **Add MIDI Controller Surface** on the **MIDI Remote** tab to open the **Add MIDI Controller Surface** dialog.

2. On the info line, click **Import Script**.

3. In the file dialog that opens, locate and select a .midiremote file, and click **Open**.

.midiremote files contain script files that have the file extension .js or .json, .pdf files with setup information, .sysex files, and mappings.

NOTE

Always use the **Import Script** and **Export Script** functions to exchange scripts with other users, instead of just copying .js or .json files. Otherwise, the additional files and settings are not included.

RESULT

The MIDI controller surface for the imported script opens in the lower zone of the **Project** window.

If the corresponding MIDI controller is not connected, a warning message is shown.

RELATED LINKS

[Add MIDI Controller Surface Dialog](#) on page 976

[MIDI Remote Manager Window](#) on page 993

[MIDI Controller Settings Pane](#) on page 984

Mapping Controls on MIDI Controllers to Cubase Functions

You can map controls on your MIDI controller to Cubase functions.

PREREQUISITE

You have connected a MIDI controller to your computer, and its controller surface is shown on the **MIDI Remote** tab, in the lower zone of the **Project** window.

PROCEDURE

1. Do one of the following:
 - On the info line of the **MIDI Controller Surface Editor**, click **Open Mapping Assistant** .
 - On the info line of the **MIDI Remote** tab, click **Open Mapping Assistant** .
 - On the toolbar of the **Project** window, click **Open MIDI Remote Mapping Assistant** .
2. Do one of the following to select a control on your MIDI controller:
 - Touch the control on your MIDI controller.
 - Click the control in the controller surface of the **MIDI Remote Mapping Assistant**.The name of the control is shown in the **Mapping Assistant**.
3. Do one of the following to select a Cubase function:
 - Select it from the **Functions Browser**.

NOTE

If the **Functions Browser** is not shown in the **MIDI Remote Mapping Assistant**, activate **Show/Hide Functions Browser**.

-
- Right-click a function in Cubase, and select **Pick for MIDI Remote Mapping**.
The name of the function is shown in the **Mapping Assistant**.
4. Click **Apply Mapping**.
 5. Repeat the steps above to map more Cubase functions to hardware controls.
-

RESULT

The hardware controls on your controller are now mapped to Cubase functions.

TIP

To quickly apply mappings, you can also try one of the following:

- Select a control on your MIDI controller so that it is shown in the **Mapping Assistant**, and double-click a Cubase function in the **Functions Browser** to map it.
 - Select a Cubase function so that it is shown in the **Mapping Assistant**, and double-click a control in the controller surface of the **MIDI Remote Mapping Assistant** to map it.
-

TIP

In the **Mappings** section of the **MIDI Remote Mapping Assistant**, you can view and edit mapping details.

RELATED LINKS

[MIDI Remote Mapping Assistant](#) on page 985[Mappings](#) on page 988

Removing Mappings via Right-Click


You can remove your mappings via right-click from controller surfaces that you have created in the **MIDI Controller Surface Editor**.

PREREQUISITE

You have mapped a control on your MIDI controller to a Cubase function.

PROCEDURE

1. On the **MIDI Remote** info line, open the **MIDI Controller** pop-up menu, and select the controller surface that contains the mapping that you want to remove.
2. Right-click the control whose mapping you want to remove.



3. From the context menu, select **Remove Mapping**.
-

RESULT

The mapping is removed from the control.

RELATED LINKS

[Mapping Controls on MIDI Controllers to Cubase Functions](#) on page 974

Making Changes on MIDI Controller Surfaces

You can make changes on controller surfaces that you created in the **MIDI Controller Surface Editor**.

PREREQUISITE

You have created a controller surface in the **MIDI Controller Surface Editor**.

NOTE

Controller surfaces that you created with a **MIDI Remote API** script, and controller surfaces from factory scripts cannot be edited.

PROCEDURE

1. On the **MIDI Remote** info line, open the **MIDI Controller** pop-up menu, and select the controller surface that you want to edit.

NOTE

Edit MIDI Controller Surface is only available for controller surfaces that you created in the **MIDI Controller Surface Editor**.

2. On the info line, click **Edit MIDI Controller Surface**.



NOTE

You can also move the mouse pointer over the surface and click **Edit MIDI Controller Surface**.

RESULT

In the lower zone of the **Project** window, the **MIDI Controller Surface Editor** opens, where you can make changes to your controller surface.

RELATED LINKS

[MIDI Controller Surface Editor](#) on page 978

[Editing MIDI Controller Surfaces](#) on page 972

Add MIDI Controller Surface Dialog


The **Add MIDI Controller Surface** dialog allows you to add a surface that corresponds to the layout of your MIDI controller.

- To open the **Add MIDI Controller Surface** dialog, click **Add MIDI Controller Surface** on the **MIDI Remote** tab.



NOTE

If the **MIDI Remote** tab shows a controller surface, click **Go to MIDI Controllers Overview** on the **MIDI Remote** info line, then click **Add MIDI Controller Surface**.

**Go to MIDI Controllers Overview**

Cancels the operation and returns to the **MIDI Controllers Overview**.

Import Script

Allows you to import MIDI controller scripts.

Vendor

Opens a pop-up menu where you can select the vendor of the connected MIDI controller from a list.

If the vendor of your MIDI controller is not listed, scroll to the end of the list, and select **Add Vendor** to enter the information manually.

Model

Allows you to enter information about the model of your MIDI controller.

Script Creator

Allows you to enter information about the script creator of your MIDI controller.

NOTE

Special characters are not allowed.

Open Setup Information

Opens setup information for the selected MIDI controller. This is only available for particular MIDI controllers that require specific settings to communicate with Cubase.

Input Port

Allows you to select the MIDI input port of your MIDI controller.

Output Port

Allows you to select the MIDI output port of your MIDI controller.

NOTE

Make sure that you select the MIDI port of your MIDI controller. Otherwise, your surface script does not work as expected.

Create MIDI Controller Surface

Adds the surface to the **MIDI Controllers Overview** and opens the **MIDI Controller Surface Editor**. In the editor, you can create and edit a surface that allows you to assign Cubase functions to controls on your MIDI controller.

RELATED LINKS

[MIDI Remote Page on page 31](#)

[Importing MIDI Controller Surface Scripts on page 973](#)


MIDI Controller Surface Editor

The **MIDI Controller Surface Editor** allows you to create a surface that corresponds to the layout of your MIDI controller. You can then use this surface to assign Cubase functions to controls on your MIDI controller.

- To open the **MIDI Controller Surface Editor**, click **Go to MIDI Controllers Overview** on the **MIDI Remote** info line. In the overview, click **Add MIDI Controller Surface**. In the **Add MIDI Controller Surface** dialog, fill in the required information, and click **Create MIDI Controller Surface**.

NOTE

If you already created a script for the selected MIDI controller using the **MIDI Controller Surface Editor**, you can also click **Edit MIDI Controller Surface** on the surface or on the **MIDI Remote** info line to reopen the editor and make changes.



Info line

Displays information about the current MIDI controller, allows you to undo or redo the latest edits, and to access the **MIDI Remote Mapping Assistant**.

Message board

Shows if you are in **Placement Mode** or in **Edit Mode** and provides information about the steps that you can perform.

Control types

Allows you to select the type of control that you want to add. You can add knobs, horizontal or vertical faders, buttons, trigger pads, etc.

Surface display

Shows the added controls and allows you to edit them. The surface that you create allows you to map controls of your MIDI controller to Cubase functions at a later point.

in time. The surface is added to the **MIDI Controllers Overview** on the **MIDI Remote** tab.

Properties

Shows the properties that are assigned to the selected controls. The **Properties** are available in **Edit Mode**.

Go to Mapping Assistant

Closes the **MIDI Controller Surface Editor** and opens the **Mapping Assistant** that allows you to map controls of your MIDI controller to Cubase functions.

RELATED LINKS

- [Adding MIDI Controller Surfaces](#) on page 972
- [Editing MIDI Controller Surfaces](#) on page 972
- [MIDI Remote Tab](#) on page 966
- [MIDI Remote API](#) on page 1000
- [Placement Mode and Edit Mode](#) on page 979
- [Add MIDI Controller Surface Dialog](#) on page 976
- [MIDI Remote Mapping Assistant](#) on page 985
- [Properties](#) on page 982

Placement Mode and Edit Mode

The different steps to take when creating a new surface for your MIDI controller in the **MIDI Controller Surface Editor** are divided into two modes: **Placement Mode** and **Edit Mode**.

Placement Mode

Placement Mode allows you to add controls to the surface display. It is indicated by a red cursor.



The position and the size of the cursor determine the position and the size of the added control.

- To change the position of the cursor, click an empty area, or use **Up Arrow**, **Down Arrow**, **Left Arrow**, or **Right Arrow**.
- To change the size of the cursor, use the **Resize** handles, or hold down **Shift** while using **Up Arrow**, **Down Arrow**, **Left Arrow**, or **Right Arrow**.

NOTE

- All editing in the surface display is based on a fixed grid.
- You can also adjust the position and the size of the added control in **Edit Mode**.

You can add controls to the surface display either manually or via the **MIDI Learn** function that allows Cubase to learn MIDI messages from a MIDI controller:

- To add controls manually, select a control type to the left of the surface display. In the top right corner of the cursor, click **Add to Surface**.



- To add controls via **MIDI Learn**, select a control type to the left of the surface display, and move the corresponding hardware controls.

NOTE


- Adding controls via **MIDI Learn** is not possible for specific control types, such as **Push Encoders** or **Blind Panels**. It is also not possible if you activate **Bypass** for **MIDI Learn** on the info line.
- If **MIDI Learn** is available for a control, this is indicated by an L symbol on the cursor . If **MIDI Learn** is not available, the L symbol is crossed out .

NOTE

As soon as you add controls in the **MIDI Controller Surface Editor**, a black frame is shown in the event display to indicate the size of the added surface.

Edit Mode

Edit Mode allows you to edit the selected control. In **Edit Mode**, the selected control is displayed in blue.



- To change the position of a control, click and drag, or use **Up Arrow**, **Down Arrow**, **Left Arrow**, or **Right Arrow**.
- To change the size of the control, use the **Resize** handles.
- To select multiple controls, hold down **Shift**.
- To create a label for your control, click **Create Label Field**.
- To specify the properties of the controls, use **Properties** to the right of the surface display.
- To remove a control, click **Remove from Surface**.

RELATED LINKS

[MIDI Remote Tab on page 966](#)

[MIDI Remote API on page 1000](#)
[MIDI Controller Surface Editor on page 978](#)

Control Types

You can add different types of controls to your MIDI controller surface. What control type to choose depends on the layout of your MIDI controller.

- To select a control type, open the **MIDI Controller Surface Editor**. To the left of the surface display, click a control type.

NOTE

You can add labels for controls by selecting one or several controls and clicking **Create Label Field**. As soon as you map your control in the **MIDI Remote Mapping Assistant**, the label field is shown, and the label changes to the name of the mapped parameter.

The following control types are available:

Knob



Allows you to add a knob.

Fader



Allows you to add a fader. You can change the size and the aspect ratio of the added control to determine whether to add a vertical or horizontal fader.

Button



Allows you to add a button for on/off control items.

Trigger Pad



Allows you to add a trigger pad. Trigger pads can show the on/off status and values in between.

Pitchbend



Allows you to add a pitchbend wheel. The value is shown in the center position, or at the position retrieved from the hardware.

Modulation



Allows you to add a modulation wheel. The value is shown in the bottom position, or at the position retrieved from the hardware.

X/Y Pad

Allows you to add an x/y pad.

X/Y Joystick

Allows you to add an x/y joystick.

Push Encoder

Allows you to add a push encoder. Compared to a knob, this has an additional parameter that allows you to set up the message for the push value.

Piano Keys

Allows you to add piano keys for decorative purposes. You can adjust the keyboard range, but you cannot map host parameters to this control type.

Lamp

Allows you to add a lamp. You can use this as an indicator for showing the value of a mapping.

Blind Panel

Allows you to add a blind panel for decorative purposes. You cannot map host parameters to this item.

RELATED LINKS


[MIDI Controller Surface Editor](#) on page 978

[Placement Mode and Edit Mode](#) on page 979

Properties

The **Properties** are available in **Edit Mode**. They show the properties for the control that you select from the **MIDI Controller Surface Editor**.

- To show the **Properties**, open the **MIDI Controller Surface Editor**. Use the **Placement Mode** to create and place surface controls that are assigned to your MIDI controller. Select a surface control from the surface display to activate **Edit Mode**.



Depending on the control type, the following properties are available:

Message

Shows the MIDI message type that is assigned to the control. Message types can be **Note**, **Control Change**, **Pitchbend**, and **Aftertouch**.

To pick up incoming MIDI messages from your hardware, click **MIDI Monitor**, and use the controls on your hardware.

Channel

Shows the MIDI channel that is assigned to the control.

CC

Shows the MIDI controller number that is assigned to the control.

CC Mode/Resolution

Allows you to set the resolution of the controls of your MIDI controller: **Standard**, **14 Bit**, or **14 Bit NRPN**.

Value Mode

Allows you to set the value mode of the controls of your MIDI controller to **Absolute**, which means that MIDI controllers send absolute value messages from 0 to 127.

You can also select one of the relative modes. Relative or endless MIDI controllers can send value increment and value decrement messages. This is useful to avoid parameter jumps that can occur when the state of a control in the software and the corresponding control on the hardware MIDI controller differ. The following relative modes are available:

- **Relative Signed Bit**

Increases from 065 to 127, decreases from 001 to 063.

- **Relative Binary Offset**

Increases from 065 to 127, decreases from 063 to 000.

- **Relative Twos Complement**

Increases from 001 to 64, decreases from 127 to 065.

NOTE

We suggest that you experiment with the modes until you find what works best for you.

Value Min.

The minimum value for the control.

Value Max.

The maximum value for the control.

Transmit to Hardware

By default, mapped MIDI CCs are sent back to the MIDI controller. If this is not what you want, deactivate this option.

NOTE

This is only available if you assigned a MIDI output to your MIDI controller surface.

Shape

For some controls, such as blind panels or lamps, you can specify if the shape should be rectangular or circular.

First Key

Allows you to define the first key for piano keys.

Last Key

Allows you to define the last key for piano keys.

RELATED LINKS

[MIDI Controller Surface Editor](#) on page 978


[Edit Mode](#) on page 980

[Output Port](#) on page 977

MIDI Controller Settings Pane

The **MIDI Controller Settings** pane allows you to access the most important controller settings.

- To open the **MIDI Controller Settings** for the selected MIDI controller, click **MIDI Controller Settings** to the top right of the corresponding MIDI controller surface.



Open MIDI Remote Manager

Opens the **MIDI Remote Manager**, which shows information about the connected MIDI controllers and the installed scripts.

Remove Controller Surface

Removes the selected controller surface.

NOTE

This is only available for controller surfaces that are currently disconnected.

Disable Controller Script

Disables the script of the selected controller surface.

Delete Script

Deletes the script of the selected controller surface.

Open Script Folder

Opens the location of the scripts folder.

Export Script

Exports the script of the selected controller surface.

RELATED LINKS

[Disabling Controller Scripts](#) on page 998

[Deleting Unused MIDI Controller Scripts](#) on page 998

[Importing MIDI Controller Surface Scripts](#) on page 973

[MIDI Remote Manager Window](#) on page 993


[MIDI Remote Manager - MIDI Controllers Tab](#) on page 994

MIDI Remote Mapping Assistant

The **MIDI Remote Mapping Assistant** allows you to map the controls of your MIDI controller to functions in Cubase.

To open the **MIDI Remote Mapping Assistant**, select a MIDI controller from the **MIDI Controller** pop-up menu on the info line of the **MIDI Remote** tab, and do one of the following:

- On the MIDI controller surface, double-click a control.
- On the info line of the **MIDI Remote** tab, click **Open Mapping Assistant**.
- On the toolbar of the **Project** window, click **Open MIDI Remote Mapping Assistant**.
- On the info line of the **MIDI Controller Surface Editor**, click **Open Mapping Assistant**.




The following sections are available:

Mapping Assistant


Show/Hide Functions Browser

Opens/closes the **Functions Browser** in the right zone.

Mapping Assistant



Mapping Assistant without Mapping



A control on your MIDI controller and a Cubase function selected for mapping

The **Mapping Assistant** guides you through the mapping process. It allows you to select a control on your MIDI controller and a Cubase function for mapping.

Bypass MIDI Controller Learn Mode

- If this is deactivated, you can touch a control on your MIDI controller or click a control in the controller surface to select it for mapping.
- If this is activated, you must click a control in the controller surface to select it for mapping. Activate this if your MIDI controller constantly sends MIDI data and thereby disturbs the mapping.

Bypass Function Learn Mode

- If this is deactivated, you can use a Cubase function or click a function in the **Functions Browser** to select it for mapping.
- If this is activated, you must right-click a Cubase function and select **Pick for MIDI Remote Mapping** to select it for mapping. You can also click a function in the **Functions Browser**.

Apply Mapping


Applies the mapping.

Reset Mapping

Allows you to reset the mapping.

Controller Surface

Controller Surface



Shows a representation of your MIDI controller that allows you to view and edit mappings. If your MIDI controller offers different layer zones, an indicator displays the active layer zone. You can use the mouse wheel to switch from one layer zone to the other.

NOTE

You might need to zoom in on the controller surface to display the layer zone indicator.

Zoom controls




Allow you to zoom in and out of the controller surface.

NOTE

You can also press **G** to zoom in and **H** to zoom out of the current controller surface.

Mappings



Mapping Page

Shows the active mapping page.

Mapping Page Settings

Opens a menu that allows you to delete, rename, or duplicate the selected mapping page.

Add Mapping Page

Opens a dialog that allows you to add a new, empty mapping page.

Mapping List

To sort the list by a specific attribute, click the corresponding column header.

- **Mapping Page Type**

Indicates whether the mapping is saved as a **Factory** mapping or as a **User** mapping.

- **Mapping Scope**

Indicates whether the mapping has a **Global** scope or a **Project** scope.

- **Mapping Type**

Shows the type of the selected mapping:

- **Parameter Mapping**

A mapping between a control on your MIDI controller and Cubase value.

- **Key Command Mapping**

A mapping between a control on your MIDI controller and a Cubase key command.

- **Action Mapping**

A mapping between a control on your MIDI controller and a mapping page action, such as switching to another mapping page, for example.

- **Cubase Functions**

Displays the Cubase function that is mapped.

The **Mapping Configuration** shows the details for the mapping that you select from the mapping list.

Value Mode

Allows you to configure how Cubase functions take over values from controls on your MIDI controller. This is useful in case the control value does not match the parameter value.

- **Jump**

Sends a new value to the Cubase function, as soon as you move the control on your MIDI controller. This can result in abrupt value changes.

- **Pickup**

Picks up on the value of the Cubase function, as soon as the control that you move on your MIDI controller reaches that value. This results in smooth value changes but requires you to estimate the pickup value.

- **Scaled**

Compares the value of the Cubase function to the control value, as soon as you move the control on your MIDI controller, and approaches the two values in a smooth way. As soon as the values are identical, the function follows the control value. This results in smooth value changes.

- **Toggle**

Allows you to toggle the state of the mapped function. This is useful for mute and solo controls, for example.

Focus Mode

- **Fixed**

Sets a fixed focus to the Cubase function that is picked for mapping.

- **Track Selection**

Sets the focus according to the track selection.

Min. Value/Max. Value

Allows you to set the value range of the mapped Cubase function.

Invert Minimum and Maximum


Inverts the minimum and maximum values.

Remove Selected Mappings

Allows you to remove the selected mapping.

Functions Browser

Functions Browser



This section shows the mappable functions in a browser view with different categories.

Select a function in the browser to show it in the Cubase **Function** section of the **Mapping Assistant**.

Search

Allows you to search for functions by typing in their name or parts of their name.

Reset Filter

Allows you to reset the search filter.

Expand All

Expands all entries.

Collapse All

Collapses all entries.

RELATED LINKS

[Mapping Pages and Mapping Scopes](#) on page 990

[Mapping Controls on MIDI Controllers to Cubase Functions](#) on page 974

[Adding MIDI Controller Surfaces](#) on page 972

Mapping Pages and Mapping Scopes

Mapping Pages

All mappings of Cubase functions and controls on your MIDI controller are saved on mapping pages. A MIDI controller can have different mapping pages for different purposes, but only one mapping page can be active. The active mapping page is shown in the lower zone.

Cubase comes with several scripts that include one or more factory pages with factory mappings. Neither the factory pages nor the factory mappings can be removed. However, you can use factory pages as a basis for your own user mappings. All mappings that you apply are saved as user mappings.

The **Mapping Page Type** column of the **MIDI Remote Mapping Assistant** indicates if a mapping is a user mapping  or a factory mapping .

Mapping Scopes

All factory mappings are automatically set to **Global** scope, that is, they are saved with the program. You cannot change the mapping scope for factory mappings.

All user mappings that you add by selecting a function in the **Functions Browser** are automatically set to **Global** scope.

All user mappings that you add by picking a Cubase function or by using it are considered ad hoc mappings, and therefore, automatically set to **Project** scope. The only exception are functions that can also be found in the **Functions Browser**. These are automatically set to **Global** scope.

NOTE

For user mappings, you can change the mapping scope manually by selecting an option from the **Mapping Scope** menu in the **Mapping Configuration** section.

RELATED LINKS


[MIDI Remote Mapping Assistant](#) on page 985

Focus Quick Controls

Focus Quick Controls are focus-dependent quick controls. This means that the active window focus determines which parameters respond to your MIDI controller.

Focus Quick Controls are the most versatile form of quick controls. You can set them up in the **Functions Browser** of the **MIDI Remote Mapping Assistant**.

To set up the focus behavior for the focus quick controls, activate one of the options in the **Quick Control Focus Setup**. All hardware controls on your MIDI controller that are mapped as focus quick controls follow this focus.



By default, **Track and Plug-in Window Focus** is active. As a result, the following conditions apply:

- If the **Project** window has the focus, your hardware controls the quick controls of the selected track.
- If the plug-in window has the focus, your hardware controls the quick controls of the active plug-in window.

RELATED LINKS

[Quick Control Focus Setup Panel](#) on page 992

[Setting up Focus Quick Controls in the MIDI Remote Mapping Assistant](#) on page 991

[Quick Control Focus](#) on page 969

[VST Instrument Control Panel](#) on page 936

[Effect Control Panel](#) on page 551

[Locking the Quick Control Focus](#) on page 992

Setting up Focus Quick Controls in the MIDI Remote Mapping Assistant

You can set up **Focus Quick Controls** in the **MIDI Remote Mapping Assistant**. **Focus Quick Controls** are focus-dependent quick controls, that is, the active window focus determines which parameters respond to your MIDI controller.

PREREQUISITE

You have connected a MIDI controller to your computer, and its controller surface is shown on the **MIDI Remote** tab in the lower zone of the **Project** window.

PROCEDURE

1. Do one of the following:
 - On the **MIDI Remote** info line, click **Open Mapping Assistant**.
 - On the **Project** window toolbar, click **Open MIDI Remote Mapping Assistant**.
2. Do one of the following to select a hardware control on your MIDI controller:
 - Click the control in the controller surface of the **MIDI Remote Mapping Assistant**.
 - Touch the control on your MIDI controller.The name of the control is displayed in the **Mapping Assistant**.
3. Activate **Show/Hide Functions Browser**.

4. In the **Focus Quick Controls** category of the **Functions Browser**, select a quick control.
 5. Click **Apply Mapping**.
 6. Repeat the steps above to map more **Focus Quick Controls** to your MIDI controller.
-

RESULT

The **Focus Quick Controls** are now mapped to your MIDI controller.

RELATED LINKS

[Using Supported MIDI Controllers with MIDI Remote](#) on page 970

[Other MIDI Controllers and MIDI Remote](#) on page 971

[Adding MIDI Controller Surfaces](#) on page 972

[Editing MIDI Controller Surfaces](#) on page 972

[Focus Quick Controls](#) on page 991

[Locking the Quick Control Focus](#) on page 992


[VST Instrument Control Panel](#) on page 936

[Effect Control Panel](#) on page 551

Quick Control Focus Setup Panel

The **Quick Control Focus Setup** panel allows you to configure the focus behavior for the focus quick controls.

- To open the **Quick Control Focus Setup** panel, click **Quick Control Focus Setup** on the **MIDI Remote** info line.



The following options are available:

Track and Plug-in Window Focus

The quick control focus depends on the active window. If the **Project** window is active, the selected track has the quick control focus. If the plug-in window is active, the plug-in has the focus.

Track Focus Only

The quick control focus is always on the selected track.

Plug-in Window Focus Only

The quick control focus is always on the active plug-in window.

RELATED LINKS

[MIDI Remote Info Line](#) on page 967

Locking the Quick Control Focus

You can lock the **Quick Control Focus** to a specific track or plug-in window.

PROCEDURE

1. Do one of the following:

- To lock the focus to a specific plug-in window, open the corresponding window.
 - To lock the focus to a specific track, select the track from the track list, and make sure that the **Quick Control Focus** section is shown on the **MIDI Remote** info line.
2. Activate the lock by clicking **Focus Quick Controls Lock State: Unlocked** .

RESULT

The **Quick Control Focus** section of the **MIDI Remote** info line shows the name of the track or the plug-in window that has the focus. The corresponding set of quick controls remains active, even if another window gets the focus.

RELATED LINKS

[Setting up Focus Quick Controls in the MIDI Remote Mapping Assistant](#) on page 991

[Quick Control Focus Setup Panel](#) on page 992

[VST Instrument Control Panel](#) on page 936

[Effect Control Panel](#) on page 551


[Quick Control Focus](#) on page 969

MIDI Remote Manager Window

The **MIDI Remote Manager** window displays information about the connected MIDI controllers and the installed scripts.

To open the **MIDI Remote Manager** window, do one of the following:

- In the **MIDI Controller** section of the **MIDI Remote** info line, click **Open MIDI Remote Manager**.
- Select **Studio > MIDI Remote Manager**.



MIDI Controllers

The **MIDI Controllers** tab lists all MIDI controllers, the ones that are currently connected and active, but also the ones which have been active before. To sort the list by a specific attribute, click the corresponding column header. Select a controller from the list to display its information in the bottom part of the window.

Scripts

The **Scripts** tab lists all scripts that are installed by the names of the corresponding controllers. To sort the list by a specific attribute, click the corresponding column header. Select a controller name from the list to display information about the script in the bottom part of the window.

Add Surface

Opens the **Add MIDI Controller Surface** dialog, which allows you to add a new MIDI controller surface for a MIDI controller that has no script.

Import Script

Allows you to import MIDI controller scripts.

Search

The search field allows you to search for specific controllers and scripts on the **MIDI Controllers** tab and on the **Scripts** tab by typing in their name.

Reload Scripts

Allows you to reload the scripts.

RELATED LINKS


- [MIDI Remote Info Line](#) on page 967
- [MIDI Controller Surface Editor](#) on page 978
- [Deleting Unused MIDI Controller Scripts](#) on page 998
- [Add MIDI Controller Surface Dialog](#) on page 976
- [MIDI Remote Manager - MIDI Controllers Tab](#) on page 994
- [MIDI Remote Manager - Scripts Tab](#) on page 996
- [Importing MIDI Controller Surface Scripts](#) on page 973

MIDI Remote Manager - MIDI Controllers Tab

The **MIDI Controllers** tab of the **MIDI Remote Manager** window displays information about the connected MIDI controllers.

To show information for a specific MIDI controller, select it from the MIDI controllers list in the upper part of the **MIDI Remote Manager** window.

MIDI Remote MIDI Remote Manager Window



Model

The model of the selected MIDI controller.

Vendor

The vendor of the selected MIDI controller.

Status

The status of the selected MIDI controller.

Input Port

Shows the MIDI input port of your MIDI controller.

Output Port


Shows the MIDI output port of your MIDI controller.

Show Script Info

Opens the **Scripts** tab for the selected MIDI controller.

Remove Controller Surface

Removes the selected controller surface.

**NOTE**

This is only available for controller surfaces that are currently disconnected.

RELATED LINKS

[MIDI Remote Manager Window](#) on page 993

[MIDI Controller Surface Editor](#) on page 978


[MIDI Remote Manager - Scripts Tab](#) on page 996

[MIDI Controller Settings Pane](#) on page 984

MIDI Remote Manager - Scripts Tab

The **Scripts** tab of the **MIDI Remote Manager** window displays script information for the connected MIDI controllers.

To show script information for a specific MIDI controller, select the MIDI controller from the MIDI controllers list in the upper part of the **MIDI Remote Manager** window.



Disable Controller Script/Enable Controller Script

Disables/enables the selected controller script.

Delete Script

Deletes the selected controller script.

Model

The model of the selected MIDI controller.

Vendor

The vendor of the selected MIDI controller.

Script Creator

The script creator of the selected MIDI controller.

Instances

The number of instances of the selected MIDI controller.

Surface Editor Script

If the selected MIDI controller script was created with the **MIDI Controller Surface Editor**, this is indicated by a checkmark. Click **Edit MIDI Controller Surface** to open the **MIDI Controller Surface Editor**.

Script File

The file name of the script.

Script Folder

The name of the folder where the script is located.

Script Path

The file path to the script file.

Open Script Folder

Opens the folder where the script is located.

Open Setup Information

Opens setup information for the selected MIDI controller. This is only available for particular MIDI controllers that require specific settings to communicate with Cubase.

Export Script

Opens a file dialog that allows you to export the selected script.

RELATED LINKS

[MIDI Controller Surface Editor](#) on page 978

[Deleting Unused MIDI Controller Scripts](#) on page 998

Deleting Unused MIDI Controller Scripts

You can delete MIDI controller scripts that you no longer need. However, you can only delete scripts that you have created by adding your own MIDI controller surfaces.

PROCEDURE

1. On the **MIDI Remote** info line, click **Open MIDI Remote Manager**.
2. Open the **Scripts** tab.
3. From the table, select the script that you want to delete.
4. Click **Delete Script**.

NOTE

Delete Script is available for user scripts only. To disable public scripts, click **Disable Controller Script** instead.

RESULT

The script folder is moved to trash, and the controller surface is removed from the MIDI controllers overview.

RELATED LINKS

[Adding MIDI Controller Surfaces](#) on page 972

[MIDI Remote Manager Window](#) on page 993

[MIDI Controller Settings Pane](#) on page 984

Disabling Controller Scripts

You can disable controller scripts. This is useful if you want to use a custom script for a MIDI controller with a public controller script assigned to it, for example.

PROCEDURE

1. On the **MIDI Remote** info line, click **Open MIDI Remote Manager**.
 2. Open the **Scripts** tab.
 3. Select the public script that you want to disable, and click **Disable Controller Script**.
 4. Select the custom script that you want to enable instead, and click **Enable Controller Script**.
-

RELATED LINKS

[Adding MIDI Controller Surfaces](#) on page 972

[MIDI Remote Manager Window](#) on page 993

[MIDI Controller Settings Pane](#) on page 984

MIDI Remote Script Console

The **MIDI Remote Console** displays script messages.

Right-click the **MIDI Remote** info line and activate **Scripting Tools**. Click **Open MIDI Remote Script Console** to open the **MIDI Remote Script Console**.

The screenshot shows the 'Script Messages' section of the MIDI Remote Script Console. It displays a table of messages with columns for Time, Script File Name, and Message. The table includes entries for various scripts like AKAI_MPKmini.js, ARTURIA_KeyLab_Essential_49.js, and KORG_nanoKONTROL2.js, showing messages such as 'loading script' and mode changes. Below this are sections for 'MIDI Controller Scripts', 'MIDI Input Ports', and 'MIDI Output Ports', each listing available devices and their port mappings.

| Time | Script File Name | Message |
|-------------|-----------------------------------|--|
| 01:26:05 PM | AKAI_MPKmini.js | loading script |
| 01:26:05 PM | ARTURIA_KeyLab_Essential_49.js | loading script |
| 01:26:05 PM | ARTURIA_KeyLab_Essential_61.js | loading script |
| 01:26:05 PM | ARTURIA_KeyLab_Essential_88.js | loading script |
| 01:26:05 PM | ARTURIA_MiniLab_mkII.js | loading script |
| 01:26:05 PM | ExampleCompany_NextDevice.js | loading script |
| 01:26:05 PM | ExampleCompany_RealWorldDevice.js | loading script |
| 01:26:05 PM | ExampleCompany_SimpleDevice.js | loading script |
| 01:26:05 PM | KORG_nanoKONTROL1.js | loading script |
| 01:26:05 PM | KORG_nanoKONTROL2.js | loading script |
| 01:26:11 PM | KORG_nanoKONTROL2.js | Your KORG nanoKONTROL2 has been switched to the CC Mode and th |
| 01:26:11 PM | KORG_nanoKONTROL2.js | from script: KORG nanoKONTROL2 "Mixer" page activated |
| 01:29:25 PM | KORG_nanoKONTROL2.js | from script: KORG nanoKONTROL2 "Mixer" page activated |
| 02:02:48 PM | KORG_nanoKONTROL2.js | Your KORG nanoKONTROL2 has been switched to the CC Mode and th |
| 02:02:48 PM | KORG_nanoKONTROL2.js | from script: KORG nanoKONTROL2 "Mixer" page activated |

MIDI Controller Scripts

| Controller Name | Input Port Names | Output Port Names |
|------------------|------------------|-------------------|
| MPKmini | AKAI MPKmini | AKAI MPKmini C |
| KeyLab Essential | Arturia KeyLab E | Arturia KeyLab E |
| KeyLab Essential | Arturia KeyLab E | Arturia KeyLab E |
| KeyLab Essential | Arturia KeyLab E | Arturia KeyLab E |
| Minilab mkII | Arturia Minilab | Arturia Minilab |
| NextDevice | NextDevice IN | NextDevice OUT |
| RealWorldDevice | RealWorld In | RealWorld Out |

MIDI Input Ports

| Input Port Names |
|--------------------------|
| 4- Steinberg UR22mkII -1 |
| nanoKONTROL2 |

MIDI Output Ports

| Output Port Names |
|------------------------------|
| 4- Steinberg UR22mkII -1 |
| Microsoft GS Wavetable Synth |
| nanoKONTROL2 |

Reload Scripts

Allows you to reload the scripts that are displayed in the **MIDI Remote Script Console**.

Clear All Messages

Clears all messages from the message display.

All Messages

Shows all messages in the message display.

Error Messages

Shows error messages in the message display.

Log Messages

Shows log messages in the message display.

MIDI Controller Scripts

Shows information about the available MIDI controller scripts.

MIDI Input Ports

Shows information about the currently used MIDI input ports.

MIDI Output Ports

Shows information about the currently used MIDI output ports.

MIDI Remote API

The application programming interface **MIDI Remote API** allows you to develop a script, that is, a device driver for dedicated MIDI controllers.

Scripts describe the layout and the order of the controls of a specific MIDI controller. They include factory mappings to Cubase parameters.

Cubase comes with scripts for a number of MIDI controllers. If you connect one of these controllers, it is automatically detected and displayed on the **MIDI Remote** tab.

If no script is available for your controller, we encourage you to write one. Refer to the description in the **MIDI Remote API - Programmer's Guide**.

TIP

To access the **MIDI Remote API - Programmer's Guide**, right-click the info line on the **MIDI Remote** tab, activate the **Scripting Tools**, and click **Open MIDI Remote API - Programmer's Guide**.

NOTE

If you do not have any programming skills, you can use the **MIDI Controller Surface Editor** to create a surface editor script for your MIDI controller.

RELATED LINKS

[Scripting Tools](#) on page 970

[MIDI Controller Surface Editor](#) on page 978

Modulators

Modulators generate a modulation signal that adds variation and tension curves to static sound images. They change the destination parameters over time, allowing for rhythmic patterns.

Modulators allow you to modulate any kind of parameter of an audio-related track or channel, for example, parameters of VST instruments or audio effects, channel settings, or **MixConsole** parameters.

A modulator can also modulate the parameters of another modulator.

You can access the modulators on the **Modulators** tab in the lower zone of the **Project** window. You can open all modulators of a track in a separate window, and you can open each modulator in a separate window, that is, the modulator control panel.

Effect, VST instrument, and modulator control panels can display their modulation connections and allow you to create new connections.

TIP

To open the modulators, you can also assign key commands to the commands **Open Modulators in Lower Zone** and **Open Modulators in Window** in the **Modulators** category of the **Key Commands** dialog.

RELATED LINKS

[LFO](#) on page 1011

[Envelope Follower](#) on page 1013

[Shaper](#) on page 1014

[Macro Knob](#) on page 1016

[Step Modulator](#) on page 1017

[ModScripter](#) on page 1019

Modulators in the Lower Zone

You can access the modulators in the lower zone of the **Project** window.

To access the **Modulators** in the lower zone of the **Project** window, select **Project > Show/Hide Modulators**.

Modulators

Modulators in the Lower Zone



Modulators tab in the lower zone

Modulators Toolbar

Keep track

By default, the modulators of the active track are displayed. If **Keep track** is activated, the modulators of the current track are pinned, that is, the modulators do not follow the **Project** window track selection.

Activate Track

Allows you to select the track for which the modulators are displayed.

Read Automation

R

Allows you to read track automation.

Write Automation

W

Allows you to write track automation.

Bypass All Modulators of Track

If activated, all modulators of the activated track are bypassed.

Remove All Modulators of Track

Removes all modulators of the activated track at once.

TIP

Removing modulators can be undone in the **MixConsole History**.

Open in Separate Window

Opens all modulators of the activated track in a separate window. This window offers the same controls as the lower zone.

Modulators

Modulators in the Lower Zone




Modulator Panel

Add Modulator

Allows you to add a modulator to the activated track.

- To add the first modulator to a track, click the corresponding modulator tile.
- To add another modulator, click a modulator slot, then the modulator tile.



Bypass Effect

Bypasses the modulator, that is, excludes the modulator from the signal chain.

Functions

Allows you to access the following options:

- **Remove**
Removes the modulator.
- **Replace by**
Allows you to select a different modulator for this slot.
The existing modulator is deleted, including its settings and connections. The selected modulator is added.
- **Rename**
Allows you to change the name of the modulator.
- **Duplicate**
Allows you to add another modulator of this modulator type, for example, another LFO, keeping the settings you have changed. The connections are not duplicated.
- **Move to**

Allows you to move the modulator to a different slot. If the slot is free, any other modulators of the track stay in their slot. If there is another modulator in the selected slot, it is moved to the next slot.

- **Copy <modulator name> Setting**

Allows you to copy the settings of the modulator to another modulator of the same type, for example, from one LFO to another LFO.

- **Paste <modulator name> Setting**

Allows you to paste the settings that you have copied from another modulator of the same type, for example, from another LFO to this LFO.

- **Load Preset**

Opens the modulator presets **Results** browser that allows you to load modulator presets.

- **Save Preset**

Allows you to save the modulator and the customized modulator settings as presets.

- **Default Preset > Reset to Default Preset**

Applies the settings to the modulator that you have saved as the default preset.

- **Default Preset > Save as Default Preset**

Allows you to save the active settings as the default preset.

- **Default Preset > Remove Default Preset**

Removes the active setting for the default preset.

- **Switch to A Setting/Switch to B Setting**

Switches to setting B when setting A is active, and to setting A when setting B is active.


- **Apply Current Settings to A and B**

Copies the modulator parameters of modulator setting A to modulator setting B, and vice versa.

- **Open in Separate Window**

Opens the single modulator panel in a separate window.


Modulation Connections



Add Connection

Allows you to create a connection to a destination parameter for the modulator.

Select Destination



Allows you to select a destination parameter.

Learn mode is always active and allows you to assign a destination by clicking the destination parameter.

Alternatively, you can select a destination parameter from the pop-up menu.

If you do not need a new connection, click **Back** to cancel setting up the connection.

Destination Parameter before Modulation

Allows you to set the destination parameter before modulation.

The inner indicator around the dial shows the modulation applied. The outer indicator shows the modulation depth, that is the possible range of modulation.

Bypass Connection

If activated, the connection is bypassed, that is, the modulation signal does not control the destination parameter of this specific connection. Any other connections of the modulator are maintained.

Remove Connection

Removes the modulation connection.

Polarity:Bipolar/Polarity:Unipolar

Sets the polarity of the modulation signal. The polarity specifies the value range.

Unipolar modulation signals modulate between 0 and +1. Bipolar modulation signals modulate between -1 and +1.

Open Destination

Allows you to access the assigned destination parameter, that is, opens the corresponding control panel.

NOTE

This is only available if the destination parameter belongs to an audio effect, VST instrument, or modulator.

<Destination parameter name>

Shows the destination parameter name. Allows you to select a new destination.

Modulation Depth

Adjusts the modulation depth, that is, the intensity of the modulation.

RELATED LINKS


[Adding Modulators on page 1010](#)

[MixConsole History on page 432](#)

Modulators Window

The **Modulators** tab in the lower zone of the **Project** window allows you to open the modulators in a separate window.

- To open the **Modulators** window for a track, in the lower zone of the **Project** window, on the **Modulators** tab, in the upper right corner, click **Open in Separate Window**.



Modulators Toolbar

Keep track

By default, the modulators of the active track are displayed. If **Keep track** is activated, the modulators of the current track are pinned, that is, the modulators do not follow the **Project** window track selection.

Activate Track

Allows you to select the track for which the modulators are displayed.

Read Automation

R

Allows you to read track automation.

Write Automation

W

Allows you to write track automation.

Bypass All Modulators of Track

If activated, all modulators of the activated track are bypassed.

Remove All Modulators of Track

Removes all modulators of the activated track at once.

TIP

Removing modulators can be undone in the **MixConsole History**.

Open in Lower Zone


Closes the **Modulators** window and opens the **Modulators** tab in the lower zone of the **Project** window.

Modulator Panel

Add Modulator

Allows you to add a modulator to the activated track.

- To add the first modulator to a track, click the corresponding modulator tile.
- To add another modulator, click a modulator slot, then the modulator tile.



Bypass Effect

Bypasses the modulator, that is, excludes the modulator from the signal chain.

Functions

Allows you to access the following options:

- **Remove**
Removes the modulator.
- **Replace by**
Allows you to select a different modulator for this slot.
The existing modulator is deleted, including its settings and connections. The selected modulator is added.
- **Rename**
Allows you to change the name of the modulator.
- **Duplicate**
Allows you to add another modulator of this modulator type, for example, another LFO, keeping the settings you have changed. The connections are not duplicated.
- **Move to**
Allows you to move the modulator to a different slot. If the slot is free, any other modulators of the track stay in their slot. If there is another modulator in the selected slot, it is moved to the next slot.
- **Copy <modulator name> Setting**
Allows you to copy the settings of the modulator to another modulator of the same type, for example, from one LFO to another LFO.
- **Paste <modulator name> Setting**
Allows you to paste the settings that you have copied from another modulator of the same type, for example, from another LFO to this LFO.
- **Load Preset**
Opens the modulator presets **Results** browser that allows you to load modulator presets.
- **Save Preset**
Allows you to save the modulator and the customized modulator settings as presets.
- **Default Preset > Reset to Default Preset**
Applies the settings to the modulator that you have saved as the default preset.
- **Default Preset > Save as Default Preset**
Allows you to save the active settings as the default preset.

- **Default Preset > Remove Default Preset**
Removes the active setting for the default preset.
- **Switch to A Setting/Switch to B Setting**
Switches to setting B when setting A is active, and to setting A when setting B is active.
- **Apply Current Settings to A and B**
Copies the modulator parameters of modulator setting A to modulator setting B, and vice versa.
- **Open in Separate Window**
Opens the single modulator panel in a separate window.


Modulation Connections



Add Connection

Allows you to create a connection to a destination parameter for the modulator.

Select Destination



Allows you to select a destination parameter.

Learn mode is always active and allows you to assign a destination by clicking the destination parameter.

Alternatively, you can select a destination parameter from the pop-up menu.

If you do not need a new connection, click **Back** to cancel setting up the connection.

Destination Parameter before Modulation

Allows you to set the destination parameter before modulation.

The inner indicator around the dial shows the modulation applied. The outer indicator shows the modulation depth, that is the possible range of modulation.

Bypass Connection

If activated, the connection is bypassed, that is, the modulation signal does not control the destination parameter of this specific connection. Any other connections of the modulator are maintained.

Remove Connection

Removes the modulation connection.

Polarity:Bipolar/Polarity:Unipolar

Sets the polarity of the modulation signal. The polarity specifies the value range. Unipolar modulation signals modulate between 0 and +1. Bipolar modulation signals modulate between -1 and +1.

Open Destination

Allows you to access the assigned destination parameter, that is, opens the corresponding control panel.

NOTE

This is only available if the destination parameter belongs to an audio effect, VST instrument, or modulator.

<Destination parameter name>

Shows the destination parameter name. Allows you to select a new destination.

Modulation Depth

Adjusts the modulation depth, that is, the intensity of the modulation.


RELATED LINKS

[Adding Modulators](#) on page 1010

Modulator Control Panel

You can open a single modulator in a separate window, the modulator control panel. This way you do not need to open the lower zone to access the modulators.

You can access the modulator control panel by clicking **Open in Separate Window** on the modulator panel that is part of the **Modulators** tab in the lower zone of the **Project** window and also of the **Modulators** window. You can also access the modulator control panel by clicking a modulator in a modulator slot in the **Inspector**, the **MixConsole**, or the **Channel** tab.



Activate Effect

Activates/Deactivates the modulator.

Bypass Effect

Bypasses the modulator, that is, excludes the modulator from the signal chain.

Read Automation

R

Allows you to read track automation.

Write Automation

W

Allows you to write track automation.

Switch between A/B Settings

Switches to setting B when setting A is active, and to setting A when setting B is active.

Apply current settings to A and B

Copies the effect parameters of setting A to setting B, and vice versa.

Event Received Indicator

Lights up on receiving note-on and controller messages.

Preset browser

Opens the preset browser, where you can select another preset.

Load previous Program/Load next Program

Loads the previous/next program in the preset browser.

Preset Management

Opens a pop-up menu that allows you to save, rename, or remove a preset.

Add VST Plug-in Picture to Media Rack

Adds a picture of the plug-in panel to the **Media** rack. This is only available for plug-ins of other vendors.

Functions

Opens a pop-up menu with specific functions and settings.

Show/Hide Modulation Connections

If any modulation connections for this control panel are active, this is highlighted.

Opens the modulator section where you can create new modulation connections.

Show/Hide VST Quick Controls

Shows/hides the quick controls.

Focus Quick Controls Lock State: Locked/Unlocked

Allows you to lock the focus of the quick control to the plug-in window.

Focus Quick Controls Indicator

If this indicator is lit, the plug-in window has the quick control focus.

RELATED LINKS

[Assigning Effect Parameters to Quick Controls](#) on page 961

Adding Modulators

On the **Modulators** tab in the lower zone, you can add modulators to your tracks.

NOTE

Modulators are restricted to audio-related tracks and to parameters that belong to the same track as the modulator.

PROCEDURE

1. Click **Show/Hide Lower Zone** on the **Project** window toolbar to activate the lower zone.
2. At the bottom of the lower zone, click the **Modulators** tab.
3. On the modulators toolbar, open the **Activate Track** pop-up menu.
4. Select the track to which you want to add the modulator.

5. To add a modulator, click the corresponding modulator tile.



RESULT

The modulator is added to the track.

AFTER COMPLETING THIS TASK

You can add another modulator in a free modulator slot. You can add up to 8 modulators.



RELATED LINKS

[Setting up Modulators](#) on page 1020

[LFO](#) on page 1011

[Envelope Follower](#) on page 1013

[Shaper](#) on page 1014

[Macro Knob](#) on page 1016

[Step Modulator](#) on page 1017

[ModScripter](#) on page 1019

LFO

Low frequency oscillators (LFO) create a modulation signal that oscillates the movement of the destination parameter, as if you were moving it yourself, but automatically and more comfortably, achieving a more interesting sound. **LFO** influences what other parameters sound like, to add more vibrancy and dynamics to a given sound, for example vibratos with modulated pitch, tremolo, and phasing effects.



Hold Modulator Output

Freezes the current output of the LFO. This can be automated to hold a specific modulation output value for a specific time and then return to the periodic signal of the modulator.

Retrigger Mode

Allows you to select whether the LFO is free-running or retrigged.

- If **Free** is selected, the LFO runs freely.
- If **Sync to Project Start** is selected, the LFO is synced to the project tempo and the phase is aligned with the project time, starting with the specified phase at the project start.
- If **MIDI** is selected, the LFO is restarted with the specified phase when it is triggered by MIDI notes from a MIDI track.

Retrigger

Allows you to reset the LFO manually. This can be automated to restart the LFO at any time position in the project.

NOTE

Retrigger cannot be used if **Sync to Project** is selected.

Waveform display

Clicking in the waveform display allows you to select a time frame for displaying the modulation output. This is a global setting that applies to all waveform displays of the modulators.

You can select the basic type of waveform.

- **Sine** produces smooth modulation, suitable for vibrato or tremolo. **Shape** adds additional harmonics to the waveform.
- **Triangle** is similar to **Sine**. **Shape** continuously changes the triangle waveform to a trapezoid.
- **Saw** produces a ramp cycle. **Shape** continuously changes the waveform from ramp down to triangle to ramp up.
- **Pulse** produces stepped modulation, that is, the modulation switches abruptly between two values. **Shape** continuously changes the ratio between the high and the low state of the waveform. If **Shape** is set to 50%, a square wave is generated.
- **Ramp** is similar to the **Saw** waveform. **Shape** adds a gradually increasing amount of silence before the sawtooth ramp up begins.

- **Log** produces a logarithmic modulation. **Shape** continuously changes the logarithmic curvature from negative to positive.
- **S & H 1** (Sample and Hold) produces random stepped modulation, where each step is different. **Shape** puts ramps between the steps and changes the **S & H** into a smooth random signal, with the control set fully to the right.
- **S & H 2** is similar to **S & H 1**. The steps alternate between random high and low values. **Shape** puts ramps between the steps and changes the **S & H** into a smooth random signal, with the control set fully to the right.

Sync Mode (Freq/Note)

Determines whether the speed of the LFO is controlled by the frequency parameter or set in note values.

- **Frequency**

Controls the frequency of the modulation, that is, the speed of the LFO.

- **Note**

Allows you to set the note value and to choose either triplet or dotted notes.

Phase

Sets the initial phase of the waveform when the LFO is retriggered.

Random Phase

If this button is activated, the start phase is randomized when the modulator is retriggered.

NOTE

- The **Phase** control cannot be used if **Random Phase** is activated.
 - **Random Phase** cannot be activated if **Sync to Project** is selected.
-

RELATED LINKS

[Adding Modulators on page 1010](#)

[Triggering Modulators by MIDI Notes on page 1026](#)

Envelope Follower

Envelope Follower creates a control signal based on the amplitudes of the audio input. It allows you to add a dynamic and natural effect to your audio, for example, by attenuating peaks matching the rhythm of your drum loop.

NOTE

Envelope Follower can use a side-chain signal as the modulation source.

Modulators

Adding Modulators



Waveform display

Clicking in the waveform display allows you to select a time frame for displaying the modulation output. This is a global setting that applies to all waveform displays of the modulators.

Attack

Determines how fast **Envelope Follower** responds. If the attack time is long, more of the initial part of the signal passes through without modulation.

Release

Sets the time after which the signal returns to its original level.

Threshold

Determines the level at which **Envelope Follower** is activated. Only signal levels above the set threshold are processed.

Gain

Allows you to set the amount of attenuation/boost.

RELATED LINKS


[Adding Modulators](#) on page 1010

[Adding a Side-Chain Source for Modulators](#) on page 1025

[Setting up Modulators](#) on page 1020

Shaper

Shaper allows you to create free-form envelopes for a variety of modulation effects.



Loop

The envelope is repeatedly played in a cycle. This effectively turns the envelope into an LFO.

One-Shot

The envelope is played once when triggered by MIDI notes, for example, from a MIDI track.

Graphical editor

You can enter shapes by clicking or dragging the nodes in the graphical editor. To ensure a seamless cycle, the start and end node levels are linked.

Snap to Grid

If this is activated, the nodes that you add snap to the grid. Nodes can still be placed in between grid lines.

Grid Resolution

Sets the number of vertical grid lines.

Curve type buttons

Allow you to select envelope shapes for typical modulation effects that you can customize by adjusting the envelope curve nodes and segments. You can select **ADSR**, **Ramp Down**, **Ramp Up**, **Ducker**, **Swell**, **Sweep**, **Bowl**, or **Flat**.

Curve nodes and segments

- To add a node, double-click in the curve display.
- To change the position of a node, drag the node horizontally and vertically.
For a higher resolution, hold **Shift** while moving the nodes.
To limit the movement to the time axis, that is, to change only the horizontal position of a node, hold **Ctrl/Cmd** while dragging.
To limit the movement to the level axis, that is, to change only the vertical position of a node, hold Alt/Opt while dragging.
- To change the curvature between two nodes, drag the curve segment up or down.
- To reset a curve to linear, **Ctrl/Cmd**-click it.
- To delete a node, double-click it.

Hold Modulator Output

Freezes the current output of the modulator. This can be automated to hold a specific modulation output value for a specific time and then return to the periodic signal of the modulator.

Retrigger Mode

Determines whether **Shaper** is free-running or retriggered with the specified phase.

- If **Free** is selected, **Shaper** generates free-running output.
- If **Sync to Project Start** is selected, **Shaper** is synced to the project tempo and the phase is aligned with the project time, starting with the specified phase at the project start.
- If **MIDI** is selected, **Shaper** is restarted with the specified phase when it is triggered by MIDI notes from a MIDI track.

Retrigger

Allows you to reset **Shaper** manually. This can be automated to restart **Shaper** at any time position in the project.

NOTE

Retrigger cannot be used if **Sync to Project** is selected.

Waveform display

Clicking in the waveform display allows you to select a time frame for displaying the modulation output. This is a global setting that applies to all waveform displays of the modulators.

Sync Mode (Freq/Note)

Determines whether the speed is set by frequency or by note values.

Frequency

Allows you to set the frequency of the modulation, that is, the speed of the modulator.

Note

Allows you to set the note value and to choose either triplet or dotted notes.

Phase

Sets the initial phase of the waveform when **Shaper** is retriggered.

Random Phase

If this button is activated, the start phase is randomized when the modulator is retriggered.

NOTE

- The **Phase** control cannot be used if **Random Phase** is activated.
 - Random Phase** cannot be activated if **Sync to Project** is selected.
-

RELATED LINKS

[Adding Modulators](#) on page 1010

[Triggering Modulators by MIDI Notes](#) on page 1026

Macro Knob

Macro Knob allows you to control multiple parameters, for example, of a VST 3 instrument, in one go. This way, for example, you can create a riser to increase the pitch and ratchet up the tension.




The **Macro Knob** dial allows you to control all the assigned destination parameters at once.

RELATED LINKS
[Adding Modulators on page 1010](#)

Step Modulator

Step Modulator allows you to create rhythmic modulation sequences with up to 32 steps.



Graphical editor

Snap to Grid

If activated, the level of each step is adjusted in steps of 1/12th.

Number of Steps

Allows you to set the number of steps in the sequence.

Reverse

Reverses the order of the steps.

Shift Left

Shifts the pattern stepwise to the left.

Shift Right

Shifts the pattern stepwise to the right.

No Slope

Produces hard steps. The step modulator jumps from step to step.

Slope on Rising Edges

Creates ramps for rising edges of the steps.

Slope on Falling Edges

Creates ramps for falling edges of the steps.

Slope on All Edges

Creates ramps for all edges of the steps.

Slope Amount

If **Slope** is set to **Slope on Rising Edges**, **Slope on Falling Edges**, or **Slope on All Edges**, this parameter determines the time of the ramp between two steps. The higher the setting, the smoother the transitions between steps.

Hold Modulator Output

Freezes the current output of the step modulator. This can be automated to hold a specific modulation output value for a specific time and then return to the periodic signal of the step modulator.

Retrigger Mode

Determines whether the step modulator is free-running or retriggered with the specified phase.

- If **Free** is selected, the step modulator generates free-running output.
- If **Sync to Project Start** is selected, the step modulator is synced to the project tempo and the phase is aligned to the project time, starting with the specified phase at the project start.
- If **MIDI** is selected, the step modulator is restarted with the specified phase when it is triggered by MIDI notes from a MIDI track.

Retrigger

Allows you to reset the step modulator manually. This can be automated to restart the step modulator at any time position in the project.

NOTE

Retrigger cannot be used if **Sync to Project** is selected.

Waveform display

Clicking in the waveform display allows you to select a time frame for displaying the modulation output. This is a global setting that applies to all waveform displays of the modulators.

Sync Mode (Freq/Note)

Determines whether the speed is set by frequency or by note values.

Frequency

Allows you to set the frequency of the modulation, that is, the speed of the modulator.

Note

Allows you to set the note value and to choose either triplet or dotted notes.

RELATED LINKS

[Adding Modulators on page 1010](#)

[Triggering Modulators by MIDI Notes on page 1026](#)


Editing steps

You can adjust the steps of **Step Modulator** separately, but you can also use modifier keys to enter or edit multiple steps simultaneously.

- To set the level of a step, click at the corresponding position in the graphical editor.
- To change the value of a step, drag the step up or down.
- To reset the level of a step to 0%, **Ctrl/Cmd**-click the step.
- To reset all steps, hold **Shift - Ctrl/Cmd**, and click in the graphical editor.
- To adjust all steps at the same time, **Shift**-click, and drag a step.
- To draw a ramp with steps, hold down **Alt/Opt**, and draw a line.
- To draw symmetric ramps at the beginning and the end of the sequence, hold down **Shift - Alt/Opt**, and draw a line.

ModScripter

ModScripter allows you to create your own modulator by writing a script. The **ModScripter** script can perform several predefined operations and allows you to customize its behavior. The script language is JavaScript.



ModScripter includes many factory presets, for example, Invert, Note Gate, Clamp, Synced Random, Linear Quantizer, NoteOn Gate, Slew Rate Limiter, Delay, Apply Randomness, Lorenz/Rossler Oscillator, and Intensity.

NOTE

ModScripter can use a side-chain signal as the modulation source.

Waveform display

Clicking in the waveform display allows you to select a time frame for displaying the modulation output. This is a global setting that applies to all waveform displays of the modulators.

Modulator Input

A generic parameter that the script can use to generate the modulation signal.

TIP

Modulator Input can be modulated by another modulator, **LFO**, for example.

ModScripter features up to 8 additional parameters.

Open Script Editor

Opens the **ModScripter <track name>** window with the **Script Editor**.

Script Editor

The script editor allows you to edit your script.

The pop-up menu offers the following options:

Open Scripting Guide

Opens the in-app **ModScripter** documentation.

Find

Allows you to search through the script.

Font Size

Allows you to set the font size for the text of your script.

RELATED LINKS

[Adding Modulators on page 1010](#)

[Side-Chain Routing for Modulators on page 1024](#)

Setting up Modulators

PREREQUISITE

You have added a modulator.

PROCEDURE

1. Click **Add Connection**.



Learn mode is active.

2. To create a modulation connection, assign a destination. Do one of the following:
 - Go to the destination, for example, open the VST 3 instrument, and click the parameter.
 - Select the destination parameter from the **Select** pop-up menu.The parameter is assigned to the modulator.
 3. Optional: Change the connection settings.
 - Use the connection dial to adjust the destination parameter.
 - Select **Polarity Bipolar/Unipolar**.
 - Adjust the **Modulation Depth**.
 4. Optional: Add further connections for the modulator.
-

RESULT

The modulation connection is created. The modulation signal controls the selected destination parameters.

AFTER COMPLETING THIS TASK

- You can fine-tune the parameters of your modulator.
- To temporarily exclude one of the assigned parameters from the modulation, you can bypass each connection exclusively.
- You can add up to 8 modulators per track. To add another modulator, click the next **Slot**.
- To change their order in the signal chain, you can drag the modulators. Their existing modulation connections are maintained.

Assigning Parameters to Modulators

You can assign a parameter of audio-related tracks/channels to a modulator.

PROCEDURE

1. Right-click the parameter that you want to modulate.
 2. Do one of the following:
 - To add a new modulator to the track, select **Modulators: Assign to Modulator: <track name>** > **Add Modulator**.
 - To assign the parameter to a modulator that is already existing on the track, select **Modulators: Assign to Modulator: <track name>** > **Modulator** > **Slot x : <modulator name>**.
-

RESULT

The parameter is assigned to the selected modulator, which means that a new modulation connection has been created for the modulator.

RELATED LINKS

[Modulators](#) on page 1001

[Setting up Modulators](#) on page 1020

Changing Destination Parameters


Learn Parameter allows you to quickly change the destination parameters for your modulators.

PREREQUISITE

A destination parameter is assigned to your modulator.

PROCEDURE

1. To open the destination parameter list, click the destination parameter name.




2. To select a new destination parameter, do one of the following:

- Select **Learn Parameter**, go to the destination, and click the parameter.
 - Select a destination parameter from the list.
-

Modulation Connections on Control Panels

Audio effect, VST instrument, and modulator control panels can display modulation connections that you have created for a parameter of the control panel, and they allow you to create new connections for existing modulators and to create new modulators.



Auto Filter: effect control panel with modulation connection

You can access the modulation connections of control panels by clicking **Show/Hide Modulation Connections**

Bypass All Connections

If activated, all modulation connections of the audio effect/instrument/modulator are bypassed.

Remove All Connections

Removes all modulation connections of the audio effect/instrument/modulator.

Show Modulators in Lower Zone

Opens the lower zone and shows the modulators of the track corresponding to the audio effect/instrument/modulator in the lower zone. If another track is pinned on the modulators tab, the modulators of that track are shown.

Open Modulator

Opens the modulator and allows you to change the modulator settings.

Bypass Connection

If activated, this connection is bypassed. Any other modulation connections of the control panel are maintained.

Remove Connection

Removes the modulation connection.

Polarity:Bipolar/Polarity:Unipolar

Sets the polarity of the modulation signal. The polarity specifies the value range. Unipolar modulation signals modulate between 0 and +1. Bipolar modulation signals modulate between -1 and +1.

<Destination parameter name>

Shows the destination parameter name. Allows you to select a new destination.

Modulation Depth

Adjusts the modulation depth, that is, the intensity of the modulation.

RELATED LINKS

[VST Instrument Control Panel](#) on page 936

[Effect Control Panel](#) on page 551

Creating Modulation Connections for Control Panels

You can add and set up modulation connections of parameters of VST instruments, audio effects, and modulator directly on the corresponding control panel.

PROCEDURE

1. On the toolbar of a VST instrument, effect, or modulator control panel, click **Show/Hide Modulation Connections**.
 2. Click **Add Connection**.
 3. Do one of the following:
 - Select an existing modulator from the list.
 - To create a new modulator, click **Add Modulator**, then click a modulation tile.
Learn Mode is active.
 4. Assign a destination. Do one of the following:
 - Go to the destination, for example, open the VST 3 instrument, and click the destination parameter.
 - Select the destination parameter from the **Select** pop-up menu.
The parameter is assigned to the modulator.
 5. Optional: Change the connection settings.
 - Use the connection dial to adjust the destination parameter.
 - Select **Polarity Bipolar/Unipolar**.
 - Adjust the **Modulation Depth**.
 6. Optional: Add further connections.
-

RESULT

The modulation connection is created.

Modulator Presets

Modulator presets consist of predefined modulator settings that you can apply to modulators before or after you create modulation connections.

Modulator presets save the modulator type and the modulator settings, but not the modulation connections.

NOTE

Modulator presets are organized in the **MediaBay**, where you can categorize them by attributes.

RELATED LINKS

[MediaBay Window](#) on page 757


Modulator Presets Results Browser

In the **Results** browser, you can search for modulator presets and organize them.

You can access the **Result** browser on the modulators panel by selecting **Functions > Load Preset**.

Modulators

Side-Chain Routing for Modulators



Saving Default Modulator Presets

You can save your modulator settings as default modulator presets. This allows you to load your parameter settings automatically, every time you add the modulator to a track/channel.

PROCEDURE

1. On the modulator panel, open the **Functions** pop-up menu.
2. Select **Default Preset > Save as Default Preset**.
3. Click **Yes**.

RESULT


The modulator settings are saved as default presets. Every time you add the modulator, the default preset is loaded automatically.

Side-Chain Routing for Modulators

The **Side-Chain Routing** pane allows you to set up side-chain routing for **Envelope Follower** and **ModScripter**.

- To open the **Side-Chain Routing** pane, click **Set up Side-Chain Routing** on the modulator header.

The following controls are available:



Activate/Deactivate Side-Chaining

Enables/Disables the side-chain source.

Name

Shows the name of the side-chain source.

Type

Shows the type of the side-chain source.

Level

Allows you to adjust the send level.

Meter

Shows the volume level of the input track.

Pre-/Post-Fader

Allows you to set the insert to pre-fader position or to post-fader position.

Edit Channel Settings

Opens the **Channel Settings** window for the selected side-chain source.

Remove Side-Chain Source

Removes the side-chain source.

Add Side-Chain Source

Opens a selector that allows you to add a side-chain source.

Adding a Side-Chain Source for Modulators

Envelope Follower and **ModScripter** allow you to use an audio signal of another track as the side-chain input.

PREREQUISITE

Your project contains an audio track or an instrument track with audio material that is suited to serve as a modulator source, for example, a drum loop or a synth pad sound.

NOTE

The modulator source can be audio material from any audio track. If your audio hardware allows for a low input latency, you can also use a live audio source routed to an audio track.

PROCEDURE

1. On the modulator toolbar, click **Activate/Deactivate Side-Chaining**.
 2. Click **Set up Side-Chain Routing**.
 3. Click **Add Side-Chain Source**, and select the audio or instrument track from the selector.
 4. Optional: Adjust the send level in the **Level** value field.
-

RELATED LINKS

[Envelope Follower](#) on page 1013

[ModScripter](#) on page 1019

[Side-Chain Routing for Modulators](#) on page 1024

[Side-Chaining](#) on page 546

Triggering Modulators by MIDI Notes

PREREQUISITE

You have added **LFO**, **Shaper**, or **Step Modulator** as a modulator.

PROCEDURE

1. Create a MIDI track.
 2. In the **Add Track** dialog, select the modulator as the **MIDI Output**.
 3. In the lower zone of the **Project** window, open the modulator, and set **Retrigger Mode** to **MIDI**.
-

RESULT

The modulator is triggered by the MIDI notes from the MIDI track.

RELATED LINKS

[MIDI Tracks and Channels](#) on page 140

[LFO](#) on page 1011

[Shaper](#) on page 1014

[Step Modulator](#) on page 1017

Removing Modulators

You can remove modulators via drag and drop.

PROCEDURE

- Click the modulator header, and drag the modulator out of the **Modulators** tab or the **Modulators** window.
-

Remote-Controlling Cubase

You can control Cubase with a connected MIDI device via MIDI.

The supported devices are described in the separate document **Remote Control Devices**. You can also use a generic MIDI controller to remote-control Cubase.

NOTE

Most remote control devices are able to control both MIDI and audio channels in Cubase, but the parameter setup may be different. Audio-specific controls, such as EQ, are disregarded when controlling MIDI channels.

RELATED LINKS

[Generic Remote Page \(Legacy\)](#) on page 1040

Connecting Remote Devices

You can connect your remote device via USB or via MIDI.

PROCEDURE

- Do one of the following:
 - If your remote device provides a USB MIDI port, use a USB cable to connect it to the USB port of your computer.
 - If your remote device provides a MIDI output, use a MIDI cable to connect it to a MIDI input on your MIDI interface.

NOTE

If the remote device features indicators, motorized faders, or other feedback devices, connect a MIDI Out on the interface to a MIDI In on the remote device.

RELATED LINKS

[MIDI Connections](#) on page 28

Removing the Remote Input from All MIDI Inputs

To avoid that you accidentally record data from the remote device when you record MIDI, remove the remote input from **All MIDI Inputs**.

PROCEDURE

1. Select **Studio > Studio Setup**.
2. In the **Remote Devices** list, select **MIDI Port Setup**.
3. In the table on the right, deactivate **In 'All MIDI Inputs'** for the MIDI input to which you have connected the MIDI remote device.

The **State** column reads **Inactive**.

4. Click **OK**.

RESULT

The remote unit input is removed from the **All MIDI Inputs** group.

RELATED LINKS

[MIDI Port Setup Page](#) on page 29

Setting up Remote Devices

PROCEDURE


1. Select **Studio > Studio Setup**.
2. Click **Add Device** in the top left corner, and select a remote device from the pop-up menu to add it to the **Remote Devices** category.

NOTE

If your device is not available in the pop-up menu, select **Generic Remote**.

3. In the **Remote Devices** category, select the device.

Depending on the selected device, either a list of programmable function commands or a blank panel is shown in the right half of the dialog window.



4. Open the **MIDI Input** pop-up menu, and select a MIDI input.
5. Optional: Open the **MIDI Output** pop-up menu, and select a MIDI output.

6. Click **OK**.

RESULT

You can now use the MIDI device to control Cubase functions.

A bright stripe in the **Project** window and in the **MixConsole** indicates the channels that are linked to the remote control device.



You can open a panel for the added device by selecting **Studio > More Options**.

AFTER COMPLETING THIS TASK

Depending on your external MIDI control device, you might need to configure the parameters.

Resetting Remote Devices

You can reset remote devices. This is necessary if the communication between Cubase and a remote device is interrupted or if the handshaking protocol fails to establish the connection.

PROCEDURE

1. Select **Studio > Studio Setup**.
2. In the **Remote Devices** list, select the remote device.
3. Click **Reset** in the lower part of the **Studio Setup** dialog to reset the selected remote device.

NOTE


To reset all devices in the **Remote Devices** list, click **Reset All Devices** in the top left of the dialog.

RELATED LINKS

[Studio Setup Dialog](#) on page 18

Global Options for Remote Controllers

On the page for your remote device, global functions may be available.



MIDI Input

Allows you to select a MIDI input.

MIDI Output

Allows you to select a MIDI output.

User Commands

Lists the controls or buttons of your remote device.

Smart Switch Delay

Allows you to specify a delay for the smart switch function. Functions that support the smart switch behavior are activated for as long as the button is pressed.

Enable Auto Select

For touch-sensitive remote control devices, this automatically selects a channel when you touch a fader. For devices without touch-sensitive faders, the channel is selected as soon as you move the fader.

Remote Devices and Automation

You can write automation via remote devices.

If your remote device does not have touch-sensitive controls and you want to replace existing automation data in **Write** mode, consider the following:

- Make sure that you move only the controller that you want to replace.
- Stop playback to deactivate **Write** mode.


As a result, all data for the corresponding parameter is replaced, from the position where you moved the control up to the position where you stop playback.

Assigning Commands to Remote Devices

You can assign any Cubase command to which a key command can be assigned to remote devices.

PROCEDURE

1. Select **Studio > Studio Setup**.
2. In the **Remote Devices** list, select your remote device.
In the **User Commands** section, the controls or buttons of your remote device are listed in the **Button** column.



3. Click in the **Category** column for the control to which you want to assign a Cubase command, and select the category from the pop-up menu.
 4. Click in the **Command** column, and select the Cubase command from the pop-up menu.
The available items on the pop-up menu depend on the selected category.
 5. Click **Apply**.
-

RESULT

The selected function is assigned to the button or control on the remote device.


RELATED LINKS

[Key Commands](#) on page 1480

Remote Control Editor

The **Remote Control Editor** allows you to define your own mapping of VST plug-in parameters to the controls of the supported hardware controllers. This is useful if you think that the automatic mapping of plug-in parameters to remote control devices is not intuitive enough.

- To open the **Remote Control Editor**, right-click the plug-in panel of the plug-in that you want to remote-control, and select **Remote Control Editor**.



1 Inspector

Contains the settings and the parameter assignment for the selected cell. The upper section contains settings for the text label. The lower section contains settings for the knob and the switches.

2 Layout Selection

Shows the name of the layout. Click to select a different layout.

3 Set up Cell Layout

Opens the **Cell Layout Configuration**, where you can specify the number of cells per page and select the switch layout for the pages. To specify the number of switches for a cell, activate/deactivate them.

4 Add New Hardware Layout

Adds a new layout for a particular hardware type. To remove a hardware layout, click its **Close** button.

5 Layout section

Displays layouts that represent the hardware devices that are used to remote-control the plug-in parameters. Here, you can change the parameter assignments, the name in the text label, the cell setup, and the order of cells and pages.

6 Toolbar

Shows tools for setting up the layout.

7 Status Bar

Shows information about an element when you position the mouse pointer over it in the editor window.

RELATED LINKS

[Remote Control Editor Toolbar](#) on page 1033

Remote Control Editor Toolbar

Shows tools for setting up the layout.

Remove All Assignments



Removes all parameter assignments.

Get Default Factory Layout/Copy Layout from Other Tab



Reverts to the default settings for the current layout or copies the settings of one layout page to another.

Activate/Deactivate Learn Mode




Activates/Deactivates **Learn** mode for the **Remote Control Editor**.

Activate/Deactivate Assignment Inspection View



Shows the current assignment of all cells in a layout.

Apply Current Layout



Saves the settings. If the hardware supports this function, the changes are immediately reflected on the hardware controllers.

Control Settings

You can define the control style for switches or knobs to which you have assigned a function. This includes the LED ring or changing its behavior from continuous value representation to on/off, for example.

To open the **Control Settings** panel, right-click the control.

NOTE

Not all hardware devices support all control type settings.

Control Type Settings for Knobs



The following control types are available for knobs:

Standard

A standard knob with an undefined LED style.

Toggle Switch

A knob with 2 states.

LED Ring

An LED ring around the knob. The setting increases clockwise.

LED Ring (counter-clockwise)

An LED ring around the knob. The setting increases counter-clockwise.

Center Width

An LED ring that starts at the top center position. When the settings increase, an LED is shown, which is growing in both directions.


Center Neutral

A dial that starts at the top center position and can be moved left or right, like a pan control, for example.

Single Dot

An LED ring around the knob. The setting increases clockwise, with a dot indicating the current value.

Control Type Settings for Switches



The following options are available for switches:

Momentary

Activates the assigned function for as long as you hold the switch.

Increasing Stepwise

Steps through the available settings until the maximum is reached.

Decreasing Stepwise

Steps through the available settings in reverse order until the minimum is reached.

Increasing Stepwise (cycle)

Steps through the available settings, starting over with the minimum value when the maximum is reached.

Decreasing Stepwise (cycle)

Steps through the available settings in reverse order, starting over with the maximum value when the minimum is reached.

Smart Switch

Switches between 2 states every time you press the switch. Enters **Momentary** mode if you hold the switch.

Invert Control Value

Inverts the control state/value.

Hide When Inactive

Hides plug-in parameters when they are inactive or disabled.

Assigning Parameters to Controls

PROCEDURE

1. On the **Remote Control Editor** toolbar, click **Activate/Deactivate Learn Mode**.
 2. Select the control that you want to assign to a plug-in parameter.
 3. Do one of the following:
 - Click a parameter on the plug-in panel.
 - Double-click on a control in the **Remote Control Editor**, and select a parameter from the list of available plug-in parameters.
 4. Press **Esc** to end **Learn mode**.
-

RESULT

The parameter is assigned to the control.

NOTE

To remove the parameter assignment for a cell, activate **Learn mode**, select the cell, and press **Delete** or **Backspace**.

RELATED LINKS

[Remote Control Editor Toolbar](#) on page 1033

Editing the Layout

In the layout section, you can perform a number of editing operations and arrange the pages to your liking.

- To navigate from cell to cell, use the cursor keys.

- To step through the controls within the cells in **Learn** mode, press **Shift**, and use the cursor keys.
- To step through the different layouts, use **Tab** and **Shift-Tab**.
- To copy the settings of one cell to another, select a cell, press **Alt**, and drag it to another cell.
- To move a cell, drag it to an empty cell.
- To swap the contents of 2 cells, press **Ctrl/Cmd**, and drag one cell to the other.

NOTE

Drag and drop also works between different pages.

- To add a page to a layout, click **Add New Page**.



- To remove a page, click **Remove Current Page**.
- To specify the label for a cell, use the top 3 text fields in the **Inspector**.

The first text field displays the long name, as it is shown in the cell. In the second field, you can enter a name that can contain up to 8 characters, and up to 4 characters in the third.

NOTE

This is useful if your hardware devices have value fields that only display a limited number of characters.

Joysticks

You can use a joystick to remote-control panning operations in Cubase. This can be useful for creating smooth automation curves, for example.

- To use a joystick for remote-controlling, connect it to your computer, and restart Cubase. After restarting the application, the joystick is automatically activated.

RELATED LINKS

[Panning with a Joystick](#) on page 815
[Deactivating Joysticks](#) on page 1036

Deactivating Joysticks

If you have connected a joystick to your system, but do not want to use it with Cubase, you can deactivate it.

PROCEDURE

1. Select **Studio > Studio Setup**.
2. In the **Remote Devices** list, select the joystick device.
The available device settings are shown to the right.
3. Deactivate the respective option.

Track Quick Controls

If you have an external remote control device, you can set it up to control up to 8 parameters of each audio track, MIDI track or instrument track, using the **Track Quick Controls** feature in Cubase.

To show the **Track Quick Controls** for a specific track, select the track from the track list, and, in the **Inspector**, open the **Quick Controls** section.

RELATED LINKS

[Track Quick Controls](#) on page 959

[Using Supported MIDI Controllers with MIDI Remote](#) on page 970

[Setting up Focus Quick Controls in the MIDI Remote Mapping Assistant](#) on page 991

[Setting up Track Quick Controls with Remote Controllers \(Legacy\)](#) on page 1037

Setting up Track Quick Controls with Remote Controllers (Legacy)

Track Quick Controls become particularly powerful if you use them in conjunction with a remote controller.

We recommend to set up **Track Quick Controls** in the **MIDI Remote Mapping Assistant** and to use the **Studio Setup** dialog only in case you already used **Track Quick Controls** with an earlier version of Cubase.

PREREQUISITE

The MIDI output on your remote device is connected to a MIDI input on your MIDI interface.

PROCEDURE

1. Select **Studio > Studio Setup**.
 2. In the **Remote Devices** list, select **Track Quick Controls**.
 3. Open the **MIDI Input** pop-up menu, and select a MIDI input.
 4. Optional: Open the **MIDI Output** pop-up menu, and select a MIDI output.
 5. Click **Apply**.
 6. Activate **Learn**.
 7. In the **Control Name** column, select **QuickControl 1**.
 8. On your MIDI device, move the control that you want to connect with the first quick control.
 9. Select the next slot in the **Control Name** column, and repeat the previous steps.
 10. Click **OK**.
-

RESULT

The **Track Quick Controls** are now connected with control elements on your MIDI device. If you move a control element, the value of the parameter that is assigned to the corresponding **Track Quick Controls** changes accordingly.

NOTE

The remote controller setup for **Track Quick Controls** is saved globally, that is, it is independent of any projects.

RELATED LINKS

[Generic Remote Page \(Legacy\)](#) on page 1040

[Setting up Focus Quick Controls in the MIDI Remote Mapping Assistant](#) on page 991

Activating Pick-up Mode for Hardware Controls (Legacy)

Pick-up Mode allows you to change configured **Quick Control** parameters without accidentally modifying the previous values. This is useful if you want the control to pick up the parameter at the value to which it was last set. If you move a hardware control, the parameter only changes when the control reaches the previous value.

NOTE

This only applies to hardware controllers whose controls use specific ranges.

PROCEDURE

1. Select **Studio > Studio Setup**.
 2. In the **Remote Devices** list, select **Track Quick Controls** or **VST Quick Controls**.
 3. Activate **Pick-up Mode**.
 4. Click **OK**.
-

VST Quick Controls

If you have an external remote control device, you can control up to 8 parameters of a VST instrument via the **VST Quick Controls** feature in Cubase.

RELATED LINKS

[VST Instrument Control Panel](#) on page 936

[Effect Control Panel](#) on page 551

[Using Supported MIDI Controllers with MIDI Remote](#) on page 970

[Setting up Focus Quick Controls in the MIDI Remote Mapping Assistant](#) on page 991

[Setting up Track Quick Controls with Remote Controllers \(Legacy\)](#) on page 1037

[VST Quick Controls in the VSTi Rack \(Legacy\)](#) on page 1038

VST Quick Controls in the VSTi Rack (Legacy)

VST Quick Controls allow you to remote-control a VST instrument from within the **VSTi** rack.

To show the **VST Quick Controls** on the **VSTi** rack, activate **Show/Hide all VST Quick Controls**.

The following controls are available on each rack:



1 Show/Hide VST Quick Controls

Allows you to show/hide the **VST Quick Controls** for the instrument.

2 VST Quick Controls

Allow you to remote-control the parameters of the instrument.

NOTE

The number of **VST Quick Controls** that are displayed depends on the size of the **VST Instruments** window.

3 Set Remote-Control Focus for VST Quick Controls

Allows you to activate the **VST Quick Controls** to remote-control the instrument.

Setting up VST Quick Controls with Remote Controllers (Legacy)

VST Quick Controls become particularly powerful if you use them in conjunction with a remote controller.

We recommend to set up **VST Quick Controls** in the **MIDI Remote Mapping Assistant** and to use the **Studio Setup** dialog only in case you already used **VST Quick Controls** with an earlier version of Cubase.

PREREQUISITE

The MIDI output on your remote device is connected to a MIDI input on your MIDI interface.

PROCEDURE

1. Select **Studio > Studio Setup**.
 2. In the **Remote Devices** list, select **VST Quick Controls**.
 3. Open the **MIDI Input** pop-up menu, and select a MIDI input.
 4. Optional: Open the **MIDI Output** pop-up menu, and select a MIDI output.
 5. Click **Apply**.
 6. Activate **Learn**.
 7. In the **Control Name** column, select **QuickControl 1**.
 8. On your MIDI device, move the control that you want to connect with the first quick control.
 9. Select the next slot in the **Control Name** column, and repeat the previous steps.
 10. Click **OK**.
-

RESULT

The **VST Quick Controls** are now connected with control elements on your MIDI device. If you move a control element, the value of the parameter that is assigned to the corresponding **VST Quick Controls** changes accordingly.

NOTE

The remote controller setup for **VST Quick Controls** is saved globally, that is, it is independent of any projects.

RELATED LINKS

[Setting up Focus Quick Controls in the MIDI Remote Mapping Assistant](#) on page 991


[Generic Remote Page \(Legacy\)](#) on page 1040

[VST Instrument Control Panel](#) on page 936

Generic Remote Page (Legacy)

You can use a generic MIDI controller to remote-control almost any function in Cubase. After setting up the **Generic Remote** device, you can control the specified parameters via the MIDI remote device.

- To open the **Generic Remote** page, select **Studio > Studio Setup**, and, from the **Remote Devices** list, select **Generic Remote**.



The following options are available:

MIDI Input

Allows you to select the MIDI input port to which your remote device is connected.

MIDI Output

Allows you to select the MIDI output port to which your remote device is connected.

MIDI Remote Control Configuration

The upper table shows the MIDI remote control configuration of your remote device.

Cubase Control Assignment

The lower table allows you to assign Cubase controls to your remote device.

RELATED LINKS

[MIDI Remote Control Configuration Section](#) on page 1040

[Cubase Control Assignment Section](#) on page 1042

MIDI Remote Control Configuration Section

The MIDI remote control configuration section is displayed in the upper table of the **Generic Remote** setup page.

- To open the **Generic Remote** settings, select **Studio > Studio Setup**, and, from the **Remote Devices** list, select **Generic Remote**.

| Control Name | MIDI Status | MIDI Channel | Address | Max. Value | Flags | |
|--------------|-------------|--------------|---------|------------|-------|-------------------------------------|
| Fader 1 | Controller | 1 | 7 | 127 | R,, | <input checked="" type="checkbox"/> |
| Fader 2 | Controller | 2 | 7 | 127 | R,, | <input type="checkbox"/> |
| Fader 3 | Controller | 3 | 7 | 127 | R,, | <input type="checkbox"/> |
| Fader 4 | Controller | 4 | 7 | 127 | R,, | <input type="checkbox"/> |
| Fader 5 | Controller | 5 | 7 | 127 | R,, | <input type="checkbox"/> |
| Fader 6 | Controller | 6 | 7 | 127 | R,, | <input type="checkbox"/> |
| Fader 7 | Controller | 7 | 7 | 127 | R,, | <input type="checkbox"/> |
| Fader 8 | Controller | 8 | 7 | 127 | R,, | <input type="checkbox"/> |

Import
Export
Add
Delete
 Learn

The following options are available in the upper table:

Control Name

Double-click this field to change the name of the control and to enter the name written on the console, for example. This name change is automatically reflected in the lower table.

MIDI Status

Allows you to specify the type of MIDI message sent by the control.

MIDI Channel

Allows you to select the MIDI channel on which the controller is transmitted.

Address

Allows you to specify the continuous controller number, the pitch of a note, or the address of an NRPN/RPN continuous controller.

Max. Value

Allows you to specify the maximum value that the control transmits. This value is used by the program to scale the value range of the MIDI controller to the value range of the program parameter.

Flags

Allows you to select one of the following flags:

- Receive**
Activate this if the MIDI message should be processed on reception.
- Transmit**
Activate this if a MIDI message should be transmitted when the corresponding value in the program changes.
- Relative**
Activate this if the control is an endless rotary encoder, which reports the number of turns instead of an absolute value.
- Pick-up**
Activate this if you want the control to pick up the parameter at the value to which it was last set.

The buttons and the options to the right of the table have the following functions:

Import

Allows you to import saved remote setup files.

Export

Allows you to export the current setup with the file extension **.xml**.

Add

Adds controls to the bottom of the table.

Delete

Deletes the selected control from the table.

Learn

Allows you to assign MIDI messages by learning.

Cubase Control Assignment Section

You can specify the Cubase control assignment section in the lower table of the **Generic Remote** setup page. Each row in the table is assigned to the controller in the corresponding row of the MIDI remote-control configuration table.

- To open the **Generic Remote** settings, select **Studio > Studio Setup**, and, from the **Remote Devices** list, select **Generic Remote**.

The screenshot shows a table with columns: Control Name, Device, Channel/Category, Value/Action, and Flags. The table lists seven faders (Fader 1 to Fader 7) assigned to a VST Mixer device. A context menu is open over the table, showing options: VST 1-16 ▾, Rename, Add, and Delete. The Delete option is highlighted.

| Control Name | Device | Channel/Category | Value/Action | Flags |
|--------------|-----------|--------------------|--------------|-------|
| Fader 1 | VST Mixer | Master Out | 1025 | .. |
| Fader 2 | VST Mixer | HSSE Main | 1025 | .. |
| Fader 3 | VST Mixer | FX 01-StereoEnhanc | 1025 | .. |
| Fader 4 | VST Mixer | Stereo In | 1025 | .. |
| Fader 5 | VST Mixer | 4 | 1025 | .. |
| Fader 6 | VST Mixer | 5 | 1025 | .. |
| Fader 7 | VST Mixer | 6 | 1025 | .. |

The following options are available:

Control Name

Reflects the control name selected in the upper table.

Device

Allows you to select the Cubase device that you want to control.

Channel/Category

Allows you to select the channel or the command category that you want to control.

Value/Action

Allows you to select the parameter of the channel that you want to control. If the **Command** device is selected, this is where you specify the **Action** of the category.

Flags

Allows you to select one of the following flags:

- Push Button**

Activate this if the parameter should only be changed if the received MIDI message shows a value unequal to 0.

- Toggle**

Activate this if the parameter value should be switched between minimum and maximum value, each time a MIDI message is received.

You can combine **Push Button** and **Toggle** for remote controls which do not latch the state of a button. This is useful to control the mute status with a device on which pressing the mute button turns it on, and releasing the mute button turns it off.

- Not Automated**

Activate this if you do not want the parameter value to be automated.

The buttons to the right of the table have the following functions:

Bank pop-up menu

Allows you to switch banks. This is necessary if your MIDI control device has 16 volume faders and you are using 32 **MixConsole** channels in Cubase, for example.

Rename

Allows you to rename the selected bank.

Add

Adds banks to the pop-up menu.

Delete

Deletes the selected bank from the pop-up menu.

RELATED LINKS

[Assignable Devices and Functions](#) on page 1043

Assignable Devices and Functions

The **Device** column in the Cubase control assignment section lists the Cubase devices that you can control.

Command

Allows you to assign Cubase commands to which a key command can be assigned. If you select **Add Track** in the **Channel/Category** column and **Audio** in the **Value/Action** column, you can add audio tracks via your MIDI device, for example.

VST Quick Controls Manager

Allows you to assign **VST Quick Controls**. If you select **Device** in the **Channel/Category** column and one of the **Quick Control** options in the **Value/Action** column, you can control the **VST quick control** via your MIDI device.

Midi Mixer

Allows you to control the functions of the **Midi Mixer** panel. If you select **Device** in the **Channel/Category** column and one of the options in the **Value/Action** column, you can control the function via your MIDI device.

MMC Master

Allows you to control the functions of the **MMC Master** panel. If you select **Device** in the **Channel/Category** column and one of the options in the **Value/Action** column, you can control the function via your MIDI device.

Mixer

Allows you to control **MixConsole** functions. If you select one of the available channels or **Selected** in the **Channel/Category** column and one of the options in the **Value/Action** column, you can control the function of that specific channel or of the selected channel via your MIDI device.

Transport

Allows you to control the transport functions. If you select **Device** in the **Channel/Category** column and one of the options in the **Value/Action** column, you can control the function via your MIDI device.

Metronome

Allows you to control metronome functions. If you select **Device** in the **Channel/Category** column and one of the options in the **Value/Action** column, you can control the function via your MIDI device.

VST Mixer

Allows you to control **MixConsole** functions. If you select one of the available channels or **Selected** in the **Channel/Category** column and one of the options in the **Value/Action** column, you can control the function of that specific channel or of the selected channel via your MIDI device.

VST Control Room

Allows you to control the functions of the **Control Room**. If you select **Device** in the **Channel/Category** column and one of the options in the **Value/Action** column, you can control the function via your MIDI device.

NOTE

You can also control all **VST Instruments** that you added in the **Project** window and that are listed in the **Device** column.

Assigning MIDI Messages in Learn Mode

You can assign MIDI messages in **Learn** mode.

PROCEDURE

1. Select **Studio > Studio Setup**.
 2. In the **Remote Devices** list, select **Generic Remote**.
 3. Activate **Learn**.
 4. Select the control in the upper table, and move the corresponding control on your MIDI device.
-

RESULT

The values for **MIDI Status**, **MIDI Channel**, and **Address** are automatically set to those of the moved control.

NOTE

If you use the **Learn** function for a control that sends a program change value, **Prog. Change Trigger** is automatically selected in the **MIDI Status** pop-up menu. This allows you to use the different values of a program change parameter to control different parameters in Cubase.

If this does not produce the expected results, try using the **Prog. Change** value instead.

MIDI Realtime Parameters and MIDI Effects

MIDI realtime means that you can change or transform MIDI events on MIDI or instrument tracks before they are sent to the MIDI outputs. This allows you to change the way MIDI data is played back.

The actual MIDI events on the track are not affected. Therefore, MIDI realtime changes are not reflected in any MIDI editor.

The following functions allow you to change MIDI events in real time:

- MIDI track parameters
- MIDI modifiers
- MIDI effects
- **Transpose** and **Velocity** on the info line

NOTE

To convert the track settings to real MIDI events, select **MIDI > Freeze MIDI Modifiers** or **MIDI > Merge MIDI in Loop**.

RELATED LINKS

[Merging MIDI Events into a New Part](#) on page 1068

MIDI Track Parameters

The MIDI track parameters are located in the topmost **Inspector** section and in the **Routing** section for MIDI and instrument tracks.

These settings either affect the basic functionality of the track (mute, solo, enable record, etc.) or send out additional MIDI data to the connected devices (program change, volume, etc.).

The following track parameters allow you to change MIDI events in real time:

- MIDI Volume
- MIDI Pan
- Track Delay
- Input Transformer

RELATED LINKS

[Basics Section for MIDI Tracks](#) on page 167

[Track Input Transformer](#) on page 1046

Track Input Transformer

The **Track Input Transformer** allows you to filter and change MIDI data coming to a MIDI track before it is recorded.

Use the **Track Input Transformer** for the following purposes:

- To set up split keyboard combinations for recording left and right hands separately.
- To convert a controller, such as a foot pedal, into MIDI notes (for playing bass drum the right way).
- To filter a specific type of MIDI data on one MIDI channel only.
- To turn aftertouch into any controller and vice versa.
- To invert velocity or pitch.

NOTE


If you want to make global filter settings and apply them on several MIDI tracks, use the **Project Input Transformer** instead.


RELATED LINKS

[Project Input Transformer](#) on page 1320

Track Input Transformer Window Overview

- To open the **Track Input Transformer**, select a MIDI track, and, in the **Routing** section of the **Inspector**, open the **Input Transformer** pop-up menu, and activate **Track**. Open the **Input Transformer** pop-up menu again, and select **Open Panel**.





The **Track Input Transformer** window contains the following parameters:

1 Module

Allows you to view and edit a module.

2 Preset

Allows you to select a preset.

3 Event Target Filters

Allows you to specify the conditions, such as type, attribute, value, or position, that a specific element must meet to be found. You can combine any number of filter conditions using **And** and **Or** operators.

4 Event Transform Actions

Allows you to set up a list of actions that specifies exactly what is done. This is not necessary for all functions.

5 Functions

Allows you to select a function.

NOTE

You can resize the **Event Target Filters** and the **Event Transform Actions** sections by dragging the divider between them.

RELATED LINKS

[Project Input Transformer Window Overview](#) on page 1320

Setting up Track Input Transformer Filter Lines

PREREQUISITE

You have opened the **Track Input Transformer**.

PROCEDURE

1. Activate the **Module** option.
2. Click **Edit** to open the **Event Target Filters** and the **Event Transform Actions** sections.
3. In the **Event Target Filters** section, click **Insert**.
A filter line is added to the list.
4. Click in the **Filter Target** column, and select an option from the pop-up menu.
5. Click in the **Condition** column, and select an option from the pop-up menu.
6. Click in the **Parameter 1** column, and enter a value.

NOTE

Some **Condition** options also require a value for **Parameter 2**.

RESULT

The settings affect all MIDI events that you record on the track.

AFTER COMPLETING THIS TASK

Open the **Functions** pop-up menu, and select a function.

Set up an action line in the **Event Transform Actions** section.

In the **Inspector**, click **Input Transformer**, and select **None**. Otherwise, the **Track Input Transformer** remains active.

RELATED LINKS

[Project Input Transformer Presets Browser](#) on page 1322

MIDI Modifiers

MIDI modifiers allow you to modify MIDI events during playback.

You can use them for the following purposes:


- To modify already existing MIDI events on MIDI or instrument tracks.
- To modify MIDI events that you play live.

NOTE

When playing live, select and record-enable the track, and activate **MIDI Thru Active** in the **Preferences** dialog (**MIDI** page).

MIDI Modifiers Section

- To open the **MIDI Modifiers** section, select a MIDI track, and, in the **Inspector**, click **MIDI Modifiers**.



NOTE

To compare the result of your modifier settings with the unprocessed MIDI, you can use the bypass button in the MIDI modifiers section. If this button is activated, the MIDI modifiers settings are temporarily disabled.



Transpose

Allows you to transpose all notes on the track in semitones. Extreme transpositions can produce rather strange and unwanted results.

Velocity Shift

Allows you to add a velocity value to all notes on the track. Positive values increase the velocity while negative values lower the velocity.

Velocity Compression

Allows you to add a multiplier to the velocity of all notes on the track. The value is set with a numerator and a denominator. This parameter also affects the velocity differences between the notes, thus compressing or expanding the velocity scale.

Values smaller than 1/1 compress the velocity range. Values greater than 1/1 together with negative **Velocity Shift** values expand the velocity range.

IMPORTANT

The maximum velocity is 127, no matter how much you try to expand.

NOTE

Combine this setting with the **Velocity Shift** parameter.

Length Compression

Allows you to add a multiplier to the length of all notes on the track. The value is set with a numerator and a denominator.

Random 1/Random 2

Allows you to introduce random variations to various properties of MIDI notes.

Range 1/Range 2

Allows you to specify a pitch or velocity range and to either force all notes to fit within this range or to exclude all notes outside this range from playback.

Heremode Tuning

Activate **Apply Tuning** to apply Heremode tuning to the notes played on this track.
Activate **Use for Analysis** to use the notes you played on this track to calculate retuning.

RELATED LINKS

[Musical Scale Setup Dialog](#) on page 1259

Setting up Random Variations

You can set up random variations for position, pitch, velocity, and length of MIDI events using one or two random generators.

PROCEDURE

1. Select a MIDI or instrument track.
 2. In the **Inspector**, open the **MIDI Modifiers** section.
 3. Open one of the **Random** sections and in the **Random Target** pop-up menu, select the note property you want to randomize.
 4. Specify the limits of the randomization in the value fields.
The values vary between the minimum and maximum value. You cannot set the minimum value higher than the maximum value.
 5. Optional: Repeat for other random values.
 6. Play back the track to listen to the randomized events.
-

RESULT

The corresponding properties are randomized.

NOTE

Depending on the track content, certain changes might not be immediately noticeable or might have no effect at all.

AFTER COMPLETING THIS TASK

Deactivate the random function by opening the **Random Target** pop-up menu and selecting **Off**.

Setting up Ranges

You can filter out pitches or velocities that do not match a specified range, or you can force them to fit a specified range.

PROCEDURE

1. Select a MIDI or instrument track.
2. In the **Inspector**, open the **MIDI Modifiers** section.
3. Open one of the **Range** sections, and in the **Range Target** pop-up menu and select a mode.
4. Set the minimum and maximum values with the two fields to the right.

NOTE

You can make independent settings for the two **Range** sections.

AFTER COMPLETING THIS TASK

To deactivate the function, open the **Range Target** pop-up menu, and select **Off**.

Range Modes

The **Range Target** pop-up menu offers different range modes to choose from. Values are displayed as numbers, from 0 to 127, for the velocity modes, and as note numbers, from C-2 to G8, for the pitch modes.

Vel. Limit

Allows you to force all velocity values to fit within the range that you specified by setting **min** and **max** values. Values below the lower limit are set to the **min** value, velocity values above the higher setting are set to the **max** value.

Vel. Filter

Allows you to filter out notes with velocity values below the **min** value or above the **max** value.

Note Limit

Allows you to transpose all notes below the **min** value upwards and all notes above the **max** value downwards in octave steps.

Note Filter

Allows you to filter out notes that are lower than the **min** value or higher than the **max** value.

Applying Heremode Tuning

Hermode tuning changes the tuning of the notes that you play. It creates clear frequencies for every fifth and third interval, for example. Retuning only affects individual notes and maintains the pitch relationship between keys and notes. Retuning is a continuous process and takes the musical context into account.

PROCEDURE

1. Select a MIDI or instrument track.
2. In the **Inspector**, open the **MIDI Modifiers** section.
3. Open the **Hermode Tuning** section and activate **Apply Tuning**.
4. Activate **Use for Analysis** to use the notes you play to calculate retuning.

NOTE

If you use tracks with acoustic piano, activate **Use for Analysis**, and deactivate **Apply Tuning**. This excludes the piano from being tuned, as this would sound unnatural.

5. Select **Project > Project Setup** to open the **Project Setup** dialog.
6. Open the **HMT Type** pop-up menu, and select one of the options.
7. Play some notes.

It may take a moment until all notes are recalculated and you can listen to the results of the retuning.

NOTE

Notes that are produced by MIDI plug-ins are not taken into account.

RESULT

If you use a VST 3 instrument that supports Micro Tuning and Note Expression, notes are retuned dynamically while you play them. With VST instruments that support Note Expression, this also works in **MIDI Thru** mode.

If you use a track with a loaded VST 2 instrument, the notes you play are retuned on every keystroke.


RELATED LINKS

[Hermode Tuning](#) on page 1052

Hermode Tuning

You can select different Hermode tuning types.

- To select a Hermode tuning type, select **Project > Project Setup**, and select an option from the **HMT Type** pop-up menu.



The following options are available:

None

No tuning is applied.

Reference (pure 3/5)

Tunes pure thirds and fifths.

Classic (pure 3/5 equalized)

Tunes pure thirds and fifths. In conflict situations, a slight equalization is applied. This tuning type is suitable for all kinds of music.

Pop Jazz (3/5/7)

Tunes pure thirds and fifths, as well as natural sevenths. This tuning type should not be applied to polyphonic music. Try this with pop or jazz.

Baroque (3/5 adaptive)

Tunes pure thirds and fifths. The degree of purity changes according to the sequence of harmonies. This tuning type is suitable for church organ and polyphonic music.

Freezing MIDI Modifiers

You can apply all filter settings permanently to the selected track. The settings are applied to the events on the track, and all modifiers are set to zero.

PROCEDURE

- Select the MIDI track.
 - Select **MIDI > Freeze MIDI Modifiers**.
-

RESULT

The following settings are frozen:

- Several settings in the top section of the **Inspector**, such as **Track Delay**.
- The settings in the **Routing** section, such as **Program Selector**, and **Bank Selector**.
- The settings in the **MIDI Modifiers** section, such as **Transpose**, **Vel. Shift**, **Vel. Comp.**, and **Len. Comp..**
- The settings in the **MIDI Inserts** section, such as arpeggiators.
- The info line settings **Transpose** and **Velocity**.

RELATED LINKS

[Basics Section for MIDI Tracks](#) on page 167

MIDI Effects

MIDI effects allow you to transform the MIDI data played back from a track in real time.

You can add new events by using MIDI effects, or you can change MIDI event properties like pitches, for example.

NOTE

For a description of the MIDI effect plug-ins included with Cubase, refer to the separate document **Plug-in Reference**.

MIDI Inserts

MIDI insert effects are inserted in the signal chain of MIDI channels. If you add an insert effect to a MIDI track, the MIDI events on the track are sent to the effect and processed by it. The entire signal passes through the effect.

- To open the **MIDI Inserts** section, select a MIDI track, and, in the **Inspector**, click **MIDI Inserts**.



You can add up to four MIDI insert effects. The following parameters are available:

MIDI Inserts Bypass on/off

Allows you to bypass all insert effects for the track.

Divider

Allows you to record the output of the MIDI insert effect on a MIDI or instrument track. Insert effects above the divider are recorded. Insert effects below the divider are played back.

Activate Insert

Allows you to activate/deactivate the selected effect.

Open/Close Insert Effect Editor

Allows you to open/close the control panel for the selected effect. Depending on the effect, this may appear in a separate window or below the insert slot in the **Inspector**.

Select Effect Type

Allows you to select and activate an effect and to open its control panel. To remove an effect, select **No Effect**.

Applying a MIDI Insert Effect

You can apply MIDI insert effects to a MIDI track.

PROCEDURE

1. Select the MIDI track.
 2. In the **Inspector**, open the **MIDI Inserts** section.
 3. Click **Select Effect Type** to open the MIDI effect pop-up menu.
 4. Select a MIDI effect from the pop-up menu.
-

RESULT

The effect is automatically activated, and its control panel is opened, allowing you to make settings for the effect. All MIDI from the track is routed through the effect.

NOTE

For a description of the MIDI effects included with Cubase, refer to the separate document **Plug-in Reference**.


Recording a MIDI Insert Effect

You can record the output of a MIDI insert effect, that is, the events are created on a MIDI or instrument track.

PROCEDURE

1. In the global track controls area of the track list, click **Add Track** .
 2. Click **Instrument**.
 3. Open the **Instrument** pop-up menu, and select a VST instrument.
 4. Click **Add Track**.
- The instrument track is added to the track list, and the control panel of the selected VST instrument is opened.
5. On the instrument track, activate **Record Enable**.
 6. In the **Inspector**, open the **MIDI Inserts** section.
 7. Click the first insert effect slot, and select a MIDI insert effect.
 8. Drag the divider down so that the insert effect is above the divider.

Insert effects above the divider are recorded on the track.



9. On the **Transport** panel, activate **Record**, and use your MIDI keyboard or the **On-Screen Keyboard** to play some notes.
-

RESULT

The notes that you play are modified by the MIDI insert effect and recorded on the track.

AFTER COMPLETING THIS TASK

You can edit the recorded MIDI events in the **Key Editor**, for example.


RELATED LINKS

[MIDI Inserts](#) on page 1053

MIDI Sends

If you use a send effect, the MIDI events are sent both to the output of the MIDI track and to the send effect. As a result, you obtain both the unprocessed MIDI events and the output of the MIDI effect. Note that the effect can send its processed MIDI data to any MIDI output, not necessarily to the one used by the track.

- To open the **MIDI Sends** section, select a MIDI track, and, in the **Inspector**, click **MIDI Sends**.



You can add up to four MIDI send effects.

MIDI Sends Bypass on/off

Allows you to bypass all send effects for the track.

Activate Send

Allows you to activate/deactivate the selected effect.

Open/Close Send Effect Editor

Allows you to open/close the control panel for the selected effect. Depending on the effect, this may appear in a separate window or below the sends slot in the **Inspector**.

Pre/Post MIDI Modifiers and Inserts

Activate this to send the MIDI signals to the send effects before the MIDI modifiers and insert effects.

Select Effect Type

Allows you to select and activate an effect and to open its control panel. To remove an effect, select **No Effect**.

MIDI Send Group and Channel

Allows you to determine on which MIDI group and channel the processed MIDI events are sent.

MIDI Send Destination

Allows you to determine to which MIDI output the processed MIDI events are sent.

Presets

Some MIDI effects include a number of presets for instant use.

Presets are available in the **Preset** pop-up menu. If you change a loaded preset, the preset name is shown with an asterisk to indicate that the preset contains unsaved changes. To save your changes, open the **Preset** pop-up menu, and select **Save Changes as Preset**.

Transpose and Velocity on the Info Line

You can edit the transposition and the velocity for selected MIDI events and parts on the **Project** window info line. This only affects the notes in playback.

- Use the **Transpose** field to transpose the selected parts in semitone steps.
The value is added to the transposition set for the entire track.
- Use the **Velocity** field to offset the velocity for the selected parts.
The value is added to the velocities of the notes in the parts.

RELATED LINKS

[Transpose Functions](#) on page 403

[Key Editor Info Line](#) on page 1147

[Drum Editor Info Line](#) on page 1178

Using MIDI Devices

The **MIDI Device Manager** allows you to work with MIDI devices, that is, representations of external MIDI hardware.

You can install preset MIDI devices or define new ones. This is useful for global control and patch selection.

You can create MIDI device panels and create device maps that allow you to control and automate every parameter of an external device or a VST instrument from inside Cubase.

RELATED LINKS

[Device Panels](#) on page 1064

Program Change Messages and Bank Select Messages

To select a patch, that is, a sound in your MIDI device, you must send a program change message to that device.

Program Change Messages

You can record program change messages or enter them in a MIDI part. You can open the **Routing** section of the **Inspector** for the MIDI track and select a value in the **Program Selector** field.


Program change messages allow you to choose from 128 different patches in your MIDI device.

Bank Select Messages

Many MIDI instruments, however, contain a larger number of patch locations. To make these available from within Cubase, you must send bank select messages.

Bank select messages allow you to choose from 128 different programs in your MIDI device.

If your device supports MIDI bank select, you can open the **Routing** section of the **Inspector** for the MIDI track and choose a value in the **Bank Selector** field to select a bank. Then use the **Program Selector** field to select a program in this bank.



Unfortunately, different instrument manufacturers use different schemes for how bank select messages are constructed. This can lead to confusion and make it hard to select the correct sound. What is more, selecting patches by numbers seems unnecessarily cumbersome, in view of the fact that most state-of-the-art instruments use names for their patches.

The **MIDI Device Manager** allows you to specify which MIDI devices you are using, and to select to which device each MIDI track is routed. This enables you to select patches by name via the track list or the **Routing** section of the **Inspector**.

RELATED LINKS

[MIDI Device Manager](#) on page 1058

Patch Banks

The **Patch Banks** list can have two or more main banks, depending on the selected device.

The reason for this is that different types of patches are handled differently by the instruments. In general, patches are regular programs that you play one at a time. Performances, however, may be combinations of programs, which can be split across the keyboard, layered, or used for multitimbral playback, etc.

If you use a device with several banks, you can select **Bank Assignment** to specify which bank a specific MIDI channel should use.



The **Bank Assignment** affects which bank is displayed when you select programs by name for the device in the track list or **Inspector**.

Many instruments use MIDI channel 10 as the exclusive drum channel, for example. If this is the case, select the **Drums** or the **Rhythm Set** or the **Percussion** bank for channel 10 from the list. This allows you to choose from different drum kits in the track list or in the **Inspector**.


Limitations

There is no easy way to import a patch name script into an existing MIDI device. For a complex workaround based on XML editing, see the separate document **MIDI Devices**.

MIDI Device Manager

The **MIDI Device Manager** allows you to install preset MIDI devices or to define new ones.

- To open the **MIDI Device Manager**, select **Studio > More Options > MIDI Device Manager**.



Installed Devices list

Lists the connected MIDI devices and the imported device setups.

Install Device

Allows you to install a preset device. These presets are simple patch name scripts that do not include any device mapping of parameters and controls and no graphic panels.

For more information about patch name scripts, see the separate document **MIDI Devices**.

Remove Device

Removes the selected device.

Export Setup

Exports the MIDI device setup as an XML file.

Import Setup

Allows you to import an XML file from a MIDI device setup. Device setups can include device mapping, panels, and/or patch information.

Open Device

Opens the selected device.

Output

Allows you to select a MIDI output for the selected device.

RELATED LINKS

[Device Panels](#) on page 1064

Commands for Patches

In the **MIDI Device Manager**, patches can be structured in banks, folders, and presets.


NOTE

Activate **Enable Edit** to use the commands pop-up menu for the selected device.

The commands pop-up menu contains the following items:

Create Bank


Creates a new bank in the **Patch Banks** list. You can rename this by clicking on it and typing a new name.



If you specify more than one bank, a **Bank Assignment** option is added to the pop-up menu at the top of the window. Use this to assign banks to the different MIDI channels.

New Folder

Creates a new subfolder in the selected bank or folder. This can correspond to a group of patches in the MIDI device, or just be a way for you to categorize sounds.



New Preset

Adds a new preset in the selected bank or folder. If you select it, the corresponding MIDI events are shown to the right. The default program change value for a new preset is 0, but you can adjust the number in the **Value** column.

| New Preset ▾ | | <input checked="" type="checkbox"/> Enable Edit | | Undo | | | | |
|--------------|--|---|--|------|-------------------|-------|-------------|--------------------|
| | | | | | MIDI Message Name | Value | Valid Range | MIDI Message Bytes |
| | | | | | Program Change | 0 | 0 - 127 | C0 0 |
| | | | | | | | | |

A screenshot of the Cubase Pro interface showing the 'Patch Banks' list and a detailed view of a selected preset. On the left, the 'Patch Banks' list shows 'GM Voices', 'New Bank', 'New Folder', and 'Preset'. The 'Preset' entry is highlighted with a blue selection bar. On the right, a table provides details for the selected 'Program Change' preset: Value 0, Valid Range 0 - 127, and MIDI Message Bytes C0 0. An 'Undo' button is also visible.

You can move presets among banks and folders via drag and drop.

Add Multiple Presets

Allows you to set up a range of presets and to add them to the selected bank or folder.

NOTE

You can remove banks, folders, and presets by selecting them and pressing **Backspace**.

IMPORTANT

For details on which MIDI events are used for selecting patches in the MIDI device, consult its documentation.

RELATED LINKS

[Add Preset Functions](#) on page 1061
[Patch Banks](#) on page 1058

Add Preset Functions

If you add or select a preset for the selected bank or folder, further functions become available to the right. If you add multiple presets, the **Add Multiple Presets** dialog opens with additional functions.

The following columns are available:

MIDI Message Name

The name of the MIDI message.

- To change an event, click it, and select another option from the pop-up menu.
- To add another event, click below the last event, and select an option from the pop-up menu.
- To remove an event, select it, and press **Delete** or **Backspace**.

IMPORTANT

If you insert a **Bank Select** event, keep in mind that, depending on your device, you must choose **CC: BankSelect MSB**, **Bank Select 14 Bit**, **Bank Select 14 Bit MSB-LSB Swapped** or some other option.

Value

The value of the event.

MIDI Message Bytes

The message bytes of the event.

Valid Range

The valid range of the event.

Default Name

You can specify a default name for multiple presets. The added events assume this name, followed by a number.


Installing Preset MIDI Devices

You can install preset MIDI devices, that is, patch name scripts that do not include device mapping.

PROCEDURE


1. Select **Studio > More Options > MIDI Device Manager**.
2. Click **Install Device**.
3. In the **Add MIDI Device** dialog, do one of the following:
 - Select the script of the device from the list.

- Select **GM Device** or **XG Device** if your device is not listed but compatible with these standards, and type in the name of your instrument in the next dialog.
4. Click **OK**.
5. Select the device from the **Installed Devices** list, and open the **Output** pop-up menu.
6. Select the MIDI output that the device is connected to.
7. Click **Open Device**.
- A window opens, showing a node structure for the selected device. For more information, see the separate PDF document **MIDI Devices**.
8. Open the pop-up menu at the top of the window, and select **Patch Banks**.



RESULT

The structure of the patch name script is shown. It usually has one or several layers of banks or groups with patches.



Selecting Patches for Installed Devices

If you install a device and you select it from the **Output Routing** pop-up menu for the MIDI track, you can select patches by name.


PROCEDURE

1. Select the MIDI track that you want to associate to the installed device.
2. In the **Routing** section of the **Inspector**, select the installed device.

This routes the MIDI track to the MIDI output, as specified for the device in the **MIDI Device Manager**. The **Bank Selector** and the **Program Selector** fields are replaced by a single **Program Selector** field that reads **Off**.

3. Open the **Program Selector**.

A program list, similar to the one in the **MIDI Device Manager**, is shown.



4. Select an entry from the list.
-

RESULT

The corresponding MIDI message is sent to the device.

Renaming Patches in Devices

If you have replaced some of the factory presets with your own patches, you can modify the device so that the patch name list matches the actual device.

PROCEDURE

1. Select **Studio > More Options > MIDI Device Manager**.
 2. Select the device from the **Installed Devices** list.
 3. Click **Open Device**.
 4. In the pop-up menu at the top of the window, select **Patch Banks**.
 5. Activate **Enable Edit**.
 6. In the **Patch Banks** list, locate the patch you want to rename, and click the name.
 7. Type in the new name, and press **Return**.
-

RESULT

The patch is renamed.

AFTER COMPLETING THIS TASK

To avoid modifying the device by accident, deactivate **Enable Edit**.

Defining New MIDI Devices

You can define new MIDI devices.

PROCEDURE

1. Select **Studio > More Options > MIDI Device Manager**.
 2. Click **Install Device**.
 3. In the **Add MIDI Device** dialog, select **Define New**.
 4. Click **OK**.
 5. In the **Create New MIDI Device** dialog, enter the name of the device.
 6. In the **Identical Channels** section, activate the MIDI channels you would like to use.
For a description of **Identical Channels** and **Individual Channels**, see the separate document **MIDI Devices**.
 7. Click **OK**.
 8. Select the device from the **Installed Devices** list.
 9. In the pop-up menu at the top of the window, select **Patch Banks**.
 10. Activate **Enable Edit**, and use the commands pop-up menu to organize the patch structure of the new device.
-

Device Panels

The **MIDI Device Manager** allows you to build device maps complete with control panels, including all parameters controllable from within Cubase.

You can create simple device panels by assigning MIDI Control Change messages to control objects.

If you want to build more complex device maps, make yourself familiar with SysEx programming (see the separate document **MIDI Devices**).

Device panels are saved in XML format. For more information, see the separate document **MIDI Devices**.

Importing Device Setups

PROCEDURE

1. Select **Studio > More Options > MIDI Device Manager**.
 2. Click **Import Setup**.
 3. In the file dialog, select a setup file.
Setup files are saved in XML format. For more information, see the separate document **MIDI Devices**.
 4. Click **Open**.
 5. In the **Import MIDI Devices** dialog, select one or several devices for import, and click **OK**.
-

RESULT

The device is added to the **Installed Devices** list in the **MIDI Device Manager**.

Opening Device Panels

PROCEDURE

1. Select **Studio > More Options > MIDI Device Manager**.
 2. From the **Installed Devices** list, select the device.
 3. From the **Output** pop-up menu, select the correct MIDI output.
 4. Click **Open Device**.
-

RESULT

The device panel opens in a separate window.

To edit the panel, click the **Edit** button. For more information, see the separate document **MIDI Devices**.

Showing Device Panels in the Inspector

PROCEDURE

1. In the **Project** window, select a MIDI track.
2. In the **Inspector**, open the **Routing** section.
3. From the **Output Routing** pop-up menu, select the device.

4. Optional: Set the **Output Group and Channel** to **Any**.
This is required for some devices.
5. In the **Inspector**, open the **Device Panel** section, and click the arrow to the right.
A **Panels** folder is shown, with the selected device in a node structure below it.

NOTE

If you cannot see any panels in the **Panels** folder, although you have successfully set up a MIDI device with several panels, make sure that you selected the correct channel from the **Output Group and Channel** pop-up menu, preferably **Any** to see all device panels. In addition this, make sure that the panels fit into the space. Otherwise they are not available in the **Panels** folder.

6. Select a panel from the list.
The panel opens in the **Inspector**.

RESULT

Now you can open the device panel by clicking **Open Device Panels** in the **Inspector** or in the channel for the corresponding track in the **MixConsole**.

NOTE

Ctrl/Cmd-clicking the **Open Device Panels** button allows you to open a subpanel via the panel browser pop-up menu.

Showing Device Panels in the MixConsole

PROCEDURE

1. Select **Studio > MixConsole**.
2. Click **Set up Window Layout**, and activate **Device Panel**.
3. Click the arrow button to the right of the **Panel** header.
A **Panels** folder is shown, with the selected device in the node structure below it.
4. Select a panel from the list.

RESULT


The panel is shown in the **MixConsole**.

Automating Device Parameters

You can automate device panels in the same manner as regular audio and MIDI tracks.

PROCEDURE

1. In the **Inspector**, click **Open Device Panels** to open the device panel.
2. On the device panel, activate **Write Automation**.



3. Move the knobs and the sliders on the device panel.
-

RESULT

In the **Project** window, a **MIDI Device Automation** track is added to the track list.

NOTE

If the track is hidden, select **Project > Track Folding**, and select **Show All Used Automation**.

If you open the name field, all automation parameters in the device are shown and can be selected.

NOTE

If you wrote automation, but your MIDI device is not yet connected, the panel does not display any parameter changes when playing back the track with the **Read** button activated.

MIDI Functions

MIDI functions allow you to permanently edit MIDI events or MIDI parts in the **Project** window or from within a MIDI editor.

Which events are affected when you use a MIDI function depends on the function, the active window, and the current selection:

- In the **Project** window, the MIDI functions apply to all selected parts, affecting all events of the relevant types in them.
- In the MIDI editors, MIDI functions apply to all selected events. If no events are selected, all events in the edited parts are affected.

NOTE

Some MIDI functions only apply to MIDI events of a certain type. For example, **Delete Controllers** only applies to MIDI controller events.


RELATED LINKS

[MIDI Realtime Parameters and MIDI Effects](#) on page 1045

Transpose Setup Dialog

The **Transpose Setup** dialog contains settings for transposing the selected events.

- To open the **Transpose Setup** dialog, select the MIDI notes that you want to transpose, and select **MIDI > Transpose Setup**.



The following settings are available:

Transpose by Semitones

Sets the amount of transposition.

Scale Correction

Transposes the selected notes to the closest note of a specific scale type. This allows you to change the key and the tonality.

- Select a root note and a scale type for the current scale in the **Current Scale** pop-up menus.
- Select a root note and a scale type for the new scale in the **New Scale** pop-up menus.

NOTE

If the new root note differs from the current root note, this leads to an entirely different key.

Keep Notes in Range

Limits the transposition of notes to the note values that you specify with the **Highest Note** and **Lowest Note** settings.

NOTE

Notes that would be outside the range after transposition are shifted to another octave, keeping the correct transposed pitch, if possible. If the range between the upper and lower limit is very narrow, the note is transposed as far as possible, that is, to notes specified with the **Highest Note** and **Lowest Note** values. If you set **Highest Note** and **Lowest Note** to the same value, all notes are transposed to this pitch.

NOTE

You can also use the transpose track for transposing.

RELATED LINKS

[Transpose Functions](#) on page 403

[Musical Scale Setup Dialog](#) on page 1259

Merging MIDI Events into a New Part

You can merge all MIDI events, apply MIDI modifiers and effects, and generate a new part.

PROCEDURE

1. Do one of the following:
 - Mute the tracks or parts that you do not want to include in the merge.
 - Solo the track that contains the events that you want to include in the merge.
2. Set up the left and right locators to encompass the area that you want to merge.

NOTE

Only events starting within this area are included.

3. Optional: Select a track for the new part.
If you do not select a track, a new MIDI track is created. If several MIDI tracks are selected, the new part is inserted on the first selected track.
 4. Select **MIDI > Merge MIDI in Loop**.
 5. In the **MIDI Merge Options** dialog, make your changes.
 6. Click **OK**.
-

RESULT


A new part is created between the locators on the destination track, containing the processed MIDI events.

RELATED LINKS

[MIDI Merge Options Dialog](#) on page 1069
[Freezing MIDI Modifiers](#) on page 1052

MIDI Merge Options Dialog

- To open the **MIDI Merge Options** dialog, select a MIDI part, and select **MIDI > Merge MIDI in Loop**.



The following options are available:

Include Inserts

Applies MIDI insert effects and MIDI modifiers.

Include Sends

Applies MIDI send effects.

Erase Destination

Deletes MIDI data between the left and right locators on the destination track.

Include Chase

Includes events placed outside the selected part, but relating to it in the processing, for example, to a program change right before the left locator.

Convert VST 3

Converts all VST 3 data within the selected area to MIDI data.

RELATED LINKS

[Chase](#) on page 318

Applying Effects to a Single Part

You can apply MIDI modifiers and effects to a single part.

PROCEDURE

- Set up your MIDI modifiers and MIDI effects for the part.
- Set the locators to encompass the part.
- From the track list, select the track with the part.
- Select **MIDI > Merge MIDI in Loop**.
- In the **MIDI Merge Options** dialog, activate **Erase Destination**.

6. Click **OK**.

RESULT

A new part is created on the same track, containing the processed events. The original part is deleted.


AFTER COMPLETING THIS TASK

Turn off or reset all MIDI modifiers and effects, so that the track plays back as before.

Dissolve Part Dialog

You can separate MIDI events in a part according to channels or pitches and dissolve the part to different tracks or lanes.

- To open the **Dissolve Part** dialog, select the MIDI part you want to dissolve, and select **MIDI > Dissolve Part**.



The following settings are available:

Separate Channels

Separates MIDI events according to their channel. This is useful for MIDI parts on MIDI channel **Any** that contain events on different MIDI channels.

Separate Pitches

Separates MIDI events according to their pitch. This is useful for drum and percussion tracks, where different pitches usually correspond to separate drum sounds.

Dissolve to Lanes

Dissolves the part to lanes.

Optimized Display

Automatically removes silent areas of the resulting parts.

NOTE

This option is not available when **Dissolve to Lanes** is activated.

Dissolving Parts into Separate Channels

You can dissolve MIDI parts that contain events on different MIDI channels, and you can distribute the events into new parts on new tracks, one for each MIDI channel found.

PROCEDURE

- Select the parts that contain MIDI events on different channels.
- Select **MIDI > Dissolve Part**.

3. Activate **Separate Channels**.
 4. Click **Process**.
-

RESULT

For each MIDI channel used in the selected parts, a new MIDI track is created and set to the corresponding MIDI channel. Each event is copied into the part on the track with the corresponding MIDI channel, and the original parts are muted.

MIDI Channel Setting

Setting a track to MIDI channel **Any** causes each MIDI event to play back on its original MIDI channel, rather than on a channel set for the whole track.

There are two situations when **Any** channel tracks are useful:

- You record several MIDI channels at the same time.
You may, for example, have a MIDI keyboard with several keyboard zones, where each zone sends MIDI on a separate channel. Setting the channel to **Any** allows you to play back the recording with different sounds for each zone (since the different MIDI notes play back on separate MIDI channels).
- You have imported a MIDI file of Type 0.
MIDI files of Type 0 contain only one track, with notes on up to 16 different MIDI channels. If you were to set this track to a specific MIDI channel, all notes in the MIDI file would be played back with the same sound. Setting the track to **Any** causes the imported file to play back as intended.

Dissolving Parts into Separate Pitches

You can dissolve MIDI parts that contain events of different pitches and distribute the events into new parts on new tracks, one for each MIDI pitch found. This is useful if different pitches are used for separating different sounds, such as MIDI drum tracks or sampler sound effect channel tracks. By dissolving such parts, you can work with each sound individually, on a separate track.

PROCEDURE

1. Select the parts that contain MIDI events of different pitches.
 2. Select **MIDI > Dissolve Part**.
 3. Activate **Separate Pitches**.
 4. Click **Process**.
-

RESULT

For each MIDI pitch used in the selected parts, a new MIDI track is created. Each event is copied into the part on the track for the corresponding pitch, and the original parts are muted.

Dissolve to Lanes Option

You can dissolve MIDI parts that contain events on different MIDI channels of different pitches and distribute the events into new parts on new lanes of the original track.

Dissolving to lanes has the following advantages:

- You get an overview of what MIDI material belongs together.
- It allows you to split a part into different drum sounds and to edit these individually.

- It allows you to split instrument parts but still route them to the same VST instrument instance.

NOTE

To reassemble all events into one part, use **Bounce MIDI**.

RELATED LINKS

[Bouncing MIDI Parts](#) on page 1072

Bouncing MIDI Parts

You can combine MIDI parts on different lanes to one MIDI part. This is useful if you want to reassemble a drum part that you dissolved to lanes, for example.

PROCEDURE

1. Select the MIDI parts on the different lanes that you want to combine.
 2. Select **MIDI > Bounce MIDI**.
-

RESULT

The selected MIDI parts are combined to one part. Any muted parts are removed. Transpose and velocity values that are set for the parts are taken into account.

Repeating MIDI Events of Independent Track Loops

You can repeat the MIDI events inside an independent track loop to fill up a MIDI part. This is useful if you want to convert the events of an independent track loop to actual MIDI events.

PREREQUISITE

You have set up an independent track loop, and the **Key Editor** is open. The part ends after the end of the independent track loop.

PROCEDURE

- Select **MIDI > Repeat Loop**.
-

RESULT

The events of the independent track loop are repeated, up to the end of the part. Events that are located to the right of the independent track loop are replaced.

RELATED LINKS

[Setting up the Independent Track Loop](#) on page 686

Extending MIDI Notes

You can extend MIDI notes so that they reach the next notes.

PREREQUISITE

A MIDI part with some note events is open in the **Key Editor**.

PROCEDURE

1. Select the note events that you want to extend to the next notes.
 2. Select **MIDI > Functions > Legato**.
-

RESULT

The selected note events are extended to the start of the next notes.

NOTE

To specify a gap or overlap for this, adjust the **Legato Overlap** setting in the **Preferences** dialog (**Editing—MIDI** page).

RELATED LINKS

[Key Editor Inspector](#) on page 1148

Fixing MIDI Note Lengths

You can set the length of selected MIDI notes to the **Length Quantize** value.

PREREQUISITE

A MIDI part with some note events is open in the **Key Editor**.

PROCEDURE

1. On the **Key Editor** toolbar, open the **Length Quantize** pop-up menu, and select the desired note length.
 2. Select the note events that you want to fix.
 3. Select **MIDI > Functions > Fixed Lengths**.
-

RESULT

The selected note events are set to the specified **Length Quantize** value.

RELATED LINKS

[Key Editor Toolbar](#) on page 1139

Fixing MIDI Note Velocities

You can set the velocity of selected MIDI notes to the **Note Insert Velocity** value.

PREREQUISITE

A MIDI part with some note events is open in the **Key Editor**.

PROCEDURE

1. On the **Key Editor** toolbar, open the **Set up Insert Velocities** pop-up menu, and select a velocity value.
 2. Select the note events that you want to fix.
 3. Select **MIDI > Functions > Fixed Velocity**.
-

RESULT


The selected note events are set to the specified **Note Insert Velocity** value.

RELATED LINKS

[Key Editor Toolbar](#) on page 1139

MIDI Insert Velocities Dialog

- To access the **MIDI Insert Velocities** dialog, open the **Set up Insert Velocities** pop-up menu in the **Key Editor** toolbar, and select **Setup**.

**Level fields**

Allow you to set the velocity values that are shown in the **Set up Insert Velocities** pop-up menu.

Presets

Allows you to save velocity values as presets.

RELATED LINKS

[Key Editor Toolbar](#) on page 1139

[Fixing MIDI Note Velocities](#) on page 1073

[Velocity Dialog](#) on page 1075

Rendering Sustain Pedal Data to Note Lengths

You can render sustain pedal data to note lengths. This is useful if you recorded MIDI data with a MIDI keyboard and a sustain pedal and you want to extend the actual MIDI notes for as long as you hold the pedal, in order to edit the notes later.

PREREQUISITE

You recorded MIDI using a MIDI keyboard and a sustain pedal. The MIDI part is open in the **Key Editor**.

PROCEDURE

- Select the note events.
- Select **MIDI > Functions > Pedals to Note Length**.

RESULT

The selected notes are lengthened to match the off position of the sustain pedal, and the sustain controller on/off events are removed.

Deleting Overlaps

You can delete overlaps of notes that have the same or different pitches. This is useful if your MIDI instruments cannot handle overlapping events.

PROCEDURE

1. Select the note events.
 2. Do one of the following:
 - Select **MIDI > Functions > Delete Overlaps (mono)**.
 - Select **MIDI > Functions > Delete Overlaps (poly)**.
-

RESULT

The overlapping MIDI notes are shortened, so that no note begins before another ends.

Editing Velocity

You can manipulate the velocity of notes.

PROCEDURE

1. Select the note events.
 2. Select **MIDI > Functions > Velocity**.
 3. Open the **Type** pop-up menu, and select an option.
 4. Depending on the **Type**, enter a **Ratio**, an **Amount**, or an **Upper** and **Lower** value.
 5. Click **OK**.
-

RESULT


The note velocities are changed according to your settings.

RELATED LINKS

[Velocity Dialog](#) on page 1075

Velocity Dialog

- To open the **Velocity** dialog, select a MIDI part, and select **MIDI > Functions > Velocity**.



Add/Subtract

Adds the specified value to the velocity value. You can enter positive or negative values.

Compress/Expand

Compresses or expands the dynamic range of MIDI notes by the specified value. You can enter values from 0 to 300%. A factor higher than 1 (exceeding 100%) expands the differences between velocity values, while using a factor lower than 1 (below 100%) compresses them.

- To compress the dynamic range, use ratio values below 100%.
After processing the compression, you can add a velocity amount to maintain the average velocity level.
- To expand the dynamic range, use ratio values above 100%.
Prior to the expansion, you can adjust the velocity to the middle of the range.

Limit

Limits the velocity values so that they stay between the **Low** and the **High** values.

Fixed To

Fixes the velocity value to the specified value.

Variance

Sets the velocities to a value between the current velocity value and a lower value. You can specify the percentage of variance.

RELATED LINKS

[Key Editor Toolbar](#) on page 1139

[MIDI Insert Velocities Dialog](#) on page 1074

[Fixing MIDI Note Velocities](#) on page 1073

Deleting Double Notes

You can delete double notes from selected MIDI parts, provided that they are of the same pitch and on the exactly the same position as their counterpart. Double notes can occur when recording in cycle mode after quantizing, for example.

PROCEDURE

- Select the MIDI part that contains the double notes.

2. Select **MIDI > Functions > Delete Doubles.**

RESULT

The double notes are automatically deleted.

Deleting Controller Data

You can delete controller data from selected MIDI parts.

PROCEDURE

- 1. Select the MIDI parts that contain the controller data.**
 - 2. Select **MIDI > Functions > Delete Controllers.****
-

RESULT

The controller data is automatically deleted.

Deleting Continuous Controller Data

You can delete continuous controller data from selected MIDI parts.

PROCEDURE

- 1. Select the MIDI parts that contain the controller data.**
 - 2. Select **MIDI > Functions > Delete Continuous Controllers.****
-

RESULT

The continuous controller data is automatically deleted. However, On/Off events, such as sustain pedal events, are kept.

Restricting Polyphonic Voices

You can restrict polyphonic voices in selected MIDI notes or parts. This is useful if you have an instrument with limited polyphony and want to make sure that all notes are played.

PROCEDURE

- 1. Select the MIDI notes or parts that contain the voices.**
 - 2. Select **MIDI > Functions > Restrict Polyphony.****
 - 3. Specify how many voices you want to use.**
 - 4. Click OK.**
-

RESULT

The notes are trimmed as required, so that they end before the next note starts.

Thinning Out Controller Data

You can thin out controller data in selected MIDI parts. Use this to ease the load on your external MIDI devices, in case you have recorded very dense controller curves.

PROCEDURE

1. Select the MIDI parts that contain the controllers that you want to thin out.
 2. Select **MIDI > Functions > Thin Out Data**.
-

RESULT

The controller data is thinned out.

NOTE

This also thins out MIDI controller and VST 3 events that are included in Note Expression data.

Extracting MIDI Automation

You can convert continuous controllers of your recorded MIDI parts into MIDI track automation data, so that you can edit them in the **Project** window.

PROCEDURE

1. Select the MIDI part that contains the continuous controller data.
2. Select **MIDI > Functions > Extract MIDI Automation**.
3. Right-click the MIDI or instrument track in the **Project** window, and select **Show Used Automation (Selected Tracks)**.

This shows the MIDI controller data on the automation track.

RESULT

In the **Project** window, an automation track is created for each of the continuous controllers in the MIDI part.

In the MIDI editors, the controller data is removed from the controller lane.

NOTE

This only works for continuous controllers. Data such as aftertouch, pitchbend, or SysEx cannot be converted to MIDI track automation data.

MIDI controller automation is also affected by the **Automation Merge Mode**.

RELATED LINKS

[MIDI Controller Automation](#) on page 1131

[Creating a Tempo Track from MIDI Events](#) on page 1079

Reversing the Playback Order of MIDI Events

You can invert the order of selected events or of all events in selected parts rhythmically. This causes the MIDI to play backwards. However, this is different from reversing an audio recording. The individual MIDI notes still play as usual, but the playback order changes.

PROCEDURE

1. Select the MIDI events or the MIDI part.
 2. Select **MIDI > Functions > Reverse**.
-

RESULT

The playback order of the events is reversed, while the individual notes still play as usual in the MIDI instrument. Technically, this function reverses the note-on message of a note within a part or selection.

Inverting the Order of Selected MIDI Events

This function inverts the order of the selected events or of all events in the selected parts, graphically. Technically, this function turns a note-on message into a note-off message and vice versa, which can lead to rhythmic inaccuracies, if the note-off position of a note has not been quantized.

PROCEDURE

1. Select the MIDI events or the MIDI part.
 2. Select **MIDI > Functions > Mirror**.
-

RESULT

The order of the events is inverted, while the MIDI instrument still plays the individual notes as usual. Technically, this function turns a note-on message into a note-off message and vice versa, which can lead to rhythmic inaccuracies, if the note-off position of a note has not been quantized.

Creating a Tempo Track from MIDI Events

You can create a complete tempo track based on recorded MIDI events.

PREREQUISITE

You recorded some MIDI notes with your MIDI keyboard to the tempo of freely recorded audio or MIDI material.

PROCEDURE

1. Select the recorded MIDI events or the entire part.
 2. Select **MIDI > Functions > Calculate Tempo from MIDI Events**.
-

RESULT

The tempo of the recorded MIDI events is calculated, and a tempo curve is created in the **Tempo Track Editor**.

RELATED LINKS

[Tempo Track Editor on page 1375](#)

[Calculating Tempo from MIDI Events on page 1387](#)

MIDI Editors

There are several ways to edit MIDI in Cubase. You can use the tools and functions in the **Project** window for large-scale editing or the functions on the **MIDI** menu to process MIDI parts in various ways. To manually edit your MIDI data on a graphical interface, you can use the MIDI editors.

- The **Key Editor** presents notes graphically, in a piano roll-style grid. The **Key Editor** also allows for detailed editing of non-note events, such as MIDI controllers.
- The **Score Editor** displays MIDI notes as a musical score and provides advanced tools and functions for notation, layout, and printing.

NOTE

The **Score Editor** is described in the separate document **Score Editor**.

- The **Drum Editor** is similar to the **Key Editor**, but each key corresponds to a separate drum sound.
You can use the **Drum Editor** to edit drum or percussion parts.
- The **List Editor** shows all events in the selected MIDI parts as a list and allows you to view and edit their properties numerically. It also allows you to edit SysEx messages.
- The **In-Place Editor** allows you to edit MIDI parts directly in the **Project** window, so that you can edit MIDI and other track types in context.

NOTE

The **Key Editor** and the **Drum Editor** also feature the **Global Tracks** section, which shows events on global tracks at the top of the editor event display. In addition to this, the **Visibility** tab allows you to show/hide supported track types, such as MIDI tracks, instrument tracks, sampler tracks, and folder tracks, and to make their parts available in the editor display.

RELATED LINKS

- [Key Editor](#) on page 1138
- [Drum Editor](#) on page 1169
- [List Editor](#) on page 1191
- [In-Place Editor](#) on page 1207
- [Global Tracks](#) on page 1093
- [Visibility Tab](#) on page 1097

Common MIDI Editor Functions

You can use the tools and functions of the MIDI editors to process MIDI parts in various ways.

Changing the Ruler Time Format

You can change the time format for the ruler. By default, the ruler shows the timeline in the time format that is selected on the **Transport** panel.

PROCEDURE

- Do one of the following:
 - Click the arrow button to the right of the ruler, and select an option from the pop-up menu.
 - Right-click the ruler, and select an option from the pop-up menu.


RELATED LINKS

[Ruler Time Format Menu](#) on page 66

Zooming in MIDI Editors

The MIDI editors provide several zooming options:

- The zoom sliders.



- The **Zoom** tool.
- The **Zoom** submenu in the **Edit** menu.

NOTE

To use the **Zoom** tool for horizontal and vertical zooming, deactivate **Zoom Tool Standard Mode: Horizontal Zooming Only** in the **Preferences** dialog (**Editing—Zoom** page).

RELATED LINKS

[Editing - Zoom](#) on page 1528

Using Cut and Paste

You can use the **Cut**, **Copy**, and **Paste** options from the **Edit** menu to move or copy material within a part or between different parts.

- To insert note events at the project cursor position without affecting existing notes, select **Edit > Paste**.
- To insert note events at the project cursor position, move and, if necessary, split the existing note events to make room for the pasted notes. Select **Edit > Range > Paste Time**.

Handling Note Events

Event Colors Menu

You can select different color schemes for the note events in the MIDI editors.

- To open the **Event Colors** pop-up menu, click **Event Colors** on the toolbar.

The following options are available:

Velocity

The note events get different colors depending on their velocity values.

Pitch

The note events get different colors depending on their pitch.

Channel

The note events get different colors depending on their MIDI channel value.

Part

The note events get the same color as their corresponding part in the **Project** window. Use this option if you are working with 2 or more tracks in an editor, to see which note events belong to which track.

Grid Match

The note events get different colors depending on their time position. For example, this mode enables you to see if the notes of a chord start at the exact same beat.

Sound Slot

The note events get different colors depending on the articulation that has been assigned to the note in the **Expression Map Setup** dialog.

Voice

The note events get different colors depending on their voice (soprano, alto, tenor, etc.).

Scale/Chords

The note events get different colors depending on whether they match the current chord, scale, or both.

For all of the options except **Part** and **Sound Slot**, the pop-up menu also contains a **Setup** option. This option opens a dialog in which you can specify the colors that are associated with velocities, pitches, or channels.

RELATED LINKS

[Selecting Note Events](#) on page 1086

[Expression Maps](#) on page 1210


[Color Picker](#) on page 115

[Event Colors Setup Dialog](#) on page 1083

Event Colors Setup Dialog

The event colors setup dialogs allow you to set up colors for event properties such as velocities, pitches, channels, or chords and scales.

- To open the event colors setup dialog for the selected color scheme option, open the **Event Colors** pop-up menu in the **Key Editor**, **Drum Editor**, **List Editor** or **In-Place Editor** toolbar, and select **Setup**.



Pitch Color Setup dialog

The following options are available:

Color fields

Click a field to open the **Color Picker** that allows you to specify a new color.

Description

Shows further information about the usage of the color.

OK

Applies your changes and closes the dialog.

RELATED LINKS


[Event Colors Menu](#) on page 1083

[Color Picker](#) on page 115

Pitch Colors Setup

You can set up Cubase to color events depending on their pitch. The color scheme is defined in the **Pitch Colors** setup dialog.

- To open the event **Pitch Colors** setup dialog, open the **Event Colors** pop-up menu in the **Key Editor** toolbar, activate **Pitch**, and then select **Setup**.



The following options are available:

Color fields

Click a field to open the **Color Picker** that allows you to specify a new color.

Description

Shows further information about the usage of the color.

OK

Applies your changes and closes the dialog.

RELATED LINKS


[Event Colors Menu](#) on page 1083

[Color Picker](#) on page 115

Chord and Scale Colors Setup

You can set up Cubase to color events depending on whether they match the current chord, scale, or both. The color scheme is defined in the **Chord and Scale Colors** setup dialog.

- To open the event **Chord and Scale Colors** setup dialog, open the **Event Colors** pop-up menu in the **Key Editor** toolbar, activate **Scale/Chords**, and then select **Setup**.



The following options are available:

Color fields

Click a field to open the **Color Picker** that allows you to specify a new color.

Description

Shows further information about the usage of the color.

OK

Applies your changes and closes the dialog.

RELATED LINKS

[Event Colors Menu](#) on page 1083

[Color Picker](#) on page 115

Selecting Note Events

The selected MIDI editor determines which of the following methods apply.

Do one of the following:

- Use the **Object Selection** tool to drag a selection rectangle around the note events that you want to select. You can also click individual events.
- Use the **Range Selection** tool to select all note events in a specific time range.
- Select **Edit > Select**, and select one of the options.
- To select the previous or next note event, use the **Left Arrow / Right Arrow** key.
- To select several notes, press **Shift**, and use the **Left Arrow / Right Arrow** key.
- To select all notes of a certain pitch, press **Ctrl/Cmd**, and click on a key in the keyboard display to the left.
- To select all the following note events of the same pitch/staff, press **Shift**, and double-click a note event.

NOTE

If you select the notes in the event display, the note event is displayed in black, and only its outline is shown in color. On the keyboard display, the keys that correspond to the note pitches of the selected notes are also displayed in color.

NOTE

If you want to display notes from different MIDI tracks or MIDI parts in the **Key Editor** or the **Drum Editor** and select the notes of a specific track or part in the event display, you can use the **Visibility** tab.

RELATED LINKS

[Event Colors Menu](#) on page 1083

[Select Submenu for Note Events](#) on page 1087

[Editing](#) on page 1521

[Visibility Tab](#) on page 1097

Select Submenu for Note Events

The **Select** submenu offers you several options to select note events.

- To open the **Select** submenu for a note event, select the note event, and select **Edit > Select**.

All

Selects all note events in the edited part.

None

Deselects all note events.

Invert

Inverts the selection. All selected note events are deselected, and all notes that were not selected are selected instead.

In Loop

Selects all note events that are partially or completely inside the boundaries of the left and right locators (only visible if locators are set).

From Start to Cursor

Selects all note events that begin to the left of the project cursor.

From Cursor to End

Selects all note events that end to the right of the project cursor.

Equal Pitch - all Octaves

Selects all note events of the highlighted part that have the same pitch (in any octave) as the selected note event.

NOTE

This function requires that a single note event is selected.

Equal Pitch - same Octave

Selects all note events of the highlighted part that have the same pitch (same octave) as the selected note event.

NOTE

This function requires that a single note event is selected.

Select Controllers in Note Range

Selects the MIDI controller data within the range of the selected note events.

RELATED LINKS

[Deleting Note Events](#) on page 1088

Muting Note Events

You can mute individual note events in a MIDI editor. Muting individual notes allows you to exclude note events from playback.

Do one of the following:

- Click on a note event with the **Mute** tool.
- Drag a rectangle with the **Mute** tool, enclosing all note events that you want to mute.
- Select the note events, and select **Edit > Mute**.
- To unmute a note event, click it or enclose it with the **Mute** tool. You can also select a note event and select **Edit > Unmute**.

NOTE

Muted notes are dimmed in the note display.

Toggle Selections

- To toggle selected elements within a selection rectangle, press **Ctrl/Cmd**, and enclose the same elements within a new selection rectangle.


Deleting Note Events

- To delete note events, click on them with the **Erase** tool or select them, and press **Backspace**.

Delete Notes Dialog

The **Delete Notes** dialog allows you to delete note events that do not match a specific length or velocity.

- To open the **Delete Notes** dialog, select a MIDI part in the **Project** window, and select **MIDI > Functions > Delete Notes**.



The following options are available:

Minimum Length

Allows you to set a minimum note length in ticks. Notes that are shorter than the set value are deleted. You can use the value field or the graphical length display. If you click the field to the right of the graphical length display, the scale for the display changes. You can set it to 1/4 bar, one bar, two bars or four bars.

Minimum Velocity

Allows you to set a minimum note velocity. Notes with a lower velocity than the set value are deleted.

Remove when under

This option is only available if **Minimum Velocity** and **Minimum Length** are both activated. It allows you to choose if both or just one of the criteria must be met for notes to be deleted.

Trimming Note Events

The **Trim** tool allows you to cut off the end or the beginning of note events.

PROCEDURE

1. Select the **Trim** tool on the toolbar.
2. Do one of the following:
 - To trim the end of a single note event, click on the note event.
 - To trim the beginning of a single note event, press **Alt**, and click the note event.
 - To trim several note events, click and drag across the note events.
 - To set the same start and end time for all edited note events, press **Ctrl/Cmd**, and vertically drag along the note events.

Editing Note Events on the Info Line

You can move, resize, or change the velocity of note events on the info line using regular value editing.

- To apply a value change to all selected note events, press **Ctrl/Cmd**, and change a value on the info line.
- To adjust the pitch or velocity of note events via your MIDI keyboard, click in the **Pitch** or **Velocity** fields on the info line, and play a note on your MIDI keyboard.

NOTE

If you selected several note events and you adjust a value, all selected events are changed by the set amount.

Duplicating and Repeating Note Events

You can duplicate and repeat note events in the same way as events in the **Project** window.

- To duplicate the selected note events, hold down **Alt/Opt**, and drag the note events to a new position.

If **Snap** is activated, it determines to positions to which you can copy notes.

- To copy the selected note events and to place them behind the original, select **Edit > Functions > Duplicate**.

If several note events are selected, all of them are copied as one unit, maintaining the relative distance between the note events.

- To create a number of copies of the selected note events, select **Edit > Functions > Repeat**, specify the number, and click **OK**.

You can also press **Alt/Opt**, and drag the right edge of the note events to the right to create copies of the note events.



Finding Exact Positions with Snap

The **Snap** function restricts horizontal movement and positioning to certain positions. This helps you find exact positions in the note display when editing note events in a MIDI editor. Affected operations include moving, duplicating, drawing, sizing, etc.

- To activate/deactivate snap, click **Snap**.

If you select the **Bars+Beats** time format, the snap grid is set by the quantize value on the toolbar. This makes it possible to snap to straight note values and to swing grids that have been set up in the **Quantize Panel**.

- If you select any of the other time formats, positioning is restricted to the displayed grid.

Setting Note Insert Velocity Values

When you draw note events in the MIDI editor, the note events assume the velocity value that is set in the **Note Insert Velocity** field on the toolbar. There are different methods to set the velocity.

- Use the tool modifier for **Edit Velocity** that is specified in the **Preferences** dialog (**Tool Modifiers** page). The cursor changes into a speaker, and next to the note, a field with the Note Velocity slider shows the value. Move the mouse pointer up or down to adjust the value.



Value changes are applied to all selected notes.

- Open the **Note Insert Velocity** pop-up menu, and select a velocity value.

On this menu, you can also select **Setup** and specify custom velocity values for the pop-up menu.

- Double-click the **Note Insert Velocity** field on the toolbar, and enter a velocity value.
- Assign key commands to **Insert Velocity 1-5**, and use them.

This allows you to quickly switch between different velocity values when you enter note events.

Looping MIDI Parts

The **Independent Track Loop** function allows you to loop a MIDI part independently from the project playback.

When you activate the loop, the MIDI events within the loop are repeated continuously, while other events on other tracks are played back as usual. Every time the cycle restarts, the independent track loop also restarts.

PROCEDURE

1. Activate **Independent Track Loop** on the toolbar.

NOTE

If you activate **Independent Track Loop**, the **Link Project and Lower Zone Editor Cursors** function is automatically deactivated in the **Editor** tab in the lower zone of the **Project** window.

If the button is not visible, right-click the toolbar, and activate **Independent Track Loop**.

If you have set up a loop range in the **Project** window, it is hidden from the ruler in the MIDI editor.

2. **Ctrl/Cmd**-click in the ruler to specify the start of the independent track loop.
 3. **Alt/Opt**-click in the ruler to specify the end of the independent track loop.
-

RESULT

The independent loop range is indicated in a different color.

The start and the end of the loop range are displayed on the status line.


AFTER COMPLETING THIS TASK

To repeat the events of the loop range and fill up the active MIDI part, select **MIDI > Repeat Loop**.

Part Editing Mode Pane

The **Part Editing Mode** pane allows you to define exactly which events or parts can be selected and edited when you select multiple events with a selection rectangle in the event display.

- To open the **Part Editing Mode** pane, click **Part Editing Mode**  in the **Multiple Part Controls** section of the **Key Editor**, **Drum Editor**, or **List Editor** toolbar.



The following options determine what is selected when you drag a selection rectangle:

All Parts

Selects all events of all visible parts.

Active Part

Selects events of the active part.

All Parts on Active Track

Selects all events that are on the track of the active part.

RELATED LINKS

[MIDI Events](#) on page 237

[Creating MIDI Events](#) on page 237

[MIDI Parts](#) on page 238

[Creating Empty MIDI Parts](#) on page 238

[MIDI Recording](#) on page 338

Handling Several MIDI Parts

The **Multiple Part Controls** section in the **Key Editor**, **Drum Editor**, and **List Editor** toolbar features controls and tools for working with multiple parts.

Show Part Borders


- To display any borders defined for the active part, activate **Show Part Borders**. If this option is activated, all parts, except for the active part, are grayed out.
- To change the size of the part, drag the part borders. The part borders display the name of the active part.

Part Editing Mode

- To restrict editing operations to the active part, activate **Active Part** in the **Part Editing Mode** pane.
- To restrict editing operations to events that are on the track of the active part, activate **All Parts on Active Track** in the **Part Editing Mode** pane.

Activate Part for Editing

The **Activate Part for Editing** pop-up menu lists all parts that were selected when you opened the editor. The list is arranged in the same way as the track list, and the parts are listed under the name of the corresponding track. The parts are arranged according to their position on the timeline. You can use the search field to search for part names.



To activate a part for editing, click its name in the list.

NOTE

If the part that you open for editing is a shared copy, any editing that you perform affects all shared copies of this part. In the **Project** window, shared copies are indicated by an equal sign in the top right corner of the part.

RELATED LINKS

[Multiple Part Controls](#) on page 1145

[Part Editing Mode Pane](#) on page 1091

[Track Display Settings Pane](#) on page 1103


Global Tracks

The **Global Tracks** section of the **Key Editor** and the **Drum Editor Inspector** allows you to show events on global tracks at the top of the editor event display, so that you can see them with MIDI events.

You can show events from global tracks, such as the tempo, signature, chord, ruler, arranger, video, marker, and transpose track, in the **Key Editor** and in the **Drum Editor**. This way, you can edit MIDI events and view the project context at the same time, without having to switch to the **Project** window.

NOTE

The **Global Tracks** section of the **Inspector** is only available if you open the **Key Editor** or the **Drum Editor** in a separate window. It is not available in the lower zone editor.



1 Global Tracks section

The **Global Tracks** section of the **Inspector** lists all global tracks that you added to your project. To show a global track in the dedicated zone, activate it in the **Global Tracks** section.

2 Show/Hide Global Tracks

Allows you to show/hide the track list and the event display for global tracks.

3 Track list for global tracks

Shows the track names and the track colors that are assigned to the global tracks. The global tracks are shown in the same order as in the **Project** window. This also applies if you work with a divided track list.

NOTE

Below the track list for global tracks, you can show a track list of all MIDI parts that are open in the editor. To do this, open the **Visibility** tab of the **Inspector**, click **Track Display Settings** , and activate **Show Tracks**.

4 Event display for global tracks

The upper zone of the editor event display shows the event display for the global tracks.

5 Event display with keyboard focus

The event display that has the keyboard focus is indicated by a highlighted and solid frame.

6 Non-active event display

The non-active event display is shown with a dashed frame.

RELATED LINKS

[Showing/Hiding Global Tracks](#) on page 1095

[Dividing the Track List](#) on page 62

[Keyboard Focus in the Event Display](#) on page 1096

[Track Display Settings Pane](#) on page 1103

Showing/Hiding Global Tracks

You can show global tracks and their events at the top of the **Key Editor** and the **Drum Editor** event display.

PREREQUISITE

- In the **Project** window, you have added at least one global track, such as the tempo, signature, chord, ruler, arranger, video, marker, or the transpose track.
- In the **Project** window track list, you have set up the order of the tracks, as you want them to be shown in the editor.
- Optional: In the **Project** window, you have activated **Show Scales** for the chord track.
- Optional: In the **Project** window, you have defined a **Visible Tempo Upper Limit** and a **Visible Tempo Lower Limit** for the tempo track.

PROCEDURE

1. Select a MIDI part in the **Project** window.
2. Do one of the following:
 - Select **MIDI > Open Key Editor** to open the **Key Editor** in a separate window.
 - Select **MIDI > Open Drum Editor** to open the **Drum Editor** in a separate window.

The **Global Tracks** section is shown in the **Inspector**. Its track list shows a list of the available global tracks of your project.

NOTE

The **Global Tracks** section of the **Inspector** is not available in the lower zone editor.

3. In the track list of the **Global Tracks** section, activate the tracks that you want to be displayed.

RESULT

The global tracks that you have activated are shown above the note display.

The global track setup is saved with the project.

NOTE

If your project contains global tracks, you can also activate and show them and their events in the **Key Editor** or in the **Drum Editor** by clicking **Set up Window Layout** on the toolbar and activating **Global Tracks**.

RELATED LINKS

- [Key Editor Inspector](#) on page 1148
[Global Tracks](#) on page 1093
[Chord Track Controls](#) on page 157
[Tempo Track Controls](#) on page 154
[Editing Events on Global Tracks](#) on page 1096

Editing Events on Global Tracks

You can select, add, and edit events in the global tracks event display of the **Key Editor** or the **Drum Editor**. Any changes that you perform are synchronized with the **Project** window event display.

PROCEDURE

1. Optional: Make sure that the global tracks event display has the keyboard focus, and use **Shift-H** or **Shift-G** to zoom in on/out of the global tracks.
2. Optional: Change the height of a global track by clicking its lower border in the track list and dragging up or down.

NOTE

The tracks that are shown in the global tracks event display have a default track height of 1 row, except for the tempo track and the chord track, which have a height of 2 rows, and the video track, which has a height of 3 rows. You can adapt these heights according to your needs. The height of the ruler track cannot be changed.

3. Do one of the following:

- Apply the usual editing methods to one or several events in the global tracks event display.
 - Use the tool buttons in the **Key Editor** or the **Drum Editor** toolbar.
 - Select an event from the global tracks event display, and use the info line to edit specific event parameters.
-

RESULT

Any changes that you perform, including the track selection, are synchronized with the **Project** window event display.

RELATED LINKS

[Keyboard Focus in the Event Display](#) on page 1096

[Tool Buttons](#) on page 1141

[Setting the Track Height](#) on page 208


[Track Handling](#) on page 189

Keyboard Focus in the Event Display

The different zones in the **Key Editor** and the **Drum Editor** event display can be controlled via key commands. For a key command to have effect on a specific zone, this zone needs to have the keyboard focus.

The following editor zones can have the keyboard focus:

- Global tracks event display
- Note display



The global tracks event display has the keyboard focus.

If a zone has the keyboard focus, this is indicated by a highlighted solid focus frame. The non-active zone is shown with a dashed frame.

NOTE

You can change the focus color in the **Preferences** dialog (**User Interface—Color Schemes** page).

RELATED LINKS


- [Editing Events on Global Tracks](#) on page 1096
- [Showing/Hiding Global Tracks](#) on page 1095
- [Global Tracks](#) on page 1093
- [Keyboard Focus in the Project Window](#) on page 96
- [Activating Keyboard Focus for a Zone](#) on page 97

Visibility Tab

The **Key Editor** and the **Drum Editor** feature a **Visibility** tab that allows you to show/hide supported track types, such as MIDI tracks, instrument tracks, sampler tracks, and folder tracks, and to make their parts available in the editor display.

To show the **Visibility** tab, do one of the following:

- Open the **Key Editor** or the **Drum Editor** in the lower zone. At the top of the left zone, click **Visibility**. At the bottom of the left zone, click **Editor**.
- Open the **Key Editor** or the **Drum Editor** in a separate window. On the toolbar, click **Show/Hide Editor Visibility** .
- Open the **Key Editor** or the **Drum Editor** in a separate window. On the toolbar, click **Set up Window Layout**, and activate **Visibility**.



NOTE

Any visibility changes in the editor only affect the visibility in the editor itself and not the track visibility in the **Project** window.

The following options are available:

1 Track Display Settings

Allows you to show/hide the parts of the tracks displayed at the top of the editor event display. You can choose to show only the parts of the track that you have activated via the **Visibility** or all visible tracks.

NOTE

This is only available if you open the **Key Editor** or the **Drum Editor** in a separate window.

2 Track Visibility Configurations

Allows you to apply track visibility configurations that you created in the **Project** window from within the **Visibility** tab in the editor. To create or modify a configuration, you must use the **Track Visibility Configurations** in the **Project** window toolbar.

3 Set Track Visibility Agents

Allows you to set a track visibility agent to filter the tracks.

4 Find Tracks

Opens a selector that allows you to search for specific tracks. If you select a track via the selector, it is shown, activated, and selected in the **Visibility** tab. The corresponding parts are added to the editor event display and activated for editing.

5 Show/Hide track

Clicking to the left of the track name shows/hides all parts of a track in the editor event display. Showing a track automatically activates it.

6 Activate track for editing

- Clicking the track name activates that track for editing, and shows its MIDI events/parts in the event display.
- Double-clicking a track activates it for editing and hides all other tracks.

NOTE

Separate window only: If you activate **Show Tracks** in the **Track Display Settings** pane, the track that is activated for editing is highlighted in the track display at the top of the editor event display.

7 Select track

- Clicking a track whose parts are hidden selects the track.
- Clicking a track whose parts are shown in the event display selects the track and activates it for editing.

The track selection in the **Project** window follows.

8 Track Display

If you activate **Show Tracks** on the **Track Display Settings**, a track display with MIDI parts is shown above the event display.

NOTE

The track display is only available if you open the **Key Editor** or the **Drum Editor** in a separate window.

9 Event Display


Contains a grid in which MIDI events are displayed as boxes.

RELATED LINKS

- [Showing/Hiding Tracks in the Editor](#) on page 1100
[Track Visibility](#) on page 76
[Project Window Left Zone](#) on page 71
[Opening the Editor Visibility in the Project window](#) on page 74
[Pasting Events from one Track to Another](#) on page 1105
[Part Editing Mode Pane](#) on page 1091
[Track Display Settings Pane](#) on page 1103
[Track Display](#) on page 1104
[Finding Tracks](#) on page 1103

Showing/Hiding Tracks in the Editor

The **Visibility** tab shows a list of all tracks whose events and parts you can show/hide in the editor display.



- To show/hide a track in the event display, check/uncheck it by clicking to the left of the track name.
- To show/hide several tracks at the same time, select them, and press **Return**.
- To show a track exclusively, double-click the track name, or **Shift**-click to the left of the track name.
- To expand or collapse a folder, click the track name of the folder or the triangle to its left.

NOTE

Showing a track automatically activates it.

If you did not select all parts of a track when opening the editor window, a rectangle instead of a check mark is displayed for this track in the **Visibility** tab. This indicates that not all parts of that track are visible in the editor event display. You can click the rectangle to show all parts of the track.

At least one track must be activated. You cannot deactivate all tracks to hide all parts from the editor.

NOTE

Tracks that are hidden in the **Project** window or tracks or folders that are empty, locked, or that contain locked events or parts, cannot be shown in the editor.

RELATED LINKS

[Visibility Tab](#) on page 1097

[Selecting Tracks in the Editor](#) on page 1101

[Activating Specific MIDI Tracks for Editing](#) on page 1101

Activating Specific MIDI Tracks for Editing

By default, you can edit all events that are visible in the editor event display. Activating specific MIDI tracks for editing restricts all editing operations to the events of one specific track, while you still have an overview of all visible events.

PROCEDURE

1. In the **Project** window, select the MIDI parts that you want to view and the MIDI parts that you want to edit.
 2. Open the **Key Editor** or the **Drum Editor**.
 3. Optional, separate editor window only: To highlight the track that is activated for editing in the track display at the top of the editor event display, activate **Show Tracks** in the **Track Display Settings** pane.
 4. Do one of the following:
 - On the **Visibility** tab, click the name of the track that you want to activate.
 - In the note display, click a note event of the track that you want to activate.
 - Separate editor window only: In the track list, click the name of the track that you want to activate.
 - Separate editor window only: In the track display, click the name of the track that you want to activate.
 - On the **Key Editor** or the **Drum Editor** toolbar, click **Activate Part for Editing**, and select the part whose track you want to activate from the list.
 5. On the **Key Editor** or the **Drum Editor** toolbar, click **Part Editing Mode**.
 6. Do one of the following:
 - Activate **All Parts on Active Track** to select and edit all events that are on the track of the active part.
 - Activate **Active Part** to select and edit events of the active part.
-

RESULT

The MIDI track is now activated for editing in the editor event display, and all editing operations will only affect the events of the activated track.

RELATED LINKS

[Visibility Tab](#) on page 1097

[Showing/Hiding Tracks in the Editor](#) on page 1100

[Selecting Tracks in the Editor](#) on page 1101

[Part Editing Mode Pane](#) on page 1091

Selecting Tracks in the Editor

You can select a track in the **Visibility** tab and remote-control it, for example, without having to leave the editor. You can also select several tracks and show/hide them.

PROCEDURE

1. Open the **Key Editor** or the **Drum Editor**.
2. On the **Visibility** tab, do one of the following:
 - To select a track, click its track name, or use the **Up Arrow / Down Arrow**.

- To select multiple tracks, press **Shift**, and click their track names, or use the **Up Arrow/Down Arrow**.
 - To select multiple tracks that are not next to each other, press **Ctrl/Cmd**, and click their track names.
-

RESULT

The tracks are selected.

RELATED LINKS

[Visibility Tab](#) on page 1097

[Showing/Hiding Tracks in the Editor](#) on page 1100

Keeping the Editor Contents

When you select events or hide tracks in the **Project** window, you might not always want the editor display to be updated. In this case, it can be useful to activate **Keep Editor Contents (Don't follow Project window event selection)** in the toolbar of the editor.

Keep Editor Contents (Don't follow Project window event selection) bypasses the function **Editor Content Follows Event Selection**, which is by default activated in the **Preferences** dialog (**Editors** page) that makes the editor show the events that are selected in the **Project** window.

PROCEDURE

1. Open the **Key Editor** or the **Drum Editor**.
 2. On the toolbar, activate **Keep Editor Contents (Don't follow Project window event selection)**.
-

RESULT

If you now select an event or a part in the **Project** window, the editor event display, the **Visibility** settings, and the part that is selected in the **Activate Part for Editing** pop-up menu do not follow.

NOTE

- **Keep Editor Contents (Don't follow Project window event selection)** is automatically deactivated if you close the **Key Editor** window or the **Drum Editor** window or the lower zone editor.
 - If you deactivate **Editor Content Follows Event Selection** in the **Preferences** dialog (**Editors** page), and you open the **Key Editor** window or the **Drum Editor** window or the lower zone editor, **Keep Editor Contents (Don't follow Project window event selection)** is automatically activated.
 - **Keep Editor Contents (Don't follow Project window event selection)** does not apply to tracks that you create in or remove from the **Project** window.
-

RELATED LINKS

[Showing/Hiding Tracks in the Editor](#) on page 1100

[Activating Specific MIDI Tracks for Editing](#) on page 1101

[Selecting Tracks in the Editor](#) on page 1101

[Track Display Settings Pane](#) on page 1103

[Part Editing Mode Pane](#) on page 1091

Finding Tracks

The **Find Tracks** function allows you to find specific tracks. This is useful if your project contains many tracks of the supported types, that is, MIDI tracks, instrument tracks, sampler tracks, and folder tracks, and you want to quickly find and activate a specific track in the **Visibility** tab.

PROCEDURE

1. Click **Find Tracks** at the top of the **Visibility** tab to open a selector that lists all supported tracks.
2. In the search field, enter the name of the track.
As you type, the selector updates automatically.
3. In the selector, select the track.

RESULT

The selector closes, and the track is shown, activated, and selected in the **Visibility** tab. The corresponding parts are added to the editor event display and activated for editing.

RELATED LINKS

[Visibility Tab](#) on page 1097


Track Display Settings Pane

The **Track Display Settings** pane allows you to define exactly which tracks are shown in the track display at the top of the event display.

NOTE

Track Display Settings is only available if you open the **Key Editor** or the **Drum Editor** in a separate window.

- To open the **Track Display Settings** pane, click **Track Display Settings**  in the **Visibility** section of the **Key Editor** or **Drum Editor**.



The following options are available:

Show Tracks

Activate this to show a track display above the event display.

Active Track Only

Activate this to show only the tracks that you activated via the **Visibility** tab above the event display.

All Visible Tracks

Activate this to show all visible tracks at the top of the event display.

Enlarge Active Track

Enlarges the active track in the track display.

NOTE

If global tracks are shown in the editor, the track display is shown right below the event display for global tracks.

RELATED LINKS

[Key Editor](#) on page 1138

[Drum Editor](#) on page 1169


[Part Editing Mode Pane](#) on page 1091

[Global Tracks](#) on page 1093

Track Display

The track display allows you to show the visible MIDI tracks at the top of the **Key Editor** or the **Drum Editor** event display.

- To show the track display, open the **Key Editor** or the **Drum Editor** in a separate window. Click **Track Display Settings**  in the **Visibility** section, and activate **Show Tracks**.



1 Track Display Settings

Allows you to activate the track display and define exactly which tracks are shown.

2 Track list for global tracks

Shows the track names and the track colors that are assigned to the global tracks.

3 Track list for MIDI tracks

Shows the track names and the track colors of the MIDI tracks.

By default, the visible tracks are displayed with a track height of 1 row, and the active track with a track height of 2 rows. You can change this by dragging the dividers.

NOTE

You can show lanes for MIDI tracks by hovering the mouse over the top right corner of the corresponding track in the track list and clicking **Show Lanes** .

4 Track display

The MIDI tracks are shown at the top of the event display. If you work with global tracks, the track display is shown below the global track display. You can click a part in the track display to activate its track for editing.

5 Overlapping part handle

Allows you to access stacked or overlapping MIDI parts. Click the handle to open a pop-up list of the overlapping parts, and activate a part by selecting it.

RELATED LINKS

- [Visibility Tab](#) on page 1097
[Key Editor Note Display](#) on page 1151
[Global Tracks](#) on page 1093
[Activating Specific MIDI Tracks for Editing](#) on page 1101

Pasting Events from one Track to Another

In the **Key Editor** and the **Drum Editor**, you can easily paste events from one track to another.

PROCEDURE

1. Open the **Key Editor** or the **Drum Editor**.
2. On the toolbar, open the **Part Editing Mode** pane, and activate **All Parts on Active Track**.
3. On the **Visibility** tab, show the track that contains the events that you want to copy by clicking to the left of its track name, so that it is checked.
4. Activate the track where you want to paste the events by clicking to the left of its track name, so that it is checked.
5. On the **Visibility** tab, click the name of the track that contains the events that you want to copy, to activate that track for editing.
6. In the event display, select the events that you want to copy to the other track.
7. Do one of the following to copy the events:
 - Select **Edit > Copy**.
 - Press **Ctrl/Cmd - C**.
8. Set the project cursor to the time position where you want to insert the events.
9. On the **Visibility** tab, click the name of the track where you want to copy the events to, to activate that track for editing.
10. Do one of the following to copy the events:
 - Select **Edit > Paste**.
 - Press **Ctrl/Cmd - V**.

RESULT

The events are pasted to the other track.

RELATED LINKS


- [Visibility Tab on page 1097](#)
[Showing/Hiding Tracks in the Editor on page 1100](#)
[Activating Specific MIDI Tracks for Editing on page 1101](#)
[Part Editing Mode Pane on page 1091](#)

Controller Display

The controller display is the area at the bottom of the **Key Editor**, the **Drum Editor**, and the **In-Place Editor**.

To show the controller display, do one of the following:

- Open the **Create Controller Lane** pop-up menu in the **Key Editor** or the **Drum Editor**, and select **Show/Hide Controller Lanes**. To show the controller display in the **In-Place Editor**, click **Create Controller Lane**.
- On the **Key Editor** or the **Drum Editor** toolbar, click **Set up Window Layout**, and activate **Controller Lanes**.



The following options are available:

1 Note display

Contains a grid in which MIDI notes are displayed as boxes.

2 Controller Selection and Functions menu

Allows you to select which controller type is displayed, and contains editing functions for controller lanes and events.

3 Divider

Allows you to resize the display areas by dragging the line between the note display and the controller display.

4 Controller display

Shows one or multiple controller lanes.

5 Controller events

The controller display shows the added controller events of the selected controller type and their current values. Controller events have no length. Their values are valid until the start of the next event.

Velocity values are displayed as vertical bars, with higher bars corresponding to higher velocity values. Each velocity bar corresponds to a note in the note display.

All other controller events are shown as steps, with their heights corresponding to the values of the events.

6 Create Controller Lane

Allows you to add controller lanes, so that you can view and edit multiple controllers at the same time. Each controller lane can display one of the following properties or event types:

- Velocity
- Pitchbend
- Aftertouch
- Poly Pressure
- Program Change
- SysEx (System Exclusive) events
- Continuous Controllers
- Articulations/Dynamics
- Play Probability
- Velocity Variance
- Off Velocity

7 Controller Lane Setup

Contains setup functions for controller lanes, and allows you to add and organize presets.

RELATED LINKS

[Editing Velocity Events](#) on page 1115

[Controller Event Editor](#) on page 1135


[Adding Play Probability](#) on page 1120

[Adding Velocity Variance](#) on page 1118

Controller Lane Setup Menu

The **Controller Lane Setup** pop-up menu allows you to add lanes and to select which event type to display.

- To open the **Controller Lane Setup** pop-up menu, click **Controller Lane Setup ▾** at the bottom left of the controller display.



The following options are available:

Add Preset

Opens the **Save Preset** dialog, which allows you to save a preset and to enter a name to it.

Organize Presets

Opens the **Organize Presets** dialog, which allows you to rename and delete presets.

Type of New Controller Events

Allows you to specify whether new controller events change gradually (**Ramp**) or instantly (**Step**) from the previous curve point to the new one.

NOTE

This setting is saved with the program and affects any new events that you create manually as well as recorded MIDI CC events. The following events, however, are always recorded as steps:

- CC 0 (BankSel MSB)
- CC 32 (BankSel LSB)
- CC 64 (Sustain)
- CC 98 (NRPN LSB)
- CC 99 (NRPN MSB)
- CC 100 (RPN LSB)
- CC 101 (RPN MSB)
- CC 120 (AllSndOff)
- CC 121 (Reset Ctrl)
- CC 122 (Local Ctrl)
- CC 123 (AllNoteOff)
- CC 124 (Omni Mode Off)
- CC 125 (Omni Mode On)
- CC 126 (Mono Mode On)
- CC 127 (Poly Mode On)
- All MIDI CC events that are recorded on tracks with the **Output Group and Channel** set to **Any**.
- All MIDI CC events for which **Record MIDI as Note Expression** is enabled.

Set up Available Controllers


Opens the **MIDI Controller Setup** dialog, which allows you to specify which MIDI controllers are visible/hidden in the pop-up menu.

Set up Dynamic Mapping

Opens the **Dynamics Mapping Setup** dialog, which allows you to map dynamics symbols to MIDI controllers.

Controller Lane Context Menu

- To open the controller lane context menu, right-click in the left area of the controller display.



The following options are available:

Create Controller Lane

Creates a controller lane.

Remove This Lane

Removes the current controller lane.

Select All Events on Lane

Selects all controller events on the current lane.

Cut

Cuts the selected events.

Copy

Copies the selected events to the clipboard.

Paste

Pastes the clipboard data at the cursor position.

Paste at Origin

Pastes the clipboard data at its original position. Any existing events are replaced.

Apply MIDI Play Probability

Applies play probability to the selected note events.

Reset MIDI Play Probability

Resets the play probability.

Apply MIDI Velocity Variance

Applies the velocity variance to the selected note events.

Reset MIDI Velocity Variance

Resets the velocity variance.

NOTE

You can copy data between different CC lanes.

RELATED LINKS

[Controller Display](#) on page 1106



[Adding Play Probability](#) on page 1120

[Adding Velocity Variance](#) on page 1118

Controller Selection and Functions Menu

The **Controller Selection and Functions** pop-up menu that is shown to the left of a controller lane allows you to select which controller type to display. This pop-up menu is only available if at least one controller lane is shown. It also contains editing functions for controller lanes and events.

- To open the **Controller Selection and Functions** pop-up menu, click **Controller Selection and Functions** to the left of a controller lane.



The following options are available:

Controller event types

Lists the event types that you can display on the controller lanes. If automation data already exists for a controller, this is indicated by a rhombus that is displayed to the left of the controller name.

Select All Events on Lane

Selects all controller events on the current lane.

Remove This Lane

Hides the current controller lane from view.


RELATED LINKS

[MIDI Controller Setup Dialog](#) on page 1114

Create Controller Lane Menu

The **Create Controller Lane** pop-up menu allows you to create a new controller lane and to select which controller type to display.

- To open the **Create Controller Lane** pop-up menu, click **Create Controller Lane**  to the left of the controller display.



The following options are available:

Controller event types

Lists the event types that you can display on the controller lanes. If automation data already exists for a controller, this is indicated by a rhombus that is displayed to the left of the controller name.

Select an event type to add the corresponding controller lane to the controller display.

Show Used Controllers

Opens all controller lanes that have controller events.

NOTE

As note events always have **Off Velocity** events, **Show Used Controllers** ignores the **Off Velocity** controller lane.

Show Velocity Lane Only

Resets the controller display to show the velocity lane only.

Show/Hide Controller Lanes

Shows/Hides the recently displayed controller lanes.

RELATED LINKS

[Editing Note-Off Velocities](#) on page 1116

Adding Controller Lanes

You can add controller lanes to the controller display. Controller lanes allow you to select a specific controller type for display, so that you can add and edit controller events of that type.

PROCEDURE

1. Click **Create Controller Lane** .
2. Select the controller event type from the pop-up menu.

NOTE

If the controller event type that you want to show is not available, open the **Controller Lane Setup** pop-up menu, and select **Set up Available Controllers**. You can then set up the available controller event types in the **MIDI Controller Setup** dialog.

RESULT

A new controller lane is created.

NOTE

- To hide a controller lane from view, open the **Controller Selection and Functions** pop-up menu, and select **Remove This Lane**. This does not affect the events in any way.
 - If you hide all lanes, the controller display is hidden. You can bring it back by clicking **Create Controller Lane** or by opening the **Create Controller Lane** pop-up menu and selecting **Show/Hide Controller Lanes**.
-

RELATED LINKS

[Controller Selection and Functions Menu](#) on page 1110


[Setting up Available Continuous Controllers](#) on page 1113

Displaying a Different Controller Event Type

You can select which event type to display on a controller lane. Each controller lane shows one event type at a time.

PROCEDURE

- Open the **Controller Selection and Functions** pop-up menu, and select an event type.



RELATED LINKS

[Controller Selection and Functions Menu](#) on page 1110

Setting up Available Continuous Controllers

In the **MIDI Controller Setup** dialog, you can specify which continuous controllers are available for selection.

PROCEDURE

1. Select **Controller Lane Setup > Set up Available Controllers**.
 2. In the **MIDI Controller Setup** dialog, do one of the following:
 - In the **Hidden** column, select all controllers that you want to show, and click **Add**.
 - In the **Visible** column, select all controllers that you want to hide, and click **Remove**.
 3. Click **OK**.
-

RESULT

The corresponding continuous controllers are now available for selection.

NOTE

The **MIDI Controller Setup** dialog is available in different areas of the program. The settings are global, that is, the setup you choose here affects all areas of the program where MIDI controllers can be selected.

RELATED LINKS

[Setting up Available Continuous Controllers](#) on page 1113

MIDI Controller Setup Dialog

The **MIDI Controller Setup** dialog allows you to specify which MIDI controllers are visible/hidden.

- To open the **MIDI Controller Setup** dialog, click **Controller Lane Setup** to the left of the controller display, and select **Set up Available Controllers**.



Visible

Lists the MIDI controllers that are visible.

Hidden

Lists the MIDI controllers that are hidden.

Add >>

Select an item from the **Hidden** list, and click **Add >>** to make it visible.

<< Remove

Select an item from the **Visible** list, and click **<< Remove** to hide it.

Saving Controller Lane Presets

You can save a controller lane setup as a controller lane preset. This way, you can have a preset with one velocity lane and another preset with a combination of several controller lanes, such as velocity, pitchbend, or modulation.

PREREQUISITE

You have added at least one controller lane and selected a controller event type for display.

PROCEDURE

- Click **Controller Lane Setup**.
 - Select **Add Preset**.
 - In the **Save Preset** dialog, enter a name for the preset.
 - Click **OK**.
-

RESULT

Your controller lane setup is now available as a controller lane preset. The number of lanes and the displayed event types are saved in the preset.

To load, remove, or rename presets, open the **Controller Lane Setup** menu, and select **Organize Presets**.

RELATED LINKS

[Controller Lane Setup Menu](#) on page 1107

Editing Velocity Events

Each note event automatically gets a velocity event. You can edit the velocity values of these events.

PREREQUISITE

You have added a controller lane and set it up to display velocity events. You have added velocity events for several notes.

PROCEDURE

1. Optional: On the toolbar, activate **Acoustic Feedback**.

This plays back the notes when you adjust the velocity so that you can audition your changes.

2. Do one of the following:

- On the toolbar, select the **Object Selection** or the **Draw** tool, and click a velocity bar in the controller display.
- On the toolbar, select the **Object Selection** tool, press **Alt**, and click a velocity bar in the controller display to select it. Change the **Velocity** value on the info line.
- On the toolbar, select the **Line** tool, and drag in the velocity display to change the velocity values of several notes.

The velocity value at the project cursor position is displayed below the **Controller Selection and Functions** pop-up menu.



NOTE

If there is more than one note at the same position, their velocity bars overlap. To edit the velocity of a single note, select the note in the note display. If no note is selected, all velocity events assume the same velocity value.

RESULT

The velocity values change according to your edits.

RELATED LINKS

[Adding Velocity Events](#) on page 1116

[Controller Selection and Functions Menu on page 1110](#)
[Controller Event Editor on page 1135](#)

Adding Velocity Events

You can add velocity events by adding note events.

PREREQUISITE

You have added a controller lane.


PROCEDURE

1. Open the **Controller Selection and Functions** pop-up menu, and select **Velocity**.
2. Select the **Draw** tool or the **Line** tool.
3. Click in the note display to add a note event.

This adds a note event and a velocity controller event that you can edit.

RESULT

The velocity values are shown as vertical bars in the controller display. Each velocity bar corresponds to a note event in the note display. Higher bars correspond to higher velocity values. The value is valid until the beginning of the next event.



RELATED LINKS

[Adding Controller Lanes on page 1112](#)
[Line Tool Modes on page 1134](#)
[Controller Selection and Functions Menu on page 1110](#)

Editing Note-Off Velocities

You can add note-off velocities to note events. This allows you to define how quickly a pressed key is released which gives your MIDI events more dynamic expression.

NOTE

Note-off velocity is only supported by specific devices.

PROCEDURE

1. Open the **Controller Selection and Functions** pop-up menu, and select **Off Velocity**.

2. In the note display, select the note events whose note-off velocity you want to edit.


NOTE

You can edit single notes in a chord by selecting individual note events, or you can select the entire chord.

3. In the **Off Velocity** controller lane, drag the note-off velocity events up or down to adjust their values.

RESULT

The **Off Velocity** values are shown as vertical bars in the controller display. Each bar corresponds to a note event in the note display. Higher bars correspond to higher note-off velocity values. The value is valid until the beginning of the next event.



RELATED LINKS

[Editing Velocity Events](#) on page 1115

[Key Editor Info Line](#) on page 1147

[Drum Editor Info Line](#) on page 1178

Velocity Variance


You can add velocity variance to the velocity of note events. This allows you to modify note velocities randomly during real-time playback in order to make your MIDI performance sound more organic.

By default, velocity variance values are set to 0%, that means, no variance is applied to the velocity.

You can change the velocity variance values by dragging the bars up or down or by changing the corresponding value on the info line. You can add positive or negative values. A value is valid until the start of the next event.

In the controller display, **Velocity Variance** values are shown on the **Velocity Variance** controller lane as vertical bars.

On the controller lane, **Velocity Variance** events are displayed with dashed lines.



Adding Velocity Variance

You can add velocity variance to the velocity events.

PROCEDURE

1. Open the **Controller Selection and Functions** pop-up menu, and select **Velocity**.
 2. Click **Create Controller Lane**, and from the pop-up menu, select **Velocity Variance**.
 3. In the note display, select the note events whose velocity variance you want to edit.
You can edit single notes in a chord by selecting individual note events, or you can select the entire chord.
 4. On the **Velocity Variance** controller lane, drag the velocity variance events up or down to adjust their values.
-

RESULT

During real-time playback, the note velocities are modified according to your settings.

NOTE

To reset **Velocity Variance** to the default value, open the controller lane context menu on the **Velocity Variance** controller lane, and select **Reset MIDI Velocity Variance**.

RELATED LINKS

- [Controller Display](#) on page 1106
[Line Tool Modes](#) on page 1134
[Controller Event Editor](#) on page 1135
[Key Editor Info Line](#) on page 1147
[Drum Editor Info Line](#) on page 1178
[Applying Velocity Variance](#) on page 1119
[Controller Lane Context Menu](#) on page 1109

Applying Velocity Variance

You can apply velocity variance to the velocity values of note events.

PREREQUISITE

You have added **Velocity Variance** to note events. The **Velocity Variance** controller lane is shown.

PROCEDURE

1. In the note display, select the note events whose **Velocity Variance** you want to apply.
If you do not make a selection, all note events are affected.
 2. Open the controller lane context menu for the **Velocity Variance** controller lane, and select **Apply MIDI Velocity Variance**.
-

RESULT

The **Velocity Variance** is applied to the velocity values of the selected note events.

Applying **Velocity Variance** can be undone in case you are not satisfied with the result.

NOTE

Velocity Variance is also applied to the velocity values of note events if you activate **Merge MIDI in Loop** or **Freeze MIDI Modifiers**.

RELATED LINKS

[Adding Velocity Variance](#) on page 1118

[Controller Lane Context Menu](#) on page 1109

[Merging MIDI Events into a New Part](#) on page 1068

[Freezing MIDI Modifiers](#) on page 1052

Play Probability


You can add **Play Probability** to note events to change the likelihood of note events being played back in real-time. This can make your MIDI performance sound more organic.

By default, play probability values are set to 100%, that means, note events are always played back.

You can change the play probability values by dragging the bars up or down or by changing the corresponding value on the info line. If you lower the value to 0%, the note event is never played back.

In the controller display, **Play Probability** values are shown on the **Play Probability** controller lane as vertical bars.

On the controller lane, **Play Probability** events are displayed with dashed lines.



Adding Play Probability

You can add play probability to note events.

PROCEDURE

1. Open the **Controller Selection and Functions** pop-up menu, and select **Play Probability**.
 2. In the note display, select the note events whose play probability you want to edit.
You can edit single notes in a chord by selecting individual note events, or you can select the entire chord.
 3. On the **Play Probability** controller lane, drag the corresponding events up or down to adjust the likelihood of them being played back in real time.
-

RESULT

During real-time playback, the notes are played back according to your settings.

NOTE

To reset **Play Probability** to the default value, open the controller lane context menu on the **Play Probability** controller lane, and select **Reset MIDI Play Probability**.

RELATED LINKS

- [Controller Display](#) on page 1106
- [Line Tool Modes](#) on page 1134
- [Controller Event Editor](#) on page 1135
- [Key Editor Info Line](#) on page 1147
- [Drum Editor Info Line](#) on page 1178
- [Applying Play Probability](#) on page 1121
- [Controller Lane Context Menu](#) on page 1109

Applying Play Probability

You can apply play probability to note events.

NOTE

Applying play probability to note events might remove note events with play probability values lower than 100% from your project.

PREREQUISITE

You have added **Play Probability** to note events. The **Play Probability** controller lane is shown.

PROCEDURE

1. In the note display, select the note events whose **Play Probability** you want to apply.
If you do not make a selection, all note events are affected.
 2. Open the controller lane context menu for the **Play Probability** controller lane, and select **Apply MIDI Play Probability**.
-

RESULT

The **Play Probability** is applied to the selected note events, and note events with a **Play Probability** lower than 100% might be removed.

Applying **Play Probability** can be undone in case you are not satisfied with the result.

NOTE

Play Probability is also applied to note events if you activate **Merge MIDI in Loop** or **Freeze MIDI Modifiers**.


RELATED LINKS

- [Adding Play Probability](#) on page 1120
[Controller Lane Context Menu](#) on page 1109
[Merging MIDI Events into a New Part](#) on page 1068
[Freezing MIDI Modifiers](#) on page 1052

Pitchbend Controller Lanes

Pitchbend controller lanes allow you to add and edit pitchbend controller events.

- To add a pitchbend controller lane, open the **Controller Selection and Functions** menu, and select **Pitchbend**.



1 Curve Type field

Shows the controller curve type. You can set this to **Step** or to **Ramp/Curve**.

2 Value at project cursor

Displays the pitchbend value at the project cursor position. What is shown depends on the **Show Semitones Grid** setting in the **Grid Settings** pane:

- If **Show Semitones Grid** is activated, this value shows the semitones value at the project cursor position. The range goes from +96 semitones to -96 semitones. The value is shown in semitones and cents.
- If **Show Semitones Grid** is deactivated, this value shows the pitchbend MIDI value at the project cursor position. The range goes from +8191 steps to -8192 steps.

3 Set up Grid

Opens the **Grid Settings** pane that allows you to set up the semitones grid for the pitchbend controller lane.

4 Snap Pitchbend Events

Restricts vertical movement and the positioning of controller events to the semitones grid. By default, activating **Snap Pitchbend Events** also activates **Show Semitones Grid** to show the grid that the events are snapping to.

NOTE

Snap Pitchbend Events is not effective in the controller event editor.

5 Controller value from MIDI device

This value shows up if you input MIDI data for this controller lane from your MIDI device.

6 Semitones grid

The semitones grid shows the semitone values. The amount of grid lines and their width depends on the settings for **Pitchbend Range: Down** and **Pitchbend Range: Up**. By default, the range is set to +/- 2 semitones, that is, a major second.

NOTE

You can show the grid, even if **Snap Pitchbend Events** is deactivated.

7 Controller curve

The pitchbend controller curve.

RELATED LINKS


[Controller Event Editor](#) on page 1135

[Grid Settings](#) on page 1123

Grid Settings

The **Grid Settings** pane allows you to set up a semitones grid for the pitchbend controller lane. As grid settings only affect the corresponding track, you can set up different grid settings for different MIDI or instrument tracks. All grid settings are saved with the project.

- To show the **Grid Settings** for pitchbend controller lanes, add a pitchbend controller lane, and click **Set up Grid**.



Show Semitones Grid

The semitones grid shows the semitone values that the events snap to. The amount of grid lines and their width depend on the settings for **Pitchbend Range: Down** and **Pitchbend Range: Up**.

NOTE

The grid is a visual help that allows you to find exact semitone positions for pitchbends more easily. Changing the grid does not change the values of pitchbend events.

Pitchbend Range: Up

Allows you to specify a value between 1 and 96 semitones for the upper grid. By default, the upper pitchbend range for the grid is set to 2 semitones, allowing you to specify upward bends from 1 up to 2 semitones.

Pitchbend Range: Down

Allows you to specify a value between 1 and -96 semitones for the lower grid. By default, the lower pitchbend range for the grid is set to -2 semitones, allowing you to specify downward bends from 1 to up to -2 semitones.

Link

Allows you to link the pitchbend ranges. You can deactivate this, to set up a higher value for the upper range than for the lower range, for example.

NOTE

The actual pitchbend range depends on the settings of the VST or MIDI instrument and the sound or preset that you are using. To make the most of this feature, make sure to adjust the pitchbend range settings of your instrument to the settings of the pitchbend controller lane, or vice versa.

RELATED LINKS

[Pitchbend Controller Lanes](#) on page 1121

Adding Pitchbend Events

You can add pitchbend events to your note events.

PROCEDURE

1. Open the **Create Controller Lane** pop-up menu, and select **Pitchbend**.
 2. Optional: Click **Set up Grid** to open the **Grid Settings** pane, and set up the grid according to your needs.
 3. Optional: Activate **Snap Pitchbend Events** to snap the pitchbend controller events to the set grid.
 4. Select the **Draw** tool, and click in the controller display to enter as many pitchbend events as you need.
-

RESULT

The pitchbend controller events are added.

RELATED LINKS

[Pitchbend Controller Lanes](#) on page 1121

[Create Controller Lane Menu](#) on page 1111

[Grid Settings](#) on page 1123

[Creating Smooth Transitions between Continuous Controller Events](#) on page 1129

[Editing Pitchbend Events](#) on page 1124

Editing Pitchbend Events

PREREQUISITE

You have added a pitchbend controller lane and pitchbend events.

PROCEDURE

1. On the toolbar, select the **Object Selection** tool.
2. Optional: Click **Set up Grid** to open the **Grid Settings** pane, and set up the grid according to your needs.
3. In the controller display, move the mouse pointer over a pitchbend controller event.
The mouse pointer turns into a pointing hand symbol.

NOTE

You can create smooth transitions between the pitchbend controller events by selecting a pitchbend controller event, switching the **Curve Type**, on the info line to **Ramp/Curve** and editing the curve handles.

4. Click the pitchbend controller event to select it, and drag it to another position.
-

RELATED LINKS

[Grid Settings](#) on page 1123

[Adding Pitchbend Events](#) on page 1124

[Pitchbend Controller Lanes](#) on page 1121

Adding Articulations

You can add and edit musical expressions or articulations in the controller lane.

RELATED LINKS

[Inserting Articulations on Controller Lanes](#) on page 1219

Adding Dynamics

You can add dynamics to your note events.

PREREQUISITE


You have set up the dynamics mapping and activated it for the track.

PROCEDURE

1. Open the **Controller Selection and Functions** pop-up menu, and select **Articulations/Dynamics**.
2. Select the **Draw** tool, and click in the controller display.
A mezzo forte symbol is inserted.
3. Click the triangle in the upper left corner of the event, and select another dynamics symbol from the pop-up menu.

NOTE

If you select several dynamics for editing, all events change in increments, that is, relative to the original values.



NOTE

You can use the mouse wheel or the **One down** and **One up** key commands to navigate through the list of dynamics symbols.

RESULT

The selected dynamics symbol is inserted.

RELATED LINKS

[Dynamics Mapping Setup Dialog](#) on page 1126


[Moving Events in the Controller Display](#) on page 1137

Dynamics Mapping Setup Dialog

The **Dynamics Mapping Setup** dialog allows you to map dynamics symbols to MIDI controllers.

To open the **Dynamics Mapping Setup** dialog, do one of the following:

- In the controller display, open the **Controller Selection and Functions** pop-up menu, select **Articulations/Dynamics**, open the **Controller Lane Setup** pop-up menu, and select **Set up Dynamic Mapping**.



Initialize Dynamic Mapping

Allows you to specify the dynamic range for the work with mapped dynamics symbols. Open the pop-up menu to the right and activate **pp-ff** if you do not want the extreme dynamics symbols (**pppp**, **ppp**, **ffff**, and **fff**) to have an effect. Activate **pppp-ffff** to use the entire dynamic range.

Symbol

Lists the different dynamic symbols.

Velocity

Allows you to set the velocity change for the selected dynamic symbol.

Volume

Allows you to set the volume change for the selected dynamic symbol.

Controller

Allows you to set the controller change for the selected dynamic symbol. To select the MIDI controller that is sent, activate **Send Controller**, and select a controller from the pop-up menu.

Change Velocities

Activate this to modify velocities by the percentage that is set in the **Velocity** column.

Send Volume

Activate this to choose which volume events are sent: **CC 11 (Expression)**, **CC 7 (Main Volume)**. If the MIDI track is routed to a VST instrument, you can also select **VST 3 Volume**.

Send Controller

Allows you to select the MIDI controller that is sent.

Adding Poly Pressure Events

You can add poly pressure events to your note events. Poly pressure events are events that belong to a specific note number, that is, key. For each poly pressure event, you can edit the note number and the amount of pressure.

PROCEDURE

1. Click **Create Controller Lane** .

2. Select **Poly Pressure** from the menu.

A **Poly Pressure** controller lane is added. It shows a note number value field to the left of the controller display.

3. Do one of the following:

- Select a note event in the note display to set the note number for the corresponding pitch. This only works for the topmost of several poly pressure controller lanes.
- If you work with several poly pressure controller lanes, use the pop-up menu in the note number value field to the left of the controller display to select the note pitch for that controller lane.

The selected note number is displayed in the upper value field, to the left of the controller display.

4. On the toolbar, select the **Draw** tool, and add a new poly pressure event.

You can determine the value by moving the mouse up or down in the controller display.

AFTER COMPLETING THIS TASK

Select a different note number, and add poly pressure events for this.

RELATED LINKS

[Controller Selection and Functions Menu](#) on page 1110

Editing Poly Pressure Events

PREREQUISITE

You have added a controller lane and set it up to display poly pressure events. You have added poly pressure events for several note numbers.

PROCEDURE

1. Click the arrow button next to the note number, to the left of the controller lane.
A pop-up menu with a list of all note numbers for which you inserted poly pressure events opens.
 2. Select a note number from the pop-up menu.
The poly pressure events for the selected note number are shown in the controller lane.
 3. On the toolbar, select the **Draw** tool.
 4. Hold down **Ctrl/Cmd - Alt/Opt**, and edit the events in the controller display.
-

RELATED LINKS

[Adding Poly Pressure Events on page 1127](#)

Adding Continuous Controllers

You can add continuous controllers to your note events.

PREREQUISITE

You have added a controller lane.

PROCEDURE

1. Open the **Controller Selection and Functions** pop-up menu, and select a continuous controller.
2. Select the **Draw** tool or the **Line** tool.
3. Do one of the following:
 - To add a single event, click in the controller display.
 - To add multiple events, click and drag in the controller display.
 - To add a **Modulation (CC 1)** event, copy note events from the **Key Editor** note display, and paste them on a controller lane in the controller display.

When you move the **Draw** tool on the controller lane, a tooltip shows the position and the controller value at the mouse position.

RESULT

The added events correspond to the event values. The beginning of an event is marked by a curve point. Controller events have no length. The value of a controller event in the display is valid until the beginning of the next controller event.

RELATED LINKS

[Adding Controller Lanes on page 1112](#)

[Line Tool Modes on page 1134](#)

[Controller Selection and Functions Menu on page 1110](#)

Editing Continuous Controllers

You can edit the values of the continuous controller events that you added or recorded.

PREREQUISITE

You have added a controller lane and set it up to display controller events. You have added controller events for several notes.

PROCEDURE

1. On the toolbar, select the **Object Selection**, the **Draw** or the **Line** tool.
 2. Do one of the following:
 - If you selected the **Draw**, or the **Line** tool, drag in the controller display.
 - If you selected the **Object Selection** tool, press **Alt** and drag in the controller display.
-

RESULT

The controller event is edited.

RELATED LINKS

[Line Tool Modes](#) on page 1134

Creating Smooth Transitions between Continuous Controller Events

By default, when recording or drawing MIDI continuous controller events, these are inserted as steps. If this is not what you want, you can create smooth transitions between the events.

PREREQUISITE

You have recorded MIDI data with continuous controller events.

PROCEDURE

1. In the **Project** window, double-click the MIDI part.
2. In the **Key Editor**, open the **Create Controller Lane** menu, and select **Show Used Controllers**.
The controller lanes for all controller events that you have recorded are shown in the controller display.
3. Locate the controller lane of the continuous controller that you want to edit, and select a controller event.
The info line of the **Key Editor** displays information about the selected controller event, such as **Type**, **Start** position, **Value**, **Channel**, and **Curve Type**.

| Type | Start | Value | Channel | Curve Type |
|-------------------|-------------|-------|---------|------------|
| CC 1 (Modulation) | 25. 1. 1. 0 | 54 | 1 | Ramp/Curve |

4. Do one of the following:


- On the info line, change the option in the **Curve Type** field from **Step** to **Ramp/Curve**.

NOTE

You can change the curve type for several controller events by selecting them and changing the value in the **Curve Type** field.

- In the controller display, move the mouse pointer between two controller events, and double-click the handle that appears to change the curve type from **Step** to **Ramp/Curve**.

5. Move the mouse pointer over the ramp, click the handle, and move it upwards or downwards to convert the ramp into a curve shape.



RESULT

The ramp turns into a curve.

When you play back ramps/curves, the data between two MIDI continuous controller events is interpolated to a suitable MIDI data resolution. You can visualize this by selecting **MIDI > Merge MIDI in Loop** or **MIDI > Freeze MIDI Modifiers**, or by exporting the part as a MIDI file.

NOTE

Ramp/Curve controller curves are demanding on the performance of the application.

AFTER COMPLETING THIS TASK

You can use the controller lane context menu to cut, copy, and paste controller events.

RELATED LINKS

[Controller Lane Context Menu](#) on page 1109

[Merging MIDI Events into a New Part](#) on page 1068


Continuous Controllers and MIDI Automation

You can record or enter MIDI controller data for a MIDI part in the controller lane, or for an automation track in the **Project** window.


To show and edit MIDI controller data on the automation track, you must extract the MIDI automation from the MIDI part.

MIDI controller data from the automation track is also displayed on the controller lane. However, you cannot edit this data on the controller lane.


If you notice conflicting controller data, specify what should happen on playback by selecting an **Automation Merge Mode** in the **MIDI Controller Automation Setup** dialog. The resulting curve depends on the automation merge mode.




MIDI controller data from the automation track shown on the controller lane



Conflicting controller data, **Automation Merge Mode** set to **Average**



Conflicting controller data, **Automation Merge Mode** set to **Modulation**



Conflicting controller data, **Automation Merge Mode** set to **Replace 1 - Part Range**

On the controller lane, you can also see the controller curve that is applied before the part starts. This tells you which controller value is being used at the starting point of the part so that you can choose the start value accordingly.

RELATED LINKS

- [Extracting MIDI Automation](#) on page 1078
- [Automation Merge Modes](#) on page 1133
- [MIDI Controller Automation](#) on page 1131

MIDI Controller Automation

When working with Cubase, it is possible to record automation data for MIDI controllers as MIDI part data and as data on an automation track.

If this results in conflicting automation data, you can specify how the individual data is combined during playback. To do so, select an **Automation Merge Mode** from the track list for the automation track.


RELATED LINKS

- [MIDI Controller Automation Setup Dialog](#) on page 1132
- [Automation Merge Modes](#) on page 1133

MIDI Controller Automation Setup Dialog

In the **MIDI Controller Automation Setup** dialog, you can specify how existing MIDI automation is handled on playback and new automation data is recorded in a MIDI part or as track automation. All settings that you make in this dialog are saved with the project.

- To open the **MIDI Controller Automation Setup** dialog, select **MIDI > CC Automation Setup**.



Record Destination on Conflict (global)

Allows you to determine which destination is used if MIDI controller data is received by Cubase, with both the **Record** and the **Write Automation** buttons enabled. Select **MIDI Part** to record MIDI part automation. Select **Automation Track** to record the controller data on an automation track in the **Project** window.

Automation Merge Mode (global)

Allows you to specify the global merge mode for automation.

Controller list

Lists all MIDI controllers that allow for the separate specification of the record destination and the merge mode for automation. This gives you full control over the MIDI automation (destination as well as merge mode) in your project.

Record Destination

Click in the **Record Destination** column for a MIDI controller to open a pop-up menu that allows you to choose where you want recorded data of this particular MIDI controller to be saved.

Automation Merge Mode

Click in the **Automation Merge Mode** column for a MIDI controller to specify what happens with data for this specific controller on playback.

Save As Default

Allows you to save the current settings as default settings. When you create a new project, the default settings are used.

Load Default

Allows you to load the default settings.

RELATED LINKS

[Automation Merge Modes](#) on page 1133
[MIDI Controller Automation](#) on page 1131

Automation Merge Modes

Automation Merge Modes in the **MIDI Controller Automation Setup** dialog are only available for controllers that can be recorded both for a part and a track.

- To open the **MIDI Controller Automation Setup** dialog, select **MIDI > CC Automation Setup**.

Use Global Settings

When this is selected, the automation track uses the global automation **Merge Mode** that is specified in the **MIDI Controller Automation Setup** dialog.

Replace 1 - Part Range

When this option is selected, the part data has playback priority over the automation track data. At the left and right part borders, for example, the automation mode switches abruptly from part to track automation, and vice versa.

Replace 2 - Last Value Continues

Similar to **Replace 1 - Part Range**, but part automation only begins on reaching the first controller event within the part. At the end of the part, the last controller value is kept until an automation event is reached on the automation track.

Average

When this option is selected, the average values between part and track automation are used.

Modulation

In this mode, the automation track curve modulates the existing part automation, with higher curve points emphasizing the automation values and with lower curve points reducing the automation values even further.

NOTE

The settings that you make for a controller are applied to all MIDI tracks that use this controller.

RELATED LINKS

[MIDI Controller Automation](#) on page 1131
[MIDI Controller Automation Setup Dialog](#) on page 1132

Line Tool Modes

You can use the different **Line** tool modes to edit controller events.

- To select a line mode, click the **Line** tool on the **Key Editor** or the **Drum Editor** toolbar, and click again to open a pop-up menu with the available modes.

The following modes are available:

Line

In this mode, you can draw events in a straight line by clicking in the controller display and dragging the cursor to where you want the ramp to end.



NOTE

If **Snap** is activated, the **Length Quantize** value determines the density of created controller curves. For very smooth curves, use a small **Length Quantize** value or deactivate **Snap**. Beware that very dense controller curves can cause MIDI playback to stutter.

Parabola

In this mode, you can draw events on a parabola curve. This results in more natural curves and fades.



You can use modifier keys to determine the shape of the parabola curve.

- To reverse the parabola curve, press **Ctrl/Cmd**.
- To change the position of the whole curve, press **Alt/Opt**.
- To increase or decrease the exponent, press **Shift**.

NOTE

If **Snap** is activated, the **Length Quantize** value determines the density of created controller curves. For very smooth curves, use a small **Length Quantize** value or deactivate **Snap**. Beware that very dense controller curves can cause MIDI playback to stutter.

Sine, Triangle, and Square

These modes create different periodic waveform curves.



The quantize value determines the period of the curve that is the length of one curve cycle. The **Length Quantize** value determines the density of the events.

NOTE

If you set **Length Quantize** to **Quantize Link** and enter data in **Sine**, **Triangle** or **Square** mode, the density of the events depends on the zoom factor.

You can use modifier keys to determine the shape of the curve.

- To change the phase of the beginning of the curve, press **Ctrl/Cmd**.
- To change the position of the whole curve, press **Alt/Opt - Ctrl/Cmd**.
- To change the maximum position of the triangle curve or the pulse of the square curve in **Triangle** and **Square** mode, press **Shift - Ctrl/Cmd**. This creates sawtooth curves.
- You can also set the curve period freely by holding down **Shift** when you insert events in **Sine**, **Triangle**, or **Square** mode. Activate **Snap**, **Shift**-click, and drag to set the length of one period. The resulting period length is a multiple of the quantize value.

Paint

In this mode, you can draw in multiple notes.

NOTE

If **Snap** is activated, the **Length Quantize** value determines the density of the created controller curves. For very smooth curves, use a small **Length Quantize** value or deactivate **Snap**. Beware that very dense controller curves can cause MIDI playback to stutter.

NOTE

You can use the **Thin Out Data** function in the **MIDI** menu to thin out controller data. This can ease the load on your external MIDI devices, in case you have recorded very dense controller curves.

RELATED LINKS

[Thinning Out Controller Data on page 1078](#)

Controller Event Editor


The controller event editor allows you to perform additional scaling operations for selection ranges on existing controller curves.

- To open the controller event editor, activate the **Object Selection** or the **Range Selection** tool, and drag a selection rectangle on the controller lane.
- To open the controller event editor for velocity lanes, select multiple MIDI notes in the note display. You can also activate the **Object Selection** or the **Range Selection** tool, press **Alt**, and drag a selection rectangle on the controller lane.

NOTE

The controller event editor is not available for **Articulation** or **Dynamics** lanes.

The controller event editor features the following smart controls for specific editing modes:



1 Tilt Left

If you click in the upper left corner of the editor, you can tilt the left part of the curve.

2 Compress Left

If you **Alt/Opt**-click in the upper left corner of the editor, you can compress or expand the left part of the curve.

3 Scale Vertically

If you click in the middle of the upper border of the editor, you can scale the curve vertically.

4 Move Vertically

If you click on the upper border of the editor, you can move the entire curve vertically.

5 Compress Right

If you **Alt/Opt**-click in the upper right corner of the editor, you can compress or expand the right part of the curve.

6 Tilt Right

If you click in the upper right corner of the editor, you can tilt the right part of the curve.

7 Stretch

If you click on the lower border of the editor, you can stretch the curve horizontally.

8 Scale Around Absolute Center

If you click in the center of the right corner of the editor, you can scale the curve absolute to its center.

9 Scale Around Relative Center

If you **Alt/Opt**-click in the center of the right border of the editor, you can scale the curve relative to its center.

RELATED LINKS

[Controller Selection and Functions Menu](#) on page 1110

[Selection Range Editing](#) on page 275

[Editing Velocity Events](#) on page 1115

Auto Select Controllers

Auto Select Controllers automatically selects controller data of the selected MIDI notes. This is useful, as selected controllers for notes are moved together with the corresponding notes.

- To show **Auto Select Controllers**, right-click the **Key Editor** or the **Drum Editor** toolbar, and select **Auto Select Controllers**.



If you activate **Auto Select Controllers**, controllers that belong to a note event are automatically selected when you select the note event.

RELATED LINKS

[Key Editor Toolbar](#) on page 1139

Moving Events in the Controller Display

You can move events of a controller curve in the controller display. This only works for curve type controller events, such as continuous controllers, pitchbend, aftertouch, poly pressure, and program change.

PROCEDURE

1. Do one of the following:
 - With the **Object Selection** or the **Range Selection** tool, drag to create a selection rectangle that encompasses the events that you want to move.
 - On the toolbar, activate **Auto Select Controllers**. In the note display, select the notes whose controllers you want to move.
 - In the note display, select the notes whose controllers you want to move, and select **Edit > Select > Select Controllers in Note Range** to select the controllers within the range of the selected notes.
 2. Move the note/controller events.
-

RESULT

The controller events are moved to the new position. Snap is taken into account.

RELATED LINKS

[Select Controllers in Note Range: Use Extended Note Context](#) on page 1525
[Selection Range Editing](#) on page 275

Copying and Pasting Events between Controller Lanes

You can copy events from a controller lane and paste them onto another controller lane. The controller events must have the same event type.

PROCEDURE

1. Do one of the following:
 - With the **Object Selection** or the **Range Selection** tool, drag to create a selection rectangle that encompasses the events that you want to copy.
 - On the toolbar, activate **Auto Select Controllers**. In the note display, select the notes whose controllers you want to copy.
 - In the note display, select the notes whose controllers you want to copy, and select **Edit > Select > Select Controllers in Note Range** to select the controllers within the range of the selected notes.
 2. Press **Ctrl/Cmd-C** to copy the note/controller events.
 3. Select the controller lane where you want to paste the events, and press **Ctrl/Cmd-V**.
-

RESULT

The controller events are pasted onto the controller lane. Snap is taken into account.

RELATED LINKS

[Displaying a Different Controller Event Type](#) on page 1112

Key Editor

The **Key Editor** is the default MIDI editor. It displays notes graphically in a piano roll-style grid. The **Key Editor** allows for detailed editing of notes and non-note events, such as MIDI controllers.

You can open the **Key Editor** in a separate window or in a tab in the lower zone of the **Project** window. Opening the **Key Editor** in the lower zone of the **Project** window is useful if you want to access the **Key Editor** functions from within a fixed zone of the **Project** window.

NOTE

Some features are only available in the **Key Editor** window.


To open a MIDI part in the **Key Editor**, do one of the following:

- Double-click a MIDI part in the **Project** window.
- Select a MIDI part in the **Project** window, and press **Return** or **Ctrl/Cmd - E**.
- Select a MIDI part in the **Project** window, and select **MIDI > Open Key Editor**.
- In the **Key Commands** dialog in the **Editors** category, assign a key command for **Open Key Editor**. Select a MIDI part in the **Project** window, and use the key command.

NOTE

If you select **MIDI > Set up Editor Preferences**, the **Preferences** dialog opens on the **Editors** page. Make your changes to specify if you want the editors to open in a separate window or in the lower zone of the **Project** window.

The **Key Editor** window:



The **Key Editor** is divided into several sections:

1 Toolbar

Contains tools and settings.

2 Status line

Informs you about the mouse time position, the mouse value, and the current chord.

3 Info line

Displays note event information about a selected MIDI note.

4 Visibility

Allows you to show/hide supported track types, and make their parts available in the editor display.

5 Left Zone (Key Editor Inspector)

Contains tools and functions for working with MIDI data.

6 Ruler

Displays the timeline.

7 Global Tracks

Allows you to show events on global tracks at the top of the editor event display.

8 Track display

Allows you to show a track display with MIDI parts at the top of the editor event display.

9 Piano keyboard display

Helps you to find the right note number.

10 Note display

Contains a grid in which MIDI notes are displayed as boxes.

11 Controller display

The area below the note display consists of one or multiple controller lanes.

NOTE

You can activate/deactivate the status line, the info line, and the controller lanes by clicking **Setup Window Layout** on the toolbar and activating/deactivating the corresponding options.

RELATED LINKS

[Key Editor Toolbar](#) on page 1139

[Key Editor Status Line](#) on page 1147

[Visibility Tab](#) on page 1097

[Global Tracks](#) on page 1093

[Track Display Settings Pane](#) on page 1103

[Key Editor Inspector](#) on page 1148

[Key Editor Note Display](#) on page 1151

[Key Editor Piano Keyboard Display](#) on page 1152

[Controller Display](#) on page 1106

Key Editor Toolbar

The toolbar contains tools and settings for the **Key Editor**.

- To show or hide the toolbar elements, right-click the toolbar, and activate or deactivate the elements.

Default Items

Solo Editor



Solos the editor during playback if the editor has the focus.

Solo Editor Mode



Allows you to select a mode for the **Solo Editor** function.

- **Solo All Parts** uses all parts in the editor display.
- **Solo follows 'Part Editing Mode'** uses only the parts specified via **Part Editing Mode**.

Record in Editor



Enables the recording of MIDI data in the editor if the editor has the focus.

NOTE

This only works with **MIDI Record Mode** set to **Merge** or **Replace**.

Retrospective Record

Insert MIDI Retrospective Recording in Editor



Allows you to recover MIDI notes that you played in stop mode or during playback.

Left Divider

Left Divider

Allows you to use the left divider. Tools that are placed to the left of the divider are always shown.

Keep Editor Contents

Keep Editor Contents (Don't follow Project window event selection)



Activate this if you do not want the editor event display to be updated when you select events or hide tracks in the **Project** window.

Pitch Visibility

Pitch Visibility On/Off



Deactivate this to show all pitches in the note display. Activate this to reduce the pitches in the note display according to the selected pitch visibility option.

Select Pitch Visibility Options



Allows you to determine which pitches are displayed in the note display:

- **Show Pitches with Events** shows only the pitches for which events are available in the note display.
- **Show Pitches from Scale Assistant** shows only the pitches that match the musical scale that is selected in the **Scale Assistant** section of the **Inspector**.

Auto-Scroll

Link Project and Lower Zone Editor Cursors



Links timelines, cursors, and zoom factors of the **Editor** tab in the lower zone and the **Project** window.

NOTE

You cannot activate **Link Project and Lower Zone Editor Cursors** if **Independent Track Loop** is active.

Auto-Scroll



Keeps the project cursor visible during playback.

Select Auto-Scroll Settings



Allows you to activate **Page Scroll** or **Stationary Cursor** and to activate **Suspend Auto-Scroll When Editing**.

Acoustic Feedback

Acoustic Feedback



Automatically plays back events when you move or transpose them, or when you create them by drawing.

Tool Buttons

Object Selection



Selects events and parts.

Range Selection



Selects ranges.

Draw



Draws events.

Erase



Deletes events.

Trim



Trims events.

Split



Splits events.

Glue



Glues together events of the same pitch.

Mute



Mutes events.

Zoom



Zooms in. Hold **Alt/Opt**, and click to zoom out.

Time Warp



Adjusts musical positions of events to time positions.

Line



Creates a series of continuous events.

Auto Select Controllers

Auto Select Controllers



Automatically selects controller data of the selected MIDI notes.

Independent Track Loop

Independent Track Loop



Activates/Deactivates the independent track loop.

NOTE

If you activate **Independent Track Loop**, the **Link Project and Lower Zone Editor Cursors** function is automatically deactivated in the **Editor** tab in the lower zone.

Show Note Expression Data

Double-click Opens Note Expression Editor



Opens the note expression editor when you double-click a note event.

Show Note Expression Data



Shows note expression data.

Indicate Transpositions

Indicate Transpositions



Allows you to display the transposed pitches of MIDI notes.

Insert Velocity


Note Insert Velocity



Allows you to specify a velocity value for new notes.

Nudge

Nudge Settings



Allow you to set up a snap grid for the nudge commands.

- By default, the snap grid for nudge operations is set to **Link to Grid**, and the step width corresponds to the snap grid.
- If you activate **Link to Primary Time Format**, the snap grid for nudge operations follows the primary time format, and you can set up the step width in the **Nudge Settings** pop-up menu.
- If you deactivate **Link to Grid** and **Link to Primary Time Format**, you can set up an independent snap grid for nudge operations. In this case, you can select a time format and a value from the **Nudge Settings** pop-up menu.

NOTE

To display the nudge buttons, click the points to the right of the **Nudge Settings**.

Nudge Start Left



Increases the length of the selected event by moving its start to the left.

Nudge Start Right



Decreases the length of the selected event by moving its start to the right.

Move Left



Moves the selected event to the left.

Move Right



Moves the selected event to the right.

Nudge End Left



Decreases the length of the selected event by moving its end to the left.

Nudge End Right



Increases the length of the selected event by moving its end to the right.

Transpose Palette

Move Up



Transposes the selected event up by a half note.

Move Down



Transposes the selected event down by a half note.

Move Up More



Transposes the selected event up by an octave.

Move Down More



Transposes the selected event down by an octave.


Snap

Snap On/Off



Activates/Deactivates the **Snap** function.


Snap Type



Allows you to select one of the following snap types:

- **Grid** snaps events to the grid that is selected in the **Quantize Presets** pop-up menu.
- **Grid Relative** keeps the relative positions when snapping events to the grid.
- **Events** snaps events to the start or to the end of other events.
- **Shuffle** changes the order of events, if you drag one event to the left or to the right of other events.
- **Cursor** snaps events to the cursor position.
- **Grid + Cursor** snaps events to the quantize grid that is selected in the **Quantize Presets** pop-up menu, or to the cursor position.
- **Events + Cursor** snaps events to the start or to the end of other events, or to the cursor position.
- **Grid + Events + Cursor** snaps events to the quantize grid that is selected in the **Quantize Presets** pop-up menu, to the start or to the end of other events, or to the cursor position.

Grid Type



Allows you to choose from one of the following grid types:

- **Use Quantize** activates a grid where events snap to the value that is selected in the **Quantize Presets** pop-up menu.
- **Adapt to Zoom** activates a grid where events snap to the zoom level.

Quantize

Apply Quantize



Applies the quantize settings.

Quantize Presets



Allows you to select a quantize or a groove preset.

Soft Quantize On/Off



Activates/Deactivates soft quantize.

Open Quantize Panel



Opens the **Quantize Panel**.

Length Quantize

Length Quantize



Allows you to set a value for quantizing event lengths.

Multiple Part Controls

Show Part Borders



Shows/Hides part borders for the active MIDI part within the left and right locators.

Part Editing Mode



Sets the editing mode for parts.

- **All Parts** allows you to select and edit all events of all visible parts.
- **Active Part** restricts selecting and editing to events of the active part.
- **All Parts on Active Track** allows you to select and edit all events of all parts of the active track.

Activate Part for Editing



Lists all parts that were selected when you opened the editor and allows you to activate a part.

Step/MIDI Input

Step Input



Activates/Deactivates step input.

MIDI Step Input/Note Expression MIDI Input



Activates/Deactivates MIDI step input and note expression MIDI input.

Move Insert Mode



Moves all note events to the right of the step input cursor to make room for the inserted event when you insert notes.

NOTE

This only works if **Step Input** is activated.

Record Pitch



Includes the pitch when you insert notes.

Record NoteOn Velocity



Includes the NoteOn velocity when you insert notes.

Record NoteOff Velocity



Includes the NoteOff velocity when you insert notes.


Keep Existing Notes



Keeps existing notes when you insert notes.

Event Colors

Event Colors



Allows you to select event colors.

Edit VST Instrument

Edit VST Instrument



Opens the VST instrument that the track is routed to.

Right Divider

Right Divider

Allows you to use the right divider. Tools that are placed to the right of the divider are always shown.

Window Zone Controls

Open in Separate Window



This button is available in the **Editor** tab in the lower zone. It opens the editor in a separate window.

Open in Lower Zone



This button is available in the editor window. It opens the **Editor** tab in the lower zone of the **Project** window.

Show/Hide Editor Visibility



Shows/Hides the **Visibility** tab in the editor.

Show/Hide Left Zone



Shows/Hides the left zone.

Show/Hide Controller Lanes



Shows/Hides the controller lanes.

Set up Window Layout



Allows you to set up the window layout.

RELATED LINKS

[Zooming in MIDI Editors](#) on page 1082

[Part Editing Mode Pane](#) on page 1091

Key Editor Status Line

The **Key Editor** status line shows information about the mouse time position, the mouse value, and the current chord.

- To show the status line, click **Set up Window Layout** on the toolbar, and activate **Status Line**.



The on/off status of the status line in the **Key Editor** window and in the **Editor** tab in the lower zone of the **Project** window are independent of each other.

Mouse Time Position

Displays the exact time position of the mouse pointer, based on the selected ruler time format. This lets you edit or insert notes at exact positions.

Mouse Value

Displays the exact pitch of the mouse pointer position in the event display. This facilitates finding the right pitch when entering or transposing notes.

If you move the mouse in the controller display, the controller event value is displayed at the mouse cursor position.

Current Chord Display

When the project cursor is positioned over notes that form a chord, the chord is displayed here.

RELATED LINKS

[Looping MIDI Parts](#) on page 1091

Key Editor Info Line

The **Key Editor** info line shows values and properties of the selected events.

Info Line for Selected Note Events

- To show the info line for note events, select the events with the **Object Selection** tool, click **Set up Window Layout** on the toolbar, and activate **Info Line**.
- NOTE**

If several notes are selected, the values for the first note are displayed in color.

| | | | | | |
|----------------------|---------------------------|--------------------------|-----------------------|------------------------------|--------------|
| Start 22. 3. 1. 0 | End 23. 1. 1. 0 | Length 0. 2. 0. 0 | Pitch G1 | Velocity 83 | Channel 5 |
| Off Velocity 64 | Play Probability 100 % | Velocity Variance 0 % | Articulations None | Release Length 0. 0. 0. 0 | Voice -- |

The values for **Start**, **End**, and **Length** are displayed in the selected ruler time format.

The values for **Velocity** and **Off Velocity** can be displayed in high resolution. In the **Preferences** dialog (**Editing—MIDI** page), set up the **High Resolution Display Range** and the **High Resolution Display Format**.

NOTE

The on/off status of the info line in the **Key Editor** window and on the **Editor** tab in the lower zone of the **Project** window are independent of each other.

Info Line for Selected Ranges

- To show the info line for a selected range, select a range with the **Range Selection** tool, click **Set up Window Layout** on the toolbar, and activate **Info Line**.

| Range Start | Range End | Range Length | Selection Mode |
|-------------|-------------|--------------|----------------|
| 38. 3. 1. 0 | 40. 1. 1. 0 | 1. 1. 0. 0 | As Selected |

NOTE

The on/off status of the info line in the **Key Editor** window and in the **Editor** tab in the lower zone of the **Project** window are independent of each other.

RELATED LINKS

[Editing Note Events on the Info Line](#) on page 1089

[Changing the Ruler Time Format](#) on page 1082

[Editing - MIDI](#) on page 1525


[Expanding Selection Ranges Vertically \(MIDI only\)](#) on page 277

[Transpose and Velocity on the Info Line](#) on page 1056

Key Editor Inspector

The **Inspector** is located left of the note display. The **Key Editor Inspector** contains tools and functions for working with MIDI data.

- To show/hide **Inspector** sections, right-click an empty area, select **Set up Sections**, and activate/deactivate the corresponding options.



Global Tracks

Allows you to show/hide global tracks in the **Key Editor**. This allows for a better overview of the project that you are working on.

Expression Map

Allows you to load an expression map. Expression maps are useful for working with articulations.

Note Expression

Contains functions and settings related to Note Expression.

Chord Editing

Allows you to enter chords instead of single notes.

Quantize

Allows you to access the main quantize parameters. These are identical with the functions on the **Quantize** panel.

Transpose

Allows you to access the main parameters for transposing MIDI events.

Length

Contains length-related options, similar to the **Functions** submenu of the **MIDI** menu.

- To change the length of the selected MIDI events or to change all events of the active part with no events selected, use the **Scale Length/Scale Legato** slider.
At the maximum value, the notes reach the beginning of the next note.
- To make the new length settings permanent, click **Freeze MIDI Lengths**.
- To fine-tune the distance between consecutive notes, use the **Overlap** slider.
At **0 Ticks**, the **Scale Length/Scale Legato** slider extends each note so that it exactly reaches the next note. Positive values cause the notes to overlap, and negative values allow you to define a small gap between the notes.
- To use the **Legato** function or the slider to extend a note up to the next selected note, activate **Extend to Next Selected**.
This is identical with activating the **Legato Mode: Between Selected Notes Only** option in the **Preferences** dialog.

Scale Assistant

Allows you to select a musical scale that highlights all note events whose pitches belong to this scale.

NOTE

If you open the **Key Editor** in the lower zone, these sections are shown in the **Editor Inspector** in the left zone.

RELATED LINKS

[Expression Maps](#) on page 1210

[Note Expression Inspector Section](#) on page 1228

[Quantize Panel](#) on page 360

[Transpose Functions](#) on page 403

[Opening the Editor Inspector](#) on page 74


[Global Tracks](#) on page 1093

[Scale Assistant in the Key Editor](#) on page 1150

[Visibility Tab](#) on page 1097

Scale Assistant in the Key Editor

The **Scale Assistant** section of the **Key Editor Inspector** helps you to match note events to a musical scale.



Scale Assistant Status Indicator

Shows the on/off status of the **Scale Assistant**.

Use Editor Scale

Allows you to select a scale for the notes in the **Key Editor** note display.

- Editor Scale**

Allows you to select a scale.

- Scale Suggestions**

Shows the number of scale suggestions that match the pitches of the MIDI notes. Open the pop-up menu to choose one of the suggestions. To receive scale suggestions for specific notes, select them. If no note is selected, the scale suggestions are made for all notes in the note display.

NOTE

The **Scale Assistant** is also available in the **Sample Editor**, and the **Editor Scale** is linked. If you select a scale in the **Key Editor**, the same scale is selected in the **Sample Editor**, and vice versa.

Use Chord Track

Allows you to use the chord track data as a musical scale.

- Chord Track Mode**

Allows you to select whether you want to use the scale events of the chord track, the chord events, or both as a musical scale.

Show Scale Note Guides

Changes the display background of the note event according to the selected scale. Pitches that do not belong to the selected scale are shown with a darker background.

Snap Pitch Editing

Snaps the pitches or the notes to the selected scale when you add, edit, or move them.

NOTE

Snap Pitch Editing does not apply when you change pitches using the **Pitch** value field on the info line or if you record notes via MIDI input.

Snap Live Input

Automatically corrects the pitches of incoming notes according to the selected scale.

NOTE

This only works if **Record in Editor** is activated.

Quantize Pitches

Quantizes the pitches of the selected notes to the nearest pitch of the selected scale.

RELATED LINKS

[Key Editor Note Display](#) on page 1151

[Using Live Input](#) on page 1266

[Event Colors Menu](#) on page 1083

[Musical Scale Setup Dialog](#) on page 1259

[Matching Note Events to a Musical Scale](#) on page 1155

[Using the Chord Track to Match Note Events to a Musical Scale](#) on page 1156

[Quantizing MIDI Note Pitches to Musical Scales](#) on page 1158

[Chord Track](#) on page 1247


[Mapping Incoming MIDI Note Pitches to Musical Scales](#) on page 1158

[Snapping MIDI Note Pitches to Musical Scales While Editing](#) on page 1159

[VariAudio Inspector Section](#) on page 645

Key Editor Note Display

The note display is the main zone in the **Key Editor**. It contains a grid in which note events are shown as boxes.



The width of a box corresponds to the note length. The vertical position of a box corresponds to the note number (pitch), with higher note events higher up in the grid.

Depending on the zoom factor, the note events show the note names.

NOTE

You can change the naming format and the note names of the pitches in the **Pitch Notation** section of the **Preferences** dialog ([Event Display—Chords&Pitches](#) page).

You can activate **Pitch Visibility On/Off** on the **Key Editor** toolbar, in order to show only the pitches with events or the pitches suggested by the **Scale Assistant**. This hides the keyboard keys whose pitches are not used and displays note names on the remaining keys.

RELATED LINKS

[Key Editor Piano Keyboard Display](#) on page 1152


[Zooming in MIDI Editors](#) on page 1082

[Pitch Notation](#) on page 1531

[Pitch Visibility Options](#) on page 1154

Key Editor Piano Keyboard Display

The piano keyboard display is shown to the left of the note display in the **Key Editor**.



The piano keyboard offers you a visual orientation with regard to the pitch positions in the note display and helps you to find specific note pitches.

You can click a key to listen to the pitch and the sound of the connected instrument.

If you move the mouse to the far left of the piano keyboard display, the mouse pointer changes, allowing you to scroll up and down and to zoom in and out of the keyboard display:

- Drag upwards/downwards to scroll up/down in the piano keyboard display.
- Drag to the right/left to zoom in on/out of the piano keyboard display.

The C keys show the note names of the corresponding pitches.

You can activate **Pitch Visibility On/Off** on the **Key Editor** toolbar to show only the pitches with events or the pitches suggested by the **Scale Assistant**. This hides the keyboard keys whose pitches are not used and displays note names on the remaining keys.

NOTE

You can change the naming format and the note names of the pitches in the **Pitch Notation** section of the **Preferences** dialog (**Event Display—Chords&Pitches** page).

If you select note events in the event display, the corresponding keys on the piano keyboard display are shown in the same color as the note event.

NOTE

You can use the **Event Colors** menu in the **Key Editor** toolbar to select a color scheme.

If you move the mouse pointer in the event display, the corresponding pitch position on the piano keyboard display is highlighted.

RELATED LINKS

[Key Editor Note Display](#) on page 1151

[Key Editor](#) on page 1138

[Pitch Notation](#) on page 1531

[Pitch Visibility Options](#) on page 1154

[Event Colors Menu](#) on page 1083

Showing Specific Pitches in the Key Editor

You can define which pitches are visible in the event display and the piano keyboard display of the **Key Editor**. By hiding pitches that you do not need, you can save screen space. This is useful if you add note events that span more than one octave and want to display all of them, for example.

PROCEDURE

1. On the **Key Editor** toolbar, open the **Select Pitch Visibility Options** pop-up menu .
2. Do one of the following:
 - To show only the pitches for which events are available in the note display, select **Show Pitches with Events**.

NOTE

If you edit multiple MIDI parts, the pitches of all note events in the different MIDI parts are taken into account. The visible pitches are updated according to the MIDI part selection in the **Project** window.

-
- To show only the pitches that match the musical scale that is selected in the **Scale Assistant** section of the **Key Editor Inspector**, select **Show Pitches from Scale Assistant**.
-

RESULT

The note display and the piano keyboard display are changed according to your settings.

EXAMPLE

If you selected **Show Pitches from Scale Assistant** in the **Select Pitch Visibility Options** pop-up menu and the **Scale Assistant** uses a specific scale, but some of the notes in the note display do not match the scale, this is indicated by the color of the note events, and by the exclamation mark on the corresponding keys on the keyboard display.



RELATED LINKS

[Pitch Visibility Options](#) on page 1154

[Key Editor Toolbar](#) on page 1139


[Key Editor Note Display](#) on page 1151

[Key Editor Piano Keyboard Display](#) on page 1152

Pitch Visibility Options

The pitch visibility options allow you to show or hide specific pitches from the **Key Editor** event display and the piano keyboard display. Pitch visibility options are saved with the program. If a setting leads to a situation where no pitches would be shown, all pitches are shown instead.

- To open the pitch visibility options, click **Select Pitch Visibility Options** on the **Key Editor** toolbar.



The following options are available:

Show Pitches with Events

Allows you to show only the pitches for which events are available in the note display.

NOTE

If you edit multiple MIDI parts, the pitches of all note events in the different MIDI parts are taken into account. The visible pitches are updated, based on the MIDI part selection in the **Project** window.

Show Pitches from Scale Assistant

Allows you to show only the pitches matching the musical scale that is selected in the **Scale Assistant** section of the **Key Editor Inspector**.

- Use Editor Scale**

Shows only notes that match the editor scale.

NOTE

If the note display contains note events on pitches that do not match the selected scale, the corresponding keys on the keyboard display are shown with an exclamation mark. If you activate the **Scale/Chords** option in the **Event Colors**

pop-up menu on the **Key Editor** toolbar, the non-matching note events are displayed in a different color.

- **Use Chord Track**

Shows only notes that match the chord track. The **Chord Track Mode** that you selected for the **Scale Assistant** determines if the pitches of the scale, the chord, or both are visible.

RELATED LINKS

[Event Colors Menu](#) on page 1083

[Key Editor Piano Keyboard Display](#) on page 1152

[Key Editor Note Display](#) on page 1151

[Showing Specific Pitches in the Key Editor](#) on page 1153

Pitch Editing with Reduced Pitch Visibility

If you edit pitches and reduce the pitch visibility via one of the **Select Pitch Visibility Options**, there are some general guidelines regarding the behavior of the program that you should keep in mind.

As a general rule, you can only move note events to pitch positions that are visible. This applies to moving note events upwards/downwards with the mouse, to using the corresponding key command, or to using the cursor keys.

Exceptions

To access specific pitch positions that are not displayed, you have the following possibilities:

- To move note events to pitch positions that are not visible, use the **Pitch** value field on the info line.
- To move note events by octaves, select the note event, and press **Shift-Up Arrow** to move it up an octave or **Shift-Down Arrow** to move it down an octave.
- To move chord notes, open the **Chord Editing** section, and activate an option in the **Inversions** or **Drop Notes** section.

In all these cases, the note display and the piano keyboard display extend to show the new pitches.

RELATED LINKS

[Pitch Visibility Options](#) on page 1154

[Key Editor Note Display](#) on page 1151

[Key Editor Piano Keyboard Display](#) on page 1152

Key Editor Operations

This section describes the principal editing operations within the **Key Editor**.

Matching Note Events to a Musical Scale

You can select a musical scale that is based on all or selected note events in the **Key Editor** and match note events to it.

PROCEDURE

1. Open a MIDI part in the **Key Editor**.

2. Open the **Scale Assistant** section of the **Inspector**, and activate **Use Editor Scale**.
 3. Do one of the following:
 - Select some note events in the note display to receive suggestions of musical scales that match those notes.
 - Deselect all note events in the note display to receive suggestions of musical scales that match all notes of the MIDI part.
 4. Activate **Show Scale Note Guides**.
This changes the background of the event display according to the selected scale so that pitches that do not belong to the scale are shown with a darker background.
 5. On the **Key Editor** toolbar, set **Event Colors** to **Scale/Chords**.
This changes the colors of the note events in the event display according to whether or not the pitches match the selected musical scale.
- NOTE**
- To view the color scheme of the selected color mode, open the **Event Colors** pop-up menu, and select **Setup**.
-
6. Open the **Scale Suggestions** pop-up menu, and select one of the options.
 7. Optional: On the **Key Editor** toolbar, open the **Select Pitch Visibility Options** pop-up menu  , and select **Show Pitches from Scale Assistant**.
This filters the note display and the piano keyboard display so that they show only the pitches that match the selected musical scale.

RESULT

The coloring of the event display background and the note events serves as a visual guide for editing note pitches.

AFTER COMPLETING THIS TASK

If you need more assistance to match note events to the nearest pitches of the selected musical scale, you can click **Quantize Pitches** to quantize pitches of existing MIDI notes. Activate **Snap Pitch Editing** to snap the note pitches of MIDI notes while editing or **Snap Live Input** to map the note pitches of incoming MIDI.

RELATED LINKS

- [Using the Chord Track to Match Note Events to a Musical Scale](#) on page 1156
- [Scale Assistant in the Key Editor](#) on page 1150
- [Showing Specific Pitches in the Key Editor](#) on page 1153
- [Snapping MIDI Note Pitches to Musical Scales While Editing](#) on page 1159
- [Mapping Incoming MIDI Note Pitches to Musical Scales](#) on page 1158
- [Quantizing MIDI Note Pitches to Musical Scales](#) on page 1158

Using the Chord Track to Match Note Events to a Musical Scale

You can select a musical scale that is defined by chords or scales on the chord track and match note events to it.

PREREQUISITE

You have added a chord track with chord events to your project.

PROCEDURE

1. Open a MIDI part in the **Key Editor**.
2. Optional: Open the **Global Tracks** section, and activate the chord track as a global track.
This allows you to see chord and scale events in the **Key Editor** or in the **Drum Editor**.
3. Open the **Scale Assistant** section of the **Inspector**, and activate **Use Chord Track**.
4. Open the **Chord Track Mode** pop-up menu, and do one of the following:
 - To match note events to the scale events on the chord track, select **Scales**.
 - To match note events to the chord events on the chord track, select **Chords**.
 - To match note events to both scale and chord events on the chord track, select **Chords & Scales**.
5. Activate **Show Scale Note Guides**.
This changes the background of the event display according to the selected scale, so that pitches that do not belong to the scale are shown with a darker background.
6. On the **Key Editor** toolbar, set **Event Colors** to **Scale/Chords**.
This changes the colors of the note events in the event display according to whether or not the pitches match the selected musical scale.

NOTE

To view the color scheme of the selected color mode, open the **Event Colors** pop-up menu, and select **Setup**.

7. Optional: On the **Key Editor** toolbar, open the **Select Pitch Visibility Options** pop-up menu  and select **Show Pitches from Scale Assistant**.
This filters the note display and the piano keyboard display so that they show only the pitches that match the selected musical scale.

RESULT

The coloring of the event display background and the note events serves as a visual guide for editing note pitches.

NOTE

As you might have added different scale/chord events at specific time positions, the scale indications in the event display background and on the note events change along the timeline.

AFTER COMPLETING THIS TASK

If you need more assistance with matching note events to the nearest pitches of the selected musical scale, you can click **Quantize Pitches** to quantize pitches of existing MIDI notes, activate **Snap Pitch Editing** to snap the note pitches of MIDI notes while editing or activate **Snap Live Input** to map the note pitches of incoming MIDI.

RELATED LINKS

- [Event Colors Menu on page 1083](#)
- [Matching Note Events to a Musical Scale on page 1155](#)
- [Scale Assistant in the Key Editor on page 1150](#)
- [Showing Specific Pitches in the Key Editor on page 1153](#)
- [Chord Track on page 1247](#)
- [Showing/Hiding Global Tracks on page 1095](#)

Quantizing MIDI Note Pitches to Musical Scales

You can quantize MIDI note pitches to the nearest pitch of the selected scale.

PREREQUISITE

In the **Key Editor**, you have selected a scale for your MIDI notes or you have selected a **Chord Track Mode**.

PROCEDURE

1. Open the **Scale Assistant** section of the **Inspector**.
 2. Optional: Activate **Show Scale Note Guides**.
 3. Do one of the following:
 - In the note event display, select the notes whose pitches you want to quantize.
 - Deselect all notes in the note event display to quantize all note pitches of the MIDI part.
 4. Click **Quantize Pitches**.
-

RESULT

All note pitches that do not match the selected scale are quantized to the nearest pitches in the scale.

RELATED LINKS

[Matching Note Events to a Musical Scale](#) on page 1155

[Using the Chord Track to Match Note Events to a Musical Scale](#) on page 1156

[Scale Assistant in the Key Editor](#) on page 1150

[Snapping MIDI Note Pitches to Musical Scales While Editing](#) on page 1159

[Mapping Incoming MIDI Note Pitches to Musical Scales](#) on page 1158

[Quantizing MIDI Note Pitches to Musical Scales](#) on page 1158

Mapping Incoming MIDI Note Pitches to Musical Scales

When monitoring or recording in the **Key Editor**, you can map the note pitches of incoming MIDI to the nearest pitches of the selected scale.

PREREQUISITE

In the **Key Editor**, you have selected a scale for the MIDI notes or you have selected a **Chord Track Mode**.

PROCEDURE

1. Open the **Scale Assistant** section of the **Inspector**.
 2. Activate **Show Scale Note Guides**.
 3. On the **Key Editor** toolbar, activate **Record in Editor**.
 4. To start playback, click **Start** on the **Transport** panel or in the **Transport Bar**.
 5. Activate **Snap Live Input**.
 6. Play or record some notes on your MIDI keyboard.
-

RESULT

The pitches of the played or recorded notes are automatically mapped to the selected scale.

RELATED LINKS

- [Matching Note Events to a Musical Scale](#) on page 1155
[Using the Chord Track to Match Note Events to a Musical Scale](#) on page 1156
[Scale Assistant in the Key Editor](#) on page 1150
[Using Live Input](#) on page 1266

Snapping MIDI Note Pitches to Musical Scales While Editing

You can snap the note pitches of MIDI notes to the nearest pitches of the selected scale while editing in the **Key Editor**.

PREREQUISITE

In the **Key Editor**, you have selected a scale for your MIDI notes or you have selected a **Chord Track Mode**.

PROCEDURE

1. Open the **Scale Assistant** section of the **Inspector**.
 2. Activate **Show Scale Note Guides**.
 3. Activate **Snap Pitch Editing**.
 4. Do one of the following:
 - Insert a note event with the **Draw** tool, the **Object Selection** tool, or with the **Line** tool.
 - Drag a note event upwards or downwards with the mouse.
 - Select a note event, and use the **Up Arrow / Down Arrow** keys.
-

RESULT

The notes snap to pitches of the selected scale. You cannot place notes on pitches outside of the scale. If you select multiple notes and move them to different pitches, all selected notes snap to the pitches of the selected scale.

NOTE

Snap Pitch Editing does not apply when you change pitches by means of the **Pitch** value field on the info line or if you record notes via MIDI input.

RELATED LINKS

- [Matching Note Events to a Musical Scale](#) on page 1155
[Using the Chord Track to Match Note Events to a Musical Scale](#) on page 1156
[Scale Assistant in the Key Editor](#) on page 1150
[Drawing Note Events with the Draw Tool](#) on page 1160
[Inserting Note Events with the Object Selection Tool](#) on page 1159
[Drawing Note Events with the Line Tool](#) on page 1161
[Moving and Transposing Note Events](#) on page 1162
[Modifying Note Values while Inserting Notes](#) on page 1161

Inserting Note Events with the Object Selection Tool

You can insert note events with the **Object Selection** tool.

PREREQUISITE

You have set up the length for the note events quantize value in the **Length Quantize** pop-up menu of the toolbar.

PROCEDURE

- In the note display, double-click with the **Object Selection** tool at the position where you want to insert a note.
-

RESULT

A note is inserted at the position where you double-clicked.

Deleting Note Events

PROCEDURE

- Perform one of the following actions:
 - Select the **Erase** tool, and click the event.
 - Select the **Object Selection** tool, and double-click the event.

NOTE

If **Double-Click Opens Note Expression Editor** is activated on the **Key Editor** toolbar, double-clicking a note event opens the note expression editor instead.

RESULT

The note event is deleted.

RELATED LINKS


[Key Editor Toolbar](#) on page 1139

[Note Expression Event Editor](#) on page 1236

Drawing Note Events with the Draw Tool

The **Draw** tool allows you to insert single note events in the note display.

When you move the cursor inside the note display, its position is indicated on the status line. Its pitch is indicated both on the status line and on the piano keyboard to the left.



- To draw a note, click in the note display.
The note event has the length that is set on the **Length Quantize** pop-up menu.
- To draw longer note events, click and drag in the note display.
The length of the note event is a multiple of the Length Quantize value. If **Length Quantize** is set to **Quantize Link**, the note value is determined by the quantize grid. The **Snap** function is taken into account.

NOTE

To temporarily switch from the **Object Selection** tool to the **Draw** tool, hold down **Alt/Opt**.

Modifying Note Values while Inserting Notes

When inserting note events, you can modify specific note values on the fly.

- To edit the note velocity, drag upwards or downwards.
- To edit the note pitch, hold down **Alt/Opt**, and drag upwards or downwards.
- To edit the note length, drag to the left or to the right.
- To edit the time position, hold down **Shift**, and drag to the left or to the right.

NOTE

You can activate/deactivate **Snap** temporarily by holding down **Ctrl/Cmd**.

Drawing Note Events with the Line Tool

In the note display, the **Line** tool allows you to draw a series of contiguous note events along different line shapes.

- To create contiguous note events, click and drag in the note display.
- To restrict movement to the horizontal direction, press **Ctrl/Cmd** and drag.
The notes have the same pitch.

If **Snap** is activated, the note events and the controller events are positioned and sized according to the **Quantize** and **Length Quantize** values.


RELATED LINKS

[Line Tool Modes](#) on page 1161

Line Tool Modes

The **Line** tool allows you to create a series of contiguous note events along different line shapes. You can also edit multiple controller events simultaneously.

- To open the **Line** tool modes, click **Line**.



The following line modes are available:

Line

If this option is activated, you can click and drag to insert note events in the note display along a straight line, at any angle. Use this option to edit controller data along a straight line in the controller display.

Parabola, Sine, Triangle, Square

These modes insert note events along different curve shapes.

Paint

This mode allows you to insert note events by painting in the note display.

Moving and Transposing Note Events

There are several options to move and transpose note events.

- To move note events in the editor, select the **Object Selection** tool, and drag the notes to a new position.
All selected note events are moved, maintaining their relative positions. **Snap** is taken into account.
- To allow only horizontal or only vertical movement, hold down **Ctrl/Cmd** while dragging.
- To move note events via the buttons in the **Nudge** section on the toolbar, select the note events, and click a button.
- To move note events to the project cursor position, select the note events, and select **Edit > Move > Event Start/Range Start to Cursor**.
- To move a note event via the info line, select a note event, and edit the **Position** or **Pitch** on the info line.
- To transpose note events, select the note events, and use the **Transpose Palette** buttons on the toolbar or the **Up Arrow / Down Arrow** keys.
Transpose is also affected by the global transpose setting.
- To transpose note events via the **Transpose Setup** dialog, select the note events, and select **MIDI > Transpose Setup**.
- To transpose note events in steps of one octave, press **Shift**, and use the **Up Arrow / Down Arrow** keys.

NOTE

- When you move selected note events to a different position, any controllers selected for these note events move accordingly.
- You can also adjust the position of note events by quantizing.

RELATED LINKS

[Transpose Setup Dialog](#) on page 1067

Resizing Note Events

Do one of the following:

- To resize the note event, position the **Object Selection** tool at the start or at the end of a note event, and drag the mouse cursor to the left or right.
- To apply time-stretching and note expression data to a controller that is associated with the note event that you resize, activate **Sizing Applies Time Stretch** for the **Object Selection** tool before you resize the note.
- To move the start or the end positions of the selected notes in steps according to the **Length Quantize** value on the toolbar, use the **Nudge Start Left**, **Nudge Start Right**, **Nudge End Left**, and **Nudge End Right** buttons in the **Nudge** section.
- Select the note, and adjust its length on the info line.
- Select **Draw**, and drag left or right within the note display to draw a note.

The resulting note event length is a multiple of the **Length Quantize** value on the toolbar.

- Select **Trim**, and cut off the end or the beginning of note events.

RELATED LINKS

[Value Editing Rules on the Info Line](#) on page 69

[Using the Trim Tool](#) on page 1163

[Resizing Events with the Object Selection Tool - Sizing Applies Time Stretch](#) on page 253

Using the Trim Tool

The **Trim** tool allows you to change the length of note events by cutting off the end or the beginning of notes. Using the **Trim** tool means moving the note-on or the note-off event for one or several notes to a position defined with the mouse.

PROCEDURE


1. Select **Trim** on the toolbar.

The mouse pointer changes to a knife symbol.

2. To edit a single note, click it.

The range between the mouse pointer and the end of the note is removed. Use the mouse note info on the status line to find the exact position for the trim operation.

3. To edit several notes, click and drag across the notes.



By default, the **Trim** tool cuts off the end of notes. To trim the beginning of notes, press **Alt** while dragging. When dragged across several notes, a line is displayed. The notes are trimmed along this line. Pressing **Ctrl/Cmd** while dragging results in a vertical trim line, allowing you to set the same start or end time for all edited notes. You can change the **Trim** tool key commands in the **Preferences** dialog (**Editing—Tool Modifiers** page).

Splitting Note Events

- To split the note at a specific position, select **Split**, and click.
If several notes are selected, they are all split at the same position. The snap setting is taken into account.
- To split all notes that are intersected by the project cursor position, select **Edit > Functions > Split at Cursor**.
- To split all notes that are intersected by the left or right locator at the locator positions, select **Edit > Functions > Split Loop**.

Gluing Note Events

You can glue note events of the same pitch.

- To glue note events, select **Glue**, and click on a note event.

The note event is glued together with the next note event of the same pitch. The result is a long note event that spans from the start of the first note to the end of the second note. The properties (velocity, pitch, etc.) of the first note event apply.

Changing the Pitch of Chords

You can use the chord type buttons to change the pitch of chords.

PROCEDURE

1. In the **Key Editor Inspector**, open the **Chord Editing** section.
 2. In the note display, select the notes that you want to edit.
If the chord is recognized, the root note, the chord type, and the tensions are indicated in the **Chord Type** field. This also works with arpeggiated notes.
 3. In the **Chord Editing** section, activate one of the **3-Note Chords/Triads** buttons or **4-Note Chords** buttons.
The selected notes are transposed so that they fit the selected chord type.
 4. Use the **Up Arrow / Down Arrow** keys to change the pitch of the chord.
-

Changing the Voicing of Chords

PROCEDURE


1. In the **Key Editor Inspector**, open the **Chord Editing** section.
 2. In the note display, select the notes that you want to edit.
 3. In the **Chord Editing** section, use the **Inversions** buttons and the **Drop Notes** buttons to change the voicing.
-

RESULT

The selected notes are transposed so that they fit the selected chord type.

Chord Editing Section

The **Chord Editing** section in the **Key Editor Inspector** allows you to insert and edit chords, and to change voicings.



Chord type of selected notes

Shows the chord type of the selected chords.

Add to Chord Track

Adds the chord, as indicated in the **Chord type of selected notes** field, to the chord track. The chord event is inserted at the position on the chord track that corresponds to the position of the MIDI notes. Any existing chord events at this position are overwritten.

Match with Chord Track

Applies the chord events from the chord track to the selected notes in the MIDI editor. The chord event that is effective at the position of the first selected note is applied to the selected notes, which are then transposed. Only the basic chord type is applied. Tensions are not taken into account.

Only the first effective chord event is applied.

3-Note Chords/Triads

Allows you to insert triads into the note display. You can also click one of the **3-Note Chords/Triads** buttons to transpose the selected notes so that they fit to the selected chord type.

4-Note Chords

Allows you to insert 4-note chords to the note display. You can also click one of the **4-Note Chords** buttons to transpose the selected notes so that they fit to the selected chord type.

Inversions - Move Up



Inverts the lowest note of a chord. The corresponding notes are transposed by as many octaves as needed.

Inversions - Move Down



Inverts the highest note of a chord. The corresponding notes are transposed by as many octaves as needed.

Drop Notes - Drop 2



Moves the second highest note of a chord down by one octave.

Drop Notes - Drop 3



Moves the third highest note of a chord down by one octave.

Drop Notes - Drop 2 + 4



Moves the second and fourth highest notes of a chord down by one octave.

Create Chord Events

Performs a chord analysis of the selected notes. If no note is selected, the entire MIDI part is analyzed.

RELATED LINKS

[Create Chord Events Dialog](#) on page 1270

Inserting Chords

You can use the tools in the **Chord Editing** section of the **Key Editor Inspector** to insert and edit chords.

PROCEDURE

1. In the **Key Editor Inspector**, open the **Chord Editing** section.
2. Select the **Insert** tool  to the right of the chord type that you want to insert.
3. Click in the note display, and drag to the left or right to determine the length of the chord. Drag up or down to determine its pitch.

To change the chord type while you insert chords, hold **Alt**, and drag up or down.

If **Acoustic Feedback** is activated, you hear the chord while dragging. A tooltip indicates the root note and the chord type of the inserted chord. **Snap** and **Length Quantize** are taken into account.

Applying Chord Events to Note Events

You can apply chord events from the chord track to notes in the MIDI editor.

PREREQUISITE

Create a chord track, and add chord events.

PROCEDURE

1. Open the MIDI editor.
 2. In the **Key Editor Inspector**, open the **Chord Editing** section.
 3. Select **Match with Chord Track**.
-

RESULT

The first chord event of the chord track is applied to the selected notes. Only the basic chord type is applied. Tensions are not taken into account.

Drum Map Handling

When a drum map is assigned to a MIDI or instrument track, the **Key Editor** displays the drum sound names, as defined by the drum map. This allows you to use the **Key Editor** for drum editing, for example, when editing drum note lengths or when editing several parts to identify drum events.

The name of the drum sound is displayed in the following locations:

- On the info line in the **Pitch** field.
- On the status line in the **Mouse Value** field.
- In the note event, if the zoom factor is high enough.
- At the mouse pointer when dragging a note event.

Expression Map Handling

When an expression map is assigned to a MIDI track, the musical articulations that are defined for that map are displayed in the following locations of the **Key Editor**:

- On the info line in the **Articulations** field.
- On the controller lane.
- In the note event, if the vertical zoom factor is high enough.

Note Expression Data

The **Key Editor** is the main editor for working with Note Expression.

RELATED LINKS

[Expression Maps](#) on page 1210

Editing Note Events via MIDI Input

The **MIDI Input** allows you to insert note events or chords via MIDI. These can be added to already existing note events or they can replace them.

PROCEDURE

1. Right-click the **Key Editor** toolbar, and activate **Step/MIDI Input**.
 2. In the **Step/MIDI Input** section, activate **MIDI Input**.
 3. Use the controls to the right to determine which properties are included when you insert the note events:
 - To include the pitch when you insert notes, activate **Record Pitch**.
 - To include the note-on velocity/note-off velocity of the played notes, activate **Record NoteOn Velocity/Record NoteOff Velocity**.
 - To keep existing notes, activate **Keep Existing Notes**.
 4. In the note display, select the note event that you want to edit.
 5. Press one or several keys on your MIDI instrument.
-

RESULT

The selected note assumes the pitch, the note-on velocity and/or the note-off velocity of the played note or chord. The next note in the edited part is automatically selected, to allow for quick editing of a series of notes.

RELATED LINKS

[Key Editor Toolbar](#) on page 1139

[Inserting Note Events via Step Input](#) on page 1167

Inserting Note Events via Step Input

Step Input allows you to insert note events or chords one at a time, without worrying about the exact timing. This is useful, for example, when you know the part to record but are not able to play it exactly as you want it.

PROCEDURE

1. Right-click the **Key Editor** toolbar, and activate **Step/MIDI Input**.
2. In the **Step/MIDI Input** section, activate **Step Input**.
3. Open the **Length Quantize** pop-up menu, and select a value to determine the length of the note events or chords that you want to insert.

NOTE

If you set the **Length Quantize** value to **Quantize Link**, the note length is determined by the **Quantize** value.

4. Open the **Quantize** pop-up menu, and select a value to determine the step length, that is, the position of the following note events or chords that you want to insert.
5. Set the project cursor to the position where you want the first note event or chord to start.
6. Do one of the following:
 - To insert a note event or a chord, press one or several keys on your MIDI instrument.

NOTE


The length of the inserted note event or chord is determined by the **Length Quantize** value.

- To lengthen/shorten the note event or chord while inserting it, press one or several keys on your MIDI instrument, and press **Right Arrow / Left Arrow** while you hold the keys.

NOTE

The initial length of the inserted note event or chord is determined by the **Length Quantize** value. However, the lengthening/shortening factor is determined by the **Quantize** value.

The step input cursor is displayed with blue a handle in the ruler, and a vertical line in the note display.



The note event or chord is inserted and the step input cursor automatically jumps to the next position on the timeline that is determined by the **Quantize** value.

NOTE

You can move the step input cursor manually by clicking in the note display, or by pressing **Right Arrow / Left Arrow**.

7. Optional: To insert a rest, press the **Right Arrow** key. This advances the step input cursor by one step.
 8. Repeat the steps above to insert further note events or chords.
 9. When you are done, click **Step Input** again to deactivate step input.
-

RELATED LINKS

[Key Editor Toolbar](#) on page 1139

[Editing Note Events via MIDI Input](#) on page 1167

Drum Editor

You can use the **Drum Editor** when you are editing drum or percussion parts.

You can open the **Drum Editor** in a separate window or in the lower zone of the **Project** window. Opening the **Drum Editor** in the lower zone of the **Project** window is useful to access the **Drum Editor** functions from within a fixed zone of the **Project** window.

To open a MIDI part in the **Drum Editor**, do one of the following:

- Select a MIDI part in the **Project** window, and select **MIDI > Open Drum Editor**.


If the MIDI track has a drum map assigned to it and **Editor Content Follows Event Selection** and **Use Drum Editor when Drum Map is assigned** are activated in the **Preferences** dialog (**Editors** page), you can do the following to open a MIDI part in the **Drum Editor**:

- Double-click a MIDI part in the **Project** window.
- Select a MIDI part in the **Project** window, and press **Return** or **Ctrl/Cmd-E**.
- Select a MIDI part in the **Project** window, and select **MIDI > Open Drum Editor**.
- In the **Key Commands** dialog in the **Editors** category, assign a key command to **Open Drum Editor**. Select a MIDI part in the **Project** window, and use the key command.

NOTE

If you select **MIDI > Set up Editor Preferences**, the **Preferences** dialog opens on the **Editors** page. Specify if you want the **Drum Editor** to open in a separate window or in the lower zone of the **Project** window.

The **Drum Editor** window:



The **Drum Editor** is divided into several sections:

1 Toolbar

Contains tools and settings.

2 Status line

Informs you about the mouse time position and the mouse value.

3 Info line

Displays information about the selected event.

4 Visibility

Allows you to show/hide supported track types, and to make their parts available in the editor display.

5 Left Zone (Drum Editor Inspector)

Contains tools and functions for working with MIDI data.

6 Ruler

Displays the timeline.

7 Global Tracks

Allows you to show events on global tracks at the top of the editor event display.

8 Track display

Allows you to show a track display with the MIDI parts at the top of the editor event display.

9 Drum sound list

Lists all drum sounds.

10 Note display

Contains a grid in which notes are displayed.

11 Drum map

Allows you to select the drum map for the edited track or a list of drum sound names.

12 Controller display

The area below the note display consists of one or multiple controller lanes.

NOTE

You can activate/deactivate the status line, the info line, and the controller lanes by clicking **Setup Window Layout** on the toolbar and activating/deactivating the corresponding options.

RELATED LINKS

[Drum Editor Toolbar](#) on page 1170

[Drum Editor Status Line](#) on page 1178

[Drum Editor Info Line](#) on page 1178

[Visibility Tab](#) on page 1097

[Global Tracks](#) on page 1093

[Track Display Settings Pane](#) on page 1103

[Drum Editor Inspector](#) on page 1180

[Drum Editor Note Display](#) on page 1181

[Controller Display](#) on page 1106

Drum Editor Toolbar

The toolbar contains tools and various settings for the **Drum Editor**.

- To show or hide the toolbar elements, right-click the toolbar, and activate or deactivate the elements.

Solo/Feedback

Solo Editor



Solos the editor during playback if the editor has the focus.

Solo Editor Mode



Allows you to select a mode for the **Solo Editor** function.

- **Solo All Parts** uses all parts in the editor display.
- **Solo follows 'Part Editing Mode'** uses only the parts specified via **Part Editing Mode**.

Solo Instrument (Requires Drum Map)



Solos the instrument during playback.

NOTE

This only works if there is a drum map assigned.

Record in Editor



Enables the recording of MIDI data in the editor if the editor has the focus.

NOTE

This only works with **MIDI Record Mode** set to **Merge** or **Replace**.

Retrospective Record

Insert MIDI Retrospective Recording in Editor



Allows you to recover MIDI notes that you played in stop mode or during playback.

Left Divider

Left Divider

Allows you to use the left divider. Tools that are placed to the left of the divider are always shown.

Keep Editor Contents

Keep Editor Contents (Don't follow Project window event selection)



Activate this if you do not want the editor event display to be updated when you select events or hide tracks in the **Project** window.

Pitch Visibility

Pitch Visibility On/Off



Activates the selected pitch visibility option.

Select Pitch Visibility Options



Deactivate this to show all drum sounds in the note display. Activate this to reduce the drum sounds in the note display according to the selected pitch visibility option.

- **Show Drum Sounds with Events** shows only the drum sounds for which events are available in the note display.
- **Show Drum Sounds in Use by Instruments** shows the drum sounds for which a pad, etc. is in use. This option is only available in case the instrument can provide this information.
- **Reverse Drum Sound List** reverses the order of the sounds displayed in the drum sound list.

Auto-Scroll

Link Project and Lower Zone Editor Cursors



Links timelines, cursors, and zoom factors of the **Editor** tab in the lower zone and the **Project** window.

NOTE

You cannot activate **Link Project and Lower Zone Editor Cursors** if **Independent Track Loop** is active.

Auto-Scroll



Keeps the project cursor visible during playback.

Select Auto-Scroll Settings



Allows you to activate **Page Scroll** or **Stationary Cursor** and to activate **Suspend Auto-Scroll When Editing**.

Acoustic Feedback

Acoustic Feedback



Automatically plays back events when you move or transpose them, or when you create them by drawing.

Tool Buttons

Object Selection



Selects events and parts.

Range Selection



Selects ranges.

Drumstick



Draws drum events.

Erase



Deletes events.

Mute



Mutes events.

Zoom



Zooms in. Hold **Alt/Opt**, and click to zoom out.

Time Warp



Adjusts musical positions of events to time positions.

Line



Creates a series of continuous events.

Auto Select Controllers

Auto Select Controllers



Automatically selects controller data of the selected MIDI notes.

Independent Track Loop

Independent Track Loop




Activates/Deactivates the independent track loop.

NOTE

If you activate **Independent Track Loop**, the **Link Project and Lower Zone Editor Cursors** function is automatically deactivated in the **Editor** tab in the lower zone.

Nudge

Nudge Settings



Allow you to set up a snap grid for the nudge commands.

- By default, the snap grid for nudge operations is set to **Link to Grid**, and the step width corresponds to the snap grid.
- If you activate **Link to Primary Time Format**, the snap grid for nudge operations follows the primary time format, and you can set up the step width in the **Nudge Settings** pop-up menu.
- If you deactivate **Link to Grid** and **Link to Primary Time Format**, you can set up an independent snap grid for nudge operations. In this case, you can select a time format and a value from the **Nudge Settings** pop-up menu.

NOTE

To display the nudge buttons, click the points to the right of the **Nudge Settings**.

Nudge Start Left



Increases the length of the selected event by moving its start to the left.

Nudge Start Right



Decreases the length of the selected event by moving its start to the right.

Move Left



Moves the selected event to the left.

Move Right



Moves the selected event to the right.

Nudge End Left



Decreases the length of the selected event by moving its end to the left.

Nudge End Right



Increases the length of the selected event by moving its end to the right.

Transpose Palette

Move Up



Transposes the selected event up by a half note.

Move Down



Transposes the selected event down by a half note.

Move Up More



Transposes the selected event up by an octave.

Move Down More



Transposes the selected event down by an octave.

Insert Velocity

Note Insert Velocity



Allows you to specify a velocity value for new notes.

Notes Length

Insert Length



Allows you to determine a length for newly created notes.

Show Note Length On/Off



Shows drum notes as boxes that display the note length.

Snap

Snap On/Off



Activates/Deactivates the **Snap** function.

Snap Type



Allows you to select one of the following snap types:

- **Grid** snaps events to the grid that is selected in the **Quantize Presets** pop-up menu.
- **Grid Relative** keeps the relative positions when snapping events to the grid.
- **Events** snaps events to the start or to the end of other events.
- **Shuffle** changes the order of events, if you drag one event to the left or to the right of other events.
- **Cursor** snaps events to the cursor position.
- **Grid + Cursor** snaps events to the quantize grid that is selected in the **Quantize Presets** pop-up menu, or to the cursor position.
- **Events + Cursor** snaps events to the start or to the end of other events, or to the cursor position.
- **Grid + Events + Cursor** snaps events to the quantize grid that is selected in the **Quantize Presets** pop-up menu, to the start or to the end of other events, or to the cursor position.

Grid Type



Allows you to select one of the following grid types:

- **Use Quantize** activates a grid where events snap to the value that is selected in the **Quantize Presets** pop-up menu.
- **Adapt to Zoom** activates a grid where events snap to the zoom level.
- **Use Snap from Drum Map** activates a grid where events snap to the **Snap** value that is selected in the drum map.

Quantize

Apply Quantize



Applies the quantize settings.

Quantize Presets



Allows you to select a quantize or a groove preset.

Soft Quantize On/Off



Activates/Deactivates soft quantize.

Open Quantize Panel



Opens the **Quantize Panel**.

Multiple Part Controls

Show Part Borders



Shows/Hides part borders for the active MIDI part within the left and right locators.

Part Editing Mode



Sets the editing mode for parts.

- **All Parts** allows you to select and edit all events of all visible parts.
- **Active Part** restricts selecting and editing to events of the active part.
- **All Parts on Active Track** allows you to select and edit all events of all parts of the active track.

Part Editing Mode



Sets the editing mode for parts.

- **All Parts** allows you to select and edit all events of all visible parts.
- **Active Part** restricts selecting and editing to events of the active part.

Activate Part for Editing



Lists all parts that were selected when you opened the editor and allows you to activate a part.

Event Colors

Event Colors



Allows you to select event colors.

Step/MIDI Input

Step Input



Activates/Deactivates step input.

MIDI Step Input/Note Expression MIDI Input



Activates/Deactivates MIDI step input and note expression MIDI input.

Move Insert Mode



Moves all note events to the right of the step input cursor to make room for the inserted event when you insert notes.

NOTE

This only works if **Step Input** is activated.

Record Pitch



Includes the pitch when you insert notes.

Record NoteOn Velocity



Includes the NoteOn velocity when you insert notes.

Record NoteOff Velocity



Includes the NoteOff velocity when you insert notes.

Keep Existing Notes



Keeps existing notes when you insert notes.

Edit VST Instrument

Edit VST Instrument



Opens the VST instrument that the track is routed to.

Right Divider

Right Divider

Allows you to use the right divider. Tools that are placed to the right of the divider are always shown.

Window Zone Controls

Open in Separate Window



This button is available in the **Editor** tab in the lower zone. It opens the editor in a separate window.

Open in Lower Zone



This button is available in the editor window. It opens the **Editor** tab in the lower zone of the **Project** window.

Show/Hide Editor Visibility



Shows/Hides the **Visibility** tab in the editor.

Show/Hide Left Zone



Shows/Hides the left zone.

Show/Hide Controller Lanes



Shows/Hides the controller lanes.

Set up Window Layout



Allows you to set up the window layout.

RELATED LINKS

[Zooming in MIDI Editors](#) on page 1082

[Part Editing Mode Pane](#) on page 1091

Drum Editor Status Line

The **Drum Editor** status line is displayed below the toolbar. It displays important mouse information.

- To show the status line, click **Set up Window Layout** on the toolbar, and activate **Status Line**.



The on/off status of the status line in the **Drum Editor** window and in the **Editor** tab in the lower zone of the **Project** window are independent of each other.

Mouse Time Position

Displays the exact time position of the mouse pointer, depending on the selected ruler time format. This lets you edit or insert notes at exact positions.

Mouse Value

Displays the exact pitch of the mouse pointer position in the event display. This facilitates finding the right pitch when entering or transposing notes.

If you move the mouse in the controller display, the controller event value at the mouse cursor position is displayed.

Track Loop Start/Track Loop End

If **Independent Track Loop** is activated on the toolbar and you set up a loop, the start/end position is displayed.

RELATED LINKS

[Drum Editor Toolbar](#) on page 1170

Drum Editor Info Line

The **Drum Editor** info line displays values and properties of the selected events. If several notes are selected, the values for the first note are displayed in color.

Info Line for Selected Drum Note Events

- To show the info line for drum note events, select the events with the **Object Selection** tool, click **Set up Window Layout** on the toolbar, and activate **Info Line**.

• **NOTE**

If several notes are selected, the values for the first note are displayed in color.

| | | | | | | | | |
|-----------------------------|----------------------------------|---------------------------------|------------------------------|-------------------------------------|---------------------|--|--|------|
| Start 54. 3. 3. 0 | End 54. 4. 1. 0 | Length 0. 0. 2. 0 | Pitch A2 | Velocity 71 | Channel 4 | | | |
| Off Velocity 64 | Play Probability 100 % | Velocity Variance 0 % | Articulations None | Release Length 0. 0. 0. 0 | Voice -- | | | Text |

The values for **Start**, **End**, and **Length** are displayed in the selected ruler time format.

The values for **Velocity** and **Off Velocity** can be displayed in high resolution. In the **Preferences** dialog (**Editing—MIDI** page), set up the **High Resolution Display Range** and the **High Resolution Display Format**.

NOTE

The on/off status of the info line in the **Drum Editor** window and in the **Editor** tab in the lower zone of the **Project** window are independent of each other.

Info Line for Selected Ranges

- To show the info line for a selected range, select a range with the **Range Selection** tool, click **Set up Window Layout** on the toolbar, and activate **Info Line**.

NOTE

The on/off status of the info line in the **Drum Editor** window and in the **Editor** tab in the lower zone of the **Project** window are independent of each other.

| | | | |
|-----------------------------------|---------------------------------|-----------------------------------|--------------------------------------|
| Range Start 38. 3. 1. 0 | Range End 40. 1. 1. 0 | Range Length 1. 1. 0. 0 | Selection Mode As Selected |
|-----------------------------------|---------------------------------|-----------------------------------|--------------------------------------|

- To show the info line, click **Set up Window Layout** on the toolbar, and activate **Info Line**.

NOTE

- The on/off status of the info line in the **Drum Editor** window and in the **Editor** tab in the lower zone of the **Project** window are independent of each other.
- If several events are selected, the values for the first event are displayed in color.

The values for **Start**, **End**, and **Length** are displayed in the selected ruler time format.

The values for **Velocity** and **Off Velocity** can be displayed in high resolution. In the **Preferences** dialog (**Editing—MIDI** page), set up the **High Resolution Display Range** and the **High Resolution Decimal Count**.

RELATED LINKS

[Editing Note Events on the Info Line](#) on page 1089

[Transpose and Velocity on the Info Line](#) on page 1056

[Editing - MIDI](#) on page 1525

Drum Editor Inspector

The **Drum Editor Inspector** is located to the left of the note display. It contains tools and functions for working with MIDI data.

- To show/hide **Inspector** sections, right-click the toolbar, and activate/deactivate the corresponding options.



Global Tracks

Allows you to show/hide global tracks in the **Drum Editor**. This allows for a better overview of the project that you are working on.

Expression Map

Allows you to load an expression map. Expression maps are useful for working with articulations.

Quantize

Allows you to access the main quantize parameters. These are identical with the functions on the **Quantize Panel**.

Length

Contains length-related options, similar to the **Functions** submenu of the **MIDI** menu.

- To change the length of the selected MIDI events or to change all events of the active part with no events selected, use the **Scale Length/Scale Legato** slider.
At the maximum value, the notes reach the beginning of the next note.
- To make the new length settings permanent, click **Freeze MIDI Lengths**.
- To fine-tune the distance between consecutive notes, use the **Overlap** slider.
At **0 Ticks**, the **Scale Length/Scale Legato** slider extends each note so that it exactly reaches the next note. Positive values cause the notes to overlap, and negative values allow you to define a small gap between the notes.
- To use the **Legato** function or the slider to extend a note up to the next selected note, activate **Extend to Next Selected**.
This is identical with activating the **Legato Mode: Between Selected Notes Only** option in the **Preferences** dialog.

NOTE

If you open the **Drum Editor** in the lower zone, these sections are shown in the **Editor Inspector** in the left zone.

RELATED LINKS

[Expression Maps](#) on page 1210

[Note Expression Inspector Section](#) on page 1228

[Quantize Panel](#) on page 360

[Opening the Editor Inspector](#) on page 74

[Visibility Tab](#) on page 1097

[Global Tracks](#) on page 1093

Drum Editor Note Display

The note display of the **Drum Editor** contains a grid in which note events are shown.



The notes are displayed as diamond symbols. If you activate **Show Note Length On/Off** on the toolbar, notes are displayed as boxes, indicating the note length.



The vertical position of the notes corresponds to the drum sound list to the left, while the horizontal position corresponds to the position of the note in time.

RELATED LINKS

[Drum Editor Toolbar](#) on page 1170

Drum Sound List

The drum sound list lists all drum sounds by name and allows you to adjust and manipulate the drum sound setup in various ways.

| Pitch | Drum Sound | Snap | Mute | I-Note | O-Not | Char | Output |
|-------|----------------|------|------|--------|-------|------|--------|
| C1 | Bass Drum | 1/16 | | C1 | C1 | 10 | Track |
| C#1 | Side Stick | 1/16 | | C#1 | C#1 | 10 | Track |
| D1 | Acoustic Snare | 1/16 | | D1 | D1 | 10 | Track |
| D#1 | Hand Clap | 1/16 | | D#1 | D#1 | 10 | Track |
| E1 | Electric Snare | 1/16 | | E1 | E1 | 10 | Track |
| F1 | Low Floor Tom | 1/16 | | F1 | F1 | 10 | Track |

NOTE

The number of columns in the list depends on whether a drum map is selected for the track or not.

Pitch

Note number of the drum sound.

Drum Sound

Name of the drum sound.

Snap

This is used when entering and editing notes.

Mute

Allows you to mute drum sounds.

I-Note

Input note for the drum sound. When you play this note, it is mapped to the corresponding drum sound and automatically transposed according to the **Pitch** setting for the sound.

O-Note

The MIDI output note that is sent out every time the drum sound is played back.

Channel

The MIDI channel on which the drum sound is played back.

Output

The MIDI output on which the drum sound is played back.

RELATED LINKS

[Muting Notes and Drum Sounds](#) on page 1191

[Drum Maps](#) on page 1183

Select Pitch Visibility Options Menu

The **Select Pitch Visibility Options** pop-up menu on the drum editor toolbar allows you to determine which drum sounds are shown in the drum sound list.

- Activate **Pitch Visibility On/Off**, and click **Select Pitch Visibility Options**  on the toolbar.

NOTE

If **Pitch Visibility On/Off** is deactivated, all drum sounds of the selected drum map are displayed, and you can manually edit the order of the drum sound list.

Show Drum Sounds with Events

Shows only the drum sounds for which events are available in the selected MIDI part.

Show Drum Sounds in use by Instrument

Shows all drum sounds for which a pad, etc. is used by the instrument. This option is only available in case the instrument can provide this information.

Reverse Drum Sound List

Reverses the order of the sounds displayed in the drum sound list.

Drum Map and Names Menus

The pop-up menus below the drum sound list allow you to choose a drum map for the edited track or to select items or a list of drum sound names.



RELATED LINKS

[Drum Maps](#) on page 1183

Drum Maps

A drum kit in a MIDI instrument is most often a set of different drum sounds, with each sound placed on a separate key. For example, the different sounds are assigned to different MIDI note numbers. One key plays a bass drum sound, another one a snare, and so on.

Different MIDI instruments often use different key assignments. This can be troublesome if you have created a drum pattern using one MIDI device and then want to transfer it to another one. When you switch devices, it is very likely that your snare drum becomes a ride cymbal or your hi-hat becomes a tom, etc., because the drum sounds are distributed differently in the instruments.

To solve this problem and to simplify aspects of MIDI drum kits, such as using drum sounds from different instruments with the same drum kit, Cubase features drum maps. A drum map is a list of drum sounds with a number of settings for each sound. When you play back a MIDI track with a drum map assigned to it, the MIDI notes are filtered through the drum map before they are sent to the MIDI instrument. The map determines the MIDI note number sent out for each drum sound and the sound played on the receiving MIDI device.

To try your drum pattern on another instrument, switch to the corresponding drum map, and your snare drum sound remains a snare drum sound.

To include the same drum maps in your projects, load these into the template.

NOTE

Drum maps are saved with the project files. If you have created or modified a drum map, use the **Save** function to save it as a separate XML file to make it available for loading into other projects.


RELATED LINKS

[Saving a Project Template File](#) on page 122

Drum Map Setup Dialog

This dialog allows you to load, create, modify, and save drum maps.

- To open the **Drum Map Setup** dialog, select **Drum Map Setup** from the **Map** pop-up menu or from the **MIDI** menu.



The list on the left shows the loaded drum maps.

NOTE

The settings for the drum sounds are the same as in the **Drum Editor**.

New Map

Adds a new drum map to the project. The drum sounds are named "Sound 1", "Sound 2", etc. The map is named "Empty Map".

To rename the drum map, click the name in the list, and type in a new name.

New Copy

Adds a copy of the selected drum map to create a new drum map. You can then change the drum sound settings of the copy and rename the drum map in the list.

Remove

Removes the selected drum map from the project.

Save

Allows you to save the drum map that is selected in the list on disk. Drum map files have the extension .drm.

Load

Allows you to load drum maps into your project.

Output

Allows you to select the output for the drum map sounds.

Drum Sound list

The drum sound list displays the sounds and the settings of the selected drum map.

NOTE

If you audition a sound in the **Drum Map Setup** dialog, and the sound is set to MIDI output **Default**, the output that is selected on the **Output** pop-up menu in the lower left corner is used. When auditioning a default output sound in the **Drum Editor**, the MIDI output selected for the track is used.

Pitch

Shows the note number of the drum sound.

Drum Sound

Shows the name of the drum sound in the map.

Snap

This is used when entering and editing notes.

Mute

Allows you to mute drum sounds.

I-Note

Input note for the drum sound. When you play this note, it is mapped to the corresponding drum sound and automatically transposed according to the **Pitch** setting for the sound.

O-Note

The MIDI output note that is sent out every time the drum sound is played back.

Channel

The MIDI channel on which the drum sound is played back.

Output

The MIDI output on which the drum sound is played back.

Display Note

The display pitch at which the note is shown in the **Score Editor**.

Noteheads

Allows you to assign a notehead set to each percussion instrument in the drum map.

Each notehead set in the library defines a set of notehead symbols for different note durations. These are preset and are not user editable. Each percussion instrument in the drum kit is assigned a notehead set.

Voice

Allows you to make all notes with this pitch belong to a certain voice, so that they get a common rest handling and stem direction. You can set up 4 voices: **Stem up 1, Stem down 1, Stem up 2, Stem down 2**.

Instrument Type

Shows the unpitched percussion instrument.

NOTE

If you work with a custom drum map, you must set the **Instrument Type** for each pitch. Otherwise, no notation is displayed.

If you create a drum map with the **Create Drum Map from Instrument** function the **Instrument Type** is mapped automatically.

Technique

Allows you to select a playback technique for the instrument.

RELATED LINKS


[Drum Map Settings](#) on page 1185

[Channel and Output Settings](#) on page 1186

Drum Map Settings

A drum map consists of settings for 128 drum sounds, one for each MIDI note number.

- To get an overview of the drum map settings, open the **Drum Editor**, and use the **Map** pop-up menu below the drum sound list to select the **GM Map** drum map.



The GM map is set up according to the General MIDI standard.

You can change all drum map settings, aside from the pitch, in the drum sound list or in the **Drum Map Setup** dialog. These changes affect all tracks that use the drum map.

RELATED LINKS

[Drum Sound List](#) on page 1181

[Drum Map Setup Dialog](#) on page 1183

Importing Drum Maps from Virtual Instruments

You can import your drum map settings to an instrument track that is routed to Groove Agent SE.

PREREQUISITE

To import your drum map settings to an instrument track, the track has to be routed to Groove Agent SE or to another drum instrument that supports drum maps.

PROCEDURE

1. Load a drum kit in Groove Agent SE.
 2. In the **Inspector** for the track, open the **Routing** section.
 3. In the **Drum Maps** pop-up menu, and select **Create Drum Map from Instrument**.
The drum map is created for the kit that is assigned to the MIDI port and the channel selected in the **Inspector**.
 4. Open the **Drum Maps** pop-up menu again, and select **Drum Map Setup**.
 5. From the list on the left, select the kit that you have loaded in the instrument.
-

RESULT

The sounds and settings of the instrument are displayed in the **Drum Map Setup**.

NOTE

Instrument and pattern pads are both exported to the drum map. If they share keys, the pattern pads are prioritized, that is, their settings are included in the drum map.

Channel and Output Settings

You can set separate MIDI channels and/or MIDI outputs for each sound in a drum map. When a drum map is selected for a track, the MIDI channel settings in the drum map override the MIDI channel setting for the track.

You can select different channels and/or outputs for different sounds. This allows you to construct drum kits with sounds from several different MIDI devices, etc.

- To make a drum sound use the channel of the track, set the channel in the drum map to **Any**.
- To make the sound use the MIDI output that is selected for the track, set the MIDI output for a sound in a drum map to **Default**.
- To send the sound to a specific MIDI output, select any other option.
- To select the same MIDI channel or MIDI device for all sounds in a drum map, click in the **Channel** column, press **Ctrl/Cmd**, and select a channel or output.
- If you make specific MIDI channel and output settings for all sounds in a drum map, you can switch between drum maps to send your drum tracks to another MIDI instrument.

Selecting a Drum Map for a Track

- To select a drum map for a MIDI track, open the **Drum Maps** pop-up menu in the **Routing** section of the **Inspector** or the **Map** pop-up menu in the **Drum Editor**, and select a drum map.
- To deactivate the drum map functionality in the **Drum Editor**, open the **Drum Maps** pop-up menu in the **Routing** section of the **Inspector** or the **Map** pop-up menu in the **Drum Editor**, and select **No Drum Map**.

Even if you do not use a drum map, you can still separate sounds by name via a name list.

NOTE

Initially, the **Drum Maps** pop-up menu only contains **GM Map**.

I-Notes, O-Notes, and Pitches

Going through the following theory helps you make the most of the drum map concept – especially if you want to create your own drum maps.

A drum map is a kind of filter that transforms notes according to the settings in the map. It does this transformation twice; once when it receives an incoming note, that is, when you play a note on your MIDI controller, and once when a note is sent from the program to the MIDI sound device.

The following example shows a modified drum map with a bass drum sound that has different pitch, I-note, and O-note values.

| Pitch | Drum Sound | Snap | Mute | I-Note | O-Note | Channel | Output |
|-------|----------------|------|------|--------|--------|---------|--------|
| C1 | Bass Drum | 1/16 | | C1 | C1 | 10 | Track |
| C#1 | Side Stick | 1/16 | | C#1 | C#1 | 10 | Track |
| D1 | Acoustic Snare | 1/16 | | D1 | D1 | 10 | Track |
| D#1 | Hand Clap | 1/16 | | D#1 | D#1 | 10 | Track |
| E1 | Electric Snare | 1/16 | | E1 | E1 | 10 | Track |

I-Notes (Input Notes)

When you play a note on your MIDI instrument, the program looks for this note number among the I-notes in the drum map. If you play the note A1, the program identifies it as the I-note of the bass drum sound.

This is where the first transformation happens: the note assumes a new note number according to the pitch setting for the drum sound. In our case, the note is transformed to a C1 note because that is the pitch of the bass drum sound. If you record the note, it is recorded as a C1 note.

For example, you can place drum sounds close to each other on the keyboard so that they can easily be played together, move sounds so that the most important sounds can be played from a short keyboard, or play a sound from a black key instead of a white one. If you never play your drum parts from a MIDI controller but draw them in the editor, you do not need the I-note setting.

O-Notes (Output Notes)

The next step is the output. This is what happens when you play back the recorded note, or when the note you play is sent back out to a MIDI instrument in real time (MIDI Thru):

The program checks the drum map and finds the drum sound with the pitch of the note. In our case, this is a C1 note, and the drum sound is the bass drum. Before the note is sent to the MIDI output, the second transformation takes place: the note number is changed to that of the O-note for the sound. In our example, the note sent to the MIDI instrument is a B0 note.

The O-note settings let you set things up so that the bass drum sound really plays a bass drum. If you are using a MIDI instrument with the bass drum sound on the C2 key, you set the O-note for the bass drum sound to C2. When you switch to another instrument (with the bass drum on C1), you want the bass drum O-note set to C1. Once you have set up drum maps for all of your MIDI instruments, you can select a different drum map when you want to use another MIDI instrument for drum sounds.

Setting Pitches of Notes According to their O-Note Settings

You can set the pitch of notes according to their O-note settings. This is useful to convert a track to a regular MIDI track with no drum map and still have the notes play back the correct drum sound.

It is a typical use case to export your MIDI recording as a standard MIDI file. If you first perform an O-note conversion, make sure that your drum tracks play back as intended when they are exported.

- To perform an O-note conversion, select **MIDI > O-Note Conversion**.

RELATED LINKS

[Exporting MIDI Tracks as Standard MIDI Files](#) on page 198

Drum Editor Operations

This section describes the general editing operations within the **Drum Editor**.

Inserting Drum Note Events

You can insert note events with the **Object Selection** tool or with the **Drumstick** tool.

PREREQUISITE

You have set up the **Insert Length** on the toolbar to determine the length of the inserted note. If **Insert Length** is set to **Drum-Map Link**, the note assumes the length of the **Snap** value, as set for the sound in the drum sound list. You have activated **Snap**.

NOTE

If you want to snap positions according to the **Quantize Presets** setting on the toolbar, activate **Use Quantize**.

PROCEDURE

- Perform one of the following actions:
 - Select the **Object Selection** tool, and double-click in the event display.
 - Select the **Drumstick** tool, and click in the event display.

NOTE

To temporarily switch from the **Object Selection** tool to the **Drumstick** tool, hold down **Alt/Opt**.

RESULT

A note event is inserted.

Inserting Multiple Drum Note Events

You can insert multiple note events of the same pitch with the **Object Selection** tool or with the **Drumstick** tool.

PREREQUISITE

You have set up the **Insert Length** on the toolbar to determine the length of the inserted note. If **Insert Length** is set to **Drum-Map Link**, the note assumes the length of the **Snap** value, as set for the sound in the drum sound list. You have activated **Snap**.

NOTE

To snap positions according to the **Quantize Presets** setting on the toolbar, activate **Use Quantize**.

PROCEDURE

- Perform one of the following actions:
 - On the toolbar, select the **Object Selection** tool, double-click in the event display; and drag to the right.
 - On the toolbar, select the **Drumstick** tool, click in the event display; and drag to the right.
-

RESULT

The note events are inserted.

RELATED LINKS

[Drum Editor Toolbar](#) on page 1170

Modifying Note Values While Inserting Notes

When inserting note events, you can modify specific note values on the fly.

- To edit the note velocity, drag upwards or downwards.
- To edit the note pitch, hold down **Alt/Opt**, and drag upwards or downwards.
- To edit the note length, drag to the left or to the right.

NOTE

If you want to edit the note length in the **Drum Editor**, you must deactivate **Snap** and activate **Show Note Length On/Off**. Otherwise, the note is repeated.

- To edit the time position, hold down **Shift**, and drag to the left or to the right.

NOTE

You can activate/deactivate **Snap** temporarily by holding down **Ctrl/Cmd**.

Changing the Note Length

You can change the note length in the drum editor, either with the **Object Selection** tool or with the **Drumstick** tool.

PREREQUISITE

You have activated **Show Note Length On/Off** on the drum editor toolbar.

PROCEDURE

1. Move the mouse pointer to the beginning or to the end of the note that you want to edit.
The mouse pointer turns into a double arrow.
 2. Drag to the left or to the right to adjust the length.
An info box with the current length value is displayed.
 3. Release the mouse button.
-

RESULT

The note length is changed. **Snap** is taken into account.

Deleting Drum Note Events

PROCEDURE

- Perform one of the following actions:
 - Select the **Erase** tool, and click the event.
 - Select the **Object Selection** tool, and double-click the event.
 - Select the **Drumstick** tool, and click the event.
-

RESULT

The note event is deleted.

Deleting Multiple Drum Note Events

You can delete multiple note events of the same pitch, either with the **Object Selection** tool or with the **Drumstick** tool.

PREREQUISITE

To delete multiple note events with the **Object Selection** tool, **Snap** must be activated.

PROCEDURE

- Do one of the following:
 - On the toolbar, select the **Object Selection** tool, double-click the first event you want to delete, and drag to the right.
 - On the toolbar, select the **Drumstick** tool, click the first event you want to delete, and drag to the right.
-

RESULT

The note events are deleted.

Muting Notes and Drum Sounds

IMPORTANT

The mute state for drum sounds is part of the drum map. All other tracks using this map are affected.

- To mute individual notes, click or enclose them with the **Mute** tool, or select **Edit > Mute**.
- To mute a drum sound in a drum map, click in the **Mute** column for the drum sound.

| Pitch | Drum Sound | Snap | Mute | I-Note | O-Not | Char | Output |
|-------|----------------|------|------|--------|-------|------|--------|
| C1 | Bass Drum | 1/16 | | C1 | C1 | 10 | Track |
| C#1 | Side Stick | 1/16 | ● | C#1 | C#1 | 10 | Track |
| D1 | Acoustic Snare | 1/16 | | D1 | D1 | 10 | Track |
| D#1 | Hand Clap | 1/16 | | D#1 | D#1 | 10 | Track |
| E1 | Electric Snare | 1/16 | | E1 | E1 | 10 | Track |

- To mute all other drum sounds, click **Solo Instrument (Requires Drum Map)** on the toolbar.


RELATED LINKS

[Selecting a Drum Map for a Track](#) on page 1187

List Editor

The **List Editor** displays all events in the selected MIDI parts as a list, allowing you to view and edit their properties numerically. It also enables you to edit SysEx messages.

- To open a MIDI part in the **List Editor**, select a MIDI part in the **Project** window, and select **MIDI > Open List Editor**.



The **List Editor** is divided into several sections:

- 1 Toolbar
- 2 Status line
- 3 Filters bar
- 4 Event list
- 5 Ruler
- 6 Event display
- 7 Value display

NOTE

The filters, the status line, and the value display can be activated/deactivated by clicking **Set up Window Layout** on the toolbar and activating/deactivating the corresponding options.

RELATED LINKS

- [List Editor Toolbar](#) on page 1192
[List Editor Status Line](#) on page 1198
[List Editor Filters Bar](#) on page 1198
[List Editor Event List](#) on page 1199
[List Editor Event Display](#) on page 1200
[List Editor Value Display](#) on page 1200

List Editor Toolbar

The toolbar contains tools and various settings for the **List Editor**.

- To show or hide the toolbar elements, right-click the toolbar, and activate or deactivate the elements.

Keep Editor Contents

Keep Editor Contents (Don't follow Project window event selection)



Activate this if you do not want the editor event display to be updated when you select events or hide tracks in the **Project** window.

Default Items

Solo Editor



Solos the editor during playback if the editor has the focus.

Solo Editor Mode



Allows you to select a mode for the **Solo Editor** function.

- **Solo All Parts** uses all parts in the editor display.
- **Solo follows 'Part Editing Mode'** uses only the parts specified via **Part Editing Mode**.

Record in Editor



Enables the recording of MIDI data in the editor if the editor has the focus.

NOTE

This only works with **MIDI Record Mode** set to **Merge** or **Replace**.

Retrospective Record

Insert MIDI Retrospective Recording in Editor



Allows you to recover MIDI notes that you played in stop mode or during playback.

Auto-Scroll

Auto-Scroll



Keeps the project cursor visible during playback.

Select Auto-Scroll Settings



Allows you to activate **Page Scroll** or **Stationary Cursor** and to activate **Suspend Auto-Scroll When Editing**.

Acoustic Feedback

Acoustic Feedback



Automatically plays back events when you move or transpose them, or when you create them by drawing.

Tool Buttons

Object Selection



Selects events and parts.

Draw



Draws events.

Erase



Deletes events.

Trim



Trims events.

Mute



Mutes events.

Zoom



Zooms in. Hold **Alt/Opt**, and click to zoom out.

Independent Track Loop

Independent Track Loop



Activates/Deactivates the independent track loop.

Insert Type


Insert Event Type



Allows you to determine an event type for newly created events.

Insert Velocity

Note Insert Velocity



Allows you to specify a velocity value for new notes.

Nudge

Nudge Settings



Allow you to set up a snap grid for the nudge commands.

- By default, the snap grid for nudge operations is set to **Link to Grid**, and the step width corresponds to the snap grid.
- If you activate **Link to Primary Time Format**, the snap grid for nudge operations follows the primary time format, and you can set up the step width in the **Nudge Settings** pop-up menu.
- If you deactivate **Link to Grid** and **Link to Primary Time Format**, you can set up an independent snap grid for nudge operations. In this case, you can select a time format and a value from the **Nudge Settings** pop-up menu.

NOTE

To display the nudge buttons, click the points to the right of the **Nudge Settings**.

Nudge Start Left



Increases the length of the selected event by moving its start to the left.

Nudge Start Right



Decreases the length of the selected event by moving its start to the right.

Move Left



Moves the selected event to the left.

Move Right



Moves the selected event to the right.

Nudge End Left



Decreases the length of the selected event by moving its end to the left.

Nudge End Right



Increases the length of the selected event by moving its end to the right.

Snap

Snap On/Off



Activates/Deactivates the **Snap** function.

Snap Type



Allows you to select one of the following snap types:

- **Grid** snaps events to the grid that is selected in the **Quantize Presets** pop-up menu.
- **Grid Relative** keeps the relative positions when snapping events to the grid.
- **Events** snaps events to the start or to the end of other events.
- **Shuffle** changes the order of events, if you drag one event to the left or to the right of other events.
- **Cursor** snaps events to the cursor position.
- **Grid + Cursor** snaps events to the quantize grid that is selected in the **Quantize Presets** pop-up menu, or to the cursor position.
- **Events + Cursor** snaps events to the start or to the end of other events, or to the cursor position.
- **Grid + Events + Cursor** snaps events to the quantize grid that is selected in the **Quantize Presets** pop-up menu, to the start or to the end of other events, or to the cursor position.

Quantize

Apply Quantize



Applies the quantize settings.

Quantize Presets



Allows you to select a quantize or a groove preset.

Soft Quantize On/Off



Activates/Deactivates soft quantize.


Open Quantize Panel



Opens the **Quantize Panel**.

Length Quantize

Length Quantize



Allows you to set a value for quantizing event lengths.

Multiple Part Controls

Show Part Borders



Shows/Hides part borders for the active MIDI part within the left and right locators.

Part Editing Mode



Sets the editing mode for parts.

- **All Parts** allows you to select and edit all events of all visible parts.
- **Active Part** restricts selecting and editing to events of the active part.
- **All Parts on Active Track** allows you to select and edit all events of all parts of the active track.

Part Editing Mode



Sets the editing mode for parts.

- **All Parts** allows you to select and edit all events of all visible parts.
- **Active Part** restricts selecting and editing to events of the active part.

Activate Part for Editing



Lists all parts that were selected when you opened the editor and allows you to activate a part.

Step/MIDI Input

Step Input



Activates/Deactivates step input.

MIDI Step Input/Note Expression MIDI Input



Activates/Deactivates MIDI step input and note expression MIDI input.

Move Insert Mode



Moves all note events to the right of the step input cursor to make room for the inserted event when you insert notes.

NOTE

This only works if **Step Input** is activated.

Record Pitch



Includes the pitch when you insert notes.

Record NoteOn Velocity



Includes the NoteOn velocity when you insert notes.

Record NoteOff Velocity



Includes the NoteOff velocity when you insert notes.

Keep Existing Notes



Keeps existing notes when you insert notes.

Event Colors

Event Colors



Allows you to select event colors.

Right Divider

Right Divider

Allows you to use the right divider. Tools that are placed to the right of the divider are always shown.

Edit VST Instrument

Edit VST Instrument



Opens the VST instrument that the track is routed to.

Window Zone Controls

Show/Hide Left Zone



Shows/Hides the left zone.

Show/Hide Value Display



Shows/Hides the value display in the right zone.

Set up Window Layout



Allows you to set up the window layout.

RELATED LINKS

[Part Editing Mode Pane](#) on page 1091

List Editor Status Line

The **List Editor** status line is displayed below the toolbar. It displays important information about the mouse position.

- To show the status line, click **Set up Window Layout** on the toolbar, and activate **Status Line**.



The on/off status of the status line in the **List Editor** window and in the **Editor** tab in the lower zone of the **Project** window are independent of each other.

Mouse Time Position

Displays the exact time position of the mouse pointer, depending on the selected ruler time format. This allows you to edit or insert notes at exact positions.

Current Chord Display

When the project cursor is positioned over notes that form a chord, this chord is displayed here.

Track Loop Start/End

If **Independent Track Loop** is activated on the toolbar, its start/end position is displayed.

RELATED LINKS

[Drum Editor Toolbar](#) on page 1170

List Editor Filters Bar

The **List Editor** filters bar allows you to hide events from view, based on their type and other properties.

- To show the filters bar, click **Set up Window Layout** on the toolbar, and activate **Filters**.



Focus Menu

The **Focus** menu allows you to set up filters.

No Focus

No filter is applied.

Event Types

Only events of the selected type are shown. This is the same as activating the event type options.

Event Types and Subtype

Only events of the selected type and with the selected **Subtype** value are shown. For example, if a note event is selected, only notes with the same pitch are displayed. If a controller event is selected, only controllers of the same type are shown.

Event Channels

Only events with the same MIDI channel value as the selected event are shown.

User Presets

Allows you to apply a user preset that you created in the **Logical Editor**.

NOTE

In the **List Editor**, only the filter aspect of a **Logical Editor** preset is used. You can, for example, show only muted events or notes on the down beat.

In the user preset location, you can create a dedicated folder for those presets.

Setup

Opens the **Logical Editor**, which allows you to create complex filter settings.

When you apply any of the **Logical Editor** presets or use the **Logical Editor** to create filter settings yourself, only the events that meet the specified criteria are visible.

Event Type Options

The event type options allow you to hide specific event types from view.

RELATED LINKS

[Filtering the Event List](#) on page 1202

[Logical Editor](#) on page 1333

List Editor Event List

The **Event List** lists all events in the selected MIDI parts in the order in which they are played back, from top to bottom. The list allows you to perform detailed numerical editing of the event properties.

The following options are available:

>

An arrow in this column indicates the event that starts closest before the project cursor position. You can use this column for auditioning when you are editing in the list.

- To move the cursor to the start of the event, click in the auditioning column of an event.
- To move the cursor position and start/stop playback, double-click in the column for an event.

Type

Event type. Cannot be changed.

Start

Starting position of the event, displayed in the format selected for the ruler. Changing it has the same effect as moving the event.

NOTE

If you move the event past any other event in the list, the list is resorted. The list always shows the events in the order in which they are played back.

End

Allows you to view and edit the end position of a note event. Editing resizes the note event.

Length

Displays the length of the note event. Changing this resizes the note event and automatically changes the **End** value.

Subtype

Subtype of the event. Its content depends on the event type. For notes, this is the pitch, for example. Where applicable, the values are displayed in the most relevant form. For example, the **Subtype** value for notes is displayed as a note number in the format that was selected in the **Preferences** dialog.

Main Value

Main Value of the event. The content of this depends on the event type. For notes, this is the note-on velocity value, for example.

Secondary Value

The **Secondary Value** of the event. This value is only used for note events, where it corresponds to the note-off velocity.

Channel

MIDI channel of the event. This setting is normally overridden by the channel setting for the track. To make a MIDI event play back on its own channel, set its track to the **Any** channel in the **Project** window.


Attributes

Use this for **Text**, **Lyrics**, **SMF Event**, or **SysEx** that require a text entry or a hexadecimal entry.

List Editor Event Display

The **Event Display** displays events graphically.

- The event display is always shown.



The vertical position of an event in the display corresponds to its entry in the list, that is, to the playback order. The horizontal position corresponds to the actual event position in the project. In the event display, you can add new parts or events and drag events to another position.

List Editor Value Display

The value display to the right of the event display is a tool for quick viewing and editing of multiple values, for example, velocities or controller amounts. The values are shown as horizontal bars, with the bar length corresponding to the value.

- To show the value display, click **Set up Window Layout** on the toolbar, and activate **Value Display**.



The value that is displayed for an event depends on the event type. The following table shows what is displayed and edited:

| Event type | Subtype | Main Value | Value display |
|----------------|---------------------|-------------------|-------------------|
| Note | Pitch (note number) | Note-on velocity | Velocity |
| Controller | Controller type | Controller amount | Controller amount |
| Program change | Program number | Not used | Program number |
| Aftertouch | Aftertouch amount | Not used | Aftertouch amount |
| Pitchbend | Bend amount | Not used | Bend amount |
| SysEx | Not used | Not used | Not used |

NOTE

For note events, there is also a value in the **Secondary Value** column, which is used for note-off velocity.

NOTE

For SMF and text events, no values are displayed.

List Editor Operations

This section describes the principal editing operations within the **List Editor**.


Drawing Events

The **Draw** tool allows you to insert single events in the event display.

When you move the cursor inside the event display, its position is indicated on the status line. The **Snap** function is taken into account.

| | Type | Start | End | Length | Data 1 | Data 2 | Data 3 | Track Loop Start | 1. 1. 1. 0 | Track Loop End |
|-----------|------|---------------|---------------|--------------|--------|--------|--------|------------------|------------|----------------|
| > | | | | | -- | | | 24 | | 25 |
| Note | ↓ | 23. 3. 3. 80 | 23. 3. 4. 55 | 0. 0. 0. 95 | G#2 | 103 | 64 | | | |
| Note | ↓ | 23. 3. 4. 110 | 23. 4. 3. 35 | 0. 0. 2. 45 | G2 | 88 | 64 | | | |
| Note | ↓ | 23. 4. 3. 75 | 24. 1. 1. 20 | 0. 0. 1. 65 | F2 | 61 | 64 | | | |
| Note | ↓ | 24. 1. 1. 0 | 24. 1. 4. 115 | 0. 0. 3. 115 | C2 | 82 | 64 | | | |
| Note | ↓ | 24. 3. 1. 0 | 24. 4. 1. 0 | 0. 1. 0. 0 | C3 | 100 | 64 | | | |
| Note | ↓ | 24. 4. 1. 0 | 25. 1. 1. 0 | 0. 1. 0. 0 | C3 | 100 | 64 | | | |
| Pitchbend | | 25. 1. 1. 0 | | | | 7606 | | | | |
| Pitchbend | | 25. 1. 1. 5 | | | | 6787 | | | | |
| Pitchbend | | 25. 1. 1. 20 | | | | 5851 | | | | |
| Pitchbend | | 25. 1. 1. 40 | | | | 4915 | | | | |
| Pitchbend | | 25. 1. 1. 55 | | | | 4096 | | | | |

- To change the event type that you want to draw, select it from the **Insert Event Type** pop-up menu.



- To draw an event, click in the event display.

The note event is set to the length specified in the **Length Quantize** pop-up menu. Notes assume the insert velocity value set in the **Note Insert Velocity** field on the toolbar.

- To draw longer note events, click and drag in the event display.

The length of the event is a multiple of the **Length Quantize** value. If **Length Quantize** is set to **Quantize Link**, the event value is determined by the quantize grid.

Filtering the Event List

You can filter the event list with the **Filters** bar that is displayed below the toolbar in the **List Editor**.

- To filter the event list based on complex criteria, open the **Focus** pop-up menu, and select a filter.
- To hide an event type, activate the corresponding checkbox on the **Filters** bar.
- To hide all event types except but one, press **Ctrl/Cmd**, and click the checkbox of the event type that you want to view.

If you **Ctrl/Cmd**-click again, all checkboxes are cleared.

Editing in the Event List

- To edit the values of several events, select the events, and edit the value for one event. The values of the other selected events are also changed. Any initial value differences between the events are maintained.
- To set all selected events to the same value, press **Ctrl/Cmd**, and edit the value for one event.
- For SysEx (System Exclusive) events, you can only edit the **Start** position in the list. However, when you click the **Comment** column, the **MIDI SysEx Editor** opens, in which you can perform detailed editing of system exclusive events.

NOTE

When you trim the beginning of a note in the **List Editor**, the note may move to a different position in the list, as other events may begin earlier than the edited event.

RELATED LINKS

[SysEx Messages](#) on page 1203

Editing in the Event Display

The event display allows you to edit the events graphically using the tools on the toolbar. You can edit single events as well as several selected events simultaneously.

- To move an event, drag it to a new position.

Moving the event past any other event in the display resorts the list. The list always shows the events in the order in which they are played back. As a result, the vertical position of the event in the display also changes.

- To make a copy of an event, press **Alt/Opt**, and drag it to a new position.
- To resize a note, select it, and drag its end point with the **Object Selection** tool.
- To mute or unmute an event, click on it with the **Mute** tool.
You can mute or unmute several events simultaneously by enclosing them in a selection rectangle with the **Mute** tool.
- You can select a color scheme for the events via the **Event Colors** pop-up menu on the toolbar.
- To delete an event, select it, and press **Backspace** or **Delete**, or click on it with the **Erase** tool.

RELATED LINKS

[Event Colors Menu](#) on page 1083

Editing in the Value Display

- To edit values in the value display, click and drag.

The mouse pointer automatically takes on the shape of the **Draw** tool when you move it over the value display.

SysEx Messages

SysEx (System Exclusive) messages are model-specific messages for setting various parameters of a MIDI device. This makes it possible to address device parameters that would not be available via normal MIDI syntax.

Every major MIDI manufacturer has its own SysEx identity code. SysEx messages are typically used for transmitting patch data, for example, the numbers that make up the settings of one or more sounds in a MIDI instrument.

Cubase allows you to record and manipulate SysEx data in various ways.

RELATED LINKS

[Using MIDI Devices](#) on page 1057

Bulk Dumps

In any programmable device, the computer memory stores the settings as digits. If you change these numbers, you change the settings. Normally, MIDI devices allow you to dump (transmit) all or some settings in the memory of the device in the form of MIDI SysEx messages.

A dump is therefore, among other things, a way of making backup copies of the settings of your instrument: sending such a dump back to the MIDI device restores the settings.

If your instrument allows dumping a few or all of its settings via MIDI by activating a function on the front panel, this dump is likely to be recordable in Cubase.

Recording a Bulk Dump

IMPORTANT

If your MIDI instrument does not offer a way to initiate a dump, you have to send a Dump Request message from Cubase to start the dump. In this case, use the **MIDI SysEx Editor** to insert the specific Dump Request message (refer to the documentation included with the instrument) at the beginning of a MIDI track. When you activate recording, the Dump Request message is played back (sent to the instrument). The dump starts and is recorded.

PROCEDURE

1. In the **Preferences** dialog, select **MIDI > MIDI Filter**.
 2. In the **Record** section, deactivate the **SysEx** checkbox to make sure that the recording of SysEx data is not filtered.
As a result, SysEx messages are recorded but not echoed back to the instrument. This can lead to unpredictable results.
 3. Activate recording on a MIDI track, and initiate the dump from the front panel of the instrument.
 4. When you have finished recording, select the new part, and select **MIDI > List Editor**.
This allows you to verify that the SysEx dump was recorded. There should be one or several SysEx events in the part/event list.
-

Transmitting a Bulk Dump Back to a Device

PREREQUISITE

Route the MIDI track with the SysEx (System Exclusive) data to the device. For information such as MIDI channels to be used, refer to the documentation included with the MIDI device.

PROCEDURE

1. Solo the track.
 2. Make sure that the device is set up to receive SysEx messages.
 3. If necessary, put the device in **Standby to Receive System Exclusive** mode.
 4. Play back the data.
-

Recording and Transmitting Bulk Dumps

- Do not transmit more data than you need. If all you want is a single program, do not send everything. Otherwise, it could get too difficult to find the recognized program. Usually, you can specify exactly which data to send.
- If you want the sequencer to dump the pertinent sounds to your instrument whenever you load a project, put the SysEx data in a silent count-in before the project itself starts.
- If the dump is very short, for example, a single sound, you can put the dump in the middle of the project to quickly re-program a device. You can achieve the same effect by using Program Change. This is preferable, as less MIDI data is sent and recorded. Some devices may be set up to dump the settings for a sound as soon as you select it on the front panel.
- If you create parts with SysEx dumps, you can put these on a special muted track. To make use of these parts, drag them to an empty unmuted track and play them back.
- Do not transmit several SysEx dumps to several instruments at the same time.
- Make a note of the current device ID setting of the instrument. If you change this, the instrument may refuse to load the dump at a later point in time.

Recording SysEx Parameter Changes

Often, you can use SysEx to remotely change individual settings in a device, for example, opening a filter, selecting a waveform, changing the decay of the reverb, etc. Many devices are also capable of transmitting changes made on the front panel as SysEx messages. These can be recorded in Cubase and thus incorporated into a regular MIDI recording.

For example, open up a filter while playing some notes. In that case, you record both the notes and the SysEx messages that are generated when you open the filter. When you play back the recording, the sound changes exactly as it did when you recorded it.

PROCEDURE


1. In the **Preferences** dialog, select **MIDI > MIDI Filter**, and make sure that **SysEx** is deactivated in the **Record** section.
 2. Make sure that the instrument is set to transmit changes of front panel controls as SysEx messages.
 3. Record.
-

AFTER COMPLETING THIS TASK

In the **List Editor**, check if the events were recorded properly.

MIDI SysEx Editor

- To open the **MIDI SysEx Editor** for a SysEx event, click in the **Attributes** column for the event in the **List Editor**.



In the **MIDI SysEx Editor**, the bytes are displayed as follows:

Address

Shows the location of the value in the message.

0-7

Shows the entire message in hexadecimal format.

SysEx messages always begin with F0 and end with F7, with a number of arbitrary bytes in between. If the message contains more bytes, so that they do not entirely fit on one line, it continues on the next line. You can edit all values except for the first (F0) and the last ones (F7).

ASCII

Shows the selected value in ASCII format.

Adding and Deleting Bytes

- To add a byte, open the **MIDI SysEx Editor**, and click **Insert**. The byte is added before the selected byte.
- To delete a byte, open the **MIDI SysEx Editor**, select a byte, and click **Delete**.
- To delete the entire SysEx message, select it in the **List Editor**, and press **Delete** or **Backspace**.

Editing Byte Values

You can edit the selected byte value in the main display of the **MIDI SysEx Editor**, or in the ASCII, decimal, and binary displays.

- To edit the selected value, open the **MIDI SysEx Editor** click on a byte, and type in the value.

Importing and Exporting SysEx Data

You can import SysEx data from disk and export the edited data to a file.

The file has to be in MIDI SysEx (.syx) binary format. Only the first dump in a SYX file is loaded.


- To import SysEx data, open the **MIDI SysEx Editor** and click **Import**.
- To export SysEx data, open the **MIDI SysEx Editor** and click **Export**.

NOTE

Do not confuse this format with MIDI files, which have the extension .mid.

In-Place Editor

The **In-Place Editor** allows you to edit MIDI notes and controllers in the **Project** window, for quick and efficient editing in context with other tracks.



The **In-Place Editor** expands the MIDI track to show a miniature **Key Editor**. When you select a MIDI note, the **Project** window info line shows the same information about the note as the info line in the **Key Editor**. You can perform the same editing as in the **Key Editor**.

RELATED LINKS

[Editing Note Events on the Info Line](#) on page 1089

Opening the In-Place Editor


- To open the **In-Place Editor** for the selected tracks, select **MIDI > Open In-Place Editor**.
- To open the **In-Place Editor** for a single MIDI track, click **Edit In-Place** in the **Inspector**.



In-Place Editor Toolbar

The toolbar contains tools and settings for the **In-Place Editor**.

- To open the toolbar, click on the triangle in the upper right corner of the track list for the edited track.



Acoustic Feedback

Acoustic Feedback



Automatically plays back events when you move or transpose them, or when you create them by drawing.

Multiple Part Controls


Part Editing Mode



Sets the editing mode for parts.

- **All Parts** allows you to select and edit all events of all visible parts.
- **Active Part** restricts selecting and editing to events of the active part.

Activate Part for Editing



Lists all parts that were selected when you opened the editor and allows you to activate a part.

Indicate Transpositions

Indicate Transpositions



Allows you to display the transposed pitches of MIDI notes.

Auto Select Controllers

Auto Select Controllers



Automatically selects controller data of the selected MIDI notes.

Insert Velocity


Note Insert Velocity



Allows you to specify a velocity value for new notes.

Length Quantize


Length Quantize



Allows you to set a value for quantizing event lengths.

Event Colors

Event Colors



Allows you to select event colors.

Transpose Palette

Move Up



Transposes the selected event up by a half note.

Move Down



Transposes the selected event down by a half note.

Move Up More



Transposes the selected event up by an octave.

Move Down More



Transposes the selected event down by an octave.

Working with the In-Place Editor

- To zoom or scroll the **In-Place Editor**, point at the left part of the piano keyboard display so that the pointer changes to a four point arrow. Then drag to the right or left to zoom in or out vertically, and drag up or down to scroll the editor.
- To add or remove controller lanes, right-click below the controller name field, and select an option from the context menu.
- To close the **In-Place Editor** for one track, click **Edit In-Place** in the track list or double-click below the controller display in the **In-Place Editor**.
- To open/close the **In-Place Editor** for one or several selected tracks, use the **Edit In-Place** key command.
- You can drag notes from one **In-Place Editor** to another.

NOTE

The **Snap** button and the **Snap Type** pop-up menu on the **Project** window toolbar control snapping in the **In-Place Editor**, but the snap grid is set using the **Quantize** pop-up menu.

Expression Maps

Expression maps allow you to set up a map for all of your articulations. This allows you to audition a project including articulations.

You can select expression maps in the **Inspector** for MIDI or instrument tracks and specify the sound mapping and characteristics for all of your articulations.

If you select an expression map for a MIDI or instrument track, the articulations defined in the map are automatically applied during playback. Cubase recognizes the expressions scored for the MIDI part and searches the sound slots in the expression map for a sound that matches the defined criteria.

If a matching sound slot is found, the current note is either modified or the MIDI channel, program change, or key switch information is sent to the instrument selected on the **Output Routing** pop-up menu for the track, so that a different sound is played. If no sound slot that matches the articulations used in the part is found, the closest match is used.

When you enter articulations in a MIDI part, you must set up an expression map so that the right sounds in the connected VST or MIDI instrument are triggered.

Expression maps also allow you to link your articulations with remote keys on a MIDI input device and to map these to sounds that can be played by a MIDI device or a VST instrument. In this manner, you can enter notes and articulations via a remote MIDI device. Cubase automatically records them and plays them back correctly.

You can use expression maps for the following purposes:

- To enter musical articulations in the **Key Editor**, the **Drum Editor**, or the **In-Place Editor**, without having to record MIDI data first.
- To play/record music in real time and to control articulation changes while playing.
- To open and edit projects from other users. By using expression maps, you can map the articulation information to a different instrument set or content library quickly and easily.

Expression maps are available for MIDI and instrument tracks. You can create your own expression maps or download expression maps for orchestra libraries and virtual instruments from steinberg.net.

NOTE

You can also use the **Note Expression** functions to add musical articulations on your MIDI notes in the **Key Editor**.

RELATED LINKS

[Articulations](#) on page 1211

[Creating and Editing Expression Maps](#) on page 1212

[Groups](#) on page 1215

[Note Expression](#) on page 1221

Articulations

Musical articulations define how specific notes are sung or performed on a given instrument. They can also define the relative volume of notes or the changes in pitch.

The following articulation types are available:

- **Directions**

Directions, such as pizzicato, are valid for all notes from their insert position to the insert position of the next direction. They are applied to a continuous range of notes, or even to an entire piece of music.

- **Attributes**

Attributes, such as accents, or staccato, are valid for single notes.

Expression Map Setup Window


The **Expression Map Setup** window allows you to load, create, and set up expression maps.

To open the **Expression Map Setup** window, do one of the following:

- Select **MIDI > Expression Map Setup**.
- In the **Inspector** for a MIDI or instrument track, open the **Expression Map** section, and click **Expression Map Setup**.

NOTE

You can also open the **Expression Map** section in the **Inspector** of the **Key Editor** or the **Drum Editor**.



The following sections are available:

Expression Maps

Allows you to load, save, add, and remove expression maps. Loaded or added expression maps are displayed in the **Expression Maps** list.

Sound Slots

Shows the sound slots that correspond to the expression map that is selected in the **Expression Maps** section.

Output Mapping

Shows the output mapping that corresponds to the sound slot that is selected in the **Sound Slots** section.

Articulations

Allows you to organize articulations in groups.

Remote Settings

Allows you to set up remote keys for triggering articulations via a MIDI input device. You can choose to use key switches or program change messages to play a certain sound slot.

RELATED LINKS

[Expression Maps](#) on page 1210

[Adding Sound Slots](#) on page 1213

[Output Mapping Section](#) on page 1215

[Articulations](#) on page 1211

[Remote Settings Section](#) on page 1216

Expression Maps in the Project Window

Expression maps are available in the **Project** window, from within the **Inspector** for MIDI and instrument tracks.



- 1 Shows which remote key is being pressed.
- 2 Marks the slot that is played back. This allows you to see whether the correct sound slot is used when you record articulations with an external device, such as a MIDI keyboard.
- 3 Indicates that an expression map is used for the track.
- 4 Opens the **Expression Map Setup** window.

Creating and Editing Expression Maps


Creating Expression Maps

You can create expression maps from scratch.

PROCEDURE


1. In the **Inspector** for a MIDI or instrument track, open the **Expression Map** section.

2. Click **Expression Map Setup**.



The **Expression Map Setup** opens.

3. In the **Expression Maps** section, click **Add Map** to create a new map.



4. Optional: Click the name to enter a custom name for the expression map.

Adding Sound Slots

You must create sound slots for each articulation that you want to add.

PREREQUISITE

The **Expression Map Setup** window is open, and an expression map is selected in the **Expression Maps** section.

PROCEDURE

1. Do one of the following:

- In the **Sound Slots** section, use the first default sound slot that is added automatically when a new map is created.
 - Click **Add Sound Slot** to add a new sound slot.
2. Click the articulation column **Art. 1** for the sound slot, and select an articulation from the menu.

NOTE

If a specific articulation is not available on the pop-up menu, select **Add Custom Articulation** to define your own articulations. This adds a default articulation that you can define in the **Articulations** section.

3. Optional: Click the **Name** column, and enter a name for the sound slot.

The names of the sound slots are displayed in the **Inspector** for the track.

4. Optional: Click the articulation columns **Art. 2**, **Art. 3**, or **Art. 4** for the sound slot, and select an articulation from the menu.

This allows you to create a complex articulation, made of several different single articulations for the sound slot. For each new articulation, an additional entry is added in the **Articulations** section.

5. Click the **Remote** column for the sound slot, and specify the key that triggers this sound slot on your external device.

6. Optional: Click the **Col** column to assign a color to the sound slot.

When working in the MIDI editors, you can color your events according to the color of the sound slots.

RESULT

The sound slots are added, and the articulations are available. You can create as many sound slots as you need.

If Cubase finds the sound slot, the current note is either modified, for example, reduced in length or played louder, or the MIDI channel, the program change, or the key switch information is sent to the connected instrument (the instrument selected on the **Output Routing** pop-up menu for the track), so that a different sound is played.

If no sound slot is found that matches the articulations used in the part, the closest match is used.

RELATED LINKS

[Expression Maps in the Project Window](#) on page 1212

[Remote Settings Section](#) on page 1216

Articulations Section

You can edit the articulations that you added for the sound slots in the **Articulations** section of the **Expression Map Setup** window.

The following settings are available:

Art.

Click this column to choose whether you want to insert the articulation as a symbol or a text string. If you select **Symbol**, a dialog with the available symbols opens. If you select **Text**, you can enter your text.

Type

Click this column to specify whether you want to add an attribute or a direction. If you select **Attribute**, only single notes are influenced by the articulation symbol. If you select **Direction**, the articulation symbol is valid from its insertion position to the next articulation start.

Description

Click this column to enter a text, such as the name of the symbol or the long name of a direction.

Group

Click this column to sort articulations in groups and to prioritize them.

RELATED LINKS

[Groups](#) on page 1215

Groups

Groups allow you to sort the articulations in order to prioritize and combine them.

The groups themselves are exclusive. Articulations that are in the same group cannot be used together. You can place articulations that cannot be combined, such as arco (bowed) and pizzicato (plucked) for violin, in the same group.


Groups represent the musical importance, with group 1 having the highest priority. This is useful if an expression map does not find an exact match for your data and tries to identify the sound which matches most criteria. If two sounds are found, which have the same articulation in group 1, the sound that also matches group 2 is preferred, and so on.

Output Mapping Section

The **Output Mapping** section allows you to map sound slots to specific sound characters of an instrument. The available sounds depend on the instrument that is selected for the MIDI or instrument track.

NOTE

Some virtual instruments require multiple key switches or combinations of key switches and controllers to select a particular articulation. In this case, click **Add Slot** to add multiple output events to a single sound slot.



You can make the following settings for the slots:

Status

Allows you to specify a note-on, a program change, or a controller message for the selected sound slot.

Data 1/Data 2

Allows you to specify key switches for the selected sound slot. This enables you to switch between a bowed and a pizzicato violin, or to switch to another program containing a different articulation.

You can also create expressions by editing the incoming MIDI data:

Channel

Allows you to specify the MIDI channel for the selected sound slot. This enables you to switch to a different program.

Length

Allows you to specify the note length for the selected sound slot. In this manner, you can create staccato or tenuto sounds.

Transpose

Allows you to specify a transpose value for the selected sound slot. In this manner, you can select different articulations in sample libraries in which different articulations are located on different octaves.

Velocity

Allows you to specify the velocity for the selected sound slot. In this manner, you can create accents.

Min. Pitch/Max. Pitch

Allows you to specify a minimum and a maximum pitch for the selected sound slot.

Min. Velocity/Max. Velocity

Allows you to specify a minimum and a maximum velocity for the selected sound slot, to make sure that the sample mapped to a particular range is used. In this manner, you can use instruments that have different velocity ranges on the same key.


Remote Settings Section

The remote settings allow you to specify key switches or program change messages to trigger specific sound slots.

NOTE

If you do not plan to record or trigger articulations via a MIDI input device, you do not need to specify remote keys.

Active remote keys are indicated in the **Inspector** for the track.



Key Switches/Program Change Messages pop-up menu

Allows you to choose to use **Key Switches** or **Program Change Messages** to switch sound slots.

NOTE

If you use key switches, these keys are used to insert articulations instead of notes.

Latch Mode

If this is activated, the key you press on your MIDI input device is valid until you press the next key. If this is deactivated, the key is valid for as long as you hold it. When you release it, the first sound slot is played.

IMPORTANT

Latch Mode can only be activated/deactivated globally, not for single expression maps.

Root Note

Allows you to specify the first key on your external device that you want to use as a remote key. This allows you to automatically adjust existing remote key assignments to

suit your needs, for example, when you use a MIDI keyboard with a very wide or very narrow key range.

Set Remote Keys

Allows you to automatically assign a range of keys on your external device to the sound slots in the expression map.

RELATED LINKS


[Expression Maps in the Project Window](#) on page 1212

[Set Remote Keys Dialog](#) on page 1217

Set Remote Keys Dialog

The **Set Remote Keys** dialog allows you to assign a range of keys on your external device to the sound slots in the expression map.

- To open the **Set Remote Keys** dialog, click the **Set Remote Keys** button in the **Expression Map Setup** dialog.



The following options are available:

Start Key

Allows you to specify the first key on the MIDI input device that you want to trigger a sound slot.

Key Mapping

Allows you to specify the keys that trigger the sound slots on your device.

Extracting Expression Maps from VST Instruments

You can extract mapping information from VST 3 instruments and convert it into a new expression map. In this manner, you can set up expression maps for instruments you frequently use.


PROCEDURE

- Load the VST instrument that you want to use, and assign it to a MIDI or instrument track.
- Load an instrument preset that contains key switches.

Several track presets that are pre-configured for use with expression maps are included with Cubase. They contain sounds that make use of key switches and have different articulations. These presets have the suffix **VX**.

- In the **Inspector** for the MIDI or instrument track, open the **Expression Map** section.
- Click **Expression Map Setup**.

The **Expression Map Setup** opens.



5. Make your changes, enter a name for the map, and click **Save**.
-

RESULT

The expression map is saved, and you can select it in the **Expression Map** section of the **Key Editor** or the **Drum Editor Inspector**.

RELATED LINKS

[Creating Expression Maps](#) on page 1212
[Track Presets](#) on page 226

Saving Expression Maps

After creating and setting up your expression map, you must save it.

PROCEDURE

1. In the **Expression Maps Setup** window, select the expression map in the **Expression Maps** section.
 2. Click **Save**.
 3. In the file dialog, specify a file name and a location for the expression map, and click **Save**.
-

RESULT

The expression map is saved.

Loading Expression Maps

PROCEDURE

1. In the **Inspector** for a MIDI or instrument track, open the **Expression Map** section.
2. Click **Expression Map Setup**.
The **Expression Map Setup** opens.
3. In the **Expression Maps** section on the left, click **Load**.

4. In the file dialog, locate and select the expression map that you want to load, and click **Open**.
The expression map is now available in the **Expression Maps** section.
 5. Repeat the steps for all the maps that you want to make available, and close the dialog.
-

RESULT

All loaded maps are available on the **Expression Map** pop-up menu in the **Inspector** of the **Key Editor** or **Drum Editor**.

RELATED LINKS

[Creating and Editing Expression Maps](#) on page 1212

Inserting Articulations

Inserting Articulations on Controller Lanes

You can insert articulation symbols on the controller lane of the **Key Editor**, the **Drum Editor**, and the **In-Place Editor**.

PROCEDURE

1. Select the MIDI part.
 2. Open the **Key Editor**, the **Drum Editor**, or the **In-Place Editor**.
 3. In the controller display, open the **Controller Selection and Functions** pop-up menu, and select **Articulations/Dynamics**.
All articulations that are specified for the selected expression map are displayed on different rows of the controller lane. The different groups are separated by lines, and articulations that belong to the same group are shown in the same color.
 4. Select the **Draw** tool, and in the controller display, click at the exact position of the first note to which you want to apply this articulation.
The note beginnings are displayed on the controller display as vertical lines.
-

RESULT

The attribute in the controller lane is now automatically connected to the corresponding note.

NOTE

If you delete an attribute by selecting it and pressing **Delete** or **Backspace**, the note is deleted as well. If this is not what you want, deselect the articulation in the **Articulations** field on the info line instead.

IMPORTANT

When you insert articulation symbols, make sure that they do not conflict with other articulations.

RELATED LINKS

[Inserting Articulations via the Info Line](#) on page 1220

Inserting Articulations via the Info Line

You can insert articulation symbols via the info line of the **Key Editor**, and the **Drum Editor**.

PROCEDURE

1. Select a MIDI note in the event display of the **Key Editor**, or the **Drum Editor**.
 2. On the info line, click **Articulations** to open a pop-up menu with all note attributes that are available in the expression map, and select the desired attribute.
-

RESULT

The name of the active attribute is now shown in the **Articulations** field.

NOTE

To delete the attribute, deselect the articulation in the **Articulations** field on the info line.

IMPORTANT

When you insert articulation symbols, make sure that they do not come into conflict with other articulations.

RELATED LINKS

[Groups](#) on page 1215

Inserting Articulations in the List Editor

You can insert articulation symbols via the **Comment** column of the **List Editor**. This only works if your MIDI part already contains some articulation symbols.

PROCEDURE

1. Select a MIDI note in the event display of the **List Editor**.
 2. Click the **Comment** column to open a pop-up menu with all note attributes that are available in the expression map, and select the desired attribute.
-

RESULT

The name of the active attribute is now shown in the **Comment** column.

NOTE

To delete the attribute, deselect the articulation in the **Comment** column.

IMPORTANT

When you insert articulation symbols, make sure that they do not come into conflict with other articulations.


Note Expression

Note expression allows you to edit MIDI notes and their expressions as one unit.

Note expression allows you to associate expression events with MIDI notes, so that they are treated as a unit. When you quantize, move, copy, duplicate, or delete MIDI notes, all of their associated controller information follows. This allows for intuitive and accurate editing of note-related data.

The following events are considered as expression events: MIDI control change, MIDI Pitchbend, MIDI Aftertouch, MIDI Poly Pressure, and VST Note Expression.

Expression event curves are displayed as an overlay of the corresponding MIDI notes in the event display. All expression events for a MIDI note are shown simultaneously.



To play and record expression events for MIDI notes, use an input controller device that supports note expression, such as MPE-compatible keyboards or MIDI guitars. If you do not have such an input controller, you can assign MIDI messages to expressions instead.

To be able to hear polyphonic performances that use expression events, use an output controller device that supports note expression, such as MPE-compatible instruments or VST note expression-compatible VST instruments. If you do not have such a device, you must set up your MIDI instrument to play the same sound on all MIDI channels.

RELATED LINKS

[VST Note Expressions](#) on page 1222

[MIDI Controllers](#) on page 1222

[MIDI Input Devices that Support MPE](#) on page 1223

VST Note Expressions

VST note expressions are note-specific. They are suitable for polyphonic contexts, as they allow you to edit the expression of each individual note in a chord.

VST note expressions are provided by VST instruments. To work with VST note expressions, you need a VST instrument that supports them, such as HALion Sonic.

The availability of VST note expressions depends on the instrument.

VST note expressions allow for a value range that exceeds the MIDI range of 0 to 127.

You can use all MIDI channels to separate different sounds.

NOTE

To use VST note expressions to control individual notes, set the MIDI channel of the track to a value between 1 and 16.

RELATED LINKS

[VST 3-Compatible VST Instruments](#) on page 1222

VST 3-Compatible VST Instruments

VST 3-compatible VST instruments that support VST note expression can be used with note expression in Cubase.

Cubase comes with a number of VST 3-compatible VST instruments, such as HALion Sonic, Retrologue, or Padshop, that include several presets.

Depending on the preset, Cubase supports specific VST note expressions such as **Tuning**, **Volume** and **Pan**.

NOTE

Retrologue and Padshop come with some sounds designed to be used with MPE. For use with note expression, you can also use the preset sounds in HALion Sonic.

For detailed information about Retrologue and Padshop and their parameters, see the separate document [Plug-in Reference](#).

For detailed information about HALion Sonic and its parameters, see the separate document [HALion Sonic](#).

RELATED LINKS

[Loading MPE Instrument Presets](#) on page 1227

MIDI Controllers

MIDI controllers are channel-specific, with the exception of poly pressure messages. They affect the entire voice, regardless of whether they are inserted for a part or a note.

The fact that MIDI controllers are channel-specific limits the potential of note expression to monophonic (solo) performances. If you edit articulation data on one note, this affects all other notes of the same voice, that is, any other note playing on the same channel at the same time.

The MPE standard, however, allows you to assign each note to a different MIDI channel, and thereby to control notes individually. The standard recommends to use exclusively the MIDI

channel messages pitchbend, aftertouch, and CC 74 to control individual notes. In this scenario, MIDI channel 1 controls all notes, whereas the other 15 MIDI channels can control individual notes.

NOTE

To control individual notes via MIDI controllers, set the **Input Group and Channel** of the track to **Any Input**.

RELATED LINKS

[MIDI Input Devices that Support MPE](#) on page 1223

[Controller Display](#) on page 1106

[Recording MIDI Control Change Messages as Note Expression Data](#) on page 1244

[Converting MIDI Control Change Messages into Note Expression Data](#) on page 1244

MIDI Input Devices that Support MPE

MPE stands for MIDI Polyphonic Expression. Some MIDI devices support MPE. These are multi-dimensional MIDI controllers that allow you to vary the pitch and the timbre of individual notes while playing polyphonically.

In MPE, each note is assigned its own MIDI channel. This allows you to apply expression messages to individual notes.

To be able to work with the MPE features in Cubase, that is, to polyphonically play and record expressions, you need an appropriate MPE input device. Some MPE input devices are detected and set up automatically.


Note Expression Input Device Page

The **Note Expression Input Device** page shows the settings for your connected input device.

- To open the page for your note expression input device, select **Studio > Studio Setup**, and select it from the **Devices** list. If your device is not listed, click **Add**, and select **Note Expression Input Device**.

NOTE

Cubase automatically recognizes some supported note expression input devices and provides specific pages with preset settings in the **Studio Setup** dialog. If your device is set to the original factory settings, you do not have to change anything in this dialog. In some cases, you might need to set the device to the appropriate mode. This mode is often referred to as MPE mode.



Cubase allows you to capture three dimensions of input movements polyphonically. The **Note Expression Input Device** page provides the sections **Pressure**, **Horizontal/X**, and **Vertical/Y** that allow you to view and, if needed, edit which MIDI messages are used for these three dimensions of control.

The following options are available:

MIDI Input

Allows you to select the MIDI input port to which your input device is connected.

The following options are available in the **Pressure** section:

MIDI Message

Allows you to assign a MIDI message to the **Pressure** input movement on your note expression input device. The default assignment is **Aftertouch**.

VST Note Expression Assignment

Shows the assignment of MPE input movements to VST note expressions.

The following options are available in the **Horizontal/X** section:

MIDI Message

Allows you to assign a MIDI message to the **Horizontal/X** input movement on your note expression input device. The default assignment is **Pitchbend**.

Send Initial Value

Allows you to transmit the start position of the input movement to Cubase.

- **Off**
Transmits the absolute position. This corresponds to the following initial values:
Absolute: On (Sensel Morph), Relative: Off (LinnStrument).
- **Center (64)**
Transmits the center value first. Input movements cause the value to increase or decrease. This corresponds to the following initial values: Absolute: Off (Sensel Morph), Relative: On (LinnStrument).

Use for Tuning

Activate this for fretless note expression input devices that allow you to glide seamlessly from any pitch to another pitch without interrupting the sound.

NOTE

If you activate **Use for Tuning**, the **VST Note Expression Assignment** is automatically set to **Tuning**.

Deactivate this for devices that do not support gliding but that create new notes for every key instead.

Pitch Range

Allows you to specify the pitch range of your input device. Glide from one pitch to another one, release the key, and press it again on the same position and pitch. The pitch range is set correctly.

Pressing a specific note repeatedly plays back the same pitch.

VST Note Expression Assignment

Shows the assignment of MPE input movements to VST note expressions.

The following options are available in the **Vertical/Y** section:

MIDI Message

Allows you to assign a MIDI message to the **Vertical/Y** input movement on your note expression input device. The default assignment is **CC 74 (Brightness)**.

Send Initial Value

Allows you to transmit the start position of the input movement to Cubase.

- **Off**
Transmits the absolute position. This corresponds to the following initial values: Absolute (Seaboard Block), Absolute: On (Sensel Morph), Relative: Off (LinnStrument).
- **Min (0)**
Transmits the minimum value first. Input movements cause the value to increase. This corresponds to the following initial values: Relative Unipolar (Seaboard Block).
- **Center (64)**
Transmits the center value first. Input movements cause the value to increase or decrease. This corresponds to the following initial values: Relative Bipolar (Seaboard Block), Absolute: Off (Sensel Morph), Relative: On (LinnStrument).

- **Max (127)**

Transmits the maximum value first. Input movements cause the value to decrease.

VST Note Expression Assignment

Shows the assignment of MPE input movements to VST note expressions.

The following options are available in the **MIDI Channels** section:

Multi-Channel Input Mode

Allows you to choose a multi-channel input mode. The following options are available:

- **MPE Mode**

Activates MPE mode and sets channel 1 as the base channel.

- **Channel Rotation**

Activates channel rotation, and assigns individual MIDI channels to incoming MIDI notes and their controller messages. This allows for a 16-voice polyphony. For this to work, your input controller must support channel rotation.

Used Channels

Allows you to set up how many channels you want to use for notes.

First Channel

Only available in **Channel Rotation** mode. This allows you to set the first channel for the channel rotation.

MIDI Activity display

Allows you to monitor incoming MIDI messages.

RELATED LINKS

[VST Note Expression Assignments](#) on page 1226

VST Note Expression Assignments


The **VST Note Expression Assignments** section shows the assignment of input movements of your note expression input device to VST note expressions.

The assignments are predefined for all supported note expression input devices that have a specific page in the **Studio Setup** dialog. You can change these assignments manually.

NOTE

The assignment is renewed when you switch either the instrument or one of its presets.

- To open the page for your note expression input device, select **Studio > Studio Setup**, and select it in the **Devices** list. If your device is not listed, click **Add**, and select **Note Expression Input Device**.



The following options are available as **Preferred** and **Alternative** assignments:

Expression Name Contains

Allows you to assign all note expressions to an input movement whose name contains the text that you specify in the field to the right.

Note Expression Number

Allows you to assign all note expressions to an input movement whose number corresponds to the one you specify in the field to the right.

As Recommended by Instrument

Automatically assigns all note expressions to input movements, according to the recommendations of the instrument, if available.

Volume

Assigns the note expression **Volume** to an input movement.

Pan

Assigns the note expression **Pan** to an input movement.

Tuning

Assigns the note expression **Tuning** to an input movement.

MIDI PolyPressure

Assigns the note expression **MIDI PolyPressure** to an input movement.

None

Does not assign any note expression.

RELATED LINKS

[Note Expression Input Device Page](#) on page 1223

Loading MPE Instrument Presets

You can load preset MPE sounds for Retrologue and Padshop.

PROCEDURE

1. In the **Media** rack in the right zone, click the **VST Instruments** tile.
2. Do one of the following:
 - Click the **Padshop** tile, and click **MPE Padshop**.
 - Click the **Retrologue** tile, and click **MPE Retrologue**.

The MPE instrument presets are shown.

3. Do one of the following:
 - To create a new instrument track with the loaded instrument preset, drag an instrument preset to the track list.
 - To create a new instrument track with the loaded instrument preset, drag an instrument preset to the event display.
 - To apply the preset to the track, drag an instrument preset to an instrument track.


RESULT

The instrument is loaded, and the MPE preset is applied to the instrument track.

Note Expression Inspector Section

The **Note Expression Inspector** section features most of the functions that you need to work with note expression.

- To open the **Note Expression** section, select a MIDI or an instrument track, and click **Note Expression** in the **Inspector**.



The following sections are available:

1 Section header/Bypass button

Shows the section name. The bypass button allows you to bypass all note expression data for the track.

2 Expression section

Lists the available VST note expressions, MIDI controllers, pitchbend, aftertouch and polypressure.

3 Parameter Details section

Allows you to make settings for the expression that is selected in the expression section.

4 Global section

Allows you to make global settings.

RELATED LINKS

[Expression Section on page 1228](#)

[Parameter Details Section on page 1229](#)


[Global Section on page 1230](#)

Expression Section

The expression section shows VST note expressions and MIDI controllers. The availability of VST note expressions depends on the instrument that is used. The availability of specific MIDI control change messages depends on the settings in the **MIDI Controller Setup** dialog.

The expression section is available in the **Note Expression** section of the **Inspector**.

- To open the **Note Expression** section, select a MIDI or an instrument track, and click **Note Expression** in the **Inspector**.



The following sections and functions are available:

1 Visibility

Shows/Hides the expression in the note expression event editor and in the event display.

2 In

Shows the abbreviation of the MIDI control change message or the input movement that is mapped to the expression for recording.

3 VST note expressions

Lists the available VST note expressions.

4 MIDI controllers

Lists the available MIDI controllers.

RELATED LINKS


[MIDI Controller Setup Dialog on page 1114](#)

Parameter Details Section

In this section, you can make settings for the expression that is selected in the expression section, for example, set up the input assignment.

The parameter details are available in the **Note Expression** section of the **Inspector**.

- To open the **Note Expression** section, select a MIDI or an instrument track, and click **Note Expression** in the **Inspector**.



Parameter Color

Allows you to specify a color for the selected expression.

Input

Allows you to specify the input assignment for the selected expression.

MIDI Learn

Click this button, and move the fader or knob on your external MIDI controller to assign the selected expression to it.

Max. Value/Min. Value


Allows you to specify a value range that is used for the selected expression.

Global Section

The settings in the **Global** section apply to all expressions in the expression section.

The **Global** section is available in the **Note Expression** section of the **Inspector**.

- To open the **Note Expression** section, select a MIDI or an instrument track, and click **Note Expression** in the **Inspector**.

**Record MIDI as Note Exp.**

Activate this to record MIDI controller events as note expression data.

Overdub Note Exp.

Activate this to overdub existing note expression data.

Latch Buffer

Allows you to activate/deactivate the latch buffer that is used for overdub recording.

Show Additional Functions

Shows additional functions.

- **Show only used Expressions**

Shows only the expressions in the list for which data exists. These are marked with an asterisk (*) in front of the expression name.

- **Make all Expressions visible**

Shows all available expressions in the event display.

- **Make only edited Expression visible**

Shows only the selected expression in the event display.

- **Load Input Assignment**

Allows you to load mapping presets.

- **Save Input Assignment**

Allows you to save mapping presets.

- **MIDI Controller Setup**

Opens a dialog that allows you to add MIDI control change messages to the list.

RELATED LINKS

[Controller Mapping on page 1231](#)

Note Expression Tools

The note expression tools are available on the **Key Editor** toolbar.

Show Note Expression Data



This button is available in the **Show Note Expression Data** section of the **Key Editor** toolbar. It provides you with a visual feedback on your actions. Use the slider to the right to adjust the display size of the note expression data in the event display.

Note Expression MIDI Input



This button is available in the **Step/MIDI Input** section of the **Key Editor** toolbar. It allows you to record note expression data via MIDI input.

Acoustic Feedback



This button is available in the **Acoustic Feedback** section of the **Key Editor** toolbar. It gives you an acoustic feedback on the controller events that are present at the mouse position while you enter or change note expression data.

RELATED LINKS

[Key Editor Toolbar](#) on page 1139

Controller Mapping

Before you can record VST note expression events with external keyboards, you must map or assign specific MIDI controller messages, or pitchbend and aftertouch, or input movements to expressions.

You can map the controllers via the **Inspector**, via **MIDI Learn**, or by using a mapping preset.

RELATED LINKS

[Mapping Controllers via the Inspector](#) on page 1231

[Mapping Controllers via MIDI Learn](#) on page 1232


[Using Mapping Presets](#) on page 1232

Mapping Controllers via the Inspector

You can use the **Inspector** to map the knobs and faders of your MIDI instrument to expressions.

PROCEDURE

1. In the expression section, select the expression that you want to map to a MIDI controller.
2. Open the **Input** pop-up menu, and select the controller that you intend to map to the selected note expression.



3. Optional: If the controller you are looking for is not on the list, select **MIDI Controller Setup**, and activate it in the dialog.
-

RESULT

You can now record note expression data using the controller messages that you just assigned.

In the **In** column of the expression section, the number of the assigned MIDI controller message, or **PB** for pitchbend, or **AT** for aftertouch is shown if the mapping is active.

RELATED LINKS

[Global Section](#) on page 1230

[Expression Section](#) on page 1228

Mapping Controllers via MIDI Learn

The **MIDI Learn** function allows you to assign the knobs and faders of your MIDI device to controllers.

PROCEDURE

1. In the expression section, select the expression to which you want to assign a MIDI controller.
 2. In the **Parameter Details** section, click **MIDI Learn**.
 3. On your MIDI device, use the knob or fader that you want to assign to the selected expression.
 4. Optional: Repeat this for all the expressions that you want to control with your MIDI device.
-

RESULT

You can now record note expression data via the controls on your MIDI device that you just assigned.

Using Mapping Presets

You can save your expression mapping as a preset and load it for later use with the same MIDI device.

PROCEDURE

1. In the **Global** section, click **Show Additional Functions** to open the pop-up menu.

2. Select **Save Input Assignment**.
 3. In the file dialog that opens, specify a name and a location for the file.
-

RESULT

A file with the extension ***.neinput** is created.

You can load the mapping presets you created by opening the pop-up menu and selecting **Load Input Assignment**.

RELATED LINKS

[Global Section](#) on page 1230

Recording

You can record note expression data with MIDI notes, or you can record note expression data for existing notes.

RELATED LINKS

[Recording Notes and Note Expression Data](#) on page 1233

[Recording Note Expression Data by Overdubbing](#) on page 1235

[Recording Note Expression Data via MIDI Input](#) on page 1236

Recording and the Sustain Pedal

If you hold the sustain pedal (MIDI CC 64) of the connected MIDI device during recording, the following applies:

- When a note-off event is received (that is, when the key on the connected keyboard is released), this message is not sent to the VST 3 instrument but instead created by the program when the sustain pedal is released.
This makes it possible for the VST 3 instrument to play back control change messages that are sent after a key was released.
- The release phase of the recorded notes ends when the sustain pedal is released.

NOTE

This does not apply for continuous controller messages.

Recording Notes and Note Expression Data

You can use an external MIDI device to record MIDI notes together with note expression data.

PROCEDURE

1. In the global track controls area of the track list, click **Add Track** .
2. Click **Instrument**.
3. Open the **Instrument** pop-up menu, and select HALion Sonic, for example.
4. Click **Add Track**.
The instrument track is added to the track list, and the control panel of the selected VST instrument is opened.
5. In the **Inspector** for the instrument track, open the **Note Expression** section.

6. In the expression section, select an expression.
7. In HALion Sonic, select a preset.

NOTE

In the **Presets** browser, enter **noteexp** in the search field of the **Results** section to show the presets that were created especially for use with note expression.

8. Map the expressions for recording.
9. Use the mapped controls on your MIDI device to record MIDI notes with note expression data.

RESULT

The notes are recorded with the note expression data. If you activate **Show Note Expression Data** on the **Key Editor** toolbar, the note expression data is shown on the notes for which they were recorded.

RELATED LINKS

[Controller Mapping on page 1231](#)

[Mapping Controllers via the Inspector on page 1231](#)

[Loading MPE Instrument Presets on page 1227](#)

Recording Notes and Note Expression Data with MPE Input Devices

PREREQUISITE

Your MPE input device is connected to your computer and properly set up in Cubase.

PROCEDURE

1. In the global track controls area of the track list, click **Add Track** .
2. Click **Instrument**.
3. Open the **Instrument** pop-up menu, and select HALion Sonic, for example.
4. Click **Add Track**.

The instrument track is added to the track list, and the control panel of the selected VST instrument is opened.

5. In the top section of the **Inspector** for the instrument track, open the **Input Routing** pop-up menu, and select your MPE input device from the list.

NOTE

Make sure that the **Input Group and Channel** is not set to **Any Input**.

6. In the **Inspector**, open the **Note Expression** section.
Make sure the expressions are properly mapped to the input movements of your MPE device.
7. Use your MPE input device to record MIDI notes, including the note expression data.

RESULT

The notes are recorded, including the note expression data. If you activate **Show Note Expression Data** on the **Key Editor** toolbar, the note expression data is shown on the notes for which they were recorded.

RELATED LINKS

[MIDI Input Devices that Support MPE](#) on page 1223

[Loading MPE Instrument Presets](#) on page 1227

Recording Note Expression Data by Overdubbing

You can record or replace note expression data for existing notes by overdubbing.

PREREQUISITE

Deselect all notes in the event display before you start overdubbing. This ensures that you record control change messages for all notes touched by the position cursor.

PROCEDURE

1. In the **Inspector**, open the **Note Expression** section.
2. In the **Global** section, activate **Overdub Note Exp..**
3. Use the mapped controls on your MIDI device to record note expression data for the note that is playing.

RESULT

Only note expression data is recorded.

AFTER COMPLETING THIS TASK

Deactivate **Overdub Note Exp.** when you are done.

RELATED LINKS

[Global Section](#) on page 1230

Starting Overdub Recording at Specific Controller Values

When you record note expression data by overdubbing, you can activate a **Latch Buffer**. This is useful to start recording at predefined initial knob or fader settings.

When Cubase receives controller data from an external MIDI device, the setting of the faders and knobs on the device is automatically written to the **Latch Buffer**. This data is then added to the notes during playback.

PROCEDURE

1. Map each control to one of the available VST note expressions.
2. Activate **Latch Buffer**, and set the knobs and faders on the MIDI controller to the corresponding values.
3. Activate **Overdub**.
4. Use the mapped controls on your MIDI device to record note expression data for the note that is playing.

RESULT

The values for all controls are attached to the notes that are passed during overdub recording, and they replace any existing controller data of the same type.

AFTER COMPLETING THIS TASK

Remove all values from the **Latch Buffer** by clicking **Reset Latch Buffer**.

NOTE

When you record in a cycle, the **Latch Buffer** is automatically reset at the end of the cycle.

Recording Note Expression Data via MIDI Input

You can record note expression data for existing notes via the **Note Expression MIDI Input**.

PROCEDURE

1. On the **Key Editor** toolbar, in the **Step/MIDI Input** section, activate **MIDI Input** and **Note Expression MIDI Input**.



2. Select a note, and move the active control on your MIDI device to replace the controller events for that note.
-

RESULT

The note is played in real time, and incoming control change messages are recorded for it. Recording stops when the end of the note or the end of the release phase is reached or when you deselect the note.

RELATED LINKS

[Adding Release Phases to Notes](#) on page 1241

Note Expression Event Editor

The note expression event editor offers various modes for editing and adding note expression events.

- To open the note expression event editor, activate **Double-Click Opens Note Expression Editor** on the **Key Editor** toolbar, and double-click a note in the event display. If this button is not visible, right-click the toolbar, and select **Show Note Expression Data** from the menu.

NOTE

- In the **Key Commands** dialog in the **Note Expression** category, you can also assign a key command for **Double-Click opens Note Expression Editor On/Off**. This enables you to quickly change the double-click function from deleting notes (**Double-Click opens Note Expression Editor** is deactivated) to opening the note expression event editor (**Double-Click Opens Note Expression Editor** is activated).
 - If you select several notes in the **Key Editor** and you double-click any of them, the note expression event editor opens for all of these notes. In this case, any editing affects all the notes at the time position where you perform the editing.
-
- To close the editor, click in the event display.

The note expression event editor features the following controls:

- **Note Expression controls**


These controls allow you to select parameters and to add note expression events.

- **Smart controls**

These controls allow you to edit the note expression events.

Note Expression Controls

The note expression event editor features the following specific note expression controls:



1 One-Shot Mode

If this is active and you click anywhere in the editor with the **Draw** tool, a fixed value is set.

NOTE

This mode is automatically activated for note expressions that are one-shot only.

2 Horizontal Snap

This corresponds to the **Snap** button in the **Project** window.

3 Vertical Snap

Allows you to enter the pitch in semitone steps, instead of as a continuous curve. In this manner, it is much easier to create fast pitch modulations. This is especially useful for the **Tuning** parameter.

NOTE

To temporarily switch to vertical snapping while editing, hold down **Shift**.

4 Parameter Selection

Shows the selected parameter. Click this to open a pop-up menu with all the parameters that are used for the note. To make more parameters available, select them in the **Inspector**.

5 Change Editor Size

Click this and drag up or down to change the size of the editor. This allows you to switch between 3 different window sizes.

6 Parameter Range


Shows the current value at the cursor position. The value range differs, depending on the parameter type.

7 Change Release Length

Allows you to add a release length to your note.

Smart Controls

The note expression event editor features the following smart controls for specific editing modes:

**1 Tilt Left**

If you click in the upper left corner of the editor, you can tilt the left part of the curve.

2 Compress Left

If you **Alt/Opt**-click in the upper left corner of the editor, you can compress or expand the left part of the curve.

3 Scale Vertically

If you click in the middle of the upper border of the editor, you can scale the curve vertically.

4 Move Vertically

If you click on the upper border of the editor, you can move the entire curve vertically.

5 Compress Right

If you **Alt/Opt**-click in the upper right corner of the editor, you can compress or expand the right part of the curve.

6 Tilt Right

If you click in the upper right corner of the editor, you can tilt the right part of the curve.

7 Scale Around Relative Center

If you **Alt/Opt**-click in the center of the right border of the editor, you can scale the curve relative to its center.

8 Scale Around Absolute Center

If you click in the center of the right corner of the editor, you can scale the curve absolute to its center.

9 Stretch

If you click on the lower border of the editor, you can stretch the curve horizontally.

Navigation in the Note Expression Event Editor

You can navigate to the next/previous note while the note expression event editor is open.

- To navigate to the next/previous note, use the **Left Arrow / Right Arrow** keys.
- To step through the notes, press **Tab** and **Shift - Tab**.

Adding Note Expression Events

PROCEDURE

- Double-click a note in the event display to open the note expression event editor.
- Do one of the following to select the parameter that you want to make settings for:
 - To create events for a parameter that has not been used yet, select the parameter in the **Inspector** to make it available in the editor.

- To edit existing events, specify which parameter you want to edit by clicking on the curve, by selecting the corresponding parameter on the **Parameter Selection** pop-up menu, or by selecting the parameter in the **Inspector** in the **Note Expression** section.
3. Select the **Draw** or the **Line** tool, and add note expression events for the selected note.
-

RELATED LINKS

[Adding Velocity Events](#) on page 1116

Deleting Note Expression Events

PROCEDURE

1. On the **Key Editor** toolbar, activate **Double-Click opens Note Expression Editor**.
If this button is not visible, right-click the toolbar, and select **Show Note Expression Data** from the menu.

NOTE

In the **Key Commands** dialog in the **Note Expression** category, you can also assign a key command for **Double-Click opens Note Expression Editor On/Off**. In this manner, you can quickly change the double-click function from deleting notes (**Double-Click opens Note Expression Editor** is deactivated) to opening the note expression event editor (**Double-Click opens Note Expression Editor** is activated).

2. Double-click the note that contains the note expression events you want to delete.
The note expression editor opens.
 3. Optional: Open the **Parameter Selection** pop-up menu, and select the corresponding note expression from the list.
 4. Drag a selection rectangle to select the range of note expression values that you want to delete.
 5. Select **Edit > Delete**.
-

RESULT

The selected note expression events are deleted from the note.

RELATED LINKS

[Adding Velocity Events](#) on page 1116

Pasting Note Expression Events to Different Notes

You can copy all note expression events from one or more notes and paste them to one or more other notes.

PREREQUISITE

You have set up a key command for **Paste Note Expression** in the **Key Commands** dialog (**Note Expression** category).

PROCEDURE

1. Double-click the note that contains the note expression events.
The note expression editor opens.

2. Select the note expression events that you want to copy.
 3. Select **Edit > Copy**.
 4. Select the note to which you want to paste the note expression events.
 5. Press the key command that you assigned to the **Paste Note Expression** command.
-

RESULT

All copied note expression events are pasted to the selected note.

If you copied note expression events from several source notes and pasted them to a number of destination notes, the following applies:

- If the number of the source and destination notes matches, the events of the first source note are pasted into the first destination note, the events of the second source note into the second destination note, and so forth.
- If the number of source notes is smaller than the number of destination notes, the source note events are repeatedly pasted into the destination notes in the order in which they appear.

When you copy the events from 2 source notes into 4 destination notes, for example, the first destination note inherits the note expression events from the first source note, the second destination note inherits the events of the second source note, the third destination note inherits the events of the first source note, and the 4th destination note inherits the events of the second source note.

RELATED LINKS

[Key Commands](#) on page 1480

Pasting Note Expression Events to Different Parameters

You can copy note expression events from one parameter and paste them to a different parameter.

PROCEDURE

1. Double-click the note that contains the note expression events to open the note expression event editor.
 2. Select the note expression events of the parameter that you want to copy.
 3. Select **Edit > Copy**.
 4. Select the parameter to which you want to paste the note expression events.
 5. Select **Edit > Paste**.
-

RESULT

All copied note expression events are pasted to the selected parameter.

Repeating Note Expression Events

PROCEDURE

1. Double-click the note that contains the note expression events to open the note expression event editor.
2. Open the **Parameter Selection** pop-up menu, and select the corresponding note expression from the list.

-
3. Drag a selection rectangle to select the events that you want to repeat.
 4. Click the selection. With the mouse button pressed, press **Alt** and drag.
-

RESULT

The selected events are copied.

Moving Note Expression Events

PROCEDURE

1. Double-click the note that contains the note expression events to open the note expression event editor.
2. Open the **Parameter Selection** pop-up menu, and select the corresponding note expression from the list.
3. Do one of the following:
 - Click the note expression event curve, and drag to move all events.
 - Drag a selection rectangle to select events, and drag to move the selected events.

NOTE

To restrict the direction to vertical or horizontal, you can press **Ctrl/Cmd** while dragging.

Adding Release Phases to Notes


You can add a release phase to a note. This allows you to work on the tail of a note which is still sounding after the note-off message was sent, for example.

PROCEDURE

1. Double-click a note in the event display to open the note expression event editor.
 2. Click and drag the **Change Release Length** control in the lower right corner of the editor to add a release phase.
-

RESULT

The release phase is added to the note.

**NOTE**

You can change the release phase for several notes by opening the editor for these notes. Hold down **Alt** while setting the release length.

AFTER COMPLETING THIS TASK

Add controller events in the release phase by overdubbing or by manually entering note expression events in the editor. When you overdub note expression events, the length of the existing release phase is used to associate newly recorded events to the notes.

NOTE

If you hold the sustain pedal of your external device during recording, the notes automatically get a corresponding release phase.

Trimming Note Expression Data

You can trim note expression data to automatically match the note length.

PROCEDURE

1. Select the notes that contain note expression data.
 2. Select **MIDI > Note Expression > Trim Note Expression to Note Length**.
-

RESULT

The note expression data is trimmed to the note length, and any data present after the end of the release phase is deleted.

Removing All Note Expression Data

You can delete all note expression data from the selected MIDI note or part.

PROCEDURE

1. Select the MIDI note or the MIDI part that contains the note expression data that you want to delete.
 2. Select **MIDI > Note Expression > Remove Note Expression**.
-

RESULT

The note expression data is removed.


Note Expression MIDI Setup Dialog

The **Note Expression MIDI Setup** dialog allows you to specify which MIDI messages are used when you record MIDI control change messages as note expression data or convert them.

- To open the **Note Expression MIDI Setup** dialog, select **MIDI > Note Expression > Note Expression MIDI Setup**.

Note Expression

Note Expression MIDI Setup Dialog



The following options are available:

Controller

Activates MIDI control change messages. Specify the MIDI control change messages that you want to use in the list below.

NOTE

MIDI controller data for deactivated MIDI control change messages ends up on the controller lane.

Pitchbend

Activates pitchbend data.

Aftertouch

Activates aftertouch data.

Poly Pressure

Activates poly pressure data.

Controller Catch Range

Allows you to enter a controller catch range in ticks. This is useful to associate control change messages with a note, even if they were sent just before the note-on message.

Load Default

Allows you to load the default settings.

Save as Default

Allows you to save the current settings as default settings.

Recording MIDI Control Change Messages as Note Expression Data

You can record MIDI control change messages as note expression data.

PROCEDURE

1. In the **Inspector**, open the **Note Expression** section, and activate **MIDI as Note Expression**.
 2. Optional: Set the MIDI track to the **Any** channel.
MIDI control change messages, with the exception of poly pressure, are channel-specific. By splitting polyphony to separate channels, you can avoid conflicting controller messages.
 3. Enter the notes and the control change messages on your MIDI device.
-

RESULT

The controller data is now associated with the notes. If you copy, paste, and move the notes, the associated controller data follows.

NOTE

To edit the MIDI notes after recording, you might need to consolidate the controller data.

RELATED LINKS

[Consolidating Note Expression Overlaps](#) on page 1245

Converting MIDI Control Change Messages into Note Expression Data

You can convert the MIDI control change messages on controller lanes into note expression data.

PREREQUISITE

The MIDI control change messages that you want to record are activated in the **Note Expression MIDI Setup** dialog. You have a MIDI part with controller data written on controller lanes.

PROCEDURE

1. Open the **Key Editor** for the MIDI part.
 2. Select **MIDI > Note Expression > Convert to Note Expression**.
-

RESULT

The MIDI control messages contained in the controller lanes are converted to note expression data, and the data on the controller lanes is deleted.

Cubase searches for notes that sound at the same time as the control change messages. If several notes play at the same time, the same note expressions are attributed to them, with the same values. Release phases are automatically created where necessary, so that no controller data is lost during this process.

IMPORTANT

To edit the MIDI notes after the conversion, you might need to consolidate the controller data.

RELATED LINKS

[Note Expression MIDI Setup Dialog](#) on page 1242

[Adding Release Phases to Notes](#) on page 1241

Consolidating Note Expression Overlaps

If you move or quantize notes so that they overlap, and if these overlapping notes contain data for the same control change message, you might need to consolidate the note expression overlaps.

PROCEDURE

- Select **MIDI > Note Expression > Consolidate Note Expression Overlaps**.
-

RESULT

If the overlapping notes contain data for the same control change message, the controller values of the second note are used from the beginning of the overlap.

If a note is positioned entirely within a longer note and if these notes contain controller data for the same control change message, the controller values of the longer note are used until the encompassed note starts.

Distributing Notes to Different Channels

You can distribute notes to different channels. This allows you to use the note expression functions, even if you do not have a VST 3 instrument.

PREREQUISITE

You have added a multitimbral instrument and assigned the same sound to different channels.

PROCEDURE

1. In the **Inspector** for the corresponding MIDI track, open the **Output Group and Channel** pop-up menu, and select **Any**.
 2. Open the **Input Group and Channel** pop-up menu, and select **Any Input**.
 3. In the **Inspector**, open the **Note Expression** section.
 4. Enable **MIDI as Note Expression**.
 5. Record or enter MIDI notes with expressions, as needed.
 6. Select **MIDI > Note Expression > Distribute Notes to MIDI Channels**.
-

RESULT

The MIDI notes are distributed to different channels, starting at channel 1. You can now edit the note expression for individual notes without any conflicts.

Converting Note Expression Data to MIDI Controller Data

You can convert note expression data of MIDI controller parameters to MIDI controller data on controller lanes.

PROCEDURE

- Select **MIDI > Note Expression > Dissolve Note Expression**.
-

RESULT

The note expression data is converted. If you open the controller display and show the controller lanes for the corresponding event type, the data is displayed.

NOTE

If you convert note expression data of VST note expressions to MIDI, the sound changes. Therefore, you must reassign the MIDI controller data to a new instrument destination.

Chord Functions

The chord functions offer many possibilities for working with chords.

The chord functions allow you to:

- Build chord progressions by adding chord events to the chord track.
- Convert chord events to MIDI.
- Use the chord track to control audio playback or MIDI playback.
- Use the chord track voicing to change the pitches of your MIDI.
- Extract chord events from MIDI data to obtain an overview of the harmonic structure of a MIDI file.
- Extract chord events from audio events.
- Record chord events with a MIDI keyboard.

RELATED LINKS

[Adding Chord Events](#) on page 1248

[Converting Chord Events to MIDI](#) on page 1264

[Creating Chord Events from MIDI](#) on page 1269

[Recording Chord Events with a MIDI Keyboard](#) on page 1272

[Creating Chord Events from Audio Events](#) on page 1271

[Chord Editing Section](#) on page 1164

Chord Track

The chord track allows you to add chord events and scale events.

RELATED LINKS

[Scale Events](#) on page 1258

[Chord Events](#) on page 1248

[Musical Scale Setup Dialog](#) on page 1259

[Adding the Chord Track](#) on page 1247


Adding the Chord Track

PROCEDURE

- Select **Project > Add Track > Chord**.
-

RESULT

The chord track is added to your project.



RELATED LINKS

[Chord Track](#) on page 1247
[Adding Chord Events](#) on page 1248

Chord Events

Chord events are representations of chords that allow you to control or transpose playback on MIDI, instrument, and audio tracks.

Chord events alter the pitches of MIDI notes and VariAudio segments, in case their tracks are set up to follow the chord track.

Chord events have a specific start position. Their end, however, is determined by the start of the next chord event. They can have a root note, a type, a tension, and a bass note.



- 1 Root note
- 2 Chord type
- 3 Tensions
- 4 Bass note

RELATED LINKS

[Controlling MIDI or Audio Playback Using the Chord Track](#) on page 1265
[Chord Editor](#) on page 1249

Adding Chord Events

PREREQUISITE

You have added a chord track.

PROCEDURE

1. Select the **Draw** tool, and click in the chord track.
An undefined chord event named X is added.
2. Select the **Object Selection** tool, and double-click the chord event.
3. Open the **Editor** tab, and select a root note from the leftmost column.
The chord event on the chord track changes accordingly.

4. Optional: Select a chord type, one or more tensions, and a bass note.
 5. Optional: Click **Add Chord** or press **Tab** to add a new unassigned chord event to the chord track.
 6. Repeat the steps above to assign a chord to the new event.
 7. To close the **Editor**, click outside the **Editor**.
-

RELATED LINKS

[Adding the Chord Track](#) on page 1247
[Chord Editor](#) on page 1249
[Changing How Chord Events Are Displayed](#) on page 1258
[Auditioning Chord Events](#) on page 1257

Chord Editor

The chord **Editor** allows you to define or change chord events, and to add new chord events.

- To open the chord **Editor**, double-click a chord event.



Go to Previous Chord/Go to Next Chord

Allows you to select the previous/next chord on the chord track for editing.

Add Chord

Adds a new unassigned chord event on the chord track.

NOTE

This only works if the last chord event on the chord track is selected.

Chord definition buttons

Activate these buttons to define a root note, a chord type, one or more tensions, and a bass note for your chord event.

NOTE

If you do not select a separate bass note, the setting is linked to the root note.

Keyboard display

Shows the notes of the chord event, including the current voicing settings.

Activate MIDI Input

Allows you to define a chord by playing a chord on your MIDI keyboard. If the chord is recognized, the respective chord definition buttons and the keyboard display are highlighted.

Define Chord by Text Input

Allows you to define a chord via computer keyboard.

RELATED LINKS

[Assigning Chords by Text Input](#) on page 1250
[Chord Events](#) on page 1248

Assigning Chords by Text Input

In the chord **Editor**, you can use the text input field to assign a chord with the computer keyboard.

PROCEDURE

1. Double-click a chord event to open the chord **Editor**.
2. Click in the text input field at the bottom of the **Editor**.
3. Enter a chord by performing the following actions:
 - Define a root note, for example, C, D, E.
 - Define accidentals, for example, # or b.
 - Define the chord type, for example maj, min, dim, sus, or aug.
 - Define a chord extension, for example, 7, 9, or 13.

NOTE

If you have activated **Solfège** in the **Note Name** pop-up menu in the **Preferences** dialog (**Event Display—Chords&Pitches** page), you can also enter chords in this format. To do so, capitalize the first letter and write “Re” instead of “re”, for example. Otherwise, the chord is not recognized.

-
4. Do one of the following to add a new unassigned chord, and assign it:
 - Press **Tab**.
 - Click **Add Chord**.
-

RELATED LINKS

[Chord Editor](#) on page 1249
[Chord Events](#) on page 1248

Chord Assistant

The **Chord Assistant** helps you to find chords that you can apply to the selected chord event.

- To open the **Chord Assistant**, double-click a chord event, and click **Chord Assistant**.




RELATED LINKS

- [List Assistant](#) on page 1251
[Proximity Assistant](#) on page 1252
[Circle of Fifths Assistant](#) on page 1254
[Chord Assistant – Detected](#) on page 1255

List Assistant

The **List** assistant allows you to create chord progressions based on harmonic rules that can be simple or complex.

- To open the **List** assistant, double-click a chord event, click **Chord Assistant**, and click **List**.



Go to Previous Chord/Go to Next Chord

Allows you to select the previous/next chord on the chord track for editing.

Add Chord

Adds a new unassigned chord event on the chord track.

NOTE

This only works if the last chord event on the chord track is selected.

Suggestions list

Displays suggestions for the next chord. Click a chord suggestion to select it.

Reference

NOTE

This is only available if you select an unassigned chord in between 2 assigned chords.

Select **Previous Chord** to get suggestions for the next chord, based on the previous chord.

Select **Previous & Next Chord** to get suggestions for chords in between 2 assigned chords, based on the previous and the following chord.

Algorithm

Select **Cadence** to build up a chord progression based on cadences. Select **Common Notes** to build up a progression by specifying how many common notes you want the chords to share. The suggested chords and the colors change accordingly.

Cadence Type

Allows you to select a cadence type for the suggestions. As a result, only the chords with specific harmonic functions are suggested. The suggested chords and the colors change accordingly.

NOTE

These options are only available if you select **Cadence** as the **Algorithm**.

RELATED LINKS

[Chord Assistant](#) on page 1250

[Proximity Assistant](#) on page 1252

[Circle of Fifths Assistant](#) on page 1254

[Chord Assistant – Detected](#) on page 1255


Proximity Assistant

The **Proximity** assistant uses a set of harmonic rules, in order to offer you suggestions that match the reference chord.

If you open the **Chord Assistant** for a chord event, the previous event is set as reference chord.

The reference chord is displayed at the bottom, in the center of the **Chord Assistant** window. The further away a chord suggestion is situated from this chord, the more complex the suggestion.

- To open the **Proximity** assistant, double-click a chord event, click **Chord Assistant**, and click **Proximity**.



- To audition a suggestion and assign the chord to the selected chord event, click it.
The last 3 suggested chords that you clicked are shown in bold.

NOTE

- If you hover the mouse pointer over one of the suggestions in the **Chord Assistant**, a tooltip with suggestions for progressions is shown.
- The **Proximity** assistant is subject to the same rules as the **List** assistant.

RELATED LINKS

[Chord Assistant](#) on page 1250

[List Assistant](#) on page 1251

[Circle of Fifths Assistant](#) on page 1254

[Chord Assistant – Detected](#) on page 1255

Adding Chord Events Based on Suggestions


If you do not know what your chord progression should look like, you can use the **Chord Assistant** to obtain suggestions for the following chords.

PREREQUISITE


You have added a chord event on the chord track.

PROCEDURE

1. Double-click the chord event.
2. Click **Chord Assistant**.
3. Click **Add Chord**.
4. Do one of the following:
 - To display the suggestions in a list, click **List**.



- To display the suggestions graphically, click **Proximity**.



5. Click a suggestion to select a chord.

RESULT

The suggested chord is added to the chord track. Repeat the steps above to create as many chord events as required by your harmonic structure as a chord event.

RELATED LINKS

List Assistant on page 1251


[Proximity Assistant](#) on page 1252

Circle of Fifths Assistant

The **Circle of Fifths** assistant displays the chords in an interactive visualization.

- To open the **Circle of Fifths** assistant, double-click a chord event, click **Chord Assistant**, and click **Circle of Fifths**.

- The chord that defines the current key, which is shown at the top, in the center of the **Circle of Fifths**, is marked as the tonic (I).
- The outer circle shows the twelve major chords, ordered in intervals of fifths.
- The inner circle displays the corresponding parallel minor chords.
- The roman numerals mark the chords of the current key with their scale degree. You can use these chords to create typical chord progressions, or you can use the other chords for more creative results.



- To play a chord and to assign it to the selected chord event, click it. The last 3 chords that you clicked are displayed in bold.
- To define a new key, right-click the chord, and select **Use as Origin**.
- To select the parallel minor chord and to define it as the key, open the **Major/Minor** pop-up menu and select an option.

RELATED LINKS

[Chord Assistant](#) on page 1250

[List Assistant](#) on page 1251


[Proximity Assistant](#) on page 1252

[Chord Assistant – Detected](#) on page 1255

Chord Assistant – Detected

The **Detected** tab of the **Chord Assistant** is only available if you created chord events from audio events. It lists the detected chord for the selected chord event and alternative results.

- To open the **Detected** tab of the **Chord Assistant**, double-click a chord event that was created from an audio event, click **Chord Assistant**, and click **Detected**.



NOTE

Chord events that were created from audio events are indicated by a symbol in the upper right corner of the event.

Go to Previous Chord/Go to Next Chord

Allows you to select the previous/next chord on the chord track for editing.

Add Chord

Adds a new undefined chord event on the chord track.

NOTE

This only works if the last chord event on the chord track is selected.

Audio Event

The name of the audio event from which the chord events were detected.

Chord list

Shows the detected chord for the selected chord event on top, and alternative results further down the list. Click a chord to audition it, and assign it to the selected chord event.

Highlight Suggestions from List Tab

Highlights the suggestions from the **List** assistant in the chord list.

Algorithm

Select **Cadence** to build up a chord progression based on cadences. Select **Common Notes** to build up a progression by specifying how many common notes you want the chords to share. The suggested chords and the colors change accordingly.

Cadence Type

Allows you to select a cadence type for the suggestions. As a result, only the chords with specific harmonic functions are suggested. The suggested chords and the colors change accordingly.

NOTE

These options are only available if you select **Cadence** as the **Algorithm**.

RELATED LINKS

[Chord Assistant](#) on page 1250

[List Assistant](#) on page 1251

[Proximity Assistant](#) on page 1252

[Circle of Fifths Assistant](#) on page 1254

[Creating Chord Events from Audio Events](#) on page 1271

Auditioning Chord Events


To audition the chord events on the chord track, connect the chord track to the output of an instrument or a MIDI track.

PREREQUISITE

You have added a chord track and chord events.

PROCEDURE

1. In the global track controls area of the track list, click **Add Track** .
2. Click **Instrument**.
3. Open the **Instrument** pop-up menu, and select a VST instrument.
4. Click **Add Track**.
The instrument track is added to the track list, and the control panel of the selected VST instrument is opened.
5. Select a sound.
6. In the chord track **Inspector**, activate **Acoustic Feedback**.
7. In the track list, open the **Select Track for Auditioning** pop-up menu, and select the track that you want to use for auditioning.



RESULT

The chord events on the chord track now trigger the sound of the assigned instrument on the MIDI or instrument track.

RELATED LINKS

[Chord Track](#) on page 1247

[Adding Chord Events](#) on page 1248


[Add Track Dialog – Instrument](#) on page 135

Changing How Chord Events Are Displayed

You can change the way chord events are displayed. This is useful if chord events overlap at low zoom levels or if you do not like the font type.

PROCEDURE

1. On the chord track, activate **Resolve Display Conflicts**.



2. In the **Preferences** dialog, select **Event Display > Chords&Pitches**, and set up the chord font.

You can also determine the note name and the naming format.

RELATED LINKS


[Adding Chord Events](#) on page 1248

Scale Events

Scale events inform you which chord events fit in a specific sequence of notes that belong to a specific root note.

Cubase automatically creates scale events for your chord events.

- To show the scale events, activate **Show Scales** on the chord track.



- To audition the notes that belong to a scale event, click the scale event.

You can also add and edit scale events manually.

Scale events have a specific starting position. Their end is determined by the start of the next scale event.

RELATED LINKS

[Editing Scale Events](#) on page 1258

Editing Scale Events

PREREQUISITE


You have added a chord track and chord events. You have deactivated **Automatic Scales** in the chord track **Inspector**.

PROCEDURE

1. On the chord track, activate **Show Scales**.
The scale lane is displayed.
2. Select the chord event.
A scale event is shown on the scale lane.

3. Do one of the following:

- Click the first scale event on the chord track. On the info line, select a **Root Note** and **Type**.



- Double-click the scale event. In the keyboard that appears, select a **Root Note** and a scale.



The keys that correspond to the scale are highlighted.

RELATED LINKS

[Scale Events](#) on page 1258

[Scale Assistant in the Key Editor](#) on page 1150

Musical Scale Setup Dialog

The **Musical Scale Setup** dialog allows you to set up and manage musical scales.

- To open the **Musical Scale Setup** dialog, select **Project > Chord Track > Set up Musical Scales**.



Add Scale

Adds a new scale to the list. Use the keyboard display to define the scale pitches. All scales start with C as a root note.

Factory Defaults

Resets all scales.

Use

Activates a scale.

NOTE

Activated musical scales are used in the chord track, in the **Scale Assistant** section of the **Key Editor Inspector**, in the **Transpose Setup** window, and in the **MIDI Modifiers** section of the **Inspector**.

Name

Shows the name of the scale. Double-click to change it.

Scales

Shows a keyboard that allows you to define the scale pitches. Click a key to activate/deactivate a pitch for a scale. All scales start with C as a root note.

Preview Scale

Plays back the scale.

NOTE

For playback, the selected MIDI or instrument track must be record-enabled and its output must be routed to an instrument.

Information

Informs you if the scale matches another scale or if it has the same name as another scale.

Remove Scale

Removes the corresponding scale from the scale suggestions.

NOTE

All changes apply to the entire application. This allows you to customize scales once and to use them in all projects. However, if you remove or rename scales that are used in other projects, the scales cannot be retrieved.

RELATED LINKS

[Chord Track](#) on page 1247

[Scale Assistant in the Key Editor](#) on page 1150

[Transpose Setup Dialog](#) on page 1067

[MIDI Modifiers Section](#) on page 1048

[Scale Events](#) on page 1258

Voicings

Voicings determine how chord events are set up. They define the vertical spacing and the order of the pitches in a chord, as well as the instrumentation and the genre of a musical piece.

For example, a C chord can be spread over a wide range of pitches, and a pianist chooses different notes than a guitarist. The pitches the pianist plays may also depend on the musical genre.

- You can set up voicings for the entire chord track in the chord track **Inspector**.
- You can set up voicings for individual chord events on the **Voicing** pop-up menu on the info line.

NOTE

If **Adaptive Voicings** is activated in the chord track **Inspector**, you can only change the voicings for the first chord event on the info line.


RELATED LINKS

[Inspector Settings for Voicings](#) on page 1261

[Custom Voicing Panel](#) on page 1262

Inspector Settings for Voicings

To set up voicings for the entire chord track, you can use the chord track **Inspector**.



Voicing library

Allows you to select **Guitar**, **Piano**, or **Basic** as a voicing library.

Voicing library subset

NOTE

This is only available if **Guitar** or **Piano** is set as the voicing library.

Allows you to select a preset voicing library subset.

Configure voicing parameters

Opens the **Custom Voicing** panel that allows you to configure your own voicing parameters for a specific voicing scheme.

Adaptive Voicings

Activate this to let Cubase set the voicings automatically. This prevents the individual voices from jumping too much.

Automatic Scales

Activate this to let Cubase set the scales automatically.

Shift Chords

If you enter a negative number of ticks, the chord events affect the MIDI notes that have been triggered too early.

RELATED LINKS


[Voicings](#) on page 1261

[Custom Voicing Panel](#) on page 1262

Custom Voicing Panel

If you click **Configure voicing parameters** in the **Chords** section of the **Inspector**, you can configure your own voicing parameters for a specific voicing scheme.

- To open the **Custom Voicing** panel, click **Configure voicing parameters** in the **Chords** section of the **Inspector**.



In the **Style** section for **Piano** voicings, you can set up the following parameters:

Triads

Sets a triad. Chords with more than 3 notes are not changed.

Triads with maj9

Sets a triad with a major ninth, but without root note. Chords with more than 3 notes are not changed.

Triads with maj9 and min9

Sets a triad with a major and a minor ninth, but without root note. Chords with more than 3 notes are not changed.

4-Note Chords

Sets a 4-note chord without root note. Chords with fewer than 3 notes are not changed.

4-Note Chords (Open Jazz)

Sets a 4-note chord without root note and without fifth. Chords with fewer than 3 notes are not changed.

5-Note Chords

Sets a 5-note chord with a ninth. Chords with fewer than 4 notes are not changed.

In the **Options** section for **Piano** voicings, you can set up the following parameters:

Add Root Note

Adds a root note.

Duplicate Root

Duplicates the root note.

Fatten up

Duplicates the tenor.

In the **Voicing Range** section for **Piano** voicings, you can set up the following parameters:

Lowest Root Note

Sets the limit for the lowest root note.

Lowest Note

Sets the limit for the lowest note, with the exception of the root note.

Highest Note

Sets the limit for the highest note, with the exception of the root note.

In the **Style** section for **Guitar** voicings, you can set up the following parameters:

Triads

Sets a triad with 4, 5 or 6 voices.

4-Note Chords

Sets a 4-note chord with 4, 5 or 6 voices without tensions.

3-String Triads

Sets a 3-string triad.

Modern Jazz

Sets 4-note, 5-note, and 6-note chords, partly without root note, but with tensions.

For **Basic** voicings, only **Octave Offset from C3** is available. This allows you to determine an offset value for the octave range.

In the **Start Voicing** section for **Piano**, **Guitar**, and **Basic** voicings, you can select a start voicing.

NOTE

This is only available for MIDI, instrument, and audio tracks, but not for the chord track, and only if you select **Voicings** in the **Follow Chord Track** pop-up menu.

RELATED LINKS

[Voicings](#) on page 1261

[Inspector Settings for Voicings](#) on page 1261

Converting Chord Events to MIDI

You can convert chord events to MIDI for further editing.

PREREQUISITE

- You have added a chord track and chord events.

PROCEDURE

1. In the global track controls area of the track list, click **Add Track** .
2. Do one of the following to specify the destination track for your chord events:
 - Click **Instrument** to add an instrument track.
 - Click **MIDI** to add a MIDI track.
3. Click **Add Track**.
4. Do one of the following:
 - To convert only selected chords to MIDI, select the chord events, and drag them to the MIDI or instrument track.
 - To convert all chord events to MIDI, select **Project > Chord Track > Chords to MIDI**.

RESULT

- A new MIDI part is created on the selected instrument or MIDI track. It contains the chords as MIDI events.
- If you converted the chord events by selecting **Project > Chord Track > Chords to MIDI**, the selected track is set to follow the chord track.

RELATED LINKS

[Add Track Dialog – Instrument](#) on page 135

[Add Track Dialog – MIDI](#) on page 140

Assigning Chord Events to MIDI Effects or VST Instruments

You can trigger chord events via MIDI effects.

PREREQUISITE

Create a chord progression on the chord track, and add a MIDI or an instrument track to your project.

PROCEDURE

1. In the **Inspector** for the MIDI or instrument track, open the **MIDI Inserts** section.
2. Click an insert slot, and select **Chorder** from the **Effect Type** pop-up menu.
The **Chorder** effect is activated, and its control panel opens.
3. On the chord track, select the chord events, and drag them to the **Chorder** control panel.
The drop position determines the velocity area and the position of the first chord event.
All subsequent chord events are mapped chromatically. Chord events with more than one occurrence are only assigned once.
To remap the chords, hold down **Alt/Opt**, and drag again.
4. On your MIDI keyboard, hit the corresponding keys to play back the chords.

Assigning Chord Events to HALion Sonic Pads

You can trigger chord events via HALion Sonic pads.

PREREQUISITE

Create a chord progression on the chord track, and add an instrument track with HALion Sonic as the VST instrument to your project.

PROCEDURE

1. On the chord track, select the chord events, and drag them to the HALion Sonic pads.

NOTE

The first chord event is mapped to the pad where you dropped it, and all subsequent chord events are mapped to the following pads.

2. Click the corresponding pads on the HALion Sonic keyboard to trigger the chords.
-

Controlling MIDI or Audio Playback Using the Chord Track

You can use the chord track to control audio playback or MIDI playback.

RELATED LINKS

[Chords Section for Audio Tracks](#) on page 1265

[Chords Section for MIDI Tracks](#) on page 1266

[Using Live Input](#) on page 1266


[Using Follow Chord Track](#) on page 1267

[Using Map to Chord Track](#) on page 1269

Chords Section for Audio Tracks

The **Chords** section in the audio track **Inspector** allows you to determine how the events on the audio track are mapped to the chord track.

- To open the **Chords** section for an audio track, select the track, and in the **Inspector**, click the **Chords** section.



Follow Chord Track

Determines how the events on your track are mapped to the chord track.

This Track's Voicings

Allows you to select a voicing library or to use the voicings from the chord track. This is only available if you selected **Voicings** or **Single Voice** in the **Follow Chord Track** pop-up menu.

RELATED LINKS


[Using Follow Chord Track](#) on page 1267

[Follow Chord Track Modes](#) on page 1267

Chords Section for MIDI Tracks

The **Chords** section in the MIDI track **Inspector** allows you to determine how the events on the MIDI track are mapped to the chord track.

- To open the **Chords** section for a MIDI track, select the track, and in the **Inspector**, click the **Chords** section.



Follow Chord Track

Select an option to determine how the events on your track are mapped to the chord track.

This Track's Voicings

Allows you to select a voicing library or to use the voicings from the chord track. This is only available if you selected **Voicings** or **Single Voice** in the **Follow Chord Track** pop-up menu.

Live Input

Allows you to transpose the MIDI input to a chord progression on the chord track.

RELATED LINKS

[Using Follow Chord Track](#) on page 1267

[Follow Chord Track Modes](#) on page 1267

[Using Live Input](#) on page 1266

Using Live Input

Live Input allows you to transpose the MIDI input live to a chord progression on the chord track. This way, you do not have to worry about what key to hit on your MIDI keyboard, as the MIDI input is transposed to match chords or scales on your chord track in real time.

PROCEDURE

- Create a MIDI or an instrument track, and activate **Record Enable**.
 - Right-click an empty area of the **Inspector**, and select **Set up Sections**.
 - In the **Set up Sections** pane, activate **Chords**.
 - In the **Inspector**, open the **Chords** section.
 - Open the **Live Input** pop-up menu, and do one of the following:
 - To map the MIDI input to chord events, select **Chords**.
 - To map the MIDI input to scale events, select **Scales**.
 - Hit some keys on your MIDI keyboard or on the **On-Screen Keyboard**.
-

RESULT

Any key that you hit is mapped to the chord or the scale events on the chord track in real time.

RELATED LINKS

[Scale Assistant in the Key Editor](#) on page 1150

[Mapping Incoming MIDI Note Pitches to Musical Scales](#) on page 1158

Using Follow Chord Track

This allows you to match an existing recording to a chord progression on the chord track.

PROCEDURE

1. Select the track that you want to match to the chord track.
2. In the **Inspector**, click **Chords**.
3. Open the **Follow Chord Track** pop-up menu, and select a mode.

NOTE

If this is the first time that you open this pop-up menu for the track, the **Follow Chord Track** dialog opens.

4. In the **Follow Chord Track** dialog, make your changes.
 5. Click **OK**.
-

RESULT

The events on your track now match the chord progression on the chord track.

NOTE

If you matched your MIDI track to the chord track, some of the original MIDI notes may be muted. To hide these notes in the editors, activate **Hide Muted Notes in Editors** in the **Preferences** dialog (**Editing—Chords** page).


RELATED LINKS

[Follow Chord Track Dialog](#) on page 1268

[Follow Chord Track Modes](#) on page 1267

Follow Chord Track Modes

This section of the **Inspector** allows you to determine how your track follows the chord track.



The following options are available on the **Follow Chord Track** pop-up menu:

Off

Follow Chord Track is deactivated.

Chords & Scales

This maintains the intervals of the original chord or scale as far as possible.

Chords

This transposes MIDI notes to match the key note and maps them to the current chord.

Scales

This transposes MIDI notes to match the current scale. This allows a bigger variety of notes and a more natural performance.

Root Notes

This transposes MIDI notes to match the root note of the chord event. The effect corresponds to using the transpose track. This option is suitable for bass tracks.

Voicings

This transposes MIDI notes to match the voices of the selected voicing library.

Single Voice

Maps MIDI notes and VariAudio segments to the notes of a single voice (soprano, tenor, bass, etc.) of the voicing. Use the pop-up menu below to select the voice.

NOTE


If you apply this mode to a selection of tracks that contain separate voices, you can set up one track as master and the others as voicing slaves. This way, you can change the voicing of the master and the slaves will follow automatically.

RELATED LINKS

[Assigning Voices to Notes](#) on page 1269

Follow Chord Track Dialog

This dialog opens the first time that you select an option from the **Follow Chord Track** pop-up menu on the **Chords** section of the **Inspector**.

**Follow Directly**

Activate this if your VariAudio segments or MIDI notes are already in accordance with the chord track. This is the case if you extracted your chords from the MIDI events on the track by selecting **Project > Chord Track > Create Chord Events**, for example.

Synchronize Track Data with Chord Track First

Activate **Analyze Chords** if the track data has nothing in common with the chord events. This analyzes the MIDI events and matches the found chords to the chord track. This is only available for MIDI.

Activate **Apply a Known Chord** if the track data has nothing in common with the chord events and if there are no chord changes. Specify **Root Note** and **Chord Type** of your events.

RELATED LINKS

[Creating Chord Events from MIDI](#) on page 1269
[Create Chord Events Dialog](#) on page 1270

Using Map to Chord Track

This allows you to match individual parts or events to a chord progression on the chord track.

PROCEDURE

1. In the **Project** window, select the events or parts that you want to map to the chord track.
2. Select **Project > Chord Track > Map to Chord Track**.
3. From the **Mapping Mode** pop-up menu, select a mapping mode.

NOTE

If you select **Voicings** and no voices are found, **Auto** mode is used instead.

4. Click **OK**.

RESULT

The chords and scales of each event or part are analyzed and used for mapping. If no chords are found, Cubase assumes that the performance is in "C". The available mapping modes and voicings correspond to the **Follow Chord Track** parameters in the **Chords** section of the **Inspector**.

RELATED LINKS

[Follow Chord Track Modes](#) on page 1267

Assigning Voices to Notes

You can transpose MIDI notes to match the voices of a selected voicing library.

PROCEDURE

- Select **Project > Chord Track > Assign Voices to Notes**.

RESULT

The note pitches now match the voicing of the chord track and you can still edit the MIDI notes. If you now select a note in the **Key Editor**, you see that **Voice** on the info line is assigned.

Creating Chord Events from MIDI

You can extract chords from MIDI notes, parts, or tracks. This is useful if you have a MIDI file and want to show its harmonic structure, and use this file as starting point for further experimenting.

PREREQUISITE

- You have added a chord track.

- On a MIDI track, you have created a MIDI part with MIDI events that can be interpreted as chords.

NOTE

Drums, monophonic bass, or lead tracks are not suitable.

PROCEDURE

1. In the **Project** window, select a part or one or several MIDI tracks.

You can also select the MIDI tracks, parts, or notes that you want to create in the **Key Editor**, **Score Editor**, or **In-Place Editor**.

2. Do one of the following:

- Drag the MIDI part and drop it on the chord track.
- Right-click a MIDI part, and select **Create Chord Events** from the context menu.
- Select **Project > Chord Track > Create Chord Events**.

3. In the **Create Chord Events** dialog, make your changes and click **OK**.
-

RESULT

The chord events are added to the chord track.

AFTER COMPLETING THIS TASK

Use the **Chord Assistant** to create variations.

RELATED LINKS


[Create Chord Events Dialog](#) on page 1270

[Creating Chord Events from Audio Events](#) on page 1271

[Chord Editing Section](#) on page 1164

Create Chord Events Dialog

This dialog allows you to determine which MIDI data to take into account when creating chord events from MIDI.

**Include Bass Notes**

Activate this if you want your chord events to contain a bass note.

Include Tensions

Activate this if you want your chord events to contain tensions.

Detect Arpeggios

Activate this if you want your chord events to contain arpeggiated chords, that is, chords whose notes are played one after another instead of all at once.

Interpret Sustain Pedal

Activate this if you want your chord events to contain sustain pedal chords, that is, notes that are played while the sustain pedal is held.

Ignore Notes Shorter Than

Allows you to determine the minimum length of the MIDI events that are taken into account.

RELATED LINKS

[Chord Editing Section](#) on page 1164

[Creating Chord Events from MIDI](#) on page 1269

Creating Chord Events from Audio Events

You can extract chords from audio events. This is useful if you have an audio file and want to show its harmonic structure, and use this file as a starting point for further experimenting.

PREREQUISITE

- You have added a chord track.
- On an audio track, you have added an audio event with audio material that can be interpreted as chords, that is, with three or four different note pitches playing simultaneously.

NOTE

The audio material should contain western music with 12 pitches per octave, tuned in equal temperament.

PROCEDURE

1. In the **Project** window, select an audio event on an audio track.

NOTE

You cannot use audio parts.

2. Do one of the following:

- Drag the audio event, and drop it on the chord track.
- Right-click an audio event, and select **Create Chord Events** from the context menu.
- Select **Project > Chord Track > Create Chord Events**.

RESULT

- The chord events are added to the chord track.

NOTE

Depending on the length of the audio event, this may take a while.

- The chord events that you created from audio events are indicated by a symbol in the upper right corner.
- The created chord events match the positions and lengths of the corresponding chords in the audio event.

- If the chord track already contained chord events, these are replaced within the position and length of the audio event. Chord events outside that range are maintained.

RELATED LINKS

[Editing Chord Events That Were Detected from Audio Events](#) on page 1272

[Chord Assistant – Detected](#) on page 1255

[Creating Chord Events from MIDI](#) on page 1269

Editing Chord Events That Were Detected from Audio Events

If you are not satisfied with the chord events that were detected from audio events, you can edit them. The algorithm provides several possible results for chord types.

PREREQUISITE

- You have detected chord events from audio events.
- You have connected the chord track to the output of an instrument or a MIDI track. This allows you to audition the chords.

PROCEDURE

1. Double-click the detected chord event that you want to edit.
 2. Click **Chord Assistant**, and click **Detected**.
A list of the detected chords ranked from top to bottom is shown.
 3. Optional: Activate **Highlight Suggestions from List Tab**.
This highlights the suggestions from the **List** tab of the **Chord Assistant** in the chord list.
 4. Click one of the chords in the list to audition the chord, and assign it to the chord event.
-

RESULT

The chord is assigned to the chord event on the chord track.

AFTER COMPLETING THIS TASK

You can change the position of the chord events manually or by using the **Quantize** function on the **Edit** menu.

RELATED LINKS

[Auditioning Chord Events](#) on page 1257

[Chord Assistant – Detected](#) on page 1255

[List Assistant](#) on page 1251

Recording Chord Events with a MIDI Keyboard

You can use a MIDI keyboard to record chord events on the chord track.

PREREQUISITE

Your project contains an instrument track with **Record Enable** or **Monitor** activated.

PROCEDURE

1. On the chord track, activate **Record Enable**.
2. On the **Transport** panel, activate **Record**.

3. Play some chords on your MIDI keyboard.
-

RESULT

All recognized chords are recorded on the chord track as chord events.

NOTE

The chord track uses its own voicing settings. The recorded chord events may therefore sound different.

RELATED LINKS

[Adding Chord Events](#) on page 1248

Using Chord Pads

Chord pads allow you to play with chords and to change their voicings and tensions. In terms of harmonies and rhythms, they allow for a more playful and spontaneous approach to composition than the chord track functions.

You can:

- Perform with chords in real time via a MIDI keyboard.
- Record your performances as MIDI events on a MIDI or instrument track or even on the chord track.

NOTE

We recommend that you connect and set up a MIDI keyboard to use the chord pads.

RELATED LINKS

[Chord Pads Zone](#) on page 1274

[Chord Pads Zone Toolbar](#) on page 1275

[Chord Pads](#) on page 1280

[Chord Pads Zone Keyboard](#) on page 1283

Chord Pads Zone

The chord pads zone in the lower zone of the **Project** window offers all the functions that you need to work with chord pads.

To open the chord pads zone, select **Project > Show/Hide Chord Pads**.

The chord pads zone features the following sections:



1 Chord Pads Zone Toolbar

Contains tools and settings for the chord pads zone.

2 Chord Pads Zone Extended Toolbar

Contains tools and settings for the individual chord pads and the assigned chords.

3 Chord Pads

Each chord pad can have a chord assigned to it that is played back when you trigger the chord pad, either by clicking it or by playing the corresponding key on your MIDI keyboard.

4 Chord Pads Zone Keyboard

Shows which keys are played when you trigger a chord pad with the mouse or the MIDI keyboard. It also highlights the trigger key when you hover the mouse over an assigned pad.

5 Integrated Editor/Assistant

Allows you to open the chord **Editor** or the **Assistant** in the right zone of the chord pads zone.

RELATED LINKS

[Chord Pads Zone Toolbar](#) on page 1275

[Chord Pads Zone Extended Toolbar](#) on page 1278

[Chord Pads](#) on page 1280

[Chord Pads Zone Keyboard](#) on page 1283

[Chord Pad Playback and Recording](#) on page 1294

[Players and Voicings](#) on page 1304

[Opening Chord Pads](#) on page 82

[Selected Mode Settings—Sections](#) on page 1309

[Chord Editor](#) on page 1249

[Circle of Fifths Assistant](#) on page 1302

[List Assistant](#) on page 1300

Chord Pads Zone Toolbar

The chord pads zone toolbar contains tools and settings for the chord pads.

- To show or hide the toolbar elements, right-click the toolbar, and activate or deactivate the elements.

Output Mode

Chord Pad Output Mode



Activate this to send chord data to all tracks that are monitored or record-enabled. Deactivate this to send chord data exclusively to tracks that are monitored or record-enabled and where **Input Routing** is set to **Chord Pads**.

NOTE

If **Record-Enable allows MIDI Thru** is deactivated in the **Preferences** dialog (**Record—MIDI** page), you must activate **Monitor** to use the chord pads.

Step Input

Step Input



Activates/Deactivates step input.

Move Insert Mode



Moves all chord events to the right of the step input cursor to make room for the inserted event when you insert chord events.

NOTE

This only works with **Step Input** activated.

Root Key

Root Key



Opens the **Root Key** pane, which allows you to change the root key. If you activate **Transpose Pads**, all chord pads are transposed to the set root key. The **Enh. Shift** pop-up menu allows you to change the enharmonic spelling of notes.

Chord Pads Presets

Open Chord Pads Preset Browser



Allows you to select a preset for chord pads and players.

Load Preset Settings



Opens a pane with preset settings.

- **Load Chords & Players**

Loads the chords and the players of **Chord Pads Presets**.

- **Load Chords Only**

Loads only the chords of **Chord Pads Presets**.

- **Load Players Only**

Loads only the players of **Chord Pads Presets**.

Previous Preset



Loads the previous chord pads preset.

Next Preset



Loads the next chord pads preset.

Save Preset



Allows you to save presets for chord pads and players.

Player Settings

Player Settings



Shows the selected player and opens the **Player Settings** pane, where you can select another player and a voicing style.

Player Mode Settings

Player Mode



Shows the selected player mode and opens a pop-up menu, where you can select another player mode.

NOTE

You can drop a MIDI part from the event display on the **Player Mode** section. This automatically sets the player mode to **Pattern** and uses this MIDI part as a pattern.

Chord Assistant Window

Show/Hide Chord Assistant Window



Shows/Hides the **Chord Assistant** window that features the **List**, the **Proximity**, and the **Circle of Fifths** assistants.

Assign from Chord Track

Assign from Chord Track



Assigns the chord events from the chord track to the chord pads in the same order as they are shown on the chord track. Chord events that have more than one occurrence are only assigned once. If there are not enough chord events to fill the chord pads, some pads stay unassigned.

Snap Playback to Musical Grid

Snap Playback to Musical Grid



Allows you to snap the playback of a triggered chord pad to the next defined musical position. This is useful if you work with an arpeggiator or if you set the **Player Modes** to **Pattern**.

Velocity on Mouse Click

Velocity



Allows you to determine the velocity value that is used when you trigger chord pads with the mouse.

NOTE

You can set up the velocity range in the **Preferences** dialog (**Editing—MIDI** page).

Chord Pads Remote Settings

Chord Pads Remote Settings



Opens the **Chord Pads Remote Settings** dialog, which allows you to change the remote key assignments and the layout of the chord pads.

Chord Assistant Window

Show/Hide Editor/Assistant



Shows/hides the **Editor/Assistant** in the chord pads zone.

Chord Pads Display Settings

Pad Display Settings



Opens the **Chord Pad Display Settings** pane, which allows you to change the chord symbols and the pad layout.

RELATED LINKS

[Chord Assistant](#) on page 1300

[Chord Pads Presets](#) on page 1298

[Player Settings](#) on page 1304

[Player Mode Settings](#) on page 1306

[Chord Pads Display Settings Pane](#) on page 1318

[Chord Pads Remote Settings Dialog](#) on page 1313

[Inserting Note Events via Step Input](#) on page 1167

Chord Pads Zone Extended Toolbar

The extended toolbar contains additional tools and settings for the individual chord pads and the assigned chords.

- To show/hide the extended toolbar elements, right-click the extended toolbar, and activate or deactivate the elements.

NOTE

The assignment functions and the modifiers apply to all chord pads that are selected.

Select All

Select All



Selects all chord pads.

Assignment Functions

Open Chord Editor



Opens the chord **Editor**.

Assign from MIDI Input



Allows you to assign chords via MIDI input, that is, by pressing keys on your MIDI keyboard.

Remove Assignment



Removes the assigned chord from the chord pad.

Pad Modifiers

Transpose Down



Plays back the chord assigned to the first selected pad and transposes all selected and assigned chord pads downwards.

NOTE

You can also move the mouse pointer over a chord pad, press **Shift** and move the mouse wheel down to transpose the assigned chord downwards.

Transpose Up



Plays back the chord assigned to the first selected pad and transposes all selected and assigned pads upwards.

NOTE

You can also move the mouse pointer over a chord pad, press **Shift** and move the mouse wheel up to transpose the assigned chord upwards.

Fewer Tensions



Plays back the chord assigned to the first selected pad and reduces tensions of all selected and assigned pads.

NOTE

You can also move the mouse pointer over a chord pad, press **Alt** and move the mouse wheel down to reduce tensions of the assigned chord.

More Tensions



Plays back the chord assigned to the first selected pad and adds tensions to all selected and assigned pads.

NOTE

You can also move the mouse pointer over a chord pad, press **Alt** and move the mouse wheel up to add tensions to the assigned chord.

Previous Voicing



Plays back the chord assigned to the first selected pad and switches all selected and assigned pads to the previous voicing.

NOTE

You can also move the mouse pointer over a chord pad and move the mouse wheel up to switch to the previous voicing of the assigned chord.

Next Voicing



Plays back the chord assigned to the first selected pad and switches all selected and assigned pads to the next voicing.

NOTE

You can also move the mouse pointer over a chord pad and move the mouse wheel down to switch to the next voicing of the assigned chord.

Pad State Modifiers

Lock



Locks the assigned chord on the chord pad.

NOTE

Alternatively, you can select chord pads and press **Ctrl/Cmd-Shift-L** to lock the assigned chords on the chord pads.

Adaptive Voicing



Activates adaptive voicing for a chord pad. If you change the voicing for a pad manually, adaptive voicing is deactivated.

Adaptive Voicing Reference



Sets the selected pad as an adaptive voicing reference. If set, the automatic voicings for the subsequent pads are set in a way that they do not get too far away from the reference voicing. Only one pad can be set as an adaptive voicing reference.

RELATED LINKS

[Assigning Chords with the Chord Editor](#) on page 1285

[Assigning Chords with the MIDI Keyboard](#) on page 1288

[Adaptive Voicing](#) on page 1304

[Removing Chord Assignments](#) on page 1290

Chord Pads

You can assign a chord to each chord pad. The chords are played back when you trigger the chord pads. Chord pads display the assigned chord, the used voicing and information about the status of the pad.

Chord Information

Chord Symbol



The symbol of the chord that is assigned to the chord pad is shown in the center of the chord pad. Each chord pad can contain one chord. By default, the chord symbol

is displayed as a note name. To specify how the chord symbol is shown, change the settings in the **Chord Symbols** section of the **Chord Pads Display Settings** pane.

NOTE

If the name of the assigned chord is too long to display it on the chord pad, it is underlined, and the full chord name is shown in a tooltip.

Voicing Indicator



The voicing that is used for the chord is indicated at the bottom of the chord pad. Voicing indicators are only displayed if the zoom level for the chord pads is high enough.

Adaptive Voicing Indicator



The adaptive voicing indicator is shown in the top right corner of the chord pads. This is activated by default. If you manually change the voicing for a pad, adaptive voicing is deactivated. You can activate it by enabling the **Adaptive Voicing** button on the extended toolbar.

Adaptive Voicing Reference Indicator



The adaptive voicing reference indicator is shown in the top right corner of the chord pads. The chord pad frame is shown in yellow. If a chord pad is set as an adaptive voicing reference, the automatic voicings for the subsequent pads are set in a way that they do not get too far away from the reference voicing. Only one pad can be set as an adaptive voicing reference.

List Assistant Color Indicator



The color indicator from the **List** assistant is shown at the bottom of the chord pad, if you activate **Show List Assistant Colors** on the **Chord Pads Display Settings** pane. Chord pads that hold chords that match **List** assistant suggestions are colored

according to their musical usefulness. Green indicates that this suggestion is more common, orange or red are musically more adventurous or do not fit at all. The reference for the suggestions is the chord that is assigned to the first selected pad.

Status Information

Locked Chord Pad



A padlock icon in the upper right corner of a chord pad indicates that the chord is locked to the chord pad.

Selected Chord Pad




A white frame indicates that the chord pad is selected.

Triggered Chord Pad



A highlighted background indicates that the chord pad is triggered.

Drop Location



If you drop a chord from the chord **Editor** or one of the assistants to the chord pad, its frame is temporarily highlighted in green.

MIDI Input Destination



If you select a chord pad and activate **Assign from MIDI Input**, its frame is temporarily highlighted in red to indicate that the MIDI input is routed to this chord pad.

Pattern Playback Progress



If you activate **Pattern** as a **Player Mode** and enable **Show Pattern Play Progress** in the **Chord Pads Display Settings** pane, the progress of the pattern playback is indicated by a progress bar at the bottom of the chord pad.

NOTE

- By default, the chord pads are shown in keyboard layout. To change the display, use the settings on the **Chord Pads Display Settings** pane.
- If the chord pads zone has the focus, the default key commands apply to the chord pads.

RELATED LINKS


- [Chord Editor](#) on page 1249
[Chord Assistant](#) on page 1300
[List Assistant](#) on page 1300
[Show List Assistant Colors](#) on page 1319
[Selected Mode Settings—Pattern](#) on page 1307
[Chord Symbols](#) on page 1318
[Adaptive Voicing](#) on page 1304
[Chord Pads Display Settings Pane](#) on page 1318

Chord Pads Zone Keyboard

The chord pads zone keyboard shows how a chord that is assigned to a chord pad is played back when you trigger the chord pad with the mouse or a MIDI keyboard.

NOTE

You can zoom the keyboard by clicking and dragging up or down. You can scroll the keyboard by clicking and dragging to the left or to the right.




1 Played Notes

When you trigger a chord pad with the mouse or a MIDI keyboard, the notes of the assigned chord are highlighted.

2 Chord Pad Triggers (Pad Remote Control)

The range of keys that trigger the chord pads is highlighted in blue. On the **Pad Remote Control** page of the **Chord Pads Remote Settings** dialog, you can define the range by setting the values for **Pads Remote Range Start** and **Pads Remote Range End** in the **Chord Pad Triggers** section.

When you hover the mouse over an assigned pad, its trigger key is highlighted on the chord pads zone keyboard.



3 Chord Modifiers for Voicing, Tension, and Transpose (Pad Remote Control)

The keys that change the voicing, tensions, and transpose settings of the chord pads are highlighted in green.

NOTE

The chord modifier keys are only highlighted and active on the keyboard with the **Activate** option enabled in the **Chord Modifiers** section on the **Pad Remote Control** page of the **Chord Pads Remote Settings** dialog.

4 Sections (Pad Remote Control)

The keys that trigger the sections are highlighted in brown.

NOTE

The section remote range is only shown if **Player Modes** is set to **Sections**.

RELATED LINKS

- [Chord Pads](#) on page 1280
- [Player Mode Settings](#) on page 1306
- [Pad Remote Control Tab](#) on page 1314
- [Chord Pads Remote Settings Dialog](#) on page 1313
- [Selected Mode Settings—Sections](#) on page 1309

Chord Assignment

You can use the default chord assignments, but you can also assign your own chords to the chord pads.

To assign chords to chord pads, you can use:

- The chord **Editor**
- The **List** assistant
- The **Proximity** assistant
- The **Circle of Fifths** assistant
- **Chord Pads Presets**
- Your MIDI keyboard
- Chord events from the chord track

RELATED LINKS

- [Assigning Chords with the Chord Editor](#) on page 1285
- [Assigning Chords with the Proximity Assistant](#) on page 1286
- [Assigning Chords with the Circle of Fifths Assistant](#) on page 1287

[List Assistant](#) on page 1300
[Chord Pads Presets](#) on page 1298
[Assigning Chords with the MIDI Keyboard](#) on page 1288
[Assigning Chords from the Chord Track](#) on page 1289

Assigning Chords with the Chord Editor

If you know exactly which chord you want to assign to a specific chord pad, you can use the chord **Editor**.

PROCEDURE

1. Select the chord pad to which you want to assign a chord.
 2. Do one of the following to open the **Chord Editor**:
 - Double-click the chord pad.
 - Press **Return**.
 - On the chord pads zone toolbar, activate **Show/Hide Editor/Assistant** to show the **Editor/Assistant** in the chord pads zone, and select chord **Editor**.
 - On the chord pads zone extended toolbar, click **Open Chord Editor**.
 3. In the chord **Editor**, use the chord definition buttons to define a root note, a chord type, a tension, and a bass note.
-

RESULT

The selected chord is automatically assigned to the chord pad, and the sound is triggered to give you acoustic feedback.

RELATED LINKS

[Chord Editor](#) on page 1249


Assigning Chords with the List Assistant

If you have a chord that you want to use as a starting point for finding follow-on chords, you can use the **List** assistant.

PROCEDURE

1. On the toolbar, activate **Show/Hide Chord Assistant Window**.
2. Open the **List** assistant.
3. Select the chord pad that has the chord assigned that you want to use as a reference for suggestions.

The further away the chord is from the reference chord, the more complex the suggestion becomes.



4. Optional: In the list, click the chord symbols to audition the corresponding chords.
 5. To assign a chord to a chord pad, drag it out of the **List** assistant, and drop it on a chord pad. If one of the chord pads is unassigned, you can also double-click the chord in the **List** assistant to assign it to the first unassigned pad.
-

RESULT

The chord is assigned to the chord pad. It is played back to give you acoustic feedback.

RELATED LINKS

[List Assistant](#) on page 1300
[Chord Pads](#) on page 1280


Assigning Chords with the Proximity Assistant

If you have a chord that you want to use as a starting point for finding follow-on chords, you can use the **Proximity** assistant.

PROCEDURE

1. On the toolbar, activate **Show/Hide Chord Assistant Window**.
2. Open the **Proximity** assistant.
3. Select the chord pad that has the chord assigned that you want to use as a reference for suggestions.

The reference chord is shown at the bottom, in the center of the **Proximity** assistant. The further away the chord is from the reference chord, the more complex the suggestion becomes.



4. Optional: In the **Proximity** assistant, click the chord symbols to audition the corresponding chords.
5. To assign a chord to a chord pad, drag it out of the **Proximity** assistant, and drop it on a chord pad.

NOTE

If one of the chord pads is unassigned, you can also double-click the chord in the **Chord Assistant** window to assign it to the first unassigned pad.

RESULT

The chord is assigned to the chord pad. It is played back to give you acoustic feedback.

RELATED LINKS

[Proximity Assistant on page 1302](#)


[Chord Pads on page 1280](#)

Assigning Chords with the Circle of Fifths Assistant

You can use the **Circle of Fifths** assistant to assign chords.

PROCEDURE

1. Open the **Circle of Fifths** assistant.



The root key is displayed in the center, and the chords that belong to the same scale are shown above it. The numerals indicate the scale degree of the chords. These help you to create chord progressions.

2. Optional: In the **Circle of Fifths** assistant, click the chord symbols to trigger the corresponding chords.
3. To assign a chord, drag it out of the **Circle of Fifths** assistant, and drop it on the chord pad.

NOTE

If one of the chord pads is unassigned, you can also right-click the chord in the **Circle of Fifths** assistant and select **Assign to First Unassigned Pad** to assign the chord to the first unassigned pad.

RELATED LINKS

[Circle of Fifths Assistant](#) on page 1302
[Chord Assignment](#) on page 1284
[Root Key Pane](#) on page 1291

Assigning Chords with the MIDI Keyboard

If you know which chord you want to assign to a specific chord pad, you can use a MIDI keyboard or the **On-Screen Keyboard**.

PREREQUISITE

You have selected a MIDI track or an instrument track.

PROCEDURE

1. Select one ore more chord pads to which you want to assign new chords.
2. On the extended toolbar, activate **Assign from MIDI Input**.
The chord pad frame is highlighted in red to indicate that it is enabled for MIDI Input.
3. On your MIDI keyboard or on the **On-Screen Keyboard**, press the keys that make up the chord that you want to assign.

The chord and the voicing are assigned to the chord pad, and you obtain an acoustic feedback of the chord.

NOTE

The assigned voicing can be changed by setting the **Adaptive Voicing** parameter. If you want to prevent changes to the voicing for a specific chord pad, right-click the chord pad, and on the chord pads zone toolbar, click **Lock**.

-
4. Repeat the steps above to assign chords to the other chord pads.
-

RELATED LINKS

[Chord Assignment](#) on page 1284

[Adaptive Voicing](#) on page 1304

[Chord Pads Zone Extended Toolbar](#) on page 1278

Assigning Chords from the Chord Track

You can assign chord events from the chord track to the chord pads.

PREREQUISITE

You have added a chord track with chord events to your project.

PROCEDURE

- On the chord pads zone toolbar, click **Assign from Chord Track**.
If chords are already assigned to the chord pads, a warning message informs you that all previous assignments are overwritten.
-

RESULT

The chord events are assigned to the chord pads in the same order as on the chord track.

NOTE

Chord events that have more than one occurrence on the chord track are only assigned once.

RELATED LINKS

[Adding the Chord Track](#) on page 1247

[Adding Chord Events](#) on page 1248

Swapping Chord Assignments

You can swap the chord assignments of two pads.

PROCEDURE

- Click a chord pad, and drag it to another chord pad.
While you drag, the frame of the destination chord pad is highlighted in green.
-

RESULT

When you drop the chord pad on another chord pad, the chord assignments are swapped, together with their settings. An exception to this is the **Adaptive Voicing Reference** setting, which remains on the chord pad to which it was originally applied.

RELATED LINKS

[Chord Pads](#) on page 1280

Copying Chord Assignments

You can copy the chord assignment of one chord pad and paste it to another chord pad.

PROCEDURE

- **Alt/Opt**-click a chord pad, and drag it to another chord pad.

While you drag, the frame of the destination chord pad is highlighted in green.

RESULT

When you drop the pad on another one, the assignment of the first pad is copied to the destination chord pad, including its settings. An exception to this is the **Adaptive Voicing Reference** setting, which remains on the chord pad to which it was originally applied.

RELATED LINKS

[Chord Pads](#) on page 1280

Removing Chord Assignments

You can remove chord assignments from chord pads to start from scratch. This operation cannot be undone.

PROCEDURE

1. Select the chord pads whose chord assignments you want to remove.

- **NOTE**

To select all chord pads, press **Ctrl/Cmd-A**, or activate **Select All** on the extended toolbar.

2. Do one of the following to remove the assignments:

- Press **Backspace**.
- Press **Delete**.
- On the extended toolbar, click **Remove Assignment**.

3. In the warning message, click **OK**.
-

RESULT

The assignments are removed from the selected chord pads.

RELATED LINKS

[Chord Pads Zone Extended Toolbar](#) on page 1278

Root Key

You can set up the root key of the chord pads.

By default the root key is set to C. You can set up a different root key in the **Root Key** pane. When you load a preset, the root key is set automatically.

The root key is displayed on the following interface items:

- The **Root Key** field on the chord pads zone toolbar.
- The chord symbol on chord pad that is situated in the lower left corner of the chord pads zone.
- The chord symbol that is displayed in the center of the **Circle of Fifths** assistant.

RELATED LINKS

[Chord Pads Zone Toolbar](#) on page 1275

[Assigning Chords with the Circle of Fifths Assistant](#) on page 1287

[Chord Pads Presets](#) on page 1298

Root Key Pane

The **Root Key** pane allows you to change the root key for chord pads. It also allows you to transpose chord pads and to change the enharmonic spelling of the assigned chords.

- To open the **Root Key** pane, click **Root Key** in the chord pads zone toolbar.



The following options are available:

Pitch fields

Allow you to select a pitch.

- If **Transpose Pads** is activated, the selected pitch determines how the chord pads are transposed.
- If **Transpose Pads** is deactivated, the selected pitch sets the root key for the chord pads.

Transpose Pads

Allows you to transpose all chord pads to the selected pitch. If you deactivate this and select another pitch via the pitch fields, the root key for the chord pads is set.

Enh. Shift

Allows you to change the enharmonic spelling of notes.

RELATED LINKS

[Chord Pads Zone Toolbar](#) on page 1275

[Changing the Root Key without Transposing](#) on page 1292

[Transposing Chord Pads](#) on page 1293

Changing the Root Key without Transposing


You can change the root key of the chord pads. This is useful if the harmonic functions of the individual chord pads are not indicated correctly. This can happen when you assign the chord pads manually and your root key differs from the default key of C.

PROCEDURE

1. Click **Root Key** on the toolbar.
2. In the **Root Key** pane, deactivate **Transpose Pads**.



3. Click a pitch field to select the correct root key.



NOTE

You can also set the root key by moving the mouse pointer over the **Root Key** field and using the mouse wheel.

RESULT

The root key and the harmonic functions are changed while the chords assigned to the chord pads stay the same. The assigned chords are not transposed.

RELATED LINKS

[Root Key Pane](#) on page 1291


[Transposing Chord Pads](#) on page 1293

Transposing Chord Pads


You can transpose all chord pads without changing their root key. Do this, if you want to transpose all assigned chord pads to a higher or lower pitch.

PROCEDURE

1. Click **Root Key** on the toolbar.
2. On the **Root Key** pane, activate **Transpose Pads**.



3. Click a pitch field to select another pitch.



RESULT

The chords assigned to the chord pads are changed while the root key stays the same. The assigned chords are transposed.

NOTE

You can also transpose all chord pads by clicking **Select All** on the extended toolbar, and clicking **Transpose Up** or **Transpose Down** or by pressing **Shift** and using the mouse wheel or by using the corresponding key commands.

RELATED LINKS

[Chord Pads Zone Toolbar](#) on page 1275
[Changing the Root Key without Transposing](#) on page 1292
[Root Key Pane](#) on page 1291

Chord Pad Playback and Recording

You can play back and record chords that are assigned to chord pads using MIDI or instrument tracks.

There are two different **Chord Pad Output Modes** that determine if chords that are assigned to chord pads can be played back and recorded using any MIDI track or using exclusive instrument or MIDI tracks:

- **Chord Pad Output Mode: On**

Allows you to play back and record chord pads on any MIDI or instrument track, as long as **Record Enable** or **Monitor** is activated.

- **Chord Pad Output Mode: Off**

Allows you to play back and record chord pads using exclusive MIDI or instrument tracks, as long as **Record Enable** or **Monitor** is activated, and with **Chord Pads** selected as a MIDI input in the **Input Routing** pop-up menu.

NOTE

If **Record-Enable allows MIDI Thru** is deactivated in the **Preferences** dialog (**Record—MIDI** page), you must activate **Monitor** to use the chord pads.

RELATED LINKS

[Chord Pads Zone](#) on page 1274
[Recording Chords on the Chord Track](#) on page 1296
[Recording Chords on Instrument Tracks](#) on page 1296
[Playing Back Chord Pads Using Any Instrument Track](#) on page 1294
[Playing Back Chord Pads Using Exclusive Instrument Tracks](#) on page 1295

Playing Back Chord Pads Using Any Instrument Track

You can play back chord pads on any instrument or MIDI track, as long as **Record Enable** or **Monitor** is activated.

PREREQUISITE

You have connected and set up a MIDI keyboard.

PROCEDURE

1. In the global track controls area of the track list, click **Add Track** .
2. Click **Instrument**.
3. Open the **Instrument** pop-up menu, and select a VST instrument.
4. Click **Add Track**.
The instrument track is added to the track list, and the control panel of the selected VST instrument is opened.
5. On the instrument track, click **Record Enable** or **Monitor**.

NOTE

If **Record-Enable allows MIDI Thru** is deactivated in the **Preferences** dialog (**Record—MIDI** page), you must activate **Monitor** to use the chord pads.

6. On the chord pads toolbar, activate **Chord Pad Output Mode**.
 7. Press some keys on your MIDI keyboard or click the chord pads to trigger the assigned chords.
-

RELATED LINKS

[Add Track Dialog – Instrument](#) on page 135

[Chord Pads Remote Settings Dialog](#) on page 1313

[Changing the Pads Remote Range](#) on page 1316

Playing Back Chord Pads Using Exclusive Instrument Tracks

You can play back chord pads using exclusive instrument or MIDI tracks where **Record Enable** or **Monitor** is activated, and where **Chord Pads** is selected as a MIDI input in the **Input Routing** pop-up menu.

PREREQUISITE

You have set up a MIDI keyboard.

PROCEDURE

1. In the global track controls area of the track list, click **Add Track** .
 2. Click **Instrument**.
 3. Open the **Instrument** pop-up menu, and select a VST instrument.
 4. Click **Add Track**.
- The instrument track is added to the track list, and the control panel of the selected VST instrument is opened.
5. On the instrument track, click **Record Enable** or **Monitor**.

NOTE

If **Record-Enable allows MIDI Thru** is deactivated in the **Preferences** dialog (**Record—MIDI** page), you must activate **Monitor** to use the chord pads.

6. In the **Inspector** for the instrument track, open the **Input Routing** pop-up menu, and select **Chord Pads**.
 7. On the chord pads toolbar, deactivate **Chord Pad Output Mode**.
 8. Press some keys on your MIDI keyboard or click the chord pads to trigger the assigned chords.
-

RESULT

The instrument track now receives MIDI data exclusively from the chord pads. You can use a connected MIDI keyboard to trigger the chord pads. This still works if you hide the **Chord Pads** from view.

NOTE

Via the **Pad Remote Control** tab of the **Chord Pads Remote Settings** dialog, you can select your connected MIDI keyboard from the **MIDI Input** pop-up menu. This is useful if you want to use a specific MIDI keyboard exclusively for triggering the chord pads.

RELATED LINKS

[Pad Remote Control Tab](#) on page 1314

Recording Chords on Instrument Tracks

You can record chords that are triggered by chord pads on MIDI or instrument tracks.

PREREQUISITE

You have connected and set up a MIDI keyboard. You have opened and set up the chord pads, and you have added an instrument or a MIDI track for which a VST instrument is loaded.

PROCEDURE

1. On the instrument track, click **Record Enable** or **Monitor**.

NOTE

If **Record-Enable allows MIDI Thru** is deactivated in the **Preferences** dialog (**Record—MIDI** page), you must activate **Monitor** to use the chord pads.

2. On the **Transport** panel, activate **Record**.
 3. On your MIDI keyboard, press the keys that trigger the chord pads.
-

RESULT

The triggered chords are recorded on the track. The note events are automatically assigned to different MIDI channels, according to their pitches. Note events that correspond to the soprano voice are assigned to MIDI channel 1, alto is assigned to MIDI channel 2, and so on.

AFTER COMPLETING THIS TASK

Open the **Key Editor**, and fine-tune your recorded MIDI parts using the chord editing functions, for example. You can also use **MIDI > Dissolve Part** to dissolve the recorded chords by pitches/channels.

RELATED LINKS

[Dissolve Part Dialog](#) on page 1070

[Dissolving Parts into Separate Channels](#) on page 1070

[Dissolving Parts into Separate Pitches](#) on page 1071

Recording Chords on the Chord Track

You can record chords that are triggered by chord pads on the chord track. This way, you can easily create chord events for a lead sheet, for example.

PREREQUISITE

You have connected and set up a MIDI keyboard, you have opened and set up the chord pads, and you have added an instrument or a MIDI track for which a VST instrument is loaded.

PROCEDURE

1. On the instrument track, click **Record Enable or Monitor**.

NOTE

If **Record-Enable allows MIDI Thru** is deactivated in the **Preferences** dialog (**Record—MIDI** page), you must activate **Monitor** to use the chord pads.

2. Select **Project > Add Track > Chord**.

The chord track is added to the track list.

3. In the **Inspector** for the chord track, click **Record Enable**.

4. On the **Transport** panel, activate **Record**.

5. On your MIDI keyboard, press the keys that trigger the chord pads.
-

RESULT

The chord events are recorded on the chord track.

NOTE

The recorded chord events may sound different from the chord pad playback. This is because the voicing settings for the chord track differ from the chord pad voicings.

RELATED LINKS

[Chord Track](#) on page 157

[Chord Functions](#) on page 1247

[Voicings](#) on page 1261

Inserting Chord Events via Step Input

You can insert chords from chord pads as chord events on the chord track. Chord events are inserted at the start of a bar.

PREREQUISITE

You have assigned chords to the chord pads, and you have added a chord track to your project.

PROCEDURE

1. In the **Step Input** section of the chord pads zone toolbar, activate **Step Input**.

2. Trigger a chord pad in the chord pads zone to insert a chord event.

The step input cursor is displayed with blue a handle in the ruler, and a vertical line in the note display. The chord event is inserted, and the step input cursor automatically jumps to the start of the next bar.

NOTE

You can use the **Right Arrow / Left Arrow** to set the step input cursor to the position where you want to insert the chord event.

If you activate **Move Insert Mode**, all chord events to the right of the step input cursor are moved to make room for the inserted event.

-
3. Repeat the steps above to insert further chord events.

4. When you are done, click **Step Input** again to deactivate it.
-

RESULT

The chord events are inserted on the chord track.

RELATED LINKS

[Step Input](#) on page 1275

[Move Insert Mode](#) on page 1275

[Chord Events](#) on page 1248

[Adding Chord Events](#) on page 1248

Creating Chord Events from Chord Pads

You can use the chords assigned to the chord pads to create chord events in the **Project** window.

PROCEDURE

- Click a chord pad, and drag it onto the chord track.
-

RESULT

A chord event is created.

RELATED LINKS

[Chord Events](#) on page 1248

[Adding Chord Events](#) on page 1248

Creating MIDI Parts from Chord Pads

You can use the chords assigned to the chord pads to create MIDI parts in the **Project** window.

PROCEDURE

- Click a chord pad, and drag it onto a MIDI or instrument track.
-

RESULT

A MIDI part is created. It contains the MIDI events that make up the chord and has a length of one bar.

Chord Pads Presets

Chord Pads Presets are templates that can be applied to newly created or existing chord pads.

Chord Pads Presets store the chords that are assigned to the chord pads, as well as the player configurations, including any pattern data.

NOTE

Chord Pads Presets are organized in the **MediaBay**, where you can categorize them via attributes.

RELATED LINKS


[Saving Chord Pads Presets](#) on page 1299

[Load Preset Settings Pane](#) on page 1299

Load Preset Settings Pane

The **Load Preset Settings** pane allows you to define precisely what to include when you load a preset.

- To open the **Load Preset Settings** pane, click **Load Preset Settings** on the chord pads toolbar.



The following options are available:

Load Chords & Players

Loads the chords and the players of the **Chord Pads Presets**.

Load Chords Only

Loads only the chords of the **Chord Pads Presets**. This is useful if you want to use specific chords that you have saved as a preset, but you do not want to alter your current player setting.

Load Players Only

Loads only the player configurations of the **Chord Pads Presets**. This is useful if you have saved very complex player settings and you want to reuse them on other chord pads without changing the assigned chords.

RELATED LINKS

[Chord Pads Presets](#) on page 1298

[Saving Chord Pads Presets](#) on page 1299

Saving Chord Pads Presets

If you have set up chord pads, you can save them as **Chord Pads Presets**.

PROCEDURE

1. On the chord pads toolbar, click **Save Preset**.
2. In the **New Preset** section, enter a name for the new preset.

NOTE

You can also define attributes for the preset.

3. Click **OK** to save the preset and close the dialog.
-

RELATED LINKS

[Chord Pads Presets](#) on page 1298

[Load Preset Settings Pane](#) on page 1299

Chord Assistant

The **Chord Assistant** assists you in finding chords to create a chord progression for your song.

To open the **Chord Assistant**, do one of the following:

- Activate **Show/Hide Chord Assistant Window** on the chord pads zone toolbar.
- Activate **Show/Hide Editor/Assistant** on the chord pads zone toolbar.



The **Chord Assistant** features the following tabs:

- **List**
Allows you to find suggestions for the chord that is assigned to the selected chord pad.
- **Circle of Fifths**
Allows you to find suggestions for the chord that is assigned as **Root Key**.
- **Proximity**
Allows you to find suggestions for the chord that is assigned to the selected chord pad.

NOTE

The **Proximity** assistant is not available in the right zone of the chord pads zone.

RELATED LINKS

- [List Assistant](#) on page 1300
[Circle of Fifths Assistant](#) on page 1302
[Proximity Assistant](#) on page 1302
[Root Key Pane](#) on page 1291

List Assistant

The **List** assistant allows you to create chord progressions based on harmonic rules that can be simple or complex.

To open the **List** assistant, do one of the following:

- Activate **Show/Hide Chord Assistant Window** on the chord pads zone toolbar, and select **List**.
- Activate **Show/Hide Editor/Assistant** on the chord pads zone toolbar, and select **List**.



Suggestions list

Displays suggestions for the next chord.

- Click a chord suggestion to audition it.
- Drag a suggestion to a chord pad to assign the chord to the chord pad.
- Double-click a chord suggestion to assign the chord to the first free chord pad.

NOTE

The suggestions are colored according to their musical usefulness. Green indicates that this suggestion is more common, orange or red are musically more adventurous or do not fit at all.

Algorithm

Select **Cadence** to build up a chord progression based on cadences. Select **Common Notes** to build up a progression by specifying how many common notes you want the chords to share. The suggested chords and the colors change accordingly.

Cadence Type

Allows you to select a cadence type for the suggestions. As a result, only the chords with specific harmonic functions are suggested. The suggested chords and the colors change accordingly.

NOTE

These options are only available if you select **Cadence** as the **Algorithm**.

RELATED LINKS

[Chord Assistant](#) on page 1300
[Circle of Fifths Assistant](#) on page 1302
[Proximity Assistant](#) on page 1302

Proximity Assistant


The **Proximity** assistant uses a set of harmonic rules, in order to offer you suggestions that match the reference chord.

The reference chord is displayed at the bottom, in the center of the **Chord Assistant** window. The further away a chord suggestion is situated from this chord, the more complex the suggestion.

NOTE


The **Proximity** assistant is not available in the right zone of the chord pads zone.

- To open the **Proximity** assistant, activate **Show/Hide Chord Assistant Window** on the chord pads zone toolbar, and select **Proximity**.



- To audition a suggested chord, click it.
The last 3 suggested chords that you clicked are shown in bold.
- To assign a suggestion to the first unassigned chord pad, double-click the suggested chord.
You can also drag the suggested chord and drop it on a chord pad.

Chords that cannot be fully displayed are underlined. The entire chord is shown in the tooltip.



RELATED LINKS

[Chord Assistant](#) on page 1300

[Assigning Chords with the Proximity Assistant](#) on page 1286

[List Assistant](#) on page 1300

[Circle of Fifths Assistant](#) on page 1302

Circle of Fifths Assistant


The **Circle of Fifths** assistant displays the chords in an interactive visualization.

- The chord that defines the current key, which is shown at the top, in the center of the **Circle of Fifths**, is marked as the tonic (I).

- The outer circle shows the twelve major chords, ordered in intervals of fifths.
- The inner circle displays the corresponding parallel minor chords.
- The roman numerals mark the chords of the current key with their scale degree. You can use these chords to create typical chord progressions, or you can use the other chords for more creative results.

To open the **Circle of Fifths** assistant, do one of the following:

- Activate **Show/Hide Chord Assistant Window** on the chord pads zone toolbar, and select **Circle of Fifths**.
- Activate **Show/Hide Editor/Assistant** on the chord pads zone toolbar, and select **Circle of Fifths**.



- To play a chord, click it.
The last 3 chords that you clicked are shown in bold.
- To assign a chord to the next unassigned chord pad, right-click the suggested chord, and select **Assign to First Unassigned Pad**, or double-click the suggested chord.
You can also drag the suggested chord and drop it on a chord pad.
- To correctly display the scale degrees, open the **Major/Minor** pop-up menu and select an option.

RELATED LINKS

[Chord Assistant](#) on page 1300

[Assigning Chords with the Circle of Fifths Assistant](#) on page 1287

[List Assistant](#) on page 1300

[Proximity Assistant](#) on page 1302

Players and Voicings

Different types of instruments and styles have different voicing libraries. These determine how the chords are played back and which pitches are played. These voicings are referred to as players.

For example, a C chord can be spread over a wide range of pitches, and a pianist chooses different notes than a guitarist. The pitches the pianist plays may also depend on the musical genre.

RELATED LINKS

[Player Settings](#) on page 1304

[Adaptive Voicing](#) on page 1304

Adaptive Voicing

In Cubase, the adaptive voicing setting ensures that pitches in chord progressions do not change abruptly.

Adaptive voicing is activated, and the voicings of the chord pads are determined automatically, according to specific voice leading rules.



To set the voicing of a specific chord pad manually, and to prevent it from being changed automatically, you can use the voicing control to the right of a chord pad. When you assign your own voicing, adaptive voicing is deactivated for this particular chord pad, so that the pad no longer follows the voice leading rules of the voicing reference. To activate adaptive voicing again, activate **Adaptive Voicing** on the chord pads zone extended toolbar.

To lock the voicing for a chord pad, you can activate **Lock** on the chord pads zone extended toolbar. This locks this pad for editing and remote control changes and deactivates **Adaptive Voicing**. To unlock the chord pad again, deactivate **Lock** on the chord pads zone extended toolbar.


RELATED LINKS

[Players and Voicings](#) on page 1304

Player Settings

The **Player Settings** allow you to select a player and a voicing setting that is typical for the particular kind of player.

- To open the **Player Settings**, click **Player Settings** on the chord pads toolbar.



In the **Select Player** section, the following options are available:

List of Added Players

Shows the added players, and allows you to activate a player and use its voicing style for the chord pads.

Add Player

Allows you to add a player.

Rename Selected Player

Allows you to rename the selected player.

Delete Selected Player

Allows you to delete the selected player.

In the **Selected Player Settings** section, the following options are available:

Chord Voicing Style (Guitar Player and Piano Player only)

Allows you to select a chord voicing style for the selected player. This determines how chords are played back, and what pitches are used.

Octave Offset (Basic Player only)

Allows you to determine an offset value for the octave range.

RELATED LINKS

[Players and Voicings](#) on page 1304

[Player Settings](#) on page 1304

Using Different Players on Multiple Tracks

You can set up different players with different sounds on different tracks. If you record-enable these tracks and play the chord pads, each track uses a dedicated player.

PROCEDURE

1. In the global track controls area of the track list, click **Add Track**
2. Click **Instrument**.
3. In the **Count** value field, select the number of tracks that you want to add.
4. Open the **Instrument** pop-up menu, and select a VST instrument.
5. Click **Add Track**.
The instrument tracks are added to the track list, and the control panels of the selected VST instrument are opened.
6. Activate **Chord Pad Output Mode**.
7. Click **Player Settings**.
8. Select the first instrument track, select a sound for the VST instrument, and set up a player.

For example, select a piano sound, and activate **Piano Player**.

NOTE

When setting up the player for a track, make sure that **Record Enable** or **Monitor** is only active for this particular track.

9. Select the second instrument track, select a sound for the VST instrument, and set up another player.

For example, select a guitar sound, and activate **Guitar Player**.

10. Select the next instrument track, and proceed in the same manner as for the other 2 tracks.

For example, select a string sound, click **Add Player**, and select **Add Basic Player**.

11. Select all instrument tracks, and click **Record Enable**.
-

RESULT

You can now play the chord pads and use the remote control parameters for tensions and transpose to change all chord symbols for each player simultaneously. However, if you change the **Voicing**, only the selected player is affected.


RELATED LINKS

[Add Track Dialog – Instrument](#) on page 135

Player Mode Settings

The **Player Mode Settings** allow you to select a player and a voicing setting that is typical for the particular kind of player.

- To open the **Player Mode Settings**, click **Player Mode Settings** on the chord pads toolbar.



Select Mode Section

In the **Select Mode** section, the following options are available:

Plain Chords

Allows you to play back the chords that are assigned to the chord pads as plain chords.

Pattern

Allows you to use the notes of the chords that are assigned to the chord pads to play back a MIDI pattern.

Sections

Allows you play back single notes or groups of notes, so-called sections, of the chords that are assigned to the chord pads. Sections contain the chord notes, starting from

bottom to top: the first section represents the lowest note or voicing of a chord, usually the bass. The second section represents the tenor, and so on.


RELATED LINKS

- [Selected Mode Settings—Plain Chords on page 1307](#)
- [Selected Mode Settings—Pattern on page 1307](#)
- [Selected Mode Settings—Sections on page 1309](#)

Selected Mode Settings—Plain Chords

The player mode **Plain Chords** allows you to play back the chords that are assigned to the chord pads as plain chords.

- On the toolbar, click **Player Mode Settings**, and in the **Select Mode** section, activate **Plain Chords**.



In the **Selected Mode Settings** section, the following options are available:

Overlaps

Allows you to select what happens with the notes of the first chord when you play a chord without releasing the previous chord.

- **Hold First** holds the notes of the first chord. No note-off message is sent. If the chords have common notes, these are not triggered again.
- **Legato** releases the notes of the first chord, except for the common notes. These are held and not triggered again.
- **Stop First** releases the notes of the first chord, including the common notes.

Filter Notes

Allows you to select which keys are filtered.

- **Off** filters nothing.
- **From MIDI Thru** filters unassigned keys and keys that are assigned as remote keys for voicings, tensions, and transpose.


RELATED LINKS

- [Chord Pads Remote Settings Dialog on page 1313](#)

Selected Mode Settings—Pattern

The player mode **Pattern** allows you to play back a MIDI pattern using the notes of the chords that are assigned to the chord pads.

- On the toolbar, click **Player Mode**, and in the **Select Mode** section, select **Pattern**.



The following options are available:

In the **Selected Mode Settings** section, the following options are available:

Preset

Allows you to load pattern presets.

Import from MIDI Loop

Allows you to select a MIDI loop that is used as a pattern.

Pattern information field

Shows information about the loaded pattern.

Velocity from

- **Pattern** uses the velocity values from the MIDI loop or the MIDI part that is selected as a pattern.
- **MIDI Keyboard** allows you to determine the velocity values by pressing the keys on your MIDI keyboard harder or more softly.

NOTE

You can drop a MIDI part from the event display onto the **Player Mode** section of the toolbar. This automatically sets the player mode to **Pattern** and uses the MIDI part as a pattern.

RELATED LINKS

[Player Mode Settings](#) on page 1306


[Using the Pattern Player](#) on page 1308

Using the Pattern Player

You can play back a MIDI pattern using the notes of the chords that are assigned to the chord pads.

PROCEDURE

1. On the chord pads toolbar, click **Player Mode**.
2. In the **Select Mode** section, activate **Pattern**.



3. In the **Selected Mode Settings** section, do one of the following:

- Open the **Preset** pop-up menu, and select a pattern preset.
- Click **Import from MIDI Loop**, and select a MIDI loop.

NOTE

The loop or part must have between 3 and 5 voices. The number of voices is indicated in the **Voices** column of the **Filters** list.

4. In the **Velocity from** field, select a velocity source for the notes.
5. Trigger the chord pads.
-

RESULT

The chord pads play back the pattern of the loop or part using the notes of the assigned chord.

NOTE

In **Pattern** mode, you can also step through the presets by moving the mouse pointer over the **Preset Browser** field on the chord pads zone toolbar and using the mouse wheel.

RELATED LINKS

[Player Mode Settings](#) on page 1306

[Selected Mode Settings—Pattern](#) on page 1307


[Assigning Voices to Notes](#) on page 1269

[Setting up the Results List Columns](#) on page 763

Selected Mode Settings—Sections

The player mode **Sections** allows you to play back single notes or groups of notes, so-called sections, of the chords that are assigned to the chord pads. Sections hold the chord notes, starting from bottom to top: The first section represents the lowest note or voicing of a chord, usually the bass. The second section represents the tenor, and so on.

- On the toolbar, click **Player Modes**, and in the **Select Mode** section, activate **Sections**.



The following options are available:

Overlaps

Allows you to select what happens with the notes of the first chord when you play a chord without releasing the previous chord.

- **Hold First** holds the notes of the first chord. No note-off message is sent. If the chords have common notes, these are not triggered again.
- **Legato** releases the notes of the first chord, except for the common notes. These are held and not triggered again.
- **Stop First** releases the notes of the first chord, including the common notes.

Filter Notes

Allows you to select which keys are filtered.

- **Off** filters nothing.
- **From MIDI Thru** filters unassigned keys and keys that are assigned as remote keys for voicings, tensions, and transpose.

Section Player Settings

Opens the **Custom Section Player Settings** pane.

RELATED LINKS

[Chord Pads Remote Settings Dialog](#) on page 1313

[Custom Section Player Settings Pane](#) on page 1311

Playing Back Chord Sections

You can play back chord sections of a chord pad. You can play the sections and their corresponding chord notes by using the remote keys that are assigned to them, in combination with the remote keys that are assigned to a chord pad. To view and edit the remote key assignment for the sections, you can open the **Chord Pads Remote Settings** dialog.

PREREQUISITE

You have added an instrument track with an instrument assigned to your project. You have record-enabled the instrument track. You have connected and set up a MIDI keyboard. On the chord pads toolbar, you have activated **Chord Pad Output Mode**.

PROCEDURE

1. Click **Player Mode**, and in the **Select Mode** section, activate **Sections**.

On the keyboard, the section remote range is highlighted in brown.



2. On your MIDI keyboard, press any key that corresponds to the pads remote range.
In most cases, this triggers the chord pad. However, in **Sections** mode, you do not hear anything unless you press a section remote key.
 3. On your MIDI keyboard, press any key that corresponds to the section remote range.
-


RESULT

The chord section of the chord whose chord pad you triggered is played back. You can press any other key in the section remote range to play different sections of the same chord, or press them all at once. You can use the remote keys for voicing, tension, and transpose to add variety.


Custom Section Player Settings Pane

The custom settings for the section player allow you to determine how to trigger the sections, how to distribute them, or whether to play them at all. Only sections with remote keys assigned are available.

- On the toolbar, click **Player Mode**. In the **Select Mode** section, activate **Sections**. In the **Selected Mode Settings** section, open the **Section Player Settings** pop-up menu, and select **Custom**.



The following settings are available:



Play Modes

- **Chord Pads**

Allows you to hear the chord notes that correspond to the section whenever you press the remote key for a specific section on your MIDI keyboard.

- **Sections**

Allows you to hear the chord notes that correspond to a section, once you press a key assigned to a chord pad on your MIDI keyboard and the remote key for a specific section.

- **Combination**

Combines sections and chord pads so that it does not matter whether you first press the remote key for the chord pad or for the section.

- **Latch Chord Pads**

Allows you to hear sections for as long as you keep the section remote keys pressed, even after releasing the remote key for the chord pad. We recommend to activate this for sections and combination modes.

Chord Note Distribution

Allows you to determine how to distribute chord notes among the sections in case the chord that is assigned to the chord pad has more notes than sections.

Mute Sections

Prevents a section from being played, allowing you to exclude specific voicings from playback.

Subsection Assignments

Only available if you have set up remote keys for subsections via the **Player Remote Control** tab.


- Allows you to assign a subsection to a section via the **assigned to** pop-up menu.

- Allows you to specify an offset from the section via the **Offset** controls. As a result, when you press the remote key for the subsection, you hear the chord notes that correspond to the section, transposed by the specified offset.

Chord Pads Remote Settings Dialog

The **Chord Pads Remote Settings** dialog allows you to change the remote key assignments and the layout of the chord pads.

- To open the **Chord Pads Remote Settings** dialog, click **Chord Pads Remote Settings**.



The following tabs are available:

Pad Remote Control

Allows you to specify a range of remote keys that trigger the chords that are assigned to the chord pads. In addition, you can also set up chord modifiers that allow you to specify how to play back the chords.

Player Remote Control

Allows you to specify a range of remote keys that trigger the chord notes and that select or mute players.

RELATED LINKS


[Pad Remote Control Tab](#) on page 1314

[Player Remote Control Tab](#) on page 1317

Pad Remote Control Tab

The **Pad Remote Control** tab in the **Chord Pads Remote Settings** dialog allows you to define a range of remote keys that trigger the chords that are assigned to the chord pads.

- To open the **Pad Remote Control** tab, click **Chord Pads Remote Settings** . In the **Chord Pads Remote Settings** dialog, click **Pad Remote Control**.



MIDI Input

Allows you to select a MIDI input.

Chord Pad Triggers

In the **Chord Pad Triggers** section, the following options are available:

Latch Chords

Activate this if you want the chord pad to play back until it is triggered again.

Pads Remote Range Start

Allows you to set the start note for the remote range. By default, this is set to C1.

Pads Remote Range End

Allows you to set the end note for the remote range. By default, this is set to B1.

MIDI Learn

Activates/Deactivates the **MIDI Learn** function to assign MIDI input to the pads remote range.

Chord Modifiers

In the **Chord Modifiers** section, the following option is available:

Activate

Activates/Deactivates the remote key assignment for voicings, tensions, and transposition. If this option is deactivated, only the remote key assignment for the pads remote range is active.

NOTE

If you use the remote keys for voicings, tensions, or transposition after releasing the remote key for the chord pad, the selected chord pad is affected.

NOTE

If you use MIDI controllers that are already assigned to other remote control features, for example, the **Track Quick Controls** or the **VST Quick Controls**, all previous assignments are lost.

In the **Voicing Modifiers** section, the following options are available:

Next Voicing

Plays back the next voicing of the first assigned and selected pad and updates all selected pads accordingly.

Previous Voicing

Plays back the previous voicing of the first assigned and selected pad and updates all selected pads accordingly.

Modify All Pad Voicings

Allows you to set the voicings for all chord pads using one of the following modifiers:

- **No Modifier**
- **Aftertouch**
- **Pitchbend**
- **Controller**

If you select **Controller**, you can set the controller number in the **Controller Number** field.

MIDI Learn

Activates/Deactivates the **MIDI Learn** function to assign MIDI input to the parameters for changing voicings.

In the **Tension Modifiers** section, the following options are available:

More Tensions

Plays back the first assigned and selected pad with more tensions, and updates all selected pads accordingly.

Fewer Tensions

Plays back the first assigned and selected pad with fewer tensions, and updates all selected pads accordingly.

Modify All Pad Tensions

Allows you to set the tensions for all chord pads using one of the following modifiers:

- **No Modifier**

- **Aftertouch**
- **Pitchbend**
- **Controller**

If you select **Controller**, you can set the controller number in the **Controller Number** field.

MIDI Learn

Activates/Deactivates the **MIDI Learn** function to assign MIDI input to the parameters for changing tensions.

In the **Transpose Modifiers** section, the following options are available:

Transpose Up

Plays back the first assigned and selected pad, and transposes it and all selected pads upwards.

Transpose Down

Plays back the first assigned and selected pad, and transposes it and all selected pads downwards.

Transpose All Pads

Allows you to transpose all chord pads using one of the following modifiers:

- **No Modifier**
- **Aftertouch**
- **Pitchbend**
- **Controller**

If you select **Controller**, you can set the controller number in the **Controller Number** field.

MIDI Learn

Activates/Deactivates the **MIDI Learn** function to assign MIDI input to the parameters for changing transpose.

RELATED LINKS

[Chord Pads Remote Settings Dialog](#) on page 1313

[Changing the Pads Remote Range](#) on page 1316

Changing the Pads Remote Range


You can extend the pads remote range to access more chord pads. If you want to use a wider key range on your MIDI keyboard for regular playing, you can narrow the pads remote range.

PROCEDURE

1. On the toolbar, click **Chord Pads Remote Settings**.
2. Open the **Pad Remote Control** tab.
3. In the **Chord Pad Triggers** section, do one of the following:
 - Activate **MIDI Learn** so that the button lights up. On your MIDI keyboard, press the 2 keys that you want to assign as the start and the end of the range.
 - Enter a new value in the **Pads Remote Range Start** and **Pads Remote Range End** fields.

RESULT

On the keyboard, the indication for pads remote range is changed.




RELATED LINKS

[Pad Remote Control Tab](#) on page 1314[Chord Pads Remote Settings Dialog](#) on page 1313

Player Remote Control Tab

The **Player Remote Control** tab in the **Chord Pads Remote Settings** dialog allows you to define a range of remote keys that trigger the chords that are assigned to the sections.

- To open the **Player Remote Control** tab, click **Chord Pads Remote Settings**. In the **Chord Pads Remote Settings** dialog, click **Player Remote Control**.



Sections

Sections

Allows you to assign remote keys for up to 5 sections. You can use the section remote keys in combination with a pad remote key to trigger the chord notes that correspond to the sections.

MIDI Learn

Activates/Deactivates the **MIDI Learn** function to assign MIDI input to the sections.

Subsections

Subsections

Allows you to assign remote keys for up to 5 subsections. You can use the subsection remote keys in combination with a pad remote key to trigger the chord notes that correspond to the section transposed by the offset that is specified by its subsection.

MIDI Learn

Activates/Deactivates the **MIDI Learn** function to assign MIDI input to subsections.

Select/Mute Player

Select/Mute Player

Allows you to assign remote keys for player navigation and muting if you use different players on multiple tracks.

MIDI Learn

Activates/Deactivates the **MIDI Learn** function to assign MIDI input to the parameters for selecting and muting players.


RELATED LINKS

[Selected Mode Settings—Sections](#) on page 1309

Chord Pads Display Settings Pane

The **Chord Pads Display Settings** pane allows you to change the display and the layout of the chord pads.

- To open the **Chord Pads Display Settings** pane, click **Chord Pads Display Settings** on the chord pads zone toolbar.



Chord Symbols

Primary Type

Allows you to select the primary display type for chord symbols. The following options are available:

- Note Name**
Allows you to display chord symbols with note names, without reference to any key.
- Roman Numerals**
Allows you to display chord symbols in a chord notation system, based on scale degrees that are written in roman numerals. They refer to the location or the function of a chord, relative to the root key.
- Nashville Number System**

Allows you to display chord symbols in a chord notation system that works independently of the key of the song. Hence, chord 1 always represents the tonic, regardless of the key that you are in.

Secondary Type

Allows you to select the secondary display type for chord symbols. The secondary type is displayed below the primary type, provided that there is enough space. It features the same options as the primary type.

Pad Layout

Type

Activate **Keyboard** to show the chord pads in a keyboard layout.

Activate **Grid** to show the chord pads in a grid layout.

Number of Pads (Keyboard mode only)

Allows you to select the number of pads that are displayed in the keyboard layout.

Start Note (Keyboard mode only)

Allows you to select the start note for the first chord pad in the keyboard layout.

Number of Rows (Grid mode only)

Allows you to select the number of rows to be displayed in the grid layout.

Number of Columns (Grid mode only)

Allows you to select the number of columns to be displayed in the grid layout.

NOTE

After changing the pad layout, you may need to adjust the remote setup.

Show List Assistant Colors

Allows you to show/hide the list assistant pad coloring on the chord pads.

Show Voicing Indicators

Allows you to show/hide the voicing indicators on the chord pads.

Show Pattern Play Progress

Allows you to show/hide the progress of the pattern player on the chord pads.

RELATED LINKS

[Chord Pads](#) on page 1280

[List Assistant](#) on page 1300

[List Assistant Color Indicator](#) on page 1281

Project Input Transformer

The **Project Input Transformer** is a powerful tool for search and replace functions performed on MIDI data.

The **Project Input Transformer** works in real time. It filters out and transforms MIDI data while it is recorded. All settings that you make in the **Project Input Transformer** always affect the actual MIDI events you record.

You can use the **Project Input Transformer** as follows:

- You can set up filter conditions to find specific elements.
These can be elements of a specific type, with specific attributes or values, or on particular positions, in any combination. You can combine any number of filter conditions and make composite conditions using **And/Or** operators.
- You can select the basic function to be performed.
You can, for example, change the properties of the found elements or remove the elements.
- You can set up a list of actions that specifies exactly what is done.
This is not necessary for all functions.

By combining filter conditions, functions, and specific actions, you can perform very powerful processing.

In order to do so, you need some knowledge about how MIDI messages are structured. However, there is also an extensive selection of presets, allowing you to access these processing powers without delving into more complicated aspects.

NOTE

- The settings of the **Project Input Transformer** affect all MIDI inputs and all MIDI tracks for which you activate it.
To transform MIDI data coming to a specific MIDI track before it is recorded, use the **Track Input Transformer** instead.
- You can also use the **Transformer** MIDI effect to transform MIDI data. See the separate document **Plug-in Reference**.

RELATED LINKS

[Project Input Transformer Window Overview](#) on page 1320

[Track Input Transformer](#) on page 1046

Project Input Transformer Window Overview

The **Project Input Transformer** allows you to combine filter conditions, functions, and actions to perform very powerful MIDI processing.


To open the **Project Input Transformer**, do one of the following:

- Select **Project > Project Input Transformer**.

Project Input Transformer

Project Input Transformer Window Overview

- Select a MIDI track, and in the **Inspector**, open the **Routing** section. Open the **Input Transformer** pop-up menu, and activate **Project**. Open the **Input Transformer** pop-up menu again, and select **Open Panel**.



1 Module

Allows you to view and edit a module.

2 Preset

Allows you to select a preset.

3 Event Target Filters

Allows you to specify the conditions, such as type, attribute, value, or position, that a specific element must meet to be found. You can combine any number of filter conditions using **And** and **Or** operators.

4 Event Transform Actions

Allows you to set up a list of actions that specifies exactly what is done. This is not necessary for all functions.

5 Functions

Allows you to select a function.

NOTE

You can resize the **Event Target Filters** and the **Event Transform Actions** sections by dragging the divider between them.


RELATED LINKS

[Track Input Transformer Window Overview](#) on page 1046

Project Input Transformer Presets Browser

The presets browser of the **Project Input Transformer** allows you to load, save, and manage presets.

- To open the presets browser, open the **Project Input Transformer**, and click a **Presets** field.



Expand All

Expands the tree.

Collapse All

Collapses the tree.

Search

Allows you to search for presets by typing in the preset name or parts of the preset or category name.

Save Changes as Preset

Allows you to save your changes as a user preset.

User Presets

Lists all user presets that you have saved.

Factory Presets

Lists all factory presets.

Show User Presets Location

Opens a file dialog containing the user presets. User presets are saved in a different location than the factory presets.

Project Input Transformer Presets

The **Project Input Transformer** comes with a set of factory presets, but you can also save your own user presets.

- Factory presets are saved in a dedicated **Input Transformer** folder in the **Presets** folder of the application.
- User presets are saved in a dedicated **Input Transformer** folder under: \Users\<user name>\Documents\Steinberg\<program name>\User Presets

NOTE

You can access the user presets location by clicking **Show User Presets Location** in the presets browser.

You can rename, delete, and organize user presets in folders.

Automatic Migration of Presets from Earlier Versions

If you update Cubase from an earlier version, all factory and user presets that are found in the **Preferences** folder are automatically migrated. You can find them in the **Earlier Presets** subfolder of your current **User Presets** folder.

RELATED LINKS

[Project Input Transformer Presets Browser](#) on page 1322

[Selecting Project Input Transformer Presets](#) on page 1323

[Saving Project Input Transformer User Presets](#) on page 1323

Selecting Project Input Transformer Presets

PROCEDURE

1. In the **Project** window, select a MIDI track.
 2. In the **Inspector** for the MIDI track, open the **Input Transformer** pop-up menu, and activate **Project**.
 3. Open the **Input Transformer** pop-up menu again, and select **Open Panel**.
 4. Click in a **Presets** field to open the presets browser.
 5. Do one of the following:
 - Enter a preset name in the search field, and in the reduced tree, select the preset.
 - Click **Expand Tree** to show all presets, and select the preset.
 6. Activate the **Edit** button to open the **Event Target Filters** and the **Event Transform Actions** sections.
-

RESULT

All **Event Target Filters**, **Event Transform Actions**, and **Functions** that were saved in the preset are shown. The preset settings will affect the MIDI events that you record.

Saving Project Input Transformer User Presets

You can save settings that you want to use again as presets.

PROCEDURE

1. Set up the **Event Target Filters**, the **Event Transform Actions**, and the functions that you want to include in your user preset.
The preset name in the **Presets** field is shown with an asterisk to indicate that the preset contains unsaved changes.
 2. Click the **Presets** field to open the presets browser.
 3. Click **Save Changes as Preset**.
A file dialog opens the corresponding folder at the **User Presets** location.
 4. Enter a file name for your preset, and click **Save**.
-

RESULT

The preset is saved and listed in the presets browser under **User Presets**.

AFTER COMPLETING THIS TASK

In the file browser of your operating system, you can navigate to the user presets location and create subfolders to organize your user presets. Here, you can also rename, delete, and move presets to other folders.

RELATED LINKS

[Project Input Transformer Window Overview](#) on page 1320

Project Input Transformer Filter Settings

The **Event Target Filters** list is where you set up the filters, determining which elements to find. The list can contain one or several filters, each on a separate line.

| Event Target Filters | | | | | Insert | Remove |
|----------------------|-----------|-------------|-------------|--|--------|--------|
| Filter Target | Condition | Parameter 1 | Parameter 2 | | Bool | |
| Type Is | Equal | Note | | | And | |
| Velocity | Bigger | 64 | | | | |

Filter Target

Sets the property of the element. This setting affects the available options in the other columns.

Condition

Determines the comparison of the property in the **Filter Target** column to the values in the **Parameter** columns. The available options depend on the **Filter Target** setting.

Parameter 1

Determines which value the element properties are compared to. This depends on the **Filter Target**.

Parameter 2

Only available if one of the **Range** options is set in the **Condition** column. Allows you to find all elements with values inside or outside the range between **Parameter 1** and **Parameter 2**.

Bool

Allows you to insert the boolean operators **And** and **Or** when creating filters with multiple lines.

NOTE

If you have already defined filters and/or applied a preset but want to start again from scratch, you can initialize the settings by selecting the **Init** preset from the presets browser.

NOTE

You can also set up filters by dragging MIDI events into the **Event Target Filters** list.

If the list contains no entries, a MIDI event dragged into this section sets filters, including the state and type of the event. If it contains entries, the dragged event initializes the matching parameters. For example, if **Length** is used, the length is set according to the length of the event.

Project Input Transformer Filter Targets

Subtype

Searches for different meanings depending on the event type.

Main Value

Searches for different meanings depending on the event type.

Channel

- To search for MIDI channels, set up the MIDI channel in the **Parameter 1** column. If you select **Inside Range** or **Outside Range**, use **Parameter 1** and **Parameter 2** to set the start and the end of the range.

NOTE

Searching for MIDI channels is useful if you have recorded MIDI from an instrument sending on several different channels or if you have imported a MIDI file of type 0 with a single track, containing MIDI events with different channel settings.

Type

Searches for events by their type.

- To search for event types, set up the event type in the **Parameter 1** column.

Secondary Value

Searches for note-off velocities of note events.

Last Event

Searches for events that have already passed the **Input Transformer** or the **Logical Editor**. The condition must be combined with **Parameter 1** and **Parameter 2**.

Assigned Voice (Score Editor)

Searches for manually assigned voices in the **Score Editor**. You can manually assign notes to voices by using the voice buttons in the **Score Editor** or by importing them from a MusicXML file or a Dorico project.

Assigned Stave (Score Editor)

Searches for manually assigned staves in the **Score Editor**. You can manually assign notes to staves by using **Move to Staff Above** or **Move to Staff Below** in the **Score Editor** or by importing them from a MusicXML file or a Dorico project.

MIDI Event Values

MIDI events can be composed of different values.

NOTE

If you load an old preset, **Subtype**, **Main Value**, and **Secondary Value** might be shown as **Value 1**, **Value 2**, and **Value 3**.

These values have different meanings for different event types:

Note

- **Subtype**
The note number/pitch.
- **Main Value**

The note velocity.

Poly Pressure

- **Subtype**
The key that was pressed.
- **Main Value**
The amount of pressure for the key.

Controller

- **Subtype**
The type of controller, displayed as a number.
- **Main Value**
The MIDI controller value.

Program Change

- **Subtype**
The program change number.
- **Main Value**
Not used.

Aftertouch

- **Subtype**
The amount of pressure.
- **Main Value**
Not used.

Pitchbend

- **Subtype**
The tuning of the bend. Not always used.
- **Main Value**
The coarse amount of bend.

NOTE

SysEx (System Exclusive) events do not use **Subtype** and **Main Value**.

Project Input Transformer Filter Conditions

Depending on the **Filter Target** setting, the following options can be selected in the **Condition** column:

Equal

Has the same value as set up in the **Parameter 1** column.

Unequal

Has any value other than the one set up in the **Parameter 1** column.

Bigger

Has a value higher than the one set up in the **Parameter 1** column.

Bigger or Equal

Has a value that is the same as or higher than the one set up in the **Parameter 1** column.

Less

Has a value lower than the one set up in the **Parameter 1** column.

Less or Equal

Has a value that is the same as or lower than the one set up in the **Parameter 1** column.

Inside Range

Has a value that is between the values set up in the **Parameter 1** and **Parameter 2** columns. **Parameter 1** should be the lower value and **Parameter 2** the higher one.

Outside Range

Has a value that is not between the values set up in the **Parameter 1** and **Parameter 2** columns.

Note is Equal to

Is the note specified in the **Parameter 1** column only, regardless of the octave. For example, it allows you to find all C notes, in all octaves. This is only available if the **Filter Target** is set to **Subtype**, that is, **Pitch**.

All Types

All event types.

NOTE

The conditions for the **Property** filter target are different.

RELATED LINKS

[Setting up Project Input Transformer Filter Lines on page 1327](#)

Setting up Project Input Transformer Filter Lines

PROCEDURE

1. In the **Project Input Transformer**, activate one of the **Module** options.
2. Click **Edit** to open the **Event Target Filters** and the **Event Transform Actions** sections.
3. In the **Event Target Filters** section, click **Insert**.
A filter line is added to the list.
4. Click in the **Filter Target** column, and select an option from the pop-up menu.
5. Click in the **Condition** column, and select an option from the pop-up menu.
6. Click in the **Parameter 1** column, and enter a value.

NOTE

Some **Condition** options also require a value for **Parameter 2**.

RELATED LINKS

[Project Input Transformer Filter Targets on page 1325](#)

[Project Input Transformer Filter Conditions on page 1326](#)

[Project Input Transformer Functions](#) on page 1329

[Setting up Project Input Transformer Actions](#) on page 1330

Setting up Multiple Project Input Transformer Filter Lines

You can add multiple filter lines and combine them by using boolean **And** and **Or** operators.

PROCEDURE

1. In the **Event Target Filters** section, click **Insert**.
A filter line is added to the list.
 2. Click in the **Filter Target** column, and select an option from the pop-up menu.
 3. Click in the **Condition** column, and select an option from the pop-up menu.
 4. Click in the **Parameter 1** column, and enter a value.
 5. In the **Event Target Filters** section, click **Insert** to insert another filter line, and set it up.
 6. Click the **Bool** column of the first filter line, and do one of the following:
 - Activate **And** if you want both filter lines to be fulfilled for an element to be found.
 - Activate **Or** if you want at least one of the filter lines to be fulfilled for an element to be found.
-

RELATED LINKS

[Project Input Transformer Filter Targets](#) on page 1325

[Project Input Transformer Filter Conditions](#) on page 1326

[Project Input Transformer Functions](#) on page 1329

[Setting up Project Input Transformer Actions](#) on page 1330

Searching for Note Pitches or Velocities

PROCEDURE

1. In the **Event Target Filters** section, click **Insert**.
2. Open the **Filter Target** pop-up menu, and do one of the following:
 - To search for specific pitches, select **Subtype**, and in the **Parameter 1** column, enter a pitch, either as a note name, such as C3, D#4, etc., or as a MIDI note number from 0 to 127.


NOTE

To find all notes of a specific key in all octaves, open the **Condition** pop-up menu, and select **Note is Equal to**.

- To search for specific velocities, select **Main Value**.
3. Click **Insert** to add another condition line.
Parameter 1 is automatically set to **Note**. In addition to this, **Subtype** and **Main Value** are displayed as **Pitch** and **Velocity**, respectively.
-

Project Input Transformer Functions

The **Functions** pop-up menu allows you to select the basic type of editing to be performed.



The following **Functions** are available:

Filter

Filters out, that is, excludes from the recording, any events that match the **Event Target Filters**.

Transform

Transforms all events that match the **Event Target Filters** according to the **Event Transform Actions**.

The following **Functions** are only available in the **Transformer** MIDI effect:

Insert

Creates new elements and inserts these into the output stream. The new elements are based on the elements found by the filter conditions, but with any changes you have set up in the action list applied.

Insert Exclusive

Transforms the found elements according to the action list. All elements that do not meet the filter conditions are removed from the output stream.

The **Transformer** MIDI effect allows you to transform MIDI data. For further information, see the separate document **Plug-in Reference**.

Project Input Transformer Action Settings

Action Targets in the **Event Transform Actions** section allow you to select the property that is changed in the events. Actions are only available if you set the functions pop-up menu to **Transform**.



To set up an action, make the following settings:

Action Target

Sets the property that is changed in the events.

Operation

Determines what to do with the **Action Target**.

Parameter 1

Sets a value for the **Action Target**.

Parameter 2

Only available for **Operations** that define a range.

RELATED LINKS

[Project Input Transformer Functions](#) on page 1329

[Project Input Transformer Filter Conditions](#) on page 1326

Project Input Transformer Action Targets

Action Targets in the **Event Transform Actions** section allow you to select the property that is changed in the events. Actions are only available if you set the functions pop-up menu to **Transform**.

Subtype

Adjusts **Subtype** in the events. What is displayed depends on the event type. For notes, **Subtype** is the pitch.

Main Value

Adjusts **Main Value** in the events. What is displayed depends on the event type. For notes, **Main Value** is the velocity value.

Channel

Allows you to change the MIDI channel setting.

Type

Allows you to change the event type, that is, transform aftertouch events to modulation events, or pitchbend events to VST 3 tuning events.

Secondary Value

Adjusts **Secondary Value** in the events, which is used for note-off velocity when searching for properties.

Score Editor Operation

Allows you to specify a **Score Editor** operation in the **Operation** column.

Setting up Project Input Transformer Actions

You can set up actions, that is, changes that are made to the events found. Actions are only available for the function type **Transform**.

PREREQUISITE

You have set up at least one filter line in the **Event Target Filters** section. You have set the functions pop-up menu to **Transform**.

PROCEDURE

1. In the **Event Transform Actions** section, click **Insert**.
An action line is added to the list.
2. Click in the **Action Target** column, and select an option from the pop-up menu.
3. Click in the **Operation** column, and select an option from the pop-up menu.
4. Click in the **Parameter 1** column, and enter a value.

NOTE

Some **Operation** options also require a value for **Parameter 2**.

-
5. Click **Apply** to apply the defined actions.
-

RELATED LINKS

[Setting up Project Input Transformer Filter Lines on page 1327](#)

[Project Input Transformer Functions on page 1329](#)

[Project Input Transformer Action Targets on page 1330](#)

[Project Input Transformer Operations on page 1331](#)

Project Input Transformer Operations

The **Operation** column allows you to determine what to do with the **Action Target**.

The available operations depend on the selected **Action Target**. The following options are available:

Add

Adds the value specified in the **Parameter 1** column to the **Action Target**.

Subtract

Subtracts the value specified in the **Parameter 1** column from the **Action Target**.

Multiply by

Multiplies the **Action Target** with the value specified in the **Parameter 1** column.

Divide by

Divides the **Action Target** by the value specified in the **Parameter 1** column.

Round by

Rounds the **Action Target** value using the value specified in the **Parameter 1** column.

Set Random Values Between

Sets the **Action Target** value to a random value within the range specified by **Parameter 1** and **Parameter 2**. Note that these can be set to negative values.

Set to Fixed Value

Sets the **Action Target** to the value specified in the **Parameter 1** column.

Set Relative Random Values Between

Adds a random value to the current **Action Target** value. The added random value is within the range specified by **Parameter 1** and **Parameter 2**. These can be set to negative values.

Use Subtype

This is only available if you set **Action Target** to **Main Value**. If this option is selected, the **Subtype** setting in each event is copied to the **Main Value** setting.

Use Main Value

This is only available if you set **Action Target** to **Subtype**. If this option is selected, the **Main Value** setting in each event is copied to the **Subtype** setting.

Mirror

This is only available if you set **Action Target** to **Subtype** or **Main Value**. When this option is selected, the values are mirrored around the value set in the **Parameter 1** column.

For notes, this inverts the scale, with the key set in the **Parameter 1** column as the center point.

Transpose to Scale

This is only available if you set **Action Target** to **Subtype** and if the filter conditions are specifically set up to find notes, that is, if you added the **Type = Note** filter condition line. When **Transpose to Scale** is selected, you can specify a musical scale using the **Parameter 1** and **Parameter 2** columns. **Parameter 1** is the key (C, C#, D, etc.) while **Parameter 2** is the type of scale (major, melodic, or harmonic minor, etc.).

Each note is transposed to the closest note in the selected scale.

Assign stave and voice

Assigns the staves and voices specified in the **Parameter 1** and **Parameter 2** columns to notes in the **Score Editor**.

Unassign stave and voice

Unassigns manually assigned staves and voices from notes in the **Score Editor**.

Logical Editor

The **Logical Editor** is a powerful tool for search and replace functions performed on MIDI data.

You can use the **Logical Editor** as follows:

- You can set up filter conditions to find specific elements.
These can be elements of a specific type, with specific attributes or values, or on particular positions, in any combination. You can combine any number of filter conditions and make composite conditions using **And/Or** operators.
- You can select the basic function to be performed.
You can, for example, change the properties of the found elements or remove the elements.
- You can set up a list of actions that specifies exactly what is done.
This is not necessary for all functions.

By combining filter conditions, functions, and specific actions, you can perform very powerful processing.

In order to do so, you need some knowledge about how MIDI messages are structured. However, there is also an extensive selection of presets, allowing you to access these processing powers without delving into more complicated aspects.


RELATED LINKS

[Logical Editor Presets Browser](#) on page 1334

Logical Editor Window Overview

The **Logical Editor** window allows you to combine filter conditions, functions, and actions to perform very powerful MIDI processing.

- To open the **Logical Editor**, select **MIDI > Logical Editor > Setup**.



1 Preset

Allows you to select a preset.

2 Event Target Filters

Allows you to specify the conditions, such as type, attribute, value, or position, that a specific element must meet to be found. You can combine any number of filter conditions using **And** and **Or** operators.

3 Event Transform Actions

Allows you to set up a list of actions that specifies exactly what is done. This is not necessary for all functions.

4 Functions

Allows you to select a function.

5 Apply

Applies your settings.


NOTE

You can resize the **Event Target Filters** and the **Event Transform Actions** sections by dragging the divider between them.

Logical Editor Presets Browser

The presets browser of the **Logical Editor** allows you to load, save, and manage presets.

- To open the presets browser, open the **Logical Editor**, and click the **Preset** field.

**Expand All**

Expands the tree.

Collapse All

Collapses the tree.

Search

Allows you to search for presets by typing in the preset name or parts of the preset or category name.

Save Changes as Preset

Allows you to save your changes as a user preset.

User Presets

Lists all user presets that you have saved.

Factory Presets

Lists all factory presets.

Show User Presets Location

Opens a file dialog containing the user presets. User presets are saved in a different location than the factory presets.

Logical Editor Presets

The **Logical Editor** comes with a set of factory presets, but you can also save your own user presets.

Cubase uses dedicated and separate locations for factory presets and user presets:

- Factory presets are saved in a dedicated **Logical Edit** folder in the **Presets** folder of the application.
- User presets are saved in a dedicated **Logical Edit** folder under \Users\<user name>\Documents\Steinberg\<program name>\User Presets.

NOTE

You can access the user presets location by clicking **Show User Presets Location** in the presets browser.

You can rename, delete, and organize user presets in folders.

Automatic Migration of Presets from Earlier Versions

If you update Cubase from an earlier version, all factory and user presets that are found in the **Preferences** folder are automatically migrated. You can find them in the **Earlier Presets** subfolder of your current **User Presets** folder.

RELATED LINKS

- [Logical Editor Presets Browser](#) on page 1334
[Saving Logical Editor User Presets](#) on page 1337
[Selecting Logical Editor Presets](#) on page 1336

Selecting Logical Editor Presets

PROCEDURE

1. In the **Project** window, select a MIDI part.
 2. Select **MIDI > Logical Editor > Setup** to open the **Logical Editor**.
 3. Click the **Preset** field to open the presets browser.
 4. Do one of the following:
 - Enter a preset name in the search field, and in the reduced tree, select the preset.
 - Click **Expand All** to show all presets, and select the preset.
 5. Click **Apply** to apply the preset.
-

RESULT

All **Event Target Filters**, **Event Transform Actions**, and **Functions** that were saved in the preset are shown.

Applying Logical Editor Presets in the Project Window

PROCEDURE

1. In the **Project** window, select a MIDI part.
 2. Select **MIDI > Logical Editor > Apply Preset** to open the preset browser.
 3. Do one of the following:
 - Enter a preset name in the search field, and in the reduced tree, select the preset.
 - Click **Expand All** to show all presets, and select the desired preset.
-

RESULT

All **Event Target Filters**, **Event Transform Actions**, and **Functions** that were saved in the preset are applied to the MIDI parts in the **Project** window.

Saving Logical Editor User Presets

You can save settings that you want to use again as presets.

PROCEDURE

1. Set up the **Event Target Filters**, the **Event Transform Actions**, and the functions that you want to include in your user preset.
The preset name in the **Presets** field is shown with an asterisk to indicate that the preset contains unsaved changes.
2. Click the **Presets** field to open the presets browser.
3. Click **Save Changes as Preset**.
A file dialog opens the corresponding folder at the **User Presets** location.
4. Enter a file name for your preset, and click **Save**.

RESULT

The preset is saved and listed in the presets browser under **User Presets**.

AFTER COMPLETING THIS TASK

In the file browser of your operating system, you can navigate to the user presets location and create subfolders to organize your user presets. Here, you can also rename, delete, and move presets to other folders.

RELATED LINKS

[Logical Editor Window Overview](#) on page 1333

Logical Editor Filter Settings

The **Event Target Filters** list allows you to set up the filters. You can add one or more filter lines to that list.

| Event Target Filters | | | | | | | Insert | Remove |
|----------------------|------------------|-----------------|----------------------------------|-------------|---------------------|---|--------|--------|
| (| Filter Target | Condition | Parameter 1 | Parameter 2 | Bar Range/Time Base |) | Bool | |
| (| Context Variable | Bigger or Equal | No. of Voices (Part) | 3 | | | And | ^ |
| | Type Is | Equal | Note | | | | And | |
| | Context Variable | Equal | Position in Chord (Par Root Note | |) | | | |
| | | | | | | | | |

The following settings are available:

Left bracket

In combination with the right bracket, this allows you to combine multiple filters, that is, multiple lines with the boolean operators And/Or.

Filter Target

Sets the property of the element. This setting affects the available options in the other columns.

Condition

Determines the comparison of the property in the **Filter Target** column to the values in the **Parameter** columns. The available options depend on the **Filter Target** setting.

Parameter 1

Determines which value the element properties are compared to. This depends on the **Filter Target**.

Parameter 2

Only available if one of the **Range** options is set in the **Condition** column. Allows you to find all elements with values inside or outside the range between **Parameter 1** and **Parameter 2**.

Bar Range/Time Base

Only available if the **Filter Target** is set to **Position**. If one of the **Bar Range** options is selected in the **Condition** column, use the **Bar Range/Time Base** column to specify zones within each bar. This allows you to find all elements on or around the first beat of every bar, for example. If any of the other **Condition** options is selected, you can use the **Bar Range/Time Base** column to specify a time base, such as PPQ, seconds, etc.

Right bracket

In combination with the left bracket, this allows you to combine several filters.

Bool

Allows you to insert the boolean operators **And** and **Or** when creating filters with multiple lines.

NOTE

If you have already defined filters and/or applied a preset but want to start again from scratch, you can initialize the settings by selecting the **Init** preset from the presets browser.

NOTE

You can also set up filters by dragging MIDI events into the **Event Target Filters** list.

If the list contains no entries, a MIDI event dragged into this section sets filters, including the state and type of the event. If it contains entries, the dragged event initializes the matching parameters. For example, if **Length** is used, the length is set according to the length of the event.

RELATED LINKS

[Logical Editor Filter Targets](#) on page 1338

[Logical Editor Filter Conditions](#) on page 1342

[Logical Editor Action Targets](#) on page 1348

[Setting up Logical Editor Filter Lines](#) on page 1344

[Setting up Multiple Logical Editor Filter Lines](#) on page 1344

Logical Editor Filter Targets

Position

Searches for elements by their position.

- To search for events starting at a specific position, set up the position with **Parameter 1**.
- To search for events inside or outside a specific range, select **Inside Range** or **Outside Range** in the **Condition** column, and set up the start and end positions of the range with **Parameter 1** and **Parameter 2**.
- To search for events starting inside or outside a bar range, in all bars within the current selection, select **Inside Bar Range** or **Outside Bar Range** in the **Condition**

column. Click and drag in the graphic bar display in the **Bar Range** column to specify the range.

Length

Searches for events by their length.

- To search for note events of specific lengths, set up the length with **Parameter 1**. If you select **Inside Range** or **Outside Range**, use **Parameter 1** and **Parameter 2** to set the start and the end of the range.

NOTE

You must add another filter condition line and select **Type** as a **Filter Target**, **Equal** as a **Condition**, and **Note** as **Parameter 1**.

Subtype

Searches for different meanings depending on the event type.

Main Value

Searches for different meanings depending on the event type.

Channel

- To search for MIDI channels, set up the MIDI channel in the **Parameter 1** column. If you select **Inside Range** or **Outside Range**, use **Parameter 1** and **Parameter 2** to set the start and the end of the range.

NOTE

Searching for MIDI channels is useful if you have recorded MIDI from an instrument sending on several different channels or if you have imported a MIDI file of type 0 with a single track, containing MIDI events with different channel settings.

Type

Searches for events by their type.

- To search for event types, set up the event type in the **Parameter 1** column.

Property

Searches for Cubase-specific properties.

Secondary Value

Searches for note-off velocities of note events.

Last Event

Searches for events that have already passed the **Input Transformer** or the **Logical Editor**. The condition must be combined with **Parameter 1** and **Parameter 2**.

Context Variable

Searches for chord properties and parameters. This allows you to search for the lowest/highest note in a MIDI part or in a selection of notes, the average pitch, or the average velocity.

Assigned Voice (Score Editor)

Searches for manually assigned voices in the **Score Editor**. You can manually assign notes to voices by using the voice buttons in the **Score Editor** or by importing them from a MusicXML file or a Dorico project.

Assigned Stave (Score Editor)

Searches for manually assigned staves in the **Score Editor**. You can manually assign notes to staves by using **Move to Staff Above** or **Move to Staff Below** in the **Score Editor** or by importing them from a MusicXML file or a Dorico project.

RELATED LINKS

[Subtype, Main Value, and Secondary Value](#) on page 1340
[Context Variable](#) on page 1341

Subtype, Main Value, and Secondary Value

MIDI events can be composed of different values.

These values have different meanings for different event types:

NOTE

Subtype and **Main Value** have different meanings for different events. If you set up **Main Value** as the **Filter Target** and you enter **64** as **Parameter 1**, Cubase finds notes with the velocity **64** and controllers with the amount **64**. If this is not what you want, you can add an additional filter condition line where you set up **Type** as the **Filter Target** and specify the event type with **Parameter 1**.

NOTE

If you load an old preset, **Subtype**, **Main Value**, and **Secondary Value** might be shown as **Value 1**, **Value 2**, and **Value 3**.

Note

- **Subtype**
The note number/pitch.
- **Main Value**
The note velocity.

Poly Pressure

- **Subtype**
The key that was pressed.
- **Main Value**
The amount of pressure for the key.

Controller

- **Subtype**
The type of controller, displayed as a number.
- **Main Value**
The MIDI controller value.

Program Change

- **Subtype**
The program change number.
- **Main Value**
Not used.

Aftertouch

- **Subtype**
The amount of pressure.
- **Main Value**
Not used.

Pitchbend

- **Subtype**
The tuning of the bend. Not always used.
- **Main Value**
The coarse amount of bend.

VST 3 Event

- **Subtype**
Not used.
- **Main Value**
The value of the VST 3 event parameter. The value range of the VST 3 event is transformed into the MIDI value range. For some operations that require a higher resolution, you can make use of the **VST 3 Value Operation** parameter.

NOTE

SysEx (System Exclusive) events do not use **Subtype** and **Main Value**.

RELATED LINKS

[Logical Editor Action Targets on page 1348](#)

Context Variable

If the **Filter Target** is set to **Context Variable**, the following options are available for **Parameter 1**:

Highest/Lowest/Average Pitch

Finds notes with the highest, lowest, or average pitch in the MIDI part or a selection of notes in this part.

Highest/Lowest/Average Velocity

Finds notes with the highest, lowest, or average velocity in the MIDI part or a selection of notes in this part.

Highest/Lowest/Average CC Value

Controllers with the highest, lowest, or average CC value in the MIDI part or a selection of notes in this part.

The following settings for **Parameter 1** require a **Parameter 2**:

No. of Notes in Chord (Part)

If you set **Parameter 2** to the number of notes in the chord, this finds chords with the specified number of notes. Typically, this is combined with a second filter line where the context variable is set to **Position in Chord (Part)**, for example.

No. of Voices (Part)

If you set **Parameter 2** to the number of voices of the chord, this finds chords with the specified number of voices in the MIDI part or a selection of notes in this part.

Position in Chord (Part)

If you set **Parameter 2** to the position in the chord, this finds chords with the specified chord interval in the MIDI part or a selection of notes in this part.

Note Number in Chord (lowest = 0)

If you set **Parameter 2** to the voicing number of the chord, this finds chords with the specified voicing number in the MIDI part or a selection of notes in this part.

Position in Chord (Chord Track)

If you set **Parameter 2** to the position in the chord, this finds the specified chord interval in the MIDI part or a selection of notes in this part. The chord track is taken as a reference.

Voice

If you set **Parameter 2** to the voice in the chord, this finds the specified voice in the MIDI part or a selection of notes in this part.

Highest in Chord from at Least n Notes

Finds the highest note of the chord in the MIDI part or a selection of notes in this part. Set **Parameter 2** to specify how many notes a chord must contain to be taken into account.

Lowest in Chord from at Least n Notes

Finds the lowest note of the chord in the MIDI part or a selection of notes in this part. Set **Parameter 2** to specify how many notes a chord must contain to be taken into account.

NOTE

The **Musical Context** presets give you an idea of the possibilities of this filter target.

RELATED LINKS

[Searching for the Highest/Lowest Notes in Chords](#) on page 1346

Logical Editor Filter Conditions

Depending on the **Filter Target** setting, the following options can be selected in the **Condition** column:

Equal

Has the same value as set up in the **Parameter 1** column.

Unequal

Has any value other than the one set up in the **Parameter 1** column.

Bigger

Has a value higher than the one set up in the **Parameter 1** column.

Bigger or Equal

Has a value that is the same as or higher than the one set up in the **Parameter 1** column.

Less

Has a value lower than the one set up in the **Parameter 1** column.

Less or Equal

Has a value that is the same as or lower than the one set up in the **Parameter 1** column.

Inside Range

Has a value that is between the values set up in the **Parameter 1** and **Parameter 2** columns. **Parameter 1** should be the lower value and **Parameter 2** the higher one.

Outside Range

Has a value that is not between the values set up in the **Parameter 1** and **Parameter 2** columns.

Inside Bar Range

Has a value that is within the zone set up in the **Bar Range/Time Base** column, in each bar within the current selection. This is only used if the **Filter Target** is set to **Position**.

Outside Bar Range

Has a value outside the zone set up in the **Bar Range/Time Base** column, in each bar within the current selection. This is only used if the **Filter Target** is set to **Position**.

Before Cursor

Is before the cursor position. This is only used if the **Filter Target** is set to **Position**.

Beyond Cursor

Is after the cursor position **Position** only.

Inside Cycle

Is inside the set cycle. This is only used if the **Filter Target** is set to **Position**.

Outside Cycle

Is outside the set cycle. This is only used if the **Filter Target** is set to **Position**.

Inside Track Loop

Is inside the set track loop. This is only used if the **Filter Target** is set to **Position**.

Exactly Matching Cycle

Exactly matches the set cycle. This is only used if the **Filter Target** is set to **Position**.

Inside Selected Marker

Is inside the selected cycle marker. This is only used if the **Filter Target** is set to **Position**.

Note is Equal to

Is the note specified in the **Parameter 1** column only, regardless of the octave. For example, it allows you to find all C notes, in all octaves. This is only available if the **Filter Target** is set to **Subtype**, that is, **Pitch**.

All Types

All event types.

Property is Set

The property specified in the **Parameter 1** column is set.

Property is Not Set

The property specified in the **Parameter 1** column is not set.

Every other Event

Every **x** event, where **x** is the value specified in the **Parameter 2** column. This is only used if the **Filter Target** is set to **Last Event**, and **Parameter 1** is set to **Event Counter**.

NOTE

The conditions for the **Property** filter target are different.

RELATED LINKS

[Setting up Logical Editor Filter Lines](#) on page 1344

Setting up Logical Editor Filter Lines

PREREQUISITE

You have selected a MIDI part in your project and selected **MIDI > Logical Editor > Setup** to open the **Logical Editor**.

PROCEDURE

1. In the **Event Target Filters** section, click **Insert**.
A filter line is added to the list.
2. Click in the **Filter Target** column, and select an option from the pop-up menu.
3. Click in the **Condition** column, and select an option from the pop-up menu.
4. Click in the **Parameter 1** column, and enter a value.

NOTE

Some **Condition** options also require a value for **Parameter 2**.

RELATED LINKS

[Logical Editor Filter Targets](#) on page 1338[Logical Editor Filter Conditions](#) on page 1342[Logical Editor Functions](#) on page 1347[Setting up Logical Editor Actions](#) on page 1351

Searching for Chords

You can search for chords in a MIDI part or on the chord track.

PREREQUISITE

NOTE

A note belongs to a chord if at least 2 other notes play at the same time.

PROCEDURE

1. Open the **Filter Target** pop-up menu, and select **Context Variable**.
 2. Open the **Parameter 1** pop-up menu, and select the property that you want to search for.
 3. Open the **Condition** pop-up menu, and select an option.
-

Setting up Multiple Logical Editor Filter Lines

You can add multiple filter lines and combine them by using boolean **And** and **Or** operators and brackets.

PREREQUISITE

You have selected a MIDI part in your project and selected **MIDI > Logical Editor > Setup** to open the **Logical Editor**.

PROCEDURE

1. In the **Event Target Filters** section, click **Insert**.
A filter line is added to the list.
 2. Click in the **Filter Target** column, and select an option from the pop-up menu.
 3. Click in the **Condition** column, and select an option from the pop-up menu.
 4. Click in the **Parameter 1** column, and enter a value.
 5. In the **Event Target Filters** section, click **Insert** to insert another filter line, and set it up.
 6. Click the **Bool** column of the first filter line, and do one of the following:
 - Activate **And** if you want both filter lines to be fulfilled for an element to be found.
 - Activate **Or** if you want at least one of the filter lines to be fulfilled for an element to be found.
-

RELATED LINKS

- [Logical Editor Filter Targets](#) on page 1338
[Logical Editor Filter Conditions](#) on page 1342
[Logical Editor Functions](#) on page 1347
[Setting up Logical Editor Actions](#) on page 1351

Searching for Note Pitches or Velocities

PROCEDURE

1. In the **Event Target Filters** section, click **Insert**.
 2. Open the **Filter Target** pop-up menu, and do one of the following:
 - To search for specific pitches, select **Subtype**, and in the **Parameter 1** column, enter a pitch, either as a note name, such as C3, D#4, etc., or as a MIDI note number from 0 to 127.
- NOTE**
- To find all notes of a specific key in all octaves, open the **Condition** pop-up menu, and select **Note is Equal to**.

 - To search for specific velocities, select **Main Value**.
3. Click **Insert** to add another condition line.
Parameter 1 is automatically set to **Note**. In addition to this, **Subtype** and **Main Value** are displayed as **Pitch** and **Velocity**, respectively.
-

Searching for Note Lengths

You can search for notes of specific lengths.

PROCEDURE

1. Open the **Filter Target** pop-up menu, and select **Length**.
This allows you to find notes of a specific length only.

NOTE

The **Length** parameter is interpreted via the time base setting in the **Bar Range/Time Base** column, that is, in PPQ, seconds, samples, or frames.

2. Open the **Parameter 1** pop-up menu, and set the length that you want to search for.
3. Open the **Condition** pop-up menu, and select an option.
If you select **Inside Range** or **Outside Range**, use **Parameter 1** and **Parameter 2** to set the start and the end of the range.
4. Click **Insert** to add another condition line.
Parameter 1 is automatically set to **Note** because the **Length Filter Target** is only valid for notes.

Searching for the Highest/Lowest Notes in Chords

You can search for the highest or lowest note in a chord.

PROCEDURE

1. Open the **Filter Target** pop-up menu, and select **Type**.
2. Open the **Condition** pop-up menu, and select **Equal**.
3. Open the **Parameter 1** pop-up menu, and select **Note**.
4. Click **Insert** to add another condition line.
5. Open the **Filter Target** pop-up menu, and select **Context Variable**.
6. Open the **Condition** pop-up menu, and select **Bigger or Equal**.
7. Open the **Parameter 1** pop-up menu, and select **Highest in Chord from at Least n Notes** or **Lowest in Chord from at Least n Notes**.
8. Open the **Parameter 2** pop-up menu, and select how many notes a chord must contain to be taken into account.

Brackets

The bracket columns allow you to enclose 2 or more filter lines, dividing the conditional expression into smaller units. This is only relevant when you have 3 or more filter lines and want to use the boolean **Or** operator.

You add brackets by clicking in the bracket columns and selecting an option. You can select up to three brackets.

If you add several layers of brackets, these are evaluated from the inside out, starting with the innermost brackets.

Expressions within brackets are evaluated first.

EXAMPLE

You can find all MIDI notes with the pitch C3, as well as all events set to MIDI channel 1, regardless of their type.


| Event Target Filters | | | | | | Insert | Remove |
|----------------------|---------------|-----------|-------------|-------------|---------------------|--------|--------|
| (| Filter Target | Condition | Parameter 1 | Parameter 2 | Bar Range/Time Base |) | Bool |
| (| Type Is | Equal | Note | | | | And |
| | Pitch | Equal | | C3 | | | Or |
| | Channel | Equal | | 1 | | |) |

You can find all notes that either have the pitch C3 or the MIDI channel 1, but no non-note events.

| Event Target Filters | | | | | | Insert | Remove |
|----------------------|---------------|-----------|-------------|-------------|---------------------|--------|--------|
| (| Filter Target | Condition | Parameter 1 | Parameter 2 | Bar Range/Time Base |) | Bool |
| | Type Is | Equal | Note | | | | And |
| (| Pitch | Equal | | C3 | | | Or |
| | Channel | Equal | | 1 | | |) |

Logical Editor Functions

The **Functions** pop-up menu allows you to select the basic type of editing to be performed.



The following functions are available:

Delete

Deletes all found elements.

Transform

Transforms all events that match the **Event Target Filters** according to the **Event Transform Actions**.

Insert

Creates new elements and inserts these into the parts. The new elements are based on the elements found by the filter conditions, but with any changes you have set up in the action list applied.

This means that the **Insert** function copies the found elements, transforms them according to the action list, and inserts the transformed copies among the existing elements.

Insert Exclusive

Transforms the elements found, based on the action list. All elements that do not meet the filter conditions are deleted.

Copy

Copies all found elements, transforms them according to the action list, and pastes them into a new part on a new MIDI track. The original events are not affected.

Extract to Track

Transforms all found events and moves them to a new part on a new MIDI track.

Select

Selects all found events and highlights them for further work in the regular MIDI editors.

Extract to Lanes

Transforms all found events and moves them to a new part on a new lane.

Deselect

Deselects all selected events.

RELATED LINKS

[Setting up Logical Editor Actions](#) on page 1351

Logical Editor Action Settings

Action Targets in the **Event Transform Actions** section allow you to select the property that is changed in the events. Actions are only available if you set the functions pop-up menu to **Transform**.

| Event Transform Actions | | | | Insert | Remove |
|-------------------------|-----------|-------------|-------------|--------|--------|
| Action Target | Operation | Parameter 1 | Parameter 2 | | |
| Value 1 | Add | | 10 | | |

To set up an action, make the following settings:

Action Target

Sets the property that is changed in the events.

Operation

Determines what to do with the **Action Target**.

Parameter 1

Sets a value for the **Action Target**.

Parameter 2

Only available for **Operations** that define a range.

RELATED LINKS

[Logical Editor Functions](#) on page 1347

[Logical Editor Filter Settings](#) on page 1337

Logical Editor Action Targets

Action Targets in the **Event Transform Actions** section allow you to select the property that is changed in the events. Actions are only available if you set the functions pop-up menu to **Transform**.

Position

Moves the found events.

Length

Resizes note events.

Subtype

Adjusts **Subtype** in the events. What is displayed depends on the event type. For notes, **Subtype** is the pitch.

Main Value

Adjusts **Main Value** in the events. What is displayed depends on the event type. For notes, **Main Value** is the velocity value.

Channel

Allows you to change the MIDI channel setting.

Type

Allows you to change the event type, that is, transform aftertouch events to modulation events, or pitchbend events to VST 3 tuning events.

Secondary Value

Adjusts **Secondary Value** in the events, which is used for note-off velocity when searching for properties.

NoteExp Operation

Allows you to specify a note expression operation in the **Operation** column.

VST 3 Value Operation

Allows you to perform common operations within the VST 3 value range (0.0 to 1.0) instead of the standard MIDI value range (0-127) for finer adjustments.

Score Editor Operation

Allows you to specify a **Score Editor** operation in the **Operation** column.

Logical Editor Operations

The **Operation** column allows you to determine what to do with the **Action Target**.

The available operations depend on the selected **Action Target**. The following options are available:

Add

Adds the value specified in the **Parameter 1** column to the **Action Target**.

Subtract

Subtracts the value specified in the **Parameter 1** column from the **Action Target**.

Multiply by

Multiplies the **Action Target** with the value specified in the **Parameter 1** column.

Divide by

Divides the **Action Target** by the value specified in the **Parameter 1** column.

Round by

Rounds the **Action Target** value using the value specified in the **Parameter 1** column.

Set Random Values Between

Sets the **Action Target** value to a random value within the range specified by **Parameter 1** and **Parameter 2**. Note that these can be set to negative values.

Set to Fixed Value

Sets the **Action Target** to the value specified in the **Parameter 1** column.

Set Relative Random Values Between

Adds a random value to the current **Action Target** value. The added random value is within the range specified by **Parameter 1** and **Parameter 2**. These can be set to negative values.

Use Subtype

This is only available if you set **Action Target** to **Main Value**. If this option is selected, the **Subtype** setting in each event is copied to the **Main Value** setting.

Use Main Value

This is only available if you set **Action Target** to **Subtype**. If this option is selected, the **Main Value** setting in each event is copied to the **Subtype** setting.

Mirror

This is only available if you set **Action Target** to **Subtype** or **Main Value**. When this option is selected, the values are mirrored around the value set in the **Parameter 1** column.

For notes, this inverts the scale, with the key set in the **Parameter 1** column as the center point.

Invert

Inverts note expression data containing the specified VST 3 event parameter.

Add Length

This is only available if you set **Action Target** to **Position**. Furthermore, it is only valid if the found events are notes. If you select **Add Length**, the length of each note event is added to the **Position** value.

Linear Change in Loop Range

This affects events between the left and right locators only. It creates a linear ramp of values starting at the value in the **Parameter 1** column and ending at the **Parameter 2** value, replacing the original values.

Relative Change in Loop Range

This creates a ramp of values, affecting events in the loop range only, that is, between the locators. However, the changes are relative, meaning that values are added to the existing values.

You set up a value ramp starting at **Parameter 1** and ending at **Parameter 2**. These values can be negative. The resulting value ramp is then added to the existing values for the events within the loop range.

For example, if you apply this to note velocities, with **Parameter 1** set to 0 and **Parameter 2** set to -100, you create a velocity fade-out, keeping the original velocity relations.

Remove NoteExp

This option is only available for notes. It allows you to remove all note expression data from a note.

Create One Shot

This option is only available for notes. It allows you to add note expression data for notes in **One Shot** mode, meaning that you add a parameter as note expression data. After having added the one-shot parameter, you have to set it to the desired value.

Reverse

Reverses the note expression data.

Move to Cursor

Moves the event start to the cursor position.

Transpose to Scale

This is only available if you set **Action Target** to **Subtype** and if the filter conditions are specifically set up to find notes, that is, if you added the **Type = Note** filter condition

line. When **Transpose to Scale** is selected, you can specify a musical scale using the **Parameter 1** and **Parameter 2** columns. **Parameter 1** is the key (C, C#, D, etc.) while **Parameter 2** is the type of scale (major, melodic, or harmonic minor, etc.).

Each note is transposed to the closest note in the selected scale.

Assign stave and voice

Assigns the staves and voices specified in the **Parameter 1** and **Parameter 2** columns to notes in the **Score Editor**.

Unassign stave and voice

Unassigns manually assigned staves and voices from notes in the **Score Editor**.

RELATED LINKS

[Subtype, Main Value, and Secondary Value](#) on page 1340

Setting up Logical Editor Actions

You can set up actions, that is, changes that are made to the found events. Actions are not relevant for the **Functions Select** and **Delete**.

PREREQUISITE

You have set up at least one filter line in the **Event Target Filters** section. You have set the functions pop-up menu to **Transform**.

PROCEDURE

1. In the **Event Transform Actions** section, click **Insert**.
An action line is added to the list.
2. Click in the **Action Target** column, and select an option from the pop-up menu.
3. Click in the **Operation** column, and select an option from the pop-up menu.
4. Click in the **Parameter 1** column, and enter a value.

NOTE

Some **Operation** options also require a value for **Parameter 2**.

-
5. Click **Apply** to apply the defined actions.
-

RELATED LINKS

[Setting up Logical Editor Filter Lines](#) on page 1344

[Logical Editor Functions](#) on page 1347

[Logical Editor Action Targets](#) on page 1348

[Logical Editor Operations](#) on page 1349

Project Logical Editor

The **Project Logical Editor** is a powerful tool for search and replace functions in the **Project** window.

The **Project Logical Editor** allows you to specify filter conditions and combine them with actions. In this manner, you can search for all open folder tracks in your project, for example, and close them.

It comes with a number of presets that show you the possibilities of this feature and that you can use as a starting point for your own settings.

RELATED LINKS


[Project Logical Editor Presets Browser](#) on page 1353

[Project Logical Editor Window Overview](#) on page 1352

Project Logical Editor Window Overview

The **Project Logical Editor** window allows you to combine filter conditions, functions, actions, and macros to perform very powerful processing.

- To open the **Project Logical Editor**, select **Project > Project Logical Editor > Setup**.



1 Preset

Allows you to select a preset.

2 Event Target Filters

Allows you to specify the conditions, such as type, attribute, value, or position, that a specific element must meet to be found. You can combine any number of filter conditions using **And** and **Or** operators.

3 Event Transform Actions

Allows you to set up a list of actions that specifies exactly what is done. This is not necessary for all functions.

4 Pre & Post Commands

Allows you to set up commands that are executed before or after the actual process.

5 Functions

Allows you to select a function.

6 Apply

Applies your settings.

NOTE

You can resize the **Event Target Filters** and the **Event Transform Actions** sections by dragging the divider between them.

IMPORTANT

- Not every combination of settings always makes sense. We recommend that you experiment a bit before applying your edits to important projects.
- You can undo the operations by selecting **Edit > Undo**.

RELATED LINKS

[Project Logical Editor Filter Targets](#) on page 1357

[Project Logical Editor Action Targets](#) on page 1368


[Project Logical Editor Pre- and Post-Process Commands](#) on page 1372

[Project Logical Editor Presets Browser](#) on page 1353

Project Logical Editor Presets Browser

The presets browser of the **Project Logical Editor** allows you to load, save, and manage presets.

- To open the presets browser, open the **Project Logical Editor**, and click the **Preset** field.



Expand All

Expands the tree.

Collapse All

Collapses the tree.

Search

Allows you to search for presets by typing in the preset name or parts of the preset or category name.

Save Changes as Preset

Allows you to save your changes as a user preset.

User Presets

Lists all user presets that you have saved.

Factory Presets

Lists all factory presets.

Show User Presets Location

Opens a file dialog containing the user presets. User presets are saved in a different location than the factory presets.

Project Logical Editor Presets

The **Project Logical Editor** comes with a set of factory presets, but you can also save your own user presets.

Cubase uses dedicated and separate locations for factory presets and user presets:

- Factory presets are saved in a dedicated **Project Logical Editor** folder in the **Presets** folder of the application.
- User presets are saved in a dedicated **Project Logical Editor** folder under: \Users\<user name>\Documents\Steinberg\<program name>\User Presets.

NOTE

You can access the user presets location by clicking **Show User Presets Location** in the presets browser.

You can rename, delete, and organize user presets in folders.

Automatic Migration of Presets from Earlier Versions

If you update Cubase from an earlier version, all factory and user presets that are found in the **Preferences** folder are automatically migrated. You can find them in the **Earlier Presets** subfolder of your current **User Presets** folder.

RELATED LINKS

[Project Logical Editor Presets Browser](#) on page 1353

[Selecting Project Logical Editor Presets](#) on page 1355

[Saving Project Logical Editor User Presets](#) on page 1355

Selecting Project Logical Editor Presets

PROCEDURE

1. Select **Project > Project Logical Editor > Setup** to open the **Project Logical Editor**.
 2. Click in the **Presets** field to open the presets browser.
 3. Do one of the following:
 - Enter a preset name in the search field, and in the reduced tree, select the preset.
 - Click **Expand All** to show all presets, and select the preset.
 4. Click **Apply** to apply the preset.
-

RESULT

All **Event Target Filters**, **Event Transform Actions**, and **Functions** that were saved in the preset are shown.

Applying Project Logical Editor Presets in the Project Window

PROCEDURE

1. Select **Project > Project Logical Editor > Apply Preset** to open the preset browser.
 2. Do one of the following:
 - Enter a preset name in the search field, and in the reduced tree, select the preset.
 - Click **Expand All** to show all presets, and select the desired preset.
-

RESULT

All **Event Target Filters**, **Event Transform Actions**, and **Functions** that were saved in the preset are directly applied to the events and parts in the **Project** window.

Saving Project Logical Editor User Presets

You can save settings that you want to use again as presets.

PROCEDURE

1. Set up the **Event Target Filters**, the **Event Transform Actions**, and the functions that you want to include in your user preset.
The preset name in the **Presets** field is shown with an asterisk to indicate that the preset contains unsaved changes.
 2. Click the **Presets** field to open the presets browser.
 3. Click **Save Changes as Preset**.
A file dialog opens the corresponding folder at the **User Presets** location.
 4. Enter a file name for your preset, and click **Save**.
-

RESULT

The preset is saved and listed in the presets browser under **User Presets**.

AFTER COMPLETING THIS TASK

In the file browser of your operating system, you can navigate to the user presets location and create subfolders to organize your user presets. Here, you can also rename, delete, and move presets to other folders.

RELATED LINKS

[Project Logical Editor Window Overview](#) on page 1352

Setting up Key Commands for Your Presets

If you have stored **Project Logical Editor** presets, you can set up key commands for them.

PROCEDURE

1. Select **Edit > Key Commands**.
2. In the **Commands** column, navigate to the category **Process Logical Preset**, and click the plus sign to display the items in the folder.
3. From the list, select the item to which you want to assign a key command. Click in the **Type in Key** field, and enter a new key command.
4. Click the **Assign** button above the field.
The new key command is shown in the **Keys** list.
5. Click **OK**.

RELATED LINKS

[Key Commands](#) on page 1480

Project Logical Editor Filter Settings

By setting up filters, you can determine which filter target, that is, what elements, you want to find.

| Event Target Filters | | | | | | | Insert | Remove |
|----------------------|-------------------|-----------|-------------|-------------|---------------------|---|--------|--------|
| (| Filter Target | Condition | Parameter 1 | Parameter 2 | Bar Range/Time Base |) | Bool | |
| (| Media Type is | Equal | MIDI | | |) | And | ^ |
| | Container Type is | Equal | Track | | |) | | ▼ |

To set up a filter, make the following settings:

Filter Target

Sets the property of the element. This setting affects the available options in the other columns.

Condition

Determines the comparison of the property in the **Filter Target** column to the values in the **Parameter** columns. The available options depend on the **Filter Target** setting.

Parameter 1

Determines which value the element properties are compared to. This depends on the **Filter Target**.

Parameter 2

Only available if one of the **Range** options is set in the **Condition** column. Allows you to find all elements with values inside or outside the range between **Parameter 1** and **Parameter 2**.

Bar Range/Time Base

Only available if the **Filter Target** is set to **Position**. If one of the **Bar Range** options is selected in the **Condition** column, use the **Bar Range/Time Base** column to specify zones within each bar. This allows you to find all elements on or around the first beat of every bar, for example. If any of the other **Condition** options is selected, you can use the **Bar Range/Time Base** column to specify a time base, such as PPQ, seconds, etc.

Left bracket

In combination with the right bracket, this allows you to combine multiple filters, that is, multiple lines with the boolean operators And/Or.

Right bracket

In combination with the left bracket, this allows you to combine several filters.

Bool

Allows you to insert the boolean operators **And** and **Or** when creating filters with multiple lines.

NOTE

If you have already defined filters and/or applied a preset but want to start again from scratch, you can initialize the settings by selecting the **Init** preset from the presets browser.

RELATED LINKS

[Searching for Elements at Specific Positions](#) on page 1360

[Setting up Multiple Project Logical Editor Filter Lines](#) on page 1365

Project Logical Editor Filter Targets

Media Type

Searches for elements by their media type.

Container Type

Searches for elements by their container type.

Name

Searches for elements by their name.

Position

Searches for elements by their position.

- To search for events starting at a specific position, set up the position with **Parameter 1**.
- To search for events inside or outside a specific range, select **Inside Range** or **Outside Range** in the **Condition** column, and set up the start and end positions of the range with **Parameter 1** and **Parameter 2**.
- To search for events starting inside or outside a bar range, in all bars within the current selection, select **Inside Bar Range** or **Outside Bar Range** in the **Condition** column. Click and drag in the graphic bar display in the **Bar Range** column to specify the range.

Length

Searches for elements by their length.

- To search for elements of specific lengths, set up the length with **Parameter 1**. If you select **Inside Range** or **Outside Range**, use **Parameter 1** and **Parameter 2** to set the start and the end of the range.

NOTE

You must add another filter condition line and select **Media Type** as a **Filter Target**.

Color Name

Searches for elements by their color name.

Property

Searches for Cubase-specific properties.

Output Name

Searches for the output name that you specify with **Parameter 1** and the MIDI channel that you specify with **Parameter 2**.

RELATED LINKS

[Media Types](#) on page 1358

[Container Types](#) on page 1359

[Searching for Names](#) on page 1359

[Searching for Elements at Specific Positions](#) on page 1360

[Searching for Elements of Specific Lengths](#) on page 1361

[Searching for Color Names](#) on page 1361

[Properties](#) on page 1362

Media Types

You can search for elements by their media type.

- Set the **Filter Target** to **Media Type**, and select one of the available media types in the **Parameter 1** pop-up menu.

Audio

Searches for audio events, audio parts, and audio tracks.

MIDI

Searches for MIDI parts and MIDI tracks.

Automation

Searches for automation events and automation tracks.

Marker

Searches for marker events and marker tracks.

Transpose

Searches for transpose events and transpose tracks.

Arranger

Searches for arranger events and arranger tracks.

Tempo

Searches for tempo events and tempo tracks.

Signature

Searches for signature events and signature tracks.

Chord

Searches for chord events and chord tracks.

Scale Event

Searches for scale events.

Video

Searches for video events.

Group

Searches for group channel tracks.

Effect

Searches for effect channel tracks.

Device

Searches for device tracks.

VCA

Searches for VCA fader tracks.

RELATED LINKS

[Project Logical Editor Filter Targets](#) on page 1357

[Project Logical Editor Filter Conditions](#) on page 1363

Container Types

You can search for elements by their container type.

- Set the **Filter Target** to **Container Type**, and select one of the available container types in the **Parameter 1** pop-up menu.

Folder Track

Searches for folder tracks, included effect channel and group channel folders.

Track

Searches for track types.

Part

Searches for audio, MIDI, and instrument parts. Folder parts are not included.

Event

Searches for automation points and markers, as well as audio, arranger, transpose, tempo, and time signature events.

RELATED LINKS

[Project Logical Editor Filter Targets](#) on page 1357

[Project Logical Editor Filter Conditions](#) on page 1363

Searching for Names

You can search for elements by their name.

PROCEDURE

1. Open the **Filter Target** pop-up menu, and select **Name**.

2. Click the **Parameter 1** value field, and enter a name, or a part of a name that you want to search for.
3. Open the **Condition** pop-up menu, and select one of the following options:
 - Select **Equal** if you want to search for the exact name.
 - Select **Contains** if you want to search for a name that contains the specified name.
 - Select **Contains Not** if you want to search for any name other than the specified.

EXAMPLE

You can set up the **Project Logical Editor** to find all tracks in the project whose name contain **voc**.

| Event Target Filters | | | | | | | Insert | Remove |
|----------------------|-------------------|-----------|-------------|-------------|---------------------|---|--------|--------|
| (| Filter Target | Condition | Parameter 1 | Parameter 2 | Bar Range/Time Base |) | Bool | And |
| (| Container Type is | Equal | Track | | |) | | |
| | Name | Contains | voc | | |) | | |

RELATED LINKS

[Project Logical Editor Filter Targets](#) on page 1357

[Project Logical Editor Filter Conditions](#) on page 1363

Searching for Elements at Specific Positions

You can search for elements starting at specific positions, either relative to the start of the project or within each bar.

PROCEDURE

1. Open the **Filter Target** pop-up menu, and select **Position**.

This allows you to find elements starting at specific positions, either relative to the start of the project or within each bar.

2. Open the **Condition** pop-up menu, and select one of the following options:

- To find all elements at a specific position, select a position in the **Parameter 1** column.
You can set a time base, such as PPQ, seconds, samples, or frames in the **Bar Range/Time Base** column.
- To find all elements inside or outside a range, select **Inside Bar Range** or **Outside Bar Range**.

You can set the bar range in the **Bar Range/Time Base** column by clicking and dragging in the bar display or by adjusting the start position of the range in the **Parameter 1** column and the end position in the **Parameter 2** column. You can change the time base in the **Bar Range/Time Base** column. The position for **Bar Range** is measured in ticks related to the start of the bar.

EXAMPLE

You can set up the **Project Logical Editor** to find all elements at the PPQ position 5.1.1.0 in the project.

| Event Target Filters | | | | | | | Insert | Remove |
|----------------------|---------------|-----------|-------------|-------------|---------------------|---|--------|--------|
| (| Filter Target | Condition | Parameter 1 | Parameter 2 | Bar Range/Time Base |) | Bool | And |
| (| Position | Equal | 5. 1. 1. 0 | | PPQ |) | | |

RELATED LINKS

[Project Logical Editor Filter Targets](#) on page 1357[Project Logical Editor Filter Conditions](#) on page 1363

Searching for Elements of Specific Lengths

You can search for elements by their length.

PROCEDURE

1. Open the **Filter Target** pop-up menu, and select **Length**.

This allows you to find elements of a specific length.

NOTE

The **Length** parameter is interpreted via the time base setting in the **Bar Range/Time Base** column, that is, in PPQ, seconds, samples, or frames.

2. Click the **Parameter 1** value field, and enter the length that you want to search for.

3. Open the **Condition** pop-up menu, and select an option.

If you select **Inside Range** or **Outside Range**, use **Parameter 1** and **Parameter 2** to set the start and the end of the range.

EXAMPLE

You can set up the **Project Logical Editor** to find any audio parts and events in the project with a length value below 200 samples.

| Event Target Filters | | | | | | | Insert | Remove |
|----------------------|---------------|-----------|-------------|-------------|---------------------|---|--------|--------|
| (| Filter Target | Condition | Parameter 1 | Parameter 2 | Bar Range/Time Base |) | Bool | |
| Container Type is | Equal | Part | | | | | Or | |
| Container Type is | Equal | Event | | | | | And | |
| (| Media Type is | Equal | Audio | | | | And | |
| Length | Less | | 0200 | Samples | | | | |

RELATED LINKS

[Project Logical Editor Filter Targets](#) on page 1357[Project Logical Editor Filter Conditions](#) on page 1363

Searching for Color Names

You can search for elements by their color name.

PROCEDURE

1. Open the **Filter Target** pop-up menu, and select **Color Name**.

2. Click the **Parameter 1** value field, and enter the color name for which you want to search.

3. Open the **Condition** pop-up menu, and select one of the following options:

- Select **Equal** if you want to search for the exact color name.
- Select **Contains** if you want to search for a color name that contains the specified color name.
- Select **Contains Not** if you want to search for any color name other than the specified one.

RELATED LINKS

[Project Logical Editor Filter Targets](#) on page 1357[Project Logical Editor Filter Conditions](#) on page 1363

Properties

You can search for elements by their property.

- Set the **Filter Target** to **Property**, and select one of the available properties from the **Parameter 1** pop-up menu.

Is Muted

Searches for all muted events.

Is Selected

Searches for all selected events.

Is Empty

Searches for all empty events.

Inside NoteExp

Searches for all events that form part of Note Expression automation data. These can be VST 3 or MIDI controller events.

Is valid VST 3

Searches for all VST 3 events in a note that are valid. This means that the corresponding track is routed to an instrument that supports them.

Is Hidden

Searches for all hidden tracks.

Has Track Version

Searches for all tracks that have track versions.

Follows Chord Track

Searches for all tracks that follow the chord track.

Is Disabled

Searches for all disabled tracks.

Parent Object Is Selected

Searches for events whose parent track is selected, such as the automation events of a selected parent track or the tracks inside a selected folder track.

EXAMPLE

You can set up the **Project Logical Editor** to search for all muted MIDI and instrument parts.

| Event Target Filters | | | | | | | Insert | Remove |
|----------------------|-------------------|---------------------|----------------|-------------|---------------------|---|--------|--------|
| (| Filter Target | Condition | Parameter 1 | Parameter 2 | Bar Range/Time Base |) | Bool | And |
| | Media Type is | Equal | MIDI | | | | | And |
| | Container Type is | Equal | Part | | | | | And |
| | Property | Property is not set | Event is muted | | | | | |

You can set up the **Project Logical Editor** to find all elements that are empty.

| Event Target Filters | | | | | | | Insert | Remove |
|----------------------|-----------------|-------------------|-------------|-------------|---------------------|---|--------|--------|
| (| Filter Target | Condition | Parameter 1 | Parameter 2 | Bar Range/Time Base |) | Bool | |
| Media Type is | Equal | Audio | | | | | And | |
| Container Type is | Equal | Part | | | | | And | |
| Property | Property is set | Event is selected | | | | | And | |
| Property | Property is set | Event is empty | | | | | | |

You can set up the **Project Logical Editor** to find all audio parts that are selected but not muted.

| Event Target Filters | | | | | | | Insert | Remove |
|----------------------|---------------------|-------------------|-------------|-------------|---------------------|---|--------|--------|
| (| Filter Target | Condition | Parameter 1 | Parameter 2 | Bar Range/Time Base |) | Bool | |
| Property | Property is set | Event is selected | | | | | And | |
| Property | Property is not set | Event is muted | | | | | | |

You can set up the **Project Logical Editor** to find automation events of selected tracks.

| Event Target Filters | | | | | | | Insert | Remove |
|----------------------|-----------------|---------------------------|-------------|-------------|---------------------|---|--------|--------|
| (| Filter Target | Condition | Parameter 1 | Parameter 2 | Bar Range/Time Base |) | Bool | |
| (| Media Type is | Equal | Automation | | | | And | |
| Container Type is | Equal | Event | | | | | And | |
| Property | Property is set | Parent Object Is Selected | | | |) | | |

RELATED LINKS

[Project Logical Editor Filter Targets](#) on page 1357

[Project Logical Editor Filter Conditions](#) on page 1363

Searching for Output Names

You can search for outputs by their name.

PROCEDURE

1. Open the **Filter Target** pop-up menu, and select **Output Name**.
2. Click the **Parameter 1** column, and select the output name from the pop-up menu.
You can also click the value field and enter the output name or a part of a name that you want to search for.
3. Optional: If you are searching for MIDI or instrument track outputs, click the **Parameter 2** column, and select the MIDI channel from the pop-up menu.
4. Open the **Condition** pop-up menu, and select one of the following options:
 - Select **Equal** if you want to search for the exact output name.
 - Select **Contains** if you want to search for an output name that contains the specified name.
 - Select **Contains Not** if you want to search for any output name other than the specified.

Project Logical Editor Filter Conditions

Depending on the **Filter Target** setting, the following options can be selected in the **Condition** column:

Equal

Has the same value as set up in the **Parameter 1** column.

Unequal

Has any value other than the one set up in the **Parameter 1** column.

Bigger

Has a value higher than the one set up in the **Parameter 1** column.

Bigger or Equal

Has a value that is the same as or higher than the one set up in the **Parameter 1** column.

Less

Has a value lower than the one set up in the **Parameter 1** column.

Less or Equal

Has a value that is the same as or lower than the one set up in the **Parameter 1** column.

Inside Range

Has a value that is between the values set up in the **Parameter 1** and **Parameter 2** columns. **Parameter 1** should be the lower value and **Parameter 2** the higher one.

Outside Range

Has a value that is not between the values set up in the **Parameter 1** and **Parameter 2** columns.

Inside Bar Range

Has a value that is within the zone set up in the **Bar Range/Time Base** column, in each bar within the current selection. This is only used if the **Filter Target** is set to **Position**.

Outside Bar Range

Has a value outside the zone set up in the **Bar Range/Time Base** column, in each bar within the current selection. This is only used if the **Filter Target** is set to **Position**.

Before Cursor

Is before the cursor position. This is only used if the **Filter Target** is set to **Position**.

Beyond Cursor

Is after the cursor position **Position** only.

Inside Cycle

Is inside the set cycle. This is only used if the **Filter Target** is set to **Position**.

Outside Cycle

Is outside the set cycle. This is only used if the **Filter Target** is set to **Position**.

Inside Track Loop

Is inside the set track loop. This is only used if the **Filter Target** is set to **Position**.

Exactly Matching Cycle

Exactly matches the set cycle. This is only used if the **Filter Target** is set to **Position**.

Inside Selected Marker

Is inside the selected cycle marker. This is only used if the **Filter Target** is set to **Position**.

All Types

All media or container types, depending on the **Filter Target**.

Property is Set

The property specified in the **Parameter 1** column is set.

Property is Not Set

The property specified in the **Parameter 1** column is not set.

Contains

The name or the color name contains the name specified in the **Parameter 1** column.

Contains Not

The name or the color name does not contain the name specified in the **Parameter 1** column.

NOTE

The conditions for the **Property** filter target are different.

Setting up Project Logical Editor Filter Lines

PROCEDURE

1. Select **Project > Project Logical Editor > Setup** to open the **Project Logical Editor**.
2. In the **Event Target Filters** section, click **Insert**.
A filter line is added to the list.
3. Click in the **Filter Target** column, and select an option from the pop-up menu.
4. Click in the **Condition** column, and select an option from the pop-up menu.
5. Click in the **Parameter 1** column, and enter a value.

NOTE

Some **Condition** options also require a value for **Parameter 2**.

RELATED LINKS

[Project Logical Editor Filter Targets](#) on page 1357

[Project Logical Editor Filter Conditions](#) on page 1363

[Project Logical Editor Functions](#) on page 1367

[Project Logical Editor Action Settings](#) on page 1368

Setting up Multiple Project Logical Editor Filter Lines

You can add multiple filter lines and combine them by using boolean **And** and **Or** operators and brackets.

PREREQUISITE

You have selected **Project > Project Logical Editor > Setup** to open the **Project Logical Editor**.

PROCEDURE

1. In the **Event Target Filters** section, click **Insert**.
A filter line is added to the list.
2. Click in the **Filter Target** column, and select an option from the pop-up menu.
3. Click in the **Condition** column, and select an option from the pop-up menu.
4. Click in the **Parameter 1** column, and enter a value.

5. In the **Event Target Filters** section, click **Insert** to insert another filter line, and set it up.
6. Click the **Bool** column of the first filter line, and do one of the following:
 - Activate **And** if you want both filter lines to be fulfilled for an element to be found.
 - Activate **Or** if you want at least one of the filter lines to be fulfilled for an element to be found.

EXAMPLE

You can set up the **Project Logical Editor** to find all MIDI and instrument parts in the project.

| Event Target Filters | | | | | | Insert | Remove |
|----------------------|-------------------|-----------|-------------|-------------|---------------------|--------|--------|
| (| Filter Target | Condition | Parameter 1 | Parameter 2 | Bar Range/Time Base |) | Bool |
| (| Media Type is | Equal | MIDI | | |) | And |
| | Container Type is | Equal | Part | | |) | |

You can set up the **Project Logical Editor** to find all automation tracks (not events) in the project whose name contains **vol**.

| Event Target Filters | | | | | | Insert | Remove |
|----------------------|-------------------|-----------|-------------|-------------|---------------------|--------|--------|
| (| Filter Target | Condition | Parameter 1 | Parameter 2 | Bar Range/Time Base |) | Bool |
| (| Media Type is | Equal | Automation | | |) | And |
| | Container Type is | Equal | Track | | |) | And |
| | Name | Contains | vol | | |) | |

You can set up the **Project Logical Editor** to find all MIDI and instrument parts (not tracks) in the project that are muted.

| Event Target Filters | | | | | | Insert | Remove |
|----------------------|-------------------|---------------------|----------------|-------------|---------------------|--------|--------|
| (| Filter Target | Condition | Parameter 1 | Parameter 2 | Bar Range/Time Base |) | Bool |
| (| Media Type is | Equal | MIDI | | |) | And |
| | Container Type is | Equal | Part | | |) | And |
| | Property | Property is not set | Event is muted | | |) | |

You can set up the **Project Logical Editor** to find all MIDI and instrument parts (not tracks) or all audio events (not parts or tracks) in the project that are muted.

| Event Target Filters | | | | | | Insert | Remove |
|----------------------|-------------------|---------------------|----------------|-------------|---------------------|--------|--------|
| (| Filter Target | Condition | Parameter 1 | Parameter 2 | Bar Range/Time Base |) | Bool |
| (| Media Type is | Equal | MIDI | | |) | And |
| | Container Type is | Equal | Part | | |) | Or |
| (| Media Type is | Equal | Audio | | |) | And |
| | Container Type is | Equal | Event | | |) | And |
| | Property | Property is not set | Event is muted | | |) | |

RELATED LINKS

[Project Logical Editor Filter Targets](#) on page 1357

[Project Logical Editor Filter Conditions](#) on page 1363

[Project Logical Editor Functions](#) on page 1367

[Project Logical Editor Action Settings](#) on page 1368

Brackets

The bracket columns allow you to enclose 2 or more condition lines, dividing the conditional expression into smaller units. This is only relevant when you have 3 or more condition lines and want to use the boolean **Or** operator.

You can add brackets by clicking in the bracket columns and selecting an option. Up to three brackets can be selected.

If you add several layers of brackets, these are evaluated from the inside out, starting with the innermost brackets.

Expressions within brackets are evaluated first.

EXAMPLE

You can set up the **Project Logical Editor** to find all audio parts and events whose name contains **perc**, as well as other MIDI parts and events whose name contains **drums**.


| Event Target Filters | | | | | | | Insert | Remove |
|----------------------|---------------|-----------|-------------|-------------|---------------------|---|--------|--------|
| (| Filter Target | Condition | Parameter 1 | Parameter 2 | Bar Range/Time Base |) | Bool | |
| | Media Type is | Equal | Audio | | | | And | |
| | Name | Equal | perc | | | | Or | |
| | Name | Equal | drums | | | | | |

You can set up the **Project Logical Editor** to find all audio parts or events whose name contains **perc** or **drums**.

| Event Target Filters | | | | | | | Insert | Remove |
|----------------------|---------------|-----------|-------------|-------------|---------------------|---|--------|--------|
| (| Filter Target | Condition | Parameter 1 | Parameter 2 | Bar Range/Time Base |) | Bool | |
| | Media Type is | Equal | Audio | | | | And | |
| (| Name | Contains | perc | | | | Or | |
| | Name | Contains | drums | | | |) | |

Project Logical Editor Functions

The **Functions** pop-up menu allows you to select the basic type of editing to be performed.



The following **Functions** are available:

Delete

Deletes all found elements.

NOTE

When you delete automation tracks and undo this operation by selecting **Undo** from the **Edit** menu, the automation tracks are restored, but the tracks are closed.

Transform

Transforms all events that match the **Event Target Filters** according to the **Event Transform Actions**.

Select

Selects all found elements and highlights them for further work in the **Project** window.

Deselect

Deselects all selected elements.

Project Logical Editor Action Settings

Action Targets in the **Event Transform Actions** section allow you to select the property that is changed in the events. Actions are only available if you set the functions pop-up menu to **Transform**.

| Event Transform Actions | | | | Insert | Remove |
|-------------------------|-----------|-------------|-------------|--------|--------|
| Action Target | Operation | Parameter 1 | Parameter 2 | | |
| Track Operation | Folder | Toggle | | | |

To set up an action, make the following settings:

Action Target

Sets the property that is changed in the events.

Operation

Determines what to do with the **Action Target**.

Parameter 1

Sets a value for the **Action Target**.

Parameter 2

Only available for **Operations** that define a range.

RELATED LINKS

[Project Logical Editor Functions](#) on page 1367

[Project Logical Editor Filter Settings](#) on page 1356

Project Logical Editor Action Targets

Action Targets in the **Event Transform Actions** section allow you to select the property that is changed in the events. Actions are only available if you set the functions pop-up menu to **Transform**.

Position

Moves the found elements.

This parameter is interpreted via the time base setting in the **Bar Range/Time Base** column, with the exception of the **Random** setting, which uses the time base of the affected elements.

Length

Resizes the found elements.

This parameter is interpreted via the time base setting in the **Bar Range/Time Base** column, with the exception of the **Random** setting, which uses the time base of the affected elements.

Track Operation

Changes the track status.

NOTE

Track operations may also affect automation tracks. This may lead to unexpected results, especially if you use the **Toggle** action.

Name

Allows you to rename the found elements.

Trim

Trims the found elements. This is used for automation only.

Set Color

Allows you to set the color for an element.

Setting up Project Logical Editor Actions

You can set up actions, that is, changes that are applied to the found elements. Actions are not relevant for the function types **Select** and **Delete**.

PREREQUISITE

You have set up at least one filter line in the **Event Target Filters** section. You have set the functions pop-up menu to **Transform**.

PROCEDURE

1. In the **Event Transform Actions** section, click **Insert**.
An action line is added to the list.
2. Click in the **Action Target** column, and select an option from the pop-up menu.
3. Click in the **Operation** column, and select an option from the pop-up menu.
4. Click in the **Parameter 1** column, and enter a value.

NOTE

Some **Operation** options also require a value for **Parameter 2**.

5. Click **Apply** to apply the defined actions.
-

RELATED LINKS

[Project Logical Editor Filter Settings](#) on page 1356

[Project Logical Editor Action Targets](#) on page 1368

[Project Logical Editor Functions](#) on page 1367

[Project Logical Editor Operations](#) on page 1369

Project Logical Editor Operations

The **Operation** column allows you to determine what to do with the **Action Target**.

The available operations depend on the selected **Action Target**. The following options are available:

Add

Adds the value specified in the **Parameter 1** column to the **Action Target**.

Subtract

Subtracts the value specified in the **Parameter 1** column from the **Action Target**.

Multiply by

Multiplies the **Action Target** with the value specified in the **Parameter 1** column.

Divide by

Divides the **Action Target** by the value specified in the **Parameter 1** column.

Round by

Rounds the **Action Target** value using the value specified in the **Parameter 1** column.

Set Random Values Between

Sets the **Action Target** value to a random value within the range specified by **Parameter 1** and **Parameter 2**. Note that these can be set to negative values.

Replace

Replaces names with the text specified in the **Parameter 1** column.

Append

The name is appended with a specific string. Click the **Parameter 2** column to open a pop-up menu where you can specify the string.

Prepend

The name is prepended with a specific string. Click the **Parameter 2** column to open a pop-up menu, where you can specify the string.

Generate Name

The name is replaced by the text specified in the **Parameter 1** column, followed by the number set with **Parameter 2**. The number is increased by 1 for every found element.

Replace Search String

You can specify a search string under **Parameter 1** that is replaced by the text specified in the **Parameter 2** column.

Erase Before

Erases all characters of the name before the string that you specified in the **Parameter 1** column.

Erase After

Erases all characters of the name after the string that you specified in the **Parameter 1** column.

Erase Front Character

Erases the first character of the name.

Erase End Character

Erases the last character of the name.

Set Relative Random Values Between

Adds a random value to the current **Action Target** value. The added random value is within the range specified by **Parameter 1** and **Parameter 2**. These can be set to negative values.

Set to Fixed Value

Sets the **Action Target** to the value specified in the **Parameter 1** column.

Move to Cursor

Moves the event start to the cursor position.

Folder

Opens, closes, or switches the status of folders.

Record

Enables, disables, or switches the record enable status.

Monitor

Enables, disables, or switches the monitor status.

Solo

Enables, disables, or switches the solo status.

Mute

Enables, disables, or switches the mute status.

Read

Enables, disables, or switches the read enable status.

Write

Enables, disables, or switches the write enable status.

EQ Bypass

Enables, disables, or switches the EQ bypass status.

Inserts Bypass

Enables, disables, or switches the inserts bypass status.

Sends Bypass

Enables, disables, or switches the sends bypass status.

Enable Send Slot by Number

Enables, disables, or switches the send slot specified in the **Parameter 2** column.

Enable Insert Slot by Number

Enables, disables, or switches the insert slot specified in the **Parameter 2** column.

Lanes Active

Enables, disables, or switches the status.

Hide Track

Enables, disables, or switches the track visibility status.

Time Domain

Sets the track time domain to **Musical** or **Linear**, or switches the status.

Connect Output

This track operation routes audio outputs to a new destination. Click the **Parameter 1** column to open a pop-up menu, where you can select the output.

Connect Input

This track operation routes audio outputs to a new destination. Click the **Parameter 1** column to open a pop-up menu, where you can select the input.

Increment

Changes the color to the next one on the currently used color palette.

Decrement

Changes the color to the previous one on the currently used color palette.

Increment Volume in dB

Increments the volume of the found elements. This is used for automation only.


Decrement Volume in dB

Decrements the volume of the found elements. This is used for automation only.

Project Logical Editor Pre- and Post-Process Commands

You can set up commands and even macros that are executed before and after the actual target filters and actions.

- To open the **Pre & Post Commands** section, click the arrow symbol.

**1 Pre & Post Commands**

Allows you to set up commands that are executed before or after the actual process. Click the arrow symbol to open this section.

2 Pre-Process Commands

Allows you to add commands that are executed before the actual process.

3 Post-Process Commands

Allows you to add commands that are executed after the actual process.

4 Remove Command

Removes the command from the list.

5 Load Command

Opens a browser that allows you to load a command.

NOTE

- You can move commands in the **Pre-Process Commands** list and the **Post-Process Commands** list by dragging.
- You can copy the command to another slot or another list by holding down **Alt/Opt** while dragging.

The following processing order applies:

- Pre-Process Commands**
- Event Target Filters**
- Event Transform Actions**
- Post-Process Commands**

NOTE

Post-process commands are also executed if you did not set up **Event Transform Actions**.

RELATED LINKS

[Project Logical Editor Filter Targets](#) on page 1357

[Project Logical Editor Action Targets](#) on page 1368

[Setting up Pre- and Post-Process Commands](#) on page 1373

Setting up Pre- and Post-Process Commands

You can set up up to 4 pre-process commands and 4 post-process commands.

PREREQUISITE

You have set up at least one filter line in the **Event Target Filters** section.

PROCEDURE

1. Click the arrow symbol to open the **Pre & Post Commands** section.
2. Click the plus symbol in one of the lists to open a browser where all commands are listed.
3. Do one of the following:
 - Enter a command name in the search field to search for a specific command, and select it.
 - Browse through the category folders to search for a command, and select it.

RESULT

The command is added to the corresponding list. Pre- and post-process commands are saved with presets.

RELATED LINKS

[Project Logical Editor Pre- and Post-Process Commands](#) on page 1372

Editing Tempo and Time Signature

You can set up a tempo and time signature for your project. By default, the tempo is set to 120 BPM, and the time signature to 4/4.

Project Tempo Modes

For any project you can set a tempo mode, depending on whether your music has a fixed tempo or if it changes throughout the project.

On the **Transport** panel, you can set the following tempo modes:

- **Fixed Tempo Mode**

If you want to work with one fixed tempo that does not change throughout the project, deactivate **Activate Tempo Track** on the **Transport** panel. You can change the tempo value to set a fixed rehearsal tempo.



- **Tempo Track Mode**

If the tempo of your music contains tempo changes, activate **Activate Tempo Track** on the **Transport** panel. You can change the tempo value at the cursor. If your project does not contain any tempo changes, the tempo is changed at the project start.



RELATED LINKS

[Projects in Fixed Tempo Mode](#) on page 1384

[Projects with Tempo Changes](#) on page 1379

Track Time Base

The time base of a track determines if a track can follow the tempo changes of a project that is set to tempo track mode.

In the **Inspector** for MIDI tracks, instrument tracks, and audio-related tracks, you can activate/deactivate **Switch Time Base** to switch the track time base.

The following time base modes are available:

- **Musical**

Use this mode for material with a musical, that is, tempo-related time base. All tracks that are set to musical time base follow any tempo changes that you add on the tempo track.

NOTE

For audio events on audio tracks that are set to musical time base, the tempo changes on the tempo track affect only the start position and not the actual audio.

- **Linear**

Use this mode for material with a linear, time-related time base.

RELATED LINKS


- [Basics Section for Instrument Tracks](#) on page 165
- [Basics Section for MIDI Tracks](#) on page 167
- [Basics Section for Audio Tracks](#) on page 161

Tempo Track Editor

The **Tempo Track Editor** provides an overview of the project tempo settings. It allows you to add and edit tempo events.

To open the **Tempo Track Editor**, do one of the following:

- Select **Project > Tempo Track > Open Tempo Track Editor**.
- Press **Ctrl/Cmd-T**.



The **Tempo Track Editor** is divided into several sections:

1 Tempo scale

Shows the tempo scale in BPM.

2 Toolbar

Contains tools for selecting, adding, and changing tempo and time signature events.

3 Info line

Shows information about the selected tempo or time signature event.

4 Ruler

Shows the timeline and the time format of the project.

5 Time signature display

Shows the time signature events in the project.

6 Tempo curve display

If your project is set to a fixed tempo, only one tempo event and a fixed tempo are shown.

If your project is set to tempo track mode, the curve display shows the tempo curve with the tempo events in the project.

Tempo Track Editor Toolbar

The toolbar contains tools for selecting, adding, and changing tempo and time signature events.

The following tools are available:

Activate Tempo Track

Activate Tempo Track



Switches the project tempo between fixed tempo mode and tempo track mode.

Left Divider

Left Divider

Tools that are placed to the left of the divider are always shown.

Auto-Scroll

Auto-Scroll



Keeps the project cursor visible during playback.

Select Auto-Scroll Settings



Allows you to activate **Page Scroll** or **Stationary Cursor** and to activate **Suspend Auto-Scroll When Editing**.

Tool Buttons

Object Selection



Selects events.

Draw



Draws events.

Erase



Deletes events.

Zoom



Zoom in. Hold **Alt/Opt**, and click to zoom out.

New Tempo Type

Type of New Tempo Points



Allows you to select the type of new tempo points.

Select **Ramp** if you want new tempo points to change gradually from the previous curve point to the new one.

Select **Step** if you want new tempo points to change instantly.

Select **Automatic** if you want new tempo points to be of the same type as the previous curve point.

Current Tempo

Current Tempo



In fixed tempo mode, this allows you to change the current tempo.

Snap

Snap On/Off



Restricts horizontal movement and positioning to the positions specified by the **Snap Type**. Time signature events always snap to the beginning of bars.

Snap Type



Allows you to specify to what positions you want events to snap.

Tempo Recording

Open Tempo Recording Panel



Opens a panel that allows you to record tempo changes.


Process Tempo

Open Process Tempo Dialog



Opens the **Process Tempo** dialog.

Open Process Bars Dialog



Opens the **Process Bars** dialog.

Right Divider

Right Divider

Tools that are placed to the right of the divider are always shown.

Show Info Line

Show/Hide Info



Opens/Closes the info line.

Tempo Track

You can use the tempo track to create tempo changes within a project.

- To add a tempo track to your project, select **Project > Add Track > Tempo**.
- You can use the tools on the **Project** window toolbar to add and edit tempo events.

- You can use the tempo event editor to edit selected tempo events.
- To select a tempo event, click it with the **Object Selection** tool.
- To select multiple events, drag a selection rectangle with the **Object Selection** tool or **Shift**-click the events.
- To select all tempo events on the tempo track, right-click the tempo track, and select **Select All Events** from the context menu.

RELATED LINKS


[Tempo Track Inspector](#) on page 175
[Tempo Track Controls](#) on page 154

Tempo Event Editor

The tempo event editor allows you to edit selected events on the tempo track.

- To open the tempo event editor, activate the **Object Selection** tool, and drag a selection rectangle on the tempo track.

The tempo event editor features the following smart controls for specific editing modes:



1 Tilt Left

If you click in the upper left corner of the editor, you can tilt the left part of the curve.

2 Compress Left

If you **Alt/Opt**-click in the upper left corner of the editor, you can compress or expand the left part of the curve.

3 Scale Vertically

If you click in the middle of the upper border of the editor, you can scale the curve vertically.

4 Move Vertically

If you click on the upper border of the editor, you can move the entire curve vertically.

5 Compress Right

If you **Alt/Opt**-click in the upper right corner of the editor, you can compress or expand the right part of the curve.

6 Tilt Right

If you click in the upper right corner of the editor, you can tilt the right part of the curve.

7 Scale Around Relative Center

If you **Alt/Opt**-click in the center of the right border of the editor, you can scale the curve relative to its center.

8 Scale Around Absolute Center

If you click in the center of the right corner of the editor, you can scale the curve absolute to its center.

9 Stretch

If you click on the lower border of the editor, you can stretch the curve horizontally.

Projects with Tempo Changes

If the tempo track is activated, you can set up tempo changes for your project.

IMPORTANT

If your project is set to tempo track mode and you set up tempo changes, only tracks that are set to musical time base follow the tempo changes.

NOTE

If you work in tempo track mode, make sure that the time format in the **Project** window ruler is set to **Bars+Beats**. Otherwise, you may obtain confusing results.

If you activate **Activate Tempo Track** on the **Transport** panel, the tempo track curve is displayed in the tempo curve display.

If you know the tempo of your music, you can adjust the tempo value as follows:

- By adding tempo events in the **Tempo Track Editor**.
- By adding tempo events by tapping.
- By recording tempo changes with the **Tempo Recording** panel in the **Tempo Track Editor**.
- By adding tempo events on the tempo track.
- By importing tempo tracks.

If you do not know the tempo of your music, Cubase offers tools to calculate and set it:

- **Tempo Detection Panel**
- **Time Warp**
- **Process Bars**
- **Process Tempo**
- **Tap Tempo**
- **Calculate Tempo from MIDI Events**

RELATED LINKS

- [Project Tempo Modes](#) on page 1374
[Tempo Detection Panel](#) on page 1388
[Time Warp](#) on page 1393
[Process Bars Dialog](#) on page 1392
[Process Tempo Dialog](#) on page 1391
[Editing Tempo Events in the Tempo Track Editor](#) on page 1383
[Setting up Tempo Changes by Tapping](#) on page 1383
[Calculating Tempo from MIDI Events](#) on page 1387

Setting up Projects for Tempo Changes

When you create a new project, the project tempo is automatically set to fixed tempo mode. If your music contains tempo changes, you must set your project to tempo track mode.

PROCEDURE

- To set your project to tempo track mode, do one of the following:
 - On the **Transport** panel, activate **Activate Tempo Track**.

- Select **Project > Tempo Track**, and activate **Activate Tempo Track**.
-

RESULT

The project tempo is now set up to follow the tempo track.

All tracks that are set to musical (tempo-related) time base follow any tempo changes that you add on the tempo track.

RELATED LINKS

[Track Time Base](#) on page 1374

[Tempo Track Controls](#) on page 154

[Tempo Track Editor](#) on page 1375

[Setting up Tempo Changes by Tapping](#) on page 1383

Adding Tempo Changes to the Tempo Track

PROCEDURE

1. Select **Project > Add Track > Tempo**.
The tempo track is added to the track list.
2. On the tempo track, open the **Type of New Tempo Points** pop-up menu, and select an option.
3. Do one of the following:
 - On the toolbar, select the **Object Selection** tool, and click the tempo curve.
 - On the toolbar, select the **Draw** tool, and click or draw in the tempo curve display.

NOTE

If **Snap** is activated, this determines at which time positions you can insert tempo curve points.

RESULT

The tempo event is added to the tempo curve.


Inserting Tempo Events at the Cursor Position

You can assign a key command to insert tempo events at the project cursor position.

PROCEDURE

1. Select **Edit > Key Commands**.
2. In the **Edit** category of the **Key Commands** dialog, select the command **Insert Tempo Event at Cursor**, and assign a key to it.
3. Do one of the following:
 - Select **Project > Add Track > Tempo** to add a tempo track.
 - Select **Project > Tempo Track > Open Tempo Track Editor** to open the **Tempo Track Editor**.
4. On the tempo track or in the **Tempo Track Editor**, open the **Type of New Tempo Points** pop-up menu, and select an option.

5. In the event display, set the project cursor to the position where you want to insert the new tempo event.
6. Press the key that you assigned to the **Insert Tempo Event at Cursor** command.
7. In the **Insert Tempo Event at Cursor** dialog, enter a new tempo value.



8. Click **OK**.
-

RESULT

The tempo event is inserted at the project cursor position on the tempo track and in the **Tempo Track Editor**.

Recording Tempo Changes on the Tempo Track

You can set up a complete tempo track by recording tempo changes. This is useful if you want to create natural sounding ritardandos, for example.

PROCEDURE

1. Open the project for which you want to set up a tempo track, and start playback.
 2. Select **Project > Tempo Track > Open Tempo Track Editor**.
 3. Right-click the **Tempo Track Editor** toolbar, and activate **Tempo Recording**.
 4. On the toolbar, click **Open Tempo Recording Panel**, and click **Start Recording** to add tempo changes on the fly.
 5. Do one of the following:
 - Move the slider to the right to raise the project tempo.
 - Moving the slider to the left to lower the project tempo.
-

RESULT

The tempo changes are recorded and added to the tempo curve in the **Tempo Track Editor**.

RELATED LINKS

[Tempo Track Editor Toolbar](#) on page 1376

Setting up Tempo Changes from Tempo Detection

You can set up a complete tempo track using the result of a tempo detection for an audio event or a MIDI part.

PROCEDURE

1. In the **Project** window, select the audio event or the MIDI part that you want to analyze.
 2. Select **Project > Tempo Detection**.
 3. On the **Tempo Detection Panel**, click **Analyze**.
-

RESULT

- A tempo track is added to the project. On the tempo track, tempo events are created, based on the analysis for the selected audio event or MIDI part.
- A signature track is added to the project. On the signature track, a signature event with the value 1/4 is added.
- On the **Project** window toolbar, the **Time Warp** tool is selected.

AFTER COMPLETING THIS TASK

Depending on the rhythmic quality of the material, the analysis may instantly lead to a perfect result. You can verify the quality of the analysis by activating the metronome click on the **Transport** panel and playing back the project. To correct the result manually, use the functions on the **Tempo Detection Panel**.

RELATED LINKS

[Tempo Detection Panel](#) on page 1388

[Correcting the Tempo Analysis Manually](#) on page 1382

Correcting the Tempo Analysis Manually

If your music contains sections that are played in a different tempo or with special rhythmic characteristics, for example, you must adjust the tempo events manually.

PREREQUISITE

You have analyzed your material, and the **Tempo Detection Panel** is still open. The metronome click is activated.

PROCEDURE

1. Play back the track with the analyzed material from the beginning, and listen to the metronome click.
2. Optional: If you work with an audio event, zoom in on the waveform so that you can compare the transients with the tempo events on the tempo track.
3. Optional: If the first tempo event that is not placed correctly is located at the beginning of the material, click the left arrow button on the **Tempo Detection Panel** to change the direction of the reanalysis.
4. Select the **Time Warp** tool, and move the first tempo event that is not placed correctly to the correct position.

RESULT

The material is reanalyzed and the tempo recalculated.

AFTER COMPLETING THIS TASK

Continue listening to the material and correcting tempo events until the end. Close the **Tempo Detection Panel**.

NOTE

If your material includes multiple sections with different tempos, you can also split the material at each major tempo change and perform a tempo detection for every single resulting section. Each section must have a length of at least 7 seconds.

Editing Tempo Events in the Tempo Track Editor

In the **Tempo Track Editor**, you can edit selected tempo events.

Use the following methods:

- With the **Object Selection** tool, click and drag horizontally and/or vertically.
- On the info line, adjust the tempo value in the **Value** field.

NOTE

When editing tempo events on tempo curves, make sure that the time format in the **Project** window ruler is set to **Bars+Beats**. Otherwise, you may obtain confusing results.

Use the following methods to remove tempo events:

- With the **Erase** tool, click the tempo event.
- Select the tempo event, and press **Backspace**.

NOTE

You cannot remove the first tempo event.

Use the following method to change the tempo curve type:

- On the info line, adjust the tempo curve type in the **Type** field.

Setting up Tempo Changes by Tapping

You can insert tempo changes into your project by tapping to the tempo of a recording or a live beat.

PROCEDURE

- Select **Project > Add Track > Tempo** to add the tempo track to your project.
 - In the **Tempo & Time Signature** section of the **Transport** panel or the **Transport Bar**, activate **Tempo Track**.
This sets the tempo mode to **Tempo Track** mode.
 - Open the **Tap Tempo Mode** pop-up menu, and select a mode.
The **Tap Tempo Mode** defines where new tempo events are inserted when you insert tempo changes by tapping.
 - In the **Tempo & Time Signature** section, do one of the following:
 - Keep clicking **Tap** to the tempo of the recording or the live beat.
 - Press **Shift** and keep clicking **Space** to the tempo of the recording or the live beat.
A message informs you that you are in **Tap Tempo** mode and indicates where the tempo events are inserted. The tempo is updated as you keep tapping.
 - Stop clicking **Tap** or using the key command to confirm the tempo.
-

RESULT

A new tempo event that is set to the tapped tempo is inserted into your project.

RELATED LINKS

[Setting up Projects for Tempo Changes on page 1379](#)

[Tap Tempo Modes on page 1386](#)

Adjusting the Tempo of a Range

You can adjust the tempo of a range to match a specific length or end time.

PROCEDURE

1. Set the left and right locator to specify the start and the end of the range you want to adjust.
 2. Select **Project > Tempo Track**.
 3. Click **Open Process Tempo Dialog**.
 4. Open the **Time Format** pop-up menu, and select a time format for the new range.
 5. In the **New Range** section, enter a new end time or a new length for the range.
 6. Click **Process**.
-

RESULT

The range is adjusted to match the new end time or the new length. The tempo track is adjusted to show the new tempo of the range.

Projects in Fixed Tempo Mode

If your music does not contain tempo changes and the tempo track is deactivated, you can set up a fixed tempo for your project.

When the tempo track is deactivated, the tempo track curve is grayed out. The fixed tempo is displayed as a horizontal line in the tempo curve display.

If you know the tempo of your music, you can adjust the tempo value in the following areas:

- **Tempo** field on the **Transport** panel
- **Current Tempo** field on the **Tempo Track Editor** toolbar
- **Current Tempo** field on the tempo track

If you do not know the tempo of your music, use one of the following tools to calculate and set it:

- **Tap Tempo**
- **Calculate Tempo from MIDI Events**
- **Set Project Tempo from Loop**

RELATED LINKS

[Project Tempo Modes on page 1374](#)

[Setting the Project Tempo by Tapping on page 1384](#)

[Calculating Tempo from MIDI Events on page 1387](#)

[Setting the Project Tempo from an Audio Loop on page 1385](#)

Setting the Project Tempo by Tapping

You can set the project tempo by tapping to the tempo of a recording or a live beat.

PROCEDURE

1. Optional: To tap to the tempo of a recording in the **Project** window, click **Start** on the **Transport** panel or the **Transport Bar**.

You can also tap the tempo in **Stop** mode. This is useful if you want to tap to the beat of a sound source outside of the **Project** window.

2. In the **Tempo & Time Signature** section of the **Transport** panel or the **Transport Bar**, open the **Tap Tempo Mode** pop-up menu, and activate **Set project tempo**.

NOTE

If **Tempo Track** is deactivated on the **Transport** panel or the **Transport Bar**, you can also use the **Automatic** mode to set the project tempo.

3. Do one of the following:

- Keep clicking **Tap** to the tempo of the recording or the live beat.
- Press **Shift** and keep clicking **Space** to the tempo of the recording or the live beat.

A message informs you that you are in **Tap Tempo** mode and that you are setting the project tempo. The tempo is updated as you keep tapping.

4. Stop clicking **Tap** or using the key command to confirm the tempo.
 5. Optional: Click **Start** to deactivate playback.
-

RESULT

The project tempo is set to the tapped tempo.

RELATED LINKS

[Tap Tempo Modes](#) on page 1386

[Projects in Fixed Tempo Mode](#) on page 1384

Setting the Project Tempo from an Audio Loop

You can set the project tempo from the tempo of an audio loop.

PREREQUISITE

Your project contains an audio loop that is not in **Musical Mode**.

PROCEDURE

1. In the **Project** window ruler, set the left locator to the beginning of the audio loop.
 2. Set the right locator to the end of the last bar.
This does not need to match the end of the audio loop, but its number of bars.
 3. Select the audio loop.
 4. Select **Audio > Advanced > Set Tempo from Event**.
 5. Perform one of the following actions:
 - Click **Yes** to adjust the project tempo globally.
 - Click **No** to adjust the project tempo only in the section of the audio event.
-

RESULT

The project tempo is set to the tempo calculated for the audio loop.


RELATED LINKS

[Projects in Fixed Tempo Mode](#) on page 1384

Tap Tempo Modes

When you insert tempo changes into your project by tapping, you can set up a **Tap Tempo Mode**. This mode defines where new tempo events are inserted.

- To open the **Tap Tempo Mode** pop-up menu, open the **Tempo & Time Signature** section of the **Transport** panel, and click **Tap Tempo Mode**.



The following modes are available:

Automatic

Depending on the selection, the following happens:

- If a part, an event, or a range is selected, a new tempo event is inserted at the start of a selection.
- If nothing is selected and **Start** is activated on the **Transport** panel or the **Transport Bar**, a new tempo event is inserted at the last playback start position.
- If nothing is selected and **Stop** is activated on the **Transport** panel or the **Transport Bar**, a new tempo event is added at the project cursor position.
- If **Tempo Track** is deactivated on the **Transport** panel or the **Transport Bar**, the project tempo is set.

Insert tempo event at selection start

Inserts a tempo event at the start of the current selection. If nothing is selected, no tempo event is inserted.

Insert tempo event at last playback start position

Inserts a tempo event at the last playback start position.

Insert tempo event at cursor position

Inserts a tempo event at the cursor position.

Set project tempo

If **Tempo Track** mode is activated, this changes the initial tempo event of the tempo track. If **Tempo Track** mode is deactivated, this sets the project tempo.

Display only

Displays the tapped tempo in an informer without applying any changes.

NOTE

By default, the **Tap Tempo Mode** is set to **Automatic**.

RELATED LINKS

[Setting up Tempo Changes by Tapping](#) on page 1383
[Transport Panel Sections](#) on page 283
[Transport Bar Sections](#) on page 294

Calculating Tempo from MIDI Events

You can create a complete tempo track by recording MIDI events to the tempo of freely recorded audio or MIDI material.

PREREQUISITE

You have opened a project with a freely recorded audio or MIDI file. You have added an instrument track and loaded an instrument. You have connected and set up a MIDI keyboard.

PROCEDURE

1. In the instrument track **Inspector**, deactivate **Switch Time Base between Musical and Linear** to set the track time base to linear.
 2. On the instrument track, activate **Record Enable**.
 3. On the **Transport** panel, activate **Record**.
 4. On the MIDI keyboard, tap the tempo by hitting a key to the tempo of your music.
 5. Stop recording, and play back the recorded MIDI notes with the original recording to check if the timing is correct.
 6. Do one of the following:
 - Select the MIDI part in the **Project** window.
 - Open the MIDI part in the **Key Editor**, and select the notes that you want to use for the calculation.
 7. Select **MIDI > Functions > Calculate Tempo from MIDI Events**.
 8. Open the **Distance of Notes** pop-up menu to specify the distance of the recorded note events.
 9. Optional: To start the calculation of the tempo curve at the beginning of a bar, activate **Begin at Bar Start**.
 10. Click **OK**.
-

RESULT

The project tempo is set to the tempo of the recorded MIDI events.

AFTER COMPLETING THIS TASK

Open the **Tempo Track Editor** to verify and edit the new tempo curve.

RELATED LINKS

[Setting up All MIDI Inputs](#) on page 28


[Creating a Tempo Track from MIDI Events](#) on page 1079

[Calculate Tempo from MIDI Events Dialog](#) on page 1387

Calculate Tempo from MIDI Events Dialog

The **Calculate Tempo from MIDI Events** dialog allows you to calculate the tempo from MIDI events and insert it into the tempo track.

- To open the **Calculate Tempo from MIDI Events** dialog, select a MIDI event, and select **MIDI > Functions > Calculate Tempo from MIDI Events**.



Distance of Notes

Allows you to specify the distance of the recorded note events.

Begin at Bar Start

Activate this to calculate the tempo from the MIDI events and insert it into the tempo curve at the beginning of a bar.

RELATED LINKS

[Calculating Tempo from MIDI Events](#) on page 1387

Tempo Detection

You can detect the tempo of any rhythmic musical content, even if it has not been recorded to a metronome click or if it contains tempo drift.

Detecting the tempo of musical material is useful in the following cases:

- If you want your audio or MIDI tracks to follow the tempo of freely recorded material.
- If you want to adjust freely recorded material to the project tempo.


To perform a tempo detection, make sure that the following requirements are met:

- The audio event or MIDI part must be at least 7 seconds long.
- The material must have discernible beats or rhythms.

Tempo Detection Panel

The **Tempo Detection Panel** allows you to analyze the tempo of audio events or MIDI parts. To be able to analyze the tempo, the audio clip or MIDI Part must be at least 7 seconds long, and the audio must not be in **Musical Mode**.

- To open the **Tempo Detection Panel** for an audio event or a MIDI part, select the event or the part, and select **Project > Tempo Detection**.



Name

Shows the name of the selected event or part.

Analyze

Starts the tempo detection.

NOTE

- To be able to analyze the tempo, the audio clip or MIDI part must be at least 7 seconds long, and the audio must not be in **Musical Mode**.
- During the analysis, the track time base for all tracks in your project is automatically switched to linear. Remember to manually switch them back to musical, if necessary.

Multiply by 2

Allows you to double the detected tempo. This is useful if your material is twice as fast as the detected tempo.

Divide by 2

Allows you to halve the detected tempo. This is useful if your material is half as fast as the detected tempo.

Multiply by 4/3

Allows you to adjust the detected tempo with a factor of 4/3. This is useful if your material contains dotted notes or triplets and the algorithm detects 3 beats where 4 are expected.

Multiply by 3/4

Allows you to adjust the detected tempo with a factor of 3/4. Combined with **Multiply by 2**, this is useful if the actual signature is 2/4 and the algorithm detects 6/8 beats or vice versa.

Offbeat Correction

Allows you to shift the detected tempo events by half a beat. This is useful for material where the offbeat is so dominant that the algorithm mistakes it for an upbeat.

Smooth Tempo

Allows you to retrigger the tempo analysis and remove irregular spikes or tempo changes for material that has a steady tempo. This is useful if irregular tempo changes were detected, even though you know that the material has a relatively steady tempo.

Reset the analysis result

Resets tempo and signature event changes of the analyzed event.

NOTE

If you want to return to the original state of your project, we recommend that you use **Edit > Undo** instead of using the reset button.

Direction of reanalysis buttons

When you correct the detected tempo curve by reanalyzing it manually, these buttons allow you to change the direction in which the material is analyzed. To reanalyze the beginning of the tempo curve, activate the left arrow button.

RELATED LINKS

[Track Time Base](#) on page 1374

Exporting a Tempo Track

You can export a tempo track as an XML file to use it in other projects.

PROCEDURE

1. Select **File > Export > Tempo Track**.
2. In the file dialog that opens, specify a name and a location for the file.
3. Click **Save**.

RESULT

The tempo track information is saved, including signature events with the file extension **.smt**.

Importing a Tempo Track in XML Format

You can import a tempo track with file extension **.smt** from another project.

NOTE

Alternatively, you can import tempo tracks from other projects or track archives.

PROCEDURE

1. Select **File > Import > Tempo Track**.
2. In the file dialog that opens, navigate to the file you want to import.
3. Click **Open**.

RESULT

The tempo track is imported to your project, including signature events. All tempo track data in the project is replaced.


RELATED LINKS

[Track Import from Projects or Track Archives](#) on page 191

Process Tempo Dialog

The **Process Tempo** dialog allows you to set a range to a specific length or to adjust its end time by automatic adjustment of the tempo track.

- To open the **Process Tempo** dialog, activate **Activate Tempo Track**, select **Project > Tempo Track > Open Tempo Track Editor**, and click **Open Process Tempo Dialog**.



The following options are available in the **Bar Range** section:

Start at Bar

Shows the start time of the locator range in bars and beats.

Finish at Bar

Shows the end time of the locator range in bars and beats.

The following options are available in the **Alternative Time Format** section:

Time Format

Allows you to select the alternative time format.

Start at Position

Shows the start time of the locator range in the selected time format.

Finish at Position

Shows the end time of the locator range in the selected time format.

The following options are available in the **New Range** section:

New End Position

Shows the end time of the new range in the selected time format.

New Length

Shows the length of the new range in the selected time format.

Equivalent Tempo Scaling

Shows the scaling value.

Process

Applies the process.

Process Bars Dialog

The **Process Bars** dialog allows you to insert, delete, replace, or reinterpret the signature events by automatic adjustment of the signature and tempo events.

- To open the **Process Bars** dialog, select **Project > Tempo Track > Open Tempo Track Editor**, and click **Open Process Bars Dialog**.



The following options are available:

Start at Bar

Allows you to set a start position for the process.

Length in Bars

Allows you to set a length for the process.

Process Type

Allows you to select a process type:

- Insert Bars**

Inserts empty bars with the specified **Time Signature** at the **Process Start Bar Position** position.

- Delete Bars**

Deletes the bar at the **Process Start Bar Position** position.

- Reinterpret Bars**

Reinterprets bars with the specified **Time Signature** at the **Process Start Bar Position** position. However, the playback of the notes stays the same.

- Replace Bars**

Replaces bars at the **Process Start Bar Position** position.

Time Signature

Allows you to specify the time signature that is used for the **Insert Bars**, **Reinterpret Bars**, and **Replace Bars** actions.

Process

Applies the specified process type.

Time Warp


The **Time Warp** tool allows you to adjust musical positions of events or parts to time positions and to perform warp operations for individual time positions.

You can either use the tool in a **Warp Grid** mode to manipulate the grid to align positions in musical time-based material with positions in time, or to match material with a musical time base to material with a linear time. Alternatively, you can use it in **Free Warp** mode to correct the timing of individual positions in the audio material by warping the audio of an event. In this case, the grid is not manipulated.

NOTE

- The **Time Warp** tool can create tempo values up to 360 BPM.
- For more complex corrections of individual time positions, you can use the **Free Warp** tool in the **Sample Editor**.

If you activate **Time Warp** on the toolbar and click **Time Warp** again, a pop-up allows you to select one of the following modes:



- **Warp Grid**

If you use the tool in this mode, the absolute time positions for all tracks that are set to musical time base are kept.

- **Warp Grid (musical events follow)**

If you use the tool in this mode, all tracks that are set to musical time base follow the changes.

- **Free Warp**

If you use the tool in this mode, you can create and edit warp markers on events. The grid is not manipulated.

NOTE

Warp markers on events are only displayed if the zoom factor is high enough.

In **Warp Grid** or **Warp Grid (musical events follow)** mode, the ruler shows tempo events as flags with tempo values.



When you click with the **Time Warp** tool, it snaps to the tempo grid in the window. If you want the **Time Warp** tool to snap to a marker or the start or end of an event instead, activate **Snap** and set the **Snap Type** to **Events**.

In **Free Warp** mode, the audio events show tempo events as flags with tempo values while the ruler does not change.



When adding warp markers with the **Free Warp** tool, they snap to hitpoints. You can disable this behavior by holding **Ctrl/Cmd**.

Moving warp markers with the **Free Warp** tool causes them to become magnetic and to snap to the grid when dragged near the grid.

RELATED LINKS

[Adjusting Musical Positions to Time Positions](#) on page 1394

[Correcting the Timing with the Free Warp Tool in the Event Display](#) on page 1394

[Free Warp](#) on page 640

Adjusting Musical Positions to Time Positions

You can adjust musical positions to positions in time with the **Time Warp** tool.

PREREQUISITE

Tempo track mode is activated. **Snap** is activated, and you have selected an appropriate **Snap Type**.

PROCEDURE

1. On the **Project** window toolbar, click **Time Warp**, click it again, and select **Warp Grid** or **Warp Grid (musical events follow)** from the pop-up menu.
The ruler is automatically set to **Bars+Beats** format.
2. In the event display, locate the musical position that you want to adjust, and drag the time position to match it.
This can be the event start, a certain hit within the event, etc.
3. Release the mouse button.

RESULT

The musical position is adjusted to the time position, and the tempo value of the last tempo event before the click position is changed. If later tempo events exist, a new tempo event is created at the click position.

RELATED LINKS

[Project Tempo Modes](#) on page 1374

[Time Warp](#) on page 1393

Correcting the Timing with the Free Warp Tool in the Event Display

You can correct the timing of specific positions in the audio. This is useful if you want to synchronize audio to video.

PROCEDURE

1. On the **Project** window toolbar, click **Time Warp**, click it again, and select **Free Warp** from the pop-up menu.
The mouse pointer changes to a clock with arrows.
2. In the event display, select an event, place the mouse pointer at the position that you want to adjust, click, and hold.

- A warp marker is inserted.
3. Drag the warp marker to a new position, and release the mouse button.
-

RESULT

The timing is corrected according to your settings. The audio before and after the warp marker is stretched.

NOTE

To perform more complex warp operations, you can use the **Free Warp** tool in the **Sample Editor**.

RELATED LINKS

[Free Warp](#) on page 640

[Correcting the Timing with the Free Warp Tool in the Sample Editor](#) on page 641

Copying Warp Markers to Other Events

You can copy warp markers from a selected event to other events in your project.

PREREQUISITE

You have selected an event that contains warp markers that you want to copy to other events at the same time position.

PROCEDURE

1. Select **Audio > Advanced > Copy Warp Markers from Selected Event**.
 2. Select one or multiple events at the same time position as the destination.
 3. Select **Audio > Advanced > Paste Warp Markers to Selected Events**.
-


RESULT

Warp markers on the source event are added to the destination events at the same time positions. Existing warp markers on the destination events are preserved.

Set Definition from Tempo Dialog

The **Set Definition from Tempo** dialog allows you to set up freely recorded audio material to follow a specific tempo.

- To open the **Set Definition from Tempo** dialog for an audio recording, select **Audio > Advanced > Set Definition from Tempo**.



Save Definition in Project Only

Saves the tempo information in the project file only.

Write Definition to Audio Files

Writes the tempo information to the selected audio files. This is useful if you want to use them in other projects in conjunction with the tempo information.

Set all Tracks to Musical Time Base

Sets all tracks to musical time base. If this is deactivated, only the tracks with the selected events are set to musical time base.

Adjusting the Audio Tempo to the Project Tempo

You can adjust the tempo of freely recorded audio material to the project tempo.

PROCEDURE

1. Select the audio events that you want to adjust to the project tempo.
2. Select **Audio > Advanced > Set Definition from Tempo**.
3. Optional: Adjust the settings.
4. Click **OK**.

RESULT

The tempo information is copied to the audio, and the tracks are set to musical time base. This is achieved by applying warping to the events. **Musical Mode** is activated for the audio events. The audio tracks now follow any tempo changes in the project.

Time Signature Events

You can set up one or more time signatures for a project.

You can set up the first time signature event of your project on the **Transport** panel. You can add further time signature events in the **Tempo Track Editor**.

Time signature events can have click patterns assigned. These allow you to create different grooves and feels for the metronome click. You can create a triplet click pattern for a 4/4 time signature, for example.

RELATED LINKS

[Project Window Toolbar](#) on page 54

[Transport Bar](#) on page 70

[Signature Track](#) on page 154

[Adding Time Signature Events in the Tempo Track Editor](#) on page 1397

[Setting up a Click Pattern for a Time Signature Event](#) on page 1398

Adding Time Signature Events in the Tempo Track Editor

PROCEDURE

1. Select **Project > Tempo Track > Open Tempo Track Editor**.
2. Select **Draw** on the toolbar, and in the time signature display, click at the time position where you want to insert the time signature event.
3. Edit the numerator and the denominator to change the value of the time signature event.

NOTE

You can also select the time signature event and edit the time signature value on the info line.

RESULT


The time signature event is added at the specified time position. The timeline and the event displays for the **Project** window and the editors reflect the changes.

Inserting Time Signature Events at the Cursor Position

You can assign a key command to insert time signature events at the project cursor position.

PROCEDURE

1. Select **Edit > Key Commands**.
2. In the **Edit** category of the **Key Commands** dialog, select the command **Insert Time Signature Event**, and assign a key to it.
3. Do one of the following:
 - Select **Project > Add Track > Signature** to add the signature track.
 - Select **Project > Tempo Track > Open Tempo Track Editor** to open the **Tempo Track Editor**.
4. In the event display, set the project cursor to the position where you want to insert the new tempo event.
5. Press the key that you assigned to the **Insert Time Signature Event** command.
6. In the **Insert Time Signature Event** dialog, enter a new time signature by editing the numerator and the denominator.



7. Click **OK**.
-

RESULT

The time signature event is inserted at the project cursor position on the signature track and in the **Tempo Track Editor**.

RELATED LINKS

[Time Signature Events](#) on page 1396

Adding Time Signature Events on the Signature Track

You can add multiple time signature events for a project. This is useful if you want to change the time signature at a specific bar, for example.

PROCEDURE

1. Select **Project > Add Track > Signature**.
The time signature track is added to the track list.
 2. Select **Draw** on the **Project** window toolbar and on the signature track, click at the time position where you want to insert the time signature event.
 3. Edit the numerator and the denominator to change the value of the time signature event.
-

RESULT

The time signature event is added at the specified time position. The timeline and the event displays for the **Project** window and the editors reflect the changes.

RELATED LINKS

[Signature Track](#) on page 154

Setting up a Click Pattern for a Time Signature Event

For each signature event in your project, you can set up a metronome click pattern.

PROCEDURE

1. Double-click the plus sign to open the **Click Pattern Editor**.
 2. Do one of the following:
 - Select one of the patterns that are available for the current time signature in the **Pattern** pop-up menu.
 - Set up a new user pattern by changing the number of clicks in the **Clicks** value field. You can also change the accent level for a beat by changing its vertical position in the event display.
 3. When you are done, click outside the **Click Pattern Editor** to close it.
 4. Repeat this for each signature event for which you want to set up a click pattern.
-

RESULT

If you play back the project and activate the metronome click, the different project parts use the defined click patterns. The **Click Pattern Editor** in the **Transport Bar** shows the pattern at the project cursor position.

RELATED LINKS

[Click Pattern Editor](#) on page 309

Rendering Audio and MIDI

You can render existing material to new audio material.

You can render the following:

- Audio tracks
- Instrument tracks
- Audio events or parts on audio tracks
- MIDI parts on instrument tracks
- Range selections on audio or instrument tracks
- Range selections on multiple audio or instrument tracks


IMPORTANT

The rendering function does not support side-chain routing.

Render Tracks Dialog

The **Render Tracks** dialog allows you to customize the track render settings.

- To open the **Render Tracks** dialog, deselect all events in the **Project** window, and select one or more audio tracks, instrument tracks, or MIDI tracks. Select **Edit > Render in Place > Render Settings**.



The following settings are available in the **Mode** section:

As Separate Events

Creates one or more tracks that contain separate events or parts that are saved as separate audio files.

As Block Events

Creates one or more tracks that contain adjacent events/parts that are combined so that they become blocks. Every block is saved as a separate audio file.

As One Event

Creates one or more tracks that contain the events/parts and combines them so that they become one event/part. Every combination is saved as a separate audio file.

The following settings are available in the **Processing** section:

Dry

Copies all effects and panner settings to new audio tracks. The resulting audio tracks keep the formats of their source tracks. A mono track results in a mono track, for example.

Channel Settings

Renders all effects into the resulting audio files. This includes insert effects, channel strip settings, group channel settings, and effect send channel settings. Panner settings are transferred to the new audio tracks. The resulting audio tracks keep the formats of their source tracks. A mono track results in a mono track, for example.

Complete Signal Path

Renders the complete signal path into the new audio files, including all channel settings, group channel settings, effect send channel settings, and panner settings. The new audio track is created without effects. Stereo balance panner settings are

activated. The resulting audio file format is determined by the output channel of the source track. A mono track that is routed to a stereo bus results in a stereo audio file.

Complete Signal Path + Master FX

Renders the complete signal path and the master bus settings into the resulting audio files. This includes all channel settings, group channel settings, effect send channel settings, and panner settings. The resulting audio file format is determined by the output channel of the source track. A mono track that is routed to a stereo bus results in a stereo audio file.

The following settings are available in the **Properties** section:

Tail Mode

Allows you to set the tail mode to **Bars & Beats**, **Seconds** or **Off**.

Tail Size

Allows you to set a tail length for the rendered files. This adds time at the end of the rendered file to allow reverb and delay tails to fully fade out.

Bit Depth

Allows you to set the bit depth for the resulting file.

The following settings are available in the **File Name Settings** section:

Use Custom Name

Activates the use of custom names for the rendered files.

Name

Allows you to enter a custom name for the rendered files.

The following settings are available in the **File Location** section:

File Path

Allows you to select a custom folder to which the resulting .wav files are rendered.

Mix down to One Audio File

Creates one audio file from all of your source material. This option is only available if several tracks are selected and **Dry (Transfer Channel Settings)** is deactivated.

The following settings are available in the **Source Track Settings** section:

Source Tracks

- **Keep Source Tracks Unchanged**
Keeps the source tracks unchanged.
- **Mute Source Tracks**
Automatically mutes the source tracks.
- **Disable Source Tracks**
Disables the source tracks. This option releases CPU and RAM resources and is therefore similar to the **Freeze** function. To reenable the tracks, right-click the disabled tracks to open the context menu, and select **Enable Selected Tracks**.
- **Remove Source Tracks**
Removes the source tracks from the track list.

Hide Source Tracks

Hides the source tracks after rendering. To show the source tracks again, select the **Visibility** tab in the **Project** window, and select the track that you want to show.

RELATED LINKS
[Pan Control](#) on page 454

Rendering Tracks

You can render selected tracks either via the **Render Tracks** dialog or by using the **Render (with Current Settings)** command.

PROCEDURE

1. Deselect all events.
 2. Select one or more audio, MIDI, or instrument tracks.
 3. Select **Edit > Render in Place > Render Settings**.
 4. Specify the render options.
 5. Click **Render**.
-

RESULT

All selected source material is processed according to your render settings. Your render options are saved and used for all further render operations.


NOTE

You can also start the rendering operation by selecting **Edit > Render in Place > Render (with Current Settings)**.

Render Selection Dialog

You can render selections of audio events and/or MIDI parts with default settings or with customized settings. The **Render Selection** dialog allows you to customize the selection render settings.

- To open the **Render Selection** dialog, select a range, and select **Edit > Render in Place > Render Settings**.



The following settings are available in the **Mode** section:

As Separate Events

Creates one or more tracks that contain separate events or parts that are saved as separate audio files.

As Block Events

Creates one or more tracks that contain adjacent events/parts that are combined so that they become blocks. Every block is saved as a separate audio file.

As One Event

Creates one or more tracks that contain the events/parts and combines them so that they become one event/part. Every combination is saved as a separate audio file.

The following settings are available in the **Processing** section:

Dry

Copies all effects and panner settings to new audio tracks. The resulting audio tracks keep the formats of their source tracks. A mono track results in a mono track, for example.

Channel Settings

Renders all effects into the resulting audio files. This includes insert effects, channel strip settings, group channel settings, and effect send channel settings. Panner settings are transferred to the new audio tracks. The resulting audio tracks keep the formats of their source tracks. A mono track results in a mono track, for example.

Complete Signal Path

Renders the complete signal path into the new audio files, including all channel settings, group channel settings, effect send channel settings, and panner settings. The new audio track is created without effects. Stereo balance panner settings are

activated. The resulting audio file format is determined by the output channel of the source track. A mono track that is routed to a stereo bus results in a stereo audio file.

Complete Signal Path + Master FX

Renders the complete signal path and the master bus settings into the resulting audio files. This includes all channel settings, group channel settings, effect send channel settings, and panner settings. The resulting audio file format is determined by the output channel of the source track. A mono track that is routed to a stereo bus results in a stereo audio file.

The following settings are available in the **Properties** section:

Tail Mode

Allows you to set the tail mode to **Bars & Beats**, **Seconds** or **Off**.

Tail Size

Allows you to set a tail length for the rendered files. This adds time at the end of the rendered file to allow reverb and delay tails to fully fade out.

Bit Depth

Allows you to set the bit depth for the resulting file.

The following settings are available in the **File Name Settings** section:

Use Custom Name

Activates the use of custom names for the rendered files.

Name

Allows you to enter a custom name for the rendered files.

The following settings are available in the **File Location** section:

File Path

Allows you to select a custom folder to which the resulting .wav files are rendered.

Mix down to One Audio File

Creates one audio file from all of your source material. This option is only available if several tracks are selected and **Dry (Transfer Channel Settings)** is deactivated.

The following settings are available in the **Source Event Settings** section:

Source Events

- **Keep Source Events Unchanged**
Keeps the source events unchanged.
- **Mute Source Events**
Automatically mutes the source events.

Rendering Selections

You can render selections or range selections of audio events and/or MIDI parts via the **Render Selection** dialog.

PROCEDURE

1. Select one or more audio events and/or MIDI parts or make a range selection.
2. Select **Edit > Render in Place > Render Settings**.
3. In the **Render Selection** dialog, specify the render options.

4. Click **Render.**

RESULT

All selected source material is processed according to your render settings. Your render options are saved and used for all further render operations.


NOTE

You can also start the rendering operation by selecting **Edit > Render in Place > Render (with Current Settings)**.

Export Audio Mixdown

The **Export Audio Mixdown** function allows you to mix down and export any audio between the left and right locators of a project, the audio within ranges defined by cycle markers, or the audio of arranger chains.

- To open the **Export Audio Mixdown** dialog, select **File > Export > Audio Mixdown**.



Export Audio Mixdown Dialog


The **Export Audio Mixdown** dialog allows you to specify how to mix down and export audio.

- To open the **Export Audio Mixdown** dialog, select **File > Export > Audio Mixdown**.

The **Export Audio Mixdown** dialog is divided into several sections.

Export Audio Mixdown

Export Audio Mixdown Dialog



Channel Selection

In the **Channel Selection** section, the following options are available:

Single

Allows you to export a single channel.

Multiple

Allows you to export multiple channels.

Expand All

Expands all channel categories in the list.

NOTE

Expand All becomes unavailable if you use the **Search Channel** option to filter the **Channel Selection** section.

Collapse All

Collapses all channel categories in the list.

NOTE

Collapse All becomes unavailable if you use the **Search Channel** option to filter the **Channel Selection** section.

Sync Selection to Channel/Track Selection

Filters the channel list according to the channels that are selected in the **MixConsole** or the tracks that are selected in the **Project** window track list. This is only available if you export multiple channels.

NOTE

To show channels for MIDI tracks that are connected to a VST instrument, you must select the corresponding VSTi channel from the **Project** window track list.

Search Channel

Allows you to enter text to search for a specific channel by name. This is useful if your project contains a large number of channels.

Channel list

Lists all channels that are available in your project. The channel list shows the channel type, the channel color, and the channel width. You must activate a channel in the list to export it.

MixConsole settings and insert effects are taken into account. An individual file is created for each activated channel.

Export Range

In the **Export Range** section, the following options are available:

Locators

Allows you to export the audio between the left and right locators.

Cycle Markers

Allows you to export the audio of one or more cycle marker ranges to a marker track that you can select from the pop-up menu. **MixConsole** settings, record enable, and insert effects are taken into account. All cycle markers that are available on the specified marker track are listed. You can activate a cycle marker in the list to export the range that it encompasses. An individual file is created for each activated cycle marker range.

Arranger

Allows you to export the audio of one or more arranger chains. **MixConsole** settings, record enable, and insert effects are taken into account. All arranger chains that are available in your project are listed. You can activate an arranger chain in the list to export the audio in the specified order of the arranger chain. An individual file is created for each arranger chain.

NOTE

Arranger chain repeat modes are not taken into account for the export process.

Export Queue

In the **Export Queue** section, the following options are available:

Add to Queue

Adds a job to the job queue list. All settings of the **Export Audio Mixdown** dialog are taken into account.

Remove All from Queue

Removes all jobs from the job queue list.

Expand All

Expands all job categories in the list.

Collapse All

Collapses all job categories in the list.

Job list

Lists all jobs that you added to the **Export Queue** section.

File Location

In the **File Location** section, the following options are available:

Name

Allows you to specify the name of the mixdown file.

Clicking **File Name Options** opens a pop-up menu with the following naming options:

- **Set to Project Name** inserts the project name into the **Name** field.
- **Auto Update Name** adds a number to the file name and increments the number every time you export a file.

Clicking **Set up Naming Scheme** opens a dialog, where you can specify a naming scheme.

Path

Allows you to specify the file path for the mixdown file.

Clicking **Path Options** opens a pop-up menu with the following file path options:

- **Use Project Mixdown Folder** sets the path to the **Mixdown** folder of your project.
- **Use Project Audio Folder** sets the path to the **Audio** folder of your project.
- **Choose Folder** opens a dialog that allows you to navigate to a file location.

NOTE

The **Mixdown** folder is automatically created in your project folder. It is used by default if no export path information is available, that is, when you create a new empty project, or when you load or create a project from a template.

- **Recent Paths** allows you to select recently selected file locations.

The **Mixdown** folder is not added to the **Recent Paths** list.

- **Clear Recent Paths** allows you to delete all recently selected file locations.

Preview

Shows the file name with the naming scheme applied.

Conflicts

Exporting audio can cause naming conflicts with existing files that carry the same name. You can decide how to resolve naming conflicts:

- **Always Ask** opens a warning that allows you to choose whether to overwrite an existing file or to create a new unique file name by adding an incremental number.
- **Create Unique File Name** creates a unique file name by adding an incremental number.
- **Always Overwrite** always overwrites the existing file.

File Format

In the **File Format** section, the following options are available:

Preset

Allows you to save presets for file format settings.

- **No Preset** allows you to export your file without applying a file format preset.
- **Preset list** allows you to select a saved file format preset from the list.
- **Save Preset** allows you to save the current file format settings as a preset.
- **Remove Preset** allows you to remove the selected preset.
- **Rename Preset** opens a dialog where you can rename the selected preset.

File Type

Allows you to select a file type for the mixdown file.

Sample Rate

Sets the sample rate for the mixdown file.

NOTE

- Wave, AIFF files only: If you set the value lower than the project sample rate, the audio quality degrades, and the high-frequency content is reduced. If you set the value higher than the project sample rate, the file size increases without increasing the audio quality. For CD burning, select 44.100 kHz, because this is the sample rate used on audio CDs.

Bit Depth (Wave, AIFF, FLAC)

Allows you to select a bit depth for the mixdown file.

Bit Rate (MPEG 1 Layer 3)

Sets the bit rate for the MP3 file. The higher the bit rate, the better the audio quality and the larger the file. For stereo audio, 128 kBit/s is considered to be providing good audio quality results.

Export as

Allows you to select a channel mode for the mixdown file:

- **Interleaved**
Allows you to export to an interleaved file.
- **Split Channels**
Allows you to export the 2 channels of a stereo bus or all subchannels of a multi-channel bus as separate mono files.
- **Mono Downmix**
Allows you to downmix all the subchannels of a stereo or surround channel or bus to a single mono file.
For stereo, the **Stereo Pan Law**, as defined in the **Project Setup** dialog, is applied to avoid clipping.
For surround, the channels are summed and divided through the number of channels used (for example, for a 5.1 channel = $(L+R+C+LFE+Ls+Rs)/6$).
- **L/R Channels from Surround**
Allows you to export only the left and right subchannels of a multi-channel bus into a stereo file.

Insert Broadcast Wave Chunk (Wave, AIFF)

Activates the embedding of additional file information in Broadcast Wave format.

NOTE

By activating this option, you create a Broadcast Wave file. Some applications may not be able to handle these files. If you encounter problems using the file in another application, deactivate **Insert Broadcast Wave Chunk**, and export the file again.

Set up Broadcast Wave Chunk (Wave, AIFF)

Opens the **Broadcast Wave Chunk** dialog, where you can enter information.

Insert Marker Chunk (Wave)

Activates the embedding of markers from your project via marker chunk in the exported wave file.

Set up Marker Chunk (Wave)

Opens the **Select Marker Tracks for Export** dialog that allows you to specify the marker tracks that you want to be taken into account for the marker chunk. All markers on the specified tracks are written into the metadata of the wave file.

Insert iXML Chunk (Wave, AIFF)

Includes additional project-related metadata, such as project name, author, and project frame rate.

Set up iXML Chunk (Wave, AIFF)

Opens the **iXML Chunk** dialog, where you can activate the following options:

- If **Insert Tempo Definition** is activated, tempo information from the tempo track or from the **Definition** section of the **Sample Editor** is included in the iXML chunk of the exported files.
- If **Define Stereo as Dual Mono** is activated, the left and right channels of a stereo signal are marked as L-MIX and R-MIX in the iXML chunk of the exported files. This allows you to import them as dual mono tracks into another DAW, if supported. If deactivated, the channels are marked as LEFT and RIGHT.

NOTE

This option is only effective when exporting stereo signals.

Don't Use Wave Extensible Format (Wave)

Deactivates the Wave Extensible format that contains additional metadata, such as the speaker configuration.

Don't Use RF64-Compliant File Format (Wave)

Deactivates the RF64-compliant format that allows file sizes to exceed 4 GB.

High-Quality Mode (MPEG 1 Layer 3)

Sets the encoder to a different resampling mode. This may deliver better results, depending on your settings. However, it does not allow you to select the sample rate.

Insert ID3 Tag (MPEG 1 Layer 3)

Includes ID3 Tag information in the exported file.

Edit ID3 Tag (MPEG 1 Layer 3)

Opens the **Setup ID3 Tag** dialog that allows you to enter information about the file. This information is embedded in the file and can be displayed by most MP3 playback applications.

Compression Level (FLAC)

Sets the compression level for the FLAC file. Since FLAC is a lossless format, the level has more influence on the encoding speed than on the file size.

Quality (OggVorbis)

Sets the quality for the variable bit rate encoding. This setting determines the range of the bit rate. The higher the value, the higher the sound quality and the larger the files.

Effects

If you activate **Multiple** in the **Channel Selection** section to export multiple channels, you can select an option to specify which process to apply to the exported files.

- **Inserts and Strip**

Includes insert effects, EQ, and other channel settings. The channel configuration is exported post-panner, that is, mono channels that are routed to a stereo group are exported as stereo channels.

- **Disabled (DRY)**

Bypasses insert effects, EQ settings, etc. The channel configuration is exported in pre-panner position, that is, mono channels that are routed to a stereo group are exported as mono channels.

- **+ Groups/Sends (CSP)**

Includes insert effects, EQ, and other channel settings. Also includes effects and settings in all channels, for example, group and effect channels, towards the output channel. The insert effect and EQ settings of the master channel are ignored. The channel configuration is exported post-panner.

- **+ Master/Groups/Sends (CSPM)**

Includes insert effects, EQ, and other channel settings. Also includes effects and settings in all channels, for example, group and effect channels towards the output channel, and the insert effect and EQ settings of the output channels. The channel configuration is exported post-panner.

After Export

- **Do Nothing** does nothing after export.
- **Open in WaveLab** opens your mixdown file in WaveLab after export. This requires that WaveLab is installed on your computer.
- **Create New Project**

NOTE

This option is only available for uncompressed file formats, with **Use Project Audio Folder** deactivated.

Creates a new project that contains an audio track for each of the exported channels, as well as the signature and tempo track of the original project.

The corresponding mixdown file is converted into audio events and placed on the tracks. The resulting track names are identical with the export channel names. The new project is the active project.

Activating this option disables the **Insert to Pool** and **Create Audio Track** options.

- **Create Audio Track**

Reimports the resulting audio file and converts it into an event that is placed on a new audio track at the left locator. Activating this option also activates the **Insert to Pool** option.

- **Insert to Pool**

Reimports the resulting audio file automatically into the **Pool** as a clip. Deactivating this option also deactivates the **Create Audio Track** option.

Pool Folder

Allows you to specify a **Pool** folder for the clip.

General Options

In the bottom section, the following options are available:

Keep Dialog Open

Activate this to keep the dialog open after clicking **Export Audio**.

Update Display

Updates the meters during the export process. This allows you to check for clipping, for example.

Realtime Export

Allows you to export the audio mixdown in real time. Realtime export takes at least the same time as regular playback. Activate this if you use external effects or instruments, or if you use VST plug-ins that require time to update properly during the mixdown. For further information, refer to the documentation of the respective plug-ins.

NOTE

- If you export external effects or instruments in real time, you must also activate **Monitor** for the respective audio channels.
 - If the CPU and disk speed of your computer do not allow you to export all channels simultaneously in real time, the program stops the process, reduces the number of channels, and starts again. Afterwards, the next batch of files is exported. This is repeated as often as needed to export all selected channels.
-

Deactivate External MIDI Inputs

Deactivates MIDI inputs that are performed on external devices during the export process.

Export Audio/Start Queue Export

Allows you to export your audio as specified.

Show in Explorer/Show in Finder

Opens the specified file path for the mixdown file in the File Explorer/macOS Finder.

RELATED LINKS

[Available Channels for Export](#) on page 1422

[Left and Right Locators](#) on page 301

[Cycle Markers](#) on page 413

[Arranger Track](#) on page 393

[Export Queue Section](#) on page 1420

[File Formats](#) on page 1422


[Saving File Format Presets](#) on page 1429

Naming Scheme Dialog

The **Naming Scheme** dialog allows you to define naming schemes for the file name of the audio material that you want to export.

The naming attributes that are available in this dialog depend on the channel that you selected for export.

- To open the **Naming Scheme** dialog, open the **Export Audio Mixdown** dialog. In the **File Location** section, to the right of the **Name** field, click **Set up Naming Scheme**.



Scheme

Allows you to save and delete naming schemes.

NOTE

The name of a naming scheme is unique.

Attributes

Holds the following naming scheme attributes:

- Name**
Adds the name to the resulting file name.
- Free Text**
Allows you to enter free text.
- Channel Number**
Adds the channel number to the resulting file name.
- Channel Type**
Adds the channel type to the resulting file name.
- Channel Name**
Adds the channel name to the resulting file name.
- Project Name**
Adds the project name to the resulting file name.
- Counter**
Adds a number to the resulting file name. This is only available if you export multiple channels or cycle marker ranges.

- **Cycle Marker Name**
Adds the cycle marker name to the resulting file name.
- **Cycle Marker ID**
Adds the cycle marker ID to the resulting file name.

Result

Allows you to drop attributes for the file name and to rearrange them by dragging.

Settings

Allows you to select separator and counter settings.

- **Separator**
Divides attributes from each other.
- **Counter**
The value from which the counter starts counting.
- **Digits**
The number of digits of the counter value.

Preview

Displays a preview of your current settings.

Defining Naming Schemes

You can define a naming scheme by combining attributes that determine the structure of the file names for the exported audio files.

Depending on the settings in the **Channel Selection** section and the **Export Range** section, different naming attributes are available.

PROCEDURE

1. In the **Naming Scheme** dialog, drag attributes from the **Attributes** section into the **Result** section.

NOTE

You can also double-click an attribute to add it to the **Result** section.

2. Optional: In the **Settings** section, double-click the **Separator** text field to change the separator.

The **Preview** section displays the file name scheme according to your settings.

3. Optional: Set the **Counter** and the number of **Digits**.

NOTE

These options are only available if you added the **Counter** attribute.

The counter starts counting from this value. The **Digits** setting determines how many digits the counters contain.

4. Optional: Click the **Name** value field in the **Scheme** section and enter a preset name. Press **Return** to save your settings as a preset.

NOTE

The preset is only available for the channels that are selected in the **Channel Selection** section.

5. Click **OK**.
-


Entering Free Text

You can enter free text that is added to the file name of the exported audio files.

PROCEDURE

1. In the **File Location** section of the **Export Audio Mixdown** dialog, click **Set up Naming Scheme**.

The **Naming Scheme** dialog opens.



2. Open the **Scheme** pop-up menu, and select **New Scheme**.
 3. Double-click the **Free Text** attribute to add it to the **Result** field.
 4. In the **Result** field, double-click the **Free Text** label, and enter the text that you want to add.
 5. Press **Return** to confirm your changes.
 6. Click **OK**.
-

RESULT

The text that you entered is added to the file name scheme and applied on export.

Mixing Down to Audio Files

You can mix selected channels down to audio files.

PREREQUISITE

- You have set up the left and right locators or created a cycle marker that encompasses the range.
- You have set up your tracks so that they play back the way you want.

This includes muting unwanted tracks or parts, making manual **MixConsole** settings, and/or activating the **R** (Read) automation buttons for **MixConsole** channels.

IMPORTANT

The setting of the **Output Routing** in the corresponding track **Inspector** determines the channel width of the **Export Audio Mixdown** export. This means that if no main output bus is selected, the exported audio file only contains silence.

PROCEDURE

1. Select **File > Export > Audio Mixdown**.
2. In the **Channel Selection** section, do one of the following:
 - Click **Single** to export a single audio channel.
 - Click **Multiple** to export multiple audio channels.
3. In the channels list, select the channels that you want to export.
4. In the **Export Range** section, do one of the following:
 - Click **Locators** to export the locator range.

NOTE

The locator range must not be empty or inverted.

5. In the **Export Range** section, do one of the following:
 - Click **Cycle Markers**, and in the cycle markers list, activate the cycle markers to export the corresponding ranges.

NOTE

Your project must contain at least one cycle marker.

IMPORTANT

6. Optional: Open the **Effects** pop-up menu, and select an option.
- This is only available if you selected **Multiple** in the **Channel Selection** section. You can export your audio with effects, channel settings, panner, and master bus settings, for example.

7. Set up the file name.

NOTE

You can define a naming scheme in the **Naming Scheme** dialog.

-
8. In the **File Format** section, set up the settings according to your needs.
 9. Click **Export Audio**.
-

RESULT

The audio is exported.

Mixing Down to Audio Files Using Job Queues

You can mix down multiple audio files by creating a job queue. This allows you to export stems or cues, for example, even in different file formats. You can create up to 20 export jobs and add them to the job queue. Job queues are saved with the project.

PROCEDURE

1. Select **File > Export > Audio Mixdown**.
2. In the **Channel Selection** section, do one of the following:
 - Click **Single** to export a single audio channel.
 - Click **Multiple** to export multiple audio channels.
3. In the channels list, select the channels that you want to export.
4. In the **Export Range** section, do one of the following:
 - Click **Locators** to export the locator range.

NOTE

The locator range must not be empty or inverted.

-
- Click **Cycle Markers**, and in the cycle markers list, activate the cycle markers to export the corresponding ranges.

NOTE

Your project must contain at least one cycle marker.

-
5. Optional: Open the **Effects** pop-up menu, and select an option.
This is only available if you selected **Multiple** in the **Channel Selection** section. You can export your audio with effects, channel settings, panner, and master bus settings, for example.
 6. In the **File Location** section, set up a valid export path.
 7. Click **Set up Naming Scheme**, and define a naming scheme for the exported files in the **Naming Scheme** dialog.
 8. Open the **Export Queue** section, and click **Add to Queue**.

NOTE

- Cubase automatically validates your settings. If the job is not valid, for example, if the locator range is empty or no cycle marker is selected, the job cannot be added, and a

warning message is shown. The same is true if the naming scheme settings would not lead to unique file names.

9. Optional: Repeat the above steps for as many jobs as you need.
10. Optional: In the job queue list, select the individual jobs to verify them one after another if everything is set up correctly.

When you select a job from the job queue list, all settings for that job are shown in the **Export Audio Mixdown** dialog. If necessary, you can change the settings for the selected job and click **Update Job**.

11. Click **Start Queue Export**.

NOTE

You can cancel the complete queue export by clicking **Cancel**. This stops the export process and removes already exported files from your hard disk. The job queue list is maintained.

RESULT

The jobs of your export queue are exported one after another. A progress bar informs you about the estimated remaining export time, the currently exported channel, the channel names, and the number of remaining jobs.

RELATED LINKS

[Export Queue Section](#) on page 1420

[Updating Jobs in a Job Queue](#) on page 1419

[Defining Naming Schemes](#) on page 1415

Updating Jobs in a Job Queue

You can update jobs that you already added to a job queue.

PROCEDURE

1. From the job queue list, select the job for which you want to change the settings.
The settings for the selected job are shown in the **Export Audio Mixdown** dialog.
2. Make your changes in the corresponding sections of the dialog.
The **Update Job** symbol for the job changes its color to indicate that the job has been changed.
3. In the **Export Queue** section, click **Update Job**.

RESULT

The export job is updated according to your settings. All other jobs in the job queue list remain unchanged and valid.

RELATED LINKS


[Export Queue Section](#) on page 1420

[Mixing Down to Audio Files Using Job Queues](#) on page 1418

Export Queue Section

The **Export Queue** section allows you to create up to 20 export jobs and add them to an export queue. A job queue part of a project and is saved with the project.

- To expand the **Export Queue** section, click the arrow in the bottom left of the **Export Audio Mixdown** dialog.



Add to Queue

Adds a job with the current settings to the job queue.

Remove All from Queue

Removes all jobs from the job queue list.

Expand All

Expands all jobs in the list.

Collapse All

Collapses all jobs in the list.

Job

The position of the job in the queue.

File Name

Shows one of the following:

- File name**

The name of the exported file. This is shown if you add a single channel to the export queue and activate **Locators** as the export range.

- Channel Batch**

The **Channel Batch** folder that contains all channels that belong to that batch. The number of files is shown next to the folder. This is shown if you add multiple channels to the export queue and activate **Locators** as the export range.

- Cycle Marker**

The **Cycle Marker** folder that contains the cycle marker. This is shown if you add a single channel to the export queue and activate **Cycle Markers** as the export range.

- Cycle Marker + Batch**

The **Cycle Marker + Batch** folder that contains all channels that belong to that batch. The number of files is shown next to the folder. This is shown if you add multiple channels to the export queue and activate **Cycle Markers** as export range.

File Path

The file path for the exported file.

File Format

The file format settings of the exported file.

Effects

Shows the settings for the exported file. If nothing is stated, the file is exported with channel settings (post-panner):

- **DRY**
The file is exported dry (pre-panner).
- **CSP**
The file is exported via the complete signal path.
- **CSPM**
The file is exported via the complete signal path and with master effects.

Progress

Shows the status of the export job.

Update Job

Updates the selected export job.

Remove Job

Removes the selected export job from the list.

RELATED LINKS

[Updating Jobs in a Job Queue on page 1419](#)

[Export Jobs on page 1421](#)

[Mixing Down to Audio Files Using Job Queues on page 1418](#)

Export Jobs

Export jobs allow you to export multiple audio files with different settings. You can add up to 20 export jobs to a job queue.

An export job contains the **Channel Selection**, the **Export Range**, the **Name**, the **Path**, the **File Format**, and the **Effects** settings.

The current naming scheme is used for the exported audio files. Cubase automatically validates your settings. If the naming scheme settings would not lead to unique file names, the job is not added, and a warning message is shown.

NOTE

The **After Export** settings are not part of the job queue and are executed after the export.

You can add up to 20 export jobs to an export queue. A job queue is part of a project and saved with the project.

RELATED LINKS

[Export Queue Section on page 1420](#)

[Defining Naming Schemes on page 1415](#)

Available Channels for Export

The **Channel Selection** section of the **Export Audio Mixdown** dialog contains a list of channels that you can export as an audio mixdown.

The channels are organized in a hierarchical structure. Channels of the same type are grouped. This allows you to easily identify and select the channels for export.

NOTE

MIDI channels are not available for export. However, you can export the VST instrument channel of MIDI tracks that are connected to a VSTi, or you can record MIDI to audio tracks.

You can mix down the following channel types:

- Output channels

All output channels that you configured in the **Audio Connections** dialog are listed in the **Channel Selection** section. By activating an output channel in the list, you instruct Cubase to mix down all tracks that are routed to this output channel.

- Audio channels

All audio channels that are available in your project are listed in the **Channel Selection** section. By activating an audio channel in the list, you instruct Cubase to mix it down to a file.

- Any audio-related **MixConsole** channels

All VST instrument channels, instrument tracks, effect return channels (effect channel tracks), and group channels of your project are listed in the **Channel Selection** section. By activating an audio-related channel in the list, you instruct Cubase to mix it down.

RELATED LINKS

[Audio Connections on page 33](#)

File Formats

The **File Type** pop-up menu in the **File Format** section allows you to select a format and make additional settings for the mixdown file.

Wave file

This is the most common file format on the PC platform. Wave files have the extension **.wav**.

AIFF file

This is an audio file format standard defined by Apple Inc. AIFF files are used on most computer platforms. The files can contain embedded text strings. AIFF files have the extension **.aif**.

MPEG 1 Layer 3 file

This is a family of standards used for encoding audio-visual information, such as movies, video, and music in a digital compressed format. Cubase can read MPEG Layer 2 and MPEG Layer 3. MP3 files are highly compressed files that still provide good audio quality. The file extension is **.mp3**.

FLAC file

This is an open source format that reduces the size of audio files by 50% to 60%, compared to regular Wave files. The file extension is **.flac**.

Ogg Vorbis file

This is an open source, patent-free audio encoding and streaming technology. The Ogg Vorbis encoder uses variable bit rate encoding. It offers small, compressed audio files of comparatively high audio quality. The file extension is.**.ogg**.

RELATED LINKS

- [Wave Files](#) on page 1423
- [AIFF Files](#) on page 1424
- [MP3 \(MPEG 1 Layer 3\) Files](#) on page 1426
- [FLAC Files](#) on page 1427
- [Ogg Vorbis Files](#) on page 1428
- [File Format](#) on page 1410
- [Saving File Format Presets](#) on page 1429

Wave Files

Wave files have the extension **.wav**. On personal computers, this is the most common audio file format.

- To open the settings for wave files, select **Wave** in the **File Type** pop-up menu.

Sample Rate

Sets the sample rate for the mixdown file.

NOTE

If you set the value lower than the project sample rate, the audio quality degrades, and the high-frequency content is reduced. If you set the value higher than the project sample rate, the file size increases without increasing the audio quality. For CD burning, select 44.100 kHz, because this is the sample rate used on audio CDs.

Bit Depth

Allows you to select a bit depth for the mixdown file. You can select **8 bit**, **16 bit**, **24 bit**, **32 bit**, **32 bit float**, or **64 bit float**. If you plan to re-import the mixdown file into Cubase, select **32 bit float**. This is the resolution used for audio processing in Cubase. 32 bit (float) files are twice the size of 16 bit files. For CD burning, use the **16 bit** option, as CD audio is always 16 bit. In this case, we recommend dithering.

Activating the **Lin Dither** dithering plug-in reduces the effects of quantization noise and artifacts when converting the audio to 16 bit. A resolution of 8 bit results in limited audio quality and should only be used in cases where it is unavoidable or explicitly required.

Export as

Allows you to select a channel mode for the mixdown file:

- **Interleaved**
Allows you to export to an interleaved file.
- **Split Channels**
Allows you to export the 2 channels of a stereo bus or all subchannels of a multi-channel bus as separate mono files.
- **Mono Downmix**
Allows you to downmix all the subchannels of a stereo or surround channel or bus to a single mono file.

For stereo, the **Stereo Pan Law**, as defined in the **Project Setup** dialog, is applied to avoid clipping.

For surround, the channels are summed and divided through the number of channels used (for example, for a 5.1 channel = $(L+R+C+LFE+Ls+Rs)/6$).

- **L/R Channels from Surround**

Allows you to export only the left and right subchannels of a multi-channel bus into a stereo file.

Insert Broadcast Wave Chunk

Activates the embedding of additional file information in Broadcast Wave format.

NOTE

By activating this option, you create a Broadcast Wave file. Some applications may not be able to handle these files. If you encounter problems using the file in another application, deactivate **Insert Broadcast Wave Chunk**, and export the file again.

Set up Broadcast Wave Chunk

Opens the **Broadcast Wave Chunk** dialog, where you can enter information.

Insert iXML Chunk

Includes additional project-related metadata, such as project name, author, and project frame rate.

Set up iXML Chunk (Wave, AIFF)

Opens the **iXML Chunk** dialog, where you can activate the following options:

- If **Insert Tempo Definition** is activated, tempo information from the tempo track or from the **Definition** section of the **Sample Editor** is included in the iXML chunk of the exported files.
- If **Define Stereo as Dual Mono** is activated, the left and right channels of a stereo signal are marked as L-MIX and R-MIX in the iXML chunk of the exported files. This allows you to import them as dual mono tracks into another DAW, if supported. If deactivated, the channels are marked as LEFT and RIGHT.

NOTE

This option is only effective when exporting stereo signals.

Don't Use Wave Extensible Format

Deactivates the Wave Extensible format that contains additional metadata, such as the speaker configuration.

Don't Use RF64-Compliant File Format

Deactivates the RF64-compliant format that allows file sizes to exceed 4 GB.

RELATED LINKS

[Attribute Inspector](#) on page 780

[Saving File Format Presets](#) on page 1429

AIFF Files

AIFF stands for Audio Interchange File Format, a standard defined by Apple Inc. AIFF files have the extension **.aif** and are used on most computer platforms.

- To open the settings for AIFF files, select **AIFF** in the **File Type** pop-up menu.

Sample Rate

Sets the sample rate for the mixdown file.

NOTE

If you set the value lower than the project sample rate, the audio quality degrades, and the high-frequency content is reduced. If you set the value higher than the project sample rate, the file size increases without increasing the audio quality. For CD burning, select 44.100 kHz, because this is the sample rate used on audio CDs.

Bit Depth

Allows you to select a bit depth for the mixdown file. You can select **8 bit, 16 bit, 24 bit, 32 bit, 32 bit float, or 64 bit float**. If you plan to re-import the mixdown file into Cubase, select **32 bit float**. This is the resolution used for audio processing in Cubase. 32 bit (float) files are twice the size of 16 bit files. For CD burning, use the **16 bit** option, as CD audio is always 16 bit. In this case, we recommend dithering.

Activating the **Lin Dither** dithering plug-in reduces the effects of quantization noise and artifacts when converting the audio to 16 bit. A resolution of 8 bit results in limited audio quality and should only be used in cases where it is unavoidable or explicitly required.

Export as

Allows you to select a channel mode for the mixdown file:

- **Interleaved**

Allows you to export to an interleaved file.

- **Split Channels**

Allows you to export the 2 channels of a stereo bus or all subchannels of a multi-channel bus as separate mono files.

- **Mono Downmix**

Allows you to downmix all the subchannels of a stereo or surround channel or bus to a single mono file.

For stereo, the **Stereo Pan Law**, as defined in the **Project Setup** dialog, is applied to avoid clipping.

For surround, the channels are summed and divided through the number of channels used (for example, for a 5.1 channel = $(L+R+C+LFE+Ls+Rs)/6$).

- **L/R Channels from Surround**

Allows you to export only the left and right subchannels of a multi-channel bus into a stereo file.

Insert Broadcast Wave Chunk

Activates the embedding of additional file information in Broadcast Wave format.

NOTE

By activating this option, you create a Broadcast Wave file. Some applications may not be able to handle these files. If you encounter problems using the file in another application, deactivate **Insert Broadcast Wave Chunk**, and export the file again.

Set up Broadcast Wave Chunk

Opens the **Broadcast Wave Chunk** dialog, where you can enter information.

Insert iXML Chunk

Includes additional project-related metadata, such as project name, author, and project frame rate.

Set up iXML Chunk (Wave, AIFF)

Opens the **iXML Chunk** dialog, where you can activate the following options:

- If **Insert Tempo Definition** is activated, tempo information from the tempo track or from the **Definition** section of the **Sample Editor** is included in the iXML chunk of the exported files.
- If **Define Stereo as Dual Mono** is activated, the left and right channels of a stereo signal are marked as L-MIX and R-MIX in the iXML chunk of the exported files. This allows you to import them as dual mono tracks into another DAW, if supported. If deactivated, the channels are marked as LEFT and RIGHT.

NOTE

This option is only effective when exporting stereo signals.

RELATED LINKS

[Saving File Format Presets](#) on page 1429

MP3 (MPEG 1 Layer 3) Files

MP3 files are highly compressed files that still provide good audio quality. They have the extension **.mp3**.

- To open the settings for MP3 files, select **MPEG 1 Layer 3** in the **File Type** pop-up menu.

Sample Rate

Sets the sample rate for the mixdown file.

Bit Rate

Sets the bit rate for the MP3 file. The higher the bit rate, the better the audio quality and the larger the file. For stereo audio, 128 kBit/s is considered to be providing good audio quality results.

Export as

Allows you to select a channel mode for the mixdown file:

- **Interleaved**

Allows you to export to an interleaved file.

- **Split Channels**

Allows you to export the 2 channels of a stereo bus or all subchannels of a multi-channel bus as separate mono files.

- **Mono Downmix**

Allows you to downmix all the subchannels of a stereo or surround channel or bus to a single mono file.

For stereo, the **Stereo Pan Law**, as defined in the **Project Setup** dialog, is applied to avoid clipping.

For surround, the channels are summed and divided through the number of channels used (for example, for a 5.1 channel = $(L+R+C+LFE+Ls+Rs)/6$).

- **L/R Channels from Surround**

Allows you to export only the left and right subchannels of a multi-channel bus into a stereo file.

High-Quality Mode

Sets the encoder to a different resampling mode. This may deliver better results, depending on your settings. However, it does not allow you to select the sample rate.

Insert ID3 Tag

Includes ID3 Tag information in the exported file.

Edit ID3 Tag

Opens the **Setup ID3 Tag** dialog that allows you to enter information about the file. This information is embedded in the file and can be displayed by most MP3 playback applications.

RELATED LINKS

[Saving File Format Presets](#) on page 1429

FLAC Files

Free Lossless Audio Codec files are audio files that are typically 50% to 60% smaller than regular Wave files.

- To open the settings for FLAC files, select **FLAC** in the **File Type** pop-up menu.

Sample Rate

Sets the sample rate for the mixdown file.

NOTE

If you set the value lower than the project sample rate, the audio quality degrades, and the high-frequency content is reduced. If you set the value higher than the project sample rate, the file size increases without increasing the audio quality. For CD burning, select 44.100 kHz, because this is the sample rate used on audio CDs.

Bit Depth

Allows you to select a bit depth for the mixdown file. You can select **8 bit**, **16 bit**, **24 bit**, **32 bit**, **32 bit float**, or **64 bit float**. If you plan to re-import the mixdown file into Cubase, select **32 bit float**. This is the resolution used for audio processing in Cubase. 32 bit (float) files are twice the size of 16 bit files. For CD burning, use the **16 bit** option, as CD audio is always 16 bit. In this case, we recommend dithering.

Activating the **Lin Dither** dithering plug-in reduces the effects of quantization noise and artifacts when converting the audio to 16 bit. A resolution of 8 bit results in limited audio quality and should only be used in cases where it is unavoidable or explicitly required.

Export as

Allows you to select a channel mode for the mixdown file:

- Interleaved**

Allows you to export to an interleaved file.

- Split Channels**

Allows you to export the 2 channels of a stereo bus or all subchannels of a multi-channel bus as separate mono files.

- Mono Downmix**

Allows you to downmix all the subchannels of a stereo or surround channel or bus to a single mono file.

For stereo, the **Stereo Pan Law**, as defined in the **Project Setup** dialog, is applied to avoid clipping.

For surround, the channels are summed and divided through the number of channels used (for example, for a 5.1 channel = $(L+R+C+LFE+Ls+Rs)/6$).

- **L/R Channels from Surround**

Allows you to export only the left and right subchannels of a multi-channel bus into a stereo file.

Compression Level

Sets the compression level for the FLAC file. Since FLAC is a lossless format, the level has more influence on the encoding speed than on the file size.

RELATED LINKS

[Saving File Format Presets](#) on page 1429

Ogg Vorbis Files

Ogg Vorbis is an open source, patent-free audio encoding and streaming technology, offering compressed audio files of small size, but with comparatively high audio quality. Ogg Vorbis files have the extension **.ogg**.

- To open the settings for Ogg Vorbis files, select **OggVorbis** in the **File Type** pop-up menu.

Quality

Sets the quality for the variable bit rate encoding. This setting determines the range of the bit rate. The higher the value, the higher the sound quality and the larger the files.

Export as

Allows you to select a channel mode for the mixdown file:

- **Interleaved**

Allows you to export to an interleaved file.

- **Split Channels**

Allows you to export the 2 channels of a stereo bus or all subchannels of a multi-channel bus as separate mono files.

- **Mono Downmix**

Allows you to downmix all the subchannels of a stereo or surround channel or bus to a single mono file.

For stereo, the **Stereo Pan Law**, as defined in the **Project Setup** dialog, is applied to avoid clipping.

For surround, the channels are summed and divided through the number of channels used (for example, for a 5.1 channel = $(L+R+C+LFE+Ls+Rs)/6$).

- **L/R Channels from Surround**

Allows you to export only the left and right subchannels of a multi-channel bus into a stereo file.

RELATED LINKS


[Saving File Format Presets](#) on page 1429

Saving File Format Presets

You can create file format presets from your favorite or most used file format settings.

PROCEDURE

1. In the **File Format** section, set up the **File Type** and the file type-specific settings that you want to save in your preset.
2. Click the **Preset** field, and select **Save Preset** from the pop-up menu.



3. Enter a name for your file format preset.
 4. Click **OK**.
-

RESULT

A file format preset including the file type, sample rate, bit depth, and the **Export as** settings is saved. You can select it from the **Preset** pop-up menu.

Presets are saved with the program and can be used for any project. Presets are stored in the following location:

- On Windows: \Users\<user name>\AppData\Roaming\Steinberg\<program name>\Presets\AudioFormatPreset
- On macOS: /Library/Preferences/<program name>/Presets/AudioFormatPreset under your home directory

Presets are also saved in profiles in the **Profile Manager**.

RELATED LINKS

[Profile Manager Dialog](#) on page 1505

[Profiles](#) on page 1505

[File Formats](#) on page 1422

Synchronization

Synchronization is the process of getting 2 or more devices to play back together at the same speed, position, and phase. These devices can range from audio and video tape machines to digital audio workstations, MIDI sequencers, synchronization controllers, and digital video devices.

If you know the position and speed of the master device, you can align the speed and position of the slave device with it, so that the 2 devices play in perfect sync with each other.

Position (Time)

The following clock signals are used to specify time positions:

- Audio word clock
 - Specifies time positions in samples.
- Timecode
 - Specifies time positions in video frames.
- MIDI clock
 - Specifies time positions in musical bars and beats.

Speed (Clock)

The following clock signals measure the speed of a device:

- Audio word clock
 - Measures the sample rate.
- Timecode
 - Measures the frame rate.
- MIDI clock
 - Measures the tempo.

Phase

Phase refers to the alignment of the position and speed components to each other. Each pulse of the speed component should be aligned with each measurement of the position to achieve the greatest accuracy possible. Each frame of timecode should be perfectly lined up with the correct audio sample. Put simply, phase is the precise position of a synchronized device relative to the master (sample accuracy).

Master and Slave

Calling one device the master and another one the slave can lead to confusion. Therefore, the timecode relationship and the machine control relationship must be differentiated and clearly defined in this regard.

- **Timecode Master**
 - The device generating position information or timecode.
- **Timecode Slave**

Any device receiving the timecode and synchronizing or locking to it.

- **Machine Control Master**

The device that issues transport commands to the system.

- **Machine Control Slave**

The device receiving timecode commands and responding to them.

Cubase can be the machine control master, sending transport commands to an external device, which in turn sends timecode and audio clock information back to Cubase. In this case, Cubase is also the timecode slave.

NOTE

In most scenarios, the machine control slave is also the timecode master. Once it receives a play command, the device starts generating timecode for all the timecode slaves to synchronize to.

Timecode Formats

The position of any device is most often described using timecode. Timecode represents time using hours, minutes, seconds, and frames to provide a location for each device. Each frame represents a visual film or video frame.

The following timecode formats are supported:

- **LTC**

Longitudinal timecode or LTC is an analog signal that can be recorded on tape. It should primarily be used for positional information. It can also be used for speed and phase information as a last resort, if no other clock source is available.

- **VITC**

Vertical interval timecode or VITC is contained within a composite video signal. It is recorded onto video tape and physically tied to each video frame.

- **MTC**

MIDI timecode or MTC is identical to LTC, except that it is a digital signal transmitted via MIDI.

Timecode Standards

Timecode has several standards. The subject of the various timecode formats can be very confusing due to the use and misuse of the shorthand names for specific timecode standards and frame rates. The timecode format can be divided into 2 variables: frame count and frame rate.

Frame count (frames per second)

The frame count of timecode defines the standard with which it is labeled. There are 4 timecode standards:

24 fps Film (F)

This frame count is the traditional count for film. It is also used for HD video formats and commonly referred to as 24 p. However, with HD video, the actual frame rate or speed of the video sync reference is slower, 23.976 frames per second, so timecode does not reflect the real time on the clock for 24 p HD video.

25 fps PAL (P)

This is the broadcast video standard frame count for European (and other PAL countries) television broadcast.

30 fps non-drop SMPTE (N)

This is the frame count of NTSC broadcast video. However, the actual frame rate or speed of the video format runs at 29.97 fps. This timecode clock does not run in real time. It is slightly slower by 0.1%.

30 fps drop-frame SMPTE (D)

The 30 fps drop-frame count is an adaptation that allows a timecode display running at 29.97 fps to actually show the clock-on-the-wall-time of the timeline by dropping or skipping specific frame numbers in order to catch the clock up to real time.

NOTE

Remember to keep the timecode standard (or frame count) and frame rate (or speed) separate.

Frame rate (speed)

Regardless of the frame counting system, the actual speed at which frames of video go by in real time is the true frame rate.

Cubase supports the following frame rates:

23.98 fps

This frame rate is used for film that is being transferred to NTSC video and must be slowed down for a 2-3 pull-down telecine transfer. It is also used for the type of HD video referred to as 24 p.

24 fps

This is the true speed of standard film cameras.

24.98 fps

This frame rate is commonly used to facilitate transfers between PAL and NTSC video and film sources. It is mostly used to compensate for errors.

25 fps

This is the frame rate of PAL video.

29.97 fps/29.97 dfps

This is the frame rate of NTSC video. The count can be either non-drop or drop-frame.

30 fps/30 dfps

This frame rate is not a video standard anymore but has been commonly used in music recording. Many years ago, it was the black and white NTSC broadcast standard. It is equal to NTSC video being pulled up to film speed after a 2-3 telecine transfer. The count can be either non-drop or drop-frame.

50 fps

This rate is also referred to as 50 p.

59.94 fps

This video frame rate is supported by high definition cameras and is compatible with NTSC.

60 fps

This video frame rate is supported by many high definition cameras. However, the NTSC compatible 59.94 fps frame rate is much more common.

IMPORTANT

Video formats with a variable frame rate (VFR) are not supported.

Frame count vs. frame rate

Part of the confusion in timecode stems from the use of frames per second in both the timecode standard and the actual frame rate. When used to describe a timecode standard, frames per second defines how many frames of timecode are counted before one second on the counter increments. When describing frame rates, frames per second define how many frames are played back within one second in real time. In other words: Regardless of how many frames of video there are per second of timecode (frame count), those frames can be moving at different rates depending on the speed (frame rate) of the video format. For example, NTSC timecode (SMPTE) has a frame count of 30 fps. However, NTSC video runs at a rate of 29.97 fps. Thus, the NTSC timecode standard known as SMPTE is a 30 fps standard that runs at 29.97 fps in real time.

Clock Sources

Once the position is established, the next essential factor for synchronization is the playback speed. Once 2 devices start playing from the same position, they must run at exactly the same speed in order to remain in sync. Therefore, a single speed reference must be used, and all devices in the system must follow that reference. For digital audio, the speed is determined by the audio clock rate. For video, the speed is determined by the video sync signal.

Audio clock

Audio clock signals run at the speed of the sample rate used by a digital audio device and are transmitted in several ways:

Word clock

Word clock is a dedicated signal running at the current sample rate that is fed over BNC coaxial cables between devices. It is the most reliable form of audio clock, and is relatively easy to connect and use.

AES/SPDIF Digital Audio

An audio clock source is embedded within AES and SPDIF digital audio signals. This clock source can be used as a speed reference. Preferably, the signal itself does not contain any actual audio (digital black), but any digital audio source can be used if necessary.

ADAT Lightpipe

ADAT Lightpipe, the 8-channel digital audio protocol developed by Alesis, also contains audio clock and can be used as a speed reference. It is transmitted between devices via optical cables.

NOTE

Do not confuse the audio clock embedded in the Lightpipe protocol with ADAT Sync, which uses a proprietary DIN plug connection for timecode transmission and machine control.

MIDI clock

MIDI clock is a signal that uses position and timing data based on musical bars and beats to determine location and speed (tempo). It can perform the same function as a positional

reference and a speed reference for other MIDI devices. Cubase supports sending MIDI clock to external devices but cannot slave to incoming MIDI clock.

IMPORTANT


MIDI clock cannot be used to synchronize digital audio. It is only used for MIDI devices to play in musical sync with one another. Cubase cannot be used as a MIDI clock slave.

Project Synchronization Setup Dialog

The **Project Synchronization Setup** dialog provides a central place to configure a complex synchronized system. In addition to settings for timecode sources and machine control settings, basic transport controls are available for testing the system.

To open the **Project Synchronization Setup** dialog, do one of the following:

- Select **Transport > Project Synchronization Setup**.
- In the **Transport Bar**, **Ctrl/Cmd**-click **Sync**.

**RELATED LINKS**


[Sources Page](#) on page 1435

[Destinations Page](#) on page 1437

[Machine Control Page](#) on page 1438

Sources Page

The **Sources** page allows you to set up the synchronization inputs and to determine which external signals enter the application.



In the topmost section, the following options are available:

Activate External Sync

Activates/Deactivates the external synchronization.

Timecode Source

The **Timecode Source** section allows you to determine whether Cubase is acting as the timecode master or slave. The following options are available:

Internal Timecode

Sets Cubase as the timecode master that generates all position references for any other device in the system, based on the project timeline and the **Project Setup** settings.

MIDI Timecode

If **Activate External Sync** is activated, this sets Cubase as the timecode slave to any incoming MIDI timecode. You can select the **MIDI Input** ports in the **MIDI Timecode Settings** section.

ASIO Audio Device (Windows only)

Only available for audio cards that support the ASIO positioning protocol. These cards have an integrated LTC reader or ADAT sync port and can perform a phase alignment of timecode and audio clock.

VST System Link

Sets **VST System Link** as a timecode source. This allows for all aspects of sample-accurate synchronization between different computers that are connected via **VST System Link**.

NOTE

Discrepancies between the **Project Frame Rate** and the incoming timecode can cause problems during postproduction, even if Cubase is able to lock to the corresponding timecode.

MIDI Timecode Settings

The **MIDI Timecode Settings** become available if you activate **MIDI Timecode** as a **Timecode Source**.

MIDI Input

Allows you to select the MIDI input ports. To allow Cubase to synchronize to MIDI timecode from any MIDI connection, select **All MIDI Inputs**.

Timecode Source Preferences

If you activate **MIDI Timecode** as a **Timecode Source**, you can set up **Timecode Source Preferences** for working with external timecode. The following options are available:

Lock Frames

Determines how many full frames of timecode it takes for Cubase to lock, that is, to establish synchronization.

NOTE

If you have an external tape transport with a very short start-up time, set **Lock Frames** to a low value to make lock-up even faster.

Drop Out Frames

Sets the number of timecode frames that must be missed until Cubase stops. Using LTC on an analog tape machine can increase the number of drop outs.

Inhibit Restart ms

Some synchronizers still transmit MTC for a short period of time after an external tapemachine has been stopped. These extra frames of timecode sometimes cause Cubase to restart suddenly. **Inhibit Restart ms** allows you to control the amount of time in milliseconds that Cubase waits before restart (ignoring incoming MTC) once it has stopped.

Auto-Detect Frame Rate Changes

Notifies you about frame rate or timecode changes and interrupts playback or recording. Activate this if you want to diagnose problems with timecode and external devices.

Transport Start/Stop

Starts/Stops playback in Cubase.


RELATED LINKS

[Activating VST System Link](#) on page 1447

[Project Setup Dialog](#) on page 123

Destinations Page

The **Destinations** page allows you to set up the synchronization outputs and to determine which external signals leave the application.



MIDI Clock Destinations

In the **MIDI Clock Destinations** section, you can select any MIDI ports that you want to use to output MIDI clock. Some MIDI devices, such as drum machines, can match their tempo and location to incoming MIDI clock.

MIDI Clock Preferences

In the **MIDI Clock Preferences** section, the following options are available:

MIDI Clock Follows Project Position

Ensures that MIDI clock follows Cubase.

Always Send Start Message

MIDI clock transport commands include start, stop, and continue. Activate this if a MIDI device does not recognize the continue command.

Send MIDI Clock in Stop Mode

Activate this if a MIDI device needs MIDI clock to run continuously in order to operate arpeggiators and loop generators.

MIDI Timecode Destinations

In the **MIDI Timecode Destinations** section, you can specify the MIDI ports to which MTC is routed.

NOTE

Some MIDI interfaces send MTC over all ports by default. If this is the case, only select one port of the interface for the MTC.


MIDI Timecode Preferences

In the **MIDI Timecode Preferences** section, the following options are available:

MIDI Timecode Follows Project Time

Ensures that the MIDI output always follows the time position of Cubase.

Machine Control Page



Machine Control Input Settings

These settings become available if you select **MIDI Machine Control** as the machine control input. In the **Machine Control Input Settings** section, you can set up Cubase to follow incoming transport commands and to respond to record-enabling commands for audio tracks. This allows Cubase to integrate into larger studio systems with centralized machine control and synchronization such as theatrical mixing stages.

The following options are available:

MIDI Input

Allows you to select the MIDI input that is connected to the master machine control device.

MIDI Output

Allows you to select the MIDI output that is connected to the master machine control device.

MMC Device ID

Determines the MIDI ID that is used to identify the machine in Cubase.

NOTE

The MMC protocol involves polling devices for their status, which requires 2-way communication. Therefore, we recommend that you connect both the MIDI input and MIDI output port of MMC devices.

Machine Control Output Settings

In the **Machine Control Output Settings** section, the following options are available:

MMC Master Active

Routes transport commands to any device while sync is enabled.

MIDI Input

Determines which MIDI port in your system receives MMC commands. Set this to a MIDI port that is connected to the desired MIDI device.

MIDI Output

Determines which MIDI port in your system sends MMC commands. Set this to a MIDI port that is connected to the desired MIDI device.

MMC Device ID

Set this to the same device ID as in the **Machine Control Input Settings** section.

NOTE

If more than one machine is receiving MMC commands or if you do not know the device ID, you can set the ID to **All**. However, devices that can only listen to their specific IDs do not work if the ID is set to **All**.

Number of Audio Tracks

Determines how many record-enable buttons are shown in the **MMC Master Panel**. Set this to the number of available audio tracks in the destination device.

MMC Master Panel

- To open the **MMC Master Panel**, select **Studio > More Options > MMC Master Panel**.



1, 2, 3, 4

Use these buttons to arm tape tracks for recording.

A1, A2, TC, VD

These buttons refer to additional tracks usually found on video tape recorders. Refer to the manual of your VTR device to see if these tracks are supported.

Online

Activate this to use the transport buttons to control the transport of the device.

NOTE

In the **Preferences** dialog, select **MIDI > MIDI Filter**, and make sure **SysEx** is activated in the **Thru** section.

This is necessary because MMC uses 2-way communication where the tape recorder replies to the MMC messages it receives from Cubase. By filtering out SysEx Thru, you ensure that these MMC system-exclusive replies are not echoed back to the tape recorder.

External Synchronization

To activate external synchronization, do one of the following:

- Select **Transport > Activate External Sync**.
- Select **Transport > Project Synchronization Setup**, and on the **Sources** page, activate **Activate External Sync**.
- Transport commands are routed to the machine control destination output, as specified in the **Project Synchronization Setup** dialog.
Locate, play, stop, and record commands are now sent to an external device.
- Cubase awaits incoming timecode from the chosen timecode source, as defined in the **Project Synchronization Setup** dialog, in order to play.
Cubase will detect incoming timecode, locate to its current position, and start playback in sync with the incoming timecode.

In a typical scenario, an external tape machine, such as a VTR, has its timecode output connected to Cubase. Cubase is sending machine control commands to the deck. When **Activate External Sync** is activated and you click **Start** on the **Transport** panel, a play command is sent to the VTR. The VTR in turn starts playback, sending timecode back to Cubase. Cubase then synchronizes to the incoming timecode.

Setting up Synchronization for a Personal Music Studio

In a personal music studio, you might want to synchronize with an external recording device, such as a portable hard disk recorder used for live remote recordings.

PREREQUISITE

Use MIDI connections for timecode and machine control and Lightpipe digital audio connections for the audio clock and audio signals.

NOTE

- Cubase should send MMC commands to the hard disk recorder and remotely start playback of the recorder.
 - The hard disk recorder should send back MTC to Cubase. When the recorder starts playing, MTC is sent back to Cubase, which will sync to that timecode.
 - The hard disk recorder uses audio clock from the audio interface of Cubase as the speed reference.
-

PROCEDURE

1. Select **Transport > Project Synchronization Setup**, open the **Sources** page. In the **Timecode Source** section, activate **MIDI Timecode**.
If you record from the hard disk recorder into Cubase, Cubase is the machine control master and the timecode slave, locking to incoming MTC.
2. Open the **Machine Control** page, and in the **Machine Control Output Settings** section, activate **MMC Master Active**.

Cubase now sends MMC commands to the hard disk recorder to locate and start playback.

3. In the **Machine Control Output Settings** section, select the **MMC Input** and the **MMC Output** ports that are connected to the hard disk recorder.

Because MMC uses 2-way communication, both MIDI ports should be connected. Make sure that the MIDI filter does not echo SysEx data.

4. Open the **Sources** page, and activate **Activate External Sync**.

This routes transport commands to the hard disk recorder via MIDI and sets Cubase as the timecode slave.

5. On the hard disk recorder, enable MMC and MTC.

Follow the instructions on how to set up the unit to receive MMC commands and transmit MTC.

6. In Cubase, start playback.
-

RESULT

The hard disk recorder starts playback and sends MTC to Cubase. Once Cubase syncs to MTC, the status on the **Transport** panel changes to **Lock**, and the current frame rate of incoming MTC is shown.

VST System Link

VST System Link is a digital audio network system that allows you to link several computers using digital audio hardware and cables.

Linking 2 or more computers allows you to split different tasks and different tracks between different computers. You can run CPU-intensive processes, such as send effect plug-ins or VST instruments on one computer, and record audio tracks on another one.

VST System Link supplies transport and sync control, as well as up to 16 MIDI ports, with 16 channels each.

With **VST System Link**, the signal is passed from one machine to the next and eventually returns to the first machine.

For this to work, you need 2 or more computers that use the same or different operating systems. In addition to this, for each computer that is part of the network, you need:

- Audio hardware with digital inputs and outputs and a specific ASIO driver.
The same digital formats and connection types.
- At least one digital audio cable, such as S/PDIF, ADAT, TDIF, or AES.
- A **VST System Link** host application.

NOTE

You might want to invest in a KVM (Keyboard, Video, Mouse) switchbox. This allows you to use the same keyboard, monitor, and mouse to control each computer in the system, and to switch between computers very rapidly.


Setting up VST System Link

To be able to work with **VST System Link**, you must first set up the network, configure the audio hardware, and set up the digital audio connections.

VST System Link Section

The **VST System Link** section allows you to set up **VST System Link**.

- To open the **VST System Link** section, select **Studio > Studio Setup**, and select **VST System Link** from the **Devices** list.



Active

Activates **VST System Link**.

Online

Puts the computer online.

ASIO Input

Allows you to define the networking input channel.

ASIO Output

Allows you to define the networking output channel.

Use Selected ASIO Ports for Data only

Activate this if you want to devote more bandwidth to MIDI and send **VST System Link** information on the entire channel. This channel is then no longer available for audio transfer.

Offset Samples

Allows you to set an offset for the computer, so that it plays slightly ahead of or after the rest.

Transfer Bits

Allows you to specify whether you want to transfer 24 or 16 bits. This allows you to use older audio cards which do not support transfer of 24 bits.

MIDI Inputs

Allows you to set the number of MIDI input ports.

MIDI Outputs

Allows you to set the number of MIDI output ports.

Self test

Allows you to test the network.

Receiving

Lights up if the computer is active.

Sending

Lights up if the computer is active.

List

Shows the name of each computer.

Setting up a Network

You can set up a network by connecting computers.

PROCEDURE

1. Use a digital audio cable to connect the digital output of computer 1 to the digital input of computer 2.

If you have more than 2 computers, add the others one by one.

2. Use a cable to connect the digital output of computer 2 to the digital input of computer 1.

VST System Link is a daisy chain system, that means, that the output of computer 1 goes to the input of computer 2, the output of computer 2 goes to the input of computer 3, and so on, around the chain. The output of the last computer in the chain must always go back into the input of computer 1, to complete the ring.

NOTE

If a card has more than one set of inputs and outputs, choose whichever suits you – usually, the first set is best.

Configuring the Audio Clock

To be able to use **VST System Link**, the clock signals on your ASIO cards must be synchronized correctly.

PREREQUISITE

For each computer in the network, the following must apply:

- The correct audio driver is selected in the **Studio Setup** dialog.
- The clock mode or sync mode is set up in the ASIO control panel of the audio hardware.

PROCEDURE

1. Select **Studio > Studio Setup**.

2. From the **Devices** list, select the your audio hardware.

3. Click **Control Panel**.

4. Set one audio hardware to be the clock master and all other cards to be clock slaves. Consult the documentation if required.

IMPORTANT

If you set up more than one card as the clock master, the network cannot function correctly.

However, if you use an external clock from a digital mixing desk or a special word clock synchronizer, for example, you must leave all your ASIO cards in clock slave or **AutoSync** mode and make sure that each of them is listening for the signal coming from

the synchronizer. This signal is usually passed through your ADAT cables or word clock connectors in a daisy chain fashion.

RESULT

Typically, the ASIO control panel for an audio card contains some indication of whether or not the card receives a proper sync signal, including the sample rate of that signal. This is a good indication that you have connected the cards and set up clock sync properly. Refer to the documentation of your audio hardware for details.

RELATED LINKS

[Selecting an Audio Driver](#) on page 21
[ASIO Driver Setup Page](#) on page 24

Adjusting the Buffer Size

In a **VST System Link** network, adjusting the buffer size to minimize latency is of vital importance. This is due to the fact that the latency of a **VST System Link** network equals the total latency of all the ASIO cards in the system added together.

PROCEDURE

1. Select **Studio > Studio Setup**.
2. From the **Devices** list, select your audio hardware.
3. Click **Control Panel**.
4. Lower the size of the buffers.

The lower the buffer size, the lower the latency. It is best to keep to fairly low buffer sizes if your system can handle it. About 12 ms or less is usually a good idea.

IMPORTANT

Latency does not affect the synchronization, but it can affect the time it takes to send and receive MIDI and audio signals, or it can make the system seem sluggish.

Audio Hardware Settings that Affect VST System Link

Specific audio hardware settings might change the digital information in a way that the correct functioning of **VST System Link** is affected.

You can find these settings in the control panel or in an additional application for your audio hardware. Make sure that the following conditions are met:

- Any additional format settings for digital ports that you use for **VST System Link** data must be turned off.
If you use an S/PDIF connection for **VST System Link**, for example, turn off **Professional format**, **Emphasis**, and **Dithering**.
- Any mixer application of your audio hardware that allows for level adjustments of digital inputs and outputs must be disabled.
Alternatively, you can set the levels for the **VST System Link** channels to ±0 dB.
- Digital signal processing, such as pan or effects, must be turned off for the **VST System Link** signal.

- For RME Audio Hammerfall DSP audio hardware, select the default or plain preset for the **Totalmix** function.
Otherwise, signal loops might prevent **VST System Link** from working properly.

Setting up Sample Rates

All projects on all computers must be set to the same sample rate.

PROCEDURE

1. Select **Project > Project Setup**.
 2. In the **Project Time Displays** section, open the **Sample Rate** pop-up menu, and select a sample rate.
-

Setting up Digital Audio Connections

PROCEDURE

1. Select **Studio > Audio Connections**.
 2. Click the **Inputs** tab, and click **Add Bus**.
 3. In the **Add Input Bus** dialog, configure the bus.
 4. Click **Add Bus**.
 5. Click the **Outputs** tab, and click **Add Bus**.
 6. In the **Add Output Bus** dialog, configure the bus.
 7. Click **Add Bus**.
 8. Repeat these steps for all applications.
Set up the same configuration in all applications. If you have 4 stereo output busses on computer 1, set up 4 stereo input busses on computer 2, etc.
 9. Route the applications to the digital inputs and outputs.
-

RELATED LINKS

- [Audio Bus Setup](#) on page 27
[Audio Connections Window](#) on page 33

Verifying the Digital Connection

PROCEDURE

1. Connect an audio source to your audio interface.
 2. Start recording, playing back, and mixing.
 3. On computer 1, play back some audio.
 4. Select **Studio > MixConsole**, and route the channel that contains the audio material to one of the digital output busses.
 5. On computer 2, select **Studio > MixConsole**, and locate the corresponding digital input bus.
The audio that is played back should now appear in the application running on computer 2, and the input bus level meters should move.
-

RESULT


You have verified that the digital connection works as intended. You can reverse this procedure so that computer 2 plays back and computer 1 listens.

Activating VST System Link

You must activate **VST System Link** on all network computers to be able to work with **VST System Link**.

PROCEDURE

1. Select **Transport > Project Synchronization Setup**, and on the **Sources** tab, activate **VST System Link** as the timecode source.
2. Select **Studio > Studio Setup**.
3. From the **Devices** list, select **VST System Link**.



4. Use the **ASIO Input** and **ASIO Output** pop-up menus to define is the networking channel to carry the **VST System Link** information.

NOTE

The networking signal is carried on only one bit of one channel. In an ADAT-based system 7 channels of 24-bit audio and 1 channel of 23-bit audio are used for networking. As a result, you still have approximately 138 dB headroom on this channel.

5. Activate **Active** at the top left of the **VST System Link** setup.
 6. Repeat the steps for each computer in the network.
-

RESULT

The sending and receiving indicators on each active computer start flashing, and the name of each computer is listed in the **Self test** section of the dialog. Each computer is assigned a random number.

The name will be shown in the **VST System Link** window of every computer in the network. You can double-click the name of the computer and enter another name.

NOTE

If you do not see the name of each computer, repeat the steps above. Make sure that all ASIO cards are listening to the digital clock signals correctly, and that each computer has the correct inputs and outputs assigned to the **VST System Link** network.

RELATED LINKS

[Sources Page](#) on page 1435

Putting Network Computers Online

You must put the network computers online so that they can send and receive transport and timecode signals and their sequencer applications can be started and stopped.

PREREQUISITE

All computers have their tempos set to the same value.

PROCEDURE

1. Select **Studio > Studio Setup**.
 2. From the **Devices** list, select **VST System Link**.
 3. Activate **Online**.
 4. Repeat this for each computer in the network.
-

RESULT

The computers are online.

AFTER COMPLETING THIS TASK

Start playback on one computer to verify that the system is working and that all computers start and play in time.

VST System Link sends and understands all transport commands. This allows you to control the entire network from one computer. However, any computer can control any and all of the others. This is due to the fact that **VST System Link** is a peer-to-peer network, and that there is no absolute master computer.

Activating MIDI Ports for VST System Link

You can activate MIDI input and output ports for **VST System Link**. This allows you to route MIDI tracks to VST instruments running on another computer.

PROCEDURE

1. Select **Studio > Studio Setup**.
 2. From the **Devices** list, select **VST System Link**.
 3. Open the **Routing** section of the **Inspector**.
 4. Specify the required number of MIDI ports via the **MIDI Inputs** and **MIDI Outputs** value fields.
 5. Create a MIDI track.
-

RESULT

The **Input Routing** and **Output Routing** pop-up menus now show the specified **VST System Link** ports.

This allows you to route MIDI tracks to VST instruments running on another computer.

Application Examples

VST System Link allows you to split different tasks between 2 or more computers. The following application examples are intended to give you an idea of the possibilities.

Configuring a Main Mix Computer

Configuring one computer as a main mix computer that receives audio from your other computers allows you to mix internally on the computer.

In the following example, we assume that you are using 2 computers: computer 1 as your main mix computer and computer 2 for 2 additional stereo audio tracks, an effect channel track with a reverb plug-in and a VST instrument plug-in with stereo outputs.

PROCEDURE

1. On computer 1, use an unused set of outputs, such as an analog stereo output, connected to your monitoring equipment, to listen to the audio playback.
2. On computer 2, route each of the 2 audio tracks to a separate output bus connected to the digital outputs, bus 1 and 2, for example.
3. Route the effect channel track to another **VST System Link** bus, bus 3, for example.
4. Route the VST instrument channel to yet another bus, bus 4, for example.
5. On computer 1, check the corresponding 4 **VST System Link** input busses.
If you start playback on computer 2, the audio should appear on the input busses on computer 1. However, to mix these audio sources, you need actual mixer channels.
6. Add 4 new stereo audio tracks on computer 1, and route these to the output bus you use for listening, such as the analog stereo outputs.
7. For each of the audio tracks, select one of the 4 input busses.
Now, each computer 2 bus is routed to a separate audio channel on computer 1.
8. Activate monitoring for the 4 tracks.

RESULT

If you now start playback, the audio on computer 2 will be sent live to the new tracks on computer 1, allowing you to hear them with any tracks you play back on computer 1.

AFTER COMPLETING THIS TASK

If you notice a processing delay while you listen to signals coming from your other computers during monitoring, try the following to compensate for latency issues:

- Activate **ASIO Direct Monitoring** on the **Audio System** device panel for your hardware if your audio hardware supports this.
- Alternatively, open the **Studio Setup** dialog, and on the **VST System Link** page, change the **Offset Samples** value.

Configuring a Computer as Submixer

If you have more audio tracks than you have **VST System Link** busses, you can use a computer mixer as a submixer.

PROCEDURE

- Route several audio channels to the same output bus, and adjust the output bus level if needed.

NOTE

If your audio cards have multiple sets of input and output connections, you can link up multiple ADAT cables and send audio via any of the busses on any of the cables.

Routing MIDI Tracks to VSTis on Other Computers

You can route MIDI tracks from one computer to VST instruments on another computer. This allows you to use one computer for playback and recording and the other one as a VSTi rack.

PROCEDURE

1. Record a MIDI track into computer 1.
 2. Once you have finished recording, route the MIDI output of that track to **VST System Link** MIDI port 1.
 3. On computer 2, open the **VST Instruments** window and assign an instrument to the first slot.
 4. Route the VST instrument channel to the desired output bus.
If you are using computer 1 as your main mixing computer, this would be one of the **VST System Link** output busses, connected to computer 1.
 5. Create a new MIDI track in the **Project** window of computer 2, and assign the MIDI output of the track to the VST instrument you created.
 6. Define the MIDI input of the track as **VST System Link** port 1.
Now, the MIDI track on computer 1 is routed to the MIDI track on computer 2, which in turn is routed to the VST instrument.
 7. Activate monitoring for the MIDI track on computer 2, so that it listens and responds to any incoming MIDI commands.
In Cubase, click the **Monitor** button in the track list or **Inspector**.
 8. Start playback on computer 1.
Computer 1 sends the MIDI information on the track to the VST instrument loaded on computer 2.
-

RESULT

Even with a slow computer, you should be able to stack many extra VST instruments in this manner, considerably expanding your sound palette. **VST System Link** MIDI is also sample-accurate, and thus has much tighter timing than other hardware MIDI interfaces.

Routing Audio Sends to Other Computers

The effect sends for an audio channel in Cubase can either be routed to an effect channel track or to any activated group or output bus. This allows you to use a separate computer as a virtual effect rack.

PROCEDURE

1. On computer 2, the machine you will use as effect rack, add a new stereo audio track.
 2. Add the desired effect as an insert effect for the track.
 3. In the **Routing** section of the **Inspector**, select one of the **VST System Link** busses as the input for the audio track.
 4. Route the channel to one of the **VST System Link** output busses connected to computer 1.
 5. Activate monitoring for the track.
 6. Go back to computer 1, and select a track to which you want to add some reverb.
 7. Open the **Sends** section for the track in the **Inspector** or the **MixConsole**.
 8. Open the **Send Routing** pop-up menu for one of the sends, and select the **VST System Link** bus assigned to the effect.
 9. Use the **Send** slider to adjust the amount of effect as usual.
-

RESULT

The signal is sent to the track on computer 2 and processed through its insert effect, without using any processor power on computer 1.

You can repeat the steps above to add more effects. The number of effects made available in this manner is only limited by the number of ports used in the **VST System Link** connection, and by the performance of computer 2.

Recording Tracks on Other Computers

You can record tracks on another computer. This is useful if the hard drive on one computer is not fast enough to run as many audio tracks as you need.

PROCEDURE

- Add tracks on another computer and record on them.
-

RESULT

This creates a virtual RAID system, with several disks all operating together. All tracks remain locked together just as tightly as if they were all running on the same machine.

Playing Back Video on Other Computers

You can play back video on another computer to free up resources for audio and MIDI processing on your main CPU. This is recommended, as playback of high-resolution video can be quite demanding on the CPU.

PROCEDURE

- Move video tracks to another computer.
-

RESULT

Since all transport commands respond on the **VST System Link** computers, scrubbing video is possible even in case it is coming from another computer.

When scrubbing, the playback on the linked systems may not be perfectly in sync. In addition to this, there are some further restrictions when scrubbing via **VST System Link**:

- Always use the system where you started scrubbing to control the scrubbing.
Changing the scrub speed on a remote system only changes the speed on the local system.
- You can start playback on all systems.
This stops scrubbing and enters playback on all systems in sync.

Video

Cubase allows you to work with video content.

You can play back video files in various formats and via different output devices from within Cubase, extract the audio material from a video file, and add music to your videos.

The video export function allows you to share your videos with clients or other users.

Cubase supports the playback of video files with a resolution of up to 8k.

NOTE

The playback of 4K or 8K video files requires a sufficiently capable computer system.

Videos are exported with a Full HD resolution (1920 x 1080 px). Video files with a lower or higher resolution than Full HD are upscaled or downscaled when exporting them.

RELATED LINKS

[Video File Compatibility](#) on page 1453

[Importing Video Files](#) on page 1456

[Preparations for Video Playback](#) on page 1457

[Video Export](#) on page 1467

[Extracting Audio from Video](#) on page 1468

Video File Compatibility

When working on a project involving a video file, you must make sure that the video file type works on your Cubase system.

NOTE

If you are not able to play back a specific video file, use an external application to convert the file into a compatible format.

To find out which video files are supported, refer to the support area at steinberg.net.

RELATED LINKS

[Codecs](#) on page 1454

Video Container Formats

Video and other multimedia files come in a container format.

This container holds various streams of information including video and audio, but also metadata such as synchronization information required to play back audio and video together. Data regarding creation dates, authors, chapter markings, and the like can also be saved within the container format.

The following container formats are supported by Cubase:

MOV

This is a QuickTime movie.

MPEG-4

This format can contain various metadata for streaming, editing, local playback, and interchange of content. Its file extension is .mp4.

AVI

This is a multimedia container format introduced by Microsoft.

Codecs

Codecs are methods of data compression used to make video and audio files smaller and more manageable for computers.

For further details, refer to the support area at steinberg.net.

Frame Rates

Cubase supports different video and film frame rates.

Frame rate (speed)

Regardless of the frame counting system, the actual speed at which frames of video go by in real time is the true frame rate.

Cubase supports the following frame rates:

23.98 fps

This frame rate is used for film that is being transferred to NTSC video and must be slowed down for a 2-3 pull-down telecine transfer. It is also used for the type of HD video referred to as 24 p.

24 fps

This is the true speed of standard film cameras.

24.98 fps

This frame rate is commonly used to facilitate transfers between PAL and NTSC video and film sources. It is mostly used to compensate for errors.

25 fps

This is the frame rate of PAL video.

29.97 fps/29.97 dfps

This is the frame rate of NTSC video. The count can be either non-drop or drop-frame.

30 fps/30 dfps

This frame rate is not a video standard anymore but has been commonly used in music recording. Many years ago, it was the black and white NTSC broadcast standard. It is equal to NTSC video being pulled up to film speed after a 2-3 telecine transfer. The count can be either non-drop or drop-frame.

50 fps

This rate is also referred to as 50 p.

59.94 fps

This video frame rate is supported by high definition cameras and is compatible with NTSC.

60 fps

This video frame rate is supported by many high definition cameras. However, the NTSC compatible 59.94 fps frame rate is much more common.

IMPORTANT

Video formats with a variable frame rate (VFR) are not supported.

Video Output Devices

Cubase supports several video output devices.

Viewing video files onscreen in the **Video Player** window may work just fine for many applications, but it can become necessary to display video in a large format in order to see details or to enable other people present to see the video, too. Cubase provides several types of video output devices to accomplish this.

Dedicated Video Cards

You can use dedicated internal or external video cards by Blackmagic Design. Video is sent directly to the output of the active video device.

To use the output of dedicated video cards, you must activate the device that you want to use for playing back video on the **Video Player** page of the **Studio Setup**.

IMPORTANT

- You must install the appropriate driver for the video device and set the video card output to the video file resolution used in your project.
 - Video output via FireWire is not supported.
-

RELATED LINKS

[Video Player Page](#) on page 1458

[Activating a Video Output Device](#) on page 1459

Preparations for Creating Video Projects

In order to work with video in Cubase, you must make sure that a few requirements are fulfilled.

In Cubase, you can work with multiple video files of different formats on the same video track. There can be 2 video tracks per project.

IMPORTANT

- For proper synchronization of audio and video events, make sure that the project frame rate matches the frame rate of the video file.
 - For accurate video playback and to ensure that all editing functions work correctly, it is important for video events to start exactly on a frame on the timeline. Therefore, we strongly recommend selecting **Timecode** as the time format, and to activate **Snap**  on the **Project** window toolbar with **Grid** as the **Snap Type** and **1 frame** or **1 second** as the **Grid Type**.
-

RELATED LINKS

[Project Setup Dialog](#) on page 123

[Snap Function](#) on page 102

[Ruler Time Format Menu](#) on page 66

Importing Video Files

If you have a compatible video file, you can import it into your project.

PROCEDURE

1. Select **File > Import > Video File**.
 2. In the **Import Video** dialog, select the video file that you want to import.
 3. Optional: Activate **Extract Audio from Video** to import any embedded audio streams.
 4. Click **Open**.
-

RESULT

Cubase creates a video track with a video event. If **Extract Audio from Video** was activated, an audio track with an audio event is positioned below the video track. The corresponding audio clip is saved in the **Pool Record** folder.

NOTE

You can also import video files by dragging them from the **MediaBay**, the File Explorer/macOS Finder and dropping them in your project. If you want Cubase to automatically extract the audio, activate **Extract Audio on Import Video File** in the **Preferences** dialog (**Video** page).

RELATED LINKS

[Pool](#) on page 724


[Extracting Audio from Video](#) on page 1468

Adopting the Project Frame Rate

To ensure that the time display of Cubase corresponds to the actual frames in the video, you must set the project frame rate to the frame rate of the imported video file.

PREREQUISITE

The frame rate of the imported video file differs from the project frame rate.



PROCEDURE

1. Select **Project > Project Setup**.
 2. In the **Project Setup** dialog, click **Get Frame Rate from Video**.
 3. Click **OK**.
-

RESULT

- If Cubase supports the frame rate of the video, the project frame rate is adopted to it. If needed, the project start time is automatically adjusted to reflect the change in frame rate.

For example, if the project frame rate is switched from 30 fps to 29.97 fps, the project start time is adopted so that all the events in the project remain at the same positions in relation to real time.

NOTE

If you want the project start time to remain the same, you must manually reset it. In this case, you must snap the video event to the timeline to ensure proper positioning and synchronization within the project.

- If your project contains several video files with different frame rates, the project frame rate is adjusted to the frame rate of the first video event on the upper video track. For proper editing of any other of the imported video files, you must set the project frame rate to the frame rate of that particular video file.

Thumbnail Cache Files

For every imported video file, Cubase automatically creates a thumbnail cache file.

RELATED LINKS

[Manually Generating Thumbnail Cache Files](#) on page 1457

Manually Generating Thumbnail Cache Files

You can manually generate thumbnail cache files. This is necessary if a thumbnail cache file could not be generated during import because the folder is write-protected, or because you have edited the file with an external video editing application.

PROCEDURE

- Do one of the following:
 - In the **Pool**, right-click the video file, and select **Generate Thumbnail Cache**.
 - In the **Project** window, select the video event, and select **Media > Generate Thumbnail Cache**.

NOTE

You can only refresh existing thumbnail cache files from within the **Pool**.

RESULT

The thumbnail cache file is generated in the background so that you can continue working with Cubase.

Preparations for Video Playback

You can play back imported video files from within Cubase by using the transport controls.


For this to work, you must activate and set up a video output device.

If you work with 2 video tracks in your project, the file on the lower track is played back. To play back a video file that is positioned on the upper video track, change the order of the tracks or mute the lower video track.

Video Player Page

The **Video Player** setup page in the **Studio Setup** dialog allows you to set up your video player, to change the color space for the video output device and for the video files in your project, and to check if your video equipment allows for video playback from within Cubase.

- To open the **Video Player** page, select **Studio > Studio Setup**, and activate **Video Player** in the **Devices** list.



Device

Lists the video output devices that are available on your system.

Format

Allows you to select an output format.

NOTE

The **Onscreen Window** device only supports a fixed format.

Color Space

Per default, the color space is automatically set to **sRGB** or **P3D65/Display P3**, depending on the display that is used for the **Video Player** window.

NOTE

On Windows systems, only sRGB displays are automatically detected.

If needed, you can change the color space manually. In this case, during playback, the color space of the video in your project is converted according to your selection in the **Color Space** column of the video output device.

NOTE

HDR (high dynamic range) video is tone-mapped to SDR (standard dynamic range) for sRGB and Display P3 displays.

For video production environments where external color space management with calibrated video hardware is used, you can disable internal color space management in Cubase by selecting **No Color Space**.

Offset

If the video image does not match the audio, you can enter an offset value in milliseconds to specify how much earlier the video should be delivered. This compensates for the display delay. The offset is only used during playback. It is saved globally for each output device and is independent of the project.

Active

Allows you to activate the device that you want to use for playing back video.

Show Timecode

Allows you to show the timecode.

Position

Allows you to determine the position for the timecode display.

Video Files Color Space

Allows you to set the color space to be used for the video files in your project. This setting overrides the color space information of the video files in your project.

RELATED LINKS

[Video Player Window](#) on page 1460

Activating a Video Output Device

PROCEDURE

1. Select **Studio > Studio Setup**.
2. In the **Devices** list, select **Video Player**.
On the **Video Player** page, the available video output devices are listed in the **Device** column.
3. Optional: When using one or multiple dedicated video cards, activate the checkbox for the device that you want to use for playing back video in the **Active** column.

NOTE

If you have not connected any internal or external dedicated video cards, the **Onscreen Window** device is activated that allows you to play back the video file on your computer monitor.

4. Optional: Adjust the **Color Space** settings if the color space of your device is not detected correctly or if you use calibrated video hardware, and click **Apply**.
-

RELATED LINKS


[Video Output Devices](#) on page 1455

[Dedicated Video Cards](#) on page 1455

Video Player Window

The **Video Player** window provides different size options for video playback on your computer screen. However, the larger the size of the window and the higher the resolution of your video, the more processor load is needed.

- To open the **Video Player** window, select **Studio > Video Player**.



Video Player window with open context menu

The context menu allows you to set the size of the **Video Player** window:

Fullscreen Mode

Sets the window to full screen mode.

NOTE

In full screen mode, the aspect ratio of the video is always maintained.

Quarter Size

Reduces the window to a quarter of the actual size.

Half Size

Reduces the window to half the actual size.

Actual Size

Sets the window to the size of the video.

Double Size

Enlarges the window to twice the actual size.

Aspect Ratio

You can also drag the borders of the **Video Player** window to resize it. However, this might lead to a distorted image. To prevent this, you can set an option from the **Aspect Ratio** pop-up menu.

- If you select **None**, the aspect ratio of the video is not kept when you resize the window. The image is enlarged/reduced to occupy the whole **Video Player** window.

- **Internal** allows you to resize the window freely while keeping the aspect ratio of the video. Borders might be displayed around the video image to fill the window.
- **External** allows you to resize the window within some limits so that the video image always fills the full window while maintaining its original aspect ratio.

Scrubbing Video

You can scrub video events, that is, play them back forwards or backwards.

PROCEDURE

1. Select **Studio > Video Player**.
 2. Do one of the following:
 - Click in the **Video Player** window, and move the mouse to the left or to the right.
 - Use a jog wheel on a remote controller.
-

Editing Video

Video events are created automatically when you import a video file.

When working with video events, the following applies:

- You can view and edit video events in the **Project** window. A video event triggers the playback of the corresponding video clip.
- You can copy and trim video events. You can also lock video events in the **Project** window.
- You cannot draw, glue, and mute video events, or apply fades or crossfades.
- You can create track versions for video tracks.

RELATED LINKS

[Use Video Follows Editing Mode](#) on page 1461

[Track Versions](#) on page 219

Use Video Follows Editing Mode

Video Follows Editing allows you to edit audio while receiving continuous visual feedback on the video display.

If you activate **Video Follows Editing** in the **Transport** menu, the project cursor and video automatically follow each edit you make. This allows you to instantly see where in the video your edit is taking effect.

The video display gives you visual feedback during the following actions:

- Selecting ranges
- Editing audio
- Moving audio events
- Nudging audio events or range selections
- Resizing audio events or range selections
- Using the **Time Warp** tool
- Adjusting audio fade handles

NOTE

Video Follows Editing uses the snap point of audio events. By adjusting the snap point, you can align to an audio position that is situated in the middle of the event.

EXAMPLE

The sound of a car skidding to a stop can be easily timed to picture by aligning the end of the skid sound with the stopping of the car in the video. However, if the car comes into the frame after the skidding, it can be very difficult to align the sound. In this case, move the snap point to the end of the skidding sound, and activate **Video Follows Editing** to match that point to the stopped car on screen.

RELATED LINKS


[Snap Point](#) on page 619

[Editing Tempo and Time Signature](#) on page 1374

Export Video Dialog

The **Export Video** dialog provides settings for replacing audio in video files as well as for exporting video files from your project.

- To open the **Export Video** dialog, select **File > Export > Video**.



The following tabs are available:

Replace Audio in Video

Allows you to replace the audio in one or more video files.

Render New Video File

Allows you to export video files from your project.

RELATED LINKS

[Video Export](#) on page 1467


[Replace Audio in Video Tab](#) on page 1463

[Render New Video File Tab](#) on page 1465

Replace Audio in Video Tab

The **Replace Audio in Video** tab of the **Export Video** dialog allows you to embed your sound mix in one or more video files of the project without re-rendering them.

- To open the **Replace Audio in Video** tab of the **Export Video** dialog, select **File > Export > Video**, and click **Replace Audio in Video**.



File Location

Add to Video File Name

Allows you to add the specified text to the name of the exported video file.

File Path

Allows you to specify the file path of the exported video file.

Click **Path Options** to open a pop-up menu with file path options:

- Choose** opens the File Explorer/macOS Finder, allowing you to navigate to a file location.
- Recent Paths** allows you to select a recently selected file location.

- **Clear Recent Paths** allows you to delete all recently selected file locations.

Audio Settings

Channel Selection

Allows you to select a stereo output channel for export. **MixConsole** settings and insert effects are taken into account.

Real Time Export

Allows you to export the audio mixdown in real time. Real time export takes at least the same time as regular playback. Activate this if you use external effects or instruments, or if you use VST plug-ins that require time to update correctly during the mixdown. For further information, refer to the documentation of the respective plug-ins.

NOTE

- If you export external effects or instruments in real time, you must also activate **Monitor** for the respective audio channels.
- **Real Time Export** affects only the audio export.

Resulting Video Files

This section provides information about the resulting video files.

RELATED LINKS

[Video Export](#) on page 1467

[Render New Video File Tab](#) on page 1465

Replacing Audio in Selected Video Files

You can embed your stereo sound mix in one or more selected video files without re-rendering them. This is not only safer, but also quicker.

PREREQUISITE

- Your project contains one or more video events and you have arranged and mixed the audio to a stereo output bus.
- The video files are compressed using the H.264 codec in the .mp4 or .mov container format.

PROCEDURE

1. Select one or more video events in your project.
2. Select **File > Export > Video**.
3. In the **Export Video** dialog, open the **Replace Audio in Video** tab.
4. In the **File Location** section, choose a **File Path** for the videos that contain the new audio. Copies of the original video files are saved at this location.
5. Optional: In the **Add to Video File Name** field, enter a string that you want to add to the file names of the original video files.
The resulting names of the video files are displayed in the **Resulting Video Files** section of the **Export Video** dialog.
6. In the **Audio Settings** section, open the **Channel Selection** pop-up menu, and select a stereo output bus.

7. Click **Replace Audio**.

RESULT

The original video files are copied to the specified location, and an audio mixdown of the selected stereo output bus is embedded into the files.

NOTE


If you trimmed the lengths of the video events in your project, the resulting video files are longer than the video events in the project. As a result, they contain silent portions.

The resulting video files are MP4 files. The embedded audio is compressed using an AAC LC encoder with 192 kbps at a constant bit rate.

Render New Video File Tab

The **Render New Video File** tab of the **Export Video** dialog allows you to export a new video file.

- To open the **Render New Video File** tab of the **Export Video** dialog, select **File > Export > Video**, and click **Render New Video File**.



File Location

File Name

Allows you to specify the name of the exported video file.

File Path

Allows you to specify the file path of the exported video file.

Click **Path Options** to open a pop-up menu with the following file path options:

- **Choose** opens the File Explorer/macOS Finder, allowing you to navigate to a file location.
- **Recent Paths** allows you to select a recently selected file location.
- **Clear Recent Paths** allows you to delete all recently selected file locations.

Video Settings

Video Format

Shows the format of the exported video file.

Add Timecode

Adds the project timecode to the exported video file.

Audio Settings

Channel Selection

Allows you to select a stereo output channel for export. **MixConsole** settings and insert effects are taken into account.

Real Time Export

Allows you to export the audio mixdown in real time. Real time export takes at least the same time as regular playback. Activate this if you use external effects or instruments, or if you use VST plug-ins that require time to update correctly during the mixdown. For further information, refer to the documentation of the respective plug-ins.

NOTE

- If you export external effects or instruments in real time, you must also activate **Monitor** for the respective audio channels.
- **Real Time Export** affects only the audio export. Video is processed as usual.

Export Range

This section provides information about the exported locator range.

File Information

This section provides detailed information about the exported video file.

General Options

In the bottom section, the following options are available:

Keep Dialog Open

Activate this to keep the dialog open after clicking **Export Video**.

Export Video

Allows you to export your video as specified.

RELATED LINKS

[Video Export](#) on page 1467

[Replace Audio in Video Tab](#) on page 1463

Video Export

You can export a video file from your project. This allows you, for example, to share sections of intermediate results or finished videos with clients or other users.

The **Export Video** function allows you to export a video and a stereo audio signal that are enclosed between the left and right locators. This allows you to export a specific section or the entire project by setting the locators accordingly.

Videos are exported in the following format:

- Container format: MP4
- Video compression codec: H.264 without long group of pictures (Long GOP) sequences
- Resolution: 1920 x 1080 px (Full HD)

IMPORTANT

Video with a lower or higher resolution than Full HD is upscaled or downscaled on export.

- Frame rate: Identical with the project frame rate
- Audio compression codec: AAC
- Sample rate: Identical with the project sample rate

IMPORTANT

Video export supports sample rates of 44.1 kHz and 48 kHz only.

- Bit depth: 16 bit

You can only add a stereo output channel to the exported video file. We recommend routing all mono, stereo, or multi-channel channels that you want to export to a stereo output channel via send, and selecting this output channel in the **Export Video** dialog.

If you work with 2 video tracks in your project, the video on the lower track in the track list is exported. To export video from the upper video track, you must mute the lower video track.

RELATED LINKS

[Export Video Dialog](#) on page 1462

[Exporting Video Files](#) on page 1467

Exporting Video Files

You can export a video, including a stereo audio signal of your whole project or of a specific range, as an MP4 video file.

PREREQUISITE

- Your project sample rate is set to 44.1 kHz or 48 kHz.
- If you work with 2 video tracks in your project, you have muted the video track that contains the video you do not want to export.
- To export external audio signals, you have activated **Monitor** for the corresponding channel.

PROCEDURE

1. Set up the left and right locators to encompass the section that you want to export.
2. Set up the audio in your project so that it plays back the way you want.

NOTE

You can only add a stereo output channel to the exported video file. We recommend routing all mono, stereo, or multi-channel channels that you want to export to a stereo output channel via send.

3. Select **File > Export > Video**.
4. In the **Export Video** dialog, activate the **Render New Video File** tab.
5. Select the stereo output channel that you want to export.

NOTE

Make sure that the selected output channel contains all audio that you want to use for the exported file. For example, solo the channels that you want to export, or mute the channels that you do not want to export.

6. Make any further export settings.
 7. Click **Export Video**.
-

RESULT

The video file is exported.

RELATED LINKS

[Export Video Dialog](#) on page 1462

Extracting Audio from Video

You can extract the audio stream of a video file on import.

PROCEDURE

1. Do one of the following:
 - Select **File > Import > Audio from Video File**.
This creates an audio clip in the **Pool** but does not add any events to the **Project** window.
 - Select **Media > Extract Audio from Video File**.
 2. In the dialog, select the video file, and click **Open**.
 3. In the **Import Options** dialog, select the desired import options.
-

RESULT

The extracted audio stream is added to the project on a new audio track and can be edited in the same manner as any other audio material.

RELATED LINKS

[Pool](#) on page 724

[On Import Audio Files Settings](#) on page 347

[Importing Video Files](#) on page 1456

Exchanging Files with Other Applications

Cubase supports a number of file formats that you can use to exchange files with other applications.

RELATED LINKS

- [AAF Files on page 1469](#)
- [ADM Files on page 1473](#)
- [DAWproject Files on page 1474](#)
- [OMF Files on page 1475](#)

AAF Files

The Advanced Authoring Format (AAF) is a multimedia file format that allows you to exchange digital media and metadata between different systems and applications across multiple platforms. Metadata include fades, automation, and processing information.

RELATED LINKS

- [Importing AAF Files on page 1469](#)
- [Exporting AAF Files on page 1471](#)

Importing AAF Files

PROCEDURE

1. Select **File > Import > AAF**.
2. In the File Explorer/macOS Finder, choose the AAF file, and click **Open**.
3. If a project is already open in Cubase, a dialog opens that allows you to choose a destination for the imported AAF file.
 - To import the AAF file to a new project, click **Yes**.
 - To import the AAF file to your active project, click **No**, and proceed with step 5.
4. In the File Explorer/macOS Finder, specify a project folder, and click **Select Folder**.
5. In the **Import Options** dialog, choose the tracks you want to import, and make your changes.
6. Click **OK**.

NOTE

Depending on the size of the imported project and whether the files are embedded or referenced, the import process may take a while.

RESULT

The audio tracks and events of the imported AAF file are added. If you have imported the file to a new project, the events are placed at their original timecode position. If you have imported the

file to your active project, the events are placed at the position you have specified in the **Import Options** dialog.


RELATED LINKS

[AAF Import Options Dialog](#) on page 1470

AAF Import Options Dialog

The **AAF Import Options** dialog allows you to activate tracks for import and to specify the destination in the active project.

- To open the **AAF Import Options** dialog, select **File > Import > AAF**.



Import

Allows you to select a track for import.

Type

Shows the media type of the track.

Track Name

Shows the track name.

Select All Tracks

Selects all tracks for import.

Import All Media Files

Imports media files that are not referenced by events.

Import at Absolute Position

Places imported track data at its original timecode position in your active project.

Import at Relative Position

Places imported track data relative to the start time of your active project, taking the start time of the source project into account. For example, if the source project starts at timecode 01:00:00:00, with an event located at 02:00:00:00, and if the active project starts at 02:00:00:00, the imported event is placed at timecode 03:00:00:00.

Import at Cursor Position

Places imported track data relative to the cursor position in your active project, taking the start time of the source project into account. For example, if the source project starts at timecode 01:00:00:00, with an event located at 02:00:00:00, and if the cursor in your active project is located at 02:00:00:00, the imported event is placed at timecode 03:00:00:00.

NOTE

- If the original timecode position of the imported data is outside of your project range, the start/end time of your project is modified.
- The import position options are only available if you import the AAF file to your active project.

AAF File Info

Shows information about the file.

Exporting AAF Files

PROCEDURE

1. Select **File > Export > AAF**.
2. In the **Export Options** dialog, select the tracks that you want to include in the exported file, and make your changes.
3. Click **OK**.
4. In the file dialog, specify a name and location.
5. Click **Save**.

RESULT

The AAF file is exported.


RELATED LINKS

[AAF Export Options Dialog](#) on page 1471

AAF Export Options Dialog

The **AAF Export Options** dialog allows you to activate tracks for export and to specify what data is included in the exported files.

- To open the **AAF Export Options** dialog, select **File > Export > AAF**.



Export

Allows you to select a track for export.

Track Name

Shows the track name.

Select All

Selects all tracks in the project for export.

From Left to Right Locator

Allows you to export the range between the locators only.

Media Destination Path

Allows you to specify a location for exported media files. The **Path Options** pop-up menu allows you to choose a dedicated location for the exported media files or to automatically create a new subfolder in the export destination folder by selecting **Subfolder Next to Exported File**.

Copy Media

Allows you to create copies of all media files. By default, the copied audio files are placed in a subfolder in the export destination folder. You can specify a different location for the copied files via the **Path Options** pop-up menu to the right of the **Media Destination Path** field.

NOTE

When exporting audio that is not referenced as a clip in the **Pool**, for example, when using real-time effects, the corresponding audio files are created in a subfolder within the folder specified as **Media Destination Path**, even if **Copy Media** is deactivated.

Export Muted Events with Volume -inf dB

Sets muted events to a volume -inf dB on export.

Consolidate Events

Allows you to copy only the portions of audio files that are used in the project.

The **Handle Length** value allows you to define a length in milliseconds to include audio outside each event boundary for later fine-tuning. Handles allow you to adjust fades or edit points when the project is imported into another application.

Export Media File References

Exports only media file references. This keeps the exported file small. However, the referenced audio files must be available to the receiving application.

Export All to One File

Exports all data to one self-contained file. This could result in a large file size.

Export Sample Size

Allows you to set a sample size for the exported files.

Quantize Events to Frames

Moves the event positions in the exported file to exact frames. This is can be necessary when exporting projects to video workstations that limit the accuracy of edits to the frame.

ADM Files

Cubase allows you to export your own Dolby Atmos mixes as fully compliant Audio Definition Model (ADM) files in Broadcast Wave Format (BWF) format.

ADM Import

ADM Export

Exported ADM BWF files contain the complete object structure, including any metadata required for re-rendering on a suitable playback system.

The export of ADM projects is performed via the **ADM Authoring** window.

RELATED LINKS

[Authoring and Mixing Object-Based Audio Content](#) on page 822

[Object Mixes with VST MultiPanner](#) on page 837

[Exporting ADM Files](#) on page 1474

[ADM Authoring Window](#) on page 832

Exporting ADM Files

The **ADM Authoring** window allows you to export 3D audio mixes as ADM files in Broadcast Wave Format (BWF) format, containing object audio and a channel-based bed, including any metadata required for re-rendering on a Dolby Atmos playback system.

PREREQUISITE

You have set up a complete and valid ADM project, for example a Dolby Atmos mix, containing bed and object audio.

PROCEDURE

1. Select **Project > ADM Authoring**.
 2. Click **Export ADM File**.
 3. In the file dialog, specify a name and location.
 4. Click **Save**.
-

RESULT

Your ADM is exported as an ADM BWF file according to your current settings at the specified location.

RELATED LINKS

[Authoring and Mixing Object-Based Audio Content](#) on page 822
[ADM Authoring Window](#) on page 832

DAWproject Files

DAWproject is an open exchange file format that allows you to share and exchange digital media and metadata between different systems and applications across multiple platforms. The DAWproject file format includes audio, video, and MIDI data, and information about tracks, routing, automation, and plug-ins.

For DAWproject file import and export, Cubase supports the following data, settings, and parameters:

- Track types: Audio, instrument, group, effect, marker
- Output channels
- Settings: Volume, pan, channel strip, mute, sends, track color
- Insert plug-ins (VST 3 only)
- Track routing
- Automation: Volume, pan, mute, sends, insert/instrument parameters

RELATED LINKS

[Importing DAWproject Files](#) on page 1474
[Exporting DAWproject Files](#) on page 1475

Importing DAWproject Files

PROCEDURE

1. Select **File > Import > DAWproject**.

2. If a project is already open in Cubase, a dialog opens that allows you to choose a destination for the imported DAWproject file.
 - To import the DAWproject file into a new project, click **Yes**.
 - To import the DAWproject file into your active project, click **No**.
 3. In the File Explorer/macOS Finder, specify a project folder, and click **Select Folder**.
 4. In the File Explorer/macOS Finder, choose the DAWproject file, and click **Open**.
-

RESULT

The audio tracks and events of the imported DAWproject file are added to the project. The events are placed at their original timecode position.

Exporting DAWproject Files

PROCEDURE

1. Select **File > Export > DAWproject**.
 2. In the File Explorer/macOS Finder, specify a name and a location.
 3. Click **Save**.
-

RESULT

The DAWproject file is exported, including all video, audio, and MIDI data.

OMF Files

Open Media Framework Interchange (OMFI) is a platform-independent file format that allows you to transfer digital media between different applications.

Cubase can import and export OMF files.

RELATED LINKS

- [Importing OMF Files](#) on page 1475
[Exporting OMF Files](#) on page 1477

Importing OMF Files

PROCEDURE

1. Select **File > Import > OMF**.
2. In the file dialog, select the OMF file, and click **Open**.
3. Optional: If a project is open, choose if you want to create a new project.
If you select **No**, the OMF file is imported into the current project.
4. In the **Import Options** dialog, choose the tracks that you want to import, and make your changes.
5. Click **OK**.
6. Optional: If the OMF file contains video event information, choose whether you want to create markers at the start position of the video events.

NOTE

You can use these markers as position references if you want to manually import the video files.

RESULT

The audio events of the imported OMF file are added.


RELATED LINKS

[OMF Import Options Dialog](#) on page 1476

OMF Import Options Dialog

The **OMF Import Options** dialog allows you to activate tracks for import, to specify the destination in the active project, and to define the data that is to be imported.

- To open the **OMF Import Options** dialog, select **File > Import > OMF**.



Import

Allows you to select a track for import.

Type

Shows the media type of the track.

Track Name

Shows the track name.

Select All Tracks

Selects all tracks for import.

Import All Media Files

Imports media files that are not referenced by events.

Import Clip Gain as Automation

Imports volume automation and envelopes of the volume automation track for each track.

Import at Timecode Position

Inserts the elements contained in the file at their original timecode positions.

This ensures that the elements are placed at their correct time positions, even if Cubase uses a different frame rate than the file.

Import at Absolute Time

Inserts the elements contained in the file, starting at the timecode position saved in the file and keeping the relative distances between the elements.

Exporting OMF Files

PROCEDURE

1. Select **File > Export > OMF**.
 2. In the **Export Options** dialog, select the tracks that you want to include in the exported file, and make your changes.
 3. Click **OK**.
 4. In the file dialog, specify a name and location.
 5. Click **Save**.
-

RESULT


The OMF file is exported. It contains or references all audio files that are played in the project, including fade and edit files.

Unused audio files that are referenced in the **Pool** or any MIDI data are not contained in the file. Video files are not included.

OMF Export Options Dialog

The **OMF Export Options** dialog allows you to activate tracks for export and to specify what data to include in the exported files.

- To open the **OMF Export Options** dialog, select **File > Export > OMF**.



Export

Allows you to select a track for export.

Track Name

Shows the track name.

Select All

Selects all tracks in the project for export.

From Left to Right Locator

Allows you to export the range between the locators only.

Media Destination Path

Allows you to specify a location for exported media files. The **Path Options** pop-up menu allows you to choose a dedicated location for the exported media files or to automatically create a new subfolder in the export destination folder by selecting **Subfolder Next to Exported File**.

Copy Media

Allows you to create copies of all media files. By default, the copied audio files are placed in a subfolder in the export destination folder. You can specify a different location for the copied files via the **Path Options** pop-up menu to the right of the **Media Destination Path** field.

NOTE

When exporting audio that is not referenced as a clip in the **Pool**, for example, when using real-time effects, the corresponding audio files are created in a subfolder within the folder specified as **Media Destination Path**, even if **Copy Media** is deactivated.

Consolidate Events

Allows you to copy only the portions of audio files that are used in the project.

The **Handle Length** value allows you to define a length in milliseconds to include audio outside each event boundary for later fine-tuning. Handles allow you to adjust fades or edit points when the project is imported into another application.

OMF 1.0 File

Allows you to select an OMF version. Be sure to select a version that is supported by the application used for importing.

OMF 2.0 File

Allows you to select an OMF version. Be sure to select a version that is supported by the application used for importing.

Export Media File References

Exports only media file references. This keeps the exported file small. However, the referenced audio files must be available to the receiving application.

Export All to One File

Exports all data to one self-contained file. This could result in a large file size.

Export Clip-Based Volume (OMF 2.0 only)

Includes the volume settings that you set up with the volume handles for the events.

Use Fade Curves (OMF 2.0 only)

Includes the fades that you set up with the fade handles for the events.

Export Clip Names (OMF 2.0 only)

Includes the clip names for the events.

Export Sample Size

Allows you to set a sample size for the exported files.

Quantize Events to Frames

Moves the event positions in the exported file to exact frames. This is can be necessary when exporting projects to video workstations that limit the accuracy of edits to the frame.


Key Commands

Key commands are assigned to most main menus and functions in Cubase. They are used for all of your projects.

You can view and add key commands in the **Key Commands** dialog. Key command assignments are also shown in the tooltips.



Tooltips with an exclamation mark at the end have not been assigned a key command yet.



You can save key command settings as a key commands file, which is stored separately and can be imported into any project. In this manner, you can quickly and easily recall customized settings, when moving projects between different computers, for example. The settings are saved in an XML file on the hard disk.


RELATED LINKS

[Saving Key Command Presets](#) on page 1485

Key Commands Dialog

The **Key Commands** dialog allows you to view and edit key commands for the main menus and functions in Cubase.

- To open the **Key Commands** dialog, select **Edit > Key Commands**.



Key Commands Section

The following options are available in the key commands section:

Expand All



Expands all folders.

Collapse All



Reduces all folders.

Press Key/Search Command



Activate this button and press a key to verify if a specific key is already assigned to a command.

Deactivate this button and enter the name of a Cubase command to filter the list.

Reset Search

Resets the search field. This button is only available with **Press Key/Search Command** deactivated.

All

Shows all commands.

Assigned

Shows all assigned key commands.

Customized

Shows all customized key commands.

Unassigned

Shows all unassigned commands.

Select Preset

Opens a menu from which you can load and save key command presets.

Command

Shows the Cubase commands to which you can assign key commands. The key commands are arranged in category folders.

Key

Shows the assigned key command for the command that is selected in the **Command** column.

If you select a command that has no key assigned to it, the **Key** column shows **click here**. Click and press the key that you want to assign to the selected command.

If you select a command that has a key assigned, the following functions are shown to the right of the key:

- **Remove Key Command**

Removes the assigned key from the command.

- **Reset Key Command**

Resets the key command. This is only available if you changed a key command assignment.

- **Assign Additional Key**

Assigns an additional key command. The additional key command can be used as an alternative to the default key command.

Defaults

Resets all key commands to their default settings.

Clear All

Removes all key command assignments.

Macros Section

The macros section allows you to set up a combination of several functions or commands that you want to be performed.

The following options are available:

Macros

Shows/hides the macros section that allows you to set up a combination of several functions or commands to be performed as a macro.

New Macro

Adds a new empty macro.

Duplicate Macro

Duplicates the selected macro.

Delete Macro

Deletes the selected macro.

Add Command

Adds the command that is selected in the key commands list above to the selected macro.

Remove Command from Macro

Removes the selected command from the macro.

Move Command Up in Macro

Allows you to change the order of commands in the macro.

Move Command Down in Macro

Allows you to change the order of commands in the macro.

Command

Shows the Cubase commands to which you can assign key commands. The key commands are arranged in category folders. If you select a command from the list, the following functions become available:

- **Remove Key Command**

Removes the assigned key from the macro. This is only available if a key command is assigned to it.

Keys

Shows the assigned key command for the macro that is selected in the **Command** column.

Run Macro

Runs the selected macro.

RELATED LINKS

[Assigning Key Commands](#) on page 1483

[Searching for Key Commands or Assignments](#) on page 1484

[Resetting Key Commands](#) on page 1486

[Removing Key Command Assignments](#) on page 1484

[Loading Key Command Presets](#) on page 1485

[Saving Key Command Presets](#) on page 1485

[Adding Macros](#) on page 1484

Assigning Key Commands

You can assign key commands in the **Key Commands** dialog.

PROCEDURE

1. Select **Edit > Key Commands**.
2. Do one of the following:
 - In the key commands section, open the corresponding category folder, and select the function to which you want to assign a key command.
 - Deactivate **Press Key/Search Command**  in the **Search Command** field, enter the name of the function to which you want to assign a key command, and select it.
3. Click the **click here** field, and press the key that you want to use as a key command.
You can press individual keys or a combination of one or several of the modifier keys **Ctrl/Cmd**, **Alt/Opt**, **Shift** plus any key.

RESULT

The key command is assigned.

NOTE

To assign an additional key to the same function, click **Assign Additional Key**, and press the key. Adding a key command to a function that already has another key command assigned to it does not replace the previously defined key command.

Searching for Key Commands or Assignments

In the **Key Commands** dialog, you can search for Cubase functions or for assignments.

PROCEDURE

1. Select **Edit > Key Commands**.
 2. Do one of the following:
 - Activate **Press Key/Search Command**  and press a key to verify if it is already assigned to a command.
 - Deactivate **Press Key/Search Command**  and in the **Search Command** field, enter the name of a Cubase function to verify if a key is already assigned to it.
-

RESULT

The key commands list is filtered to show the corresponding command and/or the key.

RELATED LINKS

[Press Key/Search Command](#) on page 1481

Removing Key Command Assignments

PROCEDURE

1. Select **Edit > Key Commands**.
 2. In the **Command** list, open a category folder, and select the function whose key command assignment you want to remove.
 3. Select the key command in the list, and click **Remove Key Command** to the right of the function.
 4. Click **Remove** to confirm your choice.
-

Adding Macros

You can set up a combination of several functions or commands to be performed as a macro.

PROCEDURE

1. Select **Edit > Key Commands**.
2. Open the macros section.
3. Click **New Macro**.
4. In the macros section, double-click the new macro, enter a name for it, and press **Return** to confirm it.
5. In the key command section, select the first command you want to include in the macro.

6. In the macros section, click **Add Command**.

NOTE

Commands are added to the macros list after the selected command. You can change the order of the commands by clicking **Move Command Up in Macro** or **Move Command Down in Macro**.

7. In the key commands section, select the next command, and click **Add Command**.

RESULT

The new macro is added. You can select it from the **Macros** submenu of the **Edit** menu.

NOTE

You can also assign key commands to a macro. Macros are shown in the **Macro** category.

RELATED LINKS

[Macros Section](#) on page 1482

Saving Key Command Presets

You can save key command settings as presets.

PREREQUISITE

You have set up the key commands to your liking.

PROCEDURE

1. From the **Presets** pop-up menu, select **Save Preset**.
2. Enter a name for the preset, and click **OK**.

RESULT

Your key commands settings are now available as a preset on the **Presets** pop-up menu.

Loading Key Command Presets

You can load key command presets.

PROCEDURE

- Open the **Presets** pop-up menu, and select the preset.

RESULT

The new key command preset replaces the previous key command settings and macros.

Exporting Key Command Assignments

You can export a file that lists all key command assignments.

PROCEDURE

1. Select **File > Export > Key Command Assignments**.

2. In the file dialog, choose a location, and enter a file name.
 3. Click **Save**.
-

RESULT

The key command assignments are exported as an **.html** file.

Resetting Key Commands


You can reset customized key commands to their default state.

IMPORTANT


If you reset key commands, any changes you made to the default key commands are lost. To be able to revert to these settings again, save them first.

PROCEDURE

1. Optional: In the **Key Commands** dialog, click **Customized** to show only the key commands that were changed and can be reset.
2. Do one of the following:
 - To reset a key command, select it in the key commands section, and click **Reset Key Command**.
 - To reset all key commands, click **Defaults**, and confirm with **Reset All**.



- To reset all key commands, click **Defaults**, and confirm with **Reset All**.



RESULT

The key commands are reset.

Default Key Commands

The default key commands are arranged in categories.

NOTE

When the **On-Screen Keyboard** is displayed, the usual key commands are blocked because they are reserved for the **On-Screen Keyboard**. The only exceptions are: **Ctrl/Cmd-S** (Save), **Num *** (Start/Stop Record), **Space** (Start/Stop Playback), **Num 1** (Jump to Left Locator), **Delete** or **Backspace** (Delete), **Num /** (Cycle on/off), **F2** (Show/Hide Transport panel), and **Alt/Opt-K** (Show/Hide On-Screen Keyboard).

Add Track Category

| Option | Key command |
|-----------|-------------|
| Add Track | T |

Audio Category

| Option | Key command |
|-----------------------|------------------|
| Adjust Fades to Range | A |
| Auto-Grid | Shift - Q |
| Crossfade | X |

Automation Category

| Option | Key command |
|--|--------------------|
| Open Panel | F6 |
| Read Automation for All Tracks On/Off | Alt/Opt - R |
| Write Automation for All Tracks On/Off | Alt/Opt - W |

Chords Category

| Option | Key command |
|----------------------|-----------------------------|
| Show/Hide Chord Pads | Ctrl/Cmd - Shift - C |

Devices (Studio) Category

| Option | Key command |
|---------------------------|-------------|
| Audio Connections | F4 |
| Audio Performance Monitor | F12 |
| MixConsole | F3 |

| Option | Key command |
|------------------------------|---------------------|
| MixConsole in Project Window | Alt/Opt - F3 |
| On-Screen Keyboard | Alt/Opt - K |
| Video Player | F8 |
| VST Instruments | F11 |

Direct Offline Processing Category

| Option | Key command |
|---------------------------|-------------|
| Direct Offline Processing | F7 |

Edit Category

| Option | Key command |
|---|-----------------------------------|
| Activate/Deactivate Focused Object | Alt/Opt - A |
| Auto-Scroll On/Off | F |
| Copy | Ctrl/Cmd - C |
| Cut | Ctrl/Cmd - X |
| Cut Time | Ctrl/Cmd - Shift - X |
| Delete | Delete or Backspace |
| Delete Time | Shift - Backspace |
| Duplicate | Ctrl/Cmd - D |
| Expand/Reduce | Alt/Opt - E |
| Find Track/Channel | Ctrl/Cmd - F |
| Group | Ctrl/Cmd - G |
| Group Editing on Selected Tracks On/Off | K |
| Insert Silence | Ctrl/Cmd - Shift - E |
| Invert | Alt/Opt - F |

| Option | Key command |
|--|---------------------------------------|
| Invert Selection | Ctrl/Cmd - Alt/Opt - I |
| Left Selection Side to Cursor | E |
| Lock | Ctrl/Cmd - Shift - L |
| Move Event Start/Range Start to Cursor | Ctrl/Cmd - L |
| Move Events to Front | U |
| Mute | M |
| Mute Events | Shift - M |
| Mute/Unmute Objects | Alt/Opt - M |
| Open | Ctrl/Cmd - E |
| Paste | Ctrl/Cmd - V |
| Paste at Origin | Alt/Opt - V |
| Paste Relative to Cursor | Shift - V |
| Paste Time | Ctrl/Cmd - Shift - V |
| Primary Parameter: Decrease | Ctrl/Cmd - Shift - Down Arrow |
| Primary Parameter: Increase | Ctrl/Cmd - Shift - Up Arrow |
| Record Enable | R |
| Redo | Ctrl/Cmd - Shift - Z |
| Rename First Selected Track | Alt/Opt - F2 |
| Rename Selected Events | F2 |
| Repeat | Ctrl/Cmd - K |
| Right Selection Side to Cursor | D |
| Secondary Parameter: Decrease | Ctrl/Cmd - Shift - Left Arrow |
| Secondary Parameter: Increase | Ctrl/Cmd - Shift - Right Arrow |
| Select All | Ctrl/Cmd - A |

| Option | Key command |
|-------------------|-----------------------------|
| Select None | Ctrl/Cmd - Shift - A |
| Snap On/Off | J |
| Solo | S |
| Split At Cursor | Alt/Opt - X |
| Split Range | Shift - X |
| Stationary Cursor | Alt/Opt - C |
| Undo | Ctrl/Cmd - Z |
| Ungroup | Ctrl/Cmd - U |
| Unlock | Ctrl/Cmd - Shift - U |
| Unmute Events | Shift - U |
| Write | W |

Editors Category

| Option | Key command |
|-------------------|-----------------------------|
| Edit In-Place | Ctrl/Cmd - Shift - I |
| Open Score Editor | Ctrl/Cmd - R |
| Open/Close Editor | Return |

File Category

| Option | Key command |
|--------|---------------------|
| Close | Ctrl/Cmd - W |
| New | Ctrl/Cmd - N |
| Open | Ctrl/Cmd - O |
| Quit | Ctrl/Cmd - Q |
| Save | Ctrl/Cmd - S |

| Option | Key command |
|------------------|-------------------------------|
| Save As | Ctrl/Cmd - Shift - S |
| Save New Version | Ctrl/Cmd - Alt/Opt - S |

Focus Category

| Option | Key command |
|----------|------------------------------------|
| Confirm | Alt/Opt - Shift - Space |
| Edit | Ctrl/Cmd - Alt/Opt - Return |
| Next | Tab |
| Previous | Shift - Tab |

Marker Category

| Option | Key command |
|-------------------------------------|---------------|
| Add Position Marker on Active Track | Insert |

Media Category

| Option | Key command |
|--------------------------------|-------------------------------|
| Open MediaBay | F5 |
| Open/Close Attribute Inspector | Ctrl - Alt/Opt - Num 6 |
| Open/Close Favorites | Ctrl - Alt/Opt - Num 8 |
| Open/Close File Browser | Ctrl - Alt/Opt - Num 4 |
| Open/Close Filters | Ctrl - Alt/Opt - Num 5 |
| Open/Close Previewer | Ctrl - Alt/Opt - Num 2 |
| Preview Cycle On/Off | Shift - Num / |
| Preview Start | Shift - Enter |

| Option | Key command |
|-----------------|----------------------|
| Preview Stop | Shift - Num 0 |
| Search MediaBay | Shift - F5 |

MIDI Category

| Option | Key command |
|----------------------------|--------------------|
| Show/Hide Controller Lanes | Alt/Opt - L |

MixConsole History Category

| Option | Key command |
|----------------------|----------------------------|
| Undo MixConsole Step | Alt/Opt - Z |
| Redo MixConsole Step | Alt/Opt - Shift - Z |

Navigate Category

| Option | Key command |
|--|----------------------------|
| Add Down: | Shift - Down Arrow |
| Expand/Undo selection in the Project window to the bottom/Move selected event in the Key Editor down 1 octave | |
| Add Left: | Shift - Left Arrow |
| Expand/Undo selection in the Project window/ Key Editor to the left | |
| Add Right: | Shift - Right Arrow |
| Expand/Undo selection in the Project window to the top/Move selected event in the Key Editor up one octave | |
| Add Up: | Shift - Up Arrow |
| Expand/Undo selection in the Project window to the top/Move selected event in the Key Editor up one octave | |

| Option | Key command |
|---|-------------------------|
| Bottom: | End |
| Select bottom track in the track list | |
| Down: | Down Arrow |
| Select next in the Project window/Move selected event in the Key Editor one semitone down | |
| Left: | Left Arrow |
| Select previous in the Project window/ Key Editor | |
| Right: | Right Arrow |
| Select next in the Project window/ Key Editor | |
| Toggle Selection | Ctrl/Cmd - Space |
| Top: | Home |
| Select top track in the track list | |
| Up: | Up Arrow |
| Select next in the Project window/ Move selected event in the Key Editor one semitone up | |

Nudge Category

| Option | Key command |
|-------------------|--------------------------------------|
| Left | Ctrl/Cmd - Left Arrow |
| Right | Ctrl/Cmd - Right Arrow |
| Nudge Bottom Down | Alt/Opt - Down Arrow |
| Nudge Bottom Up | Alt/Opt - Shift - Up Arrow |
| Nudge End Left | Alt/Opt - Shift - Left Arrow |
| Nudge End Right | Alt/Opt - Right Arrow |
| Nudge Start Left | Alt/Opt - Left Arrow |
| Nudge Start Right | Alt/Opt - Shift - Right Arrow |

| Option | Key command |
|----------------|-------------------------------------|
| Nudge Top Down | Alt/Opt - Shift - Down Arrow |
| Nudge Top Up | Alt/Opt - Up Arrow |

Project Category

| Option | Key command |
|------------------------|----------------------------|
| Colors | Alt/Opt - Shift - S |
| Open Markers | Ctrl/Cmd - M |
| Open Pool | Ctrl/Cmd - P |
| Open Tempo Track | Ctrl/Cmd - T |
| Remove Selected Tracks | Shift - Delete |
| Set Track/Event Color | Alt/Opt - Shift - C |
| Setup | Shift - S |
| Tap Tempo | Shift - Space |

Quantize Category

| Option | Key command |
|----------|-------------|
| Quantize | Q |

Set Insert Length Category

| Option | Key command |
|--------|--------------------|
| 1/1 | Alt/Opt - 1 |
| 1/2 | Alt/Opt - 2 |
| 1/4 | Alt/Opt - 3 |
| 1/8 | Alt/Opt - 4 |
| 1/16 | Alt/Opt - 5 |

Key Commands
Default Key Commands

| Option | Key command |
|----------------|--------------------|
| 1/32 | Alt/Opt - 6 |
| 1/64 | Alt/Opt - 7 |
| 1/128 | Alt/Opt - 8 |
| Toggle Dotted | Alt/Opt - . |
| Toggle Triplet | Alt/Opt - , |

Tool Category

| Option | Key command |
|--------------------------------|----------------------------|
| Combine Selection Tools On/Off | Alt/Opt - Shift - 1 |
| Draw Tool | 8 |
| Drumstick Tool | 0 |
| Erase Tool | 5 |
| Glue Tool | 4 |
| Mute Tool | 7 |
| Next Tool | F10 |
| Object Selection Tool | 1 |
| Play Tool | 9 |
| Previous Tool | F9 |
| Range Selection Tool | 2 |
| Split Tool | 3 |
| Zoom Tool | 6 |

Track Versions Category

| Option | Key command |
|-------------------|-----------------------------|
| Duplicate Version | Ctrl/Cmd - Shift - D |

| Option | Key command |
|------------------|-----------------------------|
| New Version | Ctrl/Cmd - Shift - N |
| Next Version | Ctrl/Cmd - Shift - H |
| Previous Version | Ctrl/Cmd - Shift - G |

Transport Category

| Option | Key command |
|-------------------------------|----------------------------|
| Activate External Sync | Alt/Opt - Shift - T |
| Activate Metronome | C |
| Activate Punch In | I |
| Activate Punch Out | O |
| Cycle | Num / |
| Enter Left Locator | Shift - L |
| Enter Locator Range Duration | Shift - D |
| Enter Project Cursor Position | Shift - P |
| Enter Punch In Position | Shift - I |
| Enter Punch Out Position | Shift - O |
| Enter Right Locator | Shift - R |
| Enter Tempo | Shift - T |
| Enter Time Signature | Shift - C |
| Exchange Time Formats | . |
| Fast Forward | Shift - Num + |
| Fast Rewind | Shift - Num - |
| Forward | Num + |
| Go to Left Locator | Num 1 |

| Option | Key command |
|--|--|
| Go to Project Start | Num . or Num , or Num ; |
| Go to Right Locator | Num 2 |
| Locate Next Event | N |
| Locate Next Hitpoint | Alt/Opt - N |
| Locate Next Marker | Shift - N |
| Locate Previous Event | B |
| Locate Previous Hitpoint | Alt/Opt - B |
| Locate Previous Marker | Shift - B |
| Locate Selection Start | L |
| Locators to Selection | P |
| Loop Selection | Alt/Opt - P |
| Loop Selection Solo | Alt/Opt - Shift - P |
| MIDI Retrospective Record: Insert from All MIDI Inputs | Shift - Num --* |
| Nudge Cursor Left | Ctrl/Cmd - Num - |
| Nudge Cursor Right | Ctrl/Cmd - Num + |
| Play Selection | Alt/Opt - Space |
| Play Selection Solo | Ctrl/Cmd - Alt/Opt - Space |
| Recall Cycle Marker 1 to 9 | Shift - Num 1 to Num 9 |
| Record | Num * |
| Rewind | Num - |
| Set Left Locator to Project Cursor Position | Ctrl/Cmd - Num 1 |
| Set Marker 1 | Ctrl/Cmd - 1 |
| Set Marker 2 | Ctrl/Cmd - 2 |

| Option | Key command |
|--|--|
| Set Marker 3 to 9 | Ctrl/Cmd - Num 3 to Num 9 or Ctrl/Cmd - 3 to 9 |
| Set Right Locator to Project Cursor Position | Ctrl/Cmd - Num 2 |
| Start | Enter |
| Start/Stop | Space |
| Stop | Num 0 |
| To Marker 1 | Shift - 1 |
| To Marker 2 | Shift - 2 |
| To Marker 3 to 9 | Num 3 to Num 9 or Shift - 3 to 9 |

Window Zones Category

| Option | Key command |
|--------------------------|--|
| Show/Hide Left Zone | Ctrl/Cmd - Alt/Opt - L or Alt/Opt - I |
| Show/Hide Channel | Ctrl/Cmd - Alt/Opt - C |
| Show/Hide Right Zone | Ctrl/Cmd - Alt/Opt - R |
| Show/Hide Lower Zone | Ctrl/Cmd - Alt/Opt - E or Ctrl/Cmd - Alt/Opt - B |
| Show/Hide Transport Zone | Ctrl/Cmd - Alt/Opt - T |
| Show Previous Tab | Ctrl/Cmd - Alt/Opt - Left Arrow |
| Show Next Tab | Ctrl/Cmd - Alt/Opt - Right Arrow |
| Show Previous Page | Ctrl/Cmd - Alt/Opt - Up Arrow or Page Up |
| Show Next Page | Ctrl/Cmd - Alt/Opt - Down Arrow or Page Down |
| Show/Hide Info Line | Ctrl/Cmd - I |
| Show/Hide Overview | Alt/Opt - O |

Workspaces Category

| Option | Key command |
|------------------|-----------------------------------|
| New | Ctrl/Cmd - Num 0 |
| No Workspace | Alt/Opt - Num 0 |
| Update Workspace | Alt/Opt - U |
| Workspace 1-9 | Alt/Opt - Num 1 - Num 9 |
| Workspace X | Ctrl/Cmd - Alt/Opt - Num 0 |

Zoom Category

| Option | Key command |
|---------------------------------|------------------------------|
| Zoom Full | Shift - F |
| Zoom In | H |
| Zoom In On Waveform Vertically | Alt/Opt - H |
| Zoom In Tracks | Ctrl/Cmd - Down Arrow |
| Zoom In Vertically | Shift - H |
| Zoom Out | G |
| Zoom Out Of Waveform Vertically | Alt/Opt - G |
| Zoom Out Tracks | Ctrl/Cmd - Up Arrow |
| Zoom Out Vertically | Shift - G |
| Zoom to Event | Shift - E |
| Zoom to Selection | Alt/Opt - S |
| Zoom Tracks Exclusive | Z |

Setting up Tool Modifier Keys

You can set up tool modifier keys that allow you to access an alternative function when using a tool.

PROCEDURE

1. In the **Preferences** dialog, select **Editing > Tool Modifiers**.

| Editing-Tool Modifiers | | |
|------------------------|----------------------|-----------|
| Categories | Action | Modifiers |
| Controls | Constraint Direction | Ctrl |
| Drag & Drop | Copy | Alt |
| Erase Tool | Shared Copy | Alt+Shift |
| Glue Tool | | |

2. Select an option from the **Categories** list, and locate the action for which you want to edit the modifier key.
3. In the **Action** list, select the action.
4. Hold down the desired modifier keys, and click **Assign**.

NOTE

If the modifier keys you pressed are already assigned to another tool, you can choose to overwrite them. If you do so, this leaves the other tool without any modifier keys assigned to it.

5. Click **OK**.

RESULT

The modifier keys for the action are replaced.

Customizing

In Cubase, you can organize windows and dialogs in workspaces, set up the appearance of specific elements, and save program settings as profiles.


RELATED LINKS

- [Setup Panes](#) on page 1501
- [Workspaces](#) on page 1502
- [Profiles](#) on page 1505

Setup Panes

Setup panes are available for the **Transport** panel, the toolbars, the info lines, or the **Inspector**. They allow you to specify which elements are visible/hidden and in what order they are shown. You can save and recall setup presets.

- To configure the sections for the **Inspector**, for example, right-click an empty area of the **Inspector**, and select **Set up Sections**.



Section options

Activate/Deactivate the option for the section that you want to show/hide.

Preset

Allows you to save the settings as presets.

Show All

Shows all sections.

Reset All

Allows you to restore the default settings.

NOTE

You can change the order of the sections by dragging them up or down in the list.

Workspaces

Workspaces in Cubase allow you to organize windows and specific dialogs for your common work routines.

A workspace saves the size, position, and layout or setting of important windows and dialogs, such as the **Project** window, **MixConsole**, or **Transport** panel. You can define several workspaces. This allows you to quickly switch between different working modes, either via the **Workspaces** menu or by using key commands.

You can define different workspace types that are either available for all projects on your computer or specific to one project. However, when you open a project, its last saved view is opened by default. A view is the window layout and setting that you defined for your project. The last saved view can either be a workspace view or a view that you saved without having any workspace selected. When you open an external project, the last used view on your computer is used by default.

The **Workspaces Organizer** and the **Workspaces** menu allow you to create and modify workspaces.

NOTE

- You can also work without workspaces. In this case, the last used view of the previous project is used when you create a new project.
 - In the **Preferences** dialog (**General** page), you can choose a view to use when you open a project.
-

RELATED LINKS

[Open Projects in Last Used View](#) on page 1534

Workspace Types

You can create global workspaces or project workspaces.

Global Workspaces

Allows you to save a specific layout of dialogs and windows for all projects on your computer. Global workspaces are indicated by the letter G on your **Workspaces** menu.

Project Workspaces

Allows you to save a specific layout of dialogs and windows that is saved with your current project. This allows you to open your project layout on other computers. Project workspaces are indicated by the letter P on your **Workspaces** menu.

Workspaces for External Projects

You can determine the view of external projects when you open them in Cubase.

When you open external projects, which are projects that have been created on other computers, the window and dialog settings most recently used on your computer are applied by default. This can either be the last used view that was saved on your computer or one of your specified global workspaces.

If you want to open the original layout setting of a project, you have the following options:

- Select the original layout of the project from the project workspaces on the **Workspaces** menu or in the **Workspace Organizer**.
- In the **Preferences** dialog (**General** page), select **Never** from the **Open Projects in Last Used View** menu. This opens all external projects using their original layout. However, this may lead to a modification of your custom layout.

To return to the view that you last saved without any workspace assigned, select **No Workspace** on the **Workspaces** menu.

RELATED LINKS

[Workspaces Organizer](#) on page 1504

[Open Projects in Last Used View](#) on page 1534

Creating Workspaces

To save your current dialog and window setting for future use, you can create a new workspace.

PROCEDURE

1. Select **Workspaces > Add Workspace**.
 2. In the **Name** field of the **New Workspace** dialog, enter a workspace name.
 3. Select the type of workspace that you want to create.
 - **Global Workspace**
 - **Project Workspace**
 4. Click **OK**.
-

RESULT

The workspace is saved and added to the **Workspaces** menu.

Editing Workspaces

You can modify your created workspaces.

NOTE

To change a global workspace to a project workspace and vice versa, you must save it as a different workspace type.

PROCEDURE

1. On the **Workspaces** menu, select the workspace that you want to modify.
2. Make your changes as required.

3. On the **Workspaces** menu, select one of the following:
 - To update your current workspace, click **Update Workspace**.
 - To save your workspace as a different workspace or workspace type, click **Add Workspace**.


RELATED LINKS

[Creating Workspaces](#) on page 1503

Workspaces Organizer

The **Workspaces Organizer** allows you to manage the existing workspaces.

- To open the **Workspaces Organizer**, click **Workspaces > Organize**.



The **Workspaces Organizer** displays the global workspaces and the project workspaces in separate lists. Every workspace has an assigned key command that allows you to switch views quickly. Moving or deleting workspaces within the lists changes the key command assignments. When you change the position of a workspace, the key command assignments remain in their original list position. You can click a key command of a selected workspace to open the respective key command assignment in the **Workspace** category of the **Key Commands** dialog.

To organize your workspace, you have the following options:

Add

Allows you to create a new workspace using the **New Workspace** dialog.

Delete

Deletes a selected workspace.

Move Up

Moves a workspace up by one position.

Move Down

Moves a workspace down by one position.

NOTE

- You can also click and drag a workspace to another position within a list.
 - You can only move workspaces within a list. To turn a global workspace into a project workspace and vice versa, you must save it as a different type of workspace.
 - To rename a workspace, double-click the workspace name.
-

RELATED LINKS

[Workspaces Category](#) on page 1499

Profiles

Profiles allow you to save customized program settings and preferences. You can switch between profiles and import and export your profiles for use on different computers.

Profiles are helpful if you work on different computers, if you use different settings for different kinds of projects, or in a studio environment where several users work on the same computer. Profiles are saved as files with the file name extension **.srf**.

Profiles include the following:

- Preferences
- Toolbar settings for all windows
- Global workspaces
- Track control settings
- Track control presets
- Presets for input and output busses
- File format presets
- Plug-in collections
- Quantize presets
- Crossfade presets
- Key commands

All changes applied to these settings are saved in the active profile.


IMPORTANT

The following is not included in profiles: Settings in the **Studio Setup** dialog and in the **Audio Connections** window, presets on the **Control Room** tab of the **Audio Connections** window, track presets, plug-in presets, and project templates.

Profile Manager Dialog

The **Profile Manager** allows you to save customized program settings as profiles and to organize profiles on your computer.

- To open the **Profile Manager**, select **Edit > Profile Manager**.



The dialog lists all available profiles. The active profile is indicated by a checkmark.

To organize your profiles, you have the following options:

New

Adds a new profile with factory settings.

Duplicate

Duplicates the selected profile.

Rename

Allows you to rename the selected profile.

Delete

Deletes the selected profile.

Import

Opens a dialog that allows you to import a profile from a file.

Export

Opens a dialog that allows you to export the selected profile to a file.

Activate Profile

Activates the selected profile. You must restart the program for the change to take effect.

Close

Closes the dialog.

Creating Profiles

The **Profile Manager** allows you to create a new profile that is based on the factory default settings.

PROCEDURE

1. Select **Edit > Profile Manager**.
 2. In the **Profile Manager**, click **New**.
 3. In the **Add Profile** dialog, enter a profile name, and click **OK**.
-

RESULT

The new profile is added to the list.

AFTER COMPLETING THIS TASK

Activate the new profile to apply the settings.

RELATED LINKS

[Activating Profiles](#) on page 1507

Duplicating Profiles

The **Profile Manager** allows you to create a duplicate of a profile and save it under a different name.

PROCEDURE

1. Select **Edit > Profile Manager**.
 2. In the **Profile Manager**, select the profile that you want to duplicate.
 3. Click **Duplicate**.
 4. In the **Duplicate Profile** dialog, enter a profile name, and click **OK**.
-

RESULT

The new profile is added to the list.

Activating Profiles

The **Profile Manager** allows you to switch to another profile. A profile switch requires a restart of Cubase.

PREREQUISITE

You have saved at least two profiles.

PROCEDURE

1. Select **Edit > Profile Manager**.
 2. In the **Profile Manager**, select the profile that you want to activate.
 3. Click **Activate Profile**.
 4. Click **OK**.
 5. Restart the application.
-

RESULT

The settings of the profile are now active.

Renaming Profiles

The **Profile Manager** allows you to rename profiles.

PROCEDURE

1. Select **Edit > Profile Manager**.
 2. In the **Profile Manager**, select the profile that you want to rename.
 3. Click **Rename**.
 4. In the **Rename Profile** dialog, enter a profile name, and click **OK**.
-

Deleting Profiles

The **Profile Manager** allows you to delete profiles.

PREREQUISITE

You have saved at least two profiles.

NOTE

You cannot delete the active profile.

PROCEDURE

1. Select **Edit > Profile Manager**.
 2. In the **Profile Manager**, select the profile that you want to delete.
Select multiple profiles to delete them at the same time.
 3. Click **Delete**.
 4. Click **OK**.
-

RELATED LINKS

[Activating Profiles](#) on page 1507

Exporting Profiles

The **Profile Manager** allows you to export profiles for use on another computer.

PROCEDURE

1. Select **Edit > Profile Manager**.
 2. In the **Profile Manager**, select the profile that you want to export.
 3. Click **Export**.
 4. In the file dialog, specify the file name and the location.
 5. Click **Save**.
-

RESULT

The exported profile is saved as a **.srf** file at the specified location.

AFTER COMPLETING THIS TASK

Import the profile on another computer.

Importing Profiles

The **Profile Manager** allows you to import profiles.

PROCEDURE

1. Select **Edit > Profile Manager**.
 2. In the **Profile Manager**, click **Import**.
 3. In the file dialog, select the profile that you want to import.
 4. Click **Open**.
-

RESULT

The imported profile is added to the list of available profiles.

AFTER COMPLETING THIS TASK

Activate the new profile to apply the settings.


RELATED LINKS

[Activating Profiles](#) on page 1507

Windows Dialog

The **Windows** dialog allows you to manage open windows in Cubase.

- To open the **Windows** dialog, select **Window > Windows**.



The dialog lists all open dialogs, windows, and editors. The following options are available:

OK

Closes the dialog.

Mode

Allows you to select a mode that affects the function.

- Selected**

Affects the selected window only.

- Cascaded**

Affects also the associated windows, such as the editors of a project window, for example.

- All**

Affects all windows.

Activate

Activates the selected window.

Minimize

Minimizes the selected or all windows.

Restore

Restores the selected or all windows.

Close Windows

Closes the selected or all windows.

Reset Layout

Resets the layout of the selected window.

Where are the Settings Stored?

You have many different options for customizing Cubase at your disposal. While some of the settings you make are stored with each project, others are stored in separate preference files.

If you need to transfer your projects to another computer in another studio, for example, you can bring all your settings along by copying the desired preference files and installing them on the other computer.

NOTE

It is a good idea to save a backup copy of your preference files, once you have established your desired setup. This ensures that, if another Cubase user wants to use his or her personal settings when working on your computer, you can restore your own preferences afterwards.

- On Windows, preference files are stored in the following location: \Users\<user name>\AppData\Roaming\Steinberg\<program name>. On the Start menu, you will find a shortcut to this folder for easy access.
- On macOS, preference files are stored in the following location: /Library/Preferences/\<program name>/ under your home directory. The full path is: /Users/<user name>/Library/Preferences/\<program name>/.

NOTE

The RAMpresets.xml file, which contains various presets settings, is saved on exiting the program.

NOTE

Program functions that are not used in the project, such as crossfade, or configurations, such as panels, are not stored.

Updating from a Previous Version of Cubase


If you are updating from Cubase 6 or higher, most of the customized settings of your previous installation are automatically transferred to the new Cubase version.

If your previous Cubase version is older than Cubase 6, its settings are discarded, and the default settings of the new version of Cubase are applied.

Safe Mode Dialog

The **Safe Mode** dialog offers options for troubleshooting.

- To open the **Safe Mode** dialog, launch Cubase, and hold down **Ctrl/Cmd - Shift - Alt/Opt**.



The following options are available in the **Plug-Ins** section:

Deactivate all third-party plug-ins

Temporarily disables all third-party plug-ins. After startup, only Steinberg plug-ins are available.

The following options are available in the **Preferences** section:

Use current program preferences

Opens the program with the current preference settings.

Disable program preferences

Disables the current preferences and opens the program with the factory default settings instead.

Delete program preferences

Deletes the preferences and opens the program with the factory default settings instead. This process cannot be undone. This affects all versions of Cubase installed on your computer.

RELATED LINKS

[Disabling Third-Party Plug-ins](#) on page 1512

[Disabling the Preferences](#) on page 1511

Disabling the Preferences

Inconsistent **Preferences** settings can prevent Cubase from working properly. If you experience any issues related to this, save your project, and relaunch Cubase. Disable or delete the current **Preferences**, and reset the settings to the factory defaults.

PROCEDURE

1. Quit Cubase.
2. Launch Cubase, and hold down **Ctrl/Cmd - Alt/Opt - Shift**.
3. In the **Preferences** section of the **Safe Start Mode** dialog, activate one of the troubleshooting options.
 - **Use current program preferences**
Opens the program with the current preference settings.
 - **Disable program preferences**

Disables the current preferences, and opens the program with the factory default settings instead.

- **Delete program preferences**

Deletes the preferences and opens the program with the factory default settings instead. This process cannot be undone. Note that this affects all versions of Cubase installed on your computer.

4. Click **OK**.
-

AFTER COMPLETING THIS TASK

If the program works fine with the preferences disabled, consider deleting and re-initializing the preferences.

RELATED LINKS

[Safe Mode Dialog](#) on page 1510
[Preferences](#) on page 1519

Disabling Third-Party Plug-ins

If Cubase does not start or if a project does not load, it is highly probable, that this is due to a third-party plug-in. To check if this is the case, disable third-party plug-ins on startup.

PROCEDURE

1. Quit Cubase.
 2. Launch Cubase, and hold down **Ctrl/Cmd - Alt/Opt - Shift**.
 3. In the **Plug-Ins** section of the **Safe Start Mode** dialog, activate **Deactivate all third-party plug-ins**.
 4. Click **OK**.
-

RESULT

Only Steinberg plug-ins are available after startup, and third-party plug-ins are temporarily disabled.

RELATED LINKS

[Safe Mode Dialog](#) on page 1510

Optimizing Audio Performance

To fully benefit from all the capacities of your Cubase system in terms of audio performance, you can optimize specific settings.

NOTE

For details and current information on system requirements and hardware properties, refer to the Steinberg web site.

RELATED LINKS

- [Settings That Affect Performance](#) on page 1514
- [Performance Aspects](#) on page 1513
- [Audio Performance Monitor Panel](#) on page 1515
- [ASIO-Guard](#) on page 1517

Performance Aspects

Tracks and Effects

The faster your computer, the more tracks, effects, and EQs you are able to play. An accurate definition of what constitutes a fast computer is almost a science in itself, but some hints are given below.

Short Response Times (Latency)

One important aspect of performance is response time. The term “latency” refers to the buffering, that is, the temporary storing of small chunks of audio data at various stages of the recording and playback processes on a computer. The larger those chunks, and the more there are, the higher the latency.

High latency is most irritating when playing VST instruments and when monitoring through the computer, that is, when listening to a live audio source via the Cubase **MixConsole** and effects. However, very long latency times (several hundred milliseconds) can also affect other processes like mixing, for example, when the effect of a fader movement is only heard after a noticeable delay.

While Direct Monitoring and other techniques reduce the problems associated with very long latency times, a system that responds fast will always be more convenient to work with.

- Depending on your audio hardware, it may be possible to trim your latency times, usually by lowering the size and the number of buffers.
- For details, refer to the audio hardware documentation.

Audio Hardware and Driver

The hardware and its driver can affect regular performance. A badly written driver can reduce the performance of your computer. However, when it comes to latency, the choice of a suitable hardware driver can make all the difference.

NOTE

We recommend that you use audio hardware for which there is a specific ASIO driver.

This is especially true when using Cubase for Windows:

- Under Windows, ASIO drivers written specifically for the hardware are more efficient than the Steinberg built-in ASIO Driver and produce shorter latency times.
- Under macOS, audio hardware with properly written macOS (Core Audio) drivers can be very efficient and produces very low latency times.

However, there are additional features only available with ASIO drivers, such as the ASIO Positioning Protocol.

Settings That Affect Performance

Audio Buffer Settings

Audio buffers affect how audio is transmitted to and from the audio hardware. The size of the audio buffers affects both the latency and the audio performance.

Generally, the smaller the buffer size, the lower the latency. On the other hand, working with small buffers can be demanding for the computer. If the audio buffers are too small, you may get clicks, pops, or other audio playback problems.

Adjusting the Buffer Size

To lower the latency, you can reduce the buffer size.

PROCEDURE

1. Select **Studio > Studio Setup**.
2. From the **Devices** list, select your audio hardware driver.
3. Click **Control Panel**.
4. Do one of the following:
 - Windows: Adjust the buffer size in the dialog that opens.
 - macOS: Adjust the buffer size in the **CoreAudio Device Settings** dialog.

Multi Processing

Multi Processing distributes the processing load evenly to all available CPU cores, allowing Cubase to make full use of multi-core CPUs and multiple processors.

Multi Processing is activated by default. You can find the option in the **Studio Setup** dialog (**Audio System** page).


RELATED LINKS

[Audio System Page](#) on page 22

Audio Performance Monitor Panel

The **Audio Performance Monitor** panel shows the current audio processing load and hard disk transfer rate, and visualizes any audio dropouts that have been detected during the playback of your project. It provides detailed information about dropouts and suggests measures to decrease the processing load.

- To open the **Audio Performance Monitor** panel, select **Studio > Audio Performance Monitor**.



Real Time

Shows the average load of all audio processed in real time.

ASIO-Guard

Shows the average load of audio that is preprocessed.

NOTE

Preprocessing only takes effect if **Activate ASIO-Guard** is activated on the **Audio System** page of the **Studio Setup** dialog.

Peak

Shows the peak processing load in the real-time path of the audio engine. The higher this value, the higher the risk of dropouts.

Processing Overload

The overload indicator at the top right indicates dropouts. Dropouts occur when the processing load exceeds 100% or when the audio engine is restarted due to the internal detection of excessive processing delay.

If the overload indicator lights up, we recommend the following:

- Activate the ASIO-Guard.

- Reduce the number of active audio effects.
- Reduce the number of audio tracks or instrument tracks that play back simultaneously.
- Activate monitoring for audio tracks and instrument tracks only if needed.
- Record-enable instrument tracks only if needed.

NOTE

To reset the overload indicator, click its display. In the **Audio Performance** category of the **Key Commands** dialog, you can also assign a key command for this.

Disk Cache

Shows the hard disk transfer load.

Disk Cache Overload

The overload indicator to the right of the disk indicator lights up in case the storage device does not read/write data fast enough.

If it lights up, we recommend using **Disable Selected Tracks** to reduce the number of tracks for playback.

NOTE

You can show a simplified view of the performance meter on the **Transport** panel and on the **Project** window toolbar. These meters only feature the maximum load value and the disk cache load.

Dropouts section

Performance display

Shows the values for **ASIO-Guard** (orange curve) and **Real Time** (blue curve), as measured during playback. Dropouts are indicated by red vertical lines. When hovering over the curves, the exact values at the current position of the mouse pointer are displayed above the display.

The section below the performance display provides detailed information about detected dropouts.

Previous Dropout/Next Dropout

Allow you to select the previous/next dropout.

Position & Related Tracks

This column shows the position of the selected dropout on the timeline and lists the tracks that are related to it. The tracks are sorted in descending order, based on their influence on the processing load at the dropout position.

Locate Dropout Position in Project

Allows you to move the project cursor to the selected dropout position.

Suggested Operations

This column allows you to take action to reduce the processing load:

- **ASIO Buffer** opens the control panel for the audio hardware, where you can increase the buffer size.

NOTE

Increasing the buffer size also results in a higher latency and is not recommended if you record audio or play virtual instruments in real time.

- **ASIO-Guard** opens the **Audio System** page of the **Studio Setup** dialog, where you can adjust the **ASIO-Guard** and further performance-related settings.

NOTE

If dropouts occur during playback, we recommend the following settings in the **Advanced Options** section:

- **Activate ASIO-Guard** is enabled.
- **ASIO-Guard Level** is set to **High**.
- **Activate Multi Processing** is enabled.
- **Activate Steinberg Audio Power Scheme** is enabled (Windows only).
- **Freeze Track** allows you to freeze the corresponding audio track or instrument track and its insert effects.
Frozen tracks are locked for editing. You cannot edit, remove, or add insert effects applied to a frozen track. To unfreeze a frozen track, you can click **Freeze Track** again.

RELATED LINKS

- [Audio System Page](#) on page 22
[ASIO-Guard](#) on page 1517
[Audio Performance Meter](#) on page 61
[Transport Panel Sections](#) on page 283
[Freezing Insert Effects](#) on page 536

ASIO-Guard

The ASIO-Guard allows you to shift as much processing as possible from the ASIO real-time path to the ASIO-Guard processing path. This results in a more stable system.

The ASIO-Guard allows you to preprocess all channels as well as VST instruments that do not need to be calculated in real time. This leads to fewer dropouts, increases the capacity to process tracks or plug-ins, and enhances the ability to use smaller buffer sizes.

ASIO-Guard Latency

High ASIO-Guard levels lead to an increased ASIO-Guard latency. When adjusting a volume fader, for example, you hear the parameter changes with a slight delay. ASIO-Guard latency, in contrast to the latency of the audio hardware, is independent of live input.

External effects and external instruments are not processed by the ASIO-Guard.

NOTE

If you select **Studio > VST Plug-in Manager** and click **Show VST Plug-in Information**, you can deactivate the ASIO-Guard option for selected plug-ins.

If you activate monitoring for an input channel, a MIDI channel, or an instrument channel, or if you record-enable a MIDI or an instrument channel, all related channels are automatically switched from ASIO-Guard to real-time processing. This may result in a higher processing load.

RELATED LINKS

[VST 2 Plug-in Path Settings](#) on page 956
[Audio Performance Monitor Panel](#) on page 1515

Activating the ASIO-Guard

PROCEDURE

1. Select **Studio > Studio Setup**.
2. From the **Devices** list, select **Audio System**.
3. Activate the **Activate ASIO-Guard** option.

NOTE

This option is only available if you activate **Activate Multi Processing**.

4. Select an **ASIO-Guard Level**.

The higher the level, the higher the processing stability and audio processing performance. However, higher levels also lead to an increased ASIO-Guard latency and memory usage.

RELATED LINKS

[Audio System Page](#) on page 22


Preferences

The **Preferences** dialog provides options and settings that control the global behavior of the program.

Preferences Dialog

The **Preferences** dialog is divided into a navigation list and a settings page. Clicking one of the entries in the navigation list opens a settings page.

- To open the **Preferences** dialog, select **Edit > Preferences**.



In addition to the settings, the dialog provides the following options:

Preference Presets

Allow you to select a saved preference preset.

Save

Allows you to save the current preferences as a preset.

Rename

Allows you to rename a preset.

Delete

Allows you to delete a preset.

Save marked preferences only

Allows you to select which pages to include in the preset.

Defaults

Resets the options on the active page to their default settings.

Apply

Applies any changes that you have made without closing the dialog.

OK

Applies any changes that you have made and closes the dialog.

Cancel

Closes the dialog without saving any changes.

RELATED LINKS

[Editing](#) on page 1521

[Editors](#) on page 1528

[Event Display](#) on page 1529

[General](#) on page 1533

[MIDI](#) on page 1535

[MediaBay](#) on page 1539

[Metering](#) on page 1540

[Record](#) on page 1540

[Transport](#) on page 1542

[User Interface](#) on page 1543

[VST](#) on page 1545

[VariAudio](#) on page 1548

[Video](#) on page 1548

Saving Preference Presets

You can save complete or partial preference settings as presets.

PROCEDURE

1. In the **Preferences** dialog, make your changes.
 2. Click **Save** in the lower left section of the dialog.
 3. Enter a preset name, and click **OK**.
-

RESULT

Your settings are now available on the **Preference Presets** pop-up menu.


Saving Partial Preference Settings

You can save partial preference settings. This is useful in case you have made settings that only pertain to a certain project or situation, for example. By applying a saved partial preference preset, you only change the saved settings. All other preferences are left unchanged.

PROCEDURE

1. In the **Preferences** dialog, make your changes.
2. Activate **Save marked preferences only**.

In the preferences list, the **Save** column is shown.



3. Click in the **Save** column of the preference pages that you want to save.
 4. Click **Save** in the lower left section of the dialog.
 5. Enter a preset name, and click **OK**.
-

RESULT

Your settings are now available from the **Preference Presets** pop-up menu.

Editing

'Edit Solo'/'Record in MIDI Editors' Follow Focus

Suspends **Record in Editor** and **Solo Editor** in the MIDI editor when the **Project** window gets the focus.

Display Warning before Deleting Non-Empty Tracks

Triggers a warning if you delete tracks that are not empty.

Default Track Time Type

Allows you to select the default track time type for new tracks.

- **Musical**
Sets new tracks to the musical time base.
- **Time Linear**
Sets new tracks to the linear time base.
- **Follow Transport Main Display**
Sets new tracks to follow the primary time format: **Bars+Beats** format sets new tracks to the musical time base. **Seconds, Timecode, Samples**, etc. sets new tracks to the linear time base.

Select Track on Background Click

Allows you to select a track by clicking in the event display background.

Auto Select Events under Cursor

Automatically selects all events that are under the project cursor in the **Project** window or in an editor.

Range Tool Splits Partly Selected Events

Automatically splits partially selected events when performing editing operations such as moving, nudging, muting, or phase inversion.

Cycle Follows Range Selection

Sets the left locator to the range start position and the right locator to the range end position of a range selection.

Delete Overlaps

Deletes overlapped, that is, hidden, sections of overlapping events.

NOTE

You can hold **Shift** while moving events to override this setting.

Parts Get Track Names

Automatically changes event names to the name of the track they are moved to.

Lock Event Attributes

Determines which properties are affected when you lock an event. You can use any of the following options in combination:

- **Position**
Locks the position so that the event cannot be moved.
- **Length**
Locks the length so that the event cannot be resized.
- **Other**
Locks all further editing of the event. This includes adjusting the fades and event volume, processing, etc.

Use Up/Down Navigation Commands for Selecting Tracks only

Uses the **Up Arrow / Down Arrow** keys for track selection, not for event/part selection.

Track Selection Follows Event Selection

Automatically selects the corresponding track when you select an event in the **Project** window.

Range Selection Follows Track Selection

Automatically moves a selection range to a track that you select in the **Project** window.

NOTE

We recommend that you activate this option, for example, when using a wheel-based remote controller for editing.

Automation Follows Events

Causes automation events to automatically follow when you move, duplicate, copy, or paste an event or part on the track. This facilitates setting up automation that is related to a specific event or part, instead of a specific position in the project.

Drag Delay

Allows you to set up a delay in ms that is used when you move events. This is useful to avoid accidentally moving events when you click on them in the **Project** window.

RELATED LINKS

- [Editing - Audio](#) on page 1523
- [Editing - Chords](#) on page 1524
- [Editing - Controls](#) on page 1524
- [Editing - MIDI](#) on page 1525
- [Editing - Project & MixConsole](#) on page 1526
- [Editing - Tool Modifiers](#) on page 1526
- [Editing - Tools](#) on page 1528
- [Editing - Zoom](#) on page 1528

Editing - Audio

Treat Muted Audio Events like Deleted

Allows you to play the hidden event of 2 overlapping audio events when you mute the top event.

Use Mouse Wheel for Event Volume and Fades

Allows you to use the mouse wheel to move event volume and fades.

- Moving the mouse wheel moves the event volume up or down.
- Holding down **Shift** while moving the mouse wheel moves the fade curves.
- Positioning the mouse in the left half of the event moves the end point of the fade in.
- Positioning the mouse in the right half of the event moves the start point of the fade out.

Simple Crossfade Editor

Opens a simplified **Crossfade** dialog when you double-click a crossfade or select **Audio > Fades > Open Fade Editor(s)**. The regular **Crossfade** dialog contains a host of additional, advanced functions for adjusting crossfades.

On Import Audio Files

Determines what happens when you import an audio file.

- **Open Options Dialog**
Opens a dialog where you can select whether you want to copy the file to the audio folder and/or convert it to the project settings.
- **Use Settings**
Uses the default settings for importing audio.

On Bouncing/Rendering Audio

Determines what happens when you apply **Bounce Selection** on an audio event in the **Project** window, or on an audio selection in the **Sample Editor**.

- **Open Options Dialog**
Opens the **Options** dialog that allows you to select whether you want to replace the current audio or not.
- **Replace Audio in Project**
Always replaces the current audio.
- **Keep Current Audio in Project**
Never replaces the current audio. The bounced audio is saved in the **Audio** folder of your project.

On Processing Shared Clips

Determines what happens when you apply processing to a shared clip that is used by more than one event in the project.

- **Open Options Dialog**
Opens the **Options** dialog that allows you to select whether you want to create a new version of the clip or apply the processing to the existing clip.
- **Create New Version**
Creates a new editing version of the clip and applies the processing to that version, leaving the original clip unaffected.
- **Process Existing Clip**

Applies the processing to the existing clip. All events playing that clip are affected.

Remove Regions/Hitpoints on all Offline Processes

Removes regions hitpoints of audio ranges when you perform offline processing.

Enable Automatic Hitpoint Detection

Enables the automatic hitpoint detection for imported or newly recorded audio files.

Time Stretch Tool Algorithm

Sets the default algorithm that is applied when you use the **Object Selection** tool in **Sizing Applies Time Stretch** mode.

Default Warping Algorithm

Sets the warp algorithm for new audio clips in the project.

Editing - Chords

'X' Chords Mute Notes on Tracks That are in Follow Chord Track Mode

Mutes playback when you play back a track that follows the chord track and the cursor reaches an undefined chord event (X chord).

Disable 'Acoustic Feedback' during Playback

Disables **Acoustic Feedback** during playback. This ensures that chord events are not triggered twice.

Hide Muted Notes in Editors

Hides notes that are muted because of their MIDI track following the chord track.

Editing - Controls

Value Box/Time Control Mode

Allows you to select your preferred way of controlling value fields.

- **Text Input on Left-Click**
Clicking opens a value box for editing.
- **Increment/Decrement on Left/Right-Click**
Clicking decreases the value, right-clicking increases the value. Double-clicking allows you to enter values manually.
- **Increment/Decrement on Left-Click and Drag**
Clicking and dragging up or down adjusts the value. Double-clicking allows you to enter values manually.

Knob Mode

Allows you to select your preferred way of controlling knobs.

- **Circular**
Clicking and dragging in a circular motion changes the setting. Clicking anywhere along the edge of the encoder immediately changes the setting.
- **Relative Circular**
Clicking anywhere on an encoder and dragging changes the current setting. There is no need to click at the exact position.
- **Linear**
Clicking on an encoder and dragging up or down, or left or right, changes the setting.

Slider Mode

Allows you to select your preferred way of controlling value sliders.

- **Jump**

Clicking anywhere on a slider instantly moves the slider handle to that position.

- **Touch**

Clicking and dragging the actual slider handle adjusts the setting.

- **Ramp**

Clicking and dragging a slider causes the handle to move smoothly to the new position.

- **Relative**

Clicking and dragging up or down changes the setting according to how far you drag, not according to where you click.

Editing - MIDI

Select Controllers in Note Range: Use Extended Note Context

Takes the extended note context into account when you move notes in conjunction with their controllers. This means that controllers between the most recently selected note and the following note or the end of the part are also moved.

Legato Overlap

Allows you to set an overlap for the **Legato** function. **Legato** allows you to extend MIDI notes so that they reach the next notes.

An overlap setting of 0 ticks causes each selected note to extend so that it reaches the next note exactly. A positive value causes the notes to overlap by the specified number of ticks. A negative value causes a slight gap between the notes.

Legato Mode: Between Selected Notes Only

Adjusts the length of selected notes so that they reach the next selected note.

Split MIDI Events

Splits MIDI events when you split a MIDI part in the **Project** window and the split position intersects the MIDI events. This also creates new notes at the beginning of the second part.

Split MIDI Controllers

Splits MIDI controllers when you split a MIDI part in the **Project** window and the part contains a controller. If the controller value at the split position is not zero, a new controller event of the same type and value is inserted at the split position at the beginning of the second part.

NOTE

If you just split a part and play back the result, it sounds the same, regardless of this setting. However, if you split a part and delete the first half or move the second half to a different position in the project, you may want to activate **Split MIDI Controllers** to make sure all controllers have the correct value at the beginning of the second part.

High Resolution Display Range

Allows you set up the display range for velocity, control change, pan, aftertouch, poly pressure, and pitchbend values.

High Resolution Display Format

Allows you set up the number of decimal places for velocity, control change, pan, aftertouch, poly pressure, and pitchbend values.

Editing - Project & MixConsole

Select Channel/Track on Solo

Selects channels/tracks when you click their **Solo** button.

Select Channel/Track on Edit Settings

Selects channels/tracks when you click their **Edit Channel Settings** button.

Scroll to Selected Track

Scrolls the track list when you select a **MixConsole** channel and the respective track is out of view.

Scrolling: Disable Mouse Wheel for Parameter Change

Allows you to scroll the channel sections in the **MixConsole** and in the **Channel** tab of the **Project** window by using the mouse wheel. If this is activated, you cannot use the scroll wheel to make parameter changes.

Sync Selection in Project Window and MixConsole

Synchronizes the selection in the **Project** window and the **MixConsole**.

Enable Record on Selected MIDI Track

Record-enables MIDI tracks when you select them.

Enable Record on Selected Audio Track

Record-enables audio tracks when you select them.

Enable Solo on Selected Track

Solos tracks when you select them.

Deep Track Folding

Applies the **Track Folding** functions to all subelements of the tracks.

Enlarge Selected Track

Enlarges a track when you select it. If you select a different track, this track is enlarged, and the previously selected track is displayed in its original size.

Editing - Tool Modifiers

The default tool modifiers are arranged in categories.

| Categories | Action | Modifiers |
|-------------|------------------------|----------------------|
| Controls | Reset to Default Value | Ctrl/Cmd |
| Drag & Drop | Constraint Direction | Ctrl/Cmd |
| | Copy | Alt/Opt |
| | Shared Copy | Alt/Opt-Shift |
| Draw Tool | Rename Marker Event | Shift |

| Categories | Action | Modifiers |
|----------------|---------------------------|---------------------------|
| Erase Tool | Delete later events | Alt/Opt |
| Glue Tool | Glue All Following Events | Alt/Opt |
| Info Line | All Events Same Value | Ctrl/Cmd |
| Range Tool | Audio Segment Editing | Ctrl/Cmd - Shift |
| | Exclude Row | Alt |
| | Select Full Vertical | Alt - Shift |
| | Slip Range Content | Ctrl/Cmd - Alt/Opt |
| Select Tool | Edit Velocity | Ctrl/Cmd - Shift |
| | Set Cursor Position | Alt/Opt - Shift |
| | Slip Event Content | Ctrl/Cmd - Alt/Opt |
| | Split Event | Alt/Opt |
| Size Objects | All Events Same Value | no default assignment |
| | Disable Snapping | Ctrl/Cmd |
| | Repeat Event | Alt/Opt |
| | Size with Fade | Ctrl/Cmd - Alt/Opt |
| | Time Stretch | no default assignment |
| Split Tool | Split repeated | Alt/Opt |
| Time Warp Tool | Adjust or Delete | Shift |
| | No Correction | Alt/Opt |
| Trim Tool | Constrain Direction | Ctrl/Cmd |
| | Trim Start | Alt/Opt |

Editing Tool Modifiers

You can edit the default tool modifier keys.

PROCEDURE

1. Select an option from the **Categories** list.
 2. Select the action whose modifier keys you want to edit in the **Action** list.
 3. On your computer keyboard, hold down the modifier keys, and click **Assign**.
-

RESULT

The current modifier keys are replaced. If this tool already has assigned modifier keys, you are prompted to replace them.

Editing - Tools

Show Toolbox on Right-Click

Opens a toolbox when you right-click in the event display and editors. To open the context menu instead of the toolbox, press any modifier key when right-clicking.

Cross-Hair Cursor

Allows you to set up the colors for the line of the cross-hair cursor, as well as its width. You can also show an outline for the cross-hair cursor.

Range Selection Cursor

Allows you to set up the colors for the line of the range selection cursor, as well as its width. You can also show an outline for the range selection cursor.

Select Tool: Show Extra Info

Displays the current pointer position and the name of the track and event at which you are pointing when you use the **Object Selection** tool in the **Project** window event display.

Show Notification when Switching Tool Mode with Key Command

Shows a notification when you switch the tool mode by using a key command.

Editing - Zoom

Quick Zoom

Only redraws the contents of parts and events once you have stopped changing the zoom. This is useful if screen redraws are slow on your system.

Use Selection Start as Zoom Anchor

Activate this to use the selection start as an anchor when zooming with the horizontal zoom sliders or the corresponding key commands. If this is deactivated, the project cursor position is used as an anchor instead.

Zoom while Locating in Time Scale

Allows you to zoom in or out by clicking in the ruler and dragging down or up.

Zoom Tool Standard Mode: Horizontal Zooming Only

Zooms the window horizontally without changing the track height when you zoom with the **Zoom** tool.

Editors

Use Drum Editor when Drum Map is assigned

Shows drum note symbols in parts on MIDI tracks to which drum maps are assigned. The parts automatically open in the **Drum Editor** on double-click. This overwrites the **Default MIDI Editor** setting.

Default MIDI Editor

Determines which editor is opened when you double-click a MIDI part or when you select it and press **Ctrl/Cmd-E**. This setting is overwritten for tracks with drum maps if **Use Drum Editor when Drum Map is assigned** is activated.

Double-click opens Editor in a Window/in Lower Zone

Determines where an editor is opened when you double-click an audio event or a MIDI part, or when you use the key command assigned to **Open/Close Editor**.

Open Editor Commands open Editors in a Window/in Lower Zone

Determines where an editor is opened when you use an open command from the **Audio** or **MIDI** menu or the corresponding key commands.

Editor Content Follows Event Selection

Open editors show the events that are selected in the **Project** window.

RELATED LINKS

[Score Editor](#) on page 1529

Score Editor

Preferred Unit of Measurement

Allows you to choose your preferred unit of measurement. As a result, it is globally applied in the **Score Editor** for options that use absolute measurements, such as the size of page margins in the **Layout Settings** dialog.

Default Paper Size Type

Allows you to apply your preferred paper size type as the default setting.

International uses international ISO standards, for example A4. **North American** uses North American standards, such as US Letter.

Automatic chooses a paper size that is based on your computer's local settings. For example, if your computer is set to a European country, an international ISO standard is used. If it is set to a North American country, an American standard is used.

Staff Labels Show Track Name Instead of Instrument Name by Default

Allows you to show track names instead of instrument names.

'Acoustic Feedback' When Inputting Notes With the Draw Tool

Allows you to activate/deactivate **Acoustic Feedback** when inputting notes with the **Draw** tool.

Event Display

The **Event Display** section allows you to customize the display in the **Project** window.

Show Event Names

Shows the names on parts and events.

Hide Truncated Event Names

Hides event names if they are too long.

Highlight Borders of Selected Events

Highlights selected events with a red border.

Show Overlaps

Determines how overlapping events are displayed.

Grid Overlay Intensity

Sets the overlay intensity of the displayed grid lines.

Event Handling Opacity

Sets the opacity of overlying events when you move them.

Event Opacity

Sets the opacity of the event background.

NOTE

- If you reduce the event opacity, it can be helpful to increase the **Waveform Brightness** for audio events or the **Note Brightness** for MIDI events.
 - Reducing the opacity may result in a less responsive user interface.
-

Smallest Track Height to Show Data

Determines the minimum track height for displaying the content of the track.

Smallest Track Height to Show Name

Determines the minimum track height for displaying the name of the track.

RELATED LINKS

[Event Display - Audio](#) on page 1530

[Event Display - Chords & Pitches](#) on page 1531

[Event Display - Folders](#) on page 1532

[Event Display - MIDI](#) on page 1532

[Event Display - Markers](#) on page 1533

[Event Display - Tracks](#) on page 1533

[Waveform Brightness](#) on page 1530

[Note Brightness](#) on page 1532

Event Display - Audio

Append Clip Name to Event Name

Attaches the clip name to the displayed event name in brackets.

Interpolate Audio Waveforms

Interpolates sample values to form curves when you zoom in to one sample per pixel or less.

Show Waveforms

Displays waveforms for audio events.

Show Hitpoints on Selected Events

Displays hitpoints for selected audio events.

Waveform Brightness

Sets the brightness of the waveform.

Waveform Outline Intensity

Sets the intensity of the waveform outline.

Background Color Modulation

Reflects the waveform dynamics of audio waveforms in the background.

Show Event Volume Curve

Allows you to choose when to display event volume curves: **Always** or **On Mouse Over**.

Show Fades

Allows you to choose when to display fades: **Always** or **On Mouse Over**.

Show Event Volume Control

Allows you to choose when to display event volume controls: **Always**, **Never** or **On Mouse Over**.

Event Volume Curve and Fades Brightness

Sets the brightness of the volume curves and the fade lines for audio events.

Event Display - Chords & Pitches

Pitch Notation

- **Note Name**
Allows you to select how chord symbols are displayed. You can choose **English**, **German**, or **Solfège**.
- **Naming Format**
Allows you to determine how MIDI note names are displayed in editors, etc.
- **Display 'Bb' as 'B'**
Displays 'B' as a pitch name. This is only available if you selected **English** in the **Note Name** pop-up menu.
- **Display 'B' as 'H'**
Displays 'H' as a pitch name. This is only available if you selected **English** in the **Note Name** pop-up menu.
- **Enharmonics from Chord Track**
Uses the chord events on the chord track to determine if enharmonically equivalent notes in the **Key Editor** and in the **List Editor** are displayed as sharp or flat.

Chord Font


Allows you to specify a font for all chord symbols.

Chord Symbols

Allows you to select your preferred display method for major 7th chords, minor chords, half-diminished chords, diminished chords, and augmented chords.

Custom Chord Symbols

Allows you to modify the default chord symbols that are used on the chord track, and for the chord pads.



- **New Custom Chord** allows you to add a new custom chord symbol.
- The options to the left allow you to specify the chord for which you want to change the chord symbol.
- Click the **Type** and **Tension** column, and enter your custom symbol.

NOTE

You must define custom symbols for each set of tensions.

- The **Result** column offers a preview of the chord display.
- The **Remove Custom Chord** button allows you to remove the custom chord symbol that is selected in the list.

EXAMPLE

To change the appearance of all minor chords from **Xmin** to **X-**, click **New Custom Chord**, activate **5** and **min3/#9** to define the chord type, and change the symbol in the **Type** column from **min** to **-**.

Event Display - Folders

Show Event Details

Displays event details instead of data blocks.

This setting depends on the **Show Data on Folder Tracks** setting.

Show Data on Folder Tracks

Determines in which case data blocks or event details are displayed on folder tracks.

- **Always Show Data**
Always displays data blocks or event details.
- **Never Show Data**
Displays nothing.
- **Hide Data When Expanded**
Hides the display of events when you open folder tracks.

Event Display - MIDI

Part Display

Part Data Mode

Determines if and how events in MIDI parts are shown. This setting is overwritten for tracks with drum maps if **Use Drum Editor when Drum Map is assigned** is activated.

Show Controllers

Shows non-note events such as controllers, etc. in MIDI parts.

Note Brightness

Sets the brightness of note events.

Controller Brightness

Sets the brightness of controller events.

Event Display in Editor

Inactive Note Event Intensity

Allows you to set the intensity for inactive note events.

RELATED LINKS

[Use Drum Editor when Drum Map is assigned](#) on page 1528

Event Display - Markers

Show Marker Lines

Allows you to specify if marker lines are shown on other tracks in the **Project** window.

- **Off**
Marker lines are only shown on marker tracks.
- **From Active Marker Track**
Marker lines of the active marker track are shown on other tracks in the **Project** window.
- **From All Marker Tracks**
Marker lines of all marker tracks are shown on other tracks in the **Project** window.

RELATED LINKS

[Markers](#) on page 411

Event Display - Tracks

Default Track Name Width

Sets the default name width for all track types.

Track Name Font Weight

Sets the font weight for all track names.

General

The **General** page contains general settings that affect the program user interface. You can set the parameters so that they suit your working style.

Enable HiDPI (Windows only)

Enables the appropriate resolution to ensure that the display of the Cubase user interface is sharp and precise on high resolution displays with supported scaling factors of 100%, 125%, 150%, 175%, and 200%.

NOTE

Other scaling factors, such as 133%, are not supported.

The **Application Scaling** menu allows you to scale the Cubase user interface relative to the Windows system scaling setting.

NOTE

On macOS, you can disable HiDPI support in the Cubase application folder by invoking **Get Info** and checking **Open in Low Resolution**.

Usage Logger Options

If you activate this option, Cubase gathers usage information and writes it in a log file that you can find at the following location:

- On Windows: \Users\<user name>\AppData\Local\Steinberg\usagelogger
- On macOS: /Users/<user name>/Library/Logs/Steinberg/usagelogger

Activating this option to write such a file and then sending the file to the Steinberg support team can be useful if Cubase crashes and the crash dump files do not reveal enough information.

By default, **Enable Usage Logging** is deactivated. We recommend that you deactivate it when you no longer need it.

Show News in Hub

Allows you to show/hide the **News** section in the **Hub**.

Language

Allows you to select the language displayed in the application. After switching the language, you must restart Cubase for the change to take effect.

Auto Save

Automatically saves copies of all open projects with unsaved changes in the **Auto Saves** folder inside your project folder.

The files are named Name-xx-(last edit).bak, where "Name" corresponds to the name of the project and "xx" is an incremental number. Unsaved projects files are automatically saved in a similar way as UntitledX-xx-(last edit).bak, with "X" being the incremental number for unsaved projects.

Auto Save Interval

Allows you to specify how often an auto save file is created.

Maximum Number of Auto Save Files

Allows you to specify the number of auto save files to be created. As soon as the maximum number of files is reached, the existing files are overwritten, starting with the oldest file.

Show Tips

Displays an explanatory tooltip when you position the mouse pointer over an icon or button in Cubase.

Maximum Undo Steps

Allows you to specify the number of undo steps.

Run Setup on Create New Project

Opens the **Project Setup** dialog, every time you create a new project.

Open Projects in Last Used View

Allows you to determine which window layout and settings are used when you open a project on this computer.

- **Never**

All projects are opened with the same window layout as when they were saved.

- **Only External Projects**

Projects from a different computer are opened with the last window layout used on this computer. Projects from this computer are opened with the same window layout as when they were saved.

- **Always**

All projects are opened with the most recently used window layout on this computer.

Open Last Project on Startup

Opens the most recently saved project when you start Cubase.

RELATED LINKS

[General - Personalization](#) on page 1535
[Cubase Hub](#) on page 117
[Auto Save](#) on page 128

General - Personalization

Default Author Name

Allows you to specify an author name that is used by default for new projects. This is included as metadata when exporting audio files with an iXML chunk.

Default Company Name

Allows you to specify a company name that is used by default for new projects. This is included as metadata when exporting audio files with an iXML chunk.

MIDI

This page contains settings that affect MIDI recording and playback.

MIDI-CI Support

Allows you to enable automatic detection and setup of MIDI-CI devices.

MIDI Thru Active

Sets all MIDI tracks that are record-enabled or have monitoring activated to echo incoming MIDI data, sending it back out on their respective MIDI outputs and channels. This allows you to hear the correct sound from your MIDI instrument during recording.

NOTE

If you use MIDI Thru, select the **Local Off** mode on your MIDI instrument to prevent each note from sounding twice.

Reset on Stop

Sets Cubase to send out MIDI reset messages, including note-off and controller resets, on stop.

Never Reset Chased Controllers

Never resets controllers to 0 when you stop playback or move to a new position in the project.

Length Adjustment

Allows you to enter a length adjustment value in ticks by which the notes that have the same pitch and MIDI channel are adjusted. This ensures that there is always a short gap between the end of one note and the start of another. By default, there are 120 ticks per 1/16 note, but you can adjust this with the **MIDI Display Resolution** setting.

Chase Events

Chases event types for which one of the chase options is activated when you locate to a new position and start playback. This makes your MIDI instruments sound as intended when you locate to a new position and start playback.

If **Chase not limited to Part Boundaries** is activated, MIDI controllers are also chased outside the part boundaries, and the chase is performed on the part under the cursor as well as on all the parts to the left of it. Deactivate this for very large projects, as it slows down processes like positioning and soloing.

MIDI Display Resolution

Allows you to set the display resolution for viewing and editing MIDI data.

Extend Playback Range of Notes that start before the Part

Extends the playback range of MIDI notes that start before the part in ticks. This is useful if MIDI events start shortly before the start of the MIDI part. If you do not extend the playback range, these events are not played. This setting is also taken into account during cycle playback.

Insert Reset Events after Record

Inserts a reset event at the end of each recorded part. This resets controller data, such as **Sustain**, **Aftertouch**, **Pitchbend**, **Modulation**, or **Breath Control**. This is useful if you stop recording before the note-off command is sent, for example.

Audition through MIDI Inserts/Sends

Activates the layering of MIDI instruments (by MIDI sends) also within the MIDI editors. This way, the acoustic feedback of the editors sends the MIDI data not only to the output selected for the track, but additionally through any MIDI inserts and MIDI sends assigned to it. However, this also means that MIDI events will be sent through any MIDI plug-ins assigned to this track.

MIDI Latency Mode

Allows you to specify the latency of the MIDI playback engine.

Low lowers the latency and increases the responsiveness of the MIDI playback engine. However, this setting might also decrease your computer performance if your project contains lots of MIDI data.

Normal is the default mode and the recommended setting for most workflows.

High increases the latency and the playback buffer. Use this if you work with complex VST instrument libraries or with projects that have a very high performance level.

MIDI Max. Feedback in ms

Allows you to set the maximum length of the notes when using **Acoustic Feedback** in MIDI editors.

RELATED LINKS

[MIDI - MIDI File](#) on page 1537


[MIDI - MIDI Filter](#) on page 1539

MIDI - MIDI File

This page allows you to make settings for exporting and importing MIDI Files.

Export Options

These options allow you to specify what data is included in exported MIDI files.



Export Inspector Patch

Includes MIDI patch settings in the **Inspector** as MIDI bank select and program change events in the MIDI file.

Export Inspector Volume/Pan

Includes volume and pan settings in the **Inspector** as MIDI volume and pan events in the MIDI file.

Export Automation

Includes automation as MIDI controller events in the MIDI file. This also includes automation recorded with the **MIDI Control** plug-in.

If you record a continuous controller (CC 7, for example) and deactivate **Read Automation** for the automation track, only the part data for this controller is exported.

Export Inserts

Includes MIDI modifiers and MIDI inserts in the MIDI file.

Export Sends

Includes MIDI sends in the MIDI file.

Export Markers

Includes markers as standard MIDI file marker events in the MIDI file.

Export as Type 0

Exports a type 0 MIDI file with all data on a single track, but on different MIDI channels. If you deactivate this option, a type 1 MIDI file with data on separate tracks is exported.

Export Resolution

Allows you to set a MIDI resolution between 24 and 960 for the MIDI file. The resolution is the number of pulses, or ticks, per quarter note (PPQ) and determines the precision with which you will be able to view and edit the MIDI data. The higher the resolution, the higher the precision. Choose the resolution based on the application or sequencer to be used, because certain applications and sequencers may not be able to handle certain resolutions.

Export Locator Range

Exports only the range between the left and the right locator.

Export includes Delay


Includes delay settings you have made in the MIDI file via the **Inspector**.

NOTE

- To include other **Inspector** settings, you must convert the settings to real MIDI events and properties by using the **Merge MIDI in Loop** function for each track.
 - Exported MIDI files include the tempo and time signature events of the **Tempo Track Editor** or, if the tempo track is deactivated, the current tempo and time signature.
-

Import Options

The **Import Options** for MIDI files allow you to specify what data to include in imported MIDI files.



Extract First Patch

Converts the first **Program Change** and **Bank Select** events for each track to **Inspector** settings for the track.

Extract First Volume/Pan

Converts the first **MIDI Volume** and **Pan** events for each track to **Inspector** settings for the track.

Import Controller as Automation Tracks

Converts **MIDI Controller** events in the MIDI file to automation data for the MIDI tracks.

Import to Left Locator

Aligns the imported MIDI file to the position of the left locator.

Import Markers

Imports Standard MIDI File Markers in the file and converts them to Cubase markers.

Import Dropped File as Single Part

Places the file on one track if you drag a MIDI file into the project.

Ignore Master Track Events on Merge

Ignores tempo track data if you import a MIDI file into the current project. The imported MIDI file adapts to the current tempo track in the project.

Auto Dissolve Format 0

Automatically dissolves imported MIDI files of type 0. Each embedded MIDI channel in the file is placed on a separate track in the **Project** window.

Destination

Allows you to specify what happens when you drag a MIDI file into the project.

- **MIDI Tracks** creates MIDI tracks for the imported file.

- **Instrument Tracks** creates instrument tracks for each MIDI channel in the MIDI file and causes the program to automatically load appropriate presets.
- **HALion Sonic multi-timbral** creates several MIDI tracks, each routed to a separate instance of HALion Sonic in the **VST Instruments** window, and loads the appropriate presets.

Import Karaoke Lyrics as Text

If this option is deactivated, lyrics are only shown in the **List Editor**.

MIDI - MIDI Filter

This page allows you to prevent certain MIDI messages from being recorded and/or echoed by the MIDI thru function (thruput).

The page is divided into 4 sections:

Record

Prevents the corresponding type of MIDI message from being recorded. It will, however, be thruput, and if already recorded, play back normally.

Thru

Prevents the corresponding type of MIDI message from being thruput. It will, however, be recorded and played back normally.

Channels

Prevents MIDI messages on that MIDI channel from being recorded or thruput. Already recorded messages are, however, played back normally.

Controller

Prevents certain MIDI controller types from being recorded or thruput.

To filter out a controller type, select it from the list at the top of the section and click **Add**. It is shown in the list below.

To remove a controller type from the list (allow it to be recorded and thruput), select it in the lower list and click **Remove**.

MediaBay

Scan Folders Only When MediaBay Is Open

Scans for media files when the **MediaBay** window is open.

NOTE

During playback or recording no folder scans are performed.

Scan Unknown File Types

Scans all file types.

Maximum Items in Results List

Sets the maximum number of files that are displayed in the **Results** list.

Allow Editing in Results List

Enables editing of attributes in the **Results** list.

Show File Extensions in Results List

Displays file name extensions in the **Results** list.

Metering

Map Input Bus Metering to Audio Track (in Direct Monitoring)

Maps the input bus metering to monitor-enabled audio tracks, giving you the opportunity to watch the input levels of your audio tracks when working in the **Project** window. For this to work, activate **Direct Monitoring** in the **Studio Setup** dialog.

Note that the tracks are mirroring the input bus signal, that is, you will see the same signal in both places. When using mapped metering, any functions, such as trimming, that you apply to the audio track are not reflected in its meters.

Meters' Peak Hold Time

Allows you to specify for how long the peak levels are held in the meters. For this to work, deactivate **Meters - Hold Forever** in the **MixConsole**.

Meters' Fallback

Allows you to specify how quickly the meters in the **MixConsole** return to lower values after signal peaks.

RELATED LINKS

[Metering - Appearance](#) on page 1540

Metering - Appearance

This page allows you to assign colors to level meter values to quickly identify what levels are reached. You can edit the appearance individually for all available scales.

Add

Adds a color handle to the top of the meter.

Remove

Removes the selected color handle.

Scale

Allows you to select a scale for editing.

NOTE

The **+3 dB Digital** scale is used for the channel meters.

RELATED LINKS

[Setting up Meter Colors](#) on page 456

Record

This page contains settings related to audio and MIDI recording.

Deactivate Punch In on Stop

Deactivates **Punch In** on the **Transport** panel whenever you enter stop mode.

Stop after Automatic Punch Out

Stops playback after automatic **Punch Out**. If the post-roll value on the **Transport** panel is set to a value other than zero, playback will continue for the set time before stopping.

RELATED LINKS

[Record - Audio](#) on page 1541
[Record - MIDI](#) on page 1541

Record - Audio

Audio Pre-Record Seconds

Sets for how many seconds any incoming audio you play is captured in buffer memory during playback or in stop mode.

When Recording Wave Files Larger than 4 GB

Determines what happens if you record wave files that are larger than 4 GB.

- To split the wave file, select **Split Files**.
Use this if you work on a FAT32 file system that supports only file sizes up to 4 GB.
- To save the wave file as an RF64 file, select **Use RF64 Format**.
RF64 files use the .wav extension. However, they can only be opened with an application that supports the RF64 standard.

Create Audio Images during Record

Creates and displays a waveform image during the recording process.

NOTE

This real-time calculation uses some extra processing power.

Record - Audio - Broadcast Wave

This page allows you to specify the **Description**, **Author**, and **Reference Value** text strings that are embedded in recorded Broadcast Wave files. The settings you make here also appear as default strings in the **Broadcast Wave Chunk** dialog when you export files to certain formats. Not only Broadcast Wave files can contain embedded information, but also Wave, and AIFF files.

Record - MIDI

Record-Enable allows MIDI Thru

Prevents record-enabled MIDI or instrument tracks from echoing incoming MIDI data. This way record-enabled tracks to which a VST instrument is assigned do not play doubled notes.

Snap MIDI Parts to Bars

Lengthens recorded MIDI parts so that they start and end at whole bar positions. If you are working in a context that is based on bars and beats, this can make editing, such as moving, duplicating, and repeating, easier.

MIDI Record Catch Range in ms

Ensures that the very start of a recording that starts at the left locator is included.

Retrospective Record Buffer Size in Events

You can capture MIDI data that you played in **Stop** mode or during playback and turn them into a MIDI part. **Retrospective Record Buffer Size** determines how much MIDI data can be captured in the buffer.

ASIO Latency Compensation Active by Default

Determines the initial state of the **ASIO Latency Compensation** button in the track list for MIDI or instrument tracks.

If you record live on a VST instrument, you usually compensate the latency of your audio card by playing too early. In consequence, the timestamps are recorded too early. By activating this option, all recorded events are moved by the current latency, and playback sounds like during the recording situation.

Add Latency to MIDI-Thru Processing

If you set the audio buffer size to a high value, and you play an arpeggiator in real time, for example, the MIDI notes are output with an increased latency.

If you consequently adapt your playing to the output latency, the notes are recorded even later. To minimize this effect, you can activate **Add Latency to MIDI-Thru Processing**. This adds a regular latency to each note that is played in real time.

Replace Recording in Editors

Affects the result of recording in a MIDI editor when **Replace** mode is selected as a record mode:

- **None**

Nothing is replaced.

- **Controller**

Only controller data is replaced, not notes.

- **All**

Replace mode works as usual. Notes and controllers are replaced when recording.

Transport

This page contains options related to playback, recording, and positioning.

Playback Toggle Triggers Local Preview

Allows you to use **Space** on your keyboard to start/stop local playback of the selected file in the **Sample Editor** or the **Pool**.

When the **Sample Editor** is not open or when there is no audio file selected in the **Pool**, **Space** still toggles the global project playback.

Show Timecode Subframes

Shows subframes for all frame-based time formats.

User-definable Frame Rate

Allows you to set the frame rate for the ruler time format **User**.

Stop Playback while Winding

Stops playback when you click **Rewind** or **Forward** on the **Transport** panel.

Wind Speed Options

These options affect the forward/rewind speed.

- **Adjust to Zoom** adapts the wind speed to the horizontal zoom factor.

If you zoom in very close for detailed editing, you probably do not want to have a high forward/rewind speed. Because of this, the **Speed Factor** does not have any effect in this mode. The **Fast Wind Factor** still applies.

- **Fixed** keeps a fixed wind speed regardless of the horizontal zoom factor.

- **Speed Factor** allows you to set the wind speed. You can set a value between 2 and 50. The higher the value, the faster the wind speed will be.
If **Adjust to Zoom** is activated, this has no effect.
- **Fast Wind Factor** allows you to set the winding speed to a multiple for fast winding.
If you press **Shift** while forwarding or rewinding, the wind speed will increase. The increase in speed is a multiple of the **Speed Factor**. Meaning that if you set the **Fast Wind Factor** to 2, the wind speed will be twice as fast. If you set it to 4, the wind speed will be 4 times as fast, etc. You can set a value between 2 and 50.

Cursor

Allows you to set up the colors for the line of the cursor, as well as its width. You can also show an outline for the cursor.

Clicking Locator Range in Upper Part of the Ruler Activates Cycle

Allows you to activate/deactivate cycle mode when you click the locator range in the upper part of the ruler.

Locate when Clicked in Empty Space

Allows you to move the project cursor by clicking in an empty area of the **Project** window.

RELATED LINKS

[Transport - Scrub](#) on page 1543

Transport - Scrub

Scrub Tool Volume

Sets the playback volume for the **Scrub** tool in the **Project** window and audio editors.

NOTE

This does not affect the scrub volume controlled by any connected hardware.

Use High Quality Scrub Mode

Enables effects for scrubbing and uses a higher resampling quality. However, scrubbing will be more demanding on the processor.

Use Inserts While Scrubbing

Allows you to activate insert effects for scrubbing with the shuttle speed control. By default, insert effects are bypassed.

User Interface

This page contains options that allow you to adjust the default user interface colors.

Color Schemes

Allows you to adjust the color scheme for the application and the desktop cover.

- Click the **Custom Color Scheme** field to open the **Color Picker**, and select one of the colors in the **Default Colors** section to apply a pre-defined color.
- Click the color field for a specific item to open the **Color Picker** and select a custom color for it.

Track & MixConsole Channel Colors

Allows you to set the **Auto Track/Channel Color Mode**, to colorize track controls and **MixConsole** channel controls, and to determine the brightness of selected channels.

Track Type Default Colors

Allows you to set the colors for the different track types.

MixConsole Fader Colors

Allows you to set the colors for the level faders of the channel types in the **MixConsole**.

MixConsole Section Colors

Allows you to set the colors for the channel sections in the **MixConsole** and for the **Control Room** inserts.

MixConsole Channel Strip Colors

Allows you to set the colors for the channel strips in the **MixConsole**.

RELATED LINKS

[User Interface - Track & MixConsole Channel Colors](#) on page 1544

Customizing the User Interface Colors

You can change the color of the Cubase desktop, the track types, the **Project** window, the editor elements, and **MixConsole** elements.

PROCEDURE

1. In the **Preferences** dialog, select **User Interface > Color Schemes**.
 2. Click **Custom Color Scheme** and in the **Color Picker**, select a new color.
-

RESULT

The color scheme is instantly applied.

User Interface - Track & MixConsole Channel Colors

Allows you to set the **Auto Track/Channel Color Mode** to colorize track controls and channel faders, and to determine the brightness of selected channels.

Auto Track/Channel Color Mode

Allows you to set an automatic color assignment mode for new tracks or new channels.

Use Track's Default Color

New tracks get the default event color.

Use Previous Track Color

New tracks get the same color as the tracks preceding them in the track list.

Use Previous Track Color +1

This is similar to **Use Previous Track Color**, except that new tracks get the next color in the color palette.

Use Last Applied Color

New tracks get the color that you last applied to an event/part.

Use Random Track Color

New tracks get random track colors.

Colorize Tracks and MixConsole Channels

Applies the track/channel color to track/channel controls.

Selection Brightness

Allows you to adjust the brightness of the selected **MixConsole** channel.

Tracks

Enables the application of the track color to the track controls.

Folder Tracks

Enables the application of the folder track color to the track controls.

MixConsole Channels

Enables the application of the **MixConsole** channel color to the channel controls.

Color Strength

Allows you to adjust the intensity of the color.

Show Color for Selected Channel

Colorizes the selected channel and increases its color intensity instead of displaying it in gray.

VST

This page contains settings for the VST audio engine.

Activate 'Link Panners' for New Tracks

Activates **Link Panners** by default for new tracks so that the channel sends section always mirrors the pan settings applied in the channel fader section.

Warn if real time mixdown is required in order to include external plug-in

Shows a warning if a realtime mixdown is required.

Default Stereo Panner Mode

Allows you to specify the default pan mode for inserted audio tracks.

Connect Sends Automatically for Each Newly Created Channel

Automatically connects the send routing for existing effect channels when you create a new audio or group channel.

Instruments use Automation Read All and Write All

If you activate this, the **Read** and **Write** automation status in control panels for VST instruments is affected by **Activate/Deactivate Read for All Tracks** and **Activate/Deactivate Write for All Tracks**.

Mute Pre-Send when Mute

Mutes pre-fader sends when you mute their channels.

Default Send Level

Allows you to specify a default level for your send effects.

Group Channels: Mute Sources as well

Mutes channels that are directly routed to a group channel when you mute the group channel. Channels that were muted prior to the group channel being muted do not remember their mute status and are unmuted when the group channel is unmuted.

NOTE

This does not have an impact on how mute automation is written.

Delay Compensation Threshold (for Recording)

Minimizes the latency effects of the delay compensation while maintaining the sound of the mix to the greatest possible extent. Only plug-ins with a delay higher than this threshold setting are affected by the **Constrain Delay Compensation** function. By default, this is set to 0.0 ms, which means that all plug-ins are affected. If you feel that a little latency is acceptable, you can raise this threshold value.

NOTE

Cubase features full delay compensation. Any delay inherent in the VST plug-ins you use will automatically be compensated for during playback. However, when you play a VST instrument in real time or record live audio (with monitoring through Cubase activated), this delay compensation may result in added latency.

Do Not Connect Input/Output Busses When Loading External Projects

Prevents connecting input and output busses to the ASIO ports of your system when loading external projects.

Warn on Channel Configuration Change

Shows a warning if the channel configuration is changed.

Auto Monitoring

Determines how Cubase handles monitoring. The following options are available:

- **Manual**
Turns input monitoring on or off when you click **Monitor**.
- **While Record-Enabled**
Connects the audio source to the channel input when you click **Record Enable**.
- **While Record Running**
Switches to input monitoring during recording only.
- **Tapemachine Style**
Activates input monitoring in stop mode and during recording, but not during playback.

NOTE

The automatic monitoring options apply when you monitor through Cubase or when you use ASIO Direct Monitoring. If you monitor externally (that is, if you listen to the input signal from an external mixer, for example), select **Manual** mode, and keep all audio **Monitor** buttons turned off in Cubase.

Warn on Processing Overloads

Shows a warning if the **Processing Overload** indicator on the **Transport** panel lights up during recording.

RELATED LINKS

[VST - Plug-ins](#) on page 1547

[VST - Control Room](#) on page 1547

[Realtime Export](#) on page 1413

[Constrain Delay Compensation](#) on page 948

VST - Plug-ins

Create MIDI Track when Loading VSTi

Allows you to determine if a MIDI track is created when you add a rack instrument.

- **Always**

A MIDI track is always created.

- **Do not**

No MIDI track is created.

- **Always ask to**

You are asked whether a corresponding MIDI track should be created.

Warn before Removing Modified Effects

Shows a warning if you remove an effect plug-in for which you have made parameter changes.

Open Effect Editor after Loading It

Opens the effect control panel when you load VST effects or VST instruments.

Synchronize Plug-in Program Selection to Track Selection

Synchronizes track and plug-in program selection if you route multiple MIDI tracks to multitimbral instruments.

Suspend VST 3 plug-in processing when no audio signals are received

Suspends VST plug-in processing in passages where no audio is passing through the plug-in. This can noticeably improve system performance.

NOTE

We recommend to leave this option deactivated.

Plug-in Editors “Always on Top”

Always shows the control panels for effect plug-ins and VST instruments on top of other windows.

VST - Control Room

This page contains settings for the **Control Room**.

Show Control Room Volume in Transport Panel

If the **Control Room** is enabled, the **Control Room** volume is shown in the **Transport** panel.

Auto Disable Talkback Mode

Determines if talkback is disabled during recording, during playback and recording, or not at all.

NOTE

Set the Talkback **DIM** level to 0 dB so as not to radically change the mix level when punching in and out of record mode.

Use Phones Channel as Preview Channel

Uses the phones channel for monitoring.

Dim Cue during Talkback

Dims the cue mix heard in a studio by the amount set in the **Talkback Dim** level field in the **Control Room** for as long as the talkback channel is used.

Exclusive Device Ports for Monitor Channels

Makes the port assignment for monitor channels exclusive. If your scenario does not require you to assign ports to several monitor channels, it is recommended to activate this option. In this manner, you can make sure that you do not accidentally assign ports to inputs/outputs and monitor channels at the same time.

NOTE

This setting is saved with the **Control Room** presets.

Reference Level

Allows you to specify the reference level that can be assigned to the **Control Room** level. The reference level is the level that is used in calibrated mixing environments, such as movie dubbing stages.

NOTE

You can also manually adjust the reference level in the **Control Room** settings.

Main Dim Volume

Sets the amount of gain reduction applied to the **Control Room** channel when the **DIM** button is activated.

VariAudio

Inhibit warning when changing the Sample Data

Inhibits the message that warns you when you modify audio material that is used in several places in the project.

Inhibit warning when applying Offline Processes

Inhibits the message that warns you when you apply offline processes to audio material that is used in several places in the project.

Video

Extract Audio on Import Video File

Extracts and saves the audio data of imported video files as a separate audio clip.

Thumbnail Memory Cache Size

Allows you to set the size of the thumbnail cache.

Index

360° video playback [850](#)

A

AAF files [1469](#)

ACID® loops [635](#)

Activate Extend Process Range
 Direct Offline Processing [573](#)

Activate Project [127](#)

Activate Read/Write for all tracks [865](#)

Activate Tail

 Direct Offline Processing [574](#)

Activate tempo track [1376](#)

Activate this Track

 Track Control [183](#)

Adapt to Zoom [98](#)

 Grid type [104](#)

ADAT Lightpipe
 Synchronization [1433](#)

Add Cycle Marker

 Track Control [183](#)

Add Latency to MIDI-Thru Processing [1541](#)

Add Marker

 Track Control [183](#)

Add Track dialog [187](#)

 Audio tracks [133](#)

 Effect channel tracks [144](#)

 Folder tracks [151](#)

 Group channel tracks [142](#)

 Instrument tracks [135](#)

 Marker tracks [148](#)

 MIDI tracks [140](#)

 Ruler tracks [149](#)

 Sampler tracks [137](#)

 VCA fader tracks [146](#)

Adding a Parameter [887](#)

Adding chords [1248, 1253](#)

ADM authoring [821, 837](#)

 Binaural rendering [835](#)

 Downmix for monitoring [829](#)

 Downmixes for playback [834](#)

 Exporting ADM files [1474](#)

 Multi-objects [829](#)

 Object groups [836](#)

 Object-based mixing [837](#)

 Playback metadata [834](#)

 Renderer for Dolby Atmos [829](#)

 Routing for beds [823](#)

 Setting up a Dolby Atmos project up manually [827](#)

 Setting up a Dolby Atmos project up via the Setup Assistant [824](#)

 Setup Assistant for Dolby Atmos [825](#)

 Setup for Dolby Atmos content [822](#)

 Supported channel configurations for beds [823](#)

ADM authoring (*continued*)

 Trim and Downmix Editor [834](#)

 VST MultiPanner [802](#)

ADM Authoring window [832](#)

ADM files [1473](#)

 Exporting [1474](#)

AES/SPDIF Digital Audio

 Synchronization [1433](#)

AES17

 Meters [526](#)

AIFF files [1424](#)

Algorithms

 Limitations [589](#)

 Time-stretching [587](#)

Aligning

 Tempo matching audio [249](#)

Aligning audio

 Tempo matching [249](#)

Alignment level (Meters) [522](#)

All MIDI Inputs [28](#)

Allow Editing in Results List [1539](#)

AmbiConverter [853](#)

AmbiDecoder [842](#)

Ambisonics [839](#)

 AmbiConverter [853](#)

 Binaural playback [842, 847, 848](#)

 Bypassing head tracking [849](#)

 Editing [839](#)

 Exporting [852](#)

 Format converter [853](#)

 GoPro Player VR Remote [851](#)

 Head tracking [846](#)

 Head-Locked Signal [849](#)

 HRTF [842](#)

 IMMERSE profiles [842](#)

 Mixing [839](#)

 Monitoring [842](#)

 Monitoring via headphones [847](#)

 Monitoring via speakers [849](#)

 Panner plug-ins [840](#)

 Playback [842](#)

 Routing [839, 840](#)

 Side-chain input [849](#)

 Third-party plug-ins [848](#)

 VST MultiPanner [841](#)

Appearance

 Colors [1543](#)

 Metering [1540](#)

Append Clip Name to Event Name [1530](#)

ARA [689](#)

 Activating [689](#)

 Events [695](#)

 Selecting an extension [692](#)

Archive

 Prepare [129](#)

-
- Arranger track 393
 - Flattening 396, 399
 - Inspector 156
 - Track controls 156
 - Articulations 1211, 1214
 - Adding sound slots 1213
 - Editing on the info line 1220
 - Groups 1215
 - Inserting on the controller lane 1219
 - Mapping sound slots 1215
 - Remote settings 1216
 - Set Remote Keys 1217
 - ASIO Direct Monitoring 27, 329
 - ASIO Driver 24
 - ASIO Latency Compensation
 - Track Control 183
 - ASIO Latency Compensation Active by Default 1541
 - ASIO-Guard 1517
 - Aspect ratio
 - Video Player window 1460
 - Assigning chords to chord pads 1284
 - Assigning chords with the Chord Editor 1285
 - Assigning MIDI CC 933
 - Assigning Step Parameter Automation 889
 - Attribute Filter
 - Applying in the MediaBay 779
 - Context menu search 779
 - MediaBay 778
 - Attribute Inspector
 - MediaBay 782
 - Attributes 780
 - Defining 784
 - Editing in the MediaBay 781
 - Managing lists 784
 - MediaBay 778
 - Audio
 - Handling 235
 - Rendering 1399
 - Zooming 99
 - Audio Alignment 249
 - Audio Alignment Panel 249
 - Audio Click
 - Render 318
 - Audio clock
 - Synchronization 1433
 - Audio Connections 33
 - Editing 49
 - Exclusive port assignment 510
 - Presets 41
 - Audio Definition Model. *See* ADM authoring
 - Audio Driver 21
 - Audio effects
 - Modulators 1022
 - Surround 792
 - Audio events 233
 - Auditioning 240
 - Inverting phase 264
 - Audio files
 - Inverting phase 264
 - Previewing in MediaBay 769
 - Audio Functions 591
 - Detect Silence 591
 - Spectrum Analyzer 595
 - Statistics 596
 - Audio hardware
 - Connections 20
 - Externally clocked 26
 - Audio Part Editor
 - Lower zone 84
 - Toolbar 679
 - Audio parts
 - Auditioning 240
 - Creating 238
 - Multiple Part Controls 687
 - Audio performance
 - Optimizing 1513
 - Audio Performance Monitor panel 1515
 - Audio Pre-Record Seconds 1541
 - Audio processing
 - Pool 742
 - Audio Processing
 - Direct Offline Processing 563
 - Audio Recording 332
 - Downmix 333
 - Pre-Record Time 334
 - Preparations 331
 - RAM Requirements 331
 - Record File Format 330
 - Record Folder 331
 - Record Modes 332
 - Recovering 335
 - Recovering recordings 334
 - Undo 334
 - With Effects 333
 - Audio regions 235
 - Audio Segment Editing
 - Creating a range selection 273
 - Editing the event volume 391
 - Extending/Reducing a range selection 276
 - Audio segments 236
 - Audio System 21
 - Audio tracks 133
 - Add Track dialog 133
 - Basics 161
 - Changing the channel configuration 199, 200
 - Freezing 210, 536
 - Inspector 161
 - AudioWarp
 - Copying warp markers 1395
 - Correcting warp marker positions 642
 - Creating warp markers for multiple events 641
 - Deleting warp markers 642
 - Free Warp 640
 - Phase-coherent editing 262
 - Resetting 642
 - Audition
 - VariAudio 652
 - Audition chords 1257
 - Audition through MIDI Inserts/Sends 1535
 - Auditioning
 - Audio events 240
 - Audio parts 240
 - Using key commands 738

Auto Disable Talkback Mode [1547](#)
 Auto fades
 Global settings [387](#)
 Track settings [387](#)
 Auto Monitoring
 Manual [1545](#)
 Tapemachine Style [1545](#)
 Auto Save [128](#), [1533](#)
 Auto Saves
 Folder [119](#)
 Auto Select Controllers [1136](#)
 Auto Select Events under Cursor [1521](#)
 Auto Track/Channel Color Mode [1544](#)
 Auto-Scroll [304](#), [305](#)
 Crossfades [378](#)
 Suspend [305](#)
 Automatable parameters
 Controlling with Quick Controls [964](#)
 Automatic Hitpoint Detection
 Enabling [1523](#)
 Automatic scales [1258](#)
 Automatic voicings [1261](#)
 Automatically generating new audio clips
 Pool [745](#)
 Automation [854](#), [932](#)
 Activating Gaps [872](#)
 Activating Loop [871](#)
 Activating To End [871](#)
 Activating To Punch [871](#)
 Activating To Start [871](#)
 Bézier curves [858](#)
 Bottom-Top Panning [802](#)
 Continuous fill [872](#)
 Drawing Fill manually [872](#)
 Elevation patterns [812](#)
 Fill options [871](#), [872](#)
 Freeze Trim [870](#)
 Functions pop-up menu [870](#)
 Initial value [863](#)
 Merge Modes [1133](#)
 One Shot [872](#)
 Quick scaling [860](#)
 Ramp curves [854](#)
 Read [854](#)
 Show options [874](#)
 Smooth transitions [858](#)
 Static value line [854](#)
 Step curves [854](#)
 Suspend options [873](#)
 Suspend Read [873](#)
 Trim [869](#)
 Virgin territory [863](#)
 VST MultiPanner [806](#)
 Write [854](#)
 Automation Context Menu [932](#)
 Automation data
 Editing [857](#)
 Removing [861](#)
 Selecting [858](#)
 Automation Event Editor
 Compress Left [859](#)
 Compress Right [859](#)
 Move Vertically [859](#)

Automation Event Editor (*continued*)
 Scale Around Absolute Center [859](#)
 Scale Around Relative Center [859](#)
 Scale Vertically [859](#)
 Stretch [859](#)
 Tilt Left [859](#)
 Tilt Right [859](#)
 Automation Follows Events [1521](#)
 Automation modes [866](#)
 Auto-Latch [867](#)
 Cross-over [868](#)
 Touch [867](#)
 Automation panel [864](#)
 Read buttons [865](#)
 Write buttons [865](#)
 Automation Panel [864](#)
 Operations tab [864](#)
 Automation parameter
 Track Control [183](#)
 Automation Reduction Level [1521](#)
 Automation tracks [862](#)
 Assigning parameters [862](#)
 Hiding [862](#)
 Muting [863](#)
 Removing [862](#)
 Showing [862](#)

B

Back up Project [129](#)
 Background Color Modulation [1530](#)
 Bank assignments [1058](#)
 Batches Processing
 Direct Offline Processing [573](#)
 Bézier curves
 Automation [858](#)
 Continuous controllers [1129](#)
 Binaural playback [842](#)
 Bit Crusher [922](#)
 Bounce MIDI [1072](#)
 Bounce Selection [234](#)
 Broadcast Wave files [1423](#)
 Broadcast Wave Files
 Embedded information [1541](#)
 Buffer
 Settings [1514](#)
 Bulk Dumps [1204](#)
 Busses
 Adding [40](#)
 Child busses [41](#)
 Removing [49](#)
 Bypass
 VST MultiPanner [805](#)
 Bypass EQs
 Track Control [183](#)
 Bypass Inserts
 Track Control [183](#)
 Bypass Sends
 Track Control [183](#)

C

- Cadence mode
 - Chord Assistant 1251
- Change Release Length
 - Note Expression Event Editor 1236
- Changing Layer 899
- Channel
 - Set up 179
 - Track Control 183
- Channel Configuration
 - Track Control 183
- Channel configurations 199
 - Surround 793
 - Switching between mono and stereo 200
- Channel latency
 - MixConsole 487
- Channel linking 449
- Channel names
 - Searching 438
- Channel sections 459
 - Equalizer 468
 - Filters 462
 - Gain 463
 - Inserts 465–467
 - Modulators 465
 - Phase 463
 - Pre 462, 463
 - Quick Controls 484
 - Routing 460
 - Sends 480
 - Strip 470, 478
- Channel settings 488
 - Channel Faders 502
 - Channel Inserts 492
 - Channel Sends 500
 - Channel strip 493
 - Channel Strip 494–496
 - Copying 459
 - Direct Routing 501
 - Equalizer 498, 500
 - Toolbar 490
- Channel strip section 470
 - Compressor 470
 - EQ position 470
 - Gate 470
 - Limiter 470
 - Presets 477
 - Saturation 470
 - Transformer 470
 - View options 478
- Channel tab 70, 132
 - Opening 71
- Channel types
 - MixConsole 443
- Channels 132
 - Adding to link groups 449
 - Color 205
 - Controlling with VCA faders 504
 - Linking 446
 - Removing from link groups 450
 - Reordering 485
- Chase Events 318, 1535
- Child busses 41
- Surround configurations 795
- Chord Assistant 1250, 1300
 - Assigning chords 1285–1287
 - Cadence mode 1251
 - Circle of Fifths 1254, 1302
 - Common notes mode 1251
 - Detected 1255
 - List 1300
 - Proximity 1252, 1302
 - Reference 1251
- Chord editor
 - MIDI input 1250
- Chord Editor 1249
 - Adding chords 1253
 - Assigning chords 1285
- Chord events 1248
 - Adding 1248
 - Adding chords 1248
 - Assigning 1250
 - Assigning to MIDI effects or VSTis 1264
 - Auditioning 1257
 - Chord type 1248
 - Converting to MIDI 1264
 - Creating from Audio Events 1271
 - Creating from MIDI 1269
 - Editing 1248
 - Getting suggestions 1253
 - Resolving Display Conflicts 1258
 - Tensions 1248
 - Voicings 1261
- Chord Font 1531
- Chord pads 1274
 - Adaptive voicing 1304
 - Assigning chords 1284–1289
 - Chord information 1280
 - Chord symbols 1318
 - Copying chord assignments 1290
 - Creating chord events 1298
 - Creating MIDI parts 1298
 - Custom section player 1311
 - Display settings 1318
 - Extended toolbar 1278
 - Keyboard 1283
 - Load Preset Settings 1299
 - Nashville Number System 1318
 - Output modes 1294
 - Pad layout 1318
 - Pad remote control 1314
 - Pads remote range 1316
 - Pattern player 1308
 - Player Mode settings 1306
 - Player modes 1307, 1309
 - Player remote control 1317
 - Player settings 1304
 - Players 1304
 - Playing back 1294, 1295
 - Presets 1298
 - Recording 1294, 1296
 - Removing chord assignments 1290
 - Root key 1291, 1292
 - Saving presets 1299
 - Setting up different players 1305

-
- Chord pads (*continued*)
 - Show/Hide 1274
 - Status information 1280
 - Step input 1297
 - Swapping chord assignments 1289
 - Toolbar 1275
 - Transposing 1293
 - Voicings 1304
 - Zone 1274
 - Chord Pads Remote Settings
 - Remote control 1313
 - Chord symbols 1531
 - Chord track 157, 1247
 - Adding 1247
 - Assigning pads 1289
 - Controlling MIDI or audio playback 1267
 - Inspector 177
 - Live input 1266
 - Track controls 157
 - Chord voicing
 - Changing 1164
 - Chords
 - Changing pitch 1164
 - Changing voicing 1164
 - Editing 1164
 - Editing via MIDI 1167
 - Inserting 1166
 - Inserting via MIDI 1167
 - Circle of Fifths 1254
 - Click Pattern 308
 - Setting up 309
 - Signature events 310
 - Click Pattern Editor 309
 - Click Sounds
 - Custom Sounds 316
 - Click Track
 - Render 318
 - Clip editing
 - Pool 738
 - Clips
 - Renaming 730
 - Color
 - Auto Track/Channel Color Mode 205
 - Color Picker 115
 - Color Set 113
 - Colorize Only Folder Track Controls 1544
 - Colorize Track Controls 1544
 - Colorizing
 - Events 111
 - Note events 1083
 - Select Color for Selected Tracks or Events 109, 111
 - Single Tracks 110
 - Tracks 109
 - Colors
 - MixConsole Channels 487
 - Preferences 1543
 - Tracks 110, 112
 - User Interface 1544
 - Colors Setup Dialog
 - Events 1083
 - Project 112
 - Combine Selection Tools 241
 - Object Selection 241
 - Range Selection 241
 - Common Layer Parameters 899
 - Common notes mode
 - Chord Assistant 1251
 - Compatibility with older versions
 - Track archives 197
 - Volume curves 387
 - Compress Left
 - Automation Event Editor 859
 - Tempo Event Editor 1378
 - Compress Right
 - Automation Event Editor 859
 - Tempo Event Editor 1378
 - Compressor
 - Strip module 470
 - Connect Sends automatically for each newly created Channel 1545
 - Connecting
 - Audio 20
 - MIDI 28
 - Constrain Delay Compensation 948
 - Continuous controllers
 - Adding in controller display 1128
 - Controller display 1113
 - Controller lane 1129
 - Ramp/Step 1129
 - Smooth transitions 1129
 - Continuous Fill
 - Fill options 872
 - Control link 446, 449
 - Control Room 509
 - Adding channels 509
 - Channels section 513
 - Cue channels 513
 - Downmix Presets section 514
 - Exclusive port assignment 510
 - Input gain 517
 - Input phase 517
 - Insert effects 517
 - Inserts 517
 - Main 512
 - Main mix output 510
 - Monitors section 514
 - Opening 509
 - Outputs 510
 - Phones section 515
 - Right zone 95
 - Routing 510
 - Control Room channels 510, 513
 - Adding 509
 - Control Room 516
 - Cues 511
 - External inputs 511
 - Monitors 510, 517
 - Phones 511
 - Talkback 511, 517
 - Control Room Volume
 - Showing in Transport Panel 1547
 - Control_Roomcontrol_room_channels.png
 - External section 513
 - Controller Brightness 1532

-
- Controller curves
Smart controls for scaling [1135](#)
- Controller Data
Thinning Out [1078](#)
- Controller display [1106](#)
Adding events [1116, 1118, 1128](#)
Continuous controllers [1113](#)
Copying events [1137](#)
Editing events [1120](#)
Editing events with Line tool [1134](#)
Moving events [1137](#)
Pasting events [1137](#)
- Controller Event Editor [1135](#)
- Controller events [1221](#)
- Controller lane
Adding [1112](#)
Continuous controllers [1129](#)
Inserting articulations [1219](#)
Presets [1114](#)
Removing [1112](#)
Selecting event types [1112](#)
Setting up as preset [1114](#)
- Controller lanes [1109](#)
Setup [1107](#)
- Controller Selection and Functions [1110](#)
- Controllers
Extended note context [1525](#)
Selecting [1136](#)
Showing [1532](#)
- Convert to Real Copy [260](#)
- Converting chord events to MIDI [1264](#)
- Counter shots
VST MultiPanner [810](#)
- Create Audio Images during Record [1541](#)
- Create Chord Events [1269, 1271](#)
- Create MIDI track when loading VSTi [1547](#)
- Creating chord events from Audio Events [1271](#)
- Creating chord events from MIDI [1269](#)
- Creating gaps
Automation [863](#)
- Cross-hair cursor [107, 1528](#)
- Crossfades
Auto Zoom [378](#)
Auto-Scroll [378](#)
Changing the length [383](#)
Creating [377](#)
Editing in dialog [378](#)
Equal Gain [378](#)
Equal Power [378](#)
Move Audio [382](#)
Move Fade [382](#)
Nudging [382](#)
Overlap [381](#)
Presets [378](#)
Resizing [383](#)
Simple Crossfade Editor [378](#)
Splice Point [381](#)
Symmetric Fades [378](#)
- Cubase Pro Hub [117](#)
- Cue Mix
Setting up [519](#)
- Cue Sends [520](#)
Adjusting the volume [520](#)
Cue mix [519](#)
- Cursor Width [1542](#)
- Custom Chord Symbols [1531](#)
- Customizing
Colors [115](#)
Meter Colors [456](#)
User Interface Colors [1544](#)
- Cut Head [257](#)
- Cut Tail [257](#)
- Cycle
Follows Range Selection [1521](#)
Recording [326](#)
Track Control [183](#)
- Cycle markers [413](#)
Adding [413](#)
Editing [413](#)
Using [420](#)
Zooming [101, 413](#)
- D**
- Data on Folder Tracks
Showing [1532](#)
- DAWproject files [1474](#)
- DC Offset
Removing [582](#)
- Deactivate Read/Write for all tracks [865](#)
- Deep Track Folding [1526](#)
- Default MIDI Editor [1528](#)
- Default Paper Size Type
Score Editor [1529](#)
- Delay compensation
Constraining [948](#)
Threshold for Recording [1545](#)
- Delay Page [928](#)
- Delete Notes
Dialog [1088](#)
- Delete Overlaps [1521](#)
- Deleting
Continuous Controllers [1077](#)
Controllers [1077](#)
Doubles [1076](#)
MIDI controllers [1077](#)
- Deleting Overlaps
Poly (MIDI) [1075](#)
Poly (Mono) [1075](#)
- Depth
VST MultiPanner [812](#)
- Designating a new pool record folder
Pool [741](#)
- Detect Silence
Audio Functions [591](#)
With current settings [594](#)
- Device panels [1064](#)
- Device ports
Selecting for busses [40](#)
- Dim Cue during Talkback [1547](#)
- Direct Offline Processing [563](#)
Applying [568](#)
Applying permanently [576](#)
Applying to multiple events [569](#)

Direct Offline Processing (*continued*)
 Auto Apply 564
 Batches 573
 Bypassing 575
 Copying 576
 Deleting 574
 Envelope 577
 Extend Process Range 573
 Fade In 578
 Fade Out 578
 Favorites 571
 FX Chain presets 573
 Gain 578
 Invert Phase 579
 Key Commands 585
 Modifying 574
 Normalize 579
 Pitch Shift 580
 Pool 742
 Remove DC Offset 582
 Resample 583
 Resetting 574
 Reverse 583
 Silence 583
 Stereo Flip 583
 Tail 574
 Time Stretch 584
 Toolbar 566
 Track Presets 573
 Window 565
 Workflow 564
 Direct Routing 481
 Automatic downmixing 483
 Setting up 482
 Disable Acoustic Feedback during Playback 1524
 Display line
 Fader section 447
 Distortion 923
 Dithering
 Applying 550
 Effects 550
 Divider
 Project window toolbar 62
 Dolby Atmos
 ADM Authoring window 832
 ADM files 1473
 Authoring 822
 Bed 823
 Bed mixing 802
 Binaural rendering 835
 Channel routing 822
 Content creation 822
 Downmix for monitoring 829
 Downmixes for playback 834
 Downmixing 820
 Exporting 1474
 External renderer 837
 Multi-objects 829
 Object groups 836
 Object-based mixing 837
 Playback metadata 834
 Renderer for Dolby Atmos 829
 Routing for beds 823

Dolby Atmos (*continued*)
 Setting up a Dolby Atmos project up manually 827
 Setting up a Dolby Atmos project up via the Setup Assistant 824
 Setup Assistant for Dolby Atmos 825
 Setup for object-based mixing 822
 Supported channel configurations for beds 823
 Trim and Downmix Editor 834
 VST MultiPanner 802
 VST MultiPanner in object mode 837
 Drag Delay 1521
 Draw tool
 Drawing note events 1160
 Drum Editor 1169
 Global tracks 1093, 1095
 Info line 1178
 Lower zone 84
 Note display 1181
 Status line 1178
 Toolbar 1170
 Visibility 1097
 Drum Machine 138, 891
 Lower zone 89
 Drum Machine Toolbar 891
 Drum Map
 Track Control 183
 Drum maps 1183, 1187
 Key Editor 1166
 Selecting 1182
 Setting up 1183, 1185
 Drum notes
 Deleting 1190
 Drum Pad Section 895
 Drum Pads 895
 Drum sounds 1181
 Changing the note length 1190
 Settings 1185
 Setup 1181
 Visibility 1182
 Drum Track 138, 877
 Drum tracks
 Basics 168
 Inspector 168
 Drum Visibility Agents 1170
 Dump request messages
 MIDI SysEx Editor 1204
 Duplicating
 Events 258
 Dynamics
 Editing 1125

E

Edit Channel Settings
 Track Control 183
 Edit History dialog 107
 Edit In-Place
 Track Control 183
 Edit Instrument
 Track Control 183
 Edit Pages 896
 Editing
 Project window info line 69

-
- Editing events
 - Group editing 262
 - Editor Content Follows Event Selection 1528
 - Editor Visibility 1097
 - Effect channel tracks 144
 - Add Track dialog 144
 - Adding 541, 542
 - Basics 171
 - Changing the channel configuration 199, 200
 - Inspector 171
 - Setting up 42
 - Effect parameters
 - Track Quick Controls 961
 - Effect Plug-in Presets
 - Loading in MediaBay 786
 - Effects 529
 - Comparing settings 553
 - Context menu 552
 - Control panel 551
 - Creating modulation connections 1023
 - Direct Offline Processing 563
 - Dithering 550
 - External effects 551
 - Functions menu 552
 - Insert effects 529, 532
 - Modulators 1022
 - Multi-channel configurations 537
 - Plug-in delay compensation 531
 - Pre/Post fader sends 544
 - Presets 555
 - Presets browser 555
 - Routing 537, 543
 - Saving presets 556
 - Selecting presets 556
 - Send effects 529, 540
 - Side-chain inputs 546
 - Side-chain routing 548
 - System component information 560, 562
 - Tempo sync 531
 - Track Presets 560
 - VST 3 530
 - élastique algorithm 587
 - Enable Record on Selected Audio Track 1526
 - Enable Record on Selected MIDI Track 1526
 - Enable Solo on Selected Track 1526
 - Enlarge Selected Track 208, 1526
 - Envelope
 - Direct Offline Processing 577
 - Realtime processing 387
 - Envelope editor
 - Sampler Control 708
 - Envelope Follower
 - Modulator 1013
 - EQ
 - Comparing channels 500
 - Presets 470
 - Settings 499
 - Strip module 470
 - Equal Gain
 - Crossfades 378
 - Equal Power
 - Crossfades 378
 - Equalizer 926
 - Channel sections 468
 - Comparing channels 500
 - Settings 499
 - Event Details
 - Showing 1532
 - Event display 63
 - Editing events 1203
 - Folder tracks 214
 - Modifying on folder tracks 212
 - Event Handling Opacity 1529
 - Event lengths
 - Changing with Trim tool 1163
 - Event list
 - Editing events 1202
 - Filtering events 1202
 - Event name
 - Showing 1529
 - Event Opacity 1529
 - Event volume
 - Setting 390
 - Showing 1530
 - Event Volume Curve and Fades Brightness 1530
 - Event volume curves 387
 - Audio Segment Editing 391
 - Creating 388
 - Curve editor 389
 - Editing 388
 - Removing 390
 - Resetting 390
 - Smart controls 389
 - Event Volume Curves
 - Showing 1530
 - Events 233
 - Arranging at a Specific Distance 248
 - Combine Selection Tools 241
 - Copying and Pasting 258
 - Creating clip-based volume changes 577
 - Creating new files from events 234
 - Displaying on folder tracks 214
 - Duplicating 258
 - Editing 239
 - Editing in WaveLab 271
 - Envelopes 387
 - Gluing 257
 - Group editing 262
 - Grouping 261, 262
 - Locking 263, 264
 - Moving 243, 247, 248
 - Moving the content without changing the position 261
 - Moving via info line 248
 - Moving with Nudge 245
 - Moving with Object Selection 244
 - Muting 265
 - Normal resizing 241, 252
 - Pasting 258
 - Pasting copies to locator range 260
 - Pasting from clipboard to selection ranges 260
 - Removing 243
 - Renaming 252
 - Repeating 259
 - Resizing 252, 254

-
- Events (continued)**
- Resizing with Object Selection 241, 252, 253
 - Resizing with Scrub 255
 - Setting a spacer between events 248
 - Size with Fade 252
 - Sizing Applies Time Stretch 253
 - Sizing Moves Contents 253
 - Splitting 256
 - Splitting repeatedly 257
 - Volume 390
 - Volume curves 387
 - WaveLab as external editor 271
- Exclusive Device Ports for Monitor Channels 1547
- Export Audio Mixdown 1406, 1417–1419
- AIFF files 1424
 - Broadcast Wave files 1423
 - Channel selection 1422
 - Export jobs 1421
 - Export Queue section 1420
 - File Formats 1422
 - Flac files 1427
 - Mixing down to multiple files 1418
 - MP3 files 1426
 - Ogg Vorbis files 1428
 - Surround mixes 820
 - Wave files 1423
- Export Audio Mixdown dialog 1406
- Export jobs 1418, 1421
- Updating 1419
- Export queue 1420
- Export Selected Tracks dialog 197
- Export Video 1467
- Export Video dialog 1462
- Exporting
- AAF files 1471
 - ADM files 1474
 - DAWproject files 1475
 - MIDI files 198
 - OMF files 1477
 - Profiles 1508
 - Selected events 265
 - Selected tracks 196
 - Track archives 197
 - Tracks 196
 - Video files 1467
- Expression Map Setup 1211
- Expression maps 1210
- Creating 1212
 - Extracting from VST instruments 1217
 - Inspector 1212
 - List Editor 1220
 - Loading 1218
 - Project window 1212
 - Saving 1218
 - Setup 1211
- Extending the Process Range
- Direct Offline Processing 573
- Extensions 689
- Add Event 690
 - Audio Events 689
 - Audio Tracks 692
 - Editor 693
 - Handling events in the Project window 695
- Extensions (continued)
- Make Permanent 691, 693
 - Remove from Audio Events 690
 - Remove from Audio Tracks 693
- External effects 43, 50, 551
- Favorites 48
 - Freezing 48
 - Missing plug-ins 49
 - Setting up 44
- External instruments 43, 50
- Favorites 48
 - Freezing 48
 - Missing plug-ins 49
 - Setting up 46
- External monitoring 328
- Extract Audio on Import Video File 1548
- Extract MIDI from Audio 673
- Extracting
- Audio from video 351, 1468
 - MIDI Automation 1078
- F**
- Fade In
- Direct Offline Processing 578
- Fade In dialog 374
- Fade In to Range Start 373
- Fade Out
- Direct Offline Processing 578
- Fade Out dialog 374
- Fade Out from Range End 373
- Fader section
- MixConsole 452
- Fades
- Apply defaults 374
 - Auto fades 385
 - Editing in dialog 374
 - Presets 374
 - Showing 1530
 - With Range Selection tool 373
- Favorites
- Adding 755, 756, 762
 - Direct Offline Processing 571
 - Media rack 754
- File Browser
- Media rack 754
- File Extensions
- Showing in Results list 1539
- File format presets 1429
- Fill Loop 260
- Filter 924
- Find Tracks 65
- Fixed lengths 1073
- Fixed tempo
- Mode 1374
- Fixed Tempo
- Mode 1384
 - Setting up 1384
- Fixed velocity 1073
- Flac files 1427
- FLAC files
- Importing 348

-
- Flattening
Arranger track 396, 399
Realtime Processing 643, 675
- Focus Quick Controls
Focus lock 992
Focus setup 992
Setting up 991
- Folder parts 239
- Folder tracks 151
Add Track dialog 151
Displaying events 214
Inspector 174
Modifying event display 212
Track controls 153
- Follow Chord Track 1267
Auto 1267
Chords 1267
Directly 1268
Scale events 1268
Single Voice 1267
Synchronizing Track Data 1268
Using 1267
- Formant Shifting
VariAudio 670
- Frame count 1431
- Frame rates
Mismatch 1456
Synchronization 1431
Video 1456
- Free Warp 640
In the event display 1394
In the Sample Editor 641
- Freeze
Multiple tracks 210
Sampler tracks 721
VST instruments 945
- Freeze Channel
Track Control 183
- Freeze Channel Options
Sampler tracks 722
VST instruments 946
- Freeze MIDI Modifiers 1052
- Freeze Trim
Automation 870
- FX chain presets 467
- FX Chain presets
Direct Offline Processing 573
- FX Chain Presets
Loading in MediaBay 787
- FX Plug-in Presets
Loading in MediaBay 786
- G**
- Gain
Direct Offline Processing 578
- Gate
Strip module 470
- Generate Harmony Voices 643, 676, 677
- Generic Remote 1040
- Global Meter Settings 456
- Global track controls 64
Find Tracks 65
Track Type Filter 64
- Global tracks 1093, 1095
Keyboard focus 1096
- Global workspaces 1502
- Gluing
Events 257
- GoPro Player VR Remote 851
- Grid Overlay Intensity 1529
- Grid type
Project window 104, 106
- Groove quantizing 362
- Group channel tracks 142
Add Track dialog 142
Basics 170
Changing the channel configuration 199, 200
Inspector 170
- Group channels
Adding insert effects 533
Adding to selected channels 534
Routing 462
Setting up 42
- Group Channels - Mute Sources as well 1545
- Group editing
Mode 262
Track control 183
- Group Page 927
- Grouping events 261, 262
- H**
- Hardware controls
Activating pick-up mode 1038
- Hardware setup
Control panel 21
- Head tracking 846
OSC head tracking formats 846
- Height
VST MultiPanner 812
- Hermode tuning 1051
- Hide muted Notes in Editors 1524
- Hide Truncated Event Names 1529
- High Quality Scrub Mode 1543
- Highlight Borders of Selected Events 1529
- History
Edit History 107
MixConsole 432, 439
Project window 54
Sampler Control 715
- Hitpoints 622
Showing 1530
- HMT Type
Hermode tuning 1052
- Horizontal Snap
Note Expression Event Editor 1236
- Horizontal Zoom presets
Project window 100
- HRTF 842
- Hub 117
Showing news 1533

I

- I-notes (Input notes) [1187](#)
- IMMERSE profiles [842](#)
- Immersive video playback [850](#)
- Importing
 - AAF files [1469](#)
 - Audio files [347](#)
 - Audio from video files [351](#)
 - Compressed audio files [347](#)
 - DAWproject files [1474](#)
 - Events [191](#)
 - FLAC files [348](#)
 - MIDI files [198, 352](#)
 - MP3 files [348](#)
 - MPEG files [348](#)
 - Ogg Vorbis files [348](#)
 - OMF files [1475](#)
 - Profiles [1508](#)
 - REX/REX2 files [351](#)
 - Track archives [193](#)
 - Track settings [191](#)
 - Tracks from a track archive [191, 193](#)
 - Tracks from projects [191, 192](#)
 - Video files [1456](#)
 - WMA files [348](#)
- In-Place Editor
 - Editing controllers [1207](#)
 - Editing MIDI notes [1207](#)
 - Toolbar [1207](#)
- Independent track loop
 - Audio Part Editor [686](#)
- Independent Track Loop
 - MIDI [1091](#)
- Indicate Transpositions
 - Key Editor [408](#)
- Info line
 - Editing articulations [1220](#)
 - Project window [68](#)
 - Transpose [409](#)
- Inhibit warning when applying Offline Processes [1548](#)
- Inhibit warning when changing the Sample Data [1548](#)
- Initial value
 - Automation [863](#)
- Input busses
 - Adding [40](#)
 - Removing [49](#)
 - Renaming [39](#)
 - Routing [461](#)
 - Surround configurations [797](#)
- Input gain
 - MixConsole [463](#)
- Input levels [20](#)
- Input ports [27](#)
- Inputs
 - Meter position options [456](#)
- Insert effects [529, 532](#)
 - Adding to busses [533](#)
 - Adding to group channels [533](#)
 - Freezing [536](#)
 - Routing [532](#)
- Insert MIDI Retrospective Recording in Editor [343](#)
- Insert presets
 - Copying [558](#)
 - Pasting [558](#)
 - Saving [558](#)
- Insert Reset Events after Record [1535](#)
- Inserts
 - FX chain presets [467](#)
 - MIDI [1053](#)
 - MixConsole [465, 466](#)
 - Monitor channels [517](#)
 - Talkback channel [517](#)
 - Using while scrubbing [1543](#)
- Inserts section
 - View options [467](#)
- Inspector [72, 132](#)
 - Editor [74](#)
 - Expression maps [1212](#)
 - Sections [159, 179](#)
 - Set up [158](#)
 - Surround Pan [804](#)
 - Synchronizing track and channel visibility [78](#)
 - Track Inspector [73](#)
 - Visibility [76, 77](#)
 - VST MultiPanner [804](#)
 - Zones [79](#)
- Inspector Sections
 - Expanding exclusively [75](#)
 - Showing/Hiding [75](#)
- Instrument
 - Track Control [183](#)
- Instrument Freeze [945](#)
- Instrument Page [897](#)
- Instrument parameters
 - Track Quick Controls [962](#)
- Instrument presets
 - Applying [228](#)
- Instrument Presets
 - Loading in MediaBay [786](#)
 - Results [944](#)
- Instrument tracks [135](#)
 - Add Track dialog [135](#)
 - Basics [165](#)
 - Freezing [210](#)
 - Inspector [165](#)
 - Unfreeze Channel Options Dialog [947](#)
- Instruments use Automation Read All and Write All [1545](#)
- Interpolate Audio Waveforms [1530](#)
- Invert Phase
 - Control Room [517](#)
 - Direct Offline Processing [579](#)
 - Info line [264](#)
 - MixConsole [463](#)
 - Project window [264](#)

J

- Job queues [1418, 1419](#)

K

Key commands 1480, 1500

Default 1486

Dialog 1480

Loading 1485

Macros 1480

Modifying 1483

Removing assignments 1484

Resetting 1486

Saving 1485

Searching for 1484

Key Editor 1138

Fold keyboard 1153

Global tracks 1093, 1095

Info line 1147

Inspector 1148

Keyboard focus 1096

Lower zone 84

Note display 1151

Note expression data 1167

Piano keyboard display 1152

Pitch Visibility 1154

Scales 1150

Status line 1147

Toolbar 1139

Visibility 1097

Visible Pitches 1153

Keyboard focus

Activating for a zone 97

Zones 96

Keyboard navigation

MixConsole 502

Knob Mode 1524

L

Lanes 215

Assembling a perfect take 215

Assembling operations 216

Audio Part Editor 685

Language (Preferences) 1533

Latch Buffer

Note expression 1235

Latency

MixConsole 487

Optimizing 1513

VST System Link 1445

Layer Parameters - Clap 911

Layer Parameters - Cymbal 912

Layer Parameters - HiHat 905

Layer Parameters - Kick 901

Layer Parameters - Percussion 914

Layer Parameters - Sample 918

Layer Parameters - Snare 903

Layer Parameters - Tom 909

Layer Selector 897

Layer Slots 898

Left locators 301

Setting 302

Left zone 71

Inspector 72

MixConsole 430

Left zone (*continued*)

Visibility 76, 77

Zones 79

Legato 1072

Mode 1525

Overlap 1525

Length

Adjusting 1535

Crossfades 383

Level meters (MixConsole) 457

LFO

Modulator 1011

Limiter

Strip module 470

Limiting MIDI CC 934

Line tool 1161

Drawing note events 1161

Editing controller display events 1134

Linear Time Base 1374

Link groups 446

Adding channels 449

Assigning VCA faders 506

Changing settings 449

Creating 448

Q-Link 450

Removing channels 450

Removing VCA faders 507

Settings 446

Unlink 449

Link Project and Lower Zone Cursors 86

Link to Grid

Nudge Settings 245

Link to Primary Time Format

Nudge Settings 245

List Editor 1191

Editing events 1202, 1203

Editing operations 1201

Event display 1200

Event list 1199

Filters bar 1198

Inserting events 1201

Showing/Hiding events 1198

Status line 1198

Toolbar 1192

Value display 1200

Listen

MixConsole 455

Track Control 183

Live input

Chord track 1266

Loading Multi-Track Presets 230

Locate

Track Control 183

Locate When Clicked in Empty Space 1542

Locator range duration 303

Locators 301

Left 301

Right 301

Setting ranges 303

Lock

Track Control 183

Transpose track 408

-
- Lock Automation
 Track Control 183
- Lock Event Attributes 264, 1521
- Lock Punch Points to Locators 307
- Lock Record 344
- Logical Editor 1333
 Action Targets 1348
 Filter Conditions 1342
 Filter Targets 1338
 Functions 1347
 Overview 1333
 Presets Browser 1334
- Logical Filter
 Advanced Text Search 777
 Applying 777
 MediaBay 776
- Looping
 Audio Part Editor 686
- Loops and Samples
 Loading in MediaBay 785
- Loudness 522, 524
 LU 524
 LUFS 524
 Meter 525
 Settings 526
 Statistics 596
 Units 524
- Lower zone 80
 Chord Pads 82
 Drum Machine 89
 Editor 84
 Link Project and Lower Zone Cursors 86
 MIDI Remote 87, 966
 MixConsole 83
 Modulators 87, 1001
 Pattern Editor 88
 Sampler Control 83
 Selecting a MIDI editor 85
 Setting up 81
- M**
- macOS
 Port activation 40
 Port selection 40
- Macro Knob
 Modulator 1016
- Macros
 Key commands 1480, 1484
- Main Dim Volume 1547
- Main mix
 Output 510
 Setting up 40
- Managing Drum Machine Presets 893
- Managing media files
 Pool 724
- Map Input Bus Metering to Audio Track 1540
- Mapping Assistant
 MIDI Remote 985
- Mapping Pages
 MIDI Remote 990
- Mapping Scopes
 MIDI Remote 990
- Marker lines 411, 414, 1533
- Marker tracks 148, 411
 Activate 412
 Add Track dialog 148
 Basics 173
 Inspector 173
 Working with multiple marker tracks 412
- Markers 411, 414
 Adding 413
 Attributes 418
 Cycle markers 413
 Editing 413
 Exporting 421
 Exporting markers as track archive 422
 Exporting via MIDI 422
 IDs 419
 Importing 421
 Importing from wave files 421
 Importing markers as track archive 422
 Importing via marker chunk 421
 Importing via MIDI 421
 Markers window 415
 Position markers 413
 Reassigning IDs 420
 Sync to selection in Project window 415
- Markers window 415
 Adding markers 417
 Editing markers 417
 Marker list 417
- Max. Record Time Display 344
- Maximizer
 Details view 496
 Edit Module 496
- Maximum Items in Results List 1539
- Maximum Undo Steps 1533
- Media rack
 Adding Favorites 755, 756
 Adding VST plug-in pictures 756, 757
 Favorites 748, 754
 File Browser 749, 754
 Home 746
 Results 748
 Right zone 92, 94
 Right Zone 746, 748
 Track Presets 755
 VST Effects 752, 755
 VST Instruments 751, 754
- MediaBay 746
 Adding Favorites 762
 Allow Editing in Results List 782
 Attribute Filter 778, 779
 Attribute Inspector 780, 782
 Attributes 778
 Defining user attributes 784
 Editing attributes 781
 Editing attributes of multiple files 783
 File Browser 761
 Filters 776, 778
 Finding file locations 764
 Hiding sections 760
 Instrument Presets 944
 Logical Filter 776, 777
 Media Type Filter 765

-
- MediaBay (*continued*)
 Media Types 765
 Previewer 768
 Rating filter 766
 Refresh Views 762
 Reset Filter 780
 Results 763, 764, 768
 Scanning 761
 Select Media Type 765
 Settings 790
 Show in Explorer/Reveal in Finder 764
 Showing sections 760
 Shuffle Results 764
 Tagging 781
 Text search 767
 Toolbar 758
 Using Media Files 785
 Volume databases 788–790
 Window 757
 Write-protected files 783
- MediaBay results
 Managing media files 764
 Resetting 768
 Setting up 763
 Shuffling 764
- Menu bars
 Showing/Hiding 52
- Menus
 Project window 52
 Showing/Hiding 52
- Merge MIDI in Loop 1068, 1069
- Metadata
 Author Name 1535
 Company Name 1535
- Meter
 Right zone 95
 Settings 526
- Meter Colors 456
- Meter peak options 456
 Hold forever 456
 Hold peaks 456
- Meter position options 456
 Input 456
 Post-Fader 456
 Post-Panner 456
- Meter section
 MixConsole 522, 524
 Project window 522
- Metering 522
- Meters
 AES17 526
 Alignment level 522
 Peak meter display 522
 RMS display 522
 Scale standards 522
 Settings 456
- Meters' Fallback 1540
- Meters' Peak Hold Time 1540
- Metronome 307, 313, 314, 316
 Click Pattern Editor 309, 310
 Setup window 311
- Metronome Click
 Setting up 309
- Metronome Setup 311
 Click Pattern 308
 Click Patterns 316
 Click Sounds 314
 General 313
- MIDI
 Delete notes 1088
 Display resolution 1535
 Latency mode 1535
- MIDI channels
 Send effects 1055
 Separating for drum map sounds 1186
- MIDI Click
 Render 318
- MIDI clock
 Synchronization 1433
- MIDI Controller Automation 1131
 Setting up 1132
- MIDI Controller Scripts
 MIDI Remote 973
- MIDI Controller Settings
 MIDI Remote 984
- MIDI Controller Surface
 Adding 976
 Editing 979
 MIDI Remote 972, 976, 978
- MIDI controllers 966
 MIDI Remote Manager 994
 Note Expression 1222
 Splitting 1525
 Using with MIDI Remote 970, 971
- MIDI Controllers
 Pitchbend 1121
- MIDI devices
 Defining new for patch selection 1063
 Device Manager 1058
 Editing patches 1063
 Installing 1061
 Selecting patches 1062
- MIDI editors
 Cutting and pasting 1082
- MIDI Editors
 Keep Editor Contents 1102
- MIDI effects 1053
 Inserts 1053
 Presets 1056
 Sends 1055
- MIDI events 237
 Splitting 1525
- MIDI Export Options 1537
- MIDI files 198, 352
 Previewing in MediaBay 770
- MIDI Filter 1539
- MIDI Import Options 1537, 1538
- MIDI input 1167
 Chord editor 1250
 Setting up 336
 VariAudio 661
- MIDI insert effects
 Recording 1054
- MIDI interface
 Connecting 28

-
- MIDI Loops
 - Previewing in MediaBay [771](#)
 - MIDI max. feedback in ms [1535](#)
 - MIDI Merge Options [1069](#)
 - MIDI modifiers [1048](#)
 - Hermode tuning [1051, 1052](#)
 - Random variations [1050](#)
 - Range [1050](#)
 - MIDI notes
 - Numbers [1185](#)
 - Transpose (function) [1067](#)
 - MIDI output
 - Send effects [1055](#)
 - MIDI pan
 - MIDI track parameters [1045](#)
 - MIDI parts [238](#)
 - Creating empty [238](#)
 - Independent Track Loop [1091](#)
 - Multiple Part Controls [1092](#)
 - Processing [1081](#)
 - MIDI Polyphonic Expression [1223](#)
 - MIDI Port Setup [336](#)
 - MIDI ports
 - Setting up [28](#)
 - MIDI Record Catch Range in ms [1541](#)
 - MIDI Record Mode [340](#)
 - MIDI recording
 - MIDI input setting [336](#)
 - MIDI Recording
 - Channel and Output [337](#)
 - Continuous messages [339](#)
 - Different types of messages [338](#)
 - Instruments and channels [336](#)
 - Naming MIDI ports [336](#)
 - Notes [339](#)
 - Preparations [336](#)
 - Program Change Messages [339](#)
 - Record mode [340](#)
 - Recovering [342](#)
 - Recovering in Editor [343](#)
 - Recovering recordings [341](#)
 - Reset [339](#)
 - Sound selection [337](#)
 - SysEx Messages [339](#)
 - MIDI recordings
 - Exporting to MIDI file [1188](#)
 - MIDI Remote [966](#)
 - Adding MIDI Controller Surfaces [972, 976](#)
 - API [1000](#)
 - Deleting Scripts [998](#)
 - Disabling Scripts [998](#)
 - Editing MIDI Controller Surfaces [972, 976](#)
 - Focus Quick Controls [991](#)
 - Importing MIDI Controller Scripts [973](#)
 - Info line [967](#)
 - Lower zone [87](#)
 - Mapping Assistant [985](#)
 - Mapping Pages [990](#)
 - MIDI Controller Settings [984](#)
 - MIDI Controller Surface Editor [978, 979, 982](#)
 - Parameter Mapping [974](#)
 - Quick Control Focus [992](#)
 - Remove Mapping [975](#)
 - MIDI Remote (*continued*)
 - Script files [973](#)
 - Scripting [1000](#)
 - Using Other MIDI Controllers [971](#)
 - Using Supported MIDI Controllers [970](#)
 - MIDI Remote Manager [993](#)
 - MIDI controllers [994](#)
 - Scripts [996](#)
 - MIDI Remote Mapping Assistant [974](#)
 - MIDI Remote Script Console [999](#)
 - MIDI Retrospective Recording [341](#)
 - MIDI SysEx Editor
 - Dump request messages [1204](#)
 - MIDI Thru [1535](#)
 - MIDI Thru Active
 - Monitoring [330](#)
 - MIDI track delay
 - MIDI track parameters [1045](#)
 - MIDI track parameters [1045](#)
 - MIDI tracks [140](#)
 - Add Track dialog [140](#)
 - Basics [167](#)
 - Expression Maps [1166](#)
 - Freezing MIDI Modifiers [1052](#)
 - Inspector [167](#)
 - Routing to device [1204](#)
 - MIDI Velocity
 - Editing [1075](#)
 - MIDI volume
 - MIDI track parameters [1045](#)
 - Mirror
 - MIDI [1079](#)
 - Missing ports
 - Re-routing [127](#)
 - MixConsole [423, 426](#)
 - Channel linking [446](#)
 - Channel types [443](#)
 - Channels [485](#)
 - Direct Routing [481](#)
 - Display line [447](#)
 - EQ presets [470](#)
 - Fader section [452](#)
 - Functions [450](#)
 - FX chain presets [467](#)
 - History [432](#)
 - Left zone [430](#)
 - Left Zone [431–433](#)
 - Level meters [457](#)
 - Listen [455](#)
 - Lower zone [83](#)
 - Lower Zone [423](#)
 - Meter section [522, 524](#)
 - Mute [455](#)
 - Notepad [486](#)
 - Opening [423](#)
 - Panning [454](#)
 - Pictures [486](#)
 - Pre section [462](#)
 - Sections [459](#)
 - Setting volume [455](#)
 - Snapshots [433](#)
 - Solo [455](#)
 - Solo Defeat [455](#)

-
- MixConsole (*continued*)
 Strip presets 477
 Surround Pan 804
 Toolbar 433
 Undoing parameter changes 432, 439
 Visibility 431
 Visibility agents 445
 VST MultiPanner 804
 Zones 432
- MixConsole in Project Window 83
- MixConsole snapshot
 Recall settings 442
- MixConsole snapshots
 Recalling 441
 Saving 440
- MixConvert V6
 3D downmixing 820
 Channel configurations 819
 In surround setups 815
- Mixing down to audio files 1417
- Mixing down to multiple files 1418, 1419
- MMC Master Panel 1439
- ModScripter
 Modulator 1019
- Modulators 1001
 Adding 1010
 Assigning parameters 1021
 Audio effects 1022
 Channel tab 1009
 Creating modulation connections 1023
 Envelope Follower 1013
 History 432, 439
 Inspector 1009
 LFO 1011
 Lower zone 87, 1001
 Macro Knob 1016
 MixConsole 1009
 ModScripter 1019
 Modulation Connections 1001, 1022
 Modulator Control Panel 1009
 Presets 1023
 Removing 1026
 Setting up 1020
 Shaper 1014
 Side-chain routing 1024
 Step Modulator 1017
 Triggering by MIDI notes 1026
 Undoing actions 439
 VST instruments 1022
 Window 1005
- Modulators section
 View options 465
- Monitor
 Track Control 183
- Monitoring 27, 328
 ASIO Direct Monitoring 329
 External 328
 MIDI 330
 Via Cubase 328
- Mouse Wheel for Event Volume and Fades 1523
- Move Audio
 Crossfades 382
- Move Fade
 Crossfades 382
- Move Vertically
 Automation Event Editor 859
 Tempo Event Editor 1378
- Moving
 Events 243
- MP3 files 1426
 Importing 348
- MPE 1223
- MPEG files
 Importing 348
- MPEX algorithm 588
- Multi processing 1514
- Multi-channel tracks
 Splitting 200
- Musical Articulations
 Editing 1125
- Musical Mode 635
- Musical Scales
 Finding 1155, 1156
 Key Editor 1150
 Live Input 1158
 Quantize Pitches 1158
 Setup 1259
 Snap Pitch Editing 1159
- Musical Time Base 1374
- Mute
 MixConsole 455
 Surround channels 813
 Track Control 183
 Transpose track 407
- Mute Automation
 Track Control 183
- Mute Pre-Send when Mute 1545
- Muting events 265

N

- Name
 Track Control 183
- Naming schemes
 Export Audio Mixdown 1414, 1415
- Navigating
 MixConsole 502
- Never Reset Chased Controllers 1535
- News
 Showing 1533
- Normalize
 Direct Offline Processing 579
 Loudness 579
 Maximum peak level 579
- Note Brightness 1532
- Note display
 Drum Editor 1181
 Key Editor 1151
- Note events
 Colorizing 1083
 Deleting 1088, 1160
 Drawing with Draw tool 1160
 Drawing with Line tool 1161
 Duplicating 1090
 Editing 1089

-
- Note events (*continued*)
 Editing via MIDI [1167](#)
 Excluding from playback [1088](#)
 Gluing [1163](#)
 Inserting [1159](#)
 Inserting via MIDI [1167](#)
 Moving [1162](#)
 Muting [1088](#)
 Repeating [1090](#)
 Resizing [1162](#)
 Selecting [1086](#)
 Setting velocity values [1090](#)
 Setting with Snap [1090](#)
 Splitting [1163](#)
 Transposing [1162](#)
 Trimming [1089](#)
- Note Expression [1221](#)
 Adding events [1238](#)
 Adding release phases [1241](#)
 Converting events [1244](#)
 Deleting events [1239](#)
 Expression section [1228](#)
 Global section [1230](#)
 HALion Sonic [1222](#)
 Inspector section [1228](#)
 Key Editor [1167](#)
 Latch Buffer [1235](#)
 Mapping [1231, 1232](#)
 Mapping controllers [1231](#)
 Mapping presets [1232](#)
 MIDI controllers [1222](#)
 MIDI learn [1232](#)
 Moving events [1241](#)
 Overdubbing [1235](#)
 Overlaps [1245](#)
 Parameter details [1229](#)
 Pasting events [1239](#)
 Pasting events to different parameters [1240](#)
 Recording [1233, 1234](#)
 Recording by overdubbing [1235](#)
 Recording via MIDI Input [1236](#)
 Removing events [1242](#)
 Repeating events [1240](#)
 Sustain pedal [1233](#)
 Tools [1231](#)
 Trimming events [1244](#)
 Trimming to note length [1242](#)
 VST note expressions [1222](#)
- Note Expression Event Editor
 Change Editor Size [1236](#)
 Change Release Length [1236](#)
 Compress Left [1236](#)
 Compress Right [1236](#)
 Horizontal Snap [1236](#)
 Move Vertically [1236](#)
 One-Shot Mode [1236](#)
 Parameter Range [1236](#)
 Parameter Selection [1236](#)
 Scale Around Absolute Center [1236](#)
 Scale Around Relative Center [1236](#)
 Scale Vertically [1236](#)
 Stretch [1236](#)
 Tilt Left [1236](#)
- Note Expression Event Editor (*continued*)
 Tilt Right [1236](#)
 Vertical Snap [1236](#)
 Note Expression MIDI Input [1231](#)
 Note Expression MIDI Setup [1242](#)
 Notepad
 MixConsole [486](#)
 Nudge
 Move Left [245](#)
 Move Right [245](#)
 Nudge Settings [245, 255](#)
 Resizing Events [254, 255](#)
 Snap Grid [245](#)
 Nudge buttons
 Crossfades [382](#)
- O**
- O-notes (Output notes) [1187](#)
 Object audio [821](#)
 Object Selection
 Combine Selection Tools [241](#)
 Object Selection tool
 Inserting note events [1159](#)
 Offline Processing
 Applying permanently [576](#)
 Ogg Vorbis files [1428](#)
 Importing [348](#)
 OMF files [1475](#)
 On Import Audio Files [1523](#)
 On Processing Shared Clips [1523](#)
 On-Screen Keyboard window [320](#)
 Computer keyboard [321](#)
 Modulation [321](#)
 Note velocity level [321](#)
 Octave offset [321](#)
 Options [321](#)
 Piano keyboard [321](#)
 Pitchbend [321](#)
 Recording MIDI [320](#)
- One-Shot Mode
 Note Expression Event Editor [1236](#)
 Open Effect Editor after Loading it [1547](#)
 Open External Projects in Last Used View [1533](#)
 Open Last Project on Startup [1533](#)
 Open/Close Sampler
 Track Control [183](#)
 Organizing files in subfolders
 Pool [742](#)
- OSC
 Head tracking formats [846](#)
- Output
 Track Control [183](#)
- Output busses
 Adding [40](#)
 Default [40](#)
 Removing [49](#)
 Renaming [39](#)
 Routing [462](#)
 Surround configurations [795](#)
- Output Mapping [1215](#)
 Output ports [27](#)

-
- Overlap
 Crossfades 381
Overlapping Audio 213
Overlaps
 Showing 1529
Overview line
 Project window 69
Overview Mode
 VST MultiPanner 809
- P**
- Pad FX Page 921
Panning
 Bypass 454
 Constant power 798
 MixConsole 454
 MixConvert V6 815
 Surround 798
 Using a joystick 815, 1036
 VST MultiPanner 798
Parameter Lane 886
Parameter Range
 Note Expression Event Editor 1236
Parameter Selection
 Note Expression Event Editor 1236
Part Data Mode 1532
Part Editing Mode 1091
Parts 233, 237
 Editing 239
 Folder 239
 Moving the content without changing the position 261
Parts Get Track Names 1521
Paste at Origin 258
Paste Relative to Cursor 258
Patch Banks 1058
Pattern and MIDI Part Flexibility 878
Pattern Banks
 Loading in MediaBay 788
 Previewing in MediaBay 775
Pattern Editor 138, 876, 877
 Lower zone 88
Pattern Editor Toolbar
 Toolbar 883
Pattern Mode 877
Peak meter display 522
Pedals
 To note length 1074
Performance
 Aspects 1513
 Audio dropouts 1515
 Audio performance 1515
 Optimizing 1513
Phase
 MixConsole 463
Phase-Coherent AudioWarp 262
Phones channel
 Source buttons 515
Phones Channel
 Using as Preview Channel 1547
- Piano keyboard display
 Key Editor 1152
 Sample Editor 651
Piano voicings 1261
Pick-up Mode 1038
Pictures 206
 MixConsole 486
 Track list 206
Pitch
 Changing for chords 1164
Pitch Notation 1531
Pitch Shift
 Algorithm 587
 Direct Offline Processing 580
 Limitations 589
Pitch Snap Mode
 VariAudio 660
Pitch Visibility
 Key Editor 1153
 Options 1154
Pitchbend
 Controller lanes 1121
Play probability 1119
 Editing in controller display 1120
Play probability events 1121
Playback
 Disable Acoustic Feedback 1524
 Excluding note events 1088
Playback Toggle triggers Local Preview 585, 1542
Player modes
 Pattern 1307
 Plain chords 1307
 Sections 1309, 1310
Plug-in delay compensation 531
Plug-in Editors Always on Top 1547
Plug-in latency
 MixConsole 487
Plug-in processing
 Suspending 531
Plug-ins
 Surround 792
Poly Pressure events
 Adding 1127
 Editing 1128
Polyphony
 Restricting 1077
Pool
 Applying different processing methods 730
 Audio processing 742
 Automatically generating new audio clips 745
 Clip editing 738
 Designating a new pool record folder 741
 Key commands 738
 Managing large sound databases 734
 Managing media files 724
 Organizing files in subfolders 742
 Reducing the project size 743
 Reference file 724
 Renaming clips and regions 730
 Resolve Missing Files 735, 736
 Resolve missing files dialog 735
 Sampler tracks 724

-
- Pool (*continued*)
 - Toolbar 727
 - Transferring media from a library to a project 744
 - Position markers 413
 - Adding 413
 - Editing 413
 - Post fader sends 544
 - Post-roll
 - Recording 326
 - Transport panel 306
 - Pre fader sends 544
 - Pre section
 - View options 463
 - Pre-Record time
 - Audio recording 334
 - Pre-roll
 - Recording 326
 - Transport panel 306
 - Preferences
 - Colors 1543
 - Dialog 1519
 - Disabling 1511, 1512
 - Save marked preferences only 1520
 - Saving presets 1520
 - Preferred Unit of Measurement
 - Score Editor 1529
 - Presets
 - File Format 1429
 - Previewing in MediaBay 773, 774
 - Previewing using a MIDI file 773
 - Previewing using the Memo Recorder 774
 - Previewing via MIDI Input 773
 - Previewing via the Computer Keyboard 774
 - Presets browser
 - Effects 555
 - Primary Time Format
 - Selecting 305
 - Process Bars 1392
 - Process Tempo 1391
 - Profiles 1505
 - Activating 1507
 - Adding 1506
 - Creating 1506
 - Deleting 1508
 - Duplicating 1507
 - Exporting 1508
 - Importing 1508
 - Managing 1505
 - Renaming 1507
 - Switching 1507
 - Programs
 - Track Control 183
 - Project Colors Setup
 - Color Set 113
 - Options 114
 - Presets 114
 - Project Colors Setup Dialog 112–114
 - Project compatibility with older program versions
 - File size 119
 - Saving projects 126
 - Project Input Transformer
 - Action Targets 1330
 - Filter Conditions 1326
 - Project Input Transformer (*continued*)
 - Filter Targets 1325
 - Functions 1329
 - Operations 1331
 - Overview 1320
 - Presets Browser 1322
 - Project Logical Editor 1352
 - Action Targets 1368
 - Filter Conditions 1363
 - Filter Targets 1357
 - Functions 1367
 - Operations 1369
 - Overview 1352
 - Pre & Post Commands 1372
 - Presets Browser 1353
 - Setting up Key Commands 1356
 - Project Root Key 403
 - Assigning to a Project 404
 - Assigning to Parts or Events 404
 - Changing 406
 - Recording with 405
 - Project Setup Dialog 123
 - Project Synchronization Setup 1434
 - Destinations 1437
 - Machine Control 1438
 - Sources 1435
 - Project tempo
 - Tap Tempo 1384
 - Project window
 - Event display 63
 - Extensions 695
 - Global track controls 64
 - History 54
 - Horizontal Zoom presets 100
 - Info line 68
 - Inspector 72
 - Keyboard focus 96
 - Left zone 71
 - Lower zone 80, 82–84, 87–89, 693
 - Menus 52
 - Meter section 522
 - Overview 51
 - Overview line 69
 - Project zone 53
 - Right zone 89
 - Ruler 65
 - Showing/Hiding Zones 52
 - Snap 102
 - Snap to zero crossing 102
 - Status line 67
 - Toolbar 54
 - Toolbox 62
 - Track list 62
 - Transport Bar 70, 294
 - Transport pop-up window 299
 - Visibility 76, 77
 - Zones 79
 - Zoom submenu 99
 - Zooming 98
 - Project workspaces 1502
 - Project zone 53
 - Event display 63
 - Global track controls 64

-
- Project zone (*continued*)
 Ruler 65
 Toolbar 54
 Track list 62
- Projects
 Activating 127
 Back up 129
 Creating new 117
 Hub 117
 Location 119
 Maximum file size 119
 Missing ports 127
 Opening 126
 Opening recent 127
 Prepare archive 129
 Project files 119
 Revert 129
 Saving 127
 Saving templates 122
 Setting up 123
 Template files 120
 Templates 120
- Punch In 307, 326
 On Stop 1540
- Punch In/Out
 Common Record Modes 327
- Punch Out 307, 325, 326
 Stop after automatic 1540
- Punch Points 307
- Q**
- Q-Link 450
- QC Learn Mode
 Track Quick Controls 961
- Quantize Panel 360
 Quantizing to a grid 362
 Quantizing to a groove 364
- Quantizing 355
 Catch Range 362
 Crossfades section 368
 Multiple audio tracks 359
 Original position 364
 Pre-Quantize 364
 Swing 362
 Tuplets 362
 Using groove presets 362
- Quick Controls
 Focus lock 992
 Focus setup 992
 MIDI Remote 991
- Quick Controls section
 View options 484
- Quick Zoom 1528
- R**
- RAM
 Recording 331
- Ramp/Step
 Continuous controllers 1129
- Range Selection
 Combine Selection Tools 241
- Range Selection tool
 Creating fades 373
- Re-Record
 Activating 327
 Common Record Modes 327
- Read automation 854
- Read Automation
 Track Control 183
- Recent projects 127
- Record Enable
 Track Control 183
- Record File Format
 Audio 330
- Record Folder
 Audio 331
- Record-Enable allows MIDI Thru 1541
- Recording 323
 Common Record Modes 327
 Cycle 326
 Levels 20
 Lock Record 344
 Notes and Note Expression 1233, 1234
 Pre-roll and post-roll 326
 Remaining Record Time 344
 Stopping 325, 326
 Stopping automatically 325
 With Effects 333
- Recovering recordings
 Audio 334
 MIDI 341
- ReCycle files 351
- Reducing the project size
 Pool 743
- Reference
 Chord Assistant 1251
- Reference file
 Pool 724
- Reference Level 1547
- Refresh Views
 MediaBay 762
- Regions
 Creating with Detect Silence 594
 Event or Range as Region 236
 Events from Regions 236
 Renaming 730
- Remote control 1027
 Assigning commands 1031
 Automation 1030
 Connections 1027
 Control Assignment 1042
 Generic Remote 1040
 Global Options 1030
 Joysticks 1036
 MIDI Port Setup 1027
 MIDI remote control configuration 1040
 Remote Control Editor 1032
 Resetting 1029
 Setting up 1028
- Remote Control Editor 1032
 Control settings 1033
 Layout 1035
 Parameter assignment 1035
 Toolbar 1033

-
- Remote Controllers
 Connecting Track Quick Controls 1037
 Connecting VST Quick Controls 1039
- Remove DC Offset
 Direct Offline Processing 582
- Remove Regions/Hitpoints on all Offline Processes 1523
- Removing
 Events 243
 Silence 594
- Removing MIDI CC 933
- Renaming
 Clips 730
 Events 252
 Regions 730
 Tracks 205
- Render Audio Click between Locators 318
- Render MIDI Click between Locators 318
- Renderer for Dolby Atmos 829
- Rendering
 Naming Scheme 267
- Rendering Audio 1399
- Rendering Selected Events 266
- Rendering Selections 1402
- Rendering Tracks 1399, 1402
- Reordering tracks 204
- Repeat Events 259
- Repeat Loop 1072
- Replace Recording in Editors 1541
- Replacing an Instrument or Sample on a Drum Pad 893
- Replacing an Instrument or Sample on a Layer 894
- Resample
 Direct Offline Processing 583
- Reset on Stop 1535
- Resize crossfades 383
- Resizing events 252
- Resolve Display Conflicts
 Track control 183
- Resolve Missing Files
 Pool 735, 736
- Retrospective MIDI Recording 342, 343
 Empty Buffer 344
 Insert from All MIDI Inputs 342
- Retrospective Record 1541
- Retrospective Record Buffer 341
- Retrospective Recording
 Buffer 341
 MIDI 341
- Reverb Page 930
- Reverse
 Audio 583
 Direct Offline Processing 583
 MIDI 1079
- Reverse shots
 VST MultiPanner 810
- REX/REX2 files
 Importing 351
 Loading into Sampler Control 696
- Right locators 301
 Setting 302
- Right zone 89
 Control Room 95
 Media rack 92, 94, 746, 749, 751, 752
 Meter 95, 522
 VSTi rack 90, 91
- RMS
 Resolution 526
- RMS display
 Meters 522
- Root Key
 Sampler Control 718
- Routing
 Editor 537, 538
 For surround setups 796
 Group channels 462
 Input busses 461
 Insert effects 532
 MixConsole 460
 Output busses 462
- Ruler
 Project window 65
 Time format 66
 Timeline 1082
- Ruler tracks 149
 Add Track dialog 149
 Track controls 151
- Run Setup on Create New Project 1533

S

- Safe Mode
 Dialog 1510
- Sample editing
 Sampler Control 717
- Sample Editor 599, 614, 615
 Generate Harmony Voices 643, 677
 Info Line 607
 Inspector 608
 Lower zone 84
 Overview Line 608
 Piano keyboard display 651
 Regions 617
 Ruler 614
 Showing multiple waveforms 614
 Snap 619
 Toolbar 600
 Undo zoom operations 616
- Sample rate
 Externally clocked 26
- Sampler Control 697
 Adjusting the sample gain 720
 Amp section 707
 AudioWarp mode 703
 Envelope editor 708
 Filter section 707
 History 715
 Keyboard section 715
 Loading Audio Samples 696
 Lower zone 83
 Normalizing samples 720
 Pitch section 706
 Playback and sound parameters 703
 Playback quality 703

-
- Sampler Control (*continued*)**
 Playback section 703
 Playing back samples 719
 REX/REX2 files 696
 Root Key 718
 Sample editing 717
 Slice playback 703
 Slicing 721
 Toolbar 698
 Transferring samples to VST instruments 716
 Undoing parameter changes 715
 Waveform display 702
Sampler tracks 136
 Add Track dialog 137
 Basics 163
 Creating 697
 Creating from selection ranges 612
 Freeze Channel Options Dialog 722
 Freezing 210, 721
 Inspector 163
 Loading Audio Samples 696
 Loading MIDI Parts 697
 Pool 724
 Sampler Control 696
 Transferring Samples to Instruments 716
 Unfreeze Channel Options Dialog 723
Saturation
 Strip module 470
Save as Template 122
Save partial preferences settings 1520
Save Track Preset 227, 230
Scale Around Absolute Center
 Automation Event Editor 859
 Tempo Event Editor 1378
Scale Around Relative Center
 Automation Event Editor 859
 Tempo Event Editor 1378
Scale Assistant
 Key Editor 1150
 Scale Suggestions 1155, 1156
Scale events 1258
 Adding 1258
 Auditioning 1258
 Automatic scales 1258
 Changing 1258
 Follow Chord Track 1268
 Showing 1258
Scale standards 522
Scale Vertically
 Automation Event Editor 859
 Tempo Event Editor 1378
Scaling of the application 1533
Scan Folders only when MediaBay is open 1539
Scan unknown File Types 1539
Scanning
 MediaBay 761
Score Editor
 Lower zone 84
 Preferences 1529
Script files
 MIDI Remote 973
Scripts
 MIDI Remote Manager 996
 MIDI Remote Script Console 999
Scroll to selected Track 1526
Scrub Tool 241
Scrub Volume 1543
Scrubbing
 Scrub tool 240
Secondary Time Format
 Selecting 305
Sections
 MixConsole 459
Segments
 VariAudio 648
Select Channel/Track on Edit Settings 1526
Select Channel/Track on Solo 1526
Select Controllers in Note Range 1137
Select Media Type
 MediaBay 765
Select Tool - Show Extra Info 1528
Select Track for Auditioning 1257
 Track control 183
Select Track on Background Click 1521
Selected Events
 Rendering 266
Selection ranges
 Editing 275
 Moving the content without changing the position 261
 Nudging 276
 Resizing 276
Selection Ranges 273
 Covering several tracks 274
 Creating 273
 Creating audio clips 282
 Creating audio events 282
 Cropping 281
 Cutting 280
 Deleting 280
 Duplicating 279
 Editing 277
 Encompassing audio segments 273
 Encompassing events 273
 Expanding MIDI selection tanges 277
 Filling from clipboard 260
 Inserting Silence 280
 Moving 247
 Moving the content to a new position 279
 Nudging 278
 Playback 288
 Selection mode 277
 Selection Ranges
 Between two events 273
 Splitting 281, 1521
 Switching to object selection 274
Selections
 Rendering 1402
Send effects 529, 540
 Adding effect channel tracks 541
 Adding to selected channels 542
 Setting level 545
 Setting pan 544
Send Level 1545

-
- Sends
 - MixConsole 480
 - Set Spacer between Selected Events 248
 - Set Track Type Filter 64
 - Setting Event Colors to Track Colors 112
 - Setting up Lane Controls 880
 - Setting up the Toolbar 885
 - Settings
 - Factory defaults 1506
 - Setup Assistant for Dolby Atmos 825
 - Shaper
 - Modulator 1014
 - Shared Copies
 - Convert to Real Copy 260
 - Creating 260
 - Show Frame Numbers
 - Track control 183
 - Show Lanes
 - Track Control 183
 - Show Note Expression Data 1231
 - Show Scales 1258
 - Track control 183
 - Show Thumbnails
 - Track control 183
 - Side-chain 546, 548
 - Ducking delay 547
 - Effect inputs 531
 - Inserts section 467
 - Modulators 1024
 - Trigger signals 548
 - Side-chain inputs 531
 - Signature track 154
 - Inspector 175
 - Track controls 155
 - Silence
 - Detecting 591
 - Direct Offline Processing 583
 - Removing 594
 - Simple Crossfade Editor 378, 1523
 - Single Voice
 - Follow Chord Track 1267
 - Size with Fade 252
 - Slices 622
 - Close gaps 629
 - Delete overlaps 629
 - Slider Mode 1524
 - Slip Event Content 261
 - Slip Range Content 261
 - Smallest Track Height To Show Data 1529
 - Smallest Track Height To Show Name 1529
 - Snap 102
 - Sample Editor 619
 - Snap MIDI Parts to Bars 1541
 - Snap point
 - Setting 102
 - Snap Point
 - Sample Editor 620
 - Snap Point To Cursor 102
 - Snap to zero crossing 102
 - Snap type
 - Project window 102, 106
 - Snapshots
 - MixConsole 433, 440, 441
 - Solo
 - MixConsole 455
 - Surround channels 813
 - Track Control 183
 - Solo Defeat
 - MixConsole 455
 - Solo Record in MIDI Editors 1541
 - Spectrum Analyzer 595
 - Audio Functions 595
 - Comparing level values 596
 - Splice Point 381
 - Offset 381
 - Splitting
 - Events 256
 - Into equal events 257
 - MIDI controllers 1525
 - MIDI events 1525
 - Standard algorithm 588
 - Standard Compressor
 - Details view 494
 - Edit Module 494
 - Start Recording at Cursor
 - Common Record Modes 327
 - Start Recording at Left Locator
 - Common Record Modes 327
 - Static value line
 - Automation 854
 - Stationary Cursors 1542
 - Statistics
 - Audio Functions 596
 - Status line
 - Project window 67
 - Step Editor 889
 - Context menu 890
 - Step input
 - Chord pads 1297
 - Step Input 1167
 - Step Lane Context Menu 880
 - Step Lane Inspector 881
 - Step Lanes 878
 - Step Modulator
 - Modulator 1017
 - Step Parameter Automation 888
 - Stereo Flip
 - Direct Offline Processing 583
 - Stereo Panner Mode 1545
 - Stop playback while winding 1542
 - Stretch
 - Automation Event Editor 859
 - Tempo Event Editor 1378
 - Strip presets 477
 - Strip Presets
 - Loading in MediaBay 787
 - Studio Setup
 - Dialog 18
 - Note Expression Input Device 1223
 - Surround 792
 - 3D downmixing 820
 - 3D mixing for Ambisonics 839
 - ADM Authoring 821
 - Ambisonics mixing 839
 - Applying plug-ins 792
 - Automatic downmixing 483

-
- Surround (*continued*)
 Automation 806, 812
 Constant power 798
 Counter shots 810
 Deliverables 793
 Disable channels 813
 Divergence controls 811
 Dolby Atmos 821
 Elevation patterns 812
 Exporting to file 820
 Input bus configuration 797
 Inspector 798
 MixConsole 798
 MixConvert V6 815
 Multi-channel formats 793
 Mute channels 813
 Object-based audio 821
 Orbit Center 810
 Output bus configuration 795
 Panning 809, 813
 Positioning 806
 Radius 810
 Rotating signals 810
 Routing 796
 Scale controls 812
 Signal distribution 811
 Solo channels 813
 Supported channel configurations 793
 Tilting signals 810
 VST MultiPanner 798
 Width 812
- Suspend Auto-Scroll when Editing 305
 Suspend Read
 Suspend options 873
 Suspend VST 3 plug-in processing when no audio signals are received 1547
 Suspend Write
 Suspend options 873
 Swing
 Quantizing 362
 Switch Time Base 1374
 Sync Selection
 Markers window 415
 Sync Selection in Project Window and MixConsole 1526
 Synchronization 1430
 Audio clock 1433
 External Sync 1440
 Machine Control Master 1430
 Machine Control Slave 1430
 MIDI clock 1433
 Setup dialog 1434
 Speed references 1433
 Timecode 1431
 Timecode Master 1430
 Timecode Slave 1430
 Synchronize Plug-in Program Selection to Track Selection 1547
 Synchronizing Track Data
 Follow Chord Track 1268
 SysEx
 Changing settings 1205
 Editing values 1206
 Messages 1203
- System component information 560
 Exporting 562
- T**
- Tail
 Direct Offline Processing 574
 Tap Tempo 1384
 Mode 1386
 Project tempo 1384
 Tempo track 1383
 Tapemachine Style
 Monitoring 1545
 Template projects 120
 Templates 120
 Renaming 122
 Tempo
 Calculate Tempo from MIDI Events 1387
 Process Bars 1392
 Process Tempo 1391
 Set Definition from Tempo 1395
 Tempo changes
 Tap Tempo 1383
 Tempo Changes
 Tempo Detection 1381
 Tempo Detection 1381, 1388
 Corrections 1382
 Panel 1388
 Tempo Editor
 Toolbar 1376
 Tempo Event Editor 1378
 Compress Left 1378
 Compress Right 1378
 Move Vertically 1378
 Scale Around Absolute Center 1378
 Scale Around Relative Center 1378
 Scale Vertically 1378
 Stretch 1378
 Tilt Left 1378
 Tilt Right 1378
 Tempo Events
 Editing 1383
 Tempo matching
 Audio Alignment 249
 Tempo modes
 Fixed Tempo 1374
 Tempo track 1374
 Tempo track 153, 1374, 1377
 Activate 1376
 Editor 1375
 Exporting 1390
 From MIDI events 1079, 1387
 Importing an .smt file 1390
 Importing from projects 192
 Importing from track archives 193
 Inserting tempo events 1380
 Inserting time signature events 1397
 Inspector 175
 Mode 1374
 Tap Tempo 1383
 Tempo changes 1379
 Track controls 154
 Tempo-related tracks 1374

-
- Terminator point
 - Automation 863
 - Thumbnail Memory Cache Size 1548
 - Thumbnails 1457
 - Thumbnail cache files 1457
 - Tilt Left
 - Automation Event Editor 859
 - Tempo Event Editor 1378
 - Tilt Right
 - Automation Event Editor 859
 - Tempo Event Editor 1378
 - Tilt/Rotate Anchor
 - VariAudio 666
 - Time Base 218
 - Default track time base 218
 - Linear 1374
 - Musical 1374
 - Time display 305
 - Time Display Window 300
 - Time format
 - Ruler 66
 - Time Format 305
 - Time Signature Events
 - Adding 1397, 1398
 - Setting up 1396
 - Setting up Click Patterns 1398
 - Time Stretch
 - Algorithms 587
 - Direct Offline Processing 584
 - Limitations 589
 - Time Stretch Tool Algorithm 1523
 - Time Warp 1393
 - Time-related tracks 1374
 - Timecode
 - Standards 1431
 - Synchronization 1431
 - Timecode Subframes
 - Showing 1542
 - Timeline
 - Ruler 1082
 - Tips
 - Showing 1533
 - Tool modifier keys 1527
 - Tool modifiers 1500
 - Key commands 1480, 1500
 - Toolbar
 - Pool 727
 - Project window 54
 - Toolbox 62
 - Toolbar Divider 62
 - Toolbox
 - Project window 62
 - Toolbox on Right-Click 1528
 - Track archives 196
 - Exporting 197
 - Importing 193
 - Track Color
 - Resetting 110
 - Track Controls 183
 - Track Controls Settings 181
 - Track Folding 213
 - Track Height 208
 - Track Inspector
 - Opening 73
 - Track list 62
 - Dividing 62
 - Track Name
 - Font Weight 1533
 - Width 1533
 - Track parameters
 - Track Quick Controls 960
 - Track pictures
 - Browser 206
 - MixConsole 486
 - Track list 206
 - Track Presets 226
 - Applying 226, 228
 - Audio 226
 - Creating 227
 - Extracting sounds 229
 - Instrument 228
 - Loading 231
 - Loading in MediaBay 786
 - Loading inserts and EQ 231
 - MIDI 227
 - Multi-Track 229
 - Pattern Banks 231
 - Previewing in MediaBay 772
 - Quick Control assignment 963
 - Sampler tracks 230
 - Track Quick Controls 232
 - VST Presets 229
 - Track Quick Controls 959, 1037, 1038
 - Assigning effect parameters 961
 - Assigning instrument parameters 962
 - Assigning parameters 960
 - Automatable Parameters 964
 - Connecting with Remote Controllers 1037
 - Inspector 960
 - Loading presets 963
 - Parameter assignment 960
 - Presets 232
 - QC Learn Mode 961
 - Removing assignments 962
 - Saving assignments as presets 963
 - Showing automated assignments 964
 - Track Selection follows Event Selection 1521
 - Track Time Base 1374
 - Musical 218
 - Time linear 218
 - Track Time Type 1521
 - Track Versions 219
 - Activating 222
 - Copying and Pasting 223, 224
 - Creating 220
 - Creating from lanes 226
 - Creating lanes from track versions 225
 - Deleting 223
 - Duplicating 223
 - IDs 221
 - Names 224
 - Renaming 225
 - Version name 219

-
- Tracks [132](#)
 Add Track dialog [189](#)
 Adding [189, 190](#)
 Audio [133](#)
 Channel [179](#)
 Chord [157](#)
 Color [205](#)
 Colorizing [110](#)
 Customizing track controls [181](#)
 Deselecting [210](#)
 Disabling [210](#)
 Duplicating [210](#)
 Effect channel tracks [144](#)
 Enabling [210](#)
 Extensions [692](#)
 Folder [151](#)
 Group Channel [142](#)
 Importing from a project [191](#)
 Importing from a track archive [191, 193](#)
 Inspector [158, 159, 179](#)
 Instrument [135](#)
 Markers [148](#)
 MIDI [140](#)
 Removing [203, 204](#)
 Renaming [205](#)
 Rendering [1399, 1402](#)
 Reordering [204](#)
 Ruler [149](#)
 Sampler [136](#)
 Selecting [209](#)
 Signature [154](#)
 Splitting [200](#)
 Tempo [153](#)
 Transpose [156](#)
 Using Track Presets [190](#)
 VCA fader [146](#)
 Video [158](#)
 Zooming [208](#)
- Tracks Presets
 Direct Offline Processing [573](#)
- Transformer
 Strip module [470](#)
- Transport
 Overview [294](#)
 Sections [294](#)
- Transport Bar [294](#)
- Transport menu
 Functions [288](#)
- Transport panel [283](#)
 Overview [283](#)
 Post-roll [306](#)
 Pre-roll [306](#)
 Sections [283](#)
 Time format [305](#)
- Transport pop-up window [299](#)
- Transport Zone
 Project window [70](#)
- Transpose
 Exclude Parts or Events [410](#)
 Global [410](#)
 Independent [410](#)
 Indicate Transpositions [408](#)
 Info line [409](#)
- Transpose (*continued*)
 Lock [408](#)
 MIDI function [1067](#)
 Mute [407](#)
 Project Root Key [403](#)
 Transpose functions [403](#)
 Transpose track [156, 406](#)
 Inspector [177](#)
 Lock [408](#)
 Mute [407](#)
 Recording [409](#)
 Track controls [156](#)
 Transposing [407](#)
- Treat Muted Audio Events like Deleted [1523](#)
- Trim
 Automation [869](#)
- Trim tool
 Changing event lengths [1163](#)
- Tube Compressor
 Details view [494](#)
 Edit Module [494](#)
- Tuplets
 Quantizing [362](#)
- Type of New Tempo Points [1376](#)
- U**
- Undoing
 Edit History [107](#)
 Maximum Undo Steps [108, 1533](#)
 MixConsole parameter changes [432, 439](#)
 Offline processing [574, 742](#)
 Project window [54](#)
 Recording audio [334](#)
 Sampler Control [715](#)
 Zoom operations [616](#)
- Unfreeze Channel Options
 Instrument tracks [947](#)
 Sampler tracks [723](#)
- Use Up/Down Navigation Commands for Selecting Tracks only [1521](#)
- User-definable Frame Rate [1542](#)
- V**
- Value Box/Time Control Mode [1524](#)
- Value display
 Editing in List Editor [1203](#)
- VariAudio [645](#)
 Analysis [649](#)
 Audition [652](#)
 Changing pitches by MIDI input [661](#)
 Correcting Pitches [662](#)
 Deleting Segments [656](#)
 Extract MIDI [673](#)
 Extracting MIDI from Audio [673](#)
 Formant Shifting [670](#)
 Generate Harmony Voices [676](#)
 Gluing Segments [656](#)
 Inspector Section [645, 657](#)
 MIDI input [661](#)
 MIDI Input Modes [662](#)
 MIDI reference tracks [669](#)

-
- VariAudio (*continued*)
 - Navigating 652
 - Pitch Changes 659
 - Pitch Curve Changes 665
 - Pitch Ranges 668
 - Pitch Snap Mode 660
 - Rotating Pitch Curves 667
 - Scale Assistant 645
 - Segment Colors 650
 - Segments 648, 649, 654
 - Selecting a Scale 657
 - Smart Controls 653
 - Splitting Segments 655
 - Straightening Pitch Curves 667
 - Tilt/Rotate Anchor 666
 - Tilting Pitch Curves 666
 - Timing Modifications 668
 - VariAudio Changes 660
 - Volume Editing 671
 - Warping Segments 668
 - Zooming 652
 - VCA fader tracks 146
 - Add Track dialog 146
 - Basics 173
 - Inspector 173
 - VCA faders 504
 - Adding 505
 - Assigning to link groups 506
 - Automation 508
 - Nesting 507
 - Removing from link groups 507
 - Settings 504
 - Velocity
 - MIDI function 1075
 - Velocity events
 - Adding in controller display 1116
 - Editing 1115, 1116
 - Velocity variance 1117
 - Adding 1118
 - Velocity variance events 1119
 - Vertical Snap
 - Note Expression Event Editor 1236
 - Video
 - Codecs 1454
 - Color Space Management 1458
 - Dedicated video cards 1455
 - Editing 1461
 - Exporting 1467
 - External video cards 1455
 - Extracting audio from 1468
 - Formats 1453
 - Importing 1456
 - Output devices 1455
 - Playback 1457
 - Preparations for video projects 1455
 - Scrubbing 1461
 - Studio Setup 1458
 - Thumbnails 1457
 - Video cards 1455
 - Video Follows Editing 1461
 - Video Follows Editing
 - Video 1461
 - Video Player window 1460
 - Aspect ratio 1460
 - Setting window size 1460
 - Video tracks 158
 - Inspector 178
 - Track controls 158
 - Vintage Compressor
 - Details view 495
 - Edit Module 495
 - Virgin territory
 - Automation 863
 - Creating gaps 863
 - Defining a terminator point 863
 - Virtual keyboard 320
 - Virtual reality
 - Video playback 850
 - Visibility 1105
 - Activating tracks 1101
 - Editor 74, 1097
 - Finding tracks 1103
 - Inspector 76–78
 - MixConsole 431
 - Selecting tracks 1101
 - Showing/Hiding tracks 1100
 - Synchronizing track and channel visibility 78
 - Track Display 1104
 - Track Display Settings 1103
 - Voicings 1261
 - Automatic voicings 1261
 - Configuring parameters 1261
 - Library 1261
 - Library subset 1261
 - Octave offset 1261
 - Piano 1261
 - Range 1261
 - Volume
 - Event 390
 - Event volume curves 387
 - MixConsole 455
 - Volume curves 387
 - Creating 388
 - Creating clip-based volume changes 577
 - Editing 388
 - Editing audio segments 391
 - Editing selected curve points 389
 - Removing 390
 - Resetting 390
 - Smart controls 389
 - Volume databases
 - Creating in the MediaBay 789
 - Mounting in the MediaBay 790
 - Removing from the MediaBay 790
 - Unmounting in the MediaBay 790
 - VR mixing 850
 - VST
 - Input ports 27
 - Output ports 27
 - VST 2 530
 - VST 3 530
 - VST 2
 - Enable VST 2 support 954
 - Plug-in path settings 956

-
- VST 3
 Suspend plug-in processing 945
 VST effect selector 539
 VST instrument selector 938
 VST instruments
 Context menu 942
 Control panel 936
 Creating modulation connections 1023
 Extracting expression maps 1217
 Freeze Channel Options Dialog 946
 Freezing 210, 945
 Functions menu 942
 Modulators 1022
 Presets 943
 Saving presets 943
 Setting up 935
 VST MultiPanner 798
 3D mixing 802
 3D mixing elevation patterns 812
 3D mixing panning laws 813
 Ambisonics mode 841
 Automation 806
 Bed mixing 802
 Constant power 798
 Disable channels 813
 Divergence controls 811
 External renderer 837
 Movement restrictions 807
 Mute channels 813
 Object mode 837
 Object Mode 837
 Object-based mixing 837
 Orbit Center 810
 Overview Mode 809
 Panning 809, 813
 Panning restrictions 807
 Plug-in panel 799
 Positioning 806
 Radius 810
 Remote controlling 814, 815
 Rotating signals 810
 Signal distribution 811
 Solo channels 813
 Tilting signals 810
 Width 812
 VST Note Expression 1222
 VST Plug-in collection
 Adding 957
 VST Plug-in control panels
 Closing 554, 938
 Hiding 554, 937
 Showing 554, 937
 VST Plug-in Manager 953
 Collections 954
 Window 954
 VST plug-in pictures
 Adding 756, 757
 VST Plug-ins
 Adding collections 957
 Blocklist 958
 Hiding 957
 Installing 953
 Managing 953
 VST Plug-ins (*continued*)
 Reactivating 958
 Showing 957
 VST Presets
 Loading 231
 Previewing in MediaBay 772
 VST Quick Controls
 Connecting with Remote Controllers 1039
 VST System Link 1442
 Activating 1447
 Connections 1444
 Latency 1445
 Putting computers online 1448
 Setting up sync 1444
 VSTi rack
 Right zone 90, 91

W

- Warn before removing modified effects 1547
 Warn on Processing Overloads 1545
 Warp markers
 Copying 1395
 Creating for multiple events 641
 Creating from hitpoints 631
 Deleting 642
 Moving 642
 Warping Algorithm 1523
 Wave files 1423
 Waveform Brightness 1530
 Waveform display 614
 Sample Editor 614
 Waveform Outline Intensity 1530
 Waveforms
 Showing 1530
 Width
 VST MultiPanner 812
 Wind Speed Options 1542
 Windows
 Dialog 1509
 Menus 52
 Showing/Hiding menu bar 52
 Windows Media Audio files
 Importing 348
 Word clock
 Synchronization 1433
 Working with MIDI data
 Tools and functions for 1180
 Workspaces
 Adding 1503
 Creating 1503
 Editing 1503
 External projects 1503
 Modifying 1503
 Organizing 1504
 Saving 1503
 Types 1502
 Updating 1503
 Workspaces Organizer 1504
 Write Automation
 Track Control 183

Writing automation [854](#)

Automatically [855](#)

Manually [855, 856](#)

Tools [856](#)

Z

Zones

Inspector [79](#)

Keyboard focus [96](#)

Left zone [71](#)

Lower zone [80](#)

MixConsole [430, 432](#)

Project zone [53](#)

Right zone [89](#)

Zoom

Adapt Grid to Zoom [98](#)

Audio Contents [99](#)

Cycle Markers [101](#)

Event display [98](#)

Project window [98](#)

Track Control [183](#)

Tracks [98, 208](#)

Zoom Anchor [1528](#)

Zoom history

Project window [101](#)

Zoom Tool Standard Mode - Horizontal Zooming Only

[1528](#)

Zoom while Locating in Time Scale [1528](#)

Zooming [208, 615](#)

Sample Editor [615](#)

To cycle markers [413](#)