

Module7Assignment.R

owenkraker

2025-02-27

```
# 1) Load the data set
data("airquality")
```

```
# 2) Use generic functions on the data set
head(airquality)
```

```
##   Ozone Solar.R Wind Temp Month Day
## 1    41     190  7.4   67     5   1
## 2    36     118  8.0   72     5   2
## 3    12     149 12.6   74     5   3
## 4    18     313 11.5   62     5   4
## 5    NA      NA 14.3   56     5   5
## 6    28      NA 14.9   66     5   6
```

```
str(airquality)
```

```
## 'data.frame':   153 obs. of  6 variables:
##  $ Ozone   : int  41 36 12 18 NA 28 23 19 8 NA ...
##  $ Solar.R : int  190 118 149 313 NA NA 299 99 19 194 ...
##  $ Wind    : num  7.4 8 12.6 11.5 14.3 14.9 8.6 13.8 20.1 8.6 ...
##  $ Temp    : int  67 72 74 62 56 66 65 59 61 69 ...
##  $ Month   : int  5 5 5 5 5 5 5 5 5 5 ...
##  $ Day     : int  1 2 3 4 5 6 7 8 9 10 ...
```

```
summary(airquality)
```

```
##      Ozone      Solar.R      Wind      Temp
##  Min.   : 1.00   Min.   : 7.0   Min.   : 1.700   Min.   :56.00
##  1st Qu.:18.00   1st Qu.:115.8   1st Qu.: 7.400   1st Qu.:72.00
##  Median :31.50   Median :205.0   Median : 9.700   Median :79.00
##  Mean   :42.13   Mean   :185.9   Mean   : 9.958   Mean   :77.88
##  3rd Qu.:63.25   3rd Qu.:258.8   3rd Qu.:11.500   3rd Qu.:85.00
##  Max.   :168.00   Max.   :334.0   Max.   :20.700   Max.   :97.00
##  NA's   :37      NA's   :7
##      Month      Day
##  Min.   :5.000   Min.   : 1.0
##  1st Qu.:6.000   1st Qu.: 8.0
##  Median :7.000   Median :16.0
##  Mean   :6.993   Mean   :15.8
##  3rd Qu.:8.000   3rd Qu.:23.0
```

```
## Max. :9.000 Max. :31.0
##
```

```
# 3) apply S3 and S4 to the data set
# S3
class(airquality)
```

```
## [1] "data.frame"
```

```
airquality_s3 <- structure(list(data = airquality), class = "AirQualityData")
print.AirQualityData <- function(x) {
  cat("Custom print method for AirQualityData\n")
  print(head(x$data, 5))
}
print(airquality_s3)
```

```
## Custom print method for AirQualityData
##   Ozone Solar.R Wind Temp Month Day
## 1    41     190  7.4   67     5   1
## 2    36     118  8.0   72     5   2
## 3    12     149 12.6   74     5   3
## 4    18     313 11.5   62     5   4
## 5    NA       NA 14.3   56     5   5
```

```
# S4
isS4(airquality)
```

```
## [1] FALSE
```

```
setClass("AirQualityDataS4",
  slots = list(data = "data.frame"))
airquality_s4 <- new("AirQualityDataS4", data = airquality)
setMethod("show", "AirQualityDataS4", function(object) {
  cat("S4 AirQualityData object\n")
  print(head(object@data, 5))
})
airquality_s4
```

```
## S4 AirQualityData object
##   Ozone Solar.R Wind Temp Month Day
## 1    41     190  7.4   67     5   1
## 2    36     118  8.0   72     5   2
## 3    12     149 12.6   74     5   3
## 4    18     313 11.5   62     5   4
## 5    NA       NA 14.3   56     5   5
```