

RaceDay – API Endpoint Plan

This document lists every API endpoint the RaceDay system will expose, planned before any API code is written (Part 1). The implemented API in Part 2 must closely match this plan.

Roles: None = public/no login required, Any = any logged-in user (Organiser or Participant), Organiser / Participant = must be logged in with that specific role.

Response code convention: 401 Unauthorized = no valid JWT was supplied; 403 Forbidden = a valid JWT was supplied but the caller's role or ownership does not permit the action; 404 Not Found = the resource in the route does not exist.

1. Authentication

Method	Route	Description	Role	Request Body
POST	/api/auth/register	Creates a new user account as either an Organiser or a Participant, and creates the matching UserProfiles row in the same transaction.	None	{ "fullName", "email", "password", "role" }
POST	/api/auth/login	Authenticates a user and returns a JWT access token.	None	{ "email", "password" }
POST	/api/auth/logout	Invalidates the current session/token on the client side.	Any	None

2. User Profile

Method	Route	Description	Role	Request Body
GET	/api/users/me	Returns the profile of the currently logged-in user.	Any	None
PUT	/api/users/me	Updates the profile of the currently logged-in user (name, phone, DOB, emergency contact).	Any	{ "fullName", "phoneNumber", "dateOfBirth", "emergencyContact" }
GET	/api/users/{id}	Returns a specific user's public profile (used by an Organiser reviewing enrolments).	Organiser	None

3. Events

Method	Route	Description	Role	Request Body
GET	/api/events	Lists events. Supports optional query params: ?search=, ?location=, ?upcoming=true, ?page=, ?pageSize=.	None	None

Method	Route	Description	Role	Request Body
GET	/api/events/{id}	Returns full details for a single event, including its categories.	None	None
POST	/api/events	Creates a new event owned by the logged-in Organiser.	Organiser	{ "name", "description", "eventDate", "location" }
PUT	/api/events/{id}	Updates an event's details. Only the owning Organiser may edit it.	Organiser	{ "name", "description", "eventDate", "location" }
DELETE	/api/events/{id}	Deletes an event and cascades to its categories, enrolments, and results. Only the owning Organiser may delete it.	Organiser	None

4. Categories

Method	Route	Description	Role	Request Body
GET	/api/events/{eventId}/categories	Lists all categories for a specific event.	None	None
POST	/api/events/{eventId}/categories	Adds a new category (e.g. 5km, 10km) to an event.	Organiser	{ "name", "distanceKm", "maxParticipants", "entryFee" }
PUT	/api/categories/{id}	Updates a category's details.	Organiser	{ "name", "distanceKm", "maxParticipants", "entryFee" }
DELETE	/api/categories/{id}	Removes a category from an event and cascades to its enrolments/results.	Organiser	None

5. Event Enrolments

Method	Route	Description	Role	Request Body
POST	/api/categories/{categoryId}/enrolments	Enrols the logged-in Participant into a category for an event.	Participant	{ } (participant id taken from token)
GET	/api/users/me/enrolments	Lists all of the logged-in Participant's own enrolments (past and upcoming).	Participant	None
GET	/api/events/{eventId}/enrolments	Lists all enrolments for an event, for the owning Organiser to review.	Organiser	None
DELETE	/api/enrolments/{id}	Cancels an enrolment (sets Status = 'Cancelled'). Callable by the enrolled Participant or the event's Organiser.	Any (owner check)	None

6. Results

Method	Route	Description	Role	Request Body
POST	/api/enrolments/{enrolmentId}/result	Captures the finish result for a participant's enrolment.	Organiser	{ "finishTime", "position", "status" } (status: Finished / DNF / DSQ)
PUT	/api/results/{id}	Updates a previously captured result (e.g. correction).	Organiser	{ "finishTime", "position", "status" }
GET	/api/users/me/results	Returns the logged-in Participant's personal performance history across all events.	Participant	None
GET	/api/events/{eventId}/results	Returns all results for an event (leaderboard view), ordered by Position.	None	None