RFD 9999 Representative Asciidoc PDF Fixture

Table of Contents

1. Overview . . . 1
   1.1. TOC Level Two . . . 1
      1.1.1. TOC Level Three . . . 1
2. Representative Lists . . . 3
3. Source Code . . . 3
4. Tables And Blocks . . . 3
5. Admonitions . . . 5
External References . . . 5

This fixture exercises the Asciidoc PDF rendering pipeline.


1. Overview

1.1. TOC Level Two

Text styles: . bold: **bold** . italic: *italic* . monospace: `monospace` . attribute references: Author Name <author@domain.tld>, Other Author <other@domain.tld> . inline link: example.com . cross references: Representative Lists. . footnotes: details.[1] . bibliography: [rfd44]

1.1.1. TOC Level Three

This deeper subsection exercises the third TOC level.



Before pagebreak

After pagebreak



Figure 1. Oxide logo

2. Representative Lists

1. Ordered item one
2. Ordered item two
    a. Nested ordered item
    b. Another nested ordered item
        - Unordered item one
        - Unordered item two
            - Nested unordered item
            - Another nested unordered item

3. Source Code

```
fn render_pipeline() -> &'static str {
    "asciidoctor-pdf" ①
}
```

① The renderer shells out to `asciidoctor-pdf` for PDF generation.

4. Tables And Blocks

Feature	Why it is in this fixture
Mermaid	Exercises the asciidoctor-mermaid/pdf extension
Image	Exercises supporting image resolution from the render directory
Lists	Exercises ordered and unordered list rendering
Source	Exercises Rouge-backed source highlighting, including source blocks nested in table cells. `fn nested_source_block() -> bool { true }`

Table 1. NOR flash table from CSV include

Device	Capacity	Interface	Use
Boot flash	64 MiB	SPI	Stores boot loader and early platform state
Recovery flash	128 MiB	SPI	Stores recovery image and fallback metadata
Manufacturing flash	32 MiB	SPI	Stores manufacturing diagnostics

Breaks inside a block

Notes

This delimited block exercises a page break inside block content.

This paragraph should remain inside the same block after the page break.

This paragraph follows an Asciidoc thematic break inside the block.

5. Admonitions



Notes should render cleanly.



Tips should render cleanly.



Important callouts should render cleanly.



Cautions should render cleanly.



Warnings should render cleanly.

> Block quotes should survive the PDF pipeline.
>
> — Test Fixture

▼ *Collapsible Details*

This block exercises collapsible Asciidoc content. PDF output should still render the contents even though the interactive disclosure behavior is HTML-specific.

External References

- [omicron-5112] https://github.com/oxidecomputer/omicron/issues/5112
- [rfd44] Oxide Computer Company. RFD 44. https://rfd.shared.oxide.computer/rfd/44
- [rfd595] Oxide Computer Company. Oxide CSI Plugin. https://rfd.shared.oxide.computer/rfd/595
- [rfd605] Oxide Computer Company. Virtual Machine Identity and Attestation. https://rfd.shared.oxide.computer/rfd/605

[1] The footnote exists to exercise Asciidoc footnote rendering.