OXSTEED

ENTERPRISE OPERATIONS AUDIT

Version 2 - Current Reality Review

Target model: 3,500 worldwide employees and 6,000,000 registered users

Audit date: October 3, 2026 | Baseline: audit version 1 dated October 2, 2026

Source: oxsteed/old-file, branch old-files-claude, revision a056524d

Observed production release: content-ca8d24d496bec4cf

Decision: The public application and readiness endpoint are healthy, and the admin route contract is clean. The current branch is not release-certifiable because the latest four CI runs fail on the same support Customer-360 regression. Enterprise-scale continuity, release provenance, repository security gates, localization quality, and live authenticated action evidence remain incomplete.

1. Executive decision

This is a delta audit against Version 1, not a repetition of its historical claims. The codebase has added meaningful controls and now contains workforce, treasury, service operations, reliability, governance, support, food, wallet, credit, and messaging improvements. Several proposed management workspaces now exist in source and navigation. That changes their classification from missing to partially implemented and not yet operationally proven.

Area	Current evidence	Decision
Live availability	GET /ready is ready; database, Redis, migrations, workers, realtime, traffic, and shutdown report healthy.	Pass for observed moment
Current branch CI	Runs 37105070580, 37105567491, 37106236284, and 37106655356 fail at supportRoutes.test.js.	Release blocker
Admin route contract	136 routes; no phantom anonymous routes or grant mismatches reported.	Pass for route contract
Migration rehearsal	Latest successful history includes twice-applied rehearsal; live reports 656/656.	Pass for clean schema; populated upgrade needed
Localization	Parity passes, but 324 static calls have unresolved keys; 46 render raw keys and 278 use fallbacks.	Partial; customer-visible debt
Release provenance	Live release string exists, but git SHA, image digest, and deployment ID are null.	P1 operational gap
Repository controls	Branch protection is not configured; security-analysis metadata is null.	P1 security gap

Appropriate public statement: **deployable application with active readiness checks, not yet certified for worldwide enterprise operation.**

2. Evidence and limits

The report combines current repository inspection, GitHub API data, current CI output, the public readiness endpoint, public route checks, the admin route matrix, and the Version 1 PDF. It does not claim that every protected action was executed against production accounts, that six million users were loaded, or that a current backup was restored into an independent environment.

Evidence captured for Version 2

• Current Git revision a056524dd04f0b90d9f5946a09ee64cc13e955f5; no uncommitted code changes were found. One pre-existing untracked audit markdown file remains outside this report.

• The public site returns HTTP 200 for / and /restaurants. The previously failing restaurant detail route was fixed and live content now renders restaurant and menu data.

• Production /ready reports release content-ca8d24d496bec4cf; migrations expected/applied 656/656; database, Redis, credit ledger, realtime, workers, traffic, and shutdown checks are healthy.

• The admin route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.

• Client i18n parity and typecheck pass, but the current verifier reports 703 long strings still identical to English and 324 unresolved static translation references.

• The latest four CI runs all fail the same support Customer-360 assertion: expected historical agent Bri Agent is absent from priorAgents. The failure reproduces locally with 76 passing and 1 failing test.

• The current source declares regular and super navigation lists totaling 70 primary entries; rendered counts vary by role and grants.

• GitHub branch protection is not configured for old-files-claude, and security-analysis metadata is not enabled or not exposed through the API response.

Evidence not established

• High availability across independent application, database, queue, storage, and network failure domains.

• Cloudflare R2 backup freshness, independent restore success, measured RTO/RPO, or full disaster recovery.

• Authenticated browser completion of every admin action, every locale, mobile, RTL, and every provider callback.

• Capacity at six million users, global latency, websocket fanout, large-tenant exports, or provider quota exhaustion.

• Legal, tax, employment, licensing, sanctions, or jurisdictional certification.

3. Findings that changed since Version 1

Classification	Version 2 conclusion
Improved	Restaurant detail hook-order defect was fixed and verified live. The page now renders restaurant content instead of the error boundary.
Improved	Wallet navigation, unified Wallet page, credit approval queue work, two-person credit adjustments, messaging fixes, and enterprise workspace code are present.
Reclassified	Workforce, Treasury, Service Operations, Reliability, and Governance now have source-level representation. They still need live authorization, scope, failure recovery, and ownership proof.
Regressed / open	Four consecutive recent CI runs fail on the same support Customer-360 regression. A historical green run cannot certify the current branch.
Still open	Live release provenance remains incomplete: /ready has a release string but null git SHA, image digest, and deployment ID.
Still open	Translation parity passes while user-visible raw-key and English-fallback debt remains substantial.
Still open	Independent backup restore, multi-process realtime, provider failure, and enterprise-scale load evidence remain absent.

4. Priority findings and closure gates

ID	Finding	Evidence	Closure gate	Owner
V2-P0-01	Current CI is red on support Customer-360	The latest four CI runs fail because priorAgents includes the current agent but omits the completed historical assignment agent. It reproduces in server/__tests__/supportRoutes.test.js.	Fix the query/mock contract, add a current-plus-historical regression test, rerun full CI, and block deployment from a red revision.	Support Platform
V2-P1-01	Release provenance is incomplete	GET /ready exposes a release string but gitSha, imageDigest, and deploymentId are null.	Inject and verify immutable deployment metadata in Coolify and match it to the running artifact.	SRE
V2-P1-02	Repository release gates are unprotected	Branch protection returns not protected and security-analysis metadata is null.	Require review and green CI; enable code and secret scanning; restrict workflow permissions; protect production environments.	Security
V2-P1-03	Localization quality is below enterprise readiness	324 static references lack catalog keys; 46 render raw keys and 278 use fallbacks. 703 long strings remain identical to English.	Make new missing keys fail CI, remove raw-key rendering, complete five locales, and execute Arabic RTL/mobile checks.	Localization
V2-P1-04	Continuity evidence is incomplete	Readiness is healthy, but no current independent backup restore, host-failure drill, or measured RTO/RPO was verified.	Verify R2 object/checksum, restore into isolated PostgreSQL, apply migrations, start the artifact, validate records, and record RTO/RPO.	Infrastructure
V2-P1-05	Worldwide scale remains unproven	No current workload evidence covers six million users, 3,500 employees, large tenants, global latency, realtime fanout, exports, or provider throttling.	Run realistic load, soak, regional latency, failure, queue, websocket, search, export, upload, payment, delivery, and food scenarios.	Performance
V2-P1-06	Process-local state needs a uniform contract	Redis-backed realtime exists, but local connection, presence, throttling, and fast-path maps remain.	Classify every Map, move authoritative leases/throttles/idempotency to Redis/PostgreSQL with TTL/fencing, and run two-process tests.	Platform
V2-P1-07	Provider degraded-state operations need one contract	Stripe, maps, messaging, AI, scanning, storage, calendars, and trackers have separate failure behavior.	Expose capability, owner, alert, retry, circuit break, budget, rotation, and customer-safe unavailable state in one operator view.	Integrations

5. Enterprise management workspaces: current reality

Version 1 identified five fragmented or missing management capabilities. Version 2 confirms that all five now have source-level representation, but existence is not production readiness. The next gate is operational proof, not another navigation entry.

Workspace	Route	Current state	Remaining certification gap
Workforce identity and access	/admin/super/workforce	Present in navigation and source.	Live staff lifecycle, delegation, effective dates, offboarding, break-glass, recertification, and cross-channel revocation remain unproven.
Treasury and financial close	/admin/super/treasury plus financials	Treasury, Money, Financials, Revenue, Payouts, and Payments exist.	Needs entity accounting, tax, period lock, close checklist, exception ownership, and provider reconciliation evidence.
Global service operations	/admin/super/service-ops	Service Operations and Operations Overview exist.	Needs role-specific queues, capacity, safety, ETA confidence, exception ownership, and load evidence.
Reliability and platform control	/admin/super/reliability	Reliability workspace and readiness controls exist.	Needs signed release record, canary/rollback, dependency map, replay controls, restore evidence, and cost guardrails.
Governance, privacy, and policy	/admin/super/governance	Governance exists beside Legal, Country Packs, Mode Policies, and Audit.	Needs jurisdictional deadlines, legal hold, contract obligations, policy evidence, privacy SLAs, and accountable owners.

Rule: a workspace is operationally ready only when its data source, scope, owner, failure behavior, audit record, and recovery runbook are declared in the admin coverage manifest.

6. Cross-platform controls for 3,500 staff and 6 million users

Identity and delegation

Tenant, entity, country, region, department, title, effective interval, conflict-of-duty, purpose, approval, recertification, break-glass, session revocation, and export scope must be server-enforced.

Money and commercial truth

Quotes, charges, holds, refunds, payouts, credits, fees, and receipts need immutable inputs, currency, provider references, idempotency keys, version checks, reconciliation state, and a human recovery path.

Work context and customer 360

Explicit context IDs should connect chat, lead, quote, booking, job, order, delivery, invoice, payment, credit, and support. Links must not grant access and names must never be the relationship key.

Reliability and recovery

Outbox age, dead-letter count, webhook lag, migration state, backup freshness, restore-test age, queue leases, websocket reconnect health, disk, database, and cost need owners and alerts.

Privacy and retention

Search, message, visitor, support, audit, export, deletion, legal hold, and Customer-360 views require purpose limitation, regional retention, redaction, and access evidence.

Design system

Modules need consistent loading, empty, unavailable, pending human review, stale, failed, retry-safe, proposed, approved, committed, disputed, and externally pending states.

Internationalization

Catalog parity is necessary but insufficient. Long text, RTL tables, dialogs, charts, screen readers, dates, units, currency, time zones, emails, push, and PDFs need locale acceptance tests.

7. Current tab-by-tab review

The following 65 reviews preserve Version 1 coverage. Route presence and grant consistency are supported by the current 136-route matrix. A route-contract pass is not an authenticated business-action pass; every page below retains a live-action verification gate.

1. Dashboard

Route: /admin/dashboard

Mission: Executive and operator summary

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Financial, access, content, scheduling, delivery, or provider changes need expected-state checks, approval authority, idempotency, audit evidence, and a recovery path.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

2. Operations Overview

Route: /admin/operations

Mission: Cross-domain command center

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Operational surface: prove bounded queues, ownership, capacity, concurrent claims, stale state, retries, provider failure, customer-visible status, and mobile/RTL behavior.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

3. Users

Route: /admin/users

Mission: Identity and customer administration

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Financial, access, content, scheduling, delivery, or provider changes need expected-state checks, approval authority, idempotency, audit evidence, and a recovery path.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

4. Jobs

Route: /admin/jobs

Mission: Marketplace work lifecycle

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Financial, access, content, scheduling, delivery, or provider changes need expected-state checks, approval authority, idempotency, audit evidence, and a recovery path.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

5. Reports

Route: /admin/reports

Mission: Trust and safety intake

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Financial, access, content, scheduling, delivery, or provider changes need expected-state checks, approval authority, idempotency, audit evidence, and a recovery path.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

6. Moderation

Route: /admin/moderation

Mission: Content review queue

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Financial, access, content, scheduling, delivery, or provider changes need expected-state checks, approval authority, idempotency, audit evidence, and a recovery path.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

7. Enforcement

Route: /admin/enforcement

Mission: Restrictions and suspensions

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Financial, access, content, scheduling, delivery, or provider changes need expected-state checks, approval authority, idempotency, audit evidence, and a recovery path.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

8. Content Removals

Route: /admin/content-removals

Mission: Bids and reviews visibility control

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Financial, access, content, scheduling, delivery, or provider changes need expected-state checks, approval authority, idempotency, audit evidence, and a recovery path.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

9. Skills

Route: /admin/skills

Mission: Taxonomy and licenses

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Financial, access, content, scheduling, delivery, or provider changes need expected-state checks, approval authority, idempotency, audit evidence, and a recovery path.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

10. Support Tickets

Route: /admin/support

Mission: Support inbox and case work

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Current blocker: support Customer-360 CI regression. Also prove claims, transfers, SLA, transcript privacy, reconnect, and degraded websocket behavior across processes.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

11. Live Support

Route: /admin/support/chat

Mission: Realtime customer support

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Current blocker: support Customer-360 CI regression. Also prove claims, transfers, SLA, transcript privacy, reconnect, and degraded websocket behavior across processes.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

12. Quote Requests

Route: /admin/quote-requests

Mission: Quote and approval intake

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Financial, access, content, scheduling, delivery, or provider changes need expected-state checks, approval authority, idempotency, audit evidence, and a recovery path.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

13. Direct Ops

Route: /direct/admin

Mission: Direct service operations

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Operational surface: prove bounded queues, ownership, capacity, concurrent claims, stale state, retries, provider failure, customer-visible status, and mobile/RTL behavior.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

14. Direct Service Areas

Route: /admin/direct-service-areas

Mission: Service geography

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Operational surface: prove bounded queues, ownership, capacity, concurrent claims, stale state, retries, provider failure, customer-visible status, and mobile/RTL behavior.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

15. Direct Catalog

Route: /admin/direct-catalog

Mission: Owned service catalog

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Operational surface: prove bounded queues, ownership, capacity, concurrent claims, stale state, retries, provider failure, customer-visible status, and mobile/RTL behavior.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

16. Messages

Route: /admin/messages

Mission: Privileged messaging operations

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Financial, access, content, scheduling, delivery, or provider changes need expected-state checks, approval authority, idempotency, audit evidence, and a recovery path.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

17. Search

Route: /admin/search

Mission: Admin federated search

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Financial, access, content, scheduling, delivery, or provider changes need expected-state checks, approval authority, idempotency, audit evidence, and a recovery path.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

18. Businesses

Route: /admin/businesses

Mission: Business lifecycle

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Financial, access, content, scheduling, delivery, or provider changes need expected-state checks, approval authority, idempotency, audit evidence, and a recovery path.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

19. Tool Rentals

Route: /admin/tool-rentals

Mission: Peer rental operations

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Operational surface: prove bounded queues, ownership, capacity, concurrent claims, stale state, retries, provider failure, customer-visible status, and mobile/RTL behavior.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

20. Planned Needs

Route: /admin/planned-needs

Mission: Future demand planning

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Financial, access, content, scheduling, delivery, or provider changes need expected-state checks, approval authority, idempotency, audit evidence, and a recovery path.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

21. Payments

Route: /admin/payments

Mission: Payment operations

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Highest-risk financial surface: prove immutable inputs, entity/currency scope, provider reconciliation, duplicate/retry behavior, approval separation, and receipt-level recovery.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

22. Orders

Route: /admin/orders

Mission: Food and commerce orders

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Operational surface: prove bounded queues, ownership, capacity, concurrent claims, stale state, retries, provider failure, customer-visible status, and mobile/RTL behavior.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

23. Templates

Route: /admin/templates

Mission: Operational message templates

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Financial, access, content, scheduling, delivery, or provider changes need expected-state checks, approval authority, idempotency, audit evidence, and a recovery path.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

24. Consulting

Route: /admin/consulting

Mission: Consulting pipeline

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Financial, access, content, scheduling, delivery, or provider changes need expected-state checks, approval authority, idempotency, audit evidence, and a recovery path.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

25. Consulting Pay

Route: /admin/consulting/payments

Mission: Consulting payments

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Highest-risk financial surface: prove immutable inputs, entity/currency scope, provider reconciliation, duplicate/retry behavior, approval separation, and receipt-level recovery.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

26. Scheduling

Route: /admin/consulting/scheduler

Mission: Consulting availability

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Operational surface: prove bounded queues, ownership, capacity, concurrent claims, stale state, retries, provider failure, customer-visible status, and mobile/RTL behavior.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

27. Business Launch

Route: /admin/consulting/business-launch

Mission: Business launch workflow

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Financial, access, content, scheduling, delivery, or provider changes need expected-state checks, approval authority, idempotency, audit evidence, and a recovery path.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

28. Consulting Sessions

Route: /admin/consulting/sessions

Mission: Session delivery

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Operational surface: prove bounded queues, ownership, capacity, concurrent claims, stale state, retries, provider failure, customer-visible status, and mobile/RTL behavior.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

29. Org Chart

Route: /admin/corporate/org-chart

Mission: Organization structure

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Financial, access, content, scheduling, delivery, or provider changes need expected-state checks, approval authority, idempotency, audit evidence, and a recovery path.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

30. Corporate Titles

Route: /admin/corporate/assignments

Mission: Staff assignments

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Financial, access, content, scheduling, delivery, or provider changes need expected-state checks, approval authority, idempotency, audit evidence, and a recovery path.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

31. Logistics Ops

Route: /admin/logistics

Mission: Future procurement and freight operations

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Operational surface: prove bounded queues, ownership, capacity, concurrent claims, stale state, retries, provider failure, customer-visible status, and mobile/RTL behavior.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

32. Learn Submissions

Route: /admin/learn/submissions

Mission: Learning content intake

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Content/AI surface: prove review ownership, locale completeness, safety filters, provider capability, cost limits, version history, and durable side effects.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

33. Learn Product Links

Route: /admin/learn/product-links

Mission: Learning-to-product links

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Content/AI surface: prove review ownership, locale completeness, safety filters, provider capability, cost limits, version history, and durable side effects.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

34. Learn AI Suggestions

Route: /admin/learn/ai-suggestions

Mission: AI-assisted learning suggestions

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Content/AI surface: prove review ownership, locale completeness, safety filters, provider capability, cost limits, version history, and durable side effects.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

35. Super Dashboard

Route: /admin/super/dashboard

Mission: Super-admin executive view

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Financial, access, content, scheduling, delivery, or provider changes need expected-state checks, approval authority, idempotency, audit evidence, and a recovery path.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

36. Money

Route: /admin/super/money

Mission: Money command center

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Highest-risk financial surface: prove immutable inputs, entity/currency scope, provider reconciliation, duplicate/retry behavior, approval separation, and receipt-level recovery.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

37. Restaurant Credit

Route: /admin/super/restaurant-credit

Mission: Restaurant credit oversight

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Highest-risk financial surface: prove immutable inputs, entity/currency scope, provider reconciliation, duplicate/retry behavior, approval separation, and receipt-level recovery.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

38. OxSteed Credit

Route: /admin/super/oxsteed-credit

Mission: Credit product and subpages

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Highest-risk financial surface: prove immutable inputs, entity/currency scope, provider reconciliation, duplicate/retry behavior, approval separation, and receipt-level recovery.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

39. Revenue

Route: /admin/super/revenue

Mission: Revenue reporting

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Financial, access, content, scheduling, delivery, or provider changes need expected-state checks, approval authority, idempotency, audit evidence, and a recovery path.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

40. Fee Config

Route: /admin/super/fees

Mission: Fee policy configuration

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Highest-risk financial surface: prove immutable inputs, entity/currency scope, provider reconciliation, duplicate/retry behavior, approval separation, and receipt-level recovery.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

41. Pricing Config

Route: /admin/super/pricing

Mission: Base pricing configuration

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Highest-risk financial surface: prove immutable inputs, entity/currency scope, provider reconciliation, duplicate/retry behavior, approval separation, and receipt-level recovery.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

42. Pricing Overrides

Route: /admin/super/pricing-overrides

Mission: Scoped pricing exceptions

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Highest-risk financial surface: prove immutable inputs, entity/currency scope, provider reconciliation, duplicate/retry behavior, approval separation, and receipt-level recovery.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

43. Financials

Route: /admin/super/financials

Mission: Financial reporting and controls

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Highest-risk financial surface: prove immutable inputs, entity/currency scope, provider reconciliation, duplicate/retry behavior, approval separation, and receipt-level recovery.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

44. Payouts

Route: /admin/super/payouts

Mission: Helper and business payouts

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Highest-risk financial surface: prove immutable inputs, entity/currency scope, provider reconciliation, duplicate/retry behavior, approval separation, and receipt-level recovery.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

45. Conversations

Route: /admin/super/conversations

Mission: Conversation oversight

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Financial, access, content, scheduling, delivery, or provider changes need expected-state checks, approval authority, idempotency, audit evidence, and a recovery path.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

46. Admin Accounts

Route: /admin/super/admin-accounts

Mission: Administrator identities

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Highest-risk control surface: prove least privilege, effective dates, break-glass, denial on direct API/export/socket access, immutable audit, and rollback.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

47. Permissions

Route: /admin/super/permissions

Mission: Grant and role administration

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Highest-risk control surface: prove least privilege, effective dates, break-glass, denial on direct API/export/socket access, immutable audit, and rollback.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

48. Regions

Route: /admin/super/regions

Mission: Regions and ownership

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Financial, access, content, scheduling, delivery, or provider changes need expected-state checks, approval authority, idempotency, audit evidence, and a recovery path.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

49. Internal Access

Route: /admin/super/logistics-internal-access

Mission: Internal logistics access

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Highest-risk control surface: prove least privilege, effective dates, break-glass, denial on direct API/export/socket access, immutable audit, and rollback.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

50. Gate Lockouts

Route: /admin/super/access-gate-lockouts

Mission: Security lockouts

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Highest-risk control surface: prove least privilege, effective dates, break-glass, denial on direct API/export/socket access, immutable audit, and rollback.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

51. Create User

Route: /admin/super/users/create

Mission: Privileged user creation

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Highest-risk control surface: prove least privilege, effective dates, break-glass, denial on direct API/export/socket access, immutable audit, and rollback.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

52. Search Logs

Route: /admin/super/search-logs

Mission: Search audit trail

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Financial, access, content, scheduling, delivery, or provider changes need expected-state checks, approval authority, idempotency, audit evidence, and a recovery path.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

53. Settings

Route: /admin/super/settings

Mission: Platform settings and flags

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Highest-risk control surface: prove least privilege, effective dates, break-glass, denial on direct API/export/socket access, immutable audit, and rollback.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

54. Audit Log

Route: /admin/super/audit-log

Mission: Administrative audit evidence

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Highest-risk control surface: prove least privilege, effective dates, break-glass, denial on direct API/export/socket access, immutable audit, and rollback.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

55. User Action Log

Route: /admin/super/audit-log/user-actions

Mission: User action evidence

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Financial, access, content, scheduling, delivery, or provider changes need expected-state checks, approval authority, idempotency, audit evidence, and a recovery path.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

56. Legal

Route: /admin/legal/{acceptances,audit-log,compliance-metrics,ccpa-requests}

Mission: Legal and privacy operations

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Highest-risk control surface: prove least privilege, effective dates, break-glass, denial on direct API/export/socket access, immutable audit, and rollback.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

57. Visitors

Route: /admin/super/visitors

Mission: Visitor and analytics review

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Financial, access, content, scheduling, delivery, or provider changes need expected-state checks, approval authority, idempotency, audit evidence, and a recovery path.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

58. Profile Visibility

Route: /admin/super/profile-visibility

Mission: Public profile moderation

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Financial, access, content, scheduling, delivery, or provider changes need expected-state checks, approval authority, idempotency, audit evidence, and a recovery path.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

59. One Truth

Route: /admin/super/one-truth

Mission: Duplicate and data-quality investigation

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Financial, access, content, scheduling, delivery, or provider changes need expected-state checks, approval authority, idempotency, audit evidence, and a recovery path.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

60. Franchise HQ

Route: /admin/super/franchises

Mission: Franchise application and launch

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Financial, access, content, scheduling, delivery, or provider changes need expected-state checks, approval authority, idempotency, audit evidence, and a recovery path.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

61. Careers

Route: /admin/super/careers

Mission: Platform hiring

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Content/AI surface: prove review ownership, locale completeness, safety filters, provider capability, cost limits, version history, and durable side effects.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

62. Country Packs

Route: /admin/super/country-packs

Mission: Country availability

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Highest-risk control surface: prove least privilege, effective dates, break-glass, denial on direct API/export/socket access, immutable audit, and rollback.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

63. Corporate Setup

Route: /admin/super/corporate/departments

Mission: Departments and defaults

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Financial, access, content, scheduling, delivery, or provider changes need expected-state checks, approval authority, idempotency, audit evidence, and a recovery path.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

64. Mode Policies

Route: /admin/super/mode-policies

Mission: Role and mode policy

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Highest-risk control surface: prove least privilege, effective dates, break-glass, denial on direct API/export/socket access, immutable audit, and rollback.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

65. Mode Approvals

Route: /admin/super/mode-approvals

Mission: Role application approvals

Current evidence	Version 2 assessment
Route and grant contract	Included in the current admin navigation/route model. The route matrix reports 136 routes, exact credential resolution, server-enforced grants, and no phantom anonymous routes.
Live behavior boundary	No full authenticated action matrix was executed for this page in this audit. Data completeness, destructive actions, exports, realtime behavior, and provider recovery remain unverified unless separately stated.
Priority gap	Financial, access, content, scheduling, delivery, or provider changes need expected-state checks, approval authority, idempotency, audit evidence, and a recovery path.
Required acceptance	Run authorized and denied reads, direct navigation, export, valid action, invalid input, stale version, duplicate request, timeout/retry, reconnect, mobile, Arabic RTL, and keyboard checks. Record correlation ID and authoritative outcome.

Operator design recommendation

Keep scope, timezone, source timestamp, freshness, owner, and next action visible. Do not imply a quote, payment, booking, delivery, or policy change is committed before the authoritative action succeeds.

8. Ordered closure program

Stage 0 - unblock the release

• Fix the support Customer-360 regression and make the current CI run green.

• Confirm the production artifact is the successful revision and record deployment metadata.

• Do not promote a red branch or rely on an older green run.

Stage 1 - close control-plane gaps

• Protect the GitHub branch and production environment; enable code and secret scanning.

• Declare the admin coverage manifest with owner, scope, actions, denial rules, and evidence links.

• Make localization debt a tracked release metric and eliminate raw-key rendering.

Stage 2 - prove continuity and providers

• Verify Cloudflare R2 backup objects and complete an isolated restore drill.

• Run provider sandbox and failure tests for Stripe, messaging, maps, scanning, AI, calendars, storage, and trackers.

• Run two-process realtime, queue lease, idempotency, duplicate webhook, and delayed-event tests.

Stage 3 - prove scale and operations

• Generate realistic six-million-user and 3,500-employee fixtures with geographic and workload skew.

• Run load, soak, failover, regional latency, export, search, websocket, upload, food, delivery, credit, payment, and support scenarios.

• Assign owners, budgets, SLOs, runbooks, alert thresholds, and recovery evidence for every critical journey.

Final Version 2 disposition

OxSteed is a substantial and increasingly well-controlled product platform. The current live service is healthy at the observed moment and the route/grant contract is strong. The current branch is not ready for final enterprise-production certification because CI is red on a support regression and the evidence set lacks independent recovery, release provenance, repository security gates, provider failure proof, and enterprise-scale measurements.

Certification gate: **Hold promotion until V2-P0-01 is closed and the next full CI run is green.** Then close the P1 evidence gates in order. Do not treat a visible workspace or a passing readiness endpoint as proof of worldwide capacity.