



# 856 Ship Notice/Manifest

VICS EDI/V5010VICS/856 : 856 Ship Notice/Manifest

**Version: 3.12 Final**

|                  |                  |
|------------------|------------------|
| Company:         | Walmart          |
| Publication:     | 1/1/2005         |
| Trading Partner: | Goods For Resale |
| Created:         | 3/19/2021        |

# Table of Contents

|            |                                                                   |           |
|------------|-------------------------------------------------------------------|-----------|
| <b>856</b> | <b>Ship Notice/Manifest</b>                                       | <b>1</b>  |
| <b>ST</b>  | <b>Transaction Set Header</b>                                     | <b>4</b>  |
| <b>BSN</b> | <b>Beginning Segment for Ship Notice</b>                          | <b>5</b>  |
| <b>HL</b>  | <b>Loop Hierarchical Level</b>                                    | <b>7</b>  |
| <b>HL</b>  | <b>Loop Shipment</b>                                              | <b>8</b>  |
| <b>HL</b>  | <b>Hierarchical Level - Shipment</b>                              | <b>9</b>  |
| <b>TD1</b> | <b>Carrier Details (Quantity and Weight) - Shipment</b>           | <b>10</b> |
| <b>TD5</b> | <b>Carrier Details (Routing Sequence/Transit Time) - Shipment</b> | <b>11</b> |
| <b>TD3</b> | <b>Loop Carrier Details (Equipment) - Shipment</b>                | <b>12</b> |
| <b>TD3</b> | <b>Carrier Details (Equipment) - Shipment</b>                     | <b>13</b> |
| <b>REF</b> | <b>Reference Information - Shipment</b>                           | <b>14</b> |
| <b>MAN</b> | <b>Marks and Numbers Information</b>                              | <b>16</b> |
| <b>DTM</b> | <b>Date/Time Reference - Shipment</b>                             | <b>17</b> |
| <b>FOB</b> | <b>F.O.B. Related Instructions - Shipment</b>                     | <b>18</b> |
| <b>N1</b>  | <b>Loop Party Identification - Shipment</b>                       | <b>51</b> |
| <b>N1</b>  | <b>Party Identification - Shipment</b>                            | <b>20</b> |
| <b>N3</b>  | <b>Party Location - Shipment</b>                                  | <b>21</b> |
| <b>N4</b>  | <b>Geographic Location - Shipment</b>                             | <b>22</b> |
| <b>HL</b>  | <b>Loop Order</b>                                                 | <b>23</b> |
| <b>HL</b>  | <b>Hierarchical Level - Order</b>                                 | <b>24</b> |
| <b>PRF</b> | <b>Purchase Order Reference - Order</b>                           | <b>25</b> |
| <b>TD1</b> | <b>Carrier Details (Quantity and Weight)</b>                      | <b>26</b> |
| <b>REF</b> | <b>Reference Information - Order</b>                              | <b>27</b> |
| <b>HL</b>  | <b>Loop Tare</b>                                                  | <b>28</b> |
| <b>HL</b>  | <b>Hierarchical Level - Tare</b>                                  | <b>29</b> |
| <b>PKG</b> | <b>Marking, Packaging, Loading - Tare</b>                         | <b>30</b> |
| <b>MAN</b> | <b>Marks and Numbers Information - Tare</b>                       | <b>32</b> |
| <b>PAL</b> | <b>Pallet Type and Load Characteristics - Tare</b>                | <b>33</b> |
| <b>HL</b>  | <b>Loop Pack</b>                                                  | <b>34</b> |
| <b>HL</b>  | <b>Hierarchical Level - Pack</b>                                  | <b>35</b> |
| <b>MAN</b> | <b>Marks and Numbers Information - Pack</b>                       | <b>36</b> |
| <b>N1</b>  | <b>Loop Party Identification - Pack</b>                           | <b>37</b> |
| <b>N1</b>  | <b>Party Identification - Pack</b>                                | <b>38</b> |
| <b>HL</b>  | <b>Loop Item</b>                                                  | <b>39</b> |
| <b>HL</b>  | <b>Hierarchical Level - Item</b>                                  | <b>40</b> |
| <b>LIN</b> | <b>Item Identification - Item</b>                                 | <b>41</b> |
| <b>SN1</b> | <b>Item Detail (Shipment) - Item</b>                              | <b>44</b> |
| <b>PID</b> | <b>Product/Item Description - Item</b>                            | <b>45</b> |
| <b>REF</b> | <b>Reference Information - Item</b>                               | <b>46</b> |
| <b>DTM</b> | <b>Date/Time Reference - Item</b>                                 | <b>47</b> |
| <b>CTT</b> | <b>Transaction Totals</b>                                         | <b>48</b> |
| <b>SE</b>  | <b>Transaction Set Trailer</b>                                    | <b>49</b> |

## 856

## Ship Notice/Manifest

## Functional Group=SH

**Purpose:** This X12 Transaction Set contains the format and establishes the data contents of the Ship Notice/Manifest Transaction Set (856) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to list the contents of a shipment of goods as well as additional information relating to the shipment, such as order information, product description, physical characteristics, type of packaging, marking, carrier information, and configuration of goods within the transportation equipment. The transaction set enables the sender to describe the contents and configuration of a shipment in various levels of detail and provides an ordered flexibility to convey information. The sender of this transaction is the organization responsible for detailing and communicating the contents of a shipment, or shipments, to one or more receivers of the transaction set. The receiver of this transaction set can be any organization having an interest in the contents of a shipment or information about the contents of a shipment.

## Heading:

| Pos  | Id  | Segment Name                      | Req | Max Use | Repeat | Notes |
|------|-----|-----------------------------------|-----|---------|--------|-------|
| 0100 | ST  | Transaction Set Header            | M   | 1       |        |       |
| 0200 | BSN | Beginning Segment for Ship Notice | M   | 1       |        |       |

## Detail:

| Pos                  | Id  | Segment Name                                               | Req | Max Use | Repeat        | Notes           |
|----------------------|-----|------------------------------------------------------------|-----|---------|---------------|-----------------|
| <b>LOOP ID - HL</b>  |     |                                                            |     |         | <b>200000</b> | <b>C2/0100L</b> |
| <b>LOOP ID - HL</b>  |     |                                                            |     |         | <b>1</b>      | <b>C2/0100L</b> |
| 0100                 | HL  | Hierarchical Level - Shipment                              | M   | 1       |               | C2/0100         |
| 1100                 | TD1 | Carrier Details (Quantity and Weight) - Shipment           | O   | 20      |               |                 |
| 1200                 | TD5 | Carrier Details (Routing Sequence/Transit Time) - Shipment | O   | 12      |               |                 |
| <b>LOOP ID - TD3</b> |     |                                                            |     |         | <b>12</b>     |                 |
| 1300                 | TD3 | Carrier Details (Equipment) - Shipment                     | O   | 1       |               |                 |
| 1500                 | REF | Reference Information - Shipment                           | O   | >1      |               |                 |
| 1900                 | MAN | Marks and Numbers Information                              | O   | >1      |               |                 |
| 2000                 | DTM | Date/Time Reference - Shipment                             | O   | 10      |               |                 |
| 2100                 | FOB | F.O.B. Related Instructions - Shipment                     | O   | 1       |               |                 |
| <b>LOOP ID - N1</b>  |     |                                                            |     |         | <b>200</b>    |                 |
| 2200                 | N1  | Party Identification - Shipment                            | O   | 1       |               |                 |
| 2400                 | N3  | Party Location - Shipment                                  | O   | 2       |               |                 |
| 2500                 | N4  | Geographic Location - Shipment                             | O   | 1       |               |                 |
| <b>LOOP ID - HL</b>  |     |                                                            |     |         | <b>1</b>      | <b>C2/0100L</b> |
| 0100                 | HL  | Hierarchical Level - Order                                 | M   | 1       |               | C2/0100         |
| 0500                 | PRF | Purchase Order Reference - Order                           | O   | 1       |               |                 |
| 1100                 | TD1 | Carrier Details (Quantity and Weight)                      | O   | 20      |               |                 |
| 1500                 | REF | Reference Information - Order                              | O   | >1      |               |                 |
| <b>LOOP ID - HL</b>  |     |                                                            |     |         | <b>1</b>      | <b>C2/0100L</b> |
| 0100                 | HL  | Hierarchical Level - Tare                                  | O   | 1       |               | C2/0100         |
| 1000                 | PKG | Marking, Packaging, Loading - Tare                         | O   | 25      |               |                 |
| 1900                 | MAN | Marks and Numbers Information - Tare                       | O   | >1      |               |                 |
| 2150                 | PAL | Pallet Type and Load Characteristics - Tare                | O   | 1       |               |                 |
| <b>LOOP ID - HL</b>  |     |                                                            |     |         | <b>1</b>      | <b>C2/0100L</b> |
| 0100                 | HL  | Hierarchical Level - Pack                                  | M   | 1       |               | C2/0100         |
| 1900                 | MAN | Marks and Numbers Information - Pack                       | O   | >1      |               |                 |

| <u>LOOP ID - N1</u> |     |                                 |   |     | <b>200</b>               |
|---------------------|-----|---------------------------------|---|-----|--------------------------|
| 2200                | N1  | Party Identification - Pack     | O | 1   |                          |
| <u>LOOP ID - HL</u> |     |                                 |   |     | <b>1</b> <b>C2/0100L</b> |
| 0100                | HL  | Hierarchical Level - Item       | M | 1   | C2/0100                  |
| 0200                | LIN | Item Identification - Item      | O | 1   |                          |
| 0300                | SN1 | Item Detail (Shipment) - Item   | O | 1   |                          |
| 0700                | PID | Product/Item Description - Item | O | 200 |                          |
| 1500                | REF | Reference Information - Item    | O | >1  |                          |
| 2000                | DTM | Date/Time Reference - Item      | O | 10  |                          |

**Summary:**

| <u>Pos</u> | <u>Id</u> | <u>Segment Name</u>     | <u>Req</u> | <u>Max Use</u> | <u>Repeat</u> | <u>Notes</u> |
|------------|-----------|-------------------------|------------|----------------|---------------|--------------|
| 0100       | CTT       | Transaction Totals      | O          | 1              |               | N3/0100      |
| 0200       | SE        | Transaction Set Trailer | M          | 1              |               |              |

**Notes:**

3/0100 Number of line items (CTT01) is the accumulation of the number of HL segments. If used, hash total (CTT02) is the sum of the value of units shipped (SN102) for each SN1 segment.

**Walmart Note:****EDI Acknowledgment**

A Functional Acknowledgment, X12 transaction set 997, will be sent within 24 hours to acknowledge EDI receipt and compliance of your 856 transaction set. If for any reason, your transaction is not compliant, and you receive a rejected acknowledgment, you must correct the issue and resend your transaction as soon as possible. If no 997 is received within 24 hours this could indicate other communication, routing, or enveloping issues if this occurs please contact EDI support.

**Business Validation Rejections**

If there are omissions or erroneous data detected by our receiving or traffic applications an Application Advice, X12 824 transaction set, will be sent to you. A separate implementation guide for the 824 documents may be found on Retail Link. If you receive an 824, please correct and resend the erroneous data as soon as reasonable, not to exceed 12 hours from point of rejection.

**Supplier Expectations**

Advance Ship Notifications are not useful to Walmart if they are incomplete, inaccurate, or arrive after the product is received. It is for these reasons Walmart will be capturing metrics on supplier's accuracy, completeness, and timeliness to ensure supplier compliance.

**Definition of ASN Terms:**

DC - Includes shipments sent directly to Walmart, Sams, Grocery DCs, and Consolidation Centers, unless otherwise specified, for receipt by the DC and not for DSDC processing.

DSDC - short for "Direct Store Delivery Consolidation" and also known in the industry as "crossdock". These are shipments to DCs that are prepackaged and labeled for a specific store. ASNs are required for DSDC shipments and a lack of an ASN will result in product getting stuck in the DC's problem freight area.

Store - Also known as DSD, or Direct Store Delivery, is product shipped directly to the store for receiving.

Club - Is product shipped directly to a Sam's Club for receiving, these are more aligned with stores than DC and are different from a Sam's DC.

GEC-FC - Refers to a Walmart Global e-Commerce Fulfillment Centers location to which product is shipped.

Truckload [TL] Shipment - A shipment consisting of an entire full trailer or truckload. Excludes multiple LTL loads combined to form a full truckload as well as Small Parcel.

Less than Truckload [LTL] - A shipment making up part of a trailer or truckload. Excludes Truckload [TL] and Small Parcel deliveries.

Small Parcel - Is product shipped using a private carrier specializing in parcel deliveries typically less than 30-50 lbs, depending on the carrier. Examples include UPS and FedEx. Excludes Truckload [TL] and Less than Truckload [LTL]

**VICS compliance statement**

Walmart supports and participates in X12 VICS retail standards. This guide and all other Goods for Resale focused guides comply, where reasonable, with VICS standards.

**Notice of conditionally required addenda**

To keep this guide clean and common to all suppliers we have taken a few business specific use cases like Telecom, Serialized supplier serial number/product ID, and sub-assortment GTIN identification and have published these as an ASN (X12 856) Addendum Guide. If you are required to meet any of these

*specific scenarios please locate the Addendum guide and apply it as an extension to this guide as an extra level of hierarchy to occur below the item level*

**ST*****Transaction Set Header***

|                            |                    |
|----------------------------|--------------------|
| <b>Pos: 0100</b>           | <b>Max: 1</b>      |
| <b>Heading - Mandatory</b> |                    |
| <b>Loop:</b>               | <b>Elements: 2</b> |
| <b>N/A</b>                 |                    |

**Purpose:** To indicate the start of a transaction set and to assign a control number

**Element Summary:**

| <u>Ref</u>                                                                                                                                                      | <u>Id</u> | <u>Element Name</u>                    | <u>Req</u>           | <u>Type</u> | <u>Min/Max</u> |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|----------------------------------------|----------------------|-------------|----------------|
| ST01                                                                                                                                                            | 143       | <b>Transaction Set Identifier Code</b> | M                    | ID          | 3/3            |
| <b>Description:</b> Code uniquely identifying a Transaction Set                                                                                                 |           |                                        |                      |             |                |
|                                                                                                                                                                 |           | <u>Code</u>                            | <u>Name</u>          |             |                |
|                                                                                                                                                                 |           | 856                                    | Ship Notice/Manifest |             |                |
| ST02                                                                                                                                                            | 329       | <b>Transaction Set Control Number</b>  | M                    | AN          | 4/9            |
| <b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set |           |                                        |                      |             |                |

**Example:**

ST\*856\*0001

# BSN

## Beginning Segment for Ship Notice

|                     |             |
|---------------------|-------------|
| Pos: 0200           | Max: 1      |
| Heading - Mandatory |             |
| Loop: N/A           | Elements: 5 |

**Purpose:** To transmit identifying numbers, dates, and other basic data relating to the transaction set

### Element Summary:

| Ref   | Id  | Element Name                 | Req | Type | Min/Max |
|-------|-----|------------------------------|-----|------|---------|
| BSN01 | 353 | Transaction Set Purpose Code | M   | ID   | 2/2     |

**Description:** Code identifying purpose of transaction set

| Code | Name     |
|------|----------|
| 00   | Original |

**Walmart Note:**

When sent, the ASN will be processed as an initial ASN load. If an Original (00) is rejected by Application Advice (824) it should be corrected and resent with the Original (00) indicator as the initial load was not successful. If the Original (00) qualifier is sent with the same Shipment ID (BSN02) as an earlier successfully loaded ASN the file will be treated as a duplicate and not processed/loaded.

|       |     |                         |   |    |      |
|-------|-----|-------------------------|---|----|------|
| BSN02 | 396 | Shipment Identification | M | AN | 2/30 |
|-------|-----|-------------------------|---|----|------|

**Description:** A unique control number assigned by the original shipper to identify a specific shipment

**Walmart Note:**

Shipment ID should not be reused for at least 12 months unless you are trying to replace a previously sent ASN. See qualifier notes in Transaction Set Purpose Code (BSN02) element. Walmart strongly encourages the use of a GS1 Global Shipment Identification Number (GSIN) to ensure uniqueness and alignment of shipment ID with your company by means of GS1 company prefix.

|       |     |      |   |    |     |
|-------|-----|------|---|----|-----|
| BSN03 | 373 | Date | M | DT | 8/8 |
|-------|-----|------|---|----|-----|

**Description:** Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year

|       |     |      |   |    |     |
|-------|-----|------|---|----|-----|
| BSN04 | 337 | Time | M | TM | 4/8 |
|-------|-----|------|---|----|-----|

**Description:** Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)

|       |      |                             |   |    |     |
|-------|------|-----------------------------|---|----|-----|
| BSN05 | 1005 | Hierarchical Structure Code | O | ID | 4/4 |
|-------|------|-----------------------------|---|----|-----|

**Description:** Code indicating the hierarchical application structure of a transaction set that utilizes the HL segment to define the structure of the transaction set

**Walmart Note:**

This element is required by Walmart.

This guide can be used to create a Ship/Order/Pack/Item(0001) or Ship/Order/Item/Pack(0002) structure so long as the items appropriate to Hierarchical Level Code (HL03) are sent. A Tare (T) Hierarchical Level may be sent between the Order (O) and Pack (P)/Item (I) level, depending on the Structure Code specified, to represent a Pallet level as needed.

| Code | Name                             |
|------|----------------------------------|
| 0001 | Shipment, Order, Packaging, Item |

**Walmart Note:**

The Shipment, Order, Package, Item (0001) is required by Walmart on all DSDC/Store ASN Types and is recommended when shipping

|      |                                                                                                                                                        |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
|      | <i>multiple items per pack or when using GS1-128 based SSCC-18 labeling.</i>                                                                           |
| 0002 | Shipment, Order, Item, Packaging                                                                                                                       |
|      | <b>Walmart Note:</b><br><i>This Hierarchical Structure works best which shipping, almost exclusively, all one item per pack across multiple packs.</i> |
| 0004 | Shipment, Order, Item                                                                                                                                  |

**Syntax Rules:**

- 1. C0706 - If BSN07 is present, then BSN06 is required.

**Example:**  
For ASNs sent in Shipment-Order-(Tare)-Pack-Item hierarchy  
BSN\*00\*01140824\*20160115\*1345\*0001  
For ASNs sent in Shipment-Order-(Tare)-Item-Pack hierarchy  
BSN\*00\*01140824\*20160115\*1345\*0002



## ***Loop Hierarchical Level***

|           |                   |
|-----------|-------------------|
| Pos: 0100 | Repeat:<br>200000 |
| Mandatory |                   |
| Loop: HL  | Elements:<br>N/A  |

**Purpose:** To identify dependencies among and the content of hierarchically related groups of data segments

### **Loop Summary:**

| <u>Pos</u> | <u>Id</u> | <u>Segment Name</u> | <u>Req</u> | <u>Max Use</u> | <u>Repeat</u> |
|------------|-----------|---------------------|------------|----------------|---------------|
| 0100       |           | Loop HL             | O          |                | 1             |
| 0100       |           | Loop HL             | O          |                | 1             |
| 0100       |           | Loop HL             | O          |                | 1             |
| 0100       |           | Loop HL             | O          |                | 1             |
| 0100       |           | Loop HL             | O          |                | 1             |

### **Walmart Note:**

*Although it appears like multiple HL loops may be sent the intent here is to show that only one HL may be sent per Hierarchical Level loop with a total document max of 200,000 instances of the HL for all HLs. This is only formatted this way for human readability as combining Shipment, Order, Tare, Pack, and Item requirements all into one flattened Hierarchical Level loop would unnecessarily complicate most suppliers' ASN implementations.*

## Loop Shipment

|           |               |
|-----------|---------------|
| Pos: 0100 | Repeat: 1     |
|           | Optional      |
| Loop: HL  | Elements: N/A |

**Purpose:** To identify dependencies among and the content of hierarchically related groups of data segments

### Loop Summary:

| <u>Pos</u> | <u>Id</u> | <u>Segment Name</u>                                        | <u>Req</u> | <u>Max Use</u> | <u>Repeat</u> |
|------------|-----------|------------------------------------------------------------|------------|----------------|---------------|
| 0100       | HL        | Hierarchical Level - Shipment                              | M          | 1              |               |
| 1100       | TD1       | Carrier Details (Quantity and Weight) - Shipment           | O          | 20             |               |
| 1200       | TD5       | Carrier Details (Routing Sequence/Transit Time) - Shipment | O          | 12             |               |
| 1300       |           | Loop TD3                                                   | O          |                | 12            |
| 1500       | REF       | Reference Information - Shipment                           | O          | >1             |               |
| 1900       | MAN       | Marks and Numbers Information                              | O          | >1             |               |
| 2000       | DTM       | Date/Time Reference - Shipment                             | O          | 10             |               |
| 2100       | FOB       | F.O.B. Related Instructions - Shipment                     | O          | 1              |               |
| 2200       |           | Loop N1                                                    | O          |                | 200           |

### Walmart Note:

*This instance of the HL loop is only applicable when the Hierarchical Level Code (HL03) contains a Shipment (S) qualifier.*

*Because not all HL levels are Shipments this Shipment loop is marked as optional, but Walmart requires one instance of the Shipment hierarchical level for all ASN Types.*

**HL*****Hierarchical Level -  
Shipment***

|                    |             |
|--------------------|-------------|
| Pos: 0100          | Max: 1      |
| Detail - Mandatory |             |
| Loop: HL           | Elements: 2 |

**Purpose:** To identify dependencies among and the content of hierarchically related groups of data segments

**Element Summary:**

| <u>Ref</u>                                                                                                                   | <u>Id</u> | <u>Element Name</u>     | <u>Req</u>  | <u>Type</u> | <u>Min/Max</u> |
|------------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------|-------------|-------------|----------------|
| HL01                                                                                                                         | 628       | Hierarchical ID Number  | M           | AN          | 1/12           |
| <b>Description:</b> A unique number assigned by the sender to identify a particular data segment in a hierarchical structure |           |                         |             |             |                |
| HL03                                                                                                                         | 735       | Hierarchical Level Code | M           | ID          | 1/2            |
| <b>Description:</b> Code defining the characteristic of a level in a hierarchical structure                                  |           |                         |             |             |                |
|                                                                                                                              |           | <u>Code</u>             | <u>Name</u> |             |                |
|                                                                                                                              |           | S                       | Shipment    |             |                |

**Walmart Note:**

When sending shipment details ***the Shipment hierarchical level (HL) segment is required for all ASN Types.***

**Note:** Do not send Hierarchical Parent ID Number (HL02) for shipment as the shipment should always be the highest layer of ASN with no parent.

**Example:**

HL\*1\*\*S

**TD1****Carrier Details (Quantity and Weight) - Shipment**

|                   |             |
|-------------------|-------------|
| Pos: 1100         | Max: 20     |
| Detail - Optional |             |
| Loop: HL          | Elements: 3 |

**Purpose:** To specify the transportation details relative to commodity, weight, and quantity

**Element Summary:**

| <u>Ref</u> | <u>Id</u> | <u>Element Name</u> | <u>Req</u> | <u>Type</u> | <u>Min/Max</u> |
|------------|-----------|---------------------|------------|-------------|----------------|
| TD106      | 187       | Weight Qualifier    | O          | ID          | 1/2            |

**Description:** Code defining the type of weight

**Walmart Note:**

One instance of Weight Qualifier (TD106) with either Gross Weight (G) or Actual Net Weight (N) is required by Walmart for all ASN Types, with Gross Weight (G) being preferred. When sent, the Weight (TD107) and Unit of Measure (TD108) are required by Walmart.

**Code****Name**

G

Gross Weight

**Walmart Note:**

When sent, Weight (TD107) and Unit of Measure Code (TD108) are required by Walmart and will contain the combined weight of product, packaging materials, and pallet.

N

Actual Net Weight

**Walmart Note:**

When sent, Weight (TD107) and Unit of Measure Code (TD108) are required by Walmart and will contain the combined weight of product including packaging materials.

|       |    |        |   |   |      |
|-------|----|--------|---|---|------|
| TD107 | 81 | Weight | X | R | 1/10 |
|-------|----|--------|---|---|------|

**Description:** Numeric value of weight

|       |     |                                    |   |    |     |
|-------|-----|------------------------------------|---|----|-----|
| TD108 | 355 | Unit or Basis for Measurement Code | X | ID | 2/2 |
|-------|-----|------------------------------------|---|----|-----|

**Description:** Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken

**Code****Name**

KG

Kilogram

LB

Pound

**Syntax Rules:**

1. C0102 - If TD101 is present, then TD102 is required.
2. C0304 - If TD103 is present, then TD104 is required.
3. C0607 - If TD106 is present, then TD107 is required.
4. P0708 - If either TD107 or TD108 is present, then the other is required.
5. P0910 - If either TD109 or TD110 is present, then the other is required.

**Walmart Note:**

One instance of this segment is required by Walmart for all ASN Types and must contain a Weight (TD107)

**Example:**

TD1\*\*\*\*\*G\*45582\*LB

**TD5****Carrier Details (Routing Sequence/Transit Time) - Shipment**

|                   |             |
|-------------------|-------------|
| Pos: 1200         | Max: 12     |
| Detail - Optional |             |
| Loop: HL          | Elements: 3 |

**Purpose:** To specify the carrier and sequence of routing and provide transit time information

**Element Summary:**

| <u>Ref</u>                                                                                                 | <u>Id</u> | <u>Element Name</u>             | <u>Req</u> | <u>Type</u>                        | <u>Min/Max</u> |
|------------------------------------------------------------------------------------------------------------|-----------|---------------------------------|------------|------------------------------------|----------------|
| TD502                                                                                                      | 66        | Identification Code Qualifier   | X          | ID                                 | 1/2            |
| <b>Description:</b> Code designating the system/method of code structure used for Identification Code (67) |           |                                 |            |                                    |                |
|                                                                                                            |           | <u>Code</u>                     |            | <u>Name</u>                        |                |
|                                                                                                            |           | 2                               |            | Standard Carrier Alpha Code (SCAC) |                |
| TD503                                                                                                      | 67        | Identification Code             | X          | AN                                 | 2/80           |
| <b>Description:</b> Code identifying a party or other code                                                 |           |                                 |            |                                    |                |
| TD504                                                                                                      | 91        | Transportation Method/Type Code | X          | ID                                 | 1/2            |
| <b>Description:</b> Code specifying the method or type of transportation for the shipment                  |           |                                 |            |                                    |                |
|                                                                                                            |           | <u>Code</u>                     |            | <u>Name</u>                        |                |
|                                                                                                            |           | K                               |            | Backhaul                           |                |
|                                                                                                            |           | M                               |            | Motor (Common Carrier)             |                |
|                                                                                                            |           | U                               |            | Private Parcel Service             |                |
|                                                                                                            |           | LT                              |            | Less Than Trailer Load (LTL)       |                |

**Syntax Rules:**

1. R0204050612 - At least one of TD502, TD504, TD505, TD506 or TD512 is required.
2. C0203 - If TD502 is present, then TD503 is required.
3. C0708 - If TD507 is present, then TD508 is required.
4. C1011 - If TD510 is present, then TD511 is required.
5. C1312 - If TD513 is present, then TD512 is required.
6. C1413 - If TD514 is present, then TD513 is required.
7. C1512 - If TD515 is present, then TD512 is required.

**Walmart Note:**

One instance of this segment is **required by Walmart for all ASN Types and must contain Transportation Method/Type Code (TD504)**. The SCAC code in the Identification Code (TD503) with a Standard Carrier Alpha Code (2) qualifier in the Identification Code Qualifier (TD502) are recommended.

**Example:**

TD5\*\*2\*JBHT\*M

## ***Loop Carrier Details (Equipment) - Shipment***

|           |               |
|-----------|---------------|
| Pos: 1300 | Repeat: 12    |
|           | Optional      |
| Loop: TD3 | Elements: N/A |

**Purpose:** To specify transportation details relating to the equipment used by the carrier

### **Loop Summary:**

| <u>Pos</u> | <u>Id</u> | <u>Segment Name</u>                    | <u>Req</u> | <u>Max Use</u> | <u>Repeat</u> |
|------------|-----------|----------------------------------------|------------|----------------|---------------|
| 1300       | TD3       | Carrier Details (Equipment) - Shipment | O          | 1              |               |

**TD3**

## ***Carrier Details (Equipment) - Shipment***

|                   |             |
|-------------------|-------------|
| Pos: 1300         | Max: 1      |
| Detail - Optional |             |
| Loop: TD3         | Elements: 4 |

**Purpose:** To specify transportation details relating to the equipment used by the carrier

### **Element Summary:**

| <u>Ref</u> | <u>Id</u> | <u>Element Name</u>        | <u>Req</u> | <u>Type</u> | <u>Min/Max</u> |
|------------|-----------|----------------------------|------------|-------------|----------------|
| TD301      | 40        | Equipment Description Code | X          | ID          | 2/2            |

**Description:** Code identifying type of equipment used for shipment

| <u>Code</u> | <u>Name</u>                             |
|-------------|-----------------------------------------|
| RT          | Controlled Temperature Trailer (Reefer) |
| TA          | Trailer, Heated/Insulated/Ventilated    |
| TL          | Trailer (not otherwise specified)       |

|       |     |                   |   |    |     |
|-------|-----|-------------------|---|----|-----|
| TD302 | 206 | Equipment Initial | O | AN | 1/4 |
|-------|-----|-------------------|---|----|-----|

**Description:** Prefix or alphabetic part of an equipment unit's identifying number

|       |     |                  |   |    |      |
|-------|-----|------------------|---|----|------|
| TD303 | 207 | Equipment Number | X | AN | 1/15 |
|-------|-----|------------------|---|----|------|

**Description:** Sequencing or serial part of an equipment unit's identifying number (pure numeric form for equipment number is preferred)

|       |     |             |   |    |      |
|-------|-----|-------------|---|----|------|
| TD309 | 225 | Seal Number | O | AN | 2/15 |
|-------|-----|-------------|---|----|------|

**Description:** Unique number on seal used to close a shipment

#### **Walmart Note:**

*The Seal Number (TD309) element is requested by Walmart for all Truckload shipments. When sent, this element should contain the seal number for the trailer at time of departure.*

### **Syntax Rules:**

1. E0110 - Only one of TD301 or TD310 may be present.
2. C0203 - If TD302 is present, then TD303 is required.
3. C0405 - If TD304 is present, then TD305 is required.
4. P0506 - If either TD305 or TD306 is present, then the other is required.

### **Walmart Note:**

*One instance of this segment is **required by Walmart** for all full Truckload shipments. When sent, the Equipment Description Code (TD301) is **required by Walmart** and Equipment Number (TD303) is requested.*

### **Example:**

TD3\*TL\*ABCD\*07213567\*\*\*\*\*30394938483234

# REF

## Reference Information - Shipment

Pos: 1500      Max: >1  
Detail - Optional  
Loop: HL      Elements: 2

**Purpose:** To specify identifying information

### Element Summary:

| Ref   | Id  | Element Name                       | Req | Type | Min/Max |
|-------|-----|------------------------------------|-----|------|---------|
| REF01 | 128 | Reference Identification Qualifier | M   | ID   | 2/3     |

**Description:** Code qualifying the Reference Identification

#### Code

#### Name

AO

Appointment Number

#### Walmart Note:

One instance of the Reference Information (REF) segment with this qualifier **is required by Walmart** when know or sent on the Walmart PO and requested for all others. When sent the Reference Identification (REF02) will contain the Walmart assigned appointment number.

BM

Bill of Lading Number

#### Walmart Note:

One instance of the Reference Identification (REF) segment with either Bill of Lading (BM) or VICS Bill of Lading Number (UCB) qualifier **is required by Walmart on all Truckload and LTL ASNs**. Small Parcel shipments do not require this detail. When sent, the Reference Identification (REF02) will contain Bill of Lading number for the shipment.

Walmart and GS1 standard both highly recommend VICS Bill of Lading to avoid Bill of Lading numbering collision and ensure uniqueness and compatibility with GS1 compliant marking and labeling standards.

CN

Carrier's Reference Number (PRO/Invoice)

#### Walmart Note:

The Carrier issued PRO/Invoice Number is requested by Walmart.

LO

Load Planning Number

#### Walmart Note:

One instance of the Reference Information (REF) segment with this qualifier **is required by Walmart on all Collect (FOB\*CC) shipments that are Truckload [TL] or less than truckload [LTL]**. When sent the Reference Identification (REF02) will contain the Walmart assigned Load Number.

UCB

VICS Bill of Lading Number (17 Digits)

#### Walmart Note:

One instance of the Reference Identification (REF) segment with either Bill of Lading (BM) or VICS Bill of Lading Number (UCB) qualifier **is required by Walmart on all Truckload and LTL ASNs**. Small Parcel shipments do not require this detail. When sent the Reference Identification (REF02) will contain the seventeen-digit VICS Bill of Lading number for the shipment. For more information on the GS1 US Bill of Lading requirements please see the [GS1 US Bill of Lading Guideline](#) or [GS1 US Bill of Lading FAQ](#).

|       |     |                          |   |    |      |
|-------|-----|--------------------------|---|----|------|
| REF02 | 127 | Reference Identification | X | AN | 1/50 |
|-------|-----|--------------------------|---|----|------|

**Description:** Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier



**Syntax Rules:**

1. R0203 - At least one of REF02 or REF03 is required.

**Example:**Bill of Lading

REF\*UCB\*00787428792338910

Load Planning Number

REF\*LO\*86262415

PRO/Invoice Number

REF\*CN\*48462125

Walmart Appointment number

REF\*AO\*11894078

# MAN

## *Marks and Numbers Information*

|                   |             |
|-------------------|-------------|
| Pos: 1900         | Max: >1     |
| Detail - Optional |             |
| Loop: HL          | Elements: 2 |

**Purpose:** To indicate identifying marks and numbers for shipping containers

### Element Summary:

| <u>Ref</u> | <u>Id</u> | <u>Element Name</u>         | <u>Req</u> | <u>Type</u> | <u>Min/Max</u> |
|------------|-----------|-----------------------------|------------|-------------|----------------|
| MAN01      | 88        | Marks and Numbers Qualifier | M          | ID          | 1/2            |

**Description:** Code specifying the application or source of Marks and Numbers (87)

| <u>Code</u> | <u>Name</u>                        |
|-------------|------------------------------------|
| CP          | Carrier-Assigned Package ID Number |

#### **Walmart Note:**

*One instance of the Marks and Numbers Information (MAN) segment with this qualifier **is required by Walmart at either the Shipment (master tracking number) or Pack level (per pack tracking number) only for Small Parcel ASN Types**. When sent, the Marks and Numbers (MAN02) element must contain the parcel tracking number as issued by the carrier specified by SCAC in the Identification Code (TD502) in the shipment level.*

|       |    |                   |   |    |      |
|-------|----|-------------------|---|----|------|
| MAN02 | 87 | Marks and Numbers | M | AN | 1/48 |
|-------|----|-------------------|---|----|------|

**Description:** Marks and numbers used to identify a shipment or parts of a shipment

### Syntax Rules:

1. P0405 - If either MAN04 or MAN05 is present, then the other is required.
2. C0605 - If MAN06 is present, then MAN05 is required.

# DTM

## *Date/Time Reference - Shipment*

|                   |             |
|-------------------|-------------|
| Pos: 2000         | Max: 10     |
| Detail - Optional |             |
| Loop: HL          | Elements: 3 |

**Purpose:** To specify pertinent dates and times

### Element Summary:

| <u>Ref</u> | <u>Id</u> | <u>Element Name</u> | <u>Req</u> | <u>Type</u> | <u>Min/Max</u> |
|------------|-----------|---------------------|------------|-------------|----------------|
| DTM01      | 374       | Date/Time Qualifier | M          | ID          | 3/3            |

**Description:** Code specifying type of date or time, or both date and time

| <u>Code</u> | <u>Name</u> |
|-------------|-------------|
| 011         | Shipped     |

#### **Walmart Note:**

One instance of the Date/Time Reference (DTM) segment with this qualifier **is required by Walmart for all ASN Types**. When sent, the Date (DTM02) and Time (DTM03) will contain the shipping date/time.

|     |                           |
|-----|---------------------------|
| 067 | Current Schedule Delivery |
|-----|---------------------------|

#### **Walmart Note:**

One instance of the Date/Time Reference (DTM) segment with this qualifier **is required by Walmart for Store ASNs**. When sent the Date (DTM02) and Time (DTM03) will contain the delivery date/time for the shipment.

|       |     |             |   |    |     |
|-------|-----|-------------|---|----|-----|
| DTM02 | 373 | <b>Date</b> | X | DT | 8/8 |
|-------|-----|-------------|---|----|-----|

**Description:** Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year

|       |     |             |   |    |     |
|-------|-----|-------------|---|----|-----|
| DTM03 | 337 | <b>Time</b> | X | TM | 4/8 |
|-------|-----|-------------|---|----|-----|

**Description:** Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)

### Syntax Rules:

1. R020305 - At least one of DTM02, DTM03 or DTM05 is required.
2. C0403 - If DTM04 is present, then DTM03 is required.
3. P0506 - If either DTM05 or DTM06 is present, then the other is required.

### Example:

#### Ship Date-Time

DTM\*011\*20191015\*0900

#### Scheduled Delivery Date-Time

DTM\*067\*20191016\*1600

# FOB

## *F.O.B. Related Instructions - Shipment*

|                   |             |
|-------------------|-------------|
| Pos: 2100         | Max: 1      |
| Detail - Optional |             |
| Loop: HL          | Elements: 1 |

**Purpose:** To specify transportation instructions relating to shipment

### Element Summary:

| <u>Ref</u> | <u>Id</u> | <u>Element Name</u>        | <u>Req</u> | <u>Type</u> | <u>Min/Max</u> |
|------------|-----------|----------------------------|------------|-------------|----------------|
| FOB01      | 146       | Shipment Method of Payment | M          | ID          | 2/2            |

**Description:** Code identifying payment terms for transportation charges

| <u>Code</u> | <u>Name</u>         |
|-------------|---------------------|
| CC          | Collect             |
| PP          | Prepaid (by Seller) |

### Syntax Rules:

1. C0302 - If FOB03 is present, then FOB02 is required.
2. C0405 - If FOB04 is present, then FOB05 is required.
3. C0706 - If FOB07 is present, then FOB06 is required.
4. C0809 - If FOB08 is present, then FOB09 is required.

### Walmart Note:

*This segment **is required by Walmart for all ASN Types** and must contain a Collect (CC) or Prepaid (PP) qualifier in the Shipment Method of Payment (FOB01).*

### Example:

Collect  
FOB\*CC  
Prepaid  
FOB\*PP

## ***Loop Party Identification - Shipment***

|           |                  |
|-----------|------------------|
| Pos: 2200 | Repeat: 200      |
| Optional  |                  |
| Loop: N1  | Elements:<br>N/A |

**Purpose:** To identify a party by type of organization, name, and code

### **Loop Summary:**

| <u>Pos</u> | <u>Id</u> | <u>Segment Name</u>             | <u>Req</u> | <u>Max Use</u> | <u>Repeat</u> |
|------------|-----------|---------------------------------|------------|----------------|---------------|
| 2200       | N1        | Party Identification - Shipment | O          | 1              |               |
| 2400       | N3        | Party Location - Shipment       | O          | 2              |               |
| 2500       | N4        | Geographic Location - Shipment  | O          | 1              |               |

**N1**

## Party Identification - Shipment

|                   |             |
|-------------------|-------------|
| Pos: 2200         | Max: 1      |
| Detail - Optional |             |
| Loop: N1          | Elements: 4 |

**Purpose:** To identify a party by type of organization, name, and code

### Element Summary:

| <u>Ref</u>                                                                                                    | <u>Id</u>                    | <u>Element Name</u>                                                                                                       | <u>Req</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                     | <u>Type</u> | <u>Min/Max</u> |                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |  |  |
|---------------------------------------------------------------------------------------------------------------|------------------------------|---------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|----------------|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|
| N101                                                                                                          | 98                           | Entity Identifier Code                                                                                                    | M                                                                                                                                                                                                                                                                                                                                                                                                                                                              | ID          | 2/3            |                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |  |  |
| <b>Description:</b> Code identifying an organizational entity, a physical location, property or an individual |                              |                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                |             |                |                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |  |  |
|                                                                                                               |                              | <table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>SF</td><td>Ship From</td></tr></table>                    | <u>Code</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                    | <u>Name</u> | SF             | Ship From                    | <div><b>Walmart Note:</b><br/><i>One instance of the Party Identification (N1) with this qualifier <b>is required by Walmart for all <u>ASN Types</u></b>. When sent, either the Name (N102) element or Identification Code/Qualifier (N103/N104) <b>are required by standard</b>, Walmart makes no restriction beyond standard for what is sent although company name is commonly used.</i><br/><br/><i>The Party Location (N3) and Geographic Location (N4) segments containing the complete address of the ship point <b>are required by Walmart</b>. For shipments that contain multiple pickup locations, the address of the last pickup should be used.</i></div> |  |  |  |
| <u>Code</u>                                                                                                   | <u>Name</u>                  |                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                |             |                |                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |  |  |
| SF                                                                                                            | Ship From                    |                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                |             |                |                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |  |  |
|                                                                                                               |                              | ST                                                                                                                        | Ship To                                                                                                                                                                                                                                                                                                                                                                                                                                                        |             |                |                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |  |  |
|                                                                                                               |                              |                                                                                                                           | <div><b>Walmart Note:</b><br/><i>One instance of the Party Identification (N1) with this qualifier <b>is required by Walmart for all <u>ASN Types</u></b>.</i><br/><br/><i>When sent, the following <b>are required by Walmart</b>:<br/>Identification Code Qualifier (N103) with Global Location Number (UL) qualifier and Identification Code (N104) containing a Walmart Assigned Global Location Number [GLN] for the destination business unit.</i></div> |             |                |                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |  |  |
| N102                                                                                                          | 93                           | Name                                                                                                                      | X                                                                                                                                                                                                                                                                                                                                                                                                                                                              | AN          | 1/60           |                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |  |  |
| <b>Description:</b> Free-form name                                                                            |                              |                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                |             |                |                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |  |  |
| N103                                                                                                          | 66                           | Identification Code Qualifier                                                                                             | X                                                                                                                                                                                                                                                                                                                                                                                                                                                              | ID          | 1/2            |                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |  |  |
| <b>Description:</b> Code designating the system/method of code structure used for Identification Code (67)    |                              |                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                |             |                |                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |  |  |
|                                                                                                               |                              | <table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>UL</td><td>Global Location Number (GLN)</td></tr></table> | <u>Code</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                    | <u>Name</u> | UL             | Global Location Number (GLN) |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |  |  |
| <u>Code</u>                                                                                                   | <u>Name</u>                  |                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                |             |                |                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |  |  |
| UL                                                                                                            | Global Location Number (GLN) |                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                |             |                |                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |  |  |
| N104                                                                                                          | 67                           | Identification Code                                                                                                       | X                                                                                                                                                                                                                                                                                                                                                                                                                                                              | AN          | 2/80           |                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |  |  |
| <b>Description:</b> Code identifying a party or other code                                                    |                              |                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                |             |                |                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |  |  |

### Syntax Rules:

1. R0203 - At least one of N102 or N103 is required.
2. P0304 - If either N103 or N104 is present, then the other is required.

### Example:

```
N1*ST*WAL-MART DC 6094D-DSDC*UL*0078742035253
N1*Sf*BEST SUPPLIER
```

**N3****Party Location - Shipment**

|                   |             |
|-------------------|-------------|
| Pos: 2400         | Max: 2      |
| Detail - Optional |             |
| Loop: N1          | Elements: 2 |

**Purpose:** To specify the location of the named party**Element Summary:**

| <u>Ref</u> | <u>Id</u> | <u>Element Name</u> | <u>Req</u> | <u>Type</u> | <u>Min/Max</u> |
|------------|-----------|---------------------|------------|-------------|----------------|
| N301       | 166       | Address Information | M          | AN          | 1/55           |

**Description:** Address information**Walmart Note:**

*One instance of the Address Information (N301) element **is required by Walmart** when Entity Identifier Code (N101) contains a Ship From (SF) qualifier. When sent, it should contain the physical location address being identified by the Entity Identifier Code (N101).*

|      |     |                     |   |    |      |
|------|-----|---------------------|---|----|------|
| N302 | 166 | Address Information | O | AN | 1/55 |
|------|-----|---------------------|---|----|------|

**Description:** Address information**Example:**

N3\*100 SUPPLIER DRIVE

**N4**

## Geographic Location - Shipment

|                   |             |
|-------------------|-------------|
| Pos: 2500         | Max: 1      |
| Detail - Optional |             |
| Loop: N1          | Elements: 4 |

**Purpose:** To specify the geographic place of the named party

### Element Summary:

| Ref  | Id | Element Name | Req | Type | Min/Max |
|------|----|--------------|-----|------|---------|
| N401 | 19 | City Name    | O   | AN   | 2/30    |

**Description:** Free-form text for city name

**Walmart Note:**

*City Name (N401) is required by Walmart when Entity Identifier Code (N101) contains a Ship From (SF) qualifier. When sent, it should contain a city portion of the physical location address being identified by the Entity Identifier Code (N101).*

|      |     |                        |   |    |     |
|------|-----|------------------------|---|----|-----|
| N402 | 156 | State or Province Code | X | ID | 2/2 |
|------|-----|------------------------|---|----|-----|

**Description:** Code (Standard State/Province) as defined by appropriate government agency

**Walmart Note:**

*State or Province Code (N402) is required by Walmart when Entity Identifier Code (N101) contains a Ship From (SF) qualifier. When sent, it should contain the ISO 3166-2 State/Province Code of the physical location address being identified by the Entity Identifier Code (N101).*

|      |     |             |   |    |      |
|------|-----|-------------|---|----|------|
| N403 | 116 | Postal Code | O | ID | 3/15 |
|------|-----|-------------|---|----|------|

**Description:** Code defining international postal zone code excluding punctuation and blanks (zip code for United States)

**Walmart Note:**

*Postal Code (N403) is required by Walmart when Entity Identifier Code (N101) contains a Ship From (SF) qualifier. When sent, it should contain the Postal Code portion of the physical location address being identified by the Entity Identifier Code (N101).*

|      |    |              |   |    |     |
|------|----|--------------|---|----|-----|
| N404 | 26 | Country Code | X | ID | 2/3 |
|------|----|--------------|---|----|-----|

**Description:** Code identifying the country

**Walmart Note:**

*When sent, this element must contain also 3166-1 compliant alpha-2 country code*

### Syntax Rules:

1. E0207 - Only one of N402 or N407 may be present.
2. C0605 - If N406 is present, then N405 is required.
3. C0704 - If N407 is present, then N404 is required.

### Example:

N4\*SUPPLIER CITY\*AR\*72716\*US



## Loop Order

|           |               |
|-----------|---------------|
| Pos: 0100 | Repeat: 1     |
| Optional  |               |
| Loop: HL  | Elements: N/A |

**Purpose:** To identify dependencies among and the content of hierarchically related groups of data segments

### Loop Summary:

| <u>Pos</u> | <u>Id</u> | <u>Segment Name</u>                   | <u>Req</u> | <u>Max Use</u> | <u>Repeat</u> |
|------------|-----------|---------------------------------------|------------|----------------|---------------|
| 0100       | HL        | Hierarchical Level - Order            | M          | 1              |               |
| 0500       | PRF       | Purchase Order Reference - Order      | O          | 1              |               |
| 1100       | TD1       | Carrier Details (Quantity and Weight) | O          | 20             |               |
| 1500       | REF       | Reference Information - Order         | O          | >1             |               |

### Walmart Note:

*This instance of the HL loop is only applicable when the Hierarchical Level Code (HL03) contains an Order (O) qualifier.*

*Because not all HL levels are Order this Order loop is marked as optional, but **Walmart requires one or more instances of the Order hierarchical level for all ASN Types.***

**HL*****Hierarchical Level - Order***

|                    |             |
|--------------------|-------------|
| Pos: 0100          | Max: 1      |
| Detail - Mandatory |             |
| Loop: HL           | Elements: 3 |

**Purpose:** To identify dependencies among and the content of hierarchically related groups of data segments

**Element Summary:**

| <u>Ref</u> | <u>Id</u> | <u>Element Name</u>                                                                                                                                                                              | <u>Req</u>  | <u>Type</u> | <u>Min/Max</u> |
|------------|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-------------|----------------|
| HL01       | 628       | Hierarchical ID Number                                                                                                                                                                           | M           | AN          | 1/12           |
|            |           | <b>Description:</b> A unique number assigned by the sender to identify a particular data segment in a hierarchical structure                                                                     |             |             |                |
| HL02       | 734       | Hierarchical Parent ID Number                                                                                                                                                                    | O           | AN          | 1/12           |
|            |           | <b>Description:</b> Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to                                                   |             |             |                |
|            |           | <b>Walmart Note:</b><br><i>This element <b>is required by Walmart</b> for this Hierarchical type. When sent, it must properly match a preceding Hierarchical ID Number (HL01) as its parent.</i> |             |             |                |
| HL03       | 735       | Hierarchical Level Code                                                                                                                                                                          | M           | ID          | 1/2            |
|            |           | <b>Description:</b> Code defining the characteristic of a level in a hierarchical structure                                                                                                      |             |             |                |
|            |           | <u>Code</u>                                                                                                                                                                                      | <u>Name</u> |             |                |
|            |           | O                                                                                                                                                                                                | Order       |             |                |

**Walmart Note:**

When sending order details the Order hierarchical level (HL) segment is required for all ASN Types.

**Example:**

HL\*2\*1\*O

# PRF

## *Purchase Order Reference - Order*

|                   |             |
|-------------------|-------------|
| Pos: 0500         | Max: 1      |
| Detail - Optional |             |
| Loop: HL          | Elements: 2 |

**Purpose:** To provide reference to a specific purchase order

### Element Summary:

| <u>Ref</u> | <u>Id</u> | <u>Element Name</u>   | <u>Req</u> | <u>Type</u> | <u>Min/Max</u> |
|------------|-----------|-----------------------|------------|-------------|----------------|
| PRF01      | 324       | Purchase Order Number | M          | AN          | 1/22           |

**Description:** Identifying number for Purchase Order assigned by the orderer/purchaser

**Walmart Note:**  
*This element is required by Walmart*

|       |     |      |   |    |     |
|-------|-----|------|---|----|-----|
| PRF04 | 373 | Date | O | DT | 8/8 |
|-------|-----|------|---|----|-----|

**Description:** Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year

**Walmart Note:**  
*This element is requested by Walmart. When sent, Date (PRF04) will contain the original order date.*

### Walmart Note:

*This segment is required by Walmart for all ASN Types.*

*Only one PO may be sent per Hierarchical Level (HL) per standard. If an ASN containing multiple POs then multiple order hierarchical levels must be sent.*

### Example:

PRF\*9988776655\*\*\*20160115

**TD1****Carrier Details (Quantity and Weight)**

|                   |             |
|-------------------|-------------|
| Pos: 1100         | Max: 20     |
| Detail - Optional |             |
| Loop: HL          | Elements: 2 |

**Purpose:** To specify the transportation details relative to commodity, weight, and quantity

**Element Summary:**

| <u>Ref</u> | <u>Id</u> | <u>Element Name</u> | <u>Req</u> | <u>Type</u> | <u>Min/Max</u> |
|------------|-----------|---------------------|------------|-------------|----------------|
| TD101      | 103       | Packaging Code      | O          | AN          | 3/5            |

**Description:** Code identifying the type of packaging; Part 1: Packaging Form, Part 2: Packaging Material; if the Data Element is used, then Part 1 is always required

| <u>Code</u> | <u>Name</u> |
|-------------|-------------|
| CAS         | Case        |

**Walmart Note:**

*This qualifier should be sent for floor loaded product. When sent, the second part of this composite code list, Packaging Material, is not recommended or required by Walmart.*

|     |        |
|-----|--------|
| PLT | Pallet |
|-----|--------|

**Walmart Note:**

*When sent, the second part of this composite code list, Packaging Material, is not recommended or required by Walmart.*

|     |            |
|-----|------------|
| SLP | Slip Sheet |
|-----|------------|

**Walmart Note:**

*When sent, the second part of this composite code list, Packaging Material, is not recommended or required by Walmart.*

|       |    |                 |   |    |     |
|-------|----|-----------------|---|----|-----|
| TD102 | 80 | Lading Quantity | X | N0 | 1/7 |
|-------|----|-----------------|---|----|-----|

**Description:** Number of units (pieces) of the lading commodity

**Syntax Rules:**

1. C0102 - If TD101 is present, then TD102 is required.
2. C0304 - If TD103 is present, then TD104 is required.
3. C0607 - If TD106 is present, then TD107 is required.
4. P0708 - If either TD107 or TD108 is present, then the other is required.
5. P0910 - If either TD109 or TD110 is present, then the other is required.

**Walmart Note:**

*One instance of this segment is required by Walmart for all ASN Types and must contain a Packaging Code (TD101) and Lading Quantity (TD102) elements.*

**Example:**

TD1\*PLT\*2

# REF

## Reference Information - Order

Pos: 1500      Max: >1  
Detail - Optional  
Loop: HL      Elements: 2

**Purpose:** To specify identifying information

### Element Summary:

| <u>Ref</u> | <u>Id</u> | <u>Element Name</u>                | <u>Req</u> | <u>Type</u> | <u>Min/Max</u> |
|------------|-----------|------------------------------------|------------|-------------|----------------|
| REF01      | 128       | Reference Identification Qualifier | M          | ID          | 2/3            |

**Description:** Code qualifying the Reference Identification

| <u>Code</u> | <u>Name</u>            |
|-------------|------------------------|
| IA          | Internal Vendor Number |

#### Walmart Note:

One instance of the Reference Information (REF) segment with Internal Vendor Number (IA) qualifier **is required by Walmart**. When sent, the Reference Identification (REF02) will contain the Walmart assigned 9-digit vendor number as it appeared on the purchase order.

|    |                         |
|----|-------------------------|
| IV | Seller's Invoice Number |
|----|-------------------------|

#### Walmart Note:

One instance of the Reference Identification Qualifier (REF01) element with this qualifier is requested by Walmart for suppliers who are also on the Walmart Pay From Receipt (PFR) program. When sent, the Reference Identification (REF02) element will contain the Supplier Assigned 22-character maximum alpha-numeric Invoice/PFR Reference Number. This Invoice Number will appear on the PFR Credit/Debit Adjustment document (812) as the invoice number, alternatively if not sent the Purchase Order Number (PRF01) will be used.

|       |     |                          |   |    |      |
|-------|-----|--------------------------|---|----|------|
| REF02 | 127 | Reference Identification | X | AN | 1/50 |
|-------|-----|--------------------------|---|----|------|

**Description:** Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

### Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

### Example:

Supplier Number as sent on PO  
REF\*IA\*211555050  
Supplier Invoice Number  
REF\*IV\*01140824

## Loop Tare

|           |               |
|-----------|---------------|
| Pos: 0100 | Repeat: 1     |
| Optional  |               |
| Loop: HL  | Elements: N/A |

**Purpose:** To identify dependencies among and the content of hierarchically related groups of data segments

### Loop Summary:

| <u>Pos</u> | <u>Id</u> | <u>Segment Name</u>                         | <u>Req</u> | <u>Max Use</u> | <u>Repeat</u> |
|------------|-----------|---------------------------------------------|------------|----------------|---------------|
| 0100       | HL        | Hierarchical Level - Tare                   | O          | 1              |               |
| 1000       | PKG       | Marking, Packaging, Loading - Tare          | O          | 25             |               |
| 1900       | MAN       | Marks and Numbers Information - Tare        | O          | >1             |               |
| 2150       | PAL       | Pallet Type and Load Characteristics - Tare | O          | 1              |               |

### Walmart Note:

*This instance of the HL loop is only applicable when the Hierarchical Level Code (HL03) contains a Shipping Tare (T) qualifier.*

*The tare level **must always** precede the Pack as a parent or grandparent, if pack is also sent.*

**HL*****Hierarchical Level - Tare***

|                   |             |
|-------------------|-------------|
| Pos: 0100         | Max: 1      |
| Detail - Optional |             |
| Loop: HL          | Elements: 3 |

**Purpose:** To identify dependencies among and the content of hierarchically related groups of data segments

**Element Summary:**

| <u>Ref</u> | <u>Id</u> | <u>Element Name</u>                                                                                                                                                                              | <u>Req</u>    | <u>Type</u> | <u>Min/Max</u> |
|------------|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-------------|----------------|
| HL01       | 628       | Hierarchical ID Number                                                                                                                                                                           | M             | AN          | 1/12           |
|            |           | <b>Description:</b> A unique number assigned by the sender to identify a particular data segment in a hierarchical structure                                                                     |               |             |                |
| HL02       | 734       | Hierarchical Parent ID Number                                                                                                                                                                    | O             | AN          | 1/12           |
|            |           | <b>Description:</b> Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to                                                   |               |             |                |
|            |           | <b>Walmart Note:</b><br><i>This element <b>is required by Walmart for this Hierarchical type</b>. When sent, it must properly match a preceding Hierarchical ID Number (HL01) as its parent.</i> |               |             |                |
| HL03       | 735       | Hierarchical Level Code                                                                                                                                                                          | M             | ID          | 1/2            |
|            |           | <b>Description:</b> Code defining the characteristic of a level in a hierarchical structure                                                                                                      |               |             |                |
|            |           | <u>Code</u>                                                                                                                                                                                      | <u>Name</u>   |             |                |
|            |           | T                                                                                                                                                                                                | Shipping Tare |             |                |

**Walmart Note:**

*When sending tare (pallet) details the Tare hierarchical level (HL) segment is required.*

**Example:**

HL\*3\*2\*T

# PKG

## Marking, Packaging, Loading - Tare

|                   |             |
|-------------------|-------------|
| Pos: 1000         | Max: 25     |
| Detail - Optional |             |
| Loop: HL          | Elements: 4 |

**Purpose:** To describe marking, packaging, loading, and unloading requirements

### Element Summary:

| Ref   | Id  | Element Name          | Req | Type | Min/Max |
|-------|-----|-----------------------|-----|------|---------|
| PKG01 | 349 | Item Description Type | X   | ID   | 1/1     |

**Description:** Code indicating the format of a description

| Code | Name                                 |
|------|--------------------------------------|
| S    | Structured (From Industry Code List) |

|       |     |                               |   |    |     |
|-------|-----|-------------------------------|---|----|-----|
| PKG02 | 753 | Packaging Characteristic Code | O | ID | 1/5 |
|-------|-----|-------------------------------|---|----|-----|

**Description:** Code specifying the marking, packaging, loading and related characteristics being described

| Code | Name             |
|------|------------------|
| 68   | Skid/Pallet Type |

#### Walmart Note:

*One instance of the Packing (PKG) segment with this qualifier is required by Walmart when products are shipped palletized.*

*When sent, the Item Description Type (PKG01) with Structured (S) qualifier, Agency Qualifier Code (PKG03) with GS1 US (FD) qualifier and Packaging Description Code (PKG04) are required by Walmart. The Packaging Description Code (PKG04) will indicate the pallet type used.*

|       |     |                       |   |    |     |
|-------|-----|-----------------------|---|----|-----|
| PKG03 | 559 | Agency Qualifier Code | X | ID | 2/2 |
|-------|-----|-----------------------|---|----|-----|

**Description:** Code identifying the agency assigning the code values

| Code | Name         |
|------|--------------|
| FD   | GS1 US, Inc. |

|       |     |                            |   |    |     |
|-------|-----|----------------------------|---|----|-----|
| PKG04 | 754 | Packaging Description Code | X | AN | 1/7 |
|-------|-----|----------------------------|---|----|-----|

**Description:** A code from an industry code list which provides specific data about the marking, packaging or loading and unloading of a product

| Code | Name                                           |
|------|------------------------------------------------|
| 37   | CHEP (Commonwealth Handling Equipment Pool)    |
| 41   | iGPS Logistics                                 |
| 47   | PECO Pallet Exchange Company                   |
| 52   | White Wood General Exchange, non-rental pallet |

### Syntax Rules:

1. R040506 - At least one of PKG04, PKG05 or PKG06 is required.
2. C0403 - If PKG04 is present, then PKG03 is required.
3. C0501 - If PKG05 is present, then PKG01 is required.

### Walmart Note:

*The Packaging/Loading (PKG) segment containing Item Description (PKG01), Packing Characteristic Code (PKG02), Agency Qualifier Code (PKG03), and Packaging Description Code (PKG04) is required by Walmart for each pallet shipped.*

### Example:



PKG\*S\*68\*FD\*52

# MAN

## *Marks and Numbers Information - Tare*

|                   |             |
|-------------------|-------------|
| Pos: 1900         | Max: >1     |
| Detail - Optional |             |
| Loop: HL          | Elements: 2 |

**Purpose:** To indicate identifying marks and numbers for shipping containers

### Element Summary:

| <u>Ref</u> | <u>Id</u> | <u>Element Name</u>         | <u>Req</u> | <u>Type</u> | <u>Min/Max</u> |
|------------|-----------|-----------------------------|------------|-------------|----------------|
| MAN01      | 88        | Marks and Numbers Qualifier | M          | ID          | 1/2            |

**Description:** Code specifying the application or source of Marks and Numbers (87)

| <u>Code</u> | <u>Name</u>                                                              |
|-------------|--------------------------------------------------------------------------|
| GM          | EAN.UCC Serial Shipping Container Code (SSCC) and Application Identifier |

#### **Walmart Note:**

*One instance of the Marks and Numbers Information (MAN) segment with this qualifier is recommended by Walmart when pallets are used. When sent, the Marks and Numbers (MAN02) will contain the 20-digit GS1-128 SSCC-18 with an Application Identifier prefix of '00' for the pallet.*

|       |    |                   |   |    |      |
|-------|----|-------------------|---|----|------|
| MAN02 | 87 | Marks and Numbers | M | AN | 1/48 |
|-------|----|-------------------|---|----|------|

**Description:** Marks and numbers used to identify a shipment or parts of a shipment

### Syntax Rules:

1. P0405 - If either MAN04 or MAN05 is present, then the other is required.
2. C0605 - If MAN06 is present, then MAN05 is required.

### Example:

MAN\*GM\*00000010012345612345

# PAL

## *Pallet Type and Load Characteristics - Tare*

|                   |             |
|-------------------|-------------|
| Pos: 2150         | Max: 1      |
| Detail - Optional |             |
| Loop: HL          | Elements: 2 |

**Purpose:** To identify the type and physical attributes of the pallet, and, gross weight, gross volume, and height of the load and the pallet

### Element Summary:

| <u>Ref</u>                                                                 | <u>Id</u> | <u>Element Name</u>  | <u>Req</u> | <u>Type</u> | <u>Min/Max</u> |
|----------------------------------------------------------------------------|-----------|----------------------|------------|-------------|----------------|
| PAL02                                                                      | 884       | <b>Pallet Tiers</b>  | O          | N0          | 1/3            |
| <b>Description:</b> The number of layers per pallet                        |           |                      |            |             |                |
| PAL03                                                                      | 885       | <b>Pallet Blocks</b> | O          | N0          | 1/3            |
| <b>Description:</b> The number of pieces (cartons) per layer on the pallet |           |                      |            |             |                |

### Syntax Rules:

1. P0506 - If either PAL05 or PAL06 is present, then the other is required.
2. C0710 - If PAL07 is present, then PAL10 is required.
3. C0810 - If PAL08 is present, then PAL10 is required.
4. C0910 - If PAL09 is present, then PAL10 is required.
5. L10070809 - If PAL10 is present, then at least one of PAL07, PAL08 or PAL09 is required.
6. P1112 - If either PAL11 or PAL12 is present, then the other is required.
7. P1314 - If either PAL13 or PAL14 is present, then the other is required.

### Walmart Note:

*The Pallet Type (PAL) segment **is required by Walmart for single SKU-pallets**. When sent, the Pallet Tiers (PAL02) and Pallet Blocks (PAL03) **are required by Walmart**.*

### Example:

PAL\*\*6\*5

## Loop Pack

|           |               |
|-----------|---------------|
| Pos: 0100 | Repeat: 1     |
| Optional  |               |
| Loop: HL  | Elements: N/A |

**Purpose:** To identify dependencies among and the content of hierarchically related groups of data segments

### Loop Summary:

| <u>Pos</u> | <u>Id</u> | <u>Segment Name</u>                  | <u>Req</u> | <u>Max Use</u> | <u>Repeat</u> |
|------------|-----------|--------------------------------------|------------|----------------|---------------|
| 0100       | HL        | Hierarchical Level - Pack            | M          | 1              |               |
| 1900       | MAN       | Marks and Numbers Information - Pack | O          | >1             |               |
| 2200       |           | Loop N1                              | O          |                | 200           |

### Walmart Note:

*This instance of the HL loop is only applicable when the Hierarchical Level Code (HL03) contains a Pack (P) qualifier.*

*Because not all HL levels are Pack this Pack loop is marked as optional but EDI and Walmart standards **both require one or more instances of the Pack hierarchical level** when the Hierarchical Structure Code (BSN05) contains either a Shipment-Order-Pack-Item (0001) or Shipment-Order-Item-Pack (0002) qualifier for each pack included in the shipment .*

**HL*****Hierarchical Level - Pack***

|                    |             |
|--------------------|-------------|
| Pos: 0100          | Max: 1      |
| Detail - Mandatory |             |
| Loop: HL           | Elements: 3 |

**Purpose:** To identify dependencies among and the content of hierarchically related groups of data segments

**Element Summary:**

| <u>Ref</u> | <u>Id</u> | <u>Element Name</u>                                                                                                                                                                              | <u>Req</u> | <u>Type</u> | <u>Min/Max</u> |
|------------|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-------------|----------------|
| HL01       | 628       | <b>Hierarchical ID Number</b>                                                                                                                                                                    | M          | AN          | 1/12           |
|            |           | <b>Description:</b> A unique number assigned by the sender to identify a particular data segment in a hierarchical structure                                                                     |            |             |                |
| HL02       | 734       | <b>Hierarchical Parent ID Number</b>                                                                                                                                                             | O          | AN          | 1/12           |
|            |           | <b>Description:</b> Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to                                                   |            |             |                |
|            |           | <b>Walmart Note:</b><br><i>This element <b>is required by Walmart</b> for this Hierarchical type. When sent, it must properly match a preceding Hierarchical ID Number (HL01) as its parent.</i> |            |             |                |
| HL03       | 735       | <b>Hierarchical Level Code</b>                                                                                                                                                                   | M          | ID          | 1/2            |
|            |           | <b>Description:</b> Code defining the characteristic of a level in a hierarchical structure                                                                                                      |            |             |                |
|            |           | <u>Code</u>                                                                                                                                                                                      |            | <u>Name</u> |                |
|            |           | P                                                                                                                                                                                                |            | Pack        |                |

**Walmart Note:**

When sending pack details **the Pack hierarchical level (HL) segment is required for all ASN Types.**

**Example:**

For Ship/Order/Pack/Item structure ASNs (BSN05 = 0001)

HL\*3\*2\*P

For Ship/Order/Item/Pack structure ASNs (BSN05 = 0002)

HL\*4\*3\*P

# MAN

## Marks and Numbers Information - Pack

Pos: 1900      Max: >1  
Detail - Optional  
Loop: HL      Elements: 2

**Purpose:** To indicate identifying marks and numbers for shipping containers

### Element Summary:

| <u>Ref</u> | <u>Id</u> | <u>Element Name</u>         | <u>Req</u> | <u>Type</u> | <u>Min/Max</u> |
|------------|-----------|-----------------------------|------------|-------------|----------------|
| MAN01      | 88        | Marks and Numbers Qualifier | M          | ID          | 1/2            |

**Description:** Code specifying the application or source of Marks and Numbers (87)

#### Code

#### Name

CP Carrier-Assigned Package ID Number

#### **Walmart Note:**

One instance of the Marks and Numbers Information (MAN) segment with this qualifier **is required by Walmart at either the Shipment (master tracking number) or Pack level (per pack tracking number) only for Small Parcel ASN Types**. When sent, the Marks and Numbers (MAN02) element must contain the parcel tracking number as issued by the carrier specified by SCAC in the Identification Code (TD502) in the shipment level.

GM EAN.UCC Serial Shipping Container Code (SSCC) and Application Identifier

#### **Walmart Note:**

One instance of the Marks and Numbers Information (MAN) segment with this qualifier **is required by Walmart for DSDC and DSD shipments and is otherwise recommended**.

When sent the Marks and Numbers (MAN02) will contain the 20-digit GS1-128 SSCC-18 with an Application Identifier prefix of '00' for the pack.

|       |    |                   |   |    |      |
|-------|----|-------------------|---|----|------|
| MAN02 | 87 | Marks and Numbers | M | AN | 1/48 |
|-------|----|-------------------|---|----|------|

**Description:** Marks and numbers used to identify a shipment or parts of a shipment

### Syntax Rules:

1. P0405 - If either MAN04 or MAN05 is present, then the other is required.
2. C0605 - If MAN06 is present, then MAN05 is required.

### Example:

MAN\*CP\*782397846276  
MAN\*GM\*00081432601014161288

## ***Loop Party Identification - Pack***

|           |                  |
|-----------|------------------|
| Pos: 2200 | Repeat: 200      |
| Optional  |                  |
| Loop: N1  | Elements:<br>N/A |

**Purpose:** To identify a party by type of organization, name, and code

### **Loop Summary:**

| <u>Pos</u> | <u>Id</u> | <u>Segment Name</u>         | <u>Req</u> | <u>Max Use</u> | <u>Repeat</u> |
|------------|-----------|-----------------------------|------------|----------------|---------------|
| 2200       | N1        | Party Identification - Pack | O          | 1              |               |

**N1****Party Identification - Pack**

|                   |             |
|-------------------|-------------|
| Pos: 2200         | Max: 1      |
| Detail - Optional |             |
| Loop: N1          | Elements: 4 |

**Purpose:** To identify a party by type of organization, name, and code

**Element Summary:**

| <u>Ref</u> | <u>Id</u> | <u>Element Name</u>    | <u>Req</u> | <u>Type</u> | <u>Min/Max</u> |
|------------|-----------|------------------------|------------|-------------|----------------|
| N101       | 98        | Entity Identifier Code | M          | ID          | 2/3            |

**Description:** Code identifying an organizational entity, a physical location, property or an individual

| <u>Code</u> | <u>Name</u>              |
|-------------|--------------------------|
| BY          | Buying Party (Purchaser) |

**Walmart Note:**

*One instance of the Party Identification (N1) segment with the Buying Party (BY) qualifier **is required by Walmart only on DSDC ASN Type based on Type 73 POs**, all other ASN Types should not send this qualifier!*

*When sent, the Identification Code Qualifier (N103) must contain the Global Location Number (UL) qualifier and the Identification Code (N104) must contain the 13-digit store GLN for which all child packs are the intended ultimate recipient, this GLN will be listed in the Shipment Distribution Quantity (SDQ) segment of the Purchase Order (850) document.*

|      |    |      |   |    |      |
|------|----|------|---|----|------|
| N102 | 93 | Name | X | AN | 1/60 |
|------|----|------|---|----|------|

**Description:** Free-form name

|      |    |                               |   |    |     |
|------|----|-------------------------------|---|----|-----|
| N103 | 66 | Identification Code Qualifier | X | ID | 1/2 |
|------|----|-------------------------------|---|----|-----|

**Description:** Code designating the system/method of code structure used for Identification Code (67)

| <u>Code</u> | <u>Name</u>                  |
|-------------|------------------------------|
| UL          | Global Location Number (GLN) |

|      |    |                     |   |    |      |
|------|----|---------------------|---|----|------|
| N104 | 67 | Identification Code | X | AN | 2/80 |
|------|----|---------------------|---|----|------|

**Description:** Code identifying a party or other code

**Syntax Rules:**

1. R0203 - At least one of N102 or N103 is required.
2. P0304 - If either N103 or N104 is present, then the other is required.

**Example:**

N1\*BY\*WAL-MART SUPERCENTER 0100\*UL\*0078742000992



## Loop Item

|           |               |
|-----------|---------------|
| Pos: 0100 | Repeat: 1     |
| Optional  |               |
| Loop: HL  | Elements: N/A |

**Purpose:** To identify dependencies among and the content of hierarchically related groups of data segments

### Loop Summary:

| <u>Pos</u> | <u>Id</u> | <u>Segment Name</u>             | <u>Req</u> | <u>Max Use</u> | <u>Repeat</u> |
|------------|-----------|---------------------------------|------------|----------------|---------------|
| 0100       | HL        | Hierarchical Level - Item       | M          | 1              |               |
| 0200       | LIN       | Item Identification - Item      | O          | 1              |               |
| 0300       | SN1       | Item Detail (Shipment) - Item   | O          | 1              |               |
| 0700       | PID       | Product/Item Description - Item | O          | 200            |               |
| 1500       | REF       | Reference Information - Item    | O          | >1             |               |
| 2000       | DTM       | Date/Time Reference - Item      | O          | 10             |               |

### Walmart Note:

*This instance of the HL loop is only applicable when the Hierarchical Level Code (HL03) contains an Item (I) qualifier.*

*Because not all HL levels are Item this Item loop is marked as optional, but EDI and Walmart standards **both required one or more instances of the Item hierarchical level** be sent based on the number of pack/item combinations included in a shipment.*

**HL*****Hierarchical Level - Item***

|                    |             |
|--------------------|-------------|
| Pos: 0100          | Max: 1      |
| Detail - Mandatory |             |
| Loop: HL           | Elements: 3 |

**Purpose:** To identify dependencies among and the content of hierarchically related groups of data segments

**Element Summary:**

| <u>Ref</u> | <u>Id</u> | <u>Element Name</u>                                                                                                                                                                              | <u>Req</u>  | <u>Type</u> | <u>Min/Max</u> |
|------------|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-------------|----------------|
| HL01       | 628       | <b>Hierarchical ID Number</b>                                                                                                                                                                    | M           | AN          | 1/12           |
|            |           | <b>Description:</b> A unique number assigned by the sender to identify a particular data segment in a hierarchical structure                                                                     |             |             |                |
| HL02       | 734       | <b>Hierarchical Parent ID Number</b>                                                                                                                                                             | O           | AN          | 1/12           |
|            |           | <b>Description:</b> Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to                                                   |             |             |                |
|            |           | <b>Walmart Note:</b><br><i>This element <b>is required by Walmart</b> for this Hierarchical type. When sent, it must properly match a preceding Hierarchical ID Number (HL01) as its parent.</i> |             |             |                |
| HL03       | 735       | <b>Hierarchical Level Code</b>                                                                                                                                                                   | M           | ID          | 1/2            |
|            |           | <b>Description:</b> Code defining the characteristic of a level in a hierarchical structure                                                                                                      |             |             |                |
|            |           | <u>Code</u>                                                                                                                                                                                      | <u>Name</u> |             |                |
|            |           | I                                                                                                                                                                                                | Item        |             |                |

**Walmart Note:**

When sending item details **the Item hierarchical level (HL) segment is required for all ASN Types.**

**Example:**

For Ship/Order/Pack/Item structure ASNs (BSN05 = 0001)

HL\*4\*3\*I

For Ship/Order/Item/Packstructure ASNs (BSN05 = 0002)

HL\*3\*2\*I

**LIN****Item Identification - Item**

|                          |                     |
|--------------------------|---------------------|
| <b>Pos: 0200</b>         | <b>Max: 1</b>       |
| <b>Detail - Optional</b> |                     |
| <b>Loop: HL</b>          | <b>Elements: 12</b> |

**Purpose:** To specify basic item identification data**Element Summary:**

| <u>Ref</u> | <u>Id</u> | <u>Element Name</u>                 | <u>Req</u> | <u>Type</u> | <u>Min/Max</u> |
|------------|-----------|-------------------------------------|------------|-------------|----------------|
| LIN02      | 235       | <b>Product/Service ID Qualifier</b> | M          | ID          | 2/2            |

**Description:** Code identifying the type/source of the descriptive number used in Product/Service ID (234)

| <u>Code</u> | <u>Name</u> |
|-------------|-------------|
| EN          | GTIN-13     |

**Walmart Note:**

One instance of the Item Identification (LIN) segment with either the GTIN-13 (EN) or GTIN-12 (UP) qualifier in one of the Product/Service ID Qualifier (LIN02-LIN30 Even) elements **is required by Walmart for all ASN Types** (DC/DSDC/Store/Club/GEC-FC shipped Prepaid/Collect/Small Parcel). When sent, the Product/Service ID that follows will contain the thirteen-digit sellable unit GTIN-13 as it appeared on the PO. (If PO was sent with UA qualifier please send with this qualifier by adding a check digit to form a GTIN-13. For more information on calculating check digits see the [GS1 site covering this topic.](#))

IN Buyer's Item Number

**Walmart Note:**

When sent, the associated Product ID (LIN03-LIN31) element will contain the Walmart assigned 9-digit item number as it appears on the Purchase Order.

LT Lot Number

**Walmart Note:**

One instance of this qualifier within any one of the Product ID Qualifier (LIN02-LIN30) elements **is required by Walmart** when a production Batch or Lot identifier usable for recall purposes is available and known. When sent, the associated Product ID (LIN03-LIN31) element will contain the supplier assigned Batch or Lot identifier.

UK GTIN-14

**Walmart Note:**

One instance of this qualifier within any one of the Product ID Qualifier (LIN02-LIN30) elements **is required by Walmart**. When sent, the associated Product ID (LIN03-LIN31) element will contain a fourteen-digit GTIN-14 based on .Item Detail - Unit of Measure (SN103).

UP GTIN-12

**Walmart Note:**

One instance of the Item Identification (LIN) segment with either the GTIN-13 (EN) or GTIN-12 (UP) qualifier in one of the Product/Service ID Qualifier (LIN02-LIN30 Even) elements **is required by Walmart for all ASN Types** (DC/DSDC/Store/Club/GEC-FC shipped Prepaid/Collect/Small Parcel). When sent, the Product/Service ID that follows will contain the twelve-digit sellable unit GTIN-12 as it appeared on the PO.

VN Vendor's (Seller's) Item Number

|       |     |                           |   |    |      |
|-------|-----|---------------------------|---|----|------|
| LIN03 | 234 | <b>Product/Service ID</b> | M | AN | 1/48 |
|-------|-----|---------------------------|---|----|------|

**Description:** Identifying number for a product or service

|       |     |                                     |   |    |     |
|-------|-----|-------------------------------------|---|----|-----|
| LIN04 | 235 | <b>Product/Service ID Qualifier</b> | X | ID | 2/2 |
|-------|-----|-------------------------------------|---|----|-----|

**Description:** Code identifying the type/source of the descriptive number used in Product/Service ID (234)

**Walmart Note:**

*See descriptions and Walmart notes in LIN02*

| <u>Code</u> | <u>Name</u>                     |
|-------------|---------------------------------|
| EN          | GTIN-13                         |
| IN          | Buyer's Item Number             |
| LT          | Lot Number                      |
| UK          | GTIN-14                         |
| UP          | GTIN-12                         |
| VN          | Vendor's (Seller's) Item Number |

LIN05 234 **Product/Service ID** X AN 1/48

**Description:** Identifying number for a product or service

LIN06 235 **Product/Service ID Qualifier** X ID 2/2

**Description:** Code identifying the type/source of the descriptive number used in Product/Service ID (234)

**Walmart Note:**

*See descriptions and Walmart notes in LIN02*

| <u>Code</u> | <u>Name</u>                     |
|-------------|---------------------------------|
| EN          | GTIN-13                         |
| IN          | Buyer's Item Number             |
| LT          | Lot Number                      |
| UK          | GTIN-14                         |
| UP          | GTIN-12                         |
| VN          | Vendor's (Seller's) Item Number |

LIN07 234 **Product/Service ID** X AN 1/48

**Description:** Identifying number for a product or service

LIN08 235 **Product/Service ID Qualifier** X ID 2/2

**Description:** Code identifying the type/source of the descriptive number used in Product/Service ID (234)

**Walmart Note:**

*See descriptions and Walmart notes in LIN02*

| <u>Code</u> | <u>Name</u>                     |
|-------------|---------------------------------|
| EN          | GTIN-13                         |
| IN          | Buyer's Item Number             |
| LT          | Lot Number                      |
| UK          | GTIN-14                         |
| UP          | GTIN-12                         |
| VN          | Vendor's (Seller's) Item Number |

LIN09 234 **Product/Service ID** X AN 1/48

**Description:** Identifying number for a product or service

LIN10 235 **Product/Service ID Qualifier** X ID 2/2

**Description:** Code identifying the type/source of the descriptive number used in Product/Service ID (234)

**Walmart Note:**

*See descriptions and Walmart notes in LIN02*

| <u>Code</u> | <u>Name</u>         |
|-------------|---------------------|
| EN          | GTIN-13             |
| IN          | Buyer's Item Number |

|       |     |                                                                                                                 |                                 |   |    |      |
|-------|-----|-----------------------------------------------------------------------------------------------------------------|---------------------------------|---|----|------|
|       |     | LT                                                                                                              | Lot Number                      |   |    |      |
|       |     | UK                                                                                                              | GTIN-14                         |   |    |      |
|       |     | UP                                                                                                              | GTIN-12                         |   |    |      |
|       |     | VN                                                                                                              | Vendor's (Seller's) Item Number |   |    |      |
| LIN11 | 234 | <b>Product/Service ID</b>                                                                                       |                                 | X | AN | 1/48 |
|       |     | <b>Description:</b> Identifying number for a product or service                                                 |                                 |   |    |      |
| LIN12 | 235 | <b>Product/Service ID Qualifier</b>                                                                             |                                 | X | ID | 2/2  |
|       |     | <b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234) |                                 |   |    |      |
|       |     | <b>Walmart Note:</b><br><i>See descriptions and Walmart notes in LIN02</i>                                      |                                 |   |    |      |
|       |     | <u><b>Code</b></u>                                                                                              | <u><b>Name</b></u>              |   |    |      |
|       |     | EN                                                                                                              | GTIN-13                         |   |    |      |
|       |     | IN                                                                                                              | Buyer's Item Number             |   |    |      |
|       |     | LT                                                                                                              | Lot Number                      |   |    |      |
|       |     | UK                                                                                                              | GTIN-14                         |   |    |      |
|       |     | UP                                                                                                              | GTIN-12                         |   |    |      |
|       |     | VN                                                                                                              | Vendor's (Seller's) Item Number |   |    |      |
| LIN13 | 234 | <b>Product/Service ID</b>                                                                                       |                                 | X | AN | 1/48 |
|       |     | <b>Description:</b> Identifying number for a product or service                                                 |                                 |   |    |      |

**Syntax Rules:**

1. P0405 - If either LIN04 or LIN05 is present, then the other is required.
2. P0607 - If either LIN06 or LIN07 is present, then the other is required.
3. P0809 - If either LIN08 or LIN09 is present, then the other is required.
4. P1011 - If either LIN10 or LIN11 is present, then the other is required.
5. P1213 - If either LIN12 or LIN13 is present, then the other is required.
6. P1415 - If either LIN14 or LIN15 is present, then the other is required.
7. P1617 - If either LIN16 or LIN17 is present, then the other is required.
8. P1819 - If either LIN18 or LIN19 is present, then the other is required.
9. P2021 - If either LIN20 or LIN21 is present, then the other is required.
10. P2223 - If either LIN22 or LIN23 is present, then the other is required.
11. P2425 - If either LIN24 or LIN25 is present, then the other is required.
12. P2627 - If either LIN26 or LIN27 is present, then the other is required.
13. P2829 - If either LIN28 or LIN29 is present, then the other is required.
14. P3031 - If either LIN30 or LIN31 is present, then the other is required.

**Example:**

*LIN\*01\*UP\*061414000010\*IN\*236016748\*UK\*01353784182399*

**SN1****Item Detail (Shipment) - Item**

|                   |             |
|-------------------|-------------|
| Pos: 0300         | Max: 1      |
| Detail - Optional |             |
| Loop: HL          | Elements: 2 |

**Purpose:** To specify line-item detail relative to shipment

**Element Summary:**

| <u>Ref</u> | <u>Id</u> | <u>Element Name</u>            | <u>Req</u> | <u>Type</u> | <u>Min/Max</u> |
|------------|-----------|--------------------------------|------------|-------------|----------------|
| SN102      | 382       | <b>Number of Units Shipped</b> | M          | R           | 1/10           |

**Description:** Numeric value of units shipped in manufacturer's shipping units for a line item or transaction set

|       |     |                                           |   |    |     |
|-------|-----|-------------------------------------------|---|----|-----|
| SN103 | 355 | <b>Unit or Basis for Measurement Code</b> | M | ID | 2/2 |
|-------|-----|-------------------------------------------|---|----|-----|

**Description:** Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken

**Walmart Note:**

**Walmart requires the Unit of Measure code that aligns to the highest level of common configuration be sent. (i.e. If shipping complete pallets then send pallets, if a less than complete pallet then send use cases.)**

| <u>Code</u> | <u>Name</u> |
|-------------|-------------|
| CA          | Case        |

**Walmart Note:**

The Case (CA) unit of measure qualifier may be used to send the number of packs shipped. When sent, Walmart will use the Vendor pack quantity listed in the WM Item file, see Online Item File on Retail Link™ for more details, to determine the number of sellable units. Note: If using a Case (CA) unit of measure and a quantity error occurs suppliers may want to ensure their vendor pack quantity is correct as part of their troubleshooting process.

|    |      |
|----|------|
| EA | Each |
|----|------|

**Walmart Note:**

Number of Sellable Consumer Units in Pack

|    |                  |
|----|------------------|
| PL | Pallet/Unit Load |
|----|------------------|

**Syntax Rules:**

1. P0506 - If either SN105 or SN106 is present, then the other is required.

**Walmart Note:**

One instance of this segment **is required by Walmart for all ASN Types** and must contain the Number of Units Shipped (SN102) with a Unit or Basis for Measure Code (SN103) qualifier.

**Example:**

SN1\*\*4\*EA

**PID*****Product/Item Description  
- Item***

|                   |             |
|-------------------|-------------|
| Pos: 0700         | Max: 200    |
| Detail - Optional |             |
| Loop: HL          | Elements: 2 |

**Purpose:** To describe a product or process in coded or free-form format

**Element Summary:**

| <u>Ref</u> | <u>Id</u> | <u>Element Name</u>   | <u>Req</u> | <u>Type</u> | <u>Min/Max</u> |
|------------|-----------|-----------------------|------------|-------------|----------------|
| PID01      | 349       | Item Description Type | M          | ID          | 1/1            |

**Description:** Code indicating the format of a description

| <u>Code</u> | <u>Name</u> |
|-------------|-------------|
| F           | Free-form   |

**Walmart Note:**

*One instance of the Product Description (PID) segment with this qualifier **is required by Walmart**. When sent, the Product/Item description **is required by Walmart** to be sent in the Description (PID05).*

|       |     |             |   |    |      |
|-------|-----|-------------|---|----|------|
| PID05 | 352 | Description | X | AN | 1/80 |
|-------|-----|-------------|---|----|------|

**Description:** A free-form description to clarify the related data elements and their content

**Syntax Rules:**

1. C0403 - If PID04 is present, then PID03 is required.
2. R0405 - At least one of PID04 or PID05 is required.
3. C0703 - If PID07 is present, then PID03 is required.
4. C0804 - If PID08 is present, then PID04 is required.
5. C0905 - If PID09 is present, then PID05 is required.

**Example:**

*PID\*F\*\*\*\*Cinnamon Scented Candle, 15 oz*

# REF

## Reference Information - Item

|                   |             |
|-------------------|-------------|
| Pos: 1500         | Max: >1     |
| Detail - Optional |             |
| Loop: HL          | Elements: 2 |

**Purpose:** To specify identifying information

### Element Summary:

| <u>Ref</u> | <u>Id</u> | <u>Element Name</u>                | <u>Req</u> | <u>Type</u> | <u>Min/Max</u> |
|------------|-----------|------------------------------------|------------|-------------|----------------|
| REF01      | 128       | Reference Identification Qualifier | M          | ID          | 2/3            |

**Description:** Code qualifying the Reference Identification

| <u>Code</u> | <u>Name</u>    |
|-------------|----------------|
| 97          | Package Number |

#### Walmart Note:

*When sent, the Reference Identification (REF02) will contain the Seller assigned unique product ID or serial number as it would need to be captured at the time of purchase.*

|       |     |                          |   |    |      |
|-------|-----|--------------------------|---|----|------|
| REF02 | 127 | Reference Identification | X | AN | 1/50 |
|-------|-----|--------------------------|---|----|------|

**Description:** Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

### Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

### Example:

REF\*97\*SERIAL1234



# DTM

## *Date/Time Reference - Item*

|                   |             |
|-------------------|-------------|
| Pos: 2000         | Max: 10     |
| Detail - Optional |             |
| Loop: HL          | Elements: 2 |

**Purpose:** To specify pertinent dates and times

### Element Summary:

| <u>Ref</u> | <u>Id</u> | <u>Element Name</u> | <u>Req</u> | <u>Type</u> | <u>Min/Max</u> |
|------------|-----------|---------------------|------------|-------------|----------------|
| DTM01      | 374       | Date/Time Qualifier | M          | ID          | 3/3            |

**Description:** Code specifying type of date or time, or both date and time

| <u>Code</u> | <u>Name</u> |
|-------------|-------------|
| 036         | Expiration  |

#### **Walmart Note:**

*One instance of the Date/Time Reference (DTM) segment with this qualifier **is required by Walmart** for any item with a government mandated or industry defined expiration date (Shelf Life, Best by date, Sell by, etc.)*

|       |     |      |   |    |     |
|-------|-----|------|---|----|-----|
| DTM02 | 373 | Date | X | DT | 8/8 |
|-------|-----|------|---|----|-----|

**Description:** Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year

### Syntax Rules:

1. R020305 - At least one of DTM02, DTM03 or DTM05 is required.
2. C0403 - If DTM04 is present, then DTM03 is required.
3. P0506 - If either DTM05 or DTM06 is present, then the other is required.

### Example:

DTM\*036\*20190228

# CTT

## *Transaction Totals*

|                    |             |
|--------------------|-------------|
| Pos: 0100          | Max: 1      |
| Summary - Optional |             |
| Loop:              | Elements: 1 |
| N/A                |             |

**Purpose:** To transmit a hash total for a specific element in the transaction set

### Element Summary:

| <u>Ref</u> | <u>Id</u> | <u>Element Name</u>  | <u>Req</u> | <u>Type</u> | <u>Min/Max</u> |
|------------|-----------|----------------------|------------|-------------|----------------|
| CTT01      | 354       | Number of Line Items | M          | N0          | 1/6            |

**Description:** Total number of line items in the transaction set

### Syntax Rules:

1. P0304 - If either CTT03 or CTT04 is present, then the other is required.
2. P0506 - If either CTT05 or CTT06 is present, then the other is required.

### Example:

CTT\*12

**SE*****Transaction Set Trailer***

|                            |                    |
|----------------------------|--------------------|
| <b>Pos: 0200</b>           | <b>Max: 1</b>      |
| <b>Summary - Mandatory</b> |                    |
| <b>Loop:</b>               | <b>Elements: 2</b> |
| <b>N/A</b>                 |                    |

**Purpose:** To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

**Element Summary:**

| <u>Ref</u> | <u>Id</u> | <u>Element Name</u>                                                                                                                                             | <u>Req</u> | <u>Type</u> | <u>Min/Max</u> |
|------------|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-------------|----------------|
| SE01       | 96        | <b>Number of Included Segments</b>                                                                                                                              | M          | N0          | 1/10           |
|            |           | <b>Description:</b> Total number of segments included in a transaction set including ST and SE segments                                                         |            |             |                |
| SE02       | 329       | <b>Transaction Set Control Number</b>                                                                                                                           | M          | AN          | 4/9            |
|            |           | <b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set |            |             |                |

**Example:**

SE\*53\*0001

## Conventions Used in This Implementation Guideline:

1. Every used data element or component element on each segment is listed in the Data Element Summary section of the segment documentation. *Unused elements will no longer appear in Walmart Implementation Guidelines.*
2. Every data element has the ASC/X12 reference identification tag (Id). The element will be identified followed by its element number. If the element is a sub-element of a composite then it may have a secondary identifier for the segments position within the composite.
3. Every data element has the ASC/X12 data element name noted.
4. Every data element has the ASC/X12 data element attributes noted:
  - 4.1. Data element requirement
    - 4.1.1. **Mandatory (M)** A type of status, used in a message specification, segment specification, or composite data element specification, to specify that a segment group, segment, composite data element, stand-alone data element or component data element shall be used at least one time. If a mandatory is contained within a conditional loop or segment it only is mandatory if the conditional loop or segment is used.
    - 4.1.2. **Conditional (X)** A type of status, used in a message specification, segment specification, or composite data element specification, to specify that a segment group, segment, composite data element, stand-alone data element or component data element is used when the appropriate predefined pre-conditions occur.
    - 4.1.3. **Optional (O)** A type of status, used in a message specification, segment specification, or composite data element specification, to specify that a segment group, segment, composite data element, stand-alone data element or component data element is optional.
  - 4.2. Data element type
 

|      |                                                                                                                     |
|------|---------------------------------------------------------------------------------------------------------------------|
| Comp | composite data element                                                                                              |
| ID   | Identified by codelist                                                                                              |
| AN   | alphabetic characters                                                                                               |
| R    | Real Number – Numeric Value that can used a decimal place                                                           |
| N4   | numeric where the last 4 numeric characters are part of the decimal and all additional digit are considered integer |
| DT   | Date/Time element – see elements description of detail on its format                                                |

In data elements for which the Trade Data Elements Directory specifies variable length and no other restrictions, non-significant character positions shall be suppressed. In the case of non-significant characters, leading zeroes and trailing spaces shall be suppressed. “Coded” data element values must be transmitted precisely as they are shown in the code list where they appear.

  - 4.3. Data element length (minimum/maximum)
  - 4.4. Data element repetition. This does not appear on all guides as most are always set to one but some elements allow for their repetition using a repetition delimiter and when available this will be the max number of repetitions that element may occur- 5. Every data element utilized by Walmart applications may contain VICE Note(s), Walmart Note(s), Examples of data formatting, and other clarifying details as needed.
  - 5.1. Walmart notes may communicate certain data is required even when the standard says that it's conditional. In these cases the Walmart Requirement supersedes the standard and failure to comply on inbound document could result in your data being rejected.
- 6. Data elements which have associated codes will have the list of utilized values noted here.

# Example of Conventions

## N1 *Party Identification*

|                   |             |
|-------------------|-------------|
| Pos: 2200         | Max: 1      |
| Detail - Optional |             |
| Loop: N1          | Elements: 4 |

**Purpose:** To identify a party by type of organization, name, and code

### Element Summary:

| Ref   | Id  | Element Name             | Req   | Type   | Min/Max | Rep   |
|-------|-----|--------------------------|-------|--------|---------|-------|
| 1N101 | 298 | 3 Entity Identifier Code | 4.1 M | 4.2 ID | 4.3 2/3 | 4.4 1 |

**Description:** Code identifying an organizational entity, a physical location, property or an individual

**CodeList Summary** (Total Codes: 1500, Included: 2)

| Code | Name        |
|------|-------------|
| 6 SF | 8 Ship From |

#### 5 Walmart Note:

At least one instance of the Party Identification (N1) with this qualifier **is required by Walmart**. When sent the Name must contain the free-form supplier name (N102) of the shipping party as well as the Party Location (N3) and Geographic Location (N4) address details.

|       |     |        |       |        |          |       |
|-------|-----|--------|-------|--------|----------|-------|
| 1N102 | 293 | 3 Name | 4.1 X | 4.2 AN | 4.3 1/60 | 4.4 1 |
|-------|-----|--------|-------|--------|----------|-------|

**Description:** Free-form name

|       |     |                                 |       |        |         |       |
|-------|-----|---------------------------------|-------|--------|---------|-------|
| 1N103 | 266 | 3 Identification Code Qualifier | 4.1 X | 4.2 ID | 4.3 1/2 | 4.4 1 |
|-------|-----|---------------------------------|-------|--------|---------|-------|

**Description:** Code designating the system/method of code structure used for Identification Code (67)

**CodeList Summary** (Total Codes: 241, Included: 1)

| Code | Name                           |
|------|--------------------------------|
| 6 UL | 8 Global Location Number (GLN) |

**Description:** A globally unique 13 digit code for the identification of a legal, functional or physical location within the Uniform Code Council (UCC) and International Article Number Association (EAN) numbering system

#### 5 VICS Note:

This is the 13-digit Global Location Number (GLN) for identification of a legal entity, functional entity, or physical location and is comprises, from left to right, a GS1 company prefix, a location reference, and a check digit.

|       |     |                       |       |        |          |       |
|-------|-----|-----------------------|-------|--------|----------|-------|
| 1N104 | 267 | 3 Identification Code | 4.1 X | 4.2 AN | 4.3 2/80 | 4.4 1 |
|-------|-----|-----------------------|-------|--------|----------|-------|

**Description:** Code identifying a party or other code

### Syntax Rules:

1. R0203 - At least one of N102 or N103 is required.
2. P0304 - If either N103 or N104 is present, then the other is required.

### 5 VICS Note:

N103 and N104 are required except when N101 contains code MA or OB, or for direct-to-consumer when N101 contains code ST. When the ship to is the end consumer (customer of retailer), N103 and N104 are not required. In some EDI implementations, it may be necessary to identify the sender and/or receiver of the transaction set. To identify the sender of the transaction set, N101 will contain code FR. To identify the receiver of the transaction set, N101 will contain code TO.

### Example:

N1\*ST\*WAL-MART DC 6094JJIT\*UL\*0078742035260  
N1\*SF\*SUPPLIER NAME

## Change History

| <b>Date</b>   | <b>Version</b> | <b>Description of Changes</b>                                                                      |
|---------------|----------------|----------------------------------------------------------------------------------------------------|
| January, 2005 | 1.0            | First Production Guide.                                                                            |
| March, 2017   | 2.0            | Merged DSDC/Store/DC/Club/Walmart.com ASNs into a single consolidated guide                        |
| Sep 22, 2020  | 3.1            | Updated for Walmart shipping flow improvements and GS1 standards alignment                         |
| Mar 19, 2021  | 3.12           | Changes to support Ship-Order-Item, added Master Parcel tracking number, and Walmart note changes. |