



3-MAVZU · I BOB. HTML VA CSS

Jadval, ro'yxat va forma elementlari

Tartibli va tartibsiz ro'yxatlar, jadvallar (thead, tbody, colspan, rowspan), forma va uning elementlari: input turlari, label, select, textarea, tugmalar.

Bugun nimani o'rganamiz?

- **Ro'yxatlar:** tartibli va tartibsiz
- **Jadvallar:** dars jadvali, kataklarni birlashtirish
- **Formalar:** matn, parol, email, tanlash, belgilash, tugmalar
- Forma ma'lumoti **qayerga va qanday** yuboriladi

Ro'yxatlar: ul va ol

HTML

```
<h3>Bozorlik ro'yxati</h3>
<ul>
  <li>Non</li>
  <li>Sut</li>
</ul>

<h3>Choy damlash</h3>
<ol>
  <li>Suvni qaynating</li>
  <li>Choy soling</li>
</ol>
```

- **ul** — **tartibsiz** (unordered): tartib muhim emas
- **ol** — **tartibli** (ordered): qadamlar, reyting
- Har bir band — **** (list item)
- **ol** atributlari: **type="A"**, **type="I"**, **start="5"**, **reversed**

Ichma-ich ro'yxat va ta'riflar ro'yxati

HTML

```
<ul>
  <li>Aniq fanlar
    <ul>
      <li>Matematika</li>
      <li>Informatika</li>
    </ul>
  </li>
</ul>
```

HTML

```
<dl>
  <dt>HTML</dt>
  <dd>Sahifa tuzilishi tili</dd>
  <dt>CSS</dt>
  <dd>Sahifa dizayni tili</dd>
</dl>
```

- Ichki ro'yxat `<li>` **ichiga** yoziladi
- `dl` — lug'at: `dt` atama, `dd` izoh

Jadval teglari

Teg	Ma'nosi
<code><table></code>	Butun jadval
<code><tr></code>	t able r ow — qator
<code><td></code>	t able d ata — oddiy katak
<code><th></code>	Sarlavha katagi (qalin, markazda)
<code><caption></code>	Jadval nomi
<code><thead></code> <code><tbody></code> <code><tfoot></code>	Bosh, asosiy, pastki qism



Jadval **qatorma-qator** yoziladi: avval `<tr>` , ichiga chapdan o'ngga kataklar.
"Ustun" degan teg yo'q!

Jadval misoli

HTML

```
<table border="1">
  <caption>8-"A" sinf baholari</caption>
  <thead>
    <tr><th>0'quvchi</th><th>Matematika</th><th>Informatika</th></tr>
  </thead>
  <tbody>
    <tr><td>Ali</td><td>5</td><td>5</td></tr>
    <tr><td>Malika</td><td>4</td><td>5</td></tr>
  </tbody>
</table>
```

- `border="1"` — hozircha chegarani ko'rish uchun; 7-mavzudan CSS bilan

Kataklarni birlashtirish

HTML

```
<tr><th>Vaqt</th><th>Dushanba</th><th>Seshanba</th></tr>
<tr><td>08:30</td><td>Matematika</td>
    <td rowspan="2">Informatika<br>(juft dars)</td></tr>
<tr><td>09:20</td><td>Ona tili</td></tr>
<tr><td>10:10</td><td colspan="2">🍎 Katta tanaffus</td></tr>
```

- `colspan="2"` — **gorizontal**: 2 ustunni egallaydi
- `rowspan="2"` — **vertikal**: 2 qatorni egallaydi



Birlashgan katak egallagan joyga keyingi qatorda katak yozilmaydi — aks holda jadval "siljiydi".

BO'LIM

Formalar

Foydalanuvchidan ma'lumot olish — front-end va back-end o'rtasidagi ko'prik

Forma tuzilishi

HTML

```
<form action="/royxat" method="POST">
  <label for="ism">Ismingiz:</label>
  <input type="text" id="ism" name="ism"
    placeholder="Masalan: Ali" required>
  <button type="submit">Yuborish</button>
</form>
```

- **action** — **qayerga** yuboriladi
- **method** — **GET** (manzilda ochiq) yoki **POST** (yashirin)
- **label for** = input **id** → yozuv bosilsa maydon faollashadi
- **name** — **eng muhim!** Serverga **name=qiymat** boradi
- **required** — majburiy maydon

Input turlari

type	Qachon
text / password / email	Matn / yashirin parol / @ tekshiruvi
number	Faqat son: min , max , step
radio	Bittasini tanlash — name bir xil!
checkbox	Bir nechtasini belgilash
date time color range file	Sana, vaqt, rang, slayder, fayl

HTML

```
<input type="radio" name="jins" value="o"> O'g'il bo'la  
<input type="radio" name="jins" value="q"> Qiz bo'la
```

select, textarea va tugmalar

HTML

```
<label for="viloyat">Viloyat:</label>
<select id="viloyat" name="viloyat">
  <option value="">– Tanlang –</option>
  <option value="tosh">Toshkent</option>
  <option value="sam">Samarqand</option>
</select>

<textarea name="fikir" rows="4" cols="40"></textarea>
<button type="submit">Yuborish</button>
<button type="reset">Tozalash</button>
```

- `select` — ochiladigan ro'yxat; serverga `value` boradi
- `textarea` — ko'p qatorli matn

Brauzer tekshiruvi (validatsiya)

- `required` — bo'sh bo'lmasin
- `minlength="8"`, `maxlength="20"` — matn uzunligi
- `min`, `max` — son yoki sana chegarasi
- `type="email"` — email formati

⚠ Bu faqat qulaylik uchun — ayyor foydalanuvchi chetlab o'tadi. Ma'lumot **serverda ham** tekshiriladi (37-mavzu).

Amaliyot: "To'garakka yozilish" sahifasi

- 1 `togarak.html` — skelet, `<h1>` va kirish paragrafi
- 2 To'garaklar **jadvali**: nom, kunlar, vaqt, joylar (`rowspan` bilan)
- 3 "Nima uchun yozilish kerak?" — `<ul>`
- 4 "Qanday yozilish mumkin?" — `<ol>`
- 5 Forma: ism, sinf (`select`), telefon (`tel`), to'garaklar (`checkbox`), izoh
- 6 Bo'sh formani yuborib, validatsiyani sinang
- 7 `POST` → `GET` qiling: ma'lumot manzil satrida ko'rinadi!

Ko'p uchraydigan xatolar

- ❌ `<li>` ni `ul/ol` siz yozish
- ❌ Radio tugmalarga **turli** `name` berish — hammasi belgilanib qoladi
- ❌ `label for` qiymati input `id` sig'a mos emas
- ❌ Input'da `name` yo'q — ma'lumot serverga bormaydi
- ❌ `<td>` ni `<tr>` siz to'g'ridan-to'g'ri `<table>` ga yozish

Savol

Retsept qadamlari uchun qaysi ro'yxat mos?

A `<ul>`

B `<ol>`

C `<dl>`

D `<table>`

Javobni tanlang — to'g'ri variant yashil bo'ladi

Savol

Katakni ikki ustun kengligida birlashtirish uchun qaysi atribut kerak?

A `colspan="2"`

B `rowspan="2"`

C `span="2"`

D `width="2"`

Javobni tanlang — to'g'ri variant yashil bo'ladi

Savol

"Jinsingiz" savoliga faqat bitta javob tanlash uchun qaysi input turi kerak?

A checkbox

B text

C select multiple

D radio

Javobni tanlang — to'g'ri variant yashil bo'ladi

Savol

Parol yuboradigan forma uchun qaysi method to'g'ri?

A GET

B SEND

C POST

D PUT

Javobni tanlang — to'g'ri variant yashil bo'ladi



Uyga vazifa

- 1 Sinfingizning **haftalik dars jadvali**: `caption`, `thead`, tanaffuslar uchun `colspan`
- 2 Retsept sahifasi: masalliqalar `ul`, tayyorlash `ol` bilan
- 3 "Kutubxonaga a'zo bo'lish" formasi: ism, sana, email, janr (`select`), tillar (`checkbox`), izoh

✓ Yodda tuting

- `ul` — tartibsiz, `ol` — tartibli; bandlar `li`
- Jadval: `table` → `tr` → `td` / `th`
- `colspan` — gorizontal, `rowspan` — vertikal birlashtirish
- Forma: `action`, `method` (GET/POST), har maydonda `name` va `label`
- `radio` — bitta, `checkbox` — bir nechta, `select` — ro'yxat, `textarea` — ko'p qator



Savollar bormi?

Keyingi mavzu: **4. Havolalar va navigatsiya. Rasmlar va media elementlari**

Batafsil matn, misollar va testlar: **03-jadval-royxat-forma.html** darsida