


K,	² SQL> select* from cat;	
	*TABLE_NAME	
	TABLE_TYPE	
	DEPT TABLE	
	EMP	
	TABLE	



```
SQL> Describe dept
  Name
                                                 Null?
                                                            Type
  DEPT_CODE
                                                            CHAR(4)
                                                            VARCHAR2(50)
  DEPT_NAME
 C:\Users\Admin\Downloads\instantclient-basic-nt-11.2.0.3.0\instantclient_11_2\sqlplus.exe
                                                                                   \times
SQL> select*from emp;
    EMP_ID EMP_NAME
                                                  SALARY DEPT
         1 Jones
                                                   11111 SALE
         2 Smith
                                                   22222 SALE
         3 Potter
                                                   33333 TECH
                                                   44444 MNGT
         4 Clinton
  C:\Users\Admin\Downloads\instantclient-basic-nt-11.2.0.3.0\instantclient_11_2\sqlplus.exe
                                                                                    SQL> Select*from dept;
DEPT_NAME
SALE OFFICE OF SALES
TECH OFFICE OF TECHNOLOGY
MNGT OFFICE OF MANAGEMENT
SQL> Create table proj (pro_id int, proj_name varchar(25));
Table created.
SQL> Insert into proj values (0,'Test Project');
1 row created.
SQL> commit;
Commit complete.
SQL>
```

