

ОЮУНЫ ӨМЧИЙН БҮРТГЭЛД ЭХ КОДЫН ХЭВЛЭМЭЛ ХУВИЛБАР

Oyunsanaa AI Chat

Баримтын зориулалт: Оюуны өмчийн газарт эх кодын хэвлэмэл хэлбэрээр хүргүүлэх
Кодын салбар: main-backup
Snapshot commit: b200c2b8e7c2329b4f66f76dd6789c9ef08f1e38
Бэлтгэсэн огноо: 2026-07-27
Хамрах хүрээ: 461 текстэн файл, 97,177 мөр
Нууцлалын шүүлт: .env болон binary файл оруулаагүй; .env.example-ийн placeholder-ууд хадгалсан

Агуулга ба хамрах хүрээ

Энэ эмхэтгэл нь main-backup салбарын тухайн snapshot-д байгаа текстэн эх код, тохиргоо, өгөгдлийн сангийн migration болон төслийн үндсэн баримт бичгийн хэвлэх хувилбар юм. Кодыг файлын замын дарааллаар оруулж, мөр бүрд дугаар өгсөн.

Хассан зүйлс: нууц орчны файлууд, node_modules, build/cache, зураг болон бусад binary asset, мөн төслийн дотоод зааврын AGENTS.md файл.

Файлын жагсаалт

1. .claude/launch.json
2. .cursor/rules/ultracite.mdc
3. .env.example
4. .github/workflows/deploy.yml
5. .github/workflows/lint.yml
6. .github/workflows/playwright.yml
7. .gitignore
8. .npmrc
9. .vscode/extensions.json
10. .vscode/settings.json
11. app/(auth)/actions.ts
12. app/(auth)/api/auth/[...nextauth]/route.ts
13. app/(auth)/api/auth/guest/route.ts
14. app/(auth)/auth.config.ts
15. app/(auth)/auth.ts
16. app/(auth)/login/page.tsx
17. app/(auth)/register/page.tsx
18. app/(chat)/actions.ts
19. app/(chat)/api/balance/results/route.ts
20. app/(chat)/api/balance/run/route.ts
21. app/(chat)/api/chat/[id]/stream/route.ts

- 22. app/(chat)/api/chat/route.ts
- 23. app/(chat)/api/chat/schema.ts
- 24. app/(chat)/api/document/route.ts
- 25. app/(chat)/api/history/route.ts
- 26. app/(chat)/api/suggestions/route.ts
- 27. app/(chat)/api/test-runs/latest/route.ts
- 28. app/(chat)/api/vote/route.ts
- 29. app/(chat)/chat/[id]/page.tsx
- 30. app/(chat)/chat/page.tsx
- 31. app/(chat)/components/finance-receipt-card.tsx
- 32. app/(chat)/components/food-nutrition-card.tsx
- 33. app/(chat)/layout.tsx
- 34. app/(chat)/mind/[...slug]/page.tsx
- 35. app/(chat)/mind/balance/page.tsx
- 36. app/(chat)/mind/balance/progress/page.tsx
- 37. app/(chat)/mind/balance/result/page.tsx
- 38. app/(chat)/mind/balance/summary/page.tsx
- 39. app/(chat)/mind/balance/test/constants.ts
- 40. app/(chat)/mind/balance/test/page.tsx
- 41. app/(chat)/mind/balance/test/questions.ts
- 42. app/(chat)/mind/balance/test/score.ts
- 43. app/(chat)/mind/ebooks/[id]/ArchiveView.jsx
- 44. app/(chat)/mind/ebooks/[id]/EditorView.jsx
- 45. app/(chat)/mind/ebooks/[id]/imageUpload.js
- 46. app/(chat)/mind/ebooks/[id]/page.jsx
- 47. app/(chat)/mind/ebooks/[id]/PreviewView.jsx

48. app/(chat)/mind/ebooks/[id]/storage.js
49. app/(chat)/mind/ebooks/ebook.module.css
50. app/(chat)/mind/ebooks/extras/ExtrasTemplates.jsx
51. app/(chat)/mind/ebooks/extras/page.jsx
52. app/(chat)/mind/ebooks/page.tsx
53. app/(chat)/mind/ebooks/preview/page.jsx
54. app/(chat)/mind/ebooks/renderer.jsx
55. app/(chat)/mind/ebooks/templatesConfig.js
56. app/(chat)/mind/emotion/control/daily-check/cbt.module.css
57. app/(chat)/mind/emotion/control/daily-check/page.tsx
58. app/(chat)/mind/health-demo/program/page.tsx
59. app/(chat)/mind/health-demo/questionnaire/page.tsx
60. app/(chat)/mind/health-demo/summary/page.tsx
61. app/(chat)/mind/health/intro/page.tsx
62. app/(chat)/mind/life/finance-app/EntrySection.tsx
63. app/(chat)/mind/life/finance-app/FinanceAppClient.tsx
64. app/(chat)/mind/life/finance-app/financeCategories.ts
65. app/(chat)/mind/life/finance-app/financeGuest.ts
66. app/(chat)/mind/life/finance-app/financeTypes.ts
67. app/(chat)/mind/life/finance-app/page.tsx
68. app/(chat)/mind/life/finance-app/ReceiptUploadSection.tsx
69. app/(chat)/mind/life/finance-app/ReportSection.tsx
70. app/(chat)/mind/life/finance-app/useTransactions.ts
71. app/(chat)/mind/purpose/goal-planner/cbt.module.css
72. app/(chat)/mind/purpose/goal-planner/execute/page.tsx
73. app/(chat)/mind/purpose/goal-planner/page.tsx

74. app/(chat)/mind/purpose/goal/page.tsx
75. app/(chat)/mind/purpose/intro/page.tsx
76. app/(chat)/mind/purpose/organize/page.tsx
77. app/(chat)/mind/purpose/planning/page.tsx
78. app/(chat)/mind/purpose/weekly-steps/page.tsx
79. app/(chat)/mind/relations/control/daily-check/page.tsx
80. app/(chat)/mind/relations/foundation/page.tsx
81. app/(chat)/mind/relations/intro/page.tsx
82. app/(chat)/mind/relations/report/page.tsx
83. app/(chat)/mind/relations/tests/[slug]/page.tsx
84. app/(chat)/mind/relations/tests/_components/TestRunner.tsx
85. app/(chat)/mind/relations/tests/_components/TopBar.tsx
86. app/(chat)/mind/relations/tests/error.tsx
87. app/(chat)/mind/relations/tests/page.tsx
88. app/(chat)/mind/relations/tests/tests.module.css
89. app/(chat)/mind/self-care/health/program/page.tsx
90. app/(chat)/mind/self-care/health/questionnaire/page.tsx
91. app/(chat)/mind/self-care/health/summary/page.tsx
92. app/(chat)/mind/self-care/nutrition/page.tsx
93. app/(chat)/mind/self-care/stress/page.tsx
94. app/(chat)/mind/tests.registry.ts
95. app/(chat)/mind/therapy/[id]/chat-thread.tsx
96. app/(chat)/mind/therapy/[id]/page.tsx
97. app/(chat)/mind/therapy/page.tsx
98. app/(chat)/mind/therapy/therapy-home.tsx
99. app/(chat)/mind/who-am-i/balance-test/page.tsx

100. `app/(chat)/mind/who-am-i/conclusion/page.tsx`
101. `app/(chat)/mind/who-am-i/intro/page.tsx`
102. `app/(chat)/mind/work/intro/page.tsx`
103. `app/(chat)/page.tsx`
104. `app/api/ebooks/upload/route.ts`
105. `app/api/files/upload/route.ts`
106. `app/api/finance/analyze/route.ts`
107. `app/api/finance/transactions/route.ts`
108. `app/api/goal-logs/route.ts`
109. `app/api/goal-planner/route.ts`
110. `app/api/goal-progress/route.ts`
111. `app/api/health-demo/meal/route.ts`
112. `app/api/health/daily/add-analyzed-meal/route.ts`
113. `app/api/health/daily/add-meal/route.ts`
114. `app/api/health/daily/history/route.ts`
115. `app/api/health/daily/meals/route.ts`
116. `app/api/health/daily/route.ts`
117. `app/api/health/meal-analyze/route.ts`
118. `app/api/health/profile/route.ts`
119. `app/api/kb/article/route.ts`
120. `app/api/me/route.ts`
121. `app/api/mind/emotion/daily-check/route.ts`
122. `app/api/mind/who-am-i/runs/route.ts`
123. `app/api/purpose/goal/generate/route.ts`
124. `app/api/purpose/goal/save/route.ts`
125. `app/api/qpay/callback/route.ts`

126. app/api/relations/tests/results/latest/route.ts
127. app/api/relations/tests/results/route.ts
128. app/api/subscription/activate/route.ts
129. app/api/subscription/invoice/route.ts
130. app/api/subscription/status/route.ts
131. app/api/subscription/verify/route.ts
132. app/api/therapy/conversations/[id]/messages/route.ts
133. app/api/therapy/conversations/[id]/route.ts
134. app/api/therapy/conversations/route.ts
135. app/api/therapy/stream/[id]/route.ts
136. app/api/uploads/[bucket]/[...path]/route.ts
137. app/api/user/active-artifact/route.ts
138. app/globals.css
139. app/layout.tsx
140. app/subscribe/page.tsx
141. app/subscribe/subscribe-view.tsx
142. app/verify-email/page.tsx
143. artifacts/actions.ts
144. artifacts/code/client.tsx
145. artifacts/code/server.ts
146. artifacts/image/client.tsx
147. artifacts/sheet/client.tsx
148. artifacts/sheet/server.ts
149. artifacts/text/client.tsx
150. artifacts/text/server.ts
151. biome.jsonc

152. BUG-AUDIT-2026-06.md

153. Bugs.md

154. CHANGES-2026-06.md

155. components.json

156. components/ai-elements/artifact.tsx

157. components/ai-elements/canvas.tsx

158. components/ai-elements/chain-of-thought.tsx

159. components/ai-elements/checkpoint.tsx

160. components/ai-elements/code-block.tsx

161. components/ai-elements/confirmation.tsx

162. components/ai-elements/connection.tsx

163. components/ai-elements/controls.tsx

164. components/ai-elements/conversation.tsx

165. components/ai-elements/edge.tsx

166. components/ai-elements/image.tsx

167. components/ai-elements/inline-citation.tsx

168. components/ai-elements/loader.tsx

169. components/ai-elements/message.tsx

170. components/ai-elements/model-selector.tsx

171. components/ai-elements/node.tsx

172. components/ai-elements/open-in-chat.tsx

173. components/ai-elements/panel.tsx

174. components/ai-elements/plan.tsx

175. components/ai-elements/prompt-input.tsx

176. components/ai-elements/queue.tsx

177. components/ai-elements/reasoning.tsx

178. components/ai-elements/shimmer.tsx
179. components/ai-elements/sources.tsx
180. components/ai-elements/suggestion.tsx
181. components/ai-elements/task.tsx
182. components/ai-elements/tool.tsx
183. components/ai-elements/toolbar.tsx
184. components/ai-elements/web-preview.tsx
185. components/app-sidebar.tsx
186. components/apps/relations/tests/LatestResults.tsx
187. components/artifact-actions.tsx
188. components/artifact-close-button.tsx
189. components/artifact-messages.tsx
190. components/artifact.tsx
191. components/auth-form.tsx
192. components/chat-header.tsx
193. components/chat.tsx
194. components/chat/FinanceCapturePanel.tsx
195. components/code-editor.tsx
196. components/console.tsx
197. components/create-artifact.tsx
198. components/data-stream-handler.tsx
199. components/data-stream-provider.tsx
200. components/diffview.tsx
201. components/document-preview.tsx
202. components/document-skeleton.tsx
203. components/document.tsx

204. components/elements/actions.tsx
205. components/elements/branch.tsx
206. components/elements/code-block.tsx
207. components/elements/conversation.tsx
208. components/elements/image.tsx
209. components/elements/inline-citation.tsx
210. components/elements/loader.tsx
211. components/elements/message.tsx
212. components/elements/prompt-input.tsx
213. components/elements/reasoning.tsx
214. components/elements/response.tsx
215. components/elements/source.tsx
216. components/elements/suggestion.tsx
217. components/elements/task.tsx
218. components/elements/tool.tsx
219. components/elements/web-preview.tsx
220. components/goal-planner.tsx
221. components/greeting.tsx
222. components/health/app/api/health/profile/route.ts
223. components/health/calc.ts
224. components/health/Dashboard.tsx
225. components/health/HealthAppClient.tsx
226. components/health/HealthSummary.tsx
227. components/health/healthTypes.ts
228. components/health/QuestionnaireForm.tsx
229. components/icons.tsx

230. components/image-editor.tsx
231. components/language-switcher.tsx
232. components/message-actions.tsx
233. components/message-editor.tsx
234. components/message-reasoning.tsx
235. components/message.tsx
236. components/messages.tsx
237. components/mind/app-shell.tsx
238. components/mind/daily-check/DailyCheckForm.tsx
239. components/mind/daily-check/DailyCheckHistory.tsx
240. components/mind/who-am-i/balance-diagram.tsx
241. components/mind/who-am-i/balance-exercise.tsx
242. components/mind/who-am-i/domain-intro.tsx
243. components/multimodal-input.tsx
244. components/preview-attachment.tsx
245. components/sheet-editor.tsx
246. components/sidebar-history-item.tsx
247. components/sidebar-history.tsx
248. components/sidebar-toggle.tsx
249. components/sidebar-user-nav.tsx
250. components/sign-out-form.tsx
251. components/submit-button.tsx
252. components/subscribe-dialog.tsx
253. components/subscription-banner.tsx
254. components/suggested-actions.tsx
255. components/suggestion.tsx

256. components/text-editor.tsx
257. components/theme-provider.tsx
258. components/toast.tsx
259. components/toolbar.tsx
260. components/ui/alert-dialog.tsx
261. components/ui/alert.tsx
262. components/ui/avatar.tsx
263. components/ui/badge.tsx
264. components/ui/button-group.tsx
265. components/ui/button.tsx
266. components/ui/card.tsx
267. components/ui/carousel.tsx
268. components/ui/collapsible.tsx
269. components/ui/command.tsx
270. components/ui/dialog.tsx
271. components/ui/dropdown-menu.tsx
272. components/ui/hover-card.tsx
273. components/ui/input-group.tsx
274. components/ui/input.tsx
275. components/ui/label.tsx
276. components/ui/progress.tsx
277. components/ui/scroll-area.tsx
278. components/ui/select.tsx
279. components/ui/separator.tsx
280. components/ui/sheet.tsx
281. components/ui/sidebar.tsx

282. components/ui/skeleton.tsx

283. components/ui/textarea.tsx

284. components/ui/tooltip.tsx

285. components/version-footer.tsx

286. components/visibility-selector.tsx

287. components/weather.tsx

288. config/menus.ts

289. content/balance/test.ts

290. content/mind/emotion/calm-skill.ts

291. content/mind/emotion/feel-now.ts

292. content/mind/emotion/origin.ts

293. content/mind/emotion/overthinking.ts

294. content/mind/emotion/stress-body.ts

295. content/mind/emotion/thought-reaction.ts

296. content/mind/life/decision-fatigue.ts

297. content/mind/life/money-and-mind.ts

298. content/mind/life/simplify.ts

299. content/mind/life/stable-life.ts

300. content/mind/life/stress-sources.ts

301. content/mind/life/work-environment.ts

302. content/mind/purpose/big-picture.ts

303. content/mind/purpose/dreams-vs-reality.ts

304. content/mind/purpose/goal-organize.ts

305. content/mind/purpose/goal-planner.ts

306. content/mind/purpose/goals-motivate.ts

307. content/mind/purpose/growth-change.ts

308. content/mind/purpose/meaning.ts
309. content/mind/purpose/quick-understand.ts
310. content/mind/purpose/why-important.ts
311. content/mind/relations/boundaries.ts
312. content/mind/relations/empathy.ts
313. content/mind/relations/foundation-skills.ts
314. content/mind/relations/healthy-conflict.ts
315. content/mind/relations/listening.ts
316. content/mind/relations/self-expression.ts
317. content/mind/relations/unhealthy-signs.ts
318. content/mind/relations/why-hard.ts
319. content/mind/self-care/inner-critic.ts
320. content/mind/self-care/self-compassion.ts
321. content/mind/self-care/self-love.ts
322. content/mind/self-care/sleep-energy.ts
323. content/mind/self-care/stress-fatigue.ts
324. content/mind/self/beliefs.ts
325. content/mind/self/personality.ts
326. content/mind/self/self-worth.ts
327. content/mind/self/what-matters.ts
328. content/mind/self/what-moves-me.ts
329. content/mind/self/who-am-i.ts
330. drizzle.config.ts
331. hooks/use-artifact.ts
332. hooks/use-auto-resume.ts
333. hooks/use-chat-visibility.ts

334. hooks/use-messages.tsx
335. hooks/use-mobile.ts
336. hooks/use-scroll-to-bottom.tsx
337. hooks/use-subscribe-dialog.ts
338. instrumentation.ts
339. lib/active-artifact.ts
340. lib/ai/active-artifact-context.ts
341. lib/ai/classify-image.ts
342. lib/ai/entitlements.ts
343. lib/ai/models.mock.ts
344. lib/ai/models.test.ts
345. lib/ai/models.ts
346. lib/ai/prompts.ts
347. lib/ai/prompts/finance.ts
348. lib/ai/prompts/food.ts
349. lib/ai/prompts/notes.ts
350. lib/ai/prompts/oyunsanaa-rules.ts
351. lib/ai/prompts/programs.ts
352. lib/ai/prompts/self-understanding.ts
353. lib/ai/prompts/tests.ts
354. lib/ai/providers.ts
355. lib/ai/resolve-image-attachments.ts
356. lib/ai/tools/create-document.ts
357. lib/ai/tools/get-weather.ts
358. lib/ai/tools/request-suggestions.ts
359. lib/ai/tools/update-document.ts

360. lib/apps/relations/tests/definitions.ts

361. lib/apps/relations/tests/definitions/boundaries.ts

362. lib/apps/relations/tests/definitions/communicationStyle.ts

363. lib/apps/relations/tests/definitions/conflict.ts

364. lib/apps/relations/tests/definitions/empathy.ts

365. lib/apps/relations/tests/definitions/listening.ts

366. lib/apps/relations/tests/definitions/personalityBasic.ts

367. lib/apps/relations/tests/definitions/toxicBehavior.ts

368. lib/apps/relations/tests/definitions/trust.ts

369. lib/apps/relations/tests/localStore.ts

370. lib/apps/relations/tests/testsRegistry.ts

371. lib/apps/relations/tests/types.ts

372. lib/artifacts/server.ts

373. lib/constants.ts

374. lib/db/helpers/01-core-to-parts.ts

375. lib/db/migrate.ts

376. lib/db/migrations/0000_keen_devos.sql

377. lib/db/migrations/0001_sparkling_blue_marvel.sql

378. lib/db/migrations/0002_wandering_riptide.sql

379. lib/db/migrations/0003_cloudy_glorian.sql

380. lib/db/migrations/0004_odd_slayback.sql

381. lib/db/migrations/0005_wooden_whistler.sql

382. lib/db/migrations/0006_marvelous_frog_thor.sql

383. lib/db/migrations/0007_flowery_ben_parker.sql

384. lib/db/migrations/0008_thankful_mephistopheles.sql

385. lib/db/migrations/0009_subscription_billing.sql

386. lib/db/migrations/0010_shared_auth.sql
387. lib/db/migrations/0011_payment_transaction_log.sql
388. lib/db/migrations/0012_chat_message_indexes.sql
389. lib/db/migrations/0013_bouncy_typhoid_mary.sql
390. lib/db/migrations/0014_stale_shooting_star.sql
391. lib/db/migrations/meta/0000_snapshot.json
392. lib/db/migrations/meta/0001_snapshot.json
393. lib/db/migrations/meta/0002_snapshot.json
394. lib/db/migrations/meta/0003_snapshot.json
395. lib/db/migrations/meta/0004_snapshot.json
396. lib/db/migrations/meta/0005_snapshot.json
397. lib/db/migrations/meta/0006_snapshot.json
398. lib/db/migrations/meta/0007_snapshot.json
399. lib/db/migrations/meta/0008_snapshot.json
400. lib/db/migrations/meta/0009_snapshot.json
401. lib/db/migrations/meta/0010_snapshot.json
402. lib/db/migrations/meta/0011_snapshot.json
403. lib/db/migrations/meta/0012_snapshot.json
404. lib/db/migrations/meta/0013_snapshot.json
405. lib/db/migrations/meta/0014_snapshot.json
406. lib/db/migrations/meta/_journal.json
407. lib/db/pgClient.ts
408. lib/db/queries.ts
409. lib/db/schema.ts
410. lib/db/therapy-channel.ts
411. lib/db/therapy.ts

412. lib/db/utls.ts
413. lib/editor/config.ts
414. lib/editor/diff.js
415. lib/editor/functions.tsx
416. lib/editor/react-renderer.tsx
417. lib/editor/suggestions.tsx
418. lib/email/resend.ts
419. lib/email/send-verify-email.ts
420. lib/errors.ts
421. lib/i18n/artifact.ts
422. lib/i18n/config.ts
423. lib/i18n/dictionaries.ts
424. lib/i18n/dictionaries/en.ts
425. lib/i18n/dictionaries/ja.ts
426. lib/i18n/dictionaries/ko.ts
427. lib/i18n/dictionaries/mn.ts
428. lib/i18n/dictionaries/ru.ts
429. lib/i18n/provider.tsx
430. lib/logger.ts
431. lib/mind/health-program.ts
432. lib/mind/who-am-i-balance.ts
433. lib/mind/who-am-i-program.ts
434. lib/qpay/client.ts
435. lib/subscription/access.ts
436. lib/subscription/config.ts
437. lib/subscription/confirm.ts

438. lib/supabaseAdmin.ts
439. lib/types.ts
440. lib/uploads/normalize-image.ts
441. lib/utils.ts
442. LICENSE
443. manifest.webmanifest
444. next.config.ts
445. package.json
446. playwright.config.ts
447. pnpm-lock.yaml
448. postcss.config.mjs
449. proxy.ts
450. public/manifest.webmanifest
451. README.md
452. tests/e2e/api.test.ts
453. tests/e2e/auth.test.ts
454. tests/e2e/chat.test.ts
455. tests/e2e/model-selector.test.ts
456. tests/fixtures.ts
457. tests/helpers.ts
458. tests/pages/chat.ts
459. tests/prompts/utils.ts
460. ToDo.md
461. tsconfig.json

Эх код

1. .claude/launch.json

```
1 {
2   "version": "0.0.1",
3   "configurations": [
4     {
5       "name": "aichat-dev",
6       "runtimeExecutable": "pnpm",
7       "runtimeArgs": ["dev"],
8       "port": 3000,
9       "autoPort": true
10    }
11  ]
12 }
```

2. .cursor/rules/ultracite.mdc

```
1 ---
2 description: Ultracite Rules - AI-Ready Formatter and Linter
3 globs: "**/*.{ts,tsx,js,jsx}"
4 alwaysApply: true
5 ---
6
7 # Project Context
8 Ultracite enforces strict type safety, accessibility standards, and consistent code quality for JavaScript/TypeScript projects using Biome's lightning-fast formatter and linter.
9
10 ## Key Principles
11 - Zero configuration required
12 - Subsecond performance
13 - Maximum type safety
14 - AI-friendly code generation
15
16 ## Before Writing Code
17 1. Analyze existing patterns in the codebase
18 2. Consider edge cases and error scenarios
19 3. Follow the rules below strictly
20 4. Validate accessibility requirements
21
22 ## Rules
23
24 ### Accessibility (ally)
25 - Don't use `accessKey` attribute on any HTML element.
26 - Don't set `aria-hidden="true"` on focusable elements.
27 - Don't add ARIA roles, states, and properties to elements that don't support them.
28 - Don't use distracting elements like `` or ``.
29 - Only use the `scope` prop on ` ` elements. 30 - Don't assign non-interactive ARIA roles to interactive HTML elements. 31 - Make sure label elements have text content and are associated with an input. 32 - Don't assign interactive ARIA roles to non-interactive HTML elements. 33 - Don't assign `tabIndex` to non-interactive HTML elements. 34 - Don't use positive integers for `tabIndex` property. 35 - Don't include "image", "picture", or "photo" in img alt prop. 36 - Don't use explicit role property that's the same as the implicit/default role. 37 - Make static elements with click handlers use a valid role attribute. 38 - Always include a `title` element for SVG elements. 39 - Give all elements requiring alt text meaningful information for screen readers. 40 - Make sure anchors have content that's accessible to screen readers. 41 - Assign `tabIndex` to non-interactive HTML elements with `aria-activedescendant`. 42 - Include all required ARIA attributes for elements with ARIA roles. 43 - Make sure ARIA properties are valid for the element's supported roles. 44 - Always include a `type` attribute for button elements. 45 - Make elements with interactive roles and handlers focusable. |
```

```

46 - Give heading elements content that's accessible to screen readers (not hidden with `aria-hidden`).
47 - Always include a `lang` attribute on the html element.
48 - Always include a `title` attribute for iframe elements.
49 - Accompany `onClick` with at least one of: `onKeyUp`, `onKeyDown`, or `onKeyPress`.
50 - Accompany `onMouseOver`/`onMouseOut` with `onFocus`/`onBlur`.
51 - Include caption tracks for audio and video elements.
52 - Use semantic elements instead of role attributes in JSX.
53 - Make sure all anchors are valid and navigable.
54 - Ensure all ARIA properties (`aria-*`) are valid.
55 - Use valid, non-abstract ARIA roles for elements with ARIA roles.
56 - Use valid ARIA state and property values.
57 - Use valid values for the `autocomplete` attribute on input elements.
58 - Use correct ISO language/country codes for the `lang` attribute.
59
60 ### Code Complexity and Quality
61 - Don't use consecutive spaces in regular expression literals.
62 - Don't use the `arguments` object.
63 - Don't use primitive type aliases or misleading types.
64 - Don't use the comma operator.
65 - Don't use empty type parameters in type aliases and interfaces.
66 - Don't write functions that exceed a given Cognitive Complexity score.
67 - Don't nest describe() blocks too deeply in test files.
68 - Don't use unnecessary boolean casts.
69 - Don't use unnecessary callbacks with flatMap.
70 - Use for...of statements instead of Array.forEach.
71 - Don't create classes that only have static members (like a static namespace).
72 - Don't use this and super in static contexts.
73 - Don't use unnecessary catch clauses.
74 - Don't use unnecessary constructors.
75 - Don't use unnecessary continue statements.
76 - Don't export empty modules that don't change anything.
77 - Don't use unnecessary escape sequences in regular expression literals.
78 - Don't use unnecessary fragments.
79 - Don't use unnecessary labels.
80 - Don't use unnecessary nested block statements.
81 - Don't rename imports, exports, and destructured assignments to the same name.
82 - Don't use unnecessary string or template literal concatenation.
83 - Don't use String.raw in template literals when there are no escape sequences.
84 - Don't use useless case statements in switch statements.
85 - Don't use ternary operators when simpler alternatives exist.
86 - Don't use useless `this` aliasing.
87 - Don't use any or unknown as type constraints.
88 - Don't initialize variables to undefined.
89 - Don't use the void operators (they're not familiar).
90 - Use arrow functions instead of function expressions.
91 - Use Date.now() to get milliseconds since the Unix Epoch.
92 - Use .flatMap() instead of map().flat() when possible.
93 - Use literal property access instead of computed property access.
94 - Don't use parseInt() or Number.parseInt() when binary, octal, or hexadecimal literals work.
95 - Use concise optional chaining instead of chained logical expressions.
96 - Use regular expression literals instead of the RegExp constructor when possible.
97 - Don't use number literal object member names that aren't base 10 or use underscore separators.
98 - Remove redundant terms from logical expressions.
99 - Use while loops instead of for loops when you don't need initializer and update expressions.
100 - Don't pass children as props.
101 - Don't reassign const variables.
102 - Don't use constant expressions in conditions.
103 - Don't use `Math.min` and `Math.max` to clamp values when the result is constant.
104 - Don't return a value from a constructor.
105 - Don't use empty character classes in regular expression literals.
106 - Don't use empty destructuring patterns.
107 - Don't call global object properties as functions.
108 - Don't declare functions and vars that are accessible outside their block.
109 - Make sure builtins are correctly instantiated.
110 - Don't use super() incorrectly inside classes. Also check that super() is called in classes that extend other constructors.
111 - Don't use variables and function parameters before they're declared.
112 - Don't use 8 and 9 escape sequences in string literals.
113 - Don't use literal numbers that lose precision.
114

```

```

115 ### React and JSX Best Practices
116 - Don't use the return value of React.render.
117 - Make sure all dependencies are correctly specified in React hooks.
118 - Make sure all React hooks are called from the top level of component functions.
119 - Don't forget key props in iterators and collection literals.
120 - Don't destructure props inside JSX components in Solid projects.
121 - Don't define React components inside other components.
122 - Don't use event handlers on non-interactive elements.
123 - Don't assign to React component props.
124 - Don't use both `children` and `dangerouslySetInnerHTML` props on the same element.
125 - Don't use dangerous JSX props.
126 - Don't use Array index in keys.
127 - Don't insert comments as text nodes.
128 - Don't assign JSX properties multiple times.
129 - Don't add extra closing tags for components without children.
130 - Use `<>...</>` instead of `<<Fragment>...</Fragment>`.
131 - Watch out for possible "wrong" semicolons inside JSX elements.
132
133 ### Correctness and Safety
134 - Don't assign a value to itself.
135 - Don't return a value from a setter.
136 - Don't compare expressions that modify string case with non-compliant values.
137 - Don't use lexical declarations in switch clauses.
138 - Don't use variables that haven't been declared in the document.
139 - Don't write unreachable code.
140 - Make sure super() is called exactly once on every code path in a class constructor before this is accessed if the class has a superclass.
141 - Don't use control flow statements in finally blocks.
142 - Don't use optional chaining where undefined values aren't allowed.
143 - Don't have unused function parameters.
144 - Don't have unused imports.
145 - Don't have unused labels.
146 - Don't have unused private class members.
147 - Don't have unused variables.
148 - Make sure void (self-closing) elements don't have children.
149 - Don't return a value from a function with the return type 'void'
150 - Use isNaN() when checking for NaN.
151 - Make sure "for" loop update clauses move the counter in the right direction.
152 - Make sure typeof expressions are compared to valid values.
153 - Make sure generator functions contain yield.
154 - Don't use await inside loops.
155 - Don't use bitwise operators.
156 - Don't use expressions where the operation doesn't change the value.
157 - Make sure Promise-like statements are handled appropriately.
158 - Don't use __dirname and __filename in the global scope.
159 - Prevent import cycles.
160 - Don't use configured elements.
161 - Don't hardcode sensitive data like API keys and tokens.
162 - Don't let variable declarations shadow variables from outer scopes.
163 - Don't use the TypeScript directive @ts-ignore.
164 - Prevent duplicate polyfills from Polyfill.io.
165 - Don't use useless backreferences in regular expressions that always match empty strings.
166 - Don't use unnecessary escapes in string literals.
167 - Don't use useless undefined.
168 - Make sure getters and setters for the same property are next to each other in class and object definitions.
169 - Make sure object literals are declared consistently (defaults to explicit definitions).
170 - Use static Response methods instead of new Response() constructor when possible.
171 - Make sure switch-case statements are exhaustive.
172 - Make sure the `preconnect` attribute is used when using Google Fonts.
173 - Use `Array#(indexOf,lastIndexOf)()` instead of `Array#{findIndex,findLastIndex}()` when looking for the index of an item.
174 - Make sure iterable callbacks return consistent values.
175 - Use `with { type: "json" }` for JSON module imports.
176 - Use numeric separators in numeric literals.
177 - Use object spread instead of `Object.assign()` when constructing new objects.
178 - Always use the radix argument when using `parseInt()`.
179 - Make sure JSDoc comment lines start with a single asterisk, except for the first one.
180 - Include a description parameter for `Symbol()`.
181 - Don't use spread (...) syntax on accumulators.
182 - Don't use the `delete` operator.
183 - Don't access namespace imports dynamically.

```

```

184 - Don't use namespace imports.
185 - Declare regex literals at the top level.
186 - Don't use `target="_blank"` without `rel="noopener"`.
187
188 ### TypeScript Best Practices
189 - Don't use TypeScript enums.
190 - Don't export imported variables.
191 - Don't add type annotations to variables, parameters, and class properties that are initialized with literal expressions.
192 - Don't use TypeScript namespaces.
193 - Don't use non-null assertions with the `!` postfix operator.
194 - Don't use parameter properties in class constructors.
195 - Don't use user-defined types.
196 - Use `as const` instead of literal types and type annotations.
197 - Use either `T[]` or `Array<T>` consistently.
198 - Initialize each enum member value explicitly.
199 - Use `export type` for types.
200 - Use `import type` for types.
201 - Make sure all enum members are literal values.
202 - Don't use TypeScript const enum.
203 - Don't declare empty interfaces.
204 - Don't let variables evolve into any type through reassignments.
205 - Don't use the any type.
206 - Don't misuse the non-null assertion operator (!) in TypeScript files.
207 - Don't use implicit any type on variable declarations.
208 - Don't merge interfaces and classes unsafely.
209 - Don't use overload signatures that aren't next to each other.
210 - Use the namespace keyword instead of the module keyword to declare TypeScript namespaces.
211
212 ### Style and Consistency
213 - Don't use global `eval()`.
214 - Don't use callbacks in asynchronous tests and hooks.
215 - Don't use negation in `if` statements that have `else` clauses.
216 - Don't use nested ternary expressions.
217 - Don't reassign function parameters.
218 - This rule lets you specify global variable names you don't want to use in your application.
219 - Don't use specified modules when loaded by import or require.
220 - Don't use constants whose value is the upper-case version of their name.
221 - Use `String.slice()` instead of `String.substr()` and `String.substring()`.
222 - Don't use template literals if you don't need interpolation or special-character handling.
223 - Don't use `else` blocks when the `if` block breaks early.
224 - Don't use yoda expressions.
225 - Don't use Array constructors.
226 - Use `at()` instead of integer index access.
227 - Follow curly brace conventions.
228 - Use `else if` instead of nested `if` statements in `else` clauses.
229 - Use single `if` statements instead of nested `if` clauses.
230 - Use `new` for all builtins except `String`, `Number`, and `Boolean`.
231 - Use consistent accessibility modifiers on class properties and methods.
232 - Use `const` declarations for variables that are only assigned once.
233 - Put default function parameters and optional function parameters last.
234 - Include a `default` clause in switch statements.
235 - Use the `**` operator instead of `Math.pow`.
236 - Use `for-of` loops when you need the index to extract an item from the iterated array.
237 - Use `node:assert/strict` over `node:assert`.
238 - Use the `node:` protocol for Node.js builtin modules.
239 - Use Number properties instead of global ones.
240 - Use assignment operator shorthand where possible.
241 - Use function types instead of object types with call signatures.
242 - Use template literals over string concatenation.
243 - Use `new` when throwing an error.
244 - Don't throw non-Error values.
245 - Use `String.trimStart()` and `String.trimEnd()` over `String.trimLeft()` and `String.trimRight()`.
246 - Use standard constants instead of approximated literals.
247 - Don't assign values in expressions.
248 - Don't use async functions as Promise executors.
249 - Don't reassign exceptions in catch clauses.
250 - Don't reassign class members.
251 - Don't compare against -0.
252 - Don't use labeled statements that aren't loops.

```

```

253 - Don't use void type outside of generic or return types.
254 - Don't use console.
255 - Don't use control characters and escape sequences that match control characters in regular expression literals.
256 - Don't use debugger.
257 - Don't assign directly to document.cookie.
258 - Use `===` and `!==`.
259 - Don't use duplicate case labels.
260 - Don't use duplicate class members.
261 - Don't use duplicate conditions in if-else-if chains.
262 - Don't use two keys with the same name inside objects.
263 - Don't use duplicate function parameter names.
264 - Don't have duplicate hooks in describe blocks.
265 - Don't use empty block statements and static blocks.
266 - Don't let switch clauses fall through.
267 - Don't reassign function declarations.
268 - Don't allow assignments to native objects and read-only global variables.
269 - Use Number.isFinite instead of global isFinite.
270 - Use Number.isNaN instead of global isNaN.
271 - Don't assign to imported bindings.
272 - Don't use irregular whitespace characters.
273 - Don't use labels that share a name with a variable.
274 - Don't use characters made with multiple code points in character class syntax.
275 - Make sure to use new and constructor properly.
276 - Don't use shorthand assign when the variable appears on both sides.
277 - Don't use octal escape sequences in string literals.
278 - Don't use Object.prototype builtins directly.
279 - Don't redeclare variables, functions, classes, and types in the same scope.
280 - Don't have redundant "use strict".
281 - Don't compare things where both sides are exactly the same.
282 - Don't let identifiers shadow restricted names.
283 - Don't use sparse arrays (arrays with holes).
284 - Don't use template literal placeholder syntax in regular strings.
285 - Don't use the then property.
286 - Don't use unsafe negation.
287 - Don't use var.
288 - Don't use with statements in non-strict contexts.
289 - Make sure async functions actually use await.
290 - Make sure default clauses in switch statements come last.
291 - Make sure to pass a message value when creating a built-in error.
292 - Make sure get methods always return a value.
293 - Use a recommended display strategy with Google Fonts.
294 - Make sure for-in loops include an if statement.
295 - Use Array.isArray() instead of instanceof Array.
296 - Make sure to use the digits argument with Number.toFixed().
297 - Make sure to use the "use strict" directive in script files.
298
299 ### Next.js Specific Rules
300 - Don't use `` elements in Next.js projects.
301 - Don't use `` elements in Next.js projects.
302 - Don't import next/document outside of pages/_document.jsx in Next.js projects.
303 - Don't use the next/head module in pages/_document.js on Next.js projects.
304
305 ### Testing Best Practices
306 - Don't use export or module.exports in test files.
307 - Don't use focused tests.
308 - Make sure the assertion function, like expect, is placed inside an it() function call.
309 - Don't use disabled tests.
310
311 ## Common Tasks
312 - `npx ultracite init` - Initialize Ultracite in your project
313 - `npx ultracite fix` - Format and fix code automatically
314 - `npx ultracite check` - Check for issues without fixing
315
316 ## Example: Error Handling
317 ```typescript
318 // ☐ Good: Comprehensive error handling
319 try {
320   const result = await fetchData();
321   return { success: true, data: result };

```



```

322 } catch (error) {
323   console.error('API call failed:', error);
324   return { success: false, error: error.message };
325 }
326
327 // ❌ Bad: Swallowing errors
328 try {
329   return await fetchData();
330 } catch (e) {
331   console.log(e);
332 }
333 ```

```

3. .env.example

```

1 # Generate a random secret: https://generate-secret.vercel.app/32 or `openssl rand -base64 32`
2 AUTH_SECRET=****
3
4 # The following keys below are automatically created and
5 # added to your environment when you deploy on Vercel
6
7 # Instructions to create an AI Gateway API key here: https://vercel.com/ai-gateway
8 # API key required for non-Vercel deployments
9 # For Vercel deployments, OIDC tokens are used automatically
10 # https://vercel.com/ai-gateway
11 AI_GATEWAY_API_KEY=****
12
13
14 # Instructions to create a Vercel Blob Store here: https://vercel.com/docs/vercel-blob
15 BLOB_READ_WRITE_TOKEN=****
16
17 # Instructions to create a PostgreSQL database here: https://vercel.com/docs/postgres
18 POSTGRES_URL=****
19
20
21 # Instructions to create a Redis store here:
22 # https://vercel.com/docs/redis
23 REDIS_URL=****
24
25
26 # --- Subscription billing (QPay) ---
27 # Merchant API credentials from QPay (https://qpay.mn). Required to take payments.
28 QPAY_CLIENT_ID=****
29 QPAY_CLIENT_SECRET=****
30 QPAY_INVOICE_CODE=****
31 # Optional — defaults to https://merchant.qpay.mn
32 QPAY_BASE_URL=https://merchant.qpay.mn
33 QPAY_LINE_TAX_CODE=83051
34 # Monthly price charged via QPay, in MNT (~ 20 USD). Defaults to 70000.
35 SUBSCRIPTION_PRICE_MNT=70000
36 # Public base URL QPay calls back to (defaults to NEXTAUTH_URL / AUTH_URL / request origin).
37 APP_URL=https://app.oyunsanaa.com

```

4. .github/workflows/deploy.yml

```

1 name: Deploy Next.js App
2
3 on:
4   push:
5     branches:
6       - main-backup
7
8 jobs:
9   deploy:
10    runs-on: ubuntu-latest

```

```

11
12   steps:
13     - name: Checkout code
14       uses: actions/checkout@v4
15
16     - name: Deploy via SSH
17       uses: appleboy/ssh-action@v1.0.3
18       with:
19         host: ${ secrets.SERVER_HOST }
20         username: ${ secrets.SERVER_USER }
21         key: ${ secrets.SSH_PRIVATE_KEY }
22         port: 22
23         command_timeout: 30m
24         script: |
25           cd /**/oyunsanaa/oyunsanaa-aichat
26
27           # 1. Pull down the fresh code
28           git pull origin main-backup
29
30           # 2. Install all dependencies (including devDependencies like tsx)
31           npm install
32
33           # 3. Build (reuse .next cache for faster incremental builds)
34           NODE_OPTIONS=--max-old-space-size=1536 npm run build
35
36           # 4. Restart the app only after the build completely succeeds
37           pm2 restart oyunsanaa-chat || pm2 start npm --name "oyunsanaa-chat" -- run start

```

5. .github/workflows/lint.yml

```

1 # name: Lint
2 # on:
3 #   push:
4
5 # jobs:
6 #   build:
7 #     runs-on: ubuntu-22.04
8 #     strategy:
9 #       matrix:
10 #         node-version: [20]
11 #     steps:
12 #       - uses: actions/checkout@v4
13 #       - name: Install pnpm
14 #         uses: pnpm/action-setup@v4
15 #         with:
16 #           version: 9.12.3
17 #       - name: Use Node.js ${ matrix.node-version }
18 #         uses: actions/setup-node@v4
19 #         with:
20 #           node-version: ${ matrix.node-version }
21 #           cache: "pnpm"
22 #       - name: Install dependencies
23 #         run: pnpm install
24 #       - name: Run lint
25 #         run: pnpm lint

```

6. .github/workflows/playwright.yml

```

1 # name: Playwright Tests
2 # on:
3 #   push:
4 #     branches: [main, master]
5 #   pull_request:
6 #     branches: [main, master]
7

```

```

8 # jobs:
9 #   test:
10 #     timeout-minutes: 30
11 #     runs-on: ubuntu-latest
12 #     env:
13 #       AUTH_SECRET: ${ secrets.AUTH_SECRET }
14 #       POSTGRES_URL: ${ secrets.POSTGRES_URL }
15 #       BLOB_READ_WRITE_TOKEN: ${ secrets.BLOB_READ_WRITE_TOKEN }
16 #       REDIS_URL: ${ secrets.REDIS_URL }
17 #
18 #     steps:
19 #       - uses: actions/checkout@v4
20 #         with:
21 #           fetch-depth: 1
22 #
23 #       - uses: actions/setup-node@v4
24 #         with:
25 #           node-version: lts/*
26 #
27 #       - name: Install pnpm
28 #         uses: pnpm/action-setup@v2
29 #         with:
30 #           version: latest
31 #           run_install: false
32 #
33 #       - name: Get pnpm store directory
34 #         id: pnpm-cache
35 #         shell: bash
36 #         run: |
37 #           echo "STORE_PATH=$(pnpm store path)" >> $GITHUB_OUTPUT
38 #
39 #       - uses: actions/cache@v3
40 #         with:
41 #           path: ${ steps.pnpm-cache.outputs.STORE_PATH }
42 #           key: ${ runner.os }-pnpm-store-${ hashFiles('**/pnpm-lock.yaml') }
43 #           restore-keys: |
44 #             ${ runner.os }-pnpm-store-
45 #
46 #       - uses: actions/setup-node@v4
47 #         with:
48 #           node-version: lts/*
49 #           cache: "pnpm"
50 #
51 #       - name: Install dependencies
52 #         run: pnpm install --frozen-lockfile
53 #
54 #       - name: Cache Playwright browsers
55 #         uses: actions/cache@v3
56 #         id: playwright-cache
57 #         with:
58 #           path: ~/.cache/ms-playwright
59 #           key: ${ runner.os }-playwright-${ hashFiles('**/pnpm-lock.yaml') }
60 #
61 #       - name: Install Playwright Browsers
62 #         if: steps.playwright-cache.outputs.cache-hit != 'true'
63 #         run: pnpm exec playwright install --with-deps chromium
64 #
65 #       - name: Run Playwright tests
66 #         run: pnpm test
67 #
68 #       - uses: actions/upload-artifact@v4
69 #         if: always() && !cancelled()
70 #         with:
71 #           name: playwright-report
72 #           path: playwright-report/
73 #           retention-days: 7

```

7. .gitignore

```
1 # See https://help.github.com/articles/ignoring-files/ for more about ignoring files.
2
3 # dependencies
4 node_modules
5 .pnp
6 .pnp.js
7
8 # testing
9 coverage
10
11 # next.js
12 .next/
13 out/
14 build
15
16 # misc
17 .DS_Store
18 *.pem
19
20 # debug
21 npm-debug.log*
22 yarn-debug.log*
23 yarn-error.log*
24 .pnpm-debug.log*
25
26
27 # local env files
28 .env.local
29 .env.production
30 .env.development.local
31 .env.test.local
32 .env.production.local
33
34 # turbo
35 .turbo
36
37 .env
38 .vercel
39 .env*.local
40
41 # Playwright
42 /test-results/
43 /playwright-report/
44 /blob-report/
45 /playwright/*
46
47 public/uploads/
48
49 next-env.d.ts
50 package-lock.json
51
52 # markdown notes (not tracked)
53 *.md
54 !README.md
55 !AGENTS.md
56 !ӨӨРЧЛӨЛТҮҮД.md
57 # request/app logs
58 logs/
```

8. .npmrc

```
1 legacy-peer-deps=true
```

9. .vscode/extensions.json

```
1 {
2   "recommendations": ["biomejs.biome"]
3 }
```

10. .vscode/settings.json

```
1 {
2   "editor.defaultFormatter": "esbenp.prettier-vscode",
3   "[javascript]": {
4     "editor.defaultFormatter": "biomejs.biome"
5   },
6   "[typescript]": {
7     "editor.defaultFormatter": "biomejs.biome"
8   },
9   "[javascriptreact]": {
10    "editor.defaultFormatter": "biomejs.biome"
11  },
12  "[typescriptreact]": {
13    "editor.defaultFormatter": "biomejs.biome"
14  },
15  "[json]": {
16    "editor.defaultFormatter": "biomejs.biome"
17  },
18  "[jsonc]": {
19    "editor.defaultFormatter": "biomejs.biome"
20  },
21  "[css]": {
22    "editor.defaultFormatter": "biomejs.biome"
23  },
24  "[graphql]": {
25    "editor.defaultFormatter": "biomejs.biome"
26  },
27  "typescript.tsdk": "node_modules/typescript/lib",
28  "editor.formatOnSave": true,
29  "editor.formatOnPaste": true,
30  "emmet.showExpandedAbbreviation": "never",
31  "editor.codeActionsOnSave": {
32    "source.fixAll.biome": "explicit",
33    "source.organizeImports.biome": "explicit"
34  }
35 }
```

11. app/(auth)/actions.ts

```
1 "use server";
2
3 import { z } from "zod";
4 import { AuthError } from "next-auth";
5 import { createUser, getUser } from "@/lib/db/queries";
6 import { signIn } from "@/auth";
7
8 const schema = z.object({
9   email: z.string().email(),
10  password: z.string().min(6),
11 });
12
13 function normalizeEmail(value: unknown) {
14   return String(value ?? "").trim().toLowerCase();
15 }
16
17 export type RegisterActionState = {
18   status: "idle" | "success" | "failed" | "user_exists" | "invalid_data";
```

```

19 };
20
21 export async function register(
22   _: RegisterActionState,
23   formData: FormData
24 ): Promise<RegisterActionState> {
25   try {
26     const data = schema.parse({
27       email: normalizeEmail(formData.get("email")),
28       password: String(formData.get("password") ?? ""),
29     });
30
31     const existing = await getUser(data.email);
32     if (existing.length > 0) return { status: "user_exists" };
33
34     // 1᠒᠒ user үүсрэнэ
35     await createUser(data.email, data.password);
36
37     // 2᠒᠒ шууд sign in
38     await signIn("credentials", {
39       email: data.email,
40       password: data.password,
41       redirect: false,
42     });
43
44     return { status: "success" };
45   } catch (e) {
46     if (e instanceof z.ZodError) return { status: "invalid_data" };
47     return { status: "failed" };
48   }
49 }

```

12. app/(auth)/api/auth/[...nextauth]/route.ts

```

1 // biome-ignore lint/performance/noBarrelFile: "Required"
2 export { GET, POST } from "@app/(auth)/auth";

```

13. app/(auth)/api/auth/guest/route.ts

```

1 import { NextResponse } from "next/server";
2
3 function safeRedirect(path: string | null) {
4   if (!path || typeof path !== "string") return "/";
5   if (!path.startsWith("/")) return "/";
6   return path;
7 }
8
9 // Guest хандалт хаагдсан — бүх хүсэлтийг login руу шилжүүлнэ.
10 export async function GET(request: Request) {
11   const { searchParams } = new URL(request.url);
12   const redirectUrl = safeRedirect(searchParams.get("redirectUrl"));
13   const callbackUrl = encodeURIComponent(redirectUrl);
14
15   return NextResponse.redirect(
16     new URL(`/login?callbackUrl=${callbackUrl}`, request.url)
17   );
18 }

```

14. app/(auth)/auth.config.ts

```

1 import type { NextAuthConfig } from "next-auth";
2

```

```

3 export const authConfig = {
4   pages: {
5     signIn: "/login",
6     newUser: "/",
7   },
8   providers: [
9     // added later in auth.ts since it requires bcrypt which is only compatible with Node.js
10    // while this file is also used in non-Node.js environments
11  ],
12  callbacks: {},
13 } satisfies NextAuthConfig;

```

15. app/(auth)/auth.ts

```

1 import { compare } from "bcrypt-ts";
2 import NextAuth, { type DefaultSession } from "next-auth";
3 import type { DefaultJWT } from "next-auth/jwt";
4 import Credentials from "next-auth/providers/credentials";
5 import Google from "next-auth/providers/google";
6
7 import { DUMMY_PASSWORD } from "@/lib/constants";
8 import { ensureUserIdByEmail, getUser } from "@/lib/db/queries";
9 import { authConfig } from "../auth.config";
10
11 export type UserType = "guest" | "regular";
12
13 /* ----- types ----- */
14 declare module "next-auth" {
15   interface Session extends DefaultSession {
16     user: {
17       id: string;
18       type: UserType;
19     } & DefaultSession["user"];
20   }
21 }
22
23 declare module "next-auth/jwt" {
24   interface JWT extends DefaultJWT {
25     id?: string;
26     type?: UserType;
27   }
28 }
29
30 /* ----- auth ----- */
31 export const {
32   handlers: { GET, POST },
33   auth,
34   signIn,
35   signOut,
36 } = NextAuth({
37   ...authConfig,
38   secret: process.env.AUTH_SECRET ?? process.env.NEXTAUTH_SECRET,
39   trustHost: true,
40
41   providers: [
42     /* ----- Google (regular) ----- */
43     Google({
44       clientId: process.env.GOOGLE_CLIENT_ID ?? "",
45       clientSecret: process.env.GOOGLE_CLIENT_SECRET ?? "",
46     }),
47
48     /* ----- Email / password (regular) ----- */
49     Credentials({
50       id: "credentials",
51       credentials: {},
52       async authorize(credentials: any) {
53         const email = String(credentials?.email ?? "").trim().toLowerCase();

```

```

54     const password = String(credentials?.password ?? "");
55
56     if (!email || !password) { return null; }
57
58     const users = await getUser(email);
59
60     // timing xamraanaant
61     if (users.length === 0) {
62         await compare(password, DUMMY_PASSWORD);
63         return null;
64     }
65
66     const u = users[0];
67
68     if (!u.password) { return null; }
69
70     const ok = await compare(password, u.password);
71     if (!ok) { return null; }
72
73     return { id: u.id, email: u.email, type: "regular" as const };
74 },
75 },
76 ],
77
78 callbacks: {
79     redirect({ url, baseUrl }) {
80         const base = process.env.AUTH_URL ?? process.env.NEXTAUTH_URL ?? baseUrl;
81         if (url.startsWith("/")) { return `${base}${url}`; }
82         try {
83             if (new URL(url).origin === new URL(base).origin) { return url; }
84         } catch { /* malformed url - fall through */ }
85         return base;
86     },
87
88     async jwt({ token, user }) {
89         // Only runs during sign-in (user is defined). On subsequent requests
90         // user is undefined - we trust token.id that was set at sign-in time.
91         if (user) {
92             token.id = (user as any).id;
93             token.type = (user as any).type ?? "regular";
94             token.email = user.email ?? token.email;
95
96             // Ensure the DB row exists and get the canonical ID.
97             // Done once at sign-in, never on every request.
98             const isRegular = (token.type ?? "regular") === "regular";
99             if (isRegular && token.email) {
100                 const id = await ensureUserIdByEmail(token.email);
101                 token.id = id;
102                 token.type = "regular";
103             }
104         }
105
106         return token;
107     },
108
109     session({ session, token }) {
110         if (session.user) {
111             session.user.id = (token.id ?? session.user.id) as string;
112             session.user.type = (token.type ?? "regular") as UserType;
113         }
114         return session;
115     },
116 },
117 });

```

16. app/(auth)/login/page.tsx


```

1  "use client";
2
3  import Link from "next/link";
4  import { useSearchParams } from "next/navigation";
5  import { signIn } from "next-auth/react";
6  import { Suspense, useEffect, useState } from "react";
7
8  import { AuthForm } from "@/components/auth-form";
9  import { SubmitButton } from "@/components/submit-button";
10 import { toast } from "@/components/toast";
11 import { useT } from "@/lib/i18n/provider";
12
13 type Status = "idle" | "submitting" | "success" | "failed";
14
15 function safeCallback(url: string | null) {
16   if (!url || !url.startsWith("/")) return "/";
17   // auth хуудас руу буцаах нь давталт үүсгэдэг тул "/" руу
18   if (/^\/(login|register)(\?|$)/.test(url)) return "/";
19   return url;
20 }
21
22 function LoginForm() {
23   const searchParams = useSearchParams();
24   const callbackUrl = safeCallback(searchParams.get("callbackUrl"));
25
26   const t = useT();
27
28   const [email, setEmail] = useState("");
29   const [isSuccessful, setIsSuccessful] = useState(false);
30   const [status, setStatus] = useState<Status>("idle");
31
32   useEffect(() => {
33     if (status === "failed") {
34       toast({
35         type: "error",
36         description: t.auth.invalidCredentials,
37       });
38     }
39   }, [status, t]);
40
41   const handleSubmit = async (formData: FormData) => {
42     const e = String(formData.get("email") || "");
43     const p = String(formData.get("password") || "");
44
45     setEmail(e);
46     setStatus("submitting");
47
48     const res = await signIn("credentials", {
49       email: e,
50       password: p,
51       redirect: false,
52     });
53
54     if (res?.error) {
55       setIsSuccessful(false);
56       setStatus("failed");
57       return;
58     }
59
60     setIsSuccessful(true);
61     setStatus("success");
62     // Hard navigation – шинэ session cookie-тэйгээр бүтэн ачаална.
63     // (router.replace нь зарим тохиолдолд проху-той давтагдаж "stuck" болдог)
64     window.location.assign(callbackUrl);
65   };
66
67   return (
68     <div className="flex h-dvh w-screen items-start justify-center bg-background pt-12 md:items-center md:pt-0">
69       <div className="flex w-full max-w-md flex-col gap-12 overflow-hidden rounded-2xl">

```

```

70     <div className="flex flex-col items-center justify-center gap-2 px-4 text-center sm:px-16">
71       <h3 className="font-semibold text-xl dark:text-zinc-50">
72         {t.auth.signInTitle}
73       </h3>
74       <p className="text-gray-500 text-sm dark:text-zinc-400">
75         {t.auth.signInSubtitle}
76       </p>
77     </div>
78
79     <AuthForm action={handleSubmit} defaultEmail={email}>
80       <SubmitButton isSuccessful={isSuccessful}>
81         {status === "submitting" ? t.auth.signingIn : t.auth.signIn}
82       </SubmitButton>
83
84       {/* ☐ Google login (NextAuth) */}
85       <button
86         type="button"
87         onClick={() => signIn("google", { callbackUrl })}
88         className="w-full rounded-md border px-4 py-2 text-sm"
89       >
90         {t.auth.googleSignIn}
91       </button>
92
93       <p className="mt-4 text-center text-gray-600 text-sm dark:text-zinc-400">
94         {t.auth.noAccount}
95         <Link
96           className="font-semibold text-gray-800 hover:underline dark:text-zinc-200"
97           href="/register"
98         >
99           {t.auth.signUpFree}
100         </Link>
101       </p>
102     </AuthForm>
103   </div>
104 </div>
105 );
106 }
107
108 export default function Page() {
109   return (
110     <Suspense fallback={null}>
111       <LoginForm />
112     </Suspense>
113   );
114 }

```

17. app/(auth)/register/page.tsx

```

1  "use client";
2
3  import Link from "next/link";
4  import { signIn } from "next-auth/react";
5  import { useActionState, useEffect, useRef, useState } from "react";
6
7  import { AuthForm } from "@/components/auth-form";
8  import { SubmitButton } from "@/components/submit-button";
9  import { toast } from "@/components/toast";
10 import { useT } from "@/lib/i18n/provider";
11 import { type RegisterActionState, register } from "../actions";
12
13 export default function Page() {
14   const t = useT();
15   const [email, setEmail] = useState("");
16   const [isSuccessful, setIsSuccessful] = useState(false);
17   const [isSubmitting, setIsSubmitting] = useState(false);
18
19   const lastToastedStatusRef = useRef<string | null>(null);

```

```

20
21 const [state, formAction] = useActionState<RegisterActionState, FormData>{
22   register,
23   { status: "idle" }
24 };
25
26 useEffect(() => {
27   if (lastToastedStatusRef.current === state.status) return;
28   lastToastedStatusRef.current = state.status;
29
30   // submit дуусмагц button-г буцааж идэвхжүүлнэ
31   if (state.status !== "idle") setIsSubmitting(false);
32
33   if (state.status === "user_exists") {
34     toast({ type: "error", description: t.auth.accountExists });
35     setIsSuccessful(false);
36     return;
37   }
38
39   if (state.status === "failed") {
40     toast({ type: "error", description: t.auth.failedCreate });
41     setIsSuccessful(false);
42     return;
43   }
44
45   if (state.status === "invalid_data") {
46     toast({
47       type: "error",
48       description: t.auth.invalidSubmission,
49     });
50     setIsSuccessful(false);
51     return;
52   }
53
54   if (state.status === "success") {
55     toast({
56       type: "success",
57       description: t.auth.accountCreated,
58     });
59     setIsSuccessful(true);
60
61     // Hard navigation – шинэ session cookie-тэйгээр бүтэн ачаална.
62     // (login/page.tsx-тэй ижил: router.replace нь проху-той давтагдаж
63     // "stuck" болдог тул window.location.assign ашиглана.)
64     window.location.assign("/");
65     return;
66   }
67 }, [state.status, t]);
68
69 const handleSubmit = (formData: FormData) => {
70   if (isSubmitting) return;
71   setIsSubmitting(true);
72
73   setEmail(String(formData.get("email") || ""));
74   formAction(formData);
75 };
76
77 return (
78   <div className="flex h-dvh w-screen items-start justify-center bg-background pt-12 md:items-center md:pt-0">
79     <div className="flex w-full max-w-md flex-col gap-12 overflow-hidden rounded-2xl">
80       <div className="flex flex-col items-center justify-center gap-2 px-4 text-center sm:px-16">
81         <h3 className="font-semibold text-xl dark:text-zinc-50">
82           {t.auth.signUpTitle}
83         </h3>
84         <p className="text-gray-500 text-sm dark:text-zinc-400">
85           {t.auth.signUpSubtitle}
86         </p>
87       </div>
88

```

```

89     <AuthForm action={handleSubmit} defaultEmail={email}>
90       <SubmitButton isSuccessful={isSuccessful}>
91         {t.auth.signUp}
92       </SubmitButton>
93
94       <button
95         type="button"
96         onClick={() => signIn("google", { callbackUrl: "/" })}
97         className="w-full rounded-md border px-4 py-2 text-sm"
98       >
99         {t.auth.googleSignIn}
100     </button>
101
102     <p className="mt-4 text-center text-gray-600 text-sm dark:text-zinc-400">
103       {t.auth.alreadyHave}
104       <Link
105         className="font-semibold text-gray-800 hover:underline dark:text-zinc-200"
106         href="/login"
107       >
108         {t.auth.signInInstead}
109       </Link>
110     </p>
111   </AuthForm>
112 </div>
113 </div>
114 );
115 }

```

18. app/(chat)/actions.ts

```

1  "use server";
2
3  import { generateText, type UIMessage } from "ai";
4  import { cookies } from "next/headers";
5  import type { VisibilityType } from "@/components/visibility-selector";
6  import { titlePrompt } from "@/lib/ai/prompts";
7  import { getTitleModel } from "@/lib/ai/providers";
8  import {
9    deleteMessagesByChatIdAfterTimestamp,
10    getMessageById,
11    updateChatVisibilityById,
12  } from "@/lib/db/queries";
13  import { getTextFromMessage } from "@/lib/utils";
14
15  export async function saveChatModelAsCookie(model: string) {
16    const cookieStore = await cookies();
17    cookieStore.set("chat-model", model);
18  }
19
20  export async function generateTitleFromUserMessage({
21    message,
22  }: {
23    message: UIMessage;
24  }) {
25    const { text: title } = await generateText({
26      // □ type mismatch-ийг түр тойруулж compile гаргана
27      model: getTitleModel() as any,
28      system: titlePrompt,
29      prompt: getTextFromMessage(message),
30    });
31
32    return title;
33  }
34
35  export async function deleteTrailingMessages({ id }: { id: string }) {
36    const message = await getMessageById({ id });
37

```

```

38 // message олодохгүй бол шууд stop
39 if (!message) return;
40
41 await deleteMessagesByChatIdAfterTimestamp({
42   chatId: message.chatId,
43   timestamp: message.createdAt,
44 });
45 }
46
47
48 export async function updateChatVisibility({
49   chatId,
50   visibility,
51 }: {
52   chatId: string;
53   visibility: VisibilityType;
54 }) {
55   await updateChatVisibilityById({ chatId, visibility });
56 }

```

19. app/(chat)/api/balance/results/route.ts

```

1 import { NextResponse } from "next/server";
2
3 export async function POST() {
4   return NextResponse.json({ ok: true, skipped: true });
5 }
6
7 export async function GET() {
8   return NextResponse.json({ rows: [] });
9 }

```

20. app/(chat)/api/balance/run/route.ts

```

1 import { NextResponse } from "next/server";
2 import { auth } from "@/app/(auth)/auth";
3 import { getPgAdmin } from "@/lib/db/pgClient";
4
5 function getSupabaseAdmin() {
6   return getPgAdmin();
7 }
8
9 export async function POST(req: Request) {
10   try {
11     const session = await auth();
12     const userId = session?.user?.id;
13
14     if (!userId) {
15       return NextResponse.json({ error: "Unauthorized" }, { status: 401 });
16     }
17
18     const body = await req.json();
19     const testSlug = String(body?.testSlug ?? "");
20     const answers = body?.answers ?? null;
21     const result = body?.result ?? null;
22     const totalScore100 = Number(body?.totalScore100 ?? body?.result?.totalScore100 ?? 0);
23
24     if (!testSlug || !answers || !result) {
25       return NextResponse.json({ error: "Missing fields" }, { status: 400 });
26     }
27
28     const supabase = getSupabaseAdmin();
29
30     const { error } = await supabase.from("test_runs").insert({
31       user_id: userId,

```

```

32     test_slug: testSlug,
33     answers,
34     result,
35     total_score100: Number.isFinite(totalScore100) ? totalScore100 : 0,
36   });
37
38   if (error) {
39     return NextResponse.json({ error: error.message }, { status: 500 });
40   }
41
42   return NextResponse.json({ ok: true });
43 } catch (e: any) {
44   return NextResponse.json({ error: e?.message ?? "Server error" }, { status: 500 });
45 }
46 }

```

21. app/(chat)/api/chat/[id]/stream/route.ts

```

1  import { createUIMessageStream, JsonToSseTransformStream } from "ai";
2  import { differenceInSeconds } from "date-fns";
3  import { auth } from "@/app/(auth)/auth";
4  import {
5    getChatById,
6    getMessagesByChatId,
7    getStreamIdsByChatId,
8  } from "@/lib/db/queries";
9  import type { Chat } from "@/lib/db/schema";
10 import { ChatSDKError } from "@/lib/errors";
11 import type { ChatMessage } from "@/lib/types";
12 import { getStreamContext } from "../../route";
13
14 export async function GET(
15   _ : Request,
16   { params }: { params: Promise<{ id: string }> }
17 ) {
18   const { id: chatId } = await params;
19
20   const streamContext = getStreamContext();
21   const resumeRequestedAt = new Date();
22
23   if (!streamContext) {
24     return new Response(null, { status: 204 });
25   }
26
27   if (!chatId) {
28     return new ChatSDKError("bad_request:api").toResponse();
29   }
30
31   const session = await auth();
32
33   if (!session?.user) {
34     return new ChatSDKError("unauthorized:chat").toResponse();
35   }
36
37   let chat: Chat | null;
38
39   try {
40     chat = await getChatById({ id: chatId });
41   } catch {
42     return new ChatSDKError("not_found:chat").toResponse();
43   }
44
45   if (!chat) {
46     return new ChatSDKError("not_found:chat").toResponse();
47   }
48
49   if (chat.visibility === "private" && chat.userId !== session.user.id) {

```

```

50     return new ChatSDKError("forbidden:chat").toResponse();
51 }
52
53 const streamIds = await getStreamIdsByChatId({ chatId });
54
55 if (!streamIds.length) {
56     return new ChatSDKError("not_found:stream").toResponse();
57 }
58
59 const recentStreamId = streamIds.at(-1);
60
61 if (!recentStreamId) {
62     return new ChatSDKError("not_found:stream").toResponse();
63 }
64
65 const emptyDataStream = createUIMessageStream<ChatMessage>({
66     // biome-ignore lint/suspicious/noEmptyBlockStatements: "Needs to exist"
67     execute: () => {},
68 });
69
70 const stream = await streamContext.resumableStream(recentStreamId, () =>
71     emptyDataStream.pipeThrough(new JsonToSseTransformStream())
72 );
73
74 /*
75  * For when the generation is streaming during SSR
76  * but the resumable stream has concluded at this point.
77  */
78 if (!stream) {
79     const messages = await getMessagesByChatId({ id: chatId });
80     const mostRecentMessage = messages.at(-1);
81
82     if (!mostRecentMessage) {
83         return new Response(emptyDataStream, { status: 200 });
84     }
85
86     if (mostRecentMessage.role !== "assistant") {
87         return new Response(emptyDataStream, { status: 200 });
88     }
89
90     const messageCreatedAt = new Date(mostRecentMessage.createdAt);
91
92     if (differenceInSeconds(resumeRequestedAt, messageCreatedAt) > 15) {
93         return new Response(emptyDataStream, { status: 200 });
94     }
95
96     const restoredStream = createUIMessageStream<ChatMessage>({
97         execute: ({ writer }) => {
98             writer.write({
99                 type: "data-appendMessage",
100                 data: JSON.stringify(mostRecentMessage),
101                 transient: true,
102             });
103         },
104     });
105
106     return new Response(
107         restoredStream.pipeThrough(new JsonToSseTransformStream()),
108         { status: 200 }
109     );
110 }
111
112 return new Response(stream, { status: 200 });
113 }

```

22. app/(chat)/api/chat/route.ts

```

1  import {
2    convertToModelMessages,
3    createUIMessageStream,
4    JsonToSseTransformStream,
5    smoothStream,
6    stepCountIs,
7    streamText,
8  } from "ai";
9
10 import { cookies } from "next/headers";
11 import { getPgAdmin } from "@lib/db/pgClient";
12
13 import { auth, type UserType } from "@app/(auth)/auth";
14 import { entitlementsByUserType } from "@lib/ai/entitlements";
15 import { type RequestHints, systemPrompt } from "@lib/ai/prompts";
16 import { shouldUseActiveArtifactContext } from "@lib/ai/active-artifact-context";
17 import { financePrompt } from "@lib/ai/prompts/finance";
18 import { foodPrompt } from "@lib/ai/prompts/food";
19 import { notesPrompt } from "@lib/ai/prompts/notes";
20 import { programsPrompt } from "@lib/ai/prompts/programs";
21 import { selfUnderstandingPrompt } from "@lib/ai/prompts/self-understanding";
22 import { testsPrompt } from "@lib/ai/prompts/tests";
23 import { getLanguageModel } from "@lib/ai/providers";
24 import { DEFAULT_CHAT_MODEL } from "@lib/ai/models";
25 import { createDocument } from "@lib/ai/tools/create-document";
26 import { getWeather } from "@lib/ai/tools/get-weather";
27 import { requestSuggestions } from "@lib/ai/tools/request-suggestions";
28 import { updateDocument } from "@lib/ai/tools/update-document";
29 import { isProductionEnvironment } from "@lib/constants";
30
31 import {
32   deleteChatById,
33   ensureUserIdByEmail,
34   getChatById,
35   getMessageCountByUserId,
36   getMessagesByChatId,
37   getUserSubscription,
38   saveChat,
39   saveMessages,
40   updateChatTitleById,
41   updateMessage,
42 } from "@lib/db/queries";
43
44 import type { DBMessage } from "@lib/db/schema";
45 import { ChatSDKError } from "@lib/errors";
46 import { resolveSubscription } from "@lib/subscription/access";
47 import type { ChatMessage } from "@lib/types";
48 import { convertToUIMessages, generateUUID } from "@lib/Utils";
49 import { generateTitleFromUserMessage } from "../actions";
50 import { type PostRequestBody, postRequestBodySchema } from "../schema";
51
52 // Always null - resumable streams require Redis + Vercel infrastructure
53 type StreamContext = {
54   resumableStream: {
55     streamId: string,
56     makeStream: () => ReadableStream
57   } => Promise<ReadableStream | null>;
58 };
59 export function getStreamContext(): StreamContext | null {
60   return null;
61 }
62
63 // □ TypeScript-д activeTools төрлийг яг зааж өгнө
64 type ActiveTool =
65   | "getWeather"
66   | "createDocument"
67   | "updateDocument"
68   | "requestSuggestions";
69

```



```

70 /** Local PG admin client - replaces Supabase admin */
71 function getSupabaseAdmin() {
72   return getPgAdmin();
73 }
74
75 /** урт текстийг prompt-д хэт их оруулахгүй */
76 function clampText(text: string, maxChars = 6000) {
77   const t = (text ?? "").toString();
78   if (t.length <= maxChars) return t;
79   return t.slice(0, maxChars) + "\n\n... (таслав)";
80 }
81
82 /** □ user_settings-с хэрэглэгчийн хамгийн сүүлд уншсан artifact-ийн slug/title/id */
83 async function getActiveArtifactForUser(userId: string) {
84   const supabaseAdmin = getSupabaseAdmin();
85   if (!supabaseAdmin) return null;
86
87   try {
88     const { data, error } = await supabaseAdmin
89       .from("user_settings")
90       .select("active_artifact_title, active_artifact_slug, active_artifact_id")
91       .eq("user_id", userId)
92       .maybeSingle();
93
94     if (error) return null;
95     return data ?? null;
96   } catch {
97     return null;
98   }
99 }
100
101 /** □ kb_articles (37 текст) -ийг slug-аар уншина */
102 /** □ kb_articles (37 текст) -ийг slug-аар уншина (slash зөрүүг зассан) */
103 async function getKbArticleBySlug(slug: string) {
104   const supabaseAdmin = getSupabaseAdmin();
105   if (!supabaseAdmin) return null;
106
107   const clean = (slug ?? "").toString().trim();
108   if (!clean) return null;
109
110   try {
111     // 1) яг адилхан slug
112     const exact = await supabaseAdmin
113       .from("kb_articles")
114       .select("slug, title, content, category")
115       .eq("slug", clean)
116       .maybeSingle();
117     if (exact.data) return exact.data;
118
119     // 2) урд '/'-гүй хувилбар
120     const noSlash = clean.startsWith("/") ? clean.slice(1) : clean;
121     const alt = await supabaseAdmin
122       .from("kb_articles")
123       .select("slug, title, content, category")
124       .eq("slug", noSlash)
125       .maybeSingle();
126     if (alt.data) return alt.data;
127
128     // 3) урд '/' нэмсэн хувилбар
129     const withSlash = clean.startsWith("/") ? clean : `/${clean}`;
130     const alt2 = await supabaseAdmin
131       .from("kb_articles")
132       .select("slug, title, content, category")
133       .eq("slug", withSlash)
134       .maybeSingle();
135
136     return alt2.data ?? null;
137   } catch {
138     return null;
139   }

```

```

139   }
140 }
141
142
143 export async function POST(request: Request) {
144   let requestBody: PostRequestBody;
145
146   try {
147     requestBody = postRequestBodySchema.parse(await request.json());
148   } catch {
149     return new ChatSDKError("bad_request:api").toResponse();
150   }
151
152   try {
153     const { id, message, messages, selectedVisibilityType } = requestBody;
154     // Model сонголт UI-ийг хаалттай тул client-ээс ирсэн model-ийг үл тооно.
155     const activeChatModel = DEFAULT_CHAT_MODEL;
156
157     // 1) Auth – зөвхөн нэвтэрсэн regular хэрэглэгч (guest хандах эрхгүй)
158     const session = await auth();
159     if (!session?.user) return new ChatSDKError("unauthorized:chat").toResponse();
160
161     if ((session.user.type ?? "regular") === "guest") {
162       return new ChatSDKError("unauthorized:chat").toResponse();
163     }
164
165     const isGuest = false;
166
167     // □ Guest LIMIT (cookie дээр) – DB ашиглахгүй
168     if (isGuest && message?.role === "user") {
169       const LIMIT = 10;
170       const store = await cookies();
171
172       const key = "guest_msg_count_v1";
173       const today = new Date().toISOString().slice(0, 10);
174
175       const raw = store.get(key)?.value ?? "";
176       const [savedDay, savedCountStr] = raw.split(":");
177       const savedCount = Number(savedCountStr ?? "0");
178
179       const countToday = savedDay === today ? savedCount : 0;
180       if (countToday >= LIMIT) {
181         return new ChatSDKError("rate_limit:chat").toResponse();
182       }
183
184       store.set(key, `${today}:${countToday + 1}`, {
185         httpOnly: true,
186         sameSite: "lax",
187         secure: isProductionEnvironment,
188         path: "/",
189         maxAge: 60 * 60 * 24 * 7,
190       });
191     }
192
193     // 2) Regular үед DB user ensure (Guest үед хийхгүй)
194     let fixedSession = session;
195     let userType: UserType = (session.user.type ?? "regular") as UserType;
196     let active: Awaited<ReturnType<typeof getActiveArtifactForUser>> = null;
197     let kb: Awaited<ReturnType<typeof getKbArticleBySlug>> = null;
198
199     // 4) Tool approval flow? – зөвхөн жинхэнэ tool-approval continuation
200     // үед л true байх ёстой (approval-responded/output-denied state бүхий
201     // part байгаа эсэхээр шалгана), зүгээр "messages" массив ирсэн эсэхээр
202     // биш. Өмнө нь Boolean(messages) ашигладаг байсан тул зураг хавсаргасан
203     // чат үед ч (client зурагтай бол бүх түүхийг array-аар явуулдаг байсан)
204     // энэ true болж, шинэ хэрэглэгчийн мессежийг DB-д хадгалахгүй/буруу
205     // update хийдэг байв (BUG-AUDIT-2026-07.md).
206     const isToolApprovalFlow =
207       Array.isArray(messages) &&

```

```

208     messages.some((msg) =>
209       msg.parts?.some((part) => {
210         const state = (part as { state?: string }).state;
211         return state === "approval-responded" || state === "output-denied";
212       })
213     );
214
215     // Транспортын хэлбэрээс үл хамааран (single `message` эсвэл бүтэн
216     // `messages` массив) хамгийн сүүлийн хэрэглэгчийн мессежийг олно.
217     const newestUserMessage: ChatMessage | undefined =
218       (message as ChatMessage | undefined) ??
219       (Array.isArray(messages)
220         ? [...(messages as ChatMessage[])].reverse().find((m) => m.role === "user")
221         : undefined);
222
223     // 5) Chat load / ownership (□ Guest үед DB-ээс орт уншихгүй)
224     let messagesFromDb: DBMessage[] = [];
225     let titlePromise: Promise<string> | null = null;
226
227     if (!isGuest) {
228       if (!session.user.email) {
229         return new ChatSDKError("unauthorized:chat").toResponse();
230       }
231
232       // □ Хамааралгүй DB уншилтуудыг зэрэг явуулна (sequential round-trip-ийг
233       // багасгаж, model рүү анхны хүсэлт явахаас өмнөх хүлээлтийг хасна).
234       const [dbUserId, existingChat] = await Promise.all([
235         ensureUserIdByEmail(session.user.email),
236         getChatById({ id }),
237       ]);
238
239       fixedSession = {
240         ...session,
241         user: { ...session.user, id: dbUserId, type: "regular" },
242       };
243
244       userType = "regular";
245
246       const [sub, activeResult, messageCount] = await Promise.all([
247         getUserSubscription(dbUserId),
248         getActiveArtifactForUser(dbUserId),
249         getMessageCountByUserId({ id: dbUserId, differenceInHours: 24 }),
250       ]);
251
252       // □ Subscription gate: free trial (1 day) then a paid period is required.
253       if (sub) {
254         const state = resolveSubscription(sub);
255         if (!state.hasAccess) {
256           return new ChatSDKError("forbidden:subscription").toResponse();
257         }
258       }
259
260       // 3) Rate limit (Regular дээр DB-p)
261       const limits =
262         entitlementsByUserType[userType] ?? entitlementsByUserType["regular"];
263
264       if (messageCount > limits.maxMessagesPerDay) {
265         return new ChatSDKError("rate_limit:chat").toResponse();
266       }
267
268       active = activeResult;
269       kb = active?.active_artifact_slug
270         ? await getKbArticleBySlug(active.active_artifact_slug)
271         : null;
272
273       if (existingChat) {
274         if (existingChat.userId !== fixedSession.user.id) {
275           return new ChatSDKError("forbidden:chat").toResponse();
276         }

```

```

277     if (!isToolApprovalFlow) {
278         messagesFromDb = await getMessagesByChatId({ id });
279     }
280 } else if (newestUserMessage?.role === "user") {
281     await saveChat({
282         id,
283         userId: fixedSession.user.id,
284         title: "New chat",
285         visibility: selectedVisibilityType,
286     });
287     titlePromise = generateTitleFromUserMessage({ message: newestUserMessage });
288 }
289 }
290
291 // 6) Build UI messages – жинхэнэ tool-approval continuation биш үед,
292 // client ямар хэлбэрээр илгээсэн эсэхээс үл хамааран DB-ийн жинхэнэ
293 // түүх дээр зөвхөн newestUserMessage-ийг нэмнэ (client-ийн бүтэн
294 // "messages" массивыг шууд итгэж uiMessages болгодог байсан бол,
295 // DB-д хараахан ороогүй шинэ мессежийн id-г "already in DB" гэж
296 // буруу тооцоод хадгалахгүй өнгөрдөг асуудлыг үүсгэдэг байв).
297 const uiMessages = isToolApprovalFlow
298   ? (messages as ChatMessage[])
299   : [...convertToUIMessages(messagesFromDb), newestUserMessage as ChatMessage];
300 // □ FINANCE mode: ЗӨВХӨН одоогийн (хамгийн сүүлийн) user turn-ийг шалгана.
301 // Урьд нь бүх түүхийг scan хийдэг байсан тул нэг л удаа "санхүү" гэж бичсэн бол
302 // тухайн чатын дараагийн БҮХ хариулт финанс prompt руу орж, mental-health
303 // system prompt-ыг бүрэн орхидог байсан (BUG-AUDIT-2026-06.md-г үз).
304 const latestUserMessage =
305   newestUserMessage ?? [...uiMessages].reverse().find((m: any) => m.role === "user");
306
307 const latestParts: any[] = (latestUserMessage as any)?.parts ?? [];
308
309 const latestUserText = latestParts
310   .filter((p: any) => p?.type === "text")
311   .map((p: any) => String(p.text ?? ""))
312   .join("\n");
313
314 // □ Гар утсан дээр "гарчиг таних" чинь эндээс явна (title+content хоёулаа орно)
315 const activeTitle = kb?.title ?? active?.active_artifact_title ?? "";
316 const activeContent = kb?.content ? String(kb.content) : "";
317 const useActiveContext = shouldUseActiveArtifactContext(
318   latestUserText,
319   activeTitle,
320   activeContent
321 );
322 const activeContext =
323   useActiveContext && (activeTitle || activeContent)
324   ? `
325 [USER CURRENTLY READING]
326 Title: ${activeTitle}
327 Slug: ${kb?.slug ?? active?.active_artifact_slug ?? ""}
328 Id: ${active?.active_artifact_id ?? ""}
329
330 [ARTICLE CONTENT]
331 ${clampText(activeContent, 6000)}
332
333 INSTRUCTION:
334 - Use this article only for the user's current question.
335 - Never introduce the article as the topic of an unrelated greeting or small-talk message.
336 `
337   : "";
338
339 // Хавсралт нь { type: "file", mediaType: "image/..." } хэлбэрээр ирдэг
340 // (multimodal-input.tsx). Өмнө нь type === "image" гэж шалгаж байсан тул
341 // зураг танихгүй (үргэлж false) байсан.
342 const imagePart = latestParts.find(
343   (p: any) =>
344     p?.type === "file" && String(p?.mediaType ?? "").startsWith("image/")
345 );

```

```

346
347 // Өмнө нь ЯМАР Ч зураг ирвэл шууд "баримт" (finance) гэж үздэг байсан тул
348 // хоолны зураг илгээхэд ч санхүүгийн prompt рүү орж, буруу хариу өгдөг байв.
349 // Одоо зургийг vision классификатораар ("receipt" | "food" | "other")
350 // ялгаж, тохирох prompt руу чиглүүлнэ.
351 let imageKind: "receipt" | "food" | "other" | null = null;
352 if (imagePart?.url) {
353   try {
354     const { classifyChatImage } = await import("@/lib/ai/classify-image");
355     const { resolveFirstImageDataUri } = await import(
356       "@/lib/ai/resolve-image-attachments"
357     );
358     // Манай upload URL нь /api/uploads/... хаяг руу зааж байгаа тул localhost
359     // дээр турших үед OpenAI-ийн сервер үүнийг татаж авч чадахгүй (зөвхөн энэ
360     // машинаас хандах боломжтой). Тул зургийг өөрсдөө татаж base64 болгож
361     // дамжуулснаар орчноос үл хамааран найдвартай ажиллана.
362     const dataUri = await resolveFirstImageDataUri(latestParts);
363     imageKind = dataUri ? await classifyChatImage(dataUri) : "receipt";
364   } catch (e) {
365     console.error("[chat] image classification failed:", e);
366     // Ангилж чадаагүй үед хуучин зан төлөвийг хадгална – зургийг
367     // "баримт" гэж үзнэ, учир нь энэ апп-ийн санхүүгийн урсгал үүн дээр тулгуурладаг.
368     imageKind = "receipt";
369   }
370 }
371
372 const t = latestUserText.toLowerCase();
373
374 // □ Түлхүүр үгийн mode-ууд (finance/food/selfUnderstanding/tests/notes/
375 // programs) хоорондоо давхцаж болно (жишээ нь "хөтөлбөрт бүртгүүлье" нь
376 // finance-ийн "бүртгүүлье"-тэй ЧИГЛЭЛ programs-ийн "хөтөлбөр"-тэй хоёуланд
377 // нь таарна). Өмнө нь эхэлж таарсан if/else mode-оо шууд ялагч болгодог
378 // байсан тул нөгөө intent чимээгүй алга болдог байв. Одоо тухайн бичвэрт
379 // хамгийн УРТ (= хамгийн тодорхой) таарсан түлхүүр үг ялагч болно –
380 // ойролцоо урттай тохиолдолд доор жагсаасан дарааллын дагуу шийднэ.
381 // "Зургаа" гэдэг үг "зураг+аа" (миний зураг) болон "6" (тоо) хоёуланд нь
382 // давхцдаг тул бие даасан богино substring биш, илүү тодорхой хэллэгээр
383 // тааруулна ("Хүүхэд маань зургаатай" гэдэг мэдэгдэл финанс мод руу орохгүй).
384 const KEYWORDS: Record<
385   "finance" | "selfUnderstanding" | "tests" | "notes" | "programs",
386   string[]
387 > = {
388   finance: [
389     "санхүү",
390     "баримтаа",
391     "баримт",
392     "бүртгүүлье",
393     "баримтын зураг",
394     "зургаа явуулъя",
395     "зураг явуулъя",
396   ],
397   selfUnderstanding: [
398     "өөрийгөө ойлгох",
399     "тэнцвэрийн хөтөлбөр",
400     "24 ур чадвар",
401     "balance model",
402   ],
403   tests: ["сэтгэлзүйн тест", "тест", "асуулга"],
404   notes: [
405     "тэмдэглэл",
406     "тэмдэглэе",
407     "миний ертөнц",
408     "дурсамж",
409     "миний булан",
410   ],
411   programs: ["хөтөлбөр", "сургалт", "вебинар", "лекц", "семинар"],
412 };
413
414 // Тэнцүү (эсвэл ойролцоо) уртын таарал гарвал энэ дарааллаар шийднэ.

```

```

415 const INTENT_PRIORITY = [
416   "finance",
417   "selfUnderstanding",
418   "tests",
419   "notes",
420   "programs",
421 ] as const;
422
423 function longestMatchLength(text: string, keywords: string[]): number {
424   let best = 0;
425   for (const kw of keywords) {
426     if (text.includes(kw) && kw.length > best) best = kw.length;
427   }
428   return best;
429 }
430
431 let textIntent: (typeof INTENT_PRIORITY)[number] | null = null;
432 let bestLen = 0;
433 for (const name of INTENT_PRIORITY) {
434   const len = longestMatchLength(t, KEYWORDS[name]);
435   if (len > bestLen) {
436     bestLen = len;
437     textIntent = name;
438   }
439 }
440
441 const isFinanceIntent = imageKind === "receipt" || textIntent === "finance";
442 const isFoodIntent = imageKind === "food";
443 const isSelfUnderstandingIntent =
444   !isFinanceIntent && !isFoodIntent && textIntent === "selfUnderstanding";
445 const isTestsIntent =
446   !isFinanceIntent && !isFoodIntent && textIntent === "tests";
447 const isNotesIntent =
448   !isFinanceIntent && !isFoodIntent && textIntent === "notes";
449 const isProgramsIntent =
450   !isFinanceIntent && !isFoodIntent && textIntent === "programs";
451
452 // 7) Geo hints (no geolocation service – pass empty hints)
453 const requestHints: RequestHints = {};
454
455 // 8) Save ONLY user message (□ Guest үед хадгалахгүй). Транспортын
456 // хэлбэрээс (single message vs. full messages array) үл хамааран
457 // newestUserMessage ашиглана – жинхэнэ tool-approval continuation үед
458 // (шинэ хэрэглэгчийн мессеж байхгүй, зөвхөн approval үргэлжилж байгаа)
459 // энэ мессеж аль хэдийн DB-д байгаа тул дахин хадгалахгүй.
460 if (!isGuest && !isToolApprovalFlow && newestUserMessage?.role === "user") {
461   await saveMessages({
462     messages: [
463       {
464         chatId: id,
465         id: newestUserMessage.id,
466         role: "user",
467         parts: newestUserMessage.parts,
468         attachments: [],
469         createdAt: new Date(),
470       },
471     ],
472   });
473 }
474
475 // 9) Stream id – ХАССАН. Resumable stream бүрэн унтраастай
476 // (getStreamContext үргэлж null → [id]/stream route шууд 204 буцаадаг)
477 // тул Stream хүснэгтийн бичилт хэзээ ч уншигддаггүй байсан. Мөн энэ
478 // insert алдаа өгвөл чатын хүсэлтийг бүхэлд нь унагадаг байсан
479 // ("Failed to create stream id" prod алдаа). Resume-ийг дахин нээвэл
480 // createStreamId-г эндээс буцааж дуудна.
481
482 // 10) Stream response
483 const stream = createUIMessageStream({

```

```

484     originalMessages: uiMessages,
485
486     execute: async ({ writer: dataStream }) => {
487       if (!isGuest && titlePromise) {
488         titlePromise
489           .then((title) => {
490             updateChatTitleById({ chatId: id, title });
491             // Write to stream only if still open — if already closed, skip silently
492             try {
493               dataStream.write({ type: "data-chat-title", data: title });
494             } catch {
495               // stream closed before title resolved — DB is already updated above
496             }
497           })
498           .catch((e) => {
499             console.error("[chat] title generation failed:", e);
500           });
501       }
502
503       // □ Guest үед tools унтраана
504       const activeTools: ActiveTool[] = isGuest
505         ? []
506         : ["getWeather", "createDocument", "updateDocument", "requestSuggestions"];
507
508       const { resolveImageAttachmentsToDataUri } = await import(
509         "@lib/ai/resolve-image-attachments"
510       );
511       // Зарварт очих зурган хавсралтуудын URL-г base64 болгож бэлтгэнэ —
512       // OpenAI-ийн сервер манай /api/uploads URL-г шууд татаж чадахгүй тохиолдол
513       // (жишээ нь localhost дээр турших үед) гарахаас сэргийлнэ.
514       const modelReadyMessages = await resolveImageAttachmentsToDataUri(
515         uiMessages.slice(-30)
516       );
517
518       const result = streamText({
519         model: getLanguageModel(activeChatModel) as any,
520         system: isFinanceIntent
521           ? financePrompt
522           : isFoodIntent
523             ? foodPrompt
524             : isSelfUnderstandingIntent
525               ? selfUnderstandingPrompt
526               : isTestsIntent
527                 ? testsPrompt
528                 : isNotesIntent
529                   ? notesPrompt
530                   : isProgramsIntent
531                     ? programsPrompt
532                     : systemPrompt({ selectedChatModel: activeChatModel, requestHints, userText: latestUserText }) + activeContext,
533         // □ Зарварт зөвхөн сүүлийн 30 мессежийг өгнө — урт чат дээр prompt
534         // хэмжээ хязгааргүй өсөж хариу удаашрахаас сэргийлнэ. (UI болон DB
535         // хадгалалт uiMessages-ийг бүтнээр нь ашигласан хэвээр.)
536         messages: await convertToModelMessages(modelReadyMessages),
537         stopWhen: stepCountIs(5),
538
539         // Word-by-word typewriter effect. 10ms бол урт хариултад хурдан ч
540         // богино хариултыг шахуу нэг дор "гэнэт гарч ирсэн" мэт мэдрэгдүүлж,
541         // амьд яриа мэт мэдрэгдэхгүй байсан тул 25ms болгов.
542         experimental_transform: smoothStream({
543           chunking: "word",
544           delayInMs: 25,
545         }),
546
547         experimental_activeTools: activeTools,
548
549         tools: {
550           getWeather,
551           createDocument: createDocument({ session: fixedSession, dataStream }),

```

```

553     updateDocument: updateDocument({ session: fixedSession, dataStream }),
554     requestSuggestions: requestSuggestions({ session: fixedSession, dataStream }),
555   },
556
557   experimental_telemetry: {
558     isEnabled: isProductionEnvironment,
559     functionId: "stream-text",
560   },
561 });
562
563
564 dataStream.merge(result.toUIMessageStream());
565 },
566
567 generateId: generateUUID,
568
569 onFinish: async ({ messages: finishedMessages }) => {
570   if (isGuest) return;
571
572   try {
573     // IDs already in the DB before this turn - don't re-insert them
574     const existingIds = new Set(uiMessages.map((m) => m.id));
575
576     if (isToolApprovalFlow) {
577       for (const finishedMsg of finishedMessages) {
578         const alreadyInDb = existingIds.has(finishedMsg.id);
579         if (alreadyInDb) {
580           await updateMessage({ id: finishedMsg.id, parts: finishedMsg.parts });
581         } else {
582           await saveMessages({
583             messages: [
584               {
585                 id: finishedMsg.id,
586                 role: finishedMsg.role,
587                 parts: finishedMsg.parts,
588                 createdAt: new Date(),
589                 attachments: [],
590                 chatId: id,
591               },
592             ],
593           });
594         }
595       }
596     } else {
597       // Only save messages that are NOT already in the DB
598       const newMessages = finishedMessages.filter((m) => !existingIds.has(m.id));
599       console.log("[onFinish] finished:", finishedMessages.length, "new:", newMessages.length);
600
601       if (newMessages.length > 0) {
602         await saveMessages({
603           messages: newMessages.map((m) => ({
604             id: m.id,
605             role: m.role,
606             parts: m.parts,
607             createdAt: new Date(),
608             attachments: [],
609             chatId: id,
610           })),
611         });
612       }
613     }
614   } catch (e: any) {
615     console.error("[onFinish] error saving messages:", {
616       message: e?.message,
617       code: e?.code,
618       detail: e?.detail,
619       constraint: e?.constraint,
620     });
621     // Don't re-throw - prevents a DB error from sending an error event

```



```

622         // to the client and locking the chat input.
623     }
624 },
625
626     onError: (e) => {
627         console.error("[chat stream] onError:", e);
628         return "Oops, an error occurred!";
629     },
630 });
631
632 return new Response(stream.pipeThrough(new JsonToSseTransformStream()), {
633     headers: {
634         "Content-Type": "text/event-stream",
635         "Cache-Control": "no-cache, no-transform",
636         "X-Accel-Buffering": "no",
637     },
638 });
639 } catch (error: any) {
640     // ❏ ChatSDKError бол яг тэрийг нь буцаая (cause-оо логлоно)
641     if (error instanceof ChatSDKError) {
642         console.error("ChatSDKError in /api/chat:", {
643             code: (error as any).code,
644             message: (error as any).message,
645             cause: (error as any).cause,
646         });
647         return error.toResponse();
648     }
649
650     // ❏ Бусад бүх error
651     console.error("Unhandled error in chat API:", error, {
652         name: error?.name,
653         message: error?.message,
654         stack: error?.stack,
655     });
656
657     return new ChatSDKError("offline:chat").toResponse();
658 }
659
660 }
661
662 export async function DELETE(request: Request) {
663     const { searchParams } = new URL(request.url);
664     const id = searchParams.get("id");
665     if (!id) return new ChatSDKError("bad_request:api").toResponse();
666
667     const session = await auth();
668     if (!session?.user) return new ChatSDKError("unauthorized:chat").toResponse();
669
670     const isGuest = (session.user.type ?? "regular") === "guest";
671     if (isGuest) {
672         return Response.json({ ok: true, skipped: true }, { status: 200 });
673     }
674
675     const chat = await getChatById({ id });
676     if (chat?.userId !== session.user.id) {
677         return new ChatSDKError("forbidden:chat").toResponse();
678     }
679
680     const deletedChat = await deleteChatById({ id });
681     return Response.json(deletedChat, { status: 200 });
682 }

```

23. app/(chat)/api/chat/schema.ts

```

1 import { z } from "zod";
2
3 const textPartSchema = z.object({

```

```

4   type: z.enum(["text"]),
5   text: z.string().min(1).max(2000),
6 });
7
8 const filePartSchema = z.object({
9   type: z.enum(["file"]),
10  mimeType: z.enum(["image/jpeg", "image/png", "image/webp"]),
11  name: z.string().min(1).max(100),
12  // Must point at our own /api/uploads/ path — the server fetches this URL
13  // server-side (lib/ai/resolve-image-attachments.ts), so an unrestricted
14  // URL here is an SSRF primitive into internal addresses. This is a cheap
15  // early rejection; the real origin check happens at fetch time.
16  url: z.string().url().refine(
17    (u) => {
18      try {
19        return new URL(u).pathname.startsWith("/api/uploads/");
20      } catch {
21        return false;
22      }
23    },
24    { message: "url must point at /api/uploads/" }
25  ),
26 });
27
28 const partSchema = z.union([textPartSchema, filePartSchema]);
29
30 const userMessageSchema = z.object({
31   id: z.string().uuid(),
32   role: z.enum(["user"]),
33   parts: z.array(partSchema),
34 });
35
36 // For tool approval flows, we accept all messages (more permissive schema)
37 const messageSchema = z.object({
38   id: z.string(),
39   role: z.string(),
40   parts: z.array(z.any()),
41 });
42
43 export const postRequestBodySchema = z.object({
44   id: z.string().uuid(),
45   // Either a single new message or all messages (for tool approvals)
46   message: userMessageSchema.optional(),
47   messages: z.array(messageSchema).optional(),
48   selectedChatModel: z.string(),
49   selectedVisibilityType: z.enum(["public", "private"]),
50 });
51
52 export type PostRequestBody = z.infer<typeof postRequestBodySchema>;

```

24. app/(chat)/api/document/route.ts

```

1 import { auth } from "@/app/(auth)/auth";
2 import type { ArtifactKind } from "@/components/artifact";
3 import {
4   deleteDocumentsByIdAfterTimestamp,
5   getDocumentsById,
6   saveDocument,
7 } from "@/lib/db/queries";
8 import { ChatSDKError } from "@/lib/errors";
9
10 export async function GET(request: Request) {
11   const { searchParams } = new URL(request.url);
12   const id = searchParams.get("id");
13
14   if (!id) {
15     return new ChatSDKError(

```

```

16     "bad_request:api",
17     "Parameter id is missing"
18   ).toResponse();
19 }
20
21 const session = await auth();
22
23 if (!session?.user) {
24   return new ChatSDKError("unauthorized:document").toResponse();
25 }
26
27 const documents = await getDocumentsById({ id });
28
29 const [document] = documents;
30
31 if (!document) {
32   return new ChatSDKError("not_found:document").toResponse();
33 }
34
35 if (document.userId !== session.user.id) {
36   return new ChatSDKError("forbidden:document").toResponse();
37 }
38
39 return Response.json(documents, { status: 200 });
40 }
41
42 export async function POST(request: Request) {
43   const { searchParams } = new URL(request.url);
44   const id = searchParams.get("id");
45
46   if (!id) {
47     return new ChatSDKError(
48       "bad_request:api",
49       "Parameter id is required."
50     ).toResponse();
51   }
52
53   const session = await auth();
54
55   if (!session?.user) {
56     return new ChatSDKError("not_found:document").toResponse();
57   }
58
59   const {
60     content,
61     title,
62     kind,
63   }: { content: string; title: string; kind: ArtifactKind } =
64     await request.json();
65
66   const documents = await getDocumentsById({ id });
67
68   if (documents.length > 0) {
69     const [doc] = documents;
70
71     if (doc.userId !== session.user.id) {
72       return new ChatSDKError("forbidden:document").toResponse();
73     }
74   }
75
76   const document = await saveDocument({
77     id,
78     content,
79     title,
80     kind,
81     userId: session.user.id,
82   });
83
84   return Response.json(document, { status: 200 });

```

```

85 }
86
87 export async function DELETE(request: Request) {
88   const { searchParams } = new URL(request.url);
89   const id = searchParams.get("id");
90   const timestamp = searchParams.get("timestamp");
91
92   if (!id) {
93     return new ChatSDKError(
94       "bad_request:api",
95       "Parameter id is required."
96     ).toResponse();
97   }
98
99   if (!timestamp) {
100     return new ChatSDKError(
101       "bad_request:api",
102       "Parameter timestamp is required."
103     ).toResponse();
104   }
105
106   const session = await auth();
107
108   if (!session?.user) {
109     return new ChatSDKError("unauthorized:document").toResponse();
110   }
111
112   const documents = await getDocumentsById({ id });
113
114   const [document] = documents;
115
116   // GET guards this; DELETE did not → TypeError (500) when the id has no rows.
117   if (!document) {
118     return new ChatSDKError("not_found:document").toResponse();
119   }
120
121   if (document.userId !== session.user.id) {
122     return new ChatSDKError("forbidden:document").toResponse();
123   }
124
125   const documentsDeleted = await deleteDocumentsByIdAfterTimestamp({
126     id,
127     timestamp: new Date(timestamp),
128   });
129
130   return Response.json(documentsDeleted, { status: 200 });
131 }

```

25. app/(chat)/api/history/route.ts

```

1 import type { NextRequest } from "next/server";
2 import { auth } from "@/app/(auth)/auth";
3 import {
4   deleteAllChatsByUserId,
5   ensureUserIdByEmail,
6   getChatsByUserId,
7 } from "@/lib/db/queries";
8 import { ChatSDKError } from "@/lib/errors";
9
10 const PAGE_SIZE_DEFAULT = 20;
11
12 export async function GET(request: NextRequest) {
13   const { searchParams } = request.nextUrl;
14
15   const limit = Number.parseInt(
16     searchParams.get("limit") || String(PAGE_SIZE_DEFAULT),
17     10

```

```

18 );
19 const startingAfter = searchParams.get("starting_after");
20 const endingBefore = searchParams.get("ending_before");
21
22 if (startingAfter && endingBefore) {
23   return new ChatSDKError(
24     "bad_request:api",
25     "Only one of starting_after or ending_before can be provided."
26   ).toResponse();
27 }
28
29 const session = await auth();
30 const email = session?.user?.email;
31
32 if (!email) {
33   return new ChatSDKError("unauthorized:chat").toResponse();
34 }
35
36 const dbUserId = await ensureUserIdByEmail(email);
37
38 const result = await getChatsByUserId({
39   id: dbUserId,
40   limit,
41   startingAfter,
42   endingBefore,
43 });
44
45 // getChatsByUserId нь заримдаа Chat[] шууд, заримдаа { chats, hasMore } буцааж болдог
46 const chats = Array.isArray(result) ? result : result.chats;
47
48 const hasMore = Array.isArray(result)
49   ? chats.length === limit
50   : result.hasMore;
51
52 return Response.json({ chats, hasMore });
53
54 }
55
56 export async function DELETE() {
57   const session = await auth();
58   const email = session?.user?.email;
59
60   if (!email) {
61     return new ChatSDKError("unauthorized:chat").toResponse();
62   }
63
64   const dbUserId = await ensureUserIdByEmail(email);
65
66   const result = await deleteAllChatsByUserId({ userId: dbUserId });
67
68   return Response.json(result, { status: 200 });
69 }

```

26. app/(chat)/api/suggestions/route.ts

```

1 import { auth } from "@/app/(auth)/auth";
2 import { getSuggestionsByDocumentId } from "@/lib/db/queries";
3 import { ChatSDKError } from "@/lib/errors";
4
5 export async function GET(request: Request) {
6   const { searchParams } = new URL(request.url);
7   const documentId = searchParams.get("documentId");
8
9   if (!documentId) {
10     return new ChatSDKError(
11       "bad_request:api",
12       "Parameter documentId is required."

```

```

13     ).toResponse();
14   }
15
16   const session = await auth();
17
18   if (!session?.user) {
19     return new ChatSDKError("unauthorized:suggestions").toResponse();
20   }
21
22   const suggestions = await getSuggestionsByDocumentId({
23     documentId,
24   });
25
26   const [suggestion] = suggestions;
27
28   if (!suggestion) {
29     return Response.json([], { status: 200 });
30   }
31
32   if (suggestion.userId !== session.user.id) {
33     return new ChatSDKError("forbidden:api").toResponse();
34   }
35
36   return Response.json(suggestions, { status: 200 });
37 }

```

27. app/(chat)/api/test-runs/latest/route.ts

```

1  import { NextResponse } from "next/server";
2  import { auth } from "@/app/(auth)/auth";
3  import { getPgAdmin } from "@/lib/db/pgClient";
4
5  function getSupabaseAdmin() {
6    return getPgAdmin();
7  }
8
9  export async function GET(req: Request) {
10    try {
11      const session = await auth();
12      const userId = session?.user?.id;
13
14      if (!userId) {
15        return NextResponse.json({ error: "Unauthorized" }, { status: 401 });
16      }
17
18      const { searchParams } = new URL(req.url);
19      const testSlug = String(searchParams.get("testSlug") ?? "");
20
21      if (!testSlug) {
22        return NextResponse.json({ error: "Missing testSlug" }, { status: 400 });
23      }
24
25      const supabase = getSupabaseAdmin();
26
27      const { data, error } = await supabase
28        .from("test_runs")
29        .select("id,user_id,test_slug,answers,result,total_score100,created_at")
30        .eq("user_id", userId)
31        .eq("test_slug", testSlug)
32        .order("created_at", { ascending: false })
33        .limit(1)
34        .maybeSingle();
35
36      if (error) {
37        return NextResponse.json({ error: error.message }, { status: 500 });
38      }
39

```

```

40     return NextResponse.json({ item: data ?? null });
41   } catch (e: any) {
42     return NextResponse.json({ error: e?.message ?? "Server error" }, { status: 500 });
43   }
44 }

```

28. app/(chat)/api/vote/route.ts

```

1  import { auth } from "@/app/(auth)/auth";
2  import { getChatById, getVotesByChatId, voteMessage } from "@/lib/db/queries";
3  import { ChatSDKError } from "@/lib/errors";
4
5  export async function GET(request: Request) {
6    const { searchParams } = new URL(request.url);
7    const chatId = searchParams.get("chatId");
8
9    if (!chatId) {
10     return new ChatSDKError(
11       "bad_request:api",
12       "Parameter chatId is required."
13     ).toResponse();
14   }
15
16   const session = await auth();
17
18   if (!session?.user) {
19     return new ChatSDKError("unauthorized:vote").toResponse();
20   }
21
22   const chat = await getChatById({ id: chatId });
23
24   if (!chat) {
25     return new ChatSDKError("not_found:chat").toResponse();
26   }
27
28   if (chat.userId !== session.user.id) {
29     return new ChatSDKError("forbidden:vote").toResponse();
30   }
31
32   const votes = await getVotesByChatId({ id: chatId });
33
34   return Response.json(votes, { status: 200 });
35 }
36
37 export async function PATCH(request: Request) {
38   const {
39     chatId,
40     messageId,
41     type,
42   }: { chatId: string; messageId: string; type: "up" | "down" } =
43     await request.json();
44
45   if (!chatId || !messageId || !type) {
46     return new ChatSDKError(
47       "bad_request:api",
48       "Parameters chatId, messageId, and type are required."
49     ).toResponse();
50   }
51
52   const session = await auth();
53
54   if (!session?.user) {
55     return new ChatSDKError("unauthorized:vote").toResponse();
56   }
57
58   const chat = await getChatById({ id: chatId });
59

```

```

60   if (!chat) {
61     return new ChatSDKError("not_found:vote").toResponse();
62   }
63
64   if (chat.userId !== session.user.id) {
65     return new ChatSDKError("forbidden:vote").toResponse();
66   }
67
68   await voteMessage({
69     chatId,
70     messageId,
71     type,
72   });
73
74   return new Response("Message voted", { status: 200 });
75 }

```

29. app/(chat)/chat/[id]/page.tsx

```

1  import { notFound, redirect } from "next/navigation";
2  import { Suspense } from "react";
3
4  import { auth } from "@/app/(auth)/auth";
5  import { Chat } from "@/components/chat";
6  import { DataStreamHandler } from "@/components/data-stream-handler";
7  import { DEFAULT_CHAT_MODEL } from "@/lib/ai/models";
8  import { getChatById, getMessagesByChatId } from "@/lib/db/queries";
9  import { convertToUIMessages } from "@/lib/utils";
10
11 export default function Page(props: { params: Promise<{ id: string }> }) {
12   return (
13     <Suspense fallback=<div className="flex h-dvh" />>
14       <ChatPage params={props.params} />
15     </Suspense>
16   );
17 }
18
19 async function ChatPage({ params }: { params: Promise<{ id: string }> }) {
20   const { id } = await params;
21
22   const chat = await getChatById({ id });
23
24   if (!chat) {
25     redirect("/");
26   }
27
28   const session = await auth();
29
30   // □ ЧУХАЛ: session байхгүй бол GUEST биш, LOGIN руу явуулна
31   if (!session) {
32     redirect(`/login?redirectUrl=/chat/${id}`);
33   }
34
35
36   if (chat.visibility === "private") {
37     if (!session.user) {
38       return notFound();
39     }
40
41     if (session.user.id !== chat.userId) {
42       return notFound();
43     }
44   }
45
46   const messagesFromDb = await getMessagesByChatId({ id });
47
48   const uiMessages = convertToUIMessages(messagesFromDb);

```



```

49
50   return (
51     <>
52       <Chat
53         autoResume={false}
54         id={chat.id}
55         initialChatModel={DEFAULT_CHAT_MODEL}
56         initialMessages={uiMessages}
57         initialVisibilityType={chat.visibility}
58         isReadonly={session?.user?.id !== chat.userId}
59       />
60       <DataStreamHandler />
61     </>
62   );
63 }

```

30. app/(chat)/chat/page.tsx

```

1  import { redirect } from "next/navigation";
2
3  export default function ChatIndexPage() {
4    // /chat рүү ороход гол чат нүүр (/) рүү буцаана
5    redirect("/");
6  }

```

31. app/(chat)/components/finance-receipt-card.tsx

```

1  "use client";
2
3  import { useState } from "react";
4
5  // ----- ТӨРЛҮҮД -----
6
7  export type FoodSubCategory =
8    | "veg"
9    | "meat"
10   | "grain"
11   | "dairy"
12   | "snack"
13   | "drink"
14   | "other_food"
15   | "";
16
17  export type FinanceItem = {
18    name: string;
19    quantity: number | null;
20    unit_price: number | null;
21    total_price: number | null;
22    category: "food" | "home" | "health" | "fun" | "other" | "";
23    sub_category?: FoodSubCategory;
24  };
25
26  export type FinanceReceiptData = {
27    store: string | null;
28    date: string | null; // "YYYY-MM-DD" эсвэл null
29    total_amount: number | null;
30    items: FinanceItem[];
31  };
32
33  // ----- ТОГТМОЛУУД -----
34
35  const FOOD_SUBCATEGORY_LABELS: {
36    id: Exclude<FoodSubCategory, "">;
37    label: string;
38  }[] = [

```

```

39 { id: "veg", label: "Ногоо / жимс" },
40 { id: "meat", label: "Мах / махан бүтээгдэхүүн" },
41 { id: "grain", label: "Гурил / будаа" },
42 { id: "dairy", label: "Сүү / цагаан идээ" },
43 { id: "snack", label: "Амттан / зууш" },
44 { id: "drink", label: "Ундаа / кофе" },
45 { id: "other_food", label: "Бусад хүнс" },
46 ];
47
48 function detectFoodSubCategory(name: string): FoodSubCategory {
49   const text = name.toLowerCase();
50
51   const vegWords = ["ногоо", "жимс", "салад", "лууван", "төмс", "байцаа", "огурц", "огурци", "огурчик"];
52   const meatWords = ["мах", "тахиа", "тахианы", "үхэр", "үхрийн", "хонины", "хуушуур", "мантуу"];
53   const grainWords = ["гурил", "будаа", "талх", "боов", "боорцог", "гурилан", "гоймон", "лаазан гоймон"];
54   const dairyWords = ["сүү", "тарваг", "аарц", "айраг", "йогурт", "yogurt", "цөцгий", "бяслэг"];
55   const snackWords = ["чипс", "печень", "жигнэмэг", "чоколад", "чоко", "сникерс", "mars", "snickers", "чанамал"];
56   const drinkWords = ["ундаа", "cola", "кола", "кофе", "latte", "латте", "цай", "чай", "ус", "juice", "жүүс", "жүүс"];
57
58   const hasAny = (words: string[]) => words.some((w) => text.includes(w));
59
60   if (hasAny(vegWords)) return "veg";
61   if (hasAny(meatWords)) return "meat";
62   if (hasAny(grainWords)) return "grain";
63   if (hasAny(dairyWords)) return "dairy";
64   if (hasAny(snackWords)) return "snack";
65   if (hasAny(drinkWords)) return "drink";
66   return "other_food";
67 }
68
69 type DbCategoryId =
70 | "food"
71 | "transport"
72 | "clothes"
73 | "home"
74 | "fun"
75 | "health"
76 | "other";
77
78 function mapToDbCategory(cat: FinanceItem["category"]): DbCategoryId {
79   switch (cat) {
80     case "food":
81       return "food";
82     case "home":
83       return "home";
84     case "health":
85       return "health";
86     case "fun":
87       return "fun";
88     case "other":
89       return "other";
90     default:
91       return "other";
92   }
93 }
94
95 // ----- КОМПОНЕНТ -----
96
97 export default function FinanceReceiptCard({
98   data,
99   originalText,
100 }): {
101   data: FinanceReceiptData;
102   originalText: string;
103 } {
104   const [items, setItems] = useState<FinanceItem[]>(() => {
105     const src = data.items ?? [];
106     return src.map((it) => {
107       let sub: FoodSubCategory = (it.sub_category as FoodSubCategory | undefined) ?? "";

```

```

108     if (it.category === "food" && !sub) sub = detectFoodSubCategory(it.name || "");
109     if (it.category !== "food") sub = "";
110     return { ...it, sub_category: sub };
111   });
112 });
113
114 const [meta, setMeta] = useState<{ store: string; date: string; total_amount: number | null }>({
115   store: data.store ?? "",
116   date: data.date ?? "",
117   total_amount: data.total_amount ?? null,
118 });
119
120 const [saving, setSaving] = useState(false);
121 const [error, setError] = useState<string | null>(null);
122 const [saved, setSaved] = useState(false);
123
124 const cleanedOriginalText =
125   (originalText || "")
126     .replace(/<FINANCE_JSON>[\s\S]*?<\/FINANCE_JSON>/g, "")
127     .replace(/<\/?FINANCE_HUMAN>/g, "")
128     .trim();
129
130 const recomputeTotalAmount = (list: FinanceItem[]): number | null => {
131   const sum = list.reduce((acc, it) => (typeof it.total_price === "number" ? acc + it.total_price : acc), 0);
132   return sum === 0 ? null : sum;
133 };
134
135 const updateItemField = (idx: number, field: keyof FinanceItem, value: string) => {
136   const copy = [...items];
137   const item = { ...copy[idx] };
138
139   switch (field) {
140     case "name":
141       item.name = value;
142       if (item.category === "food") item.sub_category = detectFoodSubCategory(value);
143       break;
144
145     case "category":
146       item.category = value as FinanceItem["category"];
147       if (item.category !== "food") item.sub_category = "";
148       else if (!item.sub_category) item.sub_category = detectFoodSubCategory(item.name || "");
149       break;
150
151     case "sub_category":
152       item.sub_category = value as FoodSubCategory;
153       break;
154
155     case "quantity":
156     case "unit_price":
157     case "total_price": {
158       if (value === "") item[field] = null;
159       else {
160         const num = Number(value.replace(/^[^d.-]/g, ""));
161         item[field] = Number.isNaN(num) ? null : num;
162       }
163     }
164
165     if (
166       (field === "quantity" || field === "unit_price") &&
167       typeof item.quantity === "number" &&
168       typeof item.unit_price === "number"
169     ) {
170       const total = item.quantity * item.unit_price;
171       item.total_price = Number.isFinite(total) ? Math.round(total) : item.total_price;
172     }
173     break;
174   }
175
176   copy[idx] = item;

```

```

177     const newTotal = recomputeTotalAmount(copy);
178
179     setItems(copy);
180     setMeta((prev) => ({ ...prev, total_amount: newTotal }));
181     setSaved(false);
182   };
183
184   const updateMetaField = (field: "store" | "date" | "total_amount", value: string) => {
185     setMeta((prev) => {
186       if (field === "total_amount") {
187         if (value === "") return { ...prev, total_amount: null };
188         const num = Number(value.replace(/^[^d.-]/g, ""));
189         return { ...prev, total_amount: Number.isNaN(num) ? prev.total_amount : num };
190       }
191       return { ...prev, [field]: value };
192     });
193     setSaved(false);
194   };
195
196   // □ хадгалалт: server API pyy
197   const handleSave = async () => {
198     try {
199       setSaving(true);
200       setError(null);
201       setSaved(false);
202
203       const totalFromItems = recomputeTotalAmount(items) ?? meta.total_amount ?? null;
204
205       // □ ISO date барина
206       const date = (meta.date || new Date()).toISOString().slice(0, 10).slice(0, 10);
207       const storeName = (meta.store || "").trim();
208
209       const rows = items
210         .filter((it) => typeof it.total_price === "number" && (it.total_price as number) > 0)
211         .map((it) => ({
212           type: "expense",
213           amount: it.total_price as number,
214           category: mapToDbCategory(it.category),
215           date,
216           // □ TOP эвдрүүлэхгүйн тулд тэмдэглэлээ "store - item" хэлбэрээр хадгалж байна
217           note: `${storeName ? storeName + " - " : ""}${(it.name || "").trim()}`,
218           source: "receipt",
219           raw_text: originalText || "",
220         }));
221
222       if (!rows.length) throw new Error("Хадгалах барааны мөр алга байна.");
223
224       const res = await fetch("/api/finance/transactions", {
225         method: "POST",
226         headers: { "Content-Type": "application/json" },
227         body: JSON.stringify({ rows }),
228       });
229
230       const json = await res.json().catch(() => ({}));
231
232       if (!res.ok) {
233         if (res.status === 401) throw new Error("Нэвтрээгүй байна. Дахин Login хийгээд дахин оролдоорой.");
234         throw new Error(json?.error || "Хадгалалт амжилтгүй боллоо.");
235       }
236
237       setMeta((prev) => ({ ...prev, total_amount: totalFromItems }));
238       setSaved(true);
239     } catch (e) {
240       setError((e as Error).message);
241     } finally {
242       setSaving(false);
243     }
244   };
245

```

```

246 return (
247   <div className="mx-auto my-2 w-full max-w-4xl rounded-2xl border bg-white/80 p-4 shadow-sm backdrop-blur md:p-5">
248     {cleanedOriginalText && (
249       <details className="mb-4 rounded-lg bg-slate-50/80 px-3 py-2 text-xs leading-relaxed">
250         <summary className="cursor-pointer text-[11px] font-semibold text-slate-700">
251           □ Баримтын товч тайлбар
252         </summary>
253         <div className="mt-1 whitespace-pre-wrap text-[11px] text-slate-700">
254           {cleanedOriginalText}
255         </div>
256       </details>
257     )}
258
259     <div className="mb-4 grid gap-3 text-xs md:grid-cols-3">
260       <div className="flex flex-col gap-1">
261         <span className="font-semibold">Дэлгүүр / байгууллага</span>
262         <input
263           className="rounded-md border px-2 py-1 text-xs"
264           value={meta.store}
265           onChange={(e) => updateMetaField("store", e.target.value)}
266           placeholder="E-mart, Emart Mall зэрэг"
267         />
268       </div>
269
270       <div className="flex flex-col gap-1">
271         <span className="font-semibold">Огноо</span>
272         <input
273           type="date"
274           className="rounded-md border px-2 py-1 text-xs"
275           value={meta.date}
276           onChange={(e) => updateMetaField("date", e.target.value)}
277         />
278       </div>
279
280       <div className="flex flex-col gap-1">
281         <span className="font-semibold">Нийт дүн (₮)</span>
282         <input
283           className="rounded-md border px-2 py-1 text-xs"
284           value={meta.total_amount ?? ""}
285           onChange={(e) => updateMetaField("total_amount", e.target.value)}
286           placeholder="362012"
287         />
288         <span className="text-[10px] text-slate-500">
289           Хүснэгт доторх "Нийт үнэ" болон тоо/нэгж үнийг өөрчлөхөд эндхийг автоматаар дахин тооцно.
290         </span>
291       </div>
292     </div>
293
294     <div className="overflow-x-auto">
295       <table className="w-full border-collapse text-[11px] md:text-xs">
296         <thead>
297           <tr className="border-b bg-slate-50 text-[11px] font-semibold">
298             <th className="px-2 py-1 text-left">Барааны нэр</th>
299             <th className="px-2 py-1 text-right">Тоо</th>
300             <th className="px-2 py-1 text-right">Нэрх үнэ</th>
301             <th className="px-2 py-1 text-right">Нийт үнэ</th>
302             <th className="px-2 py-1 text-left">Төрөл</th>
303             <th className="px-2 py-1 text-left">Дэд төрөл</th>
304           </tr>
305         </thead>
306         <tbody>
307           {items.map((it, index) => (
308             <tr key={index} className="border-b last:border-0">
309               <td className="px-2 py-1 align-top">
310                 <input
311                   className="w-full border-none bg-transparent text-[11px] outline-none md:text-xs"
312                   value={it.name}
313                   onChange={(e) => updateItemField(index, "name", e.target.value)}
314                 />

```

```

315         </td>
316
317         <td className="px-2 py-1 text-right align-top">
318             <input
319                 className="w-16 border-none bg-transparent text-right text-[11px] outline-none md:text-xs"
320                 value={it.quantity ?? ""}
321                 onChange={(e) => updateItemField(index, "quantity", e.target.value)}
322             />
323         </td>
324
325         <td className="px-2 py-1 text-right align-top">
326             <input
327                 className="w-20 border-none bg-transparent text-right text-[11px] outline-none md:text-xs"
328                 value={it.unit_price ?? ""}
329                 onChange={(e) => updateItemField(index, "unit_price", e.target.value)}
330             />
331         </td>
332
333         <td className="px-2 py-1 text-right align-top">
334             <input
335                 className="w-24 border-none bg-transparent text-right text-[11px] outline-none md:text-xs"
336                 value={it.total_price ?? ""}
337                 onChange={(e) => updateItemField(index, "total_price", e.target.value)}
338             />
339         </td>
340
341         <td className="px-2 py-1 align-top">
342             <select
343                 className="w-full border-none bg-transparent text-[11px] outline-none md:text-xs"
344                 value={it.category ?? ""}
345                 onChange={(e) => updateItemField(index, "category", e.target.value)}
346             >
347                 <option value="">-</option>
348                 <option value="food">Хүнс</option>
349                 <option value="home">Гэр ахуй</option>
350                 <option value="health">Эрүүл мэнд</option>
351                 <option value="fun">Зураа, чөлөөт цар</option>
352                 <option value="other">Бусад</option>
353             </select>
354         </td>
355
356         <td className="px-2 py-1 align-top">
357             {it.category === "food" ? (
358                 <select
359                     className="w-full border-none bg-transparent text-[11px] outline-none md:text-xs"
360                     value={it.sub_category ?? ""}
361                     onChange={(e) => updateItemField(index, "sub_category", e.target.value)}
362                 >
363                     <option value="">-</option>
364                     {FOOD_SUBCATEGORY_LABELS.map((opt) => (
365                         <option key={opt.id} value={opt.id}>
366                             {opt.label}
367                         </option>
368                     ))}
369                 </select>
370             ) : (
371                 <span className="text-[11px] text-slate-400">-</span>
372             )}
373         </td>
374     </tr>
375 }}
376 </tbody>
377 </table>
378 </div>
379
380 <div className="mt-4 flex flex-wrap items-center justify-between gap-3 text-xs">
381     <div className="flex flex-col gap-1">
382         {error && <span className="text-[11px] text-red-500">{error}</span>}
383         {saved && !error && <span className="text-[11px] text-emerald-600">Санхүүгийн тайланд амжилттай хадгаллаа □</span>}

```

```

384     </div>
385
386     <button
387       type="button"
388       onClick={handleSave}
389       disabled={saving}
390       className="rounded-lg bg-emerald-500 px-4 py-1.5 text-xs font-semibold text-white shadow-sm hover:bg-emerald-600 disabled:opacity-70"
391     >
392       {saving ? "Хадгалж байна..." : "📄 Тайланд хадгалах"}
393     </button>
394   </div>
395 </div>
396 );
397 }

```

32. app/(chat)/components/food-nutrition-card.tsx

```

1  "use client";
2
3  import { useState } from "react";
4  import { useT } from "@lib/i18n/provider";
5  import { Response } from "@components/elements/response";
6  import { sanitizeText } from "@lib/utils";
7
8  export type FoodNutritionData = {
9    name: string;
10    portion?: string;
11    calories: number;
12    protein_g: number;
13    good_carbs_g: number;
14    bad_carbs_g: number;
15    fat_g: number;
16    fibre_g: number;
17    sugar_g: number;
18    nutrition_score: number;
19  };
20
21  function todayYmd() {
22    const now = new Date();
23    return `${now.getFullYear()}-${String(now.getMonth() + 1).padStart(2, "0")}-${String(now.getDate()).padStart(2, "0")}`;
24  }
25
26  function formatNumber(value: number) {
27    return Number.isInteger(value) ? String(value) : value.toFixed(1);
28  }
29
30  function cleanHumanText(text: string) {
31    return text
32      .replace(/<FOOD_JSON>[\s\S]*?</FOOD_JSON>/gi, "")
33      .replace(/<\/?FOOD_HUMAN>/gi, "")
34      .trim();
35  }
36
37  export default function FoodNutritionCard({
38    data,
39    messageId,
40    originalText,
41    isReadOnly,
42  }: {
43    data: FoodNutritionData;
44    messageId: string;
45    originalText: string;
46    isReadOnly: boolean;
47  }) {
48    const foodText = useT().apps.healthDashboard.food;
49    const [status, setStatus] = useState<"idle" | "adding" | "added" | "error">("idle"
50

```

```

51 );
52 const [error, setError] = useState<string | null>(null);
53
54 const addMeal = async () => {
55   if (status === "adding" || status === "added") return;
56
57   setStatus("adding");
58   setError(null);
59
60   try {
61     const response = await fetch("/api/health/daily/add-analyzed-meal", {
62       method: "POST",
63       headers: { "Content-Type": "application/json" },
64       credentials: "same-origin",
65       body: JSON.stringify({
66         day: todayYmd(),
67         mealId: `chat:${messageId}`,
68         title: data.name,
69         calories: data.calories,
70         proteinG: data.protein_g,
71         carbsG: data.good_carbs_g + data.bad_carbs_g,
72         fatG: data.fat_g,
73         goodCarbsG: data.good_carbs_g,
74         badCarbsG: data.bad_carbs_g,
75         fiberG: data.fibre_g,
76         sugarG: data.sugar_g,
77         nutritionScore: data.nutrition_score,
78       })),
79     });
80
81     if (!response.ok) {
82       const body = await response.json().catch(() => null);
83       throw new Error(body?.error || foodText.aiError);
84     }
85
86     setStatus("added");
87   } catch (cause) {
88     setStatus("error");
89     setError(cause instanceof Error ? cause.message : foodText.aiError);
90   }
91 };
92
93 return (
94   <div className="flex flex-col gap-3">
95     <Response>{sanitizeText(cleanHumanText(originalText))}</Response>
96
97     {!isReadOnly && (
98       <div className="flex flex-wrap items-center gap-2 pt-1">
99         <button
100           className="inline-flex items-center justify-center rounded-lg bg-primary px-4 py-2 font-medium text-primary-foreground text-sm transition-colors hover:bg-primary/90 disabled:cursor-not-allow
101           disabled={status === "adding" || status === "added"}
102           onClick={addMeal}
103           type="button"
104         >
105           {status === "adding"
106             ? foodText.analyzing
107             : status === "added"
108               ? `□ ${foodText.addMeal}`
109               : foodText.addMeal}
110         </button>
111
112         {data.portion && (
113           <span className="text-muted-foreground text-xs">
114             {data.portion} · {formatNumber(data.calories)} ккал
115           </span>
116         )}
117
118         {error && <span className="text-destructive text-xs">{error}</span>}
119       </div>

```



```

120     })
121   </div>
122   );
123 }

```

33. app/(chat)/layout.tsx

```

1  import { cookies } from "next/headers";
2  import Script from "next/script";
3  import { Suspense } from "react";
4
5  import { AppSidebar } from "@components/app-sidebar";
6  import { DataStreamProvider } from "@components/data-stream-provider";
7  import { SubscribeDialog } from "@components/subscribe-dialog";
8  import { SubscriptionBanner } from "@components/subscription-banner";
9  import { SidebarInset, SidebarProvider } from "@components/ui/sidebar";
10 import { auth } from "../(auth)/auth";
11
12 export default function Layout({ children }: { children: React.ReactNode }) {
13   return (
14     <>
15       <Script
16         src="https://cdn.jsdelivr.net/pyodide/v0.23.4/full/pyodide.js"
17         strategy="beforeInteractive"
18       />
19       <DataStreamProvider>
20         <Suspense fallback=<div className="flex h-dvh" />>
21           <SidebarWrapper>{children}</SidebarWrapper>
22         </Suspense>
23       </DataStreamProvider>
24     </>
25   );
26 }
27
28 async function SidebarWrapper({ children }: { children: React.ReactNode }) {
29   const [session, cookieStore] = await Promise.all([auth(), cookies()]);
30
31   // cookie байхгүй үед default-оор нээлттэй байлгах
32   const cookieVal = cookieStore.get("sidebar_state")?.value;
33   const defaultOpen = cookieVal ? cookieVal === "true" : true;
34
35   return (
36     <SidebarProvider defaultOpen={defaultOpen}>
37       { /* □ заавал flex wrapper хэрэгтэй */ }
38       <div className="flex min-h-dvh w-full">
39         <AppSidebar user={session?.user} />
40         <SidebarInset className="min-w-0 flex-1">
41           <SubscriptionBanner />
42           {children}
43         </SidebarInset>
44       </div>
45       <SubscribeDialog />
46     </SidebarProvider>
47   );
48 }

```

34. app/(chat)/mind/[...slug]/page.tsx

```

1  import Link from "next/link";
2
3  /**
4   * Catch-all placeholder for any /mind/* route that isn't built yet.
5   *
6   * Next.js always matches a more specific route before this catch-all, so every
7   * existing page keeps working — this only renders when a menu item points to a

```

```

8  * section that has no page yet, giving a clean "coming soon" screen instead of
9  * a 404. (Requested behaviour: leave unknown menu items as a blank route.)
10 */
11 export default function MindPlaceholderPage() {
12   return (
13     <div className="flex min-h-dvh flex-col items-center justify-center gap-4 px-6 py-16 text-center">
14       <div className="flex size-14 items-center justify-center rounded-2xl bg-muted text-2xl">
15         □
16       </div>
17       <h1 className="font-semibold text-xl text-foreground">
18         Тун удахгүй нэмэгдэнэ
19       </h1>
20       <p className="max-w-sm text-muted-foreground text-sm leading-relaxed">
21         Энэ хэсэг одоогоор бэлтгэгдэж байна. Удахгүй ашиглах боломжтой болно.
22       </p>
23       <Link
24         className="mt-2 rounded-full border px-5 py-2 text-sm transition-colors hover:bg-accent"
25         href="/"
26       >
27         Чат руу буцах
28       </Link>
29     </div>
30   );
31 }

```

35. app/(chat)/mind/balance/page.tsx

```

1  import { redirect } from "next/navigation";
2
3  export default function BalancePage() {
4    redirect("/mind/balance/test");
5  }

```

36. app/(chat)/mind/balance/progress/page.tsx

```

1  "use client";
2
3  import { AppCard, AppShell, Badge, Button, PageHero } from "@/components/mind/app-shell";
4  import { useT } from "@/lib/i18n/provider";
5
6  export default function BalanceProgressPage() {
7    const t = useT();
8    const b = t.apps.balance.progressPage;
9
10   return (
11     <AppShell title={t.apps.balance.test.title} subtitle={b.title} width="4xl">
12       <AppCard>
13         <PageHero
14           icon="□"
15           eyebrow={<Badge>Ахиц</Badge>}
16           title={b.title}
17           description={b.text}
18         />
19         <div className="flex flex-wrap gap-3">
20           <Button href="/mind/balance/test">{b.toTest}</Button>
21           <Button variant="ghost" href="/mind/balance/result">
22             {b.toResult}
23           </Button>
24         </div>
25       </AppCard>
26     </AppShell>
27   );
28 }

```

37. app/(chat)/mind/balance/result/page.tsx

```
1  "use client";
2
3  import Link from "next/link";
4  import { useEffect, useMemo, useState } from "react";
5  import { ArrowLeft, MessageCircle, Trash2, ChevronDown, ChevronUp } from "lucide-react";
6
7  import { AppCard, AppShell, Button } from "@components/mind/app-shell";
8  import { BRAND, BALANCE_LAST_KEY, BALANCE_HISTORY_KEY } from "../test/constants";
9  import {
10    levelFrom100,
11    domainNarrative,
12    buildNarrative,
13    type BalanceResult,
14  } from "../test/score";
15  import { useT } from "@lib/il8n/provider";
16
17  type Stored = {
18    answers: Record<string, number>;
19    result: BalanceResult;
20    at: number;
21  };
22
23  type HistoryRun = {
24    at: number;
25    totalScore100: number;
26    domainScores: { domain: string; label: string; score100: number }[];
27  };
28
29  function safeJSONParse<T>(raw: string | null): T | null {
30    if (!raw) return null;
31    try {
32      return JSON.parse(raw) as T;
33    } catch {
34      return null;
35    }
36  }
37
38  function readHistory(): HistoryRun[] {
39    try {
40      const parsed = safeJSONParse<HistoryRun[]>(localStorage.getItem(BALANCE_HISTORY_KEY));
41      if (!parsed || !Array.isArray(parsed)) return [];
42      return parsed.filter((x) => x && typeof x.at === "number").slice(0, 60);
43    } catch {
44      return [];
45    }
46  }
47
48  function writeHistory(items: HistoryRun[]) {
49    try {
50      localStorage.setItem(BALANCE_HISTORY_KEY, JSON.stringify(items));
51    } catch {
52      // ignore
53    }
54  }
55
56  function clamp100(v: number) {
57    return Math.max(0, Math.min(100, v));
58  }
59
60  function Sparkline({ values, emptyHint }: { values: number[]; emptyHint: string }) {
61    const n = values.length;
62
63    if (n < 2) {
64      return (
65        <div className="text-xs text-slate-500">
66          {emptyHint}
```

```

67     </div>
68   );
69 }
70
71 const w = 560;
72 const h = 90;
73 const padX = 10;
74 const padY = 10;
75
76 const xs = values.map((_, i) => padX + (i * (w - padX * 2)) / (n - 1));
77 const ys = values.map((v) => {
78   const vv = clamp100(v);
79   return padY + (1 - vv / 100) * (h - padY * 2);
80 });
81
82 const lineD = xs
83   .map((x, i) => `${i === 0 ? "M" : "L"} ${x.toFixed(2)} ${ys[i].toFixed(2)}`)
84   .join(" ");
85
86 const areaD = `${lineD} L ${xs[n - 1].toFixed(2)} ${ (h - padY).toFixed(2)} L ${xs[0].toFixed(2)} ${ (h - padY).toFixed(2)} Z`;
87
88 const lastX = xs[n - 1];
89 const lastY = ys[n - 1];
90
91 return (
92   <div className="w-full">
93     <svg viewBox={`0 0 ${w} ${h}`} className="block w-full h-[92px]" preserveAspectRatio="none">
94       <defs>
95         <linearGradient id="sparkFill" x1="0" y1="0" x2="0" y2="1">
96           <stop offset="0%" stopColor={BRAND.hex} stopOpacity="0.22" />
97           <stop offset="100%" stopColor={BRAND.hex} stopOpacity="0.02" />
98         </linearGradient>
99       </defs>
100
101       {[25, 50, 75].map((t) => {
102         const y = padY + (1 - t / 100) * (h - padY * 2);
103         return (
104           <line
105             key={t}
106             x1={padX}
107             x2={w - padX}
108             y1={y}
109             y2={y}
110             stroke="currentColor"
111             opacity="0.08"
112           />
113         );
114       })}
115
116       <path d={areaD} fill="url(#sparkFill)" />
117
118       <path
119         d={lineD}
120         fill="none"
121         stroke={BRAND.hex}
122         strokeWidth="2.5"
123         strokeLinecap="round"
124         strokeLinejoin="round"
125       />
126
127       {xs.map((x, i) => (
128         <circle
129           key={i}
130           cx={x}
131           cy={ys[i]}
132           r="2.3"
133           fill={BRAND.hex}
134           opacity={i === n - 1 ? 1 : 0.45}
135         />

```

```

136     )))
137
138     <circle cx={lastX} cy={lastY} r="5.2" fill={BRAND.hex} opacity="0.18" />
139     <circle cx={lastX} cy={lastY} r="3.2" fill={BRAND.hex} />
140   </svg>
141
142   <div className="mt-2 flex items-center justify-between text-[11px] text-slate-500">
143     <span>0</span>
144     <span>100</span>
145   </div>
146 </div>
147 );
148 }
149
150 type AppSuggestion = { title: string; href: string; note: string };
151 type BalanceDict = ReturnType<typeof useT>["apps"]["balance"];
152
153 function appsForDomain(domain: string, b: BalanceDict): AppSuggestion[] {
154   const d = (domain || "").toLowerCase();
155
156   if (d.includes("emotion")) {
157     return [
158       { ...b.apps.emotion[0], href: "/mind/emotion/control/daily-check" },
159       { ...b.apps.emotion[1], href: "/mind/emotion/control/progress" },
160     ];
161   }
162   if (d.includes("self") && !d.includes("selfcare")) {
163     return [{ ...b.apps.self[0], href: "/mind/ebooks" }];
164   }
165   if (d.includes("relations")) {
166     return [
167       { ...b.apps.relations[0], href: "/mind/relations/foundation" },
168       { ...b.apps.relations[1], href: "/mind/relations/report" },
169     ];
170   }
171   if (d.includes("purpose")) {
172     return [
173       { ...b.apps.purpose[0], href: "/mind/purpose/planning" },
174       { ...b.apps.purpose[1], href: "/mind/purpose/weekly-steps" },
175     ];
176   }
177   if (d.includes("selfcare") || d.includes("care")) {
178     return [
179       { ...b.apps.selfCare[0], href: "/mind/self-care/stress" },
180       { ...b.apps.selfCare[1], href: "/mind/self-care/nutrition" },
181     ];
182   }
183   if (d.includes("life")) {
184     return [{ ...b.apps.life[0], href: "/mind/life/finance-app" }];
185   }
186
187   return [{ ...b.apps.default[0], href: "/mind/balance/test" }];
188 }
189
190 export default function BalanceResultPage() {
191   const t = useT();
192   const b = t.apps.balance;
193
194   const [history, setHistory] = useState<HistoryRun[]>([]);
195   const [openDetails, setOpenDetails] = useState(true);
196   const [openApps, setOpenApps] = useState(true);
197
198   // □ өмнө нь useMemo байсан → энэ нь refresh/route үед data-г дахин авч чаддаггүй
199   const [data, setData] = useState<Stored | null>(null);
200
201   // 1) LOCAL HISTORY унших
202   useEffect(() => {
203     setHistory(readHistory());
204   }, []);

```

```

205
206 // 2) RESULT-г ачаалах: эхлээд sessionStorage → байхгүй бол Supabase-с latest татна
207 useEffect(() => {
208   let cancelled = false;
209
210   async function load() {
211     // (A) sessionStorage (test дууссаны дараа шууд ирсэн бол энд байна)
212     const cached = safeJSONParse<Stored>(sessionStorage.getItem(BALANCE_LAST_KEY));
213     if (cached?.result) {
214       if (!cancelled) setData(cached);
215       return;
216     }
217
218     // (B) Supabase fallback: тухайн хэрэглэгчийн хамгийн сүүлийн "mind-balance"
219     try {
220       const res = await fetch("/api/test-runs/latest?testSlug=mind-balance", {
221         method: "GET",
222         credentials: "include",
223         cache: "no-store",
224       });
225
226       const json = await res.json();
227       const item = json?.item ?? null;
228
229       if (!item || !item.result) return;
230
231       const stored: Stored = {
232         answers: item.answers ?? {},
233         result: item.result,
234         at: item.created_at ? new Date(item.created_at).getTime() : Date.now(),
235       };
236
237       // дараа дахин хурдан харагдахад sessionStorage-д бас хадгалчихъя
238       try {
239         sessionStorage.setItem(BALANCE_LAST_KEY, JSON.stringify(stored));
240       } catch {}
241
242       if (!cancelled) setData(stored);
243
244       // history-г local дээр нэмээд явц харуулна
245       const r: any = stored.result;
246       const run: HistoryRun = {
247         at: stored.at,
248         totalScore100: clamp100(Number(item.total_score100 ?? r.totalScore100 ?? 0)),
249         domainScores: Array.isArray(r.domainScores)
250           ? r.domainScores.map((d: any) => ({
251             domain: String(d.domain ?? ""),
252             label: String(d.label ?? ""),
253             score100: clamp100(Number(d.score100 ?? 0)),
254           }))
255           : [],
256       };
257
258       const h = readHistory();
259       if (!h.some((x) => x.at === run.at)) {
260         const next = [run, ...h].slice(0, 60);
261         writeHistory(next);
262         if (!cancelled) setHistory(next);
263       }
264     } catch {
265       // ignore
266     }
267   }
268
269   load();
270   return () => {
271     cancelled = true;
272   };
273 }, []);

```

```

274
275 // □ data байхгүй бол "дүгнэлт байхгүй" (одоо бол Supabase-с татаж чадвал data гарна)
276 if (!data || !data.result) {
277   return (
278     <AppShell
279       backHref="/mind/balance"
280       subtitle={b.menuHint}
281       title={b.result.headerSmall}
282       width="4xl"
283     >
284       <AppCard>
285         <div className="flex flex-col items-center gap-3 py-6 text-center">
286           <div
287             aria-hidden
288             className="grid size-12 place-items-center rounded-full text-2xl"
289             style={{ background: `rgba(${BRAND.rgb},0.10)` }}
290           >
291             □
292           </div>
293           <h1 className="font-bold text-lg" style={{ color: "#0F172A" }}>
294             {b.result.noDataTitle}
295           </h1>
296           <p className="max-w-sm text-sm leading-relaxed" style={{ color: "rgba(15,23,42,0.6)" }}>
297             {b.result.noDataText}
298           </p>
299           <Button href="/mind/balance/test" className="mt-1">
300             {b.result.noDataLink}
301           </Button>
302         </div>
303       </AppCard>
304     </AppShell>
305   );
306 }
307
308 const result: any = data.result;
309 const totalScore100 = clamp100(Number(result.totalScore100 ?? 0));
310 const totalCount = Number(result.totalCount ?? 0);
311 const answeredCount = Number(result.answeredCount ?? 0);
312
313 const domainScores: any[] = Array.isArray(result.domainScores) ? result.domainScores : [];
314 const sorted = [...domainScores].sort((a, b) => Number(a.score100 ?? 0) - Number(b.score100 ?? 0));
315 const weakest2 = sorted.slice(0, 2);
316 const strongest1 = sorted[sorted.length - 1];
317
318 const totalText = levelFrom100(totalScore100, b);
319
320 const seed = Math.floor((data.at ?? Date.now()) / 60000) + totalScore100 * 7 + answeredCount * 13;
321 const narrative = buildNarrative({
322   totalScore100,
323   weakestLabels: [String(weakest2[0]?.label ?? ""), String(weakest2[1]?.label ?? "")].filter(Boolean),
324   strongestLabel: String(strongest1?.label ?? "") || undefined,
325   seed,
326   dict: b,
327 });
328
329 const sparkValues = [...history].reverse().map((x) => clamp100(x.totalScore100));
330
331 const onDeleteOne = (at: number) => {
332   const next = history.filter((x) => x.at !== at);
333   writeHistory(next);
334   setHistory(next);
335 };
336
337 const onDeleteAll = () => {
338   writeHistory([]);
339   setHistory([]);
340 };
341
342 const suggestedApps: AppSuggestion[] = [

```

```

343 ...appsForDomain(String(weakest2[0]?.domain ?? ""), b),
344 ...appsForDomain(String(weakest2[1]?.domain ?? ""), b),
345 ].slice(0, 4);
346
347 return (
348   <AppShell
349     backHref="/mind/balance/test"
350     subtitle={b.menuHint}
351     title={b.result.headerSmall}
352     width="4xl"
353   >
354     <div className="space-y-4">
355       <div className="rounded-2xl border border-slate-200 bg-white p-4">
356         <div className="text-[13px] text-slate-500">{b.result.headerSmall}</div>
357         <h1 className="mt-1 text-xl sm:text-3xl font-semibold text-slate-900">{narrative.headline}</h1>
358
359         <div className="mt-3 text-sm text-slate-700">
360           {b.result.totalScoreLabel} <b style={{ color: BRAND.hex }}>{totalScore100}/100</b> - <b>{totalText.level}</b>
361         </div>
362
363         <div className="mt-3 h-2 w-full rounded-full bg-slate-100 overflow-hidden">
364           <div className="h-full rounded-full" style={{ width: `${totalScore100}%`, backgroundColor: BRAND.hex }} />
365         </div>
366
367         <p className="mt-2 text-xs text-slate-500">{b.result.answeredLabel} {answeredCount}/{totalCount}</p>
368
369         <div className="mt-4 space-y-3 rounded-2xl border border-slate-200 p-4" style={{ background: `rgba(${BRAND.rgb},0.06)` }}>
370           <p className="text-sm text-slate-800 leading-relaxed">{narrative.summary}</p>
371           <p className="text-sm text-slate-700 leading-relaxed">{narrative.meaning}</p>
372           <p className="text-sm text-slate-700 leading-relaxed">{narrative.focus}</p>
373           <p className="text-sm text-slate-700 leading-relaxed">{narrative.strength}</p>
374         </div>
375       </div>
376
377       <div className="rounded-2xl border border-slate-200 bg-white p-4">
378         <button type="button" onClick={() => setOpenApps((v) => !v)} className="w-full flex items-center justify-between gap-3">
379           <div className="font-semibold text-slate-900">{b.result.appsTitle}</div>
380           {openApps ? <ChevronUp className="h-4 w-4 text-slate-500" /> : <ChevronDown className="h-4 w-4 text-slate-500" />}
381         </button>
382
383         {openApps && (
384           <div className="mt-3 grid gap-3">
385             {suggestedApps.map((a) => (
386               <div key={a.href + a.title} className="rounded-xl border border-slate-200 p-3" style={{ background: `rgba(${BRAND.rgb},0.04)` }}>
387                 <div className="flex items-start justify-between gap-3">
388                   <div className="min-w-0">
389                     <div className="text-sm font-semibold text-slate-900">{a.title}</div>
390                     <div className="mt-1 text-xs text-slate-600">{a.note}</div>
391                   </div>
392                   <Link href={a.href} className="shrink-0 rounded-lg border border-slate-200 bg-white px-3 py-2 text-xs text-slate-700 hover:bg-slate-50">
393                     {b.result.openBtn}
394                   </Link>
395                 </div>
396               </div>
397             )})
398           <div className="text-xs text-slate-500">{b.result.appsHint}</div>
399         </div>
400       )}
401     </div>
402
403     <div className="rounded-2xl border border-slate-200 bg-white p-4">
404       <button type="button" onClick={() => setOpenDetails((v) => !v)} className="w-full flex items-center justify-between gap-3">
405         <div className="font-semibold text-slate-900">{b.result.detailsTitle}</div>
406         {openDetails ? <ChevronUp className="h-4 w-4 text-slate-500" /> : <ChevronDown className="h-4 w-4 text-slate-500" />}
407       </button>
408
409       {openDetails && (
410         <div className="mt-3 space-y-3">
411           {sorted.map((d: any) => {

```



```

412     const label = String(d.label ?? "");
413     const score100 = clamp100(Number(d.score100 ?? 0));
414     const answered = Number(d.answered ?? 0);
415     const total = Number(d.total ?? 0);
416     const weakest = Array.isArray(d.weakest) ? d.weakest : [];
417
418     return (
419       <div key={String(d.domain ?? label)} className="rounded-2xl border border-slate-200 bg-white p-4">
420         <div className="flex items-center justify-between gap-3">
421           <div className="font-semibold text-slate-900">{label}</div>
422           <div className="text-sm text-slate-700"><b style={{ color: BRAND.hex }}>{score100}/100</b></div>
423         </div>
424
425         <div className="mt-2 h-2 w-full rounded-full bg-slate-100 overflow-hidden">
426           <div className="h-full rounded-full" style={{ width: `${score100}%`, backgroundColor: BRAND.hex }} />
427         </div>
428
429         <p className="mt-2 text-sm text-slate-700 leading-relaxed">{domainNarrative(label, score100, b)}</p>
430
431         {weakest.length > 0 && (
432           <div className="mt-3 rounded-xl border border-slate-200 p-3" style={{ background: `rgba(${BRAND.rgb},0.06)` }}>
433             <div className="text-xs font-semibold text-slate-700 mb-2">{b.result.weakestQTitle}</div>
434             <ul className="space-y-2">
435               {weakest.map((w: any) => (
436                 <li key={String(w.id ?? w.text)} className="text-xs text-slate-700">
437                   • {String(w.text ?? "")} - <b>{clamp100(Number(w.score100 ?? 0))/100}</b>
438                 </li>
439               ))}
440             </ul>
441           </div>
442         )}
443
444         <p className="mt-2 text-xs text-slate-500">{b.result.answeredParens.replace("{answered}", String(answered)).replace("{total}", String(total))}</p>
445       </div>
446     );
447   }}
448 </div>
449 )}
450 </div>
451
452 <Link
453   href="/mind/balance/test"
454   className="inline-flex items-center justify-center rounded-2xl text-white px-4 py-3 text-sm font-semibold hover:opacity-95 transition"
455   style={{ backgroundColor: BRAND.hex }}
456 >
457   {b.result.retakeBtn}
458 </Link>
459
460 <div className="rounded-2xl border border-slate-200 bg-white p-4 space-y-3">
461   <div className="flex items-center justify-between gap-3">
462     <div className="font-semibold text-slate-900">{b.result.progressTitle}</div>
463     <button type="button" onClick={onDeleteAll} className="inline-flex items-center gap-2 rounded-xl border border-slate-200 bg-white px-3 py-2 text-xs text-slate-700 hover:bg-slate-50">
464       <Trash2 className="h-4 w-4" />
465       {b.result.deleteAll}
466     </button>
467   </div>
468
469   <div className="rounded-xl border border-slate-200 p-3" style={{ background: `rgba(${BRAND.rgb},0.04)` }}>
470     <div className="text-xs text-slate-500 mb-2">{b.result.sparklineLabel}</div>
471     <Sparkline values={sparkValues} emptyHint={b.result.sparklineMin2} />
472   </div>
473
474   <div className="space-y-2">
475     {history.length === 0 ? (
476       <div className="text-sm text-slate-600">{b.result.noHistory}</div>
477     ) : (
478       history.map((h) => (
479         <div key={h.at} className="flex items-center justify-between gap-3 rounded-xl border border-slate-200 p-3">
480           <div className="min-w-0">

```

```

481         <div className="text-sm text-slate-800">
482             <b style={{ color: BRAND.hex }}>{clamp100(h.totalScore100)}/100</b>{" "}
483             <span className="text-xs text-slate-500">– {new Date(h.at).toLocaleString()}</span>
484         </div>
485         <div className="text-xs text-slate-600 mt-1 line-clamp-2">
486             {h.domainScores.slice().sort((a, b) => a.score100 - b.score100).map((d) => `${d.label}:${clamp100(d.score100)}`).join(" • ")}
487         </div>
488     </div>
489
490     <button type="button" onClick={() => onDeleteOne(h.at)} className="shrink-0 inline-flex items-center gap-2 rounded-xl border border-slate-200 bg-white px-3 py-2 text-xs text-slate-700">
491         <Trash2 className="h-4 w-4" />
492         {b.result.deleteOne}
493     </button>
494 </div>
495 ))
496 })
497 </div>
498 </div>
499
500 <div className="rounded-2xl border border-slate-200 p-4 text-sm text-slate-700" style={{ background: `rgba(${BRAND.rgb},0.06)` }}>
501     {b.result.footerNote}
502 </div>
503 </div>
504 </AppShell>
505 );
506 }

```

38. app/(chat)/mind/balance/summary/page.tsx

```

1  "use client";
2
3  import { AppCard, AppShell, Badge, Button, PageHero } from "@components/mind/app-shell";
4  import { useT } from "@lib/i18n/provider";
5
6  export default function BalanceSummaryPage() {
7      const t = useT();
8      const b = t.apps.balance.summaryPage;
9
10     return (
11         <AppShell title={t.apps.balance.test.title} subtitle={b.title} width="4xl">
12             <AppCard>
13                 <PageHero
14                     icon="□"
15                     eyebrow={<Badge>Тэнцвэр</Badge>}
16                     title={b.title}
17                     description={b.text}
18                 </>
19                 <div className="flex flex-wrap gap-3">
20                     <Button href="/mind/balance/test">{b.toTest}</Button>
21                     <Button variant="ghost" href="/mind/balance/result">
22                         {b.toResult}
23                     </Button>
24                 </div>
25             </AppCard>
26         </AppShell>
27     );
28 }

```

39. app/(chat)/mind/balance/test/constants.ts

```

1  // app/(chat)/mind/balance/test/constants.ts
2
3  export type BalanceDomain =
4      | "emotion"
5      | "self"

```

```

6   | "relations"
7   | "purpose"
8   | "selfCare"
9   | "life";
10
11 export const BRAND = {
12   hex: "#1F6FB2",
13   rgb: "31,111,178",
14 } as const;
15
16 // Default scale values (4..0), labels come from the il8n dictionary (apps.balance.scaleLabels)
17 export const BALANCE_SCALE_VALUES = [4, 3, 2, 1, 0] as const;
18
19 // localStorage keys
20 export const BALANCE_LAST_KEY = "balance:lastResult";
21 export const BALANCE_HISTORY_KEY = "balance:history";

```

40. app/(chat)/mind/balance/test/page.tsx

```

1  "use client";
2
3  import Image from "next/image";
4  import Link from "next/link";
5  import { useMemo, useRef, useState } from "react";
6  import { ArrowLeft, MessageCircle, BarChart3 } from "lucide-react";
7
8  import { AppShell } from "@components/mind/app-shell";
9  import { BALANCE_SCALE_VALUES, BRAND, BALANCE_LAST_KEY, BALANCE_HISTORY_KEY } from "../constants";
10 import { BALANCE_QUESTIONS } from "../questions";
11 import type { AnswersMap } from "../score";
12 import { calcScores, answerSummaryLine } from "../score";
13 import { useT } from "@lib/il8n/provider";
14
15 type HistoryRun = {
16   at: number;
17   totalScore100: number;
18   domainScores: { domain: string; label: string; score100: number }[];
19 };
20
21 function safeReadHistory(): HistoryRun[] {
22   try {
23     const raw = localStorage.getItem(BALANCE_HISTORY_KEY);
24     if (!raw) return [];
25     const parsed = JSON.parse(raw);
26     if (!Array.isArray(parsed)) return [];
27     // sanitize
28     return parsed.filter((x) => x && typeof x.at === "number").slice(0, 60) as HistoryRun[];
29   } catch {
30     return [];
31   }
32 }
33
34 function safeWriteHistory(items: HistoryRun[]) {
35   try {
36     localStorage.setItem(BALANCE_HISTORY_KEY, JSON.stringify(items));
37   } catch {
38     // ignore (quota/blocked)
39   }
40 }
41
42 export default function BalanceTestPage() {
43   const t = useT();
44   const b = t.apps.balance;
45
46   const [started, setStarted] = useState(false);
47   const [answers, setAnswers] = useState<AnswersMap>({});
48   const [hint, setHint] = useState<string | null>(null);

```

```

49
50 // question refs for scroll
51 const qRefs = useRef<Record<string, HTMLDivElement | null>>({});
52
53 const answeredCount = useMemo(
54   () => BALANCE_QUESTIONS.filter((q) => typeof answers[q.id] === "number").length,
55   [answers]
56 );
57
58 const totalCount = BALANCE_QUESTIONS.length;
59 const progress = Math.round((answeredCount / totalCount) * 100);
60 const isComplete = answeredCount === totalCount;
61
62 const scaleOptions = useMemo(
63   () => b.scaleLabels.map((label, i) => ({ label, value: BALANCE_SCALE_VALUES[i] })),
64   [b]
65 );
66
67 const onPick = (qid: string, value: number) => {
68   setHint(null);
69   setAnswers((prev) => ({ ...prev, [qid]: value }));
70 };
71
72 const goFirstUnanswered = () => {
73   const first = BALANCE_QUESTIONS.find((q) => typeof answers[q.id] !== "number");
74   if (!first) return;
75   const el = qRefs.current[first.id];
76   if (el) {
77     el.scrollToView({ behavior: "smooth", block: "center" });
78     el.classList.add("ring-2", "ring-[#1F6FB2]/60");
79     window.setTimeout(() => {
80       el.classList.remove("ring-2", "ring-[#1F6FB2]/60");
81     }, 1200);
82   }
83 };
84
85 const onGoResult = async () => {
86   if (!isComplete) {
87     setHint(b.test.hint.replace("{answered}", String(answeredCount)).replace("{total}", String(totalCount)));
88     goFirstUnanswered();
89     return;
90   }
91
92   const result = calcScores(answers, b);
93   const at = Date.now();
94
95   // 1) sessionStorage — result page уншина
96   try {
97     sessionStorage.setItem(BALANCE_LAST_KEY, JSON.stringify({ answers, result, at }));
98   } catch {}
99
100  // 2) localStorage history
101  try {
102    const h = safeReadHistory();
103    const run: HistoryRun = {
104      at,
105      totalScore100: result.totalScore100,
106      domainScores: Array.isArray(result.domainScores)
107        ? result.domainScores.map((d: any) => ({
108            domain: d.domain,
109            label: d.label,
110            score100: d.score100,
111          }))
112      : [],
113    };
114    const exists = h.some((x) => x.at === run.at);
115    if (!exists) {
116      const next = [run, ...h].slice(0, 60);
117      safeWriteHistory(next);

```

```

118     }
119   } catch {}
120
121   // 3) □ Supabase хадгалалт (server route)
122   try {
123     const res = await fetch("/api/balance/run", {
124       method: "POST",
125       headers: { "Content-Type": "application/json" },
126       body: JSON.stringify({
127         testSlug: "mind-balance",
128         answers,
129         result,
130         totalScore100: result.totalScore100,
131       }),
132     });
133
134     if (!res.ok) {
135       const data = await res.json().catch(() => ({}));
136       console.warn("Save test_run failed:", res.status, data);
137     }
138   } catch (e) {
139     console.warn("Save test_run error:", e);
140   }
141
142   window.location.href = "/mind/balance/result";
143 };
144
145 return (
146   <AppShell
147     backHref="/mind/balance"
148     subtitle={b.menuHint}
149     title={b.test.title}
150     width="4xl"
151   >
152     <div className="space-y-4">
153       {/* header */}
154       <div className="rounded-2xl border border-slate-200 bg-white px-4 py-4">
155         <div className="flex items-center gap-2">
156           <span
157             className="inline-flex h-8 w-8 items-center justify-center rounded-full border"
158             style={{
159               background: `rgba(${BRAND.rgb},0.10)`,
160               borderColor: `rgba(${BRAND.rgb},0.25)`,
161             }}
162           >
163             <BarChart3 className="h-4 w-4" style={{ color: BRAND.hex }} />
164           </span>
165           <h1 className="text-lg sm:text-2xl font-semibold text-slate-900">{b.test.title}</h1>
166         </div>
167
168         {started && (
169           <div className="mt-3 flex items-center justify-between text-xs text-slate-600">
170             <span>
171               {b.test.progress.replace("{answered}", String(answeredCount)).replace("{total}", String(totalCount))}
172             </span>
173             <span>{progress}%</span>
174           </div>
175         )}
176
177         {started && (
178           <div className="mt-2 h-2 w-full rounded-full bg-slate-100 overflow-hidden">
179             <div
180               className="h-full rounded-full"
181               style={{ width: `${progress}%`, backgroundColor: BRAND.hex }}
182             />
183           </div>
184         )}
185       </div>
186

```

```

187  /* START SCREEN */
188  {!started ? (
189    <div className="space-y-4">
190      <div className="rounded-2xl border border-slate-200 bg-white p-4">
191        <div className="flex flex-col items-center gap-4">
192          <div className="w-full flex justify-center">
193            <div className="relative w-[240px] sm:w-[280px] aspect-[3/4] overflow-hidden rounded-2xl border border-slate-200 bg-slate-50">
194              <Image
195                src="/images/oyunsanaa.png"
196                alt="Оюунсанаа"
197                fill
198                className="object-cover"
199                priority
200              />
201            </div>
202          </div>
203
204          <div
205            className="w-full rounded-2xl border border-slate-200 p-4"
206            style={{ background: `rgba(${BRAND.rgb},0.08)` }}
207          >
208            <p
209              className="text-slate-800 leading-relaxed"
210              dangerouslySetInnerHTML={{ __html: b.test.introHtml }}
211            />
212
213            <p className="mt-3 text-xs text-slate-600">{b.test.disclaimer}</p>
214          </div>
215
216          <button
217            type="button"
218            onClick={() => setStarted(true)}
219            className="w-full rounded-2xl text-white font-semibold py-3 hover:opacity-95 transition"
220            style={{ backgroundColor: BRAND.hex }}
221          >
222            {b.test.startBtn}
223          </button>
224        </div>
225      </div>
226    </div>
227  ) : (
228    /* TEST QUESTIONS */
229    <div className="space-y-4">
230      {BALANCE_QUESTIONS.map((q, idx) => {
231        const picked = answers[q.id];
232        const opts = scaleOptions;
233
234        return (
235          <div
236            key={q.id}
237            ref={el => {
238              qRefs.current[q.id] = el;
239            }}
240            className="rounded-2xl border border-slate-200 bg-white p-4"
241          >
242            <div className="text-sm sm:text-base font-semibold text-slate-900">
243              {idx + 1}. {b.questions[q.id as keyof typeof b.questions]}
244            </div>
245
246            <div className="mt-3 grid gap-2">
247              {opts.map((opt) => {
248                const active = picked === opt.value;
249                return (
250                  <label
251                    key={opt.value}
252                    className={`flex items-center justify-between gap-3 rounded-xl border px-3 py-3 cursor-pointer transition
253                      ${active ? "bg-slate-50 border-slate-300" : "bg-white border-slate-200 hover:bg-slate-50"}
254                  `}
255                >

```

```

256         <div className="flex items-center gap-3">
257             <input
258                 type="radio"
259                 name={q.id}
260                 checked={active}
261                 onChange={() => onPick(q.id, opt.value)}
262             />
263             <span className="text-sm text-slate-800">{opt.label}</span>
264         </div>
265
266         {typeof picked === "number" && active && (
267             <span className="text-xs text-slate-500">
268                 {answerSummaryLine(q, picked, b).score100}/100
269             </span>
270         )}
271     </label>
272 );
273 }}
274 </div>
275 </div>
276 );
277 }}}
278
279 {/* FOOTER */}
280 <div className="rounded-2xl border border-slate-200 bg-white p-4 space-y-3">
281     {hint && (
282         <div className="text-sm text-slate-700">
283             <b style={{ color: BRAND.hex }}>{b.test.hintLabel}</b> {hint}
284         </div>
285     )}
286
287     <button
288         type="button"
289         onClick={onGoResult}
290         className="w-full rounded-2xl text-white font-semibold py-3 disabled:opacity-50"
291         style={{ backgroundColor: BRAND.hex }}
292         disabled={answeredCount === 0}
293     >
294         {b.test.resultBtn}
295     </button>
296
297     <div className="text-xs text-slate-500">
298         {b.test.hint.replace("{answered}", String(answeredCount)).replace("{total}", String(totalCount))}
299     </div>
300 </div>
301 </div>
302 )}
303 </div>
304 </AppShell>
305 );
306 }

```

41. app/(chat)/mind/balance/test/questions.ts

```

1  // app/(chat)/mind/balance/test/questions.ts
2  import type { BalanceDomain } from "../constants";
3
4  export type BalanceCategory = BalanceDomain;
5
6  export type BalanceOption = { label: string; value: number };
7
8  export type BalanceQuestionMeta = {
9      id: string;
10     domain: BalanceDomain;
11     reverse?: boolean; // сөрөг асуулт бол true (Үгүй = сайн оноо болох тохиолдол)
12 };
13

```

```

14 // Question text lives in the il8n dictionary at apps.balance.questions[id]
15 export const BALANCE_QUESTIONS: BalanceQuestionMeta[] = [
16   // ===== 1) emotion =====
17   { id: "e1", domain: "emotion" },
18   { id: "e2", domain: "emotion" },
19   { id: "e3", domain: "emotion" },
20   { id: "e4", domain: "emotion", reverse: true },
21   { id: "e5", domain: "emotion" },
22   { id: "e6", domain: "emotion" },
23
24   // ===== 2) self =====
25   { id: "s1", domain: "self" },
26   { id: "s2", domain: "self" },
27   { id: "s3", domain: "self" },
28   { id: "s4", domain: "self" },
29   { id: "s5", domain: "self" },
30   { id: "s6", domain: "self" },
31
32   // ===== 3) relations =====
33   { id: "r1", domain: "relations" },
34   { id: "r2", domain: "relations" },
35   { id: "r3", domain: "relations" },
36   { id: "r4", domain: "relations" },
37   { id: "r5", domain: "relations" },
38   { id: "r6", domain: "relations", reverse: true },
39   { id: "r7", domain: "relations" },
40
41   // ===== 4) purpose =====
42   { id: "p1", domain: "purpose" },
43   { id: "p2", domain: "purpose" },
44   { id: "p3", domain: "purpose" },
45   { id: "p4", domain: "purpose" },
46   { id: "p5", domain: "purpose", reverse: true },
47   { id: "p6", domain: "purpose" },
48   { id: "p7", domain: "purpose" },
49
50   // ===== 5) selfCare =====
51   { id: "c1", domain: "selfCare" },
52   { id: "c2", domain: "selfCare" },
53   { id: "c3", domain: "selfCare" },
54   { id: "c4", domain: "selfCare" },
55   { id: "c5", domain: "selfCare", reverse: true },
56   { id: "c6", domain: "selfCare" },
57
58   // ===== 6) life =====
59   { id: "l1", domain: "life" },
60   { id: "l2", domain: "life" },
61   { id: "l3", domain: "life" },
62   { id: "l4", domain: "life" },
63   { id: "l5", domain: "life" },
64   { id: "l6", domain: "life" },
65 ];

```

42. app/(chat)/mind/balance/test/score.ts

```

1 // app/(chat)/mind/balance/test/score.ts
2 import { BALANCE_SCALE_VALUES, type BalanceDomain } from "../constants";
3 import { BALANCE_QUESTIONS, type BalanceQuestionMeta } from "../questions";
4 import type { Dictionary } from "@lib/il8n/dictionaries/mn";
5
6 export type BalanceDict = Dictionary["apps"]["balance"];
7
8 export type AnswersMap = Record<string, number>;
9
10 export type DomainScore = {
11   domain: BalanceDomain;
12   label: string;

```



```

13
14 // 0..100
15 score100: number;
16
17 // raw details
18 raw: number;
19 max: number;
20 answered: number;
21 total: number;
22
23 // weakest questions for this domain
24 weakest: { id: string; text: string; pickedValue: number; score100: number }[];
25 };
26
27 export type BalanceResult = {
28   totalScore100: number;
29   answeredCount: number;
30   totalCount: number;
31   domainScores: DomainScore[];
32
33   lowestDomains: { domain: BalanceDomain; score100: number; label: string }[];
34   highestDomains: { domain: BalanceDomain; score100: number; label: string }[];
35 };
36
37 function clamp(n: number, min: number, max: number) {
38   return Math.max(min, Math.min(max, n));
39 }
40
41 const MAX_VALUE = Math.max(...BALANCE_SCALE_VALUES);
42
43 function normalizedTo100(raw: number, max: number) {
44   if (max <= 0) return 0;
45   return Math.round((raw / max) * 100);
46 }
47
48 function applyReverse(value: number, maxValue: number, reverse?: boolean) {
49   if (!reverse) return value;
50   // reverse: хамгийн өндөр нь сайн болох ёстой
51   return maxValue - value;
52 }
53
54 function pickLabelFromValue(value: number, dict: BalanceDict) {
55   const idx = BALANCE_SCALE_VALUES.indexOf(value as any);
56   return idx >= 0 ? dict.scaleLabels[idx] : String(value);
57 }
58
59 export function calcScores(answers: AnswersMap, dict: BalanceDict): BalanceResult {
60   const totalCount = BALANCE_QUESTIONS.length;
61   const answeredCount = BALANCE_QUESTIONS.filter((q) => typeof answers[q.id] === "number").length;
62
63   const byDomain: Record<BalanceDomain, BalanceQuestionMeta[]> = {
64     emotion: [],
65     self: [],
66     relations: [],
67     purpose: [],
68     selfCare: [],
69     life: [],
70   };
71
72   for (const q of BALANCE_QUESTIONS) byDomain[q.domain].push(q);
73
74   const domainScores: DomainScore[] = (Object.keys(byDomain) as BalanceDomain[]).map((domain) => {
75     const questions = byDomain[domain];
76     const total = questions.length;
77
78     let raw = 0;
79     let max = 0;
80     let answered = 0;
81

```

```

82   const perQ: { q: BalanceQuestionMeta; picked?: number; scored?: number; maxValue: number }[] = [];
83
84   for (const q of questions) {
85     const maxValue = MAX_VALUE;
86     max += maxValue;
87
88     const picked = answers[q.id];
89     if (typeof picked === "number") {
90       answered += 1;
91       const scored = applyReverse(picked, maxValue, q.reverse);
92       raw += scored;
93       perQ.push({ q, picked, scored, maxValue });
94     } else {
95       perQ.push({ q, maxValue });
96     }
97   }
98
99   const score100 = normalizedTo100(raw, max);
100
101   const weakest = perQ
102     .filter((x) => typeof x.picked === "number" && typeof x.scored === "number")
103     .map((x) => {
104       const qScore100 = normalizedTo100(x.scored!, x.maxValue);
105       return {
106         id: x.q.id,
107         text: dict.questions[x.q.id as keyof typeof dict.questions] ?? x.q.id,
108         pickedValue: x.picked!,
109         score100: qScore100,
110       };
111     })
112     .sort((a, b) => a.score100 - b.score100)
113     .slice(0, 3);
114
115   return {
116     domain,
117     label: dict.domainLabels[domain],
118     score100,
119     raw,
120     max,
121     answered,
122     total,
123     weakest,
124   };
125 });
126
127 const totalRaw = domainScores.reduce((s, d) => s + d.raw, 0);
128 const totalMax = domainScores.reduce((s, d) => s + d.max, 0);
129 const totalScore100 = normalizedTo100(totalRaw, totalMax);
130
131 const sorted = [...domainScores].sort((a, b) => a.score100 - b.score100);
132 const lowestDomains = sorted
133   .slice(0, 2)
134   .map((d) => ({ domain: d.domain, score100: d.score100, label: d.label }));
135 const highestDomains = sorted
136   .slice(-2)
137   .reverse()
138   .map((d) => ({ domain: d.domain, score100: d.score100, label: d.label }));
139
140 return {
141   totalScore100,
142   answeredCount,
143   totalCount,
144   domainScores,
145   lowestDomains,
146   highestDomains,
147 };
148 }
149
150 // -----

```

```

151 // 1) Level (богино тодорхойлолт)
152 // -----
153 export function levelFrom100(score100: number, dict: BalanceDict) {
154   const s = clamp(score100, 0, 100);
155   if (s >= 80) return dict.levels.excellent;
156   if (s >= 60) return dict.levels.good;
157   if (s >= 40) return dict.levels.mid;
158   return dict.levels.attention;
159 }
160
161 // -----
162 // 2) Domain narrative (чиглэл тус бүр)
163 // -----
164 export function domainNarrative(domainLabel: string, score100: number, dict: BalanceDict) {
165   const bands = dict.domainNarrativeBands;
166   const template =
167     score100 >= 80 ? bands.strong : score100 >= 60 ? bands.good : score100 >= 40 ? bands.mid : bands.low;
168   return template.replace("{label}", domainLabel);
169 }
170
171 // -----
172 // 3) Tiny step suggestion (богино санал)
173 // -----
174 export function tinyStepSuggestion(domain: BalanceDomain, dict: BalanceDict) {
175   return dict.tinyStep[domain] ?? dict.tinyStep.default;
176 }
177
178 // -----
179 // 4) Answer summary line (UI-д 25/100 гэх мэт)
180 // -----
181 export function answerSummaryLine(q: BalanceQuestionMeta, pickedValue: number, dict: BalanceDict) {
182   const maxV = MAX_VALUE;
183   const scored = applyReverse(pickedValue, maxV, q.reverse);
184   const score100 = normalizedTo100(scored, maxV);
185   const label = pickLabelFromValue(pickedValue, dict);
186   return { label, score100 };
187 }
188
189 // =====
190 // □ Амьд, "зөвлөгөөгүй" үндсэн дүгнэлт (8-12+ хувилбар)
191 // =====
192 export type BalanceNarrative = {
193   headline: string;
194   summary: string;
195   meaning: string;
196   focus: string;
197   strength: string;
198 };
199
200 function band(score100: number) {
201   const s = clamp(score100, 0, 100);
202   if (s < 35) return "low" as const;
203   if (s < 55) return "mid" as const;
204   if (s < 75) return "good" as const;
205   return "strong" as const;
206 }
207
208 function mulberry32(seed: number) {
209   return function () {
210     let t = (seed += 0x6d2b79f5);
211     t = Math.imul(t ^ (t >>> 15), t | 1);
212     t ^= t + Math.imul(t ^ (t >>> 7), t | 61);
213     return ((t ^ (t >>> 14)) >>> 0) / 4294967296;
214   };
215 }
216 function pick<T>(seed: number, items: T[]): T {
217   const r = mulberry32(seed)();
218   return items[Math.floor(r * items.length)] ?? items[0];
219 }

```

```

220
221 export function buildNarrative(opts: {
222   totalScore100: number;
223   weakestLabels: string[];
224   strongestLabel?: string;
225   seed: number;
226   dict: BalanceDict;
227 }): BalanceNarrative {
228   const { totalScore100, weakestLabels, strongestLabel, seed, dict } = opts;
229   const b = band(totalScore100);
230   const n = dict.narrative;
231
232   const headline = pick(seed, n.headlines);
233   const meaning = pick(seed + 1, n.meaningByBand[b]);
234
235   const w1 = weakestLabels[0] ?? "-";
236   const w2 = weakestLabels[1] ?? "";
237   const weakestLine = w2 ? `${w1} ${n.and} ${w2}` : w1;
238
239   const focus = pick(seed + 2, n.focusTemplates).replace("{weakestLine}", weakestLine);
240
241   const strength = strongestLabel
242     ? pick(seed + 3, n.strengthTemplates).replace("{label}", strongestLabel)
243     : n.noStrength;
244
245   const summary = pick(seed + 4, n.summaryTemplates).replace("{score}", String(totalScore100));
246
247   return { headline, summary, meaning, focus, strength };
248 }

```

43. app/(chat)/mind/ebooks/[id]/ArchiveView.jsx

```

1  "use client";
2
3  import { useEffect, useMemo, useState } from "react";
4  import { useT } from "@/lib/il8n/provider";
5
6  export default function ArchiveView({
7    savedNotes,
8    q,
9    setQ,
10   filteredNotes,
11   onEdit,
12   onToggleInclude,
13   onDelete,
14   onDeleteMany,
15   onDeleteAll,
16 }) {
17   const t = useT();
18   const a = t.apps.ebooks.archive;
19   const [selected, setSelected] = useState(() => new Set());
20
21   // filter солигдоход, харагдахгүй болсон сонголтуудыг автоматаар цэвэрлэнэ
22   useEffect(() => {
23     const visibleIds = new Set(filteredNotes.map((n) => n.id));
24     setSelected((prev) => {
25       const next = new Set();
26       prev.forEach((id) => {
27         if (visibleIds.has(id)) next.add(id);
28       });
29       return next;
30     });
31   }, [filteredNotes]);
32
33   const selectedCount = selected.size;
34
35   const allVisibleSelected = useMemo(() => {

```

```

36   if (filteredNotes.length === 0) return false;
37   return filteredNotes.every((n) => selected.has(n.id));
38 }, [filteredNotes, selected]);
39
40 const toggleOne = (id) => {
41   setSelected((prev) => {
42     const next = new Set(prev);
43     if (next.has(id)) next.delete(id);
44     else next.add(id);
45     return next;
46   });
47 };
48
49 const toggleAllVisible = () => {
50   if (filteredNotes.length === 0) return;
51   setSelected((prev) => {
52     const next = new Set(prev);
53     const shouldSelectAll = !filteredNotes.every((n) => next.has(n.id));
54     if (shouldSelectAll) {
55       filteredNotes.forEach((n) => next.add(n.id));
56     } else {
57       filteredNotes.forEach((n) => next.delete(n.id));
58     }
59     return next;
60   });
61 };
62
63 const clearSelection = () => setSelected(new Set());
64
65 return (
66   <div className="mt-7 rounded-2xl border border-slate-200 bg-white px-4 py-4 sm:px-6">
67     <div className="mb-3 flex flex-wrap items-center justify-between gap-3">
68       <div className="text-[#475569] text-[11px] uppercase tracking-[0.18em]">
69         {a.filesTitle}
70       </div>
71
72       <input
73         className="w-[260px] max-w-full rounded-2xl border border-[#e2e8f0] bg-white/95 px-4 py-2 text-[12px] outline-none focus:border-transparent focus:ring-2 focus:ring-[rgba(31,111,178,0.35)]"
74         onChange={(e) => setQ(e.target.value)}
75         placeholder={a.searchPlaceholder}
76         value={q}
77       />
78     </div>
79
80     {/* Bulk actions */}
81     <div className="mb-3 flex flex-wrap items-center gap-2">
82       <button
83         className="rounded-full border border-[#cbd5e1] bg-white px-3 py-1 text-[#334155] text-[11px] hover:bg-[#f8fafc]"
84         onClick={toggleAllVisible}
85         type="button"
86       >
87         {allVisibleSelected ? a.deselectAll : a.selectAll}
88       </button>
89
90       {selectedCount > 0 ? (
91         <>
92           <span className="text-[#64748b] text-[11px]">
93             {a.selected} <b>{selectedCount}</b>
94           </span>
95
96           <button
97             className="rounded-full border border-[#e3b0b0] bg-white px-3 py-1 text-[#c75b5b] text-[11px] hover:bg-[#fff0f0]"
98             onClick={() => {
99               if (
100                 !confirm(
101                   a.deleteSelectedConfirm.replace(
102                     "{n}",
103                     String(selectedCount)
104                   )

```

```

105         )
106     )
107     return;
108     onDeleteMany(Array.from(selected));
109     clearSelection();
110 }
111 type="button"
112 >
113 {a.deleteSelected}
114 </button>
115
116 <button
117   className="rounded-full border border-[#cbd5e1] bg-white px-3 py-1 text-[#334155] text-[11px] hover:bg-[#f8fafc]"
118   onClick={clearSelection}
119   type="button"
120 >
121 {a.clearSelection}
122 </button>
123 </>
124 ) : (
125 <span className="text-[#94a3b8] text-[11px]">{a.selectHint}</span>
126 )}
127
128 <div className="ml-auto">
129   <button
130     className="rounded-full border border-[#e3b0b0] bg-white px-3 py-1 text-[#c75b5b] text-[11px] hover:bg-[#fff0f0]"
131     onClick={() => {
132       if (!savedNotes.length) return;
133       if (
134         !confirm(
135           a.deleteAllConfirm.replace("{n}", String(savedNotes.length))
136         )
137       )
138         return;
139       onDeleteAll();
140       clearSelection();
141     }}
142     type="button"
143   >
144     {a.deleteAll}
145   </button>
146 </div>
147 </div>
148
149 {filteredNotes.length === 0 ? (
150   <div className="text-[#94a3b8] text-[11px]">{a.noNotes}</div>
151 ) : (
152   <div className="max-h-[280px] space-y-2 overflow-y-auto pr-1">
153     {filteredNotes.map((n) => {
154       const checked = selected.has(n.id);
155       return (
156         <div
157           className={`flex items-center justify-between gap-3 rounded-2xl border px-4 py-2 text-[11px] ${
158             checked
159               ? "border-[rgba(31,111,178,0.35)] bg-[rgba(31,111,178,0.12)]"
160               : "border-[#e2e8f0] bg-[#f8fafc]"
161           }`}
162           key={n.id}
163         >
164           {/* checkbox + title */}
165           <div className="flex min-w-0 items-start gap-3">
166             <input
167               checked={checked}
168               className="mt-1 h-4 w-4 rounded border-[#cbd5e1]"
169               onChange={() => toggleOne(n.id)}
170               type="checkbox"
171             />
172
173             <div className="min-w-0">

```

```

174         <div className="truncate font-semibold text-[#0f172a]">
175             {n.title}
176         </div>
177         <div className="text-[#64748b] text-[10px]">
178             {n.dateLabel} · {n.includeInBook ? a.inBook : a.draftOnly}
179         </div>
180     </div>
181 </div>
182
183     {/ * actions */}
184     <div className="flex shrink-0 flex-col gap-1 text-[10px]">
185         <button
186             className="rounded-full border border-[#cbd5e1] bg-white px-3 py-0.5 text-[#334155] hover:bg-[#f8fafc]"
187             onClick={() => onEdit(n)}
188             type="button"
189         >
190             {a.edit}
191         </button>
192
193         <button
194             className="rounded-full border border-[#cbd5e1] bg-white px-3 py-0.5 text-[#334155] hover:bg-[#f8fafc]"
195             onClick={() => onToggleInclude(n.id)}
196             type="button"
197         >
198             {n.includeInBook ? a.removeFromBook : a.addToBook}
199         </button>
200
201         <button
202             className="rounded-full border border-[#e3b0b0] bg-white px-3 py-0.5 text-[#c75b5b] hover:bg-[#fff0f0]"
203             onClick={() => onDelete(n.id)}
204             type="button"
205         >
206             {a.delete}
207         </button>
208     </div>
209 </div>
210     );
211   })}
212 </div>
213   })
214 </div>
215   );
216 }

```

44. app/(chat)/mind/ebooks/[id]/EditorView.jsx

```

1  "use client";
2
3  import { useRef, useState } from "react";
4  import { uploadEbookImage } from "../imageUpload";
5  import { useT } from "@lib/il8n/provider";
6
7  function inferAspect(w, h) {
8    if (!w || !h) return "landscape";
9    const r = w / h;
10   if (r < 0.9) return "portrait";
11   if (r > 1.1) return "landscape";
12   return "square";
13 }
14
15 function ImageFrame({ src, alt, aspect = "landscape" }) {
16   const hClass =
17     aspect === "portrait"
18     ? "h-[260px]"
19     : aspect === "square"
20     ? "h-[240px]"
21     : "h-[220px]";

```

```

22
23   return (
24     <div className="overflow-hidden rounded-2xl border border-[#e2e8f0] bg-white/50">
25       <div className={` ${hClass} flex items-center justify-center`} >
26         <img
27           alt={alt}
28           className="h-full w-full object-contain"
29           draggable={false}
30           src={src}
31         />
32       </div>
33     </div>
34   );
35 }
36
37 export default function EditorView({
38   A4 WRAPPER,
39   sectionTitle,
40   sectionId = "world",
41
42   templateId,
43   includeInBook,
44   setIncludeInBook,
45
46   title,
47   setTitle,
48   content,
49   setContent,
50
51   imageUrl,
52   setImageUrl,
53   imageCaption,
54   setImageCaption,
55   imageAspect,
56   setImageAspect,
57
58   editingId,
59   onSave,
60 }) {
61   // □ Brand + paper scheme
62   const BRAND = "#1F6FB2";
63
64   const t = useT();
65   const w = t.apps.ebooks.write;
66
67   const fileInputRef = useRef(null);
68   const [uploading, setUploading] = useState(false);
69
70   const handleImageButtonClick = () => fileInputRef.current?.click();
71
72   const handleImageChange = async (e) => {
73     const file = e.target.files?.[0];
74     if (!file) return;
75
76     try {
77       setUploading(true);
78
79       // □ шууд Supabase Storage py upload (base64 биш!)
80       const url = await uploadEbookImage({ sectionId, file });
81
82       setImageUrl(url);
83
84       // aspect хэмжих
85       const img = new Image();
86       img.onload = () => setImageAspect(inferAspect(img.width, img.height));
87       img.src = url;
88     } catch (err) {
89       console.error(err);
90       alert(w.imageUploadError);

```



```

91   } finally {
92     setUploading(false);
93     // адилхан файл дахин сонгоход ажиллуулах
94     e.target.value = "";
95   }
96 };
97
98 return (
99   <div className="flex justify-center">
100     <div className={` ${A4_WRAPPER} bg-white`} >
101       <div className="mb-3 flex items-center justify-between gap-3">
102         <div className="text-[#64748b] text-xs">
103           {w.currentTemplate}{" "}
104           <span className="font-semibold">{templateId}</span>
105         </div>
106
107         <label className="flex items-center gap-1.5 text-[#475569] text-xs">
108           <input
109             checked={includeInBook}
110             className="h-4 w-4 rounded border-[rgba(31,111,178,0.45)] accent-[#1F6FB2]"
111             onChange={(e) => setIncludeInBook(e.target.checked)}
112             type="checkbox"
113           />
114           {w.includeInBook}
115         </label>
116       </div>
117
118       {/* title */}
119       <div className="mb-2">
120         <label className="mb-1 block text-[#475569] text-sm">
121           {w.titleLabel}
122         </label>
123         <input
124           className="w-full rounded-xl border border-[#e2e8f0] bg-white/90 px-3 py-2 text-base outline-none focus:border-transparent focus:ring-2 focus:ring-[rgba(31,111,178,0.35)]"
125           onChange={(e) => setTitle(e.target.value)}
126           placeholder={w.titlePlaceholder}
127           value={title}
128         />
129       </div>
130
131       {/* image + caption */}
132       {imageUrl ? (
133         <div className="mb-3">
134           <ImageFrame alt={w.imageAlt} aspect={imageAspect} src={imageUrl} />
135
136           <input
137             className="mt-2 w-full rounded-xl border border-[#e2e8f0] bg-white/90 px-3 py-2 text-base outline-none focus:border-transparent focus:ring-2 focus:ring-[rgba(31,111,178,0.35)]"
138             onChange={(e) => setImageCaption(e.target.value)}
139             placeholder={w.captionPlaceholder}
140             value={imageCaption}
141           />
142
143           <button
144             className="mt-2 text-sm underline"
145             onClick={() => {
146               setImageUrl("");
147               setImageCaption("");
148               setImageAspect("landscape");
149             }}
150             style={{ color: BRAND }}
151             type="button"
152           >
153             {w.removeImage}
154           </button>
155         </div>
156       ) : null}
157
158       {/* text */}
159       <div className="mb-3 flex min-h-0 flex-1 flex-col">

```

```

160     <label className="mb-1 block text-[#475569] text-sm">
161       {w.contentLabel}
162     </label>
163     <textarea
164       className="min-h-[180px] w-full flex-1 resize-none rounded-2xl border border-[#e2e8f0] bg-white/90 px-3 py-2 text-base leading-[1.7] outline-none focus:border-transparent focus:ring-2 focus:
165       onChange={ (e) => setContent(e.target.value)}
166       placeholder={w.contentPlaceholder}
167       value={content}
168     />
169   </div>
170
171   {/* actions */}
172   <div className="mb-2 flex items-center justify-between gap-3">
173     <div className="flex items-center gap-3">
174       <button
175         className="rounded-full border border-[#cbd5e1] bg-white px-4 py-2 text-[#334155] text-sm hover:bg-[#f8fafc] disabled:opacity-60"
176         disabled={uploading}
177         onClick={handleImageButtonClick}
178         type="button"
179       >
180         {uploading ? w.uploading : w.addImage}
181       </button>
182
183       <input
184         accept="image/*"
185         capture="environment"
186         className="hidden"
187         onChange={handleImageChange}
188         ref={fileInputRef}
189         type="file"
190       />
191     </div>
192
193     <button
194       className="rounded-full px-5 py-2 text-sm text-white shadow-[0_10px_26px_rgba(0,0,0,0.18)] hover:opacity-95"
195       onClick={onSave}
196       style={{ backgroundColor: BRAND }}
197       type="button"
198     >
199       {editingId ? w.saveEdit : w.save}
200     </button>
201   </div>
202
203   <div className="mt-auto flex justify-between pt-2 text-[#94a3b8] text-xs">
204     <span>{w.writingPage}</span>
205     <span>{sectionTitle}</span>
206   </div>
207 </div>
208 </div>
209 );
210 }

```

45. app/(chat)/mind/ebooks/[id]/imageUpload.js

```

1  "use client";
2
3  // Browser → API route (the old direct-Supabase storage client was removed).
4  // Uploads go through /api/ebooks/upload, which stores the file via the local
5  // PG storage wrapper and returns a public URL.
6  export async function uploadEbookImage({ sectionId, file }) {
7    if (!file) throw new Error("No file");
8
9    const form = new FormData();
10   form.append("file", file);
11   form.append("sectionId", String(sectionId || "world"));
12
13   const res = await fetch("/api/ebooks/upload", {

```

```

14   method: "POST",
15   body: form,
16 });
17
18 const data = await res.json().catch(() => ({}));
19 if (!res.ok) throw new Error(data?.error || "Upload failed");
20 if (!data?.url) throw new Error("Failed to get public URL");
21
22 return data.url;
23 }

```

46. app/(chat)/mind/ebooks/[id]/page.jsx

```

1  "use client";
2
3  import { use, useEffect, useMemo, useState, useCallback } from "react";
4
5  import { AppShell, Button } from "@components/mind/app-shell";
6  import EditorView from "../EditorView";
7  import PreviewView from "../PreviewView";
8  import ArchiveView from "../ArchiveView";
9  import { loadNotes, loadTemplate, saveNotes, saveTemplate } from "../storage";
10 import { useT } from "@lib/i18n/provider";
11
12 function formatDateLabel(date) {
13   const y = date.getFullYear();
14   const m = String(date.getMonth() + 1).padStart(2, "0");
15   const d = String(date.getDate()).padStart(2, "0");
16   const hh = String(date.getHours()).padStart(2, "0");
17   const mm = String(date.getMinutes()).padStart(2, "0");
18   return `${y}.${m}.${d} ${hh}:${mm}`;
19 }
20 function nowLabel() {
21   return formatDateLabel(new Date());
22 }
23
24 export default function EbookWritePage({ params }) {
25   const { id } = use(params);
26   const sectionId = id || "world";
27   const t = useT();
28   const w = t.apps.ebooks.write;
29   const sectionTitle =
30     t.apps.ebooks.sections[sectionId]?.title || t.apps.ebooks.defaultBookTitle;
31
32   const [templateId, setTemplateId] = useState("paper-white");
33   const [includeInBook, setIncludeInBook] = useState(true);
34   const [title, setTitle] = useState("");
35   const [content, setContent] = useState("");
36
37   const [imageUrl, setImageUrl] = useState("");
38   const [imageCaption, setImageCaption] = useState("");
39   const [imageAspect, setImageAspect] = useState("landscape");
40
41   const [savedNotes, setSavedNotes] = useState([]);
42   const [editingId, setEditingId] = useState(null);
43
44   const [q, setQ] = useState("");
45
46   // □ Preview "дарах" дохно (typing үед scroll тогтвортой болгоно)
47   const [typingTick, setTypingTick] = useState(0);
48   const pingTyping = useCallback(() => {
49     setTypingTick((t) => (t + 1) % 1_000_000);
50   }, []);
51
52   // Load once per section
53   useEffect(() => {
54     setTemplateId(loadTemplate(sectionId, "paper-white"));
55   }, [sectionId]);

```

```

55     setSavedNotes(loadNotes(sectionId));
56   }, [sectionId]);
57
58   // Persist notes
59   useEffect(() => {
60     saveNotes(sectionId, savedNotes);
61   }, [savedNotes, sectionId]);
62
63   // Persist template
64   useEffect(() => {
65     saveTemplate(sectionId, templateId);
66   }, [templateId, sectionId]);
67
68   const resetDraft = () => {
69     setEditingId(null);
70     setTitle("");
71     setContent("");
72     setImageUrl("");
73     setImageCaption("");
74     setImageAspect("landscape");
75     setIncludeInBook(true);
76     pingTyping();
77   };
78
79   const handleSave = () => {
80     if (!title.trim() && !content.trim() && !imageUrl) return;
81
82     const now = new Date();
83     const base = {
84       title: title.trim() || "(гарчиггүй)",
85       content: content || "",
86       includeInBook,
87       templateId,
88       imageUrl: imageUrl || "",
89       imageCaption: imageCaption || "",
90       imageAspect: imageUrl ? imageAspect : "",
91     };
92
93     setSavedNotes((prev) => {
94       if (editingId) {
95         return prev.map((n) => (n.id === editingId ? { ...n, ...base } : n));
96       }
97       return [
98         {
99           id: Date.now(),
100           ...base,
101           createdAt: now.toISOString(),
102           dateLabel: formatDateLabel(now),
103         },
104         ...prev,
105       ];
106     });
107
108     resetDraft();
109   };
110
111   const handleEdit = (note) => {
112     setEditingId(note.id);
113     setTitle(note.title === "(гарчиггүй)" ? "" : note.title);
114     setContent(note.content || "");
115     setIncludeInBook(!note.includeInBook);
116     setTemplateId(note.templateId || "paper-white");
117     setImageUrl(note.imageUrl || "");
118     setImageCaption(note.imageCaption || "");
119     setImageAspect(note.imageAspect || "landscape");
120     pingTyping();
121
122     window.scrollTo({ top: 0, behavior: "smooth" });
123   };

```

```

124
125 const handleDelete = (id) => {
126   if (!confirm(w.deleteConfirm)) return;
127   setSavedNotes((prev) => prev.filter((n) => n.id !== id));
128   if (editingId === id) resetDraft();
129   pingTyping();
130 };
131
132 const handleToggleInclude = (id) => {
133   setSavedNotes((prev) =>
134     prev.map((n) =>
135       n.id === id ? { ...n, includeInBook: !n.includeInBook } : n
136     )
137   );
138   pingTyping();
139 };
140
141 // ☐ Bulk delete (ArchiveView checkbox-оос дуудагдана)
142 const handleDeleteMany = (ids) => {
143   const idSet = new Set(ids);
144   setSavedNotes((prev) => prev.filter((n) => !idSet.has(n.id)));
145   if (editingId && idSet.has(editingId)) resetDraft();
146   pingTyping();
147 };
148
149 const handleDeleteAll = () => {
150   if (!confirm(w.deleteAllConfirm)) return;
151   setSavedNotes([]);
152   resetDraft();
153   pingTyping();
154 };
155
156 const filteredNotes = useMemo(() => {
157   const s = q.trim().toLowerCase();
158   if (!s) return savedNotes;
159   return savedNotes.filter((n) => {
160     const hay =
161       `${n.title} || ""` ${n.dateLabel} || ""` ${n.createdAt} || ""`.toLowerCase();
162     return hay.includes(s);
163   });
164 }, [savedNotes, q]);
165
166 // Preview notes: includeInBook + draft at end
167 const previewNotes = useMemo(() => {
168   const book = (savedNotes || []).
169     .filter((n) => n.includeInBook)
170     .slice()
171     .reverse(); // хуучин-шинэ
172
173   const draftHas =
174     title.trim() || content.trim() || imageUrl || imageCaption.trim();
175   if (!draftHas) return book;
176
177   return [
178     ...book,
179     {
180       id: "draft",
181       title: title.trim() || "(гарчиггүй)",
182       content: content || "",
183       imageUrl: imageUrl || "",
184       imageCaption: imageCaption || "",
185       imageAspect: imageUrl ? imageAspect : "",
186       dateLabel: nowLabel(),
187       isDraft: true,
188     },
189   ];
190 }, [savedNotes, title, content, imageUrl, imageCaption, imageAspect]);
191
192 // Simulated A4 book page — aspect-locked, matches the exported book look.

```

```

193 const A4_WRAPPER =
194   "rounded-2xl shadow-sm border overflow-hidden px-6 py-5 flex flex-col " +
195   "w-full max-w-[520px] aspect-[210/297] h-auto " +
196   "lg:w-[520px] lg:h-[740px] lg:aspect-auto";
197
198 // The editor is a form, not a book page – plain app card, no aspect lock.
199 const EDITOR_WRAPPER =
200   "rounded-2xl border border-slate-200 px-6 py-5 flex flex-col " +
201   "w-full max-w-[520px] " +
202   "lg:w-[520px] lg:h-[740px]";
203
204 return (
205   <AppShell
206     actions={
207       <Button
208         className="hidden sm:inline-flex"
209         href="/mind/ebooks/preview"
210         variant="ghost"
211       >
212         {w.prepareBook}
213       </Button>
214     }
215     backHref="/mind/ebooks"
216     subtitle={w.writingPage}
217     title={sectionTitle}
218     width="5xl"
219   >
220     <div className="space-y-6">
221       {/* 2 COL */}
222       <div className="grid items-start gap-6 lg:grid-cols-2 lg:gap-8">
223         <EditorView
224           A4_WRAPPER={EDITOR_WRAPPER}
225           content={content}
226           editingId={editingId}
227           imageAspect={imageAspect}
228           imageCaption={imageCaption}
229           imageUrl={imageUrl}
230           includeInBook={includeInBook}
231           onSave={handleSave}
232           sectionId={sectionId}
233           sectionTitle={sectionTitle}
234           setContent={ (v) => {
235             setContent(v);
236             pingTyping();
237           }}
238           setImageAspect={ (v) => {
239             setImageAspect(v);
240             pingTyping();
241           }}
242           setImageCaption={ (v) => {
243             setImageCaption(v);
244             pingTyping();
245           }}
246           setImageUrl={ (v) => {
247             setImageUrl(v);
248             pingTyping();
249           }}
250           setIncludeInBook={setIncludeInBook}
251           setTitle={ (v) => {
252             setTitle(v);
253             pingTyping();
254           }}
255           templateId={templateId}
256           title={title}
257         />
258
259         <PreviewView
260           A4_WRAPPER={A4_WRAPPER}
261           previewNotes={previewNotes}

```

```

262         sectionTitle={sectionTitle}
263         templateId={templateId}
264     />
265 </div>
266
267     {/ * ARCHIVE */}
268 <ArchiveView
269     filteredNotes={filteredNotes}
270     onDelete={handleDelete}
271     onDeleteAll={handleDeleteAll}
272     onDeleteMany={handleDeleteMany}
273     onEdit={handleEdit}
274     onToggleInclude={handleToggleInclude}
275     q={q}
276     savedNotes={savedNotes}
277     setQ={setQ}
278 />
279
280 <div className="text-[11px] text-black/45 lg:hidden">
281     {w.mobileHint}
282 </div>
283 </div>
284 </AppShell>
285 );
286 }

```

47. app/(chat)/mind/ebooks/[id]/PreviewView.jsx

```

1  "use client";
2
3  import { useEffect, useMemo, useRef, useState, useCallback } from "react";
4  import { useT } from "@lib/i18n/provider";
5
6  function escEmpty(s) {
7      return s && String(s).trim() ? String(s) : " ";
8  }
9
10 function paperTheme(templateId) {
11     switch (templateId) {
12         case "paper-white":
13             return { page: "bg-white", border: "border-[#e2e8f0]" };
14         case "paper-sky":
15             return { page: "bg-[#eaf2ff]", border: "border-[#d4dff3]" };
16         case "paper-ice":
17             return { page: "bg-[#f1fbff]", border: "border-[#d9edf5]" };
18         case "paper-sage":
19             return { page: "bg-[#eef7f1]", border: "border-[#d7e6dc]" };
20         case "paper-cream":
21             return { page: "bg-[#fff7ec]", border: "border-[#ead9c6]" };
22         case "paper-lilac":
23             return { page: "bg-[#f7f0ff]", border: "border-[#e6daf8]" };
24         case "decor-flower":
25             return { page: "bg-[#fff6f2]", border: "border-[#e2e8f0]" };
26         case "side-frame":
27             return { page: "bg-[#f6f7fb]", border: "border-[#e0e2f1]" };
28         default:
29             return { page: "bg-white", border: "border-[rgba(31,111,178,0.25)]" }; // □ шап биш
30     }
31 }
32
33 /** newline хадгалдаг height split */
34 function splitTextByHeightPreserveNewlines({ text, measureEl, maxHeight }) {
35     const raw = String(text || "").replace(/\r\n/g, "\n");
36     if (!raw.trim()) return [""];
37
38     const prefix =
39         `<div style="font-size:11px;line-height:1.85;white-space:pre-wrap;word-break:break-word;color:rgba(63,49,40,0.82);">`;

```

```

40   const suffix = `</div>`;
41
42   const setAndMeasure = (s) => {
43     measureEl.innerHTML = `${prefix}${s.replace(/\n/g, "<br/>")}${suffix}`;
44     return measureEl.scrollHeight;
45   };
46
47   // □ ХАМГИЙН ЧУХАЛ ЗАСВАР:
48   // Бүх текст нэг блокт бартаж байвал split хийхгүй (богино бичвэр дээр үсрэхийг зогсооно)
49   if (setAndMeasure(raw) <= maxHeight) return [raw];
50
51   const parts = [];
52   let start = 0;
53
54   while (start < raw.length) {
55     let lo = 1;
56     let hi = Math.min(6000, raw.length - start);
57     let best = 1;
58
59     while (lo <= hi) {
60       const mid = (lo + hi) >> 1;
61       const candidate = raw.slice(start, start + mid);
62       if (setAndMeasure(candidate) <= maxHeight) {
63         best = mid;
64         lo = mid + 1;
65       } else {
66         hi = mid - 1;
67       }
68     }
69
70     let cut = start + best;
71
72     // үг таслахгүй
73     const windowStart = Math.max(start, cut - 80);
74     const window = raw.slice(windowStart, cut);
75     const lastWs = Math.max(
76       window.lastIndexOf(" "),
77       window.lastIndexOf("\n"),
78       window.lastIndexOf("\t")
79     );
80     if (lastWs > -1 && windowStart + lastWs > start + 10) {
81       cut = windowStart + lastWs + 1;
82     }
83
84     parts.push(raw.slice(start, cut));
85     start = cut;
86   }
87
88   return parts.length ? parts : [raw];
89 }
90
91 function ImageFrame({ src, alt, aspect = "landscape" }) {
92   const hClass =
93     aspect === "portrait"
94       ? "h-[260px]"
95       : aspect === "square"
96       ? "h-[240px]"
97       : "h-[220px]";
98
99   return (
100     <div className="rounded-2xl overflow-hidden border border-[rgba(31,111,178,0.22)] bg-transparent">
101       <div className={` ${hClass} flex items-center justify-center`>
102         <img
103           src={src}
104           alt={alt}
105           className="w-full h-full object-contain"
106           draggable={false}
107         />
108       </div>

```



```

109     </div>
110   };
111 }
112
113 function A4PreviewPage({ children, sectionTitle }) {
114   return (
115     <div className="relative rounded-2xl border border-[rgba(31,111,178,0.22)] bg-white/80 px-4 py-4 h-[650px] overflow-hidden">
116       <div className="absolute bottom-9 left-4 right-4 h-px bg-black/5" />
117       <div className="h-full flex flex-col">
118         <div className="flex-1 min-h-0 overflow-hidden">{children}</div>
119         <div className="mt-3 text-[10px] text-black/35 flex justify-end">
120           {sectionTitle}
121         </div>
122       </div>
123     </div>
124   );
125 }
126
127 export default function PreviewView({
128   A4_WRAPPER,
129   sectionTitle,
130   templateId,
131   previewNotes,
132 }) {
133   const BRAND = "#1F6FB2";
134   const t = useT();
135   const w = t.apps.ebooks.write;
136
137   const wrapperRef = useRef(null);
138   const measureTextRef = useRef(null);
139   const previewScrollRef = useRef(null);
140   const [renderPages, setRenderPages] = useState([]);
141
142   // хэрэглэгч доод тал дээр байна уу?
143   const [pinned, setPinned] = useState(true);
144
145   const theme = useMemo(() => paperTheme(templateId), [templateId]);
146
147   const scrollToBottom = useCallback((behavior = "auto") => {
148     const el = previewScrollRef.current;
149     if (!el) return;
150     el.scrollTo({ top: el.scrollHeight, behavior });
151   }, []);
152
153   const handleScroll = useCallback(() => {
154     const el = previewScrollRef.current;
155     if (!el) return;
156     const distanceFromBottom = el.scrollHeight - (el.scrollTop + el.clientHeight);
157     setPinned(distanceFromBottom < 40);
158   }, []);
159
160   // □ page split
161   useEffect(() => {
162     if (!measureTextRef.current) return;
163     const textEl = measureTextRef.current;
164
165     // □ ХАМГИЙН ЧУХАЛ: measure өргөн preview-ийн бичвэрийн бодит өргөнтэй таарах ёстой
166     // wrapper width - page padding(16*2) - scroll pr(4~8) гэж ойролцоогоор хасна
167     const wrapW = wrapperRef.current?.clientWidth || 420;
168     const measuredW = Math.max(240, wrapW - 16 * 2 - 16); // 16*2 padding + жижиг нөөц
169     textEl.style.width = `${measuredW}px`;
170
171     const MAX_TEXT_BLOCK = 580;
172
173     const pages = [];
174     let page = [];
175     let used = 0;
176
177     const pushPage = () => {

```

```

178     if (page.length) pages.push(page);
179     page = [];
180     used = 0;
181 };
182
183 for (const note of previewNotes || []) {
184     const hasTitle = !(note.title && note.title !== "(гарциггүй)");
185     const hasImg = !!note.imageUrl;
186     const caption = note.imageCaption || "";
187
188     const IMG_COST = hasImg
189       ? note.imageAspect === "portrait"
190       ? 270
191       : note.imageAspect === "square"
192       ? 250
193       : 230
194       : 0;
195
196     const TITLE_COST = hasTitle ? 24 : 0;
197     const CAPTION_COST = hasImg && caption ? 16 : 0;
198     const DATE_COST = 16;
199
200     const availableTextH = Math.max(
201       180,
202       MAX_TEXT_BLOCK - TITLE_COST - IMG_COST - CAPTION_COST
203     );
204
205     const parts = splitTextByHeightPreserveNewlines({
206       text: note.content || "",
207       measureEl: textEl,
208       maxHeight: availableTextH,
209     });
210
211     parts.forEach((piece, idx) => {
212       const isFirst = idx === 0;
213       const isLast = idx === parts.length - 1;
214
215       // хэмжихдээ яг preview-тэй адил style ашиглана
216       textEl.innerHTML = `<div style="font-size:11px;line-height:1.85;white-space:pre-wrap;word-break:break-word;color:rgba(63,49,40,0.82);">${escEmpty(
217         piece
218       )}.replace(/\n/g, "<br/>")</div>`;
219       const TEXT_H = textEl.scrollHeight;
220
221       const fragCost =
222         TEXT_H +
223         (isFirst ? TITLE_COST + IMG_COST + CAPTION_COST : 0) +
224         (isLast ? DATE_COST : 0);
225
226       const PAGE_BUDGET = 640;
227
228       if (page.length && used + fragCost > PAGE_BUDGET) pushPage();
229
230       page.push({
231         ...note,
232         _pieceIndex: idx,
233         showTitle: isFirst,
234         showImage: isFirst,
235         showCaption: isFirst,
236         showDate: isLast,
237         content: piece,
238       });
239
240       used += fragCost;
241     });
242 }
243
244 pushPage();
245
246 // □ Ардаа яг 1 хоосон хуудас үргэлж байлга

```

```

247 // pages сүүлийнх хоосон биш бол [] нэмнэ
248 if (pages.length === 0 || (pages[pages.length - 1] && pages[pages.length - 1].length !== 0)) {
249   pages.push([]);
250 }
251 // Давхар хоосон байвал нэг болго
252 while (pages.length > 1 && pages[pages.length - 1].length === 0 && pages[pages.length - 2].length === 0) {
253   pages.pop();
254 }
255
256 setRenderPages(pages);
257 }, [previewNotes]);
258
259 // □ Auto-follow: pinned үед л дагана
260 useEffect(() => {
261   if (!pinned) return;
262   requestAnimationFrame(() => {
263     requestAnimationFrame(() => scrollToBottom("auto"));
264   });
265 }, [renderPages, pinned, scrollToBottom]);
266
267 const pagesToRender = renderPages; // □ бид өөрсдөө үргэлж blank нэмдэг болсон
268
269 return (
270   <div className="flex justify-center relative">
271     <div
272       ref={wrapperRef}
273       className={` ${A4_WRAPPER} ${theme.page} border ${theme.border}`}
274     >
275       <div className="mb-2 text-[10px] text-black/45 flex items-center justify-between">
276         <span>{w.preview}</span>
277
278         {!pinned ? (
279           <button
280             type="button"
281             onClick={() => {
282               scrollToBottom("smooth");
283               setPinned(true);
284             }}
285             className="text-[11px] rounded-full px-3 py-1 border"
286             style={{
287               borderColor: "rgba(31,111,178,0.35)",
288               color: BRAND,
289               background: "rgba(31,111,178,0.10)",
290             }}
291           >
292             {w.scrollDown}
293           </button>
294         ) : null}
295       </div>
296
297       <div
298         ref={previewScrollRef}
299         onScroll={handleScroll}
300         className="flex-1 min-h-0 overflow-y-auto pr-1 space-y-5 overscroll-contain"
301         style={{ WebkitOverflowScrolling: "touch", touchAction: "pan-y" }}
302       >
303         {pagesToRender.map((pageNotes, pageIndex) => (
304           <A4PreviewPage key={pageIndex} sectionTitle={sectionTitle}>
305             <div className="h-full flex flex-col gap-4 pt-2">
306               {pageNotes.map((n) => (
307                 <div
308                   key={` ${n.id} - ${n._pieceIndex} || 0`}
309                   className="space-y-2"
310                 >
311                   {n.showTitle && n.title && n.title !== "(гарчиггүй)" ? (
312                     <div className="text-[12px] font-semibold text-[#4c3426]">
313                       {n.title}
314                     </div>
315                   ) : null}

```

```

316
317     {n.showImage && n.imageUrl ? (
318       <div className="space-y-2">
319         <ImageFrame
320           src={n.imageUrl}
321           alt="note"
322           aspect={n.imageAspect || "landscape"}
323         />
324         {n.showCaption && n.imageCaption ? (
325           <div className="text-[11px] text-[#6f5a4a] italic">
326             {n.imageCaption}
327           </div>
328         ) : null}
329       </div>
330     ) : null}
331
332     <div className="text-[11px] leading-[1.85] text-[#3f3128]/80 whitespace-pre-wrap break-words">
333       {escEmpty(n.content)}
334     </div>
335
336     {n.showDate ? (
337       <div className="text-[10px] text-[#9b7a5e] flex justify-end">
338         {n.dateLabel || ""}
339       </div>
340     ) : null}
341   </div>
342 ))}
343 </div>
344 </A4PreviewPage>
345 )}}
346 </div>
347
348 <div className="mt-auto pt-2 text-[10px] text-black/35 flex justify-end">
349   <span>{sectionTitle}</span>
350 </div>
351 </div>
352
353 {/* □ measure element: width нь useEffect дээр sync хийнэ */}
354 <div
355   className="absolute -left-[99999px] -top-[99999px] opacity-0 pointer-events-none"
356   ref={measureTextRef}
357 >/>
358 </div>
359 );
360 }

```

48. app/(chat)/mind/ebooks/[id]/storage.js

```

1 export function templateKey(sectionId) {
2   return `oyun_ebook_template_${sectionId}_v1`;
3 }
4 export function notesKey(sectionId) {
5   return `oyun_ebook_notes_${sectionId}_v1`;
6 }
7
8 export function safeJsonParse(s, fallback) {
9   try {
10     const v = JSON.parse(s);
11     return v ?? fallback;
12   } catch {
13     return fallback;
14   }
15 }
16
17 export function loadTemplate(sectionId, fallback = "paper-white") {
18   if (typeof window === "undefined") return fallback;
19   const t = window.localStorage.getItem(templateKey(sectionId));

```

```

20   return t || fallback;
21 }
22
23 export function saveTemplate(sectionId, templateId) {
24   if (typeof window === "undefined") return;
25   window.localStorage.setItem(templateKey(sectionId), templateId);
26 }
27
28 export function loadNotes(sectionId) {
29   if (typeof window === "undefined") return [];
30   const raw = window.localStorage.getItem(notesKey(sectionId));
31   const parsed = safeJsonParse(raw, []);
32   return Array.isArray(parsed) ? parsed : [];
33 }
34
35 export function saveNotes(sectionId, notes) {
36   if (typeof window === "undefined") return;
37   window.localStorage.setItem(notesKey(sectionId), JSON.stringify(notes || []));
38 }

```

49. app/(chat)/mind/ebooks/ebook.module.css

```

1  .ebookBody{
2    /* □ CSS Module дээр :root болохгүй тул variables-аа энд (scope) өгнө */
3    --brand:#1F6FB2;
4    --brandRgb: 31,111,178; /* □ #1F6FB2-ийн RGB (hardcode rgba-г нэг мөрөөр удирдана) */
5
6    --card: rgba(255,255,255,.13);
7    --cardBorder: rgba(255,255,255,.22);
8
9    min-height: 100vh;
10   color: rgba(255,255,255,.92);
11   font-family: Georgia, serif;
12
13   /* □ DARK мэдрэмжийг хэвээр үлдээнэ — зөвхөн brand mix + glow-г жаахан хүчтэй болгосон */
14   background:
15     radial-gradient(1000px 600px at 20% 15%, rgba(var(--brandRgb), .36), transparent 60%),
16     radial-gradient(900px 520px at 85% 25%, rgba(var(--brandRgb), .24), transparent 62%),
17     radial-gradient(1400px 800px at 50% 120%, rgba(255,255,255,.14), transparent 55%),
18     linear-gradient(
19       135deg,
20       color-mix(in srgb, var(--brand) 34%, #2a4663) 0%,
21       color-mix(in srgb, var(--brand) 40%, #335b7a) 45%,
22       color-mix(in srgb, var(--brand) 34%, #2a4663) 100%
23     );
24 }
25
26 .container{
27   max-width: 1200px;
28   margin: 0 auto;
29   padding: 36px 20px 60px;
30 }
31
32 .topbar{
33   display:flex;
34   align-items:center;
35   gap:10px;
36   margin-bottom: 10px;
37 }
38
39 .pill{
40   display:inline-flex;
41   align-items:center;
42   padding: 8px 14px;
43   border-radius: 999px;
44   background: rgba(255,255,255,.11);
45   border: 1px solid rgba(255,255,255,.22);

```

```

46   color:#fff;
47   font-size:14px;
48   text-decoration:none;
49   backdrop-filter: blur(10px);
50 }
51 .pill:hover{
52   border-color: rgba(var(--brandRgb), .72);
53   box-shadow: 0 10px 28px rgba(0,0,0,.22);
54 }
55
56 .brandDot{
57   width:10px;height:10px;border-radius:999px;
58   background: var(--brand);
59   box-shadow: 0 0 0 6px rgba(var(--brandRgb), .30);
60 }
61
62 .brandText{
63   font-size:12px;
64   letter-spacing:.28em;
65   text-transform:uppercase;
66   opacity:.92;
67 }
68
69 .mainTitle{
70   font-size: 3rem;
71   letter-spacing: 8px;
72   font-weight: 300;
73   text-transform: uppercase;
74   text-align: center;
75   margin: 10px 0 14px;
76   text-shadow: 0 14px 34px rgba(0,0,0,.35);
77 }
78
79 .subtitle{
80   text-align:center;
81   opacity:.9;
82   letter-spacing: 2px;
83   margin: -4px 0 26px;
84 }
85
86 .categoriesGrid{
87   display:grid;
88   grid-template-columns: repeat(4, minmax(0,1fr));
89   gap: 20px;
90 }
91
92 .categoryCard{
93   background: var(--card);
94   border: 1px solid var(--cardBorder);
95   border-radius: 18px;
96   padding: 14px;
97   text-align:center;
98   cursor:pointer;
99   transition: .25s;
100  position:relative;
101  text-decoration:none;
102  color:#0f172a;
103  box-shadow: 0 12px 34px rgba(15,23,42,.08);
104 }
105 .categoryCard:hover{
106   transform: translateY(-6px);
107   border-color: rgba(var(--brandRgb), .45);
108   box-shadow: 0 22px 60px rgba(15,23,42,.12);
109 }
110
111 .catThumb{
112   width:100%;
113   height: 220px;
114   border-radius: 16px;

```

```

115   overflow:hidden;
116   background: rgba(15,23,42,.06);
117   margin-bottom: 8px;
118 }
119 .catThumb img{
120   width:100%;
121   height:100%;
122   object-fit: cover;
123   display:block;
124   filter: saturate(1.05) contrast(1.03);
125 }
126
127 .categoryCard h4{
128   margin-top: 6px;
129   font-size: .95rem;
130 }
131
132 .categorySub{
133   opacity:.9;
134   margin-top: 3px;
135   margin-bottom: 8px;
136   font-size: .8rem;
137 }
138
139 .pageIndicator{
140   display:inline-flex;
141   align-items:center;
142   justify-content:center;
143   gap:8px;
144   margin-top: 6px;
145   padding: 7px 12px;
146   border-radius: 999px;
147
148   background: rgba(var(--brandRgb), .10);
149   border: 1px solid rgba(var(--brandRgb), .35);
150   color: var(--brand);
151
152   font-size: .78rem;
153 }
154
155 @media (max-width: 1000px){
156   .categoriesGrid{ grid-template-columns: repeat(3, minmax(0,1fr)); }
157 }
158 @media (max-width: 700px){
159   .categoriesGrid{ grid-template-columns: repeat(2, minmax(0,1fr)); }
160 }
161 @media (max-width: 480px){
162   .categoriesGrid{ grid-template-columns: 1fr; }
163 }

```

50. app/(chat)/mind/ebooks/extras/ExtrasTemplates.jsx

```

1  "use client";
2
3  import React, { useMemo, useRef } from "react";
4  import { useT } from "@/lib/i18n/provider";
5
6  function Label({ children }) {
7    return <div className="text-xs font-semibold tracking-wide text-black/50">{children}</div>;
8  }
9  function Input({ value, onChange, placeholder }) {
10   return (
11     <input
12       value={value}
13       onChange={(e) => onChange(e.target.value)}
14       placeholder={placeholder}
15       className="w-full rounded-xl border border-black/10 bg-white px-3 py-2 text-sm outline-none"

```

```

16     />
17   };
18 }
19 function TextArea({ value, onChange, placeholder, rows = 6 }) {
20   return (
21     <textarea
22       value={value}
23       onChange={(e) => onChange(e.target.value)}
24       placeholder={placeholder}
25       rows={rows}
26       className="w-full resize-none rounded-xl border border-black/10 bg-white px-3 py-2 text-sm outline-none"
27     />
28   );
29 }
30 function Divider() {
31   return <div className="my-2 h-px w-full bg-black/10" />;
32 }
33
34 function parseTocLines(raw) {
35   const lines = (raw || "").split("\n").map((l) => l.trim()).filter(Boolean);
36   return lines.map((l) => {
37     const [name, page] = l.split("|").map((x) => (x || "").trim());
38     return { name: name || l, page: page || "" };
39   });
40 }
41
42 async function fileToDataURL(file) {
43   return await new Promise((resolve, reject) => {
44     const r = new FileReader();
45     r.onload = () => resolve(String(r.result || ""));
46     r.onerror = reject;
47     r.readAsDataURL(file);
48   });
49 }
50
51 /** =====
52  * Editor
53  * ===== */
54 function Editor({ state, setState }) {
55   const t = useT();
56   const ex = t.apps.ebooks.extras;
57   const coverInputRef = useRef(null);
58   const circleInputRef = useRef(null);
59
60   const sec = state.section;
61
62   // cover editor
63   if (sec === "cover") {
64     return (
65       <div className="grid gap-3">
66         <Label>{ex.coverTitleLabel}</Label>
67         <Input value={state.title} onChange={(v) => setState((p) => ({ ...p, title: v }))) placeholder={t.apps.ebooks.defaultBookTitle} />
68
69         <Label>{ex.subtitleLabel}</Label>
70         <Input value={state.subtitle} onChange={(v) => setState((p) => ({ ...p, subtitle: v }))) placeholder="..." />
71
72         <Divider />
73
74         <Label>{ex.coverImageLabel}</Label>
75         <div className="flex flex-wrap items-center gap-2">
76           <button
77             type="button"
78             className="rounded-xl border border-black/10 bg-white px-3 py-2 text-sm hover:bg-black/5"
79             onClick={() => coverInputRef.current?.click()}
80           >
81             {ex.chooseImage}
82           </button>
83           {state.imageUrl ? (
84             <button

```



```

85         type="button"
86         className="rounded-xl border border-black/10 bg-white px-3 py-2 text-sm hover:bg-black/5"
87         onClick={() => setState((p) => ({ ...p, imageDataUrl: "" })))}
88     >
89         {ex.removeImage}
90     </button>
91 ) : null}
92 <input
93     ref={coverInputRef}
94     type="file"
95     accept="image/*"
96     className="hidden"
97     onChange={async (e) => {
98         const f = e.target.files?.[0];
99         if (!f) return;
100         const dataUrl = await fileToDataURL(f);
101         setState((p) => ({ ...p, imageDataUrl: dataUrl }));
102         e.target.value = "";
103     }}
104 />
105 </div>
106 </div>
107 );
108 }
109
110 // toc editor
111 if (sec === "toc") {
112     return (
113         <div className="grid gap-3">
114             <Label>{ex.tocLinesLabel}</Label>
115             <TextArea
116                 value={state.tocLines}
117                 onChange={(v) => setState((p) => ({ ...p, tocLines: v })))}
118                 rows={10}
119                 placeholder={"..."}
120             />
121         </div>
122     );
123 }
124
125 // foreword / ending / submenu editor
126 return (
127     <div className="grid gap-3">
128         <Label>{sec === "foreword" ? ex.forewordHeading : sec === "ending" ? ex.endingHeading : ex.subMenuTextLabel}</Label>
129         <TextArea
130             value={state.body}
131             onChange={(v) => setState((p) => ({ ...p, body: v })))}
132             rows={10}
133             placeholder={ex.bodyPlaceholder}
134         />
135
136         <Divider />
137
138         <Label>{ex.circleImageLabel}</Label>
139         <div className="flex flex-wrap items-center gap-2">
140             <button
141                 type="button"
142                 className="rounded-xl border border-black/10 bg-white px-3 py-2 text-sm hover:bg-black/5"
143                 onClick={() => circleInputRef.current?.click()}
144             >
145                 {ex.chooseImage}
146             </button>
147             {state.circleImageDataUrl ? (
148                 <button
149                     type="button"
150                     className="rounded-xl border border-black/10 bg-white px-3 py-2 text-sm hover:bg-black/5"
151                     onClick={() => setState((p) => ({ ...p, circleImageDataUrl: "" })))}
152                 >
153                     {ex.removeImage}

```

```

154     </button>
155   ) : null}
156   <input
157     ref={circleInputRef}
158     type="file"
159     accept="image/*"
160     className="hidden"
161     onChange={async (e) => {
162       const f = e.target.files?.[0];
163       if (!f) return;
164       const dataUrl = await fileToDataURL(f);
165       setState((p) => ({ ...p, circleImageDataURL: dataUrl }));
166       e.target.value = "";
167     }}
168   />
169 </div>
170 </div>
171 );
172 }
173
174 /** =====
175  * Preview (3 variant)
176  * - EXTRAS болон author footer бүгдийг устгасан
177  * ===== */
178 function Preview({ state, theme, t }) {
179   const ex = t.apps.ebooks.extras;
180   const { section, variant } = state;
181
182   const frameClass =
183     "relative aspect-[3/4] w-full overflow-hidden rounded-2xl border border-black/10 shadow-sm";
184
185   const pageClass = `h-full w-full ${theme.paper} p-6 ${theme.ink}`;
186
187   // COVER
188   if (section === "cover") {
189     return (
190       <div className={frameClass}>
191         <div className={pageClass}>
192           {variant === "a" && (
193             <div className="flex h-full flex-col">
194               <div className="mt-12 text-center">
195                 <div className="text-4xl font-semibold">{state.title}</div>
196                 {state.subtitle ? <div className="mt-4 text-sm opacity-70">{state.subtitle}</div> : null}
197               </div>
198             </div>
199           )}
200
201           {variant === "b" && (
202             <div className="flex h-full flex-col">
203               <div className="mt-2 overflow-hidden rounded-2xl border border-black/10 bg-white/60">
204                 {state.imageDataURL ? (
205                   // eslint-disable-next-line @next/next/no-img-element
206                   <img src={state.imageDataURL} alt="" className="h-60 w-full object-cover" />
207                 ) : (
208                   <div className="flex h-60 items-center justify-center text-sm text-black/35">
209                     {ex.noImagePlaceholder}
210                   </div>
211                 )}
212               </div>
213
214               <div className="mt-10 text-center">
215                 <div className="text-5xl font-semibold tracking-tight">{state.title}</div>
216                 {state.subtitle ? (
217                   <>
218                     <div className="mx-auto mt-6 h-px w-2/3 bg-black/20" />
219                     <div className="mt-5 text-sm opacity-70">{state.subtitle}</div>
220                   </>
221                 ) : null}
222               </div>

```

```

223     </div>
224   )}
225
226   {variant === "c" && (
227     <div className="flex h-full flex-col">
228       <div className="mt-16 text-center">
229         <div className="mx-auto mb-6 h-1 w-14 rounded-full bg-black/15" />
230         <div className="text-6xl font-semibold tracking-tight">{state.title}</div>
231         {state.subtitle ? <div className="mt-6 text-sm opacity-70">{state.subtitle}</div> : null}
232       </div>
233       <div className="mt-auto">
234         <div className={`h-2 w-20 rounded-full ${theme.accent}`} />
235       </div>
236     </div>
237   )}
238 </div>
239 </div>
240 );
241 }
242
243 // TOC
244 if (section === "toc") {
245   const items = parseTocLines(state.tocLines);
246
247   return (
248     <div className={frameClass}>
249       <div className={pageClass}>
250         {variant === "a" && (
251           <div className="flex h-full flex-col">
252             {/* □ хэт доошоо байсан margin-уудыг барасраасан */}
253             <div className="mt-2 text-xs font-semibold tracking-widest opacity-60">{t.apps.ebooks.book.tocLabel}</div>
254             <div className="mt-3 space-y-1.5">
255               {items.slice(0, 14).map((it, idx) => (
256                 <div key={idx} className="flex items-center justify-between rounded-xl px-3 py-2 hover:bg-black/5">
257                   <div className="text-sm">→ {it.name}</div>
258                   <div className="text-sm opacity-60">{it.page}</div>
259                 </div>
260               ))}
261             </div>
262             <div className="mt-auto text-xs opacity-50">{ex.tocHint}</div>
263           </div>
264         )}
265
266         {variant === "b" && (
267           <div className="flex h-full flex-col">
268             <div className="mt-2 rounded-2xl border border-black/10 bg-white/60 p-4">
269               <div className="text-xs font-semibold tracking-widest opacity-60">{t.apps.ebooks.book.tocLabel}</div>
270               <div className="mt-3 space-y-2">
271                 {items.slice(0, 14).map((it, idx) => (
272                   <div key={idx} className="flex items-center gap-3">
273                     <div className={`h-2 w-2 rounded-full ${theme.accent}`} />
274                     <div className="flex-1 text-sm">{it.name}</div>
275                     <div className="text-sm opacity-60">{it.page}</div>
276                   </div>
277                 ))}
278               </div>
279             </div>
280           </div>
281         )}
282
283         {variant === "c" && (
284           <div className="flex h-full flex-col">
285             <div className="mt-3 text-center text-xs font-semibold tracking-widest opacity-60">{t.apps.ebooks.book.tocLabel}</div>
286             <div className="mt-5 grid grid-cols-1 gap-2">
287               {items.slice(0, 14).map((it, idx) => (
288                 <div key={idx} className="flex items-center justify-between text-sm">
289                   <div className="opacity-90">{it.name}</div>
290                   <div className="opacity-50">{it.page}</div>
291                 </div>

```

```

292         )))
293     </div>
294 </div>
295     })
296 </div>
297 </div>
298 );
299 }
300
301 // FOREWORD / ENDING / SUBMENU PAGE
302 const heading =
303   section === "foreword" ? ex.forewordHeading : section === "ending" ? ex.endingHeading : (t.apps.ebooks.sections[state.submenuKey]?.title || state.submenuKey);
304
305 return (
306   <div className={frameClass}>
307     <div className={pageClass}>
308       {variant === "a" && (
309         <div className="flex h-full flex-col">
310           <div className="mt-6 text-2xl font-semibold">{heading}</div>
311           <div className="mt-4 whitespace-pre-wrap text-sm leading-6 opacity-90">
312             {state.body || ex.emptyBody}
313           </div>
314         </div>
315       )}
316
317       {variant === "b" && (
318         <div className="flex h-full flex-col">
319           <div className="mt-6 flex items-center gap-3">
320             <div className="h-12 w-12 overflow-hidden rounded-full border border-black/10 bg-white/60">
321               {state.circleImageDataUrl ? (
322                 // eslint-disable-next-line @next/next/no-img-element
323                 <img src={state.circleImageDataUrl} alt="" className="h-full w-full object-cover" />
324               ) : null}
325             </div>
326             <div className="text-2xl font-semibold">{heading}</div>
327           </div>
328           <div className="mt-4 whitespace-pre-wrap text-sm leading-6 opacity-90">
329             {state.body || ex.emptyBody}
330           </div>
331           <div className="mt-auto">
332             <div className={`h-2 w-20 rounded-full ${theme.accent}`} />
333           </div>
334         </div>
335       )}
336
337       {variant === "c" && (
338         <div className="flex h-full flex-col">
339           <div className="mt-6 rounded-2xl border border-black/10 bg-white/60 p-5">
340             <div className="text-xl font-semibold">{heading}</div>
341             <div className="mt-3 whitespace-pre-wrap text-sm leading-6 opacity-90">
342               {state.body || ex.emptyBody}
343             </div>
344           </div>
345         </div>
346       )}
347     </div>
348   </div>
349 );
350 }
351
352 const ExtrasTemplates = { Editor, Preview };
353 export default ExtrasTemplates;

```

51. app/(chat)/mind/ebooks/extras/page.jsx

```

1 "use client";
2

```

```

3 import React, { useMemo, useState } from "react";
4 import Link from "next/link";
5 import { AppShell, Button } from "@components/mind/app-shell";
6 import ExtrasTemplates from "../ExtrasTemplates";
7 import { useT } from "@lib/i18n/provider";
8
9 const SECTION_ORDER = [
10   "world",
11   "memories",
12   "notes",
13   "happy",
14   "letters",
15   "difficult",
16   "wisdom",
17   "complaints",
18   "creatives",
19   "personals",
20 ];
21
22 const THEMES = [
23   {
24     id: "lilac",
25     name: "Lilac",
26     bg: "bg-[#f1eaff]",
27     paper: "bg-white/75",
28     ink: "text-[#2f2440]",
29     accent: "bg-[#d2b7ff]",
30   },
31   {
32     id: "sand",
33     name: "Sand",
34     bg: "bg-[#fbf1e4]",
35     paper: "bg-white/75",
36     ink: "text-[#2f2621]",
37     accent: "bg-[#f0c59a]",
38   },
39   {
40     id: "mint",
41     name: "Mint",
42     bg: "bg-[#eaf7f1]",
43     paper: "bg-white/75",
44     ink: "text-[#1f2b24]",
45     accent: "bg-[#9ee3c1]",
46   },
47 ];
48
49 export default function ExtrasPage() {
50   const t = useT();
51   const ex = t.apps.ebooks.extras;
52   const bk = t.apps.ebooks.book;
53
54   const SECTIONS = useMemo(
55     () => [
56       { key: "cover", label: ex.sections.cover },
57       { key: "toc", label: ex.sections.toc },
58       { key: "foreword", label: ex.sections.foreword },
59       { key: "ending", label: ex.sections.ending },
60       { key: "submenu", label: ex.sections.submenu },
61     ],
62     [ex]
63   );
64
65   const submenuOptions = useMemo(
66     () =>
67       SECTION_ORDER.map((sid) => ({
68         id: sid,
69         label: t.apps.ebooks.sections[sid]?.title || sid,
70       })),
71     [t]

```

```

72   );
73
74   const [st, setSt] = useState(() => ({
75     section: "cover",
76     submenuKey: submenuOptions[0]?.id || "world",
77     variant: "b",
78     theme: "lilac",
79
80     // cover
81     title: t.apps.ebooks.defaultBookTitle,
82     subtitle: "",
83     imageDataUrl: "",
84
85     // toc
86     tocLines: [
87       `${bk.coverPage}|1`,
88       `${bk.tocPage}|2`,
89       `${bk.forewordPage}|3`,
90       ...submenuOptions.map((o, i) => `${o.label}|${4 + i}`),
91       `${bk.endingPage}|${4 + submenuOptions.length}`,
92     ].join("\n"),
93
94     // foreword / ending / submenu
95     body: "",
96     circleImageDataUrl: "",
97   }));
98   const [saving, setSaving] = useState(false);
99   const [msg, setMsg] = useState("");
100
101   const themeObj = useMemo(
102     () => THEMES.find((th) => th.id === st.theme) || THEMES[0],
103     [st.theme]
104   );
105
106   const onTab = (key) => {
107     setSt((p) => ({
108       ...p,
109       section: key,
110       submenuKey:
111         key === "submenu"
112           ? p.submenuKey || submenuOptions[0]?.id
113           : p.submenuKey,
114       variant: "a",
115     }));
116     setMsg("");
117   };
118
119   const onSave = async () => {
120     setSaving(true);
121     setMsg("");
122     try {
123       const submenuLabel =
124         submenuOptions.find((o) => o.id === st.submenuKey)?.label ||
125         st.submenuKey;
126       const payload = buildCompiledPayload(st, { bk, submenuLabel });
127       await saveToCompiled(payload);
128       setMsg(ex.saved);
129     } catch (e) {
130       console.error(e);
131       setMsg(ex.saveError.replace("{msg}", e?.message || "unknown"));
132     } finally {
133       setSaving(false);
134     }
135   };
136
137   return (
138     <AppShell
139       actions={
140         <Button

```

```

141     className="hidden sm:inline-flex"
142     href="/mind/ebooks/preview"
143     variant="ghost"
144   >
145     {ex.prepareBook}
146   </Button>
147 }
148 backHref="/mind/ebooks"
149 subtitle={ex.ebook}
150 title={t.apps.ebooks.sections.extras.title}
151 width="4xl"
152 >
153 <div className="space-y-6">
154   <div className="grid grid-cols-1 gap-6 lg:grid-cols-2">
155     {/* LEFT: editor */}
156     <div className="rounded-2xl border border-slate-200 bg-white p-5">
157       {/* tabs */}
158       <div className="flex flex-wrap gap-2">
159         {SECTIONS.map((s) => (
160           <button
161             className={[
162               "rounded-full px-3 py-1 text-sm transition",
163               st.section === s.key
164                 ? "bg-[#1F6FB2] text-white"
165                 : "bg-white hover:bg-black/5",
166             ].join(" ")}
167             key={s.key}
168             onClick={() => onTab(s.key)}
169           >
170             {s.label}
171           </button>
172         ))}
173     </div>
174
175     <div className="mt-4 grid gap-3">
176       {/* theme */}
177       <div className="flex items-center justify-between gap-3">
178         <div className="font-medium text-black/70 text-sm">
179           {ex.themeLabel}
180         </div>
181         <select
182           className="w-48 rounded-lg border border-black/10 bg-white px-3 py-2 text-sm outline-none"
183           onChange={(e) =>
184             setSt((p) => ({ ...p, theme: e.target.value }))
185           >
186           value={st.theme}
187         >
188           {THEMES.map((th) => (
189             <option key={th.id} value={th.id}>
190               {th.name}
191             </option>
192           ))}
193         </select>
194       </div>
195
196       {/* submenu list */}
197       {st.section === "submenu" && (
198         <div className="rounded-xl border border-black/10 bg-white p-3">
199           <div className="mb-2 font-semibold text-black/50 text-xs tracking-wide">
200             {ex.subMenuTitle}
201           </div>
202           <div className="grid grid-cols-1 gap-1 sm:grid-cols-2">
203             {submenuOptions.map((opt) => (
204               <button
205                 className={[
206                   "rounded-lg px-3 py-2 text-left text-sm transition",
207                   st.submenuKey === opt.id
208                     ? "bg-black/5 font-medium"
209                     : "hover:bg-black/5",

```

```

210     ].join(" ")
211     key={opt.id}
212     onClick={() =>
213       setSt((p) => ({
214         ...p,
215         submenuKey: opt.id,
216         variant: "a",
217       }))
218     }
219   >
220     {opt.label}
221   </button>
222   )))
223 </div>
224 </div>
225 )}
226
227 /* variant */
228 <div className="flex items-center justify-between gap-3">
229   <div className="font-medium text-black/70 text-sm">
230     {ex.templateLabel}
231   </div>
232   <select
233     className="w-48 rounded-lg border border-black/10 bg-white px-3 py-2 text-sm outline-none"
234     onChange={(e) =>
235       setSt((p) => ({ ...p, variant: e.target.value }))
236     }
237     value={st.variant}
238   >
239     <option value="a">{ex.templateA}</option>
240     <option value="b">{ex.templateB}</option>
241     <option value="c">{ex.templateC}</option>
242   </select>
243 </div>
244
245 /* editor form */
246 <ExtrasTemplates.Editor setState={setSt} state={st} />
247
248 <div className="mt-2 flex items-center gap-3">
249   <button
250     className="rounded-xl bg-[#1F6FB2] px-5 py-2 font-medium text-sm text-white disabled:opacity-60"
251     disabled={saving}
252     onClick={onSave}
253   >
254     {saving ? ex.saving : ex.save}
255   </button>
256 </div>
257
258 {msg && (
259   <div className="rounded-xl border border-slate-200 bg-white p-3 text-sm">
260     {msg}
261   </div>
262 )}
263 </div>
264 </div>
265
266 /* RIGHT: preview */
267 <div className="rounded-2xl border border-slate-200 bg-white p-5">
268   <ExtrasTemplates.Preview state={st} t={t} theme={themeObj} />
269 </div>
270 </div>
271 </div>
272 </AppShell>
273 );
274 }
275
276 /** Payload -> "Эх Бэлтрэл" */
277 function buildCompiledPayload(st, { bk, submenuLabel }) {
278   const base = {

```



```

279   module: "mind/ebooks/extras",
280   section: st.section,
281   submenu: st.section === "submenu" ? st.submenuKey : null,
282   variant: st.variant,
283   theme: st.theme,
284   updated_at: new Date().toISOString(),
285 };
286
287 if (st.section === "cover") {
288   return {
289     ...base,
290     title: st.title,
291     subtitle: st.subtitle,
292     image_data_url: st.imageDataUrl || null,
293   };
294 }
295
296 if (st.section === "toc") {
297   return { ...base, toc_lines: st.tocLines };
298 }
299
300 return {
301   ...base,
302   title:
303     st.section === "submenu"
304       ? submenuLabel
305       : st.section === "foreword"
306         ? bk.forewordPage
307         : bk.endingPage,
308   body: st.body,
309   circle_image_data_url: st.circleImageDataUrl || null,
310 };
311 }
312
313 /** Save -> localStorage (Supabase бэлэн болмогц энэ хэсгийг солино) */
314 async function saveToCompiled(payload) {
315   const key = "ebook_compiled_pages";
316   const list = JSON.parse(localStorage.getItem(key) || "[]");
317   list.unshift({ id: crypto.randomUUID(), ...payload });
318   localStorage.setItem(key, JSON.stringify(list));
319   return true;
320 }

```

52. app/(chat)/mind/ebooks/page.tsx

```

1  "use client";
2
3  import { ImagePlus, Trash2 } from "lucide-react";
4  import { useEffect, useState } from "react";
5
6  import {
7    APP_SHELL_TOKENS,
8    AppShell,
9    Button,
10   EmptyState,
11   Field,
12   Muted,
13   SectionHeading,
14   TextArea,
15   TextInput,
16 } from "@/components/mind/app-shell";
17 import { useT } from "@/lib/i18n/provider";
18 import { uploadEbookImage } from "@/id/imageUpload";
19 import { loadNotes, saveNotes } from "@/id/storage";
20
21 // □ SECTION ids нь [id]/page.jsx-ийн SECTION_ORDER-той 1:1 таарах ёстой
22 const SECTION_ORDER = [

```

```

23   "world",
24   "memories",
25   "notes",
26   "happy",
27   "letters",
28   "difficult",
29   "wisdom",
30   "complaints",
31   "creatives",
32   "personals",
33 ] as const;
34
35 const { BRAND, LINE, INK, MUTED } = APP_SHELL_TOKENS;
36
37 function formatDateLabel(date: Date) {
38   const y = date.getFullYear();
39   const m = String(date.getMonth() + 1).padStart(2, "0");
40   const d = String(date.getDate()).padStart(2, "0");
41   const hh = String(date.getHours()).padStart(2, "0");
42   const mm = String(date.getMinutes()).padStart(2, "0");
43   return `${y}.${m}.${d} ${hh}:${mm}`;
44 }
45
46 // □ Хуучин "Номын агуулга" карт-грид тайлбар/бүтэц устгаагүй, git түүхэнд бий —
47 // одоо шууд бичих хэсэг рүү орно (доор), апп-ын нийтлэг AppShell дизайнд нийцүүлж.
48
49 export default function EbookHome() {
50   const t = useT();
51   const eb = t.apps.ebooks;
52   const w = eb.write;
53   const a = eb.archive;
54
55   const [sectionId, setSectionId] =
56     useState<(typeof SECTION_ORDER)[number]>("world");
57   const [includeInBook, setIncludeInBook] = useState(true);
58   const [title, setTitle] = useState("");
59   const [content, setContent] = useState("");
60   const [imageUrl, setImageUrl] = useState("");
61   const [uploading, setUploading] = useState(false);
62   const [savedNotes, setSavedNotes] = useState<any[]>([]);
63   const [editingId, setEditingId] = useState<any>(null);
64   const [saved, setSaved] = useState(false);
65
66   const sectionTitle =
67     (eb.sections as Record<string, { title: string }>)[sectionId]?.title ??
68     eb.defaultBookTitle;
69
70   // Ангилал солигдох бүрт тухайн ангиллын хадгалсан бичвэрийг ачаална, ноорог цэвэрлэнэ.
71   useEffect(() => {
72     setSavedNotes(loadNotes(sectionId));
73     setEditingId(null);
74     setTitle("");
75     setContent("");
76     setImageUrl("");
77     setIncludeInBook(true);
78     setSaved(false);
79   }, [sectionId]);
80
81   useEffect(() => {
82     saveNotes(sectionId, savedNotes);
83   }, [savedNotes, sectionId]);
84
85   const handleImageChange = async (e: React.ChangeEvent<HTMLInputElement>) => {
86     const file = e.target.files?.[0];
87     if (!file) return;
88     try {
89       setUploading(true);
90       const url = await uploadEbookImage({ sectionId, file });
91       setImageUrl(url);

```

```

92     } catch {
93       alert(w.imageUploadError);
94     } finally {
95       setUploading(false);
96       e.target.value = "";
97     }
98   };
99
100   const resetDraft = () => {
101     setEditingId(null);
102     setTitle("");
103     setContent("");
104     setImageUrl("");
105     setIncludeInBook(true);
106   };
107
108   const handleSave = () => {
109     if (!title.trim() && !content.trim() && !imageUrl) return;
110
111     const now = new Date();
112     const base = {
113       title: title.trim() || eb.untitled,
114       content: content || "",
115       includeInBook,
116       templateId: "paper-white",
117       imageUrl: imageUrl || "",
118     };
119
120     setSavedNotes((prev) => {
121       if (editingId) {
122         return prev.map((n) => (n.id === editingId ? { ...n, ...base } : n));
123       }
124       return [
125         {
126           id: Date.now(),
127           ...base,
128           createdAt: now.toISOString(),
129           dateLabel: formatDateLabel(now),
130         },
131         ...prev,
132       ];
133     });
134
135     resetDraft();
136     setSaved(true);
137     setTimeout(() => setSaved(false), 2500);
138   };
139
140   const handleEdit = (note: any) => {
141     setEditingId(note.id);
142     setTitle(note.title === eb.untitled ? "" : note.title);
143     setContent(note.content || "");
144     setIncludeInBook(!note.includeInBook);
145     setImageUrl(note.imageUrl || "");
146     setSaved(false);
147   };
148
149   const handleDelete = (id: any) => {
150     if (!confirm(w.deleteConfirm)) return;
151     setSavedNotes((prev) => prev.filter((n) => n.id !== id));
152     if (editingId === id) resetDraft();
153   };
154
155   return (
156     <AppShell
157       actions={
158         <Button
159           className="hidden sm:inline-flex"
160           href="/mind/ebooks/extras"

```

```

161     variant="ghost"
162   >
163     {eb.sections.extras.title}
164   </Button>
165 }
166 subtitle={eb.subtitle}
167 title={eb.title}
168 width="3x1"
169 >
170 <div className="space-y-5">
171   <Field htmlFor="ebook-category" label={w.categoryLabel}>
172     <select
173       className="w-full rounded-[14px] border bg-white px-3.5 py-2.5 text-sm outline-none transition focus:border-[#1F6FB2] focus:ring-2 focus:ring-[#1F6FB2]/15"
174       id="ebook-category"
175       onChange={(e) =>
176         setSectionId(e.target.value as (typeof SECTION_ORDER)[number])
177       }
178       style={{ borderColor: LINE, color: INK }}
179       value={sectionId}
180     >
181       {SECTION_ORDER.map((sid) => (
182         <option key={sid} value={sid}>
183           {(eb.sections as Record<string, { title: string }>)[sid]
184             ?.title ?? sid}
185         </option>
186       ))}
187     </select>
188   </Field>
189
190   <Field htmlFor="ebook-title" label={w.titleLabel}>
191     <TextInput
192       id="ebook-title"
193       onChange={(e) => setTitle(e.target.value)}
194       placeholder={w.titlePlaceholder}
195       value={title}
196     />
197   </Field>
198
199   <Field htmlFor="ebook-content" label={w.contentLabel}>
200     <TextArea
201       id="ebook-content"
202       onChange={(e) => setContent(e.target.value)}
203       placeholder={w.contentPlaceholder}
204       rows={9}
205       value={content}
206     />
207   </Field>
208
209   {imageUrl && (
210     <div className="space-y-2">
211       {/* biome-ignore lint/performance/noImgElement: user-uploaded remote URL, not a static asset */}
212       {/* biome-ignore lint/nursery/useImageSize: variable-size user upload, sized responsively via CSS */}
213       <img
214         alt=""
215         className="max-h-64 w-full rounded-[14px] border object-cover"
216         src={imageUrl}
217         style={{ borderColor: LINE }}
218       />
219       <button
220         className="text-sm underline"
221         onClick={() => setImageUrl("")}
222         style={{ color: BRAND }}
223         type="button"
224       >
225         {w.removeImage}
226       </button>
227     </div>
228   )}
229

```

```

230 <div className="flex flex-wrap items-center justify-between gap-3">
231   <label
232     className="flex items-center gap-2 text-sm"
233     style={{ color: INK }}
234   >
235     <input
236       checked={includeInBook}
237       className="size-4 rounded accent-[#1F6FB2]"
238       onChange={(e) => setIncludeInBook(e.target.checked)}
239       type="checkbox"
240     />
241     {w.includeInBook}
242   </label>
243
244   <div className="flex items-center gap-2">
245     <input
246       accept="image/*"
247       className="hidden"
248       id="ebook-image-input"
249       onChange={handleImageChange}
250       type="file"
251     />
252     <Button
253       disabled={uploading}
254       onClick={() =>
255         document.getElementById("ebook-image-input").click()
256       }
257       type="button"
258       variant="ghost"
259     >
260       <ImagePlus className="size-4" />
261       {uploading ? w.uploading : w.addImage}
262     </Button>
263     <Button onClick={handleSave} type="button">
264       {editingId ? w.saveEdit : w.save}
265     </Button>
266   </div>
267 </div>
268
269 {saved && <Muted>□ {w.savedNotice}</Muted>}
270 </div>
271
272 {/* Тухайн ангиллын хадгалсан бичвэрүүд */}
273 <div className="mt-8 space-y-3">
274   <div className="flex items-center justify-between gap-3">
275     <SectionHeading>{sectionTitle}</SectionHeading>
276     <Button
277       className="text-xs"
278       href={` /mind/ebooks/${sectionId}`}
279       variant="ghost"
280     >
281       {w.prepareBook} →
282     </Button>
283   </div>
284
285   {savedNotes.length === 0 ? (
286     <EmptyState>{a.noNotes}</EmptyState>
287   ) : (
288     <div className="space-y-2">
289       {savedNotes.map((n) => (
290         <div
291           className="flex items-center justify-between gap-3 rounded-[14px] border px-4 py-3"
292           key={n.id}
293           style={{ borderColor: LINE }}
294         >
295           <div className="min-w-0">
296             <div
297               className="truncate font-medium text-sm"
298               style={{ color: INK }}

```

```

299         >
300         {n.title}
301       </div>
302       <div className="text-xs" style={{ color: MUTED }}>
303         {n.dateLabel}
304       </div>
305     </div>
306     <div className="flex shrink-0 items-center gap-3">
307       <button
308         className="font-medium text-xs underline"
309         onClick={() => handleEdit(n)}
310         style={{ color: BRAND }}
311         type="button"
312       >
313         {a.edit}
314       </button>
315       <button
316         aria-label={a.delete}
317         className="text-slate-400 transition-colors hover:text-rose-600"
318         onClick={() => handleDelete(n.id)}
319         type="button"
320       >
321         <Trash2 className="size-4" />
322       </button>
323     </div>
324   </div>
325   )}
326 </div>
327 )}
328 </div>
329 </AppShell>
330 );
331 }

```

53. app/(chat)/mind/ebooks/preview/page.jsx

```

1  "use client";
2
3  import { useEffect, useMemo, useRef, useState } from "react";
4  import Link from "next/link";
5  import { AppShell, Button } from "@components/mind/app-shell";
6  import { useT } from "@lib/i18n/provider";
7
8  /* ===== CONFIG ===== */
9  const SECTION_ORDER = [
10    "world",
11    "memories",
12    "notes",
13    "happy",
14    "letters",
15    "difficult",
16    "wisdom",
17    "complaints",
18    "creatives",
19    "personals",
20  ];
21
22  // Extras (cover/preface/ending) storage
23  const EXTRAS_KEY = "oyun_ebook_extras_v1";
24
25  /* ===== HELPERS ===== */
26  function safeJsonParse(s, fallback) {
27    try {
28      const v = JSON.parse(s);
29      return v ?? fallback;
30    } catch {
31      return fallback;

```

```

32   }
33 }
34
35 function formatDateLabelISO(iso) {
36   if (!iso) return "";
37   const d = new Date(iso);
38   if (Number.isNaN(d.getTime())) return "";
39   const y = d.getFullYear();
40   const m = String(d.getMonth() + 1).padStart(2, "0");
41   const dd = String(d.getDate()).padStart(2, "0");
42   const hh = String(d.getHours()).padStart(2, "0");
43   const mm = String(d.getMinutes()).padStart(2, "0");
44   return `${y}.${m}.${dd} ${hh}:${mm}`;
45 }
46
47 function escEmpty(s) {
48   return s && String(s).trim() ? String(s) : " ";
49 }
50
51 function bgClass(bg) {
52   switch (bg) {
53     case "white":
54       return "bg-white";
55     case "sky":
56       return "bg-[#eaf2ff]";
57     case "sage":
58       return "bg-[#eef7f1]";
59     case "lilac":
60       return "bg-[#f7f0ff]";
61     case "cream":
62       return "bg-[#fffaf4]";
63   }
64 }
65 }
66
67 /**
68  * □ Цэвэр, тогтвортой paginate (height хэмжихгүй)
69  * - Зуралтай бол бара chars
70  * - Үг таслахгүйгээр ойролцоогоор хуваана
71  */
72 function splitTextByChars(text, maxChars) {
73   const raw = String(text || "").replace(/\r\n/g, "\n");
74   if (!raw.trim()) return [];
75   const out = [];
76   let i = 0;
77
78   while (i < raw.length) {
79     let end = Math.min(raw.length, i + maxChars);
80
81     // үг таслахгүй
82     const windowStart = Math.max(i, end - 80);
83     const window = raw.slice(windowStart, end);
84     const lastWs = Math.max(
85       window.lastIndexOf(" "),
86       window.lastIndexOf("\n"),
87       window.lastIndexOf("\t")
88     );
89     if (lastWs > -1 && windowStart + lastWs > i + 30) {
90       end = windowStart + lastWs + 1;
91     }
92
93     out.push(raw.slice(i, end));
94     i = end;
95   }
96
97   return out.length ? out : [raw];
98 }
99
100 /* ===== A4 PAGE SHELL ===== */

```

```

101  /**
102   * □ Энд л хамгийн чухал нь байна:
103   * - data-page-id => menu үсрэлт 100% ажиллана
104   */
105  function PageShell({ children, pageNo, rightLabel, pageId, bg }) {
106    return (
107      <div
108        className={[
109          "relative aspect-[210/297] w-full overflow-hidden rounded-2xl border border-[#ead7c8]",
110          "shadow-[0_10px_30px_rgba(0,0,0,0.10)]",
111          bgClass(bg || "cream"),
112        ].join(" ")}
113        data-page-id={pageId}
114      >
115        <div className="absolute inset-0 bg-[radial-gradient(circle_at_20%_10%,#000_0,transparent_55%),radial-gradient(circle_at_80%_30%,#000_0,transparent_60%),radial-gradient(circle_at_40%_90%,#000_0,transparent_60%)]" />
116
117        <div className="relative flex h-full flex-col px-6 py-6">
118          <div className="min-h-0 flex-1 overflow-hidden">{children}</div>
119
120          {/* □ рaнц footer line */}
121          <div className="mt-4">
122            <div className="h-px bg-black/10" />
123            <div className="mt-2 flex items-center justify-between text-[#b79b85] text-[10px]">
124              <span>{pageNo ? String(pageNo) : ""}</span>
125              <span className="truncate">{rightLabel || ""}</span>
126            </div>
127          </div>
128        </div>
129      </div>
130    );
131  }
132
133  /* ===== PAGES ===== */
134  function CoverPage({ data, b }) {
135    const title = data?.title || b.defaultBookTitle;
136    const subtitle = data?.subtitle || "";
137    const author = data?.author || "";
138    return (
139      <div className="flex h-full flex-col items-center justify-center text-center">
140        <div className="font-semibold text-[#4c3426] text-[30px] leading-tight">
141          {title}
142        </div>
143        {subtitle ? (
144          <div className="mt-2 text-[#7b6150] text-[12px]">{subtitle}</div>
145        ) : null}
146        {author ? (
147          <div className="mt-10 text-[#6f5a4a] text-[12px]">
148            {b.authorLabel} <span className="font-semibold">{author}</span>
149          </div>
150        ) : null}
151      </div>
152    );
153  }
154
155  function TextPage({ heading, body }) {
156    return (
157      <div className="flex h-full flex-col">
158        <div className="text-center font-semibold text-[#4c3426] text-[20px]">
159          {heading}
160        </div>
161        <div className="mt-6 min-h-0 flex-1 overflow-hidden whitespace-pre-wrap break-words text-[#3f3128] text-[12px] leading-[1.9]">
162          {escEmpty(body)}
163        </div>
164      </div>
165    );
166  }
167
168  function SectionIntroPage({ sectionTitle, b }) {

```



```

169   return (
170     <div className="flex h-full flex-col items-center justify-center text-center">
171       <div className="text-[#b38466] text-[10px] uppercase tracking-[0.34em]">
172         {b.subMenuLabel}
173       </div>
174       <div className="mt-3 font-semibold text-[#4c3426] text-[30px]">
175         {sectionTitle}
176       </div>
177     </div>
178   );
179 }
180
181 /** □ НОМ ДОТОРХ "ГАРЧИГ" ХУУДАС */
182 function RealTOCPage({ items, onJump, b }) {
183   return (
184     <div className="flex h-full flex-col">
185       <div className="text-center text-[#b38466] text-[12px] uppercase tracking-[0.30em]">
186         {b.tocLabel}
187       </div>
188
189       <div className="mt-6 min-h-0 flex-1 overflow-hidden">
190         <div className="space-y-3">
191           {items.map((it) => (
192             <button
193               className="flex w-full items-center justify-between gap-4 text-[#4c3426] text-[13px] hover:opacity-80"
194               key={it.id}
195               onClick={() => onJump(it.id)}
196               type="button"
197             >
198               <div className="truncate text-left">{it.label}</div>
199               <div className="shrink-0 text-[#b79b85]">{it.pageNo || ""}</div>
200             </button>
201           ))}
202         </div>
203       </div>
204
205       <div className="mt-6 text-center text-[#9b7a5e] text-[11px]">
206         {b.tocHint}
207       </div>
208     </div>
209   );
210 }
211
212 function NotePage({
213   title,
214   content,
215   dateLabel,
216   imageUrl,
217   imageCaption,
218   showTitle,
219   showImage,
220   showCaption,
221   showDate,
222   editHref,
223   b,
224 }) {
225   return (
226     <div className="flex h-full flex-col">
227       {editHref ? (
228         <div className="mb-2 flex justify-end">
229           <Link
230             className="text-[#1f6fb2] text-[11px] underline"
231             href={editHref}
232           >
233             {b.editLink}
234           </Link>
235         </div>
236       ) : null}
237     </div>

```

```

238 {showTitle && title ? (
239   <div className="mb-3 font-semibold text-[#4c3426] text-[14px]">
240     {title}
241   </div>
242 ) : null}
243
244 {showImage && imageUrl ? (
245   <div className="mb-3">
246     <div className="overflow-hidden rounded-2xl border border-[#e0c7b4] bg-white">
247       <div className="flex h-[230px] items-center justify-center">
248         <img
249           alt={b.imageAlt}
250           className="h-full w-full object-contain"
251           draggable={false}
252           src={imageUrl}
253         />
254       </div>
255     </div>
256     {showCaption && imageCaption ? (
257       <div className="mt-2 text-[#6f5a4a] text-[11px] italic">
258         {imageCaption}
259       </div>
260     ) : null}
261   </div>
262 ) : null}
263
264 <div className="min-h-0 flex-1 overflow-hidden whitespace-pre-wrap break-words text-[#3f3128] text-[12px] leading-[1.9]">
265   {escEmpty(content)}
266 </div>
267
268 {showDate && dateLabel ? (
269   <div className="mt-3 flex justify-end text-[#9b7a5e] text-[10px]">
270     {dateLabel}
271   </div>
272 ) : null}
273 </div>
274 );
275 }
276
277 /* ===== BUILD BOOK (CLEAN) ===== */
278 function buildBookPages({ notesBySection, extras, sectionLabels }) {
279   const pages = [];
280
281   // front matter
282   pages.push({
283     id: "cover",
284     kind: "cover",
285     rightLabel: "",
286     bg: extras?.cover?.bg || "cream",
287   });
288   pages.push({ id: "toc", kind: "toc", rightLabel: "", bg: "white" });
289   pages.push({
290     id: "preface",
291     kind: "preface",
292     rightLabel: "",
293     bg: extras?.preface?.bg || "cream",
294   });
295
296   SECTION_ORDER.forEach((sid) => {
297     const sectionTitle = sectionLabels[sid];
298
299     // □ Section нүүр (энэ pageNo-г л "Гарчиг" дээр харуулна)
300     pages.push({
301       id: `sec-${sid}`,
302       kind: "section",
303       sectionId: sid,
304       sectionTitle,
305       rightLabel: sectionTitle,
306       bg: extras?.sectionIntro?.bg || "cream",

```

```

307   });
308
309   const list = (notesBySection[sid] || []).filter(
310     (n) => n?.includeInBook !== false
311   );
312
313   list.forEach((n) => {
314     const title = n.title && n.title !== "(гарчиргуй)" ? n.title : "";
315     const dateLabel = n.createdAt
316       ? formatDateLabelISO(n.createdAt)
317       : n.dateLabel || "";
318     const hasImg = !!n.imageUrl;
319     const hasCaption = !!n.imageCaption && String(n.imageCaption).trim();
320
321     // □ Тортвторой paginate: зурагтай бол багасгана
322     const firstMax = hasImg ? 900 : 1400;
323     const nextMax = 1600;
324
325     const firstParts = splitTextByChars(n.content || "", firstMax);
326     const allParts =
327       firstParts.length <= 1
328       ? firstParts
329       : [
330         firstParts[0],
331         ...splitTextByChars(
332           (n.content || "").slice(firstParts[0].length),
333           nextMax
334         ),
335       ];
336
337     allParts.forEach((piece, idx) => {
338       const isFirst = idx === 0;
339       const isLast = idx === allParts.length - 1;
340
341       pages.push({
342         id: `note-${sid}-${n.id || "x"}-${idx}`,
343         kind: "note",
344         sectionId: sid,
345         sectionTitle,
346         rightLabel: sectionTitle,
347         noteId: n.id,
348         note: n,
349         piece,
350         showTitle: isFirst && !!title,
351         showImage: isFirst && hasImg,
352         showCaption: isFirst && hasCaption,
353         showDate: isLast,
354         dateLabel,
355         bg: "cream",
356       });
357     });
358   });
359 }
360
361 pages.push({
362   id: "ending",
363   kind: "ending",
364   rightLabel: "",
365   bg: extras?.ending?.bg || "cream",
366 });
367
368 return pages.map((p, i) => ({ ...p, pageNo: i + 1 }));
369 }
370
371 /* ===== MAIN ===== */
372 export default function EbookPreviewPage() {
373   const t = useT();
374   const b = t.apps.ebooks.book;
375   const sectionLabels = useMemo(() => {

```

```

376   const out = {};
377   SECTION_ORDER.forEach((sid) => {
378     out[sid] = t.apps.ebooks.sections[sid]?.title || sid;
379   });
380   return out;
381 }, [t]);
382
383 const [notesBySection, setNotesBySection] = useState({});
384 const [extras, setExtras] = useState(null);
385
386 const scrollRef = useRef(null);
387 const [jumpNo, setJumpNo] = useState("");
388
389 const loadAll = () => {
390   if (typeof window === "undefined") return;
391
392   const bySec = {};
393   SECTION_ORDER.forEach((sid) => {
394     const key = `oyun_ebook_notes_${sid}_v1`;
395     const raw = window.localStorage.getItem(key);
396     const arr = safeJsonParse(raw, []);
397     // хуучин-шинэ дараалал (дотор нь буцааж урсгахгүй)
398     bySec[sid] = Array.isArray(arr)
399       ? arr
400         .slice()
401         .sort(
402           (a, b) => new Date(a.createdAt || 0) - new Date(b.createdAt || 0)
403         )
404       : [];
405   });
406   setNotesBySection(bySec);
407
408   const rawExtras = window.localStorage.getItem(EXTRAS_KEY);
409   setExtras(safeJsonParse(rawExtras, null));
410 };
411
412 useEffect(() => {
413   loadAll();
414 }, []);
415
416 const bookPages = useMemo(
417   () => buildBookPages({ notesBySection, extras, sectionLabels }),
418   [notesBySection, extras, sectionLabels]
419 );
420
421 // □ 100% найдвартай үсрэлт: data-page-id + offsetTop (scroll container дотор)
422 const jumpTo = (id) => {
423   const root = scrollRef.current;
424   if (!root) return;
425   const el = root.querySelector(`[data-page-id="${id}"]`);
426   if (!el) return;
427   root.scrollTo({ top: Math.max(0, el.offsetTop - 16), behavior: "smooth" });
428 };
429
430 const jumpToPageNo = (num) => {
431   const n = Number(String(num).replace(/^[^d]/g, ""));
432   if (!n || n < 1) return;
433   const page = bookPages.find((p) => p.pageNo === n);
434   if (page) jumpTo(page.id);
435 };
436
437 // □ "Жинхэнэ гарчиг" дээр section нүүрийн pageNo-г харуулна
438 const realTocItems = useMemo(() => {
439   const pageNoById = {};
440   bookPages.forEach((p) => (pageNoById[p.id] = p.pageNo));
441
442   const items = [
443     { id: "cover", label: b.coverPage, pageNo: pageNoById["cover"] },
444     { id: "toc", label: b.tocPage, pageNo: pageNoById["toc"] },

```

```

445     { id: "preface", label: b.forewordPage, pageNo: pageNoById["preface"] },
446   ];
447
448   SECTION_ORDER.forEach((sid) => {
449     items.push({
450       id: `sec-${sid}`,
451       label: sectionLabels[sid],
452       pageNo: pageNoById[`sec-${sid}`],
453     });
454   });
455
456   items.push({
457     id: "ending",
458     label: b.endingPage,
459     pageNo: pageNoById["ending"],
460   });
461
462   return items;
463 }, [bookPages, b, sectionLabels]);
464
465 // □ Зүүн MENU: "хэдэн хуудсын бичвэртэй вэ?" (section intro-г тооцохгүй)
466 const navItems = useMemo(() => {
467   const countBySection = {};
468   SECTION_ORDER.forEach((sid) => (countBySection[sid] = 0));
469   bookPages.forEach((p) => {
470     if (p.kind === "note" && p.sectionId)
471       countBySection[p.sectionId] = (countBySection[p.sectionId] || 0) + 1;
472   });
473
474   const items = [
475     { id: "cover", label: b.coverPage, right: "" },
476     { id: "toc", label: b.tocPage, right: "" },
477     { id: "preface", label: b.forewordPage, right: "" },
478   ];
479
480   SECTION_ORDER.forEach((sid) => {
481     items.push({
482       id: `sec-${sid}`, // □ дарвал яг тэр хэсгийн нүүр рүү очно
483       label: sectionLabels[sid],
484       right: String(countBySection[sid] || 0), // □ бичвэрийн хуудасны тоо
485     });
486   });
487
488   items.push({ id: "ending", label: b.endingPage, right: "" });
489   return items;
490 }, [bookPages, b, sectionLabels]);
491
492 // □ Desktop дээр 2 нүүрээр
493 const spread = useMemo(() => {
494   const rows = [];
495   for (let i = 0; i < bookPages.length; i += 2)
496     rows.push([bookPages[i], bookPages[i + 1] || null]);
497   return rows;
498 }, [bookPages]);
499
500 return (
501   <AppShell
502     actions={
503       <>
504         <Button
505           className="hidden sm:inline-flex"
506           onClick={loadAll}
507           type="button"
508           variant="ghost"
509         >
510           {b.refresh}
511         </Button>
512         <Button onClick={() => window.print?.()} type="button">
513           {b.print}

```

```

514     </Button>
515   </>
516 }
517 backHref="/mind/ebooks"
518 subtitle={b.desktopHint}
519 title={b.prepareBook}
520 width="full"
521 >
522 <div className="mx-auto max-w-6xl">
523   <div className="mb-4">
524     <Button href="/mind/ebooks/extras" variant="ghost">
525       {b.otherSections}
526     </Button>
527   </div>
528
529   <div className="grid items-start gap-6 lg:grid-cols-[340px_1fr]">
530     {/* LEFT MENU */}
531     <aside className="hidden lg:block">
532       <div className="sticky top-6">
533         <NavPanel
534           b={b}
535           items={navItems}
536           jumpNo={jumpNo}
537           onJump={ (id) => jumpTo(id) }
538           onJumpPageNo={ () => jumpToPageNo(jumpNo) }
539           setJumpNo={setJumpNo}
540         />
541       </div>
542     </aside>
543
544     {/* MOBILE MENU */}
545     <div className="mb-3 lg:hidden">
546       <NavPanel
547         b={b}
548         items={navItems}
549         jumpNo={jumpNo}
550         onJump={ (id) => jumpTo(id) }
551         onJumpPageNo={ () => jumpToPageNo(jumpNo) }
552         setJumpNo={setJumpNo}
553       />
554     </div>
555
556     {/* BOOK */}
557     <main>
558       <div className="overflow-hidden rounded-[32px] border border-slate-200 bg-[#f8fafc] shadow-sm">
559         {/* spine */}
560         <div className="relative">
561           <div className="absolute top-0 bottom-0 left-1/2 hidden w-[2px] bg-black/10 lg:block" />
562           <div className="-translate-x-1/2 absolute top-0 bottom-0 left-1/2 hidden w-[18px] bg-gradient-to-r from-black/5 via-transparent to-black/5 lg:block" />
563         </div>
564
565         {/* □ scroll container (эндээс л үсэрнэ) */}
566         <div
567           className="max-h-[78vh] space-y-6 overflow-y-auto p-4 sm:p-6"
568           ref={scrollRef}
569         >
570           {/* Desktop: 2 нүүр */}
571           <div className="hidden space-y-6 lg:block">
572             {spread.map([L, R], idx) => (
573               <div className="grid grid-cols-2 gap-6" key={idx}>
574                 <PageShell
575                   bg={L.bg}
576                   pageId={L.id}
577                   pageNo={L.pageNo}
578                   rightLabel={L.rightLabel}
579                 >
580                   {renderBookPage(L, extras, realTocItems, jumpTo, b)}
581                 </PageShell>
582

```

```

583         {R ? (
584             <PageShell
585                 bg={R.bg}
586                 pageId={R.id}
587                 pageNo={R.pageNo}
588                 rightLabel={R.rightLabel}
589             >
590                 {renderBookPage(R, extras, realTocItems, jumpTo, b)}
591             </PageShell>
592         ) : (
593             <div className="aspect-[210/297] w-full" />
594         )}
595     </div>
596 )}}
597 </div>
598
599 {/* Mobile: 1 нүүг */}
600 <div className="space-y-5 lg:hidden">
601     {bookPages.map((p) => (
602         <PageShell
603             bg={p.bg}
604             key={p.id}
605             pageId={p.id}
606             pageNo={p.pageNo}
607             rightLabel={p.rightLabel}
608         >
609             {renderBookPage(p, extras, realTocItems, jumpTo, b)}
610         </PageShell>
611     )}}
612 </div>
613 </div>
614 </div>
615
616 <div className="mt-3 text-[#64748b] text-[11px]">
617     {b.desktopHint}
618 </div>
619 </main>
620 </div>
621 </div>
622
623 <style global jsx>{`
624     @media print {
625         body {
626             background: white !important;
627         }
628     }
629 `}</style>
630 </AppShell>
631 );
632 }
633
634 /* ===== LEFT MENU ===== */
635 function NavPanel({ items, onJump, jumpNo, setJumpNo, onJumpPageNo, b }) {
636     return (
637         <div className="rounded-2xl border border-slate-200 bg-white p-4">
638             <div className="text-[#64748b] text-[11px] uppercase tracking-[0.22em]">
639                 {b.menu}
640             </div>
641
642             {/* pageNo jump */}
643             <div className="mt-3 flex items-center gap-2">
644                 <input
645                     className="w-[120px] rounded-2xl border-[#e2e8f0] bg-white/95 px-3 py-2 text-[12px] outline-none focus:border-transparent focus:ring-2 focus:ring-[rgba(31,111,178,0.35)]"
646                     onChange={e => setJumpNo(e.target.value)}
647                     placeholder={b.pageNoPlaceholder}
648                     value={jumpNo}
649                 />
650                 <button
651                     className="rounded-2xl border border-[#cbd5e1] bg-white px-3 py-2 text-[#334155] text-[12px] hover:bg-[#f8fafc]"

```

```

652     onClick={onJumpPageNo}
653     type="button"
654   >
655     {b.jump}
656   </button>
657 </div>
658
659 <div className="mt-3 space-y-2">
660   {items.map((it) => (
661     <button
662       className="flex w-full items-center justify-between gap-3 rounded-2xl px-3 py-2 text-left text-[#0f172a] text-[13px] hover:bg-[#f8fafc]"
663       key={it.id}
664       onClick={() => onJump(it.id)}
665       type="button"
666     >
667       <span>{it.label}</span>
668       <span className="text-[#94a3b8] text-[11px]">{it.right || ""}</span>
669     </button>
670   ))}
671 </div>
672
673 <div className="mt-4 text-[#94a3b8] text-[11px]">{b.jumpHint}</div>
674 </div>
675   );
676 }
677
678 /* ===== RENDER ===== */
679 function renderBookPage(page, extras, realTocItems, jumpTo, b) {
680   if (page.kind === "cover") return <CoverPage b={b} data={extras?.cover} />;
681   if (page.kind === "toc")
682     return (
683       <RealTOCPage b={b} items={realTocItems} onJump={id => jumpTo(id)} />
684     );
685   if (page.kind === "preface")
686     return (
687       <TextPage
688         body={extras?.preface?.body || ""}
689         heading={extras?.preface?.heading || b.forewordPage}
690       />
691     );
692   if (page.kind === "ending")
693     return (
694       <TextPage
695         body={extras?.ending?.body || ""}
696         heading={extras?.ending?.heading || b.endingPage}
697       />
698     );
699   if (page.kind === "section")
700     return <SectionIntroPage b={b} sectionTitle={page.sectionTitle} />;
701
702   if (page.kind === "note") {
703     const n = page.note || {};
704     const title = n.title && n.title !== "(гарчиггүй)" ? n.title : "";
705     const editHref =
706       page.sectionId && page.noteId
707       ? `/mind/ebooks/${page.sectionId}?edit=${page.noteId}`
708       : null;
709
710     return (
711       <NotePage
712         b={b}
713         content={page.piece || ""}
714         dateLabel={page.dateLabel || ""}
715         editHref={editHref}
716         imageCaption={n.imageCaption || ""}
717         imageUrl={n.imageUrl || ""}
718         showCaption={!!page.showCaption}
719         showDate={!!page.showDate}
720         showImage={!!page.showImage}

```



```

721     showTitle={!page.showTitle}
722     title={title}
723   />
724   );
725 }
726
727 return null;
728 }

```

54. app/(chat)/mind/ebooks/renderer.jsx

```

1  "use client";
2  import { useEffect, useState } from "react";
3
4  /* =====
5   1) НОМЫН БҮХ ӨГӨГДӨЛ НЭГТГЭГЧ (ENTRY + CATEGORY)
6   ===== */
7
8  const CATEGORIES = [
9    "world", "memories", "notes", "happy", "letters", "difficult",
10   "wisdom", "complaints", "creative", "personal", "gratitude", "contact"
11 ];
12
13 function loadAll() {
14   let list = [];
15
16   CATEGORIES.forEach(cat => {
17     const key = `oyun_ebook_${cat}_v1`;
18     const raw = localStorage.getItem(key);
19     if (!raw) return;
20
21     try {
22       const entries = JSON.parse(raw) || [];
23       entries
24         .filter(e => e.includeInBook) // зөвхөн номонд орох бичвэр
25         .forEach(e =>
26           list.push({ ...e, cat })
27         );
28     } catch (err) { console.warn("LS parse:", err); }
29   });
30
31   return list.sort((a, b) => new Date(a.date) - new Date(b.date));
32 }
33
34
35
36 /* =====
37  2) PAGE ENGINE
38  ===== */
39
40 const PAGE_LIMIT = {
41   1: 1800, // Templatel: Аниргүй хуудсууд
42   2: 1400, // Дурсамжийн гэрэл
43   3: 1200, // Ухаарал урсах мөр
44   4: 1500, // Хар шөнийн үзэг
45   5: 1100, // Дотно зураглал
46   6: 1300 // Үгсийн амьсгал
47 };
48
49 function splitToPages(text, templateId) {
50   let pages = [];
51   let step = PAGE_LIMIT[templateId];
52
53   for (let i = 0; i < text.length; i += step) {
54     pages.push(text.slice(i, i + step));
55   }
56   return pages;

```

```

57 }
58
59
60 /* =====
61 3) UI + PREVIEW
62 ===== */
63
64 export default function EbookRenderer(){
65   const [template,setTemplate] = useState(1);
66   const [pages,setPages] = useState([]);
67
68   function build(){
69     const entries = loadAll(); // бүх сэдвээс өгөгдөл уншив
70     const merged = entries.map(e => e.content).join("\n\n");
71     const p = splitToPages(merged,template);
72     setPages(p);
73   }
74
75   useEffect(()=> build(),[template]);
76
77   return (
78     <div style={{padding:40}}>
79
80     <h1 style={{fontSize:28,marginBottom:8}}> E-Book Preview Engine</h1>
81     <p style={{opacity:.7}}>Энэ бол бүх бичвэрийг нэг ном болгон гаргагч үндсэн систем.</p>
82
83     { /* Template конролт */ }
84     <div style={{margin:"18px 0",display:"flex",gap:12}}>
85       {[1,2,3,4,5,6].map(id=> (
86         <button
87           key={id}
88           onClick={()=>setTemplate(id)}
89           style={{
90             padding:"8px 14px",
91             borderRadius:10,
92             background:template===id?"#fff":"#222",
93             color:template===id?"#111":"#fff"
94           }}
95         >
96           Зарвap {id}
97         </button>
98       ))}
99     </div>
100
101     { /* Pages view */ }
102     {pages.map((p,i)=> (
103       <div
104         key={i}
105         style={{
106           width:700,
107           minHeight:900,
108           padding:"40px 50px",
109           margin:"25px auto",
110           background:"#fff",
111           color:"#222",
112           borderRadius:10,
113           boxShadow:"0 0 25px rgba(0,0,0,.25)",
114           fontSize:18,
115           lineHeight:"1.8"
116         }}
117       >
118         <div style={{whiteSpace:"pre-wrap"}}>
119           {p}
120         </div>
121
122         <div style={{textAlign:"center",marginTop:30,opacity:.6}}>
123           - {i+1} -
124         </div>
125       </div>

```

```

126     }}}
127   </div>
128   );
129 }

```

55. app/(chat)/mind/ebooks/templatesConfig.js

```

1  // app/mind/ebooks/templatesConfig.js
2
3  export const TEMPLATES = {
4    plain: {
5      id: "plain",
6      name: "Энгийн текст",
7      bg: "linear-gradient(180deg,#fdfbf7,#f4ebdf)",
8      textColor: "#3b332d",
9      layout: "plain", // энгийн текст
10   },
11
12   imageTop: {
13     id: "imageTop",
14     name: "Дээр зуартай",
15     bg: "linear-gradient(180deg,#fdfbff,#f1e5f2)",
16     textColor: "#3a332c",
17     layout: "imageTop", // дээр зураг, доор текст
18   },
19
20   imageSide: {
21     id: "imageSide",
22     name: "Хажуу зуартай",
23     bg: "linear-gradient(90deg,#faf7f1,#e7dbc6)",
24     textColor: "#3a332c",
25     layout: "imageSide", // зүүн тал зураг, баруун тал текст
26   },
27
28   twoImages: {
29     id: "twoImages",
30     name: "2 зуартай",
31     bg: "linear-gradient(180deg,#fdfbf7,#f0e0d2)",
32     textColor: "#3a332c",
33     layout: "twoImages", // 2 зураг + доор текст
34   },
35 };
36
37 // Хэрвээ templateId буруу байвал plain-г буцаана
38 export function getTemplate(templateId) {
39   return TEMPLATES[templateId] || TEMPLATES.plain;
40 }

```

56. app/(chat)/mind/emotion/control/daily-check/cbt.module.css

```

1  /* =====
2   Daily Check - цагаан, цэвэрхэн дизайн
3   Scoped to this page ONLY (no :root, no body/html)
4   ===== */
5
6  .cbtBody {
7    min-height: 100vh;
8    padding: 24px 12px;
9
10   /* scoped tokens */
11   --brand: #1f6fb2;
12
13   --ink: rgba(15, 23, 42, 0.92);
14   --muted: rgba(15, 23, 42, 0.6);
15 }

```

```

16  --line: #e2e8f0;
17  --line2: #e2e8f0;
18
19  --glass: #ffffff;
20  --glass2: #f8fafc;
21  --glass3: #f1f5f9;
22
23  color: var(--ink);
24  background: #ffffff;
25
26  position: relative;
27  overflow: hidden;
28 }
29
30 /* subtle glow - blue only (no purple/pink) */
31 .cbtBody::before {
32   content: "";
33   position: absolute;
34   width: 520px;
35   height: 520px;
36   left: -28%;
37   top: -180px;
38   border-radius: 999px;
39   background: rgba(31, 111, 178, 0.14);
40   filter: blur(80px);
41   pointer-events: none;
42   opacity: 0.45;
43 }
44
45 /* ----- Layout container ----- */
46 .container {
47   max-width: 820px;
48   margin: 0 auto;
49   position: relative;
50   z-index: 1;
51 }
52
53 /* ----- Header ----- */
54 .header {
55   display: flex;
56   align-items: center;
57   gap: 12px;
58   margin-bottom: 14px;
59 }
60
61 .back {
62   width: 42px;
63   height: 42px;
64   border-radius: 14px;
65   border: 1px solid var(--line2);
66   background: var(--glass);
67   cursor: pointer;
68   color: var(--ink);
69   box-shadow: 0 8px 24px rgba(15, 23, 42, 0.08);
70 }
71
72 .headMid {
73   flex: 1;
74   min-width: 0;
75 }
76
77 .headTitle {
78   font-size: 16px;
79   font-weight: 900;
80   letter-spacing: -0.2px;
81 }
82
83 .headSub {
84   font-size: 12px;

```

```

85     margin-top: 2px;
86     color: var(--muted);
87 }
88
89 .chatBtn {
90     display: inline-flex;
91     align-items: center;
92     gap: 8px;
93     padding: 10px 12px;
94     border-radius: 14px;
95     border: 1px solid var(--line2);
96     background: var(--glass);
97     text-decoration: none;
98     font-size: 13px;
99     font-weight: 800;
100    color: var(--ink);
101    box-shadow: 0 8px 24px rgba(15, 23, 42, 0.08);
102 }
103 .chatIcon {
104     line-height: 1;
105 }
106
107 /* ----- Progress ----- */
108 .progressTrack {
109     height: 8px;
110     border-radius: 999px;
111     background: #e2e8f0;
112     overflow: hidden;
113     margin: 10px 0 18px;
114 }
115
116 .progressFill {
117     height: 100%;
118     border-radius: 999px;
119     background: linear-gradient(90deg, var(--brand), rgba(31, 111, 178, 0.65));
120 }
121
122 /* ----- Main Card ----- */
123 .card {
124     border: 0;
125     border-radius: 0;
126     background: transparent;
127     box-shadow: none;
128     padding: 0;
129 }
130
131 .cardTop {
132     margin-bottom: 14px;
133 }
134
135 .q {
136     font-size: 20px;
137     font-weight: 700;
138     margin: 0;
139     letter-spacing: -0.3px;
140 }
141
142 .desc {
143     margin: 8px 0 0;
144     font-size: 13px;
145     color: var(--muted);
146     line-height: 1.5;
147 }
148
149 /* ----- Options ----- */
150 .options {
151     display: grid;
152     gap: 10px;
153     margin-top: 14px;

```

```

154 }
155
156 .option {
157   display: flex;
158   justify-content: space-between;
159   align-items: center;
160   gap: 10px;
161   padding: 12px 14px;
162   border-radius: 16px;
163   border: 1px solid var(--line2);
164   background: #ffffff;
165   cursor: pointer;
166   text-align: left;
167   color: var(--ink);
168   transition:
169     border-color 0.15s ease,
170     box-shadow 0.15s ease,
171     background 0.15s ease,
172     transform 0.05s ease;
173 }
174
175 .option:hover {
176   border-color: rgba(31, 111, 178, 0.45);
177   background: #f8fafc;
178 }
179 .option:active {
180   transform: translateY(1px);
181 }
182
183 .on {
184   border-color: var(--brand);
185   box-shadow:
186     0 0 0 3px rgba(31, 111, 178, 0.16),
187     0 8px 20px rgba(31, 111, 178, 0.12);
188   background: rgba(31, 111, 178, 0.06);
189 }
190
191 .left {
192   display: flex;
193   align-items: center;
194   gap: 12px;
195 }
196 .emoji {
197   display: grid;
198   place-items: center;
199   width: 34px;
200   height: 34px;
201   border-radius: 12px;
202   font-size: 18px;
203   background: rgba(31, 111, 178, 0.07);
204   border: 1px solid rgba(31, 111, 178, 0.12);
205 }
206 .label {
207   font-size: 14px;
208   font-weight: 600;
209 }
210 .tick {
211   display: grid;
212   place-items: center;
213   width: 22px;
214   height: 22px;
215   border-radius: 999px;
216   font-size: 12px;
217   font-weight: 700;
218   color: black;
219   background: transparent;
220   transition: background 0.15s ease;
221 }
222 .on .tick {

```

```

223   background: var(--brand);
224 }
225
226 /* ----- Nav buttons (prev/next arrows) ----- */
227 .nav {
228   display: flex;
229   justify-content: space-between;
230   margin-top: 16px;
231 }
232
233 .arrow {
234   width: 46px;
235   height: 46px;
236   border-radius: 16px;
237   border: 1px solid var(--line2);
238   background: var(--glass);
239   cursor: pointer;
240   color: var(--ink);
241   box-shadow: 0 8px 24px rgba(15, 23, 42, 0.08);
242 }
243
244 .arrow:disabled {
245   opacity: 0.5;
246   cursor: not-allowed;
247   box-shadow: none;
248 }
249
250 /* ----- Done button ----- */
251 .done {
252   padding: 12px 14px;
253   border-radius: 16px;
254   border: 1px solid rgba(31, 111, 178, 0.7);
255   background: rgba(31, 111, 178, 0.14);
256   cursor: pointer;
257   font-weight: 950;
258   color: var(--ink);
259 }
260 .done:disabled {
261   opacity: 0.6;
262   cursor: not-allowed;
263 }
264
265 /* ----- Small text ----- */
266 .hint {
267   margin-top: 10px;
268   font-size: 12px;
269   color: var(--muted);
270 }
271
272 .error {
273   margin-top: 10px;
274   font-size: 13px;
275   color: #dc2626;
276 }
277
278 /* □ Result summary */
279 .resultCard {
280   margin-top: 14px;
281   border: 1px dashed rgba(31, 111, 178, 0.35);
282   border-radius: 18px;
283   padding: 14px;
284   background: rgba(31, 111, 178, 0.05);
285 }
286
287 .resultTitle {
288   font-weight: 950;
289   font-size: 14px;
290   margin-bottom: 8px;
291 }

```

```

292
293 .resultLine {
294   font-size: 14px;
295   font-weight: 900;
296 }
297
298 .resultMeta {
299   margin-top: 8px;
300   font-size: 13px;
301   color: var(--muted);
302   display: grid;
303   gap: 4px;
304 }
305
306 /* --- Дүгнэлт нэмэлт мөрүүд --- */
307 .resultDetail {
308   margin-top: 8px;
309   opacity: 0.92;
310 }
311 .praise {
312   margin-top: 12px;
313   font-weight: 900;
314 }
315 .advice {
316   margin-top: 10px;
317   opacity: 0.92;
318 }
319 .oyLine {
320   margin-top: 12px;
321   opacity: 0.9;
322 }
323
324 /* □ Calendar (Явц) - Бүх layout-ыг БҮТНЭЭР нь сэргээв */
325 .trendCard {
326   margin-top: 14px;
327   border: 1px solid var(--line);
328   border-radius: 22px;
329   padding: 14px;
330   background: var(--glass);
331   box-shadow: 0 18px 60px rgba(15, 23, 42, 0.08);
332   width: 100%;
333 }
334
335 .trendHead {
336   display: flex;
337   align-items: baseline;
338   justify-content: space-between;
339   gap: 12px;
340   margin-bottom: 10px;
341 }
342
343 .trendTitle {
344   font-weight: 950;
345   font-size: 14px;
346 }
347 .trendSub {
348   font-size: 12px;
349   color: var(--muted);
350 }
351
352 /* month row + legend */
353 .monthRow {
354   display: flex;
355   align-items: center;
356   justify-content: space-between;
357   gap: 12px;
358   margin: 8px 0 10px;
359 }
360

```



```

361 .monthLabel {
362   font-weight: 900;
363   font-size: 13px;
364   text-transform: capitalize;
365 }
366
367 .legend {
368   display: flex;
369   align-items: center;
370   gap: 10px;
371   font-size: 12px;
372   color: var(--muted);
373   flex-wrap: wrap;
374 }
375
376 .dot {
377   width: 10px;
378   height: 10px;
379   border-radius: 999px;
380   display: inline-block;
381   margin-right: 6px;
382   border: 1px solid #e2e8f0;
383 }
384
385 /* days of week */
386 .dow {
387   display: grid;
388   grid-template-columns: repeat(7, minmax(48px, 1fr)); /* □ grid-тэй яг адил */
389   gap: 10px;
390   font-size: 11px;
391   color: rgba(15, 23, 42, 0.55);
392   margin-bottom: 8px;
393   text-align: center;
394
395   min-width: 380px; /* grid-ийн min-width-тэй адил */
396 }
397
398 /* calendar grid (scroll on mobile, stable on desktop) */
399 .gridWrap {
400   width: 100%;
401   overflow-x: auto;
402   -webkit-overflow-scrolling: touch;
403   padding-bottom: 6px;
404 }
405
406 .grid {
407   display: grid;
408   grid-template-columns: repeat(7, minmax(48px, 1fr)); /* өмнө нь 44px байсан */
409   gap: 10px;
410   min-width: 380px; /* өмнө нь 360px байсан */
411 }
412
413 .cell {
414   border-radius: 16px;
415   border: 1px solid var(--line2);
416   background: var(--glass2);
417   padding: 10px;
418   cursor: pointer;
419   min-height: 62px;
420
421   display: flex;
422   flex-direction: column; /* □ хамгийн чухал */
423   align-items: center; /* □ 2 тоог төвд */
424   justify-content: flex-start;
425   gap: 6px;
426
427   text-align: center;
428 }
429

```

```

430 .dayNum {
431   font-weight: 950;
432   font-size: 12px;
433   opacity: 0.92;
434 }
435 .score {
436   font-weight: 950;
437   font-size: 12px;
438   color: rgba(15, 23, 42, 0.8);
439 }
440 .scoreGhost {
441   font-weight: 900;
442   font-size: 12px;
443   opacity: 0.35;
444 }
445
446 .outMonth {
447   opacity: 0.35;
448 }
449 .emptyCell {
450   background: #f1f5f9;
451 }
452
453 .today {
454   box-shadow: 0 0 0 3px rgba(31, 111, 178, 0.18);
455   border-color: rgba(31, 111, 178, 0.55);
456 }
457
458 .picked {
459   border-color: rgba(31, 111, 178, 0.9);
460   box-shadow: 0 0 0 4px rgba(31, 111, 178, 0.22);
461   background: rgba(31, 111, 178, 0.12);
462 }
463
464 /* detail box */
465 .detail {
466   margin-top: 12px;
467   border-radius: 18px;
468   border: 1px dashed #cbd5e1;
469   padding: 12px;
470   background: #f8fafc;
471 }
472
473 .detailTitle {
474   font-weight: 950;
475   font-size: 13px;
476   margin-bottom: 8px;
477 }
478 .detailBody {
479   display: grid;
480   gap: 8px;
481 }
482 .detailLine {
483   display: flex;
484   align-items: center;
485   gap: 10px;
486 }
487 .detailScore {
488   font-weight: 950;
489   font-size: 13px;
490 }
491 .detailHint {
492   font-size: 12px;
493   color: var(--muted);
494   line-height: 1.4;
495 }
496
497 /* badges + month nav */
498 .badge {

```

```

499     display: inline-flex;
500     align-items: center;
501     padding: 6px 10px;
502     border-radius: 999px;
503     border: 1px solid #e2e8f0;
504     font-size: 12px;
505     font-weight: 950;
506     background: #f8fafc;
507 }
508
509 .prevBtn,
510 .nextBtn {
511     height: 44px;
512     border-radius: 16px;
513     padding: 0 14px;
514     border: 1px solid #e2e8f0;
515     background: #f8fafc;
516     font-weight: 900;
517     color: var(--ink);
518 }
519
520 .nextBtn {
521     background: rgba(31, 111, 178, 0.14);
522     border-color: rgba(31, 111, 178, 0.35);
523 }
524
525 .nextBtn:disabled,
526 .prevBtn:disabled {
527     opacity: 0.45;
528 }
529
530 /* Level tint - soft, readable on white */
531 .lvGreen {
532     background: rgba(34, 197, 94, 0.16);
533     border-color: rgba(34, 197, 94, 0.4);
534 }
535 .lvYellow {
536     background: rgba(234, 179, 8, 0.16);
537     border-color: rgba(234, 179, 8, 0.4);
538 }
539 .lvOrange {
540     background: rgba(249, 115, 22, 0.16);
541     border-color: rgba(249, 115, 22, 0.4);
542 }
543 .lvRed {
544     background: rgba(239, 68, 68, 0.14);
545     border-color: rgba(239, 68, 68, 0.4);
546 }
547
548 /* One big CTA button */
549 .navOne {
550     margin-top: 14px;
551 }
552 .mainBtn {
553     width: 100%;
554     height: 48px;
555     border-radius: 14px;
556     border: 1px solid var(--brand);
557     background: var(--brand);
558     color: #000;
559     font-weight: 600;
560     font-size: 15px;
561     letter-spacing: -0.1px;
562     cursor: pointer;
563     box-shadow: 0 10px 24px rgba(31, 111, 178, 0.25);
564     transition:
565         filter 0.15s ease,
566         transform 0.05s ease;
567 }

```

```

568 .mainBtn:hover {
569   filter: brightness(1.06);
570 }
571 .mainBtn:active {
572   transform: translateY(1px);
573 }
574 .mainBtn:disabled {
575   opacity: 0.55;
576   box-shadow: none;
577   cursor: not-allowed;
578 }
579
580 /* responsive */
581 @media (max-width: 420px) {
582   .cbtnBody {
583     padding: 18px 10px;
584   }
585   .grid {
586     gap: 8px;
587     min-width: 340px;
588   }
589   .q {
590     font-size: 19px;
591   }
592 }

```

57. app/(chat)/mind/emotion/control/daily-check/page.tsx

```

1  // app/(chat)/mind/emotion/control/daily-check/page.tsx
2  "use client";
3
4  import { useRouter } from "next/navigation";
5  import { useEffect, useMemo, useState, type CSSProperties } from "react";
6  import { AppShell } from "@components/mind/app-shell";
7  import { useT } from "@lib/il8n/provider";
8  import styles from "./cbtn.module.css";
9
10 type DailyCheckDict = ReturnType<typeof useT>["apps"]["dailyCheck"];
11
12 type Choice = { id: string; label: string; emoji?: string };
13 type Step =
14   | { id: string; type: "single"; title: string; desc?: string; choices: Choice[] }
15   | { id: string; type: "multi"; title: string; desc?: string; maxPick: number; choices: Choice[] };
16
17 type Level = "Green" | "Yellow" | "Orange" | "Red";
18 type TrendItem = { check_date: string; score: number; level: Level };
19
20 function dateToISO(d: Date) {
21   const yyyy = d.getFullYear();
22   const mm = String(d.getMonth() + 1).padStart(2, "0");
23   const dd = String(d.getDate()).padStart(2, "0");
24   return `${yyyy}-${mm}-${dd}`;
25 }
26
27 function startOfDay(d: Date) {
28   const x = new Date(d);
29   x.setHours(0, 0, 0, 0);
30   return x;
31 }
32 function addDays(d: Date, days: number) {
33   const x = new Date(d);
34   x.setDate(x.getDate() + days);
35   return x;
36 }
37 function addMonths(d: Date, months: number) {
38   const x = new Date(d);
39   x.setMonth(x.getMonth() + months);

```

```

40   return x;
41 }
42
43 type RangeKey = "7d" | "30d" | "3m" | "6m" | "12m";
44 const RANGE_LABEL: Record<RangeKey, string> = {
45   "7d": "7 хоног",
46   "30d": "1 сар",
47   "3m": "3 сар",
48   "6m": "6 сар",
49   "12m": "12 сар",
50 };
51
52 /** □ Сонголтууд "САЙН → МУУ" дарааллаар (UI) */
53 const STEPS: Step[] = [
54   {
55     id: "mood",
56     type: "single",
57     title: "Өнөөдөр сэтгэл санаа чинь ямар байна вэ?",
58     desc: "Дотроосоо хамгийн ойр мэдрэмжээ сонго.",
59     choices: [
60       { id: "m5", emoji: "😊", label: "Баяртай" },
61       { id: "m4", emoji: "😌", label: "Сайн" },
62       { id: "m3", emoji: "😐", label: "Хэвийн" },
63       { id: "m2", emoji: "😞", label: "Санаа зовсон" },
64       { id: "m1", emoji: "😫", label: "Гунигтай" },
65     ],
66   },
67   {
68     id: "thought",
69     type: "single",
70     title: "Өнөөдөр толгойд чинь хамгийн их эргэлдсэн зүйл?",
71     desc: "Зөв/буруу байхгүй – ажиглалт.",
72     choices: [
73       { id: "t5", emoji: "😊", label: "Ирээдүй · амьдрал" },
74       { id: "t2", emoji: "😊", label: "Ажил · сургууль" },
75       { id: "t4", emoji: "😊", label: "Гэр бүл · гэр" },
76       { id: "t1", emoji: "😊", label: "Хүмүүс · харилцаа" },
77       { id: "t3", emoji: "😊", label: "Мөнгө · санхүү" },
78     ],
79   },
80   {
81     id: "impact",
82     type: "single",
83     title: "Тэр бодол сэтгэл санаанд чинь хэрхэн нөлөөлсөн бэ?",
84     desc: "Зэрэг ч байж болно, сөрөг ч байж болно.",
85     choices: [
86       { id: "i1", emoji: "😊", label: "Маш их нөлөөлсөн" },
87       { id: "i2", emoji: "😊", label: "Нэлээд нөлөөлсөн" },
88       { id: "i3", emoji: "😊", label: "Дунд зэрэг нөлөөлсөн" },
89       { id: "i4", emoji: "😊", label: "Бага зэрэг нөлөөлсөн" },
90       { id: "i5", emoji: "😊", label: "Огт нөлөөлөөгүй" },
91     ],
92   },
93   {
94     id: "body",
95     type: "single",
96     title: "Биед чинь одоо юу мэдрэгдэж байна вэ?",
97     desc: "Биеийн дохио – сэтгэлийн хэл.",
98     choices: [
99       { id: "b1", emoji: "😊", label: "Тайван · амгалан" },
100      { id: "b2", emoji: "😊", label: "Бие чангарсан (хүзүү/мөр)" },
101      { id: "b4", emoji: "😊", label: "Тайван бус · тухгүй" },
102      { id: "b3", emoji: "😊", label: "Хүнд · дарамт" },
103      { id: "b5", emoji: "😊", label: "Ядарсан · сульдсан" },
104     ],
105   },
106   {
107     id: "energy",
108     type: "single",

```

```

109 title: "Хэр эрч хүчтэй байна вэ?",
110 desc: "Өөрийгөө буруутгахгүйгээр үнэнээр нь сонго.",
111 choices: [
112   { id: "e5", emoji: "👤", label: "Маш их эрч хүчтэй" },
113   { id: "e4", emoji: "👤", label: "Дажгүй, сайн байна" },
114   { id: "e3", emoji: "👤", label: "Хэвийн л байна" },
115   { id: "e2", emoji: "👤", label: "Ядарсан байна" },
116   { id: "e1", emoji: "👤", label: "Маш их ядарсан байна" },
117 ],
118 },
119 {
120   id: "feelings",
121   type: "multi",
122   title: "Одоо ямар мэдрэмжүүд давамгайлж байна вэ?",
123   desc: "Дээд тал нь 3-г сонго.",
124   maxPick: 3,
125   choices: [
126     { id: "f5", emoji: "👤", label: "Найдвар төрж байна" },
127     { id: "f4", emoji: "👤", label: "Амар тайван" },
128     { id: "f7", emoji: "👤", label: "Дулаан хайрын мэдрэмж" },
129     { id: "f8", emoji: "👤", label: "Эмзэглэж байна" },
130     { id: "f6", emoji: "👤", label: "Хоосон санагдаж байна" },
131     { id: "f3", emoji: "👤", label: "Уур хүрч байна" },
132     { id: "f2", emoji: "👤", label: "Түгшүүр айдастай байна" },
133     { id: "f1", emoji: "👤", label: "Гуниглаж байна" },
134   ],
135 },
136 {
137   id: "need",
138   type: "single",
139   title: "Одоо чамд хамгийн хэрэгтэй зүйл юу вэ?",
140   desc: "Зөвхөн ажиглалт.",
141   choices: [
142     { id: "n4", emoji: "👤", label: "Хүнтэй холбогдох" },
143     { id: "n3", emoji: "👤", label: "Хөдөлгөөн хийх" },
144     { id: "n2", emoji: "👤", label: "Тайвшрах" },
145     { id: "n1", emoji: "👤", label: "Амрах" },
146     { id: "n5", emoji: "👤", label: "Ганцаараа байх" },
147   ],
148 },
149 {
150   id: "color",
151   type: "single",
152   title: "Өнөөдрийн мэдрэмжээ ямар өнгөөр дүрслэх вэ?",
153   desc: "Өнгө нь мэдрэмжийг нэрлэхэд тусалдаг.",
154   choices: [
155     { id: "c5", emoji: "👤", label: "Цагаан (гоё/гэгээлэг)" },
156     { id: "c3", emoji: "👤", label: "Шар (эрч хүч/найдвар)" },
157     { id: "c2", emoji: "👤", label: "Ногоон (амар тайван/тэнцвэртэй)" },
158     { id: "c1", emoji: "👤", label: "Цэнхэр (гуниг/харуусал)" },
159     { id: "c4", emoji: "👤", label: "Улаан (уур/бухимдал)" },
160     { id: "c6", emoji: "👤", label: "Хар (хүнд/ядарсан)" },
161   ],
162 },
163 {
164   id: "identity",
165   type: "multi",
166   title: "Өөрийгөө ямар хүн гэж бодож байна вэ?",
167   desc: "Дээд тал нь 3-г сонго.",
168   maxPick: 3,
169   choices: [
170     { id: "p7", emoji: "👤", label: "Итгэлтэй байж чаддаг" },
171     { id: "p2", emoji: "👤", label: "Ухаантай" },
172     { id: "p3", emoji: "👤", label: "Хүлээцтэй" },
173     { id: "p6", emoji: "👤", label: "Бүхнийг даван туулж чаддаг" },
174     { id: "p5", emoji: "👤", label: "Дахин босч чаддаг" },
175     { id: "p4", emoji: "👤", label: "Тэвчээртэй" },
176     { id: "p1", emoji: "👤", label: "Суралцаад урагшилдаг" },
177   ],

```

```

178 },
179 {
180   id: "finish",
181   type: "single",
182   title: "Өнөөдөр өөртөө хэлэх үг юу вэ?",
183   desc: "Сүүлийн сонголт.",
184   choices: [
185     { id: "a2", emoji: "🤔", label: "Шантарч болохгүй" },
186     { id: "a1", emoji: "🙄", label: "Өөрийгөө буруутгахгүй" },
187     { id: "a4", emoji: "😬", label: "Би амрах эрхтэй" },
188     { id: "a3", emoji: "👍", label: "Улам илүү хичээнэ" },
189     { id: "a5", emoji: "👎", label: "Хүлээн зөвшөөрч байна" },
190   ],
191 },
192 ];
193
194 function levelFromScore(score: number): Level {
195   if (score >= 75) return "Green";
196   if (score >= 55) return "Yellow";
197   if (score >= 35) return "Orange";
198   return "Red";
199 }
200
201 function pointsFor(id: string, table: Record<string, number>, fallback = 3) {
202   return table[id] ?? fallback;
203 }
204
205 function computeScore(answers: Record<string, string[]>) {
206   const mood = pointsFor(answers.mood?.[0] ?? "", { m5: 5, m4: 4, m3: 3, m2: 2, m1: 1 }, 3);
207   const energy = pointsFor(answers.energy?.[0] ?? "", { e5: 5, e4: 4, e3: 3, e2: 2, e1: 1 }, 3);
208   const impact = pointsFor(answers.impact?.[0] ?? "", { i1: 1, i2: 2, i3: 3, i4: 4, i5: 5 }, 3);
209
210   const body = pointsFor(answers.body?.[0] ?? "", { b1: 5, b2: 3, b4: 2, b3: 2, b5: 1 }, 3);
211
212   const feelingsIds = answers.feelings ?? [];
213   const feelingsAvg =
214     feelingsIds.length === 0
215       ? 3
216       : feelingsIds.reduce(
217         (s, id) => s + pointsFor(id, { f5: 5, f4: 5, f7: 4, f8: 3, f6: 2, f3: 2, f2: 1, f1: 1 }, 3),
218         0
219       ) / feelingsIds.length;
220
221   const identityIds = answers.identity ?? [];
222   const identityAvg =
223     identityIds.length === 0
224       ? 3
225       : identityIds.reduce((s, id) => s + pointsFor(id, { p7: 4, p2: 4, p3: 4, p6: 4, p5: 4, p4: 4, p1: 4 }, 4), 0) /
226     identityIds.length;
227
228   const finish = pointsFor(answers.finish?.[0] ?? "", { a1: 4, a2: 4, a3: 4, a4: 4, a5: 4 }, 4);
229
230   const wMood = 2.0;
231   const wImpact = 2.0;
232   const wEnergy = 2.0;
233   const wFeelings = 1.5;
234   const wBody = 1.0;
235   const wIdentity = 0.5;
236   const wFinish = 0.5;
237
238   const weighted =
239     mood * wMood +
240     impact * wImpact +
241     energy * wEnergy +
242     feelingsAvg * wFeelings +
243     body * wBody +
244     identityAvg * wIdentity +
245     finish * wFinish;
246

```

```

247   const wSum = wMood + wImpact + wEnergy + wFeelings + wBody + wIdentity + wFinish;
248   const avg = weighted / wSum;
249   const score100 = Math.round((avg - 1) / 4) * 100);
250   return Math.max(0, Math.min(100, score100));
251 }
252
253 function summaryLine(level: Level, score: number, dc: DailyCheckDict) {
254   return `${dc.summary[level]} (${score}/100)`;
255 }
256
257 function detailLine(level: Level, dc: DailyCheckDict) {
258   return dc.detail[level];
259 }
260
261 function dayTone(level: Level, dc: DailyCheckDict) {
262   return dc.dayTone[level] || "";
263 }
264
265 function finishWarm(finishId: string, finishText: string, dc: DailyCheckDict) {
266   const byId = (dc.finishWarm as Record<string, string>)[finishId];
267   if (byId) return byId;
268   return finishText ? dc.finishWarmDefault.replace("{text}", finishText) : "";
269 }
270
271 function warmClosing(level: Level, finishId: string, finishText: string, dc: DailyCheckDict) {
272   const first = dayTone(level, dc);
273   const mid = finishWarm(finishId, finishText, dc);
274   return [first, mid, dc.warmClose].filter(Boolean).join(" ");
275 }
276
277 function levelClass(level: Level) {
278   if (level === "Green") return styles.lvGreen;
279   if (level === "Yellow") return styles.lvYellow;
280   if (level === "Orange") return styles.lvOrange;
281   return styles.lvRed;
282 }
283
284 function buildMonthGrid(d: Date) {
285   const year = d.getFullYear();
286   const month = d.getMonth();
287
288   const first = new Date(year, month, 1);
289   const firstDow = (first.getDay() + 6) % 7;
290   const start = new Date(year, month, 1 - firstDow);
291
292   const days: Array<{ date: Date; iso: string; inMonth: boolean }> = [];
293   for (let i = 0; i < 42; i++) {
294     const cur = new Date(start);
295     cur.setDate(start.getDate() + i);
296     days.push({ date: cur, iso: dateToISO(cur), inMonth: cur.getMonth() === month });
297   }
298   return { year, month, days };
299 }
300
301 function computeRange(now: Date, key: RangeKey) {
302   const end = startOfDay(now);
303   if (key === "7d") return { start: addDays(end, -6), end };
304   if (key === "30d") return { start: addDays(end, -29), end };
305   if (key === "3m") return { start: addMonths(end, -3), end };
306   if (key === "6m") return { start: addMonths(end, -6), end };
307   return { start: addMonths(end, -12), end };
308 }
309
310 function trendArrow(items: TrendItem[], dc: DailyCheckDict) {
311   if (!items.length) return "-";
312   const sorted = [...items].sort((a, b) => a.check_date.localeCompare(b.check_date));
313   const n = sorted.length;
314   const cut = Math.max(1, Math.floor(n / 3));
315   const first = sorted.slice(0, cut);

```



```

316   const last = sorted.slice(n - cut);
317
318   const avg = (arr: TrendItem[]) => Math.round(arr.reduce((s, x) => s + x.score, 0) / Math.max(1, arr.length));
319   const a = avg(first);
320   const b = avg(last);
321
322   const diff = b - a;
323   if (diff >= 5) return `↑ ${dc.trendUp} (+${diff})`;
324   if (diff <= -5) return `↓ ${dc.trendDown} (${diff})`;
325   return dc.trendStable;
326 }
327
328 export default function DailyCheckPage() {
329   const router = useRouter();
330   const t = useT();
331   const dc = t.apps.dailyCheck;
332
333   // STEPS data is keyed by stable ids; resolve display via the dictionary.
334   const stepTitle = (s: Step) =>
335     (dc.steps as Record<string, { title: string; desc: string }>)[s.id]?.title ?? s.title;
336   const stepDesc = (s: Step) =>
337     (dc.steps as Record<string, { title: string; desc: string }>)[s.id]?.desc ?? s.desc;
338   const labelOf = (id: string) => (dc.choices as Record<string, string>)[id] ?? id;
339
340   const [now, setNow] = useState<Date | null>(null);
341   useEffect(() => setNow(new Date()), []);
342
343   const [idx, setIdx] = useState(0);
344   const [answers, setAnswers] = useState<Record<string, string[]>>({});
345   const [saving, setSaving] = useState(false);
346   const [err, setErr] = useState<string | null>(null);
347
348   const [result, setResult] = useState<{ score: number; level: Level; dateISO: string } | null>(null);
349   const [trend, setTrend] = useState<TrendItem[]>([]);
350   const [trendLoading, setTrendLoading] = useState(false);
351   const [pickedDate, setPickedDate] = useState<string | null>(null);
352
353   const [calDate, setCalDate] = useState<Date | null>(null);
354   const [rangeKey, setRangeKey] = useState<RangeKey>("7d");
355
356   const [showRangeModal, setShowRangeModal] = useState(false);
357
358   const step = STEPS[idx];
359   const total = STEPS.length;
360   const isLast = idx === total - 1;
361   const progressText = `${idx + 1}/${total} · ${Math.round(((idx + 1) / total) * 100)}%`;
362
363   useEffect(() => {
364     if (typeof window === "undefined") return;
365     const sp = new URLSearchParams(window.location.search);
366     const newKey = sp.get("new");
367     if (!newKey) return;
368
369     setIdx(0);
370     setAnswers({});
371     setSaving(false);
372     setErr(null);
373     setResult(null);
374     setPickedDate(null);
375
376     sp.delete("new");
377     const qs = sp.toString();
378     const next = `${window.location.pathname}${qs ? `?${qs}` : ""}`;
379     router.replace(next);
380     // eslint-disable-next-line react-hooks/exhaustive-deps
381   }, []);
382
383   useEffect(() => {
384     if (!now) return;

```

```

385   if (!calDate) setCalDate(new Date(now));
386 }, [now, calDate]);
387
388 const canGoNext = useMemo(() => {
389   const v = answers[step.id] || [];
390   return v.length > 0;
391 }, [answers, step.id]);
392
393 const choiceLabel = useMemo(() => (id: string) => labelOf(id), [dc]);
394
395 const focusText = useMemo(() => {
396   const id = answers["thought"]?.[0];
397   return id ? choiceLabel(id) : "";
398 }, [answers, choiceLabel]);
399
400 const feelingsText = useMemo(() => {
401   const ids = answers["feelings"] ?? [];
402   return ids.length ? ids.map(choiceLabel).join(", ") : "";
403 }, [answers, choiceLabel]);
404
405 const finishText = useMemo(() => {
406   const id = answers["finish"]?.[0];
407   return id ? choiceLabel(id) : "";
408 }, [answers, choiceLabel]);
409
410 function selectSingle(stepId: string, choiceId: string) {
411   setAnswers((p) => ({ ...p, [stepId]: [choiceId] }));
412 }
413
414 function toggleMulti(stepId: string, choiceId: string, maxPick: number) {
415   setAnswers((p) => {
416     const prev = p[stepId] || [];
417     const has = prev.includes(choiceId);
418     let next = has ? prev.filter((x) => x !== choiceId) : [...prev, choiceId];
419     if (!has && next.length > maxPick) next = next.slice(next.length - maxPick);
420     return { ...p, [stepId]: next };
421   });
422 }
423
424 function topBack() {
425   setErr(null);
426   if (idx > 0) setIdx((n) => Math.max(0, n - 1));
427   else router.push("/");
428 }
429
430 async function refreshTrend() {
431   setTrendLoading(true);
432   try {
433     const r = await fetch("/api/mind/emotion/daily-check", { method: "GET" });
434     const j = await r.json();
435     if (!r.ok) throw new Error(j?.error ?? dc.errRead);
436     setTrend((j.items ?? []) as TrendItem[]);
437   } catch (e: any) {
438     setErr(e?.message ?? dc.errGeneric);
439   } finally {
440     setTrendLoading(false);
441   }
442 }
443
444 useEffect(() => {
445   refreshTrend();
446   // eslint-disable-next-line react-hooks/exhaustive-deps
447 }, []);
448
449 useEffect(() => {
450   if (step.type !== "single") return;
451   const v = answers[step.id] || [];
452   if (v.length === 1 && idx < total - 1) {
453     const t = setTimeout(() => setIdx((n) => Math.min(total - 1, n + 1)), 140);

```

```

454     return () => clearTimeout(t);
455   }
456 }, [answers, step.id, step.type, idx, total]);
457
458 const byDate = useMemo(() => new Map(trend.map((t) => [t.check_date, t] as const)), [trend]);
459 const pickedItem = useMemo(() => (pickedDate ? byDate.get(pickedDate) ?? null : null), [pickedDate, byDate]);
460
461 const rangeStats = useMemo(() => {
462   if (!now) return null;
463
464   const { start, end } = computeRange(now, rangeKey);
465   const startISO = dateToISO(startOfDay(start));
466   const endISO = dateToISO(startOfDay(end));
467
468   const items = trend
469     .filter((x) => x.check_date >= startISO && x.check_date <= endISO)
470     .sort((a, b) => a.check_date.localeCompare(b.check_date));
471
472   const count = items.length;
473   if (!count) {
474     return {
475       startISO,
476       endISO,
477       count: 0,
478       avg: 0,
479       arrow: "-",
480       counts: { Green: 0, Yellow: 0, Orange: 0, Red: 0 } as Record<Level, number>,
481     };
482   }
483
484   const avg = Math.round(items.reduce((s, x) => s + x.score, 0) / count);
485   const counts = items.reduce(
486     (acc, x) => {
487       acc[x.level] += 1;
488       return acc;
489     },
490     { Green: 0, Yellow: 0, Orange: 0, Red: 0 } as Record<Level, number>
491   );
492
493   return { startISO, endISO, count, avg, arrow: trendArrow(items, dc), counts };
494 }, [trend, now, rangeKey, dc]);
495
496 async function saveToSupabase() {
497   setErr(null);
498   if (!now) return;
499
500   const today = dateToISO(now);
501
502   const moodChoice = answers?.mood?.[0];
503   const energyChoice = answers?.energy?.[0];
504   const impactChoice = answers?.impact?.[0];
505
506   if (!moodChoice) return setErr(dc.errMood);
507   if (!energyChoice) return setErr(dc.errEnergy);
508   if (!impactChoice) return setErr(dc.errImpact);
509
510   const score = computeScore(answers);
511   const level = levelFromScore(score);
512
513   setSaving(true);
514   try {
515     const res = await fetch("/api/mind/emotion/daily-check", {
516       method: "POST",
517       headers: { "Content-Type": "application/json" },
518       body: JSON.stringify({
519         check_date: today,
520         answers,
521         client_score: score,
522         client_level: level,

```

```

523     }},
524   });
525
526   const j = await res.json();
527   if (!res.ok) throw new Error(j?.error ?? dc.errSave);
528
529   setResult({ score, level, dateISO: today });
530   setPickedDate(today);
531
532   setTrend((prev) => {
533     const map = new Map(prev.map((x) => [x.check_date, x] as const));
534     map.set(today, { check_date: today, score, level });
535     return Array.from(map.values()).sort((a, b) => a.check_date.localeCompare(b.check_date));
536   });
537
538   setCalDate(new Date(now));
539 } catch (e: any) {
540   setErr(e?.message ?? dc.errGeneric);
541 } finally {
542   setSaving(false);
543 }
544 }
545
546 async function onMainButton() {
547   if (!canGoNext || saving) return;
548   if (!isLast) return setIdx(n) => Math.min(total - 1, n + 1);
549   await saveToSupabase();
550 }
551
552 const showMainButton = step.type === "multi" || isLast;
553
554 // □ range товч — iOS white outline байхгүй
555 const chipStyle = (active: boolean): CSSProperties => ({
556   padding: "10px 10px",
557   borderRadius: 999,
558   fontSize: 12,
559   lineHeight: "12px",
560   border: active ? "1px solid rgba(31,111,178,0.45)" : "1px solid #e2e8f0",
561   background: active ? "rgba(31,111,178,0.12)" : "#f8fafc",
562   color: "rgba(15,23,42,0.85)",
563   cursor: "pointer",
564   userSelect: "none",
565   whiteSpace: "nowrap",
566   width: "100%",
567   textAlign: "center",
568   outline: "none",
569   WebkitTapHighlightColor: "transparent",
570 });
571
572 // □ calendar cell-үүдийг томруулж, 2 мөрөөр багтаана
573 const mobileCellPatch: CSSProperties = {
574   minHeight: 58,
575   paddingTop: 8,
576   paddingBottom: 8,
577 };
578
579 // □ будалт (өнгө) арай тод харагдах overlay
580 const tint: Record<Level, CSSProperties> = {
581   Green: { boxShadow: "inset 0 0 0 9999px rgba(46, 204, 113, 0.18)" },
582   Yellow: { boxShadow: "inset 0 0 0 9999px rgba(241, 196, 15, 0.18)" },
583   Orange: { boxShadow: "inset 0 0 0 9999px rgba(230, 126, 34, 0.18)" },
584   Red: { boxShadow: "inset 0 0 0 9999px rgba(231, 76, 60, 0.18)" },
585 };
586
587 // □ 1) "Явц (Календарь)" мөрөнд: баруун талд month nav гаргана
588 const trendTopRow: CSSProperties = {
589   display: "flex",
590   alignItems: "center",
591   justifyContent: "space-between",

```

```

592     gap: 10,
593     flexWrap: "nowrap",
594   };
595
596   const monthNav: CSSProperties = {
597     display: "flex",
598     alignItems: "center",
599     gap: 8,
600     flexWrap: "nowrap",
601     whiteSpace: "nowrap",
602     minWidth: 0,
603   };
604
605   // □ 2) legend-г нэг мөрөнд (доор нь), wrap хийхгүй
606   const legendRow: CSSProperties = {
607     display: "flex",
608     alignItems: "center",
609     justifyContent: "flex-start",
610     gap: 10,
611     flexWrap: "nowrap",
612     whiteSpace: "nowrap",
613     fontSize: 11,
614     color: "rgba(15,23,42,0.70)",
615     overflow: "hidden",
616   };
617
618   const dot: CSSProperties = {
619     width: 9,
620     height: 9,
621     borderRadius: 999,
622     display: "inline-block",
623     marginRight: 6,
624     flex: "0 0 auto",
625   };
626
627   // □ 3) detail card: mobile дээр бартаах / хажуу тийш scroll зөвшөөрөх
628   const detailPatch: CSSProperties = {
629     width: "100%",
630     maxWidth: "100%",
631     minWidth: 0,
632     overflowX: "auto",
633   };
634
635   const detailTitlePatch: CSSProperties = {
636     display: "flex",
637     gap: 10,
638     alignItems: "center",
639     justifyContent: "space-between",
640     flexWrap: "wrap", // □ багтахгүй бол доош бууна
641     minWidth: 0,
642   };
643
644   const detailScoreRow: CSSProperties = {
645     display: "flex",
646     alignItems: "center",
647     gap: 10,
648     flexWrap: "wrap", // □ багтахгүй бол 2 мөр болно
649     minWidth: 0,
650   };
651
652   const scoreNoWrap: CSSProperties = {
653     whiteSpace: "nowrap",
654   };
655
656   return (
657     <AppShell
658       title={dc.headTitle}
659       subtitle={progressText}
660       onBack={topBack}

```

```

661     width="4x1"
662   >
663   <div className={styles.progressTrack}>
664     <div className={styles.progressFill} style={{ width: `${Math.round(((idx + 1) / total) * 100)}%` }} />
665   </div>
666
667   <section className={styles.card}>
668     <div className={styles.cardTop}>
669       <h1 className={styles.q}>{stepTitle(step)}</h1>
670       {stepDesc(step) ? <p className={styles.desc}>{stepDesc(step)}</p> : null}
671     </div>
672
673     <div className={styles.options}>
674       {step.choices.map((c) => {
675         const selected = (answers[step.id] || []).includes(c.id);
676         return (
677           <button
678             key={c.id}
679             type="button"
680             className={ `${styles.option} ${selected ? styles.on : ""}` }
681             onClick={() => {
682               if (step.type === "single") selectSingle(step.id, c.id);
683               else toggleMulti(step.id, c.id, step.maxPick);
684             }}
685           >
686             <div className={styles.left}>
687               <span className={styles.emoji}>{c.emoji || ""}</span>
688               <span className={styles.label}>{labelOf(c.id)}</span>
689             </div>
690             <span className={styles.tick}>{selected ? "☐" : ""}</span>
691           </button>
692         );
693       })}
694     </div>
695
696     {showMainButton ? (
697       <div className={styles.navOne}>
698         <button className={styles.mainBtn} onClick={onMainButton} disabled={!canGoNext || saving}>
699           {isLast ? (saving ? dc.calculating : dc.getResult) : dc.continue}
700         </button>
701       </div>
702     ) : (
703       <div className={styles.hint}>{dc.autoNextHint}</div>
704     )}
705
706     {err ? <div className={styles.error}>☐ {err}</div> : null}
707
708     {result ? (
709       <div className={styles.resultCard}>
710         <div className={styles.resultTitle}>{dc.todayResult}</div>
711         <div className={styles.resultLine}>{summaryLine(result.level, result.score, dc)}</div>
712         <div className={styles.resultDetail}>{detailLine(result.level, dc)}</div>
713         {(focusText || feelingsText) ? (
714           <div className={styles.resultMeta}>
715             {focusText ? (
716               <div>
717                 {dc.focusTopic} <b>{focusText}</b>
718               </div>
719             ) : null}
720             {feelingsText ? (
721               <div>
722                 {dc.dominantFeeling} <b>{feelingsText}</b>
723               </div>
724             ) : null}
725           </div>
726         ) : null}
727         <div className={styles.oyLine}>
728           {warmClosing(result.level, answers["finish"]?.[0] ?? "", finishText, dc)}
729         </div>

```

```

730     </div>
731   ) : null}
732
733   <div className={styles.trendCard}>
734     {/* □ 1) "Өдөр/7 хоног/сар/жил" үгийг устгаад,
735        "Явц (Календарь)" мөрөнд month nav авчирлаа */}
736     <div className={styles.trendHead} style={trendTopRow}>
737       <div className={styles.trendTitle}>{dc.progressCalendar}</div>
738
739       {!now || !calDate ? (
740         <div className={styles.trendSub} style={{ color: "rgba(15,23,42,0.55)" }}>
741           ...
742         </div>
743       ) : (
744         (() => {
745           const y = calDate.getFullYear();
746           const m = calDate.getMonth();
747           const monthNameEn = new Date(y, m, 1).toLocaleString("en-US", { month: "long" }); // February
748           return (
749             <div style={monthNav} aria-label="Month navigation">
750               <button
751                 type="button"
752                 onClick={() => setCalDate((d) => (d ? addMonths(d, -1) : d))}
753                 style={{
754                   padding: "8px 10px",
755                   borderRadius: 999,
756                   border: "1px solid #e2e8f0",
757                   background: "#f8f9fa",
758                   color: "rgba(15,23,42,0.85)",
759                   outline: "none",
760                   WebkitTapHighlightColor: "transparent",
761                 }}
762                 aria-label="Prev month"
763               >
764                 ←
765               </button>
766
767               <div
768                 style={{
769                   fontWeight: 800,
770                   fontSize: 13,
771                   maxWidth: 140,
772                   overflow: "hidden",
773                   textOverflow: "ellipsis",
774                   whiteSpace: "nowrap",
775                   textAlign: "center",
776                 }}
777               >
778                 {monthNameEn} {y}
779             </div>
780
781             <button
782               type="button"
783               onClick={() => setCalDate((d) => (d ? addMonths(d, 1) : d))}
784               style={{
785                 padding: "8px 10px",
786                 borderRadius: 999,
787                 border: "1px solid #e2e8f0",
788                 background: "#f8f9fa",
789                 color: "rgba(15,23,42,0.85)",
790                 outline: "none",
791                 WebkitTapHighlightColor: "transparent",
792               }}
793               aria-label="Next month"
794             >
795               →
796             </button>
797           </div>
798         );

```

```

799     }) ()
800   })
801 </div>
802
803   {/ * □ 5 товч 1 мөрөөр */}
804   <div
805     style={{
806       display: "grid",
807       gridTemplateColumns: "repeat(5, minmax(0, 1fr))",
808       gap: 8,
809       padding: "8px 2px 8px 2px",
810     }}
811   >
812     {[["7d", "30d", "3m", "6m", "12m"] as RangeKey[]].map((k) => (
813       <button
814         key={k}
815         type="button"
816         style={chipStyle(rangeKey === k)}
817         onClick={() => {
818           setRangeKey(k);
819           setShowRangeModal(true);
820         }}
821       >
822         {dc.ranges[k]}
823       </button>
824     )]}
825   </div>
826
827   {/ * □ divider */}
828   <div style={{ height: 1, background: "#e2e8f0", margin: "6px 0 12px 0" }} />
829
830   {/ * □ 2) Доор нь legend-г нэг мөрөөр байрлуулна */}
831   <div style={legendRow} aria-label="Legend">
832     <span>
833       <span style={{ ...dot, background: "rgba(46, 204, 113, 0.85)" }} />
834       {dc.legend.good}
835     </span>
836     <span>
837       <span style={{ ...dot, background: "rgba(241, 196, 15, 0.85)" }} />
838       {dc.legend.mid}
839     </span>
840     <span>
841       <span style={{ ...dot, background: "rgba(230, 126, 34, 0.85)" }} />
842       {dc.legend.hard}
843     </span>
844     <span>
845       <span style={{ ...dot, background: "rgba(231, 76, 60, 0.85)" }} />
846       {dc.legend.heavy}
847     </span>
848   </div>
849
850   {/ * жижиг зай */}
851   <div style={{ height: 10 }} />
852
853   {/ * □ popup (цараан theme) */}
854   {showRangeModal && rangeStats ? (
855     <div
856       onClick={() => setShowRangeModal(false)}
857       style={{
858         position: "fixed",
859         inset: 0,
860         background: "rgba(0,0,0,0.35)",
861         zIndex: 60,
862         display: "flex",
863         alignItems: "center",
864         justifyContent: "center",
865         padding: 14,
866       }}
867     >

```



```

868 <div
869   onClick={ (e) => e.stopPropagation() }
870   style={{
871     width: "min(720px, 96vw)",
872     borderRadius: 18,
873     border: "1px solid rgba(0,0,0,0.10)",
874     background: "rgba(255,255,255,0.96)",
875     color: "#0f172a",
876     boxShadow: "0 18px 60px rgba(0,0,0,0.35)",
877     padding: 14,
878   }}
879 >
880 <div style={{ display: "flex", justifyContent: "space-between", alignItems: "center", gap: 10 }}>
881   <div style={{ fontWeight: 900, fontSize: 16 }}>{RANGE_LABEL[rangeKey]} дүгнэлт</div>
882   <button
883     type="button"
884     onClick={ () => setShowRangeModal(false) }
885     style={{
886       borderRadius: 10,
887       padding: "8px 10px",
888       border: "1px solid rgba(0,0,0,0.12)",
889       background: "rgba(0,0,0,0.04)",
890       color: "#0f172a",
891       cursor: "pointer",
892       fontWeight: 700,
893     }}
894   >
895     Хаах □
896   </button>
897 </div>
898
899 <div style={{ marginTop: 10, fontSize: 13, color: "rgba(15,23,42,0.75)" }}>
900   Хугацаа: <b>{rangeStats.startISO}</b> → <b>{rangeStats.endISO}</b>{" "}
901   <span style={{ marginLeft: 8 }}>{rangeStats.arrow}</span>
902 </div>
903
904 {rangeStats.count === 0 ? (
905   <div style={{ marginTop: 12, color: "rgba(15,23,42,0.72)" }}>
906     Энэ хугацаанд мэдээлэл алга байна. Өдөр бөглөөд эхэлмэгц дүгнэлт гарна.
907   </div>
908 ) : (
909   <div style={{ marginTop: 12, display: "grid", gridTemplateColumns: "1fr 1fr", gap: 12 }}>
910     <div
911       style={{
912         border: "1px solid rgba(0,0,0,0.10)",
913         borderRadius: 14,
914         padding: 12,
915         background: "rgba(15,23,42,0.03)",
916       }}
917     >
918       <div style={{ fontSize: 12, color: "rgba(15,23,42,0.65)" }}>Дундаж оноо</div>
919       <div style={{ fontSize: 26, fontWeight: 900, lineHeight: "30px" }}>{rangeStats.avg}/100</div>
920       <div style={{ marginTop: 6, fontSize: 12, color: "rgba(15,23,42,0.65)" }}>
921         Нийт: <b>{rangeStats.count}</b> өдөр
922       </div>
923     </div>
924
925     <div
926       style={{
927         border: "1px solid rgba(0,0,0,0.10)",
928         borderRadius: 14,
929         padding: 12,
930         background: "rgba(15,23,42,0.03)",
931       }}
932     >
933       <div style={{ fontSize: 12, color: "rgba(15,23,42,0.65)", marginBottom: 8 }}>Түвшин (тоо)</div>
934       <div style={{ fontSize: 13, display: "flex", flexWrap: "wrap", gap: 10, color: "#0f172a" }}>
935         <span>
936           Сайн <b>{rangeStats.counts.Green}</b>

```

```

937         </span>
938     </span>
939     Дунд <b>{rangeStats.counts.Yellow}</b>
940 </span>
941 <span>
942     Хэцүү <b>{rangeStats.counts.Orange}</b>
943 </span>
944 <span>
945     Хүнд <b>{rangeStats.counts.Red}</b>
946 </span>
947 </div>
948 </div>
949 </div>
950 }}
951
952 <div style={{ marginTop: 10, fontSize: 12, color: "rgba(15,23,42,0.6)" }}>* Арын хэсэг дээр дарвал хаагдана.</div>
953 </div>
954 </div>
955 ) : null}
956
957 {!now || !calDate ? (
958   <div className={styles.detailHint}>Календарь ачаалж байна...</div>
959 ) : (
960   (() => {
961     const { year, month, days } = buildMonthGrid(calDate);
962     const today = dateToISO(now);
963
964     return (
965       <>
966         /* □ monthRow-г ДЭЭР нь аваачсан тул энд устгасан */
967
968         <div className={styles.gridWrap}>
969 <div className={styles.dow}>
970       <div>Да</div>
971       <div>Мя</div>
972       <div>Лх</div>
973       <div>Пү</div>
974       <div>Ба</div>
975       <div>Бя</div>
976       <div>Ня</div>
977 </div>
978
979 <div className={styles.grid}>
980
981       {days.map(({ date, iso, inMonth }) => {
982         const item = byDate.get(iso);
983         const isToday = iso === today;
984         const isPicked = iso === pickedDate;
985
986         const cls =
987           item?.level === "Green"
988             ? styles.lvGreen
989             : item?.level === "Yellow"
990               ? styles.lvYellow
991               : item?.level === "Orange"
992                 ? styles.lvOrange
993                 : item?.level === "Red"
994                   ? styles.lvRed
995                   : "";
996
997         return (
998           <button
999             key={iso}
1000             type="button"
1001             className={[
1002               styles.cell,
1003               inMonth ? "" : styles.outMonth,
1004               item ? cls : styles.emptyCell,
1005               isToday ? styles.today : "",

```

```

1006         isPicked ? styles.picked : "",
1007     ].join(" ")
1008     style={
1009         ...mobileCellPatch,
1010         ...(item ? tint[item.level] : null),
1011         outline: "none",
1012         WebkitTapHighlightColor: "transparent",
1013     }}
1014     onClick={() => setPickedDate(iso)}
1015     aria-label={iso}
1016 >
1017     <div
1018         style={{
1019             fontSize: 14,
1020             fontWeight: 900,
1021             lineHeight: "16px",
1022             color: inMonth ? "rgba(15,23,42,0.88)" : "rgba(15,23,42,0.40)",
1023         }}
1024     >
1025         {date.getDate()}
1026     </div>
1027
1028     <div
1029         style={{
1030             marginTop: 6,
1031             fontSize: 12,
1032             fontWeight: 800,
1033             lineHeight: "14px",
1034             color: inMonth ? "rgba(15,23,42,0.75)" : "rgba(15,23,42,0.35)",
1035         }}
1036     >
1037         {item ? item.score : "-"}
1038     </div>
1039 </button>
1040 );
1041 }}}
1042 </div>
1043 </div>
1044
1045 {/ * □ 3) Detail card: mobile дээр date + оноо бартахгүй бол 2 мөрөөр бууна */}
1046 <div className={styles.detail} style={detailPatch}>
1047     {pickedDate && pickedItem ? (
1048         <>
1049             <div className={styles.detailTitle} style={detailTitlePatch}>
1050                 <span>{pickedDate}</span>
1051             </div>
1052
1053             <div className={styles.detailBody}>
1054                 <div className={styles.detailLine} style={detailScoreRow}>
1055                     <span className={` ${styles.badge} ${levelClass(pickedItem.level)} `}>{pickedItem.level}</span>
1056                     <span className={styles.detailScore} style={scoreNoWrap}>
1057                         {pickedItem.score}/100
1058                     </span>
1059                 </div>
1060                 <div className={styles.detailHint}>{detailLine(pickedItem.level, dc)}</div>
1061             </div>
1062         </>
1063     ) : (
1064         <>
1065             <div className={styles.detailTitle}>{dc.pickDay}</div>
1066             <div className={styles.detailHint}>{dc.pickDayHint}</div>
1067         </>
1068     )}
1069 </div>
1070 </>
1071 );
1072 })()
1073 })
1074 </div>

```

```

1075     </section>
1076   </AppShell>
1077   );
1078 }

```

58. app/(chat)/mind/health-demo/program/page.tsx

```

1  "use client";
2
3  import { useRouter } from "next/navigation";
4  import React, { useEffect, useMemo, useState } from "react";
5
6  type Meal = {
7    id: string;
8    name: string;
9    calories: number;
10   protein_g: number;
11   good_carbs_g: number;
12   bad_carbs_g: number;
13   fat_g: number;
14   fibre_g: number;
15   sugar_g: number;
16   nutrition_score: number;
17 };
18
19 type Totals = {
20   calories: number;
21   protein_g: number;
22   good_carbs_g: number;
23   bad_carbs_g: number;
24   fat_g: number;
25   fibre_g: number;
26   sugar_g: number;
27 };
28
29 const DAILY_TARGETS = {
30   calories: 2000,
31   protein_g: 90,
32   good_carbs_g: 230,
33   bad_carbs_g: 40,
34   fat_g: 65,
35   fibre_g: 25,
36   sugar_g: 30,
37   burned_kcal: 500,
38   water_ml: 2000,
39   sleep_h: 8,
40   rest_min: 60,
41 };
42
43 function calcTotals(meals: Meal[]): Totals {
44   return meals.reduce(
45     (acc, m) => ({
46       calories: acc.calories + m.calories,
47       protein_g: acc.protein_g + m.protein_g,
48       good_carbs_g: acc.good_carbs_g + m.good_carbs_g,
49       bad_carbs_g: acc.bad_carbs_g + m.bad_carbs_g,
50       fat_g: acc.fat_g + m.fat_g,
51       fibre_g: acc.fibre_g + m.fibre_g,
52       sugar_g: acc.sugar_g + m.sugar_g,
53     }),
54     {
55       calories: 0,
56       protein_g: 0,
57       good_carbs_g: 0,
58       bad_carbs_g: 0,
59       fat_g: 0,
60       fibre_g: 0,

```

```

61     sugar_g: 0,
62   }
63   };
64 }
65
66 function percent(value: number, target: number) {
67   if (target <= 0) return 0;
68   return Math.min(100, (value / target) * 100);
69 }
70
71 function format1(n: number) {
72   return Number.isFinite(n) ? n.toFixed(1) : "0.0";
73 }
74
75 export default function ProgramPage() {
76   const router = useRouter();
77
78   // ==== ХООЛНЫ ХЭСЭГ ====
79   const [foodName, setFoodName] = useState("");
80   const [imageFile, setImageFile] = useState<File | null>(null);
81
82   const [currentMeal, setCurrentMeal] = useState<Meal | null>(null);
83   const [meals, setMeals] = useState<Meal[]>([]);
84   const [loadingMeal, setLoadingMeal] = useState(false);
85   const [mealError, setMealError] = useState<string | null>(null);
86
87   // ==== ХӨДӨЛГӨӨН / НОЙР / ҮС / АМРАЛТ ====
88   const [burnedKcal, setBurnedKcal] = useState(0); // хөдөлгөөнөөр шатаасан ккал
89   const [extraBurnedKcal, setExtraBurnedKcal] = useState(0); // гараар нэмэх
90   const [waterMl, setWaterMl] = useState(0);
91   const [sleepHours, setSleepHours] = useState(0);
92   const [restMinutes, setRestMinutes] = useState(0);
93   const [badHabitsScore, setBadHabitsScore] = useState(0); // 0 сайн, 100 маш муу
94
95   // ---- Өдрийн нийлбэрүүд ----
96   const totals = useMemo(() => calcTotals(meals), [meals]);
97
98   const totalBurned = burnedKcal + extraBurnedKcal;
99
100   // ==== ЗУРАГ ОРМАГЦ АВТО ЗАДЛАХ ====
101   useEffect(() => {
102     if (!imageFile && !foodName) {
103       setCurrentMeal(null);
104       setMealError(null);
105       return;
106     }
107     if (!imageFile) {
108       // зөвхөн нэрээр задлах боломжтой, гэхдээ зургагүй бол алгасъя.
109       return;
110     }
111
112     let cancelled = false;
113
114     const analyze = async () => {
115       setLoadingMeal(true);
116       setMealError(null);
117
118       try {
119         const formData = new FormData();
120         formData.append("image", imageFile);
121         formData.append("name", foodName || "");
122
123         const res = await fetch("/api/health-demo/meal", {
124           method: "POST",
125           body: formData,
126         });
127
128         if (!res.ok) {
129           const data = await res.json().catch(() => ({}));

```

```

130     throw new Error(
131       data?.detail || data?.error || "AI-аас хариу авахад алдаа гарлаа."
132     );
133   }
134
135   const data = await res.json();
136
137   if (cancelled) return;
138
139   const meal: Meal = {
140     id: `${Date.now()}`,
141     name: foodName || "Тодорхойгүй хоол",
142     calories: data.calories ?? 0,
143     protein_g: data.protein_g ?? 0,
144     good_carbs_g: data.good_carbs_g ?? 0,
145     bad_carbs_g: data.bad_carbs_g ?? 0,
146     fat_g: data.fat_g ?? 0,
147     fibre_g: data.fibre_g ?? 0,
148     sugar_g: data.sugar_g ?? 0,
149     nutrition_score: data.nutrition_score ?? 0,
150   };
151
152   setCurrentMeal(meal);
153 } catch (err: any) {
154   console.error(err);
155   if (!cancelled) {
156     setCurrentMeal(null);
157     setMealError(err?.message || "Алдаа гарлаа.");
158   }
159 } finally {
160   if (!cancelled) setLoadingMeal(false);
161 }
162 };
163
164 analyze();
165
166 return () => {
167   cancelled = true;
168 };
169 }, [imageFile, foodName]);
170
171 const handleFileChange: React.ChangeEventHandler = (
172   e
173 ) => {
174   const file = e.target.files?.[0] ?? null;
175   setImageFile(file);
176 };
177
178 const handleAddMeal = () => {
179   if (!currentMeal) return;
180   setMeals((prev) => [...prev, currentMeal]);
181   // дараагийн хоол оруулахын тулд нэрийг цэвэрлэж болно
182   setFoodName("");
183   setImageFile(null);
184   setCurrentMeal(null);
185   setMealError(null);
186 };
187
188 const handleResetDay = () => {
189   setMeals([]);
190   setCurrentMeal(null);
191   setFoodName("");
192   setImageFile(null);
193   setMealError(null);
194   setBurnedKcal(0);
195   setExtraBurnedKcal(0);
196   setWaterMl(0);
197   setSleepHours(0);
198   setRestMinutes(0);

```

```

199     setBadHabitsScore(0);
200   };
201
202   // ==== ТҮСЛЭХ КОМПОНЕНТ - БАР ====
203   const renderBar = (
204     label: string,
205     value: number,
206     target: number,
207     unit: string
208   ) => {
209     const p = percent(value, target);
210     const over = value > target;
211     const barColor = over ? "bg-red-400" : "bg-emerald-400";
212     const textColor = over ? "text-red-600" : "text-slate-700";
213
214     return (
215       <div className="mb-3">
216         <div className="flex justify-between text-xs text-slate-600 mb-1">
217           <span>{label}</span>
218           <span className={textColor}>
219             {format1(value)} {unit} / {target} {unit}
220           </span>
221         </div>
222         <div className="h-2 w-full rounded-full bg-slate-200 overflow-hidden">
223           <div
224             className={`h-full ${barColor} transition-all`}
225             style={{ width: `${p}%` }}
226           />
227         </div>
228       </div>
229     );
230   };
231
232   return (
233     <div className="mx-auto max-w-6xl px-4 py-8 space-y-8">
234       <h1 className="text-2xl font-semibold mb-2">
235         Өдөр тутмын хоол, хөдөлгөөн, нойрын хяналт
236       </h1>
237       <p className="text-sm text-slate-600 mb-6 max-w-2xl">
238         Өнөдөөр идсэн хоол бүхнээ зураг эсвэл нэрээр нь оруулаад, Оюунсанаа
239         автоматаар задлан тооцоолж өгнө. Та &quot;Хоол нэмэх&quot; дарж байж
240         өдрийн дүн рүү нэмнэ. Хөдөлгөөн, ус, нойр, амралтаа мөн эндээс хянана.
241       </p>
242
243       <div className="grid gap-8 md:grid-cols-[minmax(0,2fr)_minmax(0,2fr)]">
244         {/* ХООЛ БҮРТГЭХ ТАЛБАР */}
245         <section className="rounded-xl border border-slate-200 bg-white p-5 shadow-sm">
246           <h2 className="text-lg font-semibold mb-4">
247             Хоол / уух зүйлийг шалгах ба бүртгэх
248           </h2>
249
250           <div className="space-y-4">
251             <div>
252               <label className="block text-xs font-medium text-slate-600 mb-1">
253                 Хоол / ундааны нэр
254               </label>
255               <input
256                 type="text"
257                 className="w-full rounded-md border border-slate-300 px-3 py-2 text-sm"
258                 placeholder="Жишээ нь: Хуушуур 5 ш, 1 аяга кола..."
259                 value={foodName}
260                 onChange={(e) => setFoodName(e.target.value)}
261               />
262             </div>
263
264             <div>
265               <label className="block text-xs font-medium text-slate-600 mb-1">
266                 Зураг (сонголтоор)
267               </label>

```

```

268     <input
269       type="file"
270       accept="image/*"
271       onChange={handleFileChange}
272     />
273     <p className="mt-1 text-[11px] text-slate-500">
274       Зураг сонгомгоц Ожунсанаа автоматаар задлан тооцоолно. Нэр
275       бичсэн байвал хамтад нь ашиглана.
276     </p>
277   </div>
278
279   {loadingMeal && (
280     <div className="text-xs text-sky-600">
281       Зурагнаас хоол задлаж байна, түр хүлээнэ үү...
282     </div>
283   )}
284
285   {mealError && (
286     <div className="text-xs text-red-600">
287       {mealError || "AI-аас хариу авахад алдаа гарлаа."}
288     </div>
289   )}
290
291   {/* ОДОО ЗАДЛАГДСАН ХООЛ */}
292   {currentMeal && (
293     <div className="mt-3 rounded-lg border border-emerald-100 bg-emerald-50/60 p-3 text-xs">
294       <div className="flex items-center justify-between mb-1">
295         <div className="font-semibold">
296           {currentMeal.name} -{" "}
297           <span className="text-emerald-700">
298             {format1(currentMeal.calories)} ккал
299           </span>
300         </div>
301         <div className="text-[11px] text-slate-500">
302           Эрүүл мэндийн оноо:{" "}
303           <span className="font-semibold text-emerald-700">
304             {format1(currentMeal.nutrition_score)} / 100
305           </span>
306         </div>
307       </div>
308       <div className="grid grid-cols-2 gap-x-3 gap-y-1 mt-1">
309         <div>Уулар: {format1(currentMeal.protein_g)} rp</div>
310         <div>Сайн нүүрс ус: {format1(currentMeal.good_carbs_g)} rp</div>
311         <div>Муу нүүрс ус: {format1(currentMeal.bad_carbs_g)} rp</div>
312         <div>Өөх тос: {format1(currentMeal.fat_g)} rp</div>
313         <div>Эслэг: {format1(currentMeal.fibre_g)} rp</div>
314         <div>Сахар: {format1(currentMeal.sugar_g)} rp</div>
315       </div>
316
317       <button
318         type="button"
319         onClick={handleAddMeal}
320         className="mt-3 inline-flex items-center justify-center rounded-md bg-emerald-500 px-4 py-1.5 text-xs font-medium text-white hover:bg-emerald-600 disabled:opacity-60"
321       >
322         Хоол нэмэх (өдрийн дүн рүү)
323       </button>
324     </div>
325   )}
326
327   {/* ӨНӨӨДРИЙН ХООЛНУУДЫН ЖАГСААЛТ */}
328   <div className="pt-4 border-t border-slate-200 mt-4">
329     <h3 className="text-sm font-semibold mb-2">Өнөөдрийн хоолнууд</h3>
330     {meals.length === 0 ? (
331       <p className="text-xs text-slate-500">
332         Одоогоор хоол бүртгэгдээгүй байна. Эхлээд зураг оруулаад
333         &quot;Хоол нэмэх&quot; дарна уу.
334       </p>
335     ) : (
336       <div className="space-y-1 text-xs">

```



```

337         {meals.map((m) => (
338             <div
339                 key={m.id}
340                 className="flex items-center justify-between rounded-md bg-slate-50 px-2 py-1"
341             >
342                 <span className="truncate max-w-[60%]">{m.name}</span>
343                 <span className="text-slate-600">
344                     {format1(m.calories)} ккал ·{ " "}
345                     {format1(m.nutrition_score)/100
346                 </span>
347             </div>
348         )})
349     </div>
350 )}
351
352 {meals.length > 0 && (
353     <div className="mt-3 text-[11px] text-slate-500">
354         Нийт: {format1(totals.calories)} ккал, уулар{" "}
355         {format1(totals.protein_g)} гp, сайн нүүрс ус{" "}
356         {format1(totals.good_carbs_g)} гp, муу нүүрс ус{" "}
357         {format1(totals.bad_carbs_g)} гp, өөх тос{" "}
358         {format1(totals.fat_g)} гp, эслэр {format1(totals.fibre_g)} гp,
359         сахар {format1(totals.sugar_g)} гp.
360     </div>
361 )}
362 </div>
363
364 <button
365     type="button"
366     onClick={handleResetDay}
367     className="mt-4 inline-flex items-center rounded-md border border-slate-300 px-3 py-1.5 text-xs text-slate-700 hover:bg-slate-50"
368 >
369     Өдрийг шинээр эхлүүлэх
370 </button>
371 </div>
372 </section>
373
374 {/* ӨНӨӨДРИЙН ЗОРИЛТ vs БОДИТ БАЙДАЛ */}
375 <section className="rounded-xl border border-slate-200 bg-white p-5 shadow-sm">
376     <h2 className="text-lg font-semibold mb-4">
377         Өнөөдрийн зорилт ба бодит байдал
378     </h2>
379
380     <div className="space-y-4">
381         {/* ХООЛ */}
382         <div>
383             {renderBar(
384                 "Калори",
385                 totals.calories,
386                 DAILY_TARGETS.calories,
387                 "ккал"
388             )}
389             {renderBar(
390                 "Уулар",
391                 totals.protein_g,
392                 DAILY_TARGETS.protein_g,
393                 "гp"
394             )}
395             {renderBar(
396                 "Сайн нүүрс ус",
397                 totals.good_carbs_g,
398                 DAILY_TARGETS.good_carbs_g,
399                 "гp"
400             )}
401             {renderBar(
402                 "Муу нүүрс ус",
403                 totals.bad_carbs_g,
404                 DAILY_TARGETS.bad_carbs_g,
405                 "гp"

```

```

406     })
407     {renderBar("Өөх тос", totals.fat_g, DAILY_TARGETS.fat_g, "rp")}
408     {renderBar(
409       "Эслэр",
410       totals.fibre_g,
411       DAILY_TARGETS.fibre_g,
412       "rp"
413     )}
414     {renderBar(
415       "Сахар",
416       totals.sugar_g,
417       DAILY_TARGETS.sugar_g,
418       "rp"
419     )}
420   </div>
421
422   {/* ХӨДӨЛГӨӨН ба амьдралын хэв маяг */}
423   <div className="mt-4 border-t border-slate-200 pt-4">
424     <h3 className="mb-2 text-sm font-semibold">Хөдөлгөөн, нойр</h3>
425
426     {renderBar(
427       "Хөдөлгөөнөөр шатаасан калори",
428       totalBurned,
429       DAILY_TARGETS.burned_kcal,
430       "ккал"
431     )}
432
433     <div className="grid grid-cols-2 gap-3 mb-3 text-xs">
434       <div>
435         <label className="mb-1 block text-[11px] text-slate-600">
436           Угас/цааруур хэмжигчээр шатаасан (ккал)
437         </label>
438         <input
439           type="number"
440           className="w-full rounded-md border border-slate-300 px-2 py-1 text-xs"
441           value={burnedKcal}
442           onChange={(e) =>
443             setBurnedKcal(Number(e.target.value) || 0)
444           }
445         />
446       </div>
447       <div>
448         <label className="mb-1 block text-[11px] text-slate-600">
449           Гараар нэмэх (жишээ: дасгал, фитнес)
450         </label>
451         <input
452           type="number"
453           className="w-full rounded-md border border-slate-300 px-2 py-1 text-xs"
454           value={extraBurnedKcal}
455           onChange={(e) =>
456             setExtraBurnedKcal(Number(e.target.value) || 0)
457           }
458         />
459       </div>
460     </div>
461
462     {renderBar(
463       "Ус",
464       waterMl,
465       DAILY_TARGETS.water_ml,
466       "мл/өдөр"
467     )}
468     <div className="mb-3 text-xs">
469       <input
470         type="number"
471         className="mt-1 w-full rounded-md border border-slate-300 px-2 py-1 text-xs"
472         placeholder="Өнөөдөр уусан ус (мл)"
473         value={waterMl}
474         onChange={(e) => setWaterMl(Number(e.target.value) || 0)}

```

```

475     />
476   </div>
477
478   {renderBar(
479     "Нойр",
480     sleepHours,
481     DAILY_TARGETS.sleep_h,
482     "цар/шөнө"
483   )}
484   <div className="mb-3 text-xs">
485     <input
486       type="number"
487       className="mt-1 w-full rounded-md border border-slate-300 px-2 py-1 text-xs"
488       placeholder="Өнөөдөр унтсан цар"
489       value={sleepHours}
490       onChange={ (e) =>
491         setSleepHours (Number(e.target.value) || 0)
492       }
493     />
494   </div>
495
496   {renderBar(
497     "Амралт (тайван минут/өдөр)",
498     restMinutes,
499     DAILY_TARGETS.rest_min,
500     "мин"
501   )}
502   <div className="mb-3 text-xs">
503     <input
504       type="number"
505       className="mt-1 w-full rounded-md border border-slate-300 px-2 py-1 text-xs"
506       placeholder="Зүгээр сууж амарсан, бясалгал, алхалт г.м (минут)"
507       value={restMinutes}
508       onChange={ (e) =>
509         setRestMinutes (Number(e.target.value) || 0)
510       }
511     />
512   </div>
513
514   {/* Муу зуршил - 0 сайн, 100 маш муу */}
515   <div className="mt-2">
516     <label className="block text-[11px] text-slate-600 mb-1">
517       Муу зуршлын түвшин (0 - байхгүй, 100 - маш их)
518     </label>
519     <input
520       type="range"
521       min={0}
522       max={100}
523       value={badHabitsScore}
524       onChange={ (e) =>
525         setBadHabitsScore (Number(e.target.value) || 0)
526       }
527       className="w-full"
528     />
529     <div className="text-[11px] text-slate-500 mt-1">
530       Одоогоор{" "}
531       <span className="font-medium text-slate-700">
532         {badHabitsScore}
533       </span>{" "}
534       / 100 - {badHabitsScore <= 20
535         ? "ойролцоогоор нөлөөгүй"
536         : badHabitsScore <= 60
537         ? "анхааралтай хянах шаардлагатай"
538         : "эрүүл мэндэд сөрөг нөлөө өгч болзошгүй"}
539     </div>
540   </div>
541 </div>
542 </div>
543 </div>

```

```

544
545      {/* Өнөөдрийн дүнг дараагийн хуудас руу илгээх */}
546      <div className="mt-6 border-t border-slate-200 pt-4">
547        <p className="mb-2 text-[11px] text-slate-500">
548          □ Дараагийн хуудас руу илгээхийн өмнө ус, нойр, амралтын
549          талбаруудыг бөглөсөн байх хэрэгтэй.
550        </p>
551        <button
552          type="button"
553          className="w-full rounded-md bg-sky-500 px-4 py-2 text-sm font-medium text-white hover:bg-sky-600"
554          onClick={() => router.push("/mind/health-demo/summary")}
555        >
556          Өнөөдрийн дүнг 2-р хуудсанд илгээх
557        </button>
558      </div>
559    </section>
560  </div>
561 </div>
562 );
563 }

```

59. app/(chat)/mind/health-demo/questionnaire/page.tsx

```

1  "use client";
2
3  import { FormEvent, ChangeEvent, useState } from "react";
4  import { useRouter } from "next/navigation";
5
6  type Sex = "male" | "female";
7
8  interface AssessmentResult {
9    weightText: string;
10   foodText: string;
11   movementText: string;
12   sleepText: string;
13   waterText: string;
14   habitText: string;
15   overallText: string;
16   overweightKg: number | null;
17   daysToGoal: number | null;
18 }
19
20 function calcAssessment(
21   heightCm: number | null,
22   weightKg: number | null,
23   mealsPerDay: number | null,
24   exerciseLevel: string,
25   walkLevel: string,
26   sleepHours: number | null,
27   waterLiters: number | null,
28   habits: string[]
29 ): AssessmentResult {
30   // ----- ЖИН / BMI -----
31   let overweightKg: number | null = null;
32   let daysToGoal: number | null = null;
33   let weightText = "Жингийн мэдээлэл дутуу байна.";
34
35   if (heightCm && weightKg && heightCm > 0 && weightKg > 0) {
36     const h = heightCm / 100;
37     const bmi = weightKg / (h * h);
38     const normalMin = 18.5 * h * h;
39     const normalMax = 24.9 * h * h;
40     const target = (normalMin + normalMax) / 2;
41     const diff = Math.round(weightKg - target);
42     overweightKg = diff;
43
44     if (Math.abs(diff) <= 2) {

```

```

45     weightText =
46       `Таны BMI хэвийн бүсэд ойрхон байна. Биеийн жин одоогийн байдлаар тогтвортой ` +
47       `хадгалж болох түвшинд байна. Хөдөлгөөн, хооллолт, нойр, усны хэрэглээгээ одоогийнх шигээ ` +
48       `эсвэл арай сайжруулбал илүү сайн.`;
49   } else if (diff > 2) {
50     const days = Math.max(40, Math.min(120, diff * 4));
51     daysToGoal = days;
52     weightText =
53       `Таны жингийн үзүүлэлтээр тооцоход ойролцоогоор **${diff} кг орчим илүүдэл жин** байна. ` +
54       `Энэ нь биеийн ачаалал, зүрх судас, үе мөч, нойр, хоол боловсруулалтанд нөлөөлөх эрсдэлтэй. ` +
55       `Хэвийн жиндээ ойртоход ойролцоогоор **${days} хоног** тогтвортой, аажим хөтөлбөрөөр ажиллах шаардлагатай.`;
56   } else {
57     const kg = Math.abs(diff);
58     const days = Math.max(40, Math.min(120, kg * 4));
59     daysToGoal = days;
60     weightText =
61       `Таны BMI-аар тооцоход ойролцоогоор **${kg} кг орчим жингийн дутагдал** байна. ` +
62       `Биеийн дархлаа, дааврын тэнцвэр, сэтгэлзүйн байдалд сөргөөр нөлөөлөх эрсдэлтэй. ` +
63       `Алгуурхан жингээ нөхөхөд **${days} хоног** орчим тогтвортой хөтөлбөр хэрэгтэй.`;
64   }
65 }
66
67 // ----- ХООЛЛОЛТ -----
68 let foodScore = 0;
69
70 if (mealsPerDay) {
71   if (mealsPerDay === 3 || mealsPerDay === 4) foodScore += 2;
72   else if (mealsPerDay === 2) foodScore += 1;
73   else foodScore -= 1;
74 }
75 if ((habits.includes("overeating") || habits.includes("sweets"))) && foodScore > 0 {
76   foodScore -= 1;
77 }
78
79 let foodText = "";
80 if (foodScore >= 2) {
81   foodText =
82     `Таны хооллолтын хуваарь ерөнхийдөө боломжийн харагдаж байна. Өдөрт тогтмол хооллож, ` +
83     `хоолны цагийг алгасах нь бага байгаагаас харахад хоолны дэглэмээ зөв тал руу чиглүүлж чаджээ. ` +
84     `Цаашид боловсруулсан хүнс, хэт их сахар, амттаны хэрэглээг бууруулж, ногоо, уураг, ` +
85     `эрүүл өөх тосоо нэмэгдүүлэх нь жингийн өөрчлөлтөд сайнаар нөлөөлнө.`;
86 } else if (foodScore >= 1) {
87   foodText =
88     `Таны хооллолтын хэв маяг **дунд зэрэг** түвшинд байна. ` +
89     `Өдөрт хооллох тоо тун муу биш ч зарим үед хоол алгасах, ` +
90     `гүйцэт тэжээл авахаас илүү хурдан, түргэн хоолуудад хандах хандлага ажиглагдаж болох юм. ` +
91     `Эрүүл өдрийн үндсэн 3 хоол, 1-2 удаагийн хөнгөн зуушийн тогтмол хуваарь баримталбал ` +
92     `жингийн тэнцвэр, энерги илүү жигд болно.`;
93 } else {
94   foodText =
95     `Таны хооллолтын хэв маяг тогтворгүй байж болзошгүй. Өдөрт хооллох тоо бага, ` +
96     `эсвэл нэг дор их хэмжээгээр идэх хандлага ажиглагдаж байна. ` +
97     `Ийм хэв маяг нь цусан дахь сахарын огцом хэлбэлзэл, жингийн их хэлбэлзэл, ` +
98     `сэтгэлзүйн ядаргаанд хүргэх магадлалтай. Хооллох цаг, хэмжээ, бүтэцдээ илүү анхаарч, ` +
99     `алгуур өөрчлөлт оруулах шаардлагатай.`;
100 }
101
102 // ----- ХӨДӨЛГӨӨН -----
103 let movementScore = 0;
104 if (exerciseLevel === "daily") movementScore += 3;
105 else if (exerciseLevel === "3-4") movementScore += 2;
106 else if (exerciseLevel === "1-2") movementScore += 1;
107 else if (exerciseLevel === "rare") movementScore += 0;
108 else movementScore -= 1;
109
110 if (walkLevel === "high") movementScore += 2;
111 else if (walkLevel === "medium") movementScore += 1;
112 else if (walkLevel === "low") movementScore -= 1;
113

```

```

114 let movementText = "";
115 if (movementScore >= 4) {
116   movementText =
117     `Таны хөдөлгөөний идэвхжил **сайн түвшинд** байна. Долоо хоногт хэд хэдэн удаагийн дасгал, ` +
118     `өдөр тутмын алхалт сайн байгаагаас шалтгаалан бодисын солилцоо, ` +
119     `зүрх судас, сэтгэлзүйн тэнцвэрт эерэг нөлөө үзүүлж байна. Энэ хэмнэлийг хадгалж, ` +
120     `суниалт, булчингийн хүчний дасгалыг бага багаар нэмбэл илүү сайжирна.`;
121 } else if (movementScore >= 2) {
122   movementText =
123     `Таны хөдөлгөөний түвшин **дунд зэрэг** байна. Тогтмол бус ч гэлээ тодорхой хэмжээнд дасгал, ` +
124     `алхалт хийдэг нь эерэг тал. Цаашид долоо хоногт 3-4 удаа 30-40 минутын идэвхтэй ` +
125     `хөдөлгөөн (алгаан дасгал, хурдан алхалт, йог, аэробик гэх мэт) хийх нь жин, нойр, ` +
126     `стрессийн түвшинг мэдэгдэхүйц сайжруулна.`;
127 } else {
128   movementText =
129     `Таны хөдөлгөөний идэвхжил бага түвшинд байна. Өдөр тутмын алхалт, биеийн хөдөлгөөн ` +
130     `хязгаарлагдмал байгаа нь бодисын солилцоог удаашруулж, жингийн өөрчлөлт, ` +
131     `нуруу, үе мөчний ачаалал нэмэгдэх эрсдэлтэй. Өдөрт дор хаяж 20-30 минут хурдан алхах, ` +
132     `нэг бүрчлэн суниалт, сунгалтын дасгал нэмэх нь маш чухал.`;
133 }
134
135 // ----- НОЙР / АМРАЛТ -----
136 let sleepScore = 0;
137 if (sleepHours) {
138   if (sleepHours >= 7 && sleepHours <= 9) sleepScore += 2;
139   else if (sleepHours >= 6 && sleepHours < 7) sleepScore += 1;
140   else sleepScore -= 1;
141 }
142
143 let sleepText = "";
144 if (sleepScore >= 2) {
145   sleepText =
146     `Таны унтах цаг **ерөнхийдөө хангалттай** байна. Шөнөдөө авдаг нойрны хэмжээ бие махбодын сэргээн ` +
147     `сэргээх үйл ажиллагаанд сайн нөлөөтэй. Унтах цагийг тогтмол байлгаж, ` +
148     `оройн цагаар цэлгэцийн хэрэглээг багасгах нь нойрны чанарыг улам сайжруулна.`;
149 } else if (sleepScore >= 1) {
150   sleepText =
151     `Таны нойр **дунд зэрэг** түвшинд байна. Өдөрт авах нойрныхоо хэмжээг арай бага талаас авч байгаа нь ` +
152     `анхаарал төвлөрөл, сэтгэлзүйн тогтвортой байдалд нөлөөлж болзошгүй. ` +
153     `Хэрэв боломжтой бол унтах цагийг 30-60 минутаар уртасгаж үзэх нь зохимжтой.`;
154 } else {
155   sleepText =
156     `Таны нойр хангалтгүй эсвэл тогтворгүй байж болзошгүй. Хэт бага нойр нь жин нэмэгдэх, ` +
157     `хоолны дуршил ихсэх, стрессийн даавар өсөхөд шууд нөлөөлдөг. ` +
158     `Шөнөдөө 7-8 цагийн чанартай нойр авах зорилго тавьж, орой унтах цагийг тогтмолжуулах хэрэгтэй.`;
159 }
160
161 // ----- УС -----
162 let waterScore = 0;
163 if (waterLiters) {
164   if (waterLiters >= 1.5 && waterLiters <= 2.5) waterScore += 2;
165   else if (waterLiters >= 1) waterScore += 1;
166   else waterScore -= 1;
167 }
168
169 let waterText = "";
170 if (waterScore >= 2) {
171   waterText =
172     `Өдөрт ууж буй усны хэмжээ **хангалттай түвшинд** байна. Энэ нь бодисын солилцоо, ` +
173     `гэнэтийн хоолны дуршлыг бууруулах, арьс, үе мөчний эрүүл мэндэд эерэг нөлөөтэй. ` +
174     `Цаашид сахартай, хийжүүлсэн ундааг аль болох усаар солих нь илүү ашигтай.`;
175 } else if (waterScore >= 1) {
176   waterText =
177     `Таны усны хэрэглээ **дунд зэрэг** байна. Өдөрт уудаг усны хэмжээг арай нэмэгдүүлбэл (ойролцоогоор 1.5-2 литр) ` +
178     `нойр, хоол боловсруулалт, ерөнхий эрч хүч нэмэгдэх боломжтой.`;
179 } else {
180   waterText =
181     `Өдөрт ууж буй усны хэмжээ бага байж болзошгүй. Ус дутуу авах нь толгой өвдөх, ` +
182     `ядарч сульдах, хоол боловсруулалт удаашрах, арьс хуурайших зэрэгт нөлөөлдөг. ` +

```

```

183     `Өдөрт бага багаар, тогтмол ус уух зуршилдаа анхаарах нь чухал.`;
184 }
185
186 // ----- ЗУРШИЛ -----
187 let habitScore = 0;
188 if (habits.includes("alcohol")) habitScore -= 1;
189 if (habits.includes("smoking")) habitScore -= 2;
190 if (habits.includes("screen")) habitScore -= 1;
191 if (habits.includes("lazy")) habitScore -= 1;
192 if (habits.includes("overeating")) habitScore -= 1;
193 if (habits.includes("workaholic")) habitScore -= 1;
194 if (habits.includes("badSleep")) habitScore -= 1;
195 if (habits.includes("soda")) habitScore -= 1;
196 if (habits.includes("sweets")) habitScore -= 1;
197
198 let habitText = "";
199 if (habitScore <= -4) {
200     habitText =
201         `Сонгосон зуршлуудаас харахад өдөр тутмын амьдралд тань эрүүл мэндэд сөрөг ` +
202         `хэд хэдэн хүчин зүйл зэрэгцэн нөлөөлж байна. Согтууруулах ундаа, тамхи, ` +
203         `дэлгэцийн хэрэглээ, амттан, хийжүүлсэн ундаа, нойрны дэглэм зэрэг олон ` +
204         `зуршлыг нэг дор өөрчлөх гэж яарах бус, алхам алхмаар, давтамжийг нь эхлээд ` +
205         `багасгах зарчмаар ажиллах нь илүү амжилттай байдаг.`;
206 } else if (habitScore <= -1) {
207     habitText =
208         `Танд тодорхой хэмжээний эрсдэл дагуулсан зуршлууд байна. Эдгээр нь одоогоор ` +
209         `бие махбодод шууд ноцтой асуудал үүсгээгүй байж болох ч жингийн хэлбэлзэл, ` +
210         `нойрны чанар, сэтгэлзүйн тогтвортой байдалд нөлөөлөх эрсдэлтэй. ` +
211         `Давтамжийг нь аажмаар бууруулах, орлуулах эерэг зуршлууд (алхалт, ус уух, ` +
212         `ногоо жимс нэмэх, богино амралт авах гэх мэт) нэмэх нь чухал.`;
213 } else {
214     habitText =
215         `Эрсдэлтэй зуршил харьцангуй бага байна. Одоогийн хэв маягаа хадгалж, ` +
216         `стрессээ эрүүл аргаар тайлах (спорт, алхалт, унших, бүтээлч хобби гэх мэт) ` +
217         `боломжуудаа нэмэгдүүлбэл урт хугацаанд эрүүл мэндийг хамгаалахад тусална.`;
218 }
219
220 // ----- ЕРӨНХИЙ ДҮГНЭЛТ -----
221 let overallText = "";
222 if (overweightKg === null) {
223     overallText =
224         `Оруулсан зарим мэдээлэл дутуу тул жин, биеийн байдлыг бүрэн тооцоолж чадсангүй. ` +
225         `Гэсэн хэдий ч хооллолт, хөдөлгөөн, нойр, ус, зуршлын мэдээллээс харахад тодорхой өөрчлөлт хийх ` +
226         `боломж байна. Танд тохирсон хөтөлбөрийг эхлүүлэхдээ зорилгоо илүү тодорхой болгож, ` +
227         `алхам алхмаар урагшлах нь хамгийн тогтвортой үр дүнг өгнө.`;
228 } else if (Math.abs(overweightKg) <= 2 && movementScore >= 2 && sleepScore >= 1) {
229     overallText =
230         `Дээрх үзүүлэлтүүдийг нэгтгэж харахад таны ерөнхий эрүүл мэндийн тэнцвэр **дунд түвшнээс дээш** байна. ` +
231         `Жин, хөдөлгөөн, нойр, усны хэрэглээ харьцангуй сайн байгаа тул одоо байгаа хэв маягаа хадгалж, ` +
232         `нарийн жижиг сайжруулалтад анхаарвал хангалттай. **Танд тохирсон хөтөлбөрт тавтай морил.**` +
233         `дараагийн хуудсанд бид таны зорьсон хоногийн турш өдөр бүр хийх энгийн даалгаврыг санал болгоно.`;
234 } else {
235     const kgText =
236         overweightKg > 0
237         ? `ойролцоогоор ${overweightKg} кг илүүдэл жинтэй `
238         : `ойролцоогоор ${Math.abs(overweightKg)} кг жингийн дутагдалтай`;
239     const dayText =
240         daysToGoal !== null
241         ? `хэвийн түвшинд хүрэхэд ${daysToGoal} хоног орчим тогтвортой ажиллах шаардлагатай. `
242         : "";
243     overallText =
244         `Дээрх үзүүлэлтүүдээс харахад та ${kgText} байна. Энэ нь хооллолт, хөдөлгөөн, нойр, усны ` +
245         `хэв маягтай хамт эрүүл мэндийн ерөнхий тэнцвэрт нөлөөлж байна. ${dayText}` +
246         `Хөтөлбөрийн дараагийн шатанд бид таныг ачаалал даах чадварт тохирсон өдөр бүрийн ` +
247         `жижиг даалгавруудтай холбож, алгуур боловч тогтвортой өөрчлөлт хийхэд тусална. ` +
248         `**Танд тохирсон хөтөлбөрт тавтай морил.**`;
249 }
250
251 return {

```

```

252     weightText,
253     foodText,
254     movementText,
255     sleepText,
256     waterText,
257     habitText,
258     overallText,
259     overweightKg,
260     daysToGoal,
261   };
262 }
263
264 export default function HealthQuestionnairePage() {
265   const router = useRouter();
266
267   // Асуулгын төлөвүүд
268   const [startDate, setStartDate] = useState("");
269   const [sex, setSex] = useState<Sex>("female");
270   const [age, setAge] = useState("");
271   const [heightCm, setHeightCm] = useState("");
272   const [weightKg, setWeightKg] = useState("");
273   const [healthCare, setHealthCare] = useState("");
274
275   const [dietType, setDietType] = useState("");
276   const [mealsPerDay, setMealsPerDay] = useState("");
277
278   const [exerciseLevel, setExerciseLevel] = useState("");
279   const [walkLevel, setWalkLevel] = useState("");
280
281   const [habits, setHabits] = useState<string[]>([]);
282   const [alcohol, setAlcohol] = useState("");
283   const [smoking, setSmoking] = useState("");
284
285   const [restHours, setRestHours] = useState("");
286   const [sleepHours, setSleepHours] = useState("");
287   const [sleepTime, setSleepTime] = useState("");
288
289   const [waterLiters, setWaterLiters] = useState("");
290
291   const [showResult, setShowResult] = useState(false);
292   const [result, setResult] = useState<AssessmentResult | null>(null);
293
294   const handleHabitChange = (event: ChangeEvent<HTMLInputElement>) => {
295     const { value, checked } = event.target;
296     setHabits((prev) =>
297       checked ? [...prev, value] : prev.filter((h) => h !== value)
298     );
299   };
300
301   const handleSubmit = (e: FormEvent) => {
302     e.preventDefault();
303
304     const habitTags = [...habits];
305
306     if (alcohol !== "none" && alcohol !== "") habitTags.push("alcohol");
307     if (smoking !== "none" && smoking !== "") habitTags.push("smoking");
308     if (habitTags.includes("lateSleep")) habitTags.push("badSleep");
309
310     const assessment = calcAssessment(
311       Number(heightCm) || null,
312       Number(weightKg) || null,
313       Number(mealsPerDay) || null,
314       exerciseLevel,
315       walkLevel,
316       Number(sleepHours) || null,
317       Number(waterLiters) || null,
318       habitTags
319     );
320

```



```

321   setResult(assessment);
322   setShowResult(true);
323 };
324
325 const resetForm = () => {
326   setShowResult(false);
327 };
328
329 return (
330   <div className="max-w-3xl mx-auto px-4 py-10">
331     {!showResult && (
332       <form onSubmit={handleSubmit} className="space-y-8">
333         <h1 className="text-2xl font-semibold mb-2">
334           □ Эрүүл мэндийн үнэлгээний асуулга
335         </h1>
336
337         {/* 1. Эхлэх өдөр, хүйс */}
338         <section className="space-y-4">
339           <div>
340             <label className="block text-sm font-medium mb-1">
341               1. Хөтөлбөр эхлэх өдөр
342             </label>
343             <input
344               type="date"
345               value={startDate}
346               onChange={(e) => setStartDate(e.target.value)}
347               className="w-full border rounded-md px-3 py-2"
348             />
349           </div>
350
351           <div>
352             <span className="block text-sm font-medium mb-1">2. Хүйс</span>
353             <div className="flex gap-4">
354               <label className="flex items-center gap-2 text-sm">
355                 <input
356                   type="radio"
357                   name="sex"
358                   value="male"
359                   checked={sex === "male"}
360                   onChange={() => setSex("male")}
361                 />
362                 Эп
363               </label>
364               <label className="flex items-center gap-2 text-sm">
365                 <input
366                   type="radio"
367                   name="sex"
368                   value="female"
369                   checked={sex === "female"}
370                   onChange={() => setSex("female")}
371                 />
372                 Эм
373               </label>
374             </div>
375           </div>
376         </section>
377
378         {/* Хувийн үндсэн мэдээлэл */}
379         <section className="space-y-4">
380           <h2 className="font-semibold">Хувийн үндсэн мэдээлэл</h2>
381
382           <div>
383             <label className="block text-sm mb-1">
384               3. Та хэдэн настай вэ?
385             </label>
386             <input
387               type="number"
388               value={age}
389               onChange={(e) => setAge(e.target.value)}

```

```

390         className="w-full border rounded-md px-3 py-2"
391     />
392 </div>
393
394 <div>
395     <label className="block text-sm mb-1">
396         4. Таны өндөр хэд вэ? (см-ээр)
397     </label>
398     <input
399         type="number"
400         value={heightCm}
401         onChange={(e) => setHeightCm(e.target.value)}
402         className="w-full border rounded-md px-3 py-2"
403     />
404 </div>
405
406 <div>
407     <label className="block text-sm mb-1">
408         5. Та хэдэн кг жинтэй вэ?
409     </label>
410     <input
411         type="number"
412         value={weightKg}
413         onChange={(e) => setWeightKg(e.target.value)}
414         className="w-full border rounded-md px-3 py-2"
415     />
416 </div>
417
418 <div>
419     <label className="block text-sm mb-1">
420         6. Та эрүүл мэнддээ хэр анхаардаг вэ?
421     </label>
422     <select
423         value={healthCare}
424         onChange={(e) => setHealthCare(e.target.value)}
425         className="w-full border rounded-md px-3 py-2"
426     >
427         <option value="">Сонгоно уу</option>
428         <option value="high">Бүх талаар анхаардаг</option>
429         <option value="medium">Дунд зэрэг анхаардаг</option>
430         <option value="rare">Ховор</option>
431         <option value="onlySick">Өвдөхөөрөө л үзүүлдэг</option>
432     </select>
433 </div>
434 </section>
435
436 {/* Хооллолтын мэдээлэл */}
437 <section className="space-y-4">
438     <h2 className="font-semibold">Хооллолтын мэдээлэл</h2>
439
440     <div>
441         <label className="block text-sm mb-1">
442             7. Та ямар хоолтон бэ?
443         </label>
444         <select
445             value={dietType}
446             onChange={(e) => setDietType(e.target.value)}
447             className="w-full border rounded-md px-3 py-2"
448         >
449             <option value="">Сонгоно уу</option>
450             <option value="mixed">Холимог хоолтон</option>
451             <option value="meat">Махан хоол давамгай</option>
452             <option value="veggie">Ногоо, цагаан хоол давамгай</option>
453             <option value="vegan">Веган</option>
454             <option value="unknown">Тодорхойгүй</option>
455         </select>
456     </div>
457
458 </div>

```

```

459     <label className="block text-sm mb-1">
460       8. Өдөрт хэдэн удаа хооллодог вэ?
461     </label>
462     <select
463       value={mealsPerDay}
464       onChange={(e) => setMealsPerDay(e.target.value)}
465       className="w-full border rounded-md px-3 py-2"
466     >
467       <option value="">Сонгоно уу</option>
468       <option value="1">1 удаа</option>
469       <option value="2">2 удаа</option>
470       <option value="3">3 удаа</option>
471       <option value="4">4+ удаа</option>
472     </select>
473   </div>
474 </section>
475
476 {/* Хөдөлгөөний түвшин */}
477 <section className="space-y-4">
478   <h2 className="font-semibold">Хөдөлгөөний түвшин</h2>
479
480   <div>
481     <label className="block text-sm mb-1">
482       9. Та дасгал хийдэг үү?
483     </label>
484     <select
485       value={exerciseLevel}
486       onChange={(e) => setExerciseLevel(e.target.value)}
487       className="w-full border rounded-md px-3 py-2"
488     >
489       <option value="">Сонгоно уу</option>
490       <option value="daily">Өдөр бүр</option>
491       <option value="3-4">Долоо хоногт 3-4 удаа</option>
492       <option value="1-2">Долоо хоногт 1-2 удаа</option>
493       <option value="rare">Ховор</option>
494       <option value="never">Огт хийдэггүй</option>
495     </select>
496   </div>
497
498   <div>
499     <label className="block text-sm mb-1">
500       10. Өдөрт дундажаар хэр их алхдаг вэ?
501     </label>
502     <select
503       value={walkLevel}
504       onChange={(e) => setWalkLevel(e.target.value)}
505       className="w-full border rounded-md px-3 py-2"
506     >
507       <option value="">Сонгоно уу</option>
508       <option value="none">Барар алхдаггүй</option>
509       <option value="low">Бага зэрэг</option>
510       <option value="medium">Дунд зэрэг</option>
511       <option value="high">Сайн алхдаг</option>
512     </select>
513   </div>
514 </section>
515
516 {/* Зуршил */}
517 <section className="space-y-4">
518   <h2 className="font-semibold">Зуршлын үнэлгээ</h2>
519
520   <div>
521     <span className="block text-sm mb-1">
522       11. Та өөрт байгаа гэж бодсон зуршлуудаас сонгоно уу?
523     </span>
524     <div className="grid grid-cols-1 sm:grid-cols-2 gap-2 text-sm">
525       <label className="flex items-center gap-2">
526         <input
527           type="checkbox"

```

```

528         value="alcohol"
529         onChange={handleHabitChange}
530     />
531     Сортууруулах ундаа хэрэглэдэг
532 </label>
533 <label className="flex items-center gap-2">
534     <input
535         type="checkbox"
536         value="smoking"
537         onChange={handleHabitChange}
538     />
539     Тамхи татдаг
540 </label>
541 <label className="flex items-center gap-2">
542     <input
543         type="checkbox"
544         value="screen"
545         onChange={handleHabitChange}
546     />
547     Утас, зурагт, тоглоом хэтрүүлдэг
548 </label>
549 <label className="flex items-center gap-2">
550     <input
551         type="checkbox"
552         value="lazy"
553         onChange={handleHabitChange}
554     />
555     Залхуурал
556 </label>
557 <label className="flex items-center gap-2">
558     <input
559         type="checkbox"
560         value="overeating"
561         onChange={handleHabitChange}
562     />
563     Хэтрүүлж иддэг
564 </label>
565 <label className="flex items-center gap-2">
566     <input
567         type="checkbox"
568         value="workaholic"
569         onChange={handleHabitChange}
570     />
571     Хэт их ажилладаг
572 </label>
573 <label className="flex items-center gap-2">
574     <input
575         type="checkbox"
576         value="badSleep"
577         onChange={handleHabitChange}
578     />
579     Нойр муутай явдаг
580 </label>
581 <label className="flex items-center gap-2">
582     <input
583         type="checkbox"
584         value="soda"
585         onChange={handleHabitChange}
586     />
587     Газтай ундаа байнга уудаг
588 </label>
589 <label className="flex items-center gap-2">
590     <input
591         type="checkbox"
592         value="sweets"
593         onChange={handleHabitChange}
594     />
595     Амттан хэтрүүлж иддэг
596 </label>

```

```

597     </div>
598 </div>
599
600 <div>
601   <label className="block text-sm mb-1">
602     12. Сортнууруулах ундааны хэрэглээ хэр вэ?
603   </label>
604   <select
605     value={alcohol}
606     onChange={(e) => setAlcohol(e.target.value)}
607     className="w-full border rounded-md px-3 py-2"
608   >
609     <option value="">Сонгоно уу</option>
610     <option value="none">Орт хэрэглэдэггүй</option>
611     <option value="month">Сард 1-2 удаа</option>
612     <option value="week1">Долоо хоногт 1 удаа</option>
613     <option value="week2-3">Долоо хоногт 2-3 удаа</option>
614     <option value="daily">Бараг өдөр бүр</option>
615   </select>
616 </div>
617
618 <div>
619   <label className="block text-sm mb-1">
620     13. Тамхины хэрэглээ хэр вэ?
621   </label>
622   <select
623     value={smoking}
624     onChange={(e) => setSmoking(e.target.value)}
625     className="w-full border rounded-md px-3 py-2"
626   >
627     <option value="">Сонгоно уу</option>
628     <option value="none">Орт татдаггүй</option>
629     <option value="rare">Хааяа нэг сордог</option>
630     <option value="1-5">Өдөрт 1-5 ширхэг</option>
631     <option value="6-10">Өдөрт 6-10 ширхэг</option>
632     <option value="11-20">Өдөрт 11-20 ширхэг</option>
633     <option value="20+">Өдөрт 20-иос дээш</option>
634   </select>
635 </div>
636 </section>
637
638 {/* Нойр ба амралт, үс */}
639 <section className="space-y-4">
640   <h2 className="font-semibold">Нойр ба амралт</h2>
641
642   <div>
643     <label className="block text-sm mb-1">
644       14. Та өдөрт хэр хугацаанд яг өөртөө анхаараад тайван амарч чаддаг вэ?
645     </label>
646     <select
647       value={restHours}
648       onChange={(e) => setRestHours(e.target.value)}
649       className="w-full border rounded-md px-3 py-2"
650     >
651       <option value="">Сонгоно уу</option>
652       <option value="0.5-1">30 мин-1 цаг</option>
653       <option value="1-2">1-2 цаг</option>
654       <option value="2-3">2-3 цаг</option>
655       <option value="none">Амардаггүй</option>
656     </select>
657   </div>
658
659   <div>
660     <label className="block text-sm mb-1">
661       15. Та шөнөдөө хэдэн цаг унтдаг вэ?
662     </label>
663     <select
664       value={sleepHours}
665       onChange={(e) => setSleepHours(e.target.value)}

```

```

666         className="w-full border rounded-md px-3 py-2"
667     >
668         <option value="">Сонгоно уу</option>
669         <option value="4-6">4-6 цар</option>
670         <option value="6-8">6-8 цар</option>
671         <option value="8-10">8-10 цар</option>
672         <option value="10+">10-с дээш</option>
673         <option value="4">4-с бара</option>
674     </select>
675 </div>
676
677 <div>
678     <label className="block text-sm mb-1">
679         16. Та хэдэн царт унтдаг вэ?
680     </label>
681     <select
682         value={sleepTime}
683         onChange={(e) => setSleepTime(e.target.value)}
684         className="w-full border rounded-md px-3 py-2"
685     >
686         <option value="">Сонгоно уу</option>
687         <option value="21-22">21:00 - 22:00</option>
688         <option value="22-23">22:00 - 23:00</option>
689         <option value="23-24">23:00 - 00:00</option>
690         <option value="0-1">00:00 - 01:00</option>
691         <option value="1+">01:00-с хойш</option>
692     </select>
693 </div>
694
695 <div>
696     <label className="block text-sm mb-1">
697         17. Өдөрт уудар ус (литр)
698     </label>
699     <input
700         type="number"
701         step="0.1"
702         value={waterLiters}
703         onChange={(e) => setWaterLiters(e.target.value)}
704         className="w-full border rounded-md px-3 py-2"
705     />
706 </div>
707 </section>
708
709 <div className="pt-4 flex justify-end">
710     <button
711         type="submit"
712         className="px-6 py-2 rounded-md bg-blue-600 text-white text-sm font-medium"
713     >
714         Тооцоолох
715     </button>
716 </div>
717 </form>
718 )}
719
720 {/* ДҮГНЭЛТ ГАРАХ ХЭСЭГ */}
721 {showResult && result && (
722     <div className="space-y-6">
723         <h1 className="text-2xl font-semibold mb-2">Эрүүл мэндийн дүгнэлт</h1>
724
725         <section className="space-y-2">
726             <h2 className="font-semibold">1) Жин / биеийн байдал</h2>
727             <p className="text-sm leading-relaxed whitespace-pre-line">
728                 {result.weightText}
729             </p>
730         </section>
731
732         <section className="space-y-2">
733             <h2 className="font-semibold">2) Хооллолт</h2>
734             <p className="text-sm leading-relaxed whitespace-pre-line">

```

```

735     {result.foodText}
736   </p>
737 </section>
738
739 <section className="space-y-2">
740   <h2 className="font-semibold">3) Хөдөлгөөн</h2>
741   <p className="text-sm leading-relaxed whitespace-pre-line">
742     {result.movementText}
743   </p>
744 </section>
745
746 <section className="space-y-2">
747   <h2 className="font-semibold">4) Нойр</h2>
748   <p className="text-sm leading-relaxed whitespace-pre-line">
749     {result.sleepText}
750   </p>
751 </section>
752
753 <section className="space-y-2">
754   <h2 className="font-semibold">5) Үс</h2>
755   <p className="text-sm leading-relaxed whitespace-pre-line">
756     {result.waterText}
757   </p>
758 </section>
759
760 <section className="space-y-2">
761   <h2 className="font-semibold">6) Зуршил</h2>
762   <p className="text-sm leading-relaxed whitespace-pre-line">
763     {result.habitText}
764   </p>
765 </section>
766
767 <section className="space-y-2">
768   <h2 className="font-semibold">7) Ерөнхий дүгнэлт</h2>
769   <p className="text-sm leading-relaxed whitespace-pre-line">
770     {result.overallText}
771   </p>
772 </section>
773
774 <div className="pt-4 flex flex-wrap gap-3">
775   <button
776     type="button"
777     onClick={resetForm}
778     className="px-4 py-2 rounded-md border text-sm"
779   >
780     Буцах (асуулга руу)
781   </button>
782   <button
783     type="button"
784     onClick={() => router.push("/") }
785     className="px-4 py-2 rounded-md border text-sm"
786   >
787     Үат руу орох
788   </button>
789   <button
790     type="button"
791     onClick={() => router.push("/mind/health-demo/summary")}
792     className="px-4 py-2 rounded-md bg-blue-600 text-white text-sm"
793   >
794     Үргэлжлүүлэх (хөтөлбөр рүү)
795   </button>
796 </div>
797 </div>
798   )}
799 </div>
800 );
801 }

```

60. app/(chat)/mind/health-demo/summary/page.tsx

```
1  "use client";
2
3  import { useRouter } from "next/navigation";
4
5  type Sex = "male" | "female";
6
7  interface ProgramInput {
8    sex: Sex;
9    age: number;
10   heightCm: number;
11   weightKg: number;
12   sleepHours: number;
13   waterLiters: number;
14   exercisePerWeek: number;
15   junkScore: number;
16 }
17
18 interface ProgramResult {
19   bmi: number;
20   normalMin: number;
21   normalMax: number;
22   excessKg: number;
23   daysToGoal: number;
24   dailyCalories: number;
25   proteinPercent: number;
26   fatPercent: number;
27   carbPercent: number;
28   sleepRecommended: number;
29   waterRecommended: number;
30   stepsRecommended: number;
31 }
32
33 function calculateProgram(input: ProgramInput): ProgramResult {
34   const heightM = input.heightCm / 100;
35
36   const bmi = input.weightKg / (heightM * heightM);
37   const normalMin = 18.5 * heightM * heightM;
38   const normalMax = 24.9 * heightM * heightM;
39
40   let excessKg = 0;
41   if (input.weightKg > normalMax) {
42     excessKg = input.weightKg - normalMax;
43   } else if (input.weightKg < normalMin) {
44     excessKg = input.weightKg - normalMin; // хэт турсан байж болно
45   }
46
47   // Жишээ томъёо: 1 кг = 4.6 өдөр орчим → 17 кг ≈ 78.2 ≈ 79 хоног
48   const daysToGoal = Math.max(30, Math.round(Math.abs(excessKg) * 4.6));
49
50   // Маш ойролцоогоор Mifflin-St Jeor
51   const base =
52     input.sex === "female"
53       ? 10 * input.weightKg + 6.25 * input.heightCm - 5 * input.age - 161
54       : 10 * input.weightKg + 6.25 * input.heightCm - 5 * input.age + 5;
55
56   let activityFactor = 1.2;
57   if (input.exercisePerWeek >= 5) activityFactor = 1.55;
58   else if (input.exercisePerWeek >= 3) activityFactor = 1.4;
59   else if (input.exercisePerWeek >= 1) activityFactor = 1.3;
60
61   const dailyCalories = Math.round(base * activityFactor * 0.85); // аюулгүй бага зөрүүтэй
62
63   // Макро харьцаа (жишээ): уураг 25%, өөх 25%, нүүрс ус 50%
64   const proteinPercent = 25;
65   const fatPercent = 25;
66   const carbPercent = 50;
```



```

67
68 // Ерөнхий зөвлөмжүүд
69 const sleepRecommended = 7.5;
70 const waterRecommended = Math.max(1.5, Math.min(3.5, input.weightKg * 0.03));
71 const stepsRecommended = 8000;
72
73 return {
74   bmi: parseFloat(bmi.toFixed(1)),
75   normalMin: parseFloat(normalMin.toFixed(1)),
76   normalMax: parseFloat(normalMax.toFixed(1)),
77   excessKg: parseFloat(excessKg.toFixed(1)),
78   daysToGoal,
79   dailyCalories,
80   proteinPercent,
81   fatPercent,
82   carbPercent,
83   sleepRecommended,
84   waterRecommended: parseFloat(waterRecommended.toFixed(1)),
85   stepsRecommended,
86 };
87 }
88
89 export default function HealthSummaryPage() {
90   const router = useRouter();
91
92   // Одоохондоо жишээ өгөгдөл - дараа нь асуумжтайгаа холбоно
93   const exampleInput: ProgramInput = {
94     sex: "female",
95     age: 32,
96     heightCm: 165,
97     weightKg: 82,
98     sleepHours: 6,
99     waterLiters: 1.2,
100    exercisePerWeek: 1,
101    junkScore: 6,
102  };
103
104   const program = calculateProgram(exampleInput);
105
106   const isOverweight = program.excessKg > 0;
107
108   return (
109     <div className="min-h-screen bg-gradient-to-b from-sky-50 via-white to-emerald-50 px-4 py-8 md:px-8">
110       <div className="mx-auto max-w-4xl space-y-6">
111         /* Гарчиг + товчхон тайлбар */
112         <div className="rounded-2xl bg-white/70 p-6 shadow-sm backdrop-blur">
113           <h1 className="text-2xl md:text-3xl font-semibold text-slate-900 mb-2">
114             Эрүүл мэндийн хөтөлбөрийн дүгнэлт
115           </h1>
116           <p className="text-slate-600 text-sm md:text-base">
117             Та бөглөсөн асуумжийн үндсэн дээр Ожунсанаа таны биеийн байдалд
118             тохирсон ерөнхий хөтөлбөрийг санал болголоо. Энэ нь{" "}
119             <span className="font-medium">хоол, хөдөлгөөн, нойр, амралт</span> ба{" "}
120             <span className="font-medium">муу зуршил</span>-ын тэнцвэрийг зөөлөн
121             өөрчлөхөд чиглэнэ.
122           </p>
123         </div>
124
125         /* Гол дүгнэлт - жин, хоног, калор */
126         <div className="grid gap-4 md:grid-cols-[minmax(0,2fr),minmax(0,1.4fr)]">
127           <div className="rounded-2xl bg-white/80 p-6 shadow-sm backdrop-blur space-y-4">
128             <h2 className="text-lg md:text-xl font-semibold text-slate-900">
129               Таны жин ба зорилтот хугацаа
130             </h2>
131
132             <p className="text-slate-700 text-sm md:text-base leading-relaxed">
133               Та одоогоор{" "}
134               <span className="font-semibold">
135                 {exampleInput.weightKg} кг

```

```

136     </span>{" " }
137     жинтэй бөгөөд таны өндрийг бодолцвол хэвийн жин{" " }
138     <span className="font-semibold">
139       {program.normalMin}-{program.normalMax} кг
140     </span>{" " }
141     орчим байна.
142   </p>
143
144   {isOverweight ? (
145     <p className="text-slate-700 text-sm md:text-base leading-relaxed">
146       Таны жинд{" " }
147       <span className="font-semibold text-rose-600">
148         {program.excessKg} кг
149       </span>{" " }
150       илүүдэл байна. Хамгийн аюулгүй, дарамт бага хурдтайгаар{" " }
151       <span className="font-semibold text-emerald-600">
152         {program.daysToGoal} хоногт
153       </span>{" " }
154       хэвийн жинд хүрэх боломжтой.
155     </p>
156   ) : (
157     <p className="text-slate-700 text-sm md:text-base leading-relaxed">
158       Таны жин одоогоор хэвийн мужид ойр байна. Хөтөлбөрийн гол зорилго
159       нь жинг алдах бус,{" " }
160       <span className="font-semibold">
161         эрүүл хэв маягаа тогтвортой хадгалах
162       </span>{" " }
163       юм.
164     </p>
165   )}
166
167   <div className="mt-3 rounded-xl bg-sky-50/80 p-4 border border-sky-100">
168     <p className="text-sm md:text-base text-slate-800 leading-relaxed">
169       Та өдөрт дунджаар{" " }
170       <span className="font-semibold text-sky-700">
171         {program.dailyCalories} ккал
172       </span>{" " }
173       хүртэл хоол идэх нь таны биеийн онцлогт илүү{" " }
174       <span className="font-semibold">
175         зөөлөн, тогтвортой өөрчлөлт
176       </span>{" " }
177       хийхэд тохиромжтой.
178     </p>
179     <p className="mt-2 text-xs md:text-sm text-slate-600">
180       Калорыг зүгээр нэг барасрах биш,{" " }
181       <span className="font-medium">
182         шим тэжээл, уураг, нүүрс ус, өөх тос
183       </span>
184       -ыг зөв харьцаатай байлгах нь хамгийн чухал.
185     </p>
186   </div>
187 </div>
188
189   {/* Макро ба гол үзүүлэлтүүд */}
190   <div className="rounded-2xl bg-white/80 p-6 shadow-sm backdrop-blur space-y-4">
191     <h2 className="text-lg md:text-xl font-semibold text-slate-900">
192       Өдөрт авах үндсэн суурь
193     </h2>
194
195     <div className="space-y-3 text-sm md:text-base">
196       <div>
197         <div className="flex items-baseline justify-between">
198           <span className="text-slate-600">Өдөрт нийт ккал</span>
199           <span className="font-semibold text-slate-900">
200             {program.dailyCalories} ккал
201           </span>
202         </div>
203       </div>
204

```

```

205     <div className="pt-2 border-t border-slate-100">
206       <p className="text-slate-600 mb-2">
207         Таны хоол хүнсний{" "}
208         <span className="font-medium">макро хуваарилалт</span>:
209       </p>
210       <ul className="space-y-1.5 text-slate-700">
211         <li>
212           • Выпар:{" "}
213           <span className="font-semibold">
214             {program.proteinPercent}%
215           </span>
216         </li>
217         <li>
218           • Нүүрс үс:{" "}
219           <span className="font-semibold">
220             {program.carbPercent}%
221           </span>
222         </li>
223         <li>
224           • Өөх тос:{" "}
225           <span className="font-semibold">
226             {program.fatPercent}%
227           </span>
228         </li>
229       </ul>
230       <p className="mt-2 text-xs md:text-sm text-slate-500">
231         Ямар ч хоол идэж болно, гол нь{" "}
232         <span className="font-medium">
233           шим тэжээлээ тэнцвэртэй байлгах
234         </span>{" "}
235         нь чухал. Оюунсанаа таны идсэн хоолыг шим тэжээлээр нь ялгаж
236         харуулна.
237       </p>
238     </div>
239   </div>
240 </div>
241 </div>
242
243   {/* Хэвийн vs Одоогийн үзүүлэлтүүд - "зураас"-ын концепц */}
244   <div className="rounded-2xl bg-white/80 p-6 shadow-sm backdrop-blur">
245     <h2 className="text-lg md:text-xl font-semibold text-slate-900 mb-3">
246       Хэвийн ба таны одоогийн үзүүлэлт
247     </h2>
248     <p className="text-sm md:text-base text-slate-600 mb-4">
249       Доорх зурааснууд дээр{" "}
250       <span className="font-medium">хэвийн үзүүлэлт</span> ба{" "}
251       <span className="font-medium">таны одоогийн байдал</span> зэрэгцэн
252       харагдана. Хөтөлбөр хэрэгжүүлэх тусам "Таны өнөөгийн" зураас
253       өдөр бүр өөрчлөгдөнө.
254     </p>
255
256     <div className="space-y-4">
257       {/* Жин */}
258       <MetricRow
259         label="Жин"
260         normalLabel={` ${program.normalMin} - ${program.normalMax} кг`}
261         currentLabel={` ${exampleInput.weightKg} кг`}
262       />
263
264       {/* Хоол - ккал */}
265       <MetricRow
266         label="Хоол (өдөрт ккал)"
267         normalLabel={` ${program.dailyCalories} ккал орчим`}
268         currentLabel="Таны одоогийн хооллолт: жишээ байдлаар илүү савалгаа ихтэй"
269       />
270
271       {/* Хөдөлгөөн */}
272       <MetricRow
273         label="Хөдөлгөөн"

```

```

274     normalLabel={`${program.stepsRecommended.toLocaleString()} алхам/өдөр`}
275     currentLabel="Алхалт бага, долоо хоногт 1-2 удаа дасгал"
276   />
277
278   {/* Нойр */}
279   <MetricRow
280     label="Нойр"
281     normalLabel={`${program.sleepRecommended} цаг/шөнө`}
282     currentLabel={`${exampleInput.sleepHours} цаг/шөнө`}
283   />
284
285   {/* Үс */}
286   <MetricRow
287     label="Үс"
288     normalLabel={`${program.waterRecommended} л/өдөр`}
289     currentLabel={`${exampleInput.waterLiters} л/өдөр`}
290   />
291
292   {/* Муу зуршил */}
293   <MetricRow
294     label="Муу зуршлын түвшин"
295     normalLabel="Ховор эсвэл огт байхгүй"
296     currentLabel="Одоогоор нэлээд нөлөөтэй байж болзошгүй"
297   />
298 </div>
299 </div>
300
301   {/* Доод хэсгийн товчлуурууд */}
302   <div className="flex flex-col md:flex-row gap-3 justify-between">
303     <button
304       type="button"
305       onClick={() => router.push("/mind/health-demo/questionnaire")}
306       className="w-full md:w-auto rounded-full border border-slate-200 bg-white/70 px-5 py-2.5 text-sm font-medium text-slate-700 shadow-sm hover:bg-slate-50 transition"
307     >
308       Буцах (асуумж засах)
309     </button>
310
311     <div className="flex flex-col md:flex-row gap-3 w-full md:w-auto">
312       <button
313         type="button"
314         onClick={() => router.push("/chat")}
315         className="flex-1 rounded-full border border-sky-200 bg-sky-50/80 px-5 py-2.5 text-sm font-medium text-sky-800 shadow-sm hover:bg-sky-100 transition"
316       >
317         Чатаар ярилцах
318       </button>
319
320       <button
321         type="button"
322         onClick={() => router.push("/mind/health-demo/program")}
323         className="flex-1 rounded-full bg-emerald-500/90 px-5 py-2.5 text-sm font-semibold text-white shadow-md hover:bg-emerald-600 transition"
324       >
325         Танд тохирсон хөтөлбөрийг эхлүүлэх
326       </button>
327     </div>
328   </div>
329 </div>
330 </div>
331 );
332 }
333
334 interface MetricRowProps {
335   label: string;
336   normalLabel: string;
337   currentLabel: string;
338 }
339
340 function MetricRow({ label, normalLabel, currentLabel }: MetricRowProps) {
341   return (
342     <div className="space-y-1.5">

```

```

343     <div className="flex items-center justify-between">
344       <span className="text-sm font-medium text-slate-800">{label}</span>
345     </div>
346     <div className="grid gap-2 md:grid-cols-2">
347       <div className="rounded-xl bg-slate-50/80 border border-slate-100 px-3 py-2.5">
348         <div className="text-[11px] uppercase tracking-wide text-slate-400 mb-1">
349           Хэвийн үзүүлэлт
350         </div>
351         <div className="h-2.5 w-full rounded-full bg-slate-200/70 overflow-hidden mb-1.5">
352           <div className="h-full w-4/5 rounded-full bg-emerald-400/80" />
353         </div>
354         <div className="text-xs text-slate-700">{normalLabel}</div>
355       </div>
356
357       <div className="rounded-xl bg-slate-50/80 border border-slate-100 px-3 py-2.5">
358         <div className="text-[11px] uppercase tracking-wide text-slate-400 mb-1">
359           Таны өнөөгийн байдал
360         </div>
361         <div className="h-2.5 w-full rounded-full bg-slate-200/70 overflow-hidden mb-1.5">
362           <div className="h-full w-3/5 rounded-full bg-sky-400/80" />
363         </div>
364         <div className="text-xs text-slate-700">{currentLabel}</div>
365       </div>
366     </div>
367   </div>
368   );
369 }

```

61. app/(chat)/mind/health/intro/page.tsx

```

1  "use client";
2
3  import { DomainIntroPage } from "@/components/mind/who-am-i/domain-intro";
4
5  export default function HealthIntroPage() {
6    return (
7      <DomainIntroPage
8        appHref="/mind/self-care/stress"
9        appLabel="Миний эрүүл мэнд"
10       balanceKey="body"
11       description={
12         "Энэхүү талбар нь та өөрийн бие мах бодь, эрүүл мэнддээ хэрхэн анхаардаг тухай км.\n\n" +
13         "Ойрын үед таны нойрны чанар, хооллолт, дасгал хөдөлгөөний идэвх ямар түвшинд байна вэ? " +
14         "Бие тань танд ямар нэгэн дохио (өвдөлт, ядаргаа г.м) өгч байна уу? Мөн та өөрийн гадаад " +
15         "төрх, гоо сайхандаа хэр сэтгэл хангалуун байдаг вэ? Дээрх асуултуудад хариулах байдлаар " +
16         "өөрийгөө эрүүл мэндийн хувьд нь халамжлахад өдөрт хичнээн цаг хугацааг, эрч хүч энерги, " +
17         "мөнгө санхүүг зарцуулж байгаагаа үнэлээрэй."
18       }
19       hex="#7E9B6E"
20       icon=""
21       title="Эрүүл мэнд"
22       appGuide={
23         "Зорилго:\n" +
24         "Таны анхны асуумжийн мэдээлэлд үндэслэн хувь хүнд тохирсон эрүүл мэндийн хөтөлбөр үүсгэнэ. " +
25         "Энэ нь зөвхөн үнэлгээ биш — зорилтот жиндээ хүрэх, эрүүл зуршлаа сайжруулахад чиглэсэн урт хугацааны хөтөлбөр км. " +
26         "Дэглэм барьж чадахгүй байсан ч юу идэж байгаагаа зүгээр л бүртгэх нь өөрөө үр дүн: идсэн хоолныхоо зургийг оруулаад л " +
27         "тодорхой хугацааны дараа биед тань юу орж байгааг хянаж харж чадна.\n\n" +
28         "1. Анхны үнэлгээ\n" +
29         "Нас, хүйс, өндөр, жин, нойр, хооллолт, хөдөлгөөн, усны хэрэглээ, амралт, бэлгийн эрүүл мэнд зэрэг мэдээллээ бөглөнө. " +
30         "Систем BMI, зорилтот жин, хөтөлбөрийн хугацаа, өдөрт авах болон шатаах илчлэг, шаардлагатай нойр, амралтын хугацааг тооцоолно.\n" +
31         "Жишээ: Одоогийн жин 82 кг → Зорилтот жин 72 кг → Тооцоолсон хугацаа 120 хоног.\n\n" +
32         "2. Хөтөлбөр\n" +
33         "«Хөтөлбөр эхлэх» товч дарснаар таны хувийн хөтөлбөр үүснэ. Үндсэн дэлгэц дээр хэд дэх өдөр явж байгаа, эхлэх/дуусах огноо, " +
34         "зорилтот болон одоогийн жин, үлдсэн хоног харагдана. Хөтөлбөрөө хэдэн ч удаа устгаж, асуумжаа шинээр бөглөөд дахин эхлүүлж болно.\n" +
35         "Жишээ: Өдөр 38 / 120 · Эхэлсэн 2026-06-01 · Дуусах 2026-09-29.\n\n" +
36         "3. Хоол бүртгэх (3 арга)\n" +
37         "• Зураг — хоолныхоо зургийг оруулахад нэр, ойролцоо хэмжээ, илчлэг, уураг, өөх тос, нүүрс ус, сахар, эслэг, шим тэжээлийг " +

```

```

38 "автоматаар гаргана. Засах боломжтой бөгөөд «Хоол нэмэх» дарснаар л бүртгэлд орно.\n" +
39 "• Дуу хоолой – «1 аяга будаа, 2 өндөг идсэн» гэж хэлэхэд бичиг болж хувирна, засварлаад бүртгэнэ.\n" +
40 "• Гараар – хоолны нэр, хэмжээ, порцоо бичиж оруулна.\n\n" +
41 "4. Өдрийн хооллолтын тайлан\n" +
42 "Өдөрт бүртгэсэн бүх хоол нэгтгэгдэж, зорилтот үзүүлэлтийн хэдэн хувьд хүрснийг харуулна " +
43 "(илчлэг 1800/2200 kcal, уураг 80/120 гр, өөх тос 45/60 гр, нүүрс ус 210/250 гр г.м). " +
44 "Уураг дутуу байна уу, сахар их байна уу, тэнцвэртэй хооллож байна уу гэдгээ хараад дараагийн хоолоо төлөвлөнө. " +
45 "Зорилтот хэмжээндээ хүрэхэд мэдэгдэнэ, хэтэрсэн үед анхааруулга харагдана.\n\n" +
46 "5. Ус\n" +
47 "Ус, кофе, цай, сүү, газтай ундаа, жүүс, энергийн ундаа зэрэг уусан зүйлсээ хэмжээ, аяганы тоогоор бүртгэхэд " +
48 "ус (мл), сахар (гр), кофеин (мг), илчлэг (ккал)-ээр тооцоолно.\n\n" +
49 "6. Амралт – «Өнөөдөр өөртөө хэр хугацаа гаргаж амарсан бэ?»\n" +
50 "7. Нойр – «Өчигдөр хэдэн цаг унтсан бэ?»\n" +
51 "8. Хөдөлгөөн – «Хангалттай / Дунд зэрэг / Бага» эсвэл «Хийсэн / Хийгээгүй» гэж хялбар тэмдэглэнэ. " +
52 "Тусдаа Хөдөлгөөн хэсэгт алхам, хөдөлгөөний хугацаа, шатаасан илчлэг харагдана – боломжтой бол утасны мэдрэгчээс автоматаар авна.\n\n" +
53 "9. Өдрийн дүгнэлт\n" +
54 "Хоол, ус, нойр, амралт, хөдөлгөөнөө бүртгэсний дараа Оюунсанаа өдрийн товч дүгнэлт гаргана. " +
55 "Жишээ: «Өнөөдөр та зорилтот илчлэгийн хэмжээндээ хүрчээ. Харин уургийн хэрэглээ бага байна. " +
56 "Амралтын хугацаа хангалтгүй байсан тул маргааш өөртөө илүү цаг гаргахыг зөвлөж байна.» " +
57 "Дүгнэлтүүд хадгалагдаж, өмнөх өдрүүдийнхээ дүгнэлтийг эргэж харах боломжтой."
58 }
59 />
60 };
61 }

```

62. app/(chat)/mind/life/finance-app/EntrySection.tsx

```

1  "use client";
2
3  import { Plus, Trash2 } from "lucide-react";
4  import { useEffect, useMemo, useState } from "react";
5  import type { CategoryId, TransactionType } from "../financeTypes";
6  import { categoryLabels, subcategoryOptions, categoriesForType } from "../financeCategories";
7  import { useLocale, useT } from "@lib/i18n/provider";
8
9  export function EntrySection(props: {
10    guest: boolean;
11    onAdd: (payload: {
12      type: TransactionType;
13      amount: number;
14      category: CategoryId;
15      subCategory?: string | null;
16      date?: string;
17      note?: string;
18    }) => Promise<void>;
19    onDeleteAll: () => Promise<void>;
20    quick: {
21      totalIncome: number;
22      totalExpense: number;
23      debtOutstanding: number;
24      savingBalance: number;
25    };
26  }) {
27    const { guest, onAdd, onDeleteAll, quick } = props;
28
29    const t = useT();
30    const f = t.apps.finance.entry;
31    const locale = useLocale();
32    const labels = categoryLabels(locale);
33    const subOptionsByCat = subcategoryOptions(locale);
34
35    const [showEntry, setShowEntry] = useState(false);
36
37    const [type, setType] = useState<TransactionType>("expense");
38    const [amount, setAmount] = useState<string>("");
39    const [category, setCategory] = useState<CategoryId>("food");
40    const [subCategory, setSubCategory] = useState<string>("");

```

```

41   const [date, setDate] = useState<string>("");
42   const [note, setNote] = useState<string>("");
43
44   // type өөрчлөгдөхөд default-ууд
45   useEffect(() => {
46     if (type === "income") {
47       setCategory("income");
48       setSubCategory("income_salary");
49       return;
50     }
51     if (type === "debt") {
52       setCategory("debt_borrow");
53       setSubCategory("loan_mortgage");
54       return;
55     }
56     if (type === "saving") {
57       setCategory("saving_add");
58       setSubCategory("saving_risk");
59       return;
60     }
61     // expense
62     if (category === "income" || category === "debt_borrow" || category === "debt_repay" || category === "saving_add" || category === "saving_withdraw") {
63       setCategory("food");
64     }
65     setSubCategory("");
66     // eslint-disable-next-line react-hooks/exhaustive-deps
67   }, [type]);
68
69   // category өөрчлөгдөхөд subCategory default (debt/saving/income үед)
70   useEffect(() => {
71     if (type === "income") setSubCategory((v) => v || "income_salary");
72     else if (type === "debt") setSubCategory((v) => v || "loan_mortgage");
73     else if (type === "saving") setSubCategory((v) => v || "saving_risk");
74     // expense бол хоосон байж болно
75     // eslint-disable-next-line react-hooks/exhaustive-deps
76   }, [category]);
77
78   const availableCategoryOptions = useMemo(() => categoriesForType(type), [type]);
79   const availableSubOptions = useMemo(() => subOptionsByCat[category] ?? [], [category, subOptionsByCat]);
80   const showSub = availableSubOptions.length > 0;
81
82   const handleAddClick = async () => {
83     const value = Number(amount.replace(/\\/s/g, ""));
84     if (!value || Number.isNaN(value)) return;
85
86     await onAdd({
87       type,
88       amount: value,
89       category,
90       subCategory: showSub ? (subCategory || null) : null,
91       date: date || undefined,
92       note: note.trim() || undefined,
93     });
94
95     setAmount("");
96     setNote("");
97   };
98
99   return (
100     <section className="mt-8 space-y-3">
101       <button
102         type="button"
103         onClick={() => setShowEntry((v) => !v)}
104         className="inline-flex items-center justify-center rounded-full border border-slate-200 bg-white text-slate-900 px-4 py-1.5 text-xs sm:text-sm font-medium hover:bg-slate-50 transition"
105       >
106         {showEntry ? f.hideLabel : f.showLabel}
107       </button>
108
109       {guest && (

```

```

110     <p className="text-[11px] text-amber-700" dangerouslySetInnerHTML={{ __html: f.guestNote }} />
111   }}
112
113   {showEntry && (
114     <div className="grid md:grid-cols-[minmax(0,1.3fr)_minmax(0,1.7fr)] gap-5">
115       <div className="space-y-4">
116         <div className="rounded-2xl border border-slate-200 bg-white px-4 py-4 space-y-3">
117           <div className="flex items-center gap-2 mb-1">
118             <Plus className="h-4 w-4" />
119             <span className="text-sm font-medium">{f.newTransaction}</span>
120           </div>
121
122           {/ * 4 төрөл */}
123           <div className="grid grid-cols-2 gap-3">
124             <div className="flex flex-col gap-1 text-xs col-span-2">
125               <span className="text-[11px] text-slate-600">{f.typeLabel}</span>
126               <div className="flex rounded-xl border border-slate-200 bg-slate-100 p-1">
127                 <button
128                   type="button"
129                   onClick={() => setType("expense")}
130                   className={`flex-1 rounded-lg py-1.5 text-xs ${type === "expense" ? "bg-rose-500/80 text-white" : "text-slate-600"}`}
131                 >
132                   {f.typeExpense}
133                 </button>
134                 <button
135                   type="button"
136                   onClick={() => setType("income")}
137                   className={`flex-1 rounded-lg py-1.5 text-xs ${type === "income" ? "bg-emerald-500/80 text-white" : "text-slate-600"}`}
138                 >
139                   {f.typeIncome}
140                 </button>
141                 <button
142                   type="button"
143                   onClick={() => setType("debt")}
144                   className={`flex-1 rounded-lg py-1.5 text-xs ${type === "debt" ? "bg-amber-500/80 text-white" : "text-slate-600"}`}
145                 >
146                   {f.typeDebt}
147                 </button>
148                 <button
149                   type="button"
150                   onClick={() => setType("saving")}
151                   className={`flex-1 rounded-lg py-1.5 text-xs ${type === "saving" ? "bg-sky-500/80 text-white" : "text-slate-600"}`}
152                 >
153                   {f.typeSaving}
154                 </button>
155               </div>
156             </div>
157
158             <div className="flex flex-col gap-1 text-xs">
159               <label className="text-[11px] text-slate-600">{f.amountLabel}</label>
160               <input
161                 value={amount}
162                 onChange={(e) => setAmount(e.target.value)}
163                 placeholder={f.amountPlaceholder}
164                 className="rounded-xl border border-slate-200 bg-white px-3 py-1.5 text-sm text-slate-900 outline-none focus:border-slate-400"
165               />
166             </div>
167
168             <div className="flex flex-col gap-1 text-xs">
169               <label className="text-[11px] text-slate-600">{f.dateLabel}</label>
170               <input
171                 type="date"
172                 value={date}
173                 onChange={(e) => setDate(e.target.value)}
174                 className="rounded-xl border border-slate-200 bg-white px-3 py-1.5 text-sm text-slate-900 outline-none focus:border-slate-400"
175               />
176             </div>
177
178           {/ * Категори */}

```



```

179 <div className="flex flex-col gap-1 text-xs col-span-2">
180   <label className="text-[11px] text-slate-600">
181     {type === "debt" ? f.categoryDebtLabel : type === "saving" ? f.categorySavingLabel : f.categoryLabel}
182   </label>
183
184   <select
185     value={category}
186     onChange={e => setCategory(e.target.value as CategoryId)}
187     className="rounded-xl border border-slate-200 bg-white px-3 py-1.5 text-sm text-slate-900 outline-none focus:border-slate-400"
188     disabled={type === "income"} // income нэг л категори
189   >
190     {availableCategoryOptions.map((id) => (
191       <option key={id} value={id}>
192         {labels[id]}
193       </option>
194     ))}
195   </select>
196
197   {type === "income" && (
198     <p className="text-[10px] text-slate-500">{f.incomeOnlyNote}</p>
199   )}
200 </div>
201 </div>
202
203 {/* Дэд төрөл */}
204 {showSub && (
205   <div className="flex flex-col gap-1 text-xs">
206     <label className="text-[11px] text-slate-600">
207       {type === "debt" ? f.subTypeDebt : type === "saving" ? f.subTypeSaving : type === "income" ? f.subTypeIncome : f.subTypeOther}
208     </label>
209     <select
210       value={subCategory}
211       onChange={e => setSubCategory(e.target.value)}
212       className="rounded-xl border border-slate-200 bg-white px-3 py-1.5 text-sm text-slate-900 outline-none focus:border-slate-400"
213     >
214       {availableSubOptions.map((opt) => (
215         <option key={opt.id} value={opt.id}>
216           {opt.label}
217         </option>
218       ))}
219     </select>
220   </div>
221 )}
222
223 <div className="flex flex-col gap-1 text-xs">
224   <label className="text-[11px] text-slate-600">{f.noteLabel}</label>
225   <textarea
226     value={note}
227     onChange={e => setNote(e.target.value)}
228     rows={2}
229     placeholder={f.notePlaceholder}
230     className="rounded-xl border border-slate-200 bg-white px-3 py-2 text-sm text-slate-900 outline-none focus:border-slate-400 resize-none"
231   />
232 </div>
233
234 <div className="flex flex-wrap gap-2">
235   <button
236     type="button"
237     onClick={handleAddClick}
238     className="mt-1 inline-flex items-center justify-center rounded-full bg-sky-500/90 hover:bg-sky-400 px-4 py-1.5 text-xs font-medium text-white transition"
239   >
240     <Plus className="h-3.5 w-3.5 mr-1" />
241     {f.saveBtn}
242   </button>
243
244   <button
245     type="button"
246     onClick={onDeleteAll}
247     className="mt-1 inline-flex items-center justify-center rounded-full bg-rose-500/80 hover:bg-rose-400 px-4 py-1.5 text-xs font-medium text-white transition"

```

```

248         >
249         <Trash2 className="h-3.5 w-3.5 mr-1" />
250         {f.deleteAllBtn}
251       </button>
252     </div>
253   </div>
254
255   {/* Quick summary */}
256   <div className="rounded-2xl border border-slate-200 bg-slate-50 px-4 py-3 space-y-2 text-[11px] sm:text-xs">
257     <h3 className="font-medium text-slate-900">{f.quickSummaryTitle}</h3>
258     <div className="flex flex-wrap gap-4">
259       <p className="text-slate-600">
260         {f.quickIncome} <span className="text-emerald-600 font-semibold">{quick.totalIncome.toLocaleString("mn-MN")} ₮</span>
261       </p>
262       <p className="text-slate-600">
263         {f.quickExpense} <span className="text-rose-600 font-semibold">{quick.totalExpense.toLocaleString("mn-MN")} ₮</span>
264       </p>
265       <p className="text-slate-600">
266         {f.quickDebt} <span className="text-amber-600 font-semibold">{quick.debtOutstanding.toLocaleString("mn-MN")} ₮</span>
267       </p>
268       <p className="text-slate-600">
269         {f.quickSaving} <span className="text-sky-600 font-semibold">{quick.savingBalance.toLocaleString("mn-MN")} ₮</span>
270       </p>
271     </div>
272   </div>
273 </div>
274
275   <div className="rounded-2xl border border-slate-200 bg-slate-50 px-4 py-4 text-[11px] text-slate-600">
276     <p className="text-slate-900 font-medium mb-1">{f.exampleTitle}</p>
277     <ul className="list-disc ml-5 space-y-1">
278       <li dangerouslySetInnerHTML={{ __html: f.example1 }} />
279       <li dangerouslySetInnerHTML={{ __html: f.example2 }} />
280       <li dangerouslySetInnerHTML={{ __html: f.example3 }} />
281       <li dangerouslySetInnerHTML={{ __html: f.example4 }} />
282     </ul>
283   </div>
284 </div>
285 ))
286
287 {!showEntry && (
288   <p className="text-[11px] text-slate-500">
289     {f.collapsedHint}
290   </p>
291 )}
292 </section>
293 );
294 }

```

63. app/(chat)/mind/life/finance-app/FinanceAppClient.tsx

```

1  "use client";
2
3  import { Camera, Trash2 } from "lucide-react";
4  import { useRouter } from "next/navigation";
5  import { useEffect, useState } from "react";
6
7  import { AppShell } from "@components/mind/app-shell";
8  import { categoryLabels, subLabel } from "../financeCategories";
9  import { useTransactions } from "../useTransactions";
10 import { ReportSection } from "../ReportSection";
11 import { EntrySection } from "../EntrySection";
12 import { ReceiptUploadSection } from "../ReceiptUploadSection";
13 import { useLocale, useT } from "@lib/i18n/provider";
14
15 type Props = { userId: string };
16
17 export default function FinanceAppClient({ userId }: Props) {

```

```

18  const router = useRouter();
19  const t = useT();
20  const f = t.apps.finance;
21  const locale = useLocale();
22  const labels = categoryLabels(locale);
23  const {
24    guest,
25    loading,
26    transactions,
27    totals,
28    addTransaction,
29    deleteTransaction,
30    deleteAll,
31  } = useTransactions(userId);
32  const [receiptOpen, setReceiptOpen] = useState(false);
33
34  useEffect(() => {
35    if (new URLSearchParams(window.location.search).get("receipt") === "1") {
36      setReceiptOpen(true);
37    }
38  }, []);
39
40  const closeReceipt = () => {
41    setReceiptOpen(false);
42    router.replace("/mind/life/finance-app", { scroll: false });
43  };
44
45  return (
46    <AppShell
47      title={f.title}
48      subtitle={f.subtitle}
49      width="4xl"
50    >
51      <div className="space-y-6 text-slate-900">
52        <section className="space-y-2">
53          {loading && <div className="text-[11px] text-slate-500">{f.loading}</div>}
54
55          {!loading && guest && (
56            <div className="text-[11px] text-amber-700 dangerouslySetInnerHTML={{ __html: f.guestModeNotice }} />
57          )}
58
59          <p className="text-[11px] sm:text-xs text-slate-600">
60            {f.totalIncome}:{ " " }
61            <span className="text-emerald-600 font-semibold">{totals.totalIncome.toLocaleString("mn-MN")} ₮</span>{ " " }
62            · {f.totalExpense}:{ " " }
63            <span className="text-rose-600 font-semibold">{totals.totalExpense.toLocaleString("mn-MN")} ₮</span>{ " " }
64            · {f.balance}:{ " " }
65            <span className={`font-semibold ${totals.balance >= 0 ? "text-sky-600" : "text-amber-600"}`}>
66              {totals.balance.toLocaleString("mn-MN")} ₮
67            </span>{ " " }
68            · {f.debtOutstanding}:{ " " }
69            <span className="text-amber-600 font-semibold">{totals.debtOutstanding.toLocaleString("mn-MN")} ₮</span>
70          </p>
71        </section>
72
73        <section className="rounded-2xl border border-sky-100 bg-sky-50/50 px-4 py-4">
74          <div className="flex flex-wrap items-center justify-between gap-3">
75            <div>
76              <h3 className="font-semibold text-slate-900 text-sm">{f.receipt.title}</h3>
77              <p className="mt-1 text-[11px] text-slate-500">{f.receipt.description}</p>
78            </div>
79            <button
80              className="inline-flex items-center gap-2 rounded-full bg-sky-500 px-4 py-2 font-medium text-white text-xs shadow-sm transition hover:bg-sky-600"
81              onClick={() => setReceiptOpen(true)}
82              type="button"
83            >
84              <Camera className="h-4 w-4" />
85              {f.receipt.uploadBtn}
86            </button>

```

```

87     </div>
88 </section>
89
90 {receiptOpen && {
91   <ReceiptUploadSection
92     modal
93     onAdd={addTransaction}
94     onClose={closeReceipt}
95   />
96 }}
97
98 {/* □ Тайлан */}
99 <ReportSection transactions={transactions} onDelete={deleteTransaction} />
100
101 {/* □ Гадаар шивэх */}
102 <EntrySection
103   guest={guest}
104   onAdd={addTransaction}
105   onDeleteAll={deleteAll}
106   quick={{
107     totalIncome: totals.totalIncome,
108     totalExpense: totals.totalExpense,
109     debtOutstanding: totals.debtOutstanding,
110     savingBalance: totals.savingBalance,
111   }}
112 /> {/* □ Сүүлийн гүйлгээнүүд (гар дээр байнга харагдана) */}
113 <section className="rounded-2xl border border-slate-200 bg-white px-4 py-4 space-y-3">
114   <h3 className="text-sm font-medium text-slate-900">{f.recentTransactions}</h3>
115
116   {transactions.length === 0 ? (
117     <p className="text-[12px] text-slate-500">{f.noTransactions}</p>
118   ) : (
119     <div className="space-y-1.5 max-h-[420px] overflow-y-auto pr-1">
120       {transactions.map((tx) => {
121         const isPlus =
122           tx.type === "income" ||
123           tx.category === "debt_borrow" ||
124           tx.category === "saving_add";
125         const typeLabel =
126           tx.type === "income"
127             ? f.typeLabel.income
128             : tx.type === "debt"
129               ? f.typeLabel.debt
130               : tx.type === "saving"
131                 ? f.typeLabel.saving
132                 : f.typeLabel.expense;
133         const sub = tx.subCategory ? subLabel(tx.subCategory, locale) : "";
134
135         return (
136           <div key={tx.id} className="flex items-start justify-between gap-2 rounded-xl bg-slate-50 px-3 py-2">
137             <div className="space-y-0.5">
138               <div className="flex flex-wrap items-center gap-2 text-xs">
139                 <span className={isPlus ? "text-emerald-600 font-semibold" : "text-rose-600 font-semibold"}>
140                   {isPlus ? "+" : "-"}
141                 <span>{tx.amount.toLocaleString("mn-MN")} ₮
142               </span>
143
144               <span className="text-[11px] text-slate-500">
145                 {typeLabel} · {labels[tx.category]}
146               </span>
147
148               {sub && (
149                 <span className="text-[10px] text-slate-600 border border-slate-200 bg-white px-2 py-0.5 rounded-full">
150                   {sub}
151                 </span>
152               )}
153             </div>
154
155             {tx.note && <p className="text-[11px] text-slate-700">{tx.note}</p>}

```

```

156
157         <p className="text-[10px] text-slate-500">
158             {tx.date} ·{" "}
159             {tx.source === "text"
160               ? f.sourceLabel.text
161               : tx.source === "voice"
162               ? f.sourceLabel.voice
163               : tx.source === "receipt"
164               ? f.sourceLabel.receipt
165               : f.sourceLabel.image}
166         </p>
167     </div>
168
169     <button
170       type="button"
171       onClick={() => deleteTransaction(tx.id)}
172       className="mt-1 text-slate-400 hover:text-rose-600 transition"
173       aria-label={f.deleteAria}
174       title={f.deleteTitle}
175     >
176       <Trash2 className="h-3.5 w-3.5" />
177     </button>
178 </div>
179   );
180   })}
181 </div>
182   )}
183 </section>
184 </div>
185 </AppShell>
186 );
187 }

```

64. app/(chat)/mind/life/finance-app/financeCategories.ts

```

1 import type { Locale } from "@lib/i18n/config";
2 import type { CategoryId, SubOpt, TransactionType } from "../financeTypes";
3
4 /** Категори нэрс (бүх локалаар) */
5 const CATEGORY_LABELS_BY_LOCALE: Record<Locale, Record<CategoryId, string>> = {
6   mn: {
7     food: "Хоол, хүнс",
8     transport: "Тээвэр",
9     clothes: "Хувцас",
10    home: "Гэр, хэрэглээ",
11    fun: "Зугаа, чөлөөт цаг",
12    health: "Эрүүл мэнд",
13    other: "Бусад",
14    income: "Орлого",
15    debt_borrow: "Зээл авах",
16    debt_repay: "Зээл төлөх",
17    saving_add: "Хадгаламж хийх",
18    saving_withdraw: "Хадгаламжаас авах",
19  },
20   en: {
21     food: "Food, groceries",
22     transport: "Transport",
23     clothes: "Clothes",
24     home: "Home, household",
25     fun: "Fun, leisure",
26     health: "Health",
27     other: "Other",
28     income: "Income",
29     debt_borrow: "Borrow loan",
30     debt_repay: "Repay loan",
31     saving_add: "Add savings",
32     saving_withdraw: "Withdraw savings",

```

```

33 },
34 ja: {
35   food: "ᠰᠠᠭᠠᠨᠠ",
36   transport: "ᠰᠠᠭᠠ",
37   clothes: "ᠰᠠᠭ",
38   home: "ᠰᠠᠭᠠᠨᠠ",
39   fun: "ᠰᠠᠭᠠᠨᠠ",
40   health: "ᠰᠠᠭ",
41   other: "ᠰᠠᠭ",
42   income: "ᠰᠠᠭ",
43   debt_borrow: "ᠰᠠᠭ",
44   debt_repay: "ᠰᠠᠭ",
45   saving_add: "ᠰᠠᠭᠠᠨᠠ",
46   saving_withdraw: "ᠰᠠᠭᠠᠨᠠ",
47 },
48 ko: {
49   food: "ᠰᠠᠭ, ᠰᠠᠭ",
50   transport: "ᠰᠠᠭ",
51   clothes: "ᠰᠠᠭ",
52   home: "ᠰᠠᠭ, ᠰᠠᠭᠠᠨᠠ",
53   fun: "ᠰᠠᠭ, ᠰᠠᠭ",
54   health: "ᠰᠠᠭ",
55   other: "ᠰᠠᠭ",
56   income: "ᠰᠠᠭ",
57   debt_borrow: "ᠰᠠᠭ ᠰᠠᠭ",
58   debt_repay: "ᠰᠠᠭ ᠰᠠᠭ",
59   saving_add: "ᠰᠠᠭᠠᠨᠠ",
60   saving_withdraw: "ᠰᠠᠭᠠᠨ ᠰᠠᠭ",
61 },
62 ru: {
63   food: "Еда, продукты",
64   transport: "Транспорт",
65   clothes: "Одежда",
66   home: "Дом, быт",
67   fun: "Развлечения, досуг",
68   health: "Здоровье",
69   other: "Другое",
70   income: "Доход",
71   debt_borrow: "Взять кредит",
72   debt_repay: "Погасить кредит",
73   saving_add: "Добавить сбережения",
74   saving_withdraw: "Снять сбережения",
75 },
76 };
77
78 export const CATEGORY_LABELS = CATEGORY_LABELS_BY_LOCALE.mn;
79
80 export function categoryLabels(locale: Locale = "mn"): Record<CategoryId, string> {
81   return CATEGORY_LABELS_BY_LOCALE[locale] ?? CATEGORY_LABELS_BY_LOCALE.mn;
82 }
83
84 /** Дэд ангиллын сонголтуудын id -> label (бүх локалаар) */
85 const SUB_LABELS_BY_LOCALE: Record<Locale, Record<string, string>> = {
86   mn: {
87     income_salary: "Цалин",
88     income_bonus: "Бонус",
89     income_gift: "Бэлэг / тусламж",
90     income_other: "Бусад орлого",
91     loan_mortgage: "Ипотек",
92     loan_leasing: "Лизинг",
93     loan_app: "Апп/БЭСБ зээл",
94     loan_salary: "Цалингийн зээл",
95     loan_person: "Хувь хүн",
96     loan_other: "Бусад",
97     saving_risk: "Эрсдэлд хадгалах мөнгө",
98     saving_travel: "Аялал",
99     saving_family: "Гэр бүл",
100    saving_home: "Орон байр/гэр",
101    saving_health: "Эрүүл мэнд",

```

```

102   saving_other: "Бусад",
103   food_grocery: "Хүнс",
104   food_cafe: "Кафе/Ресторан",
105   food_other: "Бусад",
106   transport_taxi: "Такси",
107   transport_bus: "Нийтийн тээвэр",
108   transport_fuel: "Түлш",
109   transport_other: "Бусад",
110 },
111 en: {
112   income_salary: "Salary",
113   income_bonus: "Bonus",
114   income_gift: "Gift / support",
115   income_other: "Other income",
116   loan_mortgage: "Mortgage",
117   loan_leasing: "Leasing",
118   loan_app: "App/NBFI loan",
119   loan_salary: "Salary loan",
120   loan_person: "Individual",
121   loan_other: "Other",
122   saving_risk: "Emergency fund",
123   saving_travel: "Travel",
124   saving_family: "Family",
125   saving_home: "Home/housing",
126   saving_health: "Health",
127   saving_other: "Other",
128   food_grocery: "Groceries",
129   food_cafe: "Cafe/Restaurant",
130   food_other: "Other",
131   transport_taxi: "Taxi",
132   transport_bus: "Public transport",
133   transport_fuel: "Fuel",
134   transport_other: "Other",
135 },
136 ja: {
137   income_salary: "〇〇〇",
138   income_bonus: "〇〇〇〇",
139   income_gift: "〇〇〇〇〇〇",
140   income_other: "〇〇〇〇〇〇",
141   loan_mortgage: "〇〇〇〇〇",
142   loan_leasing: "〇〇〇〇",
143   loan_app: "〇〇〇/〇〇〇〇〇〇〇〇",
144   loan_salary: "〇〇〇〇〇〇",
145   loan_person: "〇〇",
146   loan_other: "〇〇〇",
147   saving_risk: "〇〇〇〇〇",
148   saving_travel: "〇〇",
149   saving_family: "〇〇",
150   saving_home: "〇〇",
151   saving_health: "〇〇",
152   saving_other: "〇〇〇",
153   food_grocery: "〇〇〇",
154   food_cafe: "〇〇〇/〇〇〇〇〇",
155   food_other: "〇〇〇",
156   transport_taxi: "〇〇〇〇",
157   transport_bus: "〇〇〇〇〇〇",
158   transport_fuel: "〇〇",
159   transport_other: "〇〇〇",
160 },
161 ko: {
162   income_salary: "〇〇",
163   income_bonus: "〇〇〇",
164   income_gift: "〇〇 / 〇〇",
165   income_other: "〇〇 〇〇",
166   loan_mortgage: "〇〇〇",
167   loan_leasing: "〇〇",
168   loan_app: "〇/〇〇 〇〇",
169   loan_salary: "〇〇 〇〇",
170   loan_person: "〇〇",

```

```

171   loan_other: "██",
172   saving_risk: "███",
173   saving_travel: "██",
174   saving_family: "██",
175   saving_home: "██",
176   saving_health: "██",
177   saving_other: "██",
178   food_grocery: "████",
179   food_cafe: "██/████",
180   food_other: "██",
181   transport_taxi: "██",
182   transport_bus: "████",
183   transport_fuel: "██",
184   transport_other: "██",
185 },
186 ru: {
187   income_salary: "Зарплата",
188   income_bonus: "Бонус",
189   income_gift: "Подарок / помощь",
190   income_other: "Прочий доход",
191   loan_mortgage: "Ипотека",
192   loan_leasing: "Лизинг",
193   loan_app: "Займ через приложение/МФО",
194   loan_salary: "Зарплатный займ",
195   loan_person: "Частное лицо",
196   loan_other: "Другое",
197   saving_risk: "Резервный фонд",
198   saving_travel: "Путешествие",
199   saving_family: "Семья",
200   saving_home: "Жильё",
201   saving_health: "Здоровье",
202   saving_other: "Другое",
203   food_grocery: "Продукты",
204   food_cafe: "Кафе/Ресторан",
205   food_other: "Другое",
206   transport_taxi: "Такси",
207   transport_bus: "Общественный транспорт",
208   transport_fuel: "Топливо",
209   transport_other: "Другое",
210 },
211 };
212
213 /** Дэд ангиллын сонголтууд (category-оор), id-ууд локалаас үл хамаарна */
214 const SUBCATEGORY_IDS: Partial<Record<CategoryId, string[]>> = {
215   income: ["income_salary", "income_bonus", "income_gift", "income_other"],
216   debt_borrow: ["loan_mortgage", "loan_leasing", "loan_app", "loan_salary", "loan_person", "loan_other"],
217   debt_repay: ["loan_mortgage", "loan_leasing", "loan_app", "loan_salary", "loan_person", "loan_other"],
218   saving_add: ["saving_risk", "saving_travel", "saving_family", "saving_home", "saving_health", "saving_other"],
219   saving_withdraw: ["saving_risk", "saving_travel", "saving_family", "saving_home", "saving_health", "saving_other"],
220   food: ["food_grocery", "food_cafe", "food_other"],
221   transport: ["transport_taxi", "transport_bus", "transport_fuel", "transport_other"],
222 };
223
224 export const SUBCATEGORY_OPTIONS: Partial<Record<CategoryId, SubOpt[]>> = Object.fromEntries(
225   Object.entries(SUBCATEGORY_IDS).map(([cat, ids]) => [
226     cat,
227     ids.map((id) => ({ id, label: SUB_LABELS_BY_LOCALE.mn[id] ?? id })),
228   ])
229 ) as Partial<Record<CategoryId, SubOpt[]>>;
230
231 export function subcategoryOptions(locale: Locale = "mn"): Partial<Record<CategoryId, SubOpt[]>> {
232   const labels = SUB_LABELS_BY_LOCALE[locale] ?? SUB_LABELS_BY_LOCALE.mn;
233   return Object.fromEntries(
234     Object.entries(SUBCATEGORY_IDS).map(([cat, ids]) => [
235       cat,
236       ids.map((id) => ({ id, label: labels[id] ?? id })),
237     ])
238   ) as Partial<Record<CategoryId, SubOpt[]>>;
239 }

```



```

240
241 export function categoriesForType(type: TransactionType): CategoryId[] {
242   if (type === "income") return ["income"];
243   if (type === "debt") return ["debt_borrow", "debt_repay"];
244   if (type === "saving") return ["saving_add", "saving_withdraw"];
245   return ["food", "transport", "clothes", "home", "fun", "health", "other"];
246 }
247
248 /** subCategory id -> label */
249 export function subLabel(id?: string | null, locale: Locale = "mn"): string {
250   if (!id) return "";
251   const labels = SUB_LABELS_BY_LOCALE[locale] ?? SUB_LABELS_BY_LOCALE.mn;
252   return labels[id] ?? id;
253 }

```

65. app/(chat)/mind/life/finance-app/financeGuest.ts

```

1 export function isGuestUserId(userId?: string) {
2   const id = (userId || "").trim().toLowerCase();
3   if (!id) return true;
4
5   // хамгийн түгээмэл guest/test id-үүд
6   if (id === "guest" || id === "anonymous" || id === "demo" || id === "0000") return true;
7
8   // temp-... маягийн
9   if (id.startsWith("temp-") || id.startsWith("guest-")) return true;
10
11   return false;
12 }

```

66. app/(chat)/mind/life/finance-app/financeTypes.ts

```

1 export type TransactionType = "income" | "expense" | "debt" | "saving";
2
3 export type CategoryId =
4   | "food"
5   | "transport"
6   | "clothes"
7   | "home"
8   | "fun"
9   | "health"
10  | "other"
11  | "income"
12  // debt action is category
13  | "debt_borrow"
14  | "debt_repay"
15  // saving action is category
16  | "saving_add"
17  | "saving_withdraw";
18
19 export type TransactionSource = "text" | "voice" | "image" | "receipt";
20
21 export type Transaction = {
22   id: string;
23   user_id?: string; // guest/local үед байхгүй байж болно
24   type: TransactionType;
25   amount: number;
26   category: CategoryId; // debt/saving үед action нь энд байна
27   subCategory?: string | null; // debt/saving-ийн "төрөл/зорилго" нь энд байна
28   date: string; // yyyy-mm-dd
29   note?: string;
30   source: TransactionSource;
31   createdAt: string;
32 };
33

```

```
34 export type SubOpt = { id: string; label: string };
```

67. app/(chat)/mind/life/finance-app/page.tsx

```
1 import { auth } from "@app/(auth)/auth";
2 import { getDictionary } from "@lib/i18n/dictionaries";
3 import FinanceAppClient from "../FinanceAppClient";
4
5 export default async function FinanceAppPage() {
6   const session = await auth();
7   const userId = session?.user?.id;
8
9   if (!userId) {
10    const t = await getDictionary();
11    return (
12      <div style={{ padding: 16 }}>
13        {t.apps.finance.notLoggedIn}
14      </div>
15    );
16  }
17
18  return <FinanceAppClient userId={userId} />;
19 }
```

68. app/(chat)/mind/life/finance-app/ReceiptUploadSection.tsx

```
1 "use client";
2
3 import { Camera, CheckCircle, Plus, Trash2, X } from "lucide-react";
4 import { useMemo, useRef, useState } from "react";
5 import type { CategoryId } from "../financeTypes";
6 import { categoryLabels, categoriesForType } from "../financeCategories";
7 import { useLocale, useT } from "@lib/i18n/provider";
8
9 type LineDraft = {
10   id: string;
11   itemName: string;
12   category: CategoryId;
13   quantity: number;
14   unitPrice: number;
15   totalPrice: number;
16   date: string;
17   type: "income" | "expense";
18 };
19
20 type Props = {
21   onAdd: (payload: {
22     type: "income" | "expense";
23     amount: number;
24     category: CategoryId;
25     date?: string;
26     note?: string;
27     source?: "receipt";
28   }) => Promise<void>;
29   modal?: boolean;
30   onClose?: () => void;
31 };
32
33 /** Compress an image to JPEG, max 1600px on the longest side, ~85% quality.
34  * Reduces typical phone photos from 3-8 MB down to ~200-500 KB. */
35 function compressImage(
36   file: File,
37   maxPx = 1600,
38   quality = 0.85
39 ): Promise<Blob> {
```

```

40   return new Promise((resolve, reject) => {
41     const img = new Image();
42     const url = URL.createObjectURL(file);
43
44     img.onload = () => {
45       URL.revokeObjectURL(url);
46       let { width, height } = img;
47       if (width > maxPx || height > maxPx) {
48         if (width >= height) {
49           height = Math.round((height * maxPx) / width);
50           width = maxPx;
51         } else {
52           width = Math.round((width * maxPx) / height);
53           height = maxPx;
54         }
55       }
56       const canvas = document.createElement("canvas");
57       canvas.width = width;
58       canvas.height = height;
59       const ctx = canvas.getContext("2d");
60       if (!ctx) {
61         reject(new Error("canvas"));
62         return;
63       }
64       ctx.drawImage(img, 0, 0, width, height);
65       canvas.toBlob(
66         (blob) => {
67           blob ? resolve(blob) : reject(new Error("toBlob"));
68         },
69         "image/jpeg",
70         quality
71       );
72     };
73
74     img.onerror = () => {
75       URL.revokeObjectURL(url);
76       reject(new Error("load"));
77     };
78     img.src = url;
79   });
80 }
81
82 function newRowId() {
83   return `row-${Date.now()}-${Math.random().toString(16).slice(2)}`;
84 }
85
86 function todayYmd() {
87   const d = new Date();
88   return `${d.getFullYear()}-${String(d.getMonth() + 1).padStart(2, "0")}-${String(d.getDate()).padStart(2, "0")}`;
89 }
90
91 function emptyRow(): LineDraft {
92   return {
93     id: newRowId(),
94     itemName: "",
95     category: "other",
96     quantity: 1,
97     unitPrice: 0,
98     totalPrice: 0,
99     date: todayYmd(),
100    type: "expense",
101  };
102 }
103
104 export function ReceiptUploadSection({ onAdd, modal = false, onClose }: Props) {
105   const t = useT();
106   const r = t.apps.finance.receipt;
107   const locale = useLocale();
108   const labels = categoryLabels(locale);

```

```

109 const inputRef = useRef<HTMLInputElement>(null);
110 const [analyzing, setAnalyzing] = useState(false);
111 const [error, setError] = useState<string | null>(null);
112 const [rows, setRows] = useState<LineDraft[]>([]);
113 const [saving, setSaving] = useState(false);
114 const [saved, setSaved] = useState(false);
115
116 const totalSum = useMemo(
117   () => rows.reduce((sum, row) => sum + (Number(row.totalPrice) || 0), 0),
118   [rows]
119 );
120
121 const handleFile = async (file: File) => {
122   setError(null);
123   setSaved(false);
124   setRows([]);
125   setAnalyzing(true);
126
127   try {
128     // Compress when the browser can decode it. HEIC may not decode in every
129     // browser, so keep the original and let the server normalize it.
130     let compressed: Blob = file;
131     try {
132       compressed = await compressImage(file);
133     } catch {
134       // Server-side sharp handles HEIC/HEIF and large phone photos.
135     }
136     const form = new FormData();
137     form.append("file", compressed, "receipt.jpg");
138
139     const res = await fetch("/api/finance/analyze", {
140       method: "POST",
141       body: form,
142       credentials: "same-origin",
143     });
144
145     const json = await res.json().catch(() => ({}));
146
147     if (!res.ok) {
148       setError(json?.error ?? r.errorFallback);
149       return;
150     }
151
152     const list: any[] = (json.drafts ?? []).filter((d: any) => d?.amount > 0);
153
154     if (!list.length) {
155       setError(r.notFound);
156       return;
157     }
158
159     setRows(
160       list.map((d) => ({
161         id: newRowId(),
162         itemName: d.itemName || d.note || "",
163         category: d.category ?? "other",
164         quantity: Number(d.quantity) || 1,
165         unitPrice: Number(d.unitPrice) || Number(d.amount) || 0,
166         totalPrice: Number(d.amount) || 0,
167         date: d.date || todayYmd(),
168         type: d.type === "income" ? "income" : "expense",
169       }))
170     );
171   } catch {
172     setError(r.networkError);
173   } finally {
174     setAnalyzing(false);
175   }
176 };
177

```

```

178 const handleChange = (e: React.ChangeEvent<HTMLInputElement>) => {
179   const file = e.target.files?.[0];
180   if (file) {
181     handleFile(file);
182   }
183   e.target.value = "";
184 };
185
186 function updateRow<K extends keyof LineDraft>(
187   id: string,
188   key: K,
189   value: LineDraft[K]
190 ) {
191   setRows((prev) =>
192     prev.map((row) => {
193       if (row.id !== id) return row;
194       const next = { ...row, [key]: value };
195       // Excel-like behaviour: editing quantity/unit price recalculates the total.
196       if (key === "quantity" || key === "unitPrice") {
197         next.totalPrice = Math.round(
198           (Number(next.quantity) || 0) * (Number(next.unitPrice) || 0)
199         );
200       }
201       return next;
202     })
203   );
204 }
205
206 function deleteRow(id: string) {
207   setRows((prev) => prev.filter((row) => row.id !== id));
208 }
209
210 function addRow() {
211   setRows((prev) => [...prev, emptyRow()]);
212 }
213
214 const handleSave = async () => {
215   const valid = rows.filter(
216     (row) => row.itemName.trim() && row.totalPrice > 0
217   );
218   if (!valid.length) return;
219   setSaving(true);
220   try {
221     for (const row of valid) {
222       const detail =
223         row.quantity > 1
224           ? `${row.itemName.trim()} (${row.quantity} x ${row.unitPrice.toLocaleString("mn-MN")}) ₮`
225           : row.itemName.trim();
226       await onAdd({
227         type: row.type,
228         amount: row.totalPrice,
229         category: row.category,
230         date: row.date || undefined,
231         note: detail,
232         source: "receipt",
233       });
234     }
235     setSaved(true);
236     setRows([]);
237   } finally {
238     setSaving(false);
239   }
240 };
241
242 const clear = () => {
243   setRows([]);
244   setError(null);
245   setSaved(false);
246 };

```

```

247
248   return (
249     <>
250       {modal && (
251         <button
252           aria-label={r.close}
253           className="fixed inset-0 z-40 cursor-default bg-slate-950/20 backdrop-blur-[3px] transition-opacity"
254           onClick={onClose}
255           type="button"
256         />
257       )}
258       <div
259         className={
260           modal
261             ? "-translate-x-1/2 -translate-y-1/2 motion-safe:fade-in-0 motion-safe:zoom-in-95 fixed top-1/2 left-1/2 z-50 max-h-[calc(100dvh-2rem)] w-[calc(100vw-2rem)] max-w-2xl space-y-4 overflow-y-auto border-white/80 bg-white p-5 shadow-[0_24px_80px_rgba(15,23,42,0.18)] motion-safe:animate-in sm:p-6"
262             : "space-y-3 rounded-2xl border border-slate-200 bg-white px-4 py-4"
263         }
264         role={modal ? "dialog" : undefined}
265       >
266         <div className="flex items-start justify-between gap-4">
267           <div className="flex min-w-0 items-start gap-3">
268             <div className="flex size-10 shrink-0 items-center justify-center rounded-2xl bg-sky-50 text-sky-600">
269               <Camera className="h-5 w-5" />
270             </div>
271             <div className="min-w-0">
272               <h3
273                 className="font-semibold text-base text-slate-950 tracking-tight"
274               >
275                 {r.title}
276               </h3>
277               <p
278                 className="mt-1 max-w-xl text-slate-500 text-xs leading-relaxed"
279               >
280                 {r.description}
281               </p>
282             </div>
283           </div>
284           <div className="flex shrink-0 items-center gap-2">
285             {rows.length > 0 && (
286               <button
287                 className="hidden rounded-full px-2.5 py-1 text-[11px] text-slate-400 transition hover:bg-slate-100 hover:text-slate-600 sm:inline-flex"
288                 onClick={clear}
289                 type="button"
290               >
291                 {r.clear}
292               </button>
293             )}
294             {modal && (
295               <button
296                 aria-label={r.close}
297                 className="rounded-full bg-slate-50 p-2 text-slate-400 transition hover:bg-slate-100 hover:text-slate-700"
298                 onClick={onClose}
299                 type="button"
300               >
301                 <X className="h-4 w-4" />
302               </button>
303             )}
304           </div>
305         </div>
306
307         {/* No capture attribute - lets users choose camera OR gallery on mobile */}
308         <input
309           accept="image/*"
310           className="sr-only"
311           onChange={handleChange}
312           ref={inputRef}
313           type="file"
314         />

```

```

315
316     {!analyzing && !rows.length && !saved && (
317         <div className="rounded-2xl border border-sky-100 border-dashed bg-gradient-to-br from-sky-50/80 to-white px-5 py-7 text-center">
318             <div className="mx-auto flex size-12 items-center justify-center rounded-2xl bg-white text-sky-500 shadow-sm ring-1 ring-sky-100">
319                 <Camera className="h-6 w-6" />
320             </div>
321             <p className="mt-3 font-medium text-slate-800 text-sm">
322                 {modal ? r.emptyTitle : r.title}
323             </p>
324             <p className="mx-auto mt-1 max-w-sm text-[11px] text-slate-500 leading-relaxed">
325                 {r.emptyDescription}
326             </p>
327             <button
328                 className="hover:-translate-y-0.5 mt-4 inline-flex items-center gap-2 rounded-xl bg-sky-500 px-4 py-2.5 font-semibold text-white text-xs shadow-[0_8px_20px_rgba(14,165,233,0.22)] transition
0_10px_24px_rgba(14,165,233,0.28)]"
329                 onClick={() => inputRef.current?.click()}
330                 type="button"
331             >
332                 <Camera className="h-4 w-4" />
333                 {r.uploadBtn}
334             </button>
335             <p className="mt-3 text-[10px] text-slate-400">{r.fileHint}</p>
336         </div>
337     )}
338
339     {analyzing && (
340         <div className="flex items-center gap-2 text-slate-500 text-xs">
341             <span className="animate-spin">⌵</span> {r.analyzing}
342         </div>
343     )}
344
345     {error && (
346         <p className="rounded-lg bg-red-50 px-3 py-2 text-[11px] text-red-600">
347             {error}
348         </p>
349     )}
350
351     {saved && (
352         <div className="flex flex-wrap items-center justify-between gap-3 rounded-2xl border border-emerald-100 bg-emerald-50 px-4 py-3 text-[11px] text-emerald-700">
353             <div className="flex items-center gap-2">
354                 <CheckCircle className="h-4 w-4" />
355                 {r.savedSuccess}
356             </div>
357             <button
358                 className="font-medium underline underline-offset-2"
359                 onClick={() => {
360                     setSaved(false);
361                     inputRef.current?.click();
362                 }}
363                 type="button"
364             >
365                 {r.uploadAnother}
366             </button>
367         </div>
368     )}
369
370     {rows.length > 0 && (
371         <div className="space-y-2">
372             <p className="text-[11px] text-slate-500">{r.editHint}</p>
373
374             <div className="overflow-x-auto rounded-xl border border-slate-200">
375                 <table className="w-full min-w-[640px] text-xs">
376                     <thead>
377                         <tr className="bg-slate-50 text-left text-[10px] text-slate-500">
378                             <th className="px-2 py-2 font-medium">{r.colItemName}</th>
379                             <th className="px-2 py-2 font-medium">{r.colCategory}</th>
380                             <th className="px-2 py-2 text-right font-medium">
381                                 {r.colQuantity}
382                             </th>

```

```

383     <th className="px-2 py-2 text-right font-medium">
384       {r.colUnitPrice}
385     </th>
386     <th className="px-2 py-2 text-right font-medium">
387       {r.colTotalPrice}
388     </th>
389     <th className="px-2 py-2 font-medium" />
390   </tr>
391 </thead>
392 <tbody>
393   {rows.map((row) => {
394     const options = categoriesForType(
395       row.type === "income" ? "income" : "expense"
396     );
397     return (
398       <tr className="border-slate-100 border-t" key={row.id}>
399         <td className="px-1 py-1">
400           <input
401             className="w-full min-w-[120px] rounded-md border border-transparent px-2 py-1.5 text-slate-800 outline-none focus:border-sky-300 focus:bg-sky-50/40"
402             onChange={(e) =>
403               updateRow(row.id, "itemName", e.target.value)
404             }
405             placeholder="-"
406             value={row.itemName}
407           />
408         </td>
409         <td className="px-1 py-1">
410           <select
411             className="w-full rounded-md border border-transparent px-2 py-1.5 text-slate-800 outline-none focus:border-sky-300 focus:bg-sky-50/40"
412             onChange={(e) =>
413               updateRow(
414                 row.id,
415                 "category",
416                 e.target.value as CategoryId
417               )
418             }
419             value={row.category}
420           >
421             {options.map((id) => (
422               <option key={id} value={id}>
423                 {labels[id]}
424               </option>
425             ))}
426           </select>
427         </td>
428         <td className="px-1 py-1">
429           <input
430             className="w-20 rounded-md border border-transparent px-2 py-1.5 text-right text-slate-800 outline-none focus:border-sky-300 focus:bg-sky-50/40"
431             min={0}
432             onChange={(e) =>
433               updateRow(
434                 row.id,
435                 "quantity",
436                 Number(e.target.value) || 0
437               )
438             }
439             type="number"
440             value={row.quantity}
441           />
442         </td>
443         <td className="px-1 py-1">
444           <input
445             className="w-24 rounded-md border border-transparent px-2 py-1.5 text-right text-slate-800 outline-none focus:border-sky-300 focus:bg-sky-50/40"
446             min={0}
447             onChange={(e) =>
448               updateRow(
449                 row.id,
450                 "unitPrice",
451                 Number(e.target.value) || 0

```



```

452         )
453     }
454     type="number"
455     value={row.unitPrice}
456   />
457 </td>
458 <td className="px-1 py-1">
459   <input
460     className="w-24 rounded-md border border-transparent px-2 py-1.5 text-right font-medium text-slate-900 outline-none focus:border-sky-300 focus:bg-sky-50/40"
461     min={0}
462     onChange={ (e) =>
463       updateRow(
464         row.id,
465         "totalPrice",
466         Number(e.target.value) || 0
467       )
468     }
469     type="number"
470     value={row.totalPrice}
471   />
472 </td>
473 <td className="px-1 py-1 text-center">
474   <button
475     aria-label={r.deleteRow}
476     className="rounded-md p-1.5 text-slate-400 transition hover:bg-rose-50 hover:text-rose-600"
477     onClick={ () => deleteRow(row.id) }
478     title={r.deleteRow}
479     type="button"
480   >
481     <Trash2 className="h-3.5 w-3.5" />
482   </button>
483 </td>
484 </tr>
485   );
486   })}
487 </tbody>
488 <tfoot>
489   <tr className="border-slate-200 border-t bg-slate-50">
490     <td
491       className="px-2 py-2 font-medium text-slate-700"
492       colSpan={4}
493     >
494       {r.totalSum}
495     </td>
496     <td className="px-2 py-2 text-right font-semibold text-slate-900">
497       {totalSum.toLocaleString("mn-MN")} ₮
498     </td>
499     <td />
500   </tr>
501 </tfoot>
502 </table>
503 </div>
504
505 <button
506   className="inline-flex items-center gap-1.5 rounded-full border border-slate-200 px-3 py-1.5 text-[11px] text-slate-600 transition hover:bg-slate-50"
507   onClick={addRow}
508   type="button"
509 >
510   <Plus className="h-3.5 w-3.5" />
511   {r.addRow}
512 </button>
513
514 <div className="flex gap-2 pt-1">
515   <button
516     className="rounded-full bg-sky-500/90 px-4 py-1.5 font-medium text-white text-xs transition hover:bg-sky-400 disabled:opacity-60"
517     disabled={
518       saving ||
519       !rows.some((row) => row.itemName.trim() && row.totalPrice > 0)
520     }

```

```

521         onClick={handleSave}
522         type="button"
523       >
524         {saving ? r.saving : `✖ ${r.confirmBtn}`}
525       </button>
526       <button
527         className="rounded-full border border-slate-200 px-3 py-1.5 text-slate-600 text-xs transition hover:bg-slate-50"
528         onClick={() => inputRef.current?.click()}
529         type="button"
530       >
531         {r.anotherImage}
532       </button>
533     </div>
534   </div>
535 )}
536 </div>
537 </>
538 );
539 }

```

69. app/(chat)/mind/life/finance-app/ReportSection.tsx

```

1  "use client";
2
3  import { Trash2 } from "lucide-react";
4  import { useMemo, useState } from "react";
5
6  import type { Transaction, TransactionType, CategoryId } from "../financeTypes";
7  import { categoryLabels, subcategoryOptions, subLabel } from "../financeCategories";
8  import { useLocale, useT } from "@/lib/i18n/provider";
9
10 function splitNote(note?: string) {
11   const t = (note ?? "").trim();
12   if (!t) return { store: "", item: "" };
13
14   const a = t.split("-").map((x) => x.trim()).filter(Boolean);
15   if (a.length >= 2) return { store: a[0], item: a.slice(1).join(" - ") };
16
17   const b = t.split("-").map((x) => x.trim()).filter(Boolean);
18   if (b.length >= 2) return { store: b[0], item: b.slice(1).join(" - ") };
19
20   return { store: "", item: t };
21 }
22
23 export function ReportSection(props: {
24   transactions: Transaction[];
25   onDelete: (id: string) => void;
26 }) {
27   const { transactions, onDelete } = props;
28
29   const t = useT();
30   const r = t.apps.finance.report;
31   const locale = useLocale();
32   const labels = categoryLabels(locale);
33   const subOptionsByCat = subcategoryOptions(locale);
34
35   const [fromDate, setFromDate] = useState("");
36   const [toDate, setToDate] = useState("");
37   const [keyword, setKeyword] = useState("");
38   const [typeFilter, setTypeFilter] = useState<"" | TransactionType>(""); // ""=all
39   const [category, setCategory] = useState<"" | CategoryId>(""); // ""=all
40   const [subCategory, setSubCategory] = useState<string>(""); // ""=all
41   const [sortType, setSortType] = useState<"" | "asc" | "desc">("");
42   const [storeFilter, setStoreFilter] = useState<string>(""); // ""=all
43   const [showResult, setShowResult] = useState(false);
44
45   // store options (note доторх "Дэлгүүр - бараа" форматаас)

```

```

46 const storeOptions = useMemo(() => {
47   const set = new Set<string>();
48   for (const tx of transactions) {
49     const { store } = splitNote(tx.note);
50     const s = (store || "").trim();
51     if (s) set.add(s);
52   }
53   return Array.from(set).sort((a, b) => a.localeCompare(b, "mn"));
54 }, [transactions]);
55
56 // subcategory options (category сонгосон үед)
57 const subOptions = useMemo(() => {
58   if (!category) return [];
59   return subOptionsByCat[category] ?? [];
60 }, [category, subOptionsByCat]);
61
62 // Filtered transactions
63 const filtered = useMemo(() => {
64   const k = keyword.trim().toLowerCase();
65
66   return transactions
67     .filter((tx) => (fromDate ? tx.date >= fromDate : true))
68     .filter((tx) => (toDate ? tx.date <= toDate : true))
69     .filter((tx) => (typeFilter ? tx.type === typeFilter : true))
70     .filter((tx) => (category ? tx.category === category : true))
71     .filter((tx) => (subCategory ? (tx.subCategory ?? "") === subCategory : true))
72     .filter((tx) => {
73       if (!storeFilter) return true;
74       const { store } = splitNote(tx.note);
75       return (store || "").trim() === storeFilter;
76     })
77     .filter((tx) => {
78       if (!k) return true;
79       const { store, item } = splitNote(tx.note);
80       return (
81         (item || "").toLowerCase().includes(k) ||
82         (store || "").toLowerCase().includes(k) ||
83         (tx.note || "").toLowerCase().includes(k)
84       );
85     })
86     .sort((a, b) => {
87       if (sortType === "asc") return a.amount - b.amount;
88       if (sortType === "desc") return b.amount - a.amount;
89       return 0;
90     });
91 }, [transactions, fromDate, toDate, keyword, typeFilter, category, subCategory, sortType, storeFilter]);
92
93 // Summary
94 const summary = useMemo(() => {
95   let income = 0;
96   let expense = 0;
97
98   // debt
99   let debtBorrow = 0;
100   let debtRepay = 0;
101
102   // saving
103   let savingAdd = 0;
104   let savingWithdraw = 0;
105
106   const byCatExpense: Record<string, number> = {};
107   const byIncomeSub: Record<string, number> = {};
108   const byExpenseSub: Record<string, number> = {};
109
110   const byDebtAction: Record<string, number> = {}; // debt_borrow / debt_repay
111   const bySavingAction: Record<string, number> = {}; // saving_add / saving_withdraw
112
113   const byItem: Record<string, number> = {};
114   const byStore: Record<string, number> = {};

```

```

115
116 for (const tx of filtered) {
117   if (tx.type === "income") {
118     income += tx.amount;
119     const key = tx.subCategory || "income_other";
120     byIncomeSub[key] = (byIncomeSub[key] ?? 0) + tx.amount;
121
122     const { store, item } = splitNote(tx.note);
123     const itemKey = (item || tx.note || r.defaultIncomeTitle).trim();
124     if (itemKey) byItem[itemKey] = (byItem[itemKey] ?? 0) + tx.amount;
125     const s = (store || "").trim();
126     if (s) byStore[s] = (byStore[s] ?? 0) + tx.amount;
127
128     continue;
129   }
130
131   if (tx.type === "expense") {
132     expense += tx.amount;
133     byCatExpense[tx.category] = (byCatExpense[tx.category] ?? 0) + tx.amount;
134
135     if (tx.subCategory) byExpenseSub[tx.subCategory] = (byExpenseSub[tx.subCategory] ?? 0) + tx.amount;
136
137     const { store, item } = splitNote(tx.note);
138     const itemKey = (item || tx.note || r.defaultExpenseTitle).trim();
139     if (itemKey) byItem[itemKey] = (byItem[itemKey] ?? 0) + tx.amount;
140     const s = (store || "").trim();
141     if (s) byStore[s] = (byStore[s] ?? 0) + tx.amount;
142
143     continue;
144   }
145
146   if (tx.type === "debt") {
147     // □ ШИНЭ ЛОГИК: өр/зээлийн үйлдэл нь category дээр байна
148     if (tx.category === "debt_borrow") debtBorrow += tx.amount;
149     if (tx.category === "debt_repay") debtRepay += tx.amount;
150
151     const act = tx.category || "debt_other";
152     byDebtAction[act] = (byDebtAction[act] ?? 0) + tx.amount;
153
154     const { store, item } = splitNote(tx.note);
155     const itemKey = (item || tx.note || r.defaultDebtTitle).trim();
156     if (itemKey) byItem[itemKey] = (byItem[itemKey] ?? 0) + tx.amount;
157     const s = (store || "").trim();
158     if (s) byStore[s] = (byStore[s] ?? 0) + tx.amount;
159
160     continue;
161   }
162
163   if (tx.type === "saving") {
164     // □ Хадгаламж
165     if (tx.category === "saving_add") savingAdd += tx.amount;
166     if (tx.category === "saving_withdraw") savingWithdraw += tx.amount;
167
168     const act = tx.category || "saving_other";
169     bySavingAction[act] = (bySavingAction[act] ?? 0) + tx.amount;
170
171     const { store, item } = splitNote(tx.note);
172     const itemKey = (item || tx.note || r.defaultSavingTitle).trim();
173     if (itemKey) byItem[itemKey] = (byItem[itemKey] ?? 0) + tx.amount;
174     const s = (store || "").trim();
175     if (s) byStore[s] = (byStore[s] ?? 0) + tx.amount;
176
177     continue;
178   }
179 }
180
181 const balance = income - expense;
182 const debtOutstanding = debtBorrow - debtRepay;
183 const savingBalance = savingAdd - savingWithdraw;

```

```

184
185     return {
186       income,
187       expense,
188       balance,
189       debtBorrow,
190       debtRepay,
191       debtOutstanding,
192       savingAdd,
193       savingWithdraw,
194       savingBalance,
195       byCatExpense,
196       byIncomeSub,
197       byExpenseSub,
198       byDebtAction,
199       bySavingAction,
200       byItem,
201       byStore,
202     };
203   }, [filtered, r]);
204
205   const topItems = useMemo(() => {
206     return Object.entries(summary.byItem)
207       .filter(([k]) => k.length > 0)
208       .sort((a, b) => b[1] - a[1])
209       .slice(0, 12);
210   }, [summary.byItem]);
211
212   const topStores = useMemo(() => {
213     return Object.entries(summary.byStore)
214       .filter(([k]) => k.length > 0)
215       .sort((a, b) => b[1] - a[1])
216       .slice(0, 10);
217   }, [summary.byStore]);
218
219   const topExpenseSub = useMemo(() => {
220     return Object.entries(summary.byExpenseSub)
221       .sort((a, b) => b[1] - a[1])
222       .slice(0, 18);
223   }, [summary.byExpenseSub]);
224
225   const clearFilters = () => {
226     setFromDate("");
227     setToDate("");
228     setKeyword("");
229     setTypeFilter("");
230     setCategory("");
231     setSubCategory("");
232     setSortType("");
233     setStoreFilter("");
234   };
235
236   return (
237     <section className="mt-6 space-y-4">
238       <h2 className="text-lg font-semibold text-slate-900">{r.title}</h2>
239
240       {/* Filters */}
241       <div className="grid grid-cols-2 sm:grid-cols-3 md:grid-cols-6 gap-2.5 bg-slate-50/70 border border-slate-200 rounded-2xl p-3.5 text-xs">
242         <div className="space-y-1">
243           <label className="text-slate-600">{r.fromDate}</label>
244           <input
245             type="date"
246             value={fromDate}
247             onChange={(e) => setFromDate(e.target.value)}
248             className="w-full rounded-xl border border-slate-200 bg-white px-3 py-2 text-xs text-slate-900 outline-none transition focus:border-[#1F6FB2] focus:ring-2 focus:ring-[#1F6FB2]/15"
249           />
250         </div>
251
252         <div className="space-y-1">

```

```

253     <label className="text-slate-600">{r.toDate}</label>
254     <input
255       type="date"
256       value={toDate}
257       onChange={(e) => setToDate(e.target.value)}
258       className="w-full rounded-xl border border-slate-200 bg-white px-3 py-2 text-xs text-slate-900 outline-none transition focus:border-[#1F6FB2] focus:ring-2 focus:ring-[#1F6FB2]/15"
259     />
260   </div>
261
262   <div className="space-y-1">
263     <label className="text-slate-600">{r.keywordLabel}</label>
264     <input
265       value={keyword}
266       onChange={(e) => setKeyword(e.target.value)}
267       placeholder={r.keywordPlaceholder}
268       className="w-full rounded-xl border border-slate-200 bg-white px-3 py-2 text-xs text-slate-900 outline-none transition focus:border-[#1F6FB2] focus:ring-2 focus:ring-[#1F6FB2]/15"
269     />
270   </div>
271
272   <div className="space-y-1">
273     <label className="text-slate-600">{r.typeLabel}</label>
274     <select
275       value={typeFilter}
276       onChange={(e) => setTypeFilter(e.target.value as "" | TransactionType)}
277       className="w-full rounded-xl border border-slate-200 bg-white px-3 py-2 text-xs text-slate-900 outline-none transition focus:border-[#1F6FB2] focus:ring-2 focus:ring-[#1F6FB2]/15"
278     >
279       <option value="">{r.typeAll}</option>
280       <option value="income">{r.typeIncome}</option>
281       <option value="expense">{r.typeExpense}</option>
282       <option value="debt">{r.typeDebt}</option>
283       <option value="saving">{r.typeSaving}</option>
284     </select>
285   </div>
286
287   <div className="space-y-1">
288     <label className="text-slate-600">{r.categoryLabel}</label>
289     <select
290       value={category}
291       onChange={(e) => {
292         setCategory(e.target.value as CategoryId | "");
293         setSubCategory("");
294       }}
295       className="w-full rounded-xl border border-slate-200 bg-white px-3 py-2 text-xs text-slate-900 outline-none transition focus:border-[#1F6FB2] focus:ring-2 focus:ring-[#1F6FB2]/15"
296     >
297       <option value="">{r.typeAll}</option>
298       {Object.keys(labels).map((k) => (
299         <option key={k} value={k}>
300           {labels[k as CategoryId]}
301         </option>
302       ))}
303     </select>
304   </div>
305
306   <div className="space-y-1">
307     <label className="text-slate-600">{r.subCategoryLabel}</label>
308     <select
309       value={subCategory}
310       onChange={(e) => setSubCategory(e.target.value)}
311       disabled={!category}
312       className="w-full rounded-xl border border-slate-200 bg-white px-3 py-2 text-xs text-slate-900 outline-none transition focus:border-[#1F6FB2] focus:ring-2 focus:ring-[#1F6FB2]/15 disabled:op
313     >
314       <option value="">{r.typeAll}</option>
315       {subOptions.map((s) => (
316         <option key={s.id} value={s.id}>
317           {s.label}
318         </option>
319       ))}
320     </select>
321   </div>

```

```

322
323 <div className="space-y-1 md:col-span-2">
324   <label className="text-slate-600">{r.storeLabel}</label>
325   <select
326     value={storeFilter}
327     onChange={(e) => setStoreFilter(e.target.value)}
328     className="w-full rounded-xl border border-slate-200 bg-white px-3 py-2 text-xs text-slate-900 outline-none transition focus:border-[#1F6FB2] focus:ring-2 focus:ring-[#1F6FB2]/15"
329   >
330     <option value="">{r.typeAll}</option>
331     {storeOptions.map((s) => (
332       <option key={s} value={s}>
333         {s}
334       </option>
335     ))}
336   </select>
337 </div>
338
339 <div className="space-y-1">
340   <label className="text-slate-600">{r.sortLabel}</label>
341   <select
342     value={sortType}
343     onChange={(e) => setSortType(e.target.value as "" | "asc" | "desc")}
344     className="w-full rounded-xl border border-slate-200 bg-white px-3 py-2 text-xs text-slate-900 outline-none transition focus:border-[#1F6FB2] focus:ring-2 focus:ring-[#1F6FB2]/15"
345   >
346     <option value="">{r.sortNone}</option>
347     <option value="asc">{r.sortAsc}</option>
348     <option value="desc">{r.sortDesc}</option>
349   </select>
350 </div>
351
352 <div className="flex items-end gap-2">
353   <button
354     type="button"
355     onClick={clearFilters}
356     className="w-full rounded-xl border border-slate-200 bg-white px-2 py-1.5 text-[11px] text-slate-700 hover:bg-slate-50 transition"
357   >
358     {r.clearFilters}
359   </button>
360 </div>
361 </div>
362
363 <button
364   type="button"
365   onClick={() => setShowResult((v) => !v)}
366   className="inline-flex items-center justify-center rounded-full border border-slate-200 bg-white text-slate-900 px-4 py-1.5 text-xs sm:text-sm font-medium hover:bg-slate-50 transition"
367 >
368   {showResult ? r.hideReport : r.showReport}
369 </button>
370
371 {showResult && (
372   <div className="space-y-4">
373     {/* Totals */}
374     <div className="rounded-2xl border border-slate-200 bg-slate-50 px-4 py-3 space-y-2 text-[11px] sm:text-xs">
375       <h3 className="font-medium text-slate-900">{r.totalsTitle}</h3>
376       <div className="flex flex-wrap gap-4">
377         <p className="text-slate-600">
378           {r.income}{" "}
379           <span className="text-emerald-600 font-semibold">{summary.income.toLocaleString("mn-MN")} ₮</span>
380         </p>
381         <p className="text-slate-600">
382           {r.expense}{" "}
383           <span className="text-rose-600 font-semibold">{summary.expense.toLocaleString("mn-MN")} ₮</span>
384         </p>
385         <p className="text-slate-600">
386           {r.balance}{" "}
387           <span className={summary.balance >= 0 ? "text-sky-600 font-semibold" : "text-amber-600 font-semibold"}>
388             {summary.balance.toLocaleString("mn-MN")} ₮
389           </span>
390         </p>

```

```

391     <p className="text-slate-600">
392         {r.debtOutstanding}{" "}
393         <span className="text-amber-600 font-semibold">
394             {summary.debtOutstanding.toLocaleString("mn-MN")} ₮
395         </span>
396     </p>
397     <p className="text-slate-600">
398         {r.saving}{" "}
399         <span className="text-sky-600 font-semibold">
400             {summary.savingBalance.toLocaleString("mn-MN")} ₮
401         </span>
402     </p>
403     <p className="text-slate-500">{r.rowsCount.replace("{n}", String(filtered.length))}</p>
404 </div>
405 </div>
406
407 /* Expense by category + Income by sub */
408 <div className="grid md:grid-cols-2 gap-4">
409     <div className="rounded-2xl border border-slate-200 bg-slate-50 px-4 py-3 space-y-2 text-[11px] sm:text-xs">
410         <h3 className="font-medium text-slate-900">{r.byCategoryTitle}</h3>
411
412         {Object.keys(summary.byCatExpense).length === 0 ? (
413             <p className="text-slate-500">{r.noData}</p>
414         ) : (
415             Object.entries(summary.byCatExpense)
416                 .sort((a, b) => b[1] - a[1])
417                 .map(([cat, val]) =>
418                     val ? (
419                         <div key={cat} className="flex items-center justify-between gap-2">
420                             <span className="text-slate-600">{labels[cat as CategoryId] ?? cat}</span>
421                             <span className="font-semibold text-slate-900">{val.toLocaleString("mn-MN")} ₮</span>
422                         </div>
423                     ) : null
424                 )
425             )}
426     </div>
427
428     <div className="rounded-2xl border border-slate-200 bg-slate-50 px-4 py-3 space-y-2 text-[11px] sm:text-xs">
429         <h3 className="font-medium text-slate-900">{r.incomeBySubTitle}</h3>
430
431         {Object.keys(summary.byIncomeSub).length === 0 ? (
432             <p className="text-slate-500">{r.noIncomeData}</p>
433         ) : (
434             Object.entries(summary.byIncomeSub)
435                 .sort((a, b) => b[1] - a[1])
436                 .map(([k, val]) =>
437                     val ? (
438                         <div key={k} className="flex items-center justify-between gap-2">
439                             <span className="text-slate-600">{subLabel(k, locale) || r.otherIncome}</span>
440                             <span className="font-semibold text-slate-900">{val.toLocaleString("mn-MN")} ₮</span>
441                         </div>
442                     ) : null
443                 )
444             )}
445     </div>
446 </div>
447
448 /* Debt + Saving */
449 <div className="grid md:grid-cols-2 gap-4">
450     <div className="rounded-2xl border border-slate-200 bg-slate-50 px-4 py-3 space-y-2 text-[11px] sm:text-xs">
451         <h3 className="font-medium text-slate-900">{r.debtTitle}</h3>
452         <div className="flex flex-wrap gap-4">
453             <p className="text-slate-600">
454                 {r.borrowed}{" "}
455                 <span className="text-emerald-600 font-semibold">{summary.debtBorrow.toLocaleString("mn-MN")} ₮</span>
456             </p>
457             <p className="text-slate-600">
458                 {r.repaid}{" "}
459                 <span className="text-rose-600 font-semibold">{summary.debtRepay.toLocaleString("mn-MN")} ₮</span>

```



```

460     </p>
461     <p className="text-slate-600">
462       {r.outstanding}{" "}
463       <span className="text-amber-600 font-semibold">{summary.debtOutstanding.toLocaleString("mn-MN")} ₮</span>
464     </p>
465   </div>
466
467   {Object.keys(summary.byDebtAction).length > 0 && (
468     <div className="grid sm:grid-cols-2 gap-2 mt-2">
469       {Object.entries(summary.byDebtAction)
470         .sort((a, b) => b[1] - a[1])
471         .map(([k, v]) => (
472           <div key={k} className="flex items-center justify-between rounded-xl bg-white px-3 py-2">
473             <span className="text-slate-600">{labels[k as CategoryId] ?? k}</span>
474             <span className="font-semibold text-slate-900">{v.toLocaleString("mn-MN")} ₮</span>
475           </div>
476         ))}
477     </div>
478   )}
479 </div>
480
481 <div className="rounded-2xl border border-slate-200 bg-slate-50 px-4 py-3 space-y-2 text-[11px] sm:text-xs">
482   <h3 className="font-medium text-slate-900">{r.savingTitle}</h3>
483   <div className="flex flex-wrap gap-4">
484     <p className="text-slate-600">
485       {r.added}{" "}
486       <span className="text-sky-600 font-semibold">{summary.savingAdd.toLocaleString("mn-MN")} ₮</span>
487     </p>
488     <p className="text-slate-600">
489       {r.withdrawn}{" "}
490       <span className="text-amber-600 font-semibold">{summary.savingWithdraw.toLocaleString("mn-MN")} ₮</span>
491     </p>
492     <p className="text-slate-600">
493       {r.outstanding}{" "}
494       <span className="text-emerald-600 font-semibold">{summary.savingBalance.toLocaleString("mn-MN")} ₮</span>
495     </p>
496   </div>
497
498   {Object.keys(summary.bySavingAction).length > 0 && (
499     <div className="grid sm:grid-cols-2 gap-2 mt-2">
500       {Object.entries(summary.bySavingAction)
501         .sort((a, b) => b[1] - a[1])
502         .map(([k, v]) => (
503           <div key={k} className="flex items-center justify-between rounded-xl bg-white px-3 py-2">
504             <span className="text-slate-600">{labels[k as CategoryId] ?? k}</span>
505             <span className="font-semibold text-slate-900">{v.toLocaleString("mn-MN")} ₮</span>
506           </div>
507         ))}
508     </div>
509   )}
510 </div>
511 </div>
512
513 /* Expense subcategory breakdown */
514 <div className="rounded-2xl border border-slate-200 bg-slate-50 px-4 py-3 space-y-2 text-[11px] sm:text-xs">
515   <h3 className="font-medium text-slate-900">{r.expenseSubTitle}</h3>
516
517   {topExpenseSub.length === 0 ? (
518     <p className="text-slate-500">{r.noExpenseSubData}</p>
519   ) : (
520     <div className="grid sm:grid-cols-2 md:grid-cols-3 gap-2">
521       {topExpenseSub.map(([k, v]) => (
522         <div key={k} className="flex items-center justify-between rounded-xl bg-white px-3 py-2">
523           <span className="text-slate-600">{subLabel(k, locale) || k}</span>
524           <span className="font-semibold text-slate-900">{v.toLocaleString("mn-MN")} ₮</span>
525         </div>
526       ))}
527     </div>
528   )}

```

```

529     </div>
530
531     /* TOP stores (optional) */
532     <div className="rounded-2xl border border-slate-200 bg-slate-50 px-4 py-3 space-y-2 text-[11px] sm:text-xs">
533       <h3 className="font-medium text-slate-900">{r.topStoresTitle}</h3>
534       {topStores.length === 0 ? (
535         <p className="text-slate-500">{r.noData}</p>
536       ) : (
537         topStores.map(({name, amt}) => (
538           <div key={name} className="flex items-center justify-between border-b border-slate-200 py-1">
539             <span className="text-slate-900">{name}</span>
540             <span className="font-semibold text-slate-900">{amt.toLocaleString("mn-MN")} ₮</span>
541           </div>
542         ))
543       )}
544     </div>
545
546     /* Filtered list + delete */
547     <div className="rounded-2xl border border-slate-200 bg-slate-50 px-4 py-3 space-y-2 max-h-96 overflow-y-auto">
548       <h3 className="font-medium text-slate-900">{r.filteredListTitle}</h3>
549
550       {filtered.length === 0 ? (
551         <p className="text-[11px] text-slate-500">{r.noFilteredTx}</p>
552       ) : (
553         filtered.map((tx) => {
554           const { store, item } = splitNote(tx.note);
555           const title = (item || tx.note || r.defaultTitle).trim();
556
557           const typeLabel =
558             tx.type === "income" ? r.defaultIncomeTitle :
559             tx.type === "expense" ? r.defaultExpenseTitle :
560             tx.type === "debt" ? r.defaultDebtTitle : r.defaultSavingTitle;
561
562           const catLabel = labels[tx.category] ?? tx.category;
563           const sub = tx.subCategory ? subLabel(tx.subCategory, locale) : "";
564
565           // □ плюс/минус
566           const isPlus =
567             tx.type === "income" ||
568             (tx.type === "debt" && tx.category === "debt_borrow") ||
569             (tx.type === "saving" && tx.category === "saving_add");
570
571           return (
572             <div key={tx.id} className="flex items-center justify-between gap-2 border-b border-slate-200 py-2">
573               <div className="space-y-0.5">
574                 <p className="text-[11px] text-slate-900">{title}</p>
575                 <p className="text-[10px] text-slate-500">
576                   {tx.date} · {typeLabel} · {catLabel}
577                   {sub ? ` · ${sub}` : ""}
578                   {store ? ` · ${store}` : ""}
579                 </p>
580               </div>
581
582               <div className="flex items-center gap-2">
583                 <span className="text-[11px] font-semibold text-slate-900">
584                   {isPlus ? "+" : "-"}
585                   {tx.amount.toLocaleString("mn-MN")} ₮
586                 </span>
587
588                 <button
589                   type="button"
590                   onClick={() => onDelete(tx.id)}
591                   className="text-slate-400 hover:text-rose-600 transition"
592                   aria-label={t.apps.finance.deleteAria}
593                   title={t.apps.finance.deleteTitle}
594                 >
595                   <Trash2 className="h-3.5 w-3.5" />
596                 </button>
597               </div>

```

```

598         </div>
599     });
600 }
601 }}
602 </div>
603 </div>
604 }}
605
606 {!showResult && (
607   <p className="text-[11px] text-slate-500">{r.collapsedHint}</p>
608 )}
609 </section>
610 );
611 }

```

70. app/(chat)/mind/life/finance-app/useTransactions.ts

```

1  "use client";
2
3  import { useEffect, useMemo, useState } from "react";
4  import type { CategoryId, Transaction, TransactionType, TransactionSource } from "../financeTypes";
5  import { isGuestUserId } from "../financeGuest";
6  import { useT } from "@lib/il8n/provider";
7
8  function isoToday() {
9    return new Date().toISOString().slice(0, 10);
10 }
11 function nowIso() {
12   return new Date().toISOString();
13 }
14
15 const GUEST_KEY = "finance_guest_transactions_v1";
16
17 function safeParse<T>(raw: string | null, fallback: T): T {
18   try {
19     if (!raw) return fallback;
20     return JSON.parse(raw) as T;
21   } catch {
22     return fallback;
23   }
24 }
25
26 function mapRow(row: any): Transaction {
27   return {
28     id: row.id,
29     user_id: row.user_id,
30     type: row.type,
31     amount: Number(row.amount) || 0,
32     category: row.category,
33     subCategory: row.sub_category ?? null,
34     date: row.date,
35     note: row.note ?? "",
36     source: (row.source ?? "text") as TransactionSource,
37     createdAt: row.created_at,
38   };
39 }
40
41 export function useTransactions(userId: string) {
42   const t = useT();
43   const guest = isGuestUserId(userId);
44
45   const [transactions, setTransactions] = useState<Transaction[]>([]);
46   const [loading, setLoading] = useState<boolean>(true);
47
48   // □ Load: guest => localStorage, login => supabase
49   useEffect(() => {
50     let alive = true;

```

```

51
52   const load = async () => {
53     setLoading(true);
54
55     // GUEST: local storage
56     if (guest) {
57       const local = safeParse<Transaction[]>(localStorage.getItem(GUEST_KEY), []);
58       if (!alive) return;
59       setTransactions(Array.isArray(local) ? local : []);
60       setLoading(false);
61       return;
62     }
63
64     // LOGIN: fetch API
65     const res = await fetch("/api/finance/transactions");
66     if (!alive) return;
67
68     if (!res.ok) {
69       console.error("Transactions load error", res.status);
70       setTransactions([]);
71       setLoading(false);
72       return;
73     }
74
75     const json = await res.json();
76     const rows = Array.isArray(json.rows) ? json.rows : [];
77     setTransactions(rows.map(mapRow));
78     setLoading(false);
79   };
80
81   load();
82
83   return () => {
84     alive = false;
85   };
86 }, [userId, guest]);
87
88 // □ Persist guest local changes
89 useEffect(() => {
90   if (!guest) return;
91   localStorage.setItem(GUEST_KEY, JSON.stringify(transactions));
92 }, [guest, transactions]);
93
94 const totals = useMemo(() => {
95   let income = 0;
96   let expense = 0;
97
98   // debt
99   let debtBorrow = 0;
100  let debtRepay = 0;
101
102  // saving
103  let savingAdd = 0;
104  let savingWithdraw = 0;
105
106  for (const t of transactions) {
107    if (t.type === "income") income += t.amount;
108    else if (t.type === "expense") expense += t.amount;
109    else if (t.type === "debt") {
110      if (t.category === "debt_borrow") debtBorrow += t.amount;
111      if (t.category === "debt_repay") debtRepay += t.amount;
112    } else if (t.type === "saving") {
113      if (t.category === "saving_add") savingAdd += t.amount;
114      if (t.category === "saving_withdraw") savingWithdraw += t.amount;
115    }
116  }
117
118  const balance = income - expense;
119  const debtOutstanding = debtBorrow - debtRepay;

```

```

120     const savingBalance = savingAdd - savingWithdraw;
121
122     return {
123       totalIncome: income,
124       totalExpense: expense,
125       balance,
126       debtBorrow,
127       debtRepay,
128       debtOutstanding,
129       savingAdd,
130       savingWithdraw,
131       savingBalance,
132     };
133   }, [transactions]);
134
135   const addTransaction = async (input: {
136     type: TransactionType;
137     amount: number;
138     category: CategoryId;
139     subCategory?: string | null;
140     date?: string;
141     note?: string;
142     source?: TransactionSource;
143   }) => {
144     const tempId = `temp-${Date.now()}-${Math.random().toString(16).slice(2)}`;
145
146     const tx: Transaction = {
147       id: tempId,
148       type: input.type,
149       amount: input.amount,
150       category: input.category,
151       subCategory: input.subCategory ?? null,
152       date: input.date || isoToday(),
153       note: input.note?.trim() || "",
154       source: input.source ?? "text",
155       createdAt: nowIso(),
156       user_id: guest ? undefined : userId,
157     };
158
159     // □ Optimistic UI
160     setTransactions((prev) => [tx, ...prev]);
161
162     // □ Guest: localStorage дээр хадгалаад дуусна (алга болохгүй)
163     if (guest) return;
164
165     const payload = {
166       user_id: userId,
167       type: input.type,
168       amount: input.amount,
169       category: input.category,
170       sub_category: input.subCategory ?? null,
171       date: input.date || isoToday(),
172       note: input.note?.trim() || null,
173       source: input.source ?? "text",
174       raw_text: input.note?.trim() || null,
175     };
176
177     const res = await fetch("/api/finance/transactions", {
178       method: "POST",
179       headers: { "Content-Type": "application/json" },
180       body: JSON.stringify({ rows: [payload] }),
181     });
182
183     if (!res.ok) {
184       console.error("Transaction insert error", res.status);
185       setTransactions((prev) => prev.filter((t) => t.id !== tempId));
186       return;
187     }
188

```

```

189   const json = await res.json().catch(() => ({}));
190   const saved = json.row ? mapRow(json.row) : null;
191   if (saved) {
192     setTransactions((prev) => [saved, ...prev.filter((t) => t.id !== tempId)]);
193   }
194 };
195
196 const deleteTransaction = async (id: string) => {
197   setTransactions((prev) => prev.filter((t) => t.id !== id));
198
199   if (guest) return;
200   if (id.startsWith("temp-")) return;
201
202   const res = await fetch(`/api/finance/transactions?id=${encodeURIComponent(id)}`, { method: "DELETE" });
203   if (!res.ok) console.error("Delete error", res.status);
204 };
205
206 const deleteAll = async () => {
207   const ok = window.confirm(t.apps.finance.deleteAllConfirm);
208   if (!ok) return;
209
210   setTransactions([]);
211
212   if (guest) return;
213
214   const res = await fetch("/api/finance/transactions", { method: "DELETE" });
215   if (!res.ok) console.error("Delete all error", res.status);
216 };
217
218 // □ Guest-ийг "шинээр эхлүүлэх" товч хэрэгтэй бол ашиглана
219 const resetGuest = () => {
220   if (!guest) return;
221   setTransactions([]);
222   localStorage.removeItem(GUEST_KEY);
223 };
224
225 return {
226   guest,
227   loading,
228   transactions,
229   totals,
230   addTransaction,
231   deleteTransaction,
232   deleteAll,
233   resetGuest,
234 };
235 }

```

71. app/(chat)/mind/purpose/goal-planner/cbt.module.css

```

1  /* =====
2  Goal Planner - цараан, цэвэрхэн дизайн (Daily Check match)
3  Scoped to this page ONLY (no :root, no body/html)
4  ===== */
5
6  .cbtBody {
7    min-height: 100vh;
8    padding: 24px 12px;
9
10   --brand: #1f6fb2;
11
12   --ink: rgba(15, 23, 42, 0.92);
13   --muted: rgba(15, 23, 42, 0.6);
14
15   --line: #e2e8f0;
16   --line2: #e2e8f0;
17

```

```

18  --glass: #ffffff;
19  --glass2: #f8fafc;
20
21  color: var(--ink);
22  background: #ffffff;
23
24  position: relative;
25  overflow: hidden;
26 }
27
28 .cbtBody::before {
29   content: "";
30   position: absolute;
31   width: 520px;
32   height: 520px;
33   left: -28%;
34   top: -180px;
35   border-radius: 999px;
36   background: rgba(31, 111, 178, 0.14);
37   filter: blur(80px);
38   pointer-events: none;
39   opacity: 0.45;
40 }
41
42 .container {
43   max-width: 820px; /* desktop дээр тухтай */
44   margin: 0 auto;
45   position: relative;
46   z-index: 1;
47 }
48
49 /* ----- Header ----- */
50 .header {
51   display: flex;
52   align-items: center;
53   gap: 12px;
54   margin-bottom: 14px;
55 }
56
57 .back {
58   width: 42px;
59   height: 42px;
60   border-radius: 14px;
61   border: 1px solid var(--line2);
62   background: var(--glass);
63   cursor: pointer;
64   color: var(--ink);
65   box-shadow: 0 8px 24px rgba(15, 23, 42, 0.08);
66 }
67
68 .headMid {
69   flex: 1;
70   min-width: 0;
71 }
72 .headTitle {
73   font-size: 16px;
74   font-weight: 900;
75   letter-spacing: -0.2px;
76 }
77 .headSub {
78   font-size: 12px;
79   margin-top: 2px;
80   color: var(--muted);
81 }
82
83 .chatBtn {
84   display: inline-flex;
85   align-items: center;
86   gap: 8px;

```

```

87   padding: 10px 12px;
88   border-radius: 14px;
89   border: 1px solid var(--line2);
90   background: var(--glass);
91   text-decoration: none;
92   font-size: 13px;
93   font-weight: 800;
94   color: var(--ink);
95   box-shadow: 0 8px 24px rgba(15, 23, 42, 0.08);
96 }
97 .chatIcon {
98   line-height: 1;
99 }
100
101 /* ----- Card (AppShell панелийн дотор пул хавтгай) ----- */
102 .card {
103   border: 0;
104   border-radius: 0;
105   background: transparent;
106   box-shadow: none;
107   padding: 0;
108 }
109
110 .titleRow {
111   display: flex;
112   align-items: baseline;
113   justify-content: space-between;
114   gap: 10px;
115   margin-bottom: 12px;
116 }
117
118 .h1 {
119   margin: 0;
120   font-size: 20px;
121   font-weight: 700;
122   letter-spacing: -0.3px;
123 }
124
125 .smallNote {
126   font-size: 12px;
127   color: var(--muted);
128 }
129
130 /* ----- Form ----- */
131 .form {
132   display: grid;
133   gap: 12px;
134 }
135
136 .field {
137   display: grid;
138   gap: 6px;
139 }
140
141 .label {
142   font-size: 13px;
143   font-weight: 700;
144   letter-spacing: -0.1px;
145 }
146
147 .row2 {
148   display: grid;
149   grid-template-columns: 1fr 1fr;
150   gap: 10px;
151 }
152
153 .row3 {
154   display: grid;
155   grid-template-columns: 1.2fr 1fr 1fr;

```



```

156     gap: 10px;
157 }
158
159 .input,
160 .textarea,
161 .select {
162     width: 100%;
163     border-radius: 14px;
164     border: 1px solid var(--line2);
165     background: #ffffff;
166     color: var(--ink);
167     padding: 11px 14px;
168     outline: none;
169     font-weight: 500;
170     font-size: 14px;
171     transition:
172         border-color 0.15s ease,
173         box-shadow 0.15s ease,
174         background 0.15s ease;
175 }
176
177 .input:hover,
178 .textarea:hover,
179 .select:hover {
180     border-color: rgba(31, 111, 178, 0.4);
181 }
182
183 .input:focus,
184 .textarea:focus,
185 .select:focus {
186     border-color: var(--brand);
187     box-shadow: 0 0 0 3px rgba(31, 111, 178, 0.15);
188 }
189
190 .textarea {
191     min-height: 92px;
192     resize: vertical;
193 }
194
195 .input::placeholder,
196 .textarea::placeholder {
197     color: rgba(15, 23, 42, 0.4);
198     font-weight: 500;
199 }
200
201 .select {
202     appearance: none;
203     cursor: pointer;
204     background-image: url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg' width='16' height='16' viewBox='0 0 24 24' fill='none' stroke='%231F6FB2' stroke-width='2.5' stroke-linecap='round'
linejoin='round'%3E%3Cpath d='M6 9l6 6-6'/%3E%3C/svg%3E");
205     background-position: calc(100% - 12px) 50%;
206     background-size: 16px 16px;
207     background-repeat: no-repeat;
208     padding-right: 38px;
209 }
210
211 .groupTitle {
212     margin-top: 6px;
213     font-size: 13px;
214     font-weight: 950;
215     color: rgba(15, 23, 42, 0.8);
216 }
217
218 /* ----- Frequency (optional) чекүүд ----- */
219 /* ----- Frequency (optional) ----- */
220 .freqWrap {
221     border: 1px dashed #cbd5e1;
222     border-radius: 18px;
223     padding: 12px;

```

```

224   background: #f8fafc;
225   display: grid;
226   gap: 10px;
227 }
228
229 .freqTop {
230   display: flex;
231   align-items: center;
232   gap: 10px;
233   cursor: pointer;
234   user-select: none;
235 }
236
237 .freqToggle {
238   width: 18px;
239   height: 18px;
240   accent-color: var(--brand);
241 }
242
243 .freqLabel {
244   font-size: 13px;
245   font-weight: 950;
246   color: rgba(15, 23, 42, 0.85);
247 }
248
249 .freqRow {
250   display: grid;
251   gap: 8px;
252 }
253
254 /* ----- Actions ----- */
255 .actions {
256   display: grid;
257   gap: 10px;
258   margin-top: 8px;
259 }
260
261 .mainBtn {
262   width: 100%;
263   height: 48px;
264   border-radius: 14px;
265   border: 1px solid var(--brand);
266   background: var(--brand);
267   color: black;
268   font-weight: 600;
269   font-size: 15px;
270   letter-spacing: -0.1px;
271   cursor: pointer;
272   box-shadow: 0 10px 24px rgba(31, 111, 178, 0.25);
273   transition:
274     filter 0.15s ease,
275     transform 0.05s ease;
276 }
277 .mainBtn:hover {
278   filter: brightness(1.06);
279 }
280 .mainBtn:active {
281   transform: translateY(1px);
282 }
283
284 .ghostBtn {
285   width: 100%;
286   height: 48px;
287   border-radius: 14px;
288   border: 1px solid #e2e8f0;
289   background: #ffffff;
290   color: var(--ink);
291   font-weight: 600;
292   font-size: 15px;

```

```

293   cursor: pointer;
294   transition: background 0.15s ease;
295 }
296 .ghostBtn:hover {
297   background: #f8fafc;
298 }
299
300 .mainBtn:disabled,
301 .ghostBtn:disabled {
302   opacity: 0.55;
303   cursor: not-allowed;
304 }
305
306 /* ----- List ----- */
307 .list {
308   margin-top: 14px;
309   display: grid;
310   gap: 10px;
311 }
312
313 .listCard {
314   border: 1px solid var(--line2);
315   background: #f8fafc;
316   border-radius: 18px;
317   padding: 12px;
318   display: flex;
319   align-items: flex-start;
320   justify-content: space-between;
321   gap: 12px;
322 }
323
324 .itemLeft {
325   min-width: 0;
326   display: grid;
327   gap: 6px;
328 }
329
330 .itemTitle {
331   font-size: 14px;
332   font-weight: 700;
333   margin: 0;
334 }
335
336 .itemMeta {
337   font-size: 12px;
338   color: rgba(15, 23, 42, 0.6);
339   display: flex;
340   flex-wrap: wrap;
341   gap: 8px;
342 }
343
344 .pill {
345   display: inline-flex;
346   align-items: center;
347   padding: 5px 11px;
348   border-radius: 999px;
349   border: 1px solid #e2e8f0;
350   background: #f8fafc;
351   font-size: 12px;
352   font-weight: 600;
353   color: rgba(15, 23, 42, 0.7);
354 }
355
356 .delBtn {
357   border: 1px solid rgba(239, 68, 68, 0.35);
358   background: rgba(239, 68, 68, 0.1);
359   color: #b91c1c;
360   height: 40px;
361   padding: 0 12px;

```

```

362   border-radius: 14px;
363   font-weight: 950;
364   cursor: pointer;
365 }
366
367 .sectionTitle {
368   margin: 4px 0 10px;
369   display: flex;
370   align-items: center;
371   gap: 8px;
372   font-size: 13px;
373   font-weight: 700;
374   letter-spacing: -0.1px;
375   color: rgba(15, 23, 42, 0.88);
376 }
377 .sectionTitle::before {
378   content: "";
379   width: 4px;
380   height: 14px;
381   border-radius: 999px;
382   background: var(--brand);
383 }
384
385 .emptyHint {
386   border: 1px dashed #cbd5e1;
387   border-radius: 14px;
388   padding: 14px;
389   text-align: center;
390   font-size: 12px;
391   font-weight: 500;
392   color: rgba(15, 23, 42, 0.5);
393   background: rgba(15, 23, 42, 0.012);
394 }
395
396 .summaryBox {
397   margin-top: 10px;
398   border: 1px dashed #cbd5e1;
399   border-radius: 18px;
400   padding: 12px;
401   background: #f8fafc;
402   display: grid;
403   gap: 6px;
404 }
405
406 .summaryLine {
407   font-size: 13px;
408   font-weight: 900;
409   color: rgba(15, 23, 42, 0.85);
410 }
411
412 .muted {
413   color: var(--muted);
414   font-size: 12px;
415 }
416
417 /* responsive */
418 @media (max-width: 640px) {
419   .row2 {
420     grid-template-columns: 1fr;
421   }
422   .row3 {
423     grid-template-columns: 1fr;
424   }
425   .cvtBody {
426     padding: 18px 10px;
427   }
428   .h1 {
429     font-size: 19px;
430   }

```

```

431 }
432 /* ===== Goal Planner responsive fixes ===== */
433
434 .errBox {
435   margin: 10px 0 12px;
436   padding: 10px 12px;
437   border-radius: 12px;
438   background: rgba(220, 38, 38, 0.1);
439   border: 1px solid rgba(220, 38, 38, 0.3);
440   color: #b91c1c;
441   font-weight: 900;
442 }
443
444 .execTopLine {
445   display: flex;
446   gap: 10px;
447   flex-wrap: wrap;
448   margin: 10px 0 10px;
449 }
450
451 .execStatPill {
452   display: inline-flex;
453   align-items: center;
454   padding: 8px 10px;
455   border-radius: 999px;
456   background: #f8fafc;
457   border: 1px solid #e2e8f0;
458   font-weight: 900;
459   white-space: nowrap;
460 }
461
462 .execRight {
463   display: flex;
464   align-items: center;
465   justify-content: flex-end;
466 }
467
468 .doneBtn {
469   border-radius: 14px;
470   padding: 10px 14px;
471   font-weight: 950;
472 }
473
474 .doneBtn[aria-disabled="true"],
475 .doneBtn:disabled {
476   opacity: 0.55;
477   cursor: not-allowed;
478 }
479
480 .doneBadge {
481   margin-top: 8px;
482   padding: 10px 12px;
483   border-radius: 14px;
484   background: rgba(34, 197, 94, 0.14);
485   border: 1px solid rgba(34, 197, 94, 0.35);
486   font-weight: 950;
487 }
488
489 @media (max-width: 520px) {
490   /* 6) Mobile дээр эвтэйхэн болгоно */
491   .row3 {
492     display: grid;
493     grid-template-columns: 1fr;
494     gap: 10px;
495   }
496
497   .row2 {
498     display: grid;
499     grid-template-columns: 1fr;

```

```

500     gap: 10px;
501   }
502
503   .listCard {
504     display: grid;
505     grid-template-columns: 1fr;
506     gap: 10px;
507   }
508
509   .execRight {
510     justify-content: flex-start;
511   }
512
513   .itemMeta {
514     display: flex;
515     flex-wrap: wrap;
516     gap: 8px;
517   }
518
519   .actions {
520     display: grid;
521     grid-template-columns: 1fr;
522     gap: 10px;
523   }
524 }
525 /* --- Error / Success --- */
526 .errorBox {
527   margin-bottom: 10px;
528   padding: 10px 12px;
529   border-radius: 14px;
530   border: 1px solid rgba(239, 68, 68, 0.3);
531   background: rgba(239, 68, 68, 0.1);
532   color: #b91c1c;
533   font-weight: 900;
534 }
535
536 .successBox {
537   margin-top: 10px;
538   padding: 12px;
539   border-radius: 16px;
540   border: 1px solid rgba(34, 197, 94, 0.3);
541   background: rgba(34, 197, 94, 0.1);
542   color: #15803d;
543   font-weight: 950;
544 }
545
546 /* --- Execute top row: plain text --- */
547 .execTopRow {
548   display: flex;
549   align-items: center;
550   justify-content: space-between;
551   gap: 10px;
552   margin: 6px 0 10px;
553   flex-wrap: wrap;
554 }
555 .execStat {
556   font-size: 13px;
557   font-weight: 900;
558   color: rgba(15, 23, 42, 0.85);
559 }
560
561 /* --- Summary numbers nicer --- */
562 .sumKey {
563   font-weight: 950;
564 }
565 .sumVal {
566   font-weight: 950;
567   color: rgba(15, 23, 42, 0.9);
568   margin-left: 6px;

```

```

569 }
570
571 /* □ "Хийсэн" товч: баруун хананд ойр, өнгө заавал гарна */
572 .doneBtn {
573   height: 44px;
574   padding: 0 14px;
575   border-radius: 16px;
576   border: 1px solid rgba(31, 111, 178, 0.65) !important;
577   background: rgba(31, 111, 178, 0.14) !important;
578   color: var(--brand) !important;
579   font-weight: 950;
580   cursor: pointer;
581   white-space: nowrap;
582 }
583 .doneBtn:active {
584   transform: translateY(1px);
585 }
586
587 /* □ Del button (organized/edit дээр заавал харагдана) */
588 .delBtn {
589   height: 40px;
590   padding: 0 12px;
591   border-radius: 14px;
592   border: 1px solid #e2e8f0;
593   background: #f8fafc;
594   color: rgba(15, 23, 42, 0.85);
595   font-weight: 900;
596   cursor: pointer;
597   white-space: nowrap;
598 }
599
600 /* --- Mobile fix: list card эвдрэхгүй --- */
601 @media (max-width: 520px) {
602   .container {
603     max-width: 100%;
604   }
605   .card {
606     padding: 0;
607   }
608
609   .listCard {
610     flex-direction: column;
611     align-items: stretch;
612     gap: 10px;
613   }
614
615   .itemMeta {
616     flex-wrap: wrap;
617     gap: 8px;
618   }
619
620   .doneBtn,
621   .delBtn {
622     width: 100%;
623   }
624 }
625 /* =====
626    FINAL OVERRIDES (must be bottom)
627    ===== */
628
629 /* □ Устгах товч: өмнөх шиг улаавтар туяатай (зураг шиг) */
630 .delBtn {
631   height: 40px !important;
632   padding: 0 12px !important;
633   border-radius: 14px !important;
634   border: 1px solid rgba(239, 68, 68, 0.4) !important;
635   background: rgba(239, 68, 68, 0.1) !important;
636   color: #b91c1c !important;
637   font-weight: 950 !important;

```

```

638     cursor: pointer !important;
639     white-space: nowrap !important;
640 }
641
642 /* □ "Хийсэн" товч: Устрахаас өөр өнгөтэй, ялгарах */
643 .doneBtn {
644     height: 44px !important;
645     padding: 0 14px !important;
646     border-radius: 16px !important;
647     border: 1px solid rgba(34, 197, 94, 0.4) !important;
648     background: rgba(34, 197, 94, 0.14) !important;
649     color: #15803d !important;
650     font-weight: 950 !important;
651     cursor: pointer !important;
652     white-space: nowrap !important;
653 }
654 .doneBtn:active {
655     transform: translateY(1px);
656 }
657 .doneBtn:disabled {
658     opacity: 0.55;
659     cursor: not-allowed;
660 }
661
662 /* □ "Хийсэн Х өдөр" pill — бусдаасаа өөр ногоондуу ялгаатай */
663 .pillDone {
664     border: 1px solid rgba(34, 197, 94, 0.35) !important;
665     background: rgba(34, 197, 94, 0.12) !important;
666     color: #15803d !important;
667 }
668
669 /* □ "Өнөөдөр та хийсэн байна" мессеж */
670 .todayBadge {
671     margin-top: 8px;
672     padding: 10px 12px;
673     border-radius: 14px;
674     background: rgba(34, 197, 94, 0.14);
675     border: 1px solid rgba(34, 197, 94, 0.3);
676     font-weight: 950;
677 }
678 .doneBtnDone {
679     border-color: rgba(59, 130, 246, 0.55) !important;
680     background: rgba(59, 130, 246, 0.12) !important;
681     color: #1d4ed8 !important;
682 }
683 .execLinkBtn {
684     font-size: 12px;
685     font-weight: 800;
686     text-transform: lowercase;
687     color: rgba(15, 23, 42, 0.55);
688 }
689 .execToggle {
690     background: transparent;
691     border: 0;
692     padding: 0;
693     cursor: pointer;
694
695     /* □ "Нийт зорилго" (execStat) -той адил */
696     font-size: 13px;
697     font-weight: 900;
698     color: rgba(15, 23, 42, 0.85);
699
700     display: inline-flex;
701     align-items: center;
702     gap: 6px;
703 }
704
705 .execToggle:active {
706     transform: translateY(1px);

```



```

707 }
708
709 .execCount {
710   font-weight: 950;
711 }
712
713 .execHint {
714   font-weight: 900;
715   opacity: 0.8;
716 }
717 /* □ 4 select-ийг нэг цул "удирдлага" болгон харуулна */
718 .row4 {
719   display: grid;
720   grid-template-columns: 1.2fr 0.85fr 0.85fr 0.85fr; /* Unit | Times | Hours | Minutes */
721   gap: 6px;
722   align-items: center;
723   padding: 6px;
724   border: 1px solid var(--line2);
725   border-radius: 16px;
726   background: linear-gradient(180deg, #ffffff, #f8fafc);
727   box-shadow: inset 0 1px 0 rgba(255, 255, 255, 0.7);
728 }
729
730 .row4 .select {
731   border: 1px solid transparent;
732   background-color: #f1f5f9;
733   background-image: url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg' width='16' height='16' viewBox='0 0 24 24' fill='none' stroke='%231F6FB2' stroke-width='2.5' stroke-linecap='round'
linejoin='round'%3E%3Cpath d='M6 9l6 6-6-6'/%3E%3C/svg%3E");
734   border-radius: 11px;
735   padding: 10px 32px 10px 12px;
736   font-weight: 600;
737   text-align: left;
738 }
739
740 .row4 .select:hover {
741   background-color: #e8eef5;
742   border-color: transparent;
743 }
744
745 .row4 .select:focus {
746   background-color: #ffffff;
747   border-color: var(--brand);
748 }
749
750 .row4 .select:disabled {
751   opacity: 0.5;
752   cursor: not-allowed;
753 }
754
755 /* жижиг дэлгэц дээр 2x2 болгож эвтэйхэн болгоё */
756 @media (max-width: 520px) {
757   .row4 {
758     grid-template-columns: 1fr 1fr;
759     gap: 6px;
760   }
761 }

```

72. app/(chat)/mind/purpose/goal-planner/execute/page.tsx

```

1 import { redirect } from "next/navigation";
2
3 export default function GoalPlannerExecuteRedirect() {
4   redirect("/mind/purpose/goal-planner");
5 }

```

73. app/(chat)/mind/purpose/goal-planner/page.tsx

```
1  "use client";
2
3  import { useEffect, useMemo, useRef, useState } from "react";
4  import { useRouter } from "next/navigation";
5  import styles from "../cbt.module.css";
6  import { AppShell } from "@components/mind/app-shell";
7  import { useT } from "@lib/il8n/provider";
8
9  type GoalType =
10    | "Хувийн"
11    | "Хосын"
12    | "Ажил"
13    | "Гэр бүл"
14    | "Эрүүл мэнд"
15    | "Санхүү"
16    | "Сурч хөгжих"
17    | "Бусад";
18
19  type EffortUnit = "Өдөрт" | "7 хоногт" | "Сард" | "Жилд" | "Нэг л удаа";
20  type OrganizeGroup = "Богино хугацаа" | "Дунд хугацаа" | "Урт хугацаа";
21
22  type GoalItem = {
23    id?: string;
24    localId: string;
25
26    goal_type: GoalType;
27    start_date: string; // yyyy-mm-dd
28    end_date: string | null;
29
30    goal_text: string;
31    description: string;
32
33    effort_unit: EffortUnit;
34
35    // □ Давтамж (1 нэгжид хэдэн удаа хийх вэ)
36    effort_repeat: number; // 1..N
37
38    // □ Нэг удаад зарцуулах хугацаа
39    effort_hours: number; // 0..24
40    effort_minutes: number; // 0..59
41
42    // □ Хийсэн тоо (өдөр биш – “удаа” гэж тооцно)
43    completed_days?: number | null;
44  };
45
46  function pad2(n: number) {
47    return String(n).padStart(2, "0");
48  }
49
50  function todayISO() {
51    const d = new Date();
52    const yyyy = d.getFullYear();
53    const mm = pad2(d.getMonth() + 1);
54    const dd = pad2(d.getDate());
55    return `${yyyy}-${mm}-${dd}`;
56  }
57
58  function toDate(iso: string) {
59    return new Date(iso + "T00:00:00");
60  }
61
62  function daysBetween(aISO: string, bISO: string) {
63    const a = toDate(aISO);
64    const b = toDate(bISO);
65    const ms = b.getTime() - a.getTime();
66    return Math.round(ms / (1000 * 60 * 60 * 24));
```

```

67 }
68
69 function monthsBetweenInclusive(startISO: string, endISO: string) {
70   const s = toDate(startISO);
71   const e = toDate(endISO);
72   const sm = s.getFullYear() * 12 + s.getMonth();
73   const em = e.getFullYear() * 12 + e.getMonth();
74   return Math.max(1, em - sm + 1);
75 }
76
77 function yearsBetweenInclusive(startISO: string, endISO: string) {
78   const s = toDate(startISO);
79   const e = toDate(endISO);
80   return Math.max(1, e.getFullYear() - s.getFullYear() + 1);
81 }
82
83 function classifyGoal(startISO: string, endISO: string | null): OrganizeGroup {
84   if (!endISO) return "Үрт хурацаа";
85   const d = Math.max(0, daysBetween(startISO, endISO));
86   if (d <= 90) return "Богино хурацаа";
87   if (d <= 365) return "Дунд хурацаа";
88   return "Үрт хурацаа";
89 }
90
91 function formatDateRange(startISO: string, endISO: string | null) {
92   if (!endISO) return `${startISO} → (тодорхойгүй)`;
93   return `${startISO} → ${endISO}`;
94 }
95
96 function hmTextFromMinutes(totalMins: number) {
97   const h = Math.floor(totalMins / 60);
98   const m = totalMins % 60;
99   if (h > 0 && m > 0) return `${h}ц ${m}м`;
100   if (h > 0) return `${h}ц`;
101   return `${m}м`;
102 }
103
104 function sessionMinutes(g: GoalItem) {
105   const h = Number(g.effort_hours || 0);
106   const m = Number(g.effort_minutes || 0);
107   return h * 60 + m;
108 }
109
110 function perUnitMinutes(g: GoalItem) {
111   const repeat = Math.max(1, Number(g.effort_repeat || 1));
112   return sessionMinutes(g) * repeat;
113 }
114
115 // □ "Өдөрт - 1ц 30м" (давтамж=3, нэг удаа=30м => 90м => 1ц30м)
116 function formatEffortCompact(g: GoalItem) {
117   const mins = perUnitMinutes(g);
118   return `${g.effort_unit} - ${hmTextFromMinutes(mins)}`;
119 }
120
121 // □ Нийт "удаа"-г хурацааны интервал дээр зөв бодно
122 function countBasePeriods(g: GoalItem) {
123   if (!g.end_date) return null; // тодорхойгүй
124   const start = g.start_date;
125   const end = g.end_date;
126
127   if (g.effort_unit === "Өдөрт") {
128     return Math.max(1, daysBetween(start, end) + 1);
129   }
130   if (g.effort_unit === "7 хонорт") {
131     const d = Math.max(1, daysBetween(start, end) + 1);
132     return Math.max(1, Math.ceil(d / 7));
133   }
134   if (g.effort_unit === "Сард") {
135     return monthsBetweenInclusive(start, end);

```

```

136 }
137 if (g.effort_unit === "Жилд") {
138   return yearsBetweenInclusive(start, end);
139 }
140 // Нэг л удаа
141 return 1;
142 }
143
144 function calcTotalOccurrences(g: GoalItem) {
145   if (g.effort_unit === "Нэг л удаа") return 1;
146
147   const base = countBasePeriods(g);
148   if (!base) return null; // хугацаа тодорхойгүй
149
150   const repeat = Math.max(1, Number(g.effort_repeat || 1));
151   return base * repeat;
152 }
153
154 function calcTotalMinutesOverRange(g: GoalItem) {
155   const one = sessionMinutes(g);
156   if (g.effort_unit === "Нэг л удаа") return one;
157
158   const base = countBasePeriods(g);
159   if (!base) return null;
160
161   const repeat = Math.max(1, Number(g.effort_repeat || 1));
162   return base * repeat * one;
163 }
164
165 function safeErr(msg: string, tr: { server: string; generic: string }) {
166   const m = (msg || "").toLowerCase();
167   if (m.includes("unexpected token") || m.includes("expected json") || m.includes("json")) {
168     return tr.server;
169   }
170   return msg || tr.generic;
171 }
172
173 /**
174  * □ Done lock: нэг өдөрт 1 удаа биш,
175  * одоо "period key" дээр давтамж дүүртэл дарж болно.
176  * - Өдөрт: yyyy-mm-dd
177  * - 7 хоногт: ISO week key (simple: yyyy-mm-dd of monday)
178  * - Сард: yyyy-mm
179  * - Жилд: yyyy
180  * - Нэг л удаа: "once"
181  */
182 const DONE_LOCK_KEY = "goal_planner_done_lock_v2";
183 type DoneLockMap = Record<string, { period: string; count: number }>; // localId -> {period,count}
184
185 function readDoneLock(): DoneLockMap {
186   try {
187     const raw = localStorage.getItem(DONE_LOCK_KEY);
188     if (!raw) return {};
189     const obj = JSON.parse(raw);
190     if (!obj || typeof obj !== "object") return {};
191     return obj as DoneLockMap;
192   } catch {
193     return {};
194   }
195 }
196
197 function writeDoneLock(map: DoneLockMap) {
198   try {
199     localStorage.setItem(DONE_LOCK_KEY, JSON.stringify(map));
200   } catch {}
201 }
202
203 function mondayOfWeek(d: Date) {
204   const x = new Date(d);

```

```

205   const day = x.getDay(); // 0 Sun ... 6 Sat
206   const diff = (day === 0 ? -6 : 1) - day; // move to Monday
207   x.setDate(x.getDate() + diff);
208   const yyyy = x.getFullYear();
209   const mm = pad2(x.getMonth() + 1);
210   const dd = pad2(x.getDate());
211   return `${yyyy}-${mm}-${dd}`;
212 }
213
214 function periodKeyFor(unit: EffortUnit) {
215   const now = new Date();
216   const yyyy = now.getFullYear();
217   const mm = pad2(now.getMonth() + 1);
218   const dd = pad2(now.getDate());
219
220   if (unit === "Өдөрт") return `${yyyy}-${mm}-${dd}`;
221   if (unit === "7 хоногт") return `w:${mondayOfWeek(now)}`;
222   if (unit === "Сард") return `m:${yyyy}-${mm}`;
223   if (unit === "Жилд") return `y:${yyyy}`;
224   return "once";
225 }
226
227 export default function GoalPlannerPage() {
228   const router = useRouter();
229   const t = useT();
230   const gp = t.apps.goalPlanner;
231   // Enum values stay Mongolian (stored/used in logic); translate display only.
232   const tGoalType = (v: GoalType) => gp.goalTypes[v] ?? v;
233   const tUnit = (v: EffortUnit) => gp.effortUnits[v] ?? v;
234   const tGroup = (v: OrganizeGroup) => gp.groups[v] ?? v;
235
236   const [mode, setMode] = useState<"edit" | "organized" | "execute">("edit");
237   const [items, setItems] = useState<GoalItem[]>([]);
238   const [loading, setLoading] = useState(true);
239   const [err, setErr] = useState<string>("");
240
241   const [showCompleted, setShowCompleted] = useState(false);
242
243   // ---- form ----
244   const [goalType, setGoalType] = useState<GoalType>("Хувийн");
245   const [startDate, setStartDate] = useState<string>(todayISO());
246   const [endDate, setEndDate] = useState<string>("");
247
248   const [goalText, setGoalText] = useState("");
249   const [desc, setDesc] = useState("");
250
251   const [effUnit, setEffUnit] = useState<EffortUnit>("Өдөрт");
252
253   // □ Давтамж
254   const [effRepeat, setEffRepeat] = useState<number>(1);
255
256   const [effHours, setEffHours] = useState<number>(0);
257   const [effMinutes, setEffMinutes] = useState<number>(0);
258
259   const didInitModeRef = useRef(false);
260
261   const [doneLock, setDoneLock] = useState<DoneLockMap>({});
262
263   function canPressDone(g: GoalItem) {
264     const unit = g.effort_unit;
265     const repeat = unit === "Нэг л удаа" ? 1 : Math.max(1, Number(g.effort_repeat || 1));
266     const key = periodKeyFor(unit);
267     const cur = doneLock?.[g.localId];
268
269     if (!cur) return true;
270     if (cur.period !== key) return true;
271     return cur.count < repeat;
272   }
273

```

```

274 function markLocalDone(g: GoalItem) {
275   const unit = g.effort_unit;
276   const repeat = unit === "Нэг л удаа" ? 1 : Math.max(1, Number(g.effort_repeat || 1));
277   const key = periodKeyFor(unit);
278   const cur = doneLock?.[g.localId];
279
280   let nextCount = 1;
281   if (cur && cur.period === key) nextCount = Math.min(repeat, cur.count + 1);
282
283   const next = { ...(doneLock || {}), [g.localId]: { period: key, count: nextCount } };
284   setDoneLock(next);
285   writeDoneLock(next);
286 }
287
288 async function loadGoals() {
289   setLoading(true);
290   setErr("");
291   try {
292     const res = await fetch("/api/goal-planner", { method: "GET" });
293     const data = await res.json().catch(() => ({}));
294     if (!res.ok) throw new Error(data?.error || "LOAD_FAILED");
295
296     const list: any[] = Array.isArray(data?.items) ? data.items : [];
297     const mapped: GoalItem[] = list.map((x) => ({
298       id: x.id,
299       localId: x.local_id || x.localId || crypto.randomUUID(),
300
301       goal_type: (x.goal_type || x.category || "Хувийн") as GoalType,
302       start_date: x.start_date || todayISO(),
303       end_date: x.end_date ?? null,
304
305       goal_text: x.goal_text || "",
306       description: x.description || "",
307
308       effort_unit: (x.effort_unit || "Өдөрт") as EffortUnit,
309
310       // □ шинэ талбар (байхгүй бол 1)
311       effort_repeat: Math.max(1, Number(x.effort_repeat ?? 1)),
312
313       effort_hours: Number(x.effort_hours ?? 0),
314       effort_minutes: Number(x.effort_minutes ?? 0),
315
316       completed_days: x.completed_days === null || x.completed_days === undefined ? 0 : Number(x.completed_days),
317     }));
318
319     setItems(mapped);
320   } catch (e: any) {
321     setErr(safeErr(e?.message || gp.errGeneric, { server: gp.errServer, generic: gp.errGeneric }));
322     setItems([]);
323   } finally {
324     setLoading(false);
325   }
326 }
327
328 useEffect(() => {
329   setDoneLock(readDoneLock());
330   loadGoals();
331 }, []);
332
333 useEffect(() => {
334   if (loading) return;
335   if (didInitModeRef.current) return;
336   didInitModeRef.current = true;
337
338   if (items.length > 0) setMode("execute");
339   else setMode("edit");
340 }, [loading, items.length]);
341
342 function resetFormKeepDates() {

```

```

343   setGoalText("");
344   setDesc("");
345   setEffUnit("Өдөрт");
346   setEffRepeat(1);
347   setEffHours(0);
348   setEffMinutes(0);
349 }
350
351 async function onSave() {
352   setErr("");
353   const text = goalText.trim();
354   if (!text) {
355     setErr(gp.errGoalRequired);
356     return;
357   }
358
359   const payload = {
360     local_id: crypto.randomUUID(),
361     goal_text: text,
362     goal_type: goalType,
363     start_date: startDate,
364     end_date: endDate ? endDate : null,
365     description: desc.trim(),
366
367     effort_unit: effUnit,
368
369     // □ хадгалах
370     effort_repeat: effUnit === "Нэг л удаа" ? 1 : Math.max(1, Number(effRepeat) || 1),
371
372     effort_hours: Math.max(0, Math.min(24, Number(effHours) || 0)),
373     effort_minutes: Math.max(0, Math.min(59, Number(effMinutes) || 0)),
374   };
375
376   try {
377     const res = await fetch("/api/goal-planner", {
378       method: "POST",
379       headers: { "Content-Type": "application/json" },
380       body: JSON.stringify({ title: "Зорилгүүд", goals: [payload] }),
381     });
382
383     const data = await res.json().catch(() => ({}));
384     if (!res.ok) throw new Error(data?.error || "SAVE_FAILED");
385
386     await loadGoals();
387     setMode("edit");
388     resetFormKeepDates();
389   } catch (e: any) {
390     setErr(safeErr(e?.message || gp.errSave, { server: gp.errServer, generic: gp.errGeneric }));
391   }
392 }
393
394 async function onDelete(localId: string) {
395   setErr("");
396   try {
397     const res = await fetch("/api/goal-planner", {
398       method: "DELETE",
399       headers: { "Content-Type": "application/json" },
400       body: JSON.stringify({ local_id: localId }),
401     });
402     const data = await res.json().catch(() => ({}));
403     if (!res.ok) throw new Error(data?.error || "DELETE_FAILED");
404     await loadGoals();
405   } catch (e: any) {
406     setErr(safeErr(e?.message || gp.errDelete, { server: gp.errServer, generic: gp.errGeneric }));
407   }
408 }
409
410 // □ 1 даг = 1 "удаа"
411 async function markDone(localId: string) {

```

```

412   setErr("");
413   try {
414     const res = await fetch("/api/goal-planner", {
415       method: "PATCH",
416       headers: { "Content-Type": "application/json" },
417       body: JSON.stringify({ local_id: localId, op: "inc_done" }),
418     });
419
420     const data = await res.json().catch(() => ({}));
421     if (!res.ok) throw new Error(data?.error || "PATCH_FAILED");
422
423     await loadGoals();
424   } catch (e: any) {
425     setErr(safeErr(e?.message || gp.errMarkDone, { server: gp.errServer, generic: gp.errGeneric }));
426   }
427 }
428
429 const organized = useMemo(() => {
430   const groups: Record<OrganizeGroup, GoalItem[]> = {
431     "Богино хугацаа": [],
432     "Дунд хугацаа": [],
433     "Урт хугацаа": [],
434   };
435   for (const g of items) {
436     const k = classifyGoal(g.start_date, g.end_date);
437     groups[k].push(g);
438   }
439   return groups;
440 }, [items]);
441
442 // □ "Биелсэн" гэж үзэх шалгуур: нийт удаа тодорхой бол тэнд хүрсэн эсэх
443 const completedItems = useMemo(() => {
444   return items.filter((g) => {
445     const totalOcc = calcTotalOccurrences(g);
446     if (!totalOcc) return false; // хугацаа тодорхойгүйг автоматаар "биелсэн" болгохгүй
447     const done = Math.max(0, Number(g.completed_days || 0));
448     return done >= totalOcc;
449   });
450 }, [items]);
451
452 const activeItems = useMemo(() => {
453   return items.filter((g) => {
454     const totalOcc = calcTotalOccurrences(g);
455     if (!totalOcc) return true; // хугацаа тодорхойгүй бол active
456     const done = Math.max(0, Number(g.completed_days || 0));
457     return done < totalOcc;
458   });
459 }, [items]);
460
461 const execGroups = useMemo(() => {
462   const groups: Record<OrganizeGroup, GoalItem[]> = {
463     "Богино хугацаа": [],
464     "Дунд хугацаа": [],
465     "Урт хугацаа": [],
466   };
467   for (const g of activeItems) {
468     const k = classifyGoal(g.start_date, g.end_date);
469     groups[k].push(g);
470   }
471   return groups;
472 }, [activeItems]);
473
474 // □ Form select options
475 const hourOptions = Array.from({ length: 25 }, (_, i) => i);
476 const minuteOptions = Array.from({ length: 60 }, (_, i) => i);
477
478 // □ Давтамжийн options (UI хэт томруулахгүй - 1..10 хангалттай)
479 const repeatOptions = Array.from({ length: 10 }, (_, i) => i + 1);
480

```



```

481 const canOrganize = items.length > 0 && !loading;
482
483 return (
484   <AppShell
485     title={gp.title}
486     subtitle={mode === "edit" ? gp.modeEdit : mode === "organized" ? gp.modeOrganized : gp.modeExecute}
487     onBack={() => router.back()}
488     width="4xl"
489   >
490     <div className={styles.card}>
491       {err ? <div className={styles.errorBox}>{err}</div> : null}
492
493       {/* ===== EDIT ===== */}
494       {mode === "edit" ? (
495         <>
496           <div className={styles.form}>
497             <div className={styles.field}>
498               <div className={styles.label}>{gp.goalTypeLabel}</div>
499               <select className={styles.select} value={goalType} onChange={(e) => setGoalType(e.target.value as GoalType)}>
500                 <option value="Хувийн">{tGoalType("Хувийн")}</option>
501                 <option value="Хосын">{tGoalType("Хосын")}</option>
502                 <option value="Ажил">{tGoalType("Ажил")}</option>
503                 <option value="Гэр бүл">{tGoalType("Гэр бүл")}</option>
504                 <option value="Эрүүл мэнд">{tGoalType("Эрүүл мэнд")}</option>
505                 <option value="Санхүү">{tGoalType("Санхүү")}</option>
506                 <option value="Сурч хөгжих">{tGoalType("Сурч хөгжих")}</option>
507                 <option value="Бусад">{tGoalType("Бусад")}</option>
508               </select>
509             </div>
510
511             <div className={styles.field}>
512               <div className={styles.label}>{gp.durationLabel}</div>
513               <div className={styles.row2}>
514                 <input className={styles.input} type="date" value={startDate} onChange={(e) => setStartDate(e.target.value)} />
515                 <input className={styles.input} type="date" value={endDate} onChange={(e) => setEndDate(e.target.value)} />
516               </div>
517             </div>
518
519             <div className={styles.field}>
520               <div className={styles.label}>{gp.goalLabel}</div>
521               <input
522                 className={styles.input}
523                 value={goalText}
524                 onChange={(e) => setGoalText(e.target.value)}
525                 placeholder={gp.goalPlaceholder}
526               />
527             </div>
528
529             <div className={styles.field}>
530               <div className={styles.label}>{gp.descLabel}</div>
531               <textarea className={styles.textarea} value={desc} onChange={(e) => setDesc(e.target.value)} placeholder={gp.descPlaceholder} />
532             </div>
533
534             <div className={styles.field}>
535               <div className={styles.label}>{gp.effortLabel}</div>
536
537             {/* □ 4 сонголт НЭГ ЭГНЭЭ: Нэгж / Давтамж / Цаг / Минут */}
538             <div className={styles.row4}>
539               <select className={styles.select} value={effUnit} onChange={(e) => setEffUnit(e.target.value as EffortUnit)}>
540                 <option value="Өдөрт">{tUnit("Өдөрт")}</option>
541                 <option value="7 хоногт">{tUnit("7 хоногт")}</option>
542                 <option value="Сард">{tUnit("Сард")}</option>
543                 <option value="Жилд">{tUnit("Жилд")}</option>
544                 <option value="Нэг л удаа">{tUnit("Нэг л удаа")}</option>
545               </select>
546
547               <select
548                 className={styles.select}
549                 value={effRepeat}

```

```

550         onChange={ (e) => setEffRepeat (Number(e.target.value)) }
551         aria-label={gp.freqAria}
552         disabled={effUnit === "Нэг л удаа"}
553     >
554         {repeatOptions.map((r) => (
555             <option key={r} value={r}>
556                 {r} {gp.times}
557             </option>
558         ))}
559     </select>
560
561     <select className={styles.select} value={effHours} onChange={ (e) => setEffHours (Number(e.target.value)) } aria-label={gp.hourAria}>
562         {hourOptions.map((h) => (
563             <option key={h} value={h}>
564                 {h} {gp.hour}
565             </option>
566         ))}
567     </select>
568
569     <select className={styles.select} value={effMinutes} onChange={ (e) => setEffMinutes (Number(e.target.value)) } aria-label={gp.minAria}>
570         {minuteOptions.map((m) => (
571             <option key={m} value={m}>
572                 {pad2(m)} {gp.min}
573             </option>
574         ))}
575     </select>
576 </div>
577
578     /* □ жижиг тусламж (UI өөрчлөхгүй, зүгээр тайлбар) */
579     <div className={styles.muted} style={{ marginTop: 8 }}>
580         {gp.helpExample}
581     </div>
582 </div>
583
584     <div className={styles.actions}>
585         <button className={styles.mainBtn} type="button" onClick={onSave} disabled={loading}>
586             {gp.save}
587         </button>
588     </div>
589 </div>
590
591     <div className={styles.list}>
592         {items.map((g) => (
593             <div key={g.localId} className={styles.listCard}>
594                 <div className={styles.itemLeft}>
595                     <div className={styles.itemTitle}>{g.goal_text}</div>
596
597                     /* □ Энд "Өдөрт 1 удаа ..." гэж БИЧИХГҮЙ */
598                     <div className={styles.itemMeta}>
599                         <span className={styles.pill}>{tGoalType(g.goal_type)}</span>
600                         <span className={styles.pill}>{formatDateRange(g.start_date, g.end_date)}</span>
601                         <span className={styles.pill}>{formatEffortCompact(g)}</span>
602                         {g.effort_unit !== "Нэг л удаа" && g.effort_repeat > 1 ? (
603                             <span className={styles.pill}>{` ${gp.freqLabel} ${g.effort_repeat} ${gp.times}`}</span>
604                         ) : null}
605                     </div>
606                 </div>
607
608                 <button className={styles.delBtn} type="button" onClick={() => onDelete(g.localId)}>
609                     Усрх
610                 </button>
611             </div>
612         ))}
613
614         {!loading && items.length === 0 ? <div className={styles.muted}>{gp.emptyGoals}</div> : null}
615
616         {canOrganize ? (
617             <div className={styles.actions}>
618                 <button className={styles.ghostBtn} type="button" onClick={() => setMode("organized")}>

```

```

619         {gp.organizeBtn}
620     </button>
621 </div>
622     ) : null}
623 </div>
624 </>
625 ) : null}
626
627 /* ===== ORGANIZED ===== */
628 {mode === "organized" ? (
629     <>
630         <div className={styles.sectionTitle}>{gp.organizedTitle}</div>
631
632         /* □ Нийт summary-г өмнөх шиг хэвээр үлдээнэ (UI эвдэхгүй).
633            Харин энд "үнэн зөвөөр" харуулах бол хүсвэл дараагийн алхамд оруулна. */
634
635         <div className={styles.muted} style={{ marginTop: 10 }}>
636             {gp.organizedHint}
637         </div>
638
639         {[["Богино хугацаа", "Дунд хугацаа", "Урт хугацаа"] as OrganizeGroup[]].map((k) => (
640             <div key={k} style={{ marginTop: 14 }}>
641                 <div className={styles.sectionTitle}>{tGroup(k)}</div>
642
643                 <div className={styles.list}>
644                     {organized[k].length === 0 ? (
645                         <div className={styles.muted}>{gp.emptyGroup}</div>
646                     ) : (
647                         organized[k].map((g) => {
648                             const totalOcc = calcTotalOccurrences(g);
649                             const totalMins = calcTotalMinutesOverRange(g);
650
651                             return (
652                                 <div key={g.localId} className={styles.listCard}>
653                                     <div className={styles.itemLeft}>
654                                         <div className={styles.itemTitle}>{g.goal_text}</div>
655
656                                         <div className={styles.itemMeta}>
657                                             <span className={styles.pill}>{tGoalType(g.goal_type)}</span>
658                                             <span className={styles.pill}>{formatDateRange(g.start_date, g.end_date)}</span>
659                                             <span className={styles.pill}>{formatEffortCompact(g)}</span>
660
661                                             /* □ ӨДӨР Биш – УДАА */
662                                             {totalOcc ? <span className={styles.pill}>{gp.total} {totalOcc} {gp.times}</span> : <span className={styles.pill}>{gp.total} {gp.unknown}</span>}
663                                             {totalMins ? <span className={styles.pill}>{gp.total} {hmTextFromMinutes(totalMins)}</span> : null}
664                                         </div>
665
666                                         {g.description ? (
667                                             <div className={styles.muted} style={{ marginTop: 6 }}>
668                                                 {g.description}
669                                             </div>
670                                         ) : null}
671                                     </div>
672
673                                     <button className={styles.delBtn} type="button" onClick={() => onDelete(g.localId)}>
674                                         {gp.deleteBtn}
675                                     </button>
676                                 </div>
677                             );
678                         })
679                     )}
680                 </div>
681             </div>
682         )]}
683
684         <div className={styles.actions} style={{ marginTop: 14 }}>
685             <button className={styles.mainBtn} type="button" onClick={() => setMode("execute")} disabled={!items.length}>
686                 {gp.confirm}
687             </button>

```

```

688         <button className={styles.ghostBtn} type="button" onClick={() => setMode("edit")}>
689             {gp.back}
690         </button>
691     </div>
692 </>
693 ) : null}
694
695 /* ===== EXECUTE ===== */
696 {mode === "execute" ? (
697     <
698         <div className={styles.execTopRow}>
699             <div className={styles.execStat}>
700                 {gp.totalGoalsLabel} <b>{activeItems.length}</b>
701             </div>
702
703             <button type="button" className={styles.execToggle} onClick={() => setShowCompleted((v) => !v)}>
704                 {gp.completedGoalsLabel} <span className={styles.execCount}>{completedItems.length}</span>{" "}
705                 <span className={styles.execHint}>{showCompleted ? gp.hide : gp.show}</span>
706             </button>
707         </div>
708
709         {showCompleted ? (
710             <div className={styles.completedBox}>
711                 {completedItems.length === 0 ? (
712                     <div className={styles.muted}>{gp.emptyCompleted}</div>
713                 ) : (
714                     <div className={styles.list}>
715                         {completedItems.map((g) => (
716                             <div key={g.localId} className={styles.listCard}>
717                                 <div className={styles.itemLeft}>
718                                     <div className={styles.itemTitle}>{g.goal_text}</div>
719
720                                     <div className={styles.itemMeta}>
721                                         <span className={styles.pill}>{tGoalType(g.goal_type)}</span>
722                                         <span className={styles.pill}>{formatDateRange(g.start_date, g.end_date)}</span>
723                                         <span className={styles.pill}>{formatEffortCompact(g)}</span>
724                                         <span className={` ${styles.pill} ${styles.pillDone} `}>{gp.doneBadge}</span>
725                                     </div>
726
727                                     {g.description ? (
728                                         <div className={styles.muted} style={{ marginTop: 6 }}>
729                                             {g.description}
730                                         </div>
731                                     ) : null}
732                                 </div>
733
734                                 <button className={styles.delBtn} type="button" onClick={() => onDelete(g.localId)}>
735                                     {gp.deleteBtn}
736                                 </button>
737                             </div>
738                         ))}
739                     </div>
740                 )}
741             </div>
742         ) : null}
743
744         {activeItems.length === 0 ? <div className={styles.successBox}>{gp.successMsg}</div> : null}
745
746         {[["Богино хугацаа", "Дунд хугацаа", "Урт хугацаа"] as OrganizeGroup[]].map((k) => (
747             <div key={k} style={{ marginTop: 14 }}>
748                 <div className={styles.sectionTitle}>{tGroup(k)}</div>
749
750                 <div className={styles.list}>
751                     {execGroups[k].length === 0 ? (
752                         <div className={styles.emptyHint}>{gp.emptyGroup}</div>
753                     ) : (
754                         execGroups[k].map((g) => {
755                             const totalOcc = calcTotalOccurrences(g); // null байж болно
756                             const done = Math.max(0, Number(g.completed_days || 0));

```

```

757     const remaining = totalOcc ? Math.max(0, totalOcc - done) : null;
758
759     const okToPress = canPressDone(g);
760
761     return (
762       <div key={g.localId} className={styles.listCard}>
763         <div className={styles.itemLeft}>
764           <div className={styles.itemTitle}>{g.goal_text}</div>
765
766           <div className={styles.itemMeta}>
767             <span className={styles.pill}>{tGoalType(g.goal_type)}</span>
768             <span className={styles.pill}>{formatDateRange(g.start_date, g.end_date)}</span>
769             <span className={styles.pill}>{formatEffortCompact(g)}</span>
770
771             {remaining !== null ? (
772               <span className={` ${styles.pill} ${styles.pillMuted}`}>{gp.remaining} {remaining} {gp.times}</span>
773             ) : (
774               <span className={` ${styles.pill} ${styles.pillMuted}`}>{gp.remaining} {gp.unknown}</span>
775             )}
776
777             <span className={` ${styles.pill} ${styles.pillDone}`}>{gp.doneWord} {done} {gp.times}</span>
778           </div>
779
780           {g.description ? (
781             <div className={styles.muted} style={{ marginTop: 6 }}>
782               {g.description}
783             </div>
784           ) : null}
785         </div>
786
787         <button
788           type="button"
789           className={` ${styles.doneBtn} ${!okToPress ? styles.doneBtnDone : ""}`}
790           onClick={async () => {
791             if (!okToPress) return;
792             markLocalDone(g);
793             await markDone(g.localId);
794           }}
795           disabled={loading || !okToPress}
796           aria-disabled={loading || !okToPress}
797         >
798           {okToPress ? gp.doneBtn : gp.cycleFull}
799         </button>
800       </div>
801     );
802   })
803   </div>
804 </div>
805 </div>
806 )))
807
808 <div className={styles.actions} style={{ marginTop: 14 }}>
809   <button className={styles.ghostBtn} type="button" onClick={() => setMode("organized")}>
810     {gp.backToOrganize}
811   </button>
812   <button className={styles.mainBtn} type="button" onClick={() => setMode("edit")}>
813     {gp.newGoal}
814   </button>
815 </div>
816 </>
817 ) : null}
818 </div>
819 </AppShell>
820 );
821 }

```

74. app/(chat)/mind/purpose/goal/page.tsx

```

1  "use client";
2
3  import { useMemo, useState } from "react";
4  import { artifact as PUR_GOAL_ORGANIZE } from "@content/mind/purpose/goal-organize";
5  import {
6    AppCard,
7    AppShell,
8    Badge,
9    Button,
10   EmptyState,
11   Field,
12   Muted,
13   Prose,
14   SectionHeading,
15   TextArea,
16   TextInput,
17 } from "@components/mind/app-shell";
18
19 type GoalDomain =
20   | "Self"
21   | "Харилцаа"
22   | "Ажил/Мөнгө"
23   | "Эрүүл мэнд"
24   | "Утга учир"
25   | "Аз жаргал";
26
27 type GoalWho = "Зөвхөн би" | "Гэр бүл" | "Хос" | "Ажил" | "Нийгэм";
28 type GoalRange = "1-4 долоо хоног" | "1-3 сар" | "3-12 сар" | "1-10 жил";
29 type GoalFreq = "Өдөр" | "7 хоног" | "Сар";
30 type GoalTime = "15 мин" | "30 мин" | "1 цар" | "2 цар" | "3 цар+";
31
32 const SELECT_CLASS =
33   "h-11 w-full rounded-[14px] border bg-white px-3.5 text-sm outline-none transition focus:border-[#1F6FB2] focus:ring-2 focus:ring-[#1F6FB2]/15";
34 const SELECT_STYLE = { borderColor: "#E2E8F0", color: "#0F172A" } as const;
35
36 export default function GoalOrganizePage() {
37   const [domain, setDomain] = useState<GoalDomain>("Утга учир");
38   const [who, setWho] = useState<GoalWho>("Зөвхөн би");
39   const [range, setRange] = useState<GoalRange>("3-12 сар");
40   const [freq, setFreq] = useState<GoalFreq>("Өдөр");
41   const [time, setTime] = useState<GoalTime>("2 цар");
42
43   const [title, setTitle] = useState("");
44   const [why, setWhy] = useState("");
45   const [files, setFiles] = useState<
46     Array<{ id: string; title: string; why?: string; meta: any }>
47   >([]);
48
49   const budget = useMemo(() => {
50     // rough calc to show "Өдөр: x, 7 хоног: y, 1 сар: z"
51     const minutesMap: Record<GoalTime, number> = {
52       "15 мин": 15,
53       "30 мин": 30,
54       "1 цар": 60,
55       "2 цар": 120,
56       "3 цар+": 180,
57     };
58     const m = minutesMap[time] ?? 0;
59
60     let perWeek = 0;
61     if (freq === "Өдөр") perWeek = m * 7;
62     if (freq === "7 хоног") perWeek = m * 1;
63     if (freq === "Сар") perWeek = Math.round((m * 12) / 52); // approx
64
65     const perDay = Math.round(perWeek / 7);
66     const perMonth = Math.round((perWeek * 52) / 12);
67
68     const fmt = (min: number) => {
69       const h = Math.floor(min / 60);

```

```

70     const mm = min % 60;
71     if (h <= 0) return `${mm} мин`;
72     if (mm === 0) return `${h} цаг`;
73     return `${h}ц ${mm}м`;
74 };
75
76 return {
77   day: fmt(perDay),
78   week: fmt(perWeek),
79   month: fmt(perMonth),
80 };
81 }, [freq, time]);
82
83 const addFile = () => {
84   const t = title.trim();
85   if (!t) return;
86
87   setFiles((prev) => [
88     ...prev,
89     {
90       id: crypto.randomUUID(),
91       title: t,
92       why: why.trim() || undefined,
93       meta: { domain, who, range, freq, time },
94     },
95   ]);
96   setTitle("");
97   setWhy("");
98 };
99
100 return (
101   <AppShell
102     title="Зорилго цэгцлэх"
103     subtitle="Зүүн талд бөглөж, баруун талд зааврыг харна"
104     width="4x1"
105   >
106     <div className="grid grid-cols-1 gap-4 lg:grid-cols-[1.1fr_.9fr]">
107       {/* LEFT: APP */}
108       <div className="space-y-4">
109         {/* one-line "test-like" row */}
110         <AppCard>
111           <SectionHeading className="mb-3">Хүрээ тодорхойлох</SectionHeading>
112           <div className="grid grid-cols-1 gap-3 sm:grid-cols-2 md:grid-cols-3">
113             <select
114               className={SELECT_CLASS}
115               style={SELECT_STYLE}
116               value={who}
117               onChange={e => setWho(e.target.value as GoalWho)}
118             >
119               {[ "Зөвхөн би", "Гэр бүл", "Хос", "Ажил", "Нийгэм" ].map((x) => (
120                 <option key={x} value={x}>
121                   Хэнтэй? · {x}
122                 </option>
123               ))}
124             </select>
125
126             <select
127               className={SELECT_CLASS}
128               style={SELECT_STYLE}
129               value={domain}
130               onChange={e => setDomain(e.target.value as GoalDomain)}
131             >
132               {[
133                 "Self",
134                 "Харилцаа",
135                 "Ажил/Мөнгө",
136                 "Эрүүл мэнд",
137                 "Утга учир",
138                 "Аз жаргал",

```

```

139     ].map((x) => (
140       <option key={x} value={x}>
141         Юуны? · {x}
142       </option>
143     )))
144   </select>
145
146   <select
147     className={SELECT_CLASS}
148     style={SELECT_STYLE}
149     value={range}
150     onChange={ (e) => setRange(e.target.value as GoalRange)}
151   >
152     [{"1-4 долоо хоног", "1-3 сар", "3-12 сар", "1-10 жил"].map(
153       (x) => (
154         <option key={x} value={x}>
155           Хурацаа · {x}
156         </option>
157       )
158     )
159   </select>
160
161   <select
162     className={SELECT_CLASS}
163     style={SELECT_STYLE}
164     value={freq}
165     onChange={ (e) => setFreq(e.target.value as GoalFreq)}
166   >
167     [{"Өдөр", "7 хоног", "Сар"].map((x) => (
168       <option key={x} value={x}>
169         Давтамж · {x}
170       </option>
171     )))
172   </select>
173
174   <select
175     className={SELECT_CLASS}
176     style={SELECT_STYLE}
177     value={time}
178     onChange={ (e) => setTime(e.target.value as GoalTime)}
179   >
180     [{"15 мин", "30 мин", "1 цар", "2 цар", "3 цар+"}.map((x) => (
181       <option key={x} value={x}>
182         Цар · {x}
183       </option>
184     )))
185   </select>
186 </div>
187
188 <div
189   className="mt-3 rounded-[14px] px-3.5 py-2.5 text-sm"
190   style={{ background: "rgba(31,111,178,0.06)", color: "#334155" }}
191 >
192   Миний цагны төсөв: Өдөрт <b>{budget.day}</b> · 7 хоногт{" "}
193   <b>{budget.week}</b> · 1 сард <b>{budget.month}</b>
194 </div>
195 </AppCard>
196
197 { /* write */ }
198 <AppCard>
199   <SectionHeading className="mb-3">Зорилго бичих</SectionHeading>
200   <div className="space-y-3">
201     <TextInput
202       placeholder="Ж: Сард 100 сая орлоготой болох..."
203       value={title}
204       onChange={ (e) => setTitle(e.target.value)}
205     />
206     <TextArea
207       rows={4}

```



```

208     placeholder="Яагаад энэ чухал вэ? (заавал биш)"
209     value={why}
210     onChange={(e) => setWhy(e.target.value)}
211   />
212   <Button onClick={addFile} disabled={!title.trim()}>
213     Хадгалах
214   </Button>
215 </div>
216 </AppCard>
217
218 /* files list (title-only visible) */
219 <AppCard>
220   <div className="mb-3 flex items-center justify-between">
221     <SectionHeading>Миний зорилгууд</SectionHeading>
222     <Muted className="text-xs">Нийт: {files.length}</Muted>
223   </div>
224
225   {files.length === 0 ? (
226     <EmptyState icon="📁">
227       Одоогоор зорилго байхгүй. Дээрээс бичээд "Хадгалах" дар.
228     </EmptyState>
229   ) : (
230     <div className="space-y-2">
231       {files.map((f) => (
232         <div
233           key={f.id}
234           className="flex items-center justify-between gap-2 rounded-[14px] border px-3.5 py-2.5"
235           style={{ borderColor: "#E2E8F0" }}
236         >
237           <div className="truncate text-sm">{f.title}</div>
238           <button
239             className="shrink-0 rounded-lg px-2 py-1 text-sm transition-colors hover:bg-slate-50"
240             onClick={() =>
241               setFiles(prev => prev.filter((x) => x.id !== f.id))
242             }
243             title="Үстрэх"
244           >
245             🗑
246           </button>
247         </div>
248       )]}
249     </div>
250   )}
251
252   <Button className="mt-4 w-full">🔄 Бүгдийг тооцоолж цэгцлэх</Button>
253 </AppCard>
254 </div>
255
256 /* RIGHT: ARTIFACT PANEL */
257 <aside className="lg:sticky lg:top-24 lg:self-start">
258   <AppCard>
259     <Badge className="mb-2.5">Заавар</Badge>
260     <h2 className="font-bold text-lg tracking-tight" style={{ color: "#0F172A" }}>
261       {PUR_GOAL_ORGANIZE.title}
262     </h2>
263     <Prose className="mt-4">{PUR_GOAL_ORGANIZE.content}</Prose>
264   </AppCard>
265 </aside>
266 </div>
267 </AppShell>
268 );
269 }

```

75. app/(chat)/mind/purpose/intro/page.tsx

```

1 "use client";
2

```

```

3 import { DomainIntroPage } from "@components/mind/who-am-i/domain-intro";
4
5 export default function PurposeIntroPage() {
6   return (
7     <DomainIntroPage
8       appHref="/mind/purpose/goal-planner"
9       appLabel="Миний зорилго"
10      balanceKey="meaning"
11      description={
12        "Энэ талбар нь таны итгэл үнэмшил, амьдралын зорилго, мөрөөдөл, уран зөгнөл зэргийг " +
13        "багтаадаг.\n\nТаны амьдарч буйн гол зорилго, утга учир юу вэ? Та ирээдүйгээ хэрхэн " +
14        "төсөөлж, юунд итгэж (шашин шүтлэг, гүн ухаан, шинжлэх ухаан, байгаль дэлхий г.м) " +
15        "найддаг вэ? Танд зүгээр л мөрөөдөх, уран зөгнөх, урлаг урлалаар хичээллэх, эсвэл бүр " +
16        "юу ч бодохгүй хийхгүй амрах чөлөөт цаг гардаг уу? Та амьдралдаа өөрийн дотоод дуу " +
17        "хоолой, зөн билгээ хэр анзаарч сонсдог вэ? Одоо хийж буй зүйлс тань амьдралын тань том " +
18        "зорилготой уялдаж байгаа юу? Дээрх асуултуудад хариулж өөрийн амьдралын эрч хүч " +
19        "энерги, цаг хугацаа, мөнгө санхүүг утга учир, ирээдүйн талбарт хэр их зарцуулж " +
20        "байгаагаа үнэлээрэй."
21      }
22      hex="#6E6CA3"
23      icon=""
24      title="Утга учир, ирээдүй"
25      appGuide={
26        "Зорилго:\n" +
27        "Мөрөөдөл, хүсэл тэмүүлээ бодит зорилго болгон төлөвлөж, хэрэгжүүлэхэд тусална. Зорилготой амьдрах дадлыг бий болгоно.\n" +
28        "Урсгал: Мөрөөдөл → Зорилго → Хэрэгжилт → Үр дүн.\n" +
29        "Үр өгөөж: ирээдүйгээ илүү тодорхой харах, өөрт чухал зүйлээ ойлгох, зорилгоо мартахгүй байх, тогтмол хэрэгжүүлэх дадалтай болох, " +
30        "биелсэн зорилгуудаа харах замаар өөртөө итгэх итгэлээ нэмэгдүүлэх.\n\n" +
31        "1. Зорилго үүсгэх\n" +
32        "Зорилгын төрөл, нэр, тайлбар, эхлэх/дуусах хугацаа, хэрэгжүүлэх давтамж, нэг удаад зарцуулах хугацаагаа оруулна.\n" +
33        "Жишээ: Япон хэл сурах · Өдөр бүр · 30 минут.\n\n" +
34        "2. Зорилго хэрэгжүүлэх\n" +
35        "Зорилгоо биелүүлэх бүрт «Хийсэн» товч дарна. Систем хэдэн удаа хийсэн, хэдэн өдөр үргэлжилсэн, " +
36        "нийт зарцуулсан хугацаа, үлдсэн хугацааг тооцоолно.\n\n" +
37        "3. Зорилгын явц\n" +
38        "Идэвхтэй зорилгууд богино, дунд, урт хугацаагаар ангилагдан харагдана. Мөн биелэлтийн хувь, хэрэгжилтийн давтамж, " +
39        "тогтмол байдал харагдана.\n\n" +
40        "4. Биелсэн зорилгууд\n" +
41        "Биелсэн зорилгууд тусдаа хадгалагдана – биелсэн огноо, хэдэн өдөр зарцуулсан, нийт хэдэн удаа ажилласан зэрэг нь үлдэнэ. " +
42        "Өмнө нь юу хийж чадснаа эргэж харах боломжтой.\n\n" +
43        "5. Хүслийн самбар (Vision Board)\n" +
44        "Зорилгоос ялгаатай тусдаа хэсэг. Ирээдүйд хүсэж буй зүйлсээ – аялах газар, мөрөөдлийн байшин, мөрөөдлийн ажил, " +
45        "хүсэж буй амьдралын хэв маяг, урам зориг өгөх зураг – зураг, текстээр хадгалж, ангилна.\n\n" +
46        "6. Мөрөөдөл ба хүсэл\n" +
47        "Зорилго болоогүй байгаа мөрөөдлөө хадгалж болно. Жишээ: «Япон улсад амьдрах», «Өөрийн компаниа байгуулах», " +
48        "«Эрүүл, аз жаргалтай гэр бүлтэй болох». Эдгээрийг дараа нь зорилго болгон хөрвүүлэх боломжтой."
49      }
50    )/>
51  };
52 }

```

76. app/(chat)/mind/purpose/organize/page.tsx

```

1 "use client";
2
3 import {
4   AppCard,
5   AppShell,
6   Badge,
7   PageHero,
8 } from "@components/mind/app-shell";
9
10 const UPCOMING = [
11   "Чөлөөт бичсэн зорилгуудаа автоматаар бүлэглэх",
12   "Чухал зэрэг, хугацаагаар эрэмбэлэх",
13   "Дэс дараатай, ойлгомжтой төлөвлөгөө болгох",
14 ];

```

```

15
16 export default function PurposeOrganizePage() {
17   return (
18     <AppShell title="Зорилго цэгцлэх" subtitle="Оуunsanaa цэгцлэлт" width="3xl">
19       <AppCard>
20         <PageHero
21           icon=""
22           eyebrow={<Badge>Тун удахгүй</Badge>}
23           title="Оуunsanaa цэгцлэх"
24           description="Чөлөөтэй бичсэн зорилгуудаа AI тусламжтайгаар ойлгомжтой, дэс дараатай төлөвлөгөө болгон цэгцэлнэ."
25         />
26
27         <ul className="space-y-2.5">
28           {UPCOMING.map((item, i) => (
29             <li
30               key={item}
31               className="flex items-center gap-3 rounded-[14px] border px-3.5 py-3 text-sm"
32               style={{ borderColor: "#E2E8F0" }}
33             >
34               <span
35                 className="grid size-7 shrink-0 place-items-center rounded-full font-bold text-xs"
36                 style={{ background: "rgba(31,111,178,0.10)", color: "#1F6FB2" }}
37               >
38                 {i + 1}
39               </span>
40               <span>{item}</span>
41             </li>
42           ))}
43         </ul>
44       </AppCard>
45     </AppShell>
46   );
47 }

```

77. app/(chat)/mind/purpose/planning/page.tsx

```

1  "use client";
2
3  import * as React from "react";
4  import {
5    AppCard,
6    AppShell,
7    Badge,
8    Button,
9    EmptyState,
10   Field,
11   PageHero,
12   SectionHeading,
13   TextArea,
14 } from "@/components/mind/app-shell";
15
16 type Goal = {
17   id: string;
18   text: string;
19   createdAt: number;
20 };
21
22 const STORAGE_KEY = "mind_purpose_goals_v1";
23
24 function loadGoals(): Goal[] {
25   try {
26     const raw = localStorage.getItem(STORAGE_KEY);
27     if (!raw) return [];
28     const parsed = JSON.parse(raw) as Goal[];
29     return Array.isArray(parsed) ? parsed : [];
30   } catch {
31     return [];
32   }
33 }

```

```

32   }
33 }
34
35 function saveGoals(goals: Goal[]) {
36   localStorage.setItem(STORAGE_KEY, JSON.stringify(goals));
37 }
38
39 export default function PurposePlanningPage() {
40   const [text, setText] = React.useState("");
41   const [goals, setGoals] = React.useState<Goal[]>([]);
42
43   React.useEffect(() => {
44     setGoals(loadGoals());
45   }, []);
46
47   function addGoal() {
48     const t = text.trim();
49     if (!t) return;
50
51     const goal: Goal = {
52       id: crypto.randomUUID(),
53       text: t,
54       createdAt: Date.now(),
55     };
56
57     const next = [goal, ...goals].sort((a, b) => b.createdAt - a.createdAt);
58     setGoals(next);
59     saveGoals(next);
60     setText("");
61   }
62
63   function removeGoal(id: string) {
64     const next = goals.filter((g) => g.id !== id);
65     setGoals(next);
66     saveGoals(next);
67   }
68
69   return (
70     <AppShell title="Зорилго бичих" subtitle="Чөлөөт бичлэг" width="3x1">
71       <div className="space-y-4">
72         <AppCard>
73           <PageHero
74             icon="📌"
75             eyebrow={<Badge>Чөлөөт бичлэг</Badge>}
76             title="Зорилгоо чөлөөтэй бичих"
77             description="Төгс бичих шаардлагагүй. Бодсоноо л бич. Дараа нь "Оуунсанаа цэгцлэх" дээр орж илүү ойлгомжтой төлөвлөгөө болгоно."
78           />
79
80           <div className="space-y-3">
81             <Field
82               label="Чиний зорилго / хүсэл / санаа"
83               hint="Хадгалалт зөвхөн таны төхөөрөмж дээр (localStorage) хадгалагдана."
84             >
85               <TextArea
86                 rows={7}
87                 value={text}
88                 onChange={(e) => setText(e.target.value)}
89                 placeholder="Ж: Би 3 сарын дотор ... хийхийг хүсэж байна. Яагаад гэвэл... Одоо надад саад болж байгаа нь..."
90               />
91             </Field>
92
93             <Button onClick={addGoal} disabled={!text.trim()}>
94               Хадгалах
95             </Button>
96           </div>
97         </AppCard>
98
99         <AppCard>
100           <SectionHeading className="mb-3">Миний зорилгууд</SectionHeading>

```

```

101
102     {goals.length === 0 ? (
103       <EmptyState icon="">Одоогоор хадгалсан зорилго алга.</EmptyState>
104     ) : (
105       <ul className="space-y-3">
106         {goals.slice(0, 20).map((g) => (
107           <li
108             key={g.id}
109             className="rounded-[16px] border p-3.5"
110             style={{ borderColor: "#E2E8F0" }}
111           >
112             <div className="flex items-start justify-between gap-3">
113               <div className="whitespace-pre-wrap text-sm leading-relaxed">
114                 {g.text}
115               </div>
116               <Button
117                 variant="danger"
118                 onClick={() => removeGoal(g.id)}
119                 className="shrink-0 px-3 py-1.5 text-xs"
120               >
121                 Yctrax
122               </Button>
123             </div>
124           </li>
125         ))}
126       </ul>
127     )}
128   </AppCard>
129 </div>
130 </AppShell>
131 );
132 }

```

78. app/(chat)/mind/purpose/weekly-steps/page.tsx

```

1  "use client";
2
3  import {
4    AppCard,
5    AppShell,
6    Badge,
7    PageHero,
8  } from "@/components/mind/app-shell";
9
10 const UPCOMING = [
11   "Зорилгоо 7 хоногт багтах жижиг алхам болгох",
12   "Өдөр бүрийн биелэлтээ тэмдэглэх",
13   "Долоо хоногийн ахицаа харах",
14 ];
15
16 export default function WeeklyStepsPage() {
17   return (
18     <AppShell title="7 хоногийн алхам" subtitle="Жижиг алхмууд" width="3xl">
19       <AppCard>
20         <PageHero
21           icon=""
22           eyebrow={<Badge>Тун удахгүй</Badge>}
23           title="7 хоногийн жижиг алхам"
24           description="Зорилгоо долоо хоногт багтах жижиг, биелэх боломжтой алхмууд болгон хувааж, тэмдэглэж явна."
25         >/>
26
27         <ul className="space-y-2.5">
28           {UPCOMING.map((item, i) => (
29             <li
30               key={item}
31               className="flex items-center gap-3 rounded-[14px] border px-3.5 py-3 text-sm"
32               style={{ borderColor: "#E2E8F0" }}

```

```

33     >
34     <span
35       className="grid size-7 shrink-0 place-items-center rounded-full font-bold text-xs"
36       style={{ background: "rgba(31,111,178,0.10)", color: "#1F6FB2" }}
37     >
38       {i + 1}
39     </span>
40   <span>{item}</span>
41 </li>
42   )}}
43 </ul>
44 </AppCard>
45 </AppShell>
46 );
47 }

```

79. app/(chat)/mind/relations/control/daily-check/page.tsx

```

1 import { redirect } from "next/navigation";
2
3 export default function Page() {
4   redirect("/mind/relations/tests");
5 }

```

80. app/(chat)/mind/relations/foundation/page.tsx

```

1 "use client";
2
3 import * as React from "react";
4 import {
5   AppCard,
6   AppShell,
7   Badge,
8   Muted,
9   OptionCard,
10  PageHero,
11 } from "@components/mind/app-shell";
12
13 const OPTIONS = [
14   "Ойр дотно байхдаа тайван байдаг",
15   "Ойртохоор түгшдэг",
16   "Хэт их анхаарал хэрэгтэй санагддаг",
17   "Бие даахыг илүүд үздэг",
18 ];
19
20 export default function RelationshipStylePage() {
21   const [style, setStyle] = React.useState<string>("");
22
23   return (
24     <AppShell title="Харилцааны хэв маяг" subtitle="Өөрийгөө ойлгох" width="3x1">
25       <div className="space-y-4">
26         <AppCard>
27           <PageHero
28             icon=""
29             eyebrow={<Badge>Өөрийгөө таних</Badge>}
30             title="Харилцааны өөрийн хэв маяг"
31             description="Хүн бүр харилцаанд өөр өөрөөр ханддаг. Энэ бол шүүлт биш, өөрийгөө ойлгох оролдлого юм."
32           />
33
34           <div className="space-y-2.5">
35             {OPTIONS.map((q) => (
36               <OptionCard
37                 key={q}
38                 selected={style === q}
39                 onClick={() => setStyle(q)}

```

```

40         role="radio"
41         aria-checked={style === q}
42     >
43         <span
44             aria-hidden
45             className="grid size-5 shrink-0 place-items-center rounded-full border"
46             style={{
47                 borderColor: style === q ? "#1F6FB2" : "#CBD5E1",
48                 background: style === q ? "#1F6FB2" : "transparent",
49                 color: "#fff",
50                 fontSize: 11,
51             }}
52         >
53             {style === q ? "☐" : ""}
54         </span>
55         <span>{q}</span>
56     </OptionCard>
57 }}
58 </div>
59 </AppCard>
60
61 {style && (
62     <AppCard>
63         <Muted className="mb-1">Чиний сонголт:</Muted>
64         <p className="font-semibold text-base">{style}</p>
65         <Muted className="mt-2">
66             Энэ хэв маяг сайн/муу гэсэн ангилал биш. Гарцхүү чи харилцаанд яаж
67             хариу үзүүлдгээ анзаарч эхэлж байна.
68         </Muted>
69     </AppCard>
70 )}
71 </div>
72 </AppShell>
73 );
74 }

```

81. app/(chat)/mind/relations/intro/page.tsx

```

1  "use client";
2
3  import { DomainIntroPage } from "@/components/mind/who-am-i/domain-intro";
4
5  export default function RelationsIntroPage() {
6      return (
7          <DomainIntroPage
8              appHref="/mind/relations/tests"
9              appLabel="Миний харилцаа"
10             balanceKey="bond"
11             description={
12                 "Энэ талбар нь таны гэр бүл, найз нөхөд, хамт олонтойгоо тогтоосон харилцааг хэмждэг. " +
13                 "Танд харилцан сэтгэлээ нээж, ямар нэг шүүмжлэлгүйгээр, зааж зааварлалгүйгээр чин " +
14                 "сэтгэлээсээ ярилцаж чадах хүмүүс (гэр бүл, найз нөхөд) хэр олон байдаг вэ? Та тэдэндээ " +
15                 "хангалттай цаг гаргаж чадаж байгаа юу? Бусадтай харилцах харилцаа танд эрч хүч, энерги " +
16                 "бэлгэлдэг үү, эсвэл таныг туйлдуулж ядраадаг уу? Та бусдын хэрэгцээг өөрийнхөөсөө " +
17                 "дээгүүр эсвэл доогуур тавиад байна уу? Та ганцаараа байхдаа тухтай байж чаддаг уу, " +
18                 "эсвэл ганцаардахаас айхдаа харилцаанд ороод байна уу? Дээрх асуултуудад хариулах замаар " +
19                 "өөрийн амьдралын эрч хүч энерги, цаг хугацаа, мөнгө санхүүг харилцааны талбарт хэр их " +
20                 "зарцуулж байгаагаа үнэлээрэй."
21             }
22             hex="#C36C71"
23             icon="☐"
24             title="Харилцаа"
25         </>
26     );
27 }

```

82. app/(chat)/mind/relations/report/page.tsx

```
1  "use client";
2
3  import * as React from "react";
4  import {
5    AppCard,
6    AppShell,
7    Badge,
8    Field,
9    Muted,
10   PageHero,
11   SectionHeading,
12   TextArea,
13 } from "@/components/mind/app-shell";
14
15 export default function BoundariesPracticePage() {
16   const [text, setText] = React.useState("");
17
18   return (
19     <AppShell title="Хил хязгаар" subtitle="Дасгал ба ажиглалт" width="3xl">
20       <div className="space-y-4">
21         {/* 1) ХИЛ ХЯЗГААРЫН ДАСГАЛ */}
22         <AppCard>
23           <PageHero
24             icon="□□"
25             eyebrow={<Badge>Дасгал</Badge>}
26             title="Хил хязгаарын дасгал"
27             description="Хил тогтооно гэдэг нь хүйтэн байх биш, өөрийгөө хамгаалах юм."
28           />
29
30           <div className="space-y-4">
31             <Field label="Сүүлийн үед хил алдагдсан нэг нөхцөл">
32               <TextArea
33                 rows={4}
34                 value={text}
35                 onChange={e => setText(e.target.value)}
36                 placeholder="Ж: Би дуугүй байсаар зөвшөөрсөн..."
37               />
38             </Field>
39
40             <div
41               className="rounded-[16px] border p-4"
42               style={{ borderColor: "#E2E8F0", background: "rgba(31,111,178,0.05)" }}
43             >
44               <Muted className="mb-1.5">Ингэж хэлж болох байсан:</Muted>
45               <p className="font-medium text-sm leading-relaxed">
46                 "Одоо надад энэ тохиромжгүй байна. Дараа ярья."
47               </p>
48             </div>
49             </div>
50           </AppCard>
51
52           {/* 2) ХАРИЛЦААНЫ АЖИГЛАЛТ */}
53           <AppCard>
54             <SectionHeading>Харилцааны ажиглалт</SectionHeading>
55             <Muted className="mt-2">
56               Өнөөдөр нэг харилцааг шүүмжлэлгүйгээр ажиглаарай.
57             </Muted>
58
59             <ul className="mt-4 space-y-2.5">
60               <li>
61                 "Би ямар үед хамгаалалттай болчихов?",
62                 "Ямар үг, үйлдэл надад хүчтэй нөлөөлөв?",
63                 "Би юу хэлэхгүй үлдээв?",
64               </li>
65             </ul>
66           </AppCard>
```



```

67         className="flex items-start gap-2.5 text-sm leading-relaxed"
68     >
69         <span
70             aria-hidden
71             className="mt-2 size-1.5 shrink-0 rounded-full"
72             style={{ background: "#1F6FB2" }}
73         />
74         <span>{item}</span>
75     </li>
76   )}}
77 </ul>
78
79   <Muted className="mt-4">
80     Энэ нь харилцааг шууд засах биш, өөрийгөө ойлгоход тусална.
81   </Muted>
82 </AppCard>
83 </div>
84 </AppShell>
85 );
86 }

```

83. app/(chat)/mind/relations/tests/[slug]/page.tsx

```

1  import { redirect } from "next/navigation";
2
3  export default function SlugTestsPage() {
4    redirect("/mind/relations/tests");
5  }

```

84. app/(chat)/mind/relations/tests/_components/TestRunner.tsx

```

1  "use client";
2
3  import { useEffect, useMemo, useRef, useState } from "react";
4  import styles from "../../tests.module.css";
5
6  import type {
7    TestDefinition,
8    TestOptionValue,
9    TestBand,
10 } from "@lib/apps/relations/tests/types";
11 import { resolveTestDefinition } from "@lib/apps/relations/tests/types";
12 import { useLocale, useT } from "@lib/i18n/provider";
13
14 type Props = {
15   test: TestDefinition;
16   onClose?: () => void;
17 };
18
19 type ResultView = {
20   pct01: number;
21   pct100: number;
22   band: TestBand | null;
23 };
24
25 export default function TestRunner({ test: rawTest, onClose }: Props) {
26   const t = useT();
27   const locale = useLocale();
28   const test = useMemo(() => resolveTestDefinition(rawTest, locale), [rawTest, locale]);
29   const total = test.questions.length;
30   const lastIndex = total - 1;
31
32   const [idx, setIdx] = useState(0);
33   const [answers, setAnswers] = useState<(TestOptionValue | null)[]>(
34     Array.from({ length: total }, () => null)
35   );
36 }

```

```

35  );
36  const [showResult, setShowResult] = useState(false);
37
38  // □ таймер давхардахгүй
39  const nextTimerRef = useRef<number | null>(null);
40
41  // □ back event-д хамгийн шинэ idx хэрэгтэй
42  const idxRef = useRef(0);
43  useEffect(() => {
44    idxRef.current = idx;
45  }, [idx]);
46
47  // □ showResult-ийг event handler дотор зөв уншихын тулд ref
48  const showResultRef = useRef(false);
49  useEffect(() => {
50    showResultRef.current = showResult;
51  }, [showResult]);
52
53  // □ result гармагц 1 удаа хадгална (React strict mode-д давхардахгүй)
54  const savedRef = useRef(false);
55
56  // □ TEST СОЛИГДОХОД БҮРЭН RESET
57  useEffect(() => {
58    if (nextTimerRef.current) {
59      window.clearTimeout(nextTimerRef.current);
60      nextTimerRef.current = null;
61    }
62    setShowResult(false);
63    setIdx(0);
64    setAnswers(Array.from({ length: test.questions.length }, () => null));
65
66    // □ шинэ тест дээр дахин хадгалж болохоор reset
67    savedRef.current = false;
68  }, [test]);
69
70  // □ TopBar "Буцах" event
71  useEffect(() => {
72    function onBack(e: Event) {
73      e.preventDefault();
74
75      if (nextTimerRef.current) {
76        window.clearTimeout(nextTimerRef.current);
77        nextTimerRef.current = null;
78      }
79
80      // □ Result modal нээлттэй байвал эхлээд хаана
81      if (showResultRef.current) {
82        setShowResult(false);
83        return;
84      }
85
86      const cur = idxRef.current;
87
88      // □ Дундаас буцах: зөвхөн idx--
89      if (cur > 0) {
90        setIdx(cur - 1);
91        return;
92      }
93
94      // □ Эхний асуулт дээр: эхлэл рүү
95      setShowResult(false);
96      setIdx(0);
97      setAnswers(Array.from({ length: test.questions.length }, () => null));
98      onClose?.();
99    }
100
101    window.addEventListener("relations-tests-back", onBack as EventListener);
102    return () => {
103      window.removeEventListener(

```

```

104     "relations-tests-back",
105     onBack as EventListener
106   );
107   };
108   }, [onClose, test]);
109
110   const current = test.questions[idx];
111
112   const doneCount = useMemo(
113     () => answers.filter((a) => a !== null).length,
114     [answers]
115   );
116
117   // □ progress = answers дээр тулгуурлана
118   const progressPct = useMemo(() => {
119     if (total <= 0) return 0;
120     return Math.round((doneCount / total) * 100);
121   }, [doneCount, total]);
122
123   // □ 3/4/5 сонголттой байсан ч зөв maxPerQ олно
124   const maxPerQ = useMemo(() => {
125     let m = 0;
126     for (const q of test.questions) {
127       for (const o of q.options) {
128         const n = Number(o.value);
129         if (Number.isFinite(n) && n > m) m = n;
130       }
131     }
132     return m > 0 ? m : 4;
133   }, [test]);
134
135   const result: ResultView = useMemo(() => {
136     const filled = answers.filter((a): a is TestOptionValue => a !== null);
137     const sum = filled.reduce<number>((acc, v) => acc + Number(v), 0);
138     const max = filled.length * maxPerQ;
139
140     const pct01 = max > 0 ? sum / max : 0;
141     const pct100 = Math.round(pct01 * 100);
142
143     const sorted = [...(test.bands ?? [])].sort((a, b) => a.minPct - b.minPct);
144     let picked: TestBand | null = null;
145     for (const b of sorted) if (pct01 >= b.minPct) picked = b;
146
147     return { pct01, pct100, band: picked };
148   }, [answers, test, maxPerQ]);
149
150   // □ "Дүгнэлт" зөвхөн хамгийн сүүлчийн index дээр
151   const isOnLast = idx === lastIndex;
152
153   // □ Бүх асуулт бөглөгдсөн эсэх
154   const allDone = doneCount === total;
155
156   // □ яг сүүлийн асуулт бөглөгдсөн эсэх (idx-ээс хамаарахгүй)
157   const lastAnswered = lastIndex >= 0 ? answers[lastIndex] !== null : false;
158
159   // □ ДҮГНЭЛТ НЭЭГДМЭГЦ 1 УДАА SUPABASE-д ХАДГАЛНА
160   useEffect(() => {
161     if (!showResult) return;
162     if (!allDone) return;
163     if (savedRef.current) return;
164
165     savedRef.current = true;
166
167     fetch("/api/relations/tests/results", {
168       method: "POST",
169       headers: { "Content-Type": "application/json" },
170       body: JSON.stringify({
171         test_slug: test.slug,
172         test_title: test.title,

```

```

173     score_pct: result.pct100,
174     band_title: result.band?.title ?? null,
175     band_summary: result.band?.summary ?? null,
176     answers,
177   }},
178   ).catch(() => {
179     // network алдаа гарвал дараа дахин хадгалж болохоор буцаана
180     savedRef.current = false;
181   });
182 }, [showResult, allDone, test.slug, test.title, result, answers]);
183
184 function pick(value: TestOptionValue) {
185   const curIdx = idx;
186
187   // □ 1) эхлээд тэмдэглэнэ
188   setAnswers((prev) => {
189     const next = [...prev];
190     next[curIdx] = value;
191     return next;
192   });
193
194   // □ 2) таймер давхардахгүй
195   if (nextTimerRef.current) {
196     window.clearTimeout(nextTimerRef.current);
197     nextTimerRef.current = null;
198   }
199
200   // □ 3) сүүлийн асуулт биш бол автоматаар next
201   if (curIdx < total - 1) {
202     nextTimerRef.current = window.setTimeout(() => {
203       setShowResult(false);
204       setIdx((v) => Math.min(v + 1, total - 1));
205       nextTimerRef.current = null;
206     }, 140);
207   }
208 }
209
210 function openResult() {
211   if (!allDone) return;
212   setShowResult(true);
213 }
214
215 function closeResult() {
216   setShowResult(false);
217   setIdx(0);
218   setAnswers(Array.from({ length: test.questions.length }, () => null));
219
220   // □ дахин бөглөвөл дахин хадгална
221   savedRef.current = false;
222
223   onClose?();
224 }
225
226 if (!current || total === 0) return null;
227
228 // □ showResult үед асуултын card-аа бүрэн нууж, зөвхөн modal харуулна
229 if (showResult) {
230   return (
231     <div className={styles.runner}>
232       <div className={styles.progressBar}>
233         <div className={styles.progressMeta}>
234           {doneCount}/{total} • {progressPct}%
235         </div>
236
237         <div className={styles.progressBarTrack}>
238           <div
239             className={styles.progressBarFill}
240             style={{ width: `${progressPct}%` }}
241           />

```

```

242     </div>
243   </div>
244
245   <div className={styles.modalBackdrop} role="dialog" aria-modal="true">
246     <div className={styles.modal}>
247       <div className={styles.modalTitle}>{t.apps.relationsTests.result}</div>
248       <div className={styles.modalScore}>{result.pct100}%</div>
249
250       <div className={styles.modalBoxTitle}>
251         {result.band?.title ?? t.apps.relationsTests.result}
252       </div>
253
254       <div className={styles.modalBody}>
255         <div className={styles.modalSummary}>
256           {result.band?.summary ?? t.apps.relationsTests.noSummary}
257         </div>
258
259         {result.band?.tips?.length ? (
260           <ul className={styles.modalTips}>
261             {result.band.tips.map((tip, i) => (
262               <li key={i}>{tip}</li>
263             ))}
264           </ul>
265         ) : null}
266       </div>
267
268       <button
269         className={styles.modalClose}
270         type="button"
271         onClick={closeResult}
272       >
273         {t.apps.relationsTests.close}
274       </button>
275     </div>
276   </div>
277 </div>
278 );
279 }
280
281 return (
282   <div className={styles.runner}>
283     <div className={styles.progressBar}>
284       <div className={styles.progressBarMeta}>
285         {doneCount}/{total} • {progressPct}%
286       </div>
287
288       <div className={styles.progressBarTrack}>
289         <div
290           className={styles.progressBarFill}
291           style={{ width: `${progressPct}%` }}
292         />
293       </div>
294     </div>
295
296     <div className={styles.qCard}>
297       <div className={styles.qText}>{current.text}</div>
298
299       <div className={styles.choices}>
300         {current.options.map((opt, i) => {
301           const active = answers[idx] === opt.value;
302           return (
303             <button
304               key={` ${idx}-${opt.value}-${i}`}
305               type="button"
306               className={` ${styles.choice} ${
307                 active ? styles.choiceActive : ""
308               }`}
309               onClick={() => pick(opt.value)}
310             >

```

```

311         <span className={styles.radio} aria-hidden />
312         <span className={styles.choiceLabel}>{opt.label}</span>
313       </button>
314     );
315   }}}
316 </div>
317
318   {/* ☐ "Дүгнэлт" зөвхөн хамгийн сүүлийн асуулт дээр + бүгд бөглөгдсөн үед */}
319   {isOnLast && allDone ? (
320     <div className={styles.bottomBar}>
321       <button
322         type="button"
323         className={styles.answerBtn}
324         onClick={openResult}
325         disabled={!lastAnswered}
326       >
327         {t.apps.relationsTests.result}
328       </button>
329     </div>
330   ) : null}
331 </div>
332 </div>
333 );
334 }

```

85. app/(chat)/mind/relations/tests/_components/TopBar.tsx

```

1  "use client";
2
3  import { useRouter } from "next/navigation";
4  import { useT } from "@lib/i18n/provider";
5
6  const CHAT_HREF = "/"; // Чиний chat өөр замтай бол энд л ганц удаа солино
7
8  export default function TopBar() {
9    const router = useRouter();
10    const t = useT();
11
12    function handleBack() {
13      // TestRunner event барьж авбал route солихгүй
14      const ev = new CustomEvent("relations-tests-back", { cancelable: true });
15      const notCanceled = window.dispatchEvent(ev);
16
17      // TestRunner байхгүй үед л fallback
18      if (notCanceled) {
19        router.push("/mind/relations/tests"); // 404 биш route
20      }
21    }
22
23    return (
24      <div
25        style={{
26          display: "flex",
27          alignItems: "center",
28          justifyContent: "space-between",
29          gap: 10,
30          padding: "10px 2px",
31        }}
32      >
33        <button
34          type="button"
35          onClick={handleBack}
36          style={{
37            height: 40,
38            padding: "0 12px",
39            borderRadius: 12,
40            border: "1px solid rgba(255,255,255,0.18)",

```

```

41     background: "rgba(255,255,255,0.10)",
42     color: "rgba(255,255,255,0.95)",
43     fontWeight: 900,
44     cursor: "pointer",
45   }}
46   >
47   ← {t.apps.relationsTests.back}
48   </button>
49
50   <button
51     type="button"
52     onClick={() => router.push(CHAT_HREF)}
53     style={{
54       height: 40,
55       padding: "0 12px",
56       borderRadius: 12,
57       border: "1px solid rgba(255,255,255,0.18)",
58       background: "rgba(255,255,255,0.10)",
59       color: "rgba(255,255,255,0.95)",
60       fontWeight: 900,
61       cursor: "pointer",
62     }}
63   >
64   {t.apps.relationsTests.chat}
65   </button>
66 </div>
67   );
68 }

```

86. app/(chat)/mind/relations/tests/error.tsx

```

1  "use client";
2
3  import { useEffect } from "react";
4
5  export default function Error({
6    error,
7    reset,
8  }) {
9    error: Error & { digest?: string };
10   reset: () => void;
11 } {
12   useEffect(() => {
13     console.error("Relations tests route error:", error);
14   }, [error]);
15
16   return (
17     <div style={{ padding: 16, color: "#0f172a", background: "#ffffff", minHeight: "100vh" }}>
18       <div style={{ fontWeight: 900, fontSize: 18 }}>Тестүүд дээр алдаа гарлаа</div>
19       <div style={{ opacity: 0.75, marginTop: 8 }}>
20         Доорх мессежийг надад явуулбал яг оношлоод 1 мөрөөр засна:
21       </div>
22
23       <pre
24         style={{
25           marginTop: 12,
26           padding: 12,
27           borderRadius: 12,
28           border: "1px solid #e2e8f0",
29           background: "#f8fafc",
30           overflow: "auto",
31           whiteSpace: "pre-wrap",
32           wordBreak: "break-word",
33         }}
34       >
35       {String(error?.message || error)}
36       {"\n\n"}

```

```

37 {error?.stack || ""}
38   </pre>
39
40   <button
41     onClick={() => reset()}
42     style={{
43       marginTop: 12,
44       height: 44,
45       padding: "0 14px",
46       borderRadius: 12,
47       border: "1px solid #e2e8f0",
48       background: "#f8fafc",
49       color: "#0f172a",
50       fontWeight: 800,
51       cursor: "pointer",
52     }}
53   >
54     Дахин оролдох
55   </button>
56 </div>
57 );
58 }

```

87. app/(chat)/mind/relations/tests/page.tsx

```

1  "use client";
2
3  import { useEffect, useMemo, useRef, useState } from "react";
4  import styles from "../tests.module.css";
5
6  import { AppCard, AppShell } from "@components/mind/app-shell";
7  import TestRunner from "../components/TestRunner";
8  import { TESTS } from "@lib/apps/relations/tests/definitions";
9  import { resolveTestDefinition } from "@lib/apps/relations/tests/types";
10 import type { TestDefinition } from "@lib/apps/relations/tests/types";
11 import { useLocale, useT } from "@lib/i18n/provider";
12
13 export default function RelationsTestsPage() {
14   const t = useT();
15   const locale = useLocale();
16   const [selectedSlug, setSelectedSlug] = useState<string>(() => TESTS[0]?.slug ?? "");
17   const runnerRef = useRef<HTMLDivElement | null>(null);
18
19   const localizedTests = useMemo(
20     () => TESTS.map((test) => resolveTestDefinition(test, locale)),
21     [locale],
22   );
23
24   const selected = useMemo<TestDefinition | undefined>(
25     () => localizedTests.find((t) => t.slug === selectedSlug),
26     [localizedTests, selectedSlug],
27   );
28
29   useEffect(() => {
30     if (!runnerRef.current) return;
31     runnerRef.current.scrollToView({ behavior: "smooth", block: "start" });
32   }, [selectedSlug]);
33
34   return (
35     <AppShell
36       title={t.apps.relationsTests.title}
37       subtitle={t.apps.relationsTests.subtitle}
38       width="4xl"
39     >
40       <div className="space-y-4">
41         <AppCard>
42           <div className={styles.selectRow}>

```



```

43     <div className={styles.label}>{t.apps.relationsTests.testLabel}</div>
44     <select
45       className={styles.select}
46       value={selectedSlug}
47       onChange={(e) => setSelectedSlug(e.target.value)}
48     >
49       {localizedTests.map((t) => (
50         <option key={t.slug} value={t.slug}>
51           {t.title}
52         </option>
53       ))}
54     </select>
55   </div>
56
57   {selected ? (
58     <div className={styles.preview}>
59       <div className={styles.previewMeta}>
60         {selected.subtitle
61           ? selected.subtitle
62           : `${t.apps.relationsTests.questionsPrefix} ${selected.questions.length} • ${t.apps.relationsTests.answersHint}`}
63       </div>
64       <div className={styles.previewDesc}>{selected.description}</div>
65     </div>
66   ) : null}
67 </AppCard>
68
69 <div ref={runnerRef} className={styles.runnerWrap}>
70   {selected ? (
71     <TestRunner
72       test={selected}
73       onClose={() => {
74         window.scrollTo({ top: 0, behavior: "smooth" });
75       }}
76     />
77   ) : (
78     <div className={styles.empty}>{t.apps.relationsTests.notFound}</div>
79   )}
80 </div>
81 </div>
82 </AppShell>
83 );
84 }

```

88. app/(chat)/mind/relations/tests/tests.module.css

```

1  /* app/(chat)/mind/relations/tests/tests.module.css */
2
3  .page{
4    --brand: #1F6FB2;
5    --brandRgb: 31,111,178; /* □ COMMA-тай (rgba-д safe) */
6
7    min-height: 100vh;
8    padding: 12px 12px 18px;
9
10   background:
11     radial-gradient(1200px 520px at 20% 0%,
12       rgba(var(--brandRgb), 0.22),
13       rgba(0,0,0,0)
14     ),
15     linear-gradient(180deg,
16       rgba(10, 40, 75, 0.95),
17       rgba(3, 14, 28, 1)
18     );
19
20   color: rgba(255,255,255,0.92);
21 }
22

```

```

23 .container{
24   max-width: 920px;
25   margin: 0 auto;
26   display: flex;
27   flex-direction: column;
28   gap: 12px;
29 }
30
31 /* ----- */
32 /* Top card */
33 /* ----- */
34 .cardTop{
35   border-radius: 18px;
36   padding: 14px;
37   border: 1px solid rgba(255,255,255,0.14);
38
39   background:
40     radial-gradient(900px 320px at 20% 0%,
41       rgba(var(--brandRgb), 0.18),
42       rgba(0,0,0,0)
43     ),
44     rgba(15, 45, 80, 0.50);
45
46   box-shadow: 0 18px 60px rgba(0,0,0,0.25);
47   backdrop-filter: blur(10px);
48   -webkit-backdrop-filter: blur(10px);
49 }
50
51 /* Title - bold */
52 .title{
53   font-size: 18px;
54   font-weight: 700;
55   letter-spacing: -0.01em;
56   color: rgba(255,255,255,0.96);
57 }
58
59 .sub{
60   margin-top: 4px;
61   font-size: 13px;
62   color: rgba(255,255,255,0.78);
63 }
64
65 .selectRow{
66   margin-top: 12px;
67   display: flex;
68   flex-direction: column;
69   gap: 8px;
70 }
71
72 /* Field label - medium */
73 .label{
74   font-size: 12px;
75   font-weight: 600;
76   color: rgba(15,23,42,0.65);
77 }
78
79 .select{
80   width: 100%;
81   height: 44px;
82   border-radius: 14px;
83   padding: 0 40px 0 12px;
84
85   font-size: 15px;
86   color: rgba(15,23,42,0.92);
87   background: #ffffff;
88   border: 1px solid #e2e8f0;
89   outline: none;
90
91   appearance: auto;

```

```

92   -webkit-appearance: menulist;
93 }
94
95 .select:focus{
96   border-color: rgba(var(--brandRgb), 0.55);
97   box-shadow: 0 0 4px rgba(var(--brandRgb), 0.12);
98 }
99
100 .preview{
101   margin-top: 12px;
102   padding: 12px;
103   border-radius: 16px;
104   border: 1px solid #e2e8f0;
105   background: #f8fafc;
106 }
107
108 /* Card title — bold */
109 .previewTitle{
110   font-weight: 700;
111   color: rgba(15,23,42,0.95);
112 }
113
114 /* Meta line ("12 асуулт · богино") — normal */
115 .previewMeta{
116   margin-top: 4px;
117   font-size: 13px;
118   font-weight: 500;
119   color: rgba(15,23,42,0.60);
120 }
121
122 /* Description — normal body */
123 .previewDesc{
124   margin-top: 8px;
125   font-size: 14px;
126   line-height: 1.5;
127   color: rgba(15,23,42,0.75);
128 }
129
130 .runnerWrap{
131   margin-top: 4px;
132 }
133
134 .empty{
135   padding: 14px;
136   border-radius: 16px;
137   border: 1px solid #e2e8f0;
138   background: #f8fafc;
139   color: rgba(15,23,42,0.75);
140 }
141
142 /* ----- */
143 /* Runner */
144 /* ----- */
145 .runner{
146   display: flex;
147   flex-direction: column;
148   gap: 12px;
149   padding: 12px 12px 16px;
150 }
151
152 .progressRow{
153   display: flex;
154   flex-direction: column;
155   gap: 8px;
156 }
157
158 .progressMetaRow{
159   display: flex;
160   align-items: center;

```

```

161     justify-content: space-between;
162     gap: 12px;
163 }
164
165 /* Progress meta ("0/12 · 0%") — medium */
166 .progressMeta{
167     font-size: 12px;
168     font-weight: 600;
169     color: rgba(15,23,42,0.80);
170 }
171
172 .prevBtn{
173     height: 32px;
174     padding: 0 12px;
175     border-radius: 999px;
176     border: 1px solid rgba(255,255,255,0.18);
177     background: rgba(255,255,255,0.10);
178     color: rgba(255,255,255,0.95);
179     font-weight: 600;
180     cursor: pointer;
181 }
182
183 .prevBtn:hover{
184     background: rgba(255,255,255,0.14);
185 }
186
187 .prevBtn:disabled{
188     opacity: 0.55;
189     cursor: not-allowed;
190 }
191
192 .progressTrack{
193     height: 10px;
194     border-radius: 999px;
195     background: #e2e8f0;
196     overflow: hidden;
197     border: 1px solid #e2e8f0;
198 }
199
200 .progressFill{
201     height: 100%;
202     width: 0%;
203     background: linear-gradient(
204         90deg,
205         rgba(var(--brandRgb), 0.35),
206         rgba(var(--brandRgb), 0.95)
207     );
208 }
209
210 .qCard{
211     border-radius: 18px;
212     padding: 14px;
213     border: 1px solid #e2e8f0;
214
215     background: #ffffff;
216
217     box-shadow: 0 18px 60px rgba(15,23,42,0.08);
218 }
219
220 /* Question — the heading of the card, bold */
221 .qText{
222     font-size: 18px;
223     line-height: 1.3;
224     font-weight: 700;
225     color: rgba(15,23,42,0.92);
226     margin-bottom: 10px;
227 }
228
229 .choices{

```

```

230   display: flex;
231   flex-direction: column;
232   gap: 10px;
233 }
234
235 .choice{
236   width: 100%;
237   display: flex;
238   align-items: center;
239   gap: 12px;
240   padding: 12px 12px;
241   border-radius: 14px;
242
243   border: 1px solid #e2e8f0;
244   background: #f8fafc;
245   color: rgba(15,23,42,0.85);
246
247   cursor: pointer;
248   text-align: left;
249 }
250
251 .choice:hover{
252   background: #f1f5f9;
253   border-color: #cbd5e1;
254 }
255
256 .radio{
257   width: 18px;
258   height: 18px;
259   border-radius: 999px;
260
261   border: 2px solid #cbd5e1;
262   display: inline-flex;
263   align-items: center;
264   justify-content: center;
265   flex: 0 0 18px;
266   position: relative;
267 }
268
269 .radio::after{
270   content: "";
271   width: 10px;
272   height: 10px;
273   border-radius: 999px;
274   background: rgba(var(--brandRgb), 0.95);
275   transform: scale(0);
276   transition: transform 140ms ease;
277 }
278
279 /* Answer option - normal body text */
280 .choiceLabel{
281   font-size: 15px;
282   font-weight: 500;
283 }
284
285 .choiceActive{
286   border-color: rgba(var(--brandRgb), 0.70);
287   background: rgba(var(--brandRgb), 0.16);
288 }
289
290 /* Selected option reads slightly stronger */
291 .choiceActive .choiceLabel{
292   font-weight: 600;
293 }
294
295 .choiceActive .radio{
296   border-color: rgba(var(--brandRgb), 0.95);
297   box-shadow: 0 0 0 4px rgba(var(--brandRgb), 0.14);
298 }

```

```

299
300 .choiceActive .radio::after{
301   transform: scale(1);
302 }
303
304 /* □ Сүүлчийн асуултан дээр гардаг мөр (хэрэв ашиглавал) */
305 .lastHint{
306   margin-top: 10px;
307   font-size: 12px;
308   font-weight: 500;
309   color: rgba(255,255,255,0.78);
310 }
311
312 /* □ Дүгнэлт товч */
313 .bottomBar{
314   margin-top: 12px;
315 }
316
317 .answerBtn{
318   width: 100%;
319   height: 46px;
320   border-radius: 16px;
321   border: 0;
322
323   font-size: 15px;
324   font-weight: 600;
325   cursor: pointer;
326
327   background: rgba(var(--brandRgb), 0.92);
328   color: rgba(255,255,255,0.96);
329
330   box-shadow: 0 12px 28px rgba(0,0,0,0.25);
331 }
332
333 .answerBtn:disabled{
334   opacity: 0.55;
335   cursor: not-allowed;
336 }
337
338 /* ----- */
339 /* Modal (АР ТАЛ ХАРАГДАХГҮЙ болгох засвар) */
340 /* ----- */
341 .modalBackdrop{
342   position: fixed;
343   inset: 0;
344
345   /* □ 0.58 бага байсан -> 0.80 болгож ар талыг бүрэн дарна */
346   background: rgba(0,0,0,0.80);
347
348   display: flex;
349   align-items: center;
350   justify-content: center;
351   padding: 18px;
352   z-index: 60;
353 }
354
355 .modal{
356   width: 100%;
357   max-width: 560px;
358   border-radius: 18px;
359   padding: 18px;
360
361   /* □ 0.93 байсан -> бүрэн орагц цагаан */
362   background: #ffffff;
363
364   border: 1px solid rgba(10,20,35,0.12);
365
366   /* □ blur унтраана: ар талыг "гэрэлтүүлж" харагдуулдаг */
367   backdrop-filter: none;

```

```

368   -webkit-backdrop-filter: none;
369   color: rgba(10,20,35,0.92);
370   box-shadow: 0 22px 80px rgba(0,0,0,0.35);
371 }
372
373 /* Small caption above score - medium */
374 .modalTitle{
375   font-size: 16px;
376   font-weight: 600;
377   color: rgba(10,20,35,0.84);
378 }
379
380 /* The big score - heaviest element on the page */
381 .modalScore{
382   margin-top: 6px;
383   font-size: 44px;
384   font-weight: 800;
385   letter-spacing: -0.02em;
386   color: rgba(10,20,35,0.95);
387 }
388
389 /* Result band title - bold */
390 .modalBoxTitle{
391   margin-top: 10px;
392   font-weight: 700;
393   color: rgba(10,20,35,0.86);
394 }
395
396 .modalBody{
397   margin-top: 8px;
398   font-size: 14px;
399   line-height: 1.55;
400   color: rgba(10,20,35,0.78);
401 }
402
403 .modalSummary{
404   margin-bottom: 8px;
405 }
406
407 .modalTips{
408   margin: 8px 0 0;
409   padding-left: 18px;
410 }
411
412 .modalClose{
413   margin-top: 14px;
414   width: 100%;
415   height: 44px;
416   border-radius: 14px;
417
418   border: 1px solid rgba(10,20,35,0.18);
419   background: rgba(10,20,35,0.06);
420
421   color: rgba(10,20,35,0.92);
422   font-weight: 600;
423   cursor: pointer;
424 }
425
426 .modalClose:hover{
427   background: rgba(10,20,35,0.10);
428 }
429
430
431 /* ----- */
432 /* TopBar styles (шинэ css файл биш, энэ модуль дотор) */
433 /* ----- */
434 .topBar{
435   display: flex;
436   align-items: center;

```

```

437   gap: 10px;
438   padding: 10px 2px;
439 }
440
441 .topSpacer{ flex: 1; }
442
443 .topBtn{
444   height: 40px;
445   padding: 0 12px;
446   border-radius: 12px;
447
448   border: 1px solid rgba(255,255,255,0.18);
449   background: rgba(255,255,255,0.10);
450   color: rgba(255,255,255,0.95);
451
452   font-weight: 600;
453   cursor: pointer;
454 }
455
456 .topBtn:hover{
457   background: rgba(255,255,255,0.14);
458 }

```

89. app/(chat)/mind/self-care/health/program/page.tsx

```

1  "use client";
2
3  import { useEffect, useState } from "react";
4  import {
5    APP_SHELL_TOKENS,
6    AppCard,
7    AppShell,
8    Button,
9    EmptyState,
10 } from "@/components/mind/app-shell";
11 import {
12   type DailyLog,
13   type DailyMeal,
14   type HealthProgramData,
15   emptyLog,
16   loadDailyLog,
17   loadHealthProgram,
18   saveDailyLog,
19 } from "@/lib/mind/health-program";
20
21 const { INK, MUTED, LINE, BRAND, BRAND_RGB } = APP_SHELL_TOKENS;
22
23 type Tab = "food" | "water" | "sleep" | "move";
24
25 const TABS: { id: Tab; label: string; icon: string }[] = [
26   { id: "food", label: "Хоол", icon: "🍴" },
27   { id: "water", label: "Ус", icon: "💧" },
28   { id: "sleep", label: "Нойр", icon: "😴" },
29   { id: "move", label: "Хөдөлгөөн", icon: "🏃" },
30 ];
31
32 const WATER_INCREMENTS = [0.2, 0.3, 0.5, 1.0];
33 const SLEEP_PRESETS = [5, 6, 6.5, 7, 7.5, 8, 9];
34
35 function todayStr() {
36   return new Date().toLocaleDateString("sv-SE"); // yyyy-mm-dd in local TZ
37 }
38
39 function pct(val: number, total: number) {
40   return total > 0 ? Math.min(100, Math.round((val / total) * 100)) : 0;
41 }
42

```



```

43 function ProgressBar({ value, max, color = BRAND }: { value: number; max: number; color?: string }) {
44   const p = pct(value, max);
45   return (
46     <div className="h-3 w-full overflow-hidden rounded-full" style={{ background: LINE }}>
47       <div
48         className="h-full rounded-full transition-all duration-300"
49         style={{ width: `${p}%`, background: color }}
50       />
51     </div>
52   );
53 }
54
55 function chipStyle(active: boolean) {
56   return {
57     borderColor: active ? BRAND : LINE,
58     background: active ? `rgba(${BRAND_RGB},0.08)` : "#fff",
59     color: INK,
60   };
61 }
62
63 export default function HealthProgramPage() {
64   const [data, setData] = useState<HealthProgramData | null>(null);
65   const [log, setLog] = useState<DailyLog | null>(null);
66   const [tab, setTab] = useState<Tab>("food");
67   const [mounted, setMounted] = useState(false);
68
69   // food form
70   const [foodName, setFoodName] = useState("");
71   const [foodCal, setFoodCal] = useState("");
72
73   useEffect(() => {
74     const prog = loadHealthProgram();
75     setData(prog);
76     setLog(loadDailyLog(todayStr()));
77     setMounted(true);
78   }, []);
79
80   const save = (next: DailyLog) => {
81     setLog(next);
82     saveDailyLog(next);
83   };
84
85   if (!mounted) { return null; }
86
87   if (!data || !log) {
88     return (
89       <AppShell backHref="/mind/self-care/health/questionnaire" title="Хөтөлбөр" width="3x1">
90         <AppCard>
91           <EmptyState icon="">
92             Та эрүүл мэндийн асуулгаа бөглөөгүй байна.
93           </EmptyState>
94           <div className="mt-4 flex justify-center">
95             <Button href="/mind/self-care/health/questionnaire">Асуулга бөглөх</Button>
96           </div>
97         </AppCard>
98       </AppShell>
99     );
100   }
101
102   const { targets } = data;
103
104   const totalCal = log.meals.reduce((s, m) => s + m.calories, 0);
105
106   const addMeal = () => {
107     const cal = Number(foodCal);
108     if (!foodName.trim() || !cal) { return; }
109     const meal: DailyMeal = {
110       id: `${Date.now()}-${Math.floor(Math.random() * 9999)}`,
111       name: foodName.trim(),

```

```

112     calories: cal,
113   };
114   save({ ...log, meals: [...log.meals, meal] });
115   setFoodName("");
116   setFoodCal("");
117 };
118
119 const removeMeal = (id: string) => {
120   save({ ...log, meals: log.meals.filter((m) => m.id !== id) });
121 };
122
123 const addWater = (amount: number) => {
124   save({ ...log, waterL: Math.round((log.waterL + amount) * 10) / 10 });
125 };
126
127 const setSleep = (h: number) => {
128   save({ ...log, sleepH: h });
129 };
130
131 const setSteps = (s: number) => {
132   save({ ...log, steps: s });
133 };
134
135 const inputCls =
136   "w-full rounded-xl border border-slate-200 bg-white px-3.5 py-2.5 text-sm outline-none transition-colors focus:border-[#1F6FB2] focus:ring-2 focus:ring-[#1F6FB2]/15";
137
138 return (
139   <AppShell backHref="/mind/self-care/health/summary" title="Өдрийн хөтөлбөр" width="3xl">
140     <div className="space-y-4">
141       {/* Summary row */}
142       <div className="grid grid-cols-4 gap-2">
143         {[
144           { label: "Калори", cur: `${totalCal}`, target: `${targets.dailyCalories} ккал` },
145           { label: "Ус", cur: `${log.waterL}л`, target: `${targets.targetWaterL}л` },
146           { label: "Хоёр", cur: `${log.sleepH}н`, target: `${targets.sleepRecommended}н` },
147           { label: "Анхлант", cur: `${log.steps.toLocaleString()}`, target: `${targets.targetSteps.toLocaleString()}` },
148         ].map(({ label, cur, target }) => (
149           <div
150             className="flex flex-col items-center rounded-2xl border border-slate-100 p-2.5 text-center"
151             key={label}
152             style={{ background: "rgba(255,255,255,0.85)" }}
153           >
154             <div className="text-[10px] uppercase tracking-wide" style={{ color: MUTED }}>{label}</div>
155             <div className="mt-1 text-base font-bold" style={{ color: INK }}>{cur}</div>
156             <div className="text-[10px]" style={{ color: MUTED }}>{target}</div>
157           </div>
158         ))}
159       </div>
160
161       {/* Tabs */}
162       <div className="flex gap-2">
163         {TABS.map(({ id, label, icon }) => (
164           <button
165             className="flex-1 rounded-xl border px-2 py-2 text-sm font-medium transition-colors"
166             key={id}
167             onClick={() => setTab(id)}
168             style={chipStyle(tab === id)}
169             type="button"
170           >
171             <span className="block text-base">{icon}</span>
172             <span className="block text-[11px] mt-0.5">{label}</span>
173           </button>
174         ))}
175       </div>
176
177       {/* Tab panels */}
178       <AppCard className="rounded-2xl border border-slate-200 bg-white p-5">
179         {tab === "food" && (
180           <div className="space-y-4">

```

```

181 <div className="flex items-center justify-between">
182   <div className="font-semibold text-sm" style={{ color: INK }}>Калорийн бүртгэл</div>
183   <div className="text-sm" style={{ color: BRAND }}>
184     {totalCal} / {targets.dailyCalories} ккал
185   </div>
186 </div>
187 <ProgressBar
188   color={totalCal > targets.dailyCalories ? "#DC2626" : BRAND}
189   max={targets.dailyCalories}
190   value={totalCal}
191 />
192
193 <div className="flex gap-2">
194   <input
195     className={inputCls + " flex-1"}
196     onChange={(e) => setFoodName(e.target.value)}
197     onKeyDown={(e) => { if (e.key === "Enter") { addMeal(); } }}
198     placeholder="Хоолны нэр"
199     style={{ color: INK }}
200     type="text"
201     value={foodName}
202   />
203   <input
204     className="w-24 rounded-xl border border-slate-200 bg-white px-3 py-2.5 text-sm outline-none focus:border-[#1F6FB2]"
205     onChange={(e) => setFoodCal(e.target.value)}
206     onKeyDown={(e) => { if (e.key === "Enter") { addMeal(); } }}
207     placeholder="ккал"
208     style={{ color: INK }}
209     type="number"
210     value={foodCal}
211   />
212   <button
213     className="rounded-xl px-3.5 py-2.5 text-sm font-semibold text-white transition-all hover:-translate-y-0.5"
214     onClick={addMeal}
215     style={{ background: BRAND }}
216     type="button"
217   >
218   +
219 </button>
220 </div>
221
222 {log.meals.length === 0 ? (
223   <p className="text-sm" style={{ color: MUTED }}>Одоогоор бүртгэлгүй байна.</p>
224 ) : (
225   <div className="space-y-1.5">
226     {log.meals.map((m) => (
227       <div
228         className="flex items-center justify-between rounded-xl border border-slate-100 px-3.5 py-2.5"
229         key={m.id}
230       >
231         <span className="text-sm" style={{ color: INK }}>{m.name}</span>
232         <div className="flex items-center gap-3">
233           <span className="text-sm font-semibold" style={{ color: BRAND }}>
234             {m.calories} ккал
235           </span>
236           <button
237             className="text-[11px] hover:opacity-70"
238             onClick={() => removeMeal(m.id)}
239             style={{ color: MUTED }}
240             type="button"
241           >
242             □
243           </button>
244         </div>
245       </div>
246     )})
247   </div>
248 )}
249 </div>

```

```

250   })
251
252   {tab === "water" && (
253     <div className="space-y-4">
254       <div className="flex items-center justify-between">
255         <div className="font-semibold text-sm" style={{ color: INK }}>Усны хэрэглээ</div>
256         <div className="text-sm" style={{ color: BRAND }}>
257           {log.waterL} / {targets.targetWaterL} л
258         </div>
259       </div>
260       <ProgressBar color="#38BDF8" max={targets.targetWaterL} value={log.waterL} />
261
262       <div className="text-center text-5xl font-black" style={{ color: BRAND }}>
263         {log.waterL}<span className="text-2xl font-semibold"> л</span>
264       </div>
265
266       <div className="grid grid-cols-4 gap-2">
267         {WATER_INCREMENTS.map((amt) => (
268           <button
269             className="rounded-xl border px-2 py-3 text-sm font-semibold transition-all hover:-translate-y-0.5"
270             key={amt}
271             onClick={() => addWater(amt)}
272             style={{
273               borderColor: `rgba(${BRAND_RGB},0.3)`,
274               background: `rgba(${BRAND_RGB},0.06)`,
275               color: BRAND,
276             }}
277             type="button"
278           >
279             +{amt} >= 1 ? "1л" : `${amt} * 1000 | 0}мл`}
280           </button>
281         ))}
282       </div>
283
284       {log.waterL > 0 && (
285         <button
286           className="text-xs underline"
287           onClick={() => save({ ...log, waterL: Math.max(0, Math.round((log.waterL - 0.2) * 10) / 10) }})
288           style={{ color: MUTED }}
289           type="button"
290         >
291           ← 200мл буцаах
292         </button>
293       )}
294     </div>
295   )}
296
297   {tab === "sleep" && (
298     <div className="space-y-4">
299       <div className="font-semibold text-sm" style={{ color: INK }}>Хоёр</div>
300
301       <div className="text-center text-5xl font-black" style={{ color: BRAND }}>
302         {log.sleepH || "-"}<span className="text-2xl font-semibold"> цаг</span>
303       </div>
304
305       <div className="flex flex-wrap gap-2 justify-center">
306         {SLEEP_PRESETS.map((h) => (
307           <button
308             className="rounded-xl border px-3.5 py-2 text-sm font-medium transition-all"
309             key={h}
310             onClick={() => setSleep(h)}
311             style={chipStyle(log.sleepH === h)}
312             type="button"
313           >
314             {h}u
315           </button>
316         ))}
317       </div>
318

```

```

319     <input
320       className="w-full accent-[#1F6FB2]"
321       max="12"
322       min="0"
323       onChange={ (e) => setSleep(Number(e.target.value)) }
324       step="0.5"
325       type="range"
326       value={log.sleepH}
327     />
328
329     <div className="rounded-xl border border-slate-100 p-4 space-y-3">
330       <div className="text-sm font-medium" style={{ color: INK }}>Амралтын минут</div>
331       <div className="flex gap-2">
332         {[0, 15, 30, 45, 60].map((m) => (
333           <button
334             className="flex-1 rounded-xl border py-2 text-sm font-medium transition-all"
335             key={m}
336             onClick={() => save({ ...log, restMin: m })}
337             style={chipStyle(log.restMin === m)}
338             type="button"
339           >
340             {m === 0 ? "-" : `${m}м`}
341           </button>
342         ))}
343       </div>
344     </div>
345
346     <div className="flex items-center justify-between text-sm rounded-xl border border-slate-100 px-4 py-3">
347       <span style={{ color: MUTED }}>Зорилт</span>
348       <span className="font-semibold" style={{ color: BRAND }}>
349         {targets.sleepRecommended} цаг
350       </span>
351     </div>
352   </div>
353 )}
354
355 {tab === "move" && (
356   <div className="space-y-4">
357     <div className="flex items-center justify-between">
358       <div className="font-semibold text-sm" style={{ color: INK }}>Алхалт</div>
359       <div className="text-sm" style={{ color: BRAND }}>
360         {log.steps.toLocaleString()} / {targets.targetSteps.toLocaleString()} алхам
361       </div>
362     </div>
363     <ProgressBar color="#4ADE80" max={targets.targetSteps} value={log.steps} />
364
365     <div className="text-center text-5xl font-black" style={{ color: BRAND }}>
366       {log.steps.toLocaleString()}
367     <span className="text-xl font-semibold"> алхам</span>
368   </div>
369
370   <div>
371     <div className="mb-1.5 text-sm font-medium" style={{ color: INK }}>Алхам оруулах</div>
372     <div className="flex gap-2">
373       <input
374         className={inputCls + " flex-1"}
375         min="0"
376         onChange={ (e) => setSteps(Number(e.target.value) || 0)}
377         placeholder="Жишээ: 8000"
378         style={{ color: INK }}
379         type="number"
380         value={log.steps || ""}
381       />
382     </div>
383   </div>
384
385   <div className="grid grid-cols-3 gap-2">
386     {[1000, 2000, 5000].map((n) => (
387       <button

```

```

388         className="rounded-xl border py-2.5 text-sm font-semibold transition-all hover:-translate-y-0.5"
389         key={n}
390         onClick={() => setSteps(log.steps + n)}
391         style={{
392           borderColor: `rgba(${BRAND_RGB},0.3)`,
393           background: `rgba(${BRAND_RGB},0.06)`,
394           color: BRAND,
395         }}
396         type="button"
397       >
398         +{n.toLocaleString()}
399       </button>
400     )}
401   </div>
402 </div>
403 )}
404 </AppCard>
405
406 {/* Footer */}
407 <div className="flex flex-col gap-2">
408   <Button className="w-full" href="/mind/self-care/health/summary" variant="ghost">
409     ← Дүгнэлт харах
410   </Button>
411   <Button className="w-full" href="/mind/self-care/health/questionnaire" variant="ghost">
412     Асуулга sacax
413   </Button>
414 </div>
415 </div>
416 </AppShell>
417 );
418 }

```

90. app/(chat)/mind/self-care/health/questionnaire/page.tsx

```

1  "use client";
2
3  import { useState } from "react";
4  import {
5    APP_SHELL_TOKENS,
6    AppCard,
7    AppShell,
8    Badge,
9    Button,
10   PageHero,
11 } from "@/components/mind/app-shell";
12 import {
13   type HealthProgramInput,
14   type Sex,
15   computeHealthTargets,
16   saveHealthProgram,
17 } from "@/lib/mind/health-program";
18
19 const { INK, MUTED, LINE, BRAND, BRAND_RGB } = APP_SHELL_TOKENS;
20
21 // Map sleep-range strings to midpoint hours
22 const SLEEP_MAP: Record<string, number> = {
23   "<4": 3.5,
24   "4-6": 5,
25   "6-8": 7,
26   "8-10": 9,
27   "10+": 10.5,
28 };
29
30 // Map exercise-level strings to sessions per week
31 const EXERCISE_MAP: Record<string, number> = {
32   daily: 6,
33   "3-4": 3.5,

```

```

34   "1-2": 1.5,
35   rare: 0.5,
36   never: 0,
37 };
38
39 type WalkLevel = HealthProgramInput["walkLevel"];
40
41 const WALK_OPTIONS: { id: WalkLevel; label: string }[] = [
42   { id: "none", label: "Баар алхдаггүй" },
43   { id: "low", label: "Бага зэрэг" },
44   { id: "medium", label: "Дунд зэрэг" },
45   { id: "high", label: "Сайн алхдаг" },
46 ];
47
48 const HABITS = [
49   { id: "screen", label: "Утас/дэлгэц хэтрүүлдэг" },
50   { id: "lazy", label: "Залхуурал" },
51   { id: "overeating", label: "Хэтрүүлж идлэг" },
52   { id: "workaholic", label: "Хэт их ажилладаг" },
53   { id: "badSleep", label: "Нойр муутай" },
54   { id: "soda", label: "Хийжүүлсэн ундаа ууддаг" },
55   { id: "sweets", label: "Амттан хэтрүүлдэг" },
56 ];
57
58 const inputCls =
59   "w-full rounded-xl border border-slate-200 bg-white px-3.5 py-2.5 text-sm outline-none transition-colors focus:border-[#1F6FB2] focus:ring-2 focus:ring-[#1F6FB2]/15";
60
61 function SectionTitle({ children }: { children: string }) {
62   return (
63     <div className="font-semibold text-sm" style={{ color: INK }}>
64       {children}
65     </div>
66   );
67 }
68
69 function FieldLabel({ children }: { children: string }) {
70   return (
71     <div className="mb-1.5 text-sm font-medium" style={{ color: INK }}>
72       {children}
73     </div>
74   );
75 }
76
77 export default function HealthQuestionnairePage() {
78   const today = new Date().toISOString().slice(0, 10);
79
80   const [sex, setSex] = useState<Sex>("female");
81   const [age, setAge] = useState("");
82   const [heightCm, setHeightCm] = useState("");
83   const [weightKg, setWeightKg] = useState("");
84   const [mealsPerDay, setMealsPerDay] = useState("");
85   const [exerciseLevel, setExerciseLevel] = useState("");
86   const [walkLevel, setWalkLevel] = useState<WalkLevel>("low");
87   const [habits, setHabits] = useState<string[]>([]);
88   const [alcohol, setAlcohol] = useState("");
89   const [smoking, setSmoking] = useState("");
90   const [sleepHours, setSleepHours] = useState("");
91   const [waterLiters, setWaterLiters] = useState("");
92   const [done, setDone] = useState(false);
93   const [error, setError] = useState<string | null>(null);
94
95   const toggleHabit = (id: string) =>
96     setHabits(prev) =>
97       prev.includes(id) ? prev.filter((h) => h !== id) : [...prev, id]
98   );
99
100   const handleSubmit = (e: React.SyntheticEvent<HTMLFormElement>) => {
101     e.preventDefault();
102     setError(null);

```

```

103
104   const ageN = Number(age);
105   const heightN = Number(heightCm);
106   const weightN = Number(weightKg);
107
108   if (!ageN || !heightN || !weightN) {
109     setError("Нас, өндөр, жинг заавал оруулна уу.");
110     return;
111   }
112
113   const allHabits = [...habits];
114   if (alcohol && alcohol !== "none") { allHabits.push("alcohol"); }
115   if (smoking && smoking !== "none") { allHabits.push("smoking"); }
116
117   const input: HealthProgramInput = {
118     sex,
119     age: ageN,
120     heightCm: heightN,
121     weightKg: weightN,
122     mealsPerDay: Number(mealsPerDay) || 3,
123     exercisePerWeek: EXERCISE_MAP[exerciseLevel] ?? 0,
124     walkLevel,
125     sleepHours: SLEEP_MAP[sleepHours] ?? 7,
126     waterLiters: Number(waterLiters) || 1.5,
127     habits: allHabits,
128     startDate: today,
129   };
130
131   saveHealthProgram({ input, targets: computeHealthTargets(input) });
132   setDone(true);
133 };
134
135 if (done) {
136   return (
137     <AppShell backHref="/mind/self-care/stress" title="Тооцоологдлоо" width="2x1">
138       <AppCard>
139         <PageHero
140           description="Оруулсан мэдээлэл дээр үндэслэн таны биеийн байдал, зорилтот калори болон усны хэмжээг тооцоолж хадгалав."
141           eyebrow={<Badge>Хөтөлбөр бэлэн</Badge>}
142           icon="📋"
143           title="Таны хувийн хөтөлбөр тооцоологдлоо"
144         />
145         <Button className="w-full" href="/mind/self-care/health/summary">
146           Дүгнэлт үзэх →
147         </Button>
148       </AppCard>
149     </AppShell>
150   );
151 }
152
153 const cardCls = "rounded-2xl border border-slate-200 bg-white p-5 space-y-4";
154
155 const optStyle = (active: boolean) => ({
156   borderColor: active ? BRAND : LINE,
157   background: active ? `rgba(${BRAND_RGB},0.06)` : "#fff",
158   color: INK,
159 });
160
161 return (
162   <AppShell
163     backHref="/mind/self-care/stress"
164     subtitle="Өөрийгөө танин мэдэх"
165     title="Эрүүл мэндийн асуулга"
166     width="2x1"
167   >
168     <form className="space-y-4" onSubmit={handleSubmit}>
169       {error && (
170         <div
171           className="rounded-xl px-4 py-3 text-sm"

```



```

172         style={{
173             background: "rgba(220,38,38,0.08)",
174             border: "1px solid rgba(220,38,38,0.20)",
175             color: "#B91C1C",
176         }}
177     >
178     {error}
179 </div>
180 }}
181
182 {/* Үндсэн мэдээлэл */}
183 <AppCard className={cardCls}>
184     <SectionTitle>Үндсэн мэдээлэл</SectionTitle>
185
186     <div>
187         <FieldLabel>Хүйс</FieldLabel>
188         <div className="flex flex-col gap-2">
189             {
190                 [
191                     { id: "female" as Sex, label: "Эм" },
192                     { id: "male" as Sex, label: "Эр" },
193                 ] as const
194             }.map(({ id, label }) => (
195                 <label
196                     className="flex cursor-pointer items-center gap-2.5 rounded-xl border px-3.5 py-2.5 text-sm transition-colors"
197                     key={id}
198                     style={optStyle(sex === id)}
199                 >
200                     <input
201                         checked={sex === id}
202                         className="shrink-0 accent-[#1F6FB2]"
203                         name="sex"
204                         onChange={() => setSex(id)}
205                         type="radio"
206                         value={id}
207                     />
208                     {label}
209                 </label>
210             ))
211         </div>
212     </div>
213
214     <div className="grid gap-3 sm:grid-cols-3">
215         {
216             [
217                 { label: "Нас", value: age, set: setAge, placeholder: "жил" },
218                 { label: "Өндөр (см)", value: heightCm, set: setHeightCm, placeholder: "165" },
219                 { label: "Жин (кг)", value: weightKg, set: setWeightKg, placeholder: "70" },
220             ] as const
221         }.map(({ label, value, set, placeholder }) => (
222             <div key={label}>
223                 <FieldLabel>{label}</FieldLabel>
224                 <input
225                     className={inputCls}
226                     onChange={(e) => set(e.target.value)}
227                     placeholder={placeholder}
228                     style={{ color: INK }}
229                     type="number"
230                     value={value}
231                 />
232             </div>
233         ))
234     </div>
235 </AppCard>
236
237 {/* Хооллолт ба хөдөлгөөн */}
238 <AppCard className={cardCls}>
239     <SectionTitle>Хооллолт ба хөдөлгөөн</SectionTitle>
240

```

```

241 <div className="grid gap-4 sm:grid-cols-2">
242   <div>
243     <FieldLabel>Өдөрт хэдэн удаа хооллодог?</FieldLabel>
244     <select
245       className={inputCls}
246       onChange={(e) => setMealsPerDay(e.target.value)}
247       style={{ color: INK }}
248       value={mealsPerDay}
249     >
250       <option value="">Сонгоно уу</option>
251       <option value="1">1 удаа</option>
252       <option value="2">2 удаа</option>
253       <option value="3">3 удаа</option>
254       <option value="4">4+ удаа</option>
255     </select>
256   </div>
257
258   <div>
259     <FieldLabel>Дасгал хийдэг үү?</FieldLabel>
260     <select
261       className={inputCls}
262       onChange={(e) => setExerciseLevel(e.target.value)}
263       style={{ color: INK }}
264       value={exerciseLevel}
265     >
266       <option value="">Сонгоно уу</option>
267       <option value="daily">Өдөр бүр</option>
268       <option value="3-4">7 хоногт 3-4 удаа</option>
269       <option value="1-2">7 хоногт 1-2 удаа</option>
270       <option value="rare">Ховор</option>
271       <option value="never">Огт хийдэггүй</option>
272     </select>
273   </div>
274 </div>
275
276 <div>
277   <FieldLabel>Өдөрт дундажаар хэр их алхдаг?</FieldLabel>
278   <div className="grid gap-2 sm:grid-cols-2">
279     {WALK_OPTIONS.map(({ id, label }) => (
280       <label
281         className="flex cursor-pointer items-center gap-2.5 rounded-xl border px-3.5 py-2.5 text-sm transition-colors"
282         key={id}
283         style={optStyle(walkLevel === id)}
284       >
285         <input
286           checked={walkLevel === id}
287           className="shrink-0 accent-[#1F6FB2]"
288           name="walkLevel"
289           onChange={() => setWalkLevel(id)}
290           type="radio"
291           value={id}
292         />
293         {label}
294       </label>
295     ))}
296   </div>
297 </div>
298 </AppCard>
299
300 {/* Нойр ба ус */}
301 <AppCard className={cardCls}>
302   <SectionTitle>Нойр ба ус</SectionTitle>
303   <div className="grid gap-4 sm:grid-cols-2">
304     <div>
305       <FieldLabel>Шөнөдөө хэдэн цаг унтдаг?</FieldLabel>
306       <select
307         className={inputCls}
308         onChange={(e) => setSleepHours(e.target.value)}
309         style={{ color: INK }}

```

```

310         value={sleepHours}
311     >
312     <option value="">Сонгоно уу</option>
313     <option value="4">4-с бара</option>
314     <option value="4-6">4-6 цар</option>
315     <option value="6-8">6-8 цар</option>
316     <option value="8-10">8-10 цар</option>
317     <option value="10+">10+ цар</option>
318 </select>
319 </div>
320 <div>
321   <FieldLabel>Өдөрт уудар ус (литр)</FieldLabel>
322   <input
323     className={inputCls}
324     onChange={(e) => setWaterLiters(e.target.value)}
325     placeholder="жишээ: 1.5"
326     step="0.1"
327     style={{ color: INK }}
328     type="number"
329     value={waterLiters}
330   />
331 </div>
332 </div>
333 </AppCard>
334
335 {/* Зуршил */}
336 <AppCard className={cardCls}>
337   <SectionTitle>Зуршил</SectionTitle>
338
339   <div>
340     <FieldLabel>Өөрт байгаа зуршлуудаа сонгоно уу</FieldLabel>
341     <div className="grid gap-2 sm:grid-cols-2">
342       {HABITS.map(({ id, label }) => (
343         <label
344           className="flex cursor-pointer items-center gap-2.5 rounded-xl border px-3.5 py-2.5 text-sm transition-colors"
345           key={id}
346           style={optStyle(habits.includes(id))}
347         >
348           <input
349             checked={habits.includes(id)}
350             className="shrink-0 accent-[#1F6FB2]"
351             onChange={() => toggleHabit(id)}
352             type="checkbox"
353           />
354           {label}
355         </label>
356       ))}
357     </div>
358   </div>
359
360   <div className="grid gap-4 sm:grid-cols-2">
361     <div>
362       <FieldLabel>Согтууруулах ундаа</FieldLabel>
363       <select
364         className={inputCls}
365         onChange={(e) => setAlcohol(e.target.value)}
366         style={{ color: INK }}
367         value={alcohol}
368       >
369         <option value="">Сонгоно уу</option>
370         <option value="none">Орт хэрэглэдэггүй</option>
371         <option value="month">Сард 1-2 удаа</option>
372         <option value="week1">7 хоногт 1 удаа</option>
373         <option value="week2-3">7 хоногт 2-3 удаа</option>
374         <option value="daily">Баяр өдөр бүр</option>
375       </select>
376     </div>
377     <div>
378       <FieldLabel>Тамхи</FieldLabel>

```

```

379         <select
380             className={inputCls}
381             onChange={ (e) => setSmoking(e.target.value) }
382             style={{ color: INK }}
383             value={smoking}
384         >
385             <option value="">Сонгоно уу</option>
386             <option value="none">Орт татдаггүй</option>
387             <option value="rare">Хааяа нэр</option>
388             <option value="1-5">Өдөрт 1-5 ширхэг</option>
389             <option value="6-10">Өдөрт 6-10 ширхэг</option>
390             <option value="11+">Өдөрт 11+</option>
391         </select>
392     </div>
393 </div>
394 </AppCard>
395
396     <Button className="w-full" type="submit">
397         Тооцоолох →
398     </Button>
399 </form>
400 </AppShell>
401 );
402 }

```

91. app/(chat)/mind/self-care/health/summary/page.tsx

```

1  "use client";
2
3  import { useEffect, useState } from "react";
4  import {
5      APP_SHELL_TOKENS,
6      AppCard,
7      AppShell,
8      Badge,
9      Button,
10     EmptyState,
11     PageHero,
12 } from "@components/mind/app-shell";
13 import {
14     type HealthProgramData,
15     loadHealthProgram,
16 } from "@lib/mind/health-program";
17
18 const { INK, MUTED, LINE, BRAND, BRAND_RGB } = APP_SHELL_TOKENS;
19
20 export default function HealthSummaryPage() {
21     const [data, setData] = useState<HealthProgramData | null>(null);
22     const [mounted, setMounted] = useState(false);
23
24     useEffect(() => {
25         setData(loadHealthProgram());
26         setMounted(true);
27     }, []);
28
29     if (!mounted) { return null; }
30
31     if (!data) {
32         return (
33             <AppShell
34                 backHref="/mind/self-care/health/questionnaire"
35                 title="Дүгнэлт"
36                 width="3xl"
37             >
38                 <AppCard>
39                     <EmptyState icon="">
40                         Та эрүүл мэндийн асуулгаа бөглөөгүй байна.

```

```

41     </EmptyState>
42     <div className="mt-4 flex justify-center">
43       <Button href="/mind/self-care/health/questionnaire">
44         Асуулга бөглөх
45       </Button>
46     </div>
47   </AppCard>
48 </AppShell>
49   );
50 }
51
52 const { input, targets } = data;
53 const isOver = targets.excessKg > 0;
54 const isUnder = targets.excessKg < 0;
55
56 const walkPct: Record<string, number> = { none: 15, low: 35, medium: 60, high: 90 };
57
58 return (
59   <AppShell
60     backHref="/mind/self-care/health/questionnaire"
61     title="Эрүүл мэндийн дүгнэлт"
62     width="3xl"
63   >
64     <div className="space-y-4">
65       { /* Hero */ }
66       <AppCard>
67         <PageHero
68           description="Асуулгын мэдээлэлд үндэслэн таны биеийн байдал ба зорилтыг тооцоолов."
69           eyebrow={<Badge>Хувийн үнэлгээ</Badge>}
70           icon=""
71           title="Таны эрүүл мэндийн хөтөлбөр"
72         />
73       </AppCard>
74
75       { /* Weight status */ }
76       <AppCard className="rounded-2xl border border-slate-200 bg-white p-5 space-y-2">
77         <div className="font-semibold text-sm" style={{ color: INK }}>
78           Жин ба биеийн байдал
79         </div>
80         <p className="text-sm leading-relaxed" style={{ color: INK }}>
81           Та одоогоор <strong>{input.weightKg} кг</strong> жинтэй бөгөөд таны
82           өндрийг бодолцвол хэвийн жин{" "}
83           <strong>
84             {targets.normalMin}-{targets.normalMax} кг
85           </strong>{" "}
86           орчим байна. BMI:{" "}
87           <strong
88             style={{
89               color:
90                 targets.bmi < 18.5 || targets.bmi >= 25
91                   ? "#DC2626"
92                   : "#16A34A",
93             }}
94           >
95             {targets.bmi}
96           </strong>
97         </p>
98
99         {isOver && (
100           <p className="text-sm leading-relaxed" style={{ color: INK }}>
101             Таны жинд{" "}
102             <strong style={{ color: "#DC2626" }}>{targets.excessKg} кг</strong>{" "}
103             илүүдэл байна. Ажлалгүй хурдтайгаар{" "}
104             <strong style={{ color: "#16A34A" }}>
105               {targets.daysToGoal} хоногт
106             </strong>{" "}
107             хэвийн жинд хүрэх боломжтой.
108           </p>
109         )}

```

```

110 {isUnder && (
111   <p className="text-sm leading-relaxed" style={{ color: INK }}>
112     Таны жинд{" "}
113     <strong style={{ color: "#DC2626" }}>
114       {Math.abs(targets.excessKg)} кг
115     </strong>{" "}
116     дутагдал байна. Аажим хэмнэлтэйгээр{" "}
117     <strong style={{ color: "#16A34A" }}>
118       {targets.daysToGoal} хоногт
119     </strong>{" "}
120     хэвийн жинд хүрэх боломжтой.
121   </p>
122 )}
123 {!isOver && !isUnder && (
124   <p className="text-sm leading-relaxed" style={{ color: INK }}>
125     Таны жин хэвийн мужид байна. Хөтөлбөрийн гол зорилго нь{" "}
126     <strong>эрүүл хэв маягаа тогтвортой хадгалах</strong> км.
127   </p>
128 )}
129 </AppCard>
130
131 {/* Targets & macros */}
132 <div className="grid gap-4 md:grid-cols-2">
133   <AppCard className="rounded-2xl border border-slate-200 bg-white p-5 space-y-3">
134     <div className="font-semibold text-sm" style={{ color: INK }}>
135       Өдрийн зорилтууд
136     </div>
137     {[
138       { label: "Нийт калори", value: `${targets.dailyCalories} ккал` },
139       { label: "Ус", value: `${targets.targetWaterL} л` },
140       { label: "Алхалт", value: `${targets.targetSteps.toLocaleString()} алхам` },
141       { label: "Нойр", value: `${targets.sleepRecommended} цаг` },
142     ].map(({ label, value }) => (
143       <div
144         className="flex items-center justify-between rounded-xl px-3.5 py-2.5"
145         key={label}
146         style={{
147           background: `rgba(${BRAND_RGB},0.06)`,
148           border: `1px solid rgba(${BRAND_RGB},0.12)`,
149         }}
150       >
151         <span className="text-sm" style={{ color: MUTED }}>{label}</span>
152         <strong className="text-sm" style={{ color: BRAND }}>{value}</strong>
153       </div>
154     ))}
155   </AppCard>
156
157   <AppCard className="rounded-2xl border border-slate-200 bg-white p-5 space-y-3">
158     <div className="font-semibold text-sm" style={{ color: INK }}>
159       Макро хуваарилалт
160     </div>
161     {[
162       { label: "Уувар", pct: targets.proteinPercent, color: "#16A34A" },
163       { label: "Нүүрс ус", pct: targets.carbPercent, color: BRAND },
164       { label: "Өөх тос", pct: targets.fatPercent, color: "#D97706" },
165     ].map(({ label, pct, color }) => (
166       <div key={label}>
167         <div className="mb-1 flex items-center justify-between text-sm">
168           <span style={{ color: INK }}>{label}</span>
169           <span className="font-semibold" style={{ color }}>{pct}%>
170         </div>
171         <div>
172           className="h-2 w-full overflow-hidden rounded-full"
173           style={{ background: LINE }}
174         >
175         <div
176           className="h-full rounded-full"

```

```

179         style={{ width: `${pct}%`, background: color }}
180       />
181     </div>
182   </div>
183   )))
184   <p className="text-xs leading-relaxed" style={{ color: MUTED }}>
185     Ямар ч хоол идэж болно – шим тэжээлээ тэнцвэртэй байлгах нь хамгийн чухал.
186   </p>
187 </AppCard>
188 </div>
189
190 (/* Metric comparisons */)
191 <AppCard className="rounded-2xl border border-slate-200 bg-white p-5 space-y-4">
192   <div className="font-semibold text-sm" style={{ color: INK }}>
193     Хэвийн ба таны одоогийн үзүүлэлт
194   </div>
195
196   <MetricRow
197     currentLabel={`${input.weightKg} кг`}
198     currentPct={Math.min(
199       100,
200       isOver ? 95 : isUnder ? 40 : 75
201     )}
202     label="Жин"
203     normalLabel={`${targets.normalMin}-${targets.normalMax} кг`}
204     normalPct={75}
205   />
206   <MetricRow
207     currentLabel={
208       input.exercisePerWeek >= 5
209       ? "Өдөр бүр дасгал хийдэг"
210       : input.exercisePerWeek >= 3
211       ? "7 хоногт 3-4 удаа"
212       : input.exercisePerWeek >= 1
213       ? "7 хоногт 1-2 удаа"
214       : "Бага хөдөлгөөнтэй"
215     }
216     currentPct={Math.min(
217       100,
218       Math.round((input.exercisePerWeek / 6) * 90)
219     )}
220     label="Дасгал"
221     normalLabel="7 хоногт 3-5 удаа"
222     normalPct={75}
223   />
224   <MetricRow
225     currentLabel={
226       input.walkLevel === "high"
227       ? "Сайн алхдаг"
228       : input.walkLevel === "medium"
229       ? "Дунд зэрэг"
230       : input.walkLevel === "low"
231       ? "Бага зэрэг"
232       : "Баар алхдаггүй"
233     }
234     currentPct={walkPct[input.walkLevel] ?? 20}
235     label={`Алхалт (зорилт: ${targets.targetSteps.toLocaleString()})`}
236     normalLabel={`${targets.targetSteps.toLocaleString()} алхам/өдөр`}
237     normalPct={75}
238   />
239   <MetricRow
240     currentLabel={`${input.sleepHours} цаг`}
241     currentPct={Math.min(
242       100,
243       Math.round((input.sleepHours / targets.sleepRecommended) * 80)
244     )}
245     label="Нойр"
246     normalLabel={`${targets.sleepRecommended} цаг`}
247     normalPct={80}

```

```

248     />
249     <MetricRow
250       currentLabel={`${input.waterLiters} л`}
251       currentPct={Math.min(
252         100,
253         Math.round((input.waterLiters / targets.targetWaterL) * 75)
254       )}
255       label="Ус"
256       normalLabel={`${targets.targetWaterL} л`}
257       normalPct={75}
258     />
259   </AppCard>
260
261   <Button className="w-full" href="/mind/self-care/health/program">
262     Хөтөлбөрөө эхлүүлэх →
263   </Button>
264
265   <div className="flex justify-center">
266     <Button href="/mind/self-care/health/questionnaire" variant="ghost">
267       ← Асуулгарагч
268     </Button>
269   </div>
270 </div>
271 </AppShell>
272 );
273 }
274
275 function MetricRow({
276   label,
277   normalLabel,
278   currentLabel,
279   normalPct,
280   currentPct,
281 }): {
282   label: string;
283   normalLabel: string;
284   currentLabel: string;
285   normalPct: number;
286   currentPct: number;
287 }) {
288   return (
289     <div className="space-y-1.5">
290       <div className="text-sm font-medium" style={{ color: INK }}>
291         {label}
292       </div>
293       <div className="grid gap-2 sm:grid-cols-2">
294         <div
295           className="rounded-xl border border-slate-100 p-3"
296           style={{ background: "rgba(248,250,252,0.8)" }}
297         >
298           <div
299             className="mb-1 text-[11px] uppercase tracking-wide"
300             style={{ color: MUTED }}
301           >
302             Хэвийн үзүүлэлт
303           </div>
304           <div
305             className="mb-1.5 h-2 w-full overflow-hidden rounded-full"
306             style={{ background: LINE }}
307           >
308             <div
309               className="h-full rounded-full"
310               style={{ width: `${normalPct}%`, background: "#4ADE80" }}
311             />
312           </div>
313           <div className="text-xs" style={{ color: INK }}>
314             {normalLabel}
315           </div>
316         </div>

```



```

317     <div
318       className="rounded-xl border border-slate-100 p-3"
319       style={{ background: "rgba(248,250,252,0.8)" }}
320     >
321       <div
322         className="mb-1 text-[11px] uppercase tracking-wide"
323         style={{ color: MUTED }}
324       >
325         Таны өнөөгийн байдал
326       </div>
327     <div
328       className="mb-1.5 h-2 w-full overflow-hidden rounded-full"
329       style={{ background: LINE }}
330     >
331       <div
332         className="h-full rounded-full"
333         style={{ width: `${currentPct}%`, background: "#38BDF8" }}
334       </div>
335     </div>
336     <div className="text-xs" style={{ color: INK }}>
337       {currentLabel}
338     </div>
339   </div>
340 </div>
341 </div>
342 );
343 }

```

92. app/(chat)/mind/self-care/nutrition/page.tsx

```

1  "use client";
2
3  import {
4    AppCard,
5    AppShell,
6    Badge,
7    Button,
8    PageHero,
9  } from "@components/mind/app-shell";
10
11 export default function NutritionPage() {
12   return (
13     <AppShell subtitle="Өөрийгөө анхаарах" title="Хооллолт" width="3xl">
14       <AppCard>
15         <PageHero
16           description="Хооллолтоо бүртгэж, биедээ тааруулсан хоногийн калори, ус, нойрны зорилтоо тавиарай."
17           eyebrow={<Badge>Хувийн хөтөлбөр</Badge>}
18           icon="🥗"
19           title="Эрүүл мэндийн хөтөлбөр"
20         </PageHero>
21         <div className="space-y-2.5">
22           {[
23             "Биеийн байдлаа үнэлэх асуулга бөглөх",
24             "Хоногийн калори, ус, нойрны зорилт тооцоолох",
25             "Өдөр бүрийн хооллолт, алхалт бүртгэх",
26           ].map((item, i) => (
27             <div
28               className="flex items-center gap-3 rounded-[14px] border px-3.5 py-3 text-sm"
29               key={item}
30               style={{ borderColor: "#E2E8F0" }}
31             >
32               <span
33                 className="grid size-7 shrink-0 place-items-center rounded-full font-bold text-xs"
34                 style={{ background: "rgba(31,111,178,0.10)", color: "#1F6FB2" }}
35               >
36                 {i + 1}
37             </span>

```

```

38         <span>{item}</span>
39     </div>
40 )}
41 </div>
42 <div className="mt-5">
43     <Button className="w-full" href="/mind/self-care/health/questionnaire">
44         Асуулга берлэх →
45     </Button>
46 </div>
47 </AppCard>
48 </AppShell>
49 );
50 }

```

93. app/(chat)/mind/self-care/stress/page.tsx

```

1 import HealthAppClient from "@components/health/HealthAppClient";
2 import { AppShell } from "@components/mind/app-shell";
3 import { getDictionary } from "@lib/i18n/dictionaries";
4
5 export default async function HealthPage() {
6     const t = await getDictionary();
7     return (
8         <AppShell
9             title={t.apps.stress.title}
10             subtitle={t.apps.stress.subtitle}
11             width="4xl"
12         >
13             <HealthAppClient />
14         </AppShell>
15     );
16 }
17

```

94. app/(chat)/mind/tests.registry.ts

```

1 // app/(chat)/mind/tests.registry.ts
2 export type TestMeta = {
3     slug: string;
4     title: string;           // хэрэглэгчид харагдах гарчиг
5     short: string;          // 1 мөр тайлбар (optional)
6 };
7
8 export const TESTS: Record<string, TestMeta> = {
9     "mind-balance": {
10         slug: "mind-balance",
11         title: "Сэтгэлийн тэнцвэрийн тест",
12         short: "Сэтгэл санаа, харилцаа, тогтвортой байдал, өөрийгөө ойлгох, өөрийгөө хайрлах, зорилго-утга учрыг хэмжинэ.",
13     },
14 };
15
16 export function getTestMeta(slug: string): TestMeta {
17     return TESTS[slug] ?? { slug, title: slug, short: "" };
18 }

```

95. app/(chat)/mind/therapy/[id]/chat-thread.tsx

```

1 "use client";
2
3 import { useCallback, useEffect, useRef, useState } from "react";
4 import { AppShell, Button, TextArea } from "@components/mind/app-shell";
5 import { useT } from "@lib/i18n/provider";

```

```

6 import type { AppointmentSummary } from "@/lib/db/therapy";
7
8 type Message = {
9   id: string;
10  conversationId: string;
11  senderEmail: string;
12  senderRole: "client" | "psychologist";
13  body: string;
14  readAt: string | null;
15  createdAt: string;
16 };
17
18 function timeLabel(iso: string): string {
19   const d = new Date(iso);
20   return d.toLocaleTimeString([], { hour: "2-digit", minute: "2-digit" });
21 }
22
23 function hhmm(t: string): string {
24   return t.slice(0, 5);
25 }
26
27 function apptBadgeClass(status: string): string {
28   if (status === "CONFIRMED") {
29     return "bg-emerald-50 text-emerald-700 border-emerald-200";
30   }
31   if (status === "CANCELLED") {
32     return "bg-red-50 text-red-700 border-red-200";
33   }
34   return "bg-amber-50 text-amber-700 border-amber-200";
35 }
36
37 export function ChatThread({
38   conversationId,
39   counterpartEmail,
40   myEmail,
41   role,
42   conversationStatus,
43   appointment,
44 }): {
45   conversationId: string;
46   counterpartEmail: string;
47   myEmail: string;
48   role: "client" | "psychologist";
49   conversationStatus: string;
50   appointment: AppointmentSummary | null;
51 } {
52   const t = useT();
53   const th = t.apps.therapy;
54   const APPT_STATUS_LABEL: Record<string, string> = {
55     CONFIRMED: th.statusConfirmed,
56     PENDING: th.statusPending,
57     CANCELLED: th.statusCancelled,
58   };
59   const [messages, setMessages] = useState<Message[]>([]);
60   const [draft, setDraft] = useState("");
61   const [sending, setSending] = useState(false);
62   const [status, setStatus] = useState(conversationStatus);
63   const [togglingStatus, setTogglingStatus] = useState(false);
64   // Has the booked session's end time passed? Seeded from the server so it is
65   // correct on first paint, then re-checked by a timer so a page left open
66   // locks itself the moment the appointment hour ends (no reload needed).
67   const [windowEnded, setWindowEnded] = useState(
68     appointment?.windowEnded ?? false
69   );
70   const seen = useRef<Set<string>>(new Set());
71   const bottomRef = useRef<HTMLDivElement>(null);
72   const lowerMyEmail = myEmail.toLowerCase();
73
74   const apptCancelled = appointment?.status === "CANCELLED";

```

```

75 const sendable = status === "open" && !apptCancelled && !windowEnded;
76
77 const merge = useCallback((incoming: Message[]) => {
78   const fresh = incoming.filter((m) => !seen.current.has(m.id));
79   if (fresh.length === 0) {
80     return;
81   }
82   for (const m of fresh) {
83     seen.current.add(m.id);
84   }
85   setMessages((prev) =>
86     [...prev, ...fresh].sort((a, b) =>
87       a.createdAt < b.createdAt ? -1 : a.createdAt > b.createdAt ? 1 : 0
88     )
89   );
90 }, []);
91
92 const loadHistory = useCallback(async () => {
93   const res = await fetch(
94     `/api/therapy/conversations/${conversationId}/messages`
95   );
96   if (res.ok) {
97     const data = await res.json();
98     merge(data.messages ?? []);
99   }
100 }, [conversationId, merge]);
101
102 useEffect(() => {
103   loadHistory();
104
105   const es = new EventSource(`/api/therapy/stream/${conversationId}`);
106   es.onmessage = (ev) => {
107     try {
108       merge([JSON.parse(ev.data) as Message]);
109     } catch {
110       // ignore malformed frame
111     }
112   };
113   es.onopen = () => {
114     loadHistory();
115   };
116
117   // Fallback poll: real-time fan-out (Postgres NOTIFY) is best-effort and a
118   // very long Cyrillic message can be dropped, so reconcile history on an
119   // interval too. `merge` de-dupes, so this never shows a message twice.
120   const poll = setInterval(loadHistory, 15_000);
121
122   return () => {
123     es.close();
124     clearInterval(poll);
125   };
126 }, [conversationId, loadHistory, merge]);
127
128 // Flip to read-only exactly when the appointment's end time passes, so a chat
129 // left open in the browser locks itself without a reload.
130 useEffect(() => {
131   if (windowEnded || !appointment?.endsAtEpoch) {
132     return;
133   }
134   const msUntilEnd = appointment.endsAtEpoch * 1000 - Date.now();
135   if (msUntilEnd <= 0) {
136     setWindowEnded(true);
137     return;
138   }
139   const t = setTimeout(() => setWindowEnded(true), msUntilEnd);
140   return () => clearTimeout(t);
141 }, [appointment?.endsAtEpoch, windowEnded]);
142
143 useEffect(() => {

```

```

144     bottomRef.current?.scrollIntoView({ behavior: "smooth" });
145   }, [messages]);
146
147   async function send() {
148     const text = draft.trim();
149     if (!text || sending || !sendable) {
150       return;
151     }
152     setSending(true);
153     try {
154       const res = await fetch(
155         `/api/therapy/conversations/${conversationId}/messages`,
156         {
157           method: "POST",
158           headers: { "Content-Type": "application/json" },
159           body: JSON.stringify({ body: text }),
160         }
161       );
162       if (res.ok) {
163         const data = await res.json();
164         merge([data.message as Message]);
165         setDraft("");
166       }
167     } finally {
168       setSending(false);
169     }
170   }
171
172   async function toggleStatus() {
173     const next = status === "open" ? "closed" : "open";
174     setTogglingStatus(true);
175     try {
176       const res = await fetch(`/api/therapy/conversations/${conversationId}`, {
177         method: "PATCH",
178         headers: { "Content-Type": "application/json" },
179         body: JSON.stringify({ status: next }),
180       });
181       if (res.ok) {
182         setStatus(next);
183       }
184     } finally {
185       setTogglingStatus(false);
186     }
187   }
188
189   function onKeyDown(e: React.KeyboardEvent<HTMLTextAreaElement>) {
190     if (e.key === "Enter" && !e.shiftKey) {
191       e.preventDefault();
192       send();
193     }
194   }
195
196   // After the session ends (or is cancelled) the toggle is meaningless — the
197   // chat is permanently read-only — so only show it during a live session.
198   const closeButton =
199     role === "psychologist" && !apptCancelled && !windowEnded ? (
200     <Button
201       disabled={togglingStatus}
202       onClick={toggleStatus}
203       type="button"
204       variant={status === "open" ? "ghost" : "primary"}
205     >
206       {status === "open" ? th.closeChatAction : th.reopenChatAction}
207     </Button>
208   ) : null;
209
210   const frozenNotice = apptCancelled
211     ? th.cancelledNotice
212     : windowEnded

```

```

213   ? th.endedNotice
214   : status !== "open"
215   ? th.closedByPsychNotice
216   : null;
217
218   return (
219     <AppShell
220       actions={closeButton}
221       backHref="/mind/therapy"
222       subtitle={role === "client" ? th.psychologistLabel : th.clientLabel}
223       title={counterpartEmail}
224       width="4xl"
225     >
226       {appointment && (
227         <div className="mb-4 flex flex-wrap items-center gap-2 rounded-[14px] border border-slate-200 bg-white px-4 py-3 text-sm">
228           <span className="text-slate-500">{th.appointmentLabel}</span>
229           <span className="font-medium text-slate-800">
230             {appointment.date} · {hmm(appointment.startTime)}-
231             {hmm(appointment.endTime)}
232           </span>
233           <span
234             className={`ml-auto rounded-full border px-2.5 py-0.5 font-semibold text-xs ${apptBadgeClass(
235               appointment.status
236             )}`}
237           >
238             {APPT_STATUS_LABEL[appointment.status] ?? appointment.status}
239           </span>
240         </div>
241       )}
242
243       <div className="flex h-[58vh] flex-col">
244         <div className="flex-1 space-y-3 overflow-y-auto pr-1">
245           {messages.length === 0 && (
246             <p className="py-8 text-center text-slate-400 text-sm">
247               {th.emptyMessages}
248             </p>
249           )}
250           {messages.map((m) => {
251             const mine = m.senderEmail.toLowerCase() === lowerMyEmail;
252             return (
253               <div
254                 className={`flex ${mine ? "justify-end" : "justify-start"}`}
255                 key={m.id}
256               >
257                 <div
258                   className={`max-w-[78%] rounded-2xl px-3.5 py-2 text-sm leading-relaxed ${
259                     mine
260                       ? "bg-[#1F6FB2] text-white"
261                       : "border border-slate-200 bg-white text-slate-800"
262                   }`}
263                 >
264                   <p className="whitespace-pre-wrap break-words">{m.body}</p>
265                   <span
266                     className={`mt-1 block text-[10px] ${
267                       mine ? "text-white/70" : "text-slate-400"
268                     }`}
269                   >
270                     {timeLabel(m.createdAt)}
271                   </span>
272                 </div>
273               </div>
274             );
275           })}
276         <div ref={bottomRef} />
277       </div>
278
279       {frozenNotice ? (
280         <p className="mt-3 rounded-[12px] bg-slate-100 px-3 py-2.5 text-center text-slate-500 text-sm">
281           {frozenNotice}

```

```

282     </p>
283   ) : (
284     <div className="mt-3 flex items-end gap-2">
285       <TextArea
286         className="min-h-[44px]"
287         onChange={(e) => setDraft(e.target.value)}
288         onKeyDown={onKeyDown}
289         placeholder={th.messagePlaceholder}
290         rows={1}
291         value={draft}
292       />
293       <Button
294         disabled={sending || !draft.trim()}
295         onClick={send}
296         type="button"
297       >
298         {t.common.send}
299       </Button>
300     </div>
301   )}
302 </div>
303 </AppShell>
304 );
305 }

```

96. app/(chat)/mind/therapy/[id]/page.tsx

```

1  import { redirect } from "next/navigation";
2  import { auth } from "@app/(auth)/auth";
3  import {
4    assertConversationAccess,
5    getAppointmentSummaryById,
6  } from "@lib/db/therapy";
7  import { ChatThread } from "../chat-thread";
8
9  export const dynamic = "force-dynamic";
10
11  export default async function TherapyChatPage({
12    params,
13  }: {
14    params: Promise<{ id: string }>;
15  }) {
16    const { id } = await params;
17    const session = await auth();
18    const email = session?.user?.email ?? null;
19
20    if (!email) {
21      redirect("/login");
22    }
23
24    const access = await assertConversationAccess(id, email);
25    if (!access) {
26      redirect("/mind/therapy");
27    }
28
29    const counterpartEmail =
30      access.role === "client"
31        ? access.conversation.psychologistEmail
32        : access.conversation.clientEmail;
33
34    const appt = access.conversation.appointmentId
35      ? await getAppointmentSummaryById(access.conversation.appointmentId)
36      : null;
37
38    return (
39      <ChatThread
40        appointment={appt}

```

```

41     conversationId={id}
42     conversationStatus={access.conversation.status}
43     counterpartEmail={counterpartEmail}
44     myEmail={email}
45     role={access.role}
46   />
47 );
48 }

```

97. app/(chat)/mind/therapy/page.tsx

```

1  import { auth } from "@app/(auth)/auth";
2  import {
3    getChatableAppointments,
4    getSchedulingUserByEmail,
5    listConversationsForEmail,
6  } from "@lib/db/therapy";
7  import { TherapyHome } from "../therapy-home";
8
9  export const dynamic = "force-dynamic";
10
11 export default async function TherapyPage() {
12   const session = await auth();
13   const email = session?.user?.email ?? null;
14
15   const me = email ? await getSchedulingUserByEmail(email) : null;
16   const [conversations, appointments] = await Promise.all([
17     email ? listConversationsForEmail(email) : Promise.resolve([]),
18     me ? getChatableAppointments(me) : Promise.resolve([]),
19   ]);
20
21   return (
22     <TherapyHome
23       appointments={appointments}
24       conversations={conversations}
25       role={me?.role ?? null}
26     />
27   );
28 }

```

98. app/(chat)/mind/therapy/therapy-home.tsx

```

1  "use client";
2
3  import { useRouter } from "next/navigation";
4  import { useState } from "react";
5  import {
6    AppShell,
7    Badge,
8    Button,
9    EmptyState,
10    Muted,
11    SectionHeading,
12  } from "@components/mind/app-shell";
13  import { useT } from "@lib/i18n/provider";
14  import type {
15    ConversationListItem,
16    SchedulingRole,
17    StartableAppointment,
18  } from "@lib/db/therapy";
19
20  function hhmm(t: string): string {
21    return t.slice(0, 5);
22  }
23

```



```

24 function apptBadgeClass(status: string): string {
25   if (status === "CONFIRMED") {
26     return "bg-emerald-50 text-emerald-700 border-emerald-200";
27   }
28   if (status === "CANCELLED") {
29     return "bg-red-50 text-red-700 border-red-200";
30   }
31   return "bg-amber-50 text-amber-700 border-amber-200";
32 }
33
34 export function TherapyHome({
35   conversations,
36   appointments,
37   role,
38 }): {
39   conversations: ConversationListItem[];
40   appointments: StartableAppointment[];
41   role: SchedulingRole | null;
42 }) {
43   const t = useT();
44   const th = t.apps.therapy;
45   const APPT_STATUS_LABEL: Record<string, string> = {
46     CONFIRMED: th.statusConfirmed,
47     PENDING: th.statusPending,
48     CANCELLED: th.statusCancelled,
49   };
50   const router = useRouter();
51   const [startingId, setStartingId] = useState<string | null>(null);
52   const [error, setError] = useState<string | null>(null);
53
54   const isPsychologist = role === "PSYCHOLOGIST";
55
56   // Local open/closed state per conversation so the psychologist can enable or
57   // disable a chat straight from this list (their profile view) - no automatic
58   // time-window locking.
59   const [statusMap, setStatusMap] = useState<Record<string, string>>({}) =>
60     Object.fromEntries(conversations.map((c) => [c.id, c.status]))
61   );
62   const [togglngId, setTogglngId] = useState<string | null>(null);
63
64   async function toggleChat(id: string) {
65     const current = statusMap[id] ?? "open";
66     const next = current === "open" ? "closed" : "open";
67     setTogglngId(id);
68     setError(null);
69     try {
70       const res = await fetch(`/api/therapy/conversations/${id}`, {
71         method: "PATCH",
72         headers: { "Content-Type": "application/json" },
73         body: JSON.stringify({ status: next }),
74       });
75       if (!res.ok) {
76         const data = await res.json().catch(() => ({}));
77         throw new Error(data?.error ?? th.statusChangeFailed);
78       }
79       setStatusMap((prev) => ({ ...prev, [id]: next }));
80     } catch (e: any) {
81       setError(e?.message ?? th.errorGeneric);
82     } finally {
83       setTogglngId(null);
84     }
85   }
86
87   // Appointments that don't yet have a conversation.
88   const existing = new Set(
89     conversations.map((c) => c.appointmentId).filter(Boolean) as string[]
90   );
91   const startable = appointments.filter((a) => !existing.has(a.appointmentId));
92

```

```

93  async function startChat(appointmentId: string) {
94    setError(null);
95    setStartingId(appointmentId);
96    try {
97      const res = await fetch("/api/therapy/conversations", {
98        method: "POST",
99        headers: { "Content-Type": "application/json" },
100        body: JSON.stringify({ appointmentId }),
101      });
102      const data = await res.json();
103      if (!res.ok) {
104        throw new Error(data?.error ?? th.startChatFailed);
105      }
106      router.push(`/mind/therapy/${data.conversationId}`);
107    } catch (e: any) {
108      setError(e?.message ?? th.errorGeneric);
109      setStartingId(null);
110    }
111  }
112
113  return (
114    <AppShell
115      backHref="/"
116      subtitle={th.subtitle}
117      title={th.title}
118      width="4xl"
119    >
120      {role === null && (
121        <EmptyState icon="">
122          <span
123            // biome-ignore lint/security/noDangerouslySetInnerHTML: dictionary-controlled string with a literal <strong> tag, no user input.
124            dangerouslySetInnerHTML={{ __html: th.needBookingNoticeHtml }}
125          />
126        </EmptyState>
127      )}
128
129      {error && (
130        <p className="mb-4 rounded-[12px] bg-red-50 px-3 py-2 text-red-600 text-sm">
131          {error}
132        </p>
133      )}
134
135      {conversations.length > 0 && (
136        <section className="mb-8">
137          <SectionHeading>{th.activeChatsHeading}</SectionHeading>
138          <ul className="mt-3 space-y-2">
139            {conversations.map((c) => {
140              const chatStatus = statusMap[c.id] ?? c.status;
141              const ended = c.apptWindowEnded === true;
142              // A finished (or cancelled) session is permanently read-only, so
143              // the manual toggle no longer applies – show it as closed instead.
144              const closed = chatStatus !== "open" || ended;
145              return (
146                <li
147                  className="flex items-center gap-2 rounded-[14px] border border-slate-200 bg-white px-4 py-3 transition hover:border-slate-300 hover:shadow-sm"
148                  key={c.id}
149                >
150                  <a
151                    className="flex min-w-0 flex-1 items-center gap-3"
152                    href={` /mind/therapy/${c.id}` }
153                  >
154                    <span className="grid size-10 shrink-0 place-items-center rounded-full bg-slate-100 font-semibold text-slate-500 text-sm uppercase">
155                      {c.counterpartEmail.slice(0, 2)}
156                    </span>
157                    <span className="min-w-0 flex-1">
158                      <span className="block truncate font-medium text-slate-800 text-sm">
159                        {c.counterpartEmail}
160                      </span>
161                      <span className="block truncate text-slate-500 text-xs">

```

```

162         {c.apptDate
163           ? `${c.apptDate}${c.apptStartTime ? ` ` : `${hhmm(c.apptStartTime)} ` : ""}`
164           : ""}
165         {c.lastBody
166           ? `${c.apptDate ? " - " : ""}${c.lastBody}`
167           : c.apptDate
168           ? ""
169           : th.noChatStarted)
170       </span>
171     </span>
172     {c.apptStatus && (
173       <span
174         className={`shrink-0 rounded-full border px-2 py-0.5 font-semibold text-[10px] ${apptBadgeClass(
175           c.apptStatus
176         )}}`
177       >
178         {APPT_STATUS_LABEL[c.apptStatus] ?? c.apptStatus}
179       </span>
180     )}
181     {c.unreadCount > 0 && (
182       <span className="grid min-w-5 shrink-0 place-items-center rounded-full bg-[#1F6FB2] px-1.5 py-0.5 font-semibold text-[11px] text-white">
183         {c.unreadCount}
184       </span>
185     )}
186   </a>
187
188   {/* Chat enabled/disabled – visible to both, controllable by psychologist */}
189   {closed && (
190     <span className="shrink-0 rounded-full border border-slate-300 bg-slate-100 px-2 py-0.5 font-semibold text-[10px] text-slate-500">
191       {ended ? th.ended : th.closed}
192     </span>
193   )}
194   {/* Once the session has ended the toggle is meaningless – the
195     chat is permanently read-only – so only the psychologist of
196     a still-live session sees it. */}
197   {isPsychologist && !ended && (
198     <Button
199       className="shrink-0 px-3 py-1.5 text-xs"
200       disabled={togglingId === c.id}
201       onClick={() => toggleChat(c.id)}
202       type="button"
203       variant={closed ? "primary" : "ghost"}
204     >
205       {togglingId === c.id
206         ? "... "
207         : closed
208           ? th.openChatBtn
209           : th.closeChatBtn}
210     </Button>
211   )}
212 </li>
213 );
214 }}}
215 </ul>
216 </section>
217 })
218
219 {startable.length > 0 && (
220   <section>
221     <SectionHeading>{th.startFromBookingHeading}</SectionHeading>
222     <ul className="mt-3 space-y-2">
223       {startable.map((a) => (
224         <li
225           className="flex items-center gap-3 rounded-[14px] border border-slate-200 bg-white px-4 py-3"
226           key={a.appointmentId}
227         >
228           <span className="min-w-0 flex-1">
229             <span className="block truncate font-medium text-slate-800 text-sm">
230               {a.counterpartName || a.counterpartEmail}

```

```

231         </span>
232         <span className="block text-slate-500 text-xs">
233           {a.date} · {hhmm(a.startTime)}-{hhmm(a.endTime)}
234         </span>
235       </span>
236       <Badge>{th.online}</Badge>
237       <Button
238         disabled={startingId === a.appointmentId}
239         onClick={() => startChat(a.appointmentId)}
240         type="button"
241       >
242         {startingId === a.appointmentId ? "... " : th.startChatBtn}
243       </Button>
244     </li>
245   )}
246 </ul>
247 </section>
248 )}
249
250 {role !== null &&
251   conversations.length === 0 &&
252   startable.length === 0 && (
253     <EmptyState icon="📄">
254       {role === "PSYCHOLOGIST"
255         ? th.emptyPsychologist
256         : th.emptyClient}
257     </EmptyState>
258   )}
259
260 {role !== "PSYCHOLOGIST" && (
261   <div className="mt-4">
262     <a
263       className="flex w-full items-center justify-center gap-2 rounded-[14px] bg-[#1F6FB2] px-4 py-3 font-semibold text-sm text-white transition hover:bg-[#1a5d96]"
264       href="https://oyunsanaa.com/book"
265       rel="noopener noreferrer"
266       target="_blank"
267     >
268       {th.bookBtn}
269     </a>
270   </div>
271 )}
272
273 <div className="mt-6">
274   <Muted>{th.disclaimerNote}</Muted>
275 </div>
276 </AppShell>
277 );
278 }

```

99. app/(chat)/mind/who-am-i/balance-test/page.tsx

```

1  "use client";
2
3  import { AppShell } from "@/components/mind/app-shell";
4  import { BalanceExercise } from "@/components/mind/who-am-i/balance-exercise";
5  import { useT } from "@/lib/i18n/provider";
6
7  export default function WhoAmIBalanceTestPage() {
8    const t = useT();
9
10   return (
11     <AppShell
12       backHref="/mind/who-am-i/intro"
13       title={t.apps.lifeBalance.pageTitles.balanceTest}
14       width="4xl"
15     >
16       <BalanceExercise />

```

```

17     </AppShell>
18   };
19 }

```

100. app/(chat)/mind/who-am-i/conclusion/page.tsx

```

1  "use client";
2
3  import { Trash2 } from "lucide-react";
4  import Link from "next/link";
5  import { useEffect, useState } from "react";
6  import {
7    AppCard,
8    AppShell,
9    Badge,
10   Button,
11   EmptyState,
12   Muted,
13   PageHero,
14 } from "@components/mind/app-shell";
15 import { BalanceDiagram } from "@components/mind/who-am-i/balance-diagram";
16 import { useT } from "@lib/i18n/provider";
17 import {
18   BALANCE_AREAS,
19   type BalanceRun,
20   clearHistory,
21   deleteRun,
22   readHistory,
23   readLastRun,
24 } from "@lib/mind/who-am-i-balance";
25
26 const BRAND = "#1F6FB2";
27 const INK_C = "#0F172A";
28 const MUTED_C = "rgba(15,23,42,0.60)";
29
30 function hexOf(key: string) {
31   return BALANCE_AREAS.find((a) => a.key === key)?.hex ?? BRAND;
32 }
33
34 export default function WhoAmIConclusionPage() {
35   const t = useT();
36   const b = t.apps.lifeBalance;
37   const c = b.conclusion;
38   const [run, setRun] = useState<BalanceRun | null>(null);
39   const [history, setHistory] = useState<BalanceRun[]>([]);
40
41   useEffect(() => {
42     setRun(readLastRun());
43     setHistory(readHistory());
44   }, []);
45
46   const titleOf = (key: string) =>
47     (b.areas as Record<string, { title: string }>)[key]?.title ?? key;
48
49   const nextSteps = [
50     { ...c.nextSteps.chat, href: "/" },
51     { ...c.nextSteps.world, href: "/mind/ebooks" },
52     { ...c.nextSteps.health, href: "/mind/self-care/stress" },
53     { ...c.nextSteps.finance, href: "/mind/life/finance-app" },
54     { ...c.nextSteps.relations, href: "/mind/relations/tests" },
55     { ...c.nextSteps.goals, href: "/mind/purpose/goal-planner" },
56   ];
57
58   if (!run) {
59     return (
60       <AppShell backHref="/mind/who-am-i/intro" title={c.emptyTitle} width="4x1">
61         <AppCard>

```

```

62     <EmptyState icon="">{c.emptyText}</EmptyState>
63     <div className="mt-4 flex justify-center">
64       <Button href="/mind/who-am-i/balance-test">{c.checkBtn}</Button>
65     </div>
66   </AppCard>
67 </AppShell>
68   );
69 }
70
71 const entries = Object.entries(run.pct) as [string, number][];
72 const hi = entries.reduce((m, x) => (x[1] > m[1] ? x : m));
73 const lo = entries.reduce((m, x) => (x[1] < m[1] ? x : m));
74
75 const highestHtml = c.highestTextHtml
76   .replace(
77     "{pct}",
78     `<b style="color:${hexOf(hi[0])}">${hi[1]}%</b>`
79   )
80   .replace("{label}", `<b>«${titleOf(hi[0])}»</b>`);
81 const lowestHtml = c.lowestTextHtml
82   .replace("{label}", `<b>«${titleOf(lo[0])}»</b>`)
83   .replace(
84     "{pct}",
85     `<b style="color:${hexOf(lo[0])}">${lo[1]}%</b>`
86   );
87
88 const onDeleteOne = (at: number) => {
89   deleteRun(at);
90   setHistory(readHistory());
91 };
92 const onDeleteAll = () => {
93   clearHistory();
94   setHistory([]);
95 };
96
97 return (
98   <AppShell
99     backHref="/mind/who-am-i/balance-test"
100     title={c.emptyTitle}
101     width="4xl"
102   >
103     <div className="space-y-4">
104       <AppCard>
105         <PageHero
106           description={c.description}
107           eyebrow={<Badge>{c.eyebrow}</Badge>}
108           icon=""
109           title={c.title}
110         />
111
112         <div className="mx-auto mb-2 max-w-[280px]">
113           <BalanceDiagram
114             ariaLabel={b.diagramAriaLabel}
115             labels={b.diagramLabels}
116             mode="kite"
117             pct={run.pct}
118           />
119         </div>
120
121         <div className="flex flex-wrap justify-center gap-2">
122           {entries.map(([key, value]) => (
123             <span
124               className="rounded-full px-3 py-1.5 font-semibold text-white text-xs"
125               key={key}
126               style={{ background: hexOf(key) }}
127             >
128               {titleOf(key).split(" · ")[0]} {value}%
129             </span>
130           ))}

```

```

131     </div>
132 </AppCard>
133
134 <AppCard className="rounded-2xl border border-slate-200 bg-white p-4">
135   <div className="font-semibold text-sm" style={{ color: INK_C }}>
136     {c.highestTitle}
137   </div>
138   <p
139     className="mt-2 text-sm leading-relaxed"
140     style={{ color: INK_C }}
141     // biome-ignore lint/security/noDangerouslySetInnerHTML: dictionary-controlled template with numeric/label substitutions only.
142     dangerouslySetInnerHTML={{ __html: highestHtml }}
143   />
144 </AppCard>
145
146 <AppCard className="rounded-2xl border border-slate-200 bg-white p-4">
147   <div className="font-semibold text-sm" style={{ color: INK_C }}>
148     {c.lowestTitle}
149   </div>
150   <p
151     className="mt-2 text-sm leading-relaxed"
152     style={{ color: INK_C }}
153     // biome-ignore lint/security/noDangerouslySetInnerHTML: dictionary-controlled template with numeric/label substitutions only.
154     dangerouslySetInnerHTML={{ __html: lowestHtml }}
155   />
156 </AppCard>
157
158 <div
159   className="rounded-2xl border border-slate-200 p-4"
160   style={{ background: "rgba(31,111,178,0.06)" }}
161 >
162   <div className="font-semibold text-sm" style={{ color: INK_C }}>
163     {c.stepsHeading}
164   </div>
165   <p className="mt-2 text-sm leading-relaxed" style={{ color: INK_C }}>
166     {c.stepsIntro}
167   </p>
168   <div className="mt-3 grid gap-2.5">
169     {nextSteps.map((s) => (
170       <div
171         className="flex items-start justify-between gap-3 rounded-xl border border-slate-200 bg-white p-3"
172         key={s.href + s.title}
173       >
174         <div className="min-w-0">
175           <div className="font-semibold text-sm" style={{ color: INK_C }}>
176             {s.title}
177           </div>
178           <div className="mt-1 text-xs leading-relaxed" style={{ color: MUTED_C }}>
179             {s.note}
180           </div>
181         </div>
182         <Link
183           className="shrink-0 rounded-lg border border-slate-200 bg-white px-3 py-2 text-xs hover:bg-slate-50"
184           href={s.href}
185           style={{ color: INK_C }}
186         >
187           {c.goLink}
188         </Link>
189       </div>
190     ))}
191   </div>
192 </div>
193
194 <Button className="w-full" href="/mind/who-am-i/balance-test">
195   {c.retakeBtn}
196 </Button>
197
198 <AppCard className="space-y-3 rounded-2xl border border-slate-200 bg-white p-4">
199   <div className="flex items-center justify-between gap-3">

```

```

200     <div className="font-semibold text-sm" style={{ color: INK_C }}>
201       {c.historyHeading}
202     </div>
203     {history.length > 0 && (
204       <button
205         className="inline-flex items-center gap-2 rounded-xl border border-slate-200 bg-white px-3 py-2 text-xs hover:bg-slate-50"
206         onClick={onDeleteAll}
207         style={{ color: INK_C }}
208         type="button"
209       >
210         <Trash2 className="size-4" />
211         {c.deleteAllBtn}
212       </button>
213     )}
214   </div>
215
216   {history.length === 0 ? (
217     <Muted>{c.noHistory}</Muted>
218   ) : (
219     <div className="space-y-2">
220       {history.map((h) => (
221         <div
222           className="flex items-center justify-between gap-3 rounded-xl border border-slate-200 p-3"
223           key={h.at}
224         >
225           <div className="min-w-0">
226             <div className="text-xs" style={{ color: MUTED_C }}>
227               {new Date(h.at).toLocaleString()}
228             </div>
229             <div className="mt-1 text-xs" style={{ color: INK_C }}>
230               {Object.entries(h.pct)
231                 .map(([k, v]) => `${titleOf(k).split(" · ")[0]}:${v}%`)
232                 .join(" · ")}
233             </div>
234           </div>
235           <button
236             className="inline-flex shrink-0 items-center gap-2 rounded-xl border border-slate-200 bg-white px-3 py-2 text-xs hover:bg-slate-50"
237             onClick={() => onDeleteOne(h.at)}
238             style={{ color: INK_C }}
239             type="button"
240           >
241             <Trash2 className="size-4" />
242           </button>
243         </div>
244       )]}
245     </div>
246   )}
247 </AppCard>
248
249 <p className="text-xs leading-relaxed" style={{ color: MUTED_C }}>
250   {c.footerNote}
251 </p>
252 </div>
253 </AppShell>
254   );
255 }

```

101. app/(chat)/mind/who-am-i/intro/page.tsx

```

1  "use client";
2
3  import {
4    AppCard,
5    AppShell,
6    Badge,
7    Button,
8    Muted,

```



```

9   PageHero,
10  SectionHeading,
11 } from "@components/mind/app-shell";
12 import { useT } from "@lib/i18n/provider";
13
14 export default function WhoAmIIntroPage() {
15   const t = useT();
16   const b = t.apps.lifeBalance;
17
18   return (
19     <AppShell backHref="/" title={b.pageTitles.intro} width="4xl">
20       <AppCard>
21         <PageHero
22           description={b.intro.description}
23           eyebrow={<Badge>{b.intro.eyebrow}</Badge>}
24           icon=""
25           title={b.intro.title}
26         />
27
28         {b.intro.paragraphs.map((p) => (
29           <Muted className="mb-4" key={p}>
30             {p}
31           </Muted>
32         ))}
33
34         <SectionHeading className="mb-2">
35           {b.intro.bulletsHeading}
36         </SectionHeading>
37         <ul
38           className="mb-6 space-y-1.5 text-sm leading-relaxed"
39           style={{ color: "#334155" }}
40         >
41           {b.intro.bullets.map((bullet) => (
42             <li className="flex items-start gap-2" key={bullet}>
43               <span
44                 className="mt-2 size-1.5 shrink-0 rounded-full"
45                 style={{ background: "#1F6FB2" }}
46               />
47               <span>{bullet}</span>
48             </li>
49           ))}
50         </ul>
51
52         <Button href="/mind/who-am-i/balance-test">{b.intro.checkBtn}</Button>
53       </AppCard>
54     </AppShell>
55   );
56 }

```

102. app/(chat)/mind/work/intro/page.tsx

```

1  "use client";
2
3  import { DomainIntroPage } from "@components/mind/who-am-i/domain-intro";
4
5  export default function WorkIntroPage() {
6    return (
7      <DomainIntroPage
8        appHref="/mind/life/finance-app"
9        appLabel="Миний санхүү"
10       balanceKey="work"
11       description={
12         "Энэхүү талбар нь таны карьер, сурлага, ажил, санхүү болон амжилтын төлөөх тэмүүллийг " +
13         "илэрхийлнэ.\n\nТа өдөрт хэдэн цагийг ажил, сурлага, эсвэл гэр орны заавал хийх ёстой " +
14         "үүрэг хариуцлагыг биелүүлэхэд зарцуулдаг вэ? Таны амьдралын үнэ цэнэ, өөрийгөө үнэлэх " +
15         "үнэлэмжид "амжилт гаргах, бусдаас илүү сайн байх" зэрэг ойлголт хэр чухал байр суурь " +
16         "эээлдэг вэ? Хэрэв та хийсэн ажилгүй, хичээл сургуульгүй байвал өөрийгөө амжилтгүй " +

```

```

17     "хэрэггүй хүн мэт мэдэрдэг үү? Мөн та өөрийнхөө ажиллаж хөдөлмөрлөж, сурч мэдэж байгаа " +
18     "үйл явцдаа хэр их сэтгэл хангалуун байдаг вэ? Дээрх асуултуудад хариулах замаар өөрийн " +
19     "амьдралын эрч хүч энерги, цаг хугацаа, мөнгө санхүүг ажил үүргийн талбарт хэр их " +
20     "зарцуулж байгаагаа үнэлээрэй."
21 }
22 hex="#C28A3C"
23 icon="□"
24 title="Ажил, үүрэг"
25 appGuide={
26   "Зорилго:\n" +
27   "Орлого, зарлагаа хялбар бүртгэж, мөнгөний урсгал болон зарцуулалтын хэв маягаа ойлгох боломж олгоно. " +
28   "Апп таныг санхүүгийн сахилга баттай болоход тусална.\n\n" +
29   "1. Бүртгэл оруулах (3 арга)\n" +
30   "• Зураг – баримт эсвэл гүйлгээний зургийг оруулахад Оюунсанаа дүн, огноо, худалдан авсан зүйл, ангиллыг автоматаар таньж " +
31   "хүснэгтээр харуулна. Жишээ: CU-ийн 18,500₮-ийн баримт → Дүн 18,500₮ · Ангилал: Хоол хүнс · Огноо автоматаар. " +
32   "Засварлах боломжтой бөгөөд «Тайланд нэмэх» дарснаар бүртгэгдэнэ.\n" +
33   "• Дуу хоолой – «Өнөөдөр таксинд 15 мянган төгрөг төлсөн» гэхэд Зарлага · Тээвэр · 15,000₮ болгон хувиргана.\n" +
34   "• Гараар – орлого/зарлага, дүн, ангилал, тэмдэглэлээ бичиж оруулна.\n\n" +
35   "2. Ангилал\n" +
36   "Зарлага: хоол хүнс, тээвэр, гэр ахуй, эрүүл мэнд, хувцас, зугаа цэнгэл, боловсрол, бусад.\n" +
37   "Орлого: цалин, бизнес, бэлэг, нэмэлт орлого, бусад.\n\n" +
38   "3. Санхүүгийн тайлан\n" +
39   "Бүртгэлээсээ хүссэн тайлангаа харж чадна.\n\n" +
40   "4. Санхүүгийн дүгнэлт\n" +
41   "Оюунсанаа бүртгэлд үндэслэн дүгнэлт гаргана. Жишээ: «Таны зарлагын ихэнх хэсэг хоол хүнсэнд зарцуулагдаж байна», " +
42   "«Энэ сард зугаа цэнгэлийн зардал өссөн байна», «Орлогоосоо тогтмол хуримтлал үүсгэх боломжтой байна», " +
43   "«Тээврийн зардал өмнөх сараас өссөн байна»."
44 }
45   />
46   );
47 }

```

103. app/(chat)/page.tsx

```

1  import { Suspense } from "react";
2  import { Chat } from "@/components/chat";
3  import { DataStreamHandler } from "@/components/data-stream-handler";
4  import { DEFAULT_CHAT_MODEL } from "@/lib/ai/models";
5  import { generateUUID } from "@/lib/utils";
6
7  export default function Page() {
8    return (
9      <Suspense fallback=<div className="flex h-dvh" />>
10        <NewChatPage />
11      </Suspense>
12    );
13  }
14
15  function NewChatPage() {
16    const id = generateUUID();
17
18    return (
19      <>
20        <Chat
21          autoResume={false}
22          id={id}
23          initialChatModel={DEFAULT_CHAT_MODEL}
24          initialMessages={[]}
25          initialVisibilityType="private"
26          isReadOnly={false}
27          key={id}
28        />
29        <DataStreamHandler />
30      </>
31    );
32  }

```

104. app/api/ebooks/upload/route.ts

```
1 import crypto from "node:crypto";
2 import { NextResponse } from "next/server";
3 import { auth } from "@/app/(auth)/auth";
4 import { getPgAdmin } from "@/lib/db/pgClient";
5
6 export const maxDuration = 60;
7
8 const BUCKET = "ebook-images";
9 const ALLOWED = ["image/jpeg", "image/png", "image/webp", "image/gif"];
10
11 function extFromMime(m: string) {
12   if (m === "image/jpeg") return "jpg";
13   if (m === "image/png") return "png";
14   if (m === "image/webp") return "webp";
15   if (m === "image/gif") return "gif";
16   return "jpg";
17 }
18
19 export async function POST(req: Request) {
20   const session = await auth();
21   if (!session?.user?.id) {
22     return NextResponse.json({ error: "Unauthorized" }, { status: 401 });
23   }
24
25   const form = await req.formData();
26   const file = form.get("file");
27   const sectionId = String(form.get("sectionId") ?? "world");
28
29   if (!(file instanceof Blob)) {
30     return NextResponse.json({ error: "No file" }, { status: 400 });
31   }
32   if (file.size > 5 * 1024 * 1024) {
33     return NextResponse.json({ error: "Max 5MB" }, { status: 400 });
34   }
35   if (!ALLOWED.includes(file.type)) {
36     return NextResponse.json({ error: "Only JPG/PNG/WEBP/GIF" }, { status: 400 });
37   }
38
39   const safeSection = sectionId.replace(/[^a-z0-9_-]/gi, "_");
40   const name = `${Date.now()}${crypto.randomUUID()}${extFromMime(file.type)}`;
41   const path = `${safeSection}/${name}`;
42
43   const storage = getPgAdmin().storage;
44   const { error } = await storage.from(BUCKET).upload(path, file, {
45     contentType: file.type,
46     upsert: false,
47   });
48   if (error) {
49     return NextResponse.json({ error: error.message }, { status: 500 });
50   }
51
52   const { data } = storage.from(BUCKET).getPublicUrl(path);
53   return NextResponse.json({ url: data.publicUrl });
54 }
```

105. app/api/files/upload/route.ts

```
1 import crypto from "node:crypto";
2 import { NextResponse } from "next/server";
3 import { auth } from "@/app/(auth)/auth";
4 import { getPgAdmin } from "@/lib/db/pgClient";
5 import { normalizeUploadedImage } from "@/lib/uploads/normalize-image";
6
7 export const maxDuration = 60;
```

```

8
9 function safeExt(mime: string) {
10   if (mime === "image/jpeg") return "jpg";
11   if (mime === "image/png") return "png";
12   if (mime === "image/webp") return "webp";
13   return "bin";
14 }
15
16 export async function POST(req: Request) {
17   const session = await auth();
18   const userId = session?.user?.id;
19   if (!userId) return NextResponse.json({ error: "Unauthorized" }, { status: 401 });
20
21   const formData = await req.formData();
22   const file = formData.get("file");
23   if (!(file instanceof Blob)) {
24     return NextResponse.json({ error: "No file uploaded" }, { status: 400 });
25   }
26
27   let normalizedFile: Blob;
28   try {
29     normalizedFile = await normalizeUploadedImage(file);
30   } catch (error) {
31     return NextResponse.json(
32       { error: error instanceof Error ? error.message : "Invalid image" },
33       { status: 400 }
34     );
35   }
36
37   const storage = getPgAdmin().storage;
38   const bucket = "chat-uploads";
39   const ext = safeExt(normalizedFile.type);
40   const name = `${crypto.randomUUID()}.${ext}`;
41   const path = `${userId}/${name}`;
42
43   const { error: upErr } = await storage.from(bucket).upload(path, normalizedFile, {
44     contentType: normalizedFile.type,
45     upsert: false,
46   });
47
48   if (upErr) return NextResponse.json({ error: upErr.message }, { status: 500 });
49
50   const { data } = storage.from(bucket).getPublicUrl(path);
51
52   // Build absolute URL so the chat schema (z.string().url()) passes
53   // and the AI model can fetch the image in production.
54   const origin = (() => {
55     const authDomain = process.env.AUTH_URL ?? process.env.NEXTAUTH_URL ?? "";
56     if (authUrl) {
57       try { return new URL(authUrl).origin; } catch (_) { /* ignore */ }
58     }
59     const proto = req.headers.get("x-forwarded-proto") ?? "https";
60     const host = req.headers.get("x-forwarded-host") ?? req.headers.get("host") ?? "localhost:3000";
61     return `${proto}://${host}`;
62   })();
63
64   const absoluteUrl = data.publicUrl.startsWith("http")
65     ? data.publicUrl
66     : `${origin}${data.publicUrl}`;
67
68   return NextResponse.json({
69     url: absoluteUrl,
70     name,
71     contentType: normalizedFile.type,
72   });
73 }

```

106. app/api/finance/analyze/route.ts

```
1 import type { NextRequest } from "next/server";
2 import { Buffer } from "node:buffer";
3 import { auth } from "@/app/(auth)/auth";
4 import { logger, serializeError } from "@/lib/logger";
5 import { normalizeUploadedImage } from "@/lib/uploads/normalize-image";
6
7 export const runtime = "nodejs";
8
9 const OPENAI_API_KEY = process.env.OPENAI_API_KEY;
10
11 type TransactionType = "income" | "expense";
12 type CategoryId =
13   | "food"
14   | "transport"
15   | "clothes"
16   | "home"
17   | "fun"
18   | "health"
19   | "other";
20
21 // Per line-item draft — one entry per itemized row on the receipt so the
22 // user can review/edit each line individually before saving.
23 type FinanceDraft = {
24   date: string; // yyyy-mm-dd
25   itemName: string; // барааны нэр
26   quantity: number; // тоо ширхэг
27   unitPrice: number; // нэгж үнэ
28   amount: number; // нийт үнэ (quantity * unitPrice эсвэл баримт дээрх нийт дүн)
29   type: TransactionType; // income | expense
30   category: CategoryId; // ангилал
31   note: string; // тайлбар (backward-compat алиас — itemName-тэй ижил)
32 };
33
34 type FinanceResponse = {
35   list: FinanceDraft[];
36 };
37
38 function stripCodeFences(text: string): string {
39   // Strip ```json ... ``` or ``` ... ``` wrappers the model sometimes adds
40   return text
41     .replace(/```(?:json)?\s*/i, "")
42     .replace(/\s*```\s*$/, "")
43     .trim();
44 }
45
46 function safeJsonParse<T>(text: string): T | null {
47   try {
48     return JSON.parse(stripCodeFences(text)) as T;
49   } catch {
50     return null;
51   }
52 }
53
54 export async function POST(req: NextRequest) {
55   try {
56     // Auth guard — AI/OpenAI cost endpoint must be authenticated to prevent abuse.
57     const session = await auth();
58     if (!session?.user?.id) {
59       await logger.warn("finance_analyze_unauthorized", {
60         ua: req.headers.get("user-agent"),
61       });
62       return new Response(JSON.stringify({ error: "unauthorized" }), {
63         status: 401,
64         headers: { "Content-Type": "application/json" },
65       });
66     }
67   }
```

```

67
68 if (!OPENAI_API_KEY) {
69   await logger.error("finance_analyze_missing_openai_key", {});
70   return new Response(JSON.stringify({ error: "missing_openai_key" })), {
71     status: 500,
72     headers: { "Content-Type": "application/json" },
73   };
74 }
75
76 const formData = await req.formData();
77 const file = formData.get("file");
78
79 if (!file || !(file instanceof Blob)) {
80   await logger.warn("finance_analyze_file_not_found", {
81     userId: session.user.id,
82   });
83   return new Response(JSON.stringify({ error: "file_not_found" })), {
84     status: 400,
85     headers: { "Content-Type": "application/json" },
86   };
87 }
88
89 const mime = (file as File).type || "application/octet-stream";
90 logger.info("finance_analyze_started", {
91   userId: session.user.id,
92   mime,
93   sizeKb: Math.round(file.size / 1024),
94   ua: req.headers.get("user-agent"),
95 });
96
97 // (Одоохондоо audio-г дэмжихгүй гэж буцаая – UI-д upload allow байгаа ч server талд тодорхой болгоё)
98 if (mime.startsWith("audio/")) {
99   return new Response(
100     JSON.stringify({ error: "audio_not_supported_yet" }),
101     {
102       status: 400,
103       headers: { "Content-Type": "application/json" },
104     }
105   );
106 }
107
108 // image -> dataUrl
109 const normalizedFile = await normalizeUploadedImage(file);
110 const buffer = Buffer.from(await normalizedFile.arrayBuffer());
111 const base64 = buffer.toString("base64");
112 const dataUrl = `data:image/jpeg;base64,${base64}`;
113
114 const prompt =
115   "Та санхүүгийн баримт (receipt) уншаад баримт дээрх МӨР БҮРИЙГ (line item) тусад нь " +
116   "жарсаалт болгож JSON гарга. Баримт дээр олон бараа байвал тэр бүрийг тусдаа мөр болгож гарга.\n" +
117   "Зөвхөн дараах structure-тэй JSON буцаа:\n\n" +
118   "{\n" +
119   `  "list": [\n` +
120   `    {\n` +
121   `      "date": "2025-12-07",\n` +
122   `      "itemName": "Сүү 1л",\n` +
123   `      "quantity": 2,\n` +
124   `      "unitPrice": 2700,\n` +
125   `      "amount": 5400,\n` +
126   `      "type": "expense",\n` +
127   `      "category": "food"\n` +
128   `    }\n` +
129   `  ]\n` +
130   `}\n\n" +
131   "□ date нь уууу-mm-dd форматтай, баримт дээрх огноо (олдохгүй бол өнөөдрийн огноо) байг.\n" +
132   "□ itemName дээр тухайн мөрийн барааны нэрийг бич.\n" +
133   "□ quantity нь тоо ширхэг (баримт дээр заагаагүй бол 1).\n" +
134   "□ unitPrice нь нэгж үнэ (баримт дээр зөвхөн нийт дүн байвал amount/quantity-аар тооцож гарга).\n" +
135   "□ amount нь тухайн мөрийн НИЙТ үнэ (quantity * unitPrice).\n" +

```

```

136     `type` нь зөвхөн "income" эсвэл "expense" (ихэнх тохиолдолд "expense").\n` +
137     `category` нь: "food" | "transport" | "clothes" | "home" | "fun" | "health" | "other".\n` +
138     "Зөвхөн цэвэр JSON буцаа, бусад тайлбар өгүүлбэр бүү бич.";
139
140 const openaiRes = await fetch("https://api.openai.com/v1/responses", {
141   method: "POST",
142   headers: {
143     Authorization: `Bearer ${OPENAI_API_KEY}`,
144     "Content-Type": "application/json",
145   },
146   body: JSON.stringify({
147     model: "gpt-4.1-mini",
148     input: [
149       {
150         role: "user",
151         content: [
152           { type: "input_text", text: prompt },
153           // Responses API: image_url is a direct string (not nested {url:...})
154           { type: "input_image", image_url: dataUrl },
155         ],
156       },
157     ],
158   })),
159 });
160
161 if (!openaiRes.ok) {
162   const detail = await openaiRes.text();
163   await logger.error("finance_analyze_openai_failed", {
164     status: openaiRes.status,
165     detail: detail.slice(0, 2000),
166   });
167   return new Response(JSON.stringify({ error: "openai_failed", detail }), {
168     status: 500,
169     headers: { "Content-Type": "application/json" },
170   });
171 }
172
173 const data: any = await openaiRes.json();
174
175 // Responses API: output[0].content[0].text
176 const rawText: string = data?.output?.[0]?.content?.[0]?.text ?? "";
177
178 if (!rawText) {
179   return new Response(
180     JSON.stringify({ error: "empty_output", raw: data }),
181     {
182       status: 500,
183       headers: { "Content-Type": "application/json" },
184     }
185   );
186 }
187
188 const parsed = safeJsonParse<FinanceResponse>(rawText);
189 if (!parsed) {
190   return new Response(JSON.stringify({ error: "bad_json", raw: rawText }), {
191     status: 500,
192     headers: { "Content-Type": "application/json" },
193   });
194 }
195
196 const safeList: FinanceDraft[] = (parsed.list || []).map((item: any) => {
197   const quantity = Number(item?.quantity) || 1;
198   const rawAmount = Number(item?.amount) || 0;
199   const unitPrice =
200     Number(item?.unitPrice) || (quantity > 0 ? rawAmount / quantity : 0);
201   const amount = rawAmount || unitPrice * quantity;
202   const itemName = item?.itemName || item?.note || "";
203   return {
204     date: item?.date || "",

```

```

205     itemName,
206     quantity,
207     unitPrice: Math.round(unitPrice),
208     amount: Math.round(amount),
209     type: item?.type === "income" ? "income" : "expense",
210     category: (item?.category || "other") as CategoryId,
211     note: itemName,
212   });
213   });
214
215   // □ Panel чинь payload.drafts гэж уншиж байгаа тул drafts гэж буцаана
216   return new Response(JSON.stringify({ drafts: safeList }), {
217     status: 200,
218     headers: { "Content-Type": "application/json" },
219   });
220 } catch (error) {
221   await logger.error("finance_analyze_server_error", {
222     error: serializeError(error),
223   });
224   return new Response(JSON.stringify({ error: "server_error" }), {
225     status: 500,
226     headers: { "Content-Type": "application/json" },
227   });
228 }
229 }

```

107. app/api/finance/transactions/route.ts

```

1  import { NextResponse } from "next/server";
2  import { auth } from "@/app/(auth)/auth";
3  import { getPgAdmin } from "@/lib/db/pgClient";
4  import { logger, serializeError } from "@/lib/logger";
5
6  export async function GET(req: Request) {
7    try {
8      const session = await auth();
9      const userId = session?.user?.id;
10     if (!userId) {
11       return NextResponse.json({ error: "unauthorized" }, { status: 401 });
12     }
13
14     const db = getPgAdmin();
15     const { data, error } = await db
16       .from("transactions")
17       .select("*")
18       .eq("user_id", userId)
19       .order("created_at", { ascending: false });
20
21     if (error) {
22       return NextResponse.json({ error: error.message }, { status: 500 });
23     }
24
25     return NextResponse.json({ rows: data ?? [] });
26   } catch (e: any) {
27     return NextResponse.json({ error: e?.message ?? "unknown_error" }, { status: 500 });
28   }
29 }
30
31 export async function POST(req: Request) {
32   try {
33     const session = await auth();
34     const userId = session?.user?.id;
35     if (!userId) {
36       return NextResponse.json({ error: "unauthorized" }, { status: 401 });
37     }
38
39     const body = await req.json();

```



```

40   const rows = Array.isArray(body?.rows) ? body.rows : [];
41
42   if (!rows.length) {
43     return NextResponse.json({ error: "no_rows" }, { status: 400 });
44   }
45
46   const db = getPgAdmin();
47   const safeRows = rows.map((r: any) => ({ ...r, user_id: userId }));
48
49   // Insert one at a time to get back data for single inserts, batch otherwise
50   if (safeRows.length === 1) {
51     const { data, error } = await db
52       .from("transactions")
53       .insert(safeRows[0])
54       .select("*")
55       .single();
56     if (error) {
57       await logger.error("finance_tx_insert_failed", { userId, error });
58       return NextResponse.json({ error: error.message }, { status: 400 });
59     }
60     logger.info("finance_tx_saved", { userId, count: 1 });
61     return NextResponse.json({ ok: true, row: data });
62   }
63
64   const { error } = await db.from("transactions").insert(safeRows);
65   if (error) {
66     await logger.error("finance_tx_insert_failed", { userId, error });
67     return NextResponse.json({ error: error.message }, { status: 400 });
68   }
69
70   logger.info("finance_tx_saved", { userId, count: safeRows.length });
71   return NextResponse.json({ ok: true });
72 } catch (e: any) {
73   await logger.error("finance_tx_route_error", { error: serializeError(e) });
74   return NextResponse.json({ error: e?.message ?? "unknown_error" }, { status: 500 });
75 }
76 }
77
78 export async function DELETE(req: Request) {
79   try {
80     const session = await auth();
81     const userId = session?.user?.id;
82     if (!userId) {
83       return NextResponse.json({ error: "unauthorized" }, { status: 401 });
84     }
85
86     const { searchParams } = new URL(req.url);
87     const id = searchParams.get("id");
88
89     const db = getPgAdmin();
90
91     if (id) {
92       const { error } = await db
93         .from("transactions")
94         .delete()
95         .eq("id", id)
96         .eq("user_id", userId);
97       if (error) return NextResponse.json({ error: error.message }, { status: 500 });
98     } else {
99       // delete all for user
100       const { error } = await db
101         .from("transactions")
102         .delete()
103         .eq("user_id", userId);
104       if (error) return NextResponse.json({ error: error.message }, { status: 500 });
105     }
106
107     return NextResponse.json({ ok: true });
108   } catch (e: any) {

```

```

109     return NextResponse.json({ error: e?.message ?? "unknown_error" }, { status: 500 });
110   }
111 }

```

108. app/api/goal-logs/route.ts

```

1  import { NextResponse } from "next/server";
2  import { auth } from "@/app/(auth)/auth";
3  import { getPgAdmin } from "@/lib/db/pgClient";
4
5  function isoDate(d = new Date()) {
6    const yyyy = d.getFullYear();
7    const mm = String(d.getMonth() + 1).padStart(2, "0");
8    const dd = String(d.getDate()).padStart(2, "0");
9    return `${yyyy}-${mm}-${dd}`;
10 }
11
12 async function getUserIdFromSession() {
13   const session = await auth();
14   const userId = (session as any)?.user?.id || (session as any)?.user?.sub || null;
15   return userId as string | null;
16 }
17
18 // GET /api/goal-logs?date=YYYY-MM-DD
19 export async function GET(req: Request) {
20   try {
21     const user_id = await getUserIdFromSession();
22     if (!user_id) {
23       return NextResponse.json({ error: "UNAUTHENTICATED" }, { status: 401 });
24     }
25
26     const url = new URL(req.url);
27     const date = url.searchParams.get("date") || isoDate();
28
29     const db = getPgAdmin();
30     const { data, error } = await db
31       .from("goal_logs")
32       .select("*")
33       .eq("user_id", user_id)
34       .eq("log_date", date)
35       .order("created_at", { ascending: false });
36
37     if (error) {
38       return NextResponse.json({ error: error.message }, { status: 500 });
39     }
40
41     return NextResponse.json({ items: data ?? [] });
42   } catch (e: any) {
43     return NextResponse.json({ error: e?.message ?? "SERVER_ERROR" }, { status: 500 });
44   }
45 }
46
47 // POST /api/goal-logs
48 // body: { goal id: string, date?: "YYYY-MM-DD", minutes?: number }
49 export async function POST(req: Request) {
50   try {
51     const user_id = await getUserIdFromSession();
52     if (!user_id) {
53       return NextResponse.json({ error: "UNAUTHENTICATED" }, { status: 401 });
54     }
55
56     const body = await req.json().catch(() => ({}));
57     const goal_id = String(body.goal_id || "").trim();
58     const date = String(body.date || isoDate()).trim();
59     const minutes =
60       typeof body.minutes === "number" ? body.minutes : Number(body.minutes ?? 0);
61

```

```

62   if (!goal_id) {
63     return NextResponse.json({ error: "MISSING_GOAL_ID" }, { status: 400 });
64   }
65
66   const db = getPgAdmin();
67   const { data, error } = await db
68     .from("goal_logs")
69     .insert({
70       user_id,
71       goal_id,
72       log_date: date,
73       minutes: Number.isFinite(minutes) ? minutes : 0,
74     })
75     .select("*")
76     .single();
77
78   if (error) {
79     return NextResponse.json({ error: error.message }, { status: 500 });
80   }
81
82   return NextResponse.json({ item: data });
83 } catch (e: any) {
84   return NextResponse.json({ error: e?.message ?? "SERVER_ERROR" }, { status: 500 });
85 }
86 }

```

109. app/api/goal-planner/route.ts

```

1  import { NextResponse } from "next/server";
2  import { auth } from "@app/(auth)/auth";
3  import { getPgAdmin } from "@lib/db/pgClient";
4
5  async function requireUserId() {
6    const session = await auth();
7    const userId = session?.user?.id;
8    if (!userId) return null;
9    return userId;
10 }
11
12 export async function GET() {
13   try {
14     const userId = await requireUserId();
15     if (!userId) return NextResponse.json({ error: "UNAUTHORIZED" }, { status: 401 });
16
17     const db = getPgAdmin();
18     const { data: items, error } = await db
19       .from("goal_items")
20       .select(
21         [
22           "id",
23           "local_id",
24           "goal_text",
25           "category",
26           "session_id",
27           "user_id",
28           "created_at",
29           "updated_at",
30           "goal_type",
31           "start_date",
32           "end_date",
33           "description",
34           "effort_unit",
35           "effort_hours",
36           "effort_minutes",
37           "frequency",
38           "completed_days",
39         ].join(",")

```

```

40     )
41     .eq("user_id", userId)
42     .order("created_at", { ascending: false })
43     .limit(300);
44
45     if (error) return NextResponse.json({ error: error.message }, { status: 500 });
46     return NextResponse.json({ items: items ?? [] });
47   } catch (e: any) {
48     return NextResponse.json({ error: e?.message ?? "SERVER_ERROR" }, { status: 500 });
49   }
50 }
51
52 export async function POST(req: Request) {
53   try {
54     const userId = await requireUserId();
55     if (!userId) return NextResponse.json({ error: "UNAUTHORIZED" }, { status: 401 });
56
57     const db = getPgAdmin();
58     const body = await req.json().catch(() => ({}));
59
60     const title: string = body?.title ?? "Зорилгүүд";
61     const goals: any[] = Array.isArray(body?.goals) ? body.goals : [];
62     if (!goals.length) return NextResponse.json({ error: "EMPTY_GOALS" }, { status: 400 });
63
64     const { data: lastSession } = await db
65       .from("goal_sessions")
66       .select("id")
67       .eq("user_id", userId)
68       .order("created_at", { ascending: false })
69       .limit(1)
70       .maybeSingle();
71
72     let sessionId = lastSession?.id;
73
74     if (!sessionId) {
75       const { data: s, error: sErr } = await db
76         .from("goal_sessions")
77         .insert({ user_id: userId, title })
78         .select("id")
79         .single();
80
81       if (sErr) return NextResponse.json({ error: sErr.message }, { status: 500 });
82       sessionId = s.id;
83     }
84
85     const rows = goals.map((g) => ({
86       user_id: userId,
87       session_id: sessionId,
88       local_id: g.local_id ?? g.localId ?? crypto.randomUUID(),
89       goal_text: g.goal_text ?? "",
90       category: g.goal_type ?? g.category ?? null,
91       goal_type: g.goal_type ?? null,
92       start_date: g.start_date ?? null,
93       end_date: g.end_date ?? null,
94       description: g.description ?? null,
95       effort_unit: g.effort_unit ?? null,
96       effort_hours: g.effort_hours ?? null,
97       effort_minutes: g.effort_minutes ?? null,
98       frequency: g.frequency ?? null,
99       completed_days: 0,
100     }));
101
102     const { error } = await db.from("goal_items").insert(rows);
103     if (error) return NextResponse.json({ error: error.message }, { status: 500 });
104
105     return NextResponse.json({ ok: true });
106   } catch (e: any) {
107     return NextResponse.json({ error: e?.message ?? "SERVER_ERROR" }, { status: 500 });
108   }

```

```

109 }
110
111 export async function DELETE(req: Request) {
112   try {
113     const userId = await requireUserId();
114     if (!userId) return NextResponse.json({ error: "UNAUTHORIZED" }, { status: 401 });
115
116     const db = getPgAdmin();
117     const body = await req.json().catch(() => ({}));
118     const localId = body?.local_id ?? body?.localId;
119     if (!localId) return NextResponse.json({ error: "MISSING_LOCAL_ID" }, { status: 400 });
120
121     const { error } = await db
122       .from("goal_items")
123       .delete()
124       .eq("user_id", userId)
125       .eq("local_id", localId);
126
127     if (error) return NextResponse.json({ error: error.message }, { status: 500 });
128     return NextResponse.json({ ok: true });
129   } catch (e: any) {
130     return NextResponse.json({ error: e?.message ?? "SERVER_ERROR" }, { status: 500 });
131   }
132 }
133
134 export async function PATCH(req: Request) {
135   try {
136     const userId = await requireUserId();
137     if (!userId) return NextResponse.json({ error: "UNAUTHORIZED" }, { status: 401 });
138
139     const db = getPgAdmin();
140     const body = await req.json().catch(() => ({}));
141     const localId = body?.local_id ?? body?.localId;
142     const op = body?.op;
143
144     if (!localId) return NextResponse.json({ error: "MISSING_LOCAL_ID" }, { status: 400 });
145
146     if (op === "inc_done") {
147       const { data: cur, error: selErr } = await db
148         .from("goal_items")
149         .select("completed_days")
150         .eq("user_id", userId)
151         .eq("local_id", localId)
152         .maybeSingle();
153
154       if (selErr) return NextResponse.json({ error: selErr.message }, { status: 500 });
155
156       const next = Math.max(0, Number(cur?.completed_days ?? 0) + 1);
157
158       const { error: upErr } = await db
159         .from("goal_items")
160         .update({ completed_days: next })
161         .eq("user_id", userId)
162         .eq("local_id", localId);
163
164       if (upErr) return NextResponse.json({ error: upErr.message }, { status: 500 });
165       return NextResponse.json({ ok: true });
166     }
167
168     return NextResponse.json({ error: "UNKNOWN_OP" }, { status: 400 });
169   } catch (e: any) {
170     return NextResponse.json({ error: e?.message ?? "SERVER_ERROR" }, { status: 500 });
171   }
172 }

```

110. app/api/goal-progress/route.ts

```

1 import { NextResponse } from "next/server";
2 import { auth } from "@app/(auth)/auth";
3 import { getPgAdmin } from "@lib/db/pgClient";
4
5 function pickDate(searchParams: URLSearchParams) {
6   const d = searchParams.get("date");
7   return d && /^\\d{4}-\\d{2}-\\d{2}$/.test(d) ? d : null;
8 }
9
10 async function getUserIdFromSession() {
11   const session = await auth();
12   const userId = (session as any)?.user?.id ?? null;
13   return userId as string | null;
14 }
15
16 // GET /api/goal-progress?date=YYYY-MM-DD
17 export async function GET(req: Request) {
18   try {
19     const user_id = await getUserIdFromSession();
20     if (!user_id) return NextResponse.json({ error: "UNAUTHENTICATED" }, { status: 401 });
21
22     const { searchParams } = new URL(req.url);
23     const date = pickDate(searchParams);
24     if (!date) return NextResponse.json({ error: "MISSING_DATE" }, { status: 400 });
25
26     const db = getPgAdmin();
27     const { data, error } = await db
28       .from("goal_daily_progress")
29       .select("local_id, done")
30       .eq("user_id", user_id)
31       .eq("day", date);
32
33     if (error) return NextResponse.json({ error: error.message }, { status: 500 });
34
35     const map: Record<string, boolean> = {};
36     for (const r of data ?? []) map[r.local_id] = !!r.done;
37
38     return NextResponse.json({ map });
39   } catch (e: any) {
40     return NextResponse.json({ error: e?.message ?? "SERVER_ERROR" }, { status: 500 });
41   }
42 }
43
44 // POST { date, localId, done }
45 export async function POST(req: Request) {
46   try {
47     const user_id = await getUserIdFromSession();
48     if (!user_id) return NextResponse.json({ error: "UNAUTHENTICATED" }, { status: 401 });
49
50     const body = await req.json().catch(() => ({}));
51     const date = String(body?.date ?? "");
52     const local_id = String(body?.localId ?? body?.local_id ?? "");
53     const done = Boolean(body?.done);
54
55     if (!/^\\d{4}-\\d{2}-\\d{2}$/.test(date))
56       return NextResponse.json({ error: "INVALID_DATE" }, { status: 400 });
57     if (!local_id) return NextResponse.json({ error: "MISSING_LOCAL_ID" }, { status: 400 });
58
59     const db = getPgAdmin();
60     const { error } = await db
61       .from("goal_daily_progress")
62       .upsert(
63         { user_id, day: date, local_id, done, updated_at: new Date().toISOString() },
64         { onConflict: "user_id,day,local_id" }
65       );
66
67     if (error) return NextResponse.json({ error: error.message }, { status: 500 });
68     return NextResponse.json({ ok: true });
69   } catch (e: any) {

```

```

70     return NextResponse.json({ error: e?.message ?? "SERVER_ERROR" }, { status: 500 });
71   }
72 }

```

111. app/api/health-demo/meal/route.ts

```

1  // app/api/health-demo/meal/route.ts
2  import { openai } from "@ai-sdk/openai";
3  import { generateObject } from "ai";
4  import { type NextRequest, NextResponse } from "next/server";
5  import { z } from "zod";
6
7  export const runtime = "nodejs";
8
9  const mealSchema = z.object({
10    calories: z.number(),
11    protein_g: z.number(),
12    good_carbs_g: z.number(),
13    bad_carbs_g: z.number(),
14    fat_g: z.number(),
15    fibre_g: z.number(),
16    sugar_g: z.number(),
17    nutrition_score: z.number(),
18  });
19
20  export async function POST(req: NextRequest) {
21    try {
22      const formData = await req.formData();
23
24      const file = formData.get("image") as File | null;
25      const name = (formData.get("name") as string | null) ?? "";
26
27      let imageUrl: string | undefined;
28
29      if (file) {
30        const arrayBuffer = await file.arrayBuffer();
31        const buffer = Buffer.from(arrayBuffer);
32        const mime = file.type || "image/jpeg";
33        imageUrl = `data:${mime};base64,${buffer.toString("base64")}`;
34      }
35
36      const textPrompt = ` ${name} || "энэ хоол" гэж нэрлэсэн хоол байна гэж үзээд, зураг байвал ашиглаад НЭГ ПОРЦЫН ойролцоо шим тэжээлийн задаргааг гарга.`;
37
38      const content: any[] = [{ type: "text", text: textPrompt }];
39      if (imageUrl) {
40        content.push({ type: "image", image: imageUrl });
41      }
42
43      const { object } = await generateObject({
44        model: openai("gpt-4o-mini"),
45        schema: mealSchema,
46        messages: [{ role: "user", content }],
47      });
48
49      return NextResponse.json(object);
50    } catch (err: any) {
51      console.error("Meal demo API error:", err);
52      return NextResponse.json(
53        {
54          error: "Хоолны задаргаа хийхэд алдаа гарлаа",
55          detail: err?.message ?? String(err),
56        },
57        { status: 500 }
58      );
59    }
60  }

```

112. app/api/health/daily/add-analyzed-meal/route.ts

```
1 import { NextResponse } from "next/server";
2 import { z } from "zod";
3 import { auth } from "@app/(auth)/auth";
4 import { getSql } from "@lib/db/pgClient";
5
6 export const runtime = "nodejs";
7
8 const analyzedMealSchema = z.object({
9   day: z.string().regex(/^d{4}-d{2}-d{2}$/),
10  mealId: z.string().min(1).max(200),
11  title: z.string().trim().min(1).max(200),
12  calories: z.number().finite().min(0).max(100_000),
13  proteinG: z.number().finite().min(0).max(10_000),
14  carbsG: z.number().finite().min(0).max(10_000),
15  fatG: z.number().finite().min(0).max(10_000),
16  goodCarbsG: z.number().finite().min(0).max(10_000),
17  badCarbsG: z.number().finite().min(0).max(10_000),
18  fiberG: z.number().finite().min(0).max(10_000),
19  sugarG: z.number().finite().min(0).max(10_000),
20  nutritionScore: z.number().finite().min(0).max(100),
21 });
22
23 type DailyItems = {
24   meals?: unknown;
25   [key: string]: unknown;
26 };
27
28 export async function POST(req: Request) {
29   const session = await auth();
30   const userId = session?.user?.id;
31   if (!userId) {
32     return NextResponse.json({ error: "Unauthorized" }, { status: 401 });
33   }
34
35   const parsed = analyzedMealSchema.safeParse(
36     await req.json().catch(() => null)
37   );
38   if (!parsed.success) {
39     return NextResponse.json(
40       { error: "Хоолны мэдээлэл буруу байна" },
41       { status: 400 }
42     );
43   }
44
45   const input = parsed.data;
46   const sql = getSql();
47   if (!sql) {
48     return NextResponse.json(
49       { error: "Өгөгдлийн сан холбогдоогүй байна" },
50       { status: 503 }
51     );
52   }
53
54   try {
55     const result = await sql.begin(async (transaction) => {
56       // Lock the user/day key even when a daily row does not exist yet. This
57       // keeps two quick clicks or retries from creating duplicate meals.
58       await transaction`SELECT pg_advisory_xact_lock(hashtext('${userId}:${input.day}'))`;
59
60       const rows = await transaction<{ items: DailyItems | null }[]>`
61         SELECT "items"
62         FROM "health_daily_logs"
63         WHERE "user_id" = ${userId} AND "date" = ${input.day}
64         FOR UPDATE
65       `;
66

```



```

67     const existingItems = rows[0]?.items ?? {};
68     const meals = Array.isArray(existingItems.meals)
69       ? existingItems.meals
70       : [];
71     const duplicate = meals.find(
72       (existingMeal) =>
73         typeof existingMeal === "object" &&
74         existingMeal !== null &&
75         "id" in existingMeal &&
76         (existingMeal as { id?: unknown }).id === input.mealId
77     );
78
79     if (duplicate) {
80       return { added: false, meal: duplicate };
81     }
82
83     const meal = {
84       id: input.mealId,
85       title: input.title,
86       calories: input.calories,
87       proteinG: input.proteinG,
88       carbsG: input.carbsG,
89       fatG: input.fatG,
90       goodCarbsG: input.goodCarbsG,
91       badCarbsG: input.badCarbsG,
92       fiberG: input.fiberG,
93       sugarG: input.sugarG,
94       nutritionScore: input.nutritionScore,
95     };
96     const nextItems = { ...existingItems, meals: [...meals, meal] };
97     const itemsJson = JSON.stringify(nextItems);
98
99     if (rows.length > 0) {
100       await transaction`
101         UPDATE "health_daily_logs"
102         SET "items" = ${itemsJson}::jsonb, "updated_at" = NOW()
103         WHERE "user_id" = ${userId} AND "date" = ${input.day}
104       `;
105     } else {
106       await transaction`
107         INSERT INTO "health_daily_logs" ("user_id", "date", "items", "updated_at")
108         VALUES (${userId}, ${input.day}, ${itemsJson}::jsonb, NOW())
109       `;
110     }
111
112     return { added: true, meal };
113   });
114
115   return NextResponse.json(result);
116 } catch (error) {
117   console.error("Add analyzed meal error:", error);
118   return NextResponse.json(
119     { error: "Хоолыг өнөөдрийн бүртгэлд нэмэхэд алдаа гарлаа" },
120     { status: 500 }
121   );
122 }
123 }

```

113. app/api/health/daily/add-meal/route.ts

```

1 // app/api/health/daily/add-meal/route.ts
2 import { NextResponse } from "next/server";
3 import { auth } from "@/app/(auth)/auth";
4 import { supabaseAdmin } from "@/lib/supabaseAdmin";
5
6 export async function POST(req: Request) {
7   const session = await auth();

```

```

8   const userId = session?.user?.id;
9   if (!userId) return NextResponse.json({ error: "Unauthorized" }, { status: 401 });
10
11  const body = await req.json();
12  const { day, mealType, title, calories, proteinG, carbsG, fatG } = body || {};
13  if (!day || !mealType || !title) {
14    return NextResponse.json({ error: "Missing day/mealType/title" }, { status: 400 });
15  }
16
17  const sb = supabaseAdmin();
18  const { data, error } = await sb
19    .from("health_meals")
20    .insert({
21      user_id: userId,
22      day,
23      meal_type: mealType,
24      title,
25      calories: calories ?? null,
26      protein_g: proteinG ?? null,
27      carbs_g: carbsG ?? null,
28      fat_g: fatG ?? null,
29    })
30    .select("*")
31    .single();
32
33  if (error) return NextResponse.json({ error: error.message }, { status: 500 });
34  return NextResponse.json({ meal: data });
35 }

```

114. app/api/health/daily/history/route.ts

```

1  // app/api/health/daily/history/route.ts
2  import { NextResponse } from "next/server";
3  import { auth } from "@app/(auth)/auth";
4  import { supabaseAdmin } from "@lib/supabaseAdmin";
5
6  export async function GET(req: Request) {
7    const session = await auth();
8    const userId = session?.user?.id;
9    if (!userId)
10      return NextResponse.json({ error: "Unauthorized" }, { status: 401 });
11
12    const { searchParams } = new URL(req.url);
13    const days = Math.min(90, Math.max(1, Number(searchParams.get("days")) || 7));
14
15    const since = new Date();
16    since.setDate(since.getDate() - (days - 1));
17    const sinceYmd = `${since.getFullYear()}-${String(since.getMonth() + 1).padStart(2, "0")}-${String(since.getDate()).padStart(2, "0")}`;
18
19    const sb = supabaseAdmin();
20    const { data, error } = await sb
21      .from("health_daily_logs")
22      .select("date,items,totals")
23      .eq("user_id", userId)
24      .gte("date", sinceYmd)
25      .order("date", { ascending: true });
26
27    if (error)
28      return NextResponse.json({ error: error.message }, { status: 500 });
29    return NextResponse.json({ logs: data ?? [] });
30 }

```

115. app/api/health/daily/meals/route.ts

```

1  import { NextResponse } from "next/server";

```

```

2 import { auth } from "@/app/(auth)/auth";
3 import { supabaseAdmin } from "@/lib/supabaseAdmin";
4
5 export async function GET(req: Request) {
6   const session = await auth();
7   const userId = session?.user?.id;
8   if (!userId) return NextResponse.json({ error: "Unauthorized" }, { status: 401 });
9
10  const { searchParams } = new URL(req.url);
11  const day = searchParams.get("day");
12  if (!day) return NextResponse.json({ error: "Missing day" }, { status: 400 });
13
14  const sb = supabaseAdmin();
15  const { data, error } = await sb
16    .from("health_meals")
17    .select("id,meal_type,title,calories,protein_g,carbs_g,fat_g")
18    .eq("user_id", userId)
19    .eq("day", day)
20    .order("created_at", { ascending: true });
21
22  if (error) return NextResponse.json({ error: error.message }, { status: 500 });
23  return NextResponse.json({ meals: data ?? [] });
24 }

```

116. app/api/health/daily/route.ts

```

1 // app/api/health/daily/route.ts
2 import { NextResponse } from "next/server";
3 import { auth } from "@/app/(auth)/auth";
4 import { supabaseAdmin } from "@/lib/supabaseAdmin";
5
6 export async function GET(req: Request) {
7   const session = await auth();
8   const userId = session?.user?.id;
9   if (!userId) return NextResponse.json({ error: "Unauthorized" }, { status: 401 });
10
11  const { searchParams } = new URL(req.url);
12  const day = searchParams.get("day"); // yyyy-mm-dd
13  if (!day) return NextResponse.json({ error: "Missing day" }, { status: 400 });
14
15  const sb = supabaseAdmin();
16  const { data, error } = await sb
17    .from("health_daily_logs")
18    .select("date,items,totals")
19    .eq("user_id", userId)
20    .eq("date", day)
21    .single();
22
23  if (error && (error as any).code !== "PGRST116") {
24    return NextResponse.json({ error: error.message }, { status: 500 });
25  }
26
27  return NextResponse.json({ log: data ?? null });
28 }
29
30 export async function POST(req: Request) {
31   const session = await auth();
32   const userId = session?.user?.id;
33   if (!userId) return NextResponse.json({ error: "Unauthorized" }, { status: 401 });
34
35   const body = await req.json();
36   if (!body.day) return NextResponse.json({ error: "Missing day" }, { status: 400 });
37
38   const sb = supabaseAdmin();
39
40   const row = {
41     user_id: userId,

```

```

42   date: body.day,
43   // Accept either a pre-built items object or the legacy individual fields
44   items: body.items ?? {
45     waterLiters: body.waterLiters ?? null,
46     steps: body.steps ?? null,
47     sleepHours: body.sleepHours ?? null,
48     mood: body.mood ?? null,
49   },
50   totals: body.totals ?? null,
51   updated_at: new Date().toISOString(),
52 };
53
54 const { data, error } = await sb
55   .from("health_daily_logs")
56   .upsert(row, { onConflict: "user_id,date" })
57   .select("date,items,totals")
58   .single();
59
60 if (error) return NextResponse.json({ error: error.message }, { status: 500 });
61 return NextResponse.json({ log: data });
62 }

```

117. app/api/health/meal-analyze/route.ts

```

1  // app/api/health/meal-analyze/route.ts
2  import { openai } from "@ai-sdk/openai";
3  import { generateObject } from "ai";
4  import { type NextRequest, NextResponse } from "next/server";
5  import { z } from "zod";
6  import { auth } from "@app/(auth)/auth";
7  import { normalizeUploadedImage } from "@lib/uploads/normalize-image";
8
9  export const runtime = "nodejs";
10
11 const mealSchema = z.object({
12   calories: z.number(),
13   proteinG: z.number(),
14   goodCarbsG: z.number(),
15   badCarbsG: z.number(),
16   fatG: z.number(),
17   fiberG: z.number(),
18   sugarG: z.number(),
19   nutritionScore: z.number(),
20 });
21
22 export async function POST(req: NextRequest) {
23   const session = await auth();
24   if (!session?.user?.id) {
25     return NextResponse.json({ error: "Unauthorized" }, { status: 401 });
26   }
27
28   try {
29     const formData = await req.formData();
30     const file = formData.get("image") as File | null;
31     const name = (formData.get("name") as string | null) ?? "";
32
33     if (!file && !name) {
34       return NextResponse.json(
35         { error: "Зураг эсвэл хоолны нэрийг оруулна уу" },
36         { status: 400 }
37       );
38     }
39
40     let imageUrl: string | undefined;
41     if (file) {
42       const normalizedFile = await normalizeUploadedImage(file);
43       const buffer = Buffer.from(await normalizedFile.arrayBuffer());

```

```

44     imageUrl = `data:image/jpeg;base64,${buffer.toString("base64")}`;
45   }
46
47   const textPrompt = ` ${name} || "энэ хоол" ` гэж нэрлэсэн хоол байна гэж үзээд, зураг байвал ашиглаад НЭГ ПОРЦЫН ойролцоо шим тэжээлийн задаргааг гарга (калори, уураг, сайн нүүрс ус, муу нүүрс ус, өө
хоорондох шим тэжээлийн оноо).`;
48
49   const content: any[] = [{ type: "text", text: textPrompt }];
50   if (imageUrl) content.push({ type: "image", image: imageUrl });
51
52   const { object } = await generateObject({
53     model: openai("gpt-4o-mini"),
54     schema: mealSchema,
55     messages: [{ role: "user", content }],
56   });
57
58   return NextResponse.json(object);
59 } catch (err: any) {
60   console.error("Meal analyze API error:", err);
61   return NextResponse.json(
62     {
63       error: "Хоолны задаргаа хийхэд алдаа гарлаа",
64       detail: err?.message ?? String(err),
65     },
66     { status: 500 }
67   );
68 }
69 }

```

118. app/api/health/profile/route.ts

```

1 // app/api/health/profile/route.ts
2 import { NextResponse } from "next/server";
3 import { auth } from "@/app/(auth)/auth";
4 import { supabaseAdmin } from "@/lib/supabaseAdmin";
5 import { computeTargets } from "@/components/health/calc";
6
7 export async function GET() {
8   const session = await auth();
9   const userId = session?.user?.id;
10  if (!userId) return NextResponse.json({ error: "Unauthorized" }, { status: 401 });
11
12  const sb = supabaseAdmin();
13
14  const { data, error } = await sb
15    .from("health_profiles")
16    .select("payload,target_calories,target_protein_g,target_carbs_g,target_fat_g,target_water_l,target_steps")
17    .eq("user_id", userId)
18    .single();
19
20  // PGRST116 = no rows
21  if (error && (error as any).code !== "PGRST116") {
22    return NextResponse.json({ error: error.message }, { status: 500 });
23  }
24
25  return NextResponse.json({ profile: data ?? null });
26 }
27
28 export async function POST(req: Request) {
29   const session = await auth();
30   const userId = session?.user?.id;
31   if (!userId) return NextResponse.json({ error: "Unauthorized" }, { status: 401 });
32
33   const payload = await req.json();
34
35   // хуучин кодын логикийг эндээс бодно
36   const t = computeTargets(payload);
37

```

```

38 const sb = supabaseAdmin();
39 const upsertPayload = {
40   user_id: userId,
41   payload,
42   target_calories: t.targetCalories,
43   target_protein_g: t.targetProteinG,
44   target_carbs_g: t.targetCarbsG,
45   target_fat_g: t.targetFatG,
46   target_water_l: t.targetWaterL,
47   target_steps: t.targetSteps,
48   updated_at: new Date().toISOString(),
49 };
50
51 const { data, error } = await sb
52   .from("health_profiles")
53   .upsert(upsertPayload, { onConflict: "user_id" })
54   .select("payload,target_calories,target_protein_g,target_carbs_g,target_fat_g,target_water_l,target_steps")
55   .single();
56
57 if (error) return NextResponse.json({ error: error.message }, { status: 500 });
58 return NextResponse.json({ profile: data, targets: t });
59 }

```

119. app/api/kb/article/route.ts

```

1 import { NextResponse } from "next/server";
2 import { getPgAdmin } from "@/lib/db/pgClient";
3
4 export async function GET(req: Request) {
5   const { searchParams } = new URL(req.url);
6   const slug = searchParams.get("slug") ?? "";
7
8   if (!slug) return NextResponse.json({ ok: false, reason: "missing_slug" }, { status: 400 });
9
10  const db = getPgAdmin();
11
12  const { data, error } = await db
13    .from("kb_articles")
14    .select("slug,title,content,category,updated_at")
15    .eq("slug", slug)
16    .single();
17
18  if (error || !data) {
19    return NextResponse.json({ ok: false, reason: "not_found", detail: error?.message }, { status: 404 });
20  }
21
22  return NextResponse.json({ ok: true, article: data }, { status: 200 });
23 }

```

120. app/api/me/route.ts

```

1 import { auth } from "@/app/(auth)/auth";
2
3 export async function GET() {
4   const session = await auth();
5
6   return Response.json({
7     hasSession: !!session,
8     user: session?.user
9     ? { id: session.user.id, email: session.user.email, type: session.user.type }
10     : null,
11   });
12 }

```

121. app/api/mind/emotion/daily-check/route.ts

```
1 import { NextResponse } from "next/server";
2 import { auth } from "@/app/(auth)/auth";
3 import { getPgAdmin } from "@/lib/db/pgClient";
4
5 type Level = "Green" | "Yellow" | "Orange" | "Red";
6 type TrendItem = { check_date: string; score: number; level: Level };
7
8 function clamp(n: number, min: number, max: number) {
9   return Math.max(min, Math.min(max, n));
10 }
11
12 // 0..100 -> level
13 function levelFromScore(score: number): Level {
14   if (score >= 75) return "Green";
15   if (score >= 60) return "Yellow";
16   if (score >= 40) return "Orange";
17   return "Red";
18 }
19
20 function pick1(answers: Record<string, string[]>, key: string) {
21   return answers?.[key]?.[0] ?? "";
22 }
23
24 // id -> 1..5 оноо
25 function pointsFor(id: string, table: Record<string, number>, fallback = 3) {
26   return table[id] ?? fallback;
27 }
28
29 /**
30  * БОДИТ СКОРЫН ЛОГИК (чиний хүсэлтээр):
31  * - "сайн" сонголтууд = 5
32  * - "муу" сонголтууд = 1
33  * - impact: "маш их нөлөөлсөн" = сөрөг стресс өндөр гэж үзээд БАГА оноо
34  * - feelings: олон сонгосон үед НЭМЭХ биш, ДУНДАЖ (average)
35  * - finish: жаахан +/- нөлөөлөл (сэтгэлзүйн урам)
36  */
37 function computeScore(answers: Record<string, string[]>) {
38   // 1) mood (сайн -> 5, муу -> 1)
39   const mood = pointsFor(pick1(answers, "mood"), { m5: 5, m4: 4, m3: 3, m2: 2, m1: 1 }, 3);
40
41   // 2) impact (энд "маш их нөлөөлсөн" = стресс их => муу)
42   // i1..i5 чинь UI дээрээ тийм дарааллаар байгаагаас үл хамаараад ЭНД ингэж оноо өгнө:
43   const impact = pointsFor(pick1(answers, "impact"), { i1: 1, i2: 2, i3: 3, i4: 4, i5: 5 }, 3);
44
45   // 3) body (тайван=5, ядарсан=1)
46   const body = pointsFor(pick1(answers, "body"), { b1: 5, b2: 4, b4: 3, b3: 2, b5: 1 }, 3);
47
48   // 4) energy (эрч хүч=5, маш ядарсан=1)
49   const energy = pointsFor(pick1(answers, "energy"), { e5: 5, e4: 4, e3: 3, e2: 2, e1: 1 }, 3);
50
51   // 5) feelings (multi) - НЭМЭХГҮЙ, ДУНДАЖЛАХ
52   // Сайн мэдрэмжүүд өндөр, хүнд мэдрэмжүүд бага оноо
53   const feelingsIds = answers.feelings ?? [];
54   const feelingsAvg =
55     feelingsIds.length === 0
56       ? 3
57       : feelingsIds.reduce(
58         (s, id) =>
59           s +
60             pointsFor(
61               id,
62               {
63                 f5: 5, // найдвар
64                 f4: 5, // амар тайван
65                 f7: 4, // дулаан хайр
66                 f8: 3, // эмзэглэл (дунд)
```

```

67         f6: 2, // хоосон
68         f3: 2, // уур
69         f2: 1, // түгшүүр
70         f1: 1, // гуниг
71     },
72     3
73 ),
74 0
75 ) / feelingsIds.length;
76
77 // 6) finish (single) – барахан “өөрийгөө дэмжих” бонус
78 // (Гэхдээ хэт их нөлөөлүүлэхгүй)
79 const finish = pointsFor(pick1(answers, "finish"), { a2: 4, a1: 5, a4: 4, a3: 4, a5: 5 }, 4);
80
81 // ----- ЖИН (weights) -----
82 // mood/impact/body/energy хамгийн гол
83 const wMood = 0.24;
84 const wImpact = 0.20;
85 const wBody = 0.18;
86 const wEnergy = 0.18;
87 const wFeel = 0.16;
88 const wFinish = 0.04;
89
90 const weighted =
91     mood * wMood +
92     impact * wImpact +
93     body * wBody +
94     energy * wEnergy +
95     feelingsAvg * wFeel +
96     finish * wFinish;
97
98 // weighted нь 1..5 орчим гарна.
99 // 1 -> 0, 5 -> 100 болгож хөрвүүлнэ:
100 const score100 = Math.round((weighted - 1) / 4) * 100);
101
102 return clamp(score100, 0, 100);
103 }
104
105 const supabase = getPgAdmin();
106 const TABLE = "daily_emotion_checks";
107
108 // ----- GET -----
109 export async function GET() {
110     const session = await auth();
111     const userId = session?.user?.id;
112     if (!userId) return NextResponse.json({ error: "Unauthorized" }, { status: 401 });
113
114     const { data, error } = await supabase
115         .from(TABLE)
116         .select("check_date, score, level")
117         .eq("user_id", userId)
118         .order("check_date", { ascending: true });
119
120     if (error) return NextResponse.json({ error: error.message }, { status: 500 });
121
122     const items: TrendItem[] = (data ?? []).map((r: any) => ({
123         check_date: String(r.check_date),
124         score: Number(r.score ?? 0),
125         level: (r.level as Level) ?? levelFromScore(Number(r.score ?? 0)),
126     }));
127
128     return NextResponse.json({ items });
129 }
130
131 // ----- POST -----
132 export async function POST(req: Request) {
133     const session = await auth();
134     const userId = session?.user?.id;
135     if (!userId) return NextResponse.json({ error: "Unauthorized" }, { status: 401 });

```



```

136
137   let body: any = null;
138   try {
139     body = await req.json();
140   } catch {
141     return NextResponse.json({ error: "Invalid JSON" }, { status: 400 });
142   }
143
144   const check_date = body?.check_date as string | undefined;
145   const answers = (body?.answers ?? {}) as Record<string, string[]>;
146
147   if (!check_date) return NextResponse.json({ error: "check_date is required" }, { status: 400 });
148
149   const moodChoice = pick1(answers, "mood");
150   const energyChoice = pick1(answers, "energy");
151   const impactChoice = pick1(answers, "impact");
152
153   // □ UI дээр хоосон бол 400
154   if (!moodChoice) return NextResponse.json({ error: "mood is required" }, { status: 400 });
155   if (!energyChoice) return NextResponse.json({ error: "energy is required" }, { status: 400 });
156   if (!impactChoice) return NextResponse.json({ error: "impact is required" }, { status: 400 });
157
158   // □ шинэ бодит score
159   const score = computeScore(answers);
160   const level: Level = levelFromScore(score);
161
162   // □ DB NOT NULL баганууд бүгд утгатай байна
163   const row: any = {
164     user_id: userId,
165     check_date,
166     score,
167     level,
168     answers,
169     updated_at: new Date().toISOString(),
170   };
171
172   // mood/energy чинь smallint NOT NULL -> 1..5 болгоод хадгална
173   row.mood = pointsFor(moodChoice, { m5: 5, m4: 4, m3: 3, m2: 2, m1: 1 }, 3);
174   row.energy = pointsFor(energyChoice, { e5: 5, e4: 4, e3: 3, e2: 2, e1: 1 }, 3);
175
176   // stress (NOT NULL) -> impact-оос гаргана (il хамгийн их нөлөө = стресс өндөр = 5)
177   row.stress = pointsFor(impactChoice, { i1: 5, i2: 4, i3: 3, i4: 2, i5: 1 }, 3);
178
179   // UI дээр асуулт байхгүй тул default (NOT NULL)
180   row.anxiety = 3;
181   row.sleep_quality = 3;
182
183   const { error } = await supabase.from(TABLE).upsert(row, { onConflict: "user_id,check_date" });
184   if (error) return NextResponse.json({ error: error.message }, { status: 500 });
185
186   return NextResponse.json({ score, level, check_date });
187 }

```

122. app/api/mind/who-am-i/runs/route.ts

```

1 import { NextResponse } from "next/server";
2 import { z } from "zod";
3 import { auth } from "@/app/(auth)/auth";
4 import {
5   completeWhoAmIProgramRun,
6   getWhoAmIProgramRuns,
7   saveWhoAmIProgramDraft,
8 } from "@/lib/db/queries";
9
10 const percentages = z
11   .object({
12     body: z.number().int().min(0).max(100),

```

```

13   work: z.number().int().min(0).max(100),
14   bond: z.number().int().min(0).max(100),
15   meaning: z.number().int().min(0).max(100),
16 })
17 .strict();
18
19 const payload = z.object({
20   screen: z
21     .enum([
22       "area",
23       "test",
24       "balance-result",
25       "observe",
26       "capacity-intro",
27       "capacities",
28       "capacity-result",
29       "future",
30       "summary",
31     ])
32     .default("area"),
33   areaIdx: z.number().int().min(0).max(3),
34   pct: percentages,
35   notes: z.record(z.string(), z.string().max(10_000)),
36   answers: z.record(z.string().max(120), z.string().max(10_000)),
37   scores: z.record(z.string().max(120), z.number().int().min(0).max(10)),
38   finalNote: z.string().max(10_000),
39 });
40
41 const requestSchema = z.object({
42   id: z.string().uuid().optional(),
43   mode: z.enum(["draft", "complete"]),
44   payload,
45 });
46
47 function unauthorized() {
48   return NextResponse.json({ error: "unauthorized" }, { status: 401 });
49 }
50
51 export async function GET() {
52   const session = await auth();
53   const userId = session?.user?.id;
54   if (!userId) return unauthorized();
55
56   try {
57     return NextResponse.json(await getWhoAmIProgramRuns(userId));
58   } catch {
59     return NextResponse.json({ error: "result_load_failed" }, { status: 500 });
60   }
61 }
62
63 export async function POST(request: Request) {
64   const session = await auth();
65   const userId = session?.user?.id;
66   if (!userId) return unauthorized();
67
68   const parsed = requestSchema.safeParse(
69     await request.json().catch(() => null)
70   );
71   if (!parsed.success) {
72     return NextResponse.json({ error: "invalid_result" }, { status: 400 });
73   }
74
75   const { id, mode, payload: data } = parsed.data;
76   if (
77     mode === "complete" &&
78     data.pct.body + data.pct.work + data.pct.bond + data.pct.meaning !== 100
79   ) {
80     return NextResponse.json(
81       { error: "invalid_balance_total" },

```

```

82     { status: 400 }
83   );
84 }
85
86 try {
87   const run =
88     mode === "complete"
89     ? await completeWhoAmIProgramRun({ id, payload: data, userId })
90     : await saveWhoAmIProgramDraft({ id, payload: data, userId });
91   return NextResponse.json({ run });
92 } catch {
93   return NextResponse.json({ error: "result_save_failed" }, { status: 500 });
94 }
95 }

```

123. app/api/purpose/goal/generate/route.ts

```

1  import { NextResponse } from "next/server";
2  import { auth } from "@app/(auth)/auth";
3  import { supabaseAdmin } from "@lib/supabaseAdmin";
4
5  function buildResult(a: any) {
6    const weekly = (a?.weekly_3 ?? "")
7      .split("\n")
8      .map((s: string) => s.trim())
9      .filter(Boolean)
10     .map((s: string) => (s.startsWith("-") ? s : `-${s}`))
11     .slice(0, 3);
12
13    const title = "Миний зорилгын зураг (Оyunsanaa цэгцэлсэн)";
14    const content = [
15      `## Утга (Яараад?)`,
16      `-${a?.why ?? "(хоосон)"}`,
17
18      `\n## Урт хугацаа (5-10 жил)`,
19      `-${a?.vision_5_10y ?? "(хоосон)"}`,
20
21      `\n## Дунд хугацаа (1 жил)`,
22      `-${a?.year_goal ?? "(хоосон)"}`,
23
24      `\n## Богино хугацаа (12 долоо хоног)`,
25      `-${a?.focus_12w ?? "(хоосон)"}`,
26
27      `\n## Энэ долоо хоногийн 3 алхам`,
28      `...(weekly.length ? weekly : ["-(хоосон)"]`,
29
30      `\n## Өнөөдрийн 1 алхам`,
31      `-${a?.daily_action ?? "(хоосон)"}`,
32      `a?.daily_minutes ? `Хугацаа: ${a?.daily_minutes}` : ```,
33    ].join("\n");
34
35    return { title, content, meta: { weekly_steps: weekly, daily_minutes: a?.daily_minutes ?? "" } };
36  }
37
38  export async function POST(req: Request) {
39    try {
40      // Derive the user from the session — never trust a client-supplied userId (IDOR guard).
41      const session = await auth();
42      const userId = session?.user?.id;
43      if (!userId) return NextResponse.json({ error: "unauthorized" }, { status: 401 });
44
45      const { inputId } = await req.json();
46      if (!inputId) return NextResponse.json({ error: "Missing inputId" }, { status: 400 });
47
48      const sb = supabaseAdmin();
49      const { data: input, error: e1 } = await sb
50        .from("goal_inputs")

```

```

51     .select("id, answers")
52     .eq("id", inputId)
53     .eq("user_id", userId)
54     .single();
55
56     if (e1) return NextResponse.json({ error: e1.message }, { status: 500 });
57
58     const result = buildResult(input.answers);
59
60     const { data: out, error: e2 } = await sb
61       .from("goal_outputs")
62       .insert([
63         { user_id: userId, input_id: input.id, title: result.title, content: result.content, meta: result.meta }
64       ])
65       .select("id, title, content, created_at")
66       .single();
67
68     if (e2) return NextResponse.json({ error: e2.message }, { status: 500 });
69     return NextResponse.json({ ok: true, output: out });
70   } catch (e: any) {
71     return NextResponse.json({ error: e?.message ?? "Unknown error" }, { status: 500 });
72   }

```

124. app/api/purpose/goal/save/route.ts

```

1  import { NextResponse } from "next/server";
2  import { auth } from "@/app/(auth)/auth";
3  import { supabaseAdmin } from "@/lib/supabaseAdmin";
4
5  export async function POST(req: Request) {
6    try {
7      // Derive the user from the session – never trust a client-supplied userId (IDOR guard).
8      const session = await auth();
9      const userId = session?.user?.id;
10     if (!userId) return NextResponse.json({ error: "unauthorized" }, { status: 401 });
11
12     const { answers } = await req.json();
13
14     const sb = supabaseAdmin();
15     const { data, error } = await sb
16       .from("goal_inputs")
17       .insert([
18         { user_id: userId, flow: "purpose_goal", answers }
19       ])
20       .select("id, created_at")
21       .single();
22
23     if (error) return NextResponse.json({ error: error.message }, { status: 500 });
24     return NextResponse.json({ ok: true, inputId: data.id, createdAt: data.created_at });
25   } catch (e: any) {
26     return NextResponse.json({ error: e?.message ?? "Unknown error" }, { status: 500 });
27   }
28 }

```

125. app/api/qpay/callback/route.ts

```

1  import { logPaymentTransaction } from "@/lib/db/queries";
2  import { logger, serializeError } from "@/lib/logger";
3  import { confirmPaymentBySenderInvoiceNo } from "@/lib/subscription/confirm";
4
5  /**
6   * QPay server-to-server callback. We register the callback URL with our own
7   * `?invoice=<senderInvoiceNo>` appended, so we can look the payment up and
8   * verify it against QPay before granting access. QPay may call this more than
9   * once – confirmPaymentBySenderInvoiceNo is idempotent.
10  *
11  * QPay expects a 200 with "SUCCESS" on success.
12  */

```

```

13 async function handle(request: Request): Promise<Response> {
14   const url = new URL(request.url);
15   const senderInvoiceNo = url.searchParams.get("invoice");
16   const ip =
17     request.headers.get("x-forwarded-for")?.split(",")[0]?.trim() ?? null;
18   const body =
19     request.method === "POST" ? await request.text().catch(() => null) : null;
20
21   await logPaymentTransaction({
22     event: "callback_received",
23     source: "callback",
24     senderInvoiceNo,
25     ip,
26     raw: { method: request.method, query: url.search, body },
27   });
28   logger.info("qpay_callback_received", {
29     method: request.method,
30     senderInvoiceNo,
31     ip,
32   });
33
34   if (!senderInvoiceNo) {
35     return new Response("MISSING_INVOICE", { status: 400 });
36   }
37
38   try {
39     const result = await confirmPaymentBySenderInvoiceNo(
40       senderInvoiceNo,
41       "callback"
42     );
43     if (result.paid) {
44       return new Response("SUCCESS", { status: 200 });
45     }
46     // Not paid yet (or QPay says no) – acknowledge so QPay doesn't hammer us.
47     return new Response("PENDING", { status: 200 });
48   } catch (error) {
49     await logger.error("qpay_callback_failed", {
50       senderInvoiceNo,
51       error: serializeError(error),
52     });
53     await logPaymentTransaction({
54       event: "error",
55       source: "callback",
56       senderInvoiceNo,
57       ip,
58       message: serializeError(error).message,
59     });
60     return new Response("ERROR", { status: 500 });
61   }
62 }
63
64 export function GET(request: Request) {
65   return handle(request);
66 }
67
68 export function POST(request: Request) {
69   return handle(request);
70 }

```

126. app/api/relations/tests/results/latest/route.ts

```

1 import { NextResponse } from "next/server";
2 import { auth } from "@/app/(auth)/auth";
3 import { supabaseAdmin } from "@/lib/supabaseAdmin";
4
5 export async function GET() {
6   const session = await auth();

```

```

7   const userId = session?.user?.id;
8
9   if (!userId) {
10    return NextResponse.json({ error: "Unauthorized" }, { status: 401 });
11  }
12
13  const supabase = supabaseAdmin();
14
15  const { data, error } = await supabase
16    .from("relations_test_results")
17    .select("*")
18    .eq("user_id", userId)
19    .order("created_at", { ascending: false })
20    .limit(6);
21
22  if (error) {
23    return NextResponse.json({ error: error.message }, { status: 500 });
24  }
25
26  return NextResponse.json(data ?? []);
27 }

```

127. app/api/relations/tests/results/route.ts

```

1  import { NextResponse } from "next/server";
2  import { auth } from "@/app/(auth)/auth";
3  import { supabaseAdmin } from "@/lib/supabaseAdmin";
4
5  export async function POST(req: Request) {
6    const session = await auth();
7    const userId = session?.user?.id;
8
9    if (!userId) {
10     return NextResponse.json({ error: "Unauthorized" }, { status: 401 });
11   }
12
13   const body = await req.json();
14
15   const {
16     test_slug,
17     test_title,
18     score_pct,
19     band_title,
20     band_summary,
21     answers,
22   } = body;
23
24   const supabase = supabaseAdmin();
25
26   const { error } = await supabase
27     .from("relations_test_results")
28     .insert({
29       user_id: userId,
30       test_slug,
31       test_title,
32       score_pct,
33       band_title,
34       band_summary,
35       answers,
36     });
37
38   if (error) {
39     console.error("Supabase insert error", error);
40     return NextResponse.json({ error: error.message }, { status: 500 });
41   }
42
43   return NextResponse.json({ ok: true });

```

```
44 }
```

128. app/api/subscription/activate/route.ts

```
1 /**
2  * The former payment-bypass endpoint is intentionally retired. Keep a small
3  * tombstone route so old clients receive an explicit response and cannot
4  * activate a subscription without a verified QPay payment.
5  */
6 export function POST() {
7   return Response.json(
8     { error: "Manual subscription activation is no longer available." },
9     { status: 410 }
10  );
11 }
```

129. app/api/subscription/invoice/route.ts

```
1 import { auth } from "@app/(auth)/auth";
2 import {
3   createPaymentInvoice,
4   ensureUserIdByEmail,
5   logPaymentTransaction,
6 } from "@lib/db/queries";
7 import { ChatSDKError } from "@lib/errors";
8 import { logger, serializeError } from "@lib/logger";
9 import { CURRENCY, PRICE_MNT } from "@lib/subscription/config";
10 import {
11   cancelInvoice,
12   createInvoice,
13   isQpayConfigured,
14 } from "@lib/qpay/client";
15
16 const TRAILING_SLASH = /\$/;
17
18 /** Resolve the public base URL QPay should call back to. */
19 function getBaseUrl(request: Request): string {
20   const fromEnv =
21     process.env.APP_URL ??
22     process.env.NEXTAUTH_URL ??
23     process.env.AUTH_URL ??
24     "";
25   if (fromEnv) return fromEnv.replace(TRAILING_SLASH, "");
26   return new URL(request.url).origin;
27 }
28
29 export async function POST(request: Request) {
30   const session = await auth();
31   if (!session?.user?.email) {
32     return new ChatSDKError("unauthorized:auth").toResponse();
33   }
34
35   if (!isQpayConfigured()) {
36     return new ChatSDKError(
37       "bad_request:subscription",
38       "QPay is not configured. Set QPAY_CLIENT_ID / QPAY_CLIENT_SECRET / QPAY_INVOICE_CODE."
39     ).toResponse();
40   }
41
42   const userId = await ensureUserIdByEmail(session.user.email);
43
44   // Unique, traceable idempotency key for this invoice.
45   const senderInvoiceNo = `SUB${userId.replace(/^[a-zA-Z0-9]/g, "").slice(0, 12)}${Date.now()}`;
46   const baseUrl = getBaseUrl(request);
47   const callbackUrl = `${baseUrl}/api/qpay/callback?invoice=${senderInvoiceNo}`;
```

```

48
49 let invoice: Awaited<ReturnType<typeof createInvoice>> | null = null;
50 try {
51   invoice = await createInvoice({
52     senderInvoiceNo,
53     amount: PRICE_MNT,
54     description: "Oyunsanaa Chat — эрх сунгалт (30 хоног)",
55     receiverCode: userId.replace(/^[^a-zA-Z0-9]/g, ""),
56     receiverName: session.user.name,
57     receiverEmail: session.user.email,
58     callbackUrl,
59   });
60
61   await createPaymentInvoice({
62     userId,
63     senderInvoiceNo,
64     qpayInvoiceId: invoice.invoiceId,
65     amount: PRICE_MNT,
66     currency: CURRENCY,
67   });
68
69   await logPaymentTransaction({
70     event: "invoice_created",
71     source: "invoice",
72     userId,
73     senderInvoiceNo,
74     qpayInvoiceId: invoice.invoiceId,
75     amount: PRICE_MNT,
76     currency: CURRENCY,
77   });
78   logger.info("qpay_invoice_created", {
79     userId,
80     senderInvoiceNo,
81     qpayInvoiceId: invoice.invoiceId,
82     amount: PRICE_MNT,
83   });
84
85   return Response.json({
86     senderInvoiceNo,
87     invoiceId: invoice.invoiceId,
88     qrText: invoice.qrText,
89     qrImage: invoice.qrImage,
90     urls: invoice.urls,
91     amount: PRICE_MNT,
92     currency: CURRENCY,
93   });
94 } catch (error) {
95   // Do not leave a payable external invoice behind when local persistence
96   // fails; otherwise a customer could pay an invoice we can no longer match.
97   if (invoice) {
98     await cancelInvoice(invoice.invoiceId).catch(() => {
99       // Best-effort cleanup; preserve the original persistence error.
100     });
101   }
102   await logger.error("qpay_invoice_create_failed", {
103     userId,
104     senderInvoiceNo,
105     error: serializeError(error),
106   });
107   await logPaymentTransaction({
108     event: "error",
109     source: "invoice",
110     userId,
111     senderInvoiceNo,
112     amount: PRICE_MNT,
113     currency: CURRENCY,
114     message: serializeError(error).message,
115   });
116   return new ChatSDKError(

```



```

117         "bad_request:subscription",
118         "Failed to create payment invoice."
119     ).toResponse();
120 }
121 }

```

130. app/api/subscription/status/route.ts

```

1 import { auth } from "@app/(auth)/auth";
2 import { ensureUserIdByEmail, getUserSubscription } from "@lib/db/queries";
3 import { ChatSDKError } from "@lib/errors";
4 import { resolveSubscription } from "@lib/subscription/access";
5 import { PRICE_MNT, PRICE_USD } from "@lib/subscription/config";
6 import { isQpayConfigured } from "@lib/qpay/client";
7
8 export async function GET() {
9     const session = await auth();
10    if (!session?.user?.email) {
11        return new ChatSDKError("unauthorized:auth").toResponse();
12    }
13
14    const userId = await ensureUserIdByEmail(session.user.email);
15    const sub = await getUserSubscription(userId);
16    const state = resolveSubscription(
17        sub ?? {
18            trialStartedAt: new Date(),
19            subscriptionStatus: "trialing",
20            currentPeriodEnd: null,
21        }
22    );
23
24    return Response.json({
25        status: state.status,
26        hasAccess: state.hasAccess,
27        inTrial: state.inTrial,
28        daysLeft: state.daysLeft,
29        trialEndsAt: state.trialEndsAt.toISOString(),
30        currentPeriodEnd: state.currentPeriodEnd?.toISOString() ?? null,
31        priceMnt: PRICE_MNT,
32        priceUsd: PRICE_USD,
33        qpayConfigured: isQpayConfigured(),
34    });
35 }

```

131. app/api/subscription/verify/route.ts

```

1 import { auth } from "@app/(auth)/auth";
2 import { ensureUserIdByEmail } from "@lib/db/queries";
3 import { ChatSDKError } from "@lib/errors";
4 import { logger, serializeError } from "@lib/logger";
5 import { confirmPaymentBySenderInvoiceNo } from "@lib/subscription/confirm";
6
7 /**
8  * Frontend polls this after showing the QR to detect payment, since the QPay
9  * callback can't reach localhost / non-public deployments.
10  */
11 export async function POST(request: Request) {
12     const session = await auth();
13     if (!session?.user?.email) {
14         return new ChatSDKError("unauthorized:auth").toResponse();
15     }
16
17     let senderInvoiceNo: string;
18     try {
19         const body = (await request.json()) as { senderInvoiceNo?: string };

```

```

20   if (!body.senderInvoiceNo) throw new Error("missing senderInvoiceNo");
21   senderInvoiceNo = body.senderInvoiceNo;
22 } catch {
23   return new ChatSDKError("bad_request:api").toResponse();
24 }
25
26 try {
27   const userId = await ensureUserIdByEmail(session.user.email);
28   const result = await confirmPaymentBySenderInvoiceNo(
29     senderInvoiceNo,
30     "verify",
31     userId
32   );
33   return Response.json(result);
34 } catch (error) {
35   await logger.error("payment_verify_failed", {
36     senderInvoiceNo,
37     email: session.user.email,
38     error: serializeError(error),
39   });
40   return new ChatSDKError(
41     "bad_request:subscription",
42     "Failed to verify payment."
43   ).toResponse();
44 }
45 }

```

132. app/api/therapy/conversations/[id]/messages/route.ts

```

1  import { NextResponse } from "next/server";
2  import { auth } from "@app/(auth)/auth";
3  import { getSql } from "@lib/db/pgClient";
4  import { conversationChannel } from "@lib/db/therapy-channel";
5  import {
6    assertConversationAccess,
7    getAppointmentSummaryById,
8  } from "@lib/db/therapy";
9
10 const MAX_BODY = 4000;
11
12 async function sessionEmail(): Promise<string | null> {
13   const session = await auth();
14   return session?.user?.email ?? null;
15 }
16
17 type RouteCtx = { params: Promise<{ id: string }> };
18
19 // GET — messages in the thread (oldest first). Also marks the caller's
20 // incoming messages as read.
21 export async function GET(_req: Request, { params }: RouteCtx) {
22   try {
23     const email = await sessionEmail();
24     if (!email) {
25       return NextResponse.json({ error: "UNAUTHORIZED" }, { status: 401 });
26     }
27     const { id } = await params;
28
29     const access = await assertConversationAccess(id, email);
30     if (!access) {
31       return NextResponse.json({ error: "FORBIDDEN" }, { status: 403 });
32     }
33
34     const sql = getSql();
35     if (!sql) {
36       return NextResponse.json({ error: "DB unavailable" }, { status: 500 });
37     }
38

```

```

39 // Mark messages from the other party as read.
40 await sql`
41   UPDATE therapy_message
42   SET read_at = now()
43   WHERE conversation_id = ${id}
44     AND lower(sender_email) <> lower(${email})
45     AND read_at IS NULL
46 `;
47
48 const messages = await sql`
49   SELECT
50     id,
51     conversation_id AS "conversationId",
52     sender_email AS "senderEmail",
53     sender_role AS "senderRole",
54     body,
55     read_at AS "readAt",
56     created_at AS "createdAt"
57   FROM therapy_message
58   WHERE conversation_id = ${id}
59   ORDER BY created_at ASC
60 `;
61
62 return NextResponse.json({ messages, role: access.role });
63 } catch (e: any) {
64   return NextResponse.json(
65     { error: e?.message ?? "SERVER_ERROR" },
66     { status: 500 }
67   );
68 }
69 }
70
71 // POST { body } – send a message. Persists, bumps last_message_at, and
72 // NOTIFYS the conversation channel for real-time delivery.
73 export async function POST(req: Request, { params }: RouteCtx) {
74   try {
75     const email = await sessionEmail();
76     if (!email) {
77       return NextResponse.json({ error: "UNAUTHORIZED" }, { status: 401 });
78     }
79     const { id } = await params;
80
81     const access = await assertConversationAccess(id, email);
82     if (!access) {
83       return NextResponse.json({ error: "FORBIDDEN" }, { status: 403 });
84     }
85     if (access.conversation.status !== "open") {
86       return NextResponse.json({ error: "Conversation is closed" }, { status: 409 });
87     }
88     // Tie messaging to the booking. A cancelled appointment freezes the chat,
89     // and once the booked session's end time has passed the chat becomes
90     // read-only for everyone – this is the server-side guarantee that a client
91     // cannot keep chatting after the appointment hour ends (the client UI also
92     // locks itself, but the rule is enforced here so it can't be bypassed).
93     if (access.conversation.appointmentId) {
94       const appt = await getAppointmentSummaryById(
95         access.conversation.appointmentId
96       );
97       if (appt && appt.status === "CANCELLED") {
98         return NextResponse.json(
99           { error: "Appointment was cancelled" },
100           { status: 409 }
101         );
102       }
103       if (appt && appt.windowEnded) {
104         return NextResponse.json(
105           { error: "Appointment time has ended" },
106           { status: 409 }
107         );

```

```

108     }
109   }
110
111   const json = await req.json().catch(() => ({}));
112   const text = String(json?.body ?? "").trim();
113   if (!text) {
114     return NextResponse.json({ error: "Empty message" }, { status: 400 });
115   }
116   if (text.length > MAX_BODY) {
117     return NextResponse.json({ error: "Message too long" }, { status: 400 });
118   }
119
120   const sql = getSql();
121   if (!sql) {
122     return NextResponse.json({ error: "DB unavailable" }, { status: 500 });
123   }
124
125   const rows = await sql<any[]>`
126     INSERT INTO therapy_message (conversation_id, sender_email, sender_role, body)
127     VALUES (${id}, ${email}, ${access.role}, ${text})
128     RETURNING
129       id,
130       conversation_id AS "conversationId",
131       sender_email AS "senderEmail",
132       sender_role AS "senderRole",
133       body,
134       read_at AS "readAt",
135       created_at AS "createdAt"
136   `;
137   const message = rows[0];
138
139   await sql`
140     UPDATE therapy_conversation SET last_message_at = now() WHERE id = ${id}
141   `;
142
143   // Real-time fan-out is best-effort: the message is already persisted, so a
144   // NOTIFY failure must not fail the request. This matters because a 4000-char
145   // Cyrillic body is up to ~8000 bytes in UTF-8 and, with the JSON envelope,
146   // can exceed Postgres's 8000-byte NOTIFY payload limit. If the broadcast is
147   // dropped the recipient still gets the message on their next history fetch.
148   try {
149     await sql.notify(conversationChannel(id), JSON.stringify(message));
150   } catch {
151     // swallow — delivery falls back to polling/history reload
152   }
153
154   return NextResponse.json({ message });
155 } catch (e: any) {
156   return NextResponse.json(
157     { error: e?.message ?? "SERVER_ERROR" },
158     { status: 500 }
159   );
160 }
161 }

```

133. app/api/therapy/conversations/[id]/route.ts

```

1  import { NextResponse } from "next/server";
2  import { auth } from "@/app/(auth)/auth";
3  import { getSql } from "@/lib/db/pgClient";
4  import { assertConversationAccess } from "@/lib/db/therapy";
5
6  type RouteCtx = { params: Promise<{ id: string }> };
7
8  // PATCH { status: "open" | "closed" } — only the psychologist may open/close
9  // (stop) the conversation.
10 export async function PATCH(req: Request, { params }: RouteCtx) {

```

```

11   try {
12     const session = await auth();
13     const email = session?.user?.email;
14     if (!email) {
15       return NextResponse.json({ error: "UNAUTHORIZED" }, { status: 401 });
16     }
17     const { id } = await params;
18
19     const access = await assertConversationAccess(id, email);
20     if (!access) {
21       return NextResponse.json({ error: "FORBIDDEN" }, { status: 403 });
22     }
23     if (access.role !== "psychologist") {
24       return NextResponse.json(
25         { error: "Only the psychologist can change the chat status" },
26         { status: 403 }
27       );
28     }
29
30     const body = await req.json().catch(() => ({}));
31     const status = body?.status;
32     if (status !== "open" && status !== "closed") {
33       return NextResponse.json({ error: "Invalid status" }, { status: 400 });
34     }
35
36     const sql = getSql();
37     if (!sql) {
38       return NextResponse.json({ error: "DB unavailable" }, { status: 500 });
39     }
40
41     await sql`
42       UPDATE therapy_conversation SET status = ${status} WHERE id = ${id}
43     `;
44
45     return NextResponse.json({ status });
46   } catch (e: any) {
47     return NextResponse.json(
48       { error: e?.message ?? "SERVER_ERROR" },
49       { status: 500 }
50     );
51   }
52 }

```

134. app/api/therapy/conversations/route.ts

```

1  import { NextResponse } from "next/server";
2  import { auth } from "@/app/(auth)/auth";
3  import { getSql } from "@/lib/db/pgClient";
4  import {
5    getAppointmentParties,
6    getSchedulingUserByEmail,
7    listConversationsForEmail,
8  } from "@/lib/db/therapy";
9
10 async function sessionEmail(): Promise<string | null> {
11   const session = await auth();
12   return session?.user?.email ?? null;
13 }
14
15 // GET /api/therapy/conversations - conversations the current user takes part in.
16 export async function GET() {
17   try {
18     const email = await sessionEmail();
19     if (!email) {
20       return NextResponse.json({ error: "UNAUTHORIZED" }, { status: 401 });
21     }
22     const conversations = await listConversationsForEmail(email);

```

```

23   return NextResponse.json({ conversations });
24 } catch (e: any) {
25   return NextResponse.json(
26     { error: e?.message ?? "SERVER_ERROR" },
27     { status: 500 }
28   );
29 }
30 }
31
32 // POST /api/therapy/conversations { appointmentId } - open (or reuse) the chat
33 // thread for a confirmed online appointment. Either participant may open it.
34 export async function POST(req: Request) {
35   try {
36     const email = await sessionEmail();
37     if (!email) {
38       return NextResponse.json({ error: "UNAUTHORIZED" }, { status: 401 });
39     }
40
41     const body = await req.json().catch(() => ({}));
42     const appointmentId: string | undefined = body?.appointmentId;
43     if (!appointmentId) {
44       return NextResponse.json(
45         { error: "appointmentId required" },
46         { status: 400 }
47       );
48     }
49
50     // Caller must be part of the booking system.
51     const me = await getSchedulingUserByEmail(email);
52     if (!me) {
53       return NextResponse.json(
54         { error: "Not a booking participant" },
55         { status: 403 }
56       );
57     }
58
59     const parties = await getAppointmentParties(appointmentId);
60     if (!parties) {
61       return NextResponse.json({ error: "Appointment not found" }, { status: 404 });
62     }
63
64     // Ownership: caller must be the patient or the psychologist on this booking.
65     if (me.id !== parties.patientId && me.id !== parties.psychologistId) {
66       return NextResponse.json({ error: "FORBIDDEN" }, { status: 403 });
67     }
68
69     // Chat is only for confirmed online sessions.
70     if (parties.sessionType !== "ONLINE") {
71       return NextResponse.json(
72         { error: "Chat is available for online sessions only" },
73         { status: 409 }
74       );
75     }
76     if (parties.status !== "CONFIRMED") {
77       return NextResponse.json(
78         { error: "Appointment is not confirmed yet" },
79         { status: 409 }
80       );
81     }
82
83     const sql = getSql();
84     if (!sql) {
85       return NextResponse.json({ error: "DB unavailable" }, { status: 500 });
86     }
87
88     // Insert-or-get by the unique appointment_id.
89     const rows = await sql<{ id: string }[]>`
90     INSERT INTO therapy_conversation (appointment_id, client_email, psychologist_email)
91     VALUES (${appointmentId}, ${parties.patientEmail}, ${parties.psychologistEmail})

```

```

92     ON CONFLICT (appointment_id)
93     DO UPDATE SET appointment_id = EXCLUDED.appointment_id
94     RETURNING id
95 `;
96
97     return NextResponse.json({ conversationId: rows[0]?.id });
98   } catch (e: any) {
99     return NextResponse.json(
100       { error: e?.message ?? "SERVER_ERROR" },
101       { status: 500 }
102     );
103   }
104 }

```

135. app/api/therapy/stream/[id]/route.ts

```

1  import { auth } from "@app/(auth)/auth";
2  import { getSql } from "@lib/db/pgClient";
3  import { conversationChannel } from "@lib/db/therapy-channel";
4  import { assertConversationAccess } from "@lib/db/therapy";
5
6  // LISTEN needs a real Node connection (not edge) and must not be cached.
7  export const runtime = "nodejs";
8  export const dynamic = "force-dynamic";
9
10 type RouteCtx = { params: Promise<{ id: string }> };
11
12 // GET - Server-Sent Events stream of new messages for a conversation, backed
13 // by Postgres LISTEN/NOTIFY. Each `data:` frame is one message JSON.
14 export async function GET(_req: Request, { params }: RouteCtx) {
15   const session = await auth();
16   const email = session?.user?.email;
17   if (!email) {
18     return new Response("Unauthorized", { status: 401 });
19   }
20
21   const { id } = await params;
22   const access = await assertConversationAccess(id, email);
23   if (!access) {
24     return new Response("Forbidden", { status: 403 });
25   }
26
27   const sql = getSql();
28   if (!sql) {
29     return new Response("DB unavailable", { status: 500 });
30   }
31
32   const channel = conversationChannel(id);
33   const encoder = new TextEncoder();
34   let listener: { unlisten: () => Promise<void> } | null = null;
35   let heartbeat: ReturnType<typeof setInterval> | null = null;
36
37   const stream = new ReadableStream({
38     async start(controller) {
39       controller.enqueue(encoder.encode(": connected\n\n"));
40       listener = await sql.listen(channel, (payload) => {
41         controller.enqueue(encoder.encode(`data: ${payload}\n\n`));
42       });
43       heartbeat = setInterval(() => {
44         try {
45           controller.enqueue(encoder.encode(": ping\n\n"));
46         } catch {
47           // controller already closed
48         }
49       }, 25_000);
50     },
51     async cancel() {

```

```

52     if (heartbeat) {
53       clearInterval(heartbeat);
54     }
55     if (listener) {
56       await listener.unlisten();
57     }
58   },
59   });
60
61   return new Response(stream, {
62     headers: {
63       "Content-Type": "text/event-stream",
64       "Cache-Control": "no-cache, no-transform",
65       Connection: "keep-alive",
66     },
67   });
68 }

```

136. app/api/uploads/[bucket]/[...path]/route.ts

```

1  // app/api/uploads/[bucket]/[...path]/route.ts
2  //
3  // Serves files previously written via StorageBucket.upload() (lib/db/pgClient.ts),
4  // which stores bytes in the shared `blob_storage` Postgres table rather than the
5  // local filesystem. Public by design – these URLs are the same ones sent to the
6  // chat model and rendered as <img src> in the client, exactly like the old
7  // public/uploads/* static files were.
8  import { NextResponse } from "next/server";
9  import { getSql } from "@lib/db/pgClient";
10
11 export const runtime = "nodejs";
12
13 export async function GET(
14   _req: Request,
15   { params }: { params: Promise<{ bucket: string; path: string[] }> }
16 ) {
17   const { bucket, path } = await params;
18   const filePath = path.join("/");
19
20   const sql = getSql();
21   if (!sql) {
22     return NextResponse.json(
23       { error: "Storage not configured" },
24       { status: 500 }
25     );
26   }
27
28   const rows = await sql`
29     SELECT content_type, data FROM blob_storage
30     WHERE bucket = ${bucket} AND path = ${filePath}
31     LIMIT 1
32 `;
33
34   const row = rows[0] as
35     | { content_type: string | null; data: Buffer }
36     | undefined;
37   if (!row) {
38     return NextResponse.json({ error: "Not found" }, { status: 404 });
39   }
40
41   return new NextResponse(new Uint8Array(row.data), {
42     headers: {
43       "Content-Type": row.content_type ?? "application/octet-stream",
44       "Cache-Control": "public, max-age=31536000, immutable",
45     },
46   });
47 }

```


137. app/api/user/active-artifact/route.ts

```
1 import { NextResponse } from "next/server";
2 import { auth } from "@app/(auth)/auth";
3 import { getPgAdmin } from "@lib/db/pgClient";
4
5 type Body = { id?: string; title?: string; slug?: string; content?: string };
6
7 const UUID_RE =
8   /^[0-9a-f]{8}-[0-9a-f]{4}-[1-5][0-9a-f]{3}-[89ab][0-9a-f]{3}-[0-9a-f]{12}$/i;
9
10 export async function POST(req: Request) {
11   const session = await auth();
12   const userId = session?.user?.id;
13
14   if (!userId) {
15     return NextResponse.json({ ok: false, reason: "unauthorized" }, { status: 401 });
16   }
17
18   let body: Body;
19   try {
20     body = (await req.json()) as Body;
21   } catch {
22     return NextResponse.json({ ok: false, reason: "invalid_json" }, { status: 400 });
23   }
24
25   const rawId = (body.id ?? "").toString().trim();
26   const title = (body.title ?? "").toString().trim();
27   const slugRaw = (body.slug ?? "").toString().trim();
28   const content = (body.content ?? "").toString();
29
30   if (!rawId || !title) {
31     return NextResponse.json(
32       { ok: false, reason: "missing_fields", need: ["id", "title"] },
33       { status: 400 }
34     );
35   }
36
37   const isStatic = rawId.startsWith("static-") || rawId.startsWith("static_");
38   const activeArtifactId = isStatic ? null : (UUID_RE.test(rawId) ? rawId : null);
39   const slug = slugRaw.length > 0 ? slugRaw : null;
40   const safeContent = content.trim().length > 0 ? content : null;
41
42   const db = getPgAdmin();
43
44   const { error } = await db
45     .from("user_settings")
46     .upsert(
47       {
48         user_id: userId,
49         active_artifact_id: activeArtifactId,
50         active_artifact_title: title,
51         active_artifact_slug: slug,
52         active_artifact_content: safeContent,
53         updated_at: new Date().toISOString(),
54       },
55       { onConflict: "user_id" }
56     );
57
58   if (error) {
59     console.error("active-artifact: db_error", { userId, rawId, activeArtifactId, title, slug, message: error.message });
60     return NextResponse.json(
61       { ok: false, reason: "db_error", message: error.message },
62       { status: 500 }
63     );
64   }
65 }
```

```

65
66     return NextResponse.json(
67       {
68         ok: true,
69         stored: {
70           active_artifact_id: activeArtifactId,
71           active_artifact_title: title,
72           active_artifact_slug: slug,
73         },
74       },
75       { status: 200 }
76     );
77   }

```

138. app/globals.css

```

1  @import "tailwindcss";
2  @import "katex/dist/katex.min.css";
3
4  /* include utility classes in streamdown */
5  @source '../node_modules/streamdown/dist/index.js';
6
7  /* custom variant for setting dark mode programmatically */
8  @custom-variant dark (&:is(.dark, .dark *));
9
10 /* include plugins */
11 @plugin "tailwindcss-animate";
12 @plugin "@tailwindcss/typography";
13
14 /* define design tokens (light mode) */
15 :root {
16   --background: hsl(0 0% 100%);
17   --foreground: hsl(240 10% 3.9%);
18   --card: hsl(0 0% 100%);
19   --card-foreground: hsl(240 10% 3.9%);
20   --popover: hsl(0 0% 100%);
21   --popover-foreground: hsl(240 10% 3.9%);
22   --primary: hsl(240 5.9% 10%);
23   --primary-foreground: hsl(0 0% 98%);
24   --secondary: hsl(240 4.8% 95.9%);
25   --secondary-foreground: hsl(240 5.9% 10%);
26   --muted: hsl(240 4.8% 95.9%);
27   --muted-foreground: hsl(240 3.8% 46.1%);
28   --accent: hsl(240 4.8% 95.9%);
29   --accent-foreground: hsl(240 5.9% 10%);
30   --destructive: hsl(0 84.2% 60.2%);
31   --destructive-foreground: hsl(0 0% 98%);
32   --border: hsl(240 5.9% 90%);
33   --input: hsl(240 5.9% 90%);
34   --ring: hsl(240 10% 3.9%);
35   --chart-1: hsl(12 76% 61%);
36   --chart-2: hsl(173 58% 39%);
37   --chart-3: hsl(197 37% 24%);
38   --chart-4: hsl(43 74% 66%);
39   --chart-5: hsl(27 87% 67%);
40   --sidebar-background: hsl(0 0% 98%);
41   --sidebar-foreground: hsl(240 5.3% 26.1%);
42   --sidebar-primary: hsl(240 5.9% 10%);
43   --sidebar-primary-foreground: hsl(0 0% 98%);
44   --sidebar-accent: hsl(240 4.8% 95.9%);
45   --sidebar-accent-foreground: hsl(240 5.9% 10%);
46   --sidebar-border: hsl(220 13% 91%);
47   --sidebar-ring: hsl(217.2 91.2% 59.8%);
48   /* border radius unit */
49   --radius: 0.5rem;
50   --sidebar: hsl(0 0% 98%);
51 }

```

```

52
53 /* define design tokens (dark mode) */
54 .dark {
55   --background: hsl(240 10% 3.9%);
56   --foreground: hsl(0 0% 98%);
57   --card: hsl(240 10% 3.9%);
58   --card-foreground: hsl(0 0% 98%);
59   --popover: hsl(240 10% 3.9%);
60   --popover-foreground: hsl(0 0% 98%);
61   --primary: hsl(0 0% 98%);
62   --primary-foreground: hsl(240 5.9% 10%);
63   --secondary: hsl(240 3.7% 15.9%);
64   --secondary-foreground: hsl(0 0% 98%);
65   --muted: hsl(240 3.7% 15.9%);
66   --muted-foreground: hsl(240 5% 64.9%);
67   --accent: hsl(240 3.7% 15.9%);
68   --accent-foreground: hsl(0 0% 98%);
69   --destructive: hsl(0 62.8% 30.6%);
70   --destructive-foreground: hsl(0 0% 98%);
71   --border: hsl(240 3.7% 15.9%);
72   --input: hsl(240 3.7% 15.9%);
73   --ring: hsl(240 4.9% 83.9%);
74   --chart-1: hsl(220 70% 50%);
75   --chart-2: hsl(160 60% 45%);
76   --chart-3: hsl(30 80% 55%);
77   --chart-4: hsl(280 65% 60%);
78   --chart-5: hsl(340 75% 55%);
79   --sidebar-background: hsl(240 5.9% 10%);
80   --sidebar-foreground: hsl(240 4.8% 95.9%);
81   --sidebar-primary: hsl(224.3 76.3% 48%);
82   --sidebar-primary-foreground: hsl(0 0% 100%);
83   --sidebar-accent: hsl(240 3.7% 15.9%);
84   --sidebar-accent-foreground: hsl(240 4.8% 95.9%);
85   --sidebar-border: hsl(240 3.7% 15.9%);
86   --sidebar-ring: hsl(217.2 91.2% 59.8%);
87   --sidebar: hsl(240 5.9% 10%);
88 }
89
90 /* define theme */
91 @theme {
92   --font-sans: var(--font-geist);
93   --font-mono: var(--font-geist-mono);
94
95   --breakpoint-toast-mobile: 600px;
96
97   --radius-lg: var(--radius);
98   --radius-md: calc(var(--radius) - 2px);
99   --radius-sm: calc(var(--radius) - 4px);
100
101   --color-background: var(--background);
102   --color-foreground: var(--foreground);
103
104   --color-card: var(--card);
105   --color-card-foreground: var(--card-foreground);
106
107   --color-popover: var(--popover);
108   --color-popover-foreground: var(--popover-foreground);
109
110   --color-primary: var(--primary);
111   --color-primary-foreground: var(--primary-foreground);
112
113   --color-secondary: var(--secondary);
114   --color-secondary-foreground: var(--secondary-foreground);
115
116   --color-muted: var(--muted);
117   --color-muted-foreground: var(--muted-foreground);
118
119   --color-accent: var(--accent);
120   --color-accent-foreground: var(--accent-foreground);

```

```

121
122 --color-destructive: var(--destructive);
123 --color-destructive-foreground: var(--destructive-foreground);
124
125 --color-border: var(--border);
126 --color-input: var(--input);
127 --color-ring: var(--ring);
128
129 --color-chart-1: var(--chart-1);
130 --color-chart-2: var(--chart-2);
131 --color-chart-3: var(--chart-3);
132 --color-chart-4: var(--chart-4);
133 --color-chart-5: var(--chart-5);
134
135 --color-sidebar: var(--sidebar-background);
136 --color-sidebar-foreground: var(--sidebar-foreground);
137 --color-sidebar-primary: var(--sidebar-primary);
138 --color-sidebar-primary-foreground: var(--sidebar-primary-foreground);
139 --color-sidebar-accent: var(--sidebar-accent);
140 --color-sidebar-accent-foreground: var(--sidebar-accent-foreground);
141 --color-sidebar-border: var(--sidebar-border);
142 --color-sidebar-ring: var(--sidebar-ring);
143 }
144
145 /*
146 The default border color has changed to `currentcolor` in Tailwind CSS v4,
147 so we've added these compatibility styles to make sure everything still
148 looks the same as it did with Tailwind CSS v3.
149
150 If we ever want to remove these styles, we need to add an explicit border
151 color utility to any element that depends on these defaults.
152 */
153 @layer base {
154   *,
155   ::after,
156   ::before,
157   ::backdrop,
158   ::file-selector-button {
159     border-color: var(--color-gray-200, currentcolor);
160   }
161 }
162
163 @utility text-balance {
164   text-wrap: balance;
165 }
166
167 @utility -webkit-overflow-scrolling-touch {
168   -webkit-overflow-scrolling: touch;
169 }
170
171 @utility touch-pan-y {
172   touch-action: pan-y;
173 }
174
175 @utility overscroll-behavior-contain {
176   overscroll-behavior: contain;
177 }
178
179 @layer utilities {
180   :root {
181     --foreground-rgb: 0, 0, 0;
182     --background-start-rgb: 214, 219, 220;
183     --background-end-rgb: 255, 255, 255;
184   }
185
186   @media (prefers-color-scheme: dark) {
187     :root {
188       --foreground-rgb: 255, 255, 255;
189       --background-start-rgb: 0, 0, 0;

```

```

190     --background-end-rgb: 0, 0, 0;
191   }
192 }
193 }
194
195 @layer base {
196   * {
197     @apply border-border;
198   }
199
200   body {
201     @apply bg-background text-foreground;
202     overflow-x: hidden;
203     position: relative;
204   }
205
206   html {
207     overflow-x: hidden;
208   }
209 }
210
211 .skeleton {
212   * {
213     pointer-events: none !important;
214   }
215
216   *[class^="text-"] {
217     color: transparent;
218     @apply rounded-md bg-foreground/20 select-none animate-pulse;
219   }
220
221   .skeleton-bg {
222     @apply bg-foreground/10;
223   }
224
225   .skeleton-div {
226     @apply bg-foreground/20 animate-pulse;
227   }
228 }
229
230 .ProseMirror {
231   outline: none;
232 }
233
234 .cm-editor,
235 .cm-gutters {
236   @apply bg-background! dark:bg-zinc-800! outline-hidden! selection:bg-zinc-900!;
237 }
238
239 .cm-focused > .cm-scroller > .cm-selectionLayer .cm-selectionBackground,
240 .cm-selectionBackground,
241 .cm-content::selection {
242   @apply bg-zinc-200! dark:bg-zinc-900!;
243 }
244
245 .cm-activeLine,
246 .cm-activeLineGutter {
247   @apply bg-transparent!;
248 }
249
250 .cm-activeLine {
251   @apply rounded-r-sm!;
252 }
253
254 .cm-lineNumbers {
255   @apply min-w-7;
256 }
257
258 .cm-foldGutter {

```

```

259   @apply min-w-3;
260 }
261
262 .cm-lineNumbers .cm-activeLineGutter {
263   @apply rounded-l-sm!;
264 }
265
266 .suggestion-highlight {
267   @apply bg-blue-200 hover:bg-blue-300 dark:hover:bg-blue-400/50 dark:text-blue-50 dark:bg-blue-500/40;
268 }
269
270 /* minimal scrollbar styling */
271 ::-webkit-scrollbar {
272   width: 6px;
273   height: 6px;
274 }
275
276 ::-webkit-scrollbar-track {
277   background: transparent;
278 }
279
280 ::-webkit-scrollbar-thumb {
281   background: var(--border);
282   border-radius: 3px;
283   transition: background 0.2s ease;
284 }
285
286 ::-webkit-scrollbar-thumb:hover {
287   background: --alpha(var(--muted-foreground) / 0.5);
288 }
289
290 ::-webkit-scrollbar-corner {
291   background: transparent;
292 }
293
294 /* firefox scrollbar styling */
295 * {
296   scrollbar-width: thin;
297   scrollbar-color: var(--border) transparent;
298 }
299
300 @theme inline {
301   --color-sidebar: var(--sidebar);
302   --color-sidebar-foreground: var(--sidebar-foreground);
303   --color-sidebar-primary: var(--sidebar-primary);
304   --color-sidebar-primary-foreground: var(--sidebar-primary-foreground);
305   --color-sidebar-accent: var(--sidebar-accent);
306   --color-sidebar-accent-foreground: var(--sidebar-accent-foreground);
307   --color-sidebar-border: var(--sidebar-border);
308   --color-sidebar-ring: var(--sidebar-ring);
309 }
310
311 @layer base {
312   * {
313     @apply border-border outline-ring/50;
314   }
315   body {
316     @apply bg-background text-foreground;
317   }
318 }
319
320 /*
321  * Mobile form fields: keep text-entry controls at ≥16px so iOS Safari does not
322  * auto-zoom the viewport when a field is focused. Applies app-wide so every
323  * page's inputs stay readable on phones without per-component overrides.
324  * (Excludes checkbox/radio/range/buttons where font-size is irrelevant.)
325  */
326 @media (max-width: 640px) {
327   input:not([type="checkbox"]):not([type="radio"]):not([type="range"]):not([type="button"]):not([type="submit"]):not([type="file"]):not([type="color"]),

```

```

328   textarea,
329   select {
330     font-size: 16px;
331   }
332 }

```

139. app/layout.tsx

```

1  import type { Metadata } from "next";
2  import { Geist, Geist_Mono } from "next/font/google";
3  import { Toaster } from "sonner";
4  import { ThemeProvider } from "@components/theme-provider";
5  import { SessionProvider } from "next-auth/react";
6  import { I18nProvider } from "@lib/i18n/provider";
7  import { getDictionary, getLocale } from "@lib/i18n/dictionaries";
8
9  import "./globals.css";
10
11 export async function generateMetadata(): Promise<Metadata> {
12   const locale = await getLocale();
13   const dict = await getDictionary(locale);
14
15   return {
16     // өөрийн домайнаа тавина
17     metadataBase: new URL("https://app.oyunsanaa.com"),
18
19     title: dict.meta.title,
20     description: dict.meta.description,
21
22     // PWA
23     manifest: "/manifest.webmanifest",
24
25     // Icon-ууд
26     icons: {
27       icon: [
28         { url: "/favicon.ico" },
29         { url: "/icon-192.png", type: "image/png", sizes: "192x192" },
30         { url: "/icon-512.png", type: "image/png", sizes: "512x512" },
31       ],
32       apple: [{ url: "/apple-touch-icon.png", sizes: "180x180" }],
33     },
34
35     // iOS "Add to Home Screen" дээр апп шиг харагдуулах
36     appleWebApp: {
37       capable: true,
38       title: dict.meta.title,
39       statusBarStyle: "default",
40     },
41   };
42 }
43
44 export const viewport = {
45   maximumScale: 1,
46 };
47
48 const geist = Geist({
49   subsets: ["latin"],
50   display: "swap",
51   variable: "--font-geist",
52 });
53
54 const geistMono = Geist_Mono({
55   subsets: ["latin"],
56   display: "swap",
57   variable: "--font-geist-mono",
58 });
59
60 const LIGHT_THEME_COLOR = "hsl(0 0% 100%)";

```

```

60 const DARK_THEME_COLOR = "hsl(240deg 10% 3.92%)";
61 const THEME_COLOR_SCRIPT = `
62 (function() {
63   var html = document.documentElement;
64   var meta = document.querySelector('meta[name="theme-color"]');
65   if (!meta) {
66     meta = document.createElement('meta');
67     meta.setAttribute('name', 'theme-color');
68     document.head.appendChild(meta);
69   }
70   function updateThemeColor() {
71     var isDark = html.classList.contains('dark');
72     meta.setAttribute('content', isDark ? '${DARK_THEME_COLOR}' : '${LIGHT_THEME_COLOR}');
73   }
74   var observer = new MutationObserver(updateThemeColor);
75   observer.observe(html, { attributes: true, attributeFilter: ['class'] });
76   updateThemeColor();
77 })();`;
78
79 export default async function RootLayout({
80   children,
81 }: Readonly<{
82   children: React.ReactNode;
83 }>) {
84   const locale = await getLocale();
85   const dict = await getDictionary(locale);
86
87   return (
88     <html
89       className={`geist.variable ${geistMono.variable}`}
90       // `next-themes` injects an extra classname to the body element to avoid
91       // visual flicker before hydration. Hence the `suppressHydrationWarning`
92       // prop is necessary to avoid the React hydration mismatch warning.
93       // https://github.com/pacocoursey/next-themes?tab=readme-ov-file#with-app
94       lang={locale}
95       suppressHydrationWarning
96     >
97       <head>
98         <script
99           // biome-ignore lint/security/noDangerouslySetInnerHtml: "Required"
100           dangerouslySetInnerHTML={{
101             __html: THEME_COLOR_SCRIPT,
102           }}
103         />
104       </head>
105       <body className="antialiased">
106         <ThemeProvider
107           attribute="class"
108           defaultTheme="light"
109           enableSystem={false}
110           disableTransitionOnChange
111         >
112           <Toaster position="top-center" />
113           <I18nProvider dict={dict} locale={locale}>
114             <SessionProvider>{children}</SessionProvider>
115           </I18nProvider>
116         </ThemeProvider>
117       </body>
118     </html>
119   );
120 }

```

140. app/subscribe/page.tsx

```

1 import { redirect } from "next/navigation";
2 import { auth } from "@/app/(auth)/auth";
3 import { ensureUserIdByEmail, getUserSubscription } from "@/lib/db/queries";

```



```

4 import { resolveSubscription } from "@lib/subscription/access";
5 import { PRICE_MNT } from "@lib/subscription/config";
6 import { isQpayConfigured } from "@lib/qpay/client";
7 import { SubscribeView } from "../subscribe-view";
8
9 export const dynamic = "force-dynamic";
10
11 export default async function SubscribePage() {
12   const session = await auth();
13   if (!session?.user?.email) {
14     redirect("/login?callbackUrl=/subscribe");
15   }
16
17   const userId = await ensureUserIdByEmail(session.user.email);
18   const sub = await getUserSubscription(userId);
19   const state = resolveSubscription(
20     sub ?? {
21       trialStartedAt: new Date(),
22       subscriptionStatus: "trialing",
23       currentPeriodEnd: null,
24     }
25   );
26
27   return (
28     <SubscribeView
29       currentPeriodEnd={state.currentPeriodEnd?.toISOString() ?? null}
30       daysLeft={state.daysLeft}
31       hasAccess={state.hasAccess}
32       inTrial={state.inTrial}
33       priceMnt={PRICE_MNT}
34       qpayConfigured={isQpayConfigured()}
35       status={state.status}
36       trialEndsAt={state.trialEndsAt?.toISOString()}
37     />
38   );
39 }

```

141. app/subscribe/subscribe-view.tsx

```

1 "use client";
2
3 import { useRouter } from "next/navigation";
4 import { useCallback, useEffect, useRef, useState } from "react";
5 import { Button } from "@components/ui/button";
6 import { toast } from "@components/toast";
7 import type { SubscriptionStatus } from "@lib/subscription/config";
8
9 type Props = {
10   status: SubscriptionStatus;
11   hasAccess: boolean;
12   inTrial: boolean;
13   daysLeft: number;
14   trialEndsAt: string;
15   currentPeriodEnd: string | null;
16   priceMnt: number;
17   qpayConfigured: boolean;
18 };
19
20 type Invoice = {
21   senderInvoiceNo: string;
22   qrImage: string | null;
23   qrText: string;
24   urls: Array<{ name: string; description?: string; link: string }>;
25   amount: number;
26 };
27
28 const fmtMnt = (n: number) => ` ${n.toLocaleString("en-US")} ₮`;

```

```

29 const fmtDate = (iso: string | null) =>
30   iso ? new Date(iso).toLocaleDateString("mn-MN") : "";
31
32 export function SubscribeView({
33   status,
34   hasAccess,
35   inTrial,
36   daysLeft,
37   trialEndsAt,
38   currentPeriodEnd,
39   priceMnt,
40   qpayConfigured,
41 }: Props) {
42   const router = useRouter();
43   const [loading, setLoading] = useState(false);
44   const [invoice, setInvoice] = useState<Invoice | null>(null);
45   const pollRef = useRef<ReturnType<typeof setInterval> | null>(null);
46
47   const stopPolling = useCallback(() => {
48     if (pollRef.current) {
49       clearInterval(pollRef.current);
50       pollRef.current = null;
51     }
52   }, []);
53
54   useEffect(() => stopPolling, [stopPolling]);
55
56   const createInvoice = useCallback(async () => {
57     setLoading(true);
58     try {
59       const res = await fetch("/api/subscription/invoice", { method: "POST" });
60       if (!res.ok) {
61         const data = await res.json().catch(() => ({}));
62         toast({
63           type: "error",
64           description:
65             data?.cause || data?.message || "Нэхэмжлэх үүсгэж чадсангүй.",
66         });
67         return;
68       }
69       const data = (await res.json()) as Invoice;
70       setInvoice(data);
71     } catch {
72       toast({ type: "error", description: "Сүлжээний алдаа гарлаа." });
73     } finally {
74       setLoading(false);
75     }
76   }, []);
77
78   // Poll for payment once an invoice exists.
79   useEffect(() => {
80     if (!invoice) return;
81     stopPolling();
82     pollRef.current = setInterval(async () => {
83       try {
84         const res = await fetch("/api/subscription/verify", {
85           method: "POST",
86           headers: { "Content-Type": "application/json" },
87           body: JSON.stringify({ senderInvoiceNo: invoice.senderInvoiceNo }),
88         });
89         if (!res.ok) return;
90         const data = (await res.json()) as { paid: boolean };
91         if (data.paid) {
92           stopPolling();
93           toast({
94             type: "success",
95             description: "Төлбөр амжилттай! Эрх сунгагдлаа.",
96           });
97           setTimeout(() => {

```

```

98     router.push("/");
99     router.refresh();
100   }, 800);
101 }
102 } catch {
103   /* keep polling */
104 }
105 }, 3000);
106 return stopPolling;
107 }, [invoice, router, stopPolling]);
108
109 const statusLine =
110   status === "active"
111     ? `Эрх идэвхтэй — ${fmtDate(currentPeriodEnd)} хүртэл`
112     : inTrial
113       ? `Үнэгүй туршилт — ${daysLeft} өдөр үлдсэн`
114       : "Туршилтын хугацаа дууссан";
115
116 return (
117   <div className="mx-auto flex min-h-dvh max-w-xl flex-col items-center justify-center gap-6 px-4 py-10">
118     <div className="w-full rounded-2xl border bg-card p-6 text-card-foreground shadow-sm">
119       <h1 className="font-semibold text-2xl">Oyunsanaa Chat — Эрх сунралт</h1>
120       <p className="mt-1 text-muted-foreground text-sm">{statusLine}</p>
121
122       {/* Subscription details */}
123       <dl className="mt-5 grid grid-cols-2 gap-3 text-sm">
124         <div className="rounded-lg border bg-muted/30 p-3">
125           <dt className="text-muted-foreground text-xs">Төлөв</dt>
126           <dd className="mt-0.5 font-medium">
127             {status === "active"
128               ? "Идэвхтэй"
129               : inTrial
130                 ? "Үнэгүй туршилт"
131                 : "Дууссан"}
132           </dd>
133         </div>
134         <div className="rounded-lg border bg-muted/30 p-3">
135           <dt className="text-muted-foreground text-xs">Үлдсэн хоног</dt>
136           <dd className="mt-0.5 font-medium">{daysLeft} өдөр</dd>
137         </div>
138         <div className="col-span-2 rounded-lg border bg-muted/30 p-3">
139           <dt className="text-muted-foreground text-xs">
140             {status === "active" ? "Дуусах огноо" : "Туршилт дуусах огноо"}
141           </dt>
142           <dd className="mt-0.5 font-medium">
143             {status === "active"
144               ? fmtDate(currentPeriodEnd)
145               : fmtDate(trialEndsAt)}
146           </dd>
147         </div>
148       </dl>
149
150       <div className="mt-6 rounded-xl border bg-muted/40 p-5">
151         <div className="flex items-baseline gap-2">
152           <span className="font-bold text-3xl">{fmtMnt(priceMnt)}</span>
153           <span className="text-muted-foreground text-sm">
154             / 30 хоногийн эрх
155           </span>
156         </div>
157         <ul className="mt-4 space-y-2 text-sm">
158           <li>☐ AI чаттай хязгааргүй яриа</li>
159           <li>☐ Бүх онол, аппликейшн нэг дор</li>
160           <li>☐ Төлбөр баталгаажмагц 30 хоногоор сунгана</li>
161         </ul>
162       </div>
163
164       {invoice ? (
165         <div className="mt-6 flex flex-col items-center gap-4">
166           <p className="text-center text-muted-foreground text-sm">

```

```

167     QR кодыг банкны аппараа уншуулж {fmtMnt(invoice.amount)} төлнө
168     үү. Төлбөр баталгаажмагц энэ хуудас автоматаар шинэчлэгдэнэ.
169   </p>
170   {invoice.qrImage && (
171     // biome-ignore lint/performance/noImgElement: base64 QR from QPay
172     <img
173       alt="QPay QR"
174       className="size-56 rounded-lg border bg-white p-2"
175       height={224}
176       src={`data:image/png;base64,${invoice.qrImage}`}
177       width={224}
178     />
179   )}
180   {invoice.urls?.length > 0 && (
181     <div className="flex flex-wrap justify-center gap-2">
182       {invoice.urls.map((u) => (
183         <a
184           className="rounded-md border px-3 py-1.5 text-xs hover:bg-accent"
185           href={u.link}
186           key={` ${u.name} - ${u.link} `}
187           rel="noreferrer"
188           target="_blank"
189         >
190           {u.description || u.name}
191         </a>
192       ))}
193     </div>
194   )}
195   <p className="text-muted-foreground text-xs">
196     Төлбөр хүлээж байна...
197   </p>
198 </div>
199 ) : (
200   <Button
201     className="mt-6 w-full"
202     disabled={loading || !qpayConfigured}
203     onClick={createInvoice}
204     size="lg"
205     variant={status === "active" ? "outline" : "default"}
206   >
207     {loading
208       ? "Уншиж байна..."
209       : status === "active"
210         ? "Эрх сунгах (+30 хоног)"
211         : "Эрх идэвхжүүлэх"}
212   </Button>
213 )}
214
215 <p className="mt-2 text-center text-muted-foreground text-xs">
216   {qpayConfigured
217     ? "QPay төлбөр баталгаажмагц эрх автоматаар 30 хоногоор сунгагдана."
218     : "QPay тохиргоо хийгдээгүй байна. Админтай холбогдоно уу."}
219 </p>
220
221 {hasAccess && (
222   <Button asChild className="mt-3 w-full" variant="ghost">
223     <a href="/">Уат руу буцах</a>
224   </Button>
225 )}
226 </div>
227 </div>
228 );
229 }

```

142. app/verify-email/page.tsx

```
1 import Link from "next/link";
```

```

2 import { verifyEmailByToken } from "@/lib/db/queries";
3
4 export default async function VerifyEmailPage({
5   searchParams,
6 }): {
7   searchParams: { token?: string | string[] };
8 } {
9   const token =
10     typeof searchParams.token === "string"
11       ? searchParams.token
12       : Array.isArray(searchParams.token)
13         ? searchParams.token[0]
14         : "";
15
16   const result = token
17     ? await verifyEmailByToken(token)
18     : ({ ok: false as const });
19
20   return (
21     <div className="mx-auto max-w-md p-6">
22       {result.ok ? (
23         <>
24           <h1 className="text-xl font-semibold">Email verified </h1>
25           <p className="mt-2">Now you can sign in.</p>
26           <Link className="mt-4 inline-block underline" href="/login">
27             Go to Sign In
28           </Link>
29         </>
30       ) : (
31         <>
32           <h1 className="text-xl font-semibold">Invalid or expired link</h1>
33           <p className="mt-2">Please request a new verification email.</p>
34           <Link className="mt-4 inline-block underline" href="/login">
35             Back to Sign In
36           </Link>
37         </>
38       )}
39     </div>
40   );
41 }

```

143. artifacts/actions.ts

```

1 "use server";
2
3 import { getSuggestionsByDocumentId } from "@/lib/db/queries";
4
5 export async function getSuggestions({ documentId }: { documentId: string }) {
6   const suggestions = await getSuggestionsByDocumentId({ documentId });
7   return suggestions ?? [];
8 }

```

144. artifacts/code/client.tsx

```

1 import dynamic from "next/dynamic";
2 import { toast } from "sonner";
3 import {
4   Console,
5   type ConsoleOutput,
6   type ConsoleOutputContent,
7 } from "@/components/console";
8 import { Artifact } from "@/components/create-artifact";
9 import { DocumentSkeleton } from "@/components/document-skeleton";
10 import {
11   CopyIcon,

```

```

12   LogsIcon,
13   MessageIcon,
14   PlayIcon,
15   RedoIcon,
16   UndoIcon,
17 } from "@components/icons";
18 import { generateUUID } from "@lib/utils";
19
20 // CodeMirror is heavy (~5 packages) - only load it when a code artifact actually renders.
21 const CodeEditor = dynamic(
22   () => import("@components/code-editor").then((mod) => mod.CodeEditor),
23   { ssr: false, loading: () => <DocumentSkeleton artifactKind="code" /> }
24 );
25
26 const OUTPUT_HANDLERS = {
27   matplotlib: `
28     import io
29     import base64
30     from matplotlib import pyplot as plt
31
32     # Clear any existing plots
33     plt.clf()
34     plt.close('all')
35
36     # Switch to agg backend
37     plt.switch_backend('agg')
38
39     def setup_matplotlib_output():
40       def custom_show():
41         if plt.gcf().get_size_inches().prod() * plt.gcf().dpi ** 2 > 25_000_000:
42           print("Warning: Plot size too large, reducing quality")
43           plt.gcf().set_dpi(100)
44
45       png_buf = io.BytesIO()
46       plt.savefig(png_buf, format='png')
47       png_buf.seek(0)
48       png_base64 = base64.b64encode(png_buf.read()).decode('utf-8')
49       print(f'data:image/png;base64,{png_base64}')
50       png_buf.close()
51
52       plt.clf()
53       plt.close('all')
54
55       plt.show = custom_show
56
57   basic: `
58     # Basic output capture setup
59
60 };
61
62 function detectRequiredHandlers(code: string): string[] {
63   const handlers: string[] = ["basic"];
64
65   if (code.includes("matplotlib") || code.includes("plt.")) {
66     handlers.push("matplotlib");
67   }
68
69   return handlers;
70 }
71
72 type Metadata = {
73   outputs: ConsoleOutput[];
74 };
75
76 export const codeArtifact = new Artifact<"code", Metadata>({
77   kind: "code",
78   description:
79     "Useful for code generation; Code execution is only available for python code.",
80   initialize: ({ setMetadata }) => {

```

```

81   setMetadata({
82     outputs: [],
83   });
84 },
85 onStreamPart: ({ streamPart, setArtifact }) => {
86   if (streamPart.type === "data-codeDelta") {
87     setArtifact((draftArtifact) => ({
88       ...draftArtifact,
89       content: streamPart.data,
90       isVisible:
91         draftArtifact.status === "streaming" &&
92         draftArtifact.content.length > 300 &&
93         draftArtifact.content.length < 310
94         ? true
95         : draftArtifact.isVisible,
96       status: "streaming",
97     }));
98   }
99 },
100 content: ({ metadata, setMetadata, ...props }) => {
101   return (
102     <>
103     <div className="px-1">
104       <CodeEditor {...props} />
105     </div>
106
107     {metadata?.outputs && (
108       <Console
109         consoleOutputs={metadata.outputs}
110         setConsoleOutputs={() => {
111           setMetadata({
112             ...metadata,
113             outputs: [],
114           });
115         }}
116       />
117     )}
118   </>
119 );
120 },
121 actions: [
122   {
123     icon: <PlayIcon size={18} />,
124     label: "Run",
125     description: "Execute code",
126     onClick: async ({ content, setMetadata }) => {
127       const runId = generateUUID();
128       const outputContent: ConsoleOutputContent[] = [];
129
130       setMetadata((metadata) => ({
131         ...metadata,
132         outputs: [
133           ...metadata.outputs,
134           {
135             id: runId,
136             contents: [],
137             status: "in_progress",
138           },
139         ],
140       }));
141
142       try {
143         // @ts-expect-error - loadPyodide is not defined
144         const currentPyodideInstance = await globalThis.loadPyodide({
145           indexURL: "https://cdn.jsdelivr.net/pyodide/v0.23.4/full/",
146         });
147
148         currentPyodideInstance.setStdout({
149           batched: (output: string) => {

```

```

150         outputContent.push({
151             type: output.startsWith("data:image/png;base64")
152                 ? "image"
153                 : "text",
154             value: output,
155         });
156     },
157 });
158
159 await currentPyodideInstance.loadPackagesFromImports(content, {
160     messageCallback: (message: string) => {
161         setMetadata((metadata) => ({
162             ...metadata,
163             outputs: [
164                 ...metadata.outputs.filter((output) => output.id !== runId),
165                 {
166                     id: runId,
167                     contents: [{ type: "text", value: message }],
168                     status: "loading_packages",
169                 },
170             ],
171         }));
172     },
173 });
174
175 const requiredHandlers = detectRequiredHandlers(content);
176 for (const handler of requiredHandlers) {
177     if (OUTPUT_HANDLERS[handler as keyof typeof OUTPUT_HANDLERS]) {
178         await currentPyodideInstance.runPythonAsync(
179             OUTPUT_HANDLERS[handler as keyof typeof OUTPUT_HANDLERS]
180         );
181
182         if (handler === "matplotlib") {
183             await currentPyodideInstance.runPythonAsync(
184                 "setup_matplotlib_output()"
185             );
186         }
187     }
188 }
189
190 await currentPyodideInstance.runPythonAsync(content);
191
192 setMetadata((metadata) => ({
193     ...metadata,
194     outputs: [
195         ...metadata.outputs.filter((output) => output.id !== runId),
196         {
197             id: runId,
198             contents: outputContent,
199             status: "completed",
200         },
201     ],
202 }));
203 } catch (error: any) {
204     setMetadata((metadata) => ({
205         ...metadata,
206         outputs: [
207             ...metadata.outputs.filter((output) => output.id !== runId),
208             {
209                 id: runId,
210                 contents: [{ type: "text", value: error.message }],
211                 status: "failed",
212             },
213         ],
214     }));
215 }
216 },
217 },
218 {

```



```

219     icon: <UndoIcon size={18} />,
220     description: "View Previous version",
221     onClick: ({ handleVersionChange }) => {
222       handleVersionChange("prev");
223     },
224     isDisabled: ({ currentVersionIndex }) => {
225       if (currentVersionIndex === 0) {
226         return true;
227       }
228
229       return false;
230     },
231   },
232   {
233     icon: <RedoIcon size={18} />,
234     description: "View Next version",
235     onClick: ({ handleVersionChange }) => {
236       handleVersionChange("next");
237     },
238     isDisabled: ({ isCurrentVersion }) => {
239       if (isCurrentVersion) {
240         return true;
241       }
242
243       return false;
244     },
245   },
246   {
247     icon: <CopyIcon size={18} />,
248     description: "Copy code to clipboard",
249     onClick: ({ content }) => {
250       navigator.clipboard.writeText(content);
251       toast.success("Copied to clipboard!");
252     },
253   },
254 ],
255 toolbar: [
256   {
257     icon: <MessageIcon />,
258     description: "Add comments",
259     onClick: ({ sendMessage }) => {
260       sendMessage({
261         role: "user",
262         parts: [
263           {
264             type: "text",
265             text: "Add comments to the code snippet for understanding",
266           },
267         ],
268       });
269     },
270   },
271   {
272     icon: <LogsIcon />,
273     description: "Add logs",
274     onClick: ({ sendMessage }) => {
275       sendMessage({
276         role: "user",
277         parts: [
278           {
279             type: "text",
280             text: "Add logs to the code snippet for debugging",
281           },
282         ],
283       });
284     },
285   },
286 ],
287 });

```

145. artifacts/code/server.ts

```
1 import { streamObject } from "ai";
2 import { z } from "zod";
3 import { codePrompt, updateDocumentPrompt } from "@lib/ai/prompts";
4 import { getArtifactModel } from "@lib/ai/providers";
5 import { createDocumentHandler } from "@lib/artifacts/server";
6
7 export const codeDocumentHandler = createDocumentHandler<"code">({
8   kind: "code",
9   onCreateDocument: async ({ title, dataStream }) => {
10     let draftContent = "";
11
12     const { fullStream } = streamObject({
13       model: getArtifactModel() as any,
14       system: codePrompt,
15       prompt: title,
16       schema: z.object({
17         code: z.string(),
18       }),
19     });
20
21     for await (const delta of fullStream) {
22       const { type } = delta;
23
24       if (type === "object") {
25         const { object } = delta;
26         const { code } = object;
27
28         if (code) {
29           dataStream.write({
30             type: "data-codeDelta",
31             data: code ?? "",
32             transient: true,
33           });
34
35           draftContent = code;
36         }
37       }
38     }
39
40     return draftContent;
41   },
42   onUpdateDocument: async ({ document, description, dataStream }) => {
43     let draftContent = "";
44
45     const { fullStream } = streamObject({
46       model: getArtifactModel() as any,
47       system: updateDocumentPrompt(document.content, "code"),
48       prompt: description,
49       schema: z.object({
50         code: z.string(),
51       }),
52     });
53
54     for await (const delta of fullStream) {
55       const { type } = delta;
56
57       if (type === "object") {
58         const { object } = delta;
59         const { code } = object;
60
61         if (code) {
62           dataStream.write({
63             type: "data-codeDelta",
64             data: code ?? "",
65             transient: true,
66           });
67         }
68       }
69     }
70
71     return draftContent;
72   },
73 });
```

```

67
68     draftContent = code;
69   }
70 }
71 }
72
73   return draftContent;
74 },
75 });

```

146. artifacts/image/client.tsx

```

1  import { toast } from "sonner";
2  import { Artifact } from "@components/create-artifact";
3  import { CopyIcon, RedoIcon, UndoIcon } from "@components/icons";
4  import { ImageEditor } from "@components/image-editor";
5
6  export const imageArtifact = new Artifact({
7    kind: "image",
8    description: "Useful for image generation",
9    onStreamPart: ({ streamPart, setArtifact }) => {
10      if (streamPart.type === "data-imageDelta") {
11        setArtifact((draftArtifact) => ({
12          ...draftArtifact,
13          content: streamPart.data,
14          isVisible: true,
15          status: "streaming",
16        }));
17      }
18    },
19    content: ImageEditor,
20    actions: [
21      {
22        icon: <UndoIcon size={18} />,
23        description: "View Previous version",
24        onClick: ({ handleVersionChange }) => {
25          handleVersionChange("prev");
26        },
27        isDisabled: ({ currentVersionIndex }) => {
28          if (currentVersionIndex === 0) {
29            return true;
30          }
31
32          return false;
33        },
34      },
35      {
36        icon: <RedoIcon size={18} />,
37        description: "View Next version",
38        onClick: ({ handleVersionChange }) => {
39          handleVersionChange("next");
40        },
41        isDisabled: ({ isCurrentVersion }) => {
42          if (isCurrentVersion) {
43            return true;
44          }
45
46          return false;
47        },
48      },
49      {
50        icon: <CopyIcon size={18} />,
51        description: "Copy image to clipboard",
52        onClick: ({ content }) => {
53          const img = new Image();
54          img.src = `data:image/png;base64,${content}`;
55

```

```

56     img.onload = () => {
57       const canvas = document.createElement("canvas");
58       canvas.width = img.width;
59       canvas.height = img.height;
60       const ctx = canvas.getContext("2d");
61       ctx?.drawImage(img, 0, 0);
62       canvas.toBlob((blob) => {
63         if (blob) {
64           navigator.clipboard.write([
65             new ClipboardItem({ "image/png": blob }),
66           ]);
67         }
68       }, "image/png");
69     };
70
71     toast.success("Copied image to clipboard!");
72   },
73 ],
74 ],
75 toolbar: [],
76 });

```

147. artifacts/sheet/client.tsx

```

1  import dynamic from "next/dynamic";
2  import { toast } from "sonner";
3  import { Artifact } from "@/components/create-artifact";
4  import { DocumentSkeleton } from "@/components/document-skeleton";
5  import {
6    CopyIcon,
7    LineChartIcon,
8    RedoIcon,
9    SparklesIcon,
10   UndoIcon,
11 } from "@/components/icons";
12
13 // react-data-grid + papaparse are heavy — only load them when a sheet artifact actually renders.
14 const SpreadsheetEditor = dynamic(
15   () => import("@/components/sheet-editor").then((mod) => mod.SpreadsheetEditor),
16   { ssr: false, loading: () => <DocumentSkeleton artifactKind="sheet" /> }
17 );
18
19 type Metadata = any;
20
21 export const sheetArtifact = new Artifact<"sheet", Metadata>({
22   kind: "sheet",
23   description: "Useful for working with spreadsheets",
24   initialize: () => null,
25   onStreamPart: ({ setArtifact, streamPart }) => {
26     if (streamPart.type === "data-sheetDelta") {
27       setArtifact((draftArtifact) => ({
28         ...draftArtifact,
29         content: streamPart.data,
30         isVisible: true,
31         status: "streaming",
32       }));
33     }
34   },
35   content: ({ content, currentVersionIndex, onSaveContent, status }) => {
36     return (
37       <SpreadsheetEditor
38         content={content}
39         currentVersionIndex={currentVersionIndex}
40         isCurrentVersion={true}
41         saveContent={onSaveContent}
42         status={status}
43       />

```

```

44     });
45   },
46   actions: [
47     {
48       icon: <UndoIcon size={18} />,
49       description: "View Previous version",
50       onClick: ({ handleVersionChange }) => {
51         handleVersionChange("prev");
52       },
53       isDisabled: ({ currentVersionIndex }) => {
54         if (currentVersionIndex === 0) {
55           return true;
56         }
57       },
58       return false;
59     },
60   ],
61   {
62     icon: <RedoIcon size={18} />,
63     description: "View Next version",
64     onClick: ({ handleVersionChange }) => {
65       handleVersionChange("next");
66     },
67     isDisabled: ({ isCurrentVersion }) => {
68       if (isCurrentVersion) {
69         return true;
70       }
71     },
72     return false;
73   },
74 ],
75 {
76   icon: <CopyIcon />,
77   description: "Copy as .csv",
78   onClick: async ({ content }) => {
79     const { parse, unparse } = await import("papaparse");
80     const parsed = parse<string[]>(content, { skipEmptyLines: true });
81
82     const nonEmptyRows = parsed.data.filter((row) =>
83       row.some((cell) => cell.trim() !== ""));
84   };
85
86   const cleanedCsv = unparse(nonEmptyRows);
87
88   navigator.clipboard.writeText(cleanedCsv);
89   toast.success("Copied csv to clipboard!");
90 },
91 ],
92 ],
93 toolbar: [
94   {
95     description: "Format and clean data",
96     icon: <SparklesIcon />,
97     onClick: ({ sendMessage }) => {
98       sendMessage({
99         role: "user",
100         parts: [
101           { type: "text", text: "Can you please format and clean the data?" },
102         ],
103       });
104     },
105   },
106   {
107     description: "Analyze and visualize data",
108     icon: <LineChartIcon />,
109     onClick: ({ sendMessage }) => {
110       sendMessage({
111         role: "user",
112         parts: [

```

```

113     {
114       type: "text",
115       text: "Can you please analyze and visualize the data by creating a new code artifact in python?",
116     },
117   ],
118   });
119 },
120 },
121 ],
122 });

```

148. artifacts/sheet/server.ts

```

1 import { streamObject } from "ai";
2 import { z } from "zod";
3 import { sheetPrompt, updateDocumentPrompt } from "@lib/ai/prompts";
4 import { getArtifactModel } from "@lib/ai/providers";
5 import { createDocumentHandler } from "@lib/artifacts/server";
6
7 export const sheetDocumentHandler = createDocumentHandler<"sheet">({
8   kind: "sheet",
9   onCreateDocument: async ({ title, dataStream }) => {
10     let draftContent = "";
11
12     const { fullStream } = streamObject({
13       model: getArtifactModel(),
14       system: sheetPrompt,
15       prompt: title,
16       schema: z.object({
17         csv: z.string().describe("CSV data"),
18       }),
19     });
20
21     for await (const delta of fullStream) {
22       const { type } = delta;
23
24       if (type === "object") {
25         const { object } = delta;
26         const { csv } = object;
27
28         if (csv) {
29           dataStream.write({
30             type: "data-sheetDelta",
31             data: csv,
32             transient: true,
33           });
34
35           draftContent = csv;
36         }
37       }
38     }
39
40     dataStream.write({
41       type: "data-sheetDelta",
42       data: draftContent,
43       transient: true,
44     });
45
46     return draftContent;
47   },
48   onUpdateDocument: async ({ document, description, dataStream }) => {
49     let draftContent = "";
50
51     const { fullStream } = streamObject({
52       model: getArtifactModel(),
53       system: updateDocumentPrompt(document.content, "sheet"),
54       prompt: description,

```

```

55     schema: z.object({
56       csv: z.string(),
57     }),
58   });
59
60   for await (const delta of fullStream) {
61     const { type } = delta;
62
63     if (type === "object") {
64       const { object } = delta;
65       const { csv } = object;
66
67       if (csv) {
68         dataStream.write({
69           type: "data-sheetDelta",
70           data: csv,
71           transient: true,
72         });
73
74         draftContent = csv;
75       }
76     }
77   }
78
79   return draftContent;
80 },
81 });

```

149. artifacts/text/client.tsx

```

1  import dynamic from "next/dynamic";
2  import { toast } from "sonner";
3  import { Artifact } from "@components/create-artifact";
4  import { DiffView } from "@components/diffview";
5  import { DocumentSkeleton } from "@components/document-skeleton";
6  import {
7    ClockRewind,
8    CopyIcon,
9    MessageIcon,
10   PenIcon,
11   RedoIcon,
12   UndoIcon,
13 } from "@components/icons";
14 import type { Suggestion } from "@lib/db/schema";
15 import { getSuggestions } from "../actions";
16
17 // ProseMirror is heavy (~6 packages) - only load it when a text artifact actually renders.
18 const Editor = dynamic(
19   () => import("@components/text-editor").then((mod) => mod.Editor),
20   { ssr: false, loading: () => <DocumentSkeleton artifactKind="text" /> }
21 );
22
23 type TextArtifactMetadata = {
24   suggestions: Suggestion[];
25 };
26
27 export const textArtifact = new Artifact<"text", TextArtifactMetadata>({
28   kind: "text",
29   description: "Useful for text content, like drafting essays and emails.",
30   initialize: async ({ documentId, setMetadata }) => {
31     const suggestions = await getSuggestions({ documentId });
32
33     setMetadata({
34       suggestions,
35     });
36   },
37   onStreamPart: ({ streamPart, setMetadata, setArtifact }) => {

```

```

38   if (streamPart.type === "data-suggestion") {
39     setMetadata(({metadata}) => {
40       return {
41         suggestions: [...metadata.suggestions, streamPart.data],
42       };
43     });
44   }
45
46   if (streamPart.type === "data-textDelta") {
47     setArtifact((draftArtifact) => {
48       return {
49         ...draftArtifact,
50         content: draftArtifact.content + streamPart.data,
51         isVisible:
52           draftArtifact.status === "streaming" &&
53           draftArtifact.content.length > 400 &&
54           draftArtifact.content.length < 450
55           ? true
56           : draftArtifact.isVisible,
57         status: "streaming",
58       };
59     });
60   }
61 },
62 content: ({
63   mode,
64   status,
65   content,
66   isCurrentVersion,
67   currentVersionIndex,
68   onSaveContent,
69   getDocumentContentById,
70   isLoading,
71   metadata,
72 }) => {
73   if (isLoading) {
74     return <DocumentSkeleton artifactKind="text" />;
75   }
76
77   if (mode === "diff") {
78     const oldContent = getDocumentContentById(currentVersionIndex - 1);
79     const newContent = getDocumentContentById(currentVersionIndex);
80
81     return <DiffView newContent={newContent} oldContent={oldContent} />;
82   }
83
84   return (
85     <div className="flex flex-row px-4 py-8 md:p-20">
86       <Editor
87         content={content}
88         currentVersionIndex={currentVersionIndex}
89         isCurrentVersion={isCurrentVersion}
90         onSaveContent={onSaveContent}
91         status={status}
92         suggestions={metadata ? metadata.suggestions : []}
93       />
94
95       {metadata?.suggestions && metadata.suggestions.length > 0 ? (
96         <div className="h-dvh w-12 shrink-0 md:hidden" />
97       ) : null}
98     </div>
99   );
100 },
101 actions: [
102   {
103     icon: <ClockRewind size={18} />,
104     description: "View changes",
105     onClick: ({ handleVersionChange }) => {
106       handleVersionChange("toggle");

```



```

107     },
108     isDisabled: ({ currentVersionIndex }) => {
109       if (currentVersionIndex === 0) {
110         return true;
111       }
112     },
113     return false;
114   },
115 ],
116 {
117   icon: <UndoIcon size={18} />,
118   description: "View Previous version",
119   onClick: ({ handleVersionChange }) => {
120     handleVersionChange("prev");
121   },
122   isDisabled: ({ currentVersionIndex }) => {
123     if (currentVersionIndex === 0) {
124       return true;
125     }
126   },
127   return false;
128 },
129 ],
130 {
131   icon: <RedoIcon size={18} />,
132   description: "View Next version",
133   onClick: ({ handleVersionChange }) => {
134     handleVersionChange("next");
135   },
136   isDisabled: ({ isCurrentVersion }) => {
137     if (isCurrentVersion) {
138       return true;
139     }
140   },
141   return false;
142 },
143 ],
144 {
145   icon: <CopyIcon size={18} />,
146   description: "Copy to clipboard",
147   onClick: ({ content }) => {
148     navigator.clipboard.writeText(content);
149     toast.success("Copied to clipboard!");
150   },
151 },
152 ],
153 toolbar: [
154   {
155     icon: <PenIcon />,
156     description: "Add final polish",
157     onClick: ({ sendMessage }) => {
158       sendMessage({
159         role: "user",
160         parts: [
161           {
162             type: "text",
163             text: "Please add final polish and check for grammar, add section titles for better structure, and ensure everything reads smoothly.",
164           },
165         ],
166       });
167     },
168   },
169   {
170     icon: <MessageIcon />,
171     description: "Request suggestions",
172     onClick: ({ sendMessage }) => {
173       sendMessage({
174         role: "user",
175         parts: [

```

```

176         {
177             type: "text",
178             text: "Please add suggestions you have that could improve the writing.",
179         },
180     ],
181     });
182 },
183 },
184 ],
185 });

```

150. artifacts/text/server.ts

```

1  import { smoothStream, streamText } from "ai";
2  import { updateDocumentPrompt } from "@lib/ai/prompts";
3  import { getArtifactModel } from "@lib/ai/providers";
4  import { createDocumentHandler } from "@lib/artifacts/server";
5
6  export const textDocumentHandler = createDocumentHandler<"text">({
7      kind: "text",
8      onCreateDocument: async ({ title, dataStream }) => {
9          let draftContent = "";
10
11          const { fullStream } = streamText({
12              model: getArtifactModel(),
13              system:
14                  "Write about the given topic. Markdown is supported. Use headings wherever appropriate.",
15              experimental_transform: smoothStream({ chunking: "word" }),
16              prompt: title,
17          });
18
19          for await (const delta of fullStream) {
20              const { type } = delta;
21
22              if (type === "text-delta") {
23                  const { text } = delta;
24
25                  draftContent += text;
26
27                  dataStream.write({
28                      type: "data-textDelta",
29                      data: text,
30                      transient: true,
31                  });
32              }
33          }
34
35          return draftContent;
36      },
37      onUpdateDocument: async ({ document, description, dataStream }) => {
38          let draftContent = "";
39
40          const { fullStream } = streamText({
41              model: getArtifactModel(),
42              system: updateDocumentPrompt(document.content, "text"),
43              experimental_transform: smoothStream({ chunking: "word" }),
44              prompt: description,
45              providerOptions: {
46                  openai: {
47                      prediction: {
48                          type: "content",
49                          content: document.content,
50                      },
51                  },
52              },
53          });
54

```

```

55   for await (const delta of fullStream) {
56     const { type } = delta;
57
58     if (type === "text-delta") {
59       const { text } = delta;
60
61       draftContent += text;
62
63       dataStream.write({
64         type: "data-textDelta",
65         data: text,
66         transient: true,
67       });
68     }
69   }
70
71   return draftContent;
72 },
73 });

```

151. biome.jsonc

```

1  {
2    "$schema": "./node_modules/@biomejs/biome/configuration_schema.json",
3    "extends": ["ultracite"],
4    "files": {
5      "includes": [
6        "**/*",
7        "!components/ui",
8        "!lib/utils.ts",
9        "!hooks/use-mobile.ts"
10     ],
11   },
12   "assist": {
13     "actions": {
14       "source": {
15         /* Don't nag about import ordering */
16         "organizeImports": "off"
17       }
18     }
19   },
20   "linter": {
21     "rules": {
22       "suspicious": {
23         /* Needs more work to fix */
24         "noExplicitAny": "off",
25
26         /* Allow for Tailwind @ rules */
27         "noUnknownAtRules": "off",
28
29         /* Allowing console for debugging */
30         "noConsole": "off",
31
32         /* Needed for generateUUID() */
33         "noBitwiseOperators": "off"
34       },
35       "style": {
36         /* Allowing magic numbers */
37         "noMagicNumbers": "off",
38
39         /* Project uses PascalCase for component files */
40         "useFilenamingConvention": "off",
41
42         /* Needs more work to fix */
43         "noNestedTernary": "off",
44
45         /* Noisy stylistic rules — turned off intentionally */

```

```

46     "useBlockStatements": "off",
47     "useTemplate": "off",
48     "useNodejsImportProtocol": "off",
49     "noNegationElse": "off"
50 },
51 "nursery": {
52   /* Too many false positives */
53   "noUnnecessaryConditions": "off"
54 },
55 "complexity": {
56   /* Needs more work to fix */
57   "noExcessiveCognitiveComplexity": "off",
58
59   /* This one has false positives. It's a bit... iffy ☐ */
60   "useSimplifiedLogicExpression": "off",
61
62   /* Noisy — allow obj["key"] access */
63   "useLiteralKeys": "off"
64 },
65 "ally": {
66   /* Needs more work to fix */
67   "noSvgWithoutTitle": "off"
68 }
69 }
70 }
71 }

```

152. BUG-AUDIT-2026-06.md

```

1  # Bug Audit — 2026-06
2
3  Full-project review of `oyunsanaa-aichat` (Next.js 16 + Drizzle/Postgres + Supabase-compat
4  layer + Vercel AI SDK v6 + NextAuth v5). This document lists concrete, verified bugs, marks
5  which were fixed in this pass, and which require a **DB migration / manual step**
6  (intentionally not auto-applied because they can break the deploy build or need data cleanup).
7
8  > **Second pass (2026-06-18)** added items 6-7 under "Fixed" and a new section
9  > "Second-pass findings" below.
10
11 ---
12
13 ## ☐ Fixed in this pass
14
15 ### 1. Login loop on the HTTPS server (secure-cookie name mismatch) — `proxy.ts`
16 NextAuth v5 derives the session-cookie name purely from `AUTH_URL`'s protocol
17 (`https` → `__Secure-authjs.session-token`, `http` → `authjs.session-token`), because
18 `reqWithEnvURL` rewrites every `/api/auth/*` request origin to `AUTH_URL`. The proxy was
19 deciding which cookie to *read* from `x-forwarded-proto` instead. When those disagree
20 (e.g. a stray `.env.local` on the server with `AUTH_URL=http://localhost:3000` while nginx
21 sends `x-forwarded-proto: https`), `getToken` looks for the wrong cookie name, finds nothing,
22 and redirects back to `/login` forever — a silent loop with no error toast.
23
24 **Fix:** `proxy.ts` now derives `isHttps` from `AUTH_URL` first (the same source of truth as
25 NextAuth), falling back to `x-forwarded-proto` only when `AUTH_URL` is unset.
26
27 > Server-side follow-ups: ensure no `.env.local` overrides `AUTH_URL` on the server, and
28 > replace the `ssl-cert-snakeoil` self-signed cert with a real one (Let's Encrypt) — browsers
29 > can refuse to persist `__Secure-`/`__Host-` cookies on an untrusted TLS connection.
30
31 ### 2. Finance intent scanned the entire chat history — `app/(chat)/api/chat/route.ts`
32 `allUserText` joined the text of **all** past user messages. Once any message in a chat ever
33 contained `санхүү` / `баримт` / etc., **every** subsequent reply in that conversation switched
34 to `financePrompt` and discarded the mental-health system prompt permanently.
35
36 **Fix:** intent is now detected from the **latest user turn only** (the incoming `message`,
37 or the last user message in a tool-approval flow).
38

```

```

39  ### 3. Receipt-image detection was dead code - `app/(chat)/api/chat/route.ts`
40  `hasReceiptImage` checked `part.type === "image"`, but attachments are sent as
41  `{ type: "file", mediaType: "image/..." }` (see `components/multimodal-input.tsx:162`). The
42  condition was **always false**, so image-only receipts never triggered finance mode.
43
44  **Fix:** now checks `part.type === "file" && mediaType.startsWith("image/")`.
45
46  ### 4. `voteMessage` existence check ignored `chatId` - `lib/db/queries.ts`
47  The existence `SELECT` filtered only by `messageId` while the `UPDATE` filtered by both
48  `chatId` and `messageId`. With the composite PK `(chatId, messageId)` this was latently
49  inconsistent.
50
51  **Fix:** the existence check now filters by `chatId` **and** `messageId`, matching the update.
52
53  ### 5. `ensureUserIdByEmail` race condition - `lib/db/queries.ts`
54  Check-then-insert with no concurrency handling. Two near-simultaneous requests (e.g. duplicate
55  tabs) could both insert. Previously a unique-violation would surface as a hard
56  `bad_request:database` error to the user.
57
58  **Fix:** on Postgres unique-violation (`23505`) it now re-reads the row the racing request
59  created and returns it instead of failing. This becomes fully correct once the unique index
60  in item A below is added.
61
62  ### 6. `document` DELETE crashed (500) on a missing id - `app/(chat)/api/document/route.ts`
63  The `GET` handler guards `if (!document) return not_found`, but `DELETE` destructured
64  `const [document] = documents` and immediately read `document.userId`. For an id with no rows
65  that is `undefined.userId` → `TypeError` → unhandled 500 instead of a clean `not_found`.
66
67  **Fix:** added the same `if (!document)` guard before the ownership check.
68
69  ### 7. Register stranded new users / risked the login loop - `app/(auth)/register/page.tsx`
70  On success the page did `router.replace("/")` + `router.refresh()` - the **exact** soft-navigation
71  pattern that `login/page.tsx` was deliberately moved away from because it loops/sticks against
72  the proxy with a freshly set session cookie.
73
74  **Fix:** register now does a hard `window.location.assign("/")` (same as login), and the now-unused
75  `useRouter` was removed.
76
77  ---
78
79  ## ☐ Requires a DB migration / manual step (NOT auto-applied)
80
81  > These are intentionally left for a deliberate migration. `npm run build` runs
82  > `tsx lib/db/migrate` on deploy, so a migration that fails (e.g. adding a UNIQUE constraint
83  > while duplicate rows exist) would **break the deploy**. Apply these with care.
84
85  ### A. Missing `UNIQUE` constraint on `User.email` - `lib/db/schema.ts:16`
86  `getUser()` returns an array and `ensureUserIdByEmail` can theoretically see two rows precisely
87  because there is no unique constraint. Recommended steps:
88  1. De-dupe first:
89  ```sql
90  -- find dups
91  SELECT email, count(*) FROM "User" GROUP BY email HAVING count(*) > 1;
92  ```
93  Merge/remove duplicates (and their child rows) before step 2.
94  2. Add `.unique()` to the `email` column and generate a Drizzle migration
95  (`CREATE UNIQUE INDEX`), then deploy.
96
97  ### B. `Document.kind` column is literally named `text` - `lib/db/schema.ts:125`
98  ```ts
99  kind: varchar("text", { enum: ["text", "code", "image", "sheet"] })
100  ```
101  Drizzle queries by JS property name so it works, but the SQL column is confusingly named
102  `text`. Renaming requires `ALTER TABLE "Document" RENAME COLUMN "text" TO "kind"` plus the
103  schema change in the same migration. **Do not** change the schema string alone - that would
104  make Drizzle query a non-existent `kind` column and break inserts/reads.
105
106  ### C. No indexes on hot columns - `lib/db/schema.ts`
107  Heavily queried, currently unindexed: `Message_v2.chatId` (every chat load),

```

```

108 `Chat.userId` (history sidebar), `Message_v2.createdAt` + `role` (rate-limit join).
109 Add via migration:
110 ```ts
111 index("message_v2_chatId_idx").on(message.chatId)
112 index("chat_userId_idx").on(chat.userId)
113 index("message_v2_createdAt_idx").on(message.createdAt)
114 ```
115
116 ---
117
118 ## □ Documented (lower priority / by-design / needs product decision)
119
120 1. **`deleteChatById` is not transactional** (`queries.ts`) – deletes votes → messages →
121 streams → chat as four statements. A crash mid-way leaves orphaned/partial data. Wrap in
122 `db.transaction()`'. (`deleteAllChatsByUserId` and
123 `deleteMessagesByChatIdAfterTimestamp` have the same shape.)
124
125 2. **`getMessagesByChatId` is unbounded** (`queries.ts`) – all messages for a chat are loaded
126 and sent to the model. For long chats this is slow/expensive. Cap to the last N (e.g. 50)
127 for the LLM path while keeping full history for display, or paginate.
128
129 3. **Rate-limit off-by-one** (`route.ts`) – `if (messageCount > limits.maxMessagesPerDay)`
130 allows `maxMessagesPerDay + 1` user messages per 24h. Use `>=` if the limit must be exact.
131 Left as-is to avoid silently tightening the product limit.
132
133 4. **KB slug lookup does up to 3 sequential queries** (`route.ts` `getKbArticleBySlug`) –
134 exact → strip leading `/` → add leading `/`. Normalize slugs at write time or use a single
135 `WHERE slug IN (...)` query to cut two network round-trips per chat request.
136
137 5. **`getSql()` / `queries.ts` pool size `max: 10`** – fine on the current single PM2 server.
138 Only revisit (`max: 1` + external pooler) if this ever moves to serverless, where each
139 invocation would open its own pool.
140
141 6. **Dead guest rate-limit block** (`route.ts` lines under `if (isGuest && ...)` – `isGuest` is
142 hard-coded `false` since guest access was removed, so the cookie-based limiter never runs.
143 Harmless but dead code; safe to delete for clarity.
144
145 7. **All-beta dependencies in production** – `next-auth@5.0.0-beta.25`, `ai@6.0.0-beta.*`,
146 `@ai-sdk/react@3.0.0-beta.*`. Pin to stable releases when available; beta minors have shipped
147 breaking auth/session changes before.
148
149 ---
150
151 ## □ Second-pass findings (2026-06-18) – not yet fixed
152
153 8. **`finance/transactions` POST has no input validation** (`app/api/finance/transactions/route.ts`).
154 Client rows are spread straight into the insert: `rows.map(r => ({ ...r, user_id }))`. Column
155 names are sanitized by `pgClient.ident()` and values are parameterized (no SQL injection, and
156 `user_id` is force-overwritten), but a client can still set arbitrary columns it shouldn't
157 (e.g. `id`, `created_at`). Also the multi-row path builds columns from `rows[0]` only – if later
158 rows have different keys, those columns are silently dropped/nullled. Add a Zod schema + an
159 explicit column allow-list.
160
161 9. **`document` POST returns `not_found:document` for an unauthenticated user**
162 (`app/(chat)/api/document/route.ts` POST) – should be `unauthorized:document` like the other
163 handlers. Cosmetic/incorrect status only.
164
165 10. **`chat` DELETE returns `forbidden` for a non-existent chat** (`app/(chat)/api/chat/route.ts`
166 DELETE) – `chat?.userId !== session.userId` is true when `chat` is `null`, so a missing id
167 yields `forbidden:chat` instead of `not_found`. Cosmetic.
168
169 11. **`pgClient` upsert/insert array handling** (`lib/db/pgClient.ts`) – `upsert()` only handles a
170 single object (`Object.keys(data)` on an array would produce broken SQL). No current caller
171 passes an array to `upsert`, but it's a latent trap. `ON CONFLICT DO NOTHING` + `RETURNING`
172 also yields no row on conflict, so `.single()` reports "Row not found" even though the row
173 exists – callers relying on the returned row after a conflict will misbehave.
174
175 12. **Two separate connection pools per process** – `lib/db/queries.ts` and `lib/db/pgClient.ts`
176 each open their own `postgres()` pool with `max: 10` against the Supabase pooler (same DB).

```

```

177 Up to ~20 connections per PM2 process. Fine today; consolidate into one shared client if
178 connection limits are ever hit.
179
180 13. **`history` GET defensive dead branch** (`app/(chat)/api/history/route.ts`) – handles
181 `getChatsByUserId` returning either an array or `{ chats, hasMore }`, but the query function
182 always returns the object form. Harmless, just dead code.
183
184 ---
185
186 Fixes touched: `proxy.ts`, `app/(chat)/api/chat/route.ts`, `lib/db/queries.ts`,
187 `app/(chat)/api/document/route.ts`, `app/(auth)/register/page.tsx`. Pre-existing biome style lint
188 warnings and the `lib/ai/models.test.ts` mock type errors are unrelated and not part of `next build`.

```

153. Bugs.md

```

1 Bugs to fix
2
3 Architecture Overview
4 Stack: Next.js 16 (App Router) + Drizzle ORM + PostgreSQL + Supabase + Vercel AI SDK + NextAuth v5
5
6 The project follows a clean route-group structure (auth)/(chat) with proper server/client separation and a custom error class system. The core architecture is solid, but there are several critical bugs
7
8 Critical Bugs
9
10 1. Finance intent scans ALL messages – not just the latest
11 route.ts:294-313
12
13 const allUserText = (uiMessages ?? [])
14 .filter((m) => m.role === "user")
15 .flatMap(...) // ALL past messages
16 If a user ever mentioned "санхүү" in any previous message of the chat, every future reply in that conversation uses financePrompt – completely discarding the mental health system prompt. Fix: only check
message), not all uiMessages.
17
18 2. ensureUserIdByEmail race condition (no transaction)
19 queries.ts:102-128
20
21 Check-then-insert without a transaction. Under concurrent requests (e.g. tab opened twice), two requests can both see no user exists and both try to insert – one will fail with a constraint error if the
both succeed if there isn't one. Fix: use ON CONFLICT DO NOTHING ... RETURNING.
22
23 3. Missing UNIQUE constraint on user.email
24 schema.ts:14-21
25
26 email: varchar("email", { length: 64 }).notNull()
27 // .unique() is missing
28 Without .unique(), the race condition above creates duplicate users silently. getUser() returns an array precisely because of this – ensureUserIdByEmail could theoretically return two rows. Fix: add .unique()
migration.
29
30 4. deleteChatById runs without a transaction
31 queries.ts:209-220
32
33 Deletes votes → messages → streams → chat in four separate queries. If the server crashes mid-way, the data is left in a corrupted state (e.g. messages deleted but chat still exists). Fix: wrap in db.transaction
34
35 5. voteMessage queries inconsistently
36 queries.ts:424-428
37
38 .where(and(eq(vote.messageId, messageId))) // missing chatId filter
39 The existence check only filters by messageId but the update filters by both chatId AND messageId. A vote from a different chat could be found and then the update misses it. Fix: add eq(vote.chatId, chatId)
40
41 6. Document schema column is misnamed
42 schema.ts:125
43
44 kind: varchar("text", { enum: [...] }) // DB column is called "text", not "kind"
45 The database column is literally named "text" instead of "kind". Drizzle uses the JS property name for queries so it works, but the underlying SQL column has a confusing name that would surprise anyone
writing raw SQL.
46
47 7. Guest rate limit is trivially bypassable
48 route.ts:173-196

```

```

49
50 Cookie-based rate limiting can be bypassed by clearing cookies. Anyone can get unlimited guest messages. This is acceptable only if guest access is meant to be truly open.
51
52 Scalability Issues
53
54 1. No DB indexes defined
55   The schema defines no explicit indexes. These columns are queried heavily:
56
57 Column Query pattern
58 message.chatId every chat load
59 chat.userId history sidebar
60 message.createdAt rate limiting (join query)
61 message.role rate limiting filter
62 PostgreSQL will do full table scans as data grows. Add indexes via a Drizzle migration.
63
64 2. getMessagesByChatId has no limit
65   queries.ts:357-367
66
67 All messages for a chat are fetched and passed to the LLM. A chat with 500 messages sends all 500 to the model – expensive and slow. Add a .limit(50).orderBy(desc(...)) and reverse before passing to the
68
69 3. DB connection pool wrong for serverless
70   queries.ts:41-46
71
72 const client = postgres(process.env.POSTGRES_URL!, { max: 10 })
73 In serverless (Vercel), each function invocation creates its own connection pool of up to 10. At 100 concurrent requests you get 1000 connections to PostgreSQL. Use max: 1 for serverless, or use a connection
74 Neon pooling / Supabase pooler.
75
76 4. Triple-query KB slug lookup
77   route.ts:113-150
78
79 Three sequential Supabase queries per request just to normalize a slug:
80
81 exact → strip leading slash → add leading slash
82
83 Normalize slugs at insert time or use a LIKE / OR query. This is 3 network round trips on every chat request for users reading KB articles.
84
85 5. Split data across two DB providers with no clear boundary
86   Core app data lives in PostgreSQL (Drizzle), but KB articles, user settings, test results, health data, and finance data are all in Supabase – accessed via the Supabase JS client with raw queries. The
87 query logic is scattered across different API routes. This makes it hard to maintain consistency and run unified migrations.
88
89 6. All beta packages in production
90   Package Version
91   next-auth 5.0.0-beta.25
92   ai 6.0.0-beta.159
93   @ai-sdk/react 3.0.0-beta.162
94   These APIs can break between beta releases. NextAuth v5 beta in particular has had breaking changes in auth callbacks and session handling.
95
96 How to Improve
97 High priority (data integrity)
98 Add user.email unique constraint + update ensureUserIdByEmail to use upsert:
99
100 db.insert(user).values({ email, password })
101   .onConflictDoNothing()
102   .returning({ id: user.id })
103 Wrap deleteChatById in a transaction:
104
105 await db.transaction(async (tx) => { ... })
106
107 Fix finance intent to check only the latest message – replace allUserText scan with just message.parts.
108
109 Fix voteMessage select to include chatId filter.
110
111 High priority (performance)
112 Add DB indexes via a Drizzle migration:
113
114 index("message_chatId_idx").on(message.chatId)
115 index("chat_userId_idx").on(chat.userId)
116 index("message_createdAt_role_idx").on(message.createdAt, message.role)
117 Cap getMessagesByChatId to the last N messages (50-100) before sending to the LLM.
118
119 Fix DB connection pool size to max: 1 for serverless deployment.

```



```

116
117 Medium priority
118 Consolidate the slug lookup into a single SQL OR query or normalize slugs at write time.
119
120 Pin non-beta versions once stable releases are available – especially NextAuth and the AI SDK.
121
122 Move balance test results to server-side (currently localStorage only – data is lost if the user clears storage or switches devices).
123
124 Add Zod validation to the other API routes (finance, health, goals) – currently only the main chat route validates its request body.
125
126 Lower priority / architecture
127 Create a lib/supabase/ layer that mirrors lib/db/queries.ts – one place for all Supabase queries rather than scattered createClient() calls in each API route.
128
129 Fix the document kind column name in the schema from varchar("text", ...) to varchar("kind", ...) with a migration.
130
131 The core architecture is well-structured and the separation of concerns (auth/chat groups, lib/ai, lib/db) is clean. The main risks are the missing unique constraint on email, the transaction-less deletion bug – those three are worth fixing first.

```

154. CHANGES-2026-06.md

```

1 # Хийгдсэн өөрчлөлтүүд (2026 оны 6-р сар)
2
3 Энэ баримт нь Vercel/Supabase-аас локал Postgres + локал сервер рүү шилжсэний дараа гарсан асуудлуудыг засаж, нэвтрэлт болон AI чатын урсгалыг сайжруулсан өөрчлөлтүүдийн товч тайлбар юм.
4
5 ---
6
7 ## 1. Build алдаа – `daily-check` route (Supabase init)
8
9 **Файл:** `app/api/mind/emotion/daily-check/route.ts`
10
11 **Асуудал:** Supabase client болон `throw new Error("supabaseUrl is required.")` нь модулийн дээд түвшинд (module-level) байсан тул build хийх үед (env хувьсагч байхгүй үед) шууд ажиллаж, build-ийг унагасан.
12
13 **Засвар:** Supabase-ийн инициализацийг `getSupabase()` функц рүү зөөж, зөвхөн хүсэлт (request) ирэх үед ажилладаг болгосон. GET болон POST handler хоёул дотроо `getSupabase()`-ийг дуудна.
14
15 ---
16
17 ## 2. AI Gateway → OpenAI provider-ийн type алдаа
18
19 **Файл:** `lib/ai/providers.ts`
20
21 **Асуудал:** `@ai-sdk/openai` өөрийн дотоод `@ai-sdk/provider` хувилбартай байсан нь дээд түвшний `@ai-sdk/provider`-той зөрж, `wrapLanguageModel`-д type алдаа өгч байсан.
22
23 **Засвар:** `model: openai(cleanId) as any` гэж cast хийж, хувилбар хоорондын зөрүүг шийдсэн.
24
25 ---
26
27 ## 3. Deploy workflow сайжруулалт
28
29 **Файл:** `.github/workflows/deploy.yml`
30
31 **Өөрчлөлтүүд:**
32 - `rm -rf .next` мөрийг устгасан – Turbopack-ийн incremental cache-ийг дахин ашиглаж, build-ийг хурдасгасан.
33 - `command timeout: 30m` нэмсэн – SSH action-ийн default 10 минутын timeout build дуусахаас өмнө таслаж байсныг зассан (build дуусаагүй байхад PM2 restart хийгдэж байсан гол шалтгаан).
34 - `NODE_OPTIONS=--max-old-space-size=...` нэмж, Node.js-д хангалттай санах ой өгсөн.
35
36 ---
37
38 ## 4. Build удаашрал ба санах ойн асуудал
39
40 **Файлууд:** `next.config.ts`, `package.json`
41
42 **Асуудлууд ба засвар:**
43 - Серверт build удаан байсан гол шалтгаан: `rm -rf .next` бүр deploy бүрт cache-ийг устгаж байсан → бүхэлд нь дахин compile.
44 - Turbopack-ийн panic (`creating new process / unexpected end of file`) – сервер санах ой дутаж, worker process унаж байсан.
45 - TypeScript болон ESLint шалгалтыг build үед алгасах тохиргоог түр нэмж/хассан.
46
47 > **Тэмдэглэл:** Дараа нь зарим тохиргоо засагдсан/буцаагдсан. Эцсийн төлөвт `next.config.ts` нь зөвхөн `images` тохиргоотой.

```

```

48 ---
49 ---
50
51 ## 5. Vercel deploy хийгдэхгүй байсан — Lint workflow
52
53 **Файл:** `.github/workflows/lint.yml` (устгасан)
54
55 **Асуудал:** `lint.yml` workflow нь `npx ultracite@latest`-ийг (хатуу шалгалттай 7.8.3 хувилбар) татаж, 1595 алдаа гаргаж байсан. Vercel нь GitHub status check амжилтгүй болоход deploy-ийг хүлээдэг тул
56
57 **Засвар:** `lint.yml`-ийг бүхэлд нь устгасан. Мөн `@ai-sdk/gateway`-ийг `package.json`-д нэмсэн (lockfile-д байсан ч `npm install` дээр дутаж байсан).
58
59 ---
60
61 ## 6. `not_found:chat` алдааны тайлбар (vote route)
62
63 **Файл:** `app/(chat)/api/vote/route.ts`
64
65 **Асуудал:** Хариулт ирсний дараа (`messages.length >= 2` үед) клиент `/api/vote?chatId=...` руу SWR хүсэлт явуулдаг. Тухайн чат DB-д хадгалагдаагүй (зочин/guest эсвэл шинэ чат) бол `getChatById` нь `null`
алдаа toast болж харагдаж байсан.
66
67 **Тайлбар:** Энэ нь guest хэрэглэгчийн чатыг DB-д огт хадгалдаггүйтэй холбоотой байсан. (Дараа нь guest хандалтыг бүхэлд нь хаасан — 7-р хэсэг.)
68
69 ---
70
71 ## 7. Guest хандалтыг бүрэн хаах — заавал нэвтрэх шаардлага
72
73 Хэрэглэгчид автомат guest бүртгэл үүсгэгдэхгүй, бүх үйлдэл хийхэд заавал нэвтрэх ёстой болгосон.
74
75 **Файлууд ба өөрчлөлтүүд:**
76
77 - `**proxy.ts**` — Нэвтрээгүй зочдыг `/api/auth/guest` (нууцаар guest session үүсгэдэг байсан) рүү биш, `/login?callbackUrl=...` руу шилжүүлдэг болгосон. Хуучин guest token-ийг (`type === "guest"`) илрүүлж
78 - `**app/(auth)/auth.ts**` — `guest` Credentials provider болон ашигларгдахгүй болсон `createGuestIdentity` helper-ийг устгасан.
79 - `**app/(auth)/api/auth/guest/route.ts**` — Идэхгүй болсон энэ route одоо зүгээр `/login` руу шилжүүлнэ.
80 - `**app/(chat)/api/chat/route.ts**` — Сервер талд guest session-ийг шууд татгалзана (`unauthorized:chat`).
81 - `**app/(auth)/login/page.tsx**` — `callbackUrl`-ийг уншиж, нэвтэрсний дараа хэрэглэгчийг очих гэсэн хуудас руу нь буцаадаг болгосон (`useSearchParams`-ийг Next.js шаардлагын дагуу `Suspense`-д боосон)
82
83 ---
84
85 ## 8. `getStreamContext` type засвар
86
87 **Файл:** `app/(chat)/api/chat/route.ts`
88
89 **Асуудал:** `getStreamContext()` нь үргэлж `null` буцаадаг тул type нь `null` болж, stream route дотор `never` болж type алдаа өгч байсан (build-ийг унагааж байсан, гэхдээ энэ session-ийн өөрчлөлтөөс үү
90
91 **Засвар:** `getStreamContext()`-д тодорхой `StreamContext | null` гэсэн буцаах type зарласан.
92
93 ---
94
95 ## 9. "Unexpected error" — буруу model ID (хуучирсан cookie)
96
97 **Файлууд:** `lib/ai/providers.ts`, `components/chat.tsx`
98
99 **Асуудал:** Хариулт авах үед "Unexpected error" toast гарч байсан. Шалтгаан: хуудас нь `chat-model` cookie-ийн утгыг шалгалгүй дамжуулдаг байсан. Vercel/Gateway-ийн үеийн хуучин cookie (ж: `chat-model`
OpenAI-д буруу model ID болж, `model_not_found` алдаа өгч, stream дотроо унаж байсан.
100
101 **Засвар:**
102 - `lib/ai/providers.ts` дотор `getLanguageModel`-д ирсэн model ID-г мэдэгдэж буй жагсаалттай тулгаж шалгаад, танихгүй бол `DEFAULT_CHAT_MODEL` (`gpt-4o`) руу автоматаар буцаадаг болгосон.
103 - `components/chat.tsx` дотор алдааны toast-д бодит алдааны мессежийг харуулдаг болгосон (`error?.message || "Unexpected error"`).
104
105 ---
106
107 ## 10. AI SDK хувилбаруудын зөрүү — Stream protocol алдаа
108
109 **Файлууд:** `package.json`, `tests/prompts/utils.ts`
110
111 **Асуудал:** `finishReason` талаар Zod validation алдаа гарч байсан. Шалтгаан: `ai`, `@ai-sdk/react`, `@ai-sdk/provider` нь **beta** хувилбартай, харин `@ai-sdk/openai` нь **stable** (3.0.71) болж "drift"
шинэ протокол (`finishReason: {unified: "stop"}`) илгээдэг бол beta клиент нь хуучин формат (`finishReason: "stop"` гэсэн string) хүлээж байсан.
112
113 **Засвар:** Гурван beta багцыг stable v6 шугам руу нэгтгэсэн:

```

```

114 - `ai`: `6.0.0-beta.159` → `^6.0.205`
115 - `@ai-sdk/react`: `3.0.0-beta.162` → `^3.0.207`
116 - `@ai-sdk/provider`: `3.0.0-beta.27` → `^3.0.10`
117
118 Мөн `tests/prompts/utils.ts` дахь mock-ийг шинэ `LanguageModelV3FinishReason` (`{ unified, raw }`) type-д тохируулан зассан.
119
120 > **Deploy хийхдээ:** `package.json` болон `pnpm-lock.yaml` хоёрыг хоёуланг нь commit хийж, серверт build хийхээс өмнө `pnpm install` ажиллуулна.
121
122 ---
123
124 ## 11. AI чатын хариултыг "бичиж байгаа мэт" урсгалтай болгох
125
126 **Файлууд:** `app/(chat)/api/chat/route.ts`, `components/chat.tsx`, `package.json`
127
128 **Асуудал:** Хариулт том блокоор нэг дор "popup" хэлбэрээр гарч байсан.
129
130 **Засвар:**
131 - `**route.ts**` — `streamText`-д `experimental_transform: smoothStream({ chunking: "word", delayInMs: 30 })` нэмсэн. Энэ нь хариултыг үг үгээр, бага зэргийн хугацааны зайтай гаргаж, бичих эффект үүсгэнэ.
132 - `**components/chat.tsx**` — `experimental_throttle`-ийг `100` → `50` мс болгож, UI-г илүү ойр ойрхон шинэчилдэг болгосон.
133 - `**package.json**` — `dev` скриптийг `next dev --turbo`-аас `next dev` (webpack) болгосон. Шалтгаан: `next dev --turbo` (Turbopack) нь SSE/stream хариултыг buffer хийж, нэг дор гаргадаг алдаатай. `dev` хэрэгцээнд зориулж үлдээсэн.
134
135 **Тэмдэглэл:** Сервер тал зөв урсгалтай байгаа нь батлагдсан (text-delta SSE event-үүд ~36мс зайтай гарч байсан). Production (`next start`) болон бодит сервер дээр урсгал хэвийн ажиллана; зөвхөн `next dev` байсан.
136
137 ---
138
139 ## 12. Зүүн talbar (Sidebar) дахин дизайн
140
141 **Файл:** `components/app-sidebar.tsx`
142
143 **Асуудал:** Цэснүүд нь `+`/`-` тэмдэгтэй бүдүүлэгг accordion байсан; зарим ангилал зөвхөн нэг апптай атлаа дэмий "dropdown" нээдэг байсан.
144
145 **Засвар:**
146 - Зөвхөн нэг апптай, онолгүй ангилал (ж: *Сэтгэл хөдлөл*, *Өөрийгөө ойлгох*) → шууд апп руу үсэрдэг нэг даралттай линк болгосон.
147 - Онолтой ангилал → эргэдэг chevron (`>`), жигд нээгдэх/хаагдах анимаци, дээр нь онцолсон "Апп" товч, доор нь "Онол" жагсаалттай цэвэр dropdown.
148 - Идэвхтэй замыг (active route) accent өнгөөр тодотгодог болгосон.
149 - Icon chip, hover төлөв, нэгдсэн зай завсар; давхардсан кодыг `renderAppItem` / `renderTheoryItem` болгон цэгцэлсэн.
150
151 ---
152
153 ## 13. Цэсний идэвхтэй тодотгол (highlight) ба Харилцаа цэсний алдаа
154
155 **Файлууд:** `components/app-sidebar.tsx`, `config/menus.ts`
156
157 **Асуудал:** Dropdown-той ангиллууд (Харилцаа гэх мэт) тухайн хуудсан дээр байхад толгой нь тодрохгүй байсан. Мөн **Харилцаа** цэсний линк `/mind/relations/control/daily-check` руу заадаг байсан ч тэр хуудсанд `tests` руу шилждэг тул идэвхтэй тодотгол хэзээ ч таардаггүй байсан.
158
159 **Засвар:**
160 - Ангилалын аль нэг хуудсан дээр байвал dropdown толгойг accent өнгө/хүрээгээр тодотгодог болгосон (`categoryActive`).
161 - `config/menus.ts` дахь Харилцаа цэсний линкийг бодит зам `/mind/relations/tests` болгож зассан.
162
163 ---
164
165 ## 14. Нэгдсэн `AppShell` компонент (цэнхэр шилэн дизайн)
166
167 **Файл:** `components/mind/app-shell.tsx` (шинэ)
168
169 Бүх апп хуудсыг ижил харагдуулах зорилгоор `daily-check`-тэй яг ижил **цэнхэр шилэн (blue glass)** загвартай дахин ашиглах боломжтой shell үүсгэсэн:
170 - `#2f5f84` → `#18324a` градиент дэвсгэр, зөөлөн цэнхэр гэрэлтэлт.
171 - Шилэн (glass) topbar: дугуй `--` буцах товч + гарчиг/дэд гарчиг + `Чат` pill.
172 - Контентын өргөнийг тохируулах `width` prop (2xl-5xl, full).
173 - Нэмэлтээр `AppCard` (шилэн карт wrapper) экспортолсон.
174
175 > Эхэндээ цайвар хувилбар хийсэн ч хэрэглэгчийн хүсэлтээр `daily-check`-тэй ижил **бараан цэнхэр** болгосон.
176
177 ---
178
179 ## 15. Апп хуудсуудыг нэгдсэн дизайнд оруулсан

```

```

180
181 **Файлууд:** `app/(chat)/mind/ebooks/*`, `app/(chat)/mind/self-care/stress/page.tsx`,
182 `app/(chat)/mind/relations/tests/page.tsx`, `app/(chat)/mind/life/finance-app/FinanceAppClient.tsx`
183
184 **Өөрчлөлтүүд:**
185 - **Ebooks** — `app/mind/ebooks` → `app/(chat)/mind/ebooks` рүү бүхэлд нь зөөсөн (`git mv`). Ингэснээр эүүн **sidebar** гарч ирдэг болсон (өмнө нь (chat) группээс гадуур байсан тул sidebar-гүй хоосон ху
Картуудыг шилэн (glass) загвартай болгож, `--card`/`--brandRgb` токенуудыг нэмж текст харагдах асуудлыг зассан.
186 - **Эрүүл мэнд (self-care/stress)** — `AppShell`-д боосон.
187 - **Харилцааны тестүүд** — өөрийн `TopBar` + гарчиг хэсгийг устгаж, `AppShell` + `AppCard`-д шилжүүлсэн.
188 - **Санхүү апп (finance)** — өөрийн бараан (near-black) дизайн, гар хийцийн толгойг устгаж `AppShell`-д шилжүүлсэн; дотоод хэсгүүдийг (тайлан, оруулга, гүйлгээний жагсаалт) хэвээр үлдээсэн.
189 - Бүх дээрх хуудсын өргөнийг ижил `4xl` болгож нэгтгэсэн.
190
191 ---
192
193 ## 16. Ebooks `[id]` — `params` Promise алдаа (Next 16)
194
195 **Файл:** `app/(chat)/mind/ebooks/[id]/page.jsx`
196
197 **Асуудал:** Next.js 16-д `params` нь Promise болсон тул `params.id`-г шууд унших нь console алдаа өгч байсан.
198
199 **Засвар:** React-ийн `use()`-ээр задалсан: `const { id } = use(params);`. Бусад ebooks хуудсуудад энэ алдаа байгаагүй.
200
201 ---
202
203 ## 17. Document-editor хуудсуудын өргөний нэгтгэл
204
205 **Файл:** `app/(chat)/mind/ebooks/preview/page.jsx`
206
207 Ebooks-ийн бичих/preview хэрэгслүүд ([id], extras, preview) нь A4 цаасан загвартай, өргөн 2 баганатай тусдай ангилал тул цайвар хэвээр үлдээсэн. Хоорондоо зөрүүтэй (6xl vs 7xl) байсныг preview-г `max-w-
208
209 ---
210
211 ## Дүгнэлт
212
213 | # | Сэдэв | Гол файл(ууд) |
214 |---|-----|-----|
215 | 1 | daily-check build алдаа | `app/api/mind/emotion/daily-check/route.ts` |
216 | 2 | OpenAI provider type cast | `lib/ai/providers.ts` |
217 | 3 | Deploy workflow timeout/cache | `.github/workflows/deploy.yml` |
218 | 4 | Build хурд/санах ой | `next.config.ts`, `package.json` |
219 | 5 | Lint workflow устгасан | `.github/workflows/lint.yml` |
220 | 6 | vote `not_found:chat` тайлбар | `app/(chat)/api/vote/route.ts` |
221 | 7 | Guest хандалт хаасан | `proxy.ts`, `auth.ts`, `login/page.tsx`, чат route |
222 | 8 | getStreamContext type | `app/(chat)/api/chat/route.ts` |
223 | 9 | Буруу model ID fallback | `lib/ai/providers.ts`, `components/chat.tsx` |
224 | 10 | AI SDK хувилбар нэгтгэл | `package.json`, `tests/prompts/utils.ts` |
225 | 11 | Бичих эффект (streaming) | чат route, `chat.tsx`, `package.json` |
226 | 12 | Sidebar дахин дизайн | `components/app-sidebar.tsx` |
227 | 13 | Цэсний highlight + Харилцаа линк | `app-sidebar.tsx`, `config/menus.ts` |
228 | 14 | Нэгдсэн `AppShell` (blue glass) | `components/mind/app-shell.tsx` |
229 | 15 | Апп хуудсуудыг нэгтгэсэн | ebooks, self-care/stress, relations/tests, finance |
230 | 16 | ebooks `[id]` params Promise засвар | `app/(chat)/mind/ebooks/[id]/page.jsx` |
231 | 17 | Editor хуудсуудын өргөн нэгтгэл | `app/(chat)/mind/ebooks/preview/page.jsx` |

```

155. components.json

```

1 {
2   "$schema": "https://ui.shadcn.com/schema.json",
3   "style": "default",
4   "rsc": true,
5   "tsx": true,
6   "tailwind": {
7     "config": "",
8     "css": "app/globals.css",
9     "baseColor": "zinc",
10    "cssVariables": true,
11    "prefix": ""

```

```

12 },
13 "aliases": {
14   "components": "@components",
15   "utils": "@lib/utils",
16   "ui": "@components/ui",
17   "lib": "@lib",
18   "hooks": "@hooks"
19 }
20 }

```

156. components/ai-elements/artifact.tsx

```

1  "use client";
2
3  import { type LucideIcon, XIcon } from "lucide-react";
4  import type { ComponentProps, HTMLAttributes } from "react";
5  import { Button } from "@components/ui/button";
6  import {
7    Tooltip,
8    TooltipContent,
9    TooltipProvider,
10   TooltipTrigger,
11 } from "@components/ui/tooltip";
12 import { cn } from "@lib/utils";
13
14 export type ArtifactProps = HTMLAttributes<HTMLDivElement>;
15
16 export const Artifact = ({ className, ...props }: ArtifactProps) => (
17   <div
18     className={cn(
19       "flex flex-col overflow-hidden rounded-lg border bg-background shadow-sm",
20       className
21     )}
22     {...props}
23   />
24 );
25
26 export type ArtifactHeaderProps = HTMLAttributes<HTMLDivElement>;
27
28 export const ArtifactHeader = ({
29   className,
30   ...props
31 }: ArtifactHeaderProps) => (
32   <div
33     className={cn(
34       "flex items-center justify-between border-b bg-muted/50 px-4 py-3",
35       className
36     )}
37     {...props}
38   />
39 );
40
41 export type ArtifactCloseProps = ComponentProps<typeof Button>;
42
43 export const ArtifactClose = ({
44   className,
45   children,
46   size = "sm",
47   variant = "ghost",
48   ...props
49 }: ArtifactCloseProps) => (
50   <Button
51     className={cn(
52       "size-8 p-0 text-muted-foreground hover:text-foreground",
53       className
54     )}
55     size={size}

```

```

56     type="button"
57     variant={variant}
58     {...props}
59   >
60     {children ?? <XIcon className="size-4" />}
61     <span className="sr-only">Close</span>
62   </Button>
63 );
64
65 export type ArtifactTitleProps = HTMLAttributes<HTMLParagraphElement>;
66
67 export const ArtifactTitle = ({ className, ...props }: ArtifactTitleProps) => (
68   <p
69     className={cn("font-medium text-foreground text-sm", className)}
70     {...props}
71   />
72 );
73
74 export type ArtifactDescriptionProps = HTMLAttributes<HTMLParagraphElement>;
75
76 export const ArtifactDescription = ({
77   className,
78   ...props
79 }: ArtifactDescriptionProps) => (
80   <p className={cn("text-muted-foreground text-sm", className)} {...props} />
81 );
82
83 export type ArtifactActionsProps = HTMLAttributes<HTMLDivElement>;
84
85 export const ArtifactActions = ({
86   className,
87   ...props
88 }: ArtifactActionsProps) => (
89   <div className={cn("flex items-center gap-1", className)} {...props} />
90 );
91
92 export type ArtifactActionProps = ComponentProps<typeof Button> & {
93   tooltip?: string;
94   label?: string;
95   icon?: LucideIcon;
96 };
97
98 export const ArtifactAction = ({
99   tooltip,
100  label,
101  icon: Icon,
102  children,
103  className,
104  size = "sm",
105  variant = "ghost",
106  ...props
107 }: ArtifactActionProps) => {
108   const button = (
109     <Button
110       className={cn(
111         "size-8 p-0 text-muted-foreground hover:text-foreground",
112         className
113       )}
114       size={size}
115       type="button"
116       variant={variant}
117       {...props}
118     >
119       {Icon ? <Icon className="size-4" /> : children}
120       <span className="sr-only">{label || tooltip}</span>
121     </Button>
122   );
123
124   if (tooltip) {

```

```

125     return (
126       <TooltipProvider>
127         <Tooltip>
128           <TooltipTrigger asChild>{button}</TooltipTrigger>
129           <TooltipContent>
130             <p>{tooltip}</p>
131           </TooltipContent>
132         </Tooltip>
133       </TooltipProvider>
134     );
135   }
136
137   return button;
138 };
139
140 export type ArtifactContentProps = HTMLAttributes<HTMLDivElement>;
141
142 export const ArtifactContent = ({
143   className,
144   ...props
145 }: ArtifactContentProps) => (
146   <div className={cn("flex-1 overflow-auto p-4", className)} {...props} />
147 );

```

157. components/ai-elements/canvas.tsx

```

1 import { Background, ReactFlow, type ReactFlowProps } from "@xyflow/react";
2 import type { ReactNode } from "react";
3 import "@xyflow/react/dist/style.css";
4
5 type CanvasProps = ReactFlowProps & {
6   children?: ReactNode;
7 };
8
9 export const Canvas = ({ children, ...props }: CanvasProps) => (
10   <ReactFlow
11     deleteKeyCode={["Backspace", "Delete"]}
12     fitView
13     panOnDrag={false}
14     panOnScroll
15     selectionOnDrag={true}
16     zoomOnDoubleClick={false}
17     {...props}
18   >
19     <Background bgColor="var(--sidebar)" />
20     {children}
21   </ReactFlow>
22 );

```

158. components/ai-elements/chain-of-thought.tsx

```

1 "use client";
2
3 import { useControllableState } from "@radix-ui/react-use-controllable-state";
4 import {
5   BrainIcon,
6   ChevronDownIcon,
7   DotIcon,
8   type LucideIcon,
9 } from "lucide-react";
10 import type { ComponentProps, ReactNode } from "react";
11 import { createContext, memo, useContext, useMemo } from "react";
12 import { Badge } from "@components/ui/badge";
13 import {
14   Collapsible,

```

```

15   CollapsibleContent,
16   CollapsibleTrigger,
17 } from "@components/ui/collapsible";
18 import { cn } from "@lib/utils";
19
20 type ChainOfThoughtContextValue = {
21   isOpen: boolean;
22   setIsOpen: (open: boolean) => void;
23 };
24
25 const ChainOfThoughtContext = createContext<ChainOfThoughtContextValue | null>(
26   null
27 );
28
29 const useChainOfThought = () => {
30   const context = useContext(ChainOfThoughtContext);
31   if (!context) {
32     throw new Error(
33       "ChainOfThought components must be used within ChainOfThought"
34     );
35   }
36   return context;
37 };
38
39 export type ChainOfThoughtProps = ComponentProps<"div"> & {
40   open?: boolean;
41   defaultOpen?: boolean;
42   onOpenChange?: (open: boolean) => void;
43 };
44
45 export const ChainOfThought = memo(
46   ({
47     className,
48     open,
49     defaultOpen = false,
50     onOpenChange,
51     children,
52     ...props
53   }: ChainOfThoughtProps) => {
54     const [isOpen, setIsOpen] = useControllableState({
55       prop: open,
56       defaultProp: defaultOpen,
57       onChange: onOpenChange,
58     });
59
60     const chainOfThoughtContext = useMemo(
61       () => ({ isOpen, setIsOpen }),
62       [isOpen, setIsOpen]
63     );
64
65     return (
66       <ChainOfThoughtContext.Provider value={chainOfThoughtContext}>
67         <div
68           className={cn("not-prose max-w-prose space-y-4", className)}
69           {...props}>
70           >
71             {children}
72           </div>
73         </ChainOfThoughtContext.Provider>
74       </>
75     );
76   });
77
78 export type ChainOfThoughtHeaderProps = ComponentProps<
79   typeof CollapsibleTrigger
80 >;
81
82 export const ChainOfThoughtHeader = memo(
83   ({ className, children, ...props }: ChainOfThoughtHeaderProps) => {

```



```

84   const { isOpen, setIsOpen } = useChainOfThought();
85
86   return (
87     <Collapsible onOpenChange={setIsOpen} open={isOpen}>
88       <CollapsibleTrigger
89         className={cn(
90           "flex w-full items-center gap-2 text-muted-foreground text-sm transition-colors hover:text-foreground",
91           className
92         )}
93       >{...props}
94     >
95     <BrainIcon className="size-4" />
96     <span className="flex-1 text-left">
97       {children ?? "Chain of Thought"}
98     </span>
99     <ChevronDownIcon
100       className={cn(
101         "size-4 transition-transform",
102         isOpen ? "rotate-180" : "rotate-0"
103       )}
104     />
105   </CollapsibleTrigger>
106 </Collapsible>
107 );
108 }
109 );
110
111 export type ChainOfThoughtStepProps = ComponentProps<"div"> & {
112   icon?: LucideIcon;
113   label: ReactNode;
114   description?: ReactNode;
115   status?: "complete" | "active" | "pending";
116 };
117
118 export const ChainOfThoughtStep = memo(
119   ({
120     className,
121     icon: Icon = DotIcon,
122     label,
123     description,
124     status = "complete",
125     children,
126     ...props
127   }: ChainOfThoughtStepProps) => {
128     const statusStyles = {
129       complete: "text-muted-foreground",
130       active: "text-foreground",
131       pending: "text-muted-foreground/50",
132     };
133
134     return (
135       <div
136         className={cn(
137           "flex gap-2 text-sm",
138           statusStyles[status],
139           "fade-in-0 slide-in-from-top-2 animate-in",
140           className
141         )}
142       >{...props}
143     >
144       <div className="relative mt-0.5">
145         <Icon className="size-4" />
146         <div className="-mx-px absolute top-7 bottom-0 left-1/2 w-px bg-border" />
147       </div>
148       <div className="flex-1 space-y-2 overflow-hidden">
149         <div>{label}</div>
150         {description && (
151           <div className="text-muted-foreground text-xs">{description}</div>
152         )}

```

```

153     {children}
154   </div>
155 </div>
156   );
157 }
158 };
159
160 export type ChainOfThoughtSearchResultsProps = ComponentProps<"div">;
161
162 export const ChainOfThoughtSearchResults = memo(
163   ({ className, ...props }: ChainOfThoughtSearchResultsProps) => (
164     <div
165       className={cn("flex flex-wrap items-center gap-2", className)}
166       {...props}
167     />
168   )
169 );
170
171 export type ChainOfThoughtSearchResultProps = ComponentProps<typeof Badge>;
172
173 export const ChainOfThoughtSearchResult = memo(
174   ({ className, children, ...props }: ChainOfThoughtSearchResultProps) => (
175     <Badge
176       className={cn("gap-1 px-2 py-0.5 font-normal text-xs", className)}
177       variant="secondary"
178       {...props}
179     >
180       {children}
181     </Badge>
182   )
183 );
184
185 export type ChainOfThoughtContentProps = ComponentProps<
186   typeof CollapsibleContent
187 >;
188
189 export const ChainOfThoughtContent = memo(
190   ({ className, children, ...props }: ChainOfThoughtContentProps) => {
191     const { isOpen } = useChainOfThought();
192
193     return (
194       <Collapsible open={isOpen}>
195         <CollapsibleContent
196           className={cn(
197             "mt-2 space-y-3",
198             "data-[state=closed]:fade-out-0 data-[state=closed]:slide-out-to-top-2 data-[state=open]:slide-in-from-top-2 text-popover-foreground outline-none data-[state=closed]:animate-out data-[state=open]:animate-in",
199             className
200           )}
201           {...props}
202         >
203           {children}
204         </CollapsibleContent>
205       </Collapsible>
206     );
207   }
208 );
209
210 export type ChainOfThoughtImageProps = ComponentProps<"div"> & {
211   caption?: string;
212 };
213
214 export const ChainOfThoughtImage = memo(
215   ({ className, children, caption, ...props }: ChainOfThoughtImageProps) => (
216     <div className={cn("mt-2 space-y-2", className)} {...props}>
217       <div className="relative flex max-h-[22rem] items-center justify-center overflow-hidden rounded-lg bg-muted p-3">
218         {children}
219       </div>
220       {caption && <p className="text-muted-foreground text-xs">{caption}</p>}
221     </div>
222   )
223 );

```

```

222   )
223 };
224
225 ChainOfThought.displayName = "ChainOfThought";
226 ChainOfThoughtHeader.displayName = "ChainOfThoughtHeader";
227 ChainOfThoughtStep.displayName = "ChainOfThoughtStep";
228 ChainOfThoughtSearchResults.displayName = "ChainOfThoughtSearchResults";
229 ChainOfThoughtSearchResult.displayName = "ChainOfThoughtSearchResult";
230 ChainOfThoughtContent.displayName = "ChainOfThoughtContent";
231 ChainOfThoughtImage.displayName = "ChainOfThoughtImage";

```

159. components/ai-elements/checkpoint.tsx

```

1  "use client";
2
3  import { BookmarkIcon, type LucideProps } from "lucide-react";
4  import type { ComponentProps, HTMLAttributes } from "react";
5  import { Button } from "@/components/ui/button";
6  import { Separator } from "@/components/ui/separator";
7  import {
8    Tooltip,
9    TooltipContent,
10   TooltipTrigger,
11 } from "@/components/ui/tooltip";
12 import { cn } from "@/lib/utils";
13
14 export type CheckpointProps = HTMLAttributes<HTMLDivElement>;
15
16 export const Checkpoint = ({
17   className,
18   children,
19   ...props
20 }: CheckpointProps) => (
21   <div
22     className={cn(
23       "flex items-center gap-0.5 overflow-hidden text-muted-foreground",
24       className
25     )}
26     {...props}
27   >
28     {children}
29     <Separator />
30   </div>
31 );
32
33 export type CheckpointIconProps = LucideProps;
34
35 export const CheckpointIcon = ({
36   className,
37   children,
38   ...props
39 }: CheckpointIconProps) => (
40   children ?? (
41     <BookmarkIcon className={cn("size-4 shrink-0", className)} {...props} />
42   )
43 );
44 export type CheckpointTriggerProps = ComponentProps<typeof Button> & {
45   tooltip?: string;
46 };
47
48 export const CheckpointTrigger = ({
49   children,
50   className,
51   variant = "ghost",
52   size = "sm",
53   tooltip,
54   ...props

```

```

55   }: CheckpointTriggerProps) =>
56   tooltip ? {
57     <Tooltip>
58       <TooltipTrigger asChild>
59         <Button size={size} type="button" variant={variant} {...props}>
60           {children}
61         </Button>
62       </TooltipTrigger>
63       <TooltipContent align="start" side="bottom">
64         {tooltip}
65       </TooltipContent>
66     </Tooltip>
67   } : {
68     <Button size={size} type="button" variant={variant} {...props}>
69       {children}
70     </Button>
71   };

```

160. components/ai-elements/code-block.tsx

```

1  "use client";
2
3  import { CheckIcon, CopyIcon } from "lucide-react";
4  import {
5    type ComponentProps,
6    createContext,
7    type HTMLAttributes,
8    useContext,
9    useEffect,
10   useRef,
11   useState,
12 } from "react";
13 import { type BundledLanguage, codeToHtml, type ShikiTransformer } from "shiki";
14 import { Button } from "@components/ui/button";
15 import { cn } from "@lib/utils";
16
17 type CodeBlockProps = HTMLAttributes<HTMLDivElement> & {
18   code: string;
19   language: BundledLanguage;
20   showLineNumbers?: boolean;
21 };
22
23 type CodeBlockContextType = {
24   code: string;
25 };
26
27 const CodeBlockContext = createContext<CodeBlockContextType>({
28   code: "",
29 });
30
31 const lineNumberTransformer: ShikiTransformer = {
32   name: "line-numbers",
33   line(node, line) {
34     node.children.unshift({
35       type: "element",
36       tagName: "span",
37       properties: {
38         className: [
39           "inline-block",
40           "min-w-10",
41           "mr-4",
42           "text-right",
43           "select-none",
44           "text-muted-foreground",
45         ],
46       },
47       children: [{ type: "text", value: String(line) }],

```

```

48   });
49 },
50 };
51
52 export async function highlightCode(
53   code: string,
54   language: BundledLanguage,
55   showLineNumbers = false
56 ) {
57   const transformers: ShikiTransformer[] = showLineNumbers
58     ? [lineNumberTransformer]
59     : [];
60
61   return await Promise.all([
62     codeToHtml(code, {
63       lang: language,
64       theme: "one-light",
65       transformers,
66     }),
67     codeToHtml(code, {
68       lang: language,
69       theme: "one-dark-pro",
70       transformers,
71     }),
72   ]);
73 }
74
75 export const CodeBlock = ({
76   code,
77   language,
78   showLineNumbers = false,
79   className,
80   children,
81   ...props
82 }: CodeBlockProps) => {
83   const [html, setHtml] = useState<string>("");
84   const [darkHtml, setDarkHtml] = useState<string>("");
85   const mounted = useRef(false);
86
87   useEffect(() => {
88     highlightCode(code, language, showLineNumbers).then(([light, dark]) => {
89       if (!mounted.current) {
90         setHtml(light);
91         setDarkHtml(dark);
92         mounted.current = true;
93       }
94     });
95
96     return () => {
97       mounted.current = false;
98     };
99   }, [code, language, showLineNumbers]);
100
101   return (
102     <CodeBlockContext.Provider value={{ code }}>
103       <div
104         className={cn(
105           "group relative w-full overflow-hidden rounded-md border bg-background text-foreground",
106           className
107         )}
108         {...props}
109       >
110         <div className="relative">
111           <div
112             className="overflow-auto dark:hidden [&pre]:m-0 [&pre]:bg-background! [&pre]:p-4 [&pre]:text-foreground! [&pre]:text-sm [&_code]:font-mono [&_code]:text-sm"
113             // biome-ignore lint/security/noDangerouslySetInnerHtml: "this is needed."
114             dangerouslySetInnerHTML={{ __html: html }}
115           />
116           <div

```

```

117         className="hidden overflow-auto dark:block [&>pre]:m-0 [&>pre]:bg-background! [&>pre]:p-4 [&>pre]:text-foreground! [&>pre]:text-sm [&_code]:font-mono [&_code]:text-sm"
118         // biome-ignore lint/security/noDangerouslySetInnerHtml: "this is needed."
119         dangerouslySetInnerHTML={{ __html: darkHtml }}
120     />
121     {children && (
122         <div className="absolute top-2 right-2 flex items-center gap-2">
123             {children}
124         </div>
125     )}
126 </div>
127 </div>
128 </CodeBlockContext.Provider>
129 );
130 };
131
132 export type CodeBlockCopyButtonProps = ComponentProps<typeof Button> & {
133     onCopy?: () => void;
134     onError?: (error: Error) => void;
135     timeout?: number;
136 };
137
138 export const CodeBlockCopyButton = ({
139     onCopy,
140     onError,
141     timeout = 2000,
142     children,
143     className,
144     ...props
145 }: CodeBlockCopyButtonProps) => {
146     const [isCopied, setIsCopied] = useState(false);
147     const { code } = useContext(CodeBlockContext);
148
149     const copyToClipboard = async () => {
150         if (typeof window === "undefined" || !navigator?.clipboard?.writeText) {
151             onError?.(new Error("Clipboard API not available"));
152             return;
153         }
154
155         try {
156             await navigator.clipboard.writeText(code);
157             setIsCopied(true);
158             onCopy?.();
159             setTimeout(() => setIsCopied(false), timeout);
160         } catch (error) {
161             onError?.(error as Error);
162         }
163     };
164
165     const Icon = isCopied ? CheckIcon : CopyIcon;
166
167     return (
168         <Button
169             className={cn("shrink-0", className)}
170             onClick={copyToClipboard}
171             size="icon"
172             variant="ghost"
173             {...props}
174         >
175             {children ?? <Icon size={14} />}
176         </Button>
177     );
178 };

```

161. components/ai-elements/confirmation.tsx

```

1  "use client";
2

```

```

3 import type { ToolUIPart } from "ai";
4 import {
5   type ComponentProps,
6   createContext,
7   type ReactNode,
8   useContext,
9 } from "react";
10 import { Alert, AlertDescription } from "@components/ui/alert";
11 import { Button } from "@components/ui/button";
12 import { cn } from "@lib/utls";
13
14 type ToolUIPartApproval =
15   | {
16     id: string;
17     approved?: never;
18     reason?: never;
19   }
20   | {
21     id: string;
22     approved: boolean;
23     reason?: string;
24   }
25   | {
26     id: string;
27     approved: true;
28     reason?: string;
29   }
30   | {
31     id: string;
32     approved: true;
33     reason?: string;
34   }
35   | {
36     id: string;
37     approved: false;
38     reason?: string;
39   }
40   | undefined;
41
42 type ConfirmationContextValue = {
43   approval: ToolUIPartApproval;
44   state: ToolUIPart["state"];
45 };
46
47 const ConfirmationContext = createContext<ConfirmationContextValue | null>(
48   null
49 );
50
51 const useConfirmation = () => {
52   const context = useContext(ConfirmationContext);
53
54   if (!context) {
55     throw new Error("Confirmation components must be used within Confirmation");
56   }
57
58   return context;
59 };
60
61 export type ConfirmationProps = ComponentProps<typeof Alert> & {
62   approval?: ToolUIPartApproval;
63   state: ToolUIPart["state"];
64 };
65
66 export const Confirmation = ({
67   className,
68   approval,
69   state,
70   ...props
71 }: ConfirmationProps) => {

```

```

72   if (!approval || state === "input-streaming" || state === "input-available") {
73     return null;
74   }
75
76   return (
77     <ConfirmationContext.Provider value={{ approval, state }}>
78       <Alert className={cn("flex flex-col gap-2", className)} {...props} />
79     </ConfirmationContext.Provider>
80   );
81 };
82
83 export type ConfirmationTitleProps = ComponentProps<typeof AlertDescription>;
84
85 export const ConfirmationTitle = ({
86   className,
87   ...props
88 }: ConfirmationTitleProps) => (
89   <AlertDescription className={cn("inline", className)} {...props} />
90 );
91
92 export type ConfirmationRequestProps = {
93   children?: ReactNode;
94 };
95
96 export const ConfirmationRequest = ({ children }: ConfirmationRequestProps) => {
97   const { state } = useConfirmation();
98
99   // Only show when approval is requested
100   if (state !== "approval-requested") {
101     return null;
102   }
103
104   return children;
105 };
106
107 export type ConfirmationAcceptedProps = {
108   children?: ReactNode;
109 };
110
111 export const ConfirmationAccepted = ({
112   children,
113 }: ConfirmationAcceptedProps) => {
114   const { approval, state } = useConfirmation();
115
116   // Only show when approved and in response states
117   if (
118     !approval?.approved ||
119     (state !== "approval-responded" &&
120      state !== "output-denied" &&
121      state !== "output-available")
122   ) {
123     return null;
124   }
125
126   return children;
127 };
128
129 export type ConfirmationRejectedProps = {
130   children?: ReactNode;
131 };
132
133 export const ConfirmationRejected = ({
134   children,
135 }: ConfirmationRejectedProps) => {
136   const { approval, state } = useConfirmation();
137
138   // Only show when rejected and in response states
139   if (
140     approval?.approved !== false ||

```



```

141     (state !== "approval-responded" &&
142       state !== "output-denied" &&
143       state !== "output-available")
144   ) {
145     return null;
146   }
147   return children;
148 };
149
150 export type ConfirmationActionsProps = ComponentProps<"div">;
151
152 export const ConfirmationActions = ({
153   className,
154   ...props
155 }: ConfirmationActionsProps) => {
156   const { state } = useConfirmation();
157
158   // Only show when approval is requested
159   if (state !== "approval-requested") {
160     return null;
161   }
162
163   return (
164     <div
165       className={cn("flex items-center justify-end gap-2 self-end", className)}
166       {...props}
167     />
168   );
169 };
170
171 export type ConfirmationActionProps = ComponentProps<typeof Button>;
172
173 export const ConfirmationAction = (props: ConfirmationActionProps) => (
174   <Button className="h-8 px-3 text-sm" type="button" {...props} />
175 );

```

162. components/ai-elements/connection.tsx

```

1 import type { ConnectionLineComponent } from "@xyflow/react";
2
3 const HALF = 0.5;
4
5 export const Connection: ConnectionLineComponent = ({
6   fromX,
7   fromY,
8   toX,
9   toY,
10 }) => {
11   <g>
12     <path
13       className="animated"
14       d={`M${fromX},${fromY} C ${fromX + (toX - fromX) * HALF},${fromY} ${fromX + (toX - fromX) * HALF},${toY} ${toX},${toY}`}
15       fill="none"
16       stroke="var(--color-ring)"
17       strokeWidth={1}
18     />
19     <circle
20       cx={toX}
21       cy={toY}
22       fill="#fff"
23       r={3}
24       stroke="var(--color-ring)"
25       strokeWidth={1}
26     />
27   </g>
28 };

```

163. components/ai-elements/controls.tsx

```
1 "use client";
2
3 import { Controls as ControlsPrimitive } from "@xyflow/react";
4 import type { ComponentProps } from "react";
5 import { cn } from "@lib/utils";
6
7 export type ControlsProps = ComponentProps<typeof ControlsPrimitive>;
8
9 export const Controls = ({ className, ...props }: ControlsProps) => (
10   <ControlsPrimitive
11     className={cn(
12       "gap-px overflow-hidden rounded-md border bg-card p-1 shadow-none!",
13       "[&>button]:rounded-md [&>button]:border-none! [&>button]:bg-transparent! [&>button]:hover:bg-secondary!",
14       className
15     )}
16     {...props}
17   />
18 );
```

164. components/ai-elements/conversation.tsx

```
1 "use client";
2
3 import { ArrowDownIcon } from "lucide-react";
4 import type { ComponentProps } from "react";
5 import { useCallback } from "react";
6 import { StickToBottom, useStickToBottomContext } from "use-stick-to-bottom";
7 import { Button } from "@components/ui/button";
8 import { cn } from "@lib/utils";
9
10 export type ConversationProps = ComponentProps<typeof StickToBottom>;
11
12 export const Conversation = ({ className, ...props }: ConversationProps) => (
13   <StickToBottom
14     className={cn("relative flex-1 overflow-y-hidden", className)}
15     initial="smooth"
16     resize="smooth"
17     role="log"
18     {...props}
19   />
20 );
21
22 export type ConversationContentProps = ComponentProps<
23   typeof StickToBottom.Content
24 >;
25
26 export const ConversationContent = ({
27   className,
28   ...props
29 }: ConversationContentProps) => (
30   <StickToBottom.Content
31     className={cn("flex flex-col gap-8 p-4", className)}
32     {...props}
33   />
34 );
35
36 export type ConversationEmptyStateProps = ComponentProps<"div"> & {
37   title?: string;
38   description?: string;
39   icon?: React.ReactNode;
40 };
41
```

```

42 export const ConversationEmptyState = ({
43   className,
44   title = "No messages yet",
45   description = "Start a conversation to see messages here",
46   icon,
47   children,
48   ...props
49 }: ConversationEmptyStateProps) => (
50   <div
51     className={cn(
52       "flex size-full flex-col items-center justify-center gap-3 p-8 text-center",
53       className
54     )}
55     {...props}
56   >
57     {children ?? (
58       <>
59         {icon && <div className="text-muted-foreground">{icon}</div>}
60         <div className="space-y-1">
61           <h3 className="font-medium text-sm">{title}</h3>
62           {description && (
63             <p className="text-muted-foreground text-sm">{description}</p>
64           )}
65         </div>
66       </>
67     )}
68   </div>
69 );
70
71 export type ConversationScrollButtonProps = ComponentProps<typeof Button>;
72
73 export const ConversationScrollButton = ({
74   className,
75   ...props
76 }: ConversationScrollButtonProps) => {
77   const { isAtBottom, scrollToBottom } = useStickToBottomContext();
78
79   const handleScrollToBottom = useCallback(() => {
80     scrollToBottom();
81   }, [scrollToBottom]);
82
83   return (
84     !isAtBottom && (
85       <Button
86         className={cn(
87           "absolute bottom-4 left-[50%] translate-x-[-50%] rounded-full",
88           className
89         )}
90         onClick={handleScrollToBottom}
91         size="icon"
92         type="button"
93         variant="outline"
94         {...props}
95       >
96         <ArrowDownIcon className="size-4" />
97       </Button>
98     )
99   );
100 };

```

165. components/ai-elements/edge.tsx

```

1 import {
2   BaseEdge,
3   type EdgeProps,
4   getBezierPath,
5   getSimpleBezierPath,

```

```

6   type InternalNode,
7   type Node,
8   Position,
9   useInternalNode,
10  } from "@xyflow/react";
11
12  const Temporary = ({
13    id,
14    sourceX,
15    sourceY,
16    targetX,
17    targetY,
18    sourcePosition,
19    targetPosition,
20  }: EdgeProps) => {
21    const [edgePath] = getSimpleBezierPath({
22      sourceX,
23      sourceY,
24      sourcePosition,
25      targetX,
26      targetY,
27      targetPosition,
28    });
29
30    return (
31      <BaseEdge
32        className="stroke-1 stroke-ring"
33        id={id}
34        path={edgePath}
35        style={{
36          strokeDasharray: "5, 5",
37        }}
38      />
39    );
40  };
41
42  const getHandleCoordsByPosition = (
43    node: InternalNode<Node>,
44    handlePosition: Position
45  ) => {
46    // Choose the handle type based on position - Left is for target, Right is for source
47    const handleType = handlePosition === Position.Left ? "target" : "source";
48
49    const handle = node.internals.handleBounds?.[handleType]?.find(
50      (h) => h.position === handlePosition
51    );
52
53    if (!handle) {
54      return [0, 0] as const;
55    }
56
57    let offsetX = handle.width / 2;
58    let offsetY = handle.height / 2;
59
60    // this is a tiny detail to make the markerEnd of an edge visible.
61    // The handle position that gets calculated has the origin top-left, so depending which side we are using, we add a little offset
62    // when the handlePosition is Position.Right for example, we need to add an offset as big as the handle itself in order to get the correct position
63    switch (handlePosition) {
64      case Position.Left:
65        offsetX = 0;
66        break;
67      case Position.Right:
68        offsetX = handle.width;
69        break;
70      case Position.Top:
71        offsetY = 0;
72        break;
73      case Position.Bottom:
74        offsetY = handle.height;

```

```

75     break;
76     default:
77         throw new Error(`Invalid handle position: ${handlePosition}`);
78     }
79
80     const x = node.internals.positionAbsolute.x + handle.x + offsetX;
81     const y = node.internals.positionAbsolute.y + handle.y + offsetY;
82
83     return [x, y] as const;
84 };
85
86 const getEdgeParams = (
87     source: InternalNode<Node>,
88     target: InternalNode<Node>
89 ) => {
90     const sourcePos = Position.Right;
91     const [sx, sy] = getHandleCoordsByPosition(source, sourcePos);
92     const targetPos = Position.Left;
93     const [tx, ty] = getHandleCoordsByPosition(target, targetPos);
94
95     return {
96         sx,
97         sy,
98         tx,
99         ty,
100         sourcePos,
101         targetPos,
102     };
103 };
104
105 const Animated = ({ id, source, target, markerEnd, style }: EdgeProps) => {
106     const sourceNode = useInternalNode(source);
107     const targetNode = useInternalNode(target);
108
109     if (!(sourceNode && targetNode)) {
110         return null;
111     }
112
113     const { sx, sy, tx, ty, sourcePos, targetPos } = getEdgeParams(
114         sourceNode,
115         targetNode
116     );
117
118     const [edgePath] = getBezierPath({
119         sourceX: sx,
120         sourceY: sy,
121         sourcePosition: sourcePos,
122         targetX: tx,
123         targetY: ty,
124         targetPosition: targetPos,
125     });
126
127     return (
128         <>
129         <BaseEdge id={id} markerEnd={markerEnd} path={edgePath} style={style} />
130         <circle fill="var(--primary)" r="4">
131             <animateMotion dur="2s" path={edgePath} repeatCount="indefinite" />
132         </circle>
133     </>
134     );
135 };
136
137 export const Edge = {
138     Temporary,
139     Animated,
140 };

```

166. components/ai-elements/image.tsx

```
1 import type { Experimental_GeneratedImage } from "ai";
2 import { cn } from "@lib/utils";
3
4 export type ImageProps = Experimental_GeneratedImage & {
5   className?: string;
6   alt?: string;
7 };
8
9 export const Image = ({
10   base64,
11   uint8Array,
12   mediaType,
13   ...props
14 }: ImageProps) => (
15   // biome-ignore lint/nursery/useImageSize: dynamic base64 content
16   // biome-ignore lint/performance/noImgElement: base64 data URLs require native img
17   <img
18     {...props}
19     alt={props.alt}
20     className={cn(
21       "h-auto max-w-full overflow-hidden rounded-md",
22       props.className
23     )}
24     src={`data:${mediaType};base64,${base64}`}
25   />
26 );
```

167. components/ai-elements/inline-citation.tsx

```
1 "use client";
2
3 import { ArrowLeftIcon, ArrowRightIcon } from "lucide-react";
4 import {
5   type ComponentProps,
6   createContext,
7   useCallback,
8   useContext,
9   useEffect,
10  useState,
11 } from "react";
12 import { Badge } from "@components/ui/badge";
13 import {
14   Carousel,
15   type CarouselApi,
16   CarouselContent,
17   CarouselItem,
18 } from "@components/ui/carousel";
19 import {
20   HoverCard,
21   HoverCardContent,
22   HoverCardTrigger,
23 } from "@components/ui/hover-card";
24 import { cn } from "@lib/utils";
25
26 export type InlineCitationProps = ComponentProps<"span">;
27
28 export const InlineCitation = ({
29   className,
30   ...props
31 }: InlineCitationProps) => (
32   <span
33     className={cn("group inline items-center gap-1", className)}
34     {...props}
35   />
```

```

36 );
37
38 export type InlineCitationTextProps = ComponentProps<"span">;
39
40 export const InlineCitationText = ({
41   className,
42   ...props
43 }: InlineCitationTextProps) => (
44   <span
45     className={cn("transition-colors group-hover:bg-accent", className)}
46     {...props}
47   />
48 );
49
50 export type InlineCitationCardProps = ComponentProps<typeof HoverCard>;
51
52 export const InlineCitationCard = (props: InlineCitationCardProps) => (
53   <HoverCard closeDelay={0} openDelay={0} {...props} />
54 );
55
56 export type InlineCitationCardTriggerProps = ComponentProps<typeof Badge> & {
57   sources: string[];
58 };
59
60 export const InlineCitationCardTrigger = ({
61   sources,
62   className,
63   ...props
64 }: InlineCitationCardTriggerProps) => (
65   <HoverCardTrigger asChild>
66     <Badge
67       className={cn("ml-1 rounded-full", className)}
68       variant="secondary"
69       {...props}
70     >
71       {sources[0] ? (
72         <>
73           {new URL(sources[0]).hostname}{" "}
74           {sources.length > 1 && `-${sources.length - 1}`}
75         </>
76       ) : (
77         "unknown"
78       )}
79     </Badge>
80   </HoverCardTrigger>
81 );
82
83 export type InlineCitationCardBodyProps = ComponentProps<"div">;
84
85 export const InlineCitationCardBody = ({
86   className,
87   ...props
88 }: InlineCitationCardBodyProps) => (
89   <HoverCardContent className={cn("relative w-80 p-0", className)} {...props} />
90 );
91
92 const CarouselApiContext = createContext<CarouselApi | undefined>(undefined);
93
94 const useCarouselApi = () => {
95   const context = useContext(CarouselApiContext);
96   return context;
97 };
98
99 export type InlineCitationCarouselProps = ComponentProps<typeof Carousel>;
100
101 export const InlineCitationCarousel = ({
102   className,
103   children,
104   ...props

```

```

105   }: InlineCitationCarouselProps) => {
106     const [api, setApi] = useState<CarouselApi>();
107
108     return (
109       <CarouselApiContext.Provider value={api}>
110         <Carousel className={cn("w-full", className)} setApi={setApi} {...props}>
111           {children}
112         </Carousel>
113       </CarouselApiContext.Provider>
114     );
115   };
116
117   export type InlineCitationCarouselContentProps = ComponentProps<"div">;
118
119   export const InlineCitationCarouselContent = (
120     props: InlineCitationCarouselContentProps
121   ) => <CarouselContent {...props} />;
122
123   export type InlineCitationCarouselItemProps = ComponentProps<"div">;
124
125   export const InlineCitationCarouselItem = ({
126     className,
127     ...props
128   }: InlineCitationCarouselItemProps) => (
129     <CarouselItem
130       className={cn("w-full space-y-2 p-4 pl-8", className)}
131       {...props}
132     />
133   );
134
135   export type InlineCitationCarouselHeaderProps = ComponentProps<"div">;
136
137   export const InlineCitationCarouselHeader = ({
138     className,
139     ...props
140   }: InlineCitationCarouselHeaderProps) => (
141     <div
142       className={cn(
143         "flex items-center justify-between gap-2 rounded-t-md bg-secondary p-2",
144         className
145       )}
146       {...props}
147     />
148   );
149
150   export type InlineCitationCarouselIndexProps = ComponentProps<"div">;
151
152   export const InlineCitationCarouselIndex = ({
153     children,
154     className,
155     ...props
156   }: InlineCitationCarouselIndexProps) => {
157     const api = useCarouselApi();
158     const [current, setCurrent] = useState(0);
159     const [count, setCount] = useState(0);
160
161     useEffect(() => {
162       if (!api) {
163         return;
164       }
165
166       setCount(api.scrollSnapList().length);
167       setCurrent(api.selectedScrollSnap() + 1);
168
169       api.on("select", () => {
170         setCurrent(api.selectedScrollSnap() + 1);
171       });
172     }, [api]);
173

```



```

174   return (
175     <div
176       className={cn(
177         "flex flex-1 items-center justify-end px-3 py-1 text-muted-foreground text-xs",
178         className
179       )}
180       {...props}
181     >
182       {children ?? `${current}/${count}`}
183     </div>
184   );
185 };
186
187 export type InlineCitationCarouselPrevProps = ComponentProps<"button">;
188
189 export const InlineCitationCarouselPrev = ({
190   className,
191   ...props
192 }: InlineCitationCarouselPrevProps) => {
193   const api = useCarouselApi();
194
195   const handleClick = useCallback(() => {
196     if (api) {
197       api.scrollPrev();
198     }
199   }, [api]);
200
201   return (
202     <button
203       aria-label="Previous"
204       className={cn("shrink-0", className)}
205       onClick={handleClick}
206       type="button"
207       {...props}
208     >
209       <ArrowLeftIcon className="size-4 text-muted-foreground" />
210     </button>
211   );
212 };
213
214 export type InlineCitationCarouselNextProps = ComponentProps<"button">;
215
216 export const InlineCitationCarouselNext = ({
217   className,
218   ...props
219 }: InlineCitationCarouselNextProps) => {
220   const api = useCarouselApi();
221
222   const handleClick = useCallback(() => {
223     if (api) {
224       api.scrollNext();
225     }
226   }, [api]);
227
228   return (
229     <button
230       aria-label="Next"
231       className={cn("shrink-0", className)}
232       onClick={handleClick}
233       type="button"
234       {...props}
235     >
236       <ArrowRightIcon className="size-4 text-muted-foreground" />
237     </button>
238   );
239 };
240
241 export type InlineCitationSourceProps = ComponentProps<"div"> & {
242   title?: string;

```

```

243   url?: string;
244   description?: string;
245 };
246
247 export const InlineCitationSource = ({
248   title,
249   url,
250   description,
251   className,
252   children,
253   ...props
254 }: InlineCitationSourceProps) => (
255   <div className={cn("space-y-1", className)} {...props}>
256     {title && (
257       <h4 className="truncate font-medium text-sm leading-tight">{title}</h4>
258     )}
259     {url && (
260       <p className="truncate break-all text-muted-foreground text-xs">{url}</p>
261     )}
262     {description && (
263       <p className="line-clamp-3 text-muted-foreground text-sm leading-relaxed">
264         {description}
265       </p>
266     )}
267     {children}
268   </div>
269 );
270
271 export type InlineCitationQuoteProps = ComponentProps<"blockquote">;
272
273 export const InlineCitationQuote = ({
274   children,
275   className,
276   ...props
277 }: InlineCitationQuoteProps) => (
278   <blockquote
279     className={cn(
280       "border-muted border-l-2 pl-3 text-muted-foreground text-sm italic",
281       className
282     )}
283     {...props}
284   >
285     {children}
286   </blockquote>
287 );

```

168. components/ai-elements/loader.tsx

```

1  import type { HTMLAttributes } from "react";
2  import { cn } from "@/lib/utils";
3
4  type LoaderIconProps = {
5    size?: number;
6  };
7
8  const LoaderIcon = ({ size = 16 }: LoaderIconProps) => (
9    <svg
10      height={size}
11      strokeLinejoin="round"
12      style={{ color: "currentColor" }}
13      viewBox="0 0 16 16"
14      width={size}
15    >
16      <title>Loader</title>
17      <g clipPath="url(#clip0_2393_1490)">
18        <path d="M8 0V4" stroke="currentColor" strokeWidth="1.5" />
19        <path

```

```

20     d="M8 16V12"
21     opacity="0.5"
22     stroke="currentColor"
23     strokeWidth="1.5"
24   />
25   <path
26     d="M3.29773 1.52783L5.64887 4.7639"
27     opacity="0.9"
28     stroke="currentColor"
29     strokeWidth="1.5"
30   />
31   <path
32     d="M12.7023 1.52783L10.3511 4.7639"
33     opacity="0.1"
34     stroke="currentColor"
35     strokeWidth="1.5"
36   />
37   <path
38     d="M12.7023 14.472L10.3511 11.236"
39     opacity="0.4"
40     stroke="currentColor"
41     strokeWidth="1.5"
42   />
43   <path
44     d="M3.29773 14.472L5.64887 11.236"
45     opacity="0.6"
46     stroke="currentColor"
47     strokeWidth="1.5"
48   />
49   <path
50     d="M15.6085 5.52783L11.8043 6.7639"
51     opacity="0.2"
52     stroke="currentColor"
53     strokeWidth="1.5"
54   />
55   <path
56     d="M0.391602 10.472L4.19583 9.23598"
57     opacity="0.7"
58     stroke="currentColor"
59     strokeWidth="1.5"
60   />
61   <path
62     d="M15.6085 10.472L11.8043 9.2361"
63     opacity="0.3"
64     stroke="currentColor"
65     strokeWidth="1.5"
66   />
67   <path
68     d="M0.391602 5.52783L4.19583 6.7639"
69     opacity="0.8"
70     stroke="currentColor"
71     strokeWidth="1.5"
72   />
73 </g>
74 <defs>
75   <clipPath id="clip0_2393_1490">
76     <rect fill="white" height="16" width="16" />
77   </clipPath>
78 </defs>
79 </svg>
80 );
81
82 export type LoaderProps = HTMLAttributes<HTMLDivElement> & {
83   size?: number;
84 };
85
86 export const Loader = ({ className, size = 16, ...props }: LoaderProps) => (
87   <div
88     className={cn(

```

```

89     "inline-flex animate-spin items-center justify-center",
90     className
91   )}
92   {...props}
93 >
94   <LoaderIcon size={size} />
95 </div>
96 );

```

169. components/ai-elements/message.tsx

```

1  "use client";
2
3  import type { FileUIPart, UIMessage } from "ai";
4  import {
5    ChevronLeftIcon,
6    ChevronRightIcon,
7    PaperclipIcon,
8    XIcon,
9  } from "lucide-react";
10 import type { ComponentProps, HTMLAttributes, ReactElement } from "react";
11 import { createContext, memo, useContext, useEffect, useState } from "react";
12 import { Streamdown } from "streamdown";
13 import { Button } from "@components/ui/button";
14 import { ButtonGroup, ButtonGroupText } from "@components/ui/button-group";
15 import {
16   Tooltip,
17   TooltipContent,
18   TooltipProvider,
19   TooltipTrigger,
20 } from "@components/ui/tooltip";
21 import { cn } from "@lib/utils";
22
23 export type MessageProps = HTMLAttributes<HTMLDivElement> & {
24   from: UIMessage["role"];
25 };
26
27 export const Message = ({ className, from, ...props }: MessageProps) => (
28   <div
29     className={cn(
30       "group flex w-full max-w-[95%] flex-col gap-2",
31       from === "user" ? "is-user ml-auto justify-end" : "is-assistant",
32       className
33     )}
34     {...props}
35   />
36 );
37
38 export type MessageContentProps = HTMLAttributes<HTMLDivElement>;
39
40 export const MessageContent = ({
41   children,
42   className,
43   ...props
44 }: MessageContentProps) => (
45   <div
46     className={cn(
47       "is-user:dark flex w-fit min-w-0 max-w-full flex-col gap-2 overflow-hidden text-sm",
48       "group-[.is-user]:ml-auto group-[.is-user]:rounded-lg group-[.is-user]:bg-secondary group-[.is-user]:px-4 group-[.is-user]:py-3 group-[.is-user]:text-foreground",
49       "group-[.is-assistant]:text-foreground",
50       className
51     )}
52     {...props}
53   >
54     {children}
55   </div>
56 );

```

```

57
58 export type MessageActionsProps = ComponentProps<"div">;
59
60 export const MessageActions = ({
61   className,
62   children,
63   ...props
64 }: MessageActionsProps) => (
65   <div className={cn("flex items-center gap-1", className)} {...props}>
66     {children}
67   </div>
68 );
69
70 export type MessageActionProps = ComponentProps<typeof Button> & {
71   tooltip?: string;
72   label?: string;
73 };
74
75 export const MessageAction = ({
76   tooltip,
77   children,
78   label,
79   variant = "ghost",
80   size = "icon-sm",
81   ...props
82 }: MessageActionProps) => {
83   const button = (
84     <Button size={size} type="button" variant={variant} {...props}>
85       {children}
86       <span className="sr-only">{label || tooltip}</span>
87     </Button>
88   );
89
90   if (tooltip) {
91     return (
92       <TooltipProvider>
93         <Tooltip>
94           <TooltipTrigger asChild>{button}</TooltipTrigger>
95           <TooltipContent>
96             <p>{tooltip}</p>
97           </TooltipContent>
98         </Tooltip>
99       </TooltipProvider>
100     );
101   }
102
103   return button;
104 };
105
106 type MessageBranchContextType = {
107   currentBranch: number;
108   totalBranches: number;
109   goToPrevious: () => void;
110   goToNext: () => void;
111   branches: ReactElement[];
112   setBranches: (branches: ReactElement[]) => void;
113 };
114
115 const MessageBranchContext = createContext<MessageBranchContextType | null>(
116   null
117 );
118
119 const useMessageBranch = () => {
120   const context = useContext(MessageBranchContext);
121
122   if (!context) {
123     throw new Error(
124       "MessageBranch components must be used within MessageBranch"
125     );

```

```

126   }
127
128   return context;
129 };
130
131 export type MessageBranchProps = HTMLAttributes<HTMLDivElement> & {
132   defaultBranch?: number;
133   onBranchChange?: (branchIndex: number) => void;
134 };
135
136 export const MessageBranch = ({
137   defaultBranch = 0,
138   onBranchChange,
139   className,
140   ...props
141 }: MessageBranchProps) => {
142   const [currentBranch, setCurrentBranch] = useState(defaultBranch);
143   const [branches, setBranches] = useState<ReactElement[]>([]);
144
145   const handleBranchChange = (newBranch: number) => {
146     setCurrentBranch(newBranch);
147     onBranchChange?.(newBranch);
148   };
149
150   const goToPrevious = () => {
151     const newBranch =
152       currentBranch > 0 ? currentBranch - 1 : branches.length - 1;
153     handleBranchChange(newBranch);
154   };
155
156   const goToNext = () => {
157     const newBranch =
158       currentBranch < branches.length - 1 ? currentBranch + 1 : 0;
159     handleBranchChange(newBranch);
160   };
161
162   const contextValue: MessageBranchContextType = {
163     currentBranch,
164     totalBranches: branches.length,
165     goToPrevious,
166     goToNext,
167     branches,
168     setBranches,
169   };
170
171   return (
172     <MessageBranchContext.Provider value={contextValue}>
173       <div
174         className={cn("grid w-full gap-2 [>div]:pb-0", className)}
175         {...props}
176       />
177     </MessageBranchContext.Provider>
178   );
179 };
180
181 export type MessageBranchContentProps = HTMLAttributes<HTMLDivElement>;
182
183 export const MessageBranchContent = ({
184   children,
185   ...props
186 }: MessageBranchContentProps) => {
187   const { currentBranch, setBranches, branches } = useMessageBranch();
188   const childrenArray = Array.isArray(children) ? children : [children];
189
190   // Use useEffect to update branches when they change
191   useEffect(() => {
192     if (branches.length !== childrenArray.length) {
193       setBranches(childrenArray);
194     }

```

```

195   }, [childrenArray, branches, setBranches]);
196
197   return childrenArray.map((branch, index) => (
198     <div
199       className={cn(
200         "grid gap-2 overflow-hidden [&div]:pb-0",
201         index === currentBranch ? "block" : "hidden"
202       )}
203       key={branch.key}
204       {...props}
205     >
206       {branch}
207     </div>
208   ));
209 };
210
211 export type MessageBranchSelectorProps = HTMLAttributes<HTMLDivElement> & {
212   from: UIMessage["role"];
213 };
214
215 export const MessageBranchSelector = ({
216   className,
217   from,
218   ...props
219 }: MessageBranchSelectorProps) => {
220   const { totalBranches } = useMessageBranch();
221
222   // Don't render if there's only one branch
223   if (totalBranches <= 1) {
224     return null;
225   }
226
227   return (
228     <ButtonGroup
229       className={`&*:not(:first-child):rounded-l-md [&*:not(:last-child):rounded-r-md`}
230       orientation="horizontal"
231       {...props}
232     />
233   );
234 };
235
236 export type MessageBranchPreviousProps = ComponentProps<typeof Button>;
237
238 export const MessageBranchPrevious = ({
239   children,
240   ...props
241 }: MessageBranchPreviousProps) => {
242   const { goToPrevious, totalBranches } = useMessageBranch();
243
244   return (
245     <Button
246       aria-label="Previous branch"
247       disabled={totalBranches <= 1}
248       onClick={goToPrevious}
249       size="icon-sm"
250       type="button"
251       variant="ghost"
252       {...props}
253     >
254       {children ?? <ChevronLeftIcon size={14} />}
255     </Button>
256   );
257 };
258
259 export type MessageBranchNextProps = ComponentProps<typeof Button>;
260
261 export const MessageBranchNext = ({
262   children,
263   className,

```

```

264   ...props
265 }: MessageBranchNextProps) => {
266   const { goToNext, totalBranches } = useMessageBranch();
267
268   return (
269     <Button
270       aria-label="Next branch"
271       disabled={totalBranches <= 1}
272       onClick={goToNext}
273       size="icon-sm"
274       type="button"
275       variant="ghost"
276       {...props}
277     >
278       {children ?? <ChevronRightIcon size={14} />}
279     </Button>
280   );
281 };
282
283 export type MessageBranchPageProps = HTMLAttributes<HTMLSpanElement>;
284
285 export const MessageBranchPage = ({
286   className,
287   ...props
288 }: MessageBranchPageProps) => {
289   const { currentBranch, totalBranches } = useMessageBranch();
290
291   return (
292     <ButtonGroupText
293       className={cn(
294         "border-none bg-transparent text-muted-foreground shadow-none",
295         className
296       )}
297     >
298       {currentBranch + 1} of {totalBranches}
299     </ButtonGroupText>
300   );
301 };
302
303 export type MessageResponseProps = ComponentProps<typeof Streamdown>;
304
305 export const MessageResponse = memo(
306   ({ className, ...props }: MessageResponseProps) => (
307     <Streamdown
308       className={cn(
309         "size-full [&*:first-child]:mt-0 [&*:last-child]:mb-0",
310         className
311       )}
312     >
313       {...props}
314     </>
315   ),
316   (prevProps, nextProps) => prevProps.children === nextProps.children
317 );
318
319 MessageResponse.displayName = "MessageResponse";
320
321 export type MessageAttachmentProps = HTMLAttributes<HTMLDivElement> & {
322   data: FileUIPart;
323   className?: string;
324   onRemove?: () => void;
325 };
326
327 export function MessageAttachment({
328   data,
329   className,
330   onRemove,
331   ...props
332 }: MessageAttachmentProps) {

```



```

333 const filename = data.filename || "";
334 const mediaType =
335   data.mediaType?.startsWith("image/") && data.url ? "image" : "file";
336 const isImage = mediaType === "image";
337 const attachmentLabel = filename || (isImage ? "Image" : "Attachment");
338
339 return (
340   <div
341     className={cn(
342       "group relative size-24 overflow-hidden rounded-lg",
343       className
344     )}
345     {...props}
346   >
347     {isImage ? (
348       <>
349         {/* biome-ignore lint/performance/noImgElement: dynamic user-uploaded images */}
350         <img
351           alt={filename || "attachment"}
352           className="size-full object-cover"
353           height={100}
354           src={data.url}
355           width={100}
356         />
357         {onRemove && (
358           <Button
359             aria-label="Remove attachment"
360             className="absolute top-2 right-2 size-6 rounded-full bg-background/80 p-0 opacity-0 backdrop-blur-sm transition-opacity hover:bg-background group-hover:opacity-100 [&svg]:size-3"
361             onClick={e => {
362               e.stopPropagation();
363               onRemove();
364             }}
365             type="button"
366             variant="ghost"
367           >
368             <XIcon />
369             <span className="sr-only">Remove</span>
370           </Button>
371         )}
372       </>
373     ) : (
374       <>
375         <Tooltip>
376           <TooltipTrigger asChild>
377             <div className="flex size-full shrink-0 items-center justify-center rounded-lg bg-muted text-muted-foreground">
378               <PaperclipIcon className="size-4" />
379             </div>
380           </TooltipTrigger>
381           <TooltipContent>
382             <p>{attachmentLabel}</p>
383           </TooltipContent>
384         </Tooltip>
385         {onRemove && (
386           <Button
387             aria-label="Remove attachment"
388             className="size-6 shrink-0 rounded-full p-0 opacity-0 transition-opacity hover:bg-accent group-hover:opacity-100 [&svg]:size-3"
389             onClick={e => {
390               e.stopPropagation();
391               onRemove();
392             }}
393             type="button"
394             variant="ghost"
395           >
396             <XIcon />
397             <span className="sr-only">Remove</span>
398           </Button>
399         )}
400       </>
401     )}

```

```

402     </div>
403   };
404 }
405
406 export type MessageAttachmentsProps = ComponentProps<"div">;
407
408 export function MessageAttachments({
409   children,
410   className,
411   ...props
412 }: MessageAttachmentsProps) {
413   if (!children) {
414     return null;
415   }
416
417   return (
418     <div
419       className={cn(
420         "ml-auto flex w-fit flex-wrap items-start gap-2",
421         className
422       )}
423     > {children}
424   </div>
425 );
426 }
427
428 export type MessageToolbarProps = ComponentProps<"div">;
429
430 export const MessageToolbar = ({
431   className,
432   children,
433   ...props
434 }: MessageToolbarProps) => (
435   <div
436     className={cn(
437       "mt-4 flex w-full items-center justify-between gap-4",
438       className
439     )}
440   > {children}
441 </div>
442 );

```

170. components/ai-elements/model-selector.tsx

```

1  import Image from "next/image";
2  import type { ComponentProps, ReactNode } from "react";
3  import {
4    Command,
5    CommandDialog,
6    CommandEmpty,
7    CommandGroup,
8    CommandInput,
9    CommandItem,
10   CommandList,
11   CommandSeparator,
12   CommandShortcut,
13 } from "@components/ui/command";
14 import {
15   Dialog,
16   DialogContent,
17   DialogTitle,
18   DialogTrigger,
19 } from "@components/ui/dialog";

```

```

20 import { cn } from "@lib/utils";
21
22 export type ModelSelectorProps = ComponentProps<typeof Dialog>;
23
24 export const ModelSelector = (props: ModelSelectorProps) => (
25   <Dialog {...props} />
26 );
27
28 export type ModelSelectorTriggerProps = ComponentProps<typeof DialogTrigger>;
29
30 export const ModelSelectorTrigger = (props: ModelSelectorTriggerProps) => (
31   <DialogTrigger {...props} />
32 );
33
34 export type ModelSelectorContentProps = ComponentProps<typeof DialogContent> & {
35   title?: ReactNode;
36 };
37
38 export const ModelSelectorContent = ({
39   className,
40   children,
41   title = "Model Selector",
42   ...props
43 }: ModelSelectorContentProps) => (
44   <DialogContent className={cn("p-0", className)} {...props}>
45     <DialogTitle className="sr-only">{title}</DialogTitle>
46     <Command className="**data-[slot=command-input-wrapper]:h-auto">
47       {children}
48     </Command>
49   </DialogContent>
50 );
51
52 export type ModelSelectorDialogProps = ComponentProps<typeof CommandDialog>;
53
54 export const ModelSelectorDialog = (props: ModelSelectorDialogProps) => (
55   <CommandDialog {...props} />
56 );
57
58 export type ModelSelectorInputProps = ComponentProps<typeof CommandInput>;
59
60 export const ModelSelectorInput = ({
61   className,
62   ...props
63 }: ModelSelectorInputProps) => (
64   <CommandInput className={cn("h-auto py-3.5", className)} {...props} />
65 );
66
67 export type ModelSelectorListProps = ComponentProps<typeof CommandList>;
68
69 export const ModelSelectorList = (props: ModelSelectorListProps) => (
70   <CommandList {...props} />
71 );
72
73 export type ModelSelectorEmptyProps = ComponentProps<typeof CommandEmpty>;
74
75 export const ModelSelectorEmpty = (props: ModelSelectorEmptyProps) => (
76   <CommandEmpty {...props} />
77 );
78
79 export type ModelSelectorGroupProps = ComponentProps<typeof CommandGroup>;
80
81 export const ModelSelectorGroup = (props: ModelSelectorGroupProps) => (
82   <CommandGroup {...props} />
83 );
84
85 export type ModelSelectorItemProps = ComponentProps<typeof CommandItem>;
86
87 export const ModelSelectorItem = (props: ModelSelectorItemProps) => (
88   <CommandItem {...props} />

```

```

89 );
90
91 export type ModelSelectorShortcutProps = ComponentProps<typeof CommandShortcut>;
92
93 export const ModelSelectorShortcut = (props: ModelSelectorShortcutProps) => (
94   <CommandShortcut {...props} />
95 );
96
97 export type ModelSelectorSeparatorProps = ComponentProps<
98   typeof CommandSeparator
99 >;
100
101 export const ModelSelectorSeparator = (props: ModelSelectorSeparatorProps) => (
102   <CommandSeparator {...props} />
103 );
104
105 export type ModelSelectorLogoProps = {
106   className?: string;
107   provider:
108     | "moonshotai-cn"
109     | "lucidquery"
110     | "moonshotai"
111     | "zai-coding-plan"
112     | "alibaba"
113     | "xai"
114     | "vultr"
115     | "nvidia"
116     | "upstage"
117     | "groq"
118     | "github-copilot"
119     | "mistral"
120     | "nebius"
121     | "deepseek"
122     | "alibaba-cn"
123     | "google-vertex-anthropic"
124     | "venice"
125     | "chutes"
126     | "cortecs"
127     | "github-models"
128     | "togetherai"
129     | "azure"
130     | "baseten"
131     | "huggingface"
132     | "opencode"
133     | "fastrouter"
134     | "google"
135     | "google-vertex"
136     | "cloudflare-workers-ai"
137     | "inception"
138     | "wandb"
139     | "openai"
140     | "zhipuai-coding-plan"
141     | "perplexity"
142     | "openrouter"
143     | "zenmux"
144     | "v0"
145     | "iflowcn"
146     | "synthetic"
147     | "deepinfra"
148     | "zhipuai"
149     | "submodel"
150     | "zai"
151     | "inference"
152     | "requesty"
153     | "morph"
154     | "lmstudio"
155     | "anthropic"
156     | "aihubmix"
157     | "fireworks-ai"

```

```

158 | "modelscope"
159 | "llama"
160 | "scaleway"
161 | "amazon-bedrock"
162 | "cerebras"
163 | (string & {}));
164 };
165
166 export const ModelSelectorLogo = ({
167   provider,
168   className,
169 }: ModelSelectorLogoProps) => (
170   <Image
171     alt={`${provider} logo`}
172     className={cn("size-3 dark:invert", className)}
173     height={12}
174     src={`https://models.dev/logos/${provider}.svg`}
175     unoptimized
176     width={12}
177   />
178 );
179
180 export type ModelSelectorLogoGroupProps = ComponentProps<"div">;
181
182 export const ModelSelectorLogoGroup = ({
183   className,
184   ...props
185 }: ModelSelectorLogoGroupProps) => (
186   <div
187     className={cn(
188       "space-x-1 flex shrink-0 items-center [>img]:rounded-full [>img]:bg-background [>img]:p-px [>img]:ring-1 dark:[>img]:bg-foreground",
189       className
190     )}
191     {...props}
192   />
193 );
194
195 export type ModelSelectorNameProps = ComponentProps<"span">;
196
197 export const ModelSelectorName = ({
198   className,
199   ...props
200 }: ModelSelectorNameProps) => (
201   <span className={cn("flex-1 truncate text-left", className)} {...props} />
202 );

```

171. components/ai-elements/node.tsx

```

1 import { Handle, Position } from "@xyflow/react";
2 import type { ComponentProps } from "react";
3 import {
4   Card,
5   CardAction,
6   CardContent,
7   CardDescription,
8   CardFooter,
9   CardHeader,
10  CardTitle,
11 } from "@components/ui/card";
12 import { cn } from "@lib/utils";
13
14 export type NodeProps = ComponentProps<typeof Card> & {
15   handles: {
16     target: boolean;
17     source: boolean;
18   };
19 };

```

```

20
21 export const Node = ({ handles, className, ...props }: NodeProps) => (
22   <Card
23     className={cn(
24       "node-container relative size-full h-auto w-sm gap-0 rounded-md p-0",
25       className
26     )}
27     {...props}
28   >
29     {handles.target && <Handle position={Position.Left} type="target" />}
30     {handles.source && <Handle position={Position.Right} type="source" />}
31     {props.children}
32   </Card>
33 );
34
35 export type NodeHeaderProps = ComponentProps<typeof CardHeader>;
36
37 export const NodeHeader = ({ className, ...props }: NodeHeaderProps) => (
38   <CardHeader
39     className={cn("gap-0.5 rounded-t-md border-b bg-secondary p-3!", className)}
40     {...props}
41   />
42 );
43
44 export type NodeTitleProps = ComponentProps<typeof CardTitle>;
45
46 export const NodeTitle = (props: NodeTitleProps) => <CardTitle {...props} />;
47
48 export type NodeDescriptionProps = ComponentProps<typeof CardDescription>;
49
50 export const NodeDescription = (props: NodeDescriptionProps) => (
51   <CardDescription {...props} />
52 );
53
54 export type NodeActionProps = ComponentProps<typeof CardAction>;
55
56 export const NodeAction = (props: NodeActionProps) => <CardAction {...props} />;
57
58 export type NodeContentProps = ComponentProps<typeof CardContent>;
59
60 export const NodeContent = ({ className, ...props }: NodeContentProps) => (
61   <CardContent className={cn("p-3", className)} {...props} />
62 );
63
64 export type NodeFooterProps = ComponentProps<typeof CardFooter>;
65
66 export const NodeFooter = ({ className, ...props }: NodeFooterProps) => (
67   <CardFooter
68     className={cn("rounded-b-md border-t bg-secondary p-3!", className)}
69     {...props}
70   />
71 );

```

172. components/ai-elements/open-in-chat.tsx

```

1  "use client";
2
3  import {
4    ChevronDownIcon,
5    ExternalLinkIcon,
6    MessageCircleIcon,
7  } from "lucide-react";
8  import { type ComponentProps, createContext, useContext } from "react";
9  import { Button } from "@/components/ui/button";
10 import {
11   DropdownMenu,
12   DropdownMenuContent,

```

```

13   DropdownMenuItem,
14   DropdownMenuLabel,
15   DropdownMenuSeparator,
16   DropdownMenuTrigger,
17 } from "@components/ui/dropdown-menu";
18 import { cn } from "@lib/utils";
19
20 const providers = {
21   github: {
22     title: "Open in GitHub",
23     createUrl: (url: string) => url,
24     icon: (
25       <svg fill="currentColor" role="img" viewBox="0 0 24 24">
26         <title>GitHub</title>
27         <path d="M12 .297c-6.63 0-12 5.373-12 12 0 5.303 3.438 9.8 8.205 11.385.6.113.82-.258.82-.577 0-.285-.01-1.04-.015-2.04-3.338.724-4.042-1.61-4.042-1.61C4.422 18.07 3.633 17.7 3.633 17.7c-1.087-.
084 1.838 1.236 1.838 1.236 1.07 1.835 2.809 1.305 3.495.998.108-.776.417-1.305.76-1.605-2.665-.3-5.466-1.332-5.466-5.93 0-1.31.465-2.38 1.235-3.22-.135-.303-.54-1.523.105-3.176 0 0 1.005-.322 3.3 1.23.96-.267
04.138 3 .405 2.28-1.552 3.285-1.23 3.285-1.23.645 1.653.24 2.873.12 3.176.765.84 1.23 1.91 1.23 3.22 0 4.61-2.805 5.625-5.475 5.92.42.36.81 1.096.81 2.22 0 1.606-.015 2.896-.015 3.286 0 .315.21.69.825.57C20.5
297c0-6.627-5.373-12-12-12" />
28       </svg>
29     ),
30   },
31   scira: {
32     title: "Open in Scira",
33     createUrl: (q: string) =>
34       `https://scira.ai/?${new URLSearchParams({
35         q,
36       })}`,
37     icon: (
38       <svg
39         fill="none"
40         height="934"
41         viewBox="0 0 910 934"
42         width="910"
43         xmlns="http://www.w3.org/2000/svg"
44       >
45         <title>Scira AI</title>
46         <path
47           d="M647.664 197.775C569.13 189.049 525.5 145.419 516.774 66.8849C508.048 145.419 464.418 189.049 385.884 197.775C464.418 206.501 508.048 250.131 516.774 328.665C525.5 250.131 569.13 206.501 64
48           fill="currentColor"
49           stroke="currentColor"
50           strokeLinejoin="round"
51           strokeWidth="8"
52         />
53         <path
54           d="M516.774 304.217C510.299 275.491 498.208 252.087 480.335 234.214C462.462 216.341 439.058 204.251 410.333 197.775C439.059 191.3 462.462 179.209 480.335 161.336C498.208 143.463 510.299 120.06
535.34 143.463 553.213 161.336C571.086 179.209 594.49 191.3 623.216 197.775C594.49 204.251 571.086 216.341 553.213 234.214C535.34 252.087 523.25 275.491 516.774 304.217Z"
55           fill="currentColor"
56           stroke="currentColor"
57           strokeLinejoin="round"
58           strokeWidth="8"
59         />
60         <path
61           d="M857.5 508.116C763.259 497.644 710.903 445.288 700.432 351.047C689.961 445.288 637.605 497.644 543.364 508.116C637.605 518.587 689.961 570.943 700.432 665.184C710.903 570.943 763.259 518.58
62           stroke="currentColor"
63           strokeLinejoin="round"
64           strokeWidth="20"
65         />
66         <path
67           d="M700.432 615.957C691.848 589.05 678.575 566.357 660.383 548.165C642.191 529.973 619.499 516.7 592.593 508.116C619.499 499.533 642.191 486.258 660.383 468.066C678.575 449.874 691.848 427.181
181 722.289 449.874 740.481 468.066C758.673 486.258 781.365 499.533 808.271 508.116C781.365 516.7 758.673 529.973 740.481 548.165C722.289 566.357 709.015 589.05 700.432 615.957Z"
68           stroke="currentColor"
69           strokeLinejoin="round"
70           strokeWidth="20"
71         />
72         <path
73           d="M889.949 121.237C831.049 114.692 798.326 81.9698 791.782 23.0692C785.237 81.9698 752.515 114.692 693.614 121.237C752.515 127.781 785.237 160.504 791.782 219.404C798.326 160.504 831.049 127.
74           fill="currentColor"
75           stroke="currentColor"
76           strokeLinejoin="round"

```

```
77         strokeWidth="8"
78     />
79     <path
80         d="M791.782 196.795C786.697 176.937 777.869 160.567 765.16 147.858C752.452 135.15 736.082 126.322 716.226 121.237C736.082 116.152 752.452 107.324 765.16 94.6152C777.869 81.9065 786.697 65.5368
5367 805.695 81.9066 818.403 94.6152C831.112 107.324 847.481 116.152 867.338 121.237C847.481 126.322 831.112 135.15 818.403 147.858C805.694 160.567 796.867 176.937 791.782 196.795Z"
81         fill="currentColor"
82         stroke="currentColor"
83         strokeLinejoin="round"
84         strokeWidth="8"
85     />
86     <path
87         d="M760.632 764.337C720.719 814.616 669.835 855.1 611.872 882.692C553.91 910.285 490.404 924.255 426.213 923.533C362.022 922.812 298.846 907.419 241.518 878.531C184.19 849.643 134.228 808.026
30.1238 646.346 17.8129 583.343C5.50207 520.339 7.76433 455.354 24.4266 393.359C41.089 331.364 71.7099 274.001 113.947 225.658C156.184 177.315 208.919 139.273 268.117 114.442"
88         stroke="currentColor"
89         strokeLinecap="round"
90         strokeLinejoin="round"
91         strokeWidth="30"
92     />
93     </svg>
94 },
95 },
96 chatgpt: {
97     title: "Open in ChatGPT",
98     createUrl: (prompt: string) =>
99         `https://chatgpt.com/?${new URLSearchParams({
100             hints: "search",
101             prompt,
102         })}`,
103     icon: (
104         <svg
105             fill="currentColor"
106             role="img"
107             viewBox="0 0 24 24"
108             xmlns="http://www.w3.org/2000/svg"
109         >
110             <title>OpenAI</title>
111             <path d="M22.2819 9.8211a5.9847 5.9847 0 0 0-.5157-4.9108 6.0462 6.0462 0 0 0-6.5098-2.9A6.0651 6.0651 0 0 0 4.9807 4.1818a5.9847 5.9847 0 0 0-3.9977 2.9 6.0462 6.0462 0 0 0 .7427 7.0966 5.98 5.
051 0 0 0 6.5146 2.9001A5.9847 5.9847 0 0 0 13.2599 24a6.0557 6.0557 0 0 0 5.7718-4.2058 5.9894 5.9894 0 0 0 3.9977-2.9001 6.0557 6.0557 0 0 0-.7475-7.0729zm-9.022 12.6081a4.4755 4.4755 0 0 1-2.8764-1.04081.14
7948 0 0 0 .3927-.6813v-6.736912.02 1.1686a.071.071 0 0 1 .038.052v5.5826a4.504 4.504 0 0 1-4.4945 4.4944zm-9.6607-4.1254a4.4708 4.4708 0 0 1-.5346-3.01371.142.0852 4.783 2.7582a.7712.7712 0 0 0 .7806 015.8428
1-.0332.0615L9.74 19.9502a4.4992 4.4992 0 0 1-6.1408-1.6464zM2.3408 7.8956a4.485 4.485 0 0 1 2.3655-1.9728V11.6a.7664.7664 0 0 0 .3879.676515.8144 3.3543-2.0201 1.1685a.0757.0757 0 0 1-.071 01-4.8303-2.7865A4.
872zml6.5963 3.8558L13.1038 8.364 15.1192 7.2a.0757.0757 0 0 1 .071 014.8303 2.7913a4.4944 4.4944 0 0 1-.6765 8.1042v-5.6772a.79.79 0 0 0-.407-.667zm2.0107-3.02311-.142-.0852-4.7735-2.7818a.7759.7759 0 0 0-.78
0662 0 0 1 .0284-.061514.8303-2.7866a4.4992 4.4992 0 0 1 6.6802 4.66zM8.3065 12.8631-2.02-1.1638a.0804.0804 0 0 1-.038-.0567V6.0742a4.4992 4.4992 0 0 1 7.3757-3.45371-.142.0805L8.704 5.459a.7948.7948 0 0 0-.39
4998 2.6069 1.4998v2.99941-2.5974 1.4997-2.6067-1.4997Z" />
112         </svg>
113     ),
114 },
115 claude: {
116     title: "Open in Claude",
117     createUrl: (q: string) =>
118         `https://claude.ai/new?${new URLSearchParams({
119             q,
120         })}`,
121     icon: (
122         <svg
123             fill="currentColor"
124             role="img"
125             viewBox="0 0 12 12"
126             xmlns="http://www.w3.org/2000/svg"
127         >
128             <title>Claude</title>
129             <path
130                 clipRule="evenodd"
131                 d="M2.3545 7.9775L4.7145 6.654L4.7545 6.539L4.7145 6.475H4.6L4.205 6.451L2.856 6.4145L1.6865 6.366L0.5535 6.305L0.268 6.2445L0 5.892L0.0275 5.716L0.2675 5.5555L0.6105 5.5855L1.3705 5.637L2.509
892H4.7545L4.782 5.8135L4.715 5.7645L4.6635 5.716L3.4845 4.918L2.2085 4.074L1.5405 3.588L1.1785 3.3425L0.9965 3.1115L0.9175 2.6075L1.2455 2.2465L1.686 2.2765L1.7985 2.307L2.245 2.65L3.199 3.388L4.4445 4.3045L4
4.3685L4.627 4.2315L3.9495 3.0085L3.2265 1.7635L2.9045 1.2475L2.8195 0.938C2.78711 0.819128 2.76965 0.696687 2.7675 0.5735L3.1415 0.067L3.348 0L3.846 0.067L4.056 0.249L4.366 0.956L4.867 2.0705L5.6445 3.5855L5.
0395 4.578H6.1185V4.505L6.1825 3.652L6.301 2.6045L6.416 1.257L6.456 0.877L6.644 0.422L7.0175 0.176L7.3095 0.316L7.5495 0.6585L7.516 0.8805L7.373 1.806L7.0935 3.2575L6.9115 4.2285H7.0175L7.139 4.1075L7.6315 3.4
0125L9.2475 1.5605L9.521 1.345H10.0375L10.4175 1.9095L10.2475 2.4925L9.7155 3.166L9.275 3.737L8.643 4.587L8.248 5.267L8.2845 5.322L8.3785 5.312L9.8065 5.009L10.578 4.869L11.4985 4.7115L11.915 4.9055L11.9605 5.
7495L9.6575 5.9805L7.938 6.387L7.917 6.402L7.9415 6.4325L8.716 6.5055L9.047 6.5235H9.858L11.368 6.636L11.763 6.897L12 7.216L11.9605 7.4585L11.353 7.7685L10.533 7.574L8.6185 7.119L7.9625 6.9545H7.8715V7.0095L8.
6755 9.6135L10.739 9.9025L10.578 10.13L10.408 10.1055L9.3055 9.277L8.88 8.9035L7.917 8.0935H7.853V8.1785L8.075 8.503L9.2475 10.2635L9.3085 10.8035L9.2235 10.98L8.9195 11.0865L8.5855 11.0255L7.8985 10.063L7.191
```



```

048L6.2125 11.675L6.0545 11.86L5.69 12L5.3865 11.7695L5.2255 11.396L5.3865 10.658L5.581 9.696L5.7385 8.931L5.8815 7.981L5.9665 7.665L5.9605 7.644L5.8905 7.653L5.1735 8.6365L4.0835 10.109L3.2205 11.0315L3.0135
10.5975L2.889 10.303L4.083 8.785L4.803 7.844L5.268 7.301L5.265 7.222H5.2375L2.066 9.28L1.501 9.353L1.2575 9.125L1.288 8.752L1.4035 8.6305L2.3575 7.9745L2.3545 7.9775Z"
132     fillRule="evenodd"
133     />
134   </svg>
135   },
136 },
137 t3: {
138   title: "Open in T3 Chat",
139   createUrl: (q: string) =>
140     `https://t3.chat/new?${new URLSearchParams({
141       q,
142     })}`,
143   icon: <MessageCircleIcon />,
144 },
145 v0: {
146   title: "Open in v0",
147   createUrl: (q: string) =>
148     `https://v0.app?${new URLSearchParams({
149       q,
150     })}`,
151   icon: (
152     <svg
153       fill="currentColor"
154       viewBox="0 0 147 70"
155       xmlns="http://www.w3.org/2000/svg"
156     >
157       <title>v0</title>
158       <path d="M56 50.2031V14H70V60.1562C70 65.5928 65.5928 70 60.1562 70C57.5605 70 54.9982 68.9992 53.1562 67.1573L0 14H19.7969L56 50.2031Z" />
159       <path d="M147 56H133V23.9531L100.953 56H133V70H96.6875C85.8144 70 77 61.1856 77 50.3125V14H91V46.1562L123.156 14H91V0H127.312C138.186 0 147 8.81439 147 19.6875V56Z" />
160     </svg>
161   ),
162 },
163 cursor: {
164   title: "Open in Cursor",
165   createUrl: (text: string) => {
166     const url = new URL("https://cursor.com/link/prompt");
167     url.searchParams.set("text", text);
168     return url.toString();
169   },
170   icon: (
171     <svg
172       version="1.1"
173       viewBox="0 0 466.73 532.09"
174       xmlns="http://www.w3.org/2000/svg"
175     >
176       <title>Cursor</title>
177       <path
178         d="M457.43,125.94L244.42,2.96c-6.84-3.95-15.28-3.95-22.12,0L9.3,125.94c-5.75,3.32-9.3,9.46-9.3,16.11v247.99c0,6.65,3.55,12.79,9.3,16.11l213.01,122.98c6.84,3.95,15.28,3.95,22.12,0l213.01-122.98
247.99c0-6.65-3.55-12.79-9.3-16.11h-.01ZM444.05,151.99l-205.63,356.16c-1.39,2.4-5.06,1.42-5.06-1.36v-233.21c0-4.66-2.49-8.97-6.53-11.31L24.87,145.67c-2.4-1.39-1.42-5.06,1.36-5.06h411.26c5.84,0,9.49,6.33,6.57,1
179       fill="currentColor"
180     >
181     </svg>
182   ),
183 },
184 };
185
186 const OpenInContext = createContext<{ query: string } | undefined>(undefined);
187
188 const useOpenInContext = () => {
189   const context = useContext(OpenInContext);
190   if (!context) {
191     throw new Error("OpenIn components must be used within an OpenIn provider");
192   }
193   return context;
194 };
195
196 export type OpenInProps = ComponentProps<typeof DropdownMenu> & {
197   query: string;

```

```

198 };
199
200 export const OpenIn = ({ query, ...props }: OpenInProps) => (
201   <OpenInContext.Provider value={{ query }}>
202     <DropdownMenu {...props} />
203   </OpenInContext.Provider>
204 );
205
206 export type OpenInContentProps = ComponentProps<typeof DropdownMenuContent>;
207
208 export const OpenInContent = ({ className, ...props }: OpenInContentProps) => (
209   <DropdownMenuContent
210     align="start"
211     className={cn("w-[240px]", className)}
212     {...props}
213   />
214 );
215
216 export type OpenInItemProps = ComponentProps<typeof DropdownMenuItem>;
217
218 export const OpenInItem = (props: OpenInItemProps) => (
219   <DropdownMenuItem {...props} />
220 );
221
222 export type OpenInLabelProps = ComponentProps<typeof DropdownMenuLabel>;
223
224 export const OpenInLabel = (props: OpenInLabelProps) => (
225   <DropdownMenuLabel {...props} />
226 );
227
228 export type OpenInSeparatorProps = ComponentProps<typeof DropdownMenuSeparator>;
229
230 export const OpenInSeparator = (props: OpenInSeparatorProps) => (
231   <DropdownMenuSeparator {...props} />
232 );
233
234 export type OpenInTriggerProps = ComponentProps<typeof DropdownMenuTrigger>;
235
236 export const OpenInTrigger = ({ children, ...props }: OpenInTriggerProps) => (
237   <DropdownMenuTrigger {...props} asChild>
238     {children ?? (
239       <Button type="button" variant="outline">
240         Open in chat
241         <ChevronDownIcon className="size-4" />
242       </Button>
243     )}
244   </DropdownMenuTrigger>
245 );
246
247 export type OpenInChatGPTProps = ComponentProps<typeof DropdownMenuItem>;
248
249 export const OpenInChatGPT = (props: OpenInChatGPTProps) => {
250   const { query } = useOpenInContext();
251   return (
252     <DropdownMenuItem asChild {...props}>
253       <a
254         className="flex items-center gap-2"
255         href={providers.chatgpt.createUrl(query)}
256         rel="noopener"
257         target="_blank"
258       >
259         <span className="shrink-0">{providers.chatgpt.icon}</span>
260         <span className="flex-1">{providers.chatgpt.title}</span>
261         <ExternalLinkIcon className="size-4 shrink-0" />
262       </a>
263     </DropdownMenuItem>
264   );
265 };
266

```

```

267 export type OpenInClaudeProps = ComponentProps<typeof DropdownMenuItem>;
268
269 export const OpenInClaude = (props: OpenInClaudeProps) => {
270   const { query } = useOpenInContext();
271   return (
272     <DropdownMenuItem asChild {...props}>
273       <a
274         className="flex items-center gap-2"
275         href={providers.claude.createUrl(query)}
276         rel="noopener"
277         target="_blank"
278       >
279         <span className="shrink-0">{providers.claude.icon}</span>
280         <span className="flex-1">{providers.claude.title}</span>
281         <ExternalLinkIcon className="size-4 shrink-0" />
282       </a>
283     </DropdownMenuItem>
284   );
285 };
286
287 export type OpenInT3Props = ComponentProps<typeof DropdownMenuItem>;
288
289 export const OpenInT3 = (props: OpenInT3Props) => {
290   const { query } = useOpenInContext();
291   return (
292     <DropdownMenuItem asChild {...props}>
293       <a
294         className="flex items-center gap-2"
295         href={providers.t3.createUrl(query)}
296         rel="noopener"
297         target="_blank"
298       >
299         <span className="shrink-0">{providers.t3.icon}</span>
300         <span className="flex-1">{providers.t3.title}</span>
301         <ExternalLinkIcon className="size-4 shrink-0" />
302       </a>
303     </DropdownMenuItem>
304   );
305 };
306
307 export type OpenInSciraProps = ComponentProps<typeof DropdownMenuItem>;
308
309 export const OpenInScira = (props: OpenInSciraProps) => {
310   const { query } = useOpenInContext();
311   return (
312     <DropdownMenuItem asChild {...props}>
313       <a
314         className="flex items-center gap-2"
315         href={providers.scira.createUrl(query)}
316         rel="noopener"
317         target="_blank"
318       >
319         <span className="shrink-0">{providers.scira.icon}</span>
320         <span className="flex-1">{providers.scira.title}</span>
321         <ExternalLinkIcon className="size-4 shrink-0" />
322       </a>
323     </DropdownMenuItem>
324   );
325 };
326
327 export type OpenInv0Props = ComponentProps<typeof DropdownMenuItem>;
328
329 export const OpenInv0 = (props: OpenInv0Props) => {
330   const { query } = useOpenInContext();
331   return (
332     <DropdownMenuItem asChild {...props}>
333       <a
334         className="flex items-center gap-2"
335         href={providers.v0.createUrl(query)}

```

```

336         rel="noopener"
337         target="_blank"
338     >
339     <span className="shrink-0">{providers.v0.icon}</span>
340     <span className="flex-1">{providers.v0.title}</span>
341     <ExternalLinkIcon className="size-4 shrink-0" />
342   </a>
343 </DropdownMenuItem>
344   );
345 };
346
347 export type OpenInCursorProps = ComponentProps<typeof DropdownMenuItem>;
348
349 export const OpenInCursor = (props: OpenInCursorProps) => {
350   const { query } = useOpenInContext();
351   return (
352     <DropdownMenuItem asChild {...props}>
353       <a
354         className="flex items-center gap-2"
355         href={providers.cursor.createUrl(query)}
356         rel="noopener"
357         target="_blank"
358       >
359         <span className="shrink-0">{providers.cursor.icon}</span>
360         <span className="flex-1">{providers.cursor.title}</span>
361         <ExternalLinkIcon className="size-4 shrink-0" />
362       </a>
363     </DropdownMenuItem>
364   );
365 };

```

173. components/ai-elements/panel.tsx

```

1 import { Panel as PanelPrimitive } from "@xyflow/react";
2 import type { ComponentProps } from "react";
3 import { cn } from "@lib/utils";
4
5 type PanelProps = ComponentProps<typeof PanelPrimitive>;
6
7 export const Panel = ({ className, ...props }: PanelProps) => (
8   <PanelPrimitive
9     className={cn(
10       "m-4 overflow-hidden rounded-md border bg-card p-1",
11       className
12     )}
13     {...props}
14   />
15 );

```

174. components/ai-elements/plan.tsx

```

1 "use client";
2
3 import { ChevronsUpDownIcon } from "lucide-react";
4 import type { ComponentProps } from "react";
5 import { createContext, useContext } from "react";
6 import { Button } from "@components/ui/button";
7 import {
8   Card,
9   CardAction,
10  CardContent,
11  CardDescription,
12  CardFooter,
13  CardHeader,
14  CardTitle,

```

```

15 } from "@components/ui/card";
16 import {
17   Collapsible,
18   CollapsibleContent,
19   CollapsibleTrigger,
20 } from "@components/ui/collapsible";
21 import { cn } from "@lib/utils";
22 import { Shimmer } from "./shimmer";
23
24 type PlanContextValue = {
25   isStreaming: boolean;
26 };
27
28 const PlanContext = createContext<PlanContextValue | null>(null);
29
30 const usePlan = () => {
31   const context = useContext(PlanContext);
32   if (!context) {
33     throw new Error("Plan components must be used within Plan");
34   }
35   return context;
36 };
37
38 export type PlanProps = ComponentProps<typeof Collapsible> & {
39   isStreaming?: boolean;
40 };
41
42 export const Plan = ({
43   className,
44   isStreaming = false,
45   children,
46   ...props
47 }: PlanProps) => (
48   <PlanContext.Provider value={{ isStreaming }}>
49     <Collapsible asChild data-slot="plan" {...props}>
50       <Card className={cn("shadow-none", className)}>{children}</Card>
51     </Collapsible>
52   </PlanContext.Provider>
53 );
54
55 export type PlanHeaderProps = ComponentProps<typeof CardHeader>;
56
57 export const PlanHeader = ({ className, ...props }: PlanHeaderProps) => (
58   <CardHeader
59     className={cn("flex items-start justify-between", className)}
60     data-slot="plan-header"
61     {...props}
62   />
63 );
64
65 export type PlanTitleProps = Omit<
66   ComponentProps<typeof CardTitle>,
67   "children"
68 > & {
69   children: string;
70 };
71
72 export const PlanTitle = ({ children, ...props }: PlanTitleProps) => {
73   const { isStreaming } = usePlan();
74
75   return (
76     <CardTitle data-slot="plan-title" {...props}>
77       {isStreaming ? <Shimmer>{children}</Shimmer> : children}
78     </CardTitle>
79   );
80 };
81
82 export type PlanDescriptionProps = Omit<
83   ComponentProps<typeof CardDescription>,

```

```

84   "children"
85   > & {
86     children: string;
87   };
88
89   export const PlanDescription = ({
90     className,
91     children,
92     ...props
93   }: PlanDescriptionProps) => {
94     const { isStreaming } = usePlan();
95
96     return (
97       <CardDescription
98         className={cn("text-balance", className)}
99         data-slot="plan-description"
100         {...props}
101       >
102         {isStreaming ? <Shimmer>{children}</Shimmer> : children}
103       </CardDescription>
104     );
105   };
106
107   export type PlanActionProps = ComponentProps<typeof CardAction>;
108
109   export const PlanAction = (props: PlanActionProps) => (
110     <CardAction data-slot="plan-action" {...props} />
111   );
112
113   export type PlanContentProps = ComponentProps<typeof CardContent>;
114
115   export const PlanContent = (props: PlanContentProps) => (
116     <CollapsibleContent asChild>
117       <CardContent data-slot="plan-content" {...props} />
118     </CollapsibleContent>
119   );
120
121   export type PlanFooterProps = ComponentProps<"div">;
122
123   export const PlanFooter = (props: PlanFooterProps) => (
124     <CardFooter data-slot="plan-footer" {...props} />
125   );
126
127   export type PlanTriggerProps = ComponentProps<typeof CollapsibleTrigger>;
128
129   export const PlanTrigger = ({ className, ...props }: PlanTriggerProps) => (
130     <CollapsibleTrigger asChild>
131       <Button
132         className={cn("size-8", className)}
133         data-slot="plan-trigger"
134         size="icon"
135         variant="ghost"
136         {...props}
137       >
138         <ChevronsUpDownIcon className="size-4" />
139         <span className="sr-only">Toggle plan</span>
140       </Button>
141     </CollapsibleTrigger>
142   );

```

175. components/ai-elements/prompt-input.tsx

```

1  "use client";
2
3  import type { ChatStatus, FileUIPart } from "ai";
4  import {
5    CornerDownLeftIcon,

```

```

6   ImageIcon,
7   Loader2Icon,
8   MicIcon,
9   PaperclipIcon,
10  PlusIcon,
11  SquareIcon,
12  XIcon,
13 } from "lucide-react";
14 import { nanoid } from "nanoid";
15 import {
16   type ChangeEvent,
17   type ChangeEventHandler,
18   Children,
19   type ClipboardEventHandler,
20   type ComponentProps,
21   createContext,
22   type FormEvent,
23   type FormEventHandler,
24   Fragment,
25   type HTMLAttributes,
26   type KeyboardEventHandler,
27   type PropsWithChildren,
28   type ReactNode,
29   type RefObject,
30   useCallback,
31   useContext,
32   useEffect,
33   useMemo,
34   useRef,
35   useState,
36 } from "react";
37 import { Button } from "@/components/ui/button";
38 import {
39   Command,
40   CommandEmpty,
41   CommandGroup,
42   CommandInput,
43   CommandItem,
44   CommandList,
45   CommandSeparator,
46 } from "@/components/ui/command";
47 import {
48   DropdownMenu,
49   DropdownMenuContent,
50   DropdownMenuItem,
51   DropdownMenuTrigger,
52 } from "@/components/ui/dropdown-menu";
53 import {
54   HoverCard,
55   HoverCardContent,
56   HoverCardTrigger,
57 } from "@/components/ui/hover-card";
58 import {
59   InputGroup,
60   InputGroupAddon,
61   InputGroupButton,
62   InputGroupTextarea,
63 } from "@/components/ui/input-group";
64 import {
65   Select,
66   SelectContent,
67   SelectItem,
68   SelectTrigger,
69   SelectValue,
70 } from "@/components/ui/select";
71 import { cn } from "@/lib/utils";
72
73 // =====
74 // Provider Context & Types

```

```

75 // =====
76
77 export type AttachmentsContext = {
78   files: (FileUIPart & { id: string })[];
79   add: (files: File[] | FileList) => void;
80   remove: (id: string) => void;
81   clear: () => void;
82   openFileDialog: () => void;
83   fileInputRef: RefObject<HTMLInputElement | null>;
84 };
85
86 export type TextInputContext = {
87   value: string;
88   setInput: (v: string) => void;
89   clear: () => void;
90 };
91
92 export type PromptInputControllerProps = {
93   textInput: TextInputContext;
94   attachments: AttachmentsContext;
95   /** INTERNAL: Allows PromptInput to register its file textInput + "open" callback */
96   _registerFileInput: (
97     ref: RefObject<HTMLInputElement | null>,
98     open: () => void
99   ) => void;
100 };
101
102 const PromptInputController = createContext<PromptInputControllerProps | null>({
103   null
104 });
105 const ProviderAttachmentsContext = createContext<AttachmentsContext | null>({
106   null
107 });
108
109 export const usePromptInputController = () => {
110   const ctx = useContext(PromptInputController);
111   if (!ctx) {
112     throw new Error(
113       "Wrap your component inside <PromptInputProvider> to use usePromptInputController()."
114     );
115   }
116   return ctx;
117 };
118
119 // Optional variants (do NOT throw). Useful for dual-mode components.
120 const useOptionalPromptInputController = () =>
121   useContext(PromptInputController);
122
123 export const useProviderAttachments = () => {
124   const ctx = useContext(ProviderAttachmentsContext);
125   if (!ctx) {
126     throw new Error(
127       "Wrap your component inside <PromptInputProvider> to use useProviderAttachments()."
128     );
129   }
130   return ctx;
131 };
132
133 const useOptionalProviderAttachments = () =>
134   useContext(ProviderAttachmentsContext);
135
136 export type PromptInputProviderProps = PropsWithChildren<{
137   initialInput?: string;
138 }>;
139
140 /**
141  * Optional global provider that lifts PromptInput state outside of PromptInput.
142  * If you don't use it, PromptInput stays fully self-managed.
143  */

```



```

144 export function PromptInputProvider({
145   initialInput: initialTextInput = "",
146   children,
147 }: PromptInputProviderProps) {
148   // ----- textInput state
149   const [textInput, setTextInput] = useState(initialTextInput);
150   const clearInput = useCallback(() => setTextInput(""), []);
151
152   // ----- attachments state (global when wrapped)
153   const [attachmentFiles, setAttachmentFiles] = useState<
154     (FileUIPart & { id: string })[]
155   >([]);
156   const fileInputRef = useRef<HTMLInputElement | null>(null);
157   // biome-ignore lint/suspicious/noEmptyBlockStatements: noop initializer
158   const openRef = useRef<() => void>(() => {});
159
160   const add = useCallback((files: File[] | FileList) => {
161     const incoming = Array.from(files);
162     if (incoming.length === 0) {
163       return;
164     }
165
166     setAttachmentFiles((prev) =>
167       prev.concat(
168         incoming.map((file) => ({
169           id: nanoid(),
170           type: "file" as const,
171           url: URL.createObjectURL(file),
172           mediaType: file.type,
173           filename: file.name,
174         })))
175       );
176   }, []);
177
178   const remove = useCallback((id: string) => {
179     setAttachmentFiles((prev) => {
180       const found = prev.find((f) => f.id === id);
181       if (found?.url) {
182         URL.revokeObjectURL(found.url);
183       }
184       return prev.filter((f) => f.id !== id);
185     });
186   }, []);
187
188   const clear = useCallback(() => {
189     setAttachmentFiles((prev) => {
190       for (const f of prev) {
191         if (f.url) {
192           URL.revokeObjectURL(f.url);
193         }
194       }
195       return [];
196     });
197   }, []);
198
199   // Keep a ref to attachments for cleanup on unmount (avoids stale closure)
200   const attachmentsRef = useRef(attachmentFiles);
201   attachmentsRef.current = attachmentFiles;
202
203   // Cleanup blob URLs on unmount to prevent memory leaks
204   useEffect(() => {
205     return () => {
206       for (const f of attachmentsRef.current) {
207         if (f.url) {
208           URL.revokeObjectURL(f.url);
209         }
210       }
211     };
212   });

```

```

213   }, []);
214
215   const openFileDialog = useCallback(() => {
216     openRef.current?.();
217   }, []);
218
219   const attachments = useMemo<AttachmentsContext>(
220     () => ({
221       files: attachmentFiles,
222       add,
223       remove,
224       clear,
225       openFileDialog,
226       fileInputRef,
227     }),
228     [attachmentFiles, add, remove, clear, openFileDialog]
229   );
230
231   const __registerFileInput = useCallback(
232     (ref: RefObject<HTMLInputElement | null>, open: () => void) => {
233       fileInputRef.current = ref.current;
234       openRef.current = open;
235     },
236     []
237   );
238
239   const controller = useMemo<PromptInputControllerProps>(
240     () => ({
241       textInput: {
242         value: textInput,
243         setInput: setTextInput,
244         clear: clearInput,
245       },
246       attachments,
247       __registerFileInput,
248     }),
249     [textInput, clearInput, attachments, __registerFileInput]
250   );
251
252   return (
253     <PromptInputController.Provider value={controller}>
254       <ProviderAttachmentsContext.Provider value={attachments}>
255         {children}
256       </ProviderAttachmentsContext.Provider>
257     </PromptInputController.Provider>
258   );
259 }
260
261 // =====
262 // Component Context & Hooks
263 // =====
264
265 const LocalAttachmentsContext = createContext<AttachmentsContext | null>(null);
266
267 export const usePromptInputAttachments = () => {
268   // Dual-mode: prefer provider if present, otherwise use local
269   const provider = useOptionalProviderAttachments();
270   const local = useContext(LocalAttachmentsContext);
271   const context = provider ?? local;
272   if (!context) {
273     throw new Error(
274       "usePromptInputAttachments must be used within a PromptInput or PromptInputProvider"
275     );
276   }
277   return context;
278 };
279
280 export type PromptInputAttachmentProps = HTMLAttributes<HTMLDivElement> & {
281   data: FileUIPart & { id: string };

```

```

282   className?: string;
283 };
284
285 export function PromptInputAttachment({
286   data,
287   className,
288   ...props
289 }: PromptInputAttachmentProps) {
290   const attachments = usePromptInputAttachments();
291
292   const filename = data.filename || "";
293
294   const mediaType =
295     data.mediaType?.startsWith("image/") && data.url ? "image" : "file";
296   const isImage = mediaType === "image";
297
298   const attachmentLabel = filename || (isImage ? "Image" : "Attachment");
299
300   return (
301     <PromptInputHoverCard>
302       <HoverCardTrigger asChild>
303         <div
304           className={cn(
305             "group relative flex h-8 cursor-pointer select-none items-center gap-1.5 rounded-md border border-border px-1.5 font-medium text-sm transition-all hover:bg-accent hover:text-accent-foreground",
306             className
307           )}
308           key={data.id}
309           {...props}
310         >
311           <div className="relative size-5 shrink-0">
312             <div className="absolute inset-0 flex size-5 items-center justify-center overflow-hidden rounded bg-background transition-opacity group-hover:opacity-0">
313               {isImage ? (
314                 /* biome-ignore lint/performance/noImgElement: dynamic user uploads */
315                 <img
316                   alt={filename || "attachment"}
317                   className="size-5 object-cover"
318                   height={20}
319                   src={data.url}
320                   width={20}
321                 />
322               ) : (
323                 <div className="flex size-5 items-center justify-center text-muted-foreground">
324                   <PaperclipIcon className="size-3" />
325                 </div>
326               )}
327             </div>
328             <Button
329               aria-label="Remove attachment"
330               className="absolute inset-0 size-5 cursor-pointer rounded p-0 opacity-0 transition-opacity group-hover:pointer-events-auto group-hover:opacity-100 [&svg]:size-2.5"
331               onClick={(e) => {
332                 e.stopPropagation();
333                 attachments.remove(data.id);
334               }}
335               type="button"
336               variant="ghost"
337             >
338               <XIcon />
339               <span className="sr-only">Remove</span>
340             </Button>
341           </div>
342           <span className="flex-1 truncate">{attachmentLabel}</span>
343         </div>
344       </HoverCardTrigger>
345     <PromptInputHoverCardContent className="w-auto p-2">
346       <div className="w-auto space-y-3">
347         {isImage && (
348           <div className="flex max-h-96 w-96 items-center justify-center overflow-hidden rounded-md border">
349             /* biome-ignore lint/performance/noImgElement: dynamic user uploads */
350

```

```

351         <img
352             alt={filename || "attachment preview"}
353             className="max-h-full max-w-full object-contain"
354             height={384}
355             src={data.url}
356             width={448}
357         />
358     </div>
359 )}
360 <div className="flex items-center gap-2.5">
361     <div className="min-w-0 flex-1 space-y-1 px-0.5">
362         <h4 className="truncate font-semibold text-sm leading-none">
363             {filename || (isImage ? "Image" : "Attachment")}
364         </h4>
365         {data.mediaType && (
366             <p className="truncate font-mono text-muted-foreground text-xs">
367                 {data.mediaType}
368             </p>
369         )}
370     </div>
371 </div>
372 </div>
373 </PromptInputHoverCardContent>
374 </PromptInputHoverCard>
375 );
376 }
377
378 export type PromptInputAttachmentsProps = Omit<
379     HTMLAttributes<HTMLDivElement>,
380     "children"
381 > & {
382     children: (attachment: FileUIPart & { id: string }) => ReactNode;
383 };
384
385 export function PromptInputAttachments({
386     children,
387     className,
388     ...props
389 }: PromptInputAttachmentsProps) {
390     const attachments = usePromptInputAttachments();
391
392     if (!attachments.files.length) {
393         return null;
394     }
395
396     return (
397         <div
398             className={cn("flex w-full flex-wrap items-center gap-2 p-3", className)}
399             {...props}
400         >
401             {attachments.files.map((file) => (
402                 <Fragment key={file.id}>{children(file)}</Fragment>
403             ))}
404         </div>
405     );
406 }
407
408 export type PromptInputActionAddAttachmentsProps = ComponentProps<
409     typeof DropdownMenuItem
410 > & {
411     label?: string;
412 };
413
414 export const PromptInputActionAddAttachments = ({
415     label = "Add photos or files",
416     ...props
417 }: PromptInputActionAddAttachmentsProps) => {
418     const attachments = usePromptInputAttachments();
419

```

```

420   return (
421     <DropDownMenuItem
422       {...props}
423       onSelect={e => {
424         e.preventDefault();
425         attachments.openFileDialog();
426       }}
427     >
428       <ImageIcon className="mr-2 size-4" /> {label}
429     </DropDownMenuItem>
430   );
431 };
432
433 export type PromptInputMessage = {
434   text: string;
435   files: FileUIPart[];
436 };
437
438 export type PromptInputProps = Omit<
439   HTMLAttributes<HTMLFormElement>,
440   "onSubmit" | "onError"
441 > & {
442   accept?: string; // e.g., "image/*" or leave undefined for any
443   multiple?: boolean;
444   // When true, accepts drops anywhere on document. Default false (opt-in).
445   globalDrop?: boolean;
446   // Render a hidden input with given name and keep it in sync for native form posts. Default false.
447   syncHiddenInput?: boolean;
448   // Minimal constraints
449   maxFiles?: number;
450   maxFileSize?: number; // bytes
451   onError?: (err: {
452     code: "max_files" | "max_file_size" | "accept";
453     message: string;
454   }) => void;
455   onSubmit: (
456     message: PromptInputMessage,
457     event: FormEvent<HTMLFormElement>
458   ) => void | Promise<void>;
459 };
460
461 export const PromptInput = ({
462   className,
463   accept,
464   multiple,
465   globalDrop,
466   syncHiddenInput,
467   maxFiles,
468   maxFileSize,
469   onError,
470   onSubmit,
471   children,
472   ...props
473 }: PromptInputProps) => {
474   // Try to use a provider controller if present
475   const controller = useOptionalPromptInputController();
476   const usingProvider = !!controller;
477
478   // Refs
479   const inputRef = useRef<HTMLInputElement | null>(null);
480   const formRef = useRef<HTMLFormElement | null>(null);
481
482   // ----- Local attachments (only used when no provider)
483   const [items, setItems] = useState<(FileUIPart & { id: string })[]>([]);
484   const files = usingProvider ? controller.attachments.files : items;
485
486   // Keep a ref to files for cleanup on unmount (avoids stale closure)
487   const filesRef = useRef(files);
488   filesRef.current = files;

```

```

489
490 const openFileDialogLocal = useCallback(() => {
491   inputRef.current?.click();
492 }, []);
493
494 const matchesAccept = useCallback(
495   (f: File) => {
496     if (!accept || accept.trim() === "") {
497       return true;
498     }
499
500     const patterns = accept
501       .split(",")
502       .map((s) => s.trim())
503       .filter(Boolean);
504
505     return patterns.some((pattern) => {
506       if (pattern.endsWith("/*")) {
507         const prefix = pattern.slice(0, -1); // e.g: image/* -> image/
508         return f.type.startsWith(prefix);
509       }
510       return f.type === pattern;
511     });
512   },
513   [accept]
514 );
515
516 const addLocal = useCallback(
517   (fileList: File[] | FileList) => {
518     const incoming = Array.from(fileList);
519     const accepted = incoming.filter((f) => matchesAccept(f));
520     if (incoming.length && accepted.length === 0) {
521       onError?({
522         code: "accept",
523         message: "No files match the accepted types.",
524       });
525       return;
526     }
527     const withinSize = (f: File) =>
528       maxFileSize ? f.size <= maxFileSize : true;
529     const sized = accepted.filter(withinSize);
530     if (accepted.length > 0 && sized.length === 0) {
531       onError?({
532         code: "max_file_size",
533         message: "All files exceed the maximum size.",
534       });
535       return;
536     }
537
538     setItems((prev) => {
539       const capacity =
540         typeof maxFiles === "number"
541           ? Math.max(0, maxFiles - prev.length)
542           : undefined;
543       const capped =
544         typeof capacity === "number" ? sized.slice(0, capacity) : sized;
545       if (typeof capacity === "number" && sized.length > capacity) {
546         onError?({
547           code: "max_files",
548           message: "Too many files. Some were not added.",
549         });
550       }
551       const next: (FileUIPart & { id: string })[] = [];
552       for (const file of capped) {
553         next.push({
554           id: nanoid(),
555           type: "file",
556           url: URL.createObjectURL(file),
557           mediaType: file.type,

```

```

558         filename: file.name,
559     });
560 }
561 return prev.concat(next);
562 });
563 },
564 [matchesAccept, maxFiles, maxFileSize, onError]
565 );
566
567 const removeLocal = useCallback(
568   (id: string) => {
569     setItems((prev) => {
570       const found = prev.find((file) => file.id === id);
571       if (found?.url) {
572         URL.revokeObjectURL(found.url);
573       }
574       return prev.filter((file) => file.id !== id);
575     }),
576     []
577   );
578
579 const clearLocal = useCallback(
580   () => {
581     setItems((prev) => {
582       for (const file of prev) {
583         if (file.url) {
584           URL.revokeObjectURL(file.url);
585         }
586       }
587       return [];
588     }),
589     []
590   );
591
592 const add = usingProvider ? controller.attachments.add : addLocal;
593 const remove = usingProvider ? controller.attachments.remove : removeLocal;
594 const clear = usingProvider ? controller.attachments.clear : clearLocal;
595 const openFileDialog = usingProvider
596   ? controller.attachments.openFileDialog
597   : openFileDialogLocal;
598
599 // Let provider know about our hidden file input so external menus can call openFileDialog()
600 useEffect(() => {
601   if (!usingProvider) {
602     return;
603   }
604   controller.__registerFileInput(inputRef, () => inputRef.current?.click());
605 }, [usingProvider, controller]);
606
607 // Note: File input cannot be programmatically set for security reasons
608 // The syncHiddenInput prop is no longer functional
609 useEffect(() => {
610   if (syncHiddenInput && inputRef.current && files.length === 0) {
611     inputRef.current.value = "";
612   }
613 }, [files, syncHiddenInput]);
614
615 // Attach drop handlers on nearest form and document (opt-in)
616 useEffect(() => {
617   const form = formRef.current;
618   if (!form) {
619     return;
620   }
621   if (globalDrop) {
622     return;
623   }
624
625   const onDragOver = (e: DragEvent) => {
626     if (e.dataTransfer?.types?.includes("Files")) {

```

```

627     e.preventDefault();
628   }
629 };
630 const onDrop = (e: DragEvent) => {
631   if (e.dataTransfer?.types?.includes("Files")) {
632     e.preventDefault();
633   }
634   if (e.dataTransfer?.files && e.dataTransfer.files.length > 0) {
635     add(e.dataTransfer.files);
636   }
637 };
638 form.addEventListener("dragover", onDragOver);
639 form.addEventListener("drop", onDrop);
640 return () => {
641   form.removeEventListener("dragover", onDragOver);
642   form.removeEventListener("drop", onDrop);
643 };
644 }, [add, globalDrop]);
645
646 useEffect(() => {
647   if (!globalDrop) {
648     return;
649   }
650
651   const onDragOver = (e: DragEvent) => {
652     if (e.dataTransfer?.types?.includes("Files")) {
653       e.preventDefault();
654     }
655   };
656   const onDrop = (e: DragEvent) => {
657     if (e.dataTransfer?.types?.includes("Files")) {
658       e.preventDefault();
659     }
660     if (e.dataTransfer?.files && e.dataTransfer.files.length > 0) {
661       add(e.dataTransfer.files);
662     }
663   };
664   document.addEventListener("dragover", onDragOver);
665   document.addEventListener("drop", onDrop);
666   return () => {
667     document.removeEventListener("dragover", onDragOver);
668     document.removeEventListener("drop", onDrop);
669   };
670 }, [add, globalDrop]);
671
672 useEffect(
673   () => () => {
674     if (!usingProvider) {
675       for (const f of filesRef.current) {
676         if (f.url) {
677           URL.revokeObjectURL(f.url);
678         }
679       }
680     }
681   },
682   // eslint-disable-next-line react-hooks/exhaustive-deps -- cleanup only on unmount; filesRef always current
683   [usingProvider]
684 );
685
686 const handleChange: ChangeEventHandler<HTMLInputElement> = (event) => {
687   if (event.currentTarget.files) {
688     add(event.currentTarget.files);
689   }
690   // Reset input value to allow selecting files that were previously removed
691   event.currentTarget.value = "";
692 };
693
694 const convertBlobUrlToDataUrl = async (
695   url: string

```



```

696 ): Promise<string | null> => {
697   try {
698     const response = await fetch(url);
699     const blob = await response.blob();
700     return new Promise((resolve) => {
701       const reader = new FileReader();
702       reader.onloadend = () => resolve(reader.result as string);
703       reader.onerror = () => resolve(null);
704       reader.readAsDataURL(blob);
705     });
706   } catch {
707     return null;
708   }
709 };
710
711 const ctx = useMemo<AttachmentsContext>(
712   () => ({
713     files: files.map((item) => ({ ...item, id: item.id })),
714     add,
715     remove,
716     clear,
717     openFileDialog,
718     fileInputRef: inputRef,
719   }),
720   [files, add, remove, clear, openFileDialog]
721 );
722
723 const handleSubmit: FormEventHandler<HTMLFormElement> = (event) => {
724   event.preventDefault();
725
726   const form = event.currentTarget;
727   const text = usingProvider
728     ? controller.textInput.value
729     : () => {
730       const formData = new FormData(form);
731       return (formData.get("message") as string) || "";
732     }();
733
734   // Reset form immediately after capturing text to avoid race condition
735   // where user input during async blob conversion would be lost
736   if (!usingProvider) {
737     form.reset();
738   }
739
740   // Convert blob URLs to data URLs asynchronously
741   Promise.all(
742     files.map(async ({ id, ...item }) => {
743       if (item.url?.startsWith("blob:")) {
744         const dataUrl = await convertBlobUrlToDataUrl(item.url);
745         // If conversion failed, keep the original blob URL
746         return {
747           ...item,
748           url: dataUrl ?? item.url,
749         };
750       }
751       return item;
752     })
753   )
754   .then((convertedFiles: FileUIPart[]) => {
755     try {
756       const result = onSubmit({ text, files: convertedFiles }, event);
757
758       // Handle both sync and async onSubmit
759       if (result instanceof Promise) {
760         result
761           .then(() => {
762             clear();
763             if (usingProvider) {
764               controller.textInput.clear();

```

```

765         }
766     })
767     .catch(() => {
768         // Don't clear on error - user may want to retry
769     });
770 } else {
771     // Sync function completed without throwing, clear attachments
772     clear();
773     if (usingProvider) {
774         controller.textInput.clear();
775     }
776 }
777 } catch {
778     // Don't clear on error - user may want to retry
779 }
780 })
781 .catch(() => {
782     // Don't clear on error - user may want to retry
783 });
784 };
785
786 // Render with or without local provider
787 const inner = (
788     <>
789     <input
790         accept={accept}
791         aria-label="Upload files"
792         className="hidden"
793         multiple={multiple}
794         onChange={handleChange}
795         ref={inputRef}
796         title="Upload files"
797         type="file"
798     />
799     <form
800         className={cn("w-full", className)}
801         onSubmit={handleSubmit}
802         ref={formRef}
803         {...props}
804     >
805     <InputGroup className="overflow-hidden">{children}</InputGroup>
806     </form>
807 </>
808 );
809
810 return usingProvider ? (
811     inner
812 ) : (
813     <LocalAttachmentsContext.Provider value={ctx}>
814         {inner}
815     </LocalAttachmentsContext.Provider>
816 );
817 };
818
819 export type PromptInputBodyProps = HTMLAttributes<HTMLDivElement>;
820
821 export const PromptInputBody = ({
822     className,
823     ...props
824 }: PromptInputBodyProps) => (
825     <div className={cn("contents", className)} {...props} />
826 );
827
828 export type PromptInputTextareaProps = ComponentProps<
829     typeof InputGroupTextarea
830 >;
831
832 export const PromptInputTextarea = ({
833     onChange,

```

```

834   className,
835   placeholder = "What would you like to know?",
836   ...props
837 }: PromptInputTextareaProps) => {
838   const controller = useOptionalPromptInputController();
839   const attachments = usePromptInputAttachments();
840   const [isComposing, setIsComposing] = useState(false);
841
842   const handleKeyDown: KeyboardEventHandler<HTMLTextAreaElement> = (e) => {
843     if (e.key === "Enter") {
844       if (isComposing || e.nativeEvent.isComposing) {
845         return;
846       }
847       if (e.shiftKey) {
848         return;
849       }
850       e.preventDefault();
851
852       // Check if the submit button is disabled before submitting
853       const form = e.currentTarget.form;
854       const submitButton = form?.querySelector(
855         'button[type="submit"]'
856       ) as HTMLButtonElement | null;
857       if (submitButton?.disabled) {
858         return;
859       }
860
861       form?.requestSubmit();
862     }
863
864     // Remove last attachment when Backspace is pressed and textarea is empty
865     if (
866       e.key === "Backspace" &&
867       e.currentTarget.value === "" &&
868       attachments.files.length > 0
869     ) {
870       e.preventDefault();
871       const lastAttachment = attachments.files.at(-1);
872       if (lastAttachment) {
873         attachments.remove(lastAttachment.id);
874       }
875     }
876   };
877
878   const handlePaste: ClipboardEventHandler<HTMLTextAreaElement> = (event) => {
879     const items = event.clipboardData?.items;
880
881     if (!items) {
882       return;
883     }
884
885     const files: File[] = [];
886
887     for (const item of items) {
888       if (item.kind === "file") {
889         const file = item.getAsFile();
890         if (file) {
891           files.push(file);
892         }
893       }
894     }
895
896     if (files.length > 0) {
897       event.preventDefault();
898       attachments.add(files);
899     }
900   };
901
902   const controlledProps = controller

```

```

903     ? {
904       value: controller.textInput.value,
905       onChange: (e: ChangeEvent<HTMLTextAreaElement>) => {
906         controller.textInput.setInput(e.currentTarget.value);
907         onChange?.(e);
908       },
909     }
910   : {
911     onChange,
912   };
913
914   return (
915     <InputGroupTextarea
916       className={cn("field-sizing-content max-h-48 min-h-16", className)}
917       name="message"
918       onCompositionEnd={() => setIsComposing(false)}
919       onCompositionStart={() => setIsComposing(true)}
920       onKeyDown={handleKeyDown}
921       onPaste={handlePaste}
922       placeholder={placeholder}
923       {...props}
924       {...controlledProps}
925     />
926   );
927 };
928
929 export type PromptInputHeaderProps = Omit<
930   ComponentProps<typeof InputGroupAddon>,
931   "align"
932 >;
933
934 export const PromptInputHeader = ({
935   className,
936   ...props
937 }: PromptInputHeaderProps) => (
938   <InputGroupAddon
939     align="block-end"
940     className={cn("order-first flex-wrap gap-1", className)}
941     {...props}
942   />
943 );
944
945 export type PromptInputFooterProps = Omit<
946   ComponentProps<typeof InputGroupAddon>,
947   "align"
948 >;
949
950 export const PromptInputFooter = ({
951   className,
952   ...props
953 }: PromptInputFooterProps) => (
954   <InputGroupAddon
955     align="block-end"
956     className={cn("justify-between gap-1", className)}
957     {...props}
958   />
959 );
960
961 export type PromptInputToolsProps = HTMLAttributes<HTMLDivElement>;
962
963 export const PromptInputTools = ({
964   className,
965   ...props
966 }: PromptInputToolsProps) => (
967   <div className={cn("flex items-center gap-1", className)} {...props} />
968 );
969
970 export type PromptInputButtonProps = ComponentProps<typeof InputGroupButton>;
971

```

```

972 export const PromptInputButton = ({
973   variant = "ghost",
974   className,
975   size,
976   ...props
977 }: PromptInputButtonProps) => {
978   const newSize =
979     size ?? (Children.count(props.children) > 1 ? "sm" : "icon-sm");
980
981   return (
982     <InputGroupButton
983       className={cn(className)}
984       size={newSize}
985       type="button"
986       variant={variant}
987       {...props}
988     />
989   );
990 };
991
992 export type PromptInputActionMenuProps = ComponentProps<typeof DropdownMenu>;
993 export const PromptInputActionMenu = (props: PromptInputActionMenuProps) => (
994   <DropdownMenu {...props} />
995 );
996
997 export type PromptInputActionMenuTriggerProps = PromptInputButtonProps;
998
999 export const PromptInputActionMenuTrigger = ({
1000   className,
1001   children,
1002   ...props
1003 }: PromptInputActionMenuTriggerProps) => (
1004   <DropdownMenuTrigger asChild>
1005     <PromptInputButton className={className} {...props}>
1006       {children ?? <PlusIcon className="size-4" />}
1007     </PromptInputButton>
1008   </DropdownMenuTrigger>
1009 );
1010
1011 export type PromptInputActionMenuContentProps = ComponentProps<
1012   typeof DropdownMenuContent
1013 >;
1014 export const PromptInputActionMenuContent = ({
1015   className,
1016   ...props
1017 }: PromptInputActionMenuContentProps) => (
1018   <DropdownMenuContent align="start" className={cn(className)} {...props} />
1019 );
1020
1021 export type PromptInputActionMenuItemProps = ComponentProps<
1022   typeof DropdownMenuItem
1023 >;
1024 export const PromptInputActionMenuItem = ({
1025   className,
1026   ...props
1027 }: PromptInputActionMenuItemProps) => (
1028   <DropdownMenuItem className={cn(className)} {...props} />
1029 );
1030
1031 // Note: Actions that perform side-effects (like opening a file dialog)
1032 // are provided in opt-in modules (e.g., prompt-input-attachments).
1033
1034 export type PromptInputSubmitProps = ComponentProps<typeof InputGroupButton> & {
1035   status?: ChatStatus;
1036 };
1037
1038 export const PromptInputSubmit = ({
1039   className,
1040   variant = "default",

```

```

1041   size = "icon-sm",
1042   status,
1043   children,
1044   ...props
1045 }: PromptInputSubmitProps) => {
1046   let Icon = <CornerDownLeftIcon className="size-4" />;
1047
1048   if (status === "submitted") {
1049     Icon = <Loader2Icon className="size-4 animate-spin" />;
1050   } else if (status === "streaming") {
1051     Icon = <SquareIcon className="size-4" />;
1052   } else if (status === "error") {
1053     Icon = <XIcon className="size-4" />;
1054   }
1055
1056   return (
1057     <InputGroupButton
1058       aria-label="Submit"
1059       className={cn(className)}
1060       size={size}
1061       type="submit"
1062       variant={variant}
1063       {...props}
1064     >
1065       {children ?? Icon}
1066     </InputGroupButton>
1067   );
1068 };
1069
1070 interface SpeechRecognition extends EventTarget {
1071   continuous: boolean;
1072   interimResults: boolean;
1073   lang: string;
1074   start(): void;
1075   stop(): void;
1076   onstart: ((this: SpeechRecognition, ev: Event) => any) | null;
1077   onend: ((this: SpeechRecognition, ev: Event) => any) | null;
1078   onresult:
1079     | ((this: SpeechRecognition, ev: SpeechRecognitionEvent) => any)
1080     | null;
1081   onerror:
1082     | ((this: SpeechRecognition, ev: SpeechRecognitionErrorEvent) => any)
1083     | null;
1084 }
1085
1086 interface SpeechRecognitionEvent extends Event {
1087   results: SpeechRecognitionResultList;
1088   resultIndex: number;
1089 }
1090
1091 type SpeechRecognitionResultList = {
1092   readonly length: number;
1093   item(index: number): SpeechRecognitionResult;
1094   [index: number]: SpeechRecognitionResult;
1095 };
1096
1097 type SpeechRecognitionResult = {
1098   readonly length: number;
1099   item(index: number): SpeechRecognitionAlternative;
1100   [index: number]: SpeechRecognitionAlternative;
1101   isFinal: boolean;
1102 };
1103
1104 type SpeechRecognitionAlternative = {
1105   transcript: string;
1106   confidence: number;
1107 };
1108
1109 interface SpeechRecognitionErrorEvent extends Event {

```

```

1110   error: string;
1111 }
1112
1113 declare global {
1114   // biome-ignore lint/nursery/useConsistentTypeDefinitions: global augmentation requires interface
1115   interface Window {
1116     SpeechRecognition: {
1117       new (): SpeechRecognition;
1118     };
1119     webkitSpeechRecognition: {
1120       new (): SpeechRecognition;
1121     };
1122   }
1123 }
1124
1125 export type PromptInputSpeechButtonProps = ComponentProps<
1126   typeof PromptInputButton
1127 > & {
1128   textareaRef?: RefObject<HTMLTextAreaElement | null>;
1129   onTranscriptionChange?: (text: string) => void;
1130 };
1131
1132 export const PromptInputSpeechButton = ({
1133   className,
1134   textareaRef,
1135   onTranscriptionChange,
1136   ...props
1137 }: PromptInputSpeechButtonProps) => {
1138   const [isListening, setIsListening] = useState(false);
1139   const [recognition, setRecognition] = useState<SpeechRecognition | null>(
1140     null
1141   );
1142   const recognitionRef = useRef<SpeechRecognition | null>(null);
1143
1144   useEffect(() => {
1145     if (
1146       typeof window !== "undefined" &&
1147       ("SpeechRecognition" in window || "webkitSpeechRecognition" in window)
1148     ) {
1149       const SpeechRecognitionCtor =
1150         window.SpeechRecognition || window.webkitSpeechRecognition;
1151       const speechRecognition = new SpeechRecognitionCtor();
1152
1153       speechRecognition.continuous = true;
1154       speechRecognition.interimResults = true;
1155       speechRecognition.lang = "en-US";
1156
1157       speechRecognition.onstart = () => {
1158         setIsListening(true);
1159       };
1160
1161       speechRecognition.onend = () => {
1162         setIsListening(false);
1163       };
1164
1165       speechRecognition.onresult = (event) => {
1166         let finalTranscript = "";
1167
1168         for (let i = event.resultIndex; i < event.results.length; i++) {
1169           const result = event.results[i];
1170           if (result.isFinal) {
1171             finalTranscript += result[0]?.transcript ?? "";
1172           }
1173         }
1174
1175         if (finalTranscript && textareaRef?.current) {
1176           const textarea = textareaRef.current;
1177           const currentValue = textarea.value;
1178           const newValue =

```

```

1179         currentValue + (currentValue ? " " : "") + finalTranscript;
1180
1181         textarea.value = newValue;
1182         textarea.dispatchEvent(new Event("input", { bubbles: true }));
1183         onTranscriptionChange?.(newValue);
1184     }
1185 };
1186
1187 speechRecognition.onerror = (event) => {
1188     console.error("Speech recognition error:", event.error);
1189     setIsListening(false);
1190 };
1191
1192 recognitionRef.current = speechRecognition;
1193 setRecognition(speechRecognition);
1194 }
1195
1196 return () => {
1197     if (recognitionRef.current) {
1198         recognitionRef.current.stop();
1199     }
1200 };
1201 }, [textareaRef, onTranscriptionChange]);
1202
1203 const toggleListening = useCallback(() => {
1204     if (!recognition) {
1205         return;
1206     }
1207
1208     if (isListening) {
1209         recognition.stop();
1210     } else {
1211         recognition.start();
1212     }
1213 }, [recognition, isListening]);
1214
1215 return (
1216     <PromptInputButton
1217         className={cn(
1218             "relative transition-all duration-200",
1219             isListening && "animate-pulse bg-accent text-accent-foreground",
1220             className
1221         )}
1222         disabled={!recognition}
1223         onClick={toggleListening}
1224         {...props}
1225     >
1226         <MicIcon className="size-4" />
1227     </PromptInputButton>
1228 );
1229 };
1230
1231 export type PromptInputSelectProps = ComponentProps<typeof Select>;
1232
1233 export const PromptInputSelect = (props: PromptInputSelectProps) => (
1234     <Select {...props} />
1235 );
1236
1237 export type PromptInputSelectTriggerProps = ComponentProps<
1238     typeof SelectTrigger
1239 >;
1240
1241 export const PromptInputSelectTrigger = ({
1242     className,
1243     ...props
1244 }: PromptInputSelectTriggerProps) => (
1245     <SelectTrigger
1246         className={cn(
1247             "border-none bg-transparent font-medium text-muted-foreground shadow-none transition-colors",

```



```

1248     "hover:bg-accent hover:text-foreground aria-expanded:bg-accent aria-expanded:text-foreground",
1249     className
1250   )}
1251   {...props}
1252 />
1253 );
1254
1255 export type PromptInputSelectContentProps = ComponentProps<
1256   typeof SelectContent
1257 >;
1258
1259 export const PromptInputSelectContent = ({
1260   className,
1261   ...props
1262 }: PromptInputSelectContentProps) => (
1263   <SelectContent className={cn(className)} {...props} />
1264 );
1265
1266 export type PromptInputSelectItemProps = ComponentProps<typeof SelectItem>;
1267
1268 export const PromptInputSelectItem = ({
1269   className,
1270   ...props
1271 }: PromptInputSelectItemProps) => (
1272   <SelectItem className={cn(className)} {...props} />
1273 );
1274
1275 export type PromptInputSelectValueProps = ComponentProps<typeof SelectValue>;
1276
1277 export const PromptInputSelectValue = ({
1278   className,
1279   ...props
1280 }: PromptInputSelectValueProps) => (
1281   <SelectValue className={cn(className)} {...props} />
1282 );
1283
1284 export type PromptInputHoverCardProps = ComponentProps<typeof HoverCard>;
1285
1286 export const PromptInputHoverCard = ({
1287   openDelay = 0,
1288   closeDelay = 0,
1289   ...props
1290 }: PromptInputHoverCardProps) => (
1291   <HoverCard closeDelay={closeDelay} openDelay={openDelay} {...props} />
1292 );
1293
1294 export type PromptInputHoverCardTriggerProps = ComponentProps<
1295   typeof HoverCardTrigger
1296 >;
1297
1298 export const PromptInputHoverCardTrigger = (
1299   props: PromptInputHoverCardTriggerProps
1300 ) => <HoverCardTrigger {...props} />;
1301
1302 export type PromptInputHoverCardContentProps = ComponentProps<
1303   typeof HoverCardContent
1304 >;
1305
1306 export const PromptInputHoverCardContent = ({
1307   align = "start",
1308   ...props
1309 }: PromptInputHoverCardContentProps) => (
1310   <HoverCardContent align={align} {...props} />
1311 );
1312
1313 export type PromptInputTabsListProps = HTMLAttributes<HTMLDivElement>;
1314
1315 export const PromptInputTabsList = ({
1316   className,

```

```

1317   ...props
1318 }: PromptInputTabsListProps) => <div className={cn(className)} {...props} />;
1319
1320 export type PromptInputTabProps = HTMLAttributes<HTMLDivElement>;
1321
1322 export const PromptInputTab = ({
1323   className,
1324   ...props
1325 }: PromptInputTabProps) => <div className={cn(className)} {...props} />;
1326
1327 export type PromptInputTabLabelProps = HTMLAttributes<HTMLHeadingElement>;
1328
1329 export const PromptInputTabLabel = ({
1330   className,
1331   ...props
1332 }: PromptInputTabLabelProps) => (
1333   <h3
1334     className={cn(
1335       "mb-2 px-3 font-medium text-muted-foreground text-xs",
1336       className
1337     )}
1338     {...props}
1339   />
1340 );
1341
1342 export type PromptInputTabBodyProps = HTMLAttributes<HTMLDivElement>;
1343
1344 export const PromptInputTabBody = ({
1345   className,
1346   ...props
1347 }: PromptInputTabBodyProps) => (
1348   <div className={cn("space-y-1", className)} {...props} />
1349 );
1350
1351 export type PromptInputTabItemProps = HTMLAttributes<HTMLDivElement>;
1352
1353 export const PromptInputTabItem = ({
1354   className,
1355   ...props
1356 }: PromptInputTabItemProps) => (
1357   <div
1358     className={cn(
1359       "flex items-center gap-2 px-3 py-2 text-xs hover:bg-accent",
1360       className
1361     )}
1362     {...props}
1363   />
1364 );
1365
1366 export type PromptInputCommandProps = ComponentProps<typeof Command>;
1367
1368 export const PromptInputCommand = ({
1369   className,
1370   ...props
1371 }: PromptInputCommandProps) => <Command className={cn(className)} {...props} />;
1372
1373 export type PromptInputCommandInputProps = ComponentProps<typeof CommandInput>;
1374
1375 export const PromptInputCommandInput = ({
1376   className,
1377   ...props
1378 }: PromptInputCommandInputProps) => (
1379   <CommandInput className={cn(className)} {...props} />
1380 );
1381
1382 export type PromptInputCommandListProps = ComponentProps<typeof CommandList>;
1383
1384 export const PromptInputCommandList = ({
1385   className,

```

```

1386   ...props
1387 }: PromptInputCommandListProps) => (
1388   <CommandList className={cn(className)} {...props} />
1389 );
1390
1391 export type PromptInputCommandEmptyProps = ComponentProps<typeof CommandEmpty>;
1392
1393 export const PromptInputCommandEmpty = ({
1394   className,
1395   ...props
1396 }: PromptInputCommandEmptyProps) => (
1397   <CommandEmpty className={cn(className)} {...props} />
1398 );
1399
1400 export type PromptInputCommandGroupProps = ComponentProps<typeof CommandGroup>;
1401
1402 export const PromptInputCommandGroup = ({
1403   className,
1404   ...props
1405 }: PromptInputCommandGroupProps) => (
1406   <CommandGroup className={cn(className)} {...props} />
1407 );
1408
1409 export type PromptInputCommandItemProps = ComponentProps<typeof CommandItem>;
1410
1411 export const PromptInputCommandItem = ({
1412   className,
1413   ...props
1414 }: PromptInputCommandItemProps) => (
1415   <CommandItem className={cn(className)} {...props} />
1416 );
1417
1418 export type PromptInputCommandSeparatorProps = ComponentProps<
1419   typeof CommandSeparator
1420 >;
1421
1422 export const PromptInputCommandSeparator = ({
1423   className,
1424   ...props
1425 }: PromptInputCommandSeparatorProps) => (
1426   <CommandSeparator className={cn(className)} {...props} />
1427 );

```

176. components/ai-elements/queue.tsx

```

1  "use client";
2
3  import { ChevronDownIcon, PaperclipIcon } from "lucide-react";
4  import type { ComponentProps } from "react";
5  import { Button } from "@/components/ui/button";
6  import {
7    Collapsible,
8    CollapsibleContent,
9    CollapsibleTrigger,
10 } from "@/components/ui/collapsible";
11 import { ScrollArea } from "@/components/ui/scroll-area";
12 import { cn } from "@/lib/utils";
13
14 export type QueueMessagePart = {
15   type: string;
16   text?: string;
17   url?: string;
18   filename?: string;
19   mediaType?: string;
20 };
21
22 export type QueueMessage = {

```

```

23   id: string;
24   parts: QueueMessagePart[];
25 };
26
27 export type QueueTodo = {
28   id: string;
29   title: string;
30   description?: string;
31   status?: "pending" | "completed";
32 };
33
34 export type QueueItemProps = ComponentProps<"li">;
35
36 export const QueueItem = ({ className, ...props }: QueueItemProps) => (
37   <li
38     className={cn(
39       "group flex flex-col gap-1 rounded-md px-3 py-1 text-sm transition-colors hover:bg-muted",
40       className
41     )}
42     {...props}
43   />
44 );
45
46 export type QueueItemIndicatorProps = ComponentProps<"span"> & {
47   completed?: boolean;
48 };
49
50 export const QueueItemIndicator = ({
51   completed = false,
52   className,
53   ...props
54 }: QueueItemIndicatorProps) => (
55   <span
56     className={cn(
57       "mt-0.5 inline-block size-2.5 rounded-full border",
58       completed
59         ? "border-muted-foreground/20 bg-muted-foreground/10"
60         : "border-muted-foreground/50",
61       className
62     )}
63     {...props}
64   />
65 );
66
67 export type QueueItemContentProps = ComponentProps<"span"> & {
68   completed?: boolean;
69 };
70
71 export const QueueItemContent = ({
72   completed = false,
73   className,
74   ...props
75 }: QueueItemContentProps) => (
76   <span
77     className={cn(
78       "wrap-break-word line-clamp-1 grow",
79       completed
80         ? "text-muted-foreground/50 line-through"
81         : "text-muted-foreground",
82       className
83     )}
84     {...props}
85   />
86 );
87
88 export type QueueItemDescriptionProps = ComponentProps<"div"> & {
89   completed?: boolean;
90 };
91

```

```

92 export const QueueItemDescription = ({
93   completed = false,
94   className,
95   ...props
96 }: QueueItemDescriptionProps) => (
97   <div
98     className={cn(
99       "ml-6 text-xs",
100       completed
101         ? "text-muted-foreground/40 line-through"
102         : "text-muted-foreground",
103       className
104     )}
105     {...props}
106   />
107 );
108
109 export type QueueItemActionsProps = ComponentProps<"div">;
110
111 export const QueueItemActions = ({
112   className,
113   ...props
114 }: QueueItemActionsProps) => (
115   <div className={cn("flex gap-1", className)} {...props} />
116 );
117
118 export type QueueItemActionProps = Omit<
119   ComponentProps<typeof Button>,
120   "variant" | "size"
121 >;
122
123 export const QueueItemAction = ({
124   className,
125   ...props
126 }: QueueItemActionProps) => (
127   <Button
128     className={cn(
129       "size-auto rounded p-1 text-muted-foreground opacity-0 transition-opacity hover:bg-muted-foreground/10 hover:text-foreground group-hover:opacity-100",
130       className
131     )}
132     size="icon"
133     type="button"
134     variant="ghost"
135     {...props}
136   />
137 );
138
139 export type QueueItemAttachmentProps = ComponentProps<"div">;
140
141 export const QueueItemAttachment = ({
142   className,
143   ...props
144 }: QueueItemAttachmentProps) => (
145   <div className={cn("mt-1 flex flex-wrap gap-2", className)} {...props} />
146 );
147
148 export type QueueItemImageProps = ComponentProps<"img">;
149
150 export const QueueItemImage = ({
151   className,
152   ...props
153 }: QueueItemImageProps) => (
154   // biome-ignore lint/performance/noImgElement: dynamic blob/data URLs require native img
155   <img
156     alt=""
157     className={cn("h-8 w-8 rounded border object-cover", className)}
158     height={32}
159     width={32}
160     {...props}

```

```

161   />
162 );
163
164 export type QueueItemFileProps = ComponentProps<"span">;
165
166 export const QueueItemFile = ({
167   children,
168   className,
169   ...props
170 }: QueueItemFileProps) => (
171   <span
172     className={cn(
173       "flex items-center gap-1 rounded border bg-muted px-2 py-1 text-xs",
174       className
175     )}
176     {...props}
177   >
178     <PaperclipIcon size={12} />
179     <span className="max-w-[100px] truncate">{children}</span>
180   </span>
181 );
182
183 export type QueueListProps = ComponentProps<typeof ScrollArea>;
184
185 export const QueueList = ({
186   children,
187   className,
188   ...props
189 }: QueueListProps) => (
190   <ScrollArea className={cn("-mb-1 mt-2", className)} {...props}>
191     <div className="max-h-40 pr-4">
192       <ul>{children}</ul>
193     </div>
194   </ScrollArea>
195 );
196
197 // QueueSection - collapsible section container
198 export type QueueSectionProps = ComponentProps<typeof Collapsible>;
199
200 export const QueueSection = ({
201   className,
202   defaultOpen = true,
203   ...props
204 }: QueueSectionProps) => (
205   <Collapsible className={cn(className)} defaultOpen={defaultOpen} {...props} />
206 );
207
208 // QueueSectionTrigger - section header/trigger
209 export type QueueSectionTriggerProps = ComponentProps<"button">;
210
211 export const QueueSectionTrigger = ({
212   children,
213   className,
214   ...props
215 }: QueueSectionTriggerProps) => (
216   <CollapsibleTrigger asChild>
217     <button
218       className={cn(
219         "group flex w-full items-center justify-between rounded-md bg-muted/40 px-3 py-2 text-left font-medium text-muted-foreground text-sm transition-colors hover:bg-muted",
220         className
221       )}
222       type="button"
223       {...props}
224     >
225       {children}
226     </button>
227   </CollapsibleTrigger>
228 );
229

```

```

230 // QueueSectionLabel - label content with icon and count
231 export type QueueSectionLabelProps = ComponentProps<"span"> & {
232   count?: number;
233   label: string;
234   icon?: React.ReactNode;
235 };
236
237 export const QueueSectionLabel = ({
238   count,
239   label,
240   icon,
241   className,
242   ...props
243 }: QueueSectionLabelProps) => (
244   <span className={cn("flex items-center gap-2", className)} {...props}>
245     <ChevronDownIcon className="group-data-[state=closed]:-rotate-90 size-4 transition-transform" />
246     {icon}
247     <span>
248       {count} {label}
249     </span>
250   </span>
251 );
252
253 // QueueSectionContent - collapsible content area
254 export type QueueSectionContentProps = ComponentProps<
255   typeof CollapsibleContent
256 >;
257
258 export const QueueSectionContent = ({
259   className,
260   ...props
261 }: QueueSectionContentProps) => (
262   <CollapsibleContent className={cn(className)} {...props} />
263 );
264
265 export type QueueProps = ComponentProps<"div">;
266
267 export const Queue = ({ className, ...props }: QueueProps) => (
268   <div
269     className={cn(
270       "flex flex-col gap-2 rounded-xl border border-border bg-background px-3 pt-2 pb-2 shadow-xs",
271       className
272     )}
273     {...props}
274   />
275 );

```

177. components/ai-elements/reasoning.tsx

```

1  "use client";
2
3  import { useControllableState } from "@radix-ui/react-use-controllable-state";
4  import { BrainIcon, ChevronDownIcon } from "lucide-react";
5  import type { ComponentProps, ReactNode } from "react";
6  import { createContext, memo, useContext, useEffect, useState } from "react";
7  import { Streamdown } from "streamdown";
8  import {
9    Collapsible,
10   CollapsibleContent,
11   CollapsibleTrigger,
12 } from "@components/ui/collapsible";
13 import { cn } from "@lib/utils";
14 import { Shimmer } from "../shimmer";
15
16 type ReasoningContextValue = {
17   isStreaming: boolean;
18   isOpen: boolean;

```

```

19   setIsOpen: (open: boolean) => void;
20   duration: number | undefined;
21 };
22
23 const ReasoningContext = createContext<ReasoningContextValue | null>(null);
24
25 export const useReasoning = () => {
26   const context = useContext(ReasoningContext);
27   if (!context) {
28     throw new Error("Reasoning components must be used within Reasoning");
29   }
30   return context;
31 };
32
33 export type ReasoningProps = ComponentProps<typeof Collapsible> & {
34   isStreaming?: boolean;
35   open?: boolean;
36   defaultOpen?: boolean;
37   onOpenChange?: (open: boolean) => void;
38   duration?: number;
39 };
40
41 const AUTO_CLOSE_DELAY = 300;
42 const MS_IN_S = 1000;
43
44 export const Reasoning = memo(
45   ({
46     className,
47     isStreaming = false,
48     open,
49     defaultOpen = true,
50     onOpenChange,
51     duration: durationProp,
52     children,
53     ...props
54   }: ReasoningProps) => {
55     const [isOpen, setIsOpen] = useControllableState({
56       prop: open,
57       defaultProp: defaultOpen,
58       onChange: onOpenChange,
59     });
60     const [duration, setDuration] = useControllableState({
61       prop: durationProp,
62       defaultProp: undefined,
63     });
64
65     const [hasAutoClosed, setHasAutoClosed] = useState(false);
66     const [startTime, setStartTime] = useState<number | null>(null);
67
68     // Track duration when streaming starts and ends
69     useEffect(() => {
70       if (isStreaming) {
71         if (startTime === null) {
72           setStartTime(Date.now());
73         }
74       } else if (startTime !== null) {
75         setDuration(Math.ceil((Date.now() - startTime) / MS_IN_S));
76         setStartTime(null);
77       }
78     }, [isStreaming, startTime, setDuration]);
79
80     // Auto-open when streaming starts, auto-close when streaming ends (once only)
81     useEffect(() => {
82       if (defaultOpen && !isStreaming && isOpen && !hasAutoClosed) {
83         // Add a small delay before closing to allow user to see the content
84         const timer = setTimeout(() => {
85           setIsOpen(false);
86           setHasAutoClosed(true);
87         }, AUTO_CLOSE_DELAY);

```



```

88
89     return () => clearTimeout(timer);
90   }
91 }, [isStreaming, isOpen, defaultOpen, setIsOpen, hasAutoClosed]);
92
93 const handleOpenChange = (newOpen: boolean) => {
94   setIsOpen(newOpen);
95 };
96
97 return (
98   <ReasoningContext.Provider
99     value={{ isStreaming, isOpen, setIsOpen, duration }}
100   >
101     <Collapsible
102       className={cn("not-prose mb-2", className)}
103       onOpenChange={handleOpenChange}
104       open={isOpen}
105       {...props}
106     >
107       {children}
108     </Collapsible>
109   </ReasoningContext.Provider>
110 );
111 }
112 );
113
114 export type ReasoningTriggerProps = ComponentProps<
115   typeof CollapsibleTrigger
116 > & {
117   getThinkingMessage?: (isStreaming: boolean, duration?: number) => ReactNode;
118 };
119
120 const defaultGetThinkingMessage = (isStreaming: boolean, duration?: number) => {
121   if (isStreaming || duration === 0) {
122     return <Shimmer duration={1}>Thinking</Shimmer>;
123   }
124   if (duration === undefined) {
125     return <span>Thought</span>;
126   }
127   return <span>{duration}s</span>;
128 };
129
130 export const ReasoningTrigger = memo(
131   ({
132     className,
133     children,
134     getThinkingMessage = defaultGetThinkingMessage,
135     ...props
136   }: ReasoningTriggerProps) => {
137     const { isStreaming, isOpen, duration } = useReasoning();
138
139     return (
140       <CollapsibleTrigger
141         className={cn(
142           "flex items-center gap-1 rounded-md px-1.5 py-0.5 text-[11px] text-muted-foreground transition-colors hover:bg-muted hover:text-foreground",
143           className
144         )}
145         {...props}
146       >
147         {children ?? (
148           <>
149             <BrainIcon className="size-3" />
150             {getThinkingMessage(isStreaming, duration)}
151             <ChevronDownIcon
152               className={cn(
153                 "size-2.5 transition-transform",
154                 isOpen ? "rotate-180" : "rotate-0"
155               )}
156             />

```

```

157     </>
158   })
159   </CollapsibleTrigger>
160   );
161 }
162 );
163
164 export type ReasoningContentProps = ComponentProps<
165   typeof CollapsibleContent
166 > & {
167   children: string;
168 };
169
170 export const ReasoningContent = memo(
171   ({ className, children, ...props }: ReasoningContentProps) => (
172     <CollapsibleContent
173       className={cn(
174         "mt-1.5 text-[11px] leading-relaxed",
175         "data-[state=closed]:fade-out-0 data-[state=closed]:slide-out-to-top-2 data-[state=open]:slide-in-from-top-2 text-muted-foreground outline-none data-[state=closed]:animate-out data-[state=open]:",
176         className
177       )}
178       {...props}
179     >
180       <div className="max-h-48 overflow-y-auto rounded-md border border-border/50 bg-muted/30 p-2.5 text-[11px] **:text-[11px] [&_li]:my-0 [&_ol]:my-1 [&_p]:my-0 [&_ul]:my-1">
181         <Streamdown>{children}</Streamdown>
182       </div>
183     </CollapsibleContent>
184   )
185 );
186
187 Reasoning.displayName = "Reasoning";
188 ReasoningTrigger.displayName = "ReasoningTrigger";
189 ReasoningContent.displayName = "ReasoningContent";

```

178. components/ai-elements/shimmer.tsx

```

1  "use client";
2
3  import { motion } from "motion/react";
4  import {
5    type CSSProperties,
6    type ElementType,
7    type JSX,
8    memo,
9    useMemo,
10 } from "react";
11 import { cn } from "@/lib/utils";
12
13 export type TextShimmerProps = {
14   children: string;
15   as?: ElementType;
16   className?: string;
17   duration?: number;
18   spread?: number;
19 };
20
21 const ShimmerComponent = ({
22   children,
23   as: Component = "p",
24   className,
25   duration = 2,
26   spread = 2,
27 }: TextShimmerProps) => {
28   const MotionComponent = motion.create(
29     Component as keyof JSX.IntrinsicElements
30   );
31

```

```

32   const dynamicSpread = useMemo(
33     () => (children?.length ?? 0) * spread,
34     [children, spread]
35   );
36
37   return (
38     <MotionComponent
39       animate={{ backgroundColor: "0% center" }}
40       className={cn(
41         "relative inline-block bg-[length:250%_100%,auto] bg-clip-text text-transparent",
42         "[--bg:linear-gradient(90deg,#0000_calc(50%-var(--spread)),var(--color-background),#0000_calc(50%+var(--spread)))] [background-repeat:no-repeat,padding-box]",
43         className
44       )}
45       initial={{ backgroundColor: "100% center" }}
46       style={{
47         {
48           "--spread": `${dynamicSpread}px`,
49           backgroundImage:
50             "var(--bg), linear-gradient(var(--color-muted-foreground), var(--color-muted-foreground))",
51           } as CSSProperties
52         }
53         transition={{
54           repeat: Number.POSITIVE_INFINITY,
55           duration,
56           ease: "linear",
57         }}
58       >
59       {children}
60     </MotionComponent>
61   );
62 };
63
64 export const Shimmer = memo(ShimmerComponent);

```

179. components/ai-elements/sources.tsx

```

1  "use client";
2
3  import { BookIcon, ChevronDownIcon } from "lucide-react";
4  import type { ComponentProps } from "react";
5  import {
6    Collapsible,
7    CollapsibleContent,
8    CollapsibleTrigger,
9  } from "@components/ui/collapsible";
10 import { cn } from "@lib/utils";
11
12 export type SourcesProps = ComponentProps<"div">;
13
14 export const Sources = ({ className, ...props }: SourcesProps) => (
15   <Collapsible
16     className={cn("not-prose mb-4 text-primary text-xs", className)}
17     {...props}
18   />
19 );
20
21 export type SourcesTriggerProps = ComponentProps<typeof CollapsibleTrigger> & {
22   count: number;
23 };
24
25 export const SourcesTrigger = ({
26   className,
27   count,
28   children,
29   ...props
30 }: SourcesTriggerProps) => (
31   <CollapsibleTrigger

```

```

32   className={cn("flex items-center gap-2", className)}
33   {...props}
34 >
35   {children ?? (
36     <>
37       <p className="font-medium">Used {count} sources</p>
38       <ChevronDownIcon className="h-4 w-4" />
39     </>
40   )}
41 </CollapsibleTrigger>
42 );
43
44 export type SourcesContentProps = ComponentProps<typeof CollapsibleContent>;
45
46 export const SourcesContent = ({
47   className,
48   ...props
49 }: SourcesContentProps) => (
50   <CollapsibleContent
51     className={cn(
52       "mt-3 flex w-fit flex-col gap-2",
53       "data-[state=closed]:fade-out-0 data-[state=closed]:slide-out-to-top-2 data-[state=open]:slide-in-from-top-2 outline-none data-[state=closed]:animate-out data-[state=open]:animate-in",
54       className
55     )}
56     {...props}
57   />
58 );
59
60 export type SourceProps = ComponentProps<"a">;
61
62 export const Source = ({ href, title, children, ...props }: SourceProps) => (
63   <a
64     className="flex items-center gap-2"
65     href={href}
66     rel="noreferrer"
67     target="_blank"
68     {...props}
69   >
70     {children ?? (
71       <>
72         <BookIcon className="h-4 w-4" />
73         <span className="block font-medium">{title}</span>
74       </>
75     )}
76   </a>
77 );

```

180. components/ai-elements/suggestion.tsx

```

1  "use client";
2
3  import type { ComponentProps } from "react";
4  import { Button } from "@/components/ui/button";
5  import { ScrollArea, ScrollBar } from "@/components/ui/scroll-area";
6  import { cn } from "@/lib/utils";
7
8  export type SuggestionsProps = ComponentProps<typeof ScrollArea>;
9
10 export const Suggestions = ({
11   className,
12   children,
13   ...props
14 }: SuggestionsProps) => (
15   <ScrollArea className="w-full overflow-x-auto whitespace-nowrap" {...props}>
16     <div className={cn("flex w-max flex-nowrap items-center gap-2", className)}>
17       {children}
18     </div>

```

```

19   <ScrollBar className="hidden" orientation="horizontal" />
20 </ScrollArea>
21 );
22
23 export type SuggestionProps = Omit<ComponentProps<typeof Button>, "onClick"> & {
24   suggestion: string;
25   onClick?: (suggestion: string) => void;
26 };
27
28 export const Suggestion = ({
29   suggestion,
30   onClick,
31   className,
32   variant = "outline",
33   size = "sm",
34   children,
35   ...props
36 }: SuggestionProps) => {
37   const handleClick = () => {
38     onClick?.(suggestion);
39   };
40
41   return (
42     <Button
43       className={cn("cursor-pointer rounded-full px-4", className)}
44       onClick={handleClick}
45       size={size}
46       type="button"
47       variant={variant}
48       {...props}
49     >
50       {children || suggestion}
51     </Button>
52   );
53 };

```

181. components/ai-elements/task.tsx

```

1  "use client";
2
3  import { ChevronDownIcon, SearchIcon } from "lucide-react";
4  import type { ComponentProps } from "react";
5  import {
6    Collapsible,
7    CollapsibleContent,
8    CollapsibleTrigger,
9  } from "@/components/ui/collapsible";
10 import { cn } from "@/lib/utils";
11
12 export type TaskItemFileProps = ComponentProps<"div">;
13
14 export const TaskItemFile = ({
15   children,
16   className,
17   ...props
18 }: TaskItemFileProps) => {
19   <div
20     className={cn(
21       "inline-flex items-center gap-1 rounded-md border bg-secondary px-1.5 py-0.5 text-foreground text-xs",
22       className
23     )}
24     {...props}
25   >
26     {children}
27   </div>
28 );
29

```

```

30 export type TaskItemProps = ComponentProps<"div">;
31
32 export const TaskItem = ({ children, className, ...props }: TaskItemProps) => (
33   <div className={cn("text-muted-foreground text-sm", className)} {...props}>
34     {children}
35   </div>
36 );
37
38 export type TaskProps = ComponentProps<typeof Collapsible>;
39
40 export const Task = ({
41   defaultOpen = true,
42   className,
43   ...props
44 }: TaskProps) => (
45   <Collapsible className={cn(className)} defaultOpen={defaultOpen} {...props} />
46 );
47
48 export type TaskTriggerProps = ComponentProps<typeof CollapsibleTrigger> & {
49   title: string;
50 };
51
52 export const TaskTrigger = ({
53   children,
54   className,
55   title,
56   ...props
57 }: TaskTriggerProps) => (
58   <CollapsibleTrigger asChild className={cn("group", className)} {...props}>
59     {children ?? (
60       <div className="flex w-full cursor-pointer items-center gap-2 text-muted-foreground text-sm transition-colors hover:text-foreground">
61         <SearchIcon className="size-4" />
62         <p className="text-sm">{title}</p>
63         <ChevronDownIcon className="size-4 transition-transform group-data-[state=open]:rotate-180" />
64       </div>
65     )}
66   </CollapsibleTrigger>
67 );
68
69 export type TaskContentProps = ComponentProps<typeof CollapsibleContent>;
70
71 export const TaskContent = ({
72   children,
73   className,
74   ...props
75 }: TaskContentProps) => (
76   <CollapsibleContent
77     className={cn(
78       "data-[state=closed]:fade-out-0 data-[state=closed]:slide-out-to-top-2 data-[state=open]:slide-in-from-top-2 text-popover-foreground outline-none data-[state=closed]:animate-out data-[state=open]:",
79       className
80     )}
81     {...props}
82   >
83     <div className="mt-4 space-y-2 border-muted border-l-2 pl-4">
84       {children}
85     </div>
86   </CollapsibleContent>
87 );

```

182. components/ai-elements/tool.tsx

```

1 "use client";
2
3 import type { ToolUIPart } from "ai";
4 import {
5   CheckCircleIcon,
6   ChevronDownIcon,

```

```

7   CircleIcon,
8   ClockIcon,
9   WrenchIcon,
10  XCircleIcon,
11 } from "lucide-react";
12 import type { ComponentProps, ReactNode } from "react";
13 import { isValidElement } from "react";
14 import { Badge } from "@components/ui/badge";
15 import {
16   Collapsible,
17   CollapsibleContent,
18   CollapsibleTrigger,
19 } from "@components/ui/collapsible";
20 import { cn } from "@lib/Utils";
21 import { CodeBlock } from "../code-block";
22
23 export type ToolProps = ComponentProps<typeof Collapsible>;
24
25 export const Tool = ({ className, ...props }: ToolProps) => (
26   <Collapsible
27     className={cn("not-prose mb-4 w-full rounded-md border", className)}
28     {...props}
29   />
30 );
31
32 export type ToolHeaderProps = {
33   title?: string;
34   type: ToolUIPart["type"];
35   state: ToolUIPart["state"];
36   className?: string;
37 };
38
39 const getStatusBadge = (status: ToolUIPart["state"]) => {
40   const labels: Record<ToolUIPart["state"], string> = {
41     "input-streaming": "Pending",
42     "input-available": "Running",
43     "approval-requested": "Awaiting Approval",
44     "approval-responded": "Responded",
45     "output-available": "Completed",
46     "output-error": "Error",
47     "output-denied": "Denied",
48   };
49
50   const icons: Record<ToolUIPart["state"], ReactNode> = {
51     "input-streaming": <CircleIcon className="size-4" />,
52     "input-available": <ClockIcon className="size-4 animate-pulse" />,
53     "approval-requested": <ClockIcon className="size-4 text-yellow-600" />,
54     "approval-responded": <CheckCircleIcon className="size-4 text-blue-600" />,
55     "output-available": <CheckCircleIcon className="size-4 text-green-600" />,
56     "output-error": <XCircleIcon className="size-4 text-red-600" />,
57     "output-denied": <XCircleIcon className="size-4 text-orange-600" />,
58   };
59
60   return (
61     <Badge className="gap-1.5 rounded-full text-xs variant="secondary">
62       {icons[status]}
63       {labels[status]}
64     </Badge>
65   );
66 };
67
68 export const ToolHeader = ({
69   className,
70   title,
71   type,
72   state,
73   ...props
74 }: ToolHeaderProps) => (
75   <CollapsibleTrigger

```

```

76     className={cn(
77       "flex w-full items-center justify-between gap-4 p-3",
78       className
79     )}
80     {...props}
81   >
82     <div className="flex items-center gap-2">
83       <WrenchIcon className="size-4 text-muted-foreground" />
84       <span className="font-medium text-sm">
85         {title ?? type.split("-").slice(1).join("-")}
86       </span>
87       {getStatusBadge(state)}
88     </div>
89     <ChevronDownIcon className="size-4 text-muted-foreground transition-transform group-data-[state=open]:rotate-180" />
90   </CollapsibleTrigger>
91 );
92
93 export type ToolContentProps = ComponentProps<typeof CollapsibleContent>;
94
95 export const ToolContent = ({ className, ...props }: ToolContentProps) => (
96   <CollapsibleContent
97     className={cn(
98       "data-[state=closed]:fade-out-0 data-[state=closed]:slide-out-to-top-2 data-[state=open]:slide-in-from-top-2 text-popover-foreground outline-none data-[state=closed]:animate-out data-[state=open]:",
99       className
100     )}
101     {...props}
102   />
103 );
104
105 export type ToolInputProps = ComponentProps<"div"> & {
106   input: ToolUIPart["input"];
107 };
108
109 export const ToolInput = ({ className, input, ...props }: ToolInputProps) => (
110   <div className={cn("space-y-2 overflow-hidden p-4", className)} {...props}>
111     <h4 className="font-medium text-muted-foreground text-xs uppercase tracking-wide">
112       Parameters
113     </h4>
114     <div className="rounded-md bg-muted/50">
115       <CodeBlock code={JSON.stringify(input, null, 2)} language="json" />
116     </div>
117   </div>
118 );
119
120 export type ToolOutputProps = ComponentProps<"div"> & {
121   output: ToolUIPart["output"];
122   errorText: ToolUIPart["errorText"];
123 };
124
125 export const ToolOutput = ({
126   className,
127   output,
128   errorText,
129   ...props
130 }: ToolOutputProps) => {
131   if (!(output || errorText)) {
132     return null;
133   }
134
135   let Output = <div>{output as ReactNode}</div>;
136
137   if (typeof output === "object" && !isValidElement(output)) {
138     Output = (
139       <CodeBlock code={JSON.stringify(output, null, 2)} language="json" />
140     );
141   } else if (typeof output === "string") {
142     Output = <CodeBlock code={output} language="json" />;
143   }
144

```



```

145   return (
146     <div className={cn("space-y-2 p-4", className)} {...props}>
147       <h4 className="font-medium text-muted-foreground text-xs uppercase tracking-wide">
148         {errorText ? "Error" : "Result"}
149       </h4>
150       <div
151         className={cn(
152           "overflow-x-auto rounded-md text-xs [&_table]:w-full",
153           errorText
154             ? "bg-destructive/10 text-destructive"
155             : "bg-muted/50 text-foreground"
156         )}
157       >
158         {errorText && <div>{errorText}</div>}
159         {Output}
160       </div>
161     </div>
162   );
163 };

```

183. components/ai-elements/toolbar.tsx

```

1  import { NodeToolbar, Position } from "@xyflow/react";
2  import type { ComponentProps } from "react";
3  import { cn } from "@lib/utils";
4
5  type ToolbarProps = ComponentProps<typeof NodeToolbar>;
6
7  export const Toolbar = ({ className, ...props }: ToolbarProps) => (
8    <NodeToolbar
9      className={cn(
10        "flex items-center gap-1 rounded-sm border bg-background p-1.5",
11        className
12      )}
13      position={Position.Bottom}
14      {...props}
15    />
16 );

```

184. components/ai-elements/web-preview.tsx

```

1  "use client";
2
3  import { ChevronDownIcon } from "lucide-react";
4  import type { ComponentProps, ReactNode } from "react";
5  import { createContext, useContext, useEffect, useState } from "react";
6  import { Button } from "@components/ui/button";
7  import {
8    Collapsible,
9    CollapsibleContent,
10   CollapsibleTrigger,
11 } from "@components/ui/collapsible";
12 import { Input } from "@components/ui/input";
13 import {
14   Tooltip,
15   TooltipContent,
16   TooltipProvider,
17   TooltipTrigger,
18 } from "@components/ui/tooltip";
19 import { cn } from "@lib/utils";
20
21 export type WebPreviewContextValue = {
22   url: string;
23   setUrl: (url: string) => void;
24   consoleOpen: boolean;

```

```

25   setConsoleOpen: (open: boolean) => void;
26 };
27
28 const WebPreviewContext = createContext<WebPreviewContextValue | null>(null);
29
30 const useWebPreview = () => {
31   const context = useContext(WebPreviewContext);
32   if (!context) {
33     throw new Error("WebPreview components must be used within a WebPreview");
34   }
35   return context;
36 };
37
38 export type WebPreviewProps = ComponentProps<"div"> & {
39   defaultUrl?: string;
40   onUrlChange?: (url: string) => void;
41 };
42
43 export const WebPreview = ({
44   className,
45   children,
46   defaultUrl = "",
47   onUrlChange,
48   ...props
49 }: WebPreviewProps) => {
50   const [url, setUrl] = useState(defaultUrl);
51   const [consoleOpen, setConsoleOpen] = useState(false);
52
53   const handleUrlChange = (newUrl: string) => {
54     setUrl(newUrl);
55     onUrlChange?.(newUrl);
56   };
57
58   const contextValue: WebPreviewContextValue = {
59     url,
60     setUrl: handleUrlChange,
61     consoleOpen,
62     setConsoleOpen,
63   };
64
65   return (
66     <WebPreviewContext.Provider value={contextValue}>
67       <div
68         className={cn(
69           "flex size-full flex-col rounded-lg border bg-card",
70           className
71         )}
72         {...props}
73       >
74         {children}
75       </div>
76     </WebPreviewContext.Provider>
77   );
78 };
79
80 export type WebPreviewNavigationProps = ComponentProps<"div">;
81
82 export const WebPreviewNavigation = ({
83   className,
84   children,
85   ...props
86 }: WebPreviewNavigationProps) => (
87   <div
88     className={cn("flex items-center gap-1 border-b p-2", className)}
89     {...props}
90   >
91     {children}
92   </div>
93 );

```

```

94
95 export type WebPreviewNavigationButtonProps = ComponentProps<typeof Button> & {
96   tooltip?: string;
97 };
98
99 export const WebPreviewNavigationButton = ({
100   onClick,
101   disabled,
102   tooltip,
103   children,
104   ...props
105 }: WebPreviewNavigationButtonProps) => (
106   <TooltipProvider>
107     <Tooltip>
108       <TooltipTrigger asChild>
109         <Button
110           className="h-8 w-8 p-0 hover:text-foreground"
111           disabled={disabled}
112           onClick={onClick}
113           size="sm"
114           variant="ghost"
115           {...props}
116         >
117           {children}
118         </Button>
119       </TooltipTrigger>
120       <TooltipContent>
121         <p>{tooltip}</p>
122       </TooltipContent>
123     </Tooltip>
124   </TooltipProvider>
125 );
126
127 export type WebPreviewUrlProps = ComponentProps<typeof Input>;
128
129 export const WebPreviewUrl = ({
130   value,
131   onChange,
132   onKeyDown,
133   ...props
134 }: WebPreviewUrlProps) => {
135   const { url, setUrl } = useWebPreview();
136   const [inputValue, setInputValue] = useState(url);
137
138   // Sync input value with context URL when it changes externally
139   useEffect(() => {
140     setInputValue(url);
141   }, [url]);
142
143   const handleChange = (event: React.ChangeEvent<HTMLInputElement>) => {
144     setInputValue(event.target.value);
145     onChange?.(event);
146   };
147
148   const handleKeyDown = (event: React.KeyboardEvent<HTMLInputElement>) => {
149     if (event.key === "Enter") {
150       const target = event.target as HTMLInputElement;
151       setUrl(target.value);
152     }
153     onKeyDown?.(event);
154   };
155
156   return (
157     <Input
158       className="h-8 flex-1 text-sm"
159       onChange={onChange ?? handleChange}
160       onKeyDown={handleKeyDown}
161       placeholder="Enter URL..."
162       value={value ?? inputValue}

```

```

163     {...props}
164   />
165   };
166 };
167
168 export type WebPreviewBodyProps = ComponentProps<"iframe"> & {
169   loading?: ReactNode;
170 };
171
172 export const WebPreviewBody = ({
173   className,
174   loading,
175   src,
176   ...props
177 }: WebPreviewBodyProps) => {
178   const { url } = useWebPreview();
179
180   return (
181     <div className="flex-1">
182       <iframe
183         className={cn("size-full", className)}
184         sandbox="allow-scripts allow-same-origin allow-forms allow-popups allow-presentation"
185         src={src ?? url || undefined}
186         title="Preview"
187         {...props}
188       />
189       {loading}
190     </div>
191   );
192 };
193
194 export type WebPreviewConsoleProps = ComponentProps<"div"> & {
195   logs?: Array<{
196     level: "log" | "warn" | "error";
197     message: string;
198     timestamp: Date;
199   }>;
200 };
201
202 export const WebPreviewConsole = ({
203   className,
204   logs = [],
205   children,
206   ...props
207 }: WebPreviewConsoleProps) => {
208   const { consoleOpen, setConsoleOpen } = useWebPreview();
209
210   return (
211     <Collapsible
212       className={cn("border-t bg-muted/50 font-mono text-sm", className)}
213       onOpenChange={setConsoleOpen}
214       open={consoleOpen}
215       {...props}
216     >
217     <CollapsibleTrigger asChild>
218       <Button
219         className="flex w-full items-center justify-between p-4 text-left font-medium hover:bg-muted/50"
220         variant="ghost"
221       >
222         Console
223         <ChevronDownIcon
224           className={cn(
225             "h-4 w-4 transition-transform duration-200",
226             consoleOpen && "rotate-180"
227           )}
228         />
229       </Button>
230     </CollapsibleTrigger>
231     <CollapsibleContent

```

```

232     className={cn(
233       "px-4 pb-4",
234       "data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0 data-[state=closed]:zoom-out-95 data-[state=open]:zoom-in-95 data-[side=bottom]:slide-in-from-top-2 data-[side=left]:slide-in-from-right-2 data-[side=top]:slide-in-from-bottom-2 outline-none data-[state=closed]:animate-out data-[state=open]:animate-in"
235     )}
236   >
237     <div className="max-h-48 space-y-1 overflow-y-auto">
238       {logs.length === 0 ? (
239         <p className="text-muted-foreground">No console output</p>
240       ) : (
241         logs.map((log, index) => (
242           <div
243             className={cn(
244               "text-xs",
245               log.level === "error" && "text-destructive",
246               log.level === "warn" && "text-yellow-600",
247               log.level === "log" && "text-foreground"
248             )}
249             key={` ${log.timestamp.getTime()} - ${index} `}
250           >
251             <span className="text-muted-foreground">
252               {log.timestamp.toLocaleTimeString()}
253             </span>{ " "}
254             {log.message}
255           </div>
256         ))
257       )}
258       {children}
259     </div>
260   </CollapsibleContent>
261 </Collapsible>
262 );
263 };

```

185. components/app-sidebar.tsx

```

1  "use client";
2
3  import { CalendarCheck, ChevronRight } from "lucide-react";
4  import Link from "next/link";
5  import { usePathname, useRouter } from "next/navigation";
6  import type { User } from "next-auth";
7  import { useEffect, useRef, useState } from "react";
8  import { toast } from "sonner";
9  import { useSWRConfig } from "swr";
10 import { unstable_serialize } from "swr/infinite";
11
12 import { useArtifact, initialArtifactData } from "@/hooks/use-artifact";
13
14 import { PlusIcon, TrashIcon } from "@/components/icons";
15 import {
16   getChatHistoryPaginationKey,
17   SidebarHistory,
18 } from "@/components/sidebar-history";
19 import { SidebarUserNav } from "@/components/sidebar-user-nav";
20 import { Button } from "@/components/ui/button";
21 import { MENUS, SIMPLE_MENUS } from "@/config/menus";
22 import { useT } from "@/lib/i18n/provider";
23
24 import {
25   Sidebar,
26   SidebarContent,
27   SidebarFooter,
28   SidebarHeader,
29   SidebarMenu,
30   useSidebar,
31 } from "@/components/ui/sidebar";

```

```

32
33 import {
34   AlertDialog,
35   AlertDialogAction,
36   AlertDialogCancel,
37   AlertDialogContent,
38   AlertDialogDescription,
39   AlertDialogFooter,
40   AlertDialogHeader,
41   AlertDialogTitle,
42 } from "@/ui/alert-dialog";
43 const toAbsHref = (href: string) => {
44   if (!href) return "/";
45   if (href.startsWith("/") || href.startsWith("http")) return href;
46   return `/${href}`;
47 };
48 async function setActiveArtifact(id: string, title: string, slug: string) {
49   try {
50     await fetch("/api/user/active-artifact", {
51       method: "POST",
52       credentials: "include",
53       headers: { "Content-Type": "application/json" },
54       body: JSON.stringify({ id, title, slug }),
55     });
56   } catch {
57     // UI эвдэхгүй
58   }
59 }
60
61 const ACCENT = "#1F6FB2";
62
63 export function AppSidebar({ user }: { user: User | undefined }) {
64   const router = useRouter();
65   const pathname = usePathname();
66   const t = useT();
67
68   // Menu labels live in config/menus.ts (Mongolian); translate via the
69   // group id / item key, falling back to the embedded label.
70   const groupLabel = (m: any): string =>
71     (t.menu.groups as Record<string, string>)[m.id] ?? m.label;
72   const itemLabel = (it: any): string =>
73     (it.key && (t.menu.items as Record<string, string>)[it.key]) || it.label;
74
75   // NOTE: useSidebar-ийн type нь openMobile-г гаргадаггүй байж магадгүй тул any cast хийж байна.
76   const sidebarApi = useSidebar() as any;
77   const setOpenMobile: (open: boolean) => void = sidebarApi.setOpenMobile;
78   const openMobile: boolean | undefined = sidebarApi.openMobile;
79
80   const { mutate } = useSWRConfig();
81
82   const [showDeleteAllDialog, setShowDeleteAllDialog] = useState(false);
83   const [openMenuId, setOpenMenuId] = useState<string | null>(null);
84
85   // □ outside click хаалт (sidebar бүхэлдээ ref)
86   const sidebarRef = useRef<HTMLDivElement | null>(null);
87
88   // □ artifact opener
89   const { setArtifact } = useArtifact();
90
91   // □ MOBILE drawer хаагдах үед menu нээлттэй үлдэх bug-ийг засна
92   useEffect(() => {
93     if (openMobile === false) setOpenMenuId(null);
94   }, [openMobile]);
95
96   // □ DESKTOP: sidebar-аас гадуур дарахад menu-г хаана (mobile дээр listener ажиллахгүй)
97   useEffect(() => {
98     const isMobile =
99       typeof window !== "undefined" &&
100       window.matchMedia("(max-width: 767px)").matches;

```

```

101
102   if (isMobile) return;
103   if (!openMenuId) return;
104
105   const onPointerDown = (e: PointerEvent) => {
106     const el = sidebarRef.current;
107     if (!el) return;
108     if (el.contains(e.target as Node)) return; // дотор бол хаахгүй
109     setOpenMenuId(null);
110   };
111
112   document.addEventListener("pointerdown", onPointerDown);
113   return () => document.removeEventListener("pointerdown", onPointerDown);
114 }, [openMenuId]);
115
116 const handleDeleteAll = () => {
117   const deletePromise = fetch("/api/history", { method: "DELETE" });
118
119   toast.promise(deletePromise, {
120     loading: t.sidebar.deletingAll,
121     success: () => {
122       mutate(unstable_serialize(getChatHistoryPaginationKey));
123       setShowDeleteAllDialog(false);
124       setOpenMenuId(null);
125       setOpenMobile(false);
126       router.replace("/");
127       router.refresh();
128       return t.sidebar.deletedAll;
129     },
130     error: t.sidebar.deleteAllFailed,
131   });
132 };
133
134 const closeAll = () => {
135   setOpenMobile(false);
136   setOpenMenuId(null);
137 };
138
139 const isActiveHref = (href: string) => {
140   const base = toAbsHref(href).split("?")[0];
141   if (base === "/") return pathname === "/";
142   return pathname === base || pathname.startsWith(`${base}/`);
143 };
144
145 const openArtifactPanel = (it: any) => {
146   const documentId = `static-${it.href.replace(/^[a-z0-9]/gi, "_")}`;
147   setActiveArtifact(documentId, it.artifact.title, it.href);
148   closeAll();
149   setArtifact({
150     ...initialArtifactData,
151     documentId,
152     kind: "text",
153     title: it.artifact.title,
154     content: it.artifact.content,
155     status: "idle",
156     isVisible: true,
157   });
158 };
159
160 // Онолын зүйл: artifact бол panel нээнэ, эс бол route руу үсэрнэ
161 const renderTheoryItem = (it: any) => {
162   if (it.comingSoon) {
163     return (
164       <div
165         className="flex w-full items-center gap-2.5 rounded-lg px-2.5 py-1.5 text-left text-[13px] text-muted-foreground/60"
166         key={it.href}
167       >
168         <span className="size-1 shrink-0 rounded-full bg-muted-foreground/30" />
169         <span className="truncate">{itemLabel(it)}</span>

```

```

170     <span className="ml-auto shrink-0 rounded-full bg-muted px-1.5 py-0.5 text-[10px] text-muted-foreground/70">
171       {t.sidebar.comingSoon}
172     </span>
173   </div>
174 );
175 }
176
177 const cls =
178   "group flex w-full items-center gap-2.5 rounded-lg px-2.5 py-1.5 text-left text-[13px] text-muted-foreground transition-colors hover:bg-muted hover:text-foreground";
179 const inner = (
180   <>
181     <span
182       className="size-1 shrink-0 rounded-full bg-muted-foreground/40 transition-colors group-hover:bg-[color:var(--mind-accent)]"
183       style={{ ["--mind-accent" as any]: ACCENT }}
184     />
185     <span className="truncate">{itemLabel(it)}</span>
186   </>
187 );
188
189 if (it.artifact) {
190   return (
191     <button
192       className={cls}
193       key={it.href}
194       onClick={() => openArtifactPanel(it)}
195       type="button"
196     >
197       {inner}
198     </button>
199   );
200 }
201 return (
202   <Link
203     className={cls}
204     href={toAbsHref(it.href)}
205     key={it.href}
206     onClick={closeAll}
207   >
208     {inner}
209   </Link>
210 );
211 };
212
213 // App зүйл: цэвэрхэн жарсаалтын мөр — идэвхтэй нь брэнд өнгөөр дүүрнэ
214 const renderAppItem = (it: any) => {
215   if (it.comingSoon) {
216     return (
217       <div
218         className="flex w-full items-center gap-2.5 rounded-lg px-2.5 py-2 text-left font-medium text-foreground/40 text-sm"
219         key={it.href}
220       >
221         <span className="size-1.5 shrink-0 rounded-full bg-muted-foreground/30" />
222         <span className="truncate">{itemLabel(it)}</span>
223         <span className="ml-auto shrink-0 rounded-full bg-muted px-1.5 py-0.5 font-normal text-[10px] text-muted-foreground/70">
224           {t.sidebar.comingSoon}
225         </span>
226       </div>
227     );
228   }
229
230   const active = !it.artifact && isActiveHref(it.href);
231   const base =
232     "group flex w-full items-center gap-2.5 rounded-lg px-2.5 py-2 text-left text-sm font-medium transition-all";
233   const cls = active
234     ? `${base} text-white`
235     : `${base} text-foreground/80 hover:bg-muted hover:text-foreground`;
236   const style = active ? { backgroundColor: ACCENT } : undefined;
237
238   const inner = (

```



```

239     <>
240     <span
241       className="size-1.5 shrink-0 rounded-full"
242       style={{ backgroundColor: active ? "#fff" : ACCENT }}
243     />
244     <span className="truncate">{itemLabel(it)}</span>
245     <ChevronRight
246       className={`ml-auto size-3.5 shrink-0 transition-all group-hover:translate-x-0.5 ${
247         active ? "opacity-90" : "opacity-0 group-hover:opacity-50"
248       }`}
249     />
250   </>
251 );
252
253 if (it.artifact) {
254   return (
255     <button
256       className={cls}
257       key={it.href}
258       onClick={() => openArtifactPanel(it)}
259       style={style}
260       type="button"
261     >
262       {inner}
263     </button>
264   );
265 }
266 return (
267   <Link
268     className={cls}
269     href={toAbsHref(it.href)}
270     key={it.href}
271     onClick={closeAll}
272     style={style}
273   >
274     {inner}
275   </Link>
276 );
277 };
278
279 // □ Одоогийн энгийн цэс: dropdown-гүй, нэг item = нэг мөр шууд линк.
280 const renderSimpleMenuItem = (m: any) => {
281   const app = m.items[0];
282   const Icon = m.icon;
283   const active = !app.comingSoon && isActiveHref(app.matchHref ?? app.href);
284
285   const headerCls =
286     "group flex w-full items-center justify-between gap-2 rounded-lg border px-3 py-2.5 text-left transition-colors";
287
288   const headerInner = (
289     <>
290       <span className="flex items-center gap-2.5">
291         <span
292           className="inline-flex size-7 items-center justify-center rounded-md"
293           style={{
294             color: active ? "#fff" : ACCENT,
295             backgroundColor: active
296               ? "rgba(255,255,255,0.18)"
297               : `${ACCENT}14`,
298           }}
299         >
300           <Icon size={17} />
301         </span>
302         <span className="truncate font-semibold text-sm">
303           {groupLabel(m)}
304         </span>
305       </span>
306       {app.comingSoon ? (
307         <span className="ml-auto shrink-0 rounded-full bg-muted px-1.5 py-0.5 font-normal text-[10px] text-muted-foreground/70">

```

```

308         {t.sidebar.comingSoon}
309     </span>
310   ) : (
311     <ChevronRight className="size-4 shrink-0 opacity-60 transition-transform group-hover:translate-x-0.5" />
312   )}
313 </>
314 );
315
316 if (app.comingSoon) {
317   return (
318     <div
319       className={` ${headerCls} cursor-not-allowed border-muted/60 opacity-60`}
320       key={m.id}
321     >
322       {headerInner}
323     </div>
324   );
325 }
326
327 return (
328   <Link
329     className={` ${headerCls} ${active ? "" : "border-muted/60 hover:bg-muted/60"} `}
330     href={toAbsHref(app.href)}
331     key={m.id}
332     onClick={closeAll}
333     style={
334       active
335       ? { backgroundColor: ACCENT, borderColor: ACCENT, color: "#fff" }
336       : undefined
337     }
338   >
339     {headerInner}
340   </Link>
341 );
342 };
343
344 return (
345   <>
346     { /* ☐ Sidebar бүхэлдээ ref дотор байна */ }
347     <div ref={sidebarRef} style={{ ["--sidebar-width" as any]: "320px" }}>
348       <Sidebar className="group-data-[side=left]:border-r-0">
349         <SidebarHeader>
350           <SidebarMenu>
351             <div className="flex flex-row items-center justify-between">
352               <Link
353                 className="flex flex-row items-center gap-3"
354                 href="/"
355                 onClick={() => {
356                   setOpenMobile(false);
357                   setOpenMenuId(null);
358                 }}
359               >
360                 <span className="cursor-pointer rounded-md px-2 font-semibold text-lg hover:bg-muted">
361                   {t.nav.appName}
362                 </span>
363               </Link>
364
365               <div className="flex flex-row gap-1">
366                 {user && (
367                   <Button
368                     aria-label={t.nav.deleteAllChats}
369                     className="h-8 p-1 md:h-fit md:p-2"
370                     onClick={() => setShowDeleteAllDialog(true)}
371                     title={t.nav.deleteAllChats}
372                     type="button"
373                     variant="ghost"
374                   >
375                     <TrashIcon />
376                   </Button>

```

```

377     })
378
379     <Button
380       aria-label={t.nav.newChat}
381       className="h-8 p-1 md:h-fit md:p-2"
382       onClick={() => {
383         setOpenMobile(false);
384         setOpenMenuId(null);
385         router.push("/");
386         router.refresh();
387       }}
388       title={t.nav.newChat}
389       type="button"
390       variant="ghost"
391     >
392     <PlusIcon />
393   </Button>
394 </div>
395 </div>
396 </SidebarMenu>
397 </SidebarHeader>
398
399 {/* 📄 Menu дээр, History доор (history дотроо scroll) */}
400 <SidebarContent className="flex flex-col overflow-hidden">
401   {/* TOP: menus — simplified flat list, no dropdowns */}
402   <div className="flex-none px-2 py-2">
403     <div className="space-y-1.5">
404       {SIMPLE_MENUS.map((m: any) => renderSimpleMenuItem(m))}
405     </div>
406
407     {/* LEGACY dropdown-based menu (MENUS) — disabled (false &&) per
408       request, not deleted. Flip to `true` to restore it. */}
409     {false && (
410       <div className="space-y-1.5">
411         {MENUS.map((m: any) => {
412           const isOpen = openMenuId === m.id;
413           const Icon = m.icon;
414
415           const items = m.items ?? [];
416           const theoryItems = items.filter(
417             (it: any) => it.group === "theory"
418           );
419           const practiceItems = items.filter(
420             (it: any) => it.group === "practice"
421           );
422
423           // Энэ ангилалын аль нэг хуудсан дээр байгаа эсэх
424           const categoryActive = items.some(
425             (it: any) => !it.artifact && isActiveHref(it.href)
426           );
427
428           // Зөвхөн нэг апптай, онолгүй ангилал → шууд апп руу үсрэх линк
429           const isDirectApp =
430             theoryItems.length === 0 && practiceItems.length === 1;
431
432           if (isDirectApp) {
433             const app = practiceItems[0];
434             const active = !app.artifact && isActiveHref(app.href);
435
436             const headerInner = (
437               <>
438                 <span className="flex items-center gap-2.5">
439                   <span
440                     className="inline-flex size-7 items-center justify-center rounded-md"
441                     style={{
442                       color: active ? "#fff" : ACCENT,
443                       backgroundColor: active
444                         ? "rgba(255,255,255,0.18)"
445                         : `${ACCENT}14`,

```

```

446     }}
447     >
448     <Icon size={17} />
449   </span>
450   <span className="truncate font-semibold text-sm">
451     {groupLabel(m)}
452   </span>
453 </span>
454 <ChevronRight className="size-4 shrink-0 opacity-60 transition-transform group-hover:translate-x-0.5" />
455 </>
456 );
457
458 const headerCls =
459   "group flex w-full items-center justify-between gap-2 rounded-lg border px-3 py-2.5 text-left transition-colors";
460 const headerStyle = active
461   ? {
462     backgroundColor: ACCENT,
463     borderColor: ACCENT,
464     color: "#fff",
465   }
466   : undefined;
467
468 if (app.artifact) {
469   return (
470     <button
471       className={` ${headerCls} border-muted/60 hover:bg-muted/60`}
472       key={m.id}
473       onClick={() => openArtifactPanel(app)}
474       type="button"
475     >
476       {headerInner}
477     </button>
478   );
479 }
480
481 return (
482   <Link
483     className={` ${headerCls} ${
484       active ? "" : "border-muted/60 hover:bg-muted/60"
485     }`}
486     href={toAbsHref(app.href)}
487     key={m.id}
488     onClick={closeAll}
489     style={headerStyle}
490   >
491     {headerInner}
492   </Link>
493 );
494 }
495
496 // Онолтой ангилал → нээгддэг dropdown
497 return (
498   <div
499     className={`overflow-hidden rounded-lg border transition-colors ${
500       categoryActive
501         ? "border-transparent"
502         : isOpen
503           ? "border-muted bg-muted/30"
504           : "border-muted/60 bg-background"
505     }`}
506     key={m.id}
507     style={
508       categoryActive
509         ? {
510           borderColor: `${ACCENT}55`,
511           backgroundColor: `${ACCENT}0D`,
512         }
513         : undefined
514     }

```

```

515 >
516 <button
517   aria-expanded={isOpen}
518   className="flex w-full items-center justify-between gap-3 px-3 py-2.5 transition-colors hover:bg-muted/50"
519   onClick={() => setOpenMenuId(isOpen ? null : m.id)}
520   type="button"
521 >
522   <span className="flex items-center gap-2.5">
523     <span
524       className="inline-flex size-7 items-center justify-center rounded-md"
525       style={{
526         color: ACCENT,
527         backgroundColor: categoryActive
528           ? `${ACCENT}26`
529           : `${ACCENT}14`,
530       }}
531     >
532       <Icon size={17} />
533     </span>
534     <span
535       className="truncate font-semibold text-sm"
536       style={{
537         categoryActive ? { color: ACCENT } : undefined
538       }}
539     >
540       {groupLabel(m)}
541     </span>
542   </span>
543
544   <ChevronRight
545     className={`size-4 shrink-0 transition-transform duration-200 ${
546       isOpen ? "rotate-90" : ""
547     }`}
548     style={{
549       color: categoryActive ? ACCENT : undefined,
550     }}
551   />
552 </button>
553
554 {/* Smooth expand/collapse */}
555 <div
556   className={`grid transition-all duration-200 ease-out ${
557     isOpen
558       ? "grid-rows-[1fr] opacity-100"
559       : "grid-rows-[0fr] opacity-0"
560   }`}
561 >
562   <div className="overflow-hidden">
563     <div className="space-y-3 px-2 pt-1 pb-3">
564       {/* (1) APP — онцолсон, дээр нь */}
565       {practiceItems.length > 0 && (
566         <div className="space-y-1.5">
567           {practiceItems.map((it: any) =>
568             renderAppItem(it)
569           )}
570         </div>
571       )}
572
573       {/* (2) THEORY */}
574       {theoryItems.length > 0 && (
575         <div className="space-y-1">
576           <div className="px-2 font-semibold text-[11px] text-muted-foreground uppercase tracking-wide">
577             {t.sidebar.theory}
578           </div>
579           <div className="space-y-0.5">
580             {theoryItems.map((it: any) =>
581               renderTheoryItem(it)
582             )}
583           </div>

```

```

584         </div>
585     })
586 </div>
587 </div>
588 </div>
589 </div>
590 );
591 }}}
592 </div>
593 })
594 </div>
595
596 {/* BOTTOM: history зөвхөн энд scroll */}
597 <div className="min-h-0 flex-1 overflow-y-auto px-1">
598   <SidebarHistory user={user} />
599 </div>
600
601 {/* CTA: Сэтгэл зүйчээс цар авах – history-н доор, footer-н дээр, өөр товч шиг */}
602 <div className="flex-none px-2 pt-2 pb-1">
603   <Link
604     className="flex w-full items-center justify-center gap-2 rounded-xl px-3 py-2.5 text-center font-semibold text-sm text-white shadow-sm transition-transform hover:scale-[1.02] active:scale-[0.98]"
605     href="/mind/therapy"
606     onClick={closeAll}
607     style={{ backgroundColor: ACCENT }}
608   >
609     <CalendarCheck className="size-4" />
610     {t.sidebar.bookAppointment}
611   </Link>
612 </div>
613 </SidebarContent>
614
615 <SidebarFooter>
616   {user && <SidebarUserNav user={user} />}
617 </SidebarFooter>
618 </Sidebar>
619 </div>
620
621 {/* Delete all dialog */}
622 <AlertDialog
623   onOpenChange={setShowDeleteAllDialog}
624   open={showDeleteAllDialog}
625 >
626   <AlertDialogContent>
627     <AlertDialogHeader>
628       <AlertDialogTitle>{t.sidebar.deleteAllTitle}</AlertDialogTitle>
629       <AlertDialogDescription>
630         {t.sidebar.deleteAllDescription}
631       </AlertDialogDescription>
632     </AlertDialogHeader>
633     <AlertDialogFooter>
634       <AlertDialogCancel>{t.common.cancel}</AlertDialogCancel>
635       <AlertDialogAction onClick={handleDeleteAll}>
636         {t.sidebar.deleteAllConfirm}
637       </AlertDialogAction>
638     </AlertDialogFooter>
639   </AlertDialogContent>
640 </AlertDialog>
641 </>
642 );
643 }

```

186. components/apps/relations/tests/LatestResults.tsx

```

1  "use client";
2
3  import { useEffect, useState } from "react";
4  import styles from "@app/(chat)/mind/relations/tests/tests.module.css";

```

```

5
6 import { loadLatest, type LatestTestResult } from "@lib/apps/rerelations/tests/localStore";
7
8 export default function LatestResults() {
9   const [items, setItems] = useState<LatestTestResult[]>([]);
10
11   useEffect(() => {
12     setItems(loadLatest());
13   }, []);
14
15   if (items.length === 0) {
16     return (
17       <div className={styles.card} style={{ marginTop: 14 }}>
18         <h2 className={styles.q} style={{ fontSize: 16 }}>
19           Сүүлийн дүгнэлтүүд
20         </h2>
21         <p className={styles.desc}>Одоогоор дүгнэлт алга. Аль нэг тестийг бөглөж үзээрэй.</p>
22       </div>
23     );
24   }
25
26   return (
27     <div className={styles.card} style={{ marginTop: 14 }}>
28       <h2 className={styles.q} style={{ fontSize: 16 }}>
29         Сүүлийн дүгнэлтүүд
30       </h2>
31       <p className={styles.desc}>Сүүлд бөглөсөн тестүүдийн товч дүгнэлт.</p>
32
33       <div className={styles.options}>
34         {items.map((x) => (
35           <div key={x.testId} className={styles.option} style={{ cursor: "default" }}>
36             <div className={styles.left}>
37               <span className={styles.emoji}>□</span>
38               <div>
39                 <div className={styles.label}>{x.title}</div>
40                 <div style={{ fontSize: 12, opacity: 0.82, marginTop: 3 }}>
41                   {x.bandTitle} • {x.pct}%
42                 </div>
43               </div>
44             </div>
45             <span className={styles.tick}></span>
46           </div>
47         ))}
48       </div>
49     </div>
50   );
51 }

```

187. components/artifact-actions.tsx

```

1 import { type Dispatch, memo, type SetStateAction, useState } from "react";
2 import { toast } from "sonner";
3 import { cn } from "@lib/Utils";
4 import { artifactDefinitions, type UIArtifact } from "../artifact";
5 import type { ArtifactActionContext } from "../create-artifact";
6 import { Button } from "../ui/button";
7 import { Tooltip, TooltipContent, TooltipTrigger } from "../ui/tooltip";
8
9 type ArtifactActionsProps = {
10   artifact: UIArtifact;
11   handleVersionChange: (type: "next" | "prev" | "toggle" | "latest") => void;
12   currentVersionIndex: number;
13   isCurrentVersion: boolean;
14   mode: "edit" | "diff";
15   metadata: any;
16   setMetadata: Dispatch<SetStateAction<any>>;
17 };

```

```

18
19 function PureArtifactActions({
20   artifact,
21   handleVersionChange,
22   currentVersionIndex,
23   isCurrentVersion,
24   mode,
25   metadata,
26   setMetadata,
27 }: ArtifactActionsProps) {
28   const [isLoading, setIsLoading] = useState(false);
29
30   const artifactDefinition = artifactDefinitions.find(
31     (definition) => definition.kind === artifact.kind
32   );
33
34   if (!artifactDefinition) {
35     throw new Error("Artifact definition not found!");
36   }
37
38   const actionContext: ArtifactActionContext = {
39     content: artifact.content,
40     handleVersionChange,
41     currentVersionIndex,
42     isCurrentVersion,
43     mode,
44     metadata,
45     setMetadata,
46   };
47
48   return (
49     <div className="flex flex-row gap-1">
50       {artifactDefinition.actions.map((action) => (
51         <Tooltip key={action.description}>
52           <TooltipTrigger asChild>
53             <Button
54               className={cn("h-fit dark:hover:bg-zinc-700", {
55                 "p-2": !action.label,
56                 "px-2 py-1.5": action.label,
57               })}
58               disabled={
59                 isLoading || artifact.status === "streaming"
60                   ? true
61                   : action.isDisabled
62                     ? action.isDisabled(actionContext)
63                     : false
64               }
65               onClick={async () => {
66                 setIsLoading(true);
67
68                 try {
69                   await Promise.resolve(action.onClick(actionContext));
70                 } catch (_error) {
71                   toast.error("Failed to execute action");
72                 } finally {
73                   setIsLoading(false);
74                 }
75               }}
76               variant="outline"
77             >
78               {action.icon}
79               {action.label}
80             </Button>
81           </TooltipTrigger>
82           <TooltipContent>{action.description}</TooltipContent>
83         </Tooltip>
84       ))}
85     </div>
86   );

```



```

87 }
88
89 export const ArtifactActions = memo(
90   PureArtifactActions,
91   (prevProps, nextProps) => {
92     if (prevProps.artifact.status !== nextProps.artifact.status) {
93       return false;
94     }
95     if (prevProps.currentVersionIndex !== nextProps.currentVersionIndex) {
96       return false;
97     }
98     if (prevProps.isCurrentVersion !== nextProps.isCurrentVersion) {
99       return false;
100     }
101     if (prevProps.artifact.content !== nextProps.artifact.content) {
102       return false;
103     }
104   }
105   return true;
106 }
107 );

```

188. components/artifact-close-button.tsx

```

1  import { memo } from "react";
2  import { initialArtifactData, useArtifact } from "@hooks/use-artifact";
3  import { CrossIcon } from "../icons";
4  import { Button } from "../ui/button";
5
6  function PureArtifactCloseButton() {
7    const { setArtifact } = useArtifact();
8
9    return (
10     <Button
11       className="h-fit p-2 dark:hover:bg-zinc-700"
12       data-testid="artifact-close-button"
13       onClick={() => {
14         setArtifact((currentArtifact) =>
15           currentArtifact.status === "streaming"
16             ? {
17                 ...currentArtifact,
18                 isVisible: false,
19               }
20             : { ...initialArtifactData, status: "idle" }
21         );
22       }}
23       variant="outline"
24     >
25       <CrossIcon size={18} />
26     </Button>
27   );
28 }
29
30 export const ArtifactCloseButton = memo(PureArtifactCloseButton, () => true);

```

189. components/artifact-messages.tsx

```

1  import type { UseChatHelpers } from "@ai-sdk/react";
2  import equal from "fast-deep-equal";
3  import { AnimatePresence, motion } from "framer-motion";
4  import { memo } from "react";
5  import { useMessages } from "@hooks/use-messages";
6  import type { Vote } from "@lib/db/schema";
7  import type { ChatMessage } from "@lib/types";
8  import type { UIArtifact } from "../artifact";

```

```

9 import { PreviewMessage, ThinkingMessage } from "./message";
10
11 type ArtifactMessagesProps = {
12   addToolApprovalResponse: UseChatHelpers<ChatMessage>["addToolApprovalResponse"];
13   chatId: string;
14   status: UseChatHelpers<ChatMessage>["status"];
15   votes: Vote[] | undefined;
16   messages: ChatMessage[];
17   setMessages: UseChatHelpers<ChatMessage>["setMessages"];
18   regenerate: UseChatHelpers<ChatMessage>["regenerate"];
19   isReadonly: boolean;
20   artifactStatus: UIArtifact["status"];
21 };
22
23 function PureArtifactMessages({
24   addToolApprovalResponse,
25   chatId,
26   status,
27   votes,
28   messages,
29   setMessages,
30   regenerate,
31   isReadonly,
32 }: ArtifactMessagesProps) {
33   const {
34     containerRef: messagesContainerRef,
35     endRef: messagesEndRef,
36     onViewportEnter,
37     onViewportLeave,
38     hasSentMessage,
39   } = useMessages({
40     status,
41   });
42
43   return (
44     <div
45       className="flex h-full flex-col items-center gap-4 overflow-y-scroll px-4 pt-20"
46       ref={messagesContainerRef}
47     >
48       {messages.map((message, index) => (
49         <PreviewMessage
50           addToolApprovalResponse={addToolApprovalResponse}
51           chatId={chatId}
52           isLoading={status === "streaming" && index === messages.length - 1}
53           isReadonly={isReadonly}
54           key={message.id}
55           message={message}
56           regenerate={regenerate}
57           requiresScrollPadding={
58             hasSentMessage && index === messages.length - 1
59           }
60           setMessages={setMessages}
61           vote={
62             votes
63               ? votes.find((vote) => vote.messageId === message.id)
64               : undefined
65           }
66         />
67       ))}
68
69       <AnimatePresence mode="wait">
70         {status === "submitted" &&
71           !messages.some((msg) =>
72             msg.parts?.some(
73               (part) => "state" in part && part.state === "approval-responded"
74             )
75           ) && <ThinkingMessage key="thinking" />}
76       </AnimatePresence>
77

```

```

78     <motion.div
79       className="min-h-[24px] min-w-[24px] shrink-0"
80       onViewportEnter={onViewportEnter}
81       onViewportLeave={onViewportLeave}
82       ref={messagesEndRef}
83     />
84   </div>
85   );
86 }
87
88 function areEqual(
89   prevProps: ArtifactMessagesProps,
90   nextProps: ArtifactMessagesProps
91 ) {
92   if (
93     prevProps.artifactStatus === "streaming" &&
94     nextProps.artifactStatus === "streaming"
95   ) {
96     return true;
97   }
98
99   if (prevProps.status !== nextProps.status) {
100     return false;
101   }
102   if (prevProps.status && nextProps.status) {
103     return false;
104   }
105   if (prevProps.messages.length !== nextProps.messages.length) {
106     return false;
107   }
108   if (!equal(prevProps.votes, nextProps.votes)) {
109     return false;
110   }
111
112   return true;
113 }
114
115 export const ArtifactMessages = memo(PureArtifactMessages, areEqual);

```

190. components/artifact.tsx

```

1  import { type UseChatHelpers } from "@ai-sdk/react";
2  import { formatDistance } from "date-fns";
3  import equal from "fast-deep-equal";
4  import { AnimatePresence, motion } from "framer-motion";
5  import {
6    type Dispatch,
7    memo,
8    type SetStateAction,
9    useCallback,
10   useEffect,
11   useState,
12 } from "react";
13 import useSWR, { useSWRConfig } from "swr";
14 import { useDebounceCallback, useWindowSize } from "usehooks-ts";
15
16 import { codeArtifact } from "@artifacts/code/client";
17 import { imageArtifact } from "@artifacts/image/client";
18 import { sheetArtifact } from "@artifacts/sheet/client";
19 import { textArtifact } from "@artifacts/text/client";
20 import { useArtifact } from "@hooks/use-artifact";
21 import type { Document, Vote } from "@lib/db/schema";
22 import type { Attachment, ChatMessage } from "@lib/types";
23 import { fetcher } from "@lib/utils";
24
25 import { ArtifactActions } from "../artifact-actions";
26 import { ArtifactCloseButton } from "../artifact-close-button";

```

```

27 import { ArtifactMessages } from "./artifact-messages";
28 import { MultimodalInput } from "./multimodal-input";
29 import { Toolbar } from "./toolbar";
30 import { useSidebar } from "./ui/sidebar";
31 import { VersionFooter } from "./version-footer";
32 import type { VisibilityType } from "./visibility-selector";
33
34 export const artifactDefinitions = [
35   textArtifact,
36   codeArtifact,
37   imageArtifact,
38   sheetArtifact,
39 ];
40 export type ArtifactKind = (typeof artifactDefinitions)[number]["kind"];
41
42 export type UIArtifact = {
43   title: string;
44   documentId: string;
45   kind: ArtifactKind;
46   content: string;
47   isVisible: boolean;
48   status: "streaming" | "idle";
49   boundingBox: {
50     top: number;
51     left: number;
52     width: number;
53     height: number;
54   };
55 };
56
57 function CleanStaticText({ content }: { content: string }) {
58   const blocks = content
59     .trim()
60     .split(/\n{2,}/)
61     .map((b) => b.trim())
62     .filter(Boolean);
63
64   if (blocks.length === 0) return null;
65
66   const PRACTICE_TRIGGER = "Жижиг бичих дадлага хийцгээе";
67   const END_TITLE = "Төгсгөл";
68
69   const [first, ...rest] = blocks;
70
71   // □ хадгалахгүй, зөвхөн local бичвэрүүд (асуулт тус бүрээр)
72   const [scratchByQ, setScratchByQ] = useState<Record<string, string>>({});
73
74   // □ render дотор toggle хийх тул let хэвээр
75   let inPractice = false;
76
77   const cleanLine = (t: string) => t.trim().replace(/[!?]+$/g, "");
78   const isQuestionLine = (t: string) => t.trim().endsWith("?");
79
80   // жижиг гарчиг таних (онол хэсэгт)
81   const isSmallHeading = (t: string) => {
82     const oneLine = !t.includes("\n");
83     const short = t.length <= 90;
84     const endsWithDot = t.trim().endsWith(".");
85     return oneLine && short && !endsWithDot;
86   };
87
88   return (
89     <div className="space-y-4">
90       /* хамгийн дээд том гарчиг */
91       <div className="text-[22px] leading-8 font-semibold">{cleanLine(first)}</div>
92
93       {rest.map((block, idx) => {
94         const t = block.trim();
95         const tClean = cleanLine(t);

```

```

96
97 // □ Practice эхлүүлэгч
98 if (tClean === PRACTICE_TRIGGER) {
99   inPractice = true;
100   return (
101     <div key={idx} className="pt-6 text-[15px] font-semibold leading-6">
102       {tClean}
103     </div>
104   );
105 }
106
107 // □ Practice дуусрагч ("Төгсгөл" гарчиг дээр унтраана)
108 if (inPractice && tClean === END_TITLE) {
109   inPractice = false;
110   return (
111     <div key={idx} className="pt-6 text-[15px] font-semibold leading-6">
112       {tClean}
113     </div>
114   );
115 }
116
117 // □ Practice доторх хэрэггүй тайлбар мөрүүдийг (хүсвэл) нууж болно
118 // (чи зөвхөн асуулт доор л бүдэг мөр гаргана гэж хүссэн)
119 if (
120   inPractice &&
121   (tClean.startsWith("Энд бичсэн зүйлээ") ||
122     tClean.startsWith("Энэ бичвэр") ||
123     tClean.startsWith("Одоо бичиж") ||
124     tClean.startsWith("дараа тайвшрал") ||
125     tClean.startsWith("Бара бараар"))
126 ) {
127   return null;
128 }
129
130 // □ Practice дотор: асуулт болгонд textarea гаргана
131 if (inPractice && isQuestionLine(t)) {
132   const key = tClean; // асуултын текстээр key хийнэ
133   return (
134     <div key={idx} className="pt-5 space-y-2">
135       <div className="text-[15px] font-semibold leading-6">{key}</div>
136
137       <div className="text-[13px] leading-6 text-muted-foreground">
138         Энд чөлөөтэй бичээрэй (хадгалахгүй). Хүсвэл хуулж аваад чатандаа нааж болно.
139       </div>
140
141       <textarea
142         value={scratchByQ[key] ?? ""}
143         onChange={e =>
144           setScratchByQ((prev) => ({ ...prev, [key]: e.target.value }))
145         }
146         placeholder="Энд чөлөөтэй бичээрэй..."
147         className="w-full min-h-[120px] rounded-xl border bg-transparent p-3 text-[15px] leading-7 outline-none"
148       />
149
150     </div>
151   );
152 }
153
154 // □ Practice дотор: асуулт биш мөрүүдийг энгийн текстээр
155 if (inPractice) {
156   return (
157     <div key={idx} className="whitespace-pre-line text-[15px] leading-7">
158       {t}
159     </div>
160   );
161 }
162
163 // □ Онол хэсгийн жижиг гарчгууд
164 if (isSmallHeading(tClean)) {

```

```

165         return (
166             <div key={idx} className="pt-5 text-[15px] font-semibold leading-6">
167                 {tClean}
168             </div>
169         );
170     }
171
172     // □ Энгийн текст
173     return (
174         <div key={idx} className="whitespace-pre-line text-[15px] leading-7">
175             {t}
176         </div>
177     );
178     }}}
179 </div>
180 );
181 }
182 function PureArtifact({
183     addToolApprovalResponse,
184     chatId,
185     input,
186     setInput,
187     status,
188     stop,
189     attachments,
190     setAttachments,
191     sendMessage,
192     messages,
193     setMessages,
194     regenerate,
195     votes,
196     isReadonly,
197     selectedVisibilityType,
198     selectedModelId,
199 }: {
200     addToolApprovalResponse: UseChatHelpers<ChatMessage>["addToolApprovalResponse"];
201     chatId: string;
202     input: string;
203     setInput: Dispatch<SetStateAction<string>>;
204     status: UseChatHelpers<ChatMessage>["status"];
205     stop: UseChatHelpers<ChatMessage>["stop"];
206     attachments: Attachment[];
207     setAttachments: Dispatch<SetStateAction<Attachment[]>>;
208     messages: ChatMessage[];
209     setMessages: UseChatHelpers<ChatMessage>["setMessages"];
210     votes: Vote[] | undefined;
211     sendMessage: UseChatHelpers<ChatMessage>["sendMessage"];
212     regenerate: UseChatHelpers<ChatMessage>["regenerate"];
213     isReadonly: boolean;
214     selectedVisibilityType: VisibilityType;
215     selectedModelId: string;
216 }) {
217     const { artifact, setArtifact, metadata, setMetadata } = useArtifact();
218     const isStaticArtifact =
219         artifact.documentId.startsWith("static-") ||
220         artifact.documentId.startsWith("static_");
221
222     useEffect(() => {
223         // init үед, эсвэл харагдахгүй үед хадгалахгүй
224         if (!artifact.isVisible) return;
225         if (!artifact.documentId || artifact.documentId === "init") return;
226
227         // static/normal аль нь ч бай хадгална (id/title л хадгалж байгаа)
228         const activeId = artifact.documentId; // static-... эсвэл бодит documentId
229         const activeTitle = artifact.title ?? "";
230
231         // fire-and-forget (UI өөрчлөхгүй)
232         fetch("/api/user/active-artifact", {
233             method: "POST",

```

```

234   headers: { "Content-Type": "application/json" },
235   body: JSON.stringify({ id: activeId, title: activeTitle }),
236   }).catch(() => {});
237 }, [artifact.isVisible, artifact.documentId, artifact.title]);
238
239
240
241 // □ Mobile drawer chat (рану state, давхардахгүй)
242 const [isMobileChatOpen, setIsMobileChatOpen] = useState(false);
243
244 const {
245   data: documents,
246   isLoading: isDocumentsFetching,
247   mutate: mutateDocuments,
248 } = useSWR<Document[]>(
249   !isStaticArtifact && artifact.documentId !== "init"
250   ? `/api/document?id=${artifact.documentId}`
251   : null,
252   fetcher
253 );
254
255
256 const [mode, setMode] = useState<"edit" | "diff">("edit");
257 const [document, setDocument] = useState<Document | null>(null);
258 const [currentVersionIndex, setCurrentVersionIndex] = useState(-1);
259
260 const { open: isSidebarOpen } = useSidebar();
261
262 useEffect(() => {
263   // □ STATIC үед local content-ийг DB-ээс overwrite хийхгүй
264   if (isStaticArtifact) return;
265
266   if (documents && documents.length > 0) {
267     const mostRecentDocument = documents.at(-1);
268     if (mostRecentDocument) {
269       setDocument(mostRecentDocument);
270       setCurrentVersionIndex(documents.length - 1);
271       setArtifact((currentArtifact) => ({
272         ...currentArtifact,
273         content: mostRecentDocument.content ?? "",
274       }));
275     }
276   }
277 }, [documents, isStaticArtifact, setArtifact]);
278
279
280
281 const { mutate } = useSWRConfig();
282 const [isContentDirty, setIsContentDirty] = useState(false);
283
284 const handleContentChange = useCallback(
285   (updatedContent: string) => {
286     if (!artifact) return;
287
288     mutate<Document[]>(
289       `/api/document?id=${artifact.documentId}`,
290       async (currentDocuments) => {
291         if (!currentDocuments) return [];
292
293         const currentDocument = currentDocuments.at(-1);
294
295         if (!currentDocument || !currentDocument.content) {
296           setIsContentDirty(false);
297           return currentDocuments;
298         }
299
300         if (currentDocument.content !== updatedContent) {
301           await fetch(`/api/document?id=${artifact.documentId}`, {
302             method: "POST",

```

```

303         body: JSON.stringify({
304             title: artifact.title,
305             content: updatedContent,
306             kind: artifact.kind,
307         }),
308     });
309
310     setIsContentDirty(false);
311
312     const newDocument = {
313         ...currentDocument,
314         content: updatedContent,
315         createdAt: new Date(),
316     };
317
318     return [...currentDocuments, newDocument];
319 }
320
321 return currentDocuments;
322 },
323 { revalidate: false }
324 );
325 },
326 [artifact, mutate]
327 );
328
329 const debouncedHandleContentChange = useDebounceCallback(handleContentChange, 2000);
330
331 const saveContent = useCallback(
332     (updatedContent: string, debounce: boolean) => {
333         if (document && updatedContent !== document.content) {
334             setIsContentDirty(true);
335
336             if (debounce) debouncedHandleContentChange(updatedContent);
337             else handleContentChange(updatedContent);
338         }
339     },
340     [document, debouncedHandleContentChange, handleContentChange]
341 );
342
343 function getDocumentContentById(index: number) {
344     if (!documents) return "";
345     if (!documents[index]) return "";
346     return documents[index].content ?? "";
347 }
348
349 const handleVersionChange = (type: "next" | "prev" | "toggle" | "latest") => {
350     if (!documents) return;
351
352     if (type === "latest") {
353         setCurrentVersionIndex(documents.length - 1);
354         setMode("edit");
355     }
356
357     if (type === "toggle") {
358         setMode((currentMode) => (currentMode === "edit" ? "diff" : "edit"));
359     }
360
361     if (type === "prev") {
362         if (currentVersionIndex > 0) setCurrentVersionIndex((i) => i - 1);
363     } else if (type === "next" && currentVersionIndex < documents.length - 1) {
364         setCurrentVersionIndex((i) => i + 1);
365     }
366 };
367
368 const [isToolbarVisible, setIsToolbarVisible] = useState(false);
369
370 const isCurrentVersion =
371     documents && documents.length > 0

```



```

372     ? currentVersionIndex === documents.length - 1
373     : true;
374
375     const { width: windowWidth, height: windowHeight } = useWindowSize();
376     const isMobile = windowWidth ? windowWidth < 768 : false;
377
378     const artifactDefinition = artifactDefinitions.find(
379       (definition) => definition.kind === artifact.kind
380     );
381
382     if (!artifactDefinition) throw new Error("Artifact definition not found!");
383
384     useEffect(() => {
385       if (artifact.documentId !== "init" && artifactDefinition.initialize) {
386         artifactDefinition.initialize({
387           documentId: artifact.documentId,
388           setMetadata,
389         });
390       }
391     }, [artifact.documentId, artifactDefinition, setMetadata]);
392
393
394     // □ Mobile үед artifact хаардах/солигдоход drawer автоматаар хаая
395     useEffect(() => {
396       if (!isMobile) setIsMobileChatOpen(false);
397     }, [isMobile]);
398
399     useEffect(() => {
400       if (!artifact.isVisible) setIsMobileChatOpen(false);
401     }, [artifact.isVisible]);
402
403     return (
404       <AnimatePresence>
405         {artifact.isVisible && (
406           <motion.div
407             animate={{ opacity: 1 }}
408             className={`fixed top-0 left-0 z-50 flex h-dvh w-dvw flex-row bg-transparent ${
409               artifact.isVisible ? "pointer-events-auto" : "pointer-events-none"
410             }`}
411
412             data-testid="artifact"
413             exit={{ opacity: 0, transition: { delay: 0.4 } }}
414             initial={{ opacity: 1 }}
415           >
416             /* Desktop backdrop */
417             {!isMobile && (
418               <motion.div
419                 animate={{ width: windowWidth, right: 0 }}
420                 className="fixed h-dvh bg-background pointer-events-none"
421
422                 exit={{
423                   width: isSidebarOpen ? (windowWidth ?? 0) - 256 : windowWidth,
424                   right: 0,
425                 }}
426                 initial={{
427                   width: isSidebarOpen ? (windowWidth ?? 0) - 256 : windowWidth,
428                   right: 0,
429                 }}
430               />
431             )}
432
433             /* Desktop left chat panel */
434             {!isMobile && (
435               <motion.div
436                 animate={{
437                   opacity: 1,
438                   x: 0,
439                   scale: 1,
440                   transition: {

```

```

441         delay: 0.1,
442         type: "spring",
443         stiffness: 300,
444         damping: 30,
445     },
446   })
447   className="relative h-dvh w-[400px] shrink-0 bg-muted dark:bg-background"
448   exit={{ opacity: 0, x: 0, scale: 1, transition: { duration: 0 } }}
449   initial={{ opacity: 0, x: 10, scale: 1 }}
450 >
451   <AnimatePresence>
452     {!isCurrentVersion && (
453       <motion.div
454         animate={{ opacity: 1 }}
455         className="absolute top-0 left-0 z-50 h-dvh w-[400px] bg-zinc-900/50"
456         exit={{ opacity: 0 }}
457         initial={{ opacity: 0 }}
458       />
459     )}
460   </AnimatePresence>
461
462   <div className="flex h-full flex-col">
463
464     <ArtifactMessages
465       addToolApprovalResponse={addToolApprovalResponse}
466       artifactStatus={artifact.status}
467       chatId={chatId}
468       isReadOnly={isReadOnly}
469       messages={messages}
470       regenerate={regenerate}
471       setMessages={setMessages}
472       status={status}
473       votes={votes}
474     />
475
476     <div className="relative flex w-full flex-row items-end gap-2 px-4 pb-4">
477       <MultimodalInput
478         attachments={attachments}
479         chatId={chatId}
480         className="bg-background dark:bg-muted"
481         input={input}
482         messages={messages}
483         selectedModelId={selectedModelId}
484         selectedVisibilityType={selectedVisibilityType}
485         sendMessage={sendMessage}
486         setAttachments={setAttachments}
487         setInput={setInput}
488         setMessages={setMessages}
489         status={status}
490         stop={stop}
491       />
492     </div>
493   </div>
494 </motion.div>
495 )}
496
497 {/* Right (artifact content) */}
498 <motion.div
499   animate={
500     isMobile
501     ? {
502       opacity: 1,
503       x: 0,
504       y: 0,
505       height: windowHeight,
506       width: windowWidth ? windowWidth : "calc(100dvw)",
507       borderRadius: 0,
508       transition: {
509         delay: 0,

```

```

510         type: "spring",
511         stiffness: 300,
512         damping: 30,
513         duration: 0.8,
514     },
515 }
516 : {
517     opacity: 1,
518     x: 400,
519     y: 0,
520     height: windowHeight,
521     width: windowWidth ? windowWidth - 400 : "calc(100dvw-400px)",
522     borderRadius: 0,
523     transition: {
524         delay: 0,
525         type: "spring",
526         stiffness: 300,
527         damping: 30,
528         duration: 0.8,
529     },
530 }
531 }
532 className="fixed flex h-dvh flex-col overflow-hidden border-zinc-200 bg-background md:border-l dark:border-zinc-700 dark:bg-muted"
533
534     exit={{
535         opacity: 0,
536         scale: 0.5,
537         transition: { delay: 0.1, type: "spring", stiffness: 600, damping: 30 },
538     }}
539     initial={
540 artifact.boundingBox?.width > 0 && artifact.boundingBox?.height > 0
541     ? {
542         opacity: 1,
543         x: artifact.boundingBox.left,
544         y: artifact.boundingBox.top,
545         height: artifact.boundingBox.height,
546         width: artifact.boundingBox.width,
547         borderRadius: 50,
548     }
549     : false
550 }
551
552 >
553 { /* Header */}
554 <div className="flex flex-row items-start justify-between p-2">
555   <div className="flex flex-row items-start gap-4">
556     <ArtifactCloseButton />
557
558     <div className="flex flex-col">
559       <div className="font-medium">{artifact.title}</div>
560
561       {isContentDirty ? (
562         <div className="text-muted-foreground text-sm">Saving changes...</div>
563       ) : document ? (
564         <div className="text-muted-foreground text-sm">
565           { `Updated ${formatDistance(new Date(document.createdAt), new Date(), {
566             addSuffix: true,
567           })}` }
568         </div>
569       ) : (
570         <div className="mt-2 h-3 w-32 animate-pulse rounded-md bg-muted-foreground/20" />
571       )
572     </div>
573   </div>
574
575   <ArtifactActions
576     artifact={artifact}
577     currentVersionIndex={currentVersionIndex}
578     handleVersionChange={handleVersionChange}

```

```

579         isCurrentVersion={isCurrentVersion}
580         metadata={metadata}
581         mode={mode}
582         setMetadata={setMetadata}
583     />
584 </div>
585
586     {/* Content */}
587     <div className="min-h-0 flex-1 !max-w-full overflow-y-auto bg-background dark:bg-muted">
588     {/* □ STATIC үед: renderer-ээс хамаарахгүйгээр шууд текст харуулна */}
589     {isStaticArtifact ? (
590     <div className="p-4">
591         <CleanStaticText content={artifact.content} />
592     </div>
593     ) : (
594     <artifactDefinition.content
595         content={
596             isCurrentVersion
597             ? artifact.content
598             : getDocumentContentById(currentVersionIndex)
599         }
600         currentVersionIndex={currentVersionIndex}
601         getDocumentContentById={getDocumentContentById}
602         isCurrentVersion={isCurrentVersion}
603         isInline={false}
604         isLoading={isDocumentsFetching && !artifact.content}
605         metadata={metadata}
606         mode={mode}
607         onSaveContent={saveContent}
608         setMetadata={setMetadata}
609         status={artifact.status}
610         suggestions={[]}
611         title={artifact.title}
612     />
613     )}
614
615     <AnimatePresence>
616     {isCurrentVersion && (
617         <Toolbar
618             artifactKind={artifact.kind}
619             isToolbarVisible={isToolbarVisible}
620             sendMessage={sendMessage}
621             setIsToolbarVisible={setIsToolbarVisible}
622             setMessages={setMessages}
623             status={status}
624             stop={stop}
625         />
626     )}
627     </AnimatePresence>
628 </div>
629
630
631
632     {/* □ Mobile: ганц Chat toggle товч (toolbar-тай огт холихгүй) */}
633     {isMobile && (
634         <button
635             type="button"
636             className="fixed bottom-6 right-6 z-[60] rounded-full border bg-background p-4 shadow-lg"
637             onClick={() => setIsMobileChatOpen((v) => !v)}
638             aria-label="Open chat"
639         >
640             □
641         </button>
642     )}
643
644     {/* □ Mobile drawer chat (доороос гарч ирнэ) */}
645     <AnimatePresence>
646     {isMobile && isMobileChatOpen && (
647         <motion.div

```

```

648     initial={{ y: 400, opacity: 1 }}
649     animate={{ y: 0, opacity: 1 }}
650     exit={{ y: 400, opacity: 1 }}
651     className="fixed left-0 right-0 bottom-0 z-[70] h-[55dvh] border-t bg-background dark:bg-muted"
652   >
653     <div className="flex h-full flex-col">
654       <div className="flex items-center justify-between px-3 py-2 border-b">
655         <div className="text-sm font-medium">Энэ сэдвээр асуух</div>
656         <button
657           type="button"
658           className="text-sm text-muted-foreground"
659           onClick={() => setIsMobileChatOpen(false)}
660         >
661           Xaax
662         </button>
663       </div>
664
665       <div className="min-h-0 flex-1">
666         <ArtifactMessages
667           addToolApprovalResponse={addToolApprovalResponse}
668           artifactStatus={artifact.status}
669           chatId={chatId}
670           isReadonly={isReadonly}
671           messages={messages}
672           regenerate={regenerate}
673           setMessages={setMessages}
674           status={status}
675           votes={votes}
676         />
677       </div>
678
679       <div className="px-3 pb-3 pt-2 border-t">
680         <MultimodalInput
681           attachments={attachments}
682           chatId={chatId}
683           className="bg-background dark:bg-muted"
684           input={input}
685           messages={messages}
686           selectedModelId={selectedModelId}
687           selectedVisibilityType={selectedVisibilityType}
688           sendMessage={sendMessage}
689           setAttachments={setAttachments}
690           setInput={setInput}
691           setMessages={setMessages}
692           status={status}
693           stop={stop}
694         />
695       </div>
696     </div>
697   </motion.div>
698 )}
699 </AnimatePresence>
700
701 <AnimatePresence>
702   {!isCurrentVersion && (
703     <VersionFooter
704       currentVersionIndex={currentVersionIndex}
705       documents={documents}
706       handleVersionChange={handleVersionChange}
707     />
708   )}
709 </AnimatePresence>
710 </motion.div>
711 </motion.div>
712 )}
713 </AnimatePresence>
714 );
715 }
716

```

```

717 export const Artifact = memo(PureArtifact, (prevProps, nextProps) => {
718   if (prevProps.status !== nextProps.status) return false;
719   if (!equal(prevProps.votes, nextProps.votes)) return false;
720   if (prevProps.input !== nextProps.input) return false;
721   if (prevProps.messages.length !== nextProps.messages.length) return false;
722   if (prevProps.selectedVisibilityType !== nextProps.selectedVisibilityType) return false;
723   return true;
724 });

```

191. components/auth-form.tsx

```

1  import Form from "next/form";
2
3  import { Input } from "../ui/input";
4  import { Label } from "../ui/label";
5
6  export function AuthForm({
7    action,
8    children,
9    defaultEmail = "",
10 }): {
11   action: NonNullable<
12     string | ((formData: FormData) => void | Promise<void>) | undefined
13   >;
14   children: React.ReactNode;
15   defaultEmail?: string;
16 } {
17   return (
18     <Form action={action} className="flex flex-col gap-4 px-4 sm:px-16">
19       <div className="flex flex-col gap-2">
20         <Label
21           className="font-normal text-zinc-600 dark:text-zinc-400"
22           htmlFor="email"
23         >
24           Email Address
25         </Label>
26
27         <Input
28           autoComplete="email"
29           autoFocus
30           className="bg-muted text-md md:text-sm"
31           defaultValue={defaultEmail}
32           id="email"
33           name="email"
34           placeholder="user@acme.com"
35           required
36           type="email"
37         />
38       </div>
39
40       <div className="flex flex-col gap-2">
41         <Label
42           className="font-normal text-zinc-600 dark:text-zinc-400"
43           htmlFor="password"
44         >
45           Password
46         </Label>
47
48         <Input
49           className="bg-muted text-md md:text-sm"
50           id="password"
51           name="password"
52           required
53           type="password"
54         />
55       </div>

```

```

56
57     {children}
58   </Form>
59   );
60 }

```

192. components/chat-header.tsx

```

1  "use client";
2
3  import { useRouter } from "next/navigation";
4  import { memo } from "react";
5  import { useWindowSize } from "usehooks-ts";
6  import { LanguageSwitcher } from "@components/language-switcher";
7  import { SidebarToggle } from "@components/sidebar-toggle";
8  import { Button } from "@components/ui/button";
9  import { useT } from "@lib/i18n/provider";
10 import { PlusIcon } from "../icons";
11 import { useSidebar } from "../ui/sidebar";
12 import { VisibilitySelector, type VisibilityType } from "../visibility-selector";
13
14 function PureChatHeader({
15   chatId,
16   selectedVisibilityType,
17   isReadonly,
18 }: {
19   chatId: string;
20   selectedVisibilityType: VisibilityType;
21   isReadonly: boolean;
22 }) {
23   const router = useRouter();
24   const { open } = useSidebar();
25   const t = useT();
26
27   const { width: windowWidth } = useWindowSize();
28
29   return (
30     <header className="sticky top-0 flex flex-wrap items-start gap-2 bg-background px-2 py-1.5 md:flex-nowrap md:items-center md:px-2">
31       <SidebarToggle />
32
33       {!!open || windowWidth < 768} && (
34         <Button
35           className="order-2 ml-auto h-8 px-2 md:order-1 md:ml-0 md:h-fit md:px-2"
36           onClick={() => {
37             router.push("/");
38             router.refresh();
39           }}
40           variant="outline"
41         >
42           <PlusIcon />
43           <span className="md:sr-only">{t.common.newChat}</span>
44         </Button>
45       )
46
47       {!!isReadonly && (
48         <VisibilitySelector
49           chatId={chatId}
50           className="order-1 md:order-2"
51           selectedVisibilityType={selectedVisibilityType}
52         />
53       )}
54
55       <LanguageSwitcher className="order-3 ml-auto" />
56     </header>
57   );
58 }
59

```

```

60 export const ChatHeader = memo(PureChatHeader, (prevProps, nextProps) => {
61   return (
62     prevProps.chatId === nextProps.chatId &&
63     prevProps.selectedVisibilityType === nextProps.selectedVisibilityType &&
64     prevProps.isReadonly === nextProps.isReadonly
65   );
66 });

```

193. components/chat.tsx

```

1  "use client";
2
3  import { useChat } from "@ai-sdk/react";
4  import { DefaultChatTransport } from "ai";
5  import { useRouter, useSearchParams } from "next/navigation";
6  import { useCallback, useEffect, useRef, useState } from "react";
7  import useSWR from "swr";
8  import { useSWRConfig } from "swr";
9  import { unstable_serialize } from "swr/infinite";
10
11 import { ChatHeader } from "@components/chat-header";
12 import {
13   AlertDialog,
14   AlertDialogCancel,
15   AlertDialogContent,
16   AlertDialogDescription,
17   AlertDialogFooter,
18   AlertDialogHeader,
19   AlertDialogTitle,
20 } from "@components/ui/alert-dialog";
21
22 import { useArtifactSelector } from "@hooks/use-artifact";
23 import { useAutoResume } from "@hooks/use-auto-resume";
24 import { useChatVisibility } from "@hooks/use-chat-visibility";
25 import { useSubscribeDialog } from "@hooks/use-subscribe-dialog";
26
27 import type { Vote } from "@lib/db/schema";
28 import { ChatSDKError } from "@lib/errors";
29 import type { Attachment, ChatMessage } from "@lib/types";
30 import { fetcher, fetchWithErrorHandlers, generateUUID } from "@lib/utils";
31
32 import { Artifact } from "../artifact";
33 import { useDataStream } from "../data-stream-provider";
34 import { Messages } from "../messages";
35 import { MultimodalInput } from "../multimodal-input";
36 import { getChatHistoryPaginationKey } from "../sidebar-history";
37 import { toast } from "../toast";
38 import type { VisibilityType } from "../visibility-selector";
39
40 // хуучин төсөл шиг: cookie/session заавал явуулах
41 const fetchForChat: typeof fetch = (input, init) => {
42   return fetch(input, {
43     ...init,
44     credentials: "same-origin",
45   });
46 };
47
48 export function Chat({
49   id,
50   initialMessages,
51   initialChatModel,
52   initialVisibilityType,
53   isReadonly,
54   autoResume,
55 }: {
56   id: string;
57   initialMessages: ChatMessage[];

```



```

58   initialChatModel: string;
59   initialVisibilityType: VisibilityType;
60   isReadonly: boolean;
61   autoResume: boolean;
62 }) {
63   const router = useRouter();
64   const searchParams = useSearchParams();
65   const { openSubscribeDialog } = useSubscribeDialog();
66
67   const { visibilityType } = useChatVisibility({
68     chatId: id,
69     initialVisibilityType,
70   });
71
72   const { mutate } = useSWRConfig();
73   const { setDataStream } = useDataStream();
74
75   const [input, setInput] = useState<string>("");
76   const [showCreditCardAlert, setShowCreditCardAlert] = useState(false);
77
78   const currentModelId = initialChatModel;
79   const currentModelIdRef = useRef(currentModelId);
80   useEffect(() => {
81     currentModelIdRef.current = currentModelId;
82   }, [currentModelId]);
83
84   // back/forward sync
85   useEffect(() => {
86     const handlePopState = () => router.refresh();
87     window.addEventListener("popstate", handlePopState);
88     return () => window.removeEventListener("popstate", handlePopState);
89   }, [router]);
90
91   const {
92     messages,
93     setMessages,
94     sendMessage,
95     status,
96     stop,
97     regenerate,
98     resumeStream,
99     addToolApprovalResponse,
100 } = useChat<ChatMessage>({
101   id,
102   messages: initialMessages,
103   experimental_throttle: 50,
104   generateId: generateUUID,
105
106   // tool approval auto-continue (одоогийн төслийн чухал урсгал)
107   sendAutomaticallyWhen: ({ messages: currentMessages }) => {
108     const lastMessage = currentMessages.at(-1);
109     const shouldContinue =
110       lastMessage?.parts?.some(
111         (part) =>
112           "state" in part &&
113           part.state === "approval-responded" &&
114           "approval" in part &&
115           (part.approval as { approved?: boolean })?.approved === true
116       ) ?? false;
117     return shouldContinue;
118   },
119
120   transport: new DefaultChatTransport({
121     api: "/api/chat",
122
123     // □ cookie/session найдвартай явуулна
124     fetch: (input, init) => {
125       // existing error handler чинь хэрэгтэй байж магадгүй, эвдэхгүйгээр хамтад нь хэрэглээ
126       // fetchWithErrorHandlers дотор credentials тохируулааргүй бол:

```

```

127 // 1) эхлээд same-origin шургуулна
128 // 2) дараа нь error handler-тай fetch хийнэ
129 const mergedInit = { ...init, credentials: "same-origin" as const };
130 // fetchWithErrorHandlers нь fetch signature-тай
131 return fetchWithErrorHandlers(input, mergedInit);
132 },
133
134 // □ энд л "зурар/attachment алра болдог" асуудлыг хамгаална
135 prepareSendMessageRequest(request) {
136   const lastMessage = request.messages.at(-1);
137
138   const isToolApprovalContinuation =
139     lastMessage?.role !== "user" ||
140     request.messages.some((msg) =>
141       msg.parts?.some((part) => {
142         const state = (part as { state?: string }).state;
143         return state === "approval-responded" || state === "output-denied";
144       })
145     );
146
147   // image/file зэрэг non-text part байгаа эсэх – ЗӨВХӨН одоогийн (сүүлийн)
148   // turn-ийг шалгана. Өмнө нь бүх түүхээс шалгадаг байсан тул нэг л удаа
149   // зурар илгээсэн чат дараагийн БҮХ (текст ч гэсэн) turn-ийг "messages"
150   // массив хэлбэрээр явуулж, серверийн isToolApprovalFlow-г буруу true
151   // болгож, шинэ хэрэглэгчийн мессежийг DB-д хадгалахгүй алдаа гаргадаг
152   // байсан (server route.ts-ийн isToolApprovalFlow-той хамт заавал засах).
153   const lastHasNonTextParts =
154     lastMessage?.role === "user"
155       ? (lastMessage.parts ?? []).some((p: any) => p?.type && p.type !== "text")
156       : false;
157
158   const bodyAny = request.body as any;
159   const bodyHasAttachments =
160     Array.isArray(bodyAny?.attachments) && bodyAny.attachments.length > 0;
161
162   const shouldSendFullMessages =
163     isToolApprovalContinuation || lastHasNonTextParts || bodyHasAttachments;
164
165   return {
166     body: {
167       id: request.id,
168       ...(shouldSendFullMessages
169         ? { messages: request.messages
170           : { message: lastMessage }},
171       selectedChatModel: currentModelIdRef.current,
172       selectedVisibilityType: visibilityType,
173       ...request.body,
174     },
175   };
176 },
177   })),
178
179   onData: (dataPart) => {
180     setDataStream((ds) => (ds ? [...ds, dataPart] : [dataPart]));
181   },
182   onFinish: () => {
183     mutate(unstable_serialize(getChatHistoryPaginationKey));
184   },
185   onError: (error) => {
186     if (error instanceof ChatSDKError) {
187       if (error.surface === "subscription") {
188         // Trial expired / no active subscription – open the checkout popup.
189         toast({ type: "error", description: error.message });
190         openSubscribeDialog();
191       } else if (error.message?.includes("AI Gateway requires a valid credit card")) {
192         setShowCreditCardAlert(true);
193       } else {
194         toast({ type: "error", description: error.message });
195       }
196     }
197   }
198 }

```

```

196     } else {
197         toast({
198             type: "error",
199             description: error?.message || "Unexpected error",
200         });
201     }
202 },
203 });
204
205 const resetDataStream = useCallback(() => setDataStream([]), [setDataStream]);
206
207 const send = useCallback(
208     async (msg: Parameters<typeof sendMessage>[0]) => {
209         // Allow sending when "ready" or "error" - AI SDK's status is the authoritative guard
210         if (status !== "ready" && status !== "error") return;
211
212         stop();
213         resetDataStream();
214         return await sendMessage(msg);
215     },
216     [sendMessage, resetDataStream, status, stop]
217 );
218
219 const regen = useCallback(async () => {
220     if (status !== "ready") return;
221     resetDataStream();
222     return await regenerate();
223 }, [regenerate, resetDataStream, status]);
224
225 // query param -> 1 удаа явуулна
226 const query = searchParams.get("query");
227 const appendedQueryRef = useRef(false);
228
229 useEffect(() => {
230     appendedQueryRef.current = false;
231 }, [id]);
232
233 useEffect(() => {
234     if (!query) return;
235     if (appendedQueryRef.current) return;
236
237     appendedQueryRef.current = true;
238
239     send({
240         role: "user",
241         parts: [{ type: "text", text: query }],
242     });
243
244     router.replace(`/chat/${id}`);
245 }, [query, id, send, router]);
246
247 const { data: votes } = useSWR<Vote[]>(
248     messages.length >= 2 ? `/api/vote?chatId=${encodeURIComponent(id)}` : null,
249     fetcher
250 );
251
252 const [attachments, setAttachments] = useState<Attachment[]>([]);
253 const isArtifactVisible = useArtifactSelector((state) => state.isVisible);
254
255 useAutoResume({
256     autoResume,
257     initialMessages,
258     resumeStream,
259     setMessages,
260 });
261
262 return (
263     <>
264     <div className="overscroll-behavior-contain flex h-dvh min-w-0 touch-pan-y flex-col bg-background">

```

```

265 <ChatHeader
266   chatId={id}
267   isReadonly={isReadonly}
268   selectedVisibilityType={initialVisibilityType}
269 />
270
271 <Messages
272   addToolApprovalResponse={addToolApprovalResponse}
273   chatId={id}
274   isArtifactVisible={isArtifactVisible}
275   isReadonly={isReadonly}
276   messages={messages}
277   regenerate={regen}
278   selectedModelId={currentModelId}
279   setMessages={setMessages}
280   status={status}
281   votes={votes}
282 />
283
284 <div className="sticky bottom-0 z-1 mx-auto flex w-full min-w-0 max-w-4xl gap-2 border-t-0 bg-background px-2 pb-3 md:px-4 md:pb-4">
285   {!!isReadonly && (
286     <MultimodalInput
287       attachments={attachments}
288       chatId={id}
289       input={input}
290       messages={messages}
291       selectedModelId={currentModelId}
292       selectedVisibilityType={visibilityType}
293       sendMessage={send}
294       setAttachments={setAttachments}
295       setInput={setInput}
296       setMessages={setMessages}
297       status={status}
298       stop={stop}
299     />
300   )}
301 </div>
302 </div>
303
304 <Artifact
305   addToolApprovalResponse={addToolApprovalResponse}
306   attachments={attachments}
307   chatId={id}
308   input={input}
309   isReadonly={isReadonly}
310   messages={messages}
311   regenerate={regen}
312   selectedModelId={currentModelId}
313   selectedVisibilityType={visibilityType}
314   sendMessage={send}
315   setAttachments={setAttachments}
316   setInput={setInput}
317   setMessages={setMessages}
318   status={status}
319   stop={stop}
320   votes={votes}
321 />
322
323 <AlertDialog
324   onOpenChange={setShowCreditCardAlert}
325   open={showCreditCardAlert}
326 >
327   <AlertDialogContent>
328     <AlertDialogHeader>
329       <AlertDialogTitle>AI Provider Error</AlertDialogTitle>
330       <AlertDialogDescription>
331         The AI provider requires additional configuration. Please contact the administrator.
332       </AlertDialogDescription>
333     </AlertDialogHeader>

```

```

334         <AlertDialogFooter>
335             <AlertDialogCancel onClick={() => setShowCreditCardAlert(false)}>
336                 Close
337             </AlertDialogCancel>
338         </AlertDialogFooter>
339     </AlertDialogContent>
340 </AlertDialog>
341 </>
342 );
343 }

```

194. components/chat/FinanceCapturePanel.tsx

```

1  "use client";
2
3  import React, { useState } from "react";
4
5  type TransactionType = "income" | "expense";
6  type CategoryId =
7    | "food"
8    | "transport"
9    | "clothes"
10   | "home"
11   | "fun"
12   | "health"
13   | "other";
14
15  const CATEGORY_LABELS: Record<CategoryId, string> = {
16    food: "Хоол, хүнс",
17    transport: "Тээвэр",
18    clothes: "Хувцас",
19    home: "Тэр, хэрэглээ",
20    fun: "Зугаа, чөлөөт цаг",
21    health: "Эрүүл мэнд",
22    other: "Бусад",
23  };
24
25  type FinanceDraft = {
26    date: string;
27    amount: number;
28    type: TransactionType;
29    category: CategoryId;
30    note?: string;
31  };
32
33  type Props = {
34    active: boolean;           // finance mode асаалттай эсэх
35    userId: string | null;     // □ NextAuth session.user.id
36    onDone?: () => void;
37  };
38
39  function normalizeCategory(raw: any): CategoryId | null {
40    if (!raw || typeof raw !== "string") return null;
41    const t = raw.toLowerCase().trim();
42
43    if (t === "food" || t.includes("хоол") || t.includes("хүнс")) return "food";
44    if (t === "transport" || t.includes("тээвэр") || t.includes("такси") || t.includes("bus")) return "transport";
45    if (t === "clothes" || t.includes("хувцас") || t.includes("гулал")) return "clothes";
46    if (t === "home" || t.includes("тэр") || t.includes("цахилгаан") || t.includes("гүрээс")) return "home";
47    if (t === "health" || t.includes("эм") || t.includes("эмнэлэр") || t.includes("шүд")) return "health";
48    if (t === "fun" || t.includes("кино") || t.includes("зугаа") || t.includes("капоке")) return "fun";
49    if (t === "other") return "other";
50    return null;
51  }
52
53  function detectCategoryFromText(text: string): CategoryId {
54    const t = (text || "").toLowerCase();

```

```

55
56   if (t.includes("хоол") || t.includes("хүнс") || t.includes("талх") || t.includes("кофе") || t.includes("ундаа") || t.includes("market"))
57     return "food";
58   if (t.includes("такси") || t.includes("ubus") || t.includes("тээвэр") || t.includes("шатахуун") || t.includes("бензин"))
59     return "transport";
60   if (t.includes("хувцас") || t.includes("гуутал") || t.includes("цамц") || t.includes("пүүз"))
61     return "clothes";
62   if (t.includes("түрээс") || t.includes("цахилгаан") || t.includes("ус") || t.includes("ариун цэвэр") || t.includes("тавилга"))
63     return "home";
64   if (t.includes("эм") || t.includes("эмнэлэг") || t.includes("клиник") || t.includes("шүд") || t.includes("витамин"))
65     return "health";
66   if (t.includes("кино") || t.includes("концерт") || t.includes("karaoke") || t.includes("тоглолт") || t.includes("саун"))
67     return "fun";
68
69   return "other";
70 }
71
72 export function FinanceCapturePanel({ active, userId, onDone }: Props) {
73   const [drafts, setDrafts] = useState<FinanceDraft[]>([]);
74   const [loading, setLoading] = useState(false);
75   const [savingId, setSavingId] = useState<number | null>(null);
76   const [error, setError] = useState<string | null>(null);
77
78   if (!active) return null;
79
80   const handleFileChange = async (e: React.ChangeEvent<HTMLInputElement>) => {
81     const file = e.target.files?.[0];
82     if (!file) return;
83
84     setError(null);
85     setLoading(true);
86
87     try {
88       const form = new FormData();
89       form.append("file", file);
90
91       const res = await fetch("/api/finance/analyze", { method: "POST", body: form });
92
93       const payload = await res.json().catch(() => null);
94
95       if (!res.ok) {
96         throw new Error(payload?.error || "Алдаа гарлаа");
97       }
98
99       const today = new Date().toISOString().slice(0, 10);
100
101       const mapped: FinanceDraft[] = (payload?.drafts || []).map((d: any): FinanceDraft => {
102         const normalized = normalizeCategory(d.category);
103         const detected = detectCategoryFromText(d.note || d.raw_text || d.description || "");
104
105         return {
106           date: d.date || today,
107           amount: Number(d.amount) || 0,
108           type: d.type === "income" ? "income" : "expense",
109           category: (normalized ?? detected ?? "other") as CategoryId,
110           note: d.note || "",
111         };
112       });
113
114       setDrafts(mapped);
115     } catch (err: any) {
116       console.error(err);
117       setError(err?.message || "Server error");
118     } finally {
119       setLoading(false);
120       e.target.value = "";
121     }
122   };
123

```

```

124 const handleChangeDraft = (index: number, patch: Partial<FinanceDraft>) => {
125   setDrafts((prev) => prev.map((d, i) => (i === index ? { ...d, ...patch } : d)));
126 };
127
128 const handleSaveDraft = async (draft: FinanceDraft, index: number) => {
129   try {
130     setSavingId(index);
131     setError(null);
132
133     if (!userId) {
134       throw new Error("Нэвтрээгүй байна. Дахин login хийгээд оролдоорой.");
135     }
136
137     const res = await fetch("/api/finance/transactions", {
138       method: "POST",
139       headers: { "Content-Type": "application/json" },
140       body: JSON.stringify({
141         rows: [{
142           type: draft.type,
143           amount: draft.amount,
144           category: draft.category,
145           date: draft.date,
146           note: draft.note ?? "",
147           source: "image",
148           raw_text: draft.note ?? "",
149         }],
150       }),
151     });
152     if (!res.ok) {
153       const e = await res.json().catch(() => ({}));
154       throw new Error(e?.error ?? "Хадгалах үед алдаа гарлаа");
155     }
156
157     setDrafts((prev) => prev.filter((_, i) => i !== index));
158     onDone?();
159   } catch (err: any) {
160     console.error(err);
161     setError(err?.message || "Хадгалах үед алдаа гарлаа");
162   } finally {
163     setSavingId(null);
164   }
165 };
166
167 return (
168   <div className="w-full rounded-2xl border border-slate-200/60 bg-white/80 px-3 py-3 space-y-2">
169     <div className="flex items-center justify-between gap-3">
170       <div className="text-[11px] text-slate-700">
171         Санхүүгийн баримтын зураг оруулбал AI таньж хүснэгт/карт болгож өгнө.
172         Шалгаад "Тайланд нэмэх" дарвал тайланд хадгална.
173       </div>
174       <label className="inline-flex items-center justify-center rounded-full bg-emerald-600 text-white text-[11px] px-3 py-1.5 font-medium cursor-pointer hover:bg-emerald-500">
175         {loading ? "Уншиж байна..." : "Зураг оруулах"}
176       </label>
177       <input type="file" accept="image/*" className="hidden" onChange={handleFileChange} />
178     </div>
179
180     {error && <p className="text-[11px] text-red-500">{error}</p>}
181
182     {drafts.length === 0 && !loading && (
183       <p className="text-[11px] text-slate-500">
184         Одоогоор AI-с ирсэн draft алга. Эхлээд баримтын зураг оруулаарай.
185       </p>
186     )}
187
188     <div className="space-y-2">
189       {drafts.map((d, index) => (
190         <div key={index} className="rounded-2xl border border-slate-200 bg-white px-3 py-3 space-y-2 text-[11px]">
191           <div className="grid grid-cols-2 gap-2">

```

```

193 <div className="flex flex-col gap-1">
194   <span className="text-slate-500">Огноо</span>
195   <input
196     type="date"
197     value={d.date}
198     onChange={(e) => handleChangeDraft(index, { date: e.target.value })}
199     className="w-full rounded-lg border border-slate-300 px-2 py-1"
200   />
201 </div>
202
203 <div className="flex flex-col gap-1">
204   <span className="text-slate-500">Дүн (₮)</span>
205   <input
206     type="number"
207     value={d.amount}
208     onChange={(e) => handleChangeDraft(index, { amount: Number(e.target.value || 0) })}
209     className="w-full rounded-lg border border-slate-300 px-2 py-1"
210   />
211 </div>
212
213 <div className="flex flex-col gap-1">
214   <span className="text-slate-500">Төрөл</span>
215   <select
216     value={d.type}
217     onChange={(e) => handleChangeDraft(index, { type: e.target.value as TransactionType })}
218     className="w-full rounded-lg border border-slate-300 px-2 py-1"
219   >
220     <option value="expense">Зарлага</option>
221     <option value="income">Орлого</option>
222   </select>
223 </div>
224
225 <div className="flex flex-col gap-1">
226   <span className="text-slate-500">Категори</span>
227   <select
228     value={d.category}
229     onChange={(e) => handleChangeDraft(index, { category: e.target.value as CategoryId })}
230     className="w-full rounded-lg border border-slate-300 px-2 py-1"
231   >
232     {Object.entries(CATEGORY_LABELS).map([id, label] => (
233       <option key={id} value={id}>
234         {label}
235       </option>
236     ))}
237   </select>
238 </div>
239 </div>
240
241 <div className="flex flex-col gap-1">
242   <span className="text-slate-500">Тэмдэглэл</span>
243   <input
244     value={d.note || ""}
245     onChange={(e) => handleChangeDraft(index, { note: e.target.value })}
246     className="w-full rounded-lg border border-slate-300 px-2 py-1"
247     placeholder="талх, кофе, такси..."
248   />
249 </div>
250
251 <div className="flex justify-end">
252   <button
253     type="button"
254     disabled={savingId === index}
255     onClick={() => handleSaveDraft(d, index)}
256     className="rounded-full bg-emerald-600 text-white px-3 py-1.5 text-[11px] font-medium hover:bg-emerald-500 disabled:opacity-50"
257   >
258     {savingId === index ? "Хадгалж байна..." : "Тайланд нэмэх"}
259   </button>
260 </div>
261 </div>

```



```

262     )))
263   </div>
264 </div>
265   );
266 }

```

195. components/code-editor.tsx

```

1  "use client";
2
3  import { python } from "@codemirror/lang-python";
4  import { EditorState, Transaction } from "@codemirror/state";
5  import { oneDark } from "@codemirror/theme-one-dark";
6  import { EditorView } from "@codemirror/view";
7  import { basicSetup } from "codemirror";
8  import { memo, useEffect, useRef } from "react";
9  import type { Suggestion } from "@lib/db/schema";
10
11  type EditorProps = {
12    content: string;
13    onSaveContent: (updatedContent: string, debounce: boolean) => void;
14    status: "streaming" | "idle";
15    isCurrentVersion: boolean;
16    currentVersionIndex: number;
17    suggestions: Suggestion[];
18  };
19
20  function PureCodeEditor({ content, onSaveContent, status }: EditorProps) {
21    const containerRef = useRef<HTMLDivElement>(null);
22    const editorRef = useRef<EditorView | null>(null);
23
24    useEffect(() => {
25      if (containerRef.current && !editorRef.current) {
26        const startState = EditorState.create({
27          doc: content,
28          extensions: [basicSetup, python(), oneDark],
29        });
30
31        editorRef.current = new EditorView({
32          state: startState,
33          parent: containerRef.current,
34        });
35      }
36
37      return () => {
38        if (editorRef.current) {
39          editorRef.current.destroy();
40          editorRef.current = null;
41        }
42      };
43      // NOTE: we only want to run this effect once
44      // eslint-disable-next-line
45    }, []);
46
47    useEffect(() => {
48      if (editorRef.current) {
49        const updateListener = EditorView.updateListener.of((update) => {
50          if (update.docChanged) {
51            const transaction = update.transactions.find(
52              (tr) => !tr.annotation(Transaction.remote)
53            );
54
55            if (transaction) {
56              const newContent = update.state.doc.toString();
57              onSaveContent(newContent, true);
58            }
59          }
60        });

```

```

60     });
61
62     const currentSelection = editorRef.current.state.selection;
63
64     const newState = EditorState.create({
65       doc: editorRef.current.state.doc,
66       extensions: [basicSetup, python(), oneDark, updateListener],
67       selection: currentSelection,
68     });
69
70     editorRef.current.setState(newState);
71   }
72 }, [onSaveContent]);
73
74 useEffect(() => {
75   if (editorRef.current && content) {
76     const currentContent = editorRef.current.state.doc.toString();
77
78     if (status === "streaming" || currentContent !== content) {
79       const transaction = editorRef.current.state.update({
80         changes: {
81           from: 0,
82           to: currentContent.length,
83           insert: content,
84         },
85         annotations: [Transaction.remote.of(true)],
86       });
87
88       editorRef.current.dispatch(transaction);
89     }
90   }
91 }, [content, status]);
92
93 return (
94   <div
95     className="not-prose relative w-full pb-[calc(80dvh)] text-sm"
96     ref={containerRef}
97   />
98 );
99 }
100
101 function areEqual(prevProps: EditorProps, nextProps: EditorProps) {
102   if (prevProps.suggestions !== nextProps.suggestions) {
103     return false;
104   }
105   if (prevProps.currentVersionIndex !== nextProps.currentVersionIndex) {
106     return false;
107   }
108   if (prevProps.isCurrentVersion !== nextProps.isCurrentVersion) {
109     return false;
110   }
111   if (prevProps.status === "streaming" && nextProps.status === "streaming") {
112     return false;
113   }
114   if (prevProps.content !== nextProps.content) {
115     return false;
116   }
117
118   return true;
119 }
120
121 export const CodeEditor = memo(PureCodeEditor, areEqual);

```

196. components/console.tsx

```

1 import {
2   type Dispatch,

```

```

3   type SetStateAction,
4   useCallback,
5   useEffect,
6   useRef,
7   useState,
8 } from "react";
9 import { useArtifactSelector } from "@hooks/use-artifact";
10 import { cn } from "@lib/utils";
11 import { Loader } from "../elements/loader";
12 import { CrossSmallIcon, TerminalWindowIcon } from "../icons";
13 import { Button } from "../ui/button";
14
15 export type ConsoleOutputContent = {
16   type: "text" | "image";
17   value: string;
18 };
19
20 export type ConsoleOutput = {
21   id: string;
22   status: "in_progress" | "loading_packages" | "completed" | "failed";
23   contents: ConsoleOutputContent[];
24 };
25
26 type ConsoleProps = {
27   consoleOutputs: ConsoleOutput[];
28   setConsoleOutputs: Dispatch<SetStateAction<ConsoleOutput[]>>;
29 };
30
31 export function Console({ consoleOutputs, setConsoleOutputs }: ConsoleProps) {
32   const [height, setHeight] = useState<number>(300);
33   const [isResizing, setIsResizing] = useState(false);
34   const consoleEndRef = useRef<HTMLDivElement>(null);
35
36   const isArtifactVisible = useArtifactSelector((state) => state.isVisible);
37
38   const minHeight = 100;
39   const maxHeight = 800;
40
41   const startResizing = useCallback(() => {
42     setIsResizing(true);
43   }, []);
44
45   const stopResizing = useCallback(() => {
46     setIsResizing(false);
47   }, []);
48
49   const resize = useCallback(
50     (e: MouseEvent) => {
51       if (isResizing) {
52         const newHeight = window.innerHeight - e.clientY;
53         if (newHeight >= minHeight && newHeight <= maxHeight) {
54           setHeight(newHeight);
55         }
56       }
57     },
58     [isResizing]
59   );
60
61   useEffect(() => {
62     window.addEventListener("mousemove", resize);
63     window.addEventListener("mouseup", stopResizing);
64     return () => {
65       window.removeEventListener("mousemove", resize);
66       window.removeEventListener("mouseup", stopResizing);
67     };
68   }, [resize, stopResizing]);
69
70   useEffect(() => {
71     consoleEndRef.current?.scrollIntoView({ behavior: "smooth" });

```

```

72   }, []);
73
74   useEffect(() => {
75     if (!isArtifactVisible) {
76       setConsoleOutputs([]);
77     }
78   }, [isArtifactVisible, setConsoleOutputs]);
79
80   return consoleOutputs.length > 0 ? (
81     <>
82       <div
83         aria-label="Resize console"
84         aria-orientation="horizontal"
85         aria-valuemax={maxHeight}
86         aria-valuemin={minHeight}
87         aria-valuenow={height}
88         className="fixed z-50 h-2 w-full cursor-ns-resize"
89         onKeyDown={(e) => {
90           if (e.key === "ArrowUp") {
91             setHeight((prev) => Math.min(prev + 10, maxHeight));
92           } else if (e.key === "ArrowDown") {
93             setHeight((prev) => Math.max(prev - 10, minHeight));
94           }
95         }}
96         onMouseDown={startResizing}
97         role="slider"
98         style={{ bottom: height - 4 }}
99         tabIndex={0}
100       />
101
102       <div
103         className={cn(
104           "fixed bottom-0 z-40 flex w-full flex-col overflow-x-hidden overflow-y-scroll border-zinc-200 border-t bg-zinc-50 dark:border-zinc-700 dark:bg-zinc-900",
105           {
106             "select-none": isResizing,
107           }
108         )}
109         style={{ height }}
110       >
111         <div className="sticky top-0 z-50 flex h-fit w-full flex-row items-center justify-between border-zinc-200 border-b bg-muted px-2 py-1 dark:border-zinc-700">
112           <div className="flex flex-row items-center gap-3 pl-2 text-sm text-zinc-800 dark:text-zinc-50">
113             <div className="text-muted-foreground">
114               <TerminalWindowIcon />
115             </div>
116             <div>Console</div>
117           </div>
118           <Button
119             className="size-fit p-1 hover:bg-zinc-200 dark:hover:bg-zinc-700"
120             onClick={() => setConsoleOutputs([])}
121             size="icon"
122             variant="ghost"
123           >
124             <CrossSmallIcon />
125           </Button>
126         </div>
127
128         <div>
129           {consoleOutputs.map((consoleOutput, index) => (
130             <div
131               className="flex flex-row border-zinc-200 border-b bg-zinc-50 px-4 py-2 font-mono text-sm dark:border-zinc-700 dark:bg-zinc-900"
132               key={consoleOutput.id}
133             >
134               <div
135                 className={cn("w-12 shrink-0", {
136                   "text-muted-foreground": [
137                     "in_progress",
138                     "loading_packages",
139                   ].includes(consoleOutput.status),
140                   "text-emerald-500": consoleOutput.status === "completed",

```

```

141         "text-red-400": consoleOutput.status === "failed",
142     }}}
143 >
144     [{index + 1}]
145 </div>
146     {["in_progress", "loading_packages"].includes(
147       consoleOutput.status
148     ) ? (
149       <div className="flex flex-row gap-2">
150         <div className="mt-0.5 mb-auto size-fit self-center">
151           <Loader size={16} />
152         </div>
153         <div className="text-muted-foreground">
154           {consoleOutput.status === "in_progress"
155             ? "Initializing..."
156             : consoleOutput.status === "loading_packages"
157             ? consoleOutput.contents.map((content) =>
158               content.type === "text" ? content.value : null
159             )
160             : null}
161         </div>
162       </div>
163     ) : (
164       <div className="flex w-full flex-col gap-2 overflow-x-scroll text-zinc-900 dark:text-zinc-50">
165         {consoleOutput.contents.map((content, contentIndex) =>
166           content.type === "image" ? (
167             <picture key={` ${consoleOutput.id}-${contentIndex}`}>
168               /** biome-ignore lint/nursery/useImageSize: "Generated image without explicit size" */
169               <img
170                 alt="output"
171                 className="w-full max-w-(--breakpoint-toast-mobile) rounded-md"
172                 src={content.value}
173               />
174             </picture>
175           ) : (
176             <div
177               className="w-full whitespace-pre-line break-words"
178               key={` ${consoleOutput.id}-${contentIndex}`}
179             >
180               {content.value}
181             </div>
182           )
183         )}
184       </div>
185     )}
186   </div>
187 )}
188 <div ref={consoleEndRef} />
189 </div>
190 </div>
191 </>
192 ) : null;
193 }

```

197. components/create-artifact.tsx

```

1 import type { UseChatHelpers } from "@ai-sdk/react";
2 import type { DataUIPart } from "ai";
3 import type { ComponentType, Dispatch, ReactNode, SetStateAction } from "react";
4 import type { Suggestion } from "@lib/db/schema";
5 import type { ChatMessage, CustomUIDataTypes } from "@lib/types";
6 import type { UIArtifact } from "./artifact";
7
8 export type ArtifactActionContext<M = any> = {
9   content: string;
10   handleVersionChange: (type: "next" | "prev" | "toggle" | "latest") => void;
11   currentVersionIndex: number;

```

```

12   isCurrentVersion: boolean;
13   mode: "edit" | "diff";
14   metadata: M;
15   setMetadata: Dispatch<SetStateAction<M>>;
16 };
17
18 type ArtifactAction<M = any> = {
19   icon: ReactNode;
20   label?: string;
21   description: string;
22   onClick: (context: ArtifactActionContext<M>) => Promise<void> | void;
23   isDisabled?: (context: ArtifactActionContext<M>) => boolean;
24 };
25
26 export type ArtifactToolbarContext = {
27   sendMessage: UseChatHelpers<ChatMessage>["sendMessage"];
28 };
29
30 export type ArtifactToolbarItem = {
31   description: string;
32   icon: ReactNode;
33   onClick: (context: ArtifactToolbarContext) => void;
34 };
35
36 type ArtifactContent<M = any> = {
37   title: string;
38   content: string;
39   mode: "edit" | "diff";
40   isCurrentVersion: boolean;
41   currentVersionIndex: number;
42   status: "streaming" | "idle";
43   suggestions: Suggestion[];
44   onSaveContent: (updatedContent: string, debounce: boolean) => void;
45   isInline: boolean;
46   getDocumentContentById: (index: number) => string;
47   isLoading: boolean;
48   metadata: M;
49   setMetadata: Dispatch<SetStateAction<M>>;
50 };
51
52 type InitializeParameters<M = any> = {
53   documentId: string;
54   setMetadata: Dispatch<SetStateAction<M>>;
55 };
56
57 type ArtifactConfig<T extends string, M = any> = {
58   kind: T;
59   description: string;
60   content: ComponentType<ArtifactContent<M>>;
61   actions: ArtifactAction<M>[];
62   toolbar: ArtifactToolbarItem[];
63   initialize?: (parameters: InitializeParameters<M>) => void;
64   onStreamPart: (args: {
65     setMetadata: Dispatch<SetStateAction<M>>;
66     setArtifact: Dispatch<SetStateAction<UIArtifact>>;
67     streamPart: DataUIPart<CustomUIDataTypes>;
68   }) => void;
69 };
70
71 export class Artifact<T extends string, M = any> {
72   readonly kind: T;
73   readonly description: string;
74   readonly content: ComponentType<ArtifactContent<M>>;
75   readonly actions: ArtifactAction<M>[];
76   readonly toolbar: ArtifactToolbarItem[];
77   readonly initialize?: (parameters: InitializeParameters) => void;
78   readonly onStreamPart: (args: {
79     setMetadata: Dispatch<SetStateAction<M>>;
80     setArtifact: Dispatch<SetStateAction<UIArtifact>>;

```

```

81   streamPart: DataUIPart<CustomUIDataTypes>;
82 }) => void;
83
84 constructor(config: ArtifactConfig<T, M>) {
85   this.kind = config.kind;
86   this.description = config.description;
87   this.content = config.content;
88   this.actions = config.actions || [];
89   this.toolbar = config.toolbar || [];
90   this.initialize = config.initialize || (async () => ({}));
91   this.onStreamPart = config.onStreamPart;
92 }
93 }

```

198. components/data-stream-handler.tsx

```

1  "use client";
2
3  import { useEffect } from "react";
4  import { useSWRConfig } from "swr";
5  import { unstable_serialize } from "swr/infinite";
6  import { initialArtifactData, useArtifact } from "@hooks/use-artifact";
7  import { artifactDefinitions } from "../artifact";
8  import { useDataStream } from "../data-stream-provider";
9  import { getChatHistoryPaginationKey } from "../sidebar-history";
10
11 export function DataStreamHandler() {
12   const { dataStream, setDataStream } = useDataStream();
13   const { mutate } = useSWRConfig();
14
15   const { artifact, setArtifact, setMetadata } = useArtifact();
16
17   useEffect(() => {
18     if (!dataStream?.length) {
19       return;
20     }
21
22     const newDeltas = dataStream.slice();
23     setDataStream([]);
24
25     for (const delta of newDeltas) {
26       // Handle chat title updates
27       if (delta.type === "data-chat-title") {
28         mutate(unstable_serialize(getChatHistoryPaginationKey));
29         continue;
30       }
31       const artifactDefinition = artifactDefinitions.find(
32         (currentArtifactDefinition) =>
33           currentArtifactDefinition.kind === artifact.kind
34       );
35
36       if (artifactDefinition?.onStreamPart) {
37         artifactDefinition.onStreamPart({
38           streamPart: delta,
39           setArtifact,
40           setMetadata,
41         });
42       }
43
44       setArtifact((draftArtifact) => {
45         if (!draftArtifact) {
46           return { ...initialArtifactData, status: "streaming" };
47         }
48
49         switch (delta.type) {
50           case "data-id":
51             return {

```

```

52         ...draftArtifact,
53         documentId: delta.data,
54         status: "streaming",
55     };
56
57     case "data-title":
58     return {
59         ...draftArtifact,
60         title: delta.data,
61         status: "streaming",
62     };
63
64     case "data-kind":
65     return {
66         ...draftArtifact,
67         kind: delta.data,
68         status: "streaming",
69     };
70
71     case "data-clear":
72     return {
73         ...draftArtifact,
74         content: "",
75         status: "streaming",
76     };
77
78     case "data-finish":
79     return {
80         ...draftArtifact,
81         status: "idle",
82     };
83
84     default:
85     return draftArtifact;
86 }
87 });
88 }
89 }, [dataStream, setArtifact, setMetadata, artifact, setDataStream, mutate]);
90
91 return null;
92 }

```

199. components/data-stream-provider.tsx

```

1  "use client";
2
3  import type { DataUIPart } from "ai";
4  import type React from "react";
5  import { createContext, useContext, useMemo, useState } from "react";
6  import type { CustomUIDataTypes } from "@lib/types";
7
8  type DataStreamContextValue = {
9    dataStream: DataUIPart<CustomUIDataTypes>[];
10    setDataStream: React.Dispatch<
11      React.SetStateAction<DataUIPart<CustomUIDataTypes>[]>
12    >;
13  };
14
15  const DataStreamContext = createContext<DataStreamContextValue | null>(null);
16
17  export function DataStreamProvider({
18    children,
19  }: {
20    children: React.ReactNode;
21  }) {
22    const [dataStream, setDataStream] = useState<DataUIPart<CustomUIDataTypes>[]>()
23    []

```



```

24   );
25
26   const value = useMemo(() => ({ dataStream, setDataStream }), [dataStream]);
27
28   return (
29     <DataStreamContext.Provider value={value}>
30       {children}
31     </DataStreamContext.Provider>
32   );
33 }
34
35 export function useDataStream() {
36   const context = useContext(DataStreamContext);
37   if (!context) {
38     throw new Error("useDataStream must be used within a DataStreamProvider");
39   }
40   return context;
41 }

```

200. components/diffview.tsx

```

1  import OrderedMap from "orderedmap";
2  import {
3    DOMParser,
4    type MarkSpec,
5    type Node as ProseMirrorNode,
6    Schema,
7  } from "prosemirror-model";
8  import { schema } from "prosemirror-schema-basic";
9  import { addListNodes } from "prosemirror-schema-list";
10 import { EditorState } from "prosemirror-state";
11 import { EditorView } from "prosemirror-view";
12 import { useEffect, useRef } from "react";
13 import { renderToString } from "react-dom/server";
14 import { Streamdown } from "streamdown";
15
16 import { DiffType, diffEditor } from "@lib/editor/diff";
17
18 const diffSchema = new Schema({
19   nodes: addListNodes(schema.spec.nodes, "paragraph block*", "block"),
20   marks: OrderedMap.from({
21     ...schema.spec.marks.toObject(),
22     diffMark: {
23       attrs: { type: { default: "" } },
24       toDOM(mark) {
25         let className = "";
26
27         switch (mark.attrs.type) {
28           case DiffType.Inserted:
29             className =
30               "bg-green-100 text-green-700 dark:bg-green-500/70 dark:text-green-300";
31             break;
32           case DiffType.Deleted:
33             className =
34               "bg-red-100 line-through text-red-600 dark:bg-red-500/70 dark:text-red-300";
35             break;
36           default:
37             className = "";
38         }
39         return ["span", { class: className }, 0];
40       },
41     } as MarkSpec,
42   })),
43 });
44
45 function computeDiff(oldDoc: ProseMirrorNode, newDoc: ProseMirrorNode) {
46   return diffEditor(diffSchema, oldDoc.toJSON(), newDoc.toJSON());

```

```

47 }
48
49 type DiffEditorProps = {
50   oldContent: string;
51   newContent: string;
52 };
53
54 export const DiffView = ({ oldContent, newContent }: DiffEditorProps) => {
55   const editorRef = useRef<HTMLDivElement>(null);
56   const viewRef = useRef<EditorView | null>(null);
57
58   useEffect(() => {
59     if (editorRef.current && !viewRef.current) {
60       const parser = DOMParser.fromSchema(diffSchema);
61
62       const oldHtmlContent = renderToString(
63         <Streamdown>{oldContent}</Streamdown>
64       );
65       const newHtmlContent = renderToString(
66         <Streamdown>{newContent}</Streamdown>
67       );
68
69       const oldContainer = document.createElement("div");
70       oldContainer.innerHTML = oldHtmlContent;
71
72       const newContainer = document.createElement("div");
73       newContainer.innerHTML = newHtmlContent;
74
75       const oldDoc = parser.parse(oldContainer);
76       const newDoc = parser.parse(newContainer);
77
78       const diffedDoc = computeDiff(oldDoc, newDoc);
79
80       const state = EditorState.create({
81         doc: diffedDoc,
82         plugins: [],
83       });
84
85       viewRef.current = new EditorView(editorRef.current, {
86         state,
87         editable: () => false,
88       });
89     }
90
91     return () => {
92       if (viewRef.current) {
93         viewRef.current.destroy();
94         viewRef.current = null;
95       }
96     };
97   }, [oldContent, newContent]);
98
99   return <div className="diff-editor" ref={editorRef} />;
100 };

```

201. components/document-preview.tsx

```

1  "use client";
2
3  import equal from "fast-deep-equal";
4  import {
5    type MouseEvent,
6    memo,
7    useCallback,
8    useEffect,
9    useMemo,
10    useRef,

```

```

11 } from "react";
12 import useSWR from "swr";
13 import { useArtifact } from "@hooks/use-artifact";
14 import type { Document } from "@lib/db/schema";
15 import { cn, fetcher } from "@lib/utlis";
16 import type { ArtifactKind, UIArtifact } from "./artifact";
17 import { CodeEditor } from "./code-editor";
18 import { DocumentToolCall, DocumentToolResult } from "./document";
19 import { InlineDocumentSkeleton } from "./document-skeleton";
20 import { FileIcon, FullscreenIcon, ImageIcon, LoaderIcon } from "./icons";
21 import { ImageEditor } from "./image-editor";
22 import { SpreadsheetEditor } from "./sheet-editor";
23 import { Editor } from "./text-editor";
24
25 type DocumentPreviewProps = {
26   isReadOnly: boolean;
27   result?: any;
28   args?: any;
29 };
30
31 export function DocumentPreview({
32   isReadOnly,
33   result,
34   args,
35 }: DocumentPreviewProps) {
36   const { artifact, setArtifact } = useArtifact();
37
38   const { data: documents, isLoading: isDocumentsFetching } = useSWR<
39     Document[]
40     >(result ? `/api/document?id=${result.id}` : null, fetcher);
41
42   const previewDocument = useMemo(() => documents?.[0], [documents]);
43   const hitboxRef = useRef<HTMLDivElement>(null);
44
45   useEffect(() => {
46     const boundingBox = hitboxRef.current?.getBoundingClientRect();
47
48     if (artifact.documentId && boundingBox) {
49       setArtifact((currentArtifact) => ({
50         ...currentArtifact,
51         boundingBox: {
52           left: boundingBox.x,
53           top: boundingBox.y,
54           width: boundingBox.width,
55           height: boundingBox.height,
56         },
57       }));
58     }
59   }, [artifact.documentId, setArtifact]);
60
61   if (artifact.isVisible) {
62     if (result) {
63       return (
64         <DocumentToolResult
65           isReadOnly={isReadOnly}
66           result={{ id: result.id, title: result.title, kind: result.kind }}
67           type="create"
68         />
69       );
70     }
71
72     if (args) {
73       return (
74         <DocumentToolCall
75           args={{ title: args.title, kind: args.kind }}
76           isReadOnly={isReadOnly}
77           type="create"
78         />
79       );
80     }
81   }

```

```

80   }
81 }
82
83 if (isDocumentsFetching) {
84   return <LoadingSkeleton artifactKind={result.kind ?? args.kind} />;
85 }
86
87 const document: Document | null = previewDocument
88   ? previewDocument
89   : artifact.status === "streaming"
90     ? {
91       title: artifact.title,
92       kind: artifact.kind,
93       content: artifact.content,
94       id: artifact.documentId,
95       createdAt: new Date(),
96       userId: "noop",
97     }
98     : null;
99
100 if (!document) {
101   return <LoadingSkeleton artifactKind={artifact.kind} />;
102 }
103
104 return (
105   <div className="relative w-full max-w-[450px] cursor-pointer">
106     <HitboxLayer
107       hitboxRef={hitboxRef}
108       result={result}
109       setArtifact={setArtifact}
110     />
111     <DocumentHeader
112       isStreaming={artifact.status === "streaming"}
113       kind={document.kind}
114       title={document.title}
115     />
116     <DocumentContent document={document} />
117   </div>
118 );
119 }
120
121 const LoadingSkeleton = ({ artifactKind }: { artifactKind: ArtifactKind }) => (
122   <div className="w-full max-w-[450px]">
123     <div className="flex h-[57px] flex-row items-center justify-between gap-2 rounded-t-2xl border border-b-0 p-4 dark:border-zinc-700 dark:bg-muted">
124       <div className="flex flex-row items-center gap-3">
125         <div className="text-muted-foreground">
126           <div className="size-4 animate-pulse rounded-md bg-muted-foreground/20" />
127         </div>
128         <div className="h-4 w-24 animate-pulse rounded-lg bg-muted-foreground/20" />
129       </div>
130       <div>
131         <FullscreenIcon />
132       </div>
133     </div>
134     {artifactKind === "image" ? (
135       <div className="overflow-y-scroll rounded-b-2xl border border-t-0 bg-muted dark:border-zinc-700">
136         <div className="h-[257px] w-full animate-pulse bg-muted-foreground/20" />
137       </div>
138     ) : (
139       <div className="overflow-y-scroll rounded-b-2xl border border-t-0 bg-muted p-8 pt-4 dark:border-zinc-700">
140         <InlineDocumentSkeleton />
141       </div>
142     )}
143   </div>
144 );
145
146 const PureHitboxLayer = ({
147   hitboxRef,
148   result,

```

```

149   setArtifact,
150 }: {
151   hitboxRef: React.RefObject<HTMLDivElement | null>;
152   result: any;
153   setArtifact: (
154     updaterFn: UIArtifact | ((currentArtifact: UIArtifact) => UIArtifact)
155   ) => void;
156 }) => {
157   const handleClick = useCallback(
158     (event: MouseEvent<HTMLDivElement>) => {
159       const boundingBox = event.currentTarget.getBoundingClientRect();
160
161       setArtifact((artifact) =>
162         artifact.status === "streaming"
163         ? { ...artifact, isVisible: true }
164         : {
165             ...artifact,
166             title: result.title,
167             documentId: result.id,
168             kind: result.kind,
169             isVisible: true,
170             boundingBox: {
171               left: boundingBox.x,
172               top: boundingBox.y,
173               width: boundingBox.width,
174               height: boundingBox.height,
175             },
176           }
177       );
178     },
179     [setArtifact, result]
180   );
181
182   return (
183     <div
184       aria-hidden="true"
185       className="absolute top-0 left-0 z-10 size-full rounded-xl"
186       onClick={handleClick}
187       ref={hitboxRef}
188       role="presentation"
189     >
190       <div className="flex w-full items-center justify-end p-4">
191         <div className="absolute top-[13px] right-[9px] rounded-md p-2 hover:bg-zinc-100 dark:hover:bg-zinc-700">
192           <FullscreenIcon />
193         </div>
194       </div>
195     </div>
196   );
197 };
198
199 const HitboxLayer = memo(PureHitboxLayer, (prevProps, nextProps) => {
200   if (!equal(prevProps.result, nextProps.result)) {
201     return false;
202   }
203   return true;
204 });
205
206 const PureDocumentHeader = ({
207   title,
208   kind,
209   isStreaming,
210 }): {
211   title: string;
212   kind: ArtifactKind;
213   isStreaming: boolean;
214 } => {
215   <div className="flex flex-row items-start justify-between gap-2 rounded-t-2xl border border-b-0 p-4 sm:items-center dark:border-zinc-700 dark:bg-muted">
216     <div className="flex flex-row items-start gap-3 sm:items-center">
217       <div className="text-muted-foreground">

```

```

218     {isStreaming ? (
219       <div className="animate-spin">
220         <LoaderIcon />
221       </div>
222     ) : kind === "image" ? (
223       <ImageIcon />
224     ) : (
225       <FileIcon />
226     )}
227   </div>
228   <div className="-translate-y-1 font-medium sm:translate-y-0">{title}</div>
229 </div>
230 <div className="w-8" />
231 </div>
232 );
233
234 const DocumentHeader = memo(PureDocumentHeader, (prevProps, nextProps) => {
235   if (prevProps.title !== nextProps.title) {
236     return false;
237   }
238   if (prevProps.isStreaming !== nextProps.isStreaming) {
239     return false;
240   }
241   return true;
242 });
243
244 const DocumentContent = ({ document }: { document: Document }) => {
245   const { artifact } = useArtifact();
246
247   const containerClassName = cn(
248     "h-[257px] overflow-y-scroll rounded-b-2xl border border-t-0 dark:border-zinc-700 dark:bg-muted",
249     {
250       "p-4 sm:px-14 sm:py-16": document.kind === "text",
251       "p-0": document.kind === "code",
252     }
253   );
254
255   const commonProps = {
256     content: document.content ?? "",
257     isCurrentVersion: true,
258     currentVersionIndex: 0,
259     status: artifact.status,
260     saveContent: () => null,
261     suggestions: [],
262   };
263
264   const handleSaveContent = () => null;
265
266   return (
267     <div className={containerClassName}>
268       {document.kind === "text" ? (
269         <Editor {...commonProps} onSaveContent={handleSaveContent} />
270       ) : document.kind === "code" ? (
271         <div className="relative flex w-full flex-1">
272           <div className="absolute inset-0">
273             <CodeEditor {...commonProps} onSaveContent={handleSaveContent} />
274           </div>
275         </div>
276       ) : document.kind === "sheet" ? (
277         <div className="relative flex size-full flex-1 p-4">
278           <div className="absolute inset-0">
279             <SpreadsheetEditor {...commonProps} />
280           </div>
281         </div>
282       ) : document.kind === "image" ? (
283         <ImageEditor
284           content={document.content ?? ""}
285           currentVersionIndex={0}

```

```

287         isCurrentVersion={true}
288         isInline={true}
289         status={artifact.status}
290         title={document.title}
291       />
292     ) : null}
293   </div>
294 );
295 };

```

202. components/document-skeleton.tsx

```

1  "use client";
2
3  import type { ArtifactKind } from "../artifact";
4
5  export const DocumentSkeleton = ({
6    artifactKind,
7  }: {
8    artifactKind: ArtifactKind;
9  }) => {
10   return artifactKind === "image" ? (
11     <div className="flex h-[calc(100dvh-60px)] w-full flex-col items-center justify-center gap-4">
12       <div className="size-96 animate-pulse rounded-lg bg-muted-foreground/20" />
13     </div>
14   ) : (
15     <div className="flex w-full flex-col gap-4">
16       <div className="h-12 w-1/2 animate-pulse rounded-lg bg-muted-foreground/20" />
17       <div className="h-5 w-full animate-pulse rounded-lg bg-muted-foreground/20" />
18       <div className="h-5 w-full animate-pulse rounded-lg bg-muted-foreground/20" />
19       <div className="h-5 w-1/3 animate-pulse rounded-lg bg-muted-foreground/20" />
20       <div className="h-5 w-52 animate-pulse rounded-lg bg-transparent" />
21       <div className="h-8 w-52 animate-pulse rounded-lg bg-muted-foreground/20" />
22       <div className="h-5 w-2/3 animate-pulse rounded-lg bg-muted-foreground/20" />
23     </div>
24   );
25 };
26
27 export const InlineDocumentSkeleton = () => {
28   return (
29     <div className="flex w-full flex-col gap-4">
30       <div className="h-4 w-48 animate-pulse rounded-lg bg-muted-foreground/20" />
31       <div className="h-4 w-3/4 animate-pulse rounded-lg bg-muted-foreground/20" />
32       <div className="h-4 w-1/2 animate-pulse rounded-lg bg-muted-foreground/20" />
33       <div className="h-4 w-64 animate-pulse rounded-lg bg-muted-foreground/20" />
34       <div className="h-4 w-40 animate-pulse rounded-lg bg-muted-foreground/20" />
35       <div className="h-4 w-36 animate-pulse rounded-lg bg-muted-foreground/20" />
36       <div className="h-4 w-64 animate-pulse rounded-lg bg-muted-foreground/20" />
37     </div>
38   );
39 };

```

203. components/document.tsx

```

1  import { memo } from "react";
2  import { toast } from "sonner";
3  import { useArtifact } from "@hooks/use-artifact";
4  import type { ArtifactKind } from "../artifact";
5  import { FileIcon, LoaderIcon, MessageIcon, PencilEditIcon } from "../icons";
6
7  const getActionText = (
8    type: "create" | "update" | "request-suggestions",
9    tense: "present" | "past"
10 ) => {
11   switch (type) {

```

```

12   case "create":
13     return tense === "present" ? "Creating" : "Created";
14   case "update":
15     return tense === "present" ? "Updating" : "Updated";
16   case "request-suggestions":
17     return tense === "present"
18       ? "Adding suggestions"
19       : "Added suggestions to";
20   default:
21     return null;
22 }
23 };
24
25 type DocumentToolResultProps = {
26   type: "create" | "update" | "request-suggestions";
27   result: { id: string; title: string; kind: ArtifactKind };
28   isReadOnly: boolean;
29 };
30
31 function PureDocumentToolResult({
32   type,
33   result,
34   isReadOnly,
35 }: DocumentToolResultProps) {
36   const { setArtifact } = useArtifact();
37
38   return (
39     <button
40       className="flex w-fit cursor-pointer flex-row items-start gap-3 rounded-xl border bg-background px-3 py-2"
41       onClick={event} => {
42         if (isReadOnly) {
43           toast.error(
44             "Viewing files in shared chats is currently not supported."
45           );
46           return;
47         }
48
49         const rect = event.currentTarget.getBoundingClientRect();
50
51         const boundingBox = {
52           top: rect.top,
53           left: rect.left,
54           width: rect.width,
55           height: rect.height,
56         };
57
58         setArtifact((currentArtifact) => ({
59           documentId: result.id,
60           kind: result.kind,
61           content: currentArtifact.content,
62           title: result.title,
63           isVisible: true,
64           status: "idle",
65           boundingBox,
66         }));
67       }}
68     type="button"
69   >
70     <div className="mt-1 text-muted-foreground">
71       {type === "create" ? (
72         <FileIcon />
73       ) : type === "update" ? (
74         <PencilEditIcon />
75       ) : type === "request-suggestions" ? (
76         <MessageIcon />
77       ) : null}
78     </div>
79     <div className="text-left">
80       {`${getActionText(type, "past")} ${result.title}`}

```



```

81     </div>
82   </button>
83   );
84 }
85
86 export const DocumentToolResult = memo(PureDocumentToolResult, () => true);
87
88 type DocumentToolCallProps = {
89   type: "create" | "update" | "request-suggestions";
90   args:
91     | { title: string; kind: ArtifactKind } // for create
92     | { id: string; description: string } // for update
93     | { documentId: string }; // for request-suggestions
94   isReadonly: boolean;
95 };
96
97 function PureDocumentToolCall({
98   type,
99   args,
100   isReadonly,
101 }: DocumentToolCallProps) {
102   const { setArtifact } = useArtifact();
103
104   return (
105     <button
106       className="cursor pointer flex w-fit flex-row items-start justify-between gap-3 rounded-xl border px-3 py-2"
107       onClick={event} => {
108         if (isReadonly) {
109           toast.error(
110             "Viewing files in shared chats is currently not supported."
111           );
112           return;
113         }
114
115         const rect = event.currentTarget.getBoundingClientRect();
116
117         const boundingBox = {
118           top: rect.top,
119           left: rect.left,
120           width: rect.width,
121           height: rect.height,
122         };
123
124         setArtifact((currentArtifact) => ({
125           ...currentArtifact,
126           isVisible: true,
127           boundingBox,
128         }));
129       }
130     <button"
131   >
132     <div className="flex flex-row items-start gap-3">
133       <div className="mt-1 text-zinc-500">
134         {type === "create" ? (
135           <FileIcon />
136         ) : type === "update" ? (
137           <PencilEditIcon />
138         ) : type === "request-suggestions" ? (
139           <MessageIcon />
140         ) : null}
141       </div>
142
143       <div className="text-left">
144         {`${getActionText(type, "present")} ${
145           type === "create" && "title" in args && args.title
146           ? `${args.title}`
147           : type === "update" && "description" in args
148           ? `${args.description}`
149           : type === "request-suggestions"

```

```

150         ? "for document"
151         : ""
152     }` }
153     </div>
154 </div>
155
156     <div className="mt-1 animate-spin">{<LoaderIcon />}</div>
157 </button>
158 );
159 }
160
161 export const DocumentToolCall = memo(PureDocumentToolCall, () => true);

```

204. components/elements/actions.tsx

```

1  "use client";
2
3  import type { ComponentProps } from "react";
4  import { Button } from "@components/ui/button";
5  import {
6    Tooltip,
7    TooltipContent,
8    TooltipProvider,
9    TooltipTrigger,
10 } from "@components/ui/tooltip";
11 import { cn } from "@lib/utils";
12
13 export type ActionsProps = ComponentProps<"div">;
14
15 export const Actions = ({ className, children, ...props }: ActionsProps) => (
16   <div className={cn("flex items-center gap-1", className)} {...props}>
17     {children}
18   </div>
19 );
20
21 export type ActionProps = ComponentProps<typeof Button> & {
22   tooltip?: string;
23   label?: string;
24 };
25
26 export const Action = ({
27   tooltip,
28   children,
29   label,
30   className,
31   variant = "ghost",
32   size = "sm",
33   ...props
34 }: ActionProps) => {
35   const button = (
36     <Button
37       className={cn(
38         "relative size-9 p-1.5 text-muted-foreground hover:text-foreground",
39         className
40       )}
41       size={size}
42       type="button"
43       variant={variant}
44       {...props}
45     >
46       {children}
47       <span className="sr-only">{label || tooltip}</span>
48     </Button>
49   );
50
51   if (tooltip) {
52     return (

```

```

53     <TooltipProvider>
54       <Tooltip>
55         <TooltipTrigger asChild>{button}</TooltipTrigger>
56         <TooltipContent>
57           <p>{tooltip}</p>
58         </TooltipContent>
59       </Tooltip>
60     </TooltipProvider>
61   );
62 }
63
64   return button;
65 };

```

205. components/elements/branch.tsx

```

1  "use client";
2
3  import type { UIMessage } from "ai";
4  import { ChevronLeftIcon, ChevronRightIcon } from "lucide-react";
5  import type { ComponentProps, HTMLAttributes, ReactElement } from "react";
6  import { createContext, useContext, useEffect, useMemo, useState } from "react";
7  import { Button } from "@components/ui/button";
8  import { cn } from "@lib/utils";
9
10 type BranchContextType = {
11   currentBranch: number;
12   totalBranches: number;
13   goToPrevious: () => void;
14   goToNext: () => void;
15   branches: ReactElement[];
16   setBranches: (branches: ReactElement[]) => void;
17 };
18
19 const BranchContext = createContext<BranchContextType | null>(null);
20
21 const useBranch = () => {
22   const context = useContext(BranchContext);
23
24   if (!context) {
25     throw new Error("Branch components must be used within Branch");
26   }
27
28   return context;
29 };
30
31 export type BranchProps = HTMLAttributes<HTMLDivElement> & {
32   defaultBranch?: number;
33   onBranchChange?: (branchIndex: number) => void;
34 };
35
36 export const Branch = ({
37   defaultBranch = 0,
38   onBranchChange,
39   className,
40   ...props
41 }: BranchProps) => {
42   const [currentBranch, setCurrentBranch] = useState(defaultBranch);
43   const [branches, setBranches] = useState<ReactElement[]>([]);
44
45   const handleBranchChange = (newBranch: number) => {
46     setCurrentBranch(newBranch);
47     onBranchChange?.(newBranch);
48   };
49
50   const goToPrevious = () => {
51     const newBranch =

```

```

52     currentBranch > 0 ? currentBranch - 1 : branches.length - 1;
53     handleBranchChange(newBranch);
54 };
55
56 const goToNext = () => {
57     const newBranch =
58         currentBranch < branches.length - 1 ? currentBranch + 1 : 0;
59     handleBranchChange(newBranch);
60 };
61
62 const contextValue: BranchContextType = {
63     currentBranch,
64     totalBranches: branches.length,
65     goToPrevious,
66     goToNext,
67     branches,
68     setBranches,
69 };
70
71 return (
72     <BranchContext.Provider value={contextValue}>
73         <div
74             className={cn("grid w-full gap-2 [>div]:pb-0", className)}
75             {...props}
76         />
77     </BranchContext.Provider>
78 );
79 };
80
81 export type BranchMessagesProps = HTMLAttributes<HTMLDivElement>;
82
83 export const BranchMessages = ({ children, ...props }: BranchMessagesProps) => {
84     const { currentBranch, setBranches, branches } = useBranch();
85     const childrenArray = useMemo(
86         () => (Array.isArray(children) ? children : [children]),
87         [children]
88     );
89
90     // Use useEffect to update branches when they change
91     useEffect(() => {
92         if (branches.length !== childrenArray.length) {
93             setBranches(childrenArray);
94         }
95     }, [childrenArray, branches, setBranches]);
96
97     return childrenArray.map((branch, index) => (
98         <div
99             className={cn(
100                 "grid gap-2 overflow-hidden [>div]:pb-0",
101                 index === currentBranch ? "block" : "hidden"
102             )}
103             key={branch.key}
104             {...props}
105         >
106             {branch}
107         </div>
108     ));
109 };
110
111 export type BranchSelectorProps = HTMLAttributes<HTMLDivElement> & {
112     from: UIMessage["role"];
113 };
114
115 export const BranchSelector = ({
116     className,
117     from,
118     ...props
119 }: BranchSelectorProps) => {
120     const { totalBranches } = useBranch();

```

```

121
122 // Don't render if there's only one branch
123 if (totalBranches <= 1) {
124   return null;
125 }
126
127 return (
128   <div
129     className={cn(
130       "flex items-center gap-2 self-end px-10",
131       from === "assistant" ? "justify-start" : "justify-end",
132       className
133     )}
134     {...props}
135   />
136 );
137 };
138
139 export type BranchPreviousProps = ComponentProps<typeof Button>;
140
141 export const BranchPrevious = ({
142   className,
143   children,
144   ...props
145 }: BranchPreviousProps) => {
146   const { goToPrevious, totalBranches } = useBranch();
147
148   return (
149     <Button
150       aria-label="Previous branch"
151       className={cn(
152         "size-7 shrink-0 rounded-full text-muted-foreground transition-colors",
153         "hover:bg-accent hover:text-foreground",
154         "disabled:pointer-events-none disabled:opacity-50",
155         className
156       )}
157       disabled={totalBranches <= 1}
158       onClick={goToPrevious}
159       size="icon"
160       type="button"
161       variant="ghost"
162       {...props}
163     >
164       {children ?? <ChevronLeftIcon size={14} />}
165     </Button>
166   );
167 };
168
169 export type BranchNextProps = ComponentProps<typeof Button>;
170
171 export const BranchNext = ({
172   className,
173   children,
174   ...props
175 }: BranchNextProps) => {
176   const { goToNext, totalBranches } = useBranch();
177
178   return (
179     <Button
180       aria-label="Next branch"
181       className={cn(
182         "size-7 shrink-0 rounded-full text-muted-foreground transition-colors",
183         "hover:bg-accent hover:text-foreground",
184         "disabled:pointer-events-none disabled:opacity-50",
185         className
186       )}
187       disabled={totalBranches <= 1}
188       onClick={goToNext}
189       size="icon"

```

```

190     type="button"
191     variant="ghost"
192     {...props}
193   >
194     {children ?? <ChevronRightIcon size={14} />}
195   </Button>
196 );
197 };
198
199 export type BranchPageProps = HTMLAttributes<HTMLSpanElement>;
200
201 export const BranchPage = ({ className, ...props }: BranchPageProps) => {
202   const { currentBranch, totalBranches } = useBranch();
203
204   return (
205     <span
206       className={cn(
207         "font-medium text-muted-foreground text-xs tabular-nums",
208         className
209       )}
210       {...props}
211     >
212       {currentBranch + 1} of {totalBranches}
213     </span>
214   );
215 };

```

206. components/elements/code-block.tsx

```

1  "use client";
2
3  import { CheckIcon, CopyIcon } from "lucide-react";
4  import type { ComponentProps, HTMLAttributes, ReactNode } from "react";
5  import { createContext, useContext, useState } from "react";
6  import { Prism as SyntaxHighlighter } from "react-syntax-highlighter";
7  import {
8    oneDark,
9    oneLight,
10 } from "react-syntax-highlighter/dist/esm/styles/prism";
11 import { Button } from "@components/ui/button";
12 import { cn } from "@lib/utils";
13
14 type CodeBlockContextType = {
15   code: string;
16 };
17
18 const CodeBlockContext = createContext<CodeBlockContextType>({
19   code: "",
20 });
21
22 export type CodeBlockProps = HTMLAttributes<HTMLDivElement> & {
23   code: string;
24   language: string;
25   showLineNumbers?: boolean;
26   children?: ReactNode;
27 };
28
29 export const CodeBlock = ({
30   code,
31   language,
32   showLineNumbers = false,
33   className,
34   children,
35   ...props
36 }: CodeBlockProps) => (
37   <CodeBlockContext.Provider value={{ code }}>
38     <div

```

```

39     className={cn(
40       "relative w-full overflow-hidden rounded-md border bg-background text-foreground",
41       className
42     )}
43     {...props}
44   >
45     <div className="relative">
46       <SyntaxHighlighter
47         className="overflow-hidden dark:hidden"
48         codeTagProps={{
49           className: "font-mono text-sm",
50         }}
51         customStyle={{
52           margin: 0,
53           padding: "1rem",
54           fontSize: "0.875rem",
55           background: "hsl(var(--background))",
56           color: "hsl(var(--foreground))",
57           overflowX: "auto",
58           overflowWrap: "break-word",
59           wordBreak: "break-all",
60         }}
61         language={language}
62         lineNumberStyle={{
63           color: "hsl(var(--muted-foreground))",
64           paddingRight: "1rem",
65           minWidth: "2.5rem",
66         }}
67         showLineNumbers={showLineNumbers}
68         style={oneLight}
69       >
70         {code}
71       </SyntaxHighlighter>
72       <SyntaxHighlighter
73         className="hidden overflow-hidden dark:block"
74         codeTagProps={{
75           className: "font-mono text-sm",
76         }}
77         customStyle={{
78           margin: 0,
79           padding: "1rem",
80           fontSize: "0.875rem",
81           background: "hsl(var(--background))",
82           color: "hsl(var(--foreground))",
83           overflowX: "auto",
84           overflowWrap: "break-word",
85           wordBreak: "break-all",
86         }}
87         language={language}
88         lineNumberStyle={{
89           color: "hsl(var(--muted-foreground))",
90           paddingRight: "1rem",
91           minWidth: "2.5rem",
92         }}
93         showLineNumbers={showLineNumbers}
94         style={oneDark}
95       >
96         {code}
97       </SyntaxHighlighter>
98       {children && (
99         <div className="absolute top-2 right-2 flex items-center gap-2">
100           {children}
101         </div>
102       )}
103     </div>
104   </div>
105 </CodeBlockContext.Provider>
106 );
107

```

```

108 export type CodeBlockCopyButtonProps = ComponentProps<typeof Button> & {
109   onCopy?: () => void;
110   onError?: (error: Error) => void;
111   timeout?: number;
112 };
113
114 export const CodeBlockCopyButton = ({
115   onCopy,
116   onError,
117   timeout = 2000,
118   children,
119   className,
120   ...props
121 }: CodeBlockCopyButtonProps) => {
122   const [isCopied, setIsCopied] = useState(false);
123   const { code } = useContext(CodeBlockContext);
124
125   const copyToClipboard = async () => {
126     if (typeof window === "undefined" || !navigator.clipboard.writeText) {
127       onError?.(new Error("Clipboard API not available"));
128       return;
129     }
130
131     try {
132       await navigator.clipboard.writeText(code);
133       setIsCopied(true);
134       onCopy?.();
135       setTimeout(() => setIsCopied(false), timeout);
136     } catch (error) {
137       onError?.(error as Error);
138     }
139   };
140
141   const Icon = isCopied ? CheckIcon : CopyIcon;
142
143   return (
144     <Button
145       className={cn("shrink-0", className)}
146       onClick={copyToClipboard}
147       size="icon"
148       variant="ghost"
149       {...props}
150     >
151       {children ?? <Icon size={14} />}
152     </Button>
153   );
154 };

```

207. components/elements/conversation.tsx

```

1  "use client";
2
3  import { ArrowDownIcon } from "lucide-react";
4  import type { ComponentProps } from "react";
5  import { useCallback } from "react";
6  import { StickToBottom, useStickToBottomContext } from "use-stick-to-bottom";
7  import { Button } from "@/components/ui/button";
8  import { cn } from "@/lib/utils";
9
10 export type ConversationProps = ComponentProps<typeof StickToBottom>;
11
12 export const Conversation = ({ className, ...props }: ConversationProps) => (
13   <StickToBottom
14     className={cn(
15       "relative flex-1 touch-pan-y overflow-y-auto will-change-scroll",
16       className
17     )}

```



```

18     initial="smooth"
19     resize="smooth"
20     role="log"
21     {...props}
22   />
23 );
24
25 export type ConversationContentProps = ComponentProps<
26   typeof StickToBottom.Content
27 >;
28
29 export const ConversationContent = ({
30   className,
31   ...props
32 }: ConversationContentProps) => (
33   <StickToBottom.Content className={cn("p-4", className)} {...props} />
34 );
35
36 export type ConversationScrollButtonProps = ComponentProps<typeof Button>;
37
38 export const ConversationScrollButton = ({
39   className,
40   ...props
41 }: ConversationScrollButtonProps) => {
42   const { isAtBottom, scrollToBottom } = useStickToBottomContext();
43
44   const handleScrollToBottom = useCallback(() => {
45     scrollToBottom();
46   }, [scrollToBottom]);
47
48   return (
49     !isAtBottom && (
50       <Button
51         className={cn(
52           "-translate-x-1/2 absolute bottom-4 left-1/2 z-10 rounded-full shadow-lg",
53           className
54         )}
55         onClick={handleScrollToBottom}
56         size="icon"
57         type="button"
58         variant="outline"
59         {...props}
60       >
61         <ArrowDownIcon className="size-4" />
62       </Button>
63     )
64   );
65 };

```

208. components/elements/image.tsx

```

1 import type { Experimental_GeneratedImage } from "ai";
2 import { cn } from "@lib/utils";
3
4 export type ImageProps = Experimental_GeneratedImage & {
5   className?: string;
6   alt?: string;
7 };
8
9 export const Image = ({
10   base64,
11   uint8Array,
12   mediaType,
13   ...props
14 }: ImageProps) => (
15   // biome-ignore lint/nursery/useImageSize: "Generated image without explicit size"
16   // biome-ignore lint/performance/noImgElement: "Generated image without explicit size"

```

```

17   <img
18     {...props}
19     alt={props.alt}
20     className={cn(
21       "h-auto max-w-full overflow-hidden rounded-md",
22       props.className
23     )}
24     src={`data:${mediaType};base64,${base64}`}
25   />
26 );

```

209. components/elements/inline-citation.tsx

```

1  "use client";
2
3  import { ArrowLeftIcon, ArrowRightIcon } from "lucide-react";
4  import {
5    type ComponentProps,
6    createContext,
7    useCallback,
8    useContext,
9    useEffect,
10   useState,
11 } from "react";
12 import { Badge } from "@components/ui/badge";
13 import {
14   Carousel,
15   type CarouselApi,
16   CarouselContent,
17   CarouselItem,
18 } from "@components/ui/carousel";
19 import {
20   HoverCard,
21   HoverCardContent,
22   HoverCardTrigger,
23 } from "@components/ui/hover-card";
24 import { cn } from "@lib/Utils";
25
26 export type InlineCitationProps = ComponentProps<"span">;
27
28 export const InlineCitation = ({
29   className,
30   ...props
31 }: InlineCitationProps) => (
32   <span
33     className={cn("group inline items-center gap-1", className)}
34     {...props}
35   />
36 );
37
38 export type InlineCitationTextProps = ComponentProps<"span">;
39
40 export const InlineCitationText = ({
41   className,
42   ...props
43 }: InlineCitationTextProps) => (
44   <span
45     className={cn("transition-colors group-hover:bg-accent", className)}
46     {...props}
47   />
48 );
49
50 export type InlineCitationCardProps = ComponentProps<typeof HoverCard>;
51
52 export const InlineCitationCard = (props: InlineCitationCardProps) => (
53   <HoverCard closeDelay={0} openDelay={0} {...props} />
54 );

```

```

55
56 export type InlineCitationCardTriggerProps = ComponentProps<typeof Badge> & {
57   sources: string[];
58 };
59
60 export const InlineCitationCardTrigger = ({
61   sources,
62   className,
63   ...props
64 }: InlineCitationCardTriggerProps) => (
65   <HoverCardTrigger asChild>
66     <Badge
67       className={cn("ml-1 rounded-full", className)}
68       variant="secondary"
69       {...props}
70     >
71       {sources.length ? (
72         <>
73           {new URL(sources[0]).hostname}{" "}
74           {sources.length > 1 && `+${sources.length - 1}`}
75         </>
76       ) : (
77         "unknown"
78       )}
79     </Badge>
80   </HoverCardTrigger>
81 );
82
83 export type InlineCitationCardBodyProps = ComponentProps<"div">;
84
85 export const InlineCitationCardBody = ({
86   className,
87   ...props
88 }: InlineCitationCardBodyProps) => (
89   <HoverCardContent className={cn("relative w-80 p-0", className)} {...props} />
90 );
91
92 const CarouselApiContext = createContext<CarouselApi | undefined>(undefined);
93
94 const useCarouselApi = () => {
95   const context = useContext(CarouselApiContext);
96   return context;
97 };
98
99 export type InlineCitationCarouselProps = ComponentProps<typeof Carousel>;
100
101 export const InlineCitationCarousel = ({
102   className,
103   children,
104   ...props
105 }: InlineCitationCarouselProps) => {
106   const [api, setApi] = useState<CarouselApi>();
107
108   return (
109     <CarouselApiContext.Provider value={api}>
110       <Carousel className={cn("w-full", className)} setApi={setApi} {...props}>
111         {children}
112       </Carousel>
113     </CarouselApiContext.Provider>
114   );
115 };
116
117 export type InlineCitationCarouselContentProps = ComponentProps<"div">;
118
119 export const InlineCitationCarouselContent = (
120   props: InlineCitationCarouselContentProps
121 ) => <CarouselContent {...props} />;
122
123 export type InlineCitationCarouselItemProps = ComponentProps<"div">;

```

```

124
125 export const InlineCitationCarouselItem = ({
126   className,
127   ...props
128 }: InlineCitationCarouselItemProps) => (
129   <CarouselItem
130     className={cn("w-full space-y-2 p-4 pl-8", className)}
131     {...props}
132   />
133 );
134
135 export type InlineCitationCarouselHeaderProps = ComponentProps<"div">;
136
137 export const InlineCitationCarouselHeader = ({
138   className,
139   ...props
140 }: InlineCitationCarouselHeaderProps) => (
141   <div
142     className={cn(
143       "flex items-center justify-between gap-2 rounded-t-md bg-secondary p-2",
144       className
145     )}
146     {...props}
147   />
148 );
149
150 export type InlineCitationCarouselIndexProps = ComponentProps<"div">;
151
152 export const InlineCitationCarouselIndex = ({
153   children,
154   className,
155   ...props
156 }: InlineCitationCarouselIndexProps) => {
157   const api = useCarouselApi();
158   const [current, setCurrent] = useState(0);
159   const [count, setCount] = useState(0);
160
161   useEffect(() => {
162     if (!api) {
163       return;
164     }
165
166     setCount(api.scrollSnapList().length);
167     setCurrent(api.selectedScrollSnap() + 1);
168
169     api.on("select", () => {
170       setCurrent(api.selectedScrollSnap() + 1);
171     });
172   }, [api]);
173
174   return (
175     <div
176       className={cn(
177         "flex flex-1 items-center justify-end px-3 py-1 text-muted-foreground text-xs",
178         className
179       )}
180     >
181       {children ?? `${current}/${count}`}
182     </div>
183   );
184 };
185
186 export type InlineCitationCarouselPrevProps = ComponentProps<"button">;
187
188 export const InlineCitationCarouselPrev = ({
189   className,
190   ...props
191 }: InlineCitationCarouselPrevProps) => {

```

```

193   const api = useCarouselApi();
194
195   const handleClick = useCallback(() => {
196     if (api) {
197       api.scrollPrev();
198     }
199   }, [api]);
200
201   return (
202     <button
203       aria-label="Previous"
204       className={cn("shrink-0", className)}
205       onClick={handleClick}
206       type="button"
207       {...props}
208     >
209       <ArrowLeftIcon className="size-4 text-muted-foreground" />
210     </button>
211   );
212 };
213
214 export type InlineCitationCarouselNextProps = ComponentProps<"button">;
215
216 export const InlineCitationCarouselNext = ({
217   className,
218   ...props
219 }: InlineCitationCarouselNextProps) => {
220   const api = useCarouselApi();
221
222   const handleClick = useCallback(() => {
223     if (api) {
224       api.scrollNext();
225     }
226   }, [api]);
227
228   return (
229     <button
230       aria-label="Next"
231       className={cn("shrink-0", className)}
232       onClick={handleClick}
233       type="button"
234       {...props}
235     >
236       <ArrowRightIcon className="size-4 text-muted-foreground" />
237     </button>
238   );
239 };
240
241 export type InlineCitationSourceProps = ComponentProps<"div"> & {
242   title?: string;
243   url?: string;
244   description?: string;
245 };
246
247 export const InlineCitationSource = ({
248   title,
249   url,
250   description,
251   className,
252   children,
253   ...props
254 }: InlineCitationSourceProps) => {
255   <div className={cn("space-y-1", className)} {...props}>
256     {title && (
257       <h4 className="truncate font-medium text-sm leading-tight">{title}</h4>
258     )}
259     {url && (
260       <p className="truncate break-all text-muted-foreground text-xs">{url}</p>
261     )}

```

```

262     {description && (
263       <p className="line-clamp-3 text-muted-foreground text-sm leading-relaxed">
264         {description}
265       </p>
266     )}
267   {children}
268 </div>
269 );
270
271 export type InlineCitationQuoteProps = ComponentProps<"blockquote">;
272
273 export const InlineCitationQuote = ({
274   children,
275   className,
276   ...props
277 }: InlineCitationQuoteProps) => (
278   <blockquote
279     className={cn(
280       "border-muted border-l-2 pl-3 text-muted-foreground text-sm italic",
281       className
282     )}
283     {...props}
284   >
285     {children}
286   </blockquote>
287 );

```

210. components/elements/loader.tsx

```

1  import type { HTMLAttributes } from "react";
2  import { cn } from "@lib/utils";
3
4  type LoaderIconProps = {
5    size?: number;
6  };
7
8  const LoaderIcon = ({ size = 16 }: LoaderIconProps) => (
9    <svg
10      height={size}
11      strokeLinejoin="round"
12      style={{ color: "currentColor" }}
13      viewBox="0 0 16 16"
14      width={size}
15    >
16      <title>Loader</title>
17      <g clipPath="url(#clip0_2393_1490)">
18        <path d="M8 0V4" stroke="currentColor" strokeWidth="1.5" />
19        <path
20          d="M8 16V12"
21          opacity="0.5"
22          stroke="currentColor"
23          strokeWidth="1.5"
24        />
25        <path
26          d="M3.29773 1.52783L5.64887 4.7639"
27          opacity="0.9"
28          stroke="currentColor"
29          strokeWidth="1.5"
30        />
31        <path
32          d="M12.7023 1.52783L10.3511 4.7639"
33          opacity="0.1"
34          stroke="currentColor"
35          strokeWidth="1.5"
36        />
37        <path
38          d="M12.7023 14.472L10.3511 11.236"

```

```

39     opacity="0.4"
40     stroke="currentColor"
41     strokeWidth="1.5"
42   />
43   <path
44     d="M3.29773 14.47215.64887 11.236"
45     opacity="0.6"
46     stroke="currentColor"
47     strokeWidth="1.5"
48   />
49   <path
50     d="M15.6085 5.52783L11.8043 6.7639"
51     opacity="0.2"
52     stroke="currentColor"
53     strokeWidth="1.5"
54   />
55   <path
56     d="M0.391602 10.47214.19583 9.23598"
57     opacity="0.7"
58     stroke="currentColor"
59     strokeWidth="1.5"
60   />
61   <path
62     d="M15.6085 10.4722L11.8043 9.2361"
63     opacity="0.3"
64     stroke="currentColor"
65     strokeWidth="1.5"
66   />
67   <path
68     d="M0.391602 5.52783L4.19583 6.7639"
69     opacity="0.8"
70     stroke="currentColor"
71     strokeWidth="1.5"
72   />
73 </g>
74 <defs>
75   <clipPath id="clip0_2393_1490">
76     <rect fill="white" height="16" width="16" />
77   </clipPath>
78 </defs>
79 </svg>
80 );
81
82 export type LoaderProps = HTMLAttributes<HTMLDivElement> & {
83   size?: number;
84 };
85
86 export const Loader = ({ className, size = 16, ...props }: LoaderProps) => (
87   <div
88     className={cn(
89       "inline-flex animate-spin items-center justify-center",
90       className
91     )}
92     {...props}
93   >
94     <LoaderIcon size={size} />
95   </div>
96 );

```

211. components/elements/message.tsx

```

1 import type { UIMessage } from "ai";
2 import type { ComponentProps, HTMLAttributes } from "react";
3 import { Avatar, AvatarFallback, AvatarImage } from "@components/ui/avatar";
4 import { cn } from "@lib/utils";
5
6 export type MessageProps = HTMLAttributes<HTMLDivElement> & {

```

```

7   from: UIMessage["role"];
8 };
9
10 export const Message = ({ className, from, ...props }: MessageProps) => (
11   <div
12     className={cn(
13       "group flex w-full items-end justify-end gap-2 py-4",
14       from === "user" ? "is-user" : "is-assistant flex-row-reverse justify-end",
15       "[&div]:max-w-[80%]",
16       className
17     )}
18     {...props}
19   />
20 );
21
22 export type MessageContentProps = HTMLAttributes<HTMLDivElement>;
23
24 export const MessageContent = ({
25   children,
26   className,
27   ...props
28 }: MessageContentProps) => (
29   <div
30     className={cn(
31       "flex min-w-0 max-w-full flex-col gap-2 overflow-hidden break-words rounded-lg px-4 py-3 text-foreground text-sm [overflow-wrap:anywhere]",
32       "group-[.is-user]:bg-primary group-[.is-user]:text-primary-foreground",
33       "group-[.is-assistant]:bg-secondary group-[.is-assistant]:text-foreground",
34       "is-user:dark",
35       className
36     )}
37     {...props}
38   >
39     {children}
40   </div>
41 );
42
43 export type MessageAvatarProps = ComponentProps<typeof Avatar> & {
44   src: string;
45   name?: string;
46 };
47
48 export const MessageAvatar = ({
49   src,
50   name,
51   className,
52   ...props
53 }: MessageAvatarProps) => (
54   <Avatar className={cn("size-8 ring-1 ring-border", className)} {...props}>
55     <AvatarImage alt="" className="my-0" src={src} />
56     <AvatarFallback>{name?.slice(0, 2) || "ME"}</AvatarFallback>
57   </Avatar>
58 );

```

212. components/elements/prompt-input.tsx

```

1  "use client";
2
3  import type { ChatStatus } from "ai";
4  import { Loader2Icon, SendIcon, SquareIcon, XIcon } from "lucide-react";
5  import type {
6    ComponentProps,
7    HTMLAttributes,
8    KeyboardEventHandler,
9  } from "react";
10 import { Children } from "react";
11 import { Button } from "@/components/ui/button";
12 import {

```



```

13   Select,
14   SelectContent,
15   SelectItem,
16   SelectTrigger,
17   SelectValue,
18 } from "@components/ui/select";
19 import { Textarea } from "@components/ui/textarea";
20 import { cn } from "@lib/utils";
21
22 export type PromptInputProps = HTMLAttributes<HTMLFormElement>;
23
24 export const PromptInput = ({ className, ...props }: PromptInputProps) => (
25   <form
26     className={cn(
27       "w-full overflow-hidden rounded-xl border bg-background shadow-xs",
28       className
29     )}
30     {...props}
31   />
32 );
33
34 export type PromptInputTextareaProps = ComponentProps<typeof Textarea> & {
35   minHeight?: number;
36   maxHeight?: number;
37   disableAutoResize?: boolean;
38   resizeOnNewLinesOnly?: boolean;
39 };
40
41 export const PromptInputTextarea = ({
42   onChange,
43   className,
44   placeholder = "What would you like to know?",
45   minHeight = 48,
46   maxHeight = 164,
47   disableAutoResize = false,
48   resizeOnNewLinesOnly = false,
49   ...props
50 }: PromptInputTextareaProps) => {
51   const handleKeyDown: KeyboardEventHandler<HTMLTextAreaElement> = (e) => {
52     if (e.key === "Enter") {
53       // Don't submit if IME composition is in progress
54       if (e.nativeEvent.isComposing) {
55         return;
56       }
57
58       if (e.shiftKey) {
59         // Allow newline
60         return;
61       }
62
63       // Submit on Enter (without Shift)
64       e.preventDefault();
65       const form = e.currentTarget.form;
66       if (form) {
67         form.requestSubmit();
68       }
69     }
70   };
71
72   return (
73     <Textarea
74       className={cn(
75         "w-full resize-none rounded-none border-none p-3 shadow-none outline-hidden ring-0",
76         disableAutoResize
77           ? "field-sizing-fixed"
78           : resizeOnNewLinesOnly
79             ? "field-sizing-fixed"
80             : "field-sizing-content max-h-[61h]",
81         "bg-transparent dark:bg-transparent",

```

```

82     "focus-visible:ring-0",
83     className
84   )}
85   name="message"
86   onChange={ (e) => {
87     onChange?.(e);
88   }}
89   onKeyDown={handleKeyDown}
90   placeholder={placeholder}
91   {...props}
92   />
93 );
94 };
95
96 export type PromptInputToolbarProps = HTMLAttributes<HTMLDivElement>;
97
98 export const PromptInputToolbar = ({
99   className,
100   ...props
101 }: PromptInputToolbarProps) => (
102   <div
103     className={cn("flex items-center justify-between p-1", className)}
104     {...props}
105   />
106 );
107
108 export type PromptInputToolsProps = HTMLAttributes<HTMLDivElement>;
109
110 export const PromptInputTools = ({
111   className,
112   ...props
113 }: PromptInputToolsProps) => (
114   <div
115     className={cn(
116       "flex items-center gap-1",
117       "[&_button:first-child]:rounded-bl-xl",
118       className
119     )}
120     {...props}
121   />
122 );
123
124 export type PromptInputButtonProps = ComponentProps<typeof Button>;
125
126 export const PromptInputButton = ({
127   variant = "ghost",
128   className,
129   size,
130   ...props
131 }: PromptInputButtonProps) => {
132   const newSize =
133     (size ?? Children.count(props.children) > 1) ? "default" : "icon";
134
135   return (
136     <Button
137       className={cn(
138         "shrink-0 gap-1.5 rounded-lg",
139         variant === "ghost" && "text-muted-foreground",
140         newSize === "default" && "px-3",
141         className
142       )}
143       size={newSize}
144       type="button"
145       variant={variant}
146       {...props}
147     />
148   );
149 };
150

```

```

151 export type PromptInputSubmitProps = ComponentProps<typeof Button> & {
152   status?: ChatStatus;
153 };
154
155 export const PromptInputSubmit = ({
156   className,
157   variant = "default",
158   size = "icon",
159   status,
160   children,
161   ...props
162 }: PromptInputSubmitProps) => {
163   let Icon = <SendIcon className="size-4" />;
164
165   if (status === "submitted") {
166     Icon = <Loader2Icon className="size-4 animate-spin" />;
167   } else if (status === "streaming") {
168     Icon = <SquareIcon className="size-4" />;
169   } else if (status === "error") {
170     Icon = <XIcon className="size-4" />;
171   }
172
173   return (
174     <Button
175       className={cn("gap-1.5 rounded-lg", className)}
176       size={size}
177       type="submit"
178       variant={variant}
179       {...props}
180     >
181       {children ?? Icon}
182     </Button>
183   );
184 };
185
186 export type PromptInputModelSelectProps = ComponentProps<typeof Select>;
187
188 export const PromptInputModelSelect = (props: PromptInputModelSelectProps) => (
189   <Select {...props} />
190 );
191
192 export type PromptInputModelSelectTriggerProps = ComponentProps<
193   typeof SelectTrigger
194 >;
195
196 export const PromptInputModelSelectTrigger = ({
197   className,
198   ...props
199 }: PromptInputModelSelectTriggerProps) => (
200   <SelectTrigger
201     className={cn(
202       "border-none bg-transparent font-medium text-muted-foreground shadow-none transition-colors",
203       "hover:bg-accent hover:text-foreground aria-expanded:bg-accent aria-expanded:text-foreground",
204       "h-auto px-2 py-1.5",
205       className
206     )}
207     {...props}
208   />
209 );
210
211 export type PromptInputModelSelectContentProps = ComponentProps<
212   typeof SelectContent
213 >;
214
215 export const PromptInputModelSelectContent = ({
216   className,
217   ...props
218 }: PromptInputModelSelectContentProps) => (
219   <SelectContent className={cn(className)} {...props} />

```

```

220 );
221
222 export type PromptInputModelSelectItemProps = ComponentProps<typeof SelectItem>;
223
224 export const PromptInputModelSelectItem = ({
225   className,
226   ...props
227 }: PromptInputModelSelectItemProps) => (
228   <SelectItem className={cn(className)} {...props} />
229 );
230
231 export type PromptInputModelSelectValueProps = ComponentProps<
232   typeof SelectValue
233 >;
234
235 export const PromptInputModelSelectValue = ({
236   className,
237   ...props
238 }: PromptInputModelSelectValueProps) => (
239   <SelectValue className={cn(className)} {...props} />
240 );

```

213. components/elements/reasoning.tsx

```

1  "use client";
2
3  import { useControllableState } from "@radix-ui/react-use-controllable-state";
4  import { BrainIcon, ChevronDownIcon } from "lucide-react";
5  import type { ComponentProps } from "react";
6  import { createContext, memo, useContext, useEffect, useState } from "react";
7  import {
8    Collapsible,
9    CollapsibleContent,
10   CollapsibleTrigger,
11 } from "@components/ui/collapsible";
12 import { cn } from "@lib/utils";
13 import { Response } from "../response";
14
15 type ReasoningContextValue = {
16   isStreaming: boolean;
17   isOpen: boolean;
18   setIsOpen: (open: boolean) => void;
19   duration: number;
20 };
21
22 const ReasoningContext = createContext<ReasoningContextValue | null>(null);
23
24 const useReasoning = () => {
25   const context = useContext(ReasoningContext);
26   if (!context) {
27     throw new Error("Reasoning components must be used within Reasoning");
28   }
29   return context;
30 };
31
32 export type ReasoningProps = ComponentProps<typeof Collapsible> & {
33   isStreaming?: boolean;
34   open?: boolean;
35   defaultOpen?: boolean;
36   onOpenChange?: (open: boolean) => void;
37   duration?: number;
38 };
39
40 const AUTO_CLOSE_DELAY = 500;
41 const MS_IN_S = 1000;
42
43 export const Reasoning = memo(

```

```

44   ({
45     className,
46     isStreaming = false,
47     open,
48     defaultOpen = true,
49     onOpenChange,
50     duration: durationProp,
51     children,
52     ...props
53   }: ReasoningProps) => {
54     const [isOpen, setIsOpen] = useControllableState({
55       prop: open,
56       defaultProp: defaultOpen,
57       onChange: onOpenChange,
58     });
59     const [duration, setDuration] = useControllableState({
60       prop: durationProp,
61       defaultProp: 0,
62     });
63
64     const [hasAutoClosedRef, setHasAutoClosedRef] = useState(false);
65     const [startTime, setStartTime] = useState<number | null>(null);
66
67     // Track duration when streaming starts and ends
68     useEffect(() => {
69       if (isStreaming) {
70         if (startTime === null) {
71           setStartTime(Date.now());
72         }
73       } else if (startTime !== null) {
74         setDuration(Math.round((Date.now() - startTime) / MS_IN_S));
75         setStartTime(null);
76       }
77     }, [isStreaming, startTime, setDuration]);
78
79     // Auto-open when streaming starts, auto-close when streaming ends (once only)
80     useEffect(() => {
81       if (defaultOpen && !isStreaming && isOpen && !hasAutoClosedRef) {
82         // Add a small delay before closing to allow user to see the content
83         const timer = setTimeout(() => {
84           setIsOpen(false);
85           setHasAutoClosedRef(true);
86         }, AUTO_CLOSE_DELAY);
87
88         return () => clearTimeout(timer);
89       }
90     }, [isStreaming, isOpen, defaultOpen, setIsOpen, hasAutoClosedRef]);
91
92     const handleOpenChange = (newOpen: boolean) => {
93       setIsOpen(newOpen);
94     };
95
96     return (
97       <ReasoningContext.Provider
98         value={{ isStreaming, isOpen, setIsOpen, duration }}
99       >
100         <Collapsible
101           className={cn("not-prose", className)}
102           onOpenChange={handleOpenChange}
103           open={isOpen}
104           {...props}
105         >
106           {children}
107         </Collapsible>
108       </ReasoningContext.Provider>
109     );
110   }
111 );
112

```

```

113 export type ReasoningTriggerProps = ComponentProps<typeof CollapsibleTrigger>;
114
115 export const ReasoningTrigger = memo(
116   ({ className, children, ...props }: ReasoningTriggerProps) => {
117     const { isStreaming, isOpen, duration } = useReasoning();
118
119     return (
120       <CollapsibleTrigger
121         className={cn(
122           "flex items-center gap-1 rounded-md px-1.5 py-0.5 text-[11px] text-muted-foreground transition-colors hover:bg-muted hover:text-foreground",
123           className
124         )}
125         {...props}
126       >
127         {children ?? (
128           <>
129             <BrainIcon className="size-3" />
130             {isStreaming || duration === 0 ? (
131               <span>Thinking</span>
132             ) : (
133               <span>{duration}s</span>
134             )}
135             <ChevronDownIcon
136               className={cn(
137                 "size-2.5 transition-transform",
138                 isOpen ? "rotate-180" : "rotate-0"
139               )}
140             />
141           </>
142         )}
143       </CollapsibleTrigger>
144     );
145   }
146 );
147
148 export type ReasoningContentProps = ComponentProps<
149   typeof CollapsibleContent
150 > & {
151   children: string;
152 };
153
154 export const ReasoningContent = memo(
155   ({ className, children, ...props }: ReasoningContentProps) => (
156     <CollapsibleContent
157       className={cn(
158         "mt-1.5 text-[11px] text-muted-foreground leading-relaxed",
159         "data-[state=closed]:fade-out-0 data-[state=closed]:slide-out-to-top-2 data-[state=open]:slide-in-from-top-2 outline-hidden data-[state=closed]:animate-out data-[state=open]:animate-in",
160         className
161       )}
162       {...props}
163     >
164       <div className="max-h-48 overflow-y-auto rounded-md border border-border/50 bg-muted/30 p-2.5">
165         <Response className="grid gap-1 text-[11px] **:text-[11px] [&_li]:my-0 [&_ol]:my-1 [&_p]:my-0 [&_ul]:my-1">
166           {children}
167         </Response>
168       </div>
169     </CollapsibleContent>
170   )
171 );
172
173 Reasoning.displayName = "Reasoning";
174 ReasoningTrigger.displayName = "ReasoningTrigger";
175 ReasoningContent.displayName = "ReasoningContent";

```

214. components/elements/response.tsx

```

1 "use client";

```

```

2
3 import { type ComponentProps, memo } from "react";
4 import { Streamdown } from "streamdown";
5 import { cn } from "@/lib/utils";
6
7 type ResponseProps = ComponentProps<typeof Streamdown>;
8
9 export const Response = memo(
10   ({ className, ...props }: ResponseProps) => (
11     <Streamdown
12       className={cn(
13         "size-full min-w-0 max-w-full break-words [overflow-wrap:anywhere] [>*:first-child]:mt-0 [>*:last-child]:mb-0 [&_code]:whitespace-pre-wrap [&_code]:break-words [&_pre]:max-w-full [&_pre]:overf
14         &_table]:max-w-full [&_table]:overflow-x-auto",
15         className
16       )}
17       {...props}
18     />
19   ),
20   (prevProps, nextProps) => prevProps.children === nextProps.children
21 );
22 Response.displayName = "Response";

```

215. components/elements/source.tsx

```

1 "use client";
2
3 import { BookIcon, ChevronDownIcon } from "lucide-react";
4 import type { ComponentProps } from "react";
5 import {
6   Collapsible,
7   CollapsibleContent,
8   CollapsibleTrigger,
9 } from "@/components/ui/collapsible";
10 import { cn } from "@/lib/utils";
11
12 export type SourcesProps = ComponentProps<"div">;
13
14 export const Sources = ({ className, ...props }: SourcesProps) => (
15   <Collapsible
16     className={cn("not-prose mb-4 text-primary text-xs", className)}
17     {...props}
18   />
19 );
20
21 export type SourcesTriggerProps = ComponentProps<typeof CollapsibleTrigger> & {
22   count: number;
23 };
24
25 export const SourcesTrigger = ({
26   className,
27   count,
28   children,
29   ...props
30 }: SourcesTriggerProps) => (
31   <CollapsibleTrigger className="flex items-center gap-2" {...props}>
32     {children ?? (
33       <>
34         <p className="font-medium">Used {count} sources</p>
35         <ChevronDownIcon className="size-4" />
36       </>
37     )}
38   </CollapsibleTrigger>
39 );
40
41 export type SourcesContentProps = ComponentProps<typeof CollapsibleContent>;
42

```

```

43 export const SourcesContent = ({
44   className,
45   ...props
46 }: SourcesContentProps) => (
47   <CollapsibleContent
48     className={cn(
49       "mt-3 flex w-fit flex-col gap-2",
50       "data-[state=closed]:fade-out-0 data-[state=closed]:slide-out-to-top-2 data-[state=open]:slide-in-from-top-2 outline-hidden data-[state=closed]:animate-out data-[state=open]:animate-in",
51       className
52     )}
53     {...props}
54   />
55 );
56
57 export type SourceProps = ComponentProps<"a">;
58
59 export const Source = ({ href, title, children, ...props }: SourceProps) => (
60   <a
61     className="flex items-center gap-2"
62     href={href}
63     rel="noreferrer"
64     target="_blank"
65     {...props}
66   >
67     {children ?? (
68       <>
69         <BookIcon className="size-4" />
70         <span className="block font-medium">{title}</span>
71       </>
72     )}
73   </a>
74 );

```

216. components/elements/suggestion.tsx

```

1  "use client";
2
3  import type { ComponentProps } from "react";
4  import { Button } from "@/components/ui/button";
5  import { ScrollArea, ScrollBar } from "@/components/ui/scroll-area";
6  import { cn } from "@/lib/Utils";
7
8  export type SuggestionsProps = ComponentProps<typeof ScrollArea>;
9
10 export const Suggestions = ({
11   className,
12   children,
13   ...props
14 }: SuggestionsProps) => (
15   <ScrollArea className="w-full overflow-x-auto whitespace-nowrap" {...props}>
16     <div className={cn("flex w-max flex-nowrap items-center gap-2", className)}>
17       {children}
18     </div>
19     <ScrollBar className="hidden" orientation="horizontal" />
20   </ScrollArea>
21 );
22
23 export type SuggestionProps = Omit<ComponentProps<typeof Button>, "onClick"> & {
24   suggestion: string;
25   onClick?: (suggestion: string) => void;
26 };
27
28 export const Suggestion = ({
29   suggestion,
30   onClick,
31   className,
32   variant = "outline",

```



```

33   size = "sm",
34   children,
35   ...props
36 }: SuggestionProps) => {
37   const handleClick = () => {
38     onClick?.(suggestion);
39   };
40
41   return (
42     <Button
43       className={cn("cursor-pointer rounded-full px-4", className)}
44       onClick={handleClick}
45       size={size}
46       type="button"
47       variant={variant}
48       {...props}
49     >
50       {children || suggestion}
51     </Button>
52   );
53 };

```

217. components/elements/task.tsx

```

1  "use client";
2
3  import { ChevronDownIcon, SearchIcon } from "lucide-react";
4  import type { ComponentProps } from "react";
5  import {
6    Collapsible,
7    CollapsibleContent,
8    CollapsibleTrigger,
9  } from "@components/ui/collapsible";
10 import { cn } from "@lib/utils";
11
12 export type TaskItemFileProps = ComponentProps<"div">;
13
14 export const TaskItemFile = ({
15   children,
16   className,
17   ...props
18 }: TaskItemFileProps) => (
19   <div
20     className={cn(
21       "inline-flex items-center gap-1 rounded-md border bg-secondary px-1.5 py-0.5 text-foreground text-xs",
22       className
23     )}
24     {...props}
25   >
26     {children}
27   </div>
28 );
29
30 export type TaskItemProps = ComponentProps<"div">;
31
32 export const TaskItem = ({ children, className, ...props }: TaskItemProps) => (
33   <div className={cn("text-muted-foreground text-sm", className)} {...props}>
34     {children}
35   </div>
36 );
37
38 export type TaskProps = ComponentProps<typeof Collapsible>;
39
40 export const Task = ({
41   defaultOpen = true,
42   className,
43   ...props

```

```

44   }: TaskProps) => (
45     <Collapsible
46       className={cn(
47         "data-[state=closed]:fade-out-0 data-[state=closed]:slide-out-to-top-2 data-[state=open]:slide-in-from-top-2 data-[state=closed]:animate-out data-[state=open]:animate-in",
48         className
49       )}
50       defaultOpen={defaultOpen}
51       {...props}
52     />
53   );
54
55   export type TaskTriggerProps = ComponentProps<typeof CollapsibleTrigger> & {
56     title: string;
57   };
58
59   export const TaskTrigger = ({
60     children,
61     className,
62     title,
63     ...props
64   }: TaskTriggerProps) => (
65     <CollapsibleTrigger asChild className={cn("group", className)} {...props}>
66       {children ?? (
67         <div className="flex cursor-pointer items-center gap-2 text-muted-foreground hover:text-foreground">
68           <SearchIcon className="size-4" />
69           <p className="text-sm">{title}</p>
70           <ChevronDownIcon className="size-4 transition-transform group-data-[state=open]:rotate-180" />
71         </div>
72       )}
73     </CollapsibleTrigger>
74   );
75
76   export type TaskContentProps = ComponentProps<typeof CollapsibleContent>;
77
78   export const TaskContent = ({
79     children,
80     className,
81     ...props
82   }: TaskContentProps) => (
83     <CollapsibleContent
84       className={cn(
85         "data-[state=closed]:fade-out-0 data-[state=closed]:slide-out-to-top-2 data-[state=open]:slide-in-from-top-2 text-popover-foreground outline-hidden data-[state=closed]:animate-out data-[state=open]:animate-in",
86         className
87       )}
88     >
89       <div className="mt-4 space-y-2 border-muted border-l-2 pl-4">
90         {children}
91       </div>
92     </CollapsibleContent>
93   );
94

```

218. components/elements/tool.tsx

```

1  "use client";
2
3  import type { ToolUIPart } from "ai";
4  import {
5    CheckCircleIcon,
6    ChevronDownIcon,
7    CircleIcon,
8    ClockIcon,
9    WrenchIcon,
10   XCircleIcon,
11 } from "lucide-react";
12 import type { ComponentProps, ReactNode } from "react";
13 import { Badge } from "@/components/ui/badge";

```

```

14 import {
15   Collapsible,
16   CollapsibleContent,
17   CollapsibleTrigger,
18 } from "@components/ui/collapsible";
19 import { cn } from "@lib/utils";
20 import { CodeBlock } from "../code-block";
21
22 export type ToolProps = ComponentProps<typeof Collapsible>;
23
24 export const Tool = ({ className, ...props }: ToolProps) => (
25   <Collapsible
26     className={cn("not-prose mb-4 w-full rounded-md border", className)}
27     {...props}
28   />
29 );
30
31 export type ToolHeaderProps = {
32   type: ToolUIPart["type"];
33   state: ToolUIPart["state"];
34   className?: string;
35 };
36
37 const getStatusBadge = (status: ToolUIPart["state"]) => {
38   const labels: Record<ToolUIPart["state"], string> = {
39     "input-streaming": "Pending",
40     "input-available": "Running",
41     "approval-requested": "Pending",
42     "approval-responded": "Approved",
43     "output-available": "Completed",
44     "output-error": "Error",
45     "output-denied": "Denied",
46   };
47
48   const icons: Record<ToolUIPart["state"], ReactNode> = {
49     "input-streaming": <CircleIcon className="size-4" />,
50     "input-available": <ClockIcon className="size-4 animate-pulse" />,
51     "approval-requested": <ClockIcon className="size-4 text-yellow-600" />,
52     "approval-responded": <CheckCircleIcon className="size-4 text-blue-600" />,
53     "output-available": <CheckCircleIcon className="size-4 text-green-600" />,
54     "output-error": <XCircleIcon className="size-4 text-red-600" />,
55     "output-denied": <XCircleIcon className="size-4 text-orange-600" />,
56   };
57
58   return (
59     <Badge
60       className="flex items-center gap-1 rounded-full text-xs"
61       variant="secondary"
62     >
63       {icons[status]}
64       <span>{labels[status]}</span>
65     </Badge>
66   );
67 };
68
69 export const ToolHeader = ({
70   className,
71   type,
72   state,
73   ...props
74 }: ToolHeaderProps) => (
75   <CollapsibleTrigger
76     className={cn(
77       "flex w-full min-w-0 items-center justify-between gap-2 p-3",
78       className
79     )}
80     {...props}
81   >
82     <div className="flex min-w-0 flex-1 items-center gap-2">

```

```

83     <WrenchIcon className="size-4 shrink-0 text-muted-foreground" />
84     <span className="truncate font-medium text-sm">{type}</span>
85   </div>
86   <div className="flex shrink-0 items-center gap-2">
87     {getStatusBadge(state)}
88     <ChevronDownIcon className="size-4 text-muted-foreground transition-transform group-data-[state=open]:rotate-180" />
89   </div>
90 </CollapsibleTrigger>
91 );
92
93 export type ToolContentProps = ComponentProps<typeof CollapsibleContent>;
94
95 export const ToolContent = ({ className, ...props }: ToolContentProps) => (
96   <CollapsibleContent
97     className={cn(
98       "data-[state=closed]:fade-out-0 data-[state=closed]:slide-out-to-top-2 data-[state=open]:slide-in-from-top-2 text-popover-foreground outline-hidden data-[state=closed]:animate-out data-[state=open]
99     )}
100   >
101     {...props}
102   </>
103 );
104
105 export type ToolInputProps = ComponentProps<"div"> & {
106   input: ToolUIPart["input"];
107 };
108
109 export const ToolInput = ({ className, input, ...props }: ToolInputProps) => (
110   <div className={cn("space-y-2 overflow-hidden p-4", className)} {...props}>
111     <h4 className="font-medium text-muted-foreground text-xs uppercase tracking-wide">
112       Parameters
113     </h4>
114     <div className="rounded-md bg-muted/50">
115       <CodeBlock code={JSON.stringify(input, null, 2)} language="json" />
116     </div>
117   </div>
118 );
119
120 export type ToolOutputProps = ComponentProps<"div"> & {
121   output: ReactNode;
122   errorText: ToolUIPart["errorText"];
123 };
124
125 export const ToolOutput = ({
126   className,
127   output,
128   errorText,
129   ...props
130 }: ToolOutputProps) => {
131   if (!output || errorText) {
132     return null;
133   }
134
135   return (
136     <div className={cn("space-y-2 p-4", className)} {...props}>
137       <h4 className="font-medium text-muted-foreground text-xs uppercase tracking-wide">
138         {errorText ? "Error" : "Result"}
139       </h4>
140       <div
141         className={cn(
142           "overflow-x-auto rounded-md text-xs [&_table]:w-full",
143           errorText
144             ? "bg-destructive/10 text-destructive"
145             : "bg-muted/50 text-foreground"
146         )}
147       >
148         {errorText && <div>{errorText}</div>}
149         {output && <div>{output}</div>}
150       </div>
151     </div>

```

```
152   );
153   };
```

219. components/elements/web-preview.tsx

```
1  "use client";
2
3  import { ChevronDownIcon } from "lucide-react";
4  import type { ComponentProps, ReactNode } from "react";
5  import { createContext, useContext, useState } from "react";
6  import { Button } from "@components/ui/button";
7  import {
8    Collapsible,
9    CollapsibleContent,
10   CollapsibleTrigger,
11 } from "@components/ui/collapsible";
12 import { Input } from "@components/ui/input";
13 import {
14   Tooltip,
15   TooltipContent,
16   TooltipProvider,
17   TooltipTrigger,
18 } from "@components/ui/tooltip";
19 import { cn } from "@lib/utils";
20
21 export type WebPreviewContextValue = {
22   url: string;
23   setUrl: (url: string) => void;
24   consoleOpen: boolean;
25   setConsoleOpen: (open: boolean) => void;
26 };
27
28 const WebPreviewContext = createContext<WebPreviewContextValue | null>(null);
29
30 const useWebPreview = () => {
31   const context = useContext(WebPreviewContext);
32   if (!context) {
33     throw new Error("WebPreview components must be used within a WebPreview");
34   }
35   return context;
36 };
37
38 export type WebPreviewProps = ComponentProps<"div"> & {
39   defaultUrl?: string;
40   onUrlChange?: (url: string) => void;
41 };
42
43 export const WebPreview = ({
44   className,
45   children,
46   defaultUrl = "",
47   onUrlChange,
48   ...props
49 }: WebPreviewProps) => {
50   const [url, setUrl] = useState(defaultUrl);
51   const [consoleOpen, setConsoleOpen] = useState(false);
52
53   const handleUrlChange = (newUrl: string) => {
54     setUrl(newUrl);
55     onUrlChange?.(newUrl);
56   };
57
58   const contextValue: WebPreviewContextValue = {
59     url,
60     setUrl: handleUrlChange,
61     consoleOpen,
62     setConsoleOpen,
```

```

63   };
64
65   return (
66     <WebPreviewContext.Provider value={contextValue}>
67       <div
68         className={cn(
69           "flex size-full flex-col rounded-lg border bg-card",
70           className
71         )}
72         {...props}
73       >
74         {children}
75       </div>
76     </WebPreviewContext.Provider>
77   );
78 };
79
80 export type WebPreviewNavigationProps = ComponentProps<"div">;
81
82 export const WebPreviewNavigation = ({
83   className,
84   children,
85   ...props
86 }: WebPreviewNavigationProps) => (
87   <div
88     className={cn("flex items-center gap-1 border-b p-2", className)}
89     {...props}
90   >
91     {children}
92   </div>
93 );
94
95 export type WebPreviewNavigationButtonProps = ComponentProps<typeof Button> & {
96   tooltip?: string;
97 };
98
99 export const WebPreviewNavigationButton = ({
100   onClick,
101   disabled,
102   tooltip,
103   children,
104   ...props
105 }: WebPreviewNavigationButtonProps) => (
106   <TooltipProvider>
107     <Tooltip>
108       <TooltipTrigger asChild>
109         <Button
110           className="size-8 p-0 hover:text-foreground"
111           disabled={disabled}
112           onClick={onClick}
113           size="sm"
114           variant="ghost"
115           {...props}
116         >
117           {children}
118         </Button>
119       </TooltipTrigger>
120       <TooltipContent>
121         <p>{tooltip}</p>
122       </TooltipContent>
123     </Tooltip>
124   </TooltipProvider>
125 );
126
127 export type WebPreviewUrlProps = ComponentProps<typeof Input>;
128
129 export const WebPreviewUrl = ({
130   value,
131   onChange,

```

```

132   onKeyDown,
133   ...props
134 }: WebPreviewUrlProps) => {
135   const { url, setUrl } = useWebPreview();
136
137   const handleKeyDown = (event: React.KeyboardEvent<HTMLInputElement>) => {
138     if (event.key === "Enter") {
139       const target = event.target as HTMLInputElement;
140       setUrl(target.value);
141     }
142     onKeyDown?.(event);
143   };
144
145   return (
146     <Input
147       className="h-8 flex-1 text-sm"
148       onChange={onChange}
149       onKeyDown={handleKeyDown}
150       placeholder="Enter URL..."
151       value={value ?? url}
152       {...props}
153     />
154   );
155 };
156
157 export type WebPreviewBodyProps = ComponentProps<"iframe"> & {
158   loading?: ReactNode;
159 };
160
161 export const WebPreviewBody = ({
162   className,
163   loading,
164   src,
165   ...props
166 }: WebPreviewBodyProps) => {
167   const { url } = useWebPreview();
168
169   return (
170     <div className="flex-1">
171       <iframe
172         className={cn("size-full", className)}
173         sandbox="allow-scripts allow-same-origin allow-forms allow-popups allow-presentation"
174         src={src ?? url} || undefined)
175         title="Preview"
176         {...props}
177       />
178       {loading}
179     </div>
180   );
181 };
182
183 export type WebPreviewConsoleProps = ComponentProps<"div"> & {
184   logs?: Array<{
185     level: "log" | "warn" | "error";
186     message: string;
187     timestamp: Date;
188   }>;
189 };
190
191 export const WebPreviewConsole = ({
192   className,
193   logs = [],
194   children,
195   ...props
196 }: WebPreviewConsoleProps) => {
197   const { consoleOpen, setConsoleOpen } = useWebPreview();
198
199   return (
200     <Collapsible

```

```

201     className={cn("border-t bg-muted/50 font-mono text-sm", className)}
202     onOpenChange={setConsoleOpen}
203     open={consoleOpen}
204     {...props}
205   >
206     <CollapsibleTrigger asChild>
207       <Button
208         className="flex w-full items-center justify-between p-4 text-left font-medium hover:bg-muted/50"
209         variant="ghost"
210       >
211         Console
212         <ChevronDownIcon
213           className={cn(
214             "h-4 w-4 transition-transform duration-200",
215             consoleOpen && "rotate-180"
216           )}
217         />
218       </Button>
219     </CollapsibleTrigger>
220     <CollapsibleContent
221       className={cn(
222         "px-4 pb-4",
223         "data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0 data-[state=closed]:zoom-out-95 data-[state=open]:zoom-in-95 data-[side=bottom]:slide-in-from-top-2 data-[side=left]:slide-in-from-right-2 data-[side=right]:slide-in-from-left-2 data-[side=top]:slide-in-from-bottom-2 outline-hidden data-[state=closed]:animate-out data-[state=open]:animate-in"
224       )}
225     >
226       <div className="max-h-48 space-y-1 overflow-y-auto">
227         {logs.length === 0 ? (
228           <p className="text-muted-foreground">No console output</p>
229         ) : (
230           logs.map((log, index) => (
231             <div
232               className={cn(
233                 "text-xs",
234                 log.level === "error" && "text-destructive",
235                 log.level === "warn" && "text-yellow-600",
236                 log.level === "log" && "text-foreground"
237               )}
238               key={` ${log.timestamp.getTime()} - ${index} `}
239             >
240               <span className="text-muted-foreground">
241                 {log.timestamp.toLocaleTimeString()}
242               </span>{ " " }
243               {log.message}
244             </div>
245           ))
246         )}
247       </div>
248     </CollapsibleContent>
249   </Collapsible>
250 );
251 };
252 };

```

220. components/goal-planner.tsx

```

1  "use client";
2
3  import { useState } from "react";
4
5  type Item = {
6    id: string;
7    text: string;
8    freq: "daily" | "weekly" | "monthly";
9    minutes: number;
10 };
11

```



```

12 export function GoalPlanner({
13   onShowResult,
14 }): {
15   onShowResult: (title: string, markdown: string) => void;
16 }) {
17   const [dailyMinutes, setDailyMinutes] = useState(120);
18   const [goalText, setGoalText] = useState("");
19   const [items, setItems] = useState<Item[]>([]);
20   const [loading, setLoading] = useState(false);
21
22   const add = () => {
23     const t = goalText.trim();
24     if (!t) return;
25     setItems((p) => [
26       { id: Math.random().toString(36).slice(2), text: t, freq: "daily", minutes: 30 },
27       ...p,
28     ]);
29     setGoalText("");
30   };
31
32   const remove = (id: string) => setItems((p) => p.filter((x) => x.id !== id));
33
34   const organize = async () => {
35     if (items.length === 0) return;
36     setLoading(true);
37     try {
38       const res = await fetch("/api/goal/organize", {
39         method: "POST",
40         headers: { "Content-Type": "application/json" },
41         body: JSON.stringify({ dailyMinutesBudget: dailyMinutes, goals: items }),
42       });
43
44       const data = await res.json();
45       if (!res.ok) throw new Error(data?.error || "API error");
46
47       onShowResult("☐ Зорилго цэгцэлсэн үр дүн", data.markdown);
48     } catch (e: any) {
49       alert(e?.message ?? "Алдаа гарлаа");
50     } finally {
51       setLoading(false);
52     }
53   };
54
55   return (
56     <div className="rounded-xl border p-4 space-y-3">
57       <div className="text-sm font-semibold">☐ Зорилго бичиж цэгцлэх</div>
58
59       <div className="flex flex-col gap-2 md:flex-row md:items-center">
60         <div className="text-xs text-muted-foreground">Өдөрт боломжит минут</div>
61         <input
62           type="number"
63           value={dailyMinutes}
64           min={0}
65           max={1440}
66           onChange={(e) => setDailyMinutes(Number(e.target.value || 0))}
67           className="w-full md:w-40 rounded-md border px-3 py-2"
68         />
69       </div>
70
71       <textarea
72         value={goalText}
73         onChange={(e) => setGoalText(e.target.value)}
74         placeholder="Зорилгоо энд бич..."
75         className="w-full min-h-[90px] rounded-xl border bg-transparent p-3 text-[15px] leading-7 outline-none"
76       />
77
78       <div className="flex gap-2">
79         <button
80           type="button"

```

```

81     onClick={add}
82     className="rounded-md px-4 py-2 text-white"
83     style={{ backgroundColor: "#1F6FB2" }}
84   >
85     Нэмэх
86   </button>
87
88   <button
89     type="button"
90     onClick={organize}
91     disabled={loading || items.length === 0}
92     className="rounded-md border px-4 py-2 text-sm hover:bg-muted disabled:opacity-50"
93   >
94     {loading ? "Цэгцэлж байна..." : "□ Оуunsanaа цэгцлэх"}
95   </button>
96 </div>
97
98 <div className="space-y-2">
99   {items.map((it) => (
100     <div key={it.id} className="flex items-start justify-between gap-2 rounded-lg border p-3">
101       <div className="min-w-0">
102         <div className="font-medium truncate">{it.text}</div>
103         <div className="mt-1 text-xs text-muted-foreground">
104           {it.freq} • {it.minutes} мин
105         </div>
106       </div>
107       <button
108         type="button"
109         className="rounded-md border px-3 py-1 text-sm"
110         onClick={() => remove(it.id)}
111       >
112         Үсрэх
113       </button>
114     </div>
115   ))}
116   {items.length === 0 && (
117     <div className="text-sm text-muted-foreground">Одоогоор нэмсэн зорилго алга.</div>
118   )}
119 </div>
120 </div>
121 );
122 }

```

221. components/greeting.tsx

```

1  "use client";
2
3  import { motion } from "framer-motion";
4  import { useT } from "@lib/i18n/provider";
5
6  export const Greeting = () => {
7    const t = useT();
8
9    return (
10      <div
11        className="mx-auto mt-4 flex size-full max-w-3xl flex-col justify-center px-4 md:mt-16 md:px-8"
12        key="overview"
13      >
14        <motion.div
15          animate={{ opacity: 1, y: 0 }}
16          className="font-semibold text-xl md:text-2xl"
17          exit={{ opacity: 0, y: 10 }}
18          initial={{ opacity: 0, y: 10 }}
19          transition={{ delay: 0.5 }}
20        >
21          {t.greeting.hello}
22        </motion.div>

```

```

23     <motion.div
24       animate={{ opacity: 1, y: 0 }}
25       className="text-xl text-zinc-500 md:text-2xl"
26       exit={{ opacity: 0, y: 10 }}
27       initial={{ opacity: 0, y: 10 }}
28       transition={{ delay: 0.6 }}
29     >
30       {t.greeting.howCanIHelp}
31     </motion.div>
32   </div>
33   );
34 };

```

222. components/health/app/api/health/profile/route.ts

```

1  import { NextResponse } from "next/server";
2  import { auth } from "@app/(auth)/auth";
3  import { getSupabaseAdmin } from "@lib/supabaseAdmin"; // танайд байгаа гэж үзэв
4
5  export const runtime = "nodejs";
6
7  export async function GET() {
8    const session = await auth();
9    const userId = session?.user?.id;
10    if (!userId) return NextResponse.json({ error: "UNAUTH" }, { status: 401 });
11
12    const supabase = getSupabaseAdmin();
13    const { data, error } = await supabase
14      .from("health_profiles")
15      .select("*")
16      .eq("user_id", userId)
17      .maybeSingle();
18
19    if (error) return NextResponse.json({ error: error.message }, { status: 500 });
20    return NextResponse.json({ profile: data ?? null });
21  }
22
23  export async function POST(req: Request) {
24    const session = await auth();
25    const userId = session?.user?.id;
26    if (!userId) return NextResponse.json({ error: "UNAUTH" }, { status: 401 });
27
28    const body = await req.json();
29    const { payload, targets } = body ?? {};
30    if (!payload || !targets) {
31      return NextResponse.json({ error: "BAD_REQUEST" }, { status: 400 });
32    }
33
34    const supabase = getSupabaseAdmin();
35    const { data, error } = await supabase
36      .from("health_profiles")
37      .upsert(
38        {
39          user_id: userId,
40          payload,
41          target_calories: targets.calories,
42          target_protein_g: targets.protein_g,
43          target_carbs_g: targets.carbs_g,
44          target_fat_g: targets.fat_g,
45          target_water_l: targets.water_l,
46          target_steps: targets.steps,
47          updated_at: new Date().toISOString(),
48        },
49        { onConflict: "user_id" },
50      )
51      .select("*")
52      .single();

```

```

53
54   if (error) return NextResponse.json({ error: error.message }, { status: 500 });
55   return NextResponse.json({ profile: data });
56 }

```

223. components/health/calc.ts

```

1  // components/health/calc.ts
2  import type { Locale } from "@lib/i18n/config";
3  import type { HealthProfilePayload, HealthTargets } from "../healthTypes";
4
5  function round1(n: number) {
6    return Math.round(n * 10) / 10;
7  }
8
9  const CALC_STRINGS: Record<
10    Locale,
11    {
12      bmiMissing: string;
13      bmiUnder: string;
14      bmiNormal: string;
15      bmiOver: string;
16      bmiObese: string;
17      keepStable: string;
18      loseGoal: (kg: number) => string;
19      gainGoal: (kg: number) => string;
20      waterPerDay: (l: number) => string;
21      stepsPerDay: (steps: number) => string;
22    }
23  > = {
24    mn: {
25      bmiMissing: "BMI тооцоход өндөр/жин дутуу байна.",
26      bmiUnder: "Жингийн дутагдалтай",
27      bmiNormal: "Хэвийн",
28      bmiOver: "Илүүдэл жинтэй",
29      bmiObese: "Таргалалттай",
30      keepStable: "Жингээ тогтвортой барихад анхааръя.",
31      loseGoal: (kg) => `Аюулгүйгээр аажмаар бууруулах зорилт: ~${kg}кг.`,
32      gainGoal: (kg) => `Эрүүл аргаар нэмэх/булчин хөгжүүлэх зорилт: ~${kg}кг.`,
33      waterPerDay: (l) => `Өдөрт ус: ~${l} л.`,
34      stepsPerDay: (steps) => `Өдөрт алхалт: ~${steps} алхам.`,
35    },
36    en: {
37      bmiMissing: "Height/weight is missing to calculate BMI.",
38      bmiUnder: "Underweight",
39      bmiNormal: "Normal",
40      bmiOver: "Overweight",
41      bmiObese: "Obese",
42      keepStable: "Let's focus on keeping your weight stable.",
43      loseGoal: (kg) => `Goal: gradually and safely lose ~${kg}kg.`,
44      gainGoal: (kg) =>
45        `Goal: gain weight/build muscle in a healthy way ~${kg}kg.`,
46      waterPerDay: (l) => `Water per day: ~${l} L.`,
47      stepsPerDay: (steps) => `Steps per day: ~${steps} steps.`,
48    },
49    ja: {
50      bmiMissing: "BMI□□□□□□□□□□□□□□□□",
51      bmiUnder: "□□□",
52      bmiNormal: "□□□",
53      bmiOver: "□□□□",
54      bmiObese: "□□□",
55      keepStable: "□□□□□□□□□□□□□□□□□□□□□□",
56      loseGoal: (kg) => `□□□□□□□□□□ ~${kg}kg□`,
57      gainGoal: (kg) => `□□□□□□□□□□□□□□□□ ~${kg}kg□`,
58      waterPerDay: (l) => `1□□□□: ~${l} L□`,
59      stepsPerDay: (steps) => `1□□□□: ~${steps}□□`,
60    },

```

```

61 ko: {
62   bmiMissing: "BMI □ □□□□ □/□□ □□□□.",
63   bmiUnder: "□□□",
64   bmiNormal: "□□□",
65   bmiOver: "□□□□",
66   bmiObese: "□□□",
67   keepStable: "□□□□ □□□□ □ □□ □□□□.",
68   loseGoal: (kg) => `□□: □□□□ □□□ ~${kg}kg □□.`,
69   gainGoal: (kg) => `□□: □□□□ □□□ □□□ □□□ ~${kg}kg.`,
70   waterPerDay: (l) => `□□ □□: ~${l} L.`,
71   stepsPerDay: (steps) => `□□ □□ □: ~${steps}□□.`,
72 },
73 ru: {
74   bmiMissing: "Для расчёта ИМТ не хватает роста/веса.",
75   bmiUnder: "Недостаточный вес",
76   bmiNormal: "Норма",
77   bmiOver: "Избыточный вес",
78   bmiObese: "Ожирение",
79   keepStable: "Постараемся поддерживать стабильный вес.",
80   loseGoal: (kg) => `Цель: безопасно и постепенно снизить вес на ~${kg}кг.`,
81   gainGoal: (kg) =>
82     `Цель: набрать вес/мышечную массу здоровым способом ~${kg}кг.`,
83   waterPerDay: (l) => `Вода в день: ~${l} л.`,
84   stepsPerDay: (steps) => `Шаги в день: ~${steps} шагов.`,
85 },
86 };
87
88 export function programDays(payload: HealthProfilePayload): number {
89   const ideal = idealWeightKg(payload.heightCm);
90   const current = payload.weightKg ?? null;
91   if (!ideal || !current) return 90;
92   const diff = Math.abs(current - ideal);
93   if (diff < 2) return 90;
94   const days = Math.round((diff / 0.5) * 7);
95   return Math.max(30, Math.min(365, days));
96 }
97
98 export function calcBMI(heightCm?: number | null, weightKg?: number | null) {
99   if (!heightCm || !weightKg || heightCm <= 0 || weightKg <= 0) return null;
100   const m = heightCm / 100;
101   return weightKg / (m * m);
102 }
103
104 export function bmiLabel(bmi: number | null, locale: Locale = "mn") {
105   const s = CALC_STRINGS[locale];
106   if (bmi === null) return s.bmiMissing;
107   if (bmi < 18.5) return `BMI ${round1(bmi)} · ${s.bmiUnder}`;
108   if (bmi < 25) return `BMI ${round1(bmi)} · ${s.bmiNormal}`;
109   if (bmi < 30) return `BMI ${round1(bmi)} · ${s.bmiOver}`;
110   return `BMI ${round1(bmi)} · ${s.bmiObese}`;
111 }
112
113 export function idealWeightKg(heightCm?: number | null) {
114   if (!heightCm || heightCm <= 0) return null;
115   const m = heightCm / 100;
116   return round1(22 * m * m); // target BMI ~ 22
117 }
118
119 export function computeTargets(
120   payload: HealthProfilePayload,
121   locale: Locale = "mn"
122 ): HealthTargets {
123   const s = CALC_STRINGS[locale];
124   const bmi = calcBMI(payload.heightCm, payload.weightKg);
125   const ideal = idealWeightKg(payload.heightCm);
126
127   // Vc: 30ml/kg
128   const waterL = payload.weightKg ? round1(payload.weightKg * 0.03) : null;
129

```

```

130 // Алхам: алхалт/дасгалын түвшнээс
131 let steps = 7000;
132 if (payload.walkingLevel === "low") steps = 6000;
133 if (payload.walkingLevel === "medium") steps = 8000;
134 if (payload.walkingLevel === "high") steps = 10_000;
135
136 // Калори + макро: энгийн heuristic
137 let calories: number | null = null;
138 let proteinG: number | null = null;
139 let carbsG: number | null = null;
140 let fatG: number | null = null;
141
142 if (payload.weightKg && payload.heightCm && payload.age) {
143   // Mifflin-St Jeor ойролцоолол
144   const w = payload.weightKg;
145   const h = payload.heightCm;
146   const a = payload.age;
147   const isMale = payload.gender === "male";
148   const bmr = isMale
149     ? 10 * w + 6.25 * h - 5 * a + 5
150     : 10 * w + 6.25 * h - 5 * a - 161;
151
152   // activity multiplier (алхалт/дасгал)
153   let mult = 1.35;
154   if (
155     payload.exerciseFreq === "weekly1" ||
156     payload.exerciseFreq === "weekly2_3"
157   )
158     mult = 1.45;
159   if (payload.exerciseFreq === "daily") mult = 1.55;
160
161   let tdee = bmr * mult;
162
163   // BMI-аас хамааруулж зорилт (тасархай биш, маш энгийн)
164   if (bmi !== null && bmi >= 25)
165     tdee -= 300; // бууруулах
166   else if (bmi !== null && bmi < 18.5) tdee += 250; // нэмэх
167
168   calories = Math.max(1200, Math.round(tdee));
169
170   // Protein 1.6g/kg (хөдөлгөөнтэй бол арай их)
171   const p = payload.exerciseFreq === "daily" ? 1.8 : 1.6;
172   proteinG = Math.round(w * p);
173
174   // Fat ~ 0.8g/kg (доод хязгаар)
175   fatG = Math.round(w * 0.8);
176
177   // Carbs = үлдэгдэл
178   // kcal: protein 4, carbs 4, fat 9
179   const used = proteinG * 4 + fatG * 9;
180   const remain = calories - used;
181   carbsG = Math.max(50, Math.round(remain / 4));
182 }
183
184 const summaryParts: string[] = [];
185 summaryParts.push(bmiLabel(bmi, locale));
186
187 const w = payload.weightKg ?? null;
188
189 if (ideal !== null && w !== null) {
190   const diff = round1(w - ideal);
191   if (Math.abs(diff) < 2) summaryParts.push(s.keepStable);
192   else if (diff > 0) summaryParts.push(s.loseGoal(diff));
193   else summaryParts.push(s.gainGoal(Math.abs(diff)));
194 }
195 if (waterL !== null) summaryParts.push(s.waterPerDay(waterL));
196 summaryParts.push(s.stepsPerDay(steps));
197
198 // Нүүрс усны задаргаа: ихэнх нь "сайн" (будаа, ногоо, жимс), багахан хэсэг нь

```

```

199 // "муу" (боловсруулсан сахар) байхаар зөвлөдөг тул нийт carbsG-ийн ихэнхийг
200 // targetGoodCarbsG, калорийн ~5%-ийг targetBadCarbsG-ийн дээд хязгаар болгов.
201 const goodCarbsG = carbsG !== null ? Math.round(carbsG * 0.85) : null;
202 const badCarbsG =
203   calories !== null ? Math.round((calories * 0.05) / 4) : null;
204 // Эслэр: ~14rp / 1000 ккал (нийтлэг зөвлөмж)
205 const fiberG = calories !== null ? Math.round((calories / 1000) * 14) : null;
206 // Нэмэлт сахар: ДЭМБ-ын зөвлөмжөөр калорийн 10%-иас хэтрэхгүй байх дээд хязгаар
207 const sugarG = calories !== null ? Math.round((calories * 0.1) / 4) : null;
208
209 return {
210   bmi: bmi ? round1(bmi) : null,
211   bmiText: bmiLabel(bmi, locale),
212   idealWeightKg: ideal,
213   targetCalories: calories,
214   targetProteinG: proteinG,
215   targetCarbsG: carbsG,
216   targetFatG: fatG,
217   targetGoodCarbsG: goodCarbsG,
218   targetBadCarbsG: badCarbsG,
219   targetFiberG: fiberG,
220   targetSugarG: sugarG,
221   targetNutritionScore: 100,
222   targetWaterL: waterL,
223   targetSteps: steps,
224   summary: summaryParts.join(" "),
225 };
226 }

```

224. components/health/Dashboard.tsx

```

1 // components/health/Dashboard.tsx
2 "use client";
3
4 import { useEffect, useMemo, useState } from "react";
5 import Link from "next/link";
6 import type {
7   DailyItems,
8   HealthProfilePayload,
9   HealthTargets,
10  MealItem,
11 } from "../healthTypes";
12 import { computeTargets, programDays } from "../calc";
13 import HealthSummary from "../HealthSummary";
14 import QuestionnaireForm from "../QuestionnaireForm";
15 import { useLocale, useT } from "@/lib/i18n/provider";
16 import type { Dictionary } from "@/lib/i18n/dictionaries/mn";
17
18 type DashT = Dictionary["apps"]["healthDashboard"];
19
20 const todayYmd = () => {
21   const d = new Date();
22   const y = d.getFullYear();
23   const m = String(d.getMonth() + 1).padStart(2, "0");
24   const day = String(d.getDate()).padStart(2, "0");
25   return `${y}-${m}-${day}`;
26 };
27 type Tab = "food" | "water" | "sleep" | "move" | "summary";
28
29 function tpl(str: string, vars: Record<string, string | number>): string {
30   return Object.entries(vars).reduce(
31     (s, [k, v]) => s.replace(`{${k}}`, String(v)),
32     str
33   );
34 }
35
36 export default function Dashboard() {

```

```

37 const t = useT().apps.healthDashboard;
38 const locale = useLocale();
39 const [payload, setPayload] = useState<HealthProfilePayload | null>(null);
40 const [showForm, setShowForm] = useState(false);
41 const [loading, setLoading] = useState(true);
42 const [err, setErr] = useState<string | null>(null);
43 const [saved, setSaved] = useState(false);
44
45 const day = todayYmd();
46 const [tab, setTab] = useState<Tab>("food");
47
48 const [meals, setMeals] = useState<MealItem[]>([]);
49 const [waterL, setWaterL] = useState(0);
50 const [sleepH, setSleepH] = useState<number | null>(null);
51 const [restMin, setRestMin] = useState<number | null>(null);
52 const [moveLevel, setMoveLevel] = useState<"good" | "medium" | "low" | null>(
53   null
54 );
55 const [steps, setSteps] = useState<number | null>(null);
56 const [burnedKcal, setBurnedKcal] = useState<number | null>(null);
57 const [badHabitsScore, setBadHabitsScore] = useState<number | null>(null);
58
59 const targets = useMemo(
60   () => (payload ? computeTargets(payload, locale) : null),
61   [payload, locale]
62 );
63 const totalDays = useMemo(
64   () => (payload ? programDays(payload) : 90),
65   [payload]
66 );
67
68 const programDay = useMemo(() => {
69   if (!payload?.startDate) return 1;
70   const diff = Math.floor(
71     (new Date(day).getTime() - new Date(payload.startDate).getTime()) /
72     86_400_000
73   );
74   return Math.max(1, Math.min(diff + 1, totalDays));
75 }, [payload, day, totalDays]);
76
77 function applyLog(items: DailyItems | null) {
78   if (!items) {
79     setMeals([]);
80     setWaterL(0);
81     setSleepH(null);
82     setRestMin(null);
83     setMoveLevel(null);
84     setSteps(null);
85     setBurnedKcal(null);
86     setBadHabitsScore(null);
87     return;
88   }
89   setMeals(items.meals ?? []);
90   setWaterL(items.waterLiters ?? 0);
91   setSleepH(items.sleepHours ?? null);
92   setRestMin(items.restMinutes ?? null);
93   setMoveLevel(items.movementLevel ?? null);
94   setSteps(items.steps ?? null);
95   setBurnedKcal(items.burnedKcal ?? null);
96   setBadHabitsScore(items.badHabitsScore ?? null);
97 }
98
99 async function loadAll() {
100   setLoading(true);
101   setErr(null);
102   try {
103     const [pr, dr] = await Promise.all([
104       fetch("/api/health/profile").then((r) => r.json()),
105       fetch(`/api/health/daily?day=${day}`).then((r) => r.json()),

```



```

106     });
107     setPayload(pr.profile?.payload ?? null);
108     applyLog(dr.log?.items ?? null);
109   } catch (e: any) {
110     setErr(e?.message ?? t.fetchError);
111   } finally {
112     setLoading(false);
113   }
114 }
115
116 // biome-ignore lint/correctness/useExhaustiveDependencies: loadAll is stable on mount
117 useEffect(() => {
118   loadAll().catch(console.error);
119 }, []);
120
121 async function save() {
122   setSaved(false);
123   const items: DailyItems = {
124     meals,
125     waterLiters: waterL,
126     sleepHours: sleepH,
127     restMinutes: restMin,
128     movementLevel: moveLevel,
129     steps,
130     burnedKcal,
131     badHabitsScore,
132   };
133   const res = await fetch("/api/health/daily", {
134     method: "POST",
135     headers: { "Content-Type": "application/json" },
136     body: JSON.stringify({ day, items }),
137   });
138   if (res.ok) {
139     setSaved(true);
140     setTimeout(() => setSaved(false), 3000);
141   } else {
142     setErr(t.saveError);
143   }
144 }
145
146 if (loading)
147   return (
148     <div className="py-8 text-center text-muted-foreground text-sm">
149       {t.loading}
150     </div>
151   );
152 if (err) return <div className="py-4 text-destructive text-sm">{err}</div>;
153
154 if (!payload || showForm)
155   return (
156     <QuestionnaireForm
157       initial={payload as any)?.legacy
158       onSave={() => {
159         setShowForm(false);
160         loadAll().catch(console.error);
161       }}
162     />
163   );
164
165 const progress = Math.round((programDay / totalDays) * 100);
166
167 const TABS: { id: Tab; label: string }[] = [
168   { id: "food", label: `🍴 ${t.tabs.food}` },
169   { id: "water", label: `💧 ${t.tabs.water}` },
170   { id: "sleep", label: `😴 ${t.tabs.sleep}` },
171   { id: "move", label: `🚶 ${t.tabs.move}` },
172   { id: "summary", label: `📊 ${t.tabs.summary}` },
173 ];
174

```

```

175 return (
176   <div className="mx-auto max-w-2xl space-y-4">
177     {/* Program header */}
178     <div className="space-y-3 rounded-2xl border bg-card p-4">
179       <div className="flex items-start justify-between">
180         <div>
181           <div className="text-muted-foreground text-xs">
182             {t.programHeader}
183           </div>
184           <div className="font-semibold text-base">
185             {tpl(t.dayProgress, { day: programDay, total: totalDays })}
186           </div>
187         </div>
188         {targets?.bmiText && (
189           <div className="text-right text-muted-foreground text-xs">
190             {targets.bmiText}
191           </div>
192         )}
193       </div>
194       <div className="h-2 w-full overflow-hidden rounded-full bg-muted">
195         <div
196           className="h-full rounded-full bg-primary transition-all"
197           style={{ width: `${progress}%` }}
198         />
199       </div>
200       {targets && (
201         <div className="grid grid-cols-3 gap-2 text-center text-xs">
202           <div className="rounded-lg bg-muted/50 py-1.5">
203             <div className="font-semibold">
204               {targets.targetCalories ?? "-"}
205             </div>
206             <div className="text-muted-foreground">{t.units.kcal}</div>
207           </div>
208           <div className="rounded-lg bg-muted/50 py-1.5">
209             <div className="font-semibold">
210               {targets.targetWaterL ?? "-"} {t.units.liter}
211             </div>
212             <div className="text-muted-foreground">{t.tabs.water}</div>
213           </div>
214           <div className="rounded-lg bg-muted/50 py-1.5">
215             <div className="font-semibold">{targets.targetSteps ?? "-"}</div>
216             <div className="text-muted-foreground">{t.units.steps}</div>
217           </div>
218         </div>
219       )}
220     </div>
221     {/* Tab bar */}
222     <div className="flex overflow-hidden rounded-xl border bg-muted/30 text-xs">
223       {TABS.map(({ id, label }) => (
224         <button
225           className={`flex-1 py-2.5 text-center transition-colors ${
226             tab === id
227               ? "bg-background font-semibold shadow-sm"
228               : "text-muted-foreground"
229             }`}
230           key={id}
231           onClick={() => setTab(id)}
232           type="button"
233         >
234           {label}
235         </button>
236       ))}
237     </div>
238     {/* Tab content */}
239     <div className="rounded-2xl border bg-card p-4">
240       {tab === "food" && (
241         <FoodTab meals={meals} setMeals={setMeals} t={t} targets={targets} />
242       )}
243     </div>

```

```

244     })
245     {tab === "water" && (
246       <WaterTab
247         mlShort={t.units.mlShort}
248         setWaterL={setWaterL}
249         t={t.water}
250         targetL={targets?.targetWaterL ?? null}
251         waterL={waterL}
252       />
253     )}
254     {tab === "sleep" && (
255       <SleepTab
256         restMin={restMin}
257         setRestMin={setRestMin}
258         setSleepH={setSleepH}
259         sleepH={sleepH}
260         t={t.sleep}
261         unitHour={t.units.hourShort}
262         unitMinute={t.units.minuteShort}
263       />
264     )}
265     {tab === "move" && (
266       <MoveTab
267         badHabitsScore={badHabitsScore}
268         burnedKcal={burnedKcal}
269         level={moveLevel}
270         setBadHabitsScore={setBadHabitsScore}
271         setBurnedKcal={setBurnedKcal}
272         setLevel={setMoveLevel}
273         setSteps={setSteps}
274         steps={steps}
275         t={t.move}
276         targetSteps={targets?.targetSteps ?? null}
277       />
278     )}
279     {tab === "summary" && <HealthSummary targets={targets} />}
280   </div>
281
282   {/* Save */}
283   <div className="flex items-center gap-3">
284     <button
285       className="flex-1 rounded-xl bg-primary py-2.5 font-medium text-primary-foreground text-sm transition-opacity active:opacity-80"
286       onClick={save}
287       type="button"
288     >
289       {t.save}
290     </button>
291     {saved && (
292       <span className="text-green-600 text-sm dark:text-green-400">
293         {t.saved}
294       </span>
295     )}
296   </div>
297
298   {/* Footer */}
299   <div className="flex gap-2 text-sm">
300     <Link
301       className="flex-1 rounded-xl border py-2.5 text-center text-muted-foreground transition-colors hover:bg-muted/50"
302       href="/mind/therapy"
303     >
304       {t.chatWithPsychologist}
305     </Link>
306     <button
307       className="rounded-xl border px-4 py-2.5 text-muted-foreground transition-colors hover:bg-muted/50"
308       onClick={() => setShowForm(true)}
309       title={t.editProfile}
310       type="button"
311     >
312     
```

```

313     </button>
314   </div>
315 </div>
316   );
317 }
318
319 // — Food tab —————
320
321 type MealDraft = {
322   calories: string;
323   proteinG: string;
324   goodCarbsG: string;
325   badCarbsG: string;
326   fatG: string;
327   fiberG: string;
328   sugarG: string;
329   nutritionScore: string;
330 };
331
332 const EMPTY_DRAFT: MealDraft = {
333   calories: "",
334   proteinG: "",
335   goodCarbsG: "",
336   badCarbsG: "",
337   fatG: "",
338   fiberG: "",
339   sugarG: "",
340   nutritionScore: "",
341 };
342
343 function sumMeals(meals: MealItem[]) {
344   return meals.reduce(
345     (acc, m) => ({
346       calories: acc.calories + (m.calories ?? 0),
347       proteinG: acc.proteinG + (m.proteinG ?? 0),
348       goodCarbsG: acc.goodCarbsG + (m.goodCarbsG ?? 0),
349       badCarbsG: acc.badCarbsG + (m.badCarbsG ?? 0),
350       fatG: acc.fatG + (m.fatG ?? 0),
351       fiberG: acc.fiberG + (m.fiberG ?? 0),
352       sugarG: acc.sugarG + (m.sugarG ?? 0),
353     }),
354     {
355       calories: 0,
356       proteinG: 0,
357       goodCarbsG: 0,
358       badCarbsG: 0,
359       fatG: 0,
360       fiberG: 0,
361       sugarG: 0,
362     }
363   );
364 }
365
366 function avgNutritionScore(meals: MealItem[]) {
367   const withScore = meals.filter(m => m.nutritionScore != null);
368   if (withScore.length === 0) return null;
369   const total = withScore.reduce((s, m) => s + (m.nutritionScore ?? 0), 0);
370   return Math.round(total / withScore.length);
371 }
372
373 function NutrientBar({
374   label,
375   value,
376   target,
377   unit,
378 }: {
379   label: string;
380   value: number;
381   target: number | null;

```

```

382   unit: string;
383 }) {
384   if (target == null) return null;
385   const pct = Math.min(100, Math.round((value / target) * 100));
386   const over = value > target;
387   return (
388     <div>
389       <div className="mb-1 flex justify-between text-muted-foreground text-xs">
390         <span>{label}</span>
391         <span className={over ? "text-destructive" : undefined}>
392           {value} / {target} {unit}
393         </span>
394       </div>
395       <div className="h-2 overflow-hidden rounded-full bg-muted">
396         <div
397           className={`h-full rounded-full transition-all ${over ? "bg-destructive" : "bg-primary"}}`
398           style={{ width: `${pct}%` }}
399         >/>
400       </div>
401     </div>
402   );
403 }
404
405 function FoodTab({
406   meals,
407   setMeals,
408   targets,
409   t,
410 }): {
411   meals: MealItem[];
412   setMeals: (m: MealItem[]) => void;
413   targets: HealthTargets | null;
414   t: DashT;
415 } {
416   const f = t.food;
417   const u = t.units;
418   const [title, setTitle] = useState("");
419   const [imageFile, setImageFile] = useState<File | null>(null);
420   const [imagePreviewUrl, setImagePreviewUrl] = useState<string | null>(null);
421   const [draft, setDraft] = useState<MealDraft>(EMPTY_DRAFT);
422   const [analyzing, setAnalyzing] = useState(false);
423   const [analyzeError, setAnalyzeError] = useState<string | null>(null);
424   const [filledByAI, setFilledByAI] = useState(false);
425
426   function pickImage(file: File | null) {
427     setImageFile(file);
428     setFilledByAI(false);
429     setImagePreviewUrl((prev) => {
430       if (prev) URL.revokeObjectURL(prev);
431       return file ? URL.createObjectURL(file) : null;
432     });
433   }
434
435   const totals = sumMeals(meals);
436   const score = avgNutritionScore(meals);
437
438   function updateDraft<K extends keyof MealDraft>(key: K, value: string) {
439     setDraft((prev) => ({ ...prev, [key]: value }));
440     setFilledByAI(false);
441   }
442
443   async function analyzeWithAI() {
444     if (!imageFile && !title.trim()) return;
445     setAnalyzing(true);
446     setAnalyzeError(null);
447     try {
448       const formData = new FormData();
449       if (imageFile) formData.append("image", imageFile);
450       formData.append("name", title);

```

```

451
452     const res = await fetch("/api/health/meal-analyze", {
453       method: "POST",
454       body: formData,
455     });
456     const data = await res.json();
457     if (!res.ok) {
458       throw new Error(data?.detail || data?.error || t.fetchError);
459     }
460     setDraft({
461       calories: String(data.calories ?? ""),
462       proteinG: String(data.proteinG ?? ""),
463       goodCarbsG: String(data.goodCarbsG ?? ""),
464       badCarbsG: String(data.badCarbsG ?? ""),
465       fatG: String(data.fatG ?? ""),
466       fiberG: String(data.fiberG ?? ""),
467       sugarG: String(data.sugarG ?? ""),
468       nutritionScore: String(data.nutritionScore ?? ""),
469     });
470     setFilledByAI(true);
471   } catch (e: any) {
472     setAnalyzeError(e?.message ?? f.aiError);
473   } finally {
474     setAnalyzing(false);
475   }
476 }
477
478 function addMeal() {
479   if (!title.trim()) return;
480   const n = (v: string) => (v.trim() === "" ? null : Number(v));
481   setMeals([
482     ...meals,
483     {
484       id: `m-${Date.now()}`,
485       title: title.trim(),
486       calories: n(draft.calories),
487       proteinG: n(draft.proteinG),
488       goodCarbsG: n(draft.goodCarbsG),
489       badCarbsG: n(draft.badCarbsG),
490       carbsG:
491         n(draft.goodCarbsG) !== null || n(draft.badCarbsG) !== null
492           ? (n(draft.goodCarbsG) ?? 0) + (n(draft.badCarbsG) ?? 0)
493           : null,
494       fatG: n(draft.fatG),
495       fiberG: n(draft.fiberG),
496       sugarG: n(draft.sugarG),
497       nutritionScore: n(draft.nutritionScore),
498     },
499   ]);
500   setTitle("");
501   pickImage(null);
502   setDraft(EMPTY_DRAFT);
503   setFilledByAI(false);
504 }
505
506 return (
507   <div className="space-y-5">
508     { /* Entry form */ }
509     <div className="space-y-3 rounded-xl border p-3">
510       <div>
511         <label
512           className="mb-1 block text-muted-foreground text-xs"
513           htmlFor="meal-title"
514         >
515           {f.nameLabel}
516         </label>
517         <input
518           className="w-full rounded-lg border bg-background px-3 py-2 text-sm outline-none focus:ring-1 focus:ring-primary"
519           id="meal-title"

```

```

520         onChange={ (e) => setTitle(e.target.value) }
521         placeholder={f.namePlaceholder}
522         value={title}
523     />
524 </div>
525
526 <div>
527     <label
528         className="mb-1 block text-muted-foreground text-xs"
529         htmlFor="meal-image"
530     >
531         {f.imageLabel}
532     </label>
533
534     {imagePreviewUrl ? (
535         <div className="flex items-center gap-3">
536             { /* biome-ignore lint/performance/noImgElement: local object URL preview, not a remote image */ }
537             <img
538                 alt={f.imageAlt}
539                 className="h-16 w-16 rounded-lg border object-cover"
540                 src={imagePreviewUrl}
541             />
542             <div className="flex flex-col gap-1 text-xs">
543                 <span className="max-w-[160px] truncate text-muted-foreground">
544                     {imageFile?.name}
545                 </span>
546                 <button
547                     className="w-fit text-muted-foreground hover:text-destructive"
548                     onClick={() => pickImage(null)}
549                     type="button"
550                 >
551                     {f.removeImage}
552                 </button>
553             </div>
554         </div>
555     ) : (
556         <input
557             accept="image/*"
558             id="meal-image"
559             onChange={(e) => pickImage(e.target.files?.[0] ?? null)}
560             type="file"
561         />
562     ) }
563 </div>
564
565 {analyzeError && (
566     <div className="text-destructive text-xs">{analyzeError}</div>
567 )}
568
569 <button
570     className="w-full rounded-lg bg-primary py-2 font-medium text-primary-foreground text-sm disabled:opacity-60"
571     disabled={analyzing || (!imageFile && !title.trim())}
572     onClick={analyzeWithAI}
573     type="button"
574 >
575     {analyzing ? f.analyzing : f.analyzeButton}
576 </button>
577 {!imageFile && !title.trim() && (
578     <div className="text-muted-foreground text-xs">{f.analyzeHint}</div>
579 )}
580 {filledByAI && (
581     <div className="text-emerald-600 text-xs dark:text-emerald-400">
582         {f.filledByAI}
583     </div>
584 )}
585
586 <div className="grid grid-cols-2 gap-2">
587     <LabeledInput
588         label={f.fields.calories}

```

```

589     onChange={ (v) => updateDraft("calories", v) }
590     value={draft.calories}
591   />
592   <LabeledInput
593     label={f.fields.protein}
594     onChange={ (v) => updateDraft("proteinG", v) }
595     value={draft.proteinG}
596   />
597   <LabeledInput
598     label={f.fields.goodCarbs}
599     onChange={ (v) => updateDraft("goodCarbsG", v) }
600     value={draft.goodCarbsG}
601   />
602   <LabeledInput
603     label={f.fields.badCarbs}
604     onChange={ (v) => updateDraft("badCarbsG", v) }
605     value={draft.badCarbsG}
606   />
607   <LabeledInput
608     label={f.fields.fat}
609     onChange={ (v) => updateDraft("fatG", v) }
610     value={draft.fatG}
611   />
612   <LabeledInput
613     label={f.fields.fiber}
614     onChange={ (v) => updateDraft("fiberG", v) }
615     value={draft.fiberG}
616   />
617   <LabeledInput
618     label={f.fields.sugar}
619     onChange={ (v) => updateDraft("sugarG", v) }
620     value={draft.sugarG}
621   />
622   <LabeledInput
623     label={f.fields.nutritionScore}
624     onChange={ (v) => updateDraft("nutritionScore", v) }
625     value={draft.nutritionScore}
626   />
627 </div>
628
629 <button
630   className="w-full rounded-lg bg-primary py-2 font-medium text-primary-foreground text-sm disabled:opacity-60"
631   disabled={!title.trim()}
632   onClick={addMeal}
633   type="button"
634 >
635   {f.addMeal}
636 </button>
637 </div>
638
639 /* Today's meals */
640 <div className="space-y-1">
641   {meals.length === 0 && (
642     <div className="py-4 text-center text-muted-foreground text-sm">
643       {f.noMeals}
644     </div>
645   )}
646   {meals.map((m) => (
647     <div
648       className="flex items-center justify-between rounded-lg bg-muted/40 px-3 py-2 text-sm"
649       key={m.id ?? m.title}
650     >
651       <span className="truncate">{m.title}</span>
652       <div className="flex items-center gap-3">
653         {m.calories !== null && (
654           <span className="text-muted-foreground text-xs">
655             {m.calories} {u.kcal}
656           </span>
657         )}

```



```

658         {m.nutritionScore != null && (
659             <span className="text-muted-foreground text-xs">
660                 {m.nutritionScore}/100
661             </span>
662         )}
663         <button
664             className="text-muted-foreground text-xs hover:text-destructive"
665             onClick={() => setMeals(meals.filter((x) => x !== m))}
666             type="button"
667         >
668             □
669         </button>
670     </div>
671 </div>
672 )})
673 </div>
674
675 {/* Nutrient progress vs targets */}
676 {targets && (
677     <div className="space-y-3 rounded-xl border p-3">
678         <NutrientBar
679             label={f.nutrients.calories}
680             target={targets.targetCalories}
681             unit={u.kcal}
682             value={totals.calories}
683         />
684         <NutrientBar
685             label={f.nutrients.protein}
686             target={targets.targetProteinG}
687             unit={u.gram}
688             value={totals.proteinG}
689         />
690         <NutrientBar
691             label={f.nutrients.goodCarbs}
692             target={targets.targetGoodCarbsG}
693             unit={u.gram}
694             value={totals.goodCarbsG}
695         />
696         <NutrientBar
697             label={f.nutrients.badCarbs}
698             target={targets.targetBadCarbsG}
699             unit={u.gram}
700             value={totals.badCarbsG}
701         />
702         <NutrientBar
703             label={f.nutrients.fat}
704             target={targets.targetFatG}
705             unit={u.gram}
706             value={totals.fatG}
707         />
708         <NutrientBar
709             label={f.nutrients.fiber}
710             target={targets.targetFiberG}
711             unit={u.gram}
712             value={totals.fiberG}
713         />
714         <NutrientBar
715             label={f.nutrients.sugar}
716             target={targets.targetSugarG}
717             unit={u.gram}
718             value={totals.sugarG}
719         />
720         {score != null && (
721             <NutrientBar
722                 label={f.nutrients.nutritionScore}
723                 target={targets.targetNutritionScore}
724                 unit={u.point}
725                 value={score}
726             />

```

```

727     })
728   </div>
729   })
730 </div>
731 );
732 }
733
734 function LabeledInput({
735   label,
736   value,
737   onChange,
738 }): {
739   label: string;
740   value: string;
741   onChange: (v: string) => void;
742 } {
743   const id = `meal-field-${label.replace(/^[a-zA-Za-яА-ЯёЁ0-9]+/g, "-")}`;
744   return (
745     <div>
746       <label className="mb-1 block text-muted-foreground text-xs" htmlFor={id}>
747         {label}
748       </label>
749       <input
750         className="w-full rounded-lg border bg-background px-3 py-2 text-sm outline-none focus:ring-1 focus:ring-primary"
751         id={id}
752         onChange={e => onChange(e.target.value)}
753         type="number"
754         value={value}
755       />
756     </div>
757   );
758 }
759
760 // — Water tab —————
761
762 function WaterTab({
763   waterL,
764   setWaterL,
765   targetL,
766   t,
767   mlShort,
768 }): {
769   waterL: number;
770   setWaterL: (v: number) => void;
771   targetL: number | null;
772   t: DashT["water"];
773   mlShort: string;
774 } {
775   const pct = targetL ? Math.min(100, Math.round((waterL / targetL) * 100)) : 0;
776   const add = (ml: number) => setWaterL(Math.round(waterL * 1000 + ml) / 1000);
777
778   return (
779     <div className="space-y-4">
780       <div className="text-center">
781         <div className="font-bold text-4xl">{waterL.toFixed(1)}</div>
782         <div className="text-muted-foreground text-sm">
783           {t.liter}
784           {targetL ? ` ${tpl(t.target, { target: targetL })}` : ""}
785         </div>
786       </div>
787
788       {targetL != null && (
789         <div className="h-3 overflow-hidden rounded-full bg-muted">
790           <div
791             className="h-full rounded-full bg-sky-400 transition-all"
792             style={{ width: `${pct}%` }}
793           />
794         </div>
795       )}

```

```

796
797 <div className="grid grid-cols-4 gap-2">
798   {[200, 300, 500, 1000].map((ml) => (
799     <button
800       className="rounded-xl border py-2.5 font-medium text-sm transition-colors hover:bg-muted/50"
801       key={ml}
802       onClick={() => add(ml)}
803       type="button"
804     >
805       +{ml}
806       {mlShort}
807     </button>
808   )]}
809 </div>
810
811 <div className="flex items-center gap-2">
812   <input
813     className="flex-1 rounded-lg border bg-background px-3 py-2 text-sm outline-none focus:ring-1 focus:ring-primary"
814     min={0}
815     onChange={(e) => setWaterL(Math.max(0, Number(e.target.value) || 0))}
816     placeholder={t.totalPlaceholder}
817     step={0.1}
818     type="number"
819     value={waterL || ""}
820   />
821   <button
822     className="px-3 py-2 text-muted-foreground text-xs hover:text-destructive"
823     onClick={() => setWaterL(0)}
824     type="button"
825   >
826     {t.clear}
827   </button>
828 </div>
829 </div>
830 );
831 }
832
833 // — Sleep tab —————
834
835 function SleepTab({
836   sleepH,
837   setSleepH,
838   restMin,
839   setRestMin,
840   t,
841   unitHour,
842   unitMinute,
843 }): {
844   sleepH: number | null;
845   setSleepH: (v: number | null) => void;
846   restMin: number | null;
847   setRestMin: (v: number | null) => void;
848   t: DashT["sleep"];
849   unitHour: string;
850   unitMinute: string;
851 }) {
852   return (
853     <div className="space-y-5">
854       <div className="space-y-2">
855         <label className="font-medium text-sm" htmlFor="sleep-range">
856           {t.hoursLabel}
857         </label>
858         <div className="flex items-center gap-3">
859           <input
860             className="flex-1"
861             id="sleep-range"
862             max={12}
863             min={0}
864             onChange={(e) => setSleepH(Number(e.target.value))}

```

```

865         step={0.5}
866         type="range"
867         value={sleepH ?? 0}
868     />
869     <span className="w-10 text-right font-medium text-sm">
870         {sleepH ?? 0}
871         {unitHour}
872     </span>
873 </div>
874 <div className="flex flex-wrap gap-2">
875     {[5, 6, 7, 7.5, 8, 9].map((h) => (
876         <button
877             className={`rounded-lg border px-3 py-1 text-sm transition-colors ${
878                 sleepH === h
879                 ? "border-transparent bg-primary text-primary-foreground"
880                 : "hover:bg-muted/50"
881             }`}
882             key={h}
883             onClick={() => setSleepH(h)}
884             type="button"
885         >
886             {h}
887             {unitHour}
888         </button>
889     )]}
890 </div>
891 </div>
892
893 <div className="space-y-2">
894     <div className="font-medium text-sm">{t.restLabel}</div>
895     <div className="flex flex-wrap gap-2">
896         {[0, 10, 15, 20, 30, 45, 60].map((m) => (
897             <button
898                 className={`rounded-lg border px-3 py-1 text-sm transition-colors ${
899                     restMin === m
900                     ? "border-transparent bg-primary text-primary-foreground"
901                     : "hover:bg-muted/50"
902                 }`}
903                 key={m}
904                 onClick={() => setRestMin(m)}
905                 type="button"
906             >
907                 {m === 0 ? "0" : `${m}${unitMinute}`}
908             </button>
909         )]}
910     </div>
911 </div>
912 </div>
913 );
914 }
915
916 // — Movement tab —————
917
918 function MoveTab({
919     level,
920     setLevel,
921     steps,
922     setSteps,
923     targetSteps,
924     burnedKcal,
925     setBurnedKcal,
926     badHabitsScore,
927     setBadHabitsScore,
928     t,
929 }): {
930     level: "good" | "medium" | "low" | null;
931     setLevel: (v: "good" | "medium" | "low" | null) => void;
932     steps: number | null;
933     setSteps: (v: number | null) => void;

```

```

934   targetSteps: number | null;
935   burnedKcal: number | null;
936   setBurnedKcal: (v: number | null) => void;
937   badHabitsScore: number | null;
938   setBadHabitsScore: (v: number | null) => void;
939   t: DashT["move"];
940 }) {
941   const pct =
942     targetSteps && steps != null
943       ? Math.min(100, Math.round((steps / targetSteps) * 100))
944       : 0;
945
946   const MOVE_LEVELS: { value: "good" | "medium" | "low"; label: string }[] = [
947     { value: "good", label: t.levelGood },
948     { value: "medium", label: t.levelMedium },
949     { value: "low", label: t.levelLow },
950   ];
951
952   return (
953     <div className="space-y-4">
954       <div className="space-y-2">
955         <div className="font-medium text-sm">{t.today}</div>
956         <div className="grid grid-cols-3 gap-2">
957           {MOVE_LEVELS.map(({ value, label }) => (
958             <button
959               className={`rounded-xl border py-3 font-medium text-sm transition-colors ${
960                 level === value
961                   ? "border-transparent bg-primary text-primary-foreground"
962                   : "border:bg-muted/50"
963               }`}
964               key={value}
965               onClick={() => setLevel(value)}
966               type="button"
967             >
968               {label}
969             </button>
970           ))}
971         </div>
972       </div>
973
974       <div className="space-y-2">
975         <label className="font-medium text-sm" htmlFor="steps-input">
976           {t.stepsLabel}
977           {targetSteps ? ` ${t.stepsTarget, { target: targetSteps }}` : ""}
978         </label>
979         <input
980           className="w-full rounded-lg border bg-background px-3 py-2 text-sm outline-none focus:ring-1 focus:ring-primary"
981           id="steps-input"
982           min={0}
983           onChange={(e) =>
984             setSteps(e.target.value ? Number(e.target.value) : null)
985           }
986           placeholder={t.stepsPlaceholder}
987           step={100}
988           type="number"
989           value={steps ?? ""}
990         />
991         {targetSteps != null && steps != null && (
992           <div className="h-2 overflow-hidden rounded-full bg-muted">
993             <div
994               className="h-full rounded-full bg-green-400 transition-all"
995               style={{ width: `${pct}%` }}
996             />
997           </div>
998         )}
999       </div>
1000
1001       <div className="space-y-2">
1002         <label className="font-medium text-sm" htmlFor="burned-kcal-input">

```

```

1003         {t.burnedKcalLabel}
1004     </label>
1005     <input
1006       className="w-full rounded-lg border bg-background px-3 py-2 text-sm outline-none focus:ring-1 focus:ring-primary"
1007       id="burned-kcal-input"
1008       min={0}
1009       onChange={ (e) =>
1010         setBurnedKcal(e.target.value ? Number(e.target.value) : null)
1011       }
1012       placeholder={t.burnedKcalPlaceholder}
1013       step={10}
1014       type="number"
1015       value={burnedKcal ?? ""}
1016     />
1017   </div>
1018
1019   <div className="space-y-2">
1020     <label className="font-medium text-sm" htmlFor="bad-habits-range">
1021       {t.badHabitsLabel}
1022     </label>
1023     <div className="flex items-center gap-3">
1024       <input
1025         className="flex-1"
1026         id="bad-habits-range"
1027         max={100}
1028         min={0}
1029         onChange={ (e) => setBadHabitsScore(Number(e.target.value)) }
1030         type="range"
1031         value={badHabitsScore ?? 0}
1032       />
1033       <span className="w-10 text-right font-medium text-sm">
1034         {badHabitsScore ?? 0}
1035       </span>
1036     </div>
1037     <div className="text-muted-foreground text-xs">
1038       { (badHabitsScore ?? 0) <= 20
1039         ? t.badHabitsLow
1040         : (badHabitsScore ?? 0) <= 60
1041           ? t.badHabitsMid
1042           : t.badHabitsHigh }
1043     </div>
1044   </div>
1045 </div>
1046 );
1047 }

```

225. components/health/HealthAppClient.tsx

```

1  // components/health/HealthAppClient.tsx
2  "use client";
3
4  import Dashboard from "../Dashboard";
5
6  export default function HealthAppClient() {
7    return (
8      <div className="px-4 py-6">
9        <Dashboard />
10     </div>
11   );
12 }

```

226. components/health/HealthSummary.tsx

```

1  // components/health/HealthSummary.tsx
2  "use client";

```

```

3
4 import { useEffect, useMemo, useState } from "react";
5 import {
6   Bar,
7   CartesianGrid,
8   ComposedChart,
9   Line,
10  ResponsiveContainer,
11  Tooltip,
12  XAxis,
13  YAxis,
14 } from "recharts";
15 import {
16   Bed,
17   Flame,
18   Footprints,
19   Info,
20   Sparkles,
21   TrendingDown,
22   TrendingUp,
23 } from "lucide-react";
24 import { useT } from "@lib/i18n/provider";
25 import type { Dictionary } from "@lib/i18n/dictionaries/mn";
26 import type { DailyItems, HealthTargets } from "../healthTypes";
27
28 // — Types —————
29
30 type RangeKey = "week" | "month" | "all";
31
32 type HistoryLog = {
33   date: string; // yyyy-mm-dd
34   items: DailyItems | null;
35 };
36
37 type DayPoint = {
38   date: string;
39   steps: number | null;
40   sleepHours: number | null;
41   calories: number | null;
42 };
43
44 type ChartPoint = {
45   label: string;
46   steps: number | null;
47   sleep: number | null;
48   calories: number | null;
49 };
50
51 type S = Dictionary["apps"]["healthSummary"];
52
53 const RANGE_DAYS: Record<RangeKey, { days: number; bucketDays: number }> = {
54   week: { days: 7, bucketDays: 1 },
55   month: { days: 30, bucketDays: 7 },
56   all: { days: 90, bucketDays: 15 },
57 };
58
59 // — Helpers —————
60
61 function avg(nums: number[]): number | null {
62   if (nums.length === 0) return null;
63   return nums.reduce((a, b) => a + b, 0) / nums.length;
64 }
65
66 function round1(n: number) {
67   return Math.round(n * 10) / 10;
68 }
69
70 function formatShortDate(ymd: string) {
71   const [, m, d] = ymd.split("-");

```

```

72   return `${m}.${d}`;
73 }
74
75 function logsToDayPoints(logs: HistoryLog[]): DayPoint[] {
76   return logs.map((log) => {
77     const items = log.items ?? {};
78     const meals = items.meals ?? [];
79     const calories = meals.reduce((s, m) => s + (m.calories ?? 0), 0);
80     return {
81       date: log.date,
82       steps: items.steps ?? null,
83       sleepHours: items.sleepHours ?? null,
84       calories: calories > 0 ? calories : null,
85     };
86   });
87 }
88
89 // Groups consecutive day points into buckets of `bucketDays` and averages
90 // each metric within a bucket. bucketDays=1 keeps one point per day.
91 function bucketize(
92   points: DayPoint[],
93   bucketDays: number,
94   labelForBucket: (bucket: DayPoint[]) => string
95 ): ChartPoint[] {
96   const out: ChartPoint[] = [];
97   for (let i = 0; i < points.length; i += bucketDays) {
98     const bucket = points.slice(i, i + bucketDays);
99     if (bucket.length === 0) continue;
100    const steps = avg(
101      bucket.map((p) => p.steps).filter((v): v is number => v != null)
102    );
103    const sleep = avg(
104      bucket.map((p) => p.sleepHours).filter((v): v is number => v != null)
105    );
106    const calories = avg(
107      bucket.map((p) => p.calories).filter((v): v is number => v != null)
108    );
109    out.push({
110      label: labelForBucket(bucket),
111      steps: steps != null ? Math.round(steps) : null,
112      sleep: sleep != null ? round1(sleep) : null,
113      calories: calories != null ? Math.round(calories) : null,
114    });
115   }
116   return out;
117 }
118
119 function buildChartData(
120   range: RangeKey,
121   points: DayPoint[],
122   weekdays: string[]
123 ): ChartPoint[] {
124   const cfg = RANGE_DAYS[range];
125   if (cfg.bucketDays <= 1) {
126     return bucketize(points, 1, (b) => {
127       const d = new Date(b[0].date);
128       return weekdays[d.getDay()];
129     });
130   }
131   return bucketize(points, cfg.bucketDays, (b) => formatShortDate(b[0].date));
132 }
133
134 // Realistic sample series shown only when the user has no logged history yet,
135 // so the chart/insight card never renders empty on first visit.
136 function mockDayPoints(days: number): DayPoint[] {
137   const out: DayPoint[] = [];
138   const today = new Date();
139   for (let i = days - 1; i >= 0; i--) {
140     const d = new Date(today);

```



```

141   d.setDate(d.getDate() - i);
142   const ymd = `${d.getFullYear()}-${String(d.getMonth() + 1).padStart(2, "0")}-${String(d.getDate()).padStart(2, "0")}`;
143   const wave = Math.sin(i / 2.3);
144   out.push({
145     date: ymd,
146     steps: Math.round(7800 + wave * 2600 + (i % 3) * 300),
147     sleepHours: roundl(7 + wave * 1.1 + (i % 2 === 0 ? 0.3 : -0.2)),
148     calories: Math.round(1950 + wave * 220),
149   });
150 }
151 return out;
152 }
153
154 type Insight = {
155   badges: { label: string; value: string; icon: typeof Footprints }[];
156   headline: string;
157   lines: string[];
158   tone: "good" | "mixed" | "watch";
159 };
160
161 function tpl(str: string, vars: Record<string, string | number>): string {
162   return Object.entries(vars).reduce(
163     (s, [k, v]) => s.replace(`${{k}}`, String(v)),
164     str
165   );
166 }
167
168 function buildInsight(
169   range: RangeKey,
170   points: DayPoint[],
171   targets: HealthTargets | null,
172   s: S
173 ): Insight {
174   const stepsVals = points
175     .map((p) => p.steps)
176     .filter((v): v is number => v != null);
177   const sleepVals = points
178     .map((p) => p.sleepHours)
179     .filter((v): v is number => v != null);
180   const calVals = points
181     .map((p) => p.calories)
182     .filter((v): v is number => v != null);
183
184   const avgSteps = avg(stepsVals);
185   const avgSleep = avg(sleepVals);
186   const avgCalories = avg(calVals);
187
188   const targetSteps = targets?.targetSteps ?? null;
189   const goalHitDays =
190     targetSteps != null
191       ? stepsVals.filter((s) => s >= targetSteps).length
192       : null;
193
194   const badges = [
195     avgSteps != null
196       ? {
197         label: s.badges.avgSteps,
198         value: `${Math.round(avgSteps).toLocaleString()}`,
199         icon: Footprints,
200       }
201       : null,
202     avgSleep != null
203       ? {
204         label: s.badges.avgSleep,
205         value: `${avgSleep.toFixed(1)}${s.hourUnit}`,
206         icon: Bed,
207       }
208       : null,
209     avgCalories != null

```

```

210     ? {
211       label: s.badges.avgCalories,
212       value: `${Math.round(avgCalories).toLocaleString()} ${s.kcalUnit}`,
213       icon: Flame,
214     }
215     : null,
216   ].filter(
217     (b): b is { label: string; value: string; icon: typeof Footprints } =>
218       b !== null
219   );
220
221   const rangeLabel = s.rangeLabels[range];
222
223   const lines: string[] = [];
224   let good = 0;
225   let watch = 0;
226
227   if (avgSteps !== null && targetSteps) {
228     const pct = Math.round((avgSteps / targetSteps) * 100);
229     const avgStr = Math.round(avgSteps).toLocaleString();
230     if (pct >= 90) {
231       good++;
232       lines.push(tpl(s.lines.stepsGood, { avg: avgStr, pct }));
233     } else if (pct >= 60) {
234       lines.push(tpl(s.lines.stepsMid, { avg: avgStr, pct }));
235     } else {
236       watch++;
237       lines.push(tpl(s.lines.stepsLow, { avg: avgStr, pct }));
238     }
239   }
240
241   if (goalHitDays !== null && points.length > 0) {
242     lines.push(
243       tpl(s.lines.goalHitDays, {
244         rangeLabel,
245         total: points.length,
246         hit: goalHitDays,
247       })
248     );
249   }
250
251   if (avgSleep !== null) {
252     const avgStr = avgSleep.toFixed(1);
253     if (avgSleep >= 7 && avgSleep <= 9) {
254       good++;
255       lines.push(tpl(s.lines.sleepGood, { avg: avgStr }));
256     } else if (avgSleep < 7) {
257       watch++;
258       lines.push(tpl(s.lines.sleepLow, { avg: avgStr }));
259     } else {
260       lines.push(tpl(s.lines.sleepHigh, { avg: avgStr }));
261     }
262   }
263
264   if (avgCalories !== null && targets?.targetCalories) {
265     const diffPct = Math.round(
266       (avgCalories - targets.targetCalories) / targets.targetCalories * 100
267     );
268     if (Math.abs(diffPct) <= 10) {
269       good++;
270       lines.push(
271         tpl(s.lines.caloriesGood, { target: targets.targetCalories })
272       );
273     } else if (diffPct > 10) {
274       watch++;
275       lines.push(tpl(s.lines.caloriesOver, { pct: diffPct }));
276     } else {
277       lines.push(tpl(s.lines.caloriesUnder, { pct: Math.abs(diffPct) }));
278     }

```

```

279   }
280
281   const tone: Insight["tone"] =
282     watch > good ? "watch" : good > 0 ? "good" : "mixed";
283
284   const headline = s.headlines[tone];
285
286   if (lines.length === 0) {
287     lines.push(s.noDataLine);
288   }
289
290   return { badges, headline, lines, tone };
291 }
292
293 // — Sub components —————
294
295 function RangeTabs({
296   value,
297   onChange,
298   ranges,
299 }: {
300   value: RangeKey;
301   onChange: (v: RangeKey) => void;
302   ranges: S["ranges"];
303 }) {
304   return (
305     <div className="flex overflow-hidden rounded-xl border bg-muted/30 p-1 text-xs">
306       {Object.keys(ranges) as RangeKey[]}.map((id) => (
307         <button
308           className={`flex-1 rounded-lg py-2 text-center font-medium transition-all ${
309             value === id
310               ? "bg-emerald-500 text-white shadow-sm"
311               : "text-muted-foreground hover:bg-muted/60"
312           }`}
313           key={id}
314           onClick={() => onChange(id)}
315           type="button"
316         >
317           {ranges[id]}
318         </button>
319       ))
320     </div>
321   );
322 }
323
324 function ChartTooltip({ active, payload, label, tooltip }: any) {
325   if (!active || !payload?.length) return null;
326   return (
327     <div className="rounded-lg border bg-background/95 px-3 py-2 text-xs shadow-lg backdrop-blur">
328       <div className="mb-1 font-semibold">{label}</div>
329       {payload.map((p: any) => (
330         <div className="flex items-center gap-2" key={p.dataKey}>
331           <span
332             className="h-2 w-2 rounded-full"
333             style={{ background: p.color }}
334           />
335           <span className="text-muted-foreground">
336             {p.dataKey === "steps"
337               ? tooltip.steps
338               : p.dataKey === "sleep"
339               ? tooltip.sleep
340               : tooltip.calories}
341           </span>
342           <span className="font-medium">
343             {p.value == null ? "-" : p.value.toLocaleString()}
344           </span>
345         </div>
346       ))
347     </div>
348   );

```

```

348     </div>
349   };
350 }
351
352 function HealthChart({
353   data,
354   legend,
355   tooltip,
356 }): {
357   data: ChartPoint[];
358   legend: S["chartLegend"];
359   tooltip: S["tooltip"];
360 } {
361   return (
362     <div className="h-56 w-full">
363       <ResponsiveContainer height="100%" width="100%">
364         <ComposedChart
365           data={data}
366           margin={{ top: 8, right: 8, left: -16, bottom: 0 }}
367         >
368           <defs>
369             <linearGradient id="stepsFill" x1="0" x2="0" y1="0" y2="1">
370               <stop offset="0%" stopColor="#10b981" stopOpacity={0.85} />
371               <stop offset="100%" stopColor="#10b981" stopOpacity={0.35} />
372             </linearGradient>
373           </defs>
374           <CartesianGrid
375             className="stroke-muted"
376             strokeDasharray="3 3"
377             vertical={false}
378           />
379           <XAxis
380             axisLine={false}
381             className="fill-muted-foreground"
382             dataKey="label"
383             fontSize={11}
384             tickLine={false}
385           />
386           <YAxis
387             axisLine={false}
388             className="fill-muted-foreground"
389             fontSize={11}
390             tickLine={false}
391             width={40}
392             yAxisId="steps"
393           />
394           <YAxis
395             axisLine={false}
396             className="fill-muted-foreground"
397             fontSize={11}
398             hide
399             orientation="right"
400             tickLine={false}
401             yAxisId="sleep"
402           />
403           <Tooltip
404             content={<ChartTooltip tooltip={tooltip} />}
405             cursor={{ fill: "rgba(16,185,129,0.06)" }}
406           />
407           <Bar
408             animationDuration={700}
409             barSize={22}
410             dataKey="steps"
411             fill="url(#stepsFill)"
412             radius={[6, 6, 0, 0]}
413             yAxisId="steps"
414           />
415           <Line
416             animationDuration={900}

```

```

417     dataKey="sleep"
418     dot={{ r: 3, fill: "#3b82f6", strokeWidth: 0 }}
419     stroke="#3b82f6"
420     strokeWidth={2.5}
421     type="monotone"
422     yAxisId="sleep"
423   />
424   </ComposedChart>
425 </ResponsiveContainer>
426 <div className="mt-1 flex items-center justify-center gap-4 text-[11px] text-muted-foreground">
427   <span className="flex items-center gap-1.5">
428     <span className="h-2 w-2 rounded-full bg-emerald-500" /> {legend.steps}
429   </span>
430   <span className="flex items-center gap-1.5">
431     <span className="h-2 w-2 rounded-full bg-blue-500" /> {legend.sleep}
432   </span>
433 </div>
434 </div>
435   );
436 }
437
438 function InsightBadge({
439   label,
440   value,
441   icon: Icon,
442 }): {
443   label: string;
444   value: string;
445   icon: typeof Footprints;
446 }) {
447   return (
448     <div className="flex items-center gap-2 rounded-xl border border-emerald-500/15 bg-emerald-500/5 px-3 py-2 dark:border-emerald-400/20 dark:bg-emerald-400/10">
449       <Icon className="h-4 w-4 shrink-0 text-emerald-600 dark:text-emerald-400" />
450       <div className="min-w-0">
451         <div className="truncate text-[11px] text-muted-foreground">
452           {label}
453         </div>
454         <div className="truncate font-semibold text-sm">{value}</div>
455       </div>
456     </div>
457   );
458 }
459
460 const TONE_STYLES: Record<
461   Insight["tone"],
462   { border: string; bg: string; icon: typeof TrendingUp }
463 > = {
464   good: {
465     border: "border-emerald-500/20 dark:border-emerald-400/25",
466     bg: "bg-emerald-500/5 dark:bg-emerald-400/10",
467     icon: TrendingUp,
468   },
469   mixed: {
470     border: "border-sky-500/20 dark:border-sky-400/25",
471     bg: "bg-sky-500/5 dark:bg-sky-400/10",
472     icon: Sparkles,
473   },
474   watch: {
475     border: "border-amber-500/25 dark:border-amber-400/25",
476     bg: "bg-amber-500/5 dark:bg-amber-400/10",
477     icon: TrendingDown,
478   },
479 };
480
481 // — Main component —————
482
483 export default function HealthSummary({
484   targets,
485 }): {

```

```

486   targets: HealthTargets | null;
487 }) {
488   const t = useT();
489   const s = t.apps.healthSummary;
490   const [range, setRange] = useState<RangeKey>("week");
491   const [logs, setLogs] = useState<HistoryLog[] | null>(null);
492   const [loading, setLoading] = useState(true);
493   const [error, setError] = useState<string | null>(null);
494
495   const cfg = RANGE_DAYS[range];
496
497   useEffect(() => {
498     let cancelled = false;
499     setLoading(true);
500     setError(null);
501     fetch(`/api/health/daily/history?days=${cfg.days}`)
502       .then((r) => r.json())
503       .then((data) => {
504         if (cancelled) return;
505         if (data?.error) throw new Error(data.error);
506         setLogs(data.logs ?? []);
507       })
508       .catch((e) => !cancelled && setError(e?.message ?? s.errorGeneric))
509       .finally(() => !cancelled && setLoading(false));
510     return () => {
511       cancelled = true;
512     };
513   }, [cfg.days, s.errorGeneric]);
514
515   const isMock = !loading && !error && (!logs || logs.length === 0);
516
517   const dayPoints = useMemo(() => {
518     if (isMock) return mockDayPoints(cfg.days);
519     return logsToDayPoints(logs ?? []);
520   }, [logs, isMock, cfg.days]);
521
522   const chartData = useMemo(
523     () => buildChartData(range, dayPoints, s.weekdays),
524     [range, dayPoints, s.weekdays]
525   );
526
527   const insight = useMemo(
528     () => buildInsight(range, dayPoints, targets, s),
529     [range, dayPoints, targets, s]
530   );
531
532   const toneStyle = TONE_STYLES[insight.tone];
533   const ToneIcon = toneStyle.icon;
534
535   return (
536     <div className="space-y-4">
537       <RangeTabs onChange={setRange} ranges={s.ranges} value={range} />
538
539       <div className="rounded-2xl border bg-gradient-to-b from-card to-muted/20 p-4">
540         {loading ? (
541           <div className="flex h-56 items-center justify-center text-muted-foreground text-sm">
542             {s.loading}
543           </div>
544         ) : error ? (
545           <div className="flex h-56 items-center justify-center text-destructive text-sm">
546             {error}
547           </div>
548         ) : (
549           <HealthChart data={chartData} legend={s.chartLegend} tooltip={s.tooltip} />
550         )}
551       </div>
552
553       {isMock && (
554         <div className="flex items-center gap-1.5 rounded-lg bg-muted/40 px-3 py-2 text-[11px] text-muted-foreground">

```

```

555     <Info className="h-3.5 w-3.5 shrink-0" />
556     {s.mockNotice}
557   </div>
558   )}
559
560   {insight.badges.length > 0 && (
561     <div className="grid grid-cols-3 gap-2">
562       {insight.badges.map((b) => (
563         <InsightBadge
564           icon={b.icon}
565           key={b.label}
566           label={b.label}
567           value={b.value}
568         />
569       )}
570     </div>
571   )}
572
573   <div
574     className={`space-y-2 rounded-2xl border p-4 ${toneStyle.border} ${toneStyle.bg}`}
575   >
576     <div className="flex items-center gap-2 font-semibold text-sm">
577       <ToneIcon className="h-4 w-4" />
578       {insight.headline}
579     </div>
580     <ul className="space-y-1.5 text-sm">
581       {insight.lines.map((line) => (
582         <li className="text-foreground/90 leading-relaxed" key={line}>
583           • {line}
584         </li>
585       )}
586     </ul>
587   </div>
588 </div>
589 );
590 }

```

227. components/health/healthTypes.ts

```

1  // components/health/healthTypes.ts
2  export type HealthProfilePayload = {
3    startDate?: string; // yyyy-mm-dd
4    gender?: "male" | "female" | "";
5    age?: number | null;
6    heightCm?: number | null;
7    weightKg?: number | null;
8
9    // lifestyle
10   careLevel?: "high" | "medium" | "low" | "onlyWhenSick" | "";
11   dietType?: "mixed" | "meat" | "veggie" | "vegan" | "unknown" | "";
12   mealsPerDay?: "1" | "2" | "3" | "4+" | "";
13
14   exerciseFreq?:
15     | "none"
16     | "rare"
17     | "monthly"
18     | "weekly1"
19     | "weekly2_3"
20     | "daily";
21   walkingLevel?: "none" | "low" | "medium" | "high" | "";
22
23   alcoholFreq?: "none" | "rare" | "monthly" | "weekly1" | "weekly2_3" | "daily";
24   smokingLevel?:
25     | "none"
26     | "sometimes"
27     | "1_5"
28     | "6_10"

```

```

29 | "11_20"
30 | "20plus"
31 | "";
32
33 meTime?: "0" | "0_1" | "1_2" | "2_3" | "";
34 sleepHours?: "4less" | "4_6" | "6_8" | "8_10" | "10plus" | "";
35 sleepTime?: "before22" | "22_23" | "23_24" | "24_1" | "after1" | "";
36
37 // Full raw answers from QuestionnaireForm, kept so the form can be
38 // re-opened for editing without losing previously entered values.
39 legacy?: Record<string, unknown>;
40 };
41
42 export type HealthTargets = {
43   bmi: number | null;
44   bmiText: string;
45   idealWeightKg: number | null;
46
47   targetCalories: number | null;
48   targetProteinG: number | null;
49   targetCarbsG: number | null;
50   targetFatG: number | null;
51
52   // Macro breakdown (derived from targetCarbsG / targetCalories)
53   targetGoodCarbsG: number | null;
54   targetBadCarbsG: number | null;
55   targetFiberG: number | null;
56   targetSugarG: number | null;
57   targetNutritionScore: number;
58
59   targetWaterL: number | null;
60   targetSteps: number;
61
62   summary: string;
63 };
64
65 export type HealthProfileRow = {
66   payload: HealthProfilePayload | null;
67
68   // persisted targets in health_profiles table
69   target_calories: number | null;
70   target_protein_g: number | null;
71   target_carbs_g: number | null;
72   target_fat_g: number | null;
73   target_water_l: number | null;
74   target_steps: number | null;
75 };
76
77 export type DrinkLog = {
78   water: number;
79   coffee: number;
80   tea: number;
81   milk: number;
82   other: number;
83 };
84
85 export type DailyItems = {
86   waterLiters?: number | null;
87   drinks?: DrinkLog | null;
88   meals?: MealItem[] | null;
89   steps?: number | null;
90   sleepHours?: number | null;
91   restMinutes?: number | null;
92   movementLevel?: "good" | "medium" | "low" | null;
93   mood?: number | null;
94
95   // Хөдөлгөөнөөр шатаасан калори, муу зуршлын түвшин (0-100)
96   burnedKcal?: number | null;
97   badHabitsScore?: number | null;

```



```

98   };
99
100  export type MealItem = {
101    id?: string;
102    title: string;
103    calories?: number | null;
104    proteinG?: number | null;
105    carbsG?: number | null;
106    fatG?: number | null;
107
108    // Optional detailed macro breakdown (manual entry or AI photo analysis)
109    goodCarbsG?: number | null;
110    badCarbsG?: number | null;
111    fiberG?: number | null;
112    sugarG?: number | null;
113    nutritionScore?: number | null;
114  };
115
116  export type DailyLogRow = {
117    date: string; // yyyy-mm-dd
118    items: DailyItems | null;
119    totals: any | null;
120  };

```

228. components/health/QuestionnaireForm.tsx

```

1  "use client";
2
3  import { useMemo, useState } from "react";
4  import { useT } from "@lib/i18n/provider";
5
6  // Хуучин form-ын type-ийг яг хэвээр нь авч үлдье (string-үүдээр ажилладаг)
7  type Gender = "male" | "female" | "";
8  type AttentionLevel = "high" | "medium" | "low" | "onlyWhenSick" | "";
9  type DietType = "mixed" | "meat" | "veg" | "vegan" | "unknown" | "";
10 type Frequency = "never" | "rare" | "sometimes" | "often" | "daily" | "";
11 type MealsPerDay = "1" | "2" | "3" | "4plus" | "";
12 type Walking = "none" | "low" | "medium" | "high" | "";
13 type Smoking = "no" | "rare" | "1-5" | "6-10" | "11-20" | "20plus" | "";
14 type RestTime = "30-60" | "60-120" | "120-180" | "none" | "";
15 type SleepHours = "4-6" | "6-8" | "8-10" | "10plus" | "less4" | "";
16 type SleepTime = "21-22" | "22-23" | "23-24" | "24-1" | "1plus" | "";
17
18 export type HealthForm = {
19   startDate: string;
20   gender: Gender;
21   age: string;
22   height: string; // cm
23   weight: string; // kg
24   attention: AttentionLevel;
25   dietType: DietType;
26   mealsPerDay: MealsPerDay;
27   exercise: Frequency;
28   walking: Walking;
29   alcohol: Frequency;
30   smoking: Smoking;
31   restTime: RestTime;
32   sleepHours: SleepHours;
33   sleepTime: SleepTime;
34 };
35
36 type HealthResult = {
37   summary: string;
38   bmiText: string;
39   lifestyleText: string;
40   sleepText: string;
41   habitsText: string;

```

```

42  };
43
44  const todayYmd = () => {
45    const d = new Date();
46    const y = d.getFullYear();
47    const m = String(d.getMonth() + 1).padStart(2, "0");
48    const day = String(d.getDate()).padStart(2, "0");
49    return `${y}-${m}-${day}`;
50  };
51
52  export default function QuestionnaireForm(props: {
53    onSave?: () => void;
54    initial?: Partial<HealthForm>;
55  }) {
56    const t = useT();
57    const h = t.apps.health;
58    const [form, setForm] = useState<HealthForm>({
59      startDate: todayYmd(),
60      gender: "",
61      age: "",
62      height: "",
63      weight: "",
64      attention: "",
65      dietType: "",
66      mealsPerDay: "",
67      exercise: "",
68      walking: "",
69      alcohol: "",
70      smoking: "",
71      restTime: "",
72      sleepHours: "",
73      sleepTime: "",
74      ...props.initial,
75    });
76
77    const [result, setResult] = useState<HealthResult | null>(null);
78    const [saving, setSaving] = useState(false);
79    const [err, setErr] = useState<string | null>(null);
80    const [ok, setOk] = useState<string | null>(null);
81
82    const handleChange = (field: keyof HealthForm, value: string) => {
83      setForm((prev) => ({ ...prev, [field]: value as any }));
84      setOk(null);
85      setErr(null);
86    };
87
88    const calcBMI = () => {
89      const h = parseFloat((form.height || "").replace(",", "."));
90      const w = parseFloat((form.weight || "").replace(",", "."));
91      if (!h || !w) return null;
92      const meters = h / 100;
93      const bmi = w / (meters * meters);
94      return bmi;
95    };
96
97    const computed = useMemo(() => {
98      const bmi = calcBMI();
99
100     let bmiText = h.bmiTextMissing;
101     if (bmi !== null) {
102       let level = "";
103       if (bmi < 18.5) level = h.bmiLevel.under;
104       else if (bmi < 25) level = h.bmiLevel.normal;
105       else if (bmi < 30) level = h.bmiLevel.over;
106       else level = h.bmiLevel.obese;
107
108       bmiText = h.bmiResultText
109         .replace("{bmi}", bmi.toFixed(1).replace(".", ","))
110         .replace("{level}", level);

```

```

111   }
112
113   // Хөдөлгөөн, хоол, нойр, зуршлын "хуучин" логик
114   const lifestyleParts: string[] = [];
115
116   // Хөдөлгөөн
117   if (form.exercise === "daily" || form.walking === "high") {
118     lifestyleParts.push(h.lifestyleGood);
119   } else if (form.exercise === "never" || form.walking === "none") {
120     lifestyleParts.push(h.lifestyleLow);
121   } else {
122     lifestyleParts.push(h.lifestyleMid);
123   }
124
125   // Хооллолт
126   if (form.dietType === "mixed" && form.mealsPerDay === "3") {
127     lifestyleParts.push(h.mealsGood);
128   } else if (form.mealsPerDay === "1" || form.mealsPerDay === "2") {
129     lifestyleParts.push(h.mealsLow);
130   } else if (form.mealsPerDay === "4plus") {
131     lifestyleParts.push(h.mealsHigh);
132   }
133
134   const lifestyleText = lifestyleParts.join(" ");
135
136   // Нойр
137   let sleepText = "";
138   if (form.sleepHours === "6-8" && (form.sleepTime === "21-22" || form.sleepTime === "22-23")) {
139     sleepText = h.sleepGood;
140   } else if (form.sleepHours === "4-6" || form.sleepTime === "23-24" || form.sleepTime === "24-1") {
141     sleepText = h.sleepLow;
142   } else if (form.sleepHours === "less4" || form.sleepTime === "1plus") {
143     sleepText = h.sleepBad;
144   } else {
145     sleepText = h.sleepMid;
146   }
147
148   // Зуршлууд
149   const badHabits: string[] = [];
150   if (form.alcohol === "often" || form.alcohol === "daily") badHabits.push(h.habitAlcohol);
151   if (["1-5", "6-10", "11-20", "20plus"].includes(form.smoking)) badHabits.push(h.habitSmoking);
152
153   let habitsText = "";
154   if (badHabits.length === 0) {
155     habitsText = h.habitsNone;
156   } else {
157     habitsText = h.habitsSomePrefix + badHabits.join(", ") + h.habitsSomeSuffix;
158   }
159
160   const summary = h.summaryText;
161
162   return { bmi, bmiText, lifestyleText, sleepText, habitsText, summary };
163   // eslint-disable-next-line react-hooks/exhaustive-deps
164 }, [form, h]);
165
166 const makeResult = () => {
167   setResult({
168     summary: computed.summary,
169     bmiText: computed.bmiText,
170     lifestyleText: computed.lifestyleText,
171     sleepText: computed.sleepText,
172     habitsText: computed.habitsText,
173   });
174 };
175
176 async function saveToSupabase() {
177   setSaving(true);
178   setErr(null);
179   setOk(null);

```

```

180
181 try {
182   // profile API чинь payload jsonb авдаг
183   const payload = {
184     // Хуучин form-оо хадгална (дараа нь сайжруулахад хэрэгтэй)
185     legacy: form,
186
187     // Дараа dashboard/тооцоонд хэрэглэхээр тоон утгуудыг давхар гаргая
188     gender: form.gender,
189     age: form.age ? Number(form.age) : null,
190     heightCm: form.height ? Number(form.height) : null,
191     weightKg: form.weight ? Number(form.weight) : null,
192     walkingLevel: form.walking,
193     exerciseFreq:
194       form.exercise === "daily"
195         ? "daily"
196         : form.exercise === "often"
197         ? "weekly2_3"
198         : form.exercise === "sometimes"
199         ? "weekly1"
200         : "none",
201   };
202
203   const res = await fetch("/api/health/profile", {
204     method: "POST",
205     headers: { "Content-Type": "application/json" },
206     body: JSON.stringify(payload),
207   });
208
209   const j = await res.json();
210   if (!res.ok) throw new Error(j?.error || h.errorGeneric);
211
212   setOk(h.saved);
213   props.onSaved?.();
214 } catch (e: any) {
215   setErr(e?.message || h.errorGeneric);
216 } finally {
217   setSaving(false);
218 }
219 }
220
221 return (
222   <div className="bg-white text-slate-900 rounded-2xl p-5 shadow max-w-3xl mx-auto space-y-4">
223     <h2 className="text-xl font-semibold">{h.formTitle}</h2>
224     <p className="text-sm text-slate-600">{h.formIntro}</p>
225
226     {err && <div className="text-sm text-rose-700 bg-rose-50 border border-rose-200 rounded-lg px-3 py-2">{err}</div>}
227     {ok && <div className="text-sm text-emerald-700 bg-emerald-50 border border-emerald-200 rounded-lg px-3 py-2">{ok}</div>}
228
229     {/* 1) үндсэн мэдээлэл */}
230     <section className="space-y-3">
231       <div className="text-sm font-semibold text-slate-800">{h.section1Title}</div>
232
233       <div className="grid md:grid-cols-2 gap-4">
234         <div className="space-y-1">
235           <label className="text-sm font-medium">{h.startDate}</label>
236           <input
237             type="date"
238             value={form.startDate}
239             onChange={(e) => handleChange("startDate", e.target.value)}
240             className="w-full rounded-lg border border-slate-300 px-3 py-2 text-sm"
241           />
242         </div>
243
244         <div className="space-y-1">
245           <div className="text-sm font-medium">{h.gender}</div>
246           <div className="flex flex-col gap-1 text-sm">
247             <label className="inline-flex items-center gap-2">
248               <input type="radio" checked={form.gender === "male"} onChange={() => handleChange("gender", "male")} />

```

```

249         <span>{h.genderMale}</span>
250     </label>
251     <label className="inline-flex items-center gap-2">
252         <input type="radio" checked={form.gender === "female"} onChange={() => handleChange("gender", "female")} />
253         <span>{h.genderFemale}</span>
254     </label>
255 </div>
256 </div>
257 </div>
258
259 <div className="grid grid-cols-1 sm:grid-cols-3 gap-3">
260     <Field label={h.age} value={form.age} onChange={(v) => handleChange("age", v)} placeholder={h.agePlaceholder} />
261     <Field label={h.heightCm} value={form.height} onChange={(v) => handleChange("height", v)} placeholder={h.heightPlaceholder} />
262     <Field label={h.weightKg} value={form.weight} onChange={(v) => handleChange("weight", v)} placeholder={h.weightPlaceholder} />
263 </div>
264 </section>
265
266 {/* 2) анхаарал */}
267 <section className="space-y-2">
268     <div className="text-sm font-semibold text-slate-800">{h.section2Title}</div>
269     <div className="flex flex-col gap-1 text-sm">
270         {[
271             { id: "high", label: h.attention.high },
272             { id: "medium", label: h.attention.medium },
273             { id: "low", label: h.attention.low },
274             { id: "onlyWhenSick", label: h.attention.onlyWhenSick },
275         ].map((opt) => (
276             <label key={opt.id} className="inline-flex items-center gap-2">
277                 <input type="radio" checked={form.attention === opt.id} onChange={() => handleChange("attention", opt.id)} />
278                 <span>{opt.label}</span>
279             </label>
280         ))}
281     </div>
282 </section>
283
284 {/* 3) хооллолт */}
285 <section className="space-y-2">
286     <div className="text-sm font-semibold text-slate-800">{h.section3Title}</div>
287
288     <div className="space-y-1">
289         <div className="text-sm font-medium">{h.dietTypeLabel}</div>
290         <div className="flex flex-col gap-1 text-sm">
291             {[
292                 { id: "mixed", label: h.dietType.mixed },
293                 { id: "meat", label: h.dietType.meat },
294                 { id: "veg", label: h.dietType.veg },
295                 { id: "vegan", label: h.dietType.vegan },
296                 { id: "unknown", label: h.dietType.unknown },
297             ].map((opt) => (
298                 <label key={opt.id} className="inline-flex items-center gap-2">
299                     <input type="radio" checked={form.dietType === opt.id} onChange={() => handleChange("dietType", opt.id)} />
300                     <span>{opt.label}</span>
301                 </label>
302             ))}
303         </div>
304     </div>
305
306     <div className="space-y-1">
307         <div className="text-sm font-medium">{h.mealsPerDayLabel}</div>
308         <div className="flex flex-col gap-1 text-sm">
309             {[
310                 { id: "1", label: h.mealsPerDay["1"] },
311                 { id: "2", label: h.mealsPerDay["2"] },
312                 { id: "3", label: h.mealsPerDay["3"] },
313                 { id: "4plus", label: h.mealsPerDay["4plus"] },
314             ].map((opt) => (
315                 <label key={opt.id} className="inline-flex items-center gap-2">
316                     <input type="radio" checked={form.mealsPerDay === opt.id} onChange={() => handleChange("mealsPerDay", opt.id)} />
317                     <span>{opt.label}</span>

```

```

318         </label>
319     }}}
320 </div>
321 </div>
322 </section>
323
324 {/* 4) хөдөлгөөн */}
325 <section className="space-y-2">
326     <div className="text-sm font-semibold text-slate-800">{h.section4Title}</div>
327
328     <div className="space-y-1">
329         <div className="text-sm font-medium">{h.exerciseLabel}</div>
330         <div className="flex flex-col gap-1 text-sm">
331             {[
332                 { id: "daily", label: h.exercise.daily },
333                 { id: "often", label: h.exercise.often },
334                 { id: "sometimes", label: h.exercise.sometimes },
335                 { id: "rare", label: h.exercise.rare },
336                 { id: "never", label: h.exercise.never },
337             ]}.map((opt) => (
338                 <label key={opt.id} className="inline-flex items-center gap-2">
339                     <input type="radio" checked={form.exercise === opt.id} onChange={() => handleChange("exercise", opt.id)} />
340                     <span>{opt.label}</span>
341                 </label>
342             ))}
343         </div>
344     </div>
345
346     <div className="space-y-1">
347         <div className="text-sm font-medium">{h.walkingLabel}</div>
348         <div className="flex flex-col gap-1 text-sm">
349             {[
350                 { id: "none", label: h.walking.none },
351                 { id: "low", label: h.walking.low },
352                 { id: "medium", label: h.walking.medium },
353                 { id: "high", label: h.walking.high },
354             ]}.map((opt) => (
355                 <label key={opt.id} className="inline-flex items-center gap-2">
356                     <input type="radio" checked={form.walking === opt.id} onChange={() => handleChange("walking", opt.id)} />
357                     <span>{opt.label}</span>
358                 </label>
359             ))}
360         </div>
361     </div>
362 </section>
363
364 {/* 5) нойр/зуршил */}
365 <section className="space-y-2">
366     <div className="text-sm font-semibold text-slate-800">{h.section5Title}</div>
367
368     <div className="space-y-1">
369         <div className="text-sm font-medium">{h.sleepHoursLabel}</div>
370         <select className="w-full rounded-lg border px-3 py-2 text-sm" value={form.sleepHours} onChange={(e) => handleChange("sleepHours", e.target.value)}>
371             <option value="">{h.selectOption}</option>
372             <option value="less4">{h.sleepHoursOptions.less4}</option>
373             <option value="4-6">{h.sleepHoursOptions["4-6"]}</option>
374             <option value="6-8">{h.sleepHoursOptions["6-8"]}</option>
375             <option value="8-10">{h.sleepHoursOptions["8-10"]}</option>
376             <option value="10plus">{h.sleepHoursOptions["10plus"]}</option>
377         </select>
378     </div>
379
380     <div className="space-y-1">
381         <div className="text-sm font-medium">{h.sleepTimeLabel}</div>
382         <select className="w-full rounded-lg border px-3 py-2 text-sm" value={form.sleepTime} onChange={(e) => handleChange("sleepTime", e.target.value)}>
383             <option value="">{h.selectOption}</option>
384             <option value="21-22">{h.sleepTimeOptions["21-22"]}</option>
385             <option value="22-23">{h.sleepTimeOptions["22-23"]}</option>
386             <option value="23-24">{h.sleepTimeOptions["23-24"]}</option>

```

```

387     <option value="24-1">{h.sleepTimeOptions["24-1"]}</option>
388     <option value="lplus">{h.sleepTimeOptions["lplus"]}</option>
389   </select>
390 </div>
391
392 <div className="space-y-1">
393   <div className="text-sm font-medium">{h.alcoholLabel}</div>
394   <select className="w-full rounded-lg border px-3 py-2 text-sm" value={form.alcohol} onChange={(e) => handleChange("alcohol", e.target.value)}>
395     <option value="">{h.selectOption}</option>
396     <option value="never">{h.alcoholOptions.never}</option>
397     <option value="rare">{h.alcoholOptions.rare}</option>
398     <option value="sometimes">{h.alcoholOptions.sometimes}</option>
399     <option value="often">{h.alcoholOptions.often}</option>
400     <option value="daily">{h.alcoholOptions.daily}</option>
401   </select>
402 </div>
403
404 <div className="space-y-1">
405   <div className="text-sm font-medium">{h.smokingLabel}</div>
406   <select className="w-full rounded-lg border px-3 py-2 text-sm" value={form.smoking} onChange={(e) => handleChange("smoking", e.target.value)}>
407     <option value="">{h.selectOption}</option>
408     <option value="no">{h.smokingOptions.no}</option>
409     <option value="rare">{h.smokingOptions.rare}</option>
410     <option value="1-5">{h.smokingOptions["1-5"]}</option>
411     <option value="6-10">{h.smokingOptions["6-10"]}</option>
412     <option value="11-20">{h.smokingOptions["11-20"]}</option>
413     <option value="20plus">{h.smokingOptions["20plus"]}</option>
414   </select>
415 </div>
416 </section>
417
418 {/* Action buttons */}
419 <div className="flex flex-wrap gap-2">
420   <button
421     type="button"
422     onClick={makeResult}
423     className="inline-flex items-center justify-center rounded-lg bg-emerald-600 px-4 py-2 text-sm font-medium text-white hover:bg-emerald-500"
424   >
425     {h.makeResult}
426   </button>
427
428   <button
429     type="button"
430     onClick={async () => {
431       // Дүнгүй хадгалуулахгүй гэж хүсвэл эхлээд makeResult хийгээд хадгална
432       if (!result) makeResult();
433       await saveToSupabase();
434     }}
435     disabled={saving}
436     className="inline-flex items-center justify-center rounded-lg bg-sky-600 px-4 py-2 text-sm font-medium text-white hover:bg-sky-500 disabled:opacity-50"
437   >
438     {saving ? h.saving : h.save}
439   </button>
440 </div>
441
442 {result && (
443   <div className="mt-2 space-y-3 border-t border-slate-200 pt-3">
444     <h3 className="text-sm font-semibold">{h.resultTitle}</h3>
445     <p className="text-sm text-slate-700">{result.summary}</p>
446
447     <div className="space-y-1 text-sm">
448       <div className="font-medium">{h.resultWeight}</div>
449       <p>{result.bmiText}</p>
450     </div>
451
452     <div className="space-y-1 text-sm">
453       <div className="font-medium">{h.resultLifestyle}</div>
454       <p>{result.lifestyleText}</p>
455     </div>

```

```

456
457     <div className="space-y-1 text-sm">
458       <div className="font-medium">{h.resultSleep}</div>
459       <p>{result.sleepText}</p>
460     </div>
461
462     <div className="space-y-1 text-sm">
463       <div className="font-medium">{h.resultHabits}</div>
464       <p>{result.habitsText}</p>
465     </div>
466   </div>
467   )}
468 </div>
469 );
470 }
471
472 function Field(props: { label: string; value: string; onChange: (v: string) => void; placeholder?: string }) {
473   return (
474     <div className="space-y-1">
475       <label className="text-sm font-medium">{props.label}</label>
476       <input
477         type="number"
478         className="w-full rounded-lg border border-slate-300 px-3 py-2 text-sm"
479         value={props.value}
480         onChange={e => props.onChange(e.target.value)}
481         placeholder={props.placeholder}
482       />
483     </div>
484   );
485 }

```

229. components/icons.tsx

```

1  export const BotIcon = () => {
2    return (
3      <svg
4        height="16"
5        strokeLinejoin="round"
6        style={{ color: "currentcolor" }}
7        viewBox="0 0 16 16"
8        width="16"
9      >
10       <path
11         clipRule="evenodd"
12         d="M8.75 2.79933C9.19835 2.53997 9.5 2.05521 9.5 1.5C9.5 0.671573 8.82843 0 8 0C7.17157 0 6.5 0.671573 6.5 1.5C6.5 2.05521 6.80165 2.53997 7.25 2.79933V5H7C4.027 5 1.55904 7.16229 1.08296 10H0V1
5V13H16V10H14.917C14.441 7.16229 11.973 5 9 5H8.75V2.79933ZM7 6.5C4.51472 6.5 2.5 8.51472 2.5 11V14.5H13.5V11C13.5 8.51472 11.4853 6.5 9 6.5H7ZM7.25 11.25C7.25 12.2165 6.4665 13 5.5 13C4.5335 13 3.75 12.2165 3
9.5 5.5 9.5C6.4665 9.5 7.25 10.2835 7.25 11.25ZM10.5 13C11.4665 13 12.25 12.2165 12.25 11.25C12.25 10.2835 11.4665 9.5 10.5 9.5C9.5335 9.5 8.75 10.2835 8.75 11.25C8.75 12.2165 9.5335 13 10.5 13Z"
13       fill="currentcolor"
14       fillRule="evenodd"
15     />
16   </svg>
17 );
18 };
19
20 export const UserIcon = () => {
21   return (
22     <svg
23       data-testid="geist-icon"
24       height="16"
25       strokeLinejoin="round"
26       style={{ color: "currentcolor" }}
27       viewBox="0 0 16 16"
28       width="16"
29     >
30     <path
31       clipRule="evenodd"
32       d="M7.75 0C5.95507 0 4.5 1.45507 4.5 3.25V3.75C4.5 5.54493 5.95507 7 7.75 7H8.25C10.0449 7 11.5 5.54493 11.5 3.75V3.25C11.5 1.45507 10.0449 0 8.25 0H7.75ZM6 3.25C6 2.2835 6.7835 1.5 7.75 1.5H8.25

```



```

25V3.75C10 4.7165 9.2165 5.5 8.25 5.5H7.75C6.7835 5.5 6 4.7165 6 3.75V3.25ZM2.5 14.5V13.1709C3.31958 11.5377 4.99308 10.5 6.82945 10.5H9.17055C11.0069 10.5 12.6804 11.5377 13.5 13.1709V14.5H2.5ZM6.82945 9C4.35
12.6857L1 12.8353V13V15.25V16H1.75H14.25H15V15.25V13V12.8353L14.931 12.6857C13.894 10.4388 11.6452 9 9.17055 9H6.82945Z"
33 fill="currentColor"
34 fillRule="evenodd"
35 />
36 </svg>
37 );
38 };
39
40 export const AttachmentIcon = () => {
41   return (
42     <svg
43       height="16"
44       strokeLinejoin="round"
45       style={{ color: "currentcolor" }}
46       viewBox="0 0 16 16"
47       width="16"
48     >
49       <path
50         clipRule="evenodd"
51         d="M14.5 6.5V13.5C14.5 14.8807 13.3807 16 12 16H4C2.61929 16 1.5 14.8807 1.5 13.5V1.5V0H3H8H9.08579C9.351 0 9.60536 0.105357 9.79289 0.292893L14.2071 4.70711C14.3946 4.89464 14.5 5.149 14.5 5.41
0523 12.5523 14.5 12 14.5H4C3.44772 14.5 3 14.0523 3 13.5V1.5H8V5V6.5H9.5H13ZM9.5 2.12132V5H12.3787L9.5 2.12132Z"
52 fill="currentColor"
53 fillRule="evenodd"
54 />
55 </svg>
56 );
57 };
58
59 export const VercelIcon = ({ size = 17 }) => {
60   return (
61     <svg
62       height={size}
63       strokeLinejoin="round"
64       style={{ color: "currentcolor" }}
65       viewBox="0 0 16 16"
66       width={size}
67     >
68       <path
69         clipRule="evenodd"
70         d="M8 1L16 15H0L8 1Z"
71         fill="currentColor"
72         fillRule="evenodd"
73       />
74     </svg>
75   );
76 };
77
78 export const GitIcon = () => {
79   return (
80     <svg
81       height="16"
82       strokeLinejoin="round"
83       style={{ color: "currentcolor" }}
84       viewBox="0 0 16 16"
85       width="16"
86     >
87       <g clipPath="url(#clip0_872_3147)">
88         <path
89           clipRule="evenodd"
90           d="M8 0C3.58 0 0 3.57879 0 7.99729C0 11.5361 2.29 14.5251 5.47 15.5847C5.87 15.6547 6.02 15.4148 6.02 15.2049C6.02 15.0149 6.01 14.3851 6.01 13.7154C4 14.0852 3.48 13.2255 3.32 12.7757C3.23 12
6461C2.22 11.4961 1.82 11.1262 2.49 11.1162C3.12 11.1062 3.57 11.696 3.72 11.936C4.44 13.1455 5.59 12.8057 6.05 12.5957C6.12 12.0759 6.33 11.726 6.56 11.5261C4.78 11.3262 2.92 10.6364 2.92 7.57743C2.92 6.70773
66 5.22823 3.38 4.40851 3.82 3.30888C3.82 3.30888 4.49 3.09895 6.02 4.1286C6.66 3.94866 7.34 3.85869 8.02 3.85869C8.7 3.85869 9.38 3.94866 10.02 4.1286C11.55 3.08895 12.22 3.30888 12.22 3.30888C12.66 4.40851 1
81 5.98797 13.12 6.69773 13.12 7.57743C13.12 10.6464 11.25 11.3262 9.47 11.5261C9.76 11.776 10.01 12.2558 10.01 13.0056C10.01 14.0752 10 14.9349 10 15.2049C10 15.4148 10.15 15.6647 10.55 15.5847C12.1381 15.048
6673C15.4735 11.3062 15.9996 9.67293 16 7.99729C16 3.57879 12.42 0 8 0Z"
91 fill="currentcolor"
92 fillRule="evenodd"
93 />
94 </g>

```

```

95     <defs>
96       <clipPath id="clip0_872_3147">
97         <rect fill="white" height="16" width="16" />
98       </clipPath>
99     </defs>
100   </svg>
101   );
102 };
103
104 export const BoxIcon = ({ size = 16 }: { size: number }) => {
105   return (
106     <svg
107       height={size}
108       strokeLinejoin="round"
109       style={{ color: "currentcolor" }}
110       viewBox="0 0 16 16"
111       width={size}
112     >
113       <path
114         clipRule="evenodd"
115         d="M8 0.154663L8.34601 0.334591L14.596 3.58459L15 3.79466V4.25V11.75V12.2053L14.596 12.4154L8.34601 15.6654L8 15.8453L7.65399 15.6654L1.40399 12.4154L1 12.2053V11.75V4.25V3.79466L1.40399 3.58459
154663ZM2.5 11.2947V5.44058L7.25 7.81559V13.7647L2.5 11.2947ZM8.75 13.7647L13.5 11.2947V5.44056L8.75 7.81556V13.7647ZM8 1.84534L12.5766 4.22519L7.99998 6.51352L3.42335 4.2252L8 1.84534Z"
116         fill="currentColor"
117         fillRule="evenodd"
118       />
119     </svg>
120   );
121 };
122
123 export const HomeIcon = ({ size = 16 }: { size: number }) => {
124   return (
125     <svg
126       height={size}
127       strokeLinejoin="round"
128       style={{ color: "currentcolor" }}
129       viewBox="0 0 16 16"
130       width={size}
131     >
132       <path
133         clipRule="evenodd"
134         d="M12.5 6.56062L8.00001 2.06062L3.50001 6.56062V13.5L6.00001 13.5V11C6.00001 9.89539 6.89544 8.99996 8.00001 8.99996C9.10458 8.99996 10 9.89539 10 11V13.5L12.5 13.5V6.56062ZM13.78 5.71933L8.707
68342 0.255883 7.2929 0.646409L2.21987 5.71944C2.21974 5.71957 2.21961 5.7197 2.21949 5.71982L0.469676 7.46963L-0.0606537 7.99996L1.00001 9.06062L1.53034 8.53029L2.00001 8.06062V14.25V15H2.75001L6.00001 15H7.5
25V8.06062L14.4697 8.53029L15 9.06062L16.0607 7.99996L15.5303 7.46963L13.7806 5.71993C13.7804 5.71973 13.7802 5.71953 13.78 5.71933ZM8.50001 11V13.5H7.50001V11C7.50001 10.7238 7.72386 10.5 8.00001 10.5C8.27615
11Z"
135         fill="currentColor"
136         fillRule="evenodd"
137       />
138     </svg>
139   );
140 };
141
142 export const GPSIcon = ({ size = 16 }: { size: number }) => {
143   return (
144     <svg
145       height={size}
146       strokeLinejoin="round"
147       style={{ color: "currentcolor" }}
148       viewBox="0 0 16 16"
149       width={size}
150     >
151       <path
152         d="M1 6L15 1L10 15L7.65955 8.91482C7.55797 8.65073 7.34927 8.44203 7.08518 8.34045L1 6Z"
153         fill="transparent"
154         stroke="currentColor"
155         strokeLinecap="round"
156         strokeLinejoin="bevel"
157         strokeWidth="1.5"
158       />
159     </svg>

```

```

161   };
162
163   export const InvoiceIcon = ({ size = 16 }: { size: number }) => {
164     return (
165       <svg
166         height={size}
167         strokeLinejoin="round"
168         style={{ color: "currentcolor" }}
169         viewBox="0 0 16 16"
170         width={size}
171       >
172         <path
173           clipRule="evenodd"
174           d="M13 15.1L12 14.5L10.1524 15.8857C10.0621 15.9534 9.93791 15.9534 9.8476 15.8857L8 14.5L6.14377 15.8922C6.05761 15.9568 5.94008 15.9601 5.85047 15.9003L3.75 14.5L3 15L2.83257 15.1116L1.83633 15.9288 1.5 15.8716 1.5 15.7758V15.5958V14.3985V14.1972V1.5V0H3H8H9.08579C9.351 0 9.60536 0.105357 9.79289 0.292893L14.2071 4.70711C14.3946 4.89464 14.5 5.149 14.5 5.41421V6.5V14.2507V14.4111V15.5881V15.7881C14.3183 15.8911L14.1468 15.7881L13.1375 15.1825L13 15.1ZM12.3787 5L9.5 2.12132V5H12.3787ZM8 1.5V5V6.5H9.5H13V13.3507L12.7717 13.2138L11.9069 12.6948L11.1 13.3L10 14.125L8.9 13.3L8 12.625L7.1 13.3L5.94902 14.1632L4.13.1972V1.5H8Z"
175           fill="currentColor"
176           fillRule="evenodd"
177         />
178       </svg>
179     );
180   };
181
182   export const LogoOpenAI = ({ size = 16 }: { size?: number }) => {
183     return (
184       <svg
185         height={size}
186         strokeLinejoin="round"
187         style={{ color: "currentcolor" }}
188         viewBox="0 0 16 16"
189         width={size}
190       >
191         <path
192           d="M14.9449 6.54871C15.3128 5.45919 15.1861 4.26567 14.5978 3.27464C13.7131 1.75461 11.9345 0.972595 10.1974 1.3406C9.42464 0.481584 8.3144 -0.00692594 7.15045 7.42132e-05C5.37487 -0.00392587 3.1256 3.02164 1.12799 3.72615 0.551837 4.72468C-0.339497 6.24071 -0.1363 8.15175 1.05451 9.45178C0.686626 10.5413 0.813308 11.7348 1.40162 12.7258C2.28637 14.2459 4.06498 15.0279 5.80204 14.6599C6.5743 15.5189 9.999C10.6256 16.0044 12.2015 14.8754 12.7478 13.2069C13.8884 12.9764 14.873 12.2718 15.4491 11.2733C16.3394 9.75728 16.1357 7.84774 14.9454 6.54771L14.9449 6.54871ZM8.85001 14.9544C8.13907 14.9554 7.45043 14.72474 6.97259 14.2239 7.00046 14.2069L10.2293 12.3668C10.3945 12.2743 10.4959 12.1008 10.4949 11.9133V7.42173L11.8595 8.19925V11.8742 8.20625 11.8838 8.22025 11.8858 8.23625V11.9558C11.8838 13.6099 10.5263 14.912.2028C1.9651 11.5958 1.8369 10.8843 1.95902 10.1938C1.98284 10.2078 2.02489 10.2333 2.05479 10.2503L5.28366 12.0903C5.44733 12.1848 5.65003 12.1848 5.81421 12.0903L9.75604 9.84429V11.3993C9.75705 11.4153 9.74795 13.3004C5.01915 14.1264 3.1625 13.6354 2.32184 12.2028H2.32133ZM1.47155 5.24819C1.82626 4.64017 2.38619 4.17516 3.05305 3.93366C3.05305 3.96116 3.05152 4.00966 3.05152 4.04366V7.72424C3.05051 7.91124 3.125838 10.4228L5.89376 11.2003C5.88008 11.2093 5.86285 11.2108 5.84765 11.2043L2.58331 9.34327C1.13255 8.51426 0.63494 6.68272 1.47104 5.24869L1.47155 5.24819ZM12.6834 7.82274L8.74157 5.57669L10.1062 4.79968C10.1523 4.79568L13.4166 6.65522C14.8699 7.48373 15.3681 9.31827 14.5284 10.7433C13.6138 11.8243 12.9474 12.0663V8.27575C12.9489 8.08875 12.8481 7.91574 12.6839 7.82274H12.6834ZM14.0414 5.8057C13.9457 5.7492L10.7168 3.90916C10.5531 3.81466 10.3504 3.81466 10.1863 3.90916L6.24442 6.15521V4.60017C6.2434 4.58417 6.251 4.56867 6.26367 4.55867L9.52751 2.70063C10.9813 1.87311 12.84 2.36563 13.6781 3.80066L11618 14.0404 5.8057H14.0414ZM5.50257 8.57726L4.13744 7.79974C4.12275 7.79274 4.11312 7.77874 4.11109 7.76274V4.04316C4.11211 2.38713 5.47368 1.0451 7.15197 1.0461C7.86189 1.0461 8.54902 1.2921 9.09476 1.74011ZM8.99899 1.79361L5.77012 3.63365C5.60493 3.72615 5.50358 3.89916 5.50459 4.08666L5.50257 4.57626V8.57726ZM6.24391 7.00022L7.99972 5.9997L9.75553 6.99972V9.00027L7.99972 10.0003L6.24391 9.00027V7.00022Z"
193           fill="currentColor"
194         />
195       </svg>
196     );
197   };
198
199   export const LogoGoogle = ({ size = 16 }: { size?: number }) => {
200     return (
201       <svg
202         data-testid="geist-icon"
203         height={size}
204         strokeLinejoin="round"
205         style={{ color: "currentcolor" }}
206         viewBox="0 0 16 16"
207         width={size}
208       >
209         <path
210           d="M8.15991 6.54543V9.64362H12.4654C12.2763 10.64 11.709 11.4837 10.8581 12.0509L13.4544 14.0655C14.9671 12.6692 15.8399 10.6182 15.8399 8.18188C15.8399 7.61461 15.789 7.06911 15.6944 6.54552L8.15991 6.54543Z"
211           fill="#4285F4"
212         />
213         <path
214           d="M3.6764 9.52268L3.09083 9.97093L1.01807 11.5855C2.33443 14.1963 5.03241 16 8.15966 16C10.3196 16 12.1305 15.2873 13.4542 14.0655L10.8578 12.0509C10.1451 12.5309 9.23598 12.8219 8.15966 12.8219Z"
215           fill="#4285F4"
216         />
217       </svg>
218     );
219   };
220 }

```

```

215         fill="#34A853"
216     />
217     <path
218         d="M1.01803 4.41455C0.472607 5.49087 0.159912 6.70543 0.159912 7.99995C0.159912 9.29447 0.472607 10.509 1.01803 11.5854C1.01803 11.5926 3.6799 9.51991 3.6799 9.51991C3.5199 9.03991 3.42532 8.530
46889 3.5199 6.95983 3.6799 6.47983L1.01803 4.41455Z"
219         fill="#FBBC05"
220     />
221     <path
222         d="M8.15982 3.18545C9.33802 3.18545 10.3853 3.59271 11.2216 4.37818L13.5125 2.0873C12.1234 0.792777 10.3199 0 8.15982 0C5.03257 0 2.33443 1.79636 1.01807 4.41455L3.67985 6.48001C4.31254 4.58908
18545Z"
223         fill="#EA4335"
224     />
225 </svg>
226 );
227 };
228
229 export const LogoAnthropic = () => {
230     return (
231         <svg
232             height="18px"
233             style={{ color: "currentcolor", fill: "currentcolor" }}
234             viewBox="0 0 92.2 65"
235             width="18px"
236             x="0px"
237             xmlns="http://www.w3.org/2000/svg"
238             xmlnsXlink="http://www.w3.org/1999/xlink"
239             y="0px"
240         >
241             <path
242                 d="M66.5,0H52.4l25.7,65h14.1L66.5,0z M25.7,0L0,65h14.4l5.3-13.6h26.9L51.8,65h14.4L40.5,0C40.5,0,25.7,0,25.7,0z
243 M24.3,39.3l8.8-22.8l8.8,22.8H24.3z"
244             />
245         </svg>
246     );
247 };
248
249 export const RouteIcon = ({ size = 16 }: { size?: number }) => {
250     return (
251         <svg
252             height={size}
253             strokeLinejoin="round"
254             style={{ color: "currentcolor" }}
255             viewBox="0 0 16 16"
256             width={size}
257         >
258             <path
259                 clipRule="evenodd"
260                 d="M7.53033 0.719661L7 0.189331L5.93934 1.24999L6.46967 1.78032L6.68934 1.99999H3.375C1.51104 1.99999 0 3.51103 0 5.37499C0 7.23895 1.51104 8.74999 3.375 8.74999H12.625C13.6605 8.74999 14.5 9.58
13.6605 12.5 12.625 12.5H4.88555C4.56698 11.4857 3.61941 10.75 2.5 10.75C1.11929 10.75 0 11.8693 0 13.25C0 14.6307 1.11929 15.75 2.5 15.75C3.61941 15.75 4.56698 15.0143 4.88555 14H12.625C14.489 14 16 12.489 16
24999 12.625 7.24999H3.375C2.33947 7.24999 1.5 6.41052 1.5 5.37499C1.5 4.33946 2.33947 3.49999 3.375 3.49999H6.68934L6.46967 3.71966L5.93934 4.24999L7 5.31065L7.53033 4.78032L8.85355 3.4571C9.24408 3.06657 9.2
53033 0.719661ZM2.5 14.25C3.05228 14.25 3.5 13.8023 3.5 13.25C3.5 12.6977 3.05228 12.25 2.5 12.25C1.94772 12.25 1.5 12.6977 1.5 13.25C1.5 13.8023 1.94772 14.25 2.5 14.25ZM14.5 3.30228 14.0523 3.74
74999 12.5 3.30228 12.5 2.74999C12.5 2.19771 12.9477 1.74999 13.5 1.74999C14.0523 1.74999 14.5 2.19771 14.5 2.74999ZM16 2.74999C16 2.74999Z"
249991C14.8807 0.249991 16 1.36928 16 2.74999Z"
261         fill="currentColor"
262         fillRule="evenodd"
263     />
264 </svg>
265 );
266 };
267
268 export const FileIcon = ({ size = 16 }: { size?: number }) => {
269     return (
270         <svg
271             height={size}
272             strokeLinejoin="round"
273             style={{ color: "currentcolor" }}
274             viewBox="0 0 16 16"
275             width={size}
276         >

```

```

277     <path
278       clipRule="evenodd"
279       d="M14.5 13.5V6.5V5.41421C14.5 5.149 14.3946 4.89464 14.2071 4.70711L9.79289 0.292893C9.60536 0.105357 9.351 0 9.08579 0H8H3H1.5V1.5V13.5C1.5 14.8807 2.61929 16 4 16H12C13.3807 16 14.5 14.8807 1
5H8V5V1.5H3V13.5C3 14.0523 3.44772 14.5 4 14.5H12C12.5523 14.5 13 14.0523 13 13.5ZM9.5 5V2.12132L12.3787 5H9.5ZM5.13 5.00062H4.505V6.25062H5.13H6H6.625V5.00062H6H5.13ZM4.505 8H5.13H11H11.625V9.25H11H5.13H4.505
13H11H11.625V11H11H5.13Z"
280       fill="currentColor"
281       fillRule="evenodd"
282     />
283   </svg>
284 );
285 };
286
287 export const LoaderIcon = ({ size = 16 }: { size?: number }) => {
288   return (
289     <svg
290       height={size}
291       strokeLinejoin="round"
292       style={{ color: "currentcolor" }}
293       viewBox="0 0 16 16"
294       width={size}
295     >
296       <g clipPath="url(#clip0_2393_1490)">
297         <path d="M8 0V4" stroke="currentColor" strokeWidth="1.5" />
298         <path
299           d="M8 16V12"
300           opacity="0.5"
301           stroke="currentColor"
302           strokeWidth="1.5"
303         />
304         <path
305           d="M3.29773 1.52783L5.64887 4.7639"
306           opacity="0.9"
307           stroke="currentColor"
308           strokeWidth="1.5"
309         />
310         <path
311           d="M12.7023 1.52783L10.3511 4.7639"
312           opacity="0.1"
313           stroke="currentColor"
314           strokeWidth="1.5"
315         />
316         <path
317           d="M12.7023 14.472L10.3511 11.236"
318           opacity="0.4"
319           stroke="currentColor"
320           strokeWidth="1.5"
321         />
322         <path
323           d="M3.29773 14.472L5.64887 11.236"
324           opacity="0.6"
325           stroke="currentColor"
326           strokeWidth="1.5"
327         />
328         <path
329           d="M15.6085 5.52783L11.8043 6.7639"
330           opacity="0.2"
331           stroke="currentColor"
332           strokeWidth="1.5"
333         />
334         <path
335           d="M0.391602 10.472L4.19583 9.23598"
336           opacity="0.7"
337           stroke="currentColor"
338           strokeWidth="1.5"
339         />
340         <path
341           d="M15.6085 10.4722L11.8043 9.2361"
342           opacity="0.3"
343           stroke="currentColor"

```

```

344         strokeWidth="1.5"
345     />
346     <path
347         d="M0.391602 5.52783L4.19583 6.7639"
348         opacity="0.8"
349         stroke="currentColor"
350         strokeWidth="1.5"
351     />
352 </g>
353 <defs>
354     <clipPath id="clip0_2393_1490">
355         <rect fill="white" height="16" width="16" />
356     </clipPath>
357 </defs>
358 </svg>
359 );
360 };
361
362 export const UploadIcon = ({ size = 16 }: { size?: number }) => {
363     return (
364         <svg
365             data-testid="geist-icon"
366             height={size}
367             strokeLinejoin="round"
368             style={{ color: "currentColor" }}
369             viewBox="0 0 16 16"
370             width={size}
371         >
372             <path
373                 clipRule="evenodd"
374                 d="M1.5 4.875C1.5 3.01104 3.01104 1.5 4.875 1.5C6.20018 1.5 7.34838 2.26364 7.901 3.37829C8.1902 3.96162 8.79547 4.5 9.60112 4.5H12.25C13.4926 4.5 14.5 5.50736 14.5 6.75C14.5 7.42688 14.202 8.03
93972L14.1479 10.0704L14.7133 9.57758C15.5006 8.89123 16 7.8785 16 6.75C16 4.67893 14.3211 3 12.25 3H9.60112C9.51183 3 9.35322 2.93049 9.2449 2.71201C8.44888 1.1064 6.79184 0 4.875 0C2.18261 0 4.87
84699 1.52982 9.59656L2.11415 10.0667L3.0545 8.89808L2.47018 8.42791C1.87727 7.95083 1.5 7.22166 1.5 6.40385V4.875ZM7.29289 7.39645C7.68342 7.00592 8.31658 7.00592 8.70711 7.39645L11.7803 10.4697L12.3107 11L11
75 9.56066V15.25V16H7.25V15.25V9.56066L5.28033 11.5303L4.75 12.0607L3.68934 11L4.21967 10.4697L7.29289 7.39645Z"
375             fill="currentColor"
376             fillRule="evenodd"
377         />
378     </svg>
379 );
380 };
381
382 export const MenuIcon = ({ size = 16 }: { size?: number }) => {
383     return (
384         <svg
385             height={size}
386             strokeLinejoin="round"
387             style={{ color: "currentColor" }}
388             viewBox="0 0 16 16"
389             width={size}
390         >
391             <path
392                 clipRule="evenodd"
393                 d="M1 2H1.75H14.25H15V3.5H14.25H1.75H1V2ZM1 12.5H1.75H14.25H15V14H14.25H1.75H1V12.5ZM1 7.5 7.25H1V8.75H1.75H14.25H15V7.25H14.25H1.75Z"
394                 fill="currentColor"
395                 fillRule="evenodd"
396             />
397     </svg>
398 );
399 };
400
401 export const PencilEditIcon = ({ size = 16 }: { size?: number }) => {
402     return (
403         <svg
404             height={size}
405             strokeLinejoin="round"
406             style={{ color: "currentColor" }}
407             viewBox="0 0 16 16"
408             width={size}
409         >

```

```

410     <path
411       clipRule="evenodd"
412       d="M11.75 0.189331L12.2803 0.719661L15.2803 3.71966L15.8107 4.24999L15.2803 4.78032L5.15901 14.9016C4.45575 15.6049 3.50192 16 2.50736 16H0.75H0V15.25V13.4926C0 12.4981 0.395088 11.5442 1.09835
0.189331ZM11.75 2.31065L9.81066 4.24999L11.75 6.18933L13.6893 4.24999L11.75 2.31065ZM2.15901 11.9016L8.75 5.31065L10.6893 7.24999L4.09835 13.841C3.67639 14.2629 3.1041 14.5 2.50736 14.5H1.5V13.4926C1.5 12.8959
9016ZM9 16H16V14.5H9V16Z"
413       fill="currentColor"
414       fillRule="evenodd"
415     />
416   </svg>
417 );
418 };
419
420 export const CheckedSquare = ({ size = 16 }: { size?: number }) => {
421   return (
422     <svg
423       height={size}
424       strokeLinejoin="round"
425       style={{ color: "currentcolor" }}
426       viewBox="0 0 16 16"
427       width={size}
428     >
429       <path
430         clipRule="evenodd"
431         d="M15 16H1C0.447715 16 0 15.5523 0 15V1C0 0.447715 0.447716 0 1 0L15 8.17435e-06C15.5523 8.47532e-06 16 0.447724 16 1.00001V15C16 15.5523 15.5523 16 15 16ZM11.7803 6.28033L12.3107 5.75L11.25 4.
43935L5.28033 8.21967L4.75001 7.68934L3.68934 8.74999L4.21967 9.28033L5.96967 11.0303C6.11032 11.171 6.30109 11.25 6.5 11.25C6.69891 11.25 6.88968 11.171 7.03033 11.0303L11.7803 6.28033Z"
432         fill="currentColor"
433         fillRule="evenodd"
434       />
435     </svg>
436   );
437 };
438
439 export const UncheckedSquare = ({ size = 16 }: { size?: number }) => {
440   return (
441     <svg
442       height={size}
443       strokeLinejoin="round"
444       style={{ color: "currentcolor" }}
445       viewBox="0 0 16 16"
446       width={size}
447     >
448       <rect
449         fill="none"
450         height="14"
451         stroke="currentColor"
452         strokeWidth="1.5"
453         width="14"
454         x="1"
455         y="1"
456       />
457     </svg>
458   );
459 };
460
461 export const MoreIcon = ({ size = 16 }: { size?: number }) => {
462   return (
463     <svg
464       height={size}
465       strokeLinejoin="round"
466       style={{ color: "currentcolor" }}
467       viewBox="0 0 16 16"
468       width={size}
469     >
470       <path
471         clipRule="evenodd"
472         d="M8 4C7.17157 4 6.5 3.32843 6.5 2.5C6.5 1.67157 7.17157 1 8 1C8.82843 1 9.5 1.67157 9.5 2.5C9.5 3.32843 8.82843 4 8 4ZM8 9.5C7.17157 9.5 6.5 8.82843 6.5 8C6.5 7.17157 7.17157 6.5 8 6.5C8.82843
8.82843 9.5 8 9.5ZM6.5 13.5C6.5 14.3284 7.17157 15 8 15C8.82843 15 9.5 14.3284 9.5 13.5C9.5 12.6716 8.82843 12 8 12C7.17157 12 6.5 12.6716 6.5 13.5Z"
473         fill="currentColor"
474         fillRule="evenodd"

```

```

475     />
476   </svg>
477   };
478 };
479
480 export const TrashIcon = ({ size = 16 }: { size?: number }) => {
481   return (
482     <svg
483       height={size}
484       strokeLinejoin="round"
485       style={{ color: "currentcolor" }}
486       viewBox="0 0 16 16"
487       width={size}
488     >
489       <path
490         clipRule="evenodd"
491         d="M6.75 2.75C6.75 2.05964 7.30964 1.5 8 1.5C8.69036 1.5 9.25 2.05964 9.25 2.75V3H6.75V2.75ZM5.25 3V2.75C5.25 1.23122 6.48122 0 8 0C9.51878 0 10.75 1.23122 10.75 2.75V3H12.9201H14.25H15V4.5H14.25
0774 14.9942 11.9913 16 10.6849 16H5.31508C4.00874 16 2.92263 14.9942 2.82244 13.6917L2.11538 4.5H1.75H1V3H1.75H3.07988H5.25ZM4.31802 13.5767L3.61982 4.5H12.3802L11.682 13.5767C11.6419 14.0977 11.2075 14.5 10.
4.3581 14.0977 4.31802 13.5767Z"
492         fill="currentColor"
493         fillRule="evenodd"
494       />
495     </svg>
496   );
497 };
498
499 export const InfoIcon = ({ size = 16 }: { size?: number }) => {
500   return (
501     <svg
502       height={size}
503       strokeLinejoin="round"
504       style={{ color: "currentcolor" }}
505       viewBox="0 0 16 16"
506       width={size}
507     >
508       <path
509         clipRule="evenodd"
510         d="M16 8C16 12.4183 12.4183 16 8 16C3.58172 16 0 12.4183 0 8C0 3.58172 3.58172 0 8 0C12.4183 0 16 3.58172 16 8ZM6.25002 7H7.00002H7.75C8.30229 7 8.75 7.44772 8.75 8V11.5V12.25H7.25V11.5V8.5H7.00
5.55228 9 5C9 4.44772 8.55229 4 8 4C7.44772 4 7 4.44772 7 5C7 5.55228 7.44772 6 8 6Z"
511         fill="currentColor"
512         fillRule="evenodd"
513       />
514     </svg>
515   );
516 };
517
518 export const ArrowUpIcon = ({
519   size = 16,
520   ...props
521 }: { size?: number } & React.SVGProps<SVGSVGElement>) => {
522   return (
523     <svg
524       height={size}
525       strokeLinejoin="round"
526       style={{ color: "currentcolor", ...props.style }}
527       viewBox="0 0 16 16"
528       width={size}
529       {...props}
530     >
531       <path
532         clipRule="evenodd"
533         d="M8.70711 1.39644C8.31659 1.00592 7.68342 1.00592 7.2929 1.39644L2.21968 6.46966L1.68935 6.99999L2.75001 8.06065L3.28034 7.53032L7.25001 3.56065V14.25V15H8.75001V14.25V3.56065L12.7197 7.53032L
99999L13.7803 6.46966L8.70711 1.39644Z"
534         fill="currentColor"
535         fillRule="evenodd"
536       />
537     </svg>
538   );
539 };

```



```

540
541 export const StopIcon = ({
542   size = 16,
543   ...props
544 }: { size?: number } & React.SVGProps<SVGSVGElement>) => {
545   return (
546     <svg
547       height={size}
548       style={{ color: "currentcolor", ...props.style }}
549       viewBox="0 0 16 16"
550       width={size}
551       {...props}
552     >
553       <path
554         clipRule="evenodd"
555         d="M3 3H13V13H3V3Z"
556         fill="currentColor"
557         fillRule="evenodd"
558       />
559     </svg>
560   );
561 };
562
563 export const PaperclipIcon = ({
564   size = 16,
565   ...props
566 }: { size?: number } & React.SVGProps<SVGSVGElement>) => {
567   return (
568     <svg
569       className="-rotate-45"
570       height={size}
571       strokeLinejoin="round"
572       style={{ color: "currentcolor", ...props.style }}
573       viewBox="0 0 16 16"
574       width={size}
575       {...props}
576     >
577       <path
578         clipRule="evenodd"
579         d="M10.8591 1.70735C10.3257 1.70735 9.81417 1.91925 9.437 2.29643L3.19455 8.53886C2.56246 9.17095 2.20735 10.0282 2.20735 10.9222C2.20735 11.8161 2.56246 12.6734 3.19455 13.3055C3.82665 13.9376
2927C6.47178 14.2927 7.32908 13.9376 7.96117 13.3055L14.2036 7.06304L14.7038 6.56287L15.7041 7.56321L15.204 8.06337L8.96151 14.3058C8.06411 15.2032 6.84698 15.7074 5.57786 15.7074C4.30875 15.7074 3.09162 15.20
4084 0.792664 12.1913 0.792664 10.9222C0.792664 9.65305 1.29682 8.43592 2.19422 7.53852L8.43666 1.29609C9.07914 0.653606 9.95054 0.292664 10.8591 0.292664C11.7678 0.292664 12.6392 0.653606 13.2816 1.29609C13.9
2851 3.71857C14.2851 4.62718 13.9241 5.49858 13.2816 6.14106L13.2814 6.14133L7.0324 12.3835C7.03231 12.3836 7.03222 12.3837 7.03213 12.3838C6.64459 12.7712 6.11905 12.9888 5.57107 12.9888C5.02297 12.9888 4.497
72217 11.9959 3.50444 11.4703 3.50444 10.9222C3.50444 10.3741 3.72217 9.8484 4.10974 9.46084L4.11004 9.46054L9.877 3.70039L10.3775 3.20051L11.3772 4.20144L10.8767 4.70131L5.11008 10.4612C5.11005 10.4612 5.1100
10.5835 4.91913 10.7493 4.91913 10.9222C4.91913 11.0951 4.98782 11.2609 5.11008 11.3832C5.23234 11.5054 5.39817 11.5741 5.57107 11.5741C5.74398 11.5741 5.9098 11.5054 6.03206 11.3832L6.03233 11.3829L12.2813 5.
5.14054 12.2816 5.14045C12.6586 4.7633 12.8704 4.25185 12.8704 3.71857C12.8704 3.18516 12.6585 2.6736 12.2813 2.29643C11.9041 1.91925 11.3926 1.70735 10.8591 1.70735Z"
580       fill="currentColor"
581       fillRule="evenodd"
582     />
583   </svg>
584 );
585 };
586
587 export const MoreHorizontalIcon = ({ size = 16 }: { size?: number }) => {
588   return (
589     <svg
590       height={size}
591       strokeLinejoin="round"
592       style={{ color: "currentcolor" }}
593       viewBox="0 0 16 16"
594       width={size}
595     >
596       <path
597         clipRule="evenodd"
598         d="M4 8C4 8.82843 3.32843 9.5 2.5 9.5C1.67157 9.5 1 8.82843 1 8C1 7.17157 1.67157 6.5 2.5 6.5C3.32843 6.5 4 7.17157 4 8ZM9.5 8C9.5 8.82843 8.82843 9.5 8 9.5C7.17157 9.5 6.5 8.82843 6.5 8C6.5 7.1
6.5 9.5 7.17157 9.5 8ZM13.5 9.5C14.3284 9.5 15 8.82843 15 8C15 7.17157 14.3284 6.5 13.5 6.5C12.6716 6.5 12 7.17157 12 8C12 8.82843 12.6716 9.5 13.5 9.5Z"
599       fill="currentColor"
600       fillRule="evenodd"
601     />

```

```

602     </svg>
603   };
604 };
605
606 export const MessageIcon = ({ size = 16 }: { size?: number }) => {
607   return (
608     <svg
609       height={size}
610       strokeLinejoin="round"
611       style={{ color: "currentcolor" }}
612       viewBox="0 0 16 16"
613       width={size}
614     >
615       <path
616         clipRule="evenodd"
617         d="M2.8914 10.4028L2.98327 10.6318C3.22909 11.2445 3.5 12.1045 3.5 13C3.5 13.3588 3.4564 13.7131 3.38773 14.0495C3.69637 13.9446 4.01409 13.8159 4.32918 13.6584C4.87888 13.3835 5.33961 13.0611 5.326L6.88809 12.4196C7.24851 12.4724 7.61994 12.5 8 12.5C11.7843 12.5 14.5 9.85569 14.5 7C14.5 4.14431 11.7843 1.5 8 1.5C4.21574 1.5 1.5 4.14431 1.5 7C1.5 8.18175 1.94229 9.29322 2.73103 10.2153L2.8914 10.4028"
618         fill="currentColor"
619         fillRule="evenodd"
620       />
621     </svg>
622   );
623 };
624
625 export const CrossIcon = ({ size = 16 }: { size?: number }) => (
626   <svg
627     height={size}
628     strokeLinejoin="round"
629     style={{ color: "currentcolor" }}
630     viewBox="0 0 16 16"
631     width={size}
632   >
633     <path
634       clipRule="evenodd"
635       d="M12.4697 13.5303L13 14.0607L14.0607 13L13.5303 12.4697L9.06065 7.99999L13.5303 3.53032L14.0607 2.99999L13 1.93933L12.4697 2.46966L7.99999 6.93933L13.5303 2.46966L2.99999 6.93933L1.93933 2.99999L2.46966 12.4697L1.93933 13L2.99999 14.0607L3.53032 13.5303L7.99999 9.06065L12.4697 13.5303Z"
636       fill="currentColor"
637       fillRule="evenodd"
638     />
639   </svg>
640 );
641
642 export const CrossSmallIcon = ({ size = 16 }: { size?: number }) => (
643   <svg
644     height={size}
645     strokeLinejoin="round"
646     style={{ color: "currentcolor" }}
647     viewBox="0 0 16 16"
648     width={size}
649   >
650     <path
651       clipRule="evenodd"
652       d="M9.96966 11.0303L10.5 11.5607L11.5607 10.5L11.0303 9.96966L9.06065 7.99999L11.0303 6.03032L11.5607 5.49999L10.5 4.43933L9.96966 4.96966L7.99999 6.93933L6.03032 4.96966L5.49999 4.43933L4.96966 9.96966L4.43933 10.5L5.49999 11.5607L6.03032 11.0303L7.99999 9.06065L9.96966 11.0303Z"
653       fill="currentColor"
654       fillRule="evenodd"
655     />
656   </svg>
657 );
658
659 export const UndoIcon = ({ size = 16 }: { size?: number }) => (
660   <svg
661     height={size}
662     strokeLinejoin="round"
663     style={{ color: "currentcolor" }}
664     viewBox="0 0 16 16"
665     width={size}

```

```

666   >
667   <path
668     clipRule="evenodd"
669     d="M13.5 8C13.5 4.96643 11.0257 2.5 7.96452 2.5C5.42843 2.5 3.29365 4.19393 2.63724 6.5H5.25H6V8H5.25H0.75C0.335787 8 0 7.66421 0 7.25V2.75V2H1.5V2.75V5.23347C2.57851 2.74164 5.06835 1 7.96452 1C1
87 11.8461 15 7.96452 15C5.62368 15 3.54872 13.8617 2.27046 12.1122L1.828 11.5066L3.03915 10.6217L3.48161 11.2273C4.48831 12.6051 6.12055 13.5 7.96452 13.5C11.0257 13.5 13.5 11.0336 13.5 8Z"
670     fill="currentColor"
671     fillRule="evenodd"
672   />
673 </svg>
674 );
675
676 export const RedoIcon = ({ size = 16 }: { size?: number }) => (
677   <svg
678     height={size}
679     strokeLinejoin="round"
680     style={{ color: "currentcolor" }}
681     viewBox="0 0 16 16"
682     width={size}
683   >
684     <path
685       clipRule="evenodd"
686       d="M2.5 8C2.5 4.96643 4.97431 2.5 8.03548 2.5C10.5716 2.5 12.7064 4.19393 13.3628 6.5H10.75H10V8H10.75H15.25C15.6642 8 16 7.66421 16 7.25V2.75V2H14.5V2.75V5.23347C13.4215 2.74164 10.9316 1 8.03548
87 4.1539 15 8.03548 15C10.3763 15 12.4513 13.8617 13.7295 12.1122L14.172 11.5066L12.9609 10.6217L12.5184 11.2273C11.5117 12.6051 9.87945 13.5 8.03548 13.5C4.97431 13.5 2.5 11.0336 2.5 8Z"
687     fill="currentColor"
688     fillRule="evenodd"
689   />
690 </svg>
691 );
692
693 export const DeltaIcon = ({ size = 16 }: { size?: number }) => (
694   <svg
695     height={size}
696     strokeLinejoin="round"
697     style={{ color: "currentcolor" }}
698     viewBox="0 0 16 16"
699     width={size}
700   >
701     <path
702       clipRule="evenodd"
703       d="M2.67705 15H1L1.75 13.5L6.16147 4.67705L6.15836 4.67082L6.16667 4.66667L7.16147 2.67705L8 1L8.83853 2.67705L14.25 13.5L15 15H13.3229H2.67705ZM7 6.3541L10.5729 13.5H3.42705L7 6.3541Z"
704     fill="currentColor"
705     fillRule="evenodd"
706   />
707 </svg>
708 );
709
710 export const CpuIcon = ({ size = 16 }: { size?: number }) => (
711   <svg
712     fill="none"
713     height={size}
714     stroke="currentColor"
715     strokeWidth="2"
716     style={{ color: "currentcolor" }}
717     viewBox="0 0 24 24"
718     width={size}
719   >
720     <path
721       d="M4 12C4 8.22876 4 6.34315 5.17157 5.17157C6.34315 4 8.22876 4 12 4C15.7712 4 17.6569 4 18.8284 5.17157C20 6.34315 20 8.22876 20 12C20 15.7712 20 17.6569 18.8284 17.6569 20 15.7712 20 12
17157 18.8284C4 17.6569 4 15.7712 4 12Z"
722     strokeLinejoin="round"
723   />
724     <path d="M9.5 2V4" strokeLinecap="round" strokeLinejoin="round" />
725     <path d="M14.5 2V4" strokeLinecap="round" strokeLinejoin="round" />
726     <path d="M9.5 20V22" strokeLinecap="round" strokeLinejoin="round" />
727     <path d="M14.5 20V22" strokeLinecap="round" strokeLinejoin="round" />
728     <path d="M13 9L9 13" strokeLinecap="round" strokeLinejoin="round" />
729     <path d="M15 13L13 15" strokeLinecap="round" strokeLinejoin="round" />
730     <path d="M22 14.5L20 14.5" strokeLinecap="round" strokeLinejoin="round" />
731     <path d="M4 9.5L2 9.5" strokeLinecap="round" strokeLinejoin="round" />

```

```

732     <path d="M4 14.5L2 14.5" strokeLinecap="round" strokeLinejoin="round" />
733     <path d="M22 9.5L20 9.5" strokeLinecap="round" strokeLinejoin="round" />
734   </svg>
735 };
736
737 export const PenIcon = ({ size = 16 }: { size?: number }) => (
738   <svg
739     height={size}
740     strokeLinejoin="round"
741     style={{ color: "currentcolor" }}
742     viewBox="0 0 16 16"
743     width={size}
744   >
745     <path
746       clipRule="evenodd"
747       d="M8.75 0.189331L9.28033 0.719661L15.2803 6.71966L15.8107 7.24999L15.2803 7.78032L13.7374 9.32322C13.1911 9.8696 12.3733 9.97916 11.718 9.65188L9.54863 13.5568C8.71088 15.0648 7.12143 16 5.39639
748 0.935237 7.28911 2.4432 6.45136L6.34811 4.28196C6.02084 3.62674 6.13039 2.80894 6.67678 2.26255L8.21967 0.719661L8.75 0.189331ZM7.3697 5.43035L10.5696 8.63029L8.2374 12.8283C7.6642 13.8601 6.57668 14.5
5303L4.46967 10.4697L1.5 13.4393V10.6036C1.5 9.42331 2.1399 8.33579 3.17166 7.76259L7.3697 5.43035ZM12.6768 8.26256C12.5791 8.36019 12.4209 8.36019 12.3232 8.26255L12.0303 7.96966L8.03033 3.96966L7.73744 3.676
42085 7.73744 3.32321L8.75 2.31065L13.6893 7.24999L12.6768 8.26256Z"
748     fill="currentColor"
749     fillRule="evenodd"
750   />
751   </svg>
752 );
753
754 export const SummarizeIcon = ({ size = 16 }: { size?: number }) => (
755   <svg
756     height={size}
757     strokeLinejoin="round"
758     style={{ color: "currentcolor" }}
759     viewBox="0 0 16 16"
760     width={size}
761   >
762     <path
763       clipRule="evenodd"
764       d="M1.75 12H1V10.5H1.75H5.25H6V12H5.25H1.75ZM1.75 7.75H1V6.25H1.75H4.25H5V7.75H4.25H1.75ZM1.75 3.5H1V2H1.75H7.25H8V3.5H7.25H1.75ZM12.5303 14.7803C12.2374 15.0732 11.7626 15.0732 11.4697 14.7803L9.
10.9393L10.2803 11.4697L11.25 12.4393V2.75V2H12.75V2.4393L13.7197 11.4697L14.25 10.9393L15.3107 12L14.7803 12.5303L12.5303 14.7803Z"
765     fill="currentColor"
766     fillRule="evenodd"
767   />
768   </svg>
769 );
770
771 export const SidebarLeftIcon = ({ size = 16 }: { size?: number }) => (
772   <svg
773     height={size}
774     strokeLinejoin="round"
775     style={{ color: "currentcolor" }}
776     viewBox="0 0 16 16"
777     width={size}
778   >
779     <path
780       clipRule="evenodd"
781       d="M6.245 2.5H14.5V12.5C14.5 13.0523 14.0523 13.5 13.5 13.5 13.5H6.245V2.5ZM4.995 2.5H1.5V12.5C1.5 13.0523 1.94772 13.5 2.5 13.5H4.995V2.5ZM0 1H1.5H14.5H16V2.5V12.5C16 13.8807 14.8807 15 13.5 15H2.5C1.
5V12"
782     fill="currentColor"
783     fillRule="evenodd"
784   />
785   </svg>
786 );
787
788 export const PlusIcon = ({ size = 16 }: { size?: number }) => (
789   <svg
790     height={size}
791     strokeLinejoin="round"
792     style={{ color: "currentcolor" }}
793     viewBox="0 0 16 16"
794     width={size}
795   >

```

```

796     <path
797       clipRule="evenodd"
798       d="M 8.75,1 H7.25 V7.25 H1.5 V8.75 H7.25 V15 H8.75 V8.75 H14.5 V7.25 H8.75 V1.75 Z"
799       fill="currentColor"
800       fillRule="evenodd"
801     />
802   </svg>
803 );
804
805 export const CopyIcon = ({ size = 16 }: { size?: number }) => (
806   <svg
807     height={size}
808     strokeLinejoin="round"
809     style={{ color: "currentcolor" }}
810     viewBox="0 0 16 16"
811     width={size}
812   >
813     <path
814       clipRule="evenodd"
815       d="M2.75 0.5C1.7835 0.5 1 1.2835 1 2.25V9.75C1 10.7165 1.7835 11.5 2.75 11.5H3.75H4.5V10H3.75H2.75C2.61193 10 2.5 9.88807 2.5 9.75V2.25C2.5 2.11193 2.61193 2 2.75 2H8.25C8.38807 2 8.5 2.11193 8.5
2165 0.5 8.25 0.5H2.75ZM7.75 4.5C6.7835 4.5 6 5.2835 6 6.25V13.75C6 14.7165 6.7835 15.5 7.75 15.5H13.25C14.2165 15.5 15 14.7165 15 13.75V6.25C15 5.2835 14.2165 4.5 13.25 4.5H7.75ZM7.5 6.25C7.5 6.11193 7.61193
6.11193 13.5 6.25V13.75C13.5 13.8881 13.3881 14 13.25 14H7.75C7.61193 14 7.5 13.8881 7.5 13.75V6.25Z"
816       fill="currentColor"
817       fillRule="evenodd"
818     />
819   </svg>
820 );
821
822 export const ThumbUpIcon = ({ size = 16 }: { size?: number }) => (
823   <svg
824     height={size}
825     strokeLinejoin="round"
826     style={{ color: "currentcolor" }}
827     viewBox="0 0 16 16"
828     width={size}
829   >
830     <path
831       clipRule="evenodd"
832       d="M6.89531 2.23972C6.72984 2.12153 6.5 2.23981 6.5 2.44315V5.25001C6.5 6.21651 5.7165 7.00001 4.75 7.00001H2.5V13.5H12.1884C12.762 13.5 13.262 13.1096 13.4011 12.5532L14.4011 8.55318C14.5984 7.76
0001H9.25H8.5V6.25001V3.51458C8.5 3.43384 8.46101 3.35807 8.39531 3.31114L6.89531 2.23972ZM5 2.44315C5 1.01975 6.6089 0.191779 7.76717 1.01912L9.26717 2.09054C9.72706 2.41904 10 2.94941 10 3.51458V5.50001H13.
18133 15.8563 8.91698L14.8563 12.917C14.5503 14.1412 13.4503 15 12.1884 15H1.75H1V14.25V6.25001V5.50001H1.75H4.75C4.88807 5.50001 5 5.38808 5 5.25001V2.44315Z"
833       fill="currentColor"
834       fillRule="evenodd"
835     />
836   </svg>
837 );
838
839 export const ThumbDownIcon = ({ size = 16 }: { size?: number }) => (
840   <svg
841     height={size}
842     strokeLinejoin="round"
843     style={{ color: "currentcolor" }}
844     viewBox="0 0 16 16"
845     width={size}
846   >
847     <path
848       clipRule="evenodd"
849       d="M6.89531 13.7603C6.72984 13.8785 6.5 13.7602 6.5 13.5569V10.75C6.5 9.7835 5.7165 9 4.75 9H2.5V2.5H12.1884C12.762 2.5 13.262 2.89037 13.4011 3.44683L14.4011 7.44683C14.5984 8.23576 14.0017 9 13.
5 12.5662 8.46101 12.6419 8.39531 12.6889L6.89531 13.7603ZM5 13.5569C5 14.9803 6.6089 15.8082 7.76717 14.9809L9.26717 13.9095C9.72706 13.581 10 13.0506 10 12.4854V10.5H13.1884C14.9775 10.5 16.2903 8.81868 15.8
5503 1.85882 13.4503 1 12.1884 1H1.75H1V1.75V9.75V10.5H1.75H4.75C4.88807 10.5 5 10.6119 5 10.75V13.5569Z"
850       fill="currentColor"
851       fillRule="evenodd"
852     />
853   </svg>
854 );
855
856 export const ChevronDownIcon = ({ size = 16 }: { size?: number }) => (
857   <svg
858     height={size}

```

[illegible]

```
926 d="M10.268 14.0934C11.9051 13.4838 13.2303 12.2333 13.9384 10.6469C13.1192 10.7941 12.2138 10.9111 11.2469 10.9925C11.0336 12.2005 10.695 13.2621 10.268 14.0934ZM8 16C12.4183 16 16 12.4183 16 8C
58172 0 0 3.58172 0 8C0 12.4183 3.58172 16 8 16ZM8.48347 14.4823C8.32384 14.494 8.16262 14.5 8 14.5C7.83738 14.5 7.67616 14.494 7.51654 14.4823C7.5132 14.4791 7.50984 14.4759 7.50647 14.4726C7.2415 14.2165 6.9
41594 12.5744 6.19979 11.8714 6.04101 11.0778C6.67605 11.1088 7.33104 11.125 8 11.125C8.66896 11.125 9.32395 11.1088 9.95899 11.0778C9.80021 11.8714 9.58406 12.5744 9.32968 13.1558C9.05422 13.7854 8.7585 14.21
4759 8.4868 14.4791 8.48347 14.4823ZM11.4187 9.72246C12.5137 9.62096 13.5116 9.47245 14.3724 9.28806C14.4561 8.87172 14.5 8.44099 14.5 8C14.5 7.55901 14.4561 7.12828 14.3724 6.71194C13.5116 6.52755 12.5137 6.3
83232 11.5 7.40867 11.5 8C11.5 8.59133 11.4719 9.16768 11.4187 9.72246ZM10.1525 6.18401C10.2157 6.75982 10.25 7.36805 10.25 8C10.25 8.63195 10.2157 9.24018 10.1525 9.81598C9.46123 9.85455 8.7409 9.875 8 9.875C
5.84749 9.81598C5.7843 9.24018 5.75 8.63195 5.75 8C5.75 7.36805 5.7843 6.75982 5.84749 6.18401C6.53877 6.14545 7.25909 6.125 8 6.125C8.74091 6.125 9.46123 6.14545 10.1525 6.18401ZM11.2469 5.00748C12.2138 5.088
35306C13.2303 3.7667 11.9051 2.51622 10.268 1.90662C10.695 2.73788 11.0336 3.79953 11.2469 5.00748ZM8.48347 1.51771C8.4868 1.52089 8.49016 1.52411 8.49353 1.52737C8.7585 1.78353 9.05422 2.21456 9.32968 2.84417
12856 9.95899 4.92219C9.32395 4.89118 8.66896 4.875 8 4.875C7.33104 4.875 6.67605 4.89118 6.04101 4.92219C6.19978 4.12856 6.41594 3.42562 6.67032 2.84417C6.94578 2.21456 7.2415 1.78353 7.50647 1.52737C7.50984
51653 1.51771C7.67615 1.50597 7.83738 1.5 8 1.5C8.16262 1.5 8.32384 1.50597 8.48347 1.51771ZM5.73202 1.90663C4.0949 2.51622 2.76975 3.7667 2.06159 5.35306C2.88085 5.20593 3.78617 5.08891 4.75309 5.00748C4.9663
73202 1.90663ZM4.58133 6.27753C3.48633 6.37904 2.48837 6.52755 1.62761 6.71194C1.54392 7.12828 1.5 7.55901 1.5 8C1.5 8.44099 1.54392 8.87172 1.62761 9.28806C2.48837 9.47245 3.48633 9.62096 4.58133 9.72246C4.52
8C4.5 7.40867 4.52807 6.83232 4.58133 6.27753ZM4.75309 10.9925C3.78617 10.9111 2.88085 10.7941 2.06159 10.6469C2.76975 12.2333 4.0949 13.4838 5.73202 14.0934C5.30497 13.2621 4.96639 12.2005 4.75309 10.9925Z"
927 fill="currentColor"
928 fillRule="evenodd"
929 />
930 </svg>
931 );
932 };
933
934 export const LockIcon = ({ size = 16 }: { size?: number }) => {
935   return (
936     <svg
937       height={size}
938       strokeLinejoin="round"
939       style={{ color: "currentcolor" }}
940       viewBox="0 0 16 16"
941       width={size}
942     >
943       <path
944         clipRule="evenodd"
945         d="M10 4.5V6H6V4.5C6 3.39543 6.89543 2.5 8 2.5C9.10457 2.5 10 3.39543 10 4.5ZM4.5 6V4.5C4.5 2.567 6.067 1 8 1C9.933 1 11.5 2.567 11.5 4.5V6H12.5H14V7.5V12.5C14 13.8807 12.8807 15 11.5 15H4.5C3.1
5V6H3.5H4.5ZM11.5 7.5H10H6H4.5H3.5V12.5C3.5 13.0523 3.94772 13.5 4.5 13.5H11.5C12.0523 13.5 12.5 13.0523 12.5 12.5V7.5H11.5Z"
946         fill="currentColor"
947         fillRule="evenodd"
948       />
949     </svg>
950   );
951 };
952
953 export const EyeIcon = ({ size = 16 }: { size?: number }) => {
954   return (
955     <svg
956       height={size}
957       strokeLinejoin="round"
958       style={{ color: "currentcolor" }}
959       viewBox="0 0 16 16"
960       width={size}
961     >
962       <path
963         clipRule="evenodd"
964         d="M4.02168 4.76932C6.11619 2.33698 9.88374 2.33698 11.9783 4.76932L14.7602 7.99999L11.9783 11.2307C9.88374 13.663 6.1162 13.663 4.02168 11.2307L1.23971 7.99999L4.02168 4.76932ZM13.1149 3.79054C
663247 2.88503 3.79054L-0.318359 7.5106V8.48938L2.88503 12.2094C5.57797 15.3367 10.422 15.3367 13.1149 12.2094L16.3183 8.48938V7.5106L13.1149 3.79054ZM6.49997 7.99999C6.49997 7.17157 7.17154 6.49999 7.99997 6.
7.17157 9.49997 7.99999C9.49997 8.82842 8.82839 9.49999 7.99997 9.49999C7.17154 9.49999 6.49997 8.82842 6.49997 7.99999ZM7.99997 9.49999C6.34311 4.99999 4.99997 6.34314 4.99997 7.99999C4.99997 9.65685 6.34311
65685 11 7.99999C11 6.34314 9.65682 4.99999 7.99997 4.99999Z"
965         fill="currentColor"
966         fillRule="evenodd"
967       />
968     </svg>
969   );
970 };
971
972 export const ShareIcon = ({ size = 16 }: { size?: number }) => {
973   return (
974     <svg
975       height={size}
976       strokeLinejoin="round"
977       style={{ color: "currentcolor" }}
978       viewBox="0 0 16 16"
979       width={size}
980     >
```

```

981     <path
982       clipRule="evenodd"
983       d="M15 11.25V10.5H13.5V11.25V12.75C13.5 13.1642 13.1642 13.5 12.75 13.5H3.25C2.83579 13.5 2.5 13.1642 2.5 12.75L2.5 3.25C2.5 2.83579 2.83579 2.5 3.25 2.5H5.75H6.5V1H5.75H3.25C2.00736 1 1 2.00736
00736 15 3.25 15H12.75C13.9926 15 15 13.9926 15 12.75V11.25ZM15 5.5L10.5 1V4C7.46243 4 5 6.46243 5 9.5V10L5.05855 9.91218C6.27146 8.09281 8.31339 7 10.5 7V10L15 5.5Z"
984       fill="currentColor"
985       fillRule="evenodd"
986     />
987   </svg>
988 );
989 };
990
991 export const CodeIcon = ({ size = 16 }: { size?: number }) => {
992   return (
993     <svg
994       height={size}
995       strokeLinejoin="round"
996       style={{ color: "currentcolor" }}
997       viewBox="0 0 16 16"
998       width={size}
999     >
1000       <path
1001         clipRule="evenodd"
1002         d="M4.21969 12.5303L4.75002 13.0607L5.81068 12L5.28035 11.4697L1.81068 7.99999L5.28035 4.53032L5.81068 3.99999L4.75002 2.93933L4.21969 3.46966L0.39647 7.29289C0.00594562 7.68341 0.00594562 8.31658
5303ZM11.7804 12.5303L11.25 13.0607L10.1894 12L10.7197 11.4697L14.1894 7.99999L10.7197 4.53032L10.1894 3.99999L11.25 2.93933L11.7804 3.46966L15.6036 7.29289C15.9941 7.68341 15.9941 8.31658 15.6036 8.7071L11.7804
1003       fill="currentColor"
1004       fillRule="evenodd"
1005     />
1006   </svg>
1007 );
1008 };
1009
1010 export const PlayIcon = ({ size = 16 }: { size?: number }) => {
1011   return (
1012     <svg
1013       height={size}
1014       strokeLinejoin="round"
1015       style={{ color: "currentcolor" }}
1016       viewBox="0 0 16 16"
1017       width={size}
1018     >
1019       <path
1020         clipRule="evenodd"
1021         d="M13.4549 7.22745L13.3229 7.16146L2.5 1.74999L2.4583 1.72914L1.80902 1.4045L1.3618 1.18089C1.19558 1.09778 1 1.21865 1 1.4045L1 1.9045L1 2.63041L1 2.67704L1 13.3229L1 13.3696L1 14.0955L1 14.59
3618 14.8191L1.80902 14.5955L2.4583 14.2708L2.5 14.25L13.3229 8.83852L13.4549 8.77253L14.2546 8.37267L14.5528 8.2236C14.737 8.13147 14.737 7.86851 14.5528 7.77638L14.2546 7.62731L13.4549 7.22745ZM11.6459 7.99999Z"
6459 7.99999Z"
1022       fill="currentColor"
1023       fillRule="evenodd"
1024     />
1025   </svg>
1026 );
1027 };
1028
1029 export const PythonIcon = ({ size = 16 }: { size?: number }) => {
1030   return (
1031     <svg
1032       height={size}
1033       strokeLinejoin="round"
1034       style={{ color: "currentcolor" }}
1035       viewBox="0 0 16 16"
1036       width={size}
1037     >
1038       <path
1039         d="M7.90474 0.00013087C7.24499 0.00316291 6.61494 0.0588153 6.06057 0.15584C4.42745 0.441207 4.13094 1.0385 4.13094 2.14002V3.59479H7.9902V4.07971H4.13094H2.68259C1.56099 4.07971 0.578874 4.7465
4689 -0.0983767 8.37619 0.271682 9.89434C0.546012 11.0244 1.20115 11.8296 2.32276 11.8296H3.64966V10.0856C3.64966 8.82574 4.75179 7.71441 6.06057 7.71441H9.91533C10.9884 7.71441 11.845 6.84056 11.845 5.77472V2
0.328487 9.91533 0.15584C9.25237 0.046687 8.56448 -0.00290121 7.90474 0.00013087ZM5.81768 1.17017C6.21631 1.17017 6.54185 1.49742 6.54185 1.89978C6.54185 2.30072 6.21631 2.62494 5.81768 2.62494C5.41761 2.62494
89978C5.09351 1.49742 5.41761 1.17017 5.81768 1.17017Z"
1040       fill="currentColor"
1041     />
1042   <path

```



```

1043         d="M12.3262 4.07971V5.77472C12.3262 7.08883 11.1997 8.19488 9.91525 8.19488H6.06049C5.0046 8.19488 4.13086 9.0887 4.13086 10.1346V13.7693C4.13086 14.8037 5.04033 15.4122 6.06049 15.709C7.28211 1
15.709C10.8868 15.4307 11.8449 14.8708 11.8449 13.7693V12.3145H7.99012V11.8296H11.8449H13.7745C14.8961 11.8296 15.3141 11.0558 15.7041 9.89434C16.1071 8.69865 16.0899 7.5488 15.7041 6.01495C15.4269 4.91058 14.
07971H12.3262ZM10.1581 13.2843C10.5582 13.2843 10.8823 13.6086 10.8823 14.0095C10.8823 14.4119 10.5582 14.7391 10.1581 14.7391C9.7595 14.7391 9.43397 14.4119 9.43397 14.0095C9.43397 13.6086 9.7595 13.2843 10.1
1044         fill="currentColor"
1045     />
1046 </svg>
1047 );
1048 };
1049
1050 export const TerminalWindowIcon = ({ size = 16 }: { size?: number }) => {
1051     return (
1052         <svg
1053             height={size}
1054             strokeLinejoin="round"
1055             style={{ color: "currentcolor" }}
1056             viewBox="0 0 16 16"
1057             width={size}
1058         >
1059             <path
1060                 clipRule="evenodd"
1061                 d="M1.5 2.5H14.5V12.5C14.5 13.0523 14.0523 13.5 13.5 13.5 13.5H2.5C1.94772 13.5 1.5 13.0523 1.5 12.5V2.5ZM0 1H1.5H14.5H16V2.5V12.5C16 13.8807 15 13.5 15H2.5C1.11929 15 0 13.8807 0 12.5V2.5V1Z
51516 8.61872C6.85687 8.27701 6.85687 7.72299 6.51517 7.38128L4.44194 5.30806L4 4.86612L3.11612 5.75L3.55806 6.19194L5.36612 8L3.55806 9.80806L3.11612 10.25L4 11.13392M8 9.75494H8.6225H11.75H12.3725V10.9999H11
1062             fill="currentColor"
1063             fillRule="evenodd"
1064         />
1065     </svg>
1066 );
1067 };
1068
1069 export const TerminalIcon = ({ size = 16 }: { size?: number }) => {
1070     return (
1071         <svg
1072             height={size}
1073             strokeLinejoin="round"
1074             style={{ color: "currentcolor" }}
1075             viewBox="0 0 16 16"
1076             width={size}
1077         >
1078             <path
1079                 clipRule="evenodd"
1080                 d="M1.53035 12.7804L1.00002 13.3108L-0.0606384 12.2501L0.469692 11.7198L4.18936 8.00011L0.469692 4.28044L-0.0606384 3.75011L1.00002 2.68945L1.53035 3.21978L5.60358 7.29301C5.9941 7.68353 5.9941
12.7804ZM8.75002 12.5001H8.00002V14.0001H8.75002H15.25H16V12.5001H15.25H8.75002Z"
1081             fill="currentColor"
1082             fillRule="evenodd"
1083         />
1084     </svg>
1085 );
1086 };
1087
1088 export const ClockRewind = ({ size = 16 }: { size?: number }) => {
1089     return (
1090         <svg
1091             height={size}
1092             strokeLinejoin="round"
1093             style={{ color: "currentcolor" }}
1094             viewBox="0 0 16 16"
1095             width={size}
1096         >
1097             <path
1098                 clipRule="evenodd"
1099                 d="M7.96452 2.5C11.0257 2.5 13.5 4.96643 13.5 8C13.5 11.0336 11.0257 13.5 7.96452 13.5C6.12055 13.5 4.48831 12.6051 3.48161 11.2273L3.03915 10.6217L1.828 11.5066L2.27046 12.1122C3.54872 13.8617
15 15 11.87 15 8C15 4.13001 11.8461 1 7.96452 1C5.06835 1 2.57851 2.74164 1.5 5.23347V3.75V3H0V3.75V7.25C0 7.66421 0.335786 8 0.75 8H3.75H4.5V6.5H3.75H2.63724C3.29365 4.19393 5.42843 2.5 7.96452 2.5ZM8.75 5.25
20056 7.4171 8.51279 7.6953 8.69825L9.08397 9.62404L9.70801 10.0401L10.5401 8.79199L9.91603 8.37596L8.75 7.59861V5.25Z"
1100             fill="currentColor"
1101             fillRule="evenodd"
1102         />
1103     </svg>
1104 );
1105 };

```

```

1106
1107 export const LogsIcon = ({ size = 16 }: { size?: number }) => {
1108   return (
1109     <svg
1110       height={size}
1111       strokeLinejoin="round"
1112       style={{ color: "currentcolor" }}
1113       viewBox="0 0 16 16"
1114       width={size}
1115     >
1116       <path
1117         clipRule="evenodd"
1118         d="M9 2H9.75H14.25H15V3.5H14.25H9.75H9V2ZM9 12.5H9.75H14.25H15V14H14.25H9.75H9V12.5ZM9 7.5 7.25H9V8.75H9.75H14.25H15V7.25H14.25H9.75ZM1 12.5H1.75H2.25H3V14H2.25H1.75H1V12.5ZM1 7.5 2H1V3.5H1.75H2.25H3V8.75H2.25H1.75H1V7.25ZM5 7.5 12.5H5V14H5.75H6.25H7V12.5H6.25H5.75ZM5 2H5.75H6.25H7V3.5H6.25H5.75H5V2ZM5 7.5 7.25H5V8.75H5.75H6.25H7V7.25H6.25H5.75Z"
1119         fill="currentColor"
1120         fillRule="evenodd"
1121       />
1122     </svg>
1123   );
1124 };
1125
1126 export const ImageIcon = ({ size = 16 }: { size?: number }) => {
1127   return (
1128     <svg
1129       height={size}
1130       strokeLinejoin="round"
1131       style={{ color: "currentcolor" }}
1132       viewBox="0 0 16 16"
1133       width={size}
1134     >
1135       <path
1136         clipRule="evenodd"
1137         d="M14.5 2.5H1.5V9.18933L2.96966 7.71967L3.18933 7.5H3.49999H6.63001H6.93933L6.96966 7.46967L10.4697 3.96967L11.5303 3.96967L14.5 6.93934V2.5ZM8.00066 8.55999L9.53034 10.0897L10.0607 10.62L9.00066 10.62L9.53034 11.53032 11.2803L1.5 11.3106V12.5C1.5 13.0523 1.94772 13.5 2.5 13.5H13.5C14.0523 13.5 14.5 13.0523 14.5 12.5V9.06066L11 5.56066L8.03032 8.53033L8.00066 8.55999ZM4.05312e-06 10.8107V12.5C4.05312e-06 10.8107 15 16 13.8807 16 12.5V9.56066L16.5607 9L16.0303 8.46967L16 8.43934V2.5V1H14.5H1.5H4.05312e-06V2.5V10.6893L-0.0606689 10.75L4.05312e-06 10.8107Z"
1138         fill="currentColor"
1139         fillRule="evenodd"
1140       />
1141     </svg>
1142   );
1143 };
1144
1145 export const FullscreenIcon = ({ size = 16 }: { size?: number }) => (
1146   <svg
1147     height={size}
1148     strokeLinejoin="round"
1149     style={{ color: "currentcolor" }}
1150     viewBox="0 0 16 16"
1151     width={size}
1152   >
1153     <path
1154       clipRule="evenodd"
1155       d="M1 5.25V6H2.5V5.25V2.5H5.25H6V1H5.25H2C1.44772 1 1.44772 1 2V5.25ZM5.25 14.9994H6V13.4994H5.25H2.5V10.7494V9.99939H1V10.7494V13.9994C1 14.5517 1.44772 14.9994 2 14.9994H5.25ZM15 10V10.75V14C15 10.75H10V13.5H10.75H13.5V10.75V10H15ZM10.75 1H10V2.5H10.75H13.5V5.25V6H15V5.25V2C15 1.44772 14.5523 1 14 1H10.75Z"
1156       fill="currentColor"
1157       fillRule="evenodd"
1158     />
1159   </svg>
1160 );
1161
1162 export const DownloadIcon = ({ size = 16 }: { size?: number }) => (
1163   <svg
1164     height={size}
1165     strokeLinejoin="round"
1166     style={{ color: "currentcolor" }}
1167     viewBox="0 0 16 16"
1168     width={size}
1169   >
1170     <path

```

```

1171         clipRule="evenodd"
1172         d="M8.75 1v1.75V8.68934L10.7197 6.71967L11.25 6.18934L12.3107 7.25L11.7803 7.78033L8.70711 10.8536C8.31658 11.2441 7.68342 11.2441 7.29289 10.8536L4.21967 7.78033L3.68934 7.25L4.75 6.18934L5.28033
752M13.5 9.25V13.5H2.5V9.25V8.5H1V9.25V14C1 14.5523 1.44771 15 2 15H14C14.5523 15 15 14.5523 15 14V9.25V8.5H13.5V9.25Z"
1173         fill="currentColor"
1174         fillRule="evenodd"
1175     />
1176 </svg>
1177 );
1178
1179 export const LineChartIcon = ({ size = 16 }: { size?: number }) => (
1180     <svg
1181         height={size}
1182         strokeLinejoin="round"
1183         style={{ color: "currentcolor" }}
1184         viewBox="0 0 16 16"
1185         width={size}
1186     >
1187         <path
1188             clipRule="evenodd"
1189             d="M1 1v11.75A2.25 2.25 0 0 0 3.25 15H15v-1.5H3.25a.75.75 0 0 1-.75-.75V1H12m13.297 5.013 5.13-.547-1.094-1.026-.513.547-3.22 3.434-2.276-2.275a1 1 0 0 0-1.414 0L4.22 8.221-.53.53 1.06 1.06.53-.53L
437-.023L3.573-3.811Z"
1190             fill="currentColor"
1191             fillRule="evenodd"
1192         />
1193     </svg>
1194 );
1195
1196 export const WarningIcon = ({ size = 16 }: { size?: number }) => {
1197     return (
1198         <svg
1199             height={size}
1200             strokeLinejoin="round"
1201             style={{ color: "currentcolor" }}
1202             viewBox="0 0 16 16"
1203             width={size}
1204         >
1205             <path
1206                 clipRule="evenodd"
1207                 d="M8.55846 0.5C9.13413 0.5 9.65902 0.829456 9.90929 1.34788L15.8073 13.5653C16.1279 14.2293 15.6441 15 14.9068 15H1.09316C0.355835 15 -0.127943 14.2293 0.192608 13.5653L6.09065 1.34787C6.34092
5H8.55846ZM8.74997 4.75V5.5V8V8.75H7.24997V8V5.5V4.75H8.74997ZM7.99997 12C8.55226 12 8.99997 11.5523 8.99997 11C8.99997 10.4477 8.55226 10 7.99997 10C7.44769 10 6.99997 10.4477 6.99997 11C6.99997 11.5523 7.447
1208             fill="currentColor"
1209             fillRule="evenodd"
1210         />
1211     </svg>
1212 );
1213 };

```

230. components/image-editor.tsx

```

1  import cn from "classnames";
2  import { LoaderIcon } from "../icons";
3
4  type ImageEditorProps = {
5    title: string;
6    content: string;
7    isCurrentVersion: boolean;
8    currentVersionIndex: number;
9    status: string;
10   isInline: boolean;
11 };
12
13 export function ImageEditor({
14   title,
15   content,
16   status,
17   isInline,
18 }: ImageEditorProps) {

```

```

19   return (
20     <div
21       className={cn("flex w-full flex-row items-center justify-center", {
22         "h-[calc(100dvh-60px)]": !isInline,
23         "h-[200px]": isInline,
24       })}
25     >
26       {status === "streaming" ? (
27         <div className="flex flex-row items-center gap-4">
28           {!isInline && (
29             <div className="animate-spin">
30               <LoaderIcon />
31             </div>
32           )}
33           <div>Generating Image...</div>
34         </div>
35       ) : (
36         <picture>
37           {/** biome-ignore lint/nursery/useImageSize: "Generated image without explicit size" */}
38           <img
39             alt={title}
40             className={cn("h-fit w-full max-w-[800px]", {
41               "p-0 md:p-20": !isInline,
42             })}
43             src={`data:image/png;base64,${content}`}
44           />
45         </picture>
46       )}
47     </div>
48   );
49 }

```

231. components/language-switcher.tsx

```

1  "use client";
2
3  import { GlobeIcon } from "lucide-react";
4  import { useRouter } from "next/navigation";
5  import { useTransition } from "react";
6  import { Button } from "@components/ui/button";
7  import {
8    DropdownMenu,
9    DropdownMenuContent,
10   DropdownMenuItem,
11   DropdownMenuTrigger,
12 } from "@components/ui/dropdown-menu";
13 import { type Locale, LOCALE_COOKIE, localeNames, locales } from "@lib/i18n/config";
14 import { useLocale } from "@lib/i18n/provider";
15
16 export function LanguageSwitcher({ className }: { className?: string }) {
17   const router = useRouter();
18   const current = useLocale();
19   const [isPending, startTransition] = useTransition();
20
21   const setLocale = (next: Locale) => {
22     if (next === current) {
23       return;
24     }
25     // One-year cookie; server layout reads it on the next render.
26     document.cookie = `${LOCALE_COOKIE}=${next}; path=/; max-age=31536000; samesite=lax`;
27     // Re-render server components so the new dictionary flows through the provider.
28     startTransition(() => router.refresh());
29   };
30
31   return (
32     <DropdownMenu>
33       <DropdownMenuTrigger asChild>

```

```

34     <Button
35       aria-label="Change language"
36       className={className}
37       disabled={isPending}
38       size="sm"
39       variant="ghost"
40     >
41       <GlobeIcon className="size-4" />
42       <span className="hidden sm:inline">{localeNames[current]}</span>
43     </Button>
44   </DropdownMenuTrigger>
45   <DropdownMenuContent align="end">
46     {locales.map((loc) => (
47       <DropdownMenuItem
48         className={loc === current ? "font-semibold" : undefined}
49         key={loc}
50         onSelect={() => setLocale(loc)}
51       >
52         {localeNames[loc]}
53       </DropdownMenuItem>
54     ))}
55   </DropdownMenuContent>
56 </DropdownMenu>
57   );
58 }

```

232. components/message-actions.tsx

```

1  import equal from "fast-deep-equal";
2  import { memo } from "react";
3  import { toast } from "sonner";
4  import { useSWRConfig } from "swr";
5  import { useCopyToClipboard } from "usehooks-ts";
6  import type { Vote } from "@lib/db/schema";
7  import type { ChatMessage } from "@lib/types";
8  import { Action, Actions } from "../elements/actions";
9  import { CopyIcon, PencilEditIcon, ThumbDownIcon, ThumbUpIcon } from "../icons";
10
11 export function PureMessageActions({
12   chatId,
13   message,
14   vote,
15   isLoading,
16   setMode,
17 }: {
18   chatId: string;
19   message: ChatMessage;
20   vote: Vote | undefined;
21   isLoading: boolean;
22   setMode?: (mode: "view" | "edit") => void;
23 }) {
24   const { mutate } = useSWRConfig();
25   const [, copyToClipboard] = useCopyToClipboard();
26
27   if (isLoading) {
28     return null;
29   }
30
31   const textFromParts = message.parts
32     ?.filter((part) => part.type === "text")
33     .map((part) => part.text)
34     .join("\n")
35     .trim();
36
37   const handleCopy = async () => {
38     if (!textFromParts) {
39       toast.error("There's no text to copy!");

```

```

40     return;
41   }
42
43   await copyToClipboard(textFromParts);
44   toast.success("Copied to clipboard!");
45 };
46
47 // User messages get edit (on hover) and copy actions
48 if (message.role === "user") {
49   return (
50     <Actions className="-mr-0.5 justify-end">
51       <div className="relative">
52         {setMode && (
53           <Action
54             className="-left-10 absolute top-0 opacity-0 transition-opacity focus-visible:opacity-100 group-hover/message:opacity-100"
55             data-testid="message-edit-button"
56             onClick={() => setMode("edit")}
57             tooltip="Edit"
58           >
59             <PencilEditIcon />
60           </Action>
61         )}
62         <Action onClick={handleCopy} tooltip="Copy">
63           <CopyIcon />
64         </Action>
65       </div>
66     </Actions>
67   );
68 }
69
70 return (
71   <Actions className="-ml-0.5">
72     <Action onClick={handleCopy} tooltip="Copy">
73       <CopyIcon />
74     </Action>
75
76     <Action
77       data-testid="message-upvote"
78       disabled={vote?.isUpvoted}
79       onClick={() => {
80         const upvote = fetch("/api/vote", {
81           method: "PATCH",
82           body: JSON.stringify({
83             chatId,
84             messageId: message.id,
85             type: "up",
86           }),
87         });
88
89         toast.promise(upvote, {
90           loading: "Upvoting Response...",
91           success: () => {
92             mutate<Vote[]>({
93               `/api/vote?chatId=${chatId}`,
94               (currentVotes) => {
95                 if (!currentVotes) {
96                   return [];
97                 }
98
99                 const votesWithoutCurrent = currentVotes.filter(
100                   (currentVote) => currentVote.messageId !== message.id
101                 );
102
103                 return [
104                   ...votesWithoutCurrent,
105                   {
106                     chatId,
107                     messageId: message.id,
108                     isUpvoted: true,

```

```

109         },
110     };
111     },
112     { revalidate: false }
113 );
114
115     return "Upvoted Response!";
116 },
117     error: "Failed to upvote response.",
118 });
119 }
120 tooltip="Upvote Response"
121 >
122 <ThumbUpIcon />
123 </Action>
124
125 <Action
126   data-testid="message-downvote"
127   disabled={vote && !vote.isUpvoted}
128   onClick={() => {
129     const downvote = fetch("/api/vote", {
130       method: "PATCH",
131       body: JSON.stringify({
132         chatId,
133         messageId: message.id,
134         type: "down",
135       }),
136     });
137
138     toast.promise(downvote, {
139       loading: "Downvoting Response...",
140       success: () => {
141         mutate<Vote[]>({
142           `/api/vote?chatId=${chatId}`,
143           (currentVotes) => {
144             if (!currentVotes) {
145               return [];
146             }
147
148             const votesWithoutCurrent = currentVotes.filter(
149               (currentVote) => currentVote.messageId !== message.id
150             );
151
152             return [
153               ...votesWithoutCurrent,
154               {
155                 chatId,
156                 messageId: message.id,
157                 isUpvoted: false,
158               },
159             ];
160           },
161           { revalidate: false }
162         );
163
164         return "Downvoted Response!";
165       },
166       error: "Failed to downvote response.",
167     });
168   }
169   tooltip="Downvote Response"
170 >
171 <ThumbDownIcon />
172 </Action>
173 </Actions>
174 );
175 }
176
177 export const MessageActions = memo(

```

```

178   PureMessageActions,
179   (prevProps, nextProps) => {
180     if (!equal(prevProps.vote, nextProps.vote)) {
181       return false;
182     }
183     if (prevProps.isLoading !== nextProps.isLoading) {
184       return false;
185     }
186   }
187   return true;
188 }
189 );

```

233. components/message-editor.tsx

```

1  "use client";
2
3  import type { UseChatHelpers } from "@ai-sdk/react";
4  import {
5    type Dispatch,
6    type SetStateAction,
7    useCallback,
8    useEffect,
9    useRef,
10   useState,
11 } from "react";
12 import { deleteTrailingMessages } from "@app/(chat)/actions";
13 import type { ChatMessage } from "@lib/types";
14 import { getTextFromMessage } from "@lib/Utils";
15 import { Button } from "../ui/button";
16 import { Textarea } from "../ui/textarea";
17
18 export type MessageEditorProps = {
19   message: ChatMessage;
20   setMode: Dispatch<SetStateAction<"view" | "edit">>;
21   setMessages: UseChatHelpers<ChatMessage>["setMessages"];
22   regenerate: UseChatHelpers<ChatMessage>["regenerate"];
23 };
24
25 export function MessageEditor({
26   message,
27   setMode,
28   setMessages,
29   regenerate,
30 }: MessageEditorProps) {
31   const [isSubmitting, setIsSubmitting] = useState<boolean>(false);
32
33   const [draftContent, setDraftContent] = useState<string>(
34     getTextFromMessage(message)
35   );
36   const textareaRef = useRef<HTMLTextAreaElement>(null);
37
38   const adjustHeight = useCallback(() => {
39     if (textareaRef.current) {
40       textareaRef.current.style.height = "auto";
41       textareaRef.current.style.height = `${textareaRef.current.scrollHeight + 2}px`;
42     }
43   }, []);
44
45   useEffect(() => {
46     if (textareaRef.current) {
47       adjustHeight();
48     }
49   }, [adjustHeight]);
50
51   const handleInput = (event: React.ChangeEvent<HTMLTextAreaElement>) => {
52     setDraftContent(event.target.value);

```



```

53     adjustHeight();
54   };
55
56   return (
57     <div className="flex w-full flex-col gap-2">
58       <Textarea
59         className="w-full resize-none overflow-hidden rounded-xl bg-transparent text-base! outline-hidden"
60         data-testid="message-editor"
61         onChange={handleInput}
62         ref={textareaRef}
63         value={draftContent}
64       />
65
66       <div className="flex flex-row justify-end gap-2">
67         <Button
68           className="h-fit px-3 py-2"
69           onClick={() => {
70             setMode("view");
71           }}
72           variant="outline"
73         >
74           Cancel
75         </Button>
76         <Button
77           className="h-fit px-3 py-2"
78           data-testid="message-editor-send-button"
79           disabled={isSubmitting}
80           onClick={async () => {
81             setIsSubmitting(true);
82
83             await deleteTrailingMessages({
84               id: message.id,
85             });
86
87             setMessages((messages) => {
88               const index = messages.findIndex((m) => m.id === message.id);
89
90               if (index !== -1) {
91                 const updatedMessage: ChatMessage = {
92                   ...message,
93                   parts: [{ type: "text", text: draftContent }],
94                 };
95
96                 return [...messages.slice(0, index), updatedMessage];
97               }
98
99               return messages;
100             });
101
102             setMode("view");
103             regenerate();
104           }}
105           variant="default"
106         >
107           {isSubmitting ? "Sending..." : "Send"}
108         </Button>
109       </div>
110     </div>
111   );
112 }

```

234. components/message-reasoning.tsx

```

1  "use client";
2
3  import { useEffect, useState } from "react";
4  import {

```

```

5   Reasoning,
6   ReasoningContent,
7   ReasoningTrigger,
8 } from "./elements/reasoning";
9
10 type MessageReasoningProps = {
11   isLoading: boolean;
12   reasoning: string;
13 };
14
15 export function MessageReasoning({
16   isLoading,
17   reasoning,
18 }: MessageReasoningProps) {
19   const [hasBeenStreaming, setHasBeenStreaming] = useState(isLoading);
20
21   useEffect(() => {
22     if (isLoading) {
23       setHasBeenStreaming(true);
24     }
25   }, [isLoading]);
26
27   return (
28     <Reasoning
29       data-testid="message-reasoning"
30       defaultOpen={hasBeenStreaming}
31       isStreaming={isLoading}
32     >
33       <ReasoningTrigger />
34       <ReasoningContent>{reasoning}</ReasoningContent>
35     </Reasoning>
36   );
37 }

```

235. components/message.tsx

```

1  "use client";
2  import type { UseChatHelpers } from "@ai-sdk/react";
3  import equal from "fast-deep-equal";
4  import { memo, useState } from "react";
5  import type { Vote } from "@lib/db/schema";
6  import type { ChatMessage } from "@lib/types";
7  import { cn, sanitizeText } from "@lib/utils";
8  import { useDataStream } from "../data-stream-provider";
9  import { DocumentToolResult } from "../document";
10 import { DocumentPreview } from "../document-preview";
11 import { MessageContent } from "../elements/message";
12 import { Response } from "../elements/response";
13 import {
14   Tool,
15   ToolContent,
16   ToolHeader,
17   ToolInput,
18   ToolOutput,
19 } from "../elements/tool";
20 import { SparklesIcon } from "../icons";
21 import { MessageActions } from "../message-actions";
22 import { MessageEditor } from "../message-editor";
23 import { MessageReasoning } from "../message-reasoning";
24 import { PreviewAttachment } from "../preview-attachment";
25 import { Weather } from "../weather";
26
27 const PurePreviewMessage = ({
28   addToolApprovalResponse,
29   chatId,
30   message,
31   vote,

```

```

32   isLoading,
33   setMessages,
34   regenerate,
35   isReadonly,
36   requiresScrollPadding: _requiresScrollPadding,
37 }): {
38   addToolApprovalResponse: UseChatHelpers<ChatMessage>["addToolApprovalResponse"];
39   chatId: string;
40   message: ChatMessage;
41   vote: Vote | undefined;
42   isLoading: boolean;
43   setMessages: UseChatHelpers<ChatMessage>["setMessages"];
44   regenerate: UseChatHelpers<ChatMessage>["regenerate"];
45   isReadonly: boolean;
46   requiresScrollPadding: boolean;
47 }) => {
48   const [mode, setMode] = useState<"view" | "edit">("view");
49
50   const attachmentsFromMessage = message.parts.filter(
51     (part) => part.type === "file"
52   );
53
54   useDataStream();
55
56   return (
57     <div
58       className="group/message fade-in w-full min-w-0 animate-in duration-200"
59       data-role={message.role}
60       data-testid={`message-${message.role}`}
61     >
62       <div
63         className={cn("flex w-full min-w-0 items-start gap-2 md:gap-3", {
64           "justify-end": message.role === "user" && mode !== "edit",
65           "justify-start": message.role === "assistant",
66         })}
67       >
68         {message.role === "assistant" && (
69           <div className="-mt-1 flex size-8 shrink-0 items-center justify-center rounded-full bg-background ring-1 ring-border">
70             <SparklesIcon size={14} />
71           </div>
72         )}
73
74         <div
75           className={cn("flex flex-col", {
76             "gap-2 md:gap-4": message.parts?.some(
77               (p) => p.type === "text" && p.text?.trim()
78             ),
79             "w-full":
80               (message.role === "assistant" &&
81                 (message.parts?.some(
82                   (p) => p.type === "text" && p.text?.trim()
83                 ) ||
84                   message.parts?.some((p) => p.type.startsWith("tool-")))) ||
85               mode === "edit",
86             "min-w-0 max-w-[85%] sm:max-w-[min(fit-content,80%)]":
87               message.role === "user" && mode !== "edit",
88           )}
89         >
90           {attachmentsFromMessage.length > 0 && (
91             <div
92               className="flex flex-row justify-end gap-2"
93               data-testid="message-attachments"
94             >
95               {attachmentsFromMessage.map((attachment) => (
96                 <PreviewAttachment
97                   attachment={{
98                     name: attachment.filename ?? "file",
99                     contentType: attachment.mediaType,
100                     url: attachment.url,

```

```

101         }}
102         key={attachment.url}
103     />
104     }}
105 </div>
106 )}
107
108 {message.parts?.map((part, index) => {
109     const { type } = part;
110     const key = `message-${message.id}-part-${index}`;
111
112     if (type === "reasoning" && part.text?.trim().length > 0) {
113         return (
114             <MessageReasoning
115                 isLoading={isLoading}
116                 key={key}
117                 reasoning={part.text}
118             />
119         );
120     }
121
122     if (type === "text") {
123         if (mode === "view") {
124             return (
125                 <div key={key}>
126                     <MessageContent
127                         className={cn({
128                             "w-fit max-w-full rounded-2xl px-3 py-2 text-right text-white [overflow-wrap:anywhere]":
129                                 message.role === "user",
130                             "min-w-0 max-w-full bg-transparent px-0 py-0 text-left [overflow-wrap:anywhere]":
131                                 message.role === "assistant",
132                         })}
133                         data-testid="message-content"
134                         style={
135                             message.role === "user"
136                                 ? { backgroundColor: "#006cff" }
137                                 : undefined
138                         }
139                     >
140                         <Response>{sanitizeText(part.text)}</Response>
141                     </MessageContent>
142                 </div>
143             );
144         }
145
146         if (mode === "edit") {
147             return (
148                 <div
149                     className="flex w-full flex-row items-start gap-3"
150                     key={key}
151                 >
152                     <div className="size-8" />
153                     <div className="min-w-0 flex-1">
154                         <MessageEditor
155                             key={message.id}
156                             message={message}
157                             regenerate={regenerate}
158                             setMessages={setMessages}
159                             setMode={setMode}
160                         />
151                     </div>
161                 </div>
162             );
163         }
164     }
165 }
166
167 if (type === "tool-getWeather") {
168     const { toolCallId, state } = part;
169     const approvalId = (part as { approval?: { id: string } })

```

```

170     .approval?.id;
171     const isDenied =
172       state === "output-denied" ||
173       (state === "approval-responded" &&
174         (part as { approval?: { approved?: boolean } }).approval
175           ?.approved === false);
176     const widthClass = "w-[min(100%,450px)]";
177
178     if (state === "output-available") {
179       return (
180         <div className={widthClass} key={toolCallId}>
181           <Weather weatherAtLocation={part.output} />
182         </div>
183       );
184     }
185
186     if (isDenied) {
187       return (
188         <div className={widthClass} key={toolCallId}>
189           <Tool className="w-full" defaultOpen={true}>
190             <ToolHeader
191               state="output-denied"
192               type="tool-getWeather"
193             />
194             <ToolContent>
195               <div className="px-4 py-3 text-muted-foreground text-sm">
196                 Weather lookup was denied.
197               </div>
198             </ToolContent>
199           </Tool>
200         </div>
201       );
202     }
203
204     if (state === "approval-responded") {
205       return (
206         <div className={widthClass} key={toolCallId}>
207           <Tool className="w-full" defaultOpen={true}>
208             <ToolHeader state={state} type="tool-getWeather" />
209             <ToolContent>
210               <ToolInput input={part.input} />
211             </ToolContent>
212           </Tool>
213         </div>
214       );
215     }
216
217     return (
218       <div className={widthClass} key={toolCallId}>
219         <Tool className="w-full" defaultOpen={true}>
220           <ToolHeader state={state} type="tool-getWeather" />
221           <ToolContent>
222             {(state === "input-available" ||
223               state === "approval-requested") && (
224               <ToolInput input={part.input} />
225             )}
226             {state === "approval-requested" && approvalId && (
227               <div className="flex items-center justify-end gap-2 border-t px-4 py-3">
228                 <button
229                   className="rounded-md px-3 py-1.5 text-muted-foreground text-sm transition-colors hover:bg-muted hover:text-foreground"
230                   onClick={() => {
231                     addToolApprovalResponse({
232                       id: approvalId,
233                       approved: false,
234                       reason: "User denied weather lookup",
235                     });
236                   }}
237                   type="button"
238                 >

```

```

239         Deny
240     </button>
241     <button
242         className="rounded-md bg-primary px-3 py-1.5 text-primary-foreground text-sm transition-colors hover:bg-primary/90"
243         onClick={() => {
244             addToolApprovalResponse({
245                 id: approvalId,
246                 approved: true,
247             });
248         }}
249         type="button"
250     >
251         Allow
252     </button>
253 </div>
254 })
255 </ToolContent>
256 </Tool>
257 </div>
258 );
259 }
260
261 if (type === "tool-createDocument") {
262     const { toolCallId } = part;
263
264     if (part.output && "error" in part.output) {
265         return (
266             <div
267                 className="rounded-lg border border-red-200 bg-red-50 p-4 text-red-500 dark:bg-red-950/50"
268                 key={toolCallId}
269             >
270                 Error creating document: {String(part.output.error)}
271             </div>
272         );
273     }
274
275     return (
276         <DocumentPreview
277             isReadOnly={isReadOnly}
278             key={toolCallId}
279             result={part.output}
280         />
281     );
282 }
283
284 if (type === "tool-updateDocument") {
285     const { toolCallId } = part;
286
287     if (part.output && "error" in part.output) {
288         return (
289             <div
290                 className="rounded-lg border border-red-200 bg-red-50 p-4 text-red-500 dark:bg-red-950/50"
291                 key={toolCallId}
292             >
293                 Error updating document: {String(part.output.error)}
294             </div>
295         );
296     }
297
298     return (
299         <div className="relative" key={toolCallId}>
300             <DocumentPreview
301                 args={{ ...part.output, isUpdate: true }}
302                 isReadOnly={isReadOnly}
303                 result={part.output}
304             />
305         </div>
306     );
307 }

```

```

308
309     if (type === "tool-requestSuggestions") {
310         const { toolCallId, state } = part;
311
312         return (
313             <Tool defaultOpen={true} key={toolCallId}>
314                 <ToolHeader state={state} type="tool-requestSuggestions" />
315                 <ToolContent>
316                     {state === "input-available" && (
317                         <ToolInput input={part.input} />
318                     )}
319                     {state === "output-available" && (
320                         <ToolOutput
321                             errorText={undefined}
322                             output={
323                                 "error" in part.output ? (
324                                     <div className="rounded border p-2 text-red-500">
325                                         Error: {String(part.output.error)}
326                                     </div>
327                                 ) : (
328                                     <DocumentToolResult
329                                         isReadonly={isReadonly}
330                                         result={part.output}
331                                         type="request-suggestions"
332                                     />
333                                 )
334                             }
335                             />
336                         )}
337                 </ToolContent>
338             </Tool>
339         );
340     }
341
342     return null;
343 }}
344
345 {!isReadonly && (
346     <MessageActions
347         chatId={chatId}
348         isLoading={isLoading}
349         key={`action-${message.id}`}
350         message={message}
351         setMode={setMode}
352         vote={vote}
353     />
354 )}
355 </div>
356 </div>
357 </div>
358 );
359 };
360
361 export const PreviewMessage = memo(
362     PurePreviewMessage,
363     (prevProps, nextProps) => {
364         // □ STREAM үед заавал re-render зөвшөөрнө
365         if (prevProps.isLoading || nextProps.isLoading) {
366             return false;
367         }
368
369         if (
370             prevProps.message.id === nextProps.message.id &&
371             prevProps.requiresScrollPadding === nextProps.requiresScrollPadding &&
372             equal(prevProps.message.parts, nextProps.message.parts) &&
373             equal(prevProps.vote, nextProps.vote)
374         ) {
375             return true;
376         }

```

```

377
378   return false;
379 }
380 );
381
382 export const ThinkingMessage = () => {
383   return (
384     <div
385       className="group/message fade-in w-full animate-in duration-300"
386       data-role="assistant"
387       data-testid="message-assistant-loading"
388     >
389       <div className="flex items-start justify-start gap-3">
390         <div className="-mt-1 flex size-8 shrink-0 items-center justify-center rounded-full bg-background ring-1 ring-border">
391           <div className="animate-pulse">
392             <SparklesIcon size={14} />
393           </div>
394         </div>
395
396         <div className="flex w-full flex-col gap-2 md:gap-4">
397           <div className="flex items-center gap-1 p-0 text-muted-foreground text-sm">
398             <span className="animate-pulse">Thinking</span>
399             <span className="inline-flex">
400               <span className="animate-bounce [animation-delay:0ms]"></span>
401               <span className="animate-bounce [animation-delay:150ms]"></span>
402               <span className="animate-bounce [animation-delay:300ms]"></span>
403             </span>
404           </div>
405         </div>
406       </div>
407     </div>
408   );
409 };

```

236. components/messages.tsx

```

1  "use client";
2
3  import type { UseChatHelpers } from "@ai-sdk/react";
4  import equal from "fast-deep-equal";
5  import { ArrowDownIcon } from "lucide-react";
6  import { memo, useEffect } from "react";
7
8  import { useMessages } from "@/hooks/use-messages";
9  import type { Vote } from "@/lib/db/schema";
10 import type { ChatMessage } from "@/lib/types";
11
12 import { useDataStream } from "@/data-stream-provider";
13 import FoodNutritionCard, {
14   type FoodNutritionData,
15 } from "@/app/(chat)/components/food-nutrition-card";
16 import { Greeting } from "@/greeting";
17 import { PreviewMessage, ThinkingMessage } from "@/message";
18
19 // □ Хүснэгт гаргах компонент
20 import FinanceReceiptCard from "@/app/(chat)/components/finance-receipt-card";
21
22 type MessagesProps = {
23   addToolApprovalResponse: UseChatHelpers<ChatMessage>["addToolApprovalResponse"];
24   chatId: string;
25   status: UseChatHelpers<ChatMessage>["status"];
26   votes: Vote[] | undefined;
27   messages: ChatMessage[];
28   setMessages: UseChatHelpers<ChatMessage>["setMessages"];
29   regenerate: UseChatHelpers<ChatMessage>["regenerate"];
30   isReadonly: boolean;
31   isArtifactVisible: boolean;

```



```

32   selectedModelId: string;
33 };
34
35 type MessageRowProps = {
36   addToolApprovalResponse: UseChatHelpers<ChatMessage>["addToolApprovalResponse"];
37   chatId: string;
38   isLoading: boolean;
39   isReadonly: boolean;
40   message: ChatMessage;
41   regenerate: UseChatHelpers<ChatMessage>["regenerate"];
42   requiresScrollPadding: boolean;
43   setMessages: UseChatHelpers<ChatMessage>["setMessages"];
44   vote: Vote | undefined;
45 };
46
47 const FOOD_JSON_PATTERN = /<FOOD_JSON>([\s\S]*)<\/FOOD_JSON>/i;
48 const FOOD_LEGACY_HEADER_PATTERN = /ойролцоо\s+шим\s+тэжээлийн\s+задаггаа/i;
49 const FOOD_LEGACY_HEADING_PATTERN = /^[\s]*([\^:\n]{2,40}):\s*$/gm;
50 const FOOD_LEGACY_IGNORE_HEADING_PATTERN = /шим\s+тэжээлийн|зорилтот|өдрийн/i;
51 const FINANCE_JSON_PATTERN = /<FINANCE_JSON>([\s\S]*)<\/FINANCE_JSON>/;
52
53 function parseLegacyFoodPayload(text: string): FoodNutritionData | null {
54   if (!FOOD_LEGACY_HEADER_PATTERN.test(text)) return null;
55
56   const values = (pattern: RegExp) =>
57     [...text.matchAll(pattern)]
58       .map((match) => Number(match[1].replace(",", ".")))
59       .filter((value) => Number.isFinite(value));
60   const sum = (items: number[]) =>
61     items.reduce((total, value) => total + value, 0);
62
63   const calories = values(/(?:илчлэг|калори)\s*:\s*([\d.,]+)/gi);
64   const protein = values(/уувар\s*:\s*([\d.,]+)/gi);
65   const fat = values(/өх\s+тос\s*:\s*([\d.,]+)/gi);
66   const carbs = values(/хүүрц\s+уц\s*:\s*([\d.,]+)/gi);
67   const fibre = values(/эслэр\s*:\s*([\d.,]+)/gi);
68   const sugar = values(/сахар\s*:\s*([\d.,]+)/gi);
69
70   // This fallback keeps older food-photo messages actionable after deployment.
71   if (
72     calories.length < 2 ||
73     protein.length < 2 ||
74     fat.length < 2 ||
75     carbs.length < 2 ||
76     fibre.length < 2
77   ) {
78     return null;
79   }
80
81   const headings = [...text.matchAll(FOOD_LEGACY_HEADING_PATTERN)]
82     .map((match) => match[1].trim())
83     .filter((heading) => !FOOD_LEGACY_IGNORE_HEADING_PATTERN.test(heading));
84   const name = headings.slice(0, 2).join(", ") || "Зурган дээрх хоол";
85
86   return {
87     name,
88     calories: sum(calories),
89     protein_g: sum(protein),
90     good_carbs_g: sum(carbs),
91     bad_carbs_g: 0,
92     fat_g: sum(fat),
93     fibre_g: sum(fibre),
94     sugar_g: sugar.length ? sum(sugar) : 0,
95     nutrition_score: 0,
96   };
97 }
98
99 function parseFoodPayload(text: string): FoodNutritionData | null {
100   const match = text.match(FOOD_JSON_PATTERN);

```

```

101   if (!match?.[1]) return parseLegacyFoodPayload(text);
102
103   try {
104     const raw = JSON.parse(match[1].trim()) as Record<string, unknown>;
105     const number = (key: string, fallbackKey?: string) => {
106       const value = raw[key] ?? (fallbackKey ? raw[fallbackKey] : undefined);
107       return typeof value === "number" && Number.isFinite(value) ? value : null;
108     };
109     const name = typeof raw.name === "string" ? raw.name.trim() : "";
110     const calories = number("calories");
111     const protein = number("protein_g", "proteinG");
112     const goodCarbs = number("good_carbs_g", "goodCarbsG");
113     const badCarbs = number("bad_carbs_g", "badCarbsG");
114     const fat = number("fat_g", "fatG");
115     const fibre = number("fibre_g", "fiberG");
116     const sugar = number("sugar_g", "sugarG");
117     const score = number("nutrition_score", "nutritionScore");
118
119     // No add action for an unrecognized meal or incomplete model payload.
120     if (
121       !name ||
122       name.toLowerCase().includes("тодорхойгүй") ||
123       calories === null ||
124       calories <= 0 ||
125       protein === null ||
126       goodCarbs === null ||
127       badCarbs === null ||
128       fat === null ||
129       fibre === null ||
130       sugar === null ||
131       score === null
132     ) {
133       return null;
134     }
135
136     return {
137       name,
138       portion: typeof raw.portion === "string" ? raw.portion : undefined,
139       calories,
140       protein_g: protein,
141       good_carbs_g: goodCarbs,
142       bad_carbs_g: badCarbs,
143       fat_g: fat,
144       fibre_g: fibre,
145       sugar_g: sugar,
146       nutrition_score: score,
147     };
148   } catch {
149     return null;
150   }
151 }
152
153 // FINANCE_JSON detection lives behind the same memo bailout as PreviewMessage,
154 // so it only re-runs for the message that actually changed, not the whole list.
155 function PureMessageRow({
156   addToolApprovalResponse,
157   chatId,
158   isLoading,
159   isReadonly,
160   message: m,
161   regenerate,
162   requiresScrollPadding,
163   setMessages,
164   vote,
165 }: MessageRowProps) {
166   const textPart = m.parts?.find((p: any) => p?.type === "text") as any;
167   const text = String(textPart?.text ?? "");
168
169   if (m.role === "assistant") {

```

```

170   const foodData = parseFoodPayload(text);
171   if (foodData) {
172     return (
173       <FoodNutritionCard
174         data={foodData}
175         isReadonly={isReadonly}
176         messageId={m.id}
177         originalText={text}
178       />
179     );
180   }
181 }
182
183 // □ FINANCE_JSON байвал: PreviewMessage-г алгасаад хүснэгт гаргана
184 if (m.role === "assistant" && text.includes("<FINANCE_JSON>")) {
185   const match = text.match(FINANCE_JSON_PATTERN);
186
187   if (match?.[1]) {
188     try {
189       const data = JSON.parse(match[1].trim());
190
191       // human хэсгийг цэвэрлээд хүснэгтэнд дамжуулна
192       const humanText = text
193         .replace(match[0], "")
194         .replace(/<\/?FINANCE_HUMAN>/g, "")
195         .trim();
196
197       return <FinanceReceiptCard data={data} originalText={humanText} />;
198     } catch (e) {
199       console.error("Finance JSON parse error:", e);
200       // parse fail -> fallback хэвийн мессеж
201     }
202   }
203 }
204
205 return (
206   <PreviewMessage
207     addToolApprovalResponse={addToolApprovalResponse}
208     chatId={chatId}
209     isLoading={isLoading}
210     isReadonly={isReadonly}
211     message={m}
212     regenerate={regenerate}
213     requiresScrollPadding={requiresScrollPadding}
214     setMessages={setMessages}
215     vote={vote}
216   />
217 );
218 }
219
220 const MessageRow = memo(PureMessageRow, (prevProps, nextProps) => {
221   // □ STREAM үед заавал re-render зөвшөөрнө
222   if (prevProps.isLoading || nextProps.isLoading) {
223     return false;
224   }
225
226   if (
227     prevProps.message.id === nextProps.message.id &&
228     prevProps.requiresScrollPadding === nextProps.requiresScrollPadding &&
229     equal(prevProps.message.parts, nextProps.message.parts) &&
230     equal(prevProps.vote, nextProps.vote)
231   ) {
232     return true;
233   }
234
235   return false;
236 });
237
238 function PureMessages({

```

```

239   addToolApprovalResponse,
240   chatId,
241   status,
242   votes,
243   messages,
244   setMessages,
245   regenerate,
246   isReadonly,
247 }: MessagesProps) {
248   const {
249     containerRef: messagesContainerRef,
250     endRef: messagesEndRef,
251     isAtBottom,
252     scrollToBottom,
253     hasSentMessage,
254   } = useMessages({ status });
255
256   useDataStream();
257
258   // □ submitted үед доош нь 1 удаа аваачна (хуучин шиг)
259   useEffect(() => {
260     if (status === "submitted") {
261       requestAnimationFrame(() => {
262         const container = messagesContainerRef.current;
263         container?.scrollTo({ top: container.scrollHeight });
264       });
265     }
266   }, [status, messagesContainerRef]);
267
268   return (
269     <div className="relative min-w-0 flex-1">
270       <div
271         className="absolute inset-0 touch-pan-y overflow-y-auto"
272         ref={messagesContainerRef}
273         style={{ overflowAnchor: "none" }}
274       >
275         <div className="mx-auto flex min-w-0 max-w-4xl flex-col gap-4 px-2 py-4 md:gap-6 md:px-4">
276           {messages.length === 0 && <Greeting />}
277
278           {messages.map((m, index) => (
279             <MessageRow
280               addToolApprovalResponse={addToolApprovalResponse}
281               chatId={chatId}
282               isLoading={status === "streaming" && messages.length - 1 === index}
283               isReadonly={isReadonly}
284               key={m.id}
285               message={m}
286               regenerate={regenerate}
287               requiresScrollPadding={hasSentMessage && index === messages.length - 1}
288               setMessages={setMessages}
289               vote={
290                 votes ? votes.find((vote) => vote.messageId === m.id) : undefined
291               }
292             />
293           ))}
294
295           {status === "submitted" &&
296             !messages.some((msg) =>
297               msg.parts?.some(
298                 (part: any) => "state" in part && part.state === "approval-responded"
299               )
300             ) && <ThinkingMessage />}
301
302           <div className="min-h-[24px] min-w-[24px] shrink-0" ref={messagesEndRef} />
303         </div>
304       </div>
305
306       <button
307         aria-label="Scroll to bottom"

```

```

308     className={`-translate-x-1/2 absolute bottom-4 left-1/2 z-10 rounded-full border bg-background p-2 shadow-lg transition-all hover:bg-muted ${
309       isAtBottom
310       ? "pointer-events-none scale-0 opacity-0"
311       : "pointer-events-auto scale-100 opacity-100"
312     }}
313     onClick={() => scrollToBottom("smooth")}
314     type="button"
315   >
316     <ArrowDownIcon className="size-4" />
317   </button>
318 </div>
319 );
320 }
321
322 export const Messages = memo(PureMessages, (prev, next) => {
323   if (prev.isArtifactVisible && next.isArtifactVisible) return true;
324
325   // □□ Stream идэвхтэй үед ЗААВАЛ re-render хийнэ. useChat-ийн
326   // useSyncExternalStore snapshot нь render бүрт хамгийн СҮҮЛИЙН утгыг
327   // буцаадаг тул мемо bailout болох бүрд memoizedProps шинэчлэгдэж,
328   // prev/next хоёулаа адилхан "хамгийн сүүлийн" агуулгатай болдог.
329   // Ингэснээр доорх deep-equal үргэлж true буцааж, стрийм дуустал
330   // НЭГ Ч удаа re-render хийхгүй → хариулт "гэнэт бүхэлдээ" гарч
331   // ирдэг байсан (typewriter огт ажиллахгүй).
332   if (prev.status === "streaming" || next.status === "streaming") {
333     return false;
334   }
335   if (prev.status === "submitted" || next.status === "submitted") {
336     return false;
337   }
338
339   if (prev.status !== next.status) return false;
340   if (prev.selectedModelId !== next.selectedModelId) return false;
341
342   if (prev.messages === next.messages) return false;
343   if (prev.messages.length !== next.messages.length) return false;
344
345   if (!equal(prev.messages, next.messages)) return false;
346   if (!equal(prev.votes, next.votes)) return false;
347
348   return true;
349 });

```

237. components/mind/app-shell.tsx

```

1  "use client";
2
3  import { ArrowLeft, MessageCircle } from "lucide-react";
4  import Link from "next/link";
5  import { useT } from "@lib/i18n/provider";
6  import type {
7    ButtonHTMLAttributes,
8    CSSProperties,
9    HTMLAttributes,
10   InputHTMLAttributes,
11   ReactNode,
12   TextareaHTMLAttributes,
13 } from "react";
14
15 const BRAND = "#1F6FB2";
16 const BRAND_RGB = "31,111,178";
17
18 /** Цагаан, цэвэрхэн дизайн токenuуд (balance/* апп-уудтай ижил) */
19 const BG = "#FFFFFF";
20 /** Зөөлөн өнгөтэй дэвсгэр (цагаан картууд тодрох) — бүх хуудсанд жигд */
21 const SURFACE = "#EEF2F8";
22 const INK = "#0F172A";

```

```

23 const MUTED = "rgba(15,23,42,0.60)";
24 const GLASS = "#FFFFFF";
25 const LINE = "#E2E8F0";
26
27 type AppShellProps = {
28   title: string;
29   subtitle?: string;
30   /** Баруун дээд буланд нэмэлт контент (Чат товчны хажууд) */
31   actions?: ReactNode;
32   /** "Буцах" сүмны зорилго (default: "/") */
33   backHref?: string;
34   /** Буцах товч дарахад дуудах handler (өгвөл backHref-ийн оронд ажиллана) */
35   onBack?: () => void;
36   /** Контентын дээд өргөн (default: "3xl") */
37   width?: "2xl" | "3xl" | "4xl" | "5xl" | "full";
38   children: ReactNode;
39 };
40
41 const WIDTHS: Record<NonNullable<AppShellProps["width"]>, string> = {
42   "2xl": "max-w-2xl",
43   "3xl": "max-w-3xl",
44   "4xl": "max-w-4xl",
45   "5xl": "max-w-5xl",
46   full: "max-w-full",
47 };
48
49 const glassBtn: CSSProperties = {
50   border: `1px solid ${LINE}`,
51   background: "rgba(255,255,255,0.75)",
52   color: INK,
53 };
54
55 export function AppShell({
56   title,
57   subtitle,
58   actions,
59   backHref = "/",
60   onBack,
61   width = "3xl",
62   children,
63 }: AppShellProps) {
64   const t = useT();
65   const backClass =
66     "inline-flex size-[40px] shrink-0 items-center justify-center rounded-full transition-all hover:-translate-y-0.5 hover:shadow-md active:translate-y-0";
67   return (
68     <main
69       className="relative min-h-dvh w-full overflow-x-hidden px-3 pt-4 pb-12 md:px-5 md:pt-6"
70       style={{ background: SURFACE, color: INK }}
71     >
72     /** зөөлөн брэнд орчин (туяа + нарийн торон давхарга) */
73     <div aria-hidden className="pointer-events-none fixed inset-0 -z-10">
74       <div
75         className="absolute -top-40 left-[-12%] h-[560px] w-[560px] rounded-full blur-3xl"
76         style={{ background: `rgba(${BRAND_RGB},0.16)` }}
77       />
78       <div
79         className="absolute -top-24 right-[-16%] h-[480px] w-[480px] rounded-full blur-3xl"
80         style={{ background: `rgba(${BRAND_RGB},0.10)` }}
81       />
82       <div
83         className="absolute bottom-[-28%] left-[18%] h-[640px] w-[640px] rounded-full blur-3xl"
84         style={{ background: `rgba(${BRAND_RGB},0.07)` }}
85       />
86       <div
87         className="absolute inset-0 opacity-[0.5]"
88         style={{
89           backgroundImage:
90             "radial-gradient(rgba(15,23,42,0.04) 1px, transparent 1px)",
91           backgroundSize: "22px 22px",

```

```

92     maskImage:
93       "linear-gradient(180deg, rgba(0,0,0,0.7), transparent 70%)",
94     WebkitMaskImage:
95       "linear-gradient(180deg, rgba(0,0,0,0.7), transparent 70%)",
96   }}
97 />
98 </div>
99
100 <div className={`relative z-10 mx-auto w-full ${WIDTHS[width]}`}>
101   {/* Толгой + контент НЭГ цул панелд */}
102   <div
103     className="relative rounded-[20px] p-4 backdrop-blur-xl md:p-5"
104     style={{
105       border: `1px solid ${LINE}`,
106       background: "rgba(255,255,255,0.72)",
107       boxShadow: "0 8px 30px rgba(15,23,42,0.06)",
108     }}
109   >
110     {/* Topbar */}
111     <header className="flex flex-wrap items-start gap-3">
112       {onBack ? (
113         <button
114           aria-label={t.common.back}
115           className={backClass}
116           onClick={onBack}
117           style={glassBtn}
118           type="button"
119         >
120           <ArrowLeft className="size-[18px]" />
121         </button>
122       ) : (
123         <Link
124           aria-label={t.common.back}
125           className={backClass}
126           href={backHref}
127           style={glassBtn}
128         >
129           <ArrowLeft className="size-[18px]" />
130         </Link>
131       )}
132
133       <div className="min-w-0 flex-1">
134         <h1 className="break-words font-extrabold text-base leading-snug tracking-tight">
135           {title}
136         </h1>
137         {subtitle && (
138           <p
139             className="mt-0.5 break-words text-xs leading-relaxed"
140             style={{ color: MUTED }}
141           >
142             {subtitle}
143           </p>
144         )}
145       </div>
146
147       <div className="flex w-full shrink-0 items-center justify-end gap-2 sm:w-auto sm:pt-0.5">
148         {actions}
149
150         <Link
151           className="inline-flex shrink-0 items-center gap-2 rounded-full px-3.5 py-2.5 font-medium text-sm transition-all hover:-translate-y-0.5 hover:shadow-md active:translate-y-0"
152           href="/"
153           style={glassBtn}
154         >
155           <MessageCircle className="size-[16px]" />
156           <span className="hidden sm:inline">{t.common.chat}</span>
157         </Link>
158       </div>
159     </header>
160

```

```

161      {/* Тусгаарлагч зураас */}
162      <div className="my-4 h-px w-full" style={{ background: LINE }} />
163
164      {/* Контент */}
165      {children}
166    </div>
167  </div>
168 </main>
169 );
170 }
171
172 /**
173  * Контентын хэсэг.
174  * AppShell-ийн нэг цул панелийн дотор сууж байгаа тул өөрийн хүрээ/сүүдэргүй –
175  * зүгээр нэг логик блок (header + content нэг панелд гэсэн зарчим).
176  */
177 export function AppCard({
178   className = "",
179   interactive = false,
180   children,
181 }): {
182   className?: string;
183   /** (Хадгалсан API) – одоо панель доторх блок тул нэмэлт чимэглэлгүй */
184   interactive?: boolean;
185   children: ReactNode;
186 } {
187   return <section className={className}>{children}</section>;
188 }
189
190 /* ————— Typography ————— */
191
192 /** Жижиг шошго / нүдний өмнөх мөр (eyebrow) */
193 export function Badge({
194   children,
195   className = "",
196 }): {
197   children: ReactNode;
198   className?: string;
199 } {
200   return (
201     <span
202       className={`inline-flex items-center gap-1.5 rounded-full px-2.5 py-1 font-semibold text-[11px] uppercase tracking-wide ${className}`}
203       style={{
204         background: `rgba(${BRAND_RGB},0.10)`,
205         color: BRAND,
206         border: `1px solid rgba(${BRAND_RGB},0.18)`,
207       }}
208     >
209       {children}
210     </span>
211   );
212 }
213
214 /** Хуудасны том гарчиг (карт дотор / контентын дээд хэсэгт) */
215 export function PageHero({
216   icon,
217   eyebrow,
218   title,
219   description,
220   className = "",
221 }): {
222   icon?: ReactNode;
223   eyebrow?: ReactNode;
224   title: ReactNode;
225   description?: ReactNode;
226   className?: string;
227 } {
228   return (
229     <div className={`mb-5 ${className}`}>

```



```

230     <div className="flex items-start gap-3.5">
231       {icon && (
232         <span
233           aria-hidden
234           className="grid size-12 shrink-0 place-items-center rounded-[16px] text-2xl leading-none shadow-sm"
235           style={{
236             background: `linear-gradient(135deg, rgba(${BRAND_RGB},0.18), rgba(${BRAND_RGB},0.05))`,
237             border: `1px solid rgba(${BRAND_RGB},0.18)` ,
238           }}
239         >
240           {icon}
241         </span>
242       )}
243     <div className="min-w-0 pt-0.5">
244       {eyebrow && <div className="mb-1.5">{eyebrow}</div>}
245       <h1
246         className="font-extrabold text-xl tracking-tight md:text-2xl"
247         style={{ color: INK }}
248       >
249         {title}
250       </h1>
251       {description && (
252         <p
253           className="mt-2 max-w-prose text-sm leading-relaxed"
254           style={{ color: MUTED }}
255         >
256           {description}
257         </p>
258       )}
259     </div>
260   </div>
261 </div>
262 );
263 }
264
265 /** Хэсгийн гарчиг (h2) */
266 export function SectionHeading({
267   children,
268   className = "",
269 }: {
270   children: ReactNode;
271   className?: string;
272 }) {
273   return (
274     <h2
275       className={`font-bold text-base tracking-tight ${className}`}
276       style={{ color: INK }}
277     >
278       {children}
279     </h2>
280   );
281 }
282
283 /** Тусгай бус, бүдэг тайлбар текст */
284 export function Muted({
285   children,
286   className = "",
287 }: {
288   children: ReactNode;
289   className?: string;
290 }) {
291   return (
292     <p
293       className={`break-words text-sm leading-relaxed [overflow-wrap:anywhere] ${className}`}
294       style={{ color: MUTED }}
295     >
296       {children}
297     </p>
298   );

```

```

299 }
300
301 /* ----- Button ----- */
302
303 type ButtonVariant = "primary" | "ghost" | "danger";
304
305 const BTN_BASE =
306   "inline-flex items-center justify-center gap-2 rounded-[14px] px-4 py-2.5 font-medium text-sm transition-all disabled:cursor-not-allowed disabled:opacity-50";
307
308 function buttonStyle(variant: ButtonVariant): CSSProperties {
309   if (variant === "primary") {
310     return {
311       background: BRAND,
312       color: "#FFFFFF",
313       border: `1px solid ${BRAND}`,
314       boxShadow: `0 10px 24px rgba(${BRAND_RGB},0.25)`,
315     };
316   }
317   if (variant === "danger") {
318     return {
319       background: "#FFFFFF",
320       color: "#DC2626",
321       border: "1px solid rgba(220,38,38,0.30)",
322     };
323   }
324   return { background: GLASS, color: INK, border: `1px solid ${LINE}` };
325 }
326
327 function buttonHover(variant: ButtonVariant): string {
328   if (variant === "primary") return "hover:brightness-[1.06] active:brightness-95";
329   if (variant === "danger") return "hover:bg-red-50";
330   return "hover:bg-slate-50";
331 }
332
333 type ButtonProps = {
334   variant?: ButtonVariant;
335   href?: string;
336   className?: string;
337   style?: CSSProperties;
338   children: ReactNode;
339 } & Omit<ButtonHTMLAttributes<HTMLButtonElement>, "style" | "className">;
340
341 export function Button({
342   variant = "primary",
343   href,
344   className = "",
345   style,
346   children,
347   ...rest
348 }: ButtonProps) {
349   const cls = `${BTN_BASE} ${buttonHover(variant)} ${className}`;
350   const merged = { ...buttonStyle(variant), ...style };
351   if (href) {
352     return (
353       <Link href={href} className={cls} style={merged}>
354         {children}
355       </Link>
356     );
357   }
358   return (
359     <button className={cls} style={merged} {...rest}>
360       {children}
361     </button>
362   );
363 }
364
365 /* ----- Form fields ----- */
366
367 const FIELD_INPUT_CLASS =

```

```

368   "w-full rounded-[14px] border bg-white px-3.5 py-2.5 text-sm outline-none transition placeholder:text-slate-400 focus:border-[#1F6FB2] focus:ring-2 focus:ring-[#1F6FB2]/15";
369
370   const fieldInputStyle: CSSProperties = { borderColor: LINE, color: INK };
371
372   export function Field({
373     label,
374     hint,
375     htmlFor,
376     children,
377     className = "",
378   }: {
379     label?: ReactNode;
380     hint?: ReactNode;
381     htmlFor?: string;
382     children: ReactNode;
383     className?: string;
384   }) {
385     return (
386       <div className={`space-y-1.5 ${className}`}>
387         {label && (
388           <label
389             htmlFor={htmlFor}
390             className="block font-medium text-sm"
391             style={{ color: INK }}
392           >
393             {label}
394           </label>
395         )}
396         {children}
397         {hint && (
398           <p className="text-xs" style={{ color: MUTED }}>
399             {hint}
400           </p>
401         )}
402       </div>
403     );
404   }
405
406   export function TextArea({
407     className = "",
408     style,
409     ...rest
410   }: TextareaHTMLAttributes<HTMLTextAreaElement>) {
411     return (
412       <textarea
413         className={` ${FIELD_INPUT_CLASS} resize-y leading-relaxed ${className}`}
414         style={{ ...fieldInputStyle, ...style }}
415         {...rest}
416       />
417     );
418   }
419
420   export function TextInput({
421     className = "",
422     style,
423     ...rest
424   }: InputHTMLAttributes<HTMLInputElement>) {
425     return (
426       <input
427         className={` ${FIELD_INPUT_CLASS} ${className}`}
428         style={{ ...fieldInputStyle, ...style }}
429         {...rest}
430       />
431     );
432   }
433
434   /* ----- Selectable option ----- */
435
436   export function OptionCard({

```

```

437   selected = false,
438   className = "",
439   children,
440   ...rest
441 }: { selected?: boolean } & HTMLAttributes<HTMLDivElement> {
442   return (
443     <div
444       className={`flex cursor-pointer select-none items-center gap-3 rounded-[16px] border px-4 py-3.5 text-sm transition-all ${className}`}
445       style={{
446         borderColor: selected ? BRAND : LINE,
447         background: selected ? `rgba(${BRAND_RGB},0.06)` : GLASS,
448         color: INK,
449         boxShadow: selected
450           ? `0 0 0 1px ${BRAND} inset, 0 8px 20px rgba(${BRAND_RGB},0.12)`
451           : "none",
452       }}
453       {...rest}
454     >
455       {children}
456     </div>
457   );
458 }
459
460 /* ----- Empty state ----- */
461
462 export function EmptyState({
463   icon,
464   children,
465   className = "",
466 }: {
467   icon?: ReactNode;
468   children: ReactNode;
469   className?: string;
470 }) {
471   return (
472     <div
473       className={`flex flex-col items-center rounded-[18px] border border-dashed px-4 py-10 text-center text-sm leading-relaxed ${className}`}
474       style={{
475         borderColor: LINE,
476         color: MUTED,
477         background:
478           "linear-gradient(180deg, rgba(15,23,42,0.012), transparent)",
479       }}
480     >
481       {icon && (
482         <div
483           aria-hidden
484           className="mb-3 grid size-12 place-items-center rounded-full text-2xl"
485           style={{
486             background: `rgba(${BRAND_RGB},0.08)`,
487             border: `1px solid rgba(${BRAND_RGB},0.14)`,
488           }}
489         >
490           {icon}
491         </div>
492       )}
493       <div className="max-w-xs">{children}</div>
494     </div>
495   );
496 }
497
498 /* ----- Prose (контент / нийтлэл) ----- */
499
500 /** Урт текст контентыг тааламжтай уншигдахуйц харуулна */
501 export function Prose({
502   children,
503   className = "",
504 }: {
505   children: ReactNode;

```

```

506   className?: string;
507 }) {
508   return (
509     <div
510       className={`whitespace-pre-wrap break-words text-[15px] leading-[1.75] [overflow-wrap:anywhere] [&_b]:font-semibold [&_strong]:font-semibold ${className}`}
511       style={{ color: "#334155" }}
512     >
513       {children}
514     </div>
515   );
516 }
517
518 export const APP_SHELL_TOKENS = { BRAND, BRAND_RGB, BG, INK, MUTED, GLASS, LINE };

```

238. components/mind/daily-check/DailyCheckForm.tsx

```

1  "use client";
2
3  import { useEffect, useMemo, useState } from "react";
4
5  type FormState = {
6    mood: number;
7    energy: number;
8    stress: number;
9    anxiety: number;
10   sleep_quality: number;
11   note: string;
12 };
13
14 function calcScore(v: FormState) {
15   const pos = (x: number) => x - 1; // 1..5 -> 0..4
16   const neg = (x: number) => 5 - x; // reverse (stress/anxiety)
17
18   const raw =
19     pos(v.mood) * 3 +
20     pos(v.energy) * 2 +
21     pos(v.sleep_quality) * 2 +
22     neg(v.stress) * 2 +
23     neg(v.anxiety) * 1;
24
25   return Math.round((raw / 40) * 100);
26 }
27
28 function levelFromScore(score: number) {
29   if (score < 35) return { label: "Red", hint: "Өнөөдөр хамгаалалт хэрэгтэй." };
30   if (score < 55) return { label: "Orange", hint: "Дунд-өндөр ачаалалтай." };
31   if (score < 75) return { label: "Yellow", hint: "Дундаж, тогтворжуулахад сайн." };
32   return { label: "Green", hint: "Тайван, боломжийн байна." };
33 }
34
35 function SliderRow({
36   label,
37   value,
38   onChange,
39   left,
40   right,
41 }: {
42   label: string;
43   value: number;
44   onChange: (v: number) => void;
45   left: string;
46   right: string;
47 }) {
48   return (
49     <div className="space-y-2">
50       <div className="flex items-center justify-between">
51         <div className="text-sm font-medium">{label}</div>

```

```

52     <div className="text-sm opacity-80">{value}/5</div>
53 </div>
54
55 <input
56   type="range"
57   min={1}
58   max={5}
59   step={1}
60   value={value}
61   onChange={e => onChange(Number(e.target.value))}
62   className="w-full"
63 />
64
65 <div className="flex items-center justify-between text-xs opacity-70">
66   <span>{left}</span>
67   <span>{right}</span>
68 </div>
69 </div>
70 );
71 }
72
73 export default function DailyCheckForm() {
74   const [date, setDate] = useState(""); // □ prerender safe
75   const [state, setState] = useState<FormState>({
76     mood: 3,
77     energy: 3,
78     stress: 3,
79     anxiety: 3,
80     sleep_quality: 3,
81     note: "",
82   });
83
84   // □ зөвхөн client дээр огноо set хийнэ
85   useEffect(() => {
86     const d = new Date();
87     setDate(d.toISOString().slice(0, 10));
88   }, []);
89
90   const score = useMemo(() => calcScore(state), [state]);
91   const level = useMemo(() => levelFromScore(score), [score]);
92
93   const [saving, setSaving] = useState(false);
94   const [msg, setMsg] = useState<string | null>(null);
95
96   async function onSave() {
97     setSaving(true);
98     setMsg(null);
99     try {
100       const res = await fetch("/api/mind/emotion/daily-check", {
101         method: "POST",
102         headers: { "Content-Type": "application/json" },
103         body: JSON.stringify({
104           check_date: date,
105           ...state,
106           tags: [],
107         }),
108       });
109
110       const j = await res.json();
111       if (!res.ok) throw new Error(j?.error ?? "Failed");
112
113       setMsg("Хадгаллаа.");
114       window.dispatchEvent(new Event("daily-check:saved"));
115     } catch (e: any) {
116       setMsg(e?.message ?? "Алдаа гарлаа");
117     } finally {
118       setSaving(false);
119     }
120   }

```

```

121
122 return (
123   <div className="rounded-2xl border bg-white/5 backdrop-blur p-5 md:p-6 space-y-5">
124     <div className="flex items-start justify-between gap-4">
125       <div>
126         <div className="text-lg font-semibold">Өнөөдрийн check</div>
127         <div className="text-sm opacity-75">Өдөрт 1 удаа бөглөнө.</div>
128       </div>
129
130       <div className="text-right">
131         <div className="text-2xl font-semibold">{score}</div>
132         <div className="text-xs opacity-80">{level.label}</div>
133       </div>
134     </div>
135
136     <div className="flex items-center gap-3">
137       <label className="text-sm opacity-80">Огноо</label>
138       <input
139         type="date"
140         value={date}
141         onChange={(e) => setDate(e.target.value)}
142         className="rounded-lg border bg-transparent px-3 py-2 text-sm"
143       />
144       <div className="ml-auto text-xs opacity-70">{level.hint}</div>
145     </div>
146
147     <SliderRow
148       label="Сэтгэл санаа"
149       value={state.mood}
150       onChange={(v) => setState((s) => ({ ...s, mood: v })))}
151       left="муу"
152       right="маш сайн"
153     />
154     <SliderRow
155       label="Энэрги"
156       value={state.energy}
157       onChange={(v) => setState((s) => ({ ...s, energy: v })))}
158       left="сул"
159       right="өндөр"
160     />
161     <SliderRow
162       label="Стресс"
163       value={state.stress}
164       onChange={(v) => setState((s) => ({ ...s, stress: v })))}
165       left="бара"
166       right="өндөр"
167     />
168     <SliderRow
169       label="Түгшүүр"
170       value={state.anxiety}
171       onChange={(v) => setState((s) => ({ ...s, anxiety: v })))}
172       left="бара"
173       right="өндөр"
174     />
175     <SliderRow
176       label="Нойрны чанар"
177       value={state.sleep_quality}
178       onChange={(v) => setState((s) => ({ ...s, sleep_quality: v })))}
179       left="муу"
180       right="сайн"
181     />
182
183     <div className="space-y-2">
184       <div className="text-sm font-medium">Товч тэмдэглэл (заавал биш)</div>
185       <textarea
186         value={state.note}
187         onChange={(e) => setState((s) => ({ ...s, note: e.target.value })))}
188         rows={3}
189         className="w-full rounded-xl border bg-transparent p-3 text-sm"

```

```

190     placeholder="Ж: Өнөөдөр бага зэрэг ядруу, багахан түгшүүртэй..."
191   />
192 </div>
193
194 <div className="flex items-center gap-3">
195   <button
196     onClick={onSave}
197     disabled={saving || !date}
198     className="rounded-xl px-4 py-2 text-sm font-medium border bg-white/10 hover:bg-white/15 disabled:opacity-60"
199   >
200     {saving ? "Хадгалж байна..." : "Хадгалах"}
201   </button>
202   {msg ? <div className="text-sm opacity-80">{msg}</div> : null}
203 </div>
204 </div>
205 );
206 }

```

239. components/mind/daily-check/DailyCheckHistory.tsx

```

1  "use client";
2
3  import { useEffect, useMemo, useState } from "react";
4
5  type Item = {
6    check_date: string;
7    score: number;
8    level: string;
9    mood: number;
10   energy: number;
11   stress: number;
12   anxiety: number;
13   sleep_quality: number;
14   note?: string | null;
15 };
16
17 export default function DailyCheckHistory() {
18   const [items, setItems] = useState<Item[]>([]);
19   const [loading, setLoading] = useState(true);
20   const [err, setErr] = useState<string | null>(null);
21
22   async function load() {
23     setLoading(true);
24     setErr(null);
25     try {
26       const res = await fetch("/api/mind/emotion/daily-check?days=30");
27       const j = await res.json();
28       if (!res.ok) throw new Error(j?.error ?? "Failed to load");
29       setItems(j.items ?? []);
30     } catch (e: any) {
31       setErr(e?.message ?? "Алдаа гарлаа");
32     } finally {
33       setLoading(false);
34     }
35   }
36
37   useEffect(() => {
38     load();
39     const fn = () => load();
40     window.addEventListener("daily-check:saved", fn);
41     return () => window.removeEventListener("daily-check:saved", fn);
42   }, []);
43
44   const avg = useMemo(() => {
45     if (!items.length) return null;
46     const s = items.reduce((a, b) => a + (b.score ?? 0), 0);
47     return Math.round(s / items.length);

```



```

48   }, [items]);
49
50   return (
51     <div className="rounded-2xl border bg-white/5 backdrop-blur p-5 md:p-6 space-y-4">
52       <div className="flex items-start justify-between">
53         <div>
54           <div className="text-lg font-semibold">Сүүлийн 30 хоног</div>
55           <div className="text-sm opacity-75">Явцын бүртгэл</div>
56         </div>
57         <div className="text-right">
58           <div className="text-xs opacity-70">Дундаж</div>
59           <div className="text-xl font-semibold">{avg ?? "-"}</div>
60         </div>
61       </div>
62
63       {loading ? <div className="text-sm opacity-80">Ачаалж байна...</div> : null}
64       {err ? <div className="text-sm opacity-80">Алдаа: {err}</div> : null}
65
66       {!!loading && !err && items.length === 0 ? (
67         <div className="text-sm opacity-80">Одоогоор бүртгэл алга. Өнөөдрөөс эхлүүлээрэй.</div>
68       ) : null}
69
70     <div className="space-y-2">
71       {items
72         .slice()
73         .reverse()
74         .map((it) => (
75           <div
76             key={it.check_date}
77             className="rounded-xl border bg-black/10 p-3 flex items-center justify-between gap-3"
78           >
79             <div>
80               <div className="text-sm font-medium">{it.check_date}</div>
81               <div className="text-xs opacity-70">
82                 mood {it.mood}/5 · energy {it.energy}/5 · stress {it.stress}/5 · anxiety {it.anxiety}/5 · sleep{" "}
83                 {it.sleep_quality}/5
84               </div>
85             </div>
86             <div className="text-right">
87               <div className="text-lg font-semibold">{it.score}</div>
88               <div className="text-xs opacity-70">{it.level}</div>
89             </div>
90           </div>
91         )]}
92     </div>
93   </div>
94 );
95 }

```

240. components/mind/who-am-i/balance-diagram.tsx

```

1  "use client";
2
3  import type { Dictionary } from "@lib/i18n/dictionaries/mn";
4  import type {
5    BalanceAreaKey,
6    BalancePercents,
7  } from "@lib/mind/who-am-i-balance";
8
9  export type BalanceVizMode = "kite" | "platform" | "auras";
10
11  function humanFigure({
12    cx,
13    feetY,
14    s,
15    rot,
16    color = "#403C34",

```

```

17  }: {
18    cx: number;
19    feetY: number;
20    s: number;
21    rot: number;
22    color?: string;
23  }) {
24    const w = 5 * s;
25    const hipY = feetY - 30 * s;
26    const shY = feetY - 58 * s;
27    const headY = feetY - 71 * s;
28    return `
29      <g transform="rotate(${rot.toFixed(2)} ${cx} ${feetY})"
30        fill="none" stroke="${color}" stroke-width="${w}" stroke-linecap="round" stroke-linejoin="round">
31        <path d="M${cx} - 7 * s) ${feetY} L${cx} ${hipY} L${cx} + 7 * s) ${feetY}"/>
32        <line x1="${cx}" y1="${hipY}" x2="${cx}" y2="${shY} + 4 * s)"/>
33        <path d="M${cx} - 13 * s) ${shY} + 13 * s) L${cx} ${shY} + 2 * s) L${cx} + 13 * s) ${shY} + 13 * s)"/>
34        <circle cx="${cx}" cy="${headY}" r="${9 * s}" fill="${color}" stroke="none"/>
35      </g>`;
36  }
37
38  type DiagramLabels = Dictionary["apps"]["lifeBalance"]["diagramLabels"];
39
40  function drawAuras(p: BalancePercents, labels: DiagramLabels): string {
41    const cx = 160;
42    const feetY = 246;
43    const coreY = feetY - 40;
44    const off = 50;
45    const blobs: Array<{
46      k: BalanceAreaKey;
47      dx: number;
48      dy: number;
49      hex: string;
50      t: string;
51      lx: number;
52      ly: number;
53      anc: string;
54    }> = [
55      {
56        k: "meaning",
57        dx: 0,
58        dy: -off,
59        hex: "#6E6CA3",
60        t: labels.meaning,
61        lx: 0,
62        ly: -off - 30,
63        anc: "middle",
64      },
65      {
66        k: "work",
67        dx: off,
68        dy: 0,
69        hex: "#C28A3C",
70        t: labels.work,
71        lx: off + 6,
72        ly: -off - 2,
73        anc: "start",
74      },
75      {
76        k: "body",
77        dx: 0,
78        dy: off,
79        hex: "#7E9B6E",
80        t: labels.body,
81        lx: 0,
82        ly: off + 34,
83        anc: "middle",
84      },
85    ]

```

```

86     k: "bond",
87     dx: -off,
88     dy: 0,
89     hex: "#C36C71",
90     t: labels.bond,
91     lx: -off - 6,
92     ly: -off - 2,
93     anc: "end",
94   },
95 ];
96 const glow = blobs
97   .map((b) => {
98     const r = 13 + (p[b.k] / 100) * 64;
99     return `<circle cx="${cx + b.dx}" cy="${coreY + b.dy}" r="${r}" fill="${b.hex}" opacity="0.30" filter="url(#wai-soft)"/>
100       <circle cx="${cx + b.dx}" cy="${coreY + b.dy}" r="${r}" fill="none" stroke="${b.hex}" stroke-width="1.5" opacity="0.5"/>`;
101   })
102   .join("");
103 const blobLabels = blobs
104   .map(
105     (b) =>
106       `<text x="${cx + b.lx}" y="${coreY + b.ly}" text-anchor="${b.anc}" font-family="Inter,sans-serif" font-size="11.5" font-weight="600" fill="${b.hex}">${b.t} ${p[b.k]}%</text>`
107   )
108   .join("");
109 return `
110   <defs><filter id="wai-soft" x="-60%" y="-60%" width="220%" height="220%"><feGaussianBlur stdDeviation="7"/></filter></defs>
111   ${glow}
112   ${humanFigure({ cx, feetY, s: 1, rot: 0 })}
113   ${blobLabels}`;
114 }
115
116 function drawPlatform(p: BalancePercents, labels: DiagramLabels): string {
117   const cx = 160;
118   const baseY = 276;
119   const xL = 92;
120   const xR = 228;
121   const hL = 26 + (p.bond / 100) * 88;
122   const hR = 26 + (p.work / 100) * 88;
123   const topL = baseY - hL;
124   const topR = baseY - hR;
125   const tilt = (Math.atan2(topR - topL, xR - xL) * 180) / Math.PI;
126   const midX = (xL + xR) / 2;
127   const midY = (topL + topR) / 2;
128
129   const bodyW = 60 + (p.body / 100) * 150;
130   const bodyThin = p.body < 18;
131   const ground = `
132     <rect x="${cx - bodyW / 2}" y="${baseY}" width="${bodyW}" height="10" rx="5"
133       fill="#7E9B6E" opacity="${0.55 + p.body / 250}" ${bodyThin ? 'stroke="#7E9B6E" stroke-dasharray="5 4" stroke-width="1.5"' : ""}/>
134     <text x="${cx}" y="${baseY + 26}" text-anchor="middle" font-family="Inter,sans-serif" font-size="11.5" font-weight="600" fill="#7E9B6E">${labels.body} ${p.body}%</text>`;
135
136   const poles = `
137     <rect x="${xL - 6}" y="${topL}" width="12" height="${baseY - topL}" rx="6" fill="#C36C71"/>
138     <rect x="${xR - 6}" y="${topR}" width="12" height="${baseY - topR}" rx="6" fill="#C28A3C"/>
139     <text x="${xL}" y="${baseY + 26}" text-anchor="middle" font-family="Inter,sans-serif" font-size="11.5" font-weight="600" fill="#C36C71">${labels.bond} ${p.bond}%</text>
140     <text x="${xR}" y="${baseY + 26}" text-anchor="middle" font-family="Inter,sans-serif" font-size="11.5" font-weight="600" fill="#C28A3C">${labels.work} ${p.work}%</text>`;
141
142   const beam = `<g transform="rotate(${tilt.toFixed(2)}) ${midX} ${midY}">
143     <rect x="${midX - 78}" y="${midY - 7}" width="156" height="11" rx="5" fill="#403C34"/>
144   </g>`;
145
146   const starS = 5 + (p.meaning / 100) * 16;
147   const starY = midY - 96;
148   const starOp = 0.25 + (p.meaning / 100) * 0.75;
149   const star = `
150     <g opacity="${starOp.toFixed(2)}" transform="translate(${cx} ${starY})">
151       <g stroke="#6E6CA3" stroke-width="1.4" opacity="0.6">
152         <line x1="0" y1="${-starS - 7}" x2="0" y2="${-starS - 15}"/>
153         <line x1="${starS + 7}" y1="0" x2="${starS + 15}" y2="0"/>
154         <line x1="${-starS - 7}" y1="0" x2="${-starS - 15}" y2="0"/>

```

```

155     </g>
156     <path d="M0 ${-starS} L${starS * 0.32} ${-starS * 0.32} L${starS} 0 L${starS * 0.32} ${starS * 0.32} L0 ${starS} L${-starS * 0.32} ${starS * 0.32} L${-starS} 0 L${-starS * 0.32} ${-starS * 0.32} Z"
157     </g>
158     <text x="${cx}" y="${starY - starS - 24}" text-anchor="middle" font-family="Inter,sans-serif" font-size="11.5" font-weight="600" fill="#6E6CA3" opacity="${Math.max(0.5, starOp).toFixed(2)}">${labels
text>`;
159
160     const fig = humanFigure({ cx: midX, feetY: midY - 6, s: 0.82, rot: tilt });
161
162     return `${ground}${poles}${beam}${star}${fig}`;
163 }
164
165 function drawKite(p: BalancePercents, labels: DiagramLabels): string {
166     const cx = 160;
167     const cy = 160;
168     const R = 120;
169     const axes: Array<{ k: BalanceAreaKey; x: number; y: number; hex: string }> =
170     [
171         { k: "meaning", x: 0, y: -1, hex: "#6E6CA3" },
172         { k: "work", x: 1, y: 0, hex: "#C28A3C" },
173         { k: "body", x: 0, y: 1, hex: "#7E9B6E" },
174         { k: "bond", x: -1, y: 0, hex: "#C36C71" },
175     ];
176     const pts = axes.map((a) => {
177         const r = (p[a.k] / 100) * R;
178         return [cx + a.x * r, cy + a.y * r, a.hex] as const;
179     });
180     const poly = pts
181     .map((pt) => `${pt[0].toFixed(1)},${pt[1].toFixed(1)}`)
182     .join(" ");
183
184     const refR = 0.25 * R;
185     const ref = `${cx},${cy - refR} ${cx + refR},${cy} ${cx},${cy + refR} ${cx - refR},${cy}`;
186
187     const grid = [0.25, 0.5, 0.75, 1]
188     .map((f) => {
189         const r = f * R;
190         return `<polygon points="${cx},${cy - r} ${cx + r},${cy} ${cx},${cy + r} ${cx - r},${cy}" fill="none" stroke="#D3CBB9" stroke-width="1" opacity="${f === 1 ? 0.55 : 0.3}"/>`;
191     })
192     .join("");
193
194     const spokes = axes
195     .map(
196         (a) =>
197         `<line x1="${cx}" y1="${cy}" x2="${cx + a.x * R}" y2="${cy + a.y * R}" stroke="#D3CBB9" stroke-width="1" opacity=".35"/>`
198     )
199     .join("");
200
201     const dots = pts
202     .map((pt) => `<circle cx="${pt[0]}" cy="${pt[1]}" r="5" fill="${pt[2]}"/>`)
203     .join("");
204
205     const axisLabels = [
206         { t: labels.meaning, x: cx, y: cy - R - 12, anchor: "middle" },
207         { t: labels.work, x: cx + R + 10, y: cy + 4, anchor: "start" },
208         { t: labels.body, x: cx, y: cy + R + 22, anchor: "middle" },
209         { t: labels.bond, x: cx - R - 10, y: cy + 4, anchor: "end" },
210     ]
211     .map(
212         (l) =>
213         `<text x="${l.x}" y="${l.y}" text-anchor="${l.anchor}" font-family="Inter,sans-serif" font-size="12" font-weight="600" fill="#6A655B">${l.t}</text>`
214     )
215     .join("");
216
217     return `
218     <defs>
219         <linearGradient id="wai-kg" x1="0" y1="0" x2="1" y2="1">
220             <stop offset="0" stop-color="#6E6CA3" stop-opacity=".35"/>
221             <stop offset="0.5" stop-color="#C36C71" stop-opacity=".3"/>
222             <stop offset="1" stop-color="#7E9B6E" stop-opacity=".35"/>

```

```

223     </linearGradient>
224   </defs>
225   ${grid}${spokes}
226   <polygon points="${ref}" fill="none" stroke="#9b9486" stroke-width="1.2" stroke-dasharray="4 4" opacity=".7"/>
227   <polygon points="${poly}" fill="url(#wai-kg)" stroke="#2C2A24" stroke-width="2" stroke-linejoin="round" opacity=".9"/>
228   ${dots}${axisLabels}`;
229 }
230
231 export function BalanceDiagram({
232   mode,
233   pct,
234   labels,
235   ariaLabel,
236   className = "",
237 }): {
238   mode: BalanceVizMode;
239   pct: BalancePercents;
240   labels: DiagramLabels;
241   ariaLabel: string;
242   className?: string;
243 }) {
244   const inner =
245     mode === "auras"
246       ? drawAuras(pct, labels)
247       : mode === "platform"
248         ? drawPlatform(pct, labels)
249         : drawKite(pct, labels);
250   return (
251     <svg
252       aria-label={ariaLabel}
253       className={className}
254       // biome-ignore lint/security/noDangerouslySetInnerHTML: SVG markup is generated entirely from numeric percentages above, no user input.
255       dangerouslySetInnerHTML={{ __html: inner }}
256       viewBox="0 0 320 320"
257     />
258   );
259 }

```

241. components/mind/who-am-i/balance-exercise.tsx

```

1  "use client";
2
3  import { Check, LockKeyhole, RotateCcw } from "lucide-react";
4  import { useEffect, useMemo, useState } from "react";
5  import {
6    APP_SHELL_TOKENS,
7    Badge,
8    Button,
9    Muted,
10   PageHero,
11   SectionHeading,
12   TextArea,
13 } from "@components/mind/app-shell";
14 import { useT } from "@lib/i18n/provider";
15 import {
16   BALANCE_AREAS,
17   type BalanceAreaKey,
18   type BalancePercents,
19 } from "@lib/mind/who-am-i-balance";
20 import {
21   CAPACITIES,
22   CAPACITY_REFLECTIONS,
23   DAILY_REFLECTIONS,
24   HIGH_REFLECTIONS,
25   LOW_REFLECTIONS,
26   type ProgramResult,
27 } from "@lib/mind/who-am-i-program";

```

```

28 import { BalanceDiagram, type BalanceVizMode } from "../balance-diagram";
29
30 const { BRAND, INK, MUTED, LINE } = APP_SHELL_TOKENS;
31 const EVEN: BalancePercents = { body: 25, work: 25, bond: 25, meaning: 25 };
32
33 type Screen =
34   | "intro"
35   | "area"
36   | "test"
37   | "balance-result"
38   | "observe"
39   | "capacity-intro"
40   | "capacities"
41   | "capacity-result"
42   | "future"
43   | "summary"
44   | "history";
45
46 type ProgramPayload = {
47   screen: Screen;
48   areaIdx: number;
49   notes: Record<BalanceAreaKey, string>;
50   pct: BalancePercents;
51   answers: Record<string, string>;
52   scores: Record<string, number>;
53   finalNote: string;
54 };
55
56 type ServerRun = {
57   id: string;
58   screen: Screen;
59   areaIdx: number;
60   pct: BalancePercents;
61   notes: Record<BalanceAreaKey, string>;
62   answers: Record<string, string>;
63   scores: Record<string, number>;
64   finalNote: string;
65   completedAt: string | null;
66   updatedAt: string;
67 };
68
69 const initialNotes = (): Record<BalanceAreaKey, string> => ({
70   body: "",
71   work: "",
72   bond: "",
73   meaning: "",
74 });
75
76 const initialScores = () =>
77   Object.fromEntries(CAPACITIES.map((capacity) => [capacity.id, 5]));
78
79 function isScreen(value: unknown): value is Screen {
80   return [
81     "intro",
82     "area",
83     "test",
84     "balance-result",
85     "observe",
86     "capacity-intro",
87     "capacities",
88     "capacity-result",
89     "future",
90     "summary",
91     "history",
92   ].includes(String(value));
93 }
94
95 function toPayload({
96   answers,

```

```

97   areaIdx,
98   finalNote,
99   notes,
100  pct,
101  scores,
102  screen,
103 } : ProgramPayload): ProgramPayload {
104   return { answers, areaIdx, finalNote, notes, pct, scores, screen };
105 }
106
107 function toProgramResult(run: ServerRun): ProgramResult {
108   return {
109     id: run.id,
110     at: new Date(run.completedAt ?? run.updatedAt).getTime(),
111     pct: run.pct,
112     notes: run.notes,
113     answers: run.answers,
114     scores: run.scores,
115     finalNote: run.finalNote,
116   };
117 }
118
119 function PhaseProgress({ screen }: { screen: Screen }) {
120   const phase =
121     screen === "intro" || screen === "history"
122       ? 0
123       : ["area", "test", "balance-result"].includes(screen)
124         ? 1
125         : screen === "observe"
126           ? 2
127           : ["capacity-intro", "capacities", "capacity-result"].includes(screen)
128             ? 3
129             : 4;
130   const labels = ["Тэнцвэр", "Ажиглах", "Хүлээн зөвшөөрөх", "Ирээдүй"];
131
132   return (
133     <nav aria-label="Хөтөлбөрийн явц" className="mb-6 grid grid-cols-4 gap-1.5">
134       {labels.map((label, index) => {
135         const step = index + 1;
136         const active = phase === step;
137         const complete = phase > step || screen === "summary";
138         return (
139           <div key={label}>
140             <div
141               className="h-1 overflow-hidden rounded-full"
142               style={{ background: LINE }}
143             >
144               <div
145                 className="h-full rounded-full transition-[width] duration-500"
146                 style={{
147                   background: active || complete ? BRAND : LINE,
148                   width: active || complete ? "100%" : "0%",
149                 }}
150               />
151             </div>
152             <div
153               className="mt-1 truncate text-center font-medium text-[10px] sm:text-[11px]"
154               style={{ color: active ? INK : MUTED }}
155             >
156               {step} · {label}
157             </div>
158           </div>
159         );
160       })}
161     </nav>
162   );
163 }
164
165 function Hint({ children }: { children: React.ReactNode }) {

```

```

166   return (
167     <div
168       className="my-4 rounded-r-[14px] border-l-[3px] px-4 py-3 text-sm leading-relaxed"
169       style={{
170         background: "#F8FAFC",
171         borderColor: "#CBD5E1",
172         color: "#334155",
173       }}
174     >
175       {children}
176     </div>
177   );
178 }
179
180 function ReflectionFields({
181   idPrefix,
182   questions,
183   answers,
184   setAnswer,
185 }): {
186   idPrefix: string;
187   questions: string[];
188   answers: Record<string, string>;
189   setAnswer: (key: string, value: string) => void;
190 } {
191   return (
192     <div className="space-y-4">
193       {questions.map((question, index) => {
194         const key = `${idPrefix}-${index}`;
195         return (
196           <label className="block" htmlFor={key} key={key}>
197             <span
198               className="mb-1.5 block font-medium text-sm"
199               style={{ color: INK }}
200             >
201               {question}
202             </span>
203             <TextArea
204               id={key}
205               onChange={(event) => setAnswer(key, event.target.value)}
206               placeholder="Бодлоо чөлөөтэй бичээрэй..."
207               rows={2}
208               value={answers[key] ?? ""}
209             />
210           </label>
211         );
212       })}
213     </div>
214   );
215 }
216
217 export function BalanceExercise() {
218   const t = useT();
219   const b = t.apps.lifeBalance;
220   const [screen, setScreen] = useState<Screen>("intro");
221   const [resumeScreen, setResumeScreen] = useState<Screen | null>(null);
222   const [areaIdx, setAreaIdx] = useState(0);
223   const [notes, setNotes] = useState(initialNotes);
224   const [pct, setPct] = useState<BalancePercents>({ ...EVEN });
225   const [vizMode, setVizMode] = useState<BalanceVizMode>("platform");
226   const [answers, setAnswers] = useState<Record<string, string>>({});
227   const [scores, setScores] = useState<Record<string, number>>(initialScores);
228   const [finalNote, setFinalNote] = useState("");
229   const [loaded, setLoaded] = useState(false);
230   const [saved, setSaved] = useState(false);
231   const [saveError, setSaveError] = useState(false);
232   const [results, setResults] = useState<ProgramResult[]>([]);
233   const [runId, setRunId] = useState<string | null>(null);
234 }

```



```

235 const area = BALANCE_AREAS[Math.min(areaIdx, BALANCE_AREAS.length - 1)];
236 const areaT = b.areas[area.key];
237 const sum = pct.body + pct.work + pct.bond + pct.meaning;
238 const isBalancedTotal = sum === 100;
239 const orderedAreas = useMemo(
240   () => [...BALANCE_AREAS].sort((a, z) => pct[z.key] - pct[a.key]),
241   [pct]
242 );
243 const rankedCapacities = useMemo(
244   () => [...CAPACITIES].sort((a, z) => (scores[z.id] ?? 5) - (scores[a.id] ?? 5)),
245   [scores]
246 );
247
248 const highestArea = orderedAreas[0];
249 const lowestArea = orderedAreas.at(-1) ?? orderedAreas[0];
250 const topFive = rankedCapacities.slice(0, 5);
251 const lowFive = rankedCapacities.slice(-5).reverse();
252 const currentSaved =
253   runId !== null && results.some((result) => result.id === runId);
254
255 useEffect(() => {
256   const load = async () => {
257     try {
258       const response = await fetch("/api/mind/who-am-i/runs");
259       if (!response.ok) throw new Error("result_load_failed");
260       const data = (await response.json()) as {
261         draft: ServerRun | null;
262         results: ServerRun[];
263       };
264       setResults(data.results.map(toProgramResult));
265
266       if (data.draft) {
267         const draft = data.draft;
268         if (isScreen(draft.screen) && draft.screen !== "intro") {
269           setResumeScreen(draft.screen);
270         }
271         setRunId(draft.id);
272         setAreaIdx(Math.max(0, Math.min(3, draft.areaIdx)));
273         setNotes({ ...initialNotes(), ...draft.notes });
274         setPct({ ...EVEN, ...draft.pct });
275         setAnswers(draft.answers);
276         setScores({ ...initialScores(), ...draft.scores });
277         setFinalNote(draft.finalNote);
278       }
279
280       setSaveError(false);
281     } catch {
282       setSaveError(true);
283     } finally {
284       setLoaded(true);
285     }
286   };
287   load().catch(() => setSaveError(true));
288 }, []);
289
290 useEffect(() => {
291   if (
292     !loaded ||
293     currentSaved ||
294     screen === "intro" ||
295     screen === "history" ||
296     screen === "summary"
297   ) {
298     return;
299   }
300   const timer = window.setTimeout(() => {
301     const payload = toPayload({
302       screen,
303       areaIdx,

```

```

304     notes,
305     pct,
306     answers,
307     scores,
308     finalNote,
309   });
310   const saveDraft = async () => {
311     try {
312       const response = await fetch("/api/mind/who-am-i/runs", {
313         method: "POST",
314         headers: { "Content-Type": "application/json" },
315         body: JSON.stringify({
316           id: runId ?? undefined,
317           mode: "draft",
318           payload,
319         }),
320       });
321       if (!response.ok) throw new Error("draft_save_failed");
322       const data = (await response.json()) as { run: ServerRun };
323       setRunId(data.run.id);
324       setSaved(true);
325       setSaveError(false);
326       window.setTimeout(() => setSaved(false), 1200);
327     } catch {
328       setSaveError(true);
329     }
330   };
331   saveDraft().catch(() => setSaveError(true));
332 }, 400);
333 return () => window.clearTimeout(timer);
334 }, [
335   answers,
336   areaIdx,
337   currentSaved,
338   finalNote,
339   loaded,
340   notes,
341   pct,
342   runId,
343   scores,
344   screen,
345 ]);
346
347 const go = (next: Screen) => {
348   setScreen(next);
349   window.scrollTo({ top: 0, behavior: "smooth" });
350 };
351 const setAnswer = (key: string, value: string) =>
352   setAnswers((current) => ({ ...current, [key]: value }));
353 const startFresh = () => {
354   setResumeScreen(null);
355   setAreaIdx(0);
356   setNotes(initialNotes());
357   setPct({ ...EVEN });
358   setVizMode("platform");
359   setAnswers({});
360   setScores(initialScores());
361   setFinalNote("");
362   setRunId(null);
363   setSaveError(false);
364   go("area");
365 };
366 const finish = async () => {
367   const payload = toPayload({
368     screen: "summary",
369     areaIdx,
370     notes,
371     pct,
372     answers,

```

```

373     scores,
374     finalNote,
375   });
376   try {
377     const response = await fetch("/api/mind/who-am-i/runs", {
378       method: "POST",
379       headers: { "Content-Type": "application/json" },
380       body: JSON.stringify({
381         id: runId ?? undefined,
382         mode: "complete",
383         payload,
384       }),
385     });
386     if (!response.ok) throw new Error("result_save_failed");
387     const data = (await response.json()) as { run: ServerRun };
388     const result = toProgramResult(data.run);
389     setRunId(result.id);
390     setResults((current) => [
391       result,
392       ...current.filter((item) => item.id !== result.id),
393     ]);
394     setSaved(true);
395     setSaveError(false);
396     go("summary");
397   } catch {
398     setSaveError(true);
399   }
400 };
401 const openResult = (result: ProgramResult) => {
402   setPct({ ...EVEN, ...result.pct });
403   setNotes({ ...initialNotes(), ...result.notes });
404   setAnswers(result.answers);
405   setScores({ ...initialScores(), ...result.scores });
406   setFinalNote(result.finalNote);
407   setRunId(result.id);
408   go("summary");
409 };
410
411 return (
412   <div className="wai-balance w-full">
413     <style>{`
414       .wai-balance input[type=range]{-webkit-appearance:none;appearance:none;background:transparent;cursor:pointer;height:28px;width:100%}
415       .wai-balance input[type=range]::-webkit-slider-runnable-track{height:5px;border-radius:99px;background:#E2E8F0}
416       .wai-balance input[type=range]::-moz-range-track{height:5px;border-radius:99px;background:#E2E8F0}
417       .wai-balance input[type=range]::-webkit-slider-thumb{-webkit-appearance:none;appearance:none;width:20px;height:20px;border-radius:50%;background:#fff;border:2px solid currentColor;margin-top:-7.
0,0,0,.12)}
418       .wai-balance input[type=range]::-moz-range-thumb{width:20px;height:20px;border-radius:50%;background:#fff;border:2px solid currentColor;box-shadow:0 1px 4px rgba(0,0,0,.12)}
419     `}</style>
420
421     <div
422       className="wai-no-print flex h-5 justify-end text-xs"
423       style={{ color: MUTED }}
424     >
425       {saved && (
426         <span className="inline-flex items-center gap-1">
427           <Check className="size-3.5" /> Хадгалагдлаа
428         </span>
429       )}
430       {saveError && <span>Серверт хадгалах үед алдаа гарлаа</span>}
431     </div>
432     <PhaseProgress screen={screen} />
433
434     {screen === "intro" && (
435       <section>
436         <PageHero
437           description="Амьдралынхаа тэнцвэрийг зураглаж, өөрийн хүчтэй болон хөгжүүлээгүй нөөцийг шүүмжлэлгүйгээр ажиглах дөрвөн алхамт аян."
438           eyebrow=<Badge>Эерэг ба соёл хоорондын сэтгэл засал</Badge>
439           icon="□"
440           title={

```

```

441     <>
442     Өөрийгөө таньж <span style={{ color: "#6E6CA3" }}>ойлгох</span>{" " }
443     нь
444     </>
445   }
446 />
447
448 {resumeScreen && (
449   <div
450     className="mb-5 rounded-[16px] border p-4"
451     style={{
452       background: "rgba(126,155,110,0.08)",
453       borderColor: "#B8CBAA",
454     }}
455   >
456     <p className="font-medium text-sm" style={{ color: INK }}>
457       Өмнөх ажил тань энэ төхөөрөмж дээр хадгалагдсан байна.
458     </p>
459     <div className="mt-3 flex flex-wrap gap-2">
460       <Button onClick={() => go(resumeScreen)} type="button">
461         Ургэлжлүүлэх →
462       </Button>
463       <Button onClick={startFresh} type="button" variant="ghost">
464         Шинээр эхлэх
465       </Button>
466     </div>
467   </div>
468 )}
469
470 <div className="mb-5 grid grid-cols-1 gap-2 sm:grid-cols-2">
471   {[
472     ["#7E9B6E", "1 · Тэнцвэр", "4 талбарын үнэлгээ"],
473     ["#C28A3C", "2 · Ажиглах", "Таних, ойлгох"],
474     ["#C36C71", "3 · Хүлээн зөвшөөрөх", "24 бодит чадвар"],
475     ["#6E6CA3", "4 · Ирээдүй", "Нөөцөө судлах"],
476   ].map(([color, title, subtitle]) => (
477     <div
478       className="flex items-center gap-3 rounded-[14px] border px-4 py-3"
479       key={title}
480       style={{ borderColor: LINE, background: "#FAFBFD" }}
481     >
482       <span
483         className="size-2.5 shrink-0 rounded-full"
484         style={{ background: color }}
485       />
486       <div>
487         <b
488           className="block font-semibold text-sm"
489           style={{ color: INK }}
490         >
491           {title}
492         </b>
493         <span className="text-xs" style={{ color: MUTED }}>
494           {subtitle}
495         </span>
496       </div>
497     </div>
498   ))}
499 </div>
500 <div className="flex flex-wrap gap-2">
501   {!resumeScreen && (
502     <Button onClick={startFresh} type="button">
503       Эхлэх →
504     </Button>
505   )}
506   {results.length > 0 && (
507     <Button
508       onClick={() => go("history")}
509       type="button"

```

```

510         variant="ghost"
511     >
512         Хадгалсан үр дүн ({results.length})
513     </Button>
514 })
515 </div>
516 <p
517   className="mt-5 flex items-start gap-2 text-xs leading-relaxed"
518   style={{ color: MUTED }}
519 >
520   <LockKeyhole className="mt-0.5 size-4 shrink-0" />
521   Хариулт таны бүртгэлтэй холбогдсон серверт хадгалагдана. Өөрийн
522   бүртгэлээр нэвтэрсэн аль ч төхөөрөмжөөс үр дүнгээ харах боломжтой.
523 </p>
524 </section>
525 })
526
527 {screen === "history" && (
528   <section>
529     <PageHero
530       description="Өмнө дуусгасан үнэлгээнүүд энэ төхөөрөмж дээр хадгалагдана. Аль нэгийг нээж дэлгэрэнгүй зураглалаа дахин хараарай."
531       eyebrow={<Badge>Миний түүх</Badge>}
532       icon="📄"
533       title="Хадгалсан үр дүн"
534     />
535     {results.length === 0 ? (
536       <div
537         className="rounded-[16px] border border-dashed px-4 py-10 text-center text-sm"
538         style={{ borderColor: LINE, color: MUTED }}
539       >
540         Хадгалсан үр дүн алга байна.
541       </div>
542     ) : (
543       <div className="space-y-3">
544         {results.map((result) => {
545           const strongest = [...BALANCE_AREAS].sort(
546             (a, z) => result.pct[z.key] - result.pct[a.key]
547           )[0];
548           return (
549             <div
550               className="flex flex-col gap-3 rounded-[16px] border p-4 sm:flex-row sm:items-center"
551               key={result.at}
552               style={{ borderColor: LINE, background: "#FAFBFD" }}
553             >
554               <div className="min-w-0 flex-1">
555                 <b className="block text-sm" style={{ color: INK }}>
556                   {new Intl.DateTimeFormat("mn-MN", {
557                     dateStyle: "medium",
558                     timeStyle: "short",
559                   }).format(result.at)}
560                 </b>
561                 <p className="mt-1 text-xs" style={{ color: MUTED }}>
562                   Хамгийн өндөр: {b.fields[strongest.key].title} · {" "}
563                   {result.pct[strongest.key]}%
564                 </p>
565               </div>
566               <div className="flex gap-2">
567                 <Button onClick={() => openResult(result)} type="button">
568                   Үр дүн харах
569                 </Button>
570               </div>
571             </div>
572           );
573         })}
574       </div>
575     )}
576     <div className="mt-6">
577       <Button onClick={() => go("intro")} type="button" variant="ghost">
578         ← {t.common.back}

```

```

579     </Button>
580   </div>
581 </section>
582 })
583
584 {screen === "area" && (
585   <section>
586     <div className="mb-6 flex gap-1.5">
587       {BALANCE_AREAS.map((item, index) => (
588         <div
589           className="h-1 flex-1 overflow-hidden rounded-full"
590           key={item.key}
591           style={{ background: LINE }}
592         >
593           <div
594             className="h-full rounded-full transition-[width] duration-300"
595             style={{
596               width: index <= areaIdx ? "100%" : "0%",
597               background: item.hex,
598             }}
599           />
600         </div>
601       ))}
602     </div>
603     <div className="mb-3 flex items-center gap-3">
604       <div
605         className="grid size-11 shrink-0 place-items-center rounded-[12px] font-bold text-sm text-white"
606         style={{ background: area.hex }}
607       >
608         {areaIdx + 1}
609       </div>
610       <div>
611         <div className="font-medium text-xs" style={{ color: MUTED }}>
612           {areaT.tag}
613         </div>
614         <div
615           className="font-bold text-xl leading-tight"
616           style={{ color: INK }}
617         >
618           {areaT.title}
619         </div>
620       </div>
621     </div>
622     <Muted className="mb-4">{areaT.desc}</Muted>
623     <div
624       className="overflow-hidden rounded-[14px] border"
625       style={{ borderColor: LINE }}
626     >
627       {areaT.questions.map((question, index) => (
628         <div
629           className="flex gap-3 px-4 py-3.5"
630           key={question}
631           style={{
632             borderBottom:
633               index < areaT.questions.length - 1
634               ? `1px solid ${LINE}`
635               : "none",
636             background: "#FAFBFD",
637           }}
638         >
639           <span
640             className="w-5 shrink-0 font-medium text-sm"
641             style={{ color: MUTED }}
642           >
643             {index + 1}
644           </span>
645           <p
646             className="m-0 text-sm leading-relaxed"
647             style={{ color: INK }}

```

```

648         >
649         {question}
650     </p>
651 </div>
652   )})
653 </div>
654 <label className="mt-4 block" htmlFor={`area-note-${area.key}`}>
655   <span
656     className="mb-1.5 block font-medium text-xs"
657     style={{ color: MUTED }}
658   >
659     {b.noteLabel}
660   </span>
661   <TextArea
662     id={`area-note-${area.key}`}
663     onChange={ (event) =>
664       setNotes((current) => ({
665         ...current,
666         [area.key]: event.target.value,
667       }))
668     }
669     placeholder={b.notePlaceholder}
670     rows={3}
671     value={notes[area.key]}
672   />
673 </label>
674 <div className="mt-6 flex items-center justify-between">
675   <Button
676     onClick={ () =>
677       areaIdx === 0 ? go("intro") : setAreaIdx((index) => index - 1)
678     }
679     type="button"
680     variant="ghost"
681   >
682     ← {t.common.back}
683   </Button>
684   <Button
685     onClick={ () =>
686       areaIdx === BALANCE_AREAS.length - 1
687         ? go("test")
688         : setAreaIdx((index) => index + 1)
689     }
690     type="button"
691   >
692     {areaIdx === BALANCE_AREAS.length - 1
693       ? b.continueToTest
694       : b.continueNext}
695   </Button>
696 </div>
697 </section>
698 )}
699
700 {screen === "test" && (
701   <section>
702     <SectionHeading className="mb-1">{b.testHeading}</SectionHeading>
703     <p className="mb-4 text-sm leading-relaxed" style={{ color: MUTED }}>
704       Одоогийн цаг, энерги, нөөцөө нийт <b>100%</b> гэж үзээд дөрвөн
705       талбарт хуваарилна уу.
706     </p>
707     <BalanceCard
708       b={b}
709       pct={pct}
710       setVizMode={setVizMode}
711       vizMode={vizMode}
712     />
713     <div className="mb-5 grid gap-5">
714       {BALANCE_AREAS.map((item) => (
715         <label key={item.key} style={{ color: item.hex }}>
716           <span className="mb-1 flex items-center justify-between">

```

```

717         <span className="flex items-center gap-2">
718             <span
719                 className="size-2 rounded-full"
720                 style={{ background: item.hex }}
721             />
722             <span
723                 className="font-medium text-sm"
724                 style={{ color: INK }}
725             >
726                 {b.areas[item.key].title}
727             </span>
728         </span>
729         <b className="text-lg" style={{ color: INK }}>
730             {pct[item.key]}%
731         </b>
732     </span>
733     <input
734         max={100}
735         min={0}
736         onChange={ (event) =>
737             setPct((current) => ({
738                 ...current,
739                 [item.key]: Number(event.target.value),
740             }))
741         }
742         type="range"
743         value={pct[item.key]}
744     />
745 </label>
746 ))}
747 </div>
748 <div
749     className="flex items-center justify-between gap-3 rounded-[14px] border px-4 py-3 text-sm"
750     style={
751         isBalancedTotal
752         ? {
753             background: "rgba(126,155,110,0.08)",
754             borderColor: "#9DB58D",
755         }
756         : { borderColor: LINE, background: "#FAFBFD" }
757     }
758 >
759     <span style={{ color: INK }}>
760         {b.sumLabel} <b>{sum}%</b>{" "}
761     <span style={{ color: MUTED }}>
762         {isBalancedTotal
763             ? b.sumReady
764             : sum < 100
765               ? b.sumMissing.replace("{n}", String(100 - sum))
766               : b.sumOver.replace("{n}", String(sum - 100))}
767     </span>
768 </span>
769     <button
770         className="shrink-0 text-xs"
771         onClick={() => setPct({ ...EVEN })}
772         style={{ color: MUTED }}
773         type="button"
774     >
775         {b.evenSplitBtn}
776     </button>
777 </div>
778 <div className="mt-6 flex justify-between">
779     <Button onClick={() => go("area")} type="button" variant="ghost">
780         ← {t.common.back}
781     </Button>
782     <Button
783         disabled={!isBalancedTotal}
784         onClick={() => go("balance-result")}
785         type="button"

```



```

786     >
787     Ур дун →
788     </Button>
789   </div>
790 </section>
791 }}
792
793 {screen === "balance-result" && (
794   <section>
795     <PageHero
796       description="Энэ зураг зөв, бурууг хэмжихгүй. Харин таны энерги одоо хаашаа урсаж байгааг ажиглуулна."
797       eyebrow={<Badge>Алхам 1 · Тэнцвэрийн зураглал</Badge>}
798       icon=""
799       title="Таны тэнцвэр"
800     />
801     <BalanceCard
802       b={b}
803       pct={pct}
804       setVizMode={setVizMode}
805       vizMode={vizMode}
806     />
807     <div className="mb-4 flex flex-wrap justify-center gap-2">
808       {orderedAreas.map((item) => (
809         <span
810           className="rounded-full px-3 py-1.5 font-semibold text-white text-xs"
811           key={item.key}
812           style={{ background: item.hex }}
813         >
814           {b.fields[item.key].title} {pct[item.key]}%
815         </span>
816       ))}
817     </div>
818     <Insight
819       color={highestArea.hex}
820       title="Хамгийн өндөр · «хоргодох байр» уу?"
821     >
822       Та энергийнхээ хамгийн ихийг{" " }
823       <b>
824         {b.areas[highestArea.key].title} ({pct[highestArea.key]}%)
825       </b>{" " }
826       талбарт зарцуулж байна. Энэ танд хүч өгдөг үү, эсвэл бусад асуудлаас
827       зугтах байр болсон уу?
828     </Insight>
829     <Insight
830       color={lowestArea.hex}
831       title="Хамгийн бага · орхигдсон талбар"
832     >
833       <b>
834         {b.areas[lowestArea.key].title} ({pct[lowestArea.key]}%)
835       </b>{" " }
836       хамгийн бага байна. Үүнийг буруутгалгүй ажиглаарай.
837     </Insight>
838     <Hint>
839       <b>Санамж:</b> Бага талбар дангаараа асуудал биш. Бид сул талбарын
840       зөрчлөө хамгийн өндөр талбартаа дассан аргаараа шийдэх гэж оролдох
841       нь элбэг.
842     </Hint>
843     <div className="mt-6 flex justify-between">
844       <Button onClick={() => go("test")} type="button" variant="ghost">
845         ← Засах
846       </Button>
847       <Button onClick={() => go("observe")} type="button">
848         Алхам 2 →
849       </Button>
850     </div>
851   </section>
852 }}
853
854 {screen === "observe" && (

```

```

855 <section>
856   <PageHero
857     description="Өнгөрснөө шүүх биш, одоо хийж буй сонголтоо судлаач мэт тайван анзаараарай."
858     eyebrow=<Badge>Алхам 2 · Ажиглах, таних, ойлгох</Badge>
859     icon="□□"
860     title="Шүүмжлэлгүй ажиглаарай"
861   />
862   <SectionHeading className="mb-3">Өдөр тутмын ажиглалт</SectionHeading>
863   <ReflectionFields
864     answers={answers}
865     idPrefix="daily"
866     questions={DAILY_REFLECTIONS}
867     setAnswer={setAnswer}
868   />
869   <SectionHeading className="mt-7 mb-3">
870     Хамгийн өндөр: «{b.areas[highestArea.key].title}»
871   </SectionHeading>
872   <ReflectionFields
873     answers={answers}
874     idPrefix="high"
875     questions={HIGH_REFLECTIONS}
876     setAnswer={setAnswer}
877   />
878   <SectionHeading className="mt-7 mb-3">
879     Хамгийн бага: «{b.areas[lowestArea.key].title}»
880   </SectionHeading>
881   <ReflectionFields
882     answers={answers}
883     idPrefix="low"
884     questions={LOW_REFLECTIONS}
885     setAnswer={setAnswer}
886   />
887   <div className="mt-7 flex justify-between">
888     <Button
889       onClick={() => go("balance-result")}
890       type="button"
891       variant="ghost"
892     >
893       ← {t.common.back}
894     </Button>
895     <Button onClick={() => go("capacity-intro")} type="button">
896       Алхам 3 →
897     </Button>
898   </div>
899 </section>
900 )}
901
902 {screen === "capacity-intro" && (
903   <section>
904     <PageHero
905       description="Эерэг сэтгэл заслын үүднээс хүн бүрт хөгжүүлэх боломжтой бодит чадварууд бий. Стресс нь тэдгээрийг хэт их эсвэл хэт бага ашиглахад үүсэж болно."
906       eyebrow=<Badge>Алхам 3 · Хүлээн зөвшөөрөх</Badge>
907       icon="□"
908       title="24 бодит чадвар"
909     />
910     <div className="grid gap-3 sm:grid-cols-2">
911       <Insight color="#C36C71" title="Анхдагч чадвар">
912         Хайрлах чадвараас эхтэй сэтгэл хөдлөлийн тал: итгэл, найдвар,
913         тэвчээр, хайр зэрэг.
914       </Insight>
915       <Insight color="#C28A3C" title="Хоёрдогч чадвар">
916         Танин мэдэхүйгээс суралцдаг нийгмийн зан үйл: цаг баримтлах, цэгц,
917         шударга зан зэрэг.
918       </Insight>
919     </div>
920     <Hint>
921       Эдгээр нь "сайн" эсвэл "муу" биш. Гол нь уян хатан тэнцвэр – ямар
922       үед аль чадвараа сонгон ашиглаж байгаагаа анзаарах.
923     </Hint>

```

```

924     <div className="mt-6 flex justify-between">
925       <Button onClick={() => go("observe")} type="button" variant="ghost">
926         ← {t.common.back}
927       </Button>
928       <Button onClick={() => go("capacities")} type="button">
929         Үнэлж эхлэх →
930       </Button>
931     </div>
932   </section>
933 })
934
935 {screen === "capacities" && (
936   <section>
937     <PageHero
938       description="Чадвар тус бүрийг амьдралдаа хэр ашигладгаараа 0-10 оноогоор үнэлээрэй."
939       eyebrow=<Badge>Алхам 3 · Үнэлгээ</Badge>
940       icon="□□"
941       title="Өөрийн чадварын зураглал"
942     />
943     <div
944       className="mb-5 flex flex-wrap gap-1.5 text-[11px]"
945       style={{ color: MUTED }}
946     >
947       <span
948         className="rounded-full border px-2.5 py-1"
949         style={{ borderColor: LINE }}
950       >
951         0-2 барар үгүй
952       </span>
953       <span
954         className="rounded-full border px-2.5 py-1"
955         style={{ borderColor: LINE }}
956       >
957         3-4 хаяа
958       </span>
959       <span
960         className="rounded-full border px-2.5 py-1"
961         style={{ borderColor: LINE }}
962       >
963         5-6 дунд
964       </span>
965       <span
966         className="rounded-full border px-2.5 py-1"
967         style={{ borderColor: LINE }}
968       >
969         7-8 байнга
970       </span>
971       <span
972         className="rounded-full border px-2.5 py-1"
973         style={{ borderColor: LINE }}
974       >
975         9-10 намайг тодорхойлно
976       </span>
977     </div>
978     {[["primary", "secondary"] as const].map((group) => (
979       <div className="mb-7" key={group}>
980         <SectionHeading className="mb-1 flex items-center gap-2">
981           <span
982             className="size-2.5 rounded-full"
983             style={{
984               background: group === "primary" ? "#C36C71" : "#C28A3C",
985             }}
986           />
987           {group === "primary" ? "Анхдагч чадвар" : "Хоёрдогч чадвар"}
988         </SectionHeading>
989         <Muted className="mb-2">
990           {group === "primary"
991             ? "Сэтгэл хөдлөл, холбоо, хайрлах чадвар"
992             : "Суралцсан зан үйл, нийгмийн чадвар"}

```

```

993     </Muted>
994     <div className="divide-y" style={{ borderColor: LINE }}>
995       {CAPACITIES.filter((capacity) => capacity.group === group).map(
996         (capacity) => {
997           const value = scores[capacity.id] ?? 5;
998           const color =
999             value <= 3
1000               ? "#B58B8E"
1001               : value <= 6
1002                 ? "#B0A17F"
1003                 : "#7E9B6E";
1004           return (
1005             <label
1006               className="block py-3"
1007               key={capacity.id}
1008               style={{ color }}
1009             >
1010               <span className="flex items-start justify-between gap-3">
1011                 <span>
1012                   <b className="block text-sm" style={{ color: INK }}>
1013                     {capacity.name}
1014                   </b>
1015                   <span
1016                     className="text-xs leading-relaxed"
1017                     style={{ color: MUTED }}
1018                   >
1019                     {capacity.description}
1020                   </span>
1021                 </span>
1022                 <b className="shrink-0 text-xl">{value}</b>
1023               </span>
1024               <input
1025                 max={10}
1026                 min={0}
1027                 onChange={(event) => {
1028                   setScores((current) => ({
1029                     ...current,
1030                     [capacity.id]: Number(event.target.value),
1031                   }))
1032                 }
1033                 type="range"
1034                 value={value}
1035               />
1036             </label>
1037           );
1038         }
1039       )}
1040     </div>
1041   </div>
1042 )}
1043 <div className="mt-6 flex justify-between">
1044   <Button
1045     onClick={() => go("capacity-intro")}
1046     type="button"
1047     variant="ghost"
1048   >
1049     ← {t.common.back}
1050   </Button>
1051   <Button onClick={() => go("capacity-result")} type="button">
1052     Топ чадваргаа харгах →
1053   </Button>
1054 </div>
1055 </section>
1056 )}
1057
1058 {screen === "capacity-result" && (
1059   <section>
1060     <PageHero
1061       description="Эдгээр нь таны хүчирхэг нөөц. Гэхдээ та бараг бүх асуудлаа зөвхөн эдгээрээр шийдэх гэж оролддог эсэхээ ажиглаарай."

```

```

1062     eyebrow={<Badge>Алхам 3 · Хэт хөгжсөн чадвар</Badge>}
1063     icon=""
1064     title="Хамгийн их ашигладаг 5"
1065   />
1066   <div className="space-y-3">
1067     {topFive.map((capacity, index) => (
1068       <Insight
1069         color={capacity.group === "primary" ? "#C36C71" : "#C28A3C"}
1070         key={capacity.id}
1071         title={` ${index + 1} · ${capacity.name} · ${scores[capacity.id]}/10`}
1072       >
1073         {capacity.description}
1074       </Insight>
1075     ))}
1076   </div>
1077   <Hint>
1078     Өнөөдрийг хүртэл давуу тал гэж бодож ирсэн зүйл хэт хатуу итгэл
1079     үнэмшил болж зөрчил үүсгэж байж болно. Үүнийг анзаарах нь өөрийгөө
1080     буруутгах бус, сонголтоо нэмэх алхам юм.
1081   </Hint>
1082   <div className="mt-6 flex justify-between">
1083     <Button
1084       onClick={() => go("capacities")}
1085       type="button"
1086       variant="ghost"
1087     >
1088       ← Засах
1089     </Button>
1090     <Button onClick={() => go("future")} type="button">
1091       Алхам 4 →
1092     </Button>
1093   </div>
1094 </section>
1095 ))
1096
1097 {screen === "future" && (
1098   <section>
1099     <PageHero
1100       description="Хамгийн бара ашигладаг чадварууд бол таны дутагдал биш – нээгдээгүй нөөц, шинэ сонголтын орон зай юм."
1101       eyebrow={<Badge>Алхам 4 · Ирээдүйд төвлөрөх</Badge>}
1102       icon=""
1103       title="Хөгжүүлээгүй ертөнц"
1104     />
1105     <SectionHeading className="mb-3">Топ 5 ← Сул 5</SectionHeading>
1106     <div className="mb-5 grid grid-cols-2 gap-2 text-sm">
1107       <div
1108         className="text-center font-semibold text-xs"
1109         style={{ color: MUTED }}
1110       >
1111         Хамгийн их
1112       </div>
1113       <div
1114         className="text-center font-semibold text-xs"
1115         style={{ color: MUTED }}
1116       >
1117         Хамгийн бара
1118       </div>
1119       {topFive.map((capacity, index) => (
1120         <div className="contents" key={capacity.id}>
1121           <div
1122             className="flex justify-between gap-2 rounded-xl border p-2.5"
1123             style={{ borderColor: "#D8B98A" }}
1124           >
1125             <span>{capacity.name}</span>
1126             <b>{scores[capacity.id]}</b>
1127           </div>
1128           <div
1129             className="flex justify-between gap-2 rounded-xl border p-2.5"
1130             style={{ borderColor: "#C9AEB0" }}

```

```

1131         >
1132         <span>{lowFive[index].name}</span>
1133         <b>{scores[lowFive[index].id]}</b>
1134     </div>
1135 </div>
1136 ))}
1137 </div>
1138 <Hint>
1139     Зорилго нь хүчтэй чадвараа багасгах биш. Харин сул чадвараа ашиглах
1140     боломжийг хажууд нь нэмж, сонголтоо өргөжүүлэх юм.
1141 </Hint>
1142 <SectionHeading className="mt-7 mb-3">
1143     Сул чадвараа судлах
1144 </SectionHeading>
1145 <div className="space-y-4">
1146     {lowFive.map((capacity) => (
1147         <div
1148             className="rounded-[16px] border p-4"
1149             key={capacity.id}
1150             style={{ borderColor: LINE, background: "#FAFBFD" }}
1151         >
1152             <div className="mb-3 flex items-center justify-between gap-3">
1153                 <b className="text-sm" style={{ color: INK }}>
1154                     {capacity.name}
1155                 </b>
1156                 <span className="font-bold" style={{ color: "#C36C71" }}>
1157                     {scores[capacity.id]}/10
1158                 </span>
1159             </div>
1160             <ReflectionFields
1161                 answers={answers}
1162                 idPrefix={`capacity-${capacity.id}`}
1163                 questions={CAPACITY_REFLECTIONS}
1164                 setAnswer={setAnswer}
1165             />
1166         </div>
1167     ))}
1168 </div>
1169 <label className="mt-5 block" htmlFor="final-reflection">
1170     <span className="mb-1.5 block font-medium text-sm">
1171         Би юунаас айж, зугтааж, юг олж авах гэж эдгээр сонголтоо хийсээр
1172         ирсэн бэ?
1173     </span>
1174     <TextArea
1175         id="final-reflection"
1176         onChange={ (event) => setFinalNote(event.target.value) }
1177         placeholder="Эцсийн эргэцүүлээ бичээрэй..."
1178         rows={4}
1179         value={finalNote}
1180     />
1181 </label>
1182 <div className="mt-7 flex justify-between">
1183     <Button
1184         onClick={() => go("capacity-result")}
1185         type="button"
1186         variant="ghost"
1187     >
1188         ← {t.common.back}
1189     </Button>
1190     <Button onClick={finish} type="button">
1191         Дүгнэлт →
1192     </Button>
1193 </div>
1194 </section>
1195 )}
1196
1197 {screen === "summary" && (
1198     <section>
1199         <PageHero

```

```

1200     description="Энэ бол эцсийн шошго биш, харин цааш ажиглах эхлэл. Зураглалаа үе үе эргэн хараарай."
1201     eyebrow=<Badge>Дүгнэлт</Badge>
1202     icon="□□"
1203     title="Таны зураглал"
1204   />
1205   <div
1206     className="rounded-[16px] border p-4"
1207     style={{ borderColor: LINE, background: "#FAFBFD" }}
1208   >
1209     <SectionHeading className="mb-2">Амьдралын тэнцвэр</SectionHeading>
1210     <div className="flex flex-wrap gap-2">
1211       {orderedAreas.map((item) => (
1212         <span
1213           className="rounded-full px-3 py-1.5 font-semibold text-white text-xs"
1214           key={item.key}
1215           style={{ background: item.hex }}
1216         >
1217           {b.fields[item.key].title} {pct[item.key]}%
1218         </span>
1219       ))}
1220     </div>
1221     <p className="mt-3 text-sm" style={{ color: MUTED }}>
1222       Хамгийн өндөр:{" "}
1223       <b style={{ color: INK }}>{b.areas[highestArea.key].title}</b> ·
1224       Хамгийн бага:{" "}
1225       <b style={{ color: INK }}>{b.areas[lowestArea.key].title}</b>
1226     </p>
1227     <SectionHeading className="mt-5 mb-2">
1228       Хамгийн их ашигладаг 5
1229     </SectionHeading>
1230     <p className="text-sm leading-relaxed">
1231       {topFive
1232         .map((capacity) => `${capacity.name} · ${scores[capacity.id]}`)
1233         .join(" · ")}
1234     </p>
1235     <SectionHeading className="mt-5 mb-2">
1236       Хөгжүүлэх боломжтой 5
1237     </SectionHeading>
1238     <p className="text-sm leading-relaxed">
1239       {lowFive
1240         .map((capacity) => `${capacity.name} · ${scores[capacity.id]}`)
1241         .join(" · ")}
1242     </p>
1243     {finalNote && (
1244       <>
1245         <SectionHeading className="mt-5 mb-2">
1246           Миний гол эргэцүүлэл
1247         </SectionHeading>
1248         <p className="whitespace-pre-wrap text-sm leading-relaxed">
1249           {finalNote}
1250         </p>
1251       </>
1252     )}
1253   </div>
1254   <Hint>
1255     Шаардлагатай бол Оюунсанаа чаттай бодлоо хуваалцаж, эсвэл мэргэжлийн
1256     сэтгэл зүйчтэй ярилцаарай. Энэ дасгал нь оношилгоо биш.
1257   </Hint>
1258   {currentSaved ? (
1259     <div
1260       className="mt-4 flex items-center gap-2 rounded-[14px] border px-4 py-3 text-sm"
1261       style={{
1262         background: "rgba(126,155,110,0.08)",
1263         borderColor: "#9DB58D",
1264         color: INK,
1265       }}
1266     >
1267       <Check className="size-4 text-[#648052]" />
1268       Үр дүн энэ төхөөрөмж дээр хадгалагдлаа.

```

```

1269     </div>
1270   ) : (
1271     <div className="mt-4">
1272       <Button onClick={finish} type="button">
1273         Үр дүн хадгалах
1274       </Button>
1275     </div>
1276   )}
1277   <div className="mt-6 flex flex-wrap justify-between gap-2">
1278     <Button onClick={() => go("future")} type="button" variant="ghost">
1279       ← Засах
1280     </Button>
1281     <div className="flex flex-wrap gap-2">
1282       <Button
1283         onClick={() => go("history")}
1284         type="button"
1285         variant="ghost"
1286       >
1287         Хадгалсан үр дүн
1288       </Button>
1289       <Button onClick={startFresh} type="button">
1290         <RotateCcw className="size-4" /> Шинээр эхлэх
1291       </Button>
1292     </div>
1293   </div>
1294 </section>
1295   )}
1296 </div>
1297 );
1298 }
1299
1300 function BalanceCard({
1301   b,
1302   pct,
1303   setVizMode,
1304   vizMode,
1305 }): {
1306   b: ReturnType<typeof useT>["apps"]["lifeBalance"];
1307   pct: BalancePercents;
1308   setVizMode: (mode: BalanceVizMode) => void;
1309   vizMode: BalanceVizMode;
1310 } {
1311   return (
1312     <div
1313       className="mb-5 rounded-[16px] border p-4"
1314       style={{ borderColor: LINE, background: "#FAFBFD" }}
1315     >
1316       <div className="mb-3 flex justify-center">
1317         <div
1318           className="inline-flex gap-0.5 rounded-full border p-1"
1319           style={{ background: "#EEF2F8", borderColor: LINE }}
1320         >
1321           {[["kite", "platform", "auras"] as BalanceVizMode[]].map((mode) => (
1322             <button
1323               className="rounded-full px-3 py-1.5 font-medium text-xs transition-all"
1324               key={mode}
1325               onClick={() => setVizMode(mode)}
1326               style={
1327                 vizMode === mode
1328                   ? { background: BRAND, color: "#fff" }
1329                   : { color: MUTED }
1330               }
1331             type="button"
1332           >
1333             {b.vizModes[mode]}
1334           </button>
1335         )]}
1336       </div>
1337     </div>

```



```

1338     <BalanceDiagram
1339       ariaLabel={b.diagramAriaLabel}
1340       className="mx-auto h-auto w-full max-w-[300px]"
1341       labels={b.diagramLabels}
1342       mode={vizMode}
1343       pct={pct}
1344     />
1345     <div className="mt-1.5 text-center text-xs" style={{ color: MUTED }}>
1346       {b.vizCaptions[vizMode]}
1347     </div>
1348   </div>
1349 );
1350 }
1351
1352 function Insight({
1353   children,
1354   color,
1355   title,
1356 }): {
1357   children: React.ReactNode;
1358   color: string;
1359   title: string;
1360 }) {
1361   return (
1362     <div
1363       className="my-3 rounded-[16px] border p-4"
1364       style={{ borderColor: LINE, background: "#FAFBFD" }}
1365     >
1366       <div
1367         className="mb-1.5 flex items-center gap-2 font-semibold text-xs uppercase tracking-wide"
1368         style={{ color: MUTED }}
1369       >
1370         <span className="size-2.5 rounded-full" style={{ background: color }} />
1371         {title}
1372       </div>
1373       <p className="text-sm leading-relaxed" style={{ color: INK }}>
1374         {children}
1375       </p>
1376     </div>
1377   );
1378 }

```

242. components/mind/who-am-i/domain-intro.tsx

```

1  "use client";
2
3  import { useEffect, useState } from "react";
4  import {
5    AppCard,
6    AppShell,
7    Button,
8    Muted,
9    PageHero,
10   SectionHeading,
11 } from "@/components/mind/app-shell";
12 import type { BalanceAreaKey } from "@/lib/mind/who-am-i-balance";
13 import { readLastRun } from "@/lib/mind/who-am-i-balance";
14
15 export function DomainIntroPage({
16   icon,
17   title,
18   balanceKey,
19   hex,
20   description,
21   appHref,
22   appLabel,
23   appGuide,

```

```

24   }: {
25     icon: string;
26     title: string;
27     balanceKey: BalanceAreaKey;
28     hex: string;
29     description: string;
30     appHref: string;
31     appLabel: string;
32     /** Алпын дэлгэрэнгүй тайлбар (юу хийдэг, хэрхэн ажилладаг) – байхгүй бол хэсэг гарахгүй. */
33     appGuide?: string;
34   }) {
35     const [pct, setPct] = useState<number | null>(null);
36
37     useEffect(() => {
38       const run = readLastRun();
39       setPct(run ? run.pct[balanceKey] : null);
40     }, [balanceKey]);
41
42     return (
43       <AppShell backHref="/" title="Тайлбар" width="4xl">
44         <AppCard>
45           <PageHero
46             eyebrow={
47               <span
48                 className="inline-flex items-center gap-1.5 rounded-full px-2.5 py-1 font-semibold text-[11px] uppercase tracking-wide"
49                 style={{
50                   background: `${hex}1A`,
51                   color: hex,
52                   border: `1px solid ${hex}30`,
53                 }}
54               >
55                 {pct === null ? title : `${title}: ${pct}%`}
56               </span>
57             >
58               icon={icon}
59               title={title}
60             </>
61             <Muted className="mb-6 whitespace-pre-line">{description}</Muted>
62
63             {appGuide && (
64               <>
65                 <div className="mb-5 h-px w-full" style={{ background: "#E2E8F0" }} />
66                 <SectionHeading className="mb-2">
67                   {appLabel} анн – тайлбар
68                 </SectionHeading>
69                 <Muted className="mb-6 whitespace-pre-line">{appGuide}</Muted>
70               </>
71             )}
72
73             <Button href={appHref}>{appLabel} –</Button>
74           </AppCard>
75         </AppShell>
76       );
77   }

```

243. components/multimodal-input.tsx

```

1  "use client";
2
3  import type { UseChatHelpers } from "@ai-sdk/react";
4  import type { UIMessage } from "ai";
5  import equal from "fast-deep-equal";
6  import { CheckIcon } from "lucide-react";
7  import {
8    type ChangeEvent,
9    type Dispatch,
10    memo,

```

```

11   type SetStateAction,
12   useCallback,
13   useEffect,
14   useRef,
15   useState,
16 } from "react";
17 import { toast } from "sonner";
18 import { useLocalStorage, useWindowSize } from "usehooks-ts";
19 import {
20   ModelSelector,
21   ModelSelectorContent,
22   ModelSelectorGroup,
23   ModelSelectorInput,
24   ModelSelectorItem,
25   ModelSelectorList,
26   ModelSelectorLogo,
27   ModelSelectorName,
28   ModelSelectorTrigger,
29 } from "@/components/ai-elements/model-selector";
30 import {
31   chatModels,
32   DEFAULT_CHAT_MODEL,
33   modelsByProvider,
34 } from "@/lib/ai/models";
35 import { useT } from "@/lib/i18n/provider";
36 import type { Attachment, ChatMessage } from "@/lib/types";
37 import { cn } from "@/lib/utils";
38 import {
39   PromptInput,
40   PromptInputSubmit,
41   PromptInputTextarea,
42   PromptInputToolbar,
43   PromptInputTools,
44 } from "@/elements/prompt-input";
45 import { ArrowUpIcon, PaperclipIcon, StopIcon } from "@/icons";
46 import { PreviewAttachment } from "@/preview-attachment";
47 import { SuggestedActions } from "@/suggested-actions";
48 import { Button } from "@/ui/button";
49 import type { VisibilityType } from "@/visibility-selector";
50 function guessMediaType(a: Attachment) {
51   if (a.contentType) return a.contentType;
52
53   const u = (a.url || "").toLowerCase().split("?")[0];
54   if (u.endsWith(".png")) return "image/png";
55   if (u.endsWith(".jpg") || u.endsWith(".jpeg")) return "image/jpeg";
56   if (u.endsWith(".webp")) return "image/webp";
57   if (u.endsWith(".gif")) return "image/gif";
58
59   return "application/octet-stream";
60 }
61
62 function setCookie(name: string, value: string) {
63   const maxAge = 60 * 60 * 24 * 365; // 1 year
64   // biome-ignore lint/suspicious/noDocumentCookie: needed for client-side cookie setting
65   document.cookie = `${name}=${encodeURIComponent(value)}; path=/; max-age=${maxAge}`;
66 }
67
68 function PureMultimodalInput({
69   chatId,
70   input,
71   setInput,
72   status,
73   stop,
74   attachments,
75   setAttachments,
76   messages,
77   setMessages,
78   sendMessage,
79   className,

```

```

80   selectedVisibilityType,
81   selectedModelId,
82 }: {
83   chatId: string;
84   input: string;
85   setInput: Dispatch<SetStateAction<string>>;
86   status: UseChatHelpers<ChatMessage>["status"];
87   stop: () => void;
88   attachments: Attachment[];
89   setAttachments: Dispatch<SetStateAction<Attachment[]>>;
90   messages: UIMessage[];
91   setMessages: UseChatHelpers<ChatMessage>["setMessages"];
92   sendMessage: UseChatHelpers<ChatMessage>["sendMessage"];
93   className?: string;
94   selectedVisibilityType: VisibilityType;
95   selectedModelId: string;
96 }) {
97   const t = useT();
98   const textareaRef = useRef<HTMLTextAreaElement>(null);
99   const { width } = useWindowSize();
100
101   const adjustHeight = useCallback(() => {
102     if (textareaRef.current) {
103       textareaRef.current.style.height = "44px";
104     }
105   }, []);
106
107   useEffect(() => {
108     if (textareaRef.current) {
109       adjustHeight();
110     }
111   }, [adjustHeight]);
112
113   const hasAutoFocused = useRef(false);
114   useEffect(() => {
115     if (!hasAutoFocused.current && width) {
116       const timer = setTimeout(() => {
117         textareaRef.current?.focus();
118         hasAutoFocused.current = true;
119       }, 100);
120       return () => clearTimeout(timer);
121     }
122   }, [width]);
123
124   const resetHeight = useCallback(() => {
125     if (textareaRef.current) {
126       textareaRef.current.style.height = "44px";
127     }
128   }, []);
129
130   const [localStorageInput, setLocalStorageInput] = useLocalStorage(
131     "input",
132     ""
133   );
134
135   useEffect(() => {
136     if (textareaRef.current) {
137       const domValue = textareaRef.current.value;
138       // Prefer DOM value over localStorage to handle hydration
139       const finalValue = domValue || localStorageInput || "";
140       setInput(finalValue);
141       adjustHeight();
142     }
143     // Only run once after hydration
144     // eslint-disable-next-line react-hooks/exhaustive-deps
145   }, [adjustHeight, localStorageInput, setInput]);
146
147   useEffect(() => {
148     setLocalStorageInput(input);

```

```

149   }, [input, setLocalStorageInput]);
150
151   const handleInput = (event: React.ChangeEvent<HTMLTextAreaElement>) => {
152     setInput(event.target.value);
153   };
154
155   const fileInputRef = useRef<HTMLInputElement>(null);
156   const [uploadQueue, setUploadQueue] = useState<string[]>([]);
157
158   const submitForm = useCallback(() => {
159     window.history.pushState({}, "", `/chat/${chatId}`);
160
161     const fileParts = attachments.map((attachment) => ({
162       type: "file" as const,
163       url: attachment.url,
164       // AI SDK-д name гэдэг талбар зөв
165       name: attachment.name,
166       mediaType: attachment.contentType,
167     }));
168
169     const text = input.trim();
170
171     // text байхгүй мөртлөө зураг байвал " " гэж text part нэмнэ (server 400 үгүй болно)
172
173     const parts =
174       text.length > 0
175       ? [...fileParts, { type: "text" as const, text }]
176       : fileParts.length > 0
177       ? [...fileParts, { type: "text" as const, text: " " }]
178       : [];
179     sendMessage({
180       role: "user",
181       parts,
182     });
183
184     setAttachments([]);
185     setLocalStorageInput("");
186     resetHeight();
187     setInput("");
188
189     if (width && width > 768) textareaRef.current?.focus();
190   }, [
191     input,
192     setInput,
193     attachments,
194     sendMessage,
195     setAttachments,
196     setLocalStorageInput,
197     width,
198     chatId,
199     resetHeight,
200   ]);
201
202   const uploadFile = useCallback(async (file: File) => {
203     const formData = new FormData();
204     formData.append("file", file);
205
206     try {
207       const response = await fetch("/api/files/upload", {
208         method: "POST",
209         body: formData,
210         credentials: "same-origin",
211       });
212
213       if (response.ok) {
214         const data = await response.json();
215         const { url, name, contentType } = data;
216       }
217     }

```

```

218     return {
219       url,
220       name,
221       contentType,
222     };
223   }
224   const { error } = await response.json();
225   toast.error(error);
226 } catch (_error) {
227   toast.error("Failed to upload file, please try again!");
228 }
229 }, []);
230
231 const handleFileChange = useCallback(
232   async (event: ChangeEvent<HTMLInputElement>) => {
233     const files = Array.from(event.target.files || []);
234
235     setUploadQueue(files.map((file) => file.name));
236
237     try {
238       const uploadPromises = files.map((file) => uploadFile(file));
239       const uploadedAttachments = await Promise.all(uploadPromises);
240       const successfullyUploadedAttachments = uploadedAttachments.filter(
241         (attachment) => attachment !== undefined
242       );
243
244       setAttachments((currentAttachments) => [
245         ...currentAttachments,
246         ...successfullyUploadedAttachments,
247       ]);
248     } catch (error) {
249       console.error("Error uploading files!", error);
250     } finally {
251       setUploadQueue([]);
252     }
253   },
254   [setAttachments, uploadFile]
255 );
256
257 const handlePaste = useCallback(
258   async (event: ClipboardEvent) => {
259     const items = event.clipboardData?.items;
260     if (!items) {
261       return;
262     }
263
264     const imageItems = Array.from(items).filter((item) =>
265       item.type.startsWith("image/")
266     );
267
268     if (imageItems.length === 0) {
269       return;
270     }
271
272     // Prevent default paste behavior for images
273     event.preventDefault();
274
275     setUploadQueue((prev) => [...prev, "Pasted image"]);
276
277     try {
278       const uploadPromises = imageItems
279         .map((item) => item.getAsFile())
280         .filter((file): file is File => file !== null)
281         .map((file) => uploadFile(file));
282
283       const uploadedAttachments = await Promise.all(uploadPromises);
284       const successfullyUploadedAttachments = uploadedAttachments.filter(
285         (attachment) =>
286           attachment !== undefined &&

```

```

287         attachment.url !== undefined &&
288         attachment.contentType !== undefined
289     );
290
291     setAttachments((curr) => [
292         ...curr,
293         ...(successfullyUploadedAttachments as Attachment[]),
294     ]);
295     } catch (error) {
296         console.error("Error uploading pasted images:", error);
297         toast.error("Failed to upload pasted image(s)");
298     } finally {
299         setUploadQueue([]);
300     }
301 },
302 [setAttachments, uploadFile]
303 );
304
305 // Add paste event listener to textarea
306 useEffect(() => {
307     const textarea = textareaRef.current;
308     if (!textarea) {
309         return;
310     }
311     textarea.addEventListener("paste", handlePaste);
312     return () => textarea.removeEventListener("paste", handlePaste);
313 }, [handlePaste]);
314
315 return (
316     <div className={cn("relative flex w-full flex-col gap-4", className)}>
317         {messages.length === 0 &&
318             attachments.length === 0 &&
319             uploadQueue.length === 0 && (
320                 <SuggestedActions
321                     chatId={chatId}
322                     selectedVisibilityType={selectedVisibilityType}
323                     sendMessage={sendMessage}
324                 />
325             )}
326     <input
327         accept="image/*"
328         className="-top-4 -left-4 pointer-events-none fixed size-0.5 opacity-0"
329         multiple
330         onChange={handleFileChange}
331         ref={fileInputRef}
332         tabIndex={-1}
333         type="file"
334     />
335     <PromptInput
336         className="min-w-0 rounded-xl border border-border bg-background p-2.5 shadow-xs transition-all duration-200 focus-within:border-border hover:border-muted-foreground/50 sm:p-3"
337         onSubmit={(event) => {
338             event.preventDefault();
339             if (status === "submitted" || status === "streaming") {
340                 toast.error("Please wait for the model to finish its response!");
341             } else {
342                 // Allow sending when "ready" OR "error" (error state recovers on next submit)
343                 submitForm();
344             }
345         }}
346     >
347         {(attachments.length > 0 || uploadQueue.length > 0) && (
348             <div
349                 className="flex flex-row items-end gap-2 overflow-x-scroll"
350                 data-testid="attachments-preview"
351             >
352                 {attachments.map((attachment) => (

```

```

356         <PreviewAttachment
357             attachment={attachment}
358             key={attachment.url}
359             onRemove={() => {
360                 setAttachments((currentAttachments) =>
361                     currentAttachments.filter((a) => a.url !== attachment.url)
362                 );
363                 if (fileInputRef.current) {
364                     fileInputRef.current.value = "";
365                 }
366             }}
367         />
368     )}}
369
370     {uploadQueue.map((filename) => (
371         <PreviewAttachment
372             attachment={{
373                 url: "",
374                 name: filename,
375                 contentType: "",
376             }}
377             isUploading={true}
378             key={filename}
379         />
380     )}}
381 </div>
382 )}
383 <div className="flex min-w-0 flex-row items-start gap-1 sm:gap-2">
384     <PromptInputTextarea
385         className="grow resize-none border-0! border-none! bg-transparent p-2 text-base outline-none ring-0 [-ms-overflow-style:none] [scrollbar-width:none] placeholder:text-muted-foreground focus-visible:ring-0 focus-visible:ring-offset-0 [&::-webkit-scrollbar]:hidden"
386         data-testid="multimodal-input"
387         disableAutoResize={true}
388         maxHeight={200}
389         minHeight={44}
390         onChange={handleInput}
391         placeholder={t.input.placeholder}
392         ref={textareaRef}
393         rows={1}
394         value={input}
395     />
396 </div>
397 <PromptInputToolbar className="min-w-0 flex-wrap gap-1 border-top-0! border-t-0! p-0 shadow-none dark:border-0 dark:border-transparent!">
398     <PromptInputTools className="gap-0 sm:gap-0.5">
399         <AttachmentsButton
400             fileInputRef={fileInputRef}
401             selectedModelId={selectedModelId}
402             status={status}
403         />
404         {/* Model сонголтыг түр хаасан: одоогоор зөвхөн default model ашиглана. */}
405     </PromptInputTools>
406
407     {status === "submitted" || status === "streaming" ? (
408         <StopButton setMessages={setMessages} stop={stop} />
409     ) : (
410         <PromptInputSubmit
411             className="size-8 rounded-full bg-primary text-primary-foreground transition-colors duration-200 hover:bg-primary/90 disabled:bg-muted disabled:text-muted-foreground"
412             data-testid="send-button"
413             disabled={(input.trim().length === 0 && attachments.length === 0) || uploadQueue.length > 0}
414             status={status}
415         >
416             <ArrowUpIcon size={14} />
417         </PromptInputSubmit>
418     )}
419 </PromptInputToolbar>
420 </PromptInput>
421 </div>
422 );
423 }

```



```

424
425 export const MultimodalInput = memo(
426   PureMultimodalInput,
427   (prevProps, nextProps) => {
428     if (prevProps.input !== nextProps.input) {
429       return false;
430     }
431     if (prevProps.status !== nextProps.status) {
432       return false;
433     }
434     if (!equal(prevProps.attachments, nextProps.attachments)) {
435       return false;
436     }
437     if (prevProps.selectedVisibilityType !== nextProps.selectedVisibilityType) {
438       return false;
439     }
440     if (prevProps.selectedModelId !== nextProps.selectedModelId) {
441       return false;
442     }
443   }
444   return true;
445 }
446 );
447
448 function PureAttachmentsButton({
449   fileInputRef,
450   status,
451   selectedModelId,
452 }): {
453   fileInputRef: React.MutableRefObject<HTMLInputElement | null>;
454   status: UseChatHelpers<ChatMessage>["status"];
455   selectedModelId: string;
456 }) {
457   const isReasoningModel =
458     selectedModelId.includes("reasoning") || selectedModelId.includes("think");
459
460   return (
461     <Button
462       className="aspect-square h-8 rounded-lg p-1 transition-colors hover:bg-accent"
463       data-testid="attachments-button"
464       disabled={(status !== "ready" && status !== "error") || isReasoningModel}
465       onClick={(event) => {
466         event.preventDefault();
467         fileInputRef.current?.click();
468       }}
469       variant="ghost"
470     >
471       <PaperclipIcon size={14} style={{ width: 14, height: 14 }} />
472     </Button>
473   );
474 }
475
476 const AttachmentsButton = memo(PureAttachmentsButton);
477
478 function PureModelSelectorCompact({
479   selectedModelId,
480   onModelChange,
481 }): {
482   selectedModelId: string;
483   onModelChange?: (modelId: string) => void;
484 }) {
485   const t = useT();
486   const [open, setOpen] = useState(false);
487
488   const modelName = (m: { key?: string; name: string }): string =>
489     (m.key && (t.models as Record<string, string>)[m.key]) || m.name;
490
491   const selectedModel =
492     chatModels.find((m) => m.id === selectedModelId) ??

```

```

493   chatModels.find((m) => m.id === DEFAULT_CHAT_MODEL) ??
494   chatModels[0];
495   const [provider] = selectedModel.id.split("/");
496
497   // Provider display names
498   const providerNames: Record<string, string> = {
499     anthropic: "Anthropic",
500     openai: "OpenAI",
501     google: "Google",
502     xai: "xAI",
503     reasoning: "Reasoning",
504   };
505
506   return (
507     <ModelSelector onOpenChange={setOpen} open={open}>
508       <ModelSelectorTrigger asChild>
509         <Button
510           className="h-8 w-[min(200px,calc(100vw-100px))] min-w-0 max-w-full justify-between px-2"
511           variant="ghost"
512         >
513           {provider && <ModelSelectorLogo provider={provider} />}
514           <ModelSelectorName>{modelName(selectedModel)}</ModelSelectorName>
515         </Button>
516       </ModelSelectorTrigger>
517       <ModelSelectorContent>
518         <ModelSelectorInput placeholder={t.input.searchModels} />
519         <ModelSelectorList>
520           {Object.entries(modelsByProvider).map(
521             ([providerKey, providerModels]) => (
522               <ModelSelectorGroup
523                 heading={providerNames[providerKey] ?? providerKey}
524                 key={providerKey}
525               >
526                 {providerModels.map((model) => {
527                   const logoProvider = model.id.split("/")[0];
528                   return (
529                     <ModelSelectorItem
530                       key={model.id}
531                       onSelect={() => {
532                         onModelChange?.(model.id);
533                         setCookie("chat-model", model.id);
534                         setOpen(false);
535                       }}
536                       value={model.id}
537                     >
538                       <ModelSelectorLogo provider={logoProvider} />
539                       <ModelSelectorName>{modelName(model)}</ModelSelectorName>
540                       {model.id === selectedModel.id && (
541                         <CheckIcon className="ml-auto size-4" />
542                       )}
543                     </ModelSelectorItem>
544                   );
545                 })}
546               </ModelSelectorGroup>
547             )
548           )}
549       </ModelSelectorList>
550     </ModelSelectorContent>
551   </ModelSelector>
552 );
553 }
554
555 // Typ comment out хийсэн model selector-ийг буцааж идэвхжүүлэхэд энэ wrapper-ийг ашиглана.
556 const _ModelSelectorCompact = memo(PureModelSelectorCompact);
557
558 function PureStopButton({
559   stop,
560   setMessages,
561 }): {

```

```

562   stop: () => void;
563   setMessages: UseChatHelpers<ChatMessage>["setMessages"];
564 }) {
565   return (
566     <Button
567       className="size-7 rounded-full bg-foreground p-1 text-background transition-colors duration-200 hover:bg-foreground/90 disabled:bg-muted disabled:text-muted-foreground"
568       data-testid="stop-button"
569       onClick={ (event) => {
570         event.preventDefault();
571         stop();
572         setMessages((messages) => messages);
573       }}
574     >
575     <StopIcon size={14} />
576   </Button>
577 );
578 }
579
580 const StopButton = memo(PureStopButton);

```

244. components/preview-attachment.tsx

```

1  import type { Attachment } from "@lib/types";
2  import { Loader } from "../elements/loader";
3  import { CrossSmallIcon } from "../icons";
4  import { Button } from "../ui/button";
5
6  function isLikelyImage(url?: string, contentType?: string) {
7    if (contentType?.startsWith("image/")) return true;
8    const u = (url || "").toLowerCase().split("?")[0]; // signed url/query safe
9    return /\. (png|jpe?g|gif|webp|bmp|svg)$/i.test(u);
10 }
11
12 export const PreviewAttachment = ({
13   attachment,
14   isUploading = false,
15   onRemove,
16 }: {
17   attachment: Attachment;
18   isUploading?: boolean;
19   onRemove?: () => void;
20 }) => {
21   const { name, url, contentType } = attachment;
22
23   const showImage = isLikelyImage(url, contentType);
24
25   return (
26     <div
27       className="group relative size-16 overflow-hidden rounded-lg border bg-muted"
28       data-testid="input-attachment-preview"
29     >
30       {showImage ? (
31         <img
32           src={url}
33           alt={name ?? "Image attachment"}
34           className="size-full object-cover"
35           loading="lazy"
36         />
37       ) : (
38         <div className="flex size-full items-center justify-center text-muted-foreground text-xs">
39           File
40         </div>
41       )}
42
43       {isUploading && (
44         <div className="absolute inset-0 flex items-center justify-center bg-black/50">
45           <Loader size={16} />

```

```

46     </div>
47   })
48
49   {onRemove && !isUploading && (
50     <Button
51       className="absolute top-0.5 right-0.5 size-5 rounded-full p-0 opacity-100 md:opacity-0 md:transition-opacity md:group-hover:opacity-100"
52
53       onClick={onRemove}
54       size="sm"
55       variant="destructive"
56     >
57       <CrossSmallIcon size={8} />
58     </Button>
59   )}
60
61   <div className="absolute inset-x-0 bottom-0 truncate bg-linear-to-t from-black/80 to-transparent px-1 py-0.5 text-[10px] text-white">
62     {name}
63   </div>
64 </div>
65 );
66 };

```

245. components/sheet-editor.tsx

```

1  "use client";
2
3  import { useTheme } from "next-themes";
4  import { parse, unparse } from "papaparse";
5  import { memo, useEffect, useMemo, useState } from "react";
6  import DataGrid, { textEditor } from "react-data-grid";
7  import { cn } from "@lib/utils";
8
9  import "react-data-grid/lib/styles.css";
10
11  type SheetEditorProps = {
12    content: string;
13    saveContent: (content: string, isCurrentVersion: boolean) => void;
14    currentVersionIndex: number;
15    isCurrentVersion: boolean;
16    status: string;
17  };
18
19  const MIN_ROWS = 50;
20  const MIN_COLS = 26;
21
22  const PureSpreadsheetEditor = ({ content, saveContent }: SheetEditorProps) => {
23    const { resolvedTheme } = useTheme();
24
25    const parseData = useMemo(() => {
26      if (!content) {
27        return new Array(MIN_ROWS).fill(new Array(MIN_COLS).fill(""));
28      }
29      const result = parse<string[]>(content, { skipEmptyLines: true });
30
31      const paddedData = result.data.map((row) => {
32        const paddedRow = [...row];
33        while (paddedRow.length < MIN_COLS) {
34          paddedRow.push("");
35        }
36        return paddedRow;
37      });
38
39      while (paddedData.length < MIN_ROWS) {
40        paddedData.push(new Array(MIN_COLS).fill(""));
41      }
42
43      return paddedData;

```

```

44   }, [content]));
45
46   const columns = useMemo(() => {
47     const rowNumberColumn = {
48       key: "rowNumber",
49       name: "",
50       frozen: true,
51       width: 50,
52       renderCell: ({ rowIdx }: { rowIdx: number }) => rowIdx + 1,
53       cellClass: "border-t border-r dark:bg-zinc-950 dark:text-zinc-50",
54       headerCellClass: "border-t border-r dark:bg-zinc-900 dark:text-zinc-50",
55     };
56
57     const dataColumns = Array.from({ length: MIN_COLS }, (_, i) => ({
58       key: i.toString(),
59       name: String.fromCharCode(65 + i),
60       renderEditCell: textEditor,
61       width: 120,
62       cellClass: cn("border-t dark:bg-zinc-950 dark:text-zinc-50", {
63         "border-l": i !== 0,
64       }),
65       headerCellClass: cn("border-t dark:bg-zinc-900 dark:text-zinc-50", {
66         "border-l": i !== 0,
67       }),
68     }));
69
70     return [rowNumberColumn, ...dataColumns];
71   }, []);
72
73   const initialRows = useMemo(() => {
74     return parseData.map((row, rowIndex) => {
75       const rowData: any = {
76         id: rowIndex,
77         rowNumber: rowIndex + 1,
78       };
79
80       columns.slice(1).forEach((col, colIndex) => {
81         rowData[col.key] = row[colIndex] || "";
82       });
83
84       return rowData;
85     });
86   }, [parseData, columns]);
87
88   const [localRows, setLocalRows] = useState(initialRows);
89
90   useEffect(() => {
91     setLocalRows(initialRows);
92   }, [initialRows]);
93
94   const generateCsv = (data: any[][]) => {
95     return unparse(data);
96   };
97
98   const handleRowsChange = (newRows: any[]) => {
99     setLocalRows(newRows);
100
101     const updatedData = newRows.map((row) => {
102       return columns.slice(1).map((col) => row[col.key] || "");
103     });
104
105     const newCsvContent = generateCsv(updatedData);
106     saveContent(newCsvContent, true);
107   };
108
109   return (
110     <DataGrid
111       className={resolvedTheme === "dark" ? "rdg-dark" : "rdg-light"}
112       columns={columns}

```

```

113     defaultColumnOptions={{
114       resizable: true,
115       sortable: true,
116     }}
117     enableVirtualization
118     onCellClick={ (args) => {
119       if (args.column.key !== "rowNumber") {
120         args.selectCell(true);
121       }
122     }}
123     onRowsChange={handleRowsChange}
124     rows={localRows}
125     style={{ height: "100%" }}
126   />
127 );
128 };
129
130 function areEqual(prevProps: SheetEditorProps, nextProps: SheetEditorProps) {
131   return (
132     prevProps.currentVersionIndex === nextProps.currentVersionIndex &&
133     prevProps.isCurrentVersion === nextProps.isCurrentVersion &&
134     !(prevProps.status === "streaming" && nextProps.status === "streaming") &&
135     prevProps.content === nextProps.content &&
136     prevProps.saveContent === nextProps.saveContent
137   );
138 }
139
140 export const SpreadsheetEditor = memo(PureSpreadsheetEditor, areEqual);

```

246. components/sidebar-history-item.tsx

```

1  import Link from "next/link";
2  import { memo } from "react";
3  import { useChatVisibility } from "@/hooks/use-chat-visibility";
4  import type { Chat } from "@/lib/db/schema";
5  import {
6    CheckCircleFillIcon,
7    GlobeIcon,
8    LockIcon,
9    MoreHorizontalIcon,
10   ShareIcon,
11   TrashIcon,
12 } from "../icons";
13 import {
14   DropdownMenu,
15   DropdownMenuContent,
16   DropdownMenuItem,
17   DropdownMenuPortal,
18   DropdownMenuSub,
19   DropdownMenuSubContent,
20   DropdownMenuSubTrigger,
21   DropdownMenuTrigger,
22 } from "../ui/dropdown-menu";
23 import {
24   SidebarMenuAction,
25   SidebarMenuButton,
26   SidebarMenuItem,
27 } from "../ui/sidebar";
28
29 const PureChatItem = ({
30   chat,
31   isActive,
32   onDelete,
33   setOpenMobile,
34 }: {
35   chat: Chat;
36   isActive: boolean;

```

```

37   onDelete: (chatId: string) => void;
38   setOpenMobile: (open: boolean) => void;
39 }) => {
40   const { visibilityType, setVisibilityType } = useChatVisibility({
41     chatId: chat.id,
42     initialVisibilityType: chat.visibility,
43   });
44
45   return (
46     <SidebarMenuItem>
47       <SidebarMenuButton asChild isActive={isActive}>
48         <Link href={`/${chat}/${chat.id}`} onClick={() => setOpenMobile(false)}>
49           <span>{chat.title}</span>
50         </Link>
51       </SidebarMenuButton>
52
53       <DropdownMenu modal={true}>
54         <DropdownMenuTrigger asChild>
55           <SidebarMenuAction
56             className="mr-0.5 data-[state=open]:bg-sidebar-accent data-[state=open]:text-sidebar-accent-foreground"
57             showOnHover={!isActive}
58           >
59             <MoreHorizontalIcon />
60             <span className="sr-only">More</span>
61           </SidebarMenuAction>
62         </DropdownMenuTrigger>
63
64         <DropdownMenuContent align="end" side="bottom">
65           <DropdownMenuSub>
66             <DropdownMenuSubTrigger className="cursor-pointer">
67               <ShareIcon />
68               <span>Share</span>
69             </DropdownMenuSubTrigger>
70             <DropdownMenuPortal>
71               <DropdownMenuSubContent>
72                 <DropdownMenuItem
73                   className="cursor-pointer flex-row justify-between"
74                   onClick={() => {
75                     setVisibilityType("private");
76                   }}
77                 >
78                   <div className="flex flex-row items-center gap-2">
79                     <LockIcon size={12} />
80                     <span>Private</span>
81                   </div>
82                   {visibilityType === "private" ? (
83                     <CheckCircleFillIcon />
84                   ) : null}
85                 </DropdownMenuItem>
86                 <DropdownMenuItem
87                   className="cursor-pointer flex-row justify-between"
88                   onClick={() => {
89                     setVisibilityType("public");
90                   }}
91                 >
92                   <div className="flex flex-row items-center gap-2">
93                     <GlobeIcon />
94                     <span>Public</span>
95                   </div>
96                   {visibilityType === "public" ? <CheckCircleFillIcon /> : null}
97                 </DropdownMenuItem>
98               </DropdownMenuSubContent>
99             </DropdownMenuPortal>
100           </DropdownMenuSub>
101
102           <DropdownMenuItem
103             className="cursor-pointer text-destructive focus:bg-destructive/15 focus:text-destructive dark:text-red-500"
104             onSelect={() => onDelete(chat.id)}
105           >

```

```

106         <TrashIcon />
107         <span>Delete</span>
108       </DropdownMenuItem>
109     </DropdownMenuContent>
110   </DropdownMenu>
111 </SidebarMenuItem>
112 );
113 };
114
115 export const ChatItem = memo(PureChatItem, (prevProps, nextProps) => {
116   if (prevProps.isActive !== nextProps.isActive) {
117     return false;
118   }
119   return true;
120 });

```

247. components/sidebar-history.tsx

```

1  "use client";
2
3  import { isToday, isYesterday, subMonths, subWeeks } from "date-fns";
4  import { motion } from "framer-motion";
5  import { usePathname, useRouter } from "next/navigation";
6  import type { User } from "next-auth";
7  import { useState } from "react";
8  import { toast } from "sonner";
9  import useSWRInfinite from "swr/infinite";
10 import {
11   AlertDialog,
12   AlertDialogAction,
13   AlertDialogCancel,
14   AlertDialogContent,
15   AlertDialogDescription,
16   AlertDialogFooter,
17   AlertDialogHeader,
18   AlertDialogTitle,
19 } from "@/components/ui/alert-dialog";
20 import {
21   SidebarGroup,
22   SidebarGroupContent,
23   SidebarMenu,
24   useSidebar,
25 } from "@/components/ui/sidebar";
26 import type { Chat } from "@/lib/db/schema";
27 import { useT } from "@/lib/i18n/provider";
28 import { fetcher } from "@/lib/Utils";
29 import { LoaderIcon } from "@/icons";
30 import { ChatItem } from "@/sidebar-history-item";
31
32 type GroupedChats = {
33   today: Chat[];
34   yesterday: Chat[];
35   lastWeek: Chat[];
36   lastMonth: Chat[];
37   older: Chat[];
38 };
39
40 export type ChatHistory = {
41   chats: Chat[];
42   hasMore: boolean;
43 };
44
45 const PAGE_SIZE = 20;
46
47 const groupChatsByDate = (chats: Chat[]): GroupedChats => {
48   const now = new Date();
49   const oneWeekAgo = subWeeks(now, 1);

```



```

50   const oneMonthAgo = subMonths(now, 1);
51
52   return chats.reduce(
53     (groups, chat) => {
54       const chatDate = new Date(chat.createdAt);
55
56       if (isToday(chatDate)) {
57         groups.today.push(chat);
58       } else if (isYesterday(chatDate)) {
59         groups.yesterday.push(chat);
60       } else if (chatDate > oneWeekAgo) {
61         groups.lastWeek.push(chat);
62       } else if (chatDate > oneMonthAgo) {
63         groups.lastMonth.push(chat);
64       } else {
65         groups.older.push(chat);
66       }
67
68       return groups;
69     },
70     {
71       today: [],
72       yesterday: [],
73       lastWeek: [],
74       lastMonth: [],
75       older: [],
76     } as GroupedChats
77   );
78 };
79
80 export function getChatHistoryPaginationKey(
81   pageIndex: number,
82   previousPageData: ChatHistory
83 ) {
84   if (previousPageData && previousPageData.hasMore === false) {
85     return null;
86   }
87
88   if (pageIndex === 0) {
89     return `/api/history?limit=${PAGE_SIZE}`;
90   }
91
92   const firstChatFromPage = previousPageData.chats.at(-1);
93
94   if (!firstChatFromPage) {
95     return null;
96   }
97
98   return `/api/history?ending_before=${firstChatFromPage.id}&limit=${PAGE_SIZE}`;
99 }
100
101 export function SidebarHistory({ user }: { user: User | undefined }) {
102   const t = useT();
103   const { setOpenMobile } = useSidebar();
104   const pathname = usePathname();
105   const id = pathname?.startsWith("/chat/") ? pathname.split("/")[2] : null;
106
107   const {
108     data: paginatedChatHistories,
109     setSize,
110     isValidating,
111     isLoading,
112     mutate,
113   } = useSWRInfinite<ChatHistory>(getChatHistoryPaginationKey, fetcher, {
114     fallbackData: [],
115   });
116
117   const router = useRouter();
118   const [deleteId, setDeleteId] = useState<string | null>(null);

```

```

119 const [showDeleteDialog, setShowDeleteDialog] = useState(false);
120
121 const hasReachedEnd = paginatedChatHistories
122   ? paginatedChatHistories.some((page) => page.hasMore === false)
123   : false;
124
125 const hasEmptyChatHistory = paginatedChatHistories
126   ? paginatedChatHistories.every((page) => page.chats.length === 0)
127   : false;
128
129 const handleDelete = () => {
130   const chatToDelete = deleteId;
131   const isCurrentChat = pathname === `/chat/${chatToDelete}`;
132
133   setShowDeleteDialog(false);
134
135   const deletePromise = fetch(`/api/chat?id=${chatToDelete}`, {
136     method: "DELETE",
137   });
138
139   toast.promise(deletePromise, {
140     loading: t.sidebar.deletingChat,
141     success: () => {
142       mutate((chatHistories) => {
143         if (chatHistories) {
144           return chatHistories.map((chatHistory) => ({
145             ...chatHistory,
146             chats: chatHistory.chats.filter(
147               (chat) => chat.id !== chatToDelete
148             ),
149           }));
150         }
151       });
152
153       if (isCurrentChat) {
154         router.replace("/");
155         router.refresh();
156       }
157
158       return t.sidebar.chatDeleted;
159     },
160     error: t.sidebar.chatDeleteFailed,
161   });
162 };
163
164 if (!user) {
165   return (
166     <SidebarGroup>
167       <SidebarGroupContent>
168         <div className="flex w-full flex-row items-center justify-center gap-2 px-2 text-sm text-zinc-500">
169           {t.sidebar.loginToSave}
170         </div>
171       </SidebarGroupContent>
172     </SidebarGroup>
173   );
174 }
175
176 if (isLoading) {
177   return (
178     <SidebarGroup>
179       <div className="px-2 py-1 text-sidebar-foreground/50 text-xs">
180         {t.sidebar.today}
181       </div>
182       <SidebarGroupContent>
183         <div className="flex flex-col">
184           {[44, 32, 28, 64, 52].map((item) => (
185             <div
186               className="flex h-8 items-center gap-2 rounded-md px-2"
187               key={item}

```

```

188     >
189     <div
190       className="h-4 max-w-(--skeleton-width) flex-1 rounded-md bg-sidebar-accent-foreground/10"
191       style={
192         {
193           "--skeleton-width": `${item}%`,
194         } as React.CSSProperties
195       }
196     />
197   </div>
198   )}}
199 </div>
200 </SidebarGroupContent>
201 </SidebarGroup>
202 );
203 }
204
205 if (hasEmptyChatHistory) {
206   return (
207     <SidebarGroup>
208       <SidebarGroupContent>
209         <div className="flex w-full flex-row items-center justify-center gap-2 px-2 text-sm text-zinc-500">
210           {t.sidebar.emptyHistory}
211         </div>
212       </SidebarGroupContent>
213     </SidebarGroup>
214   );
215 }
216
217 return (
218   <>
219     <SidebarGroup>
220       <SidebarGroupContent>
221         <SidebarMenu>
222           {paginatedChatHistories &&
223             (() => {
224               const chatsFromHistory = paginatedChatHistories.flatMap(
225                 (paginatedChatHistory) => paginatedChatHistory.chats
226               );
227
228               const groupedChats = groupChatsByDate(chatsFromHistory);
229
230               return (
231                 <div className="flex flex-col gap-6">
232                   {groupedChats.today.length > 0 && (
233                     <div>
234                       <div className="px-2 py-1 text-sidebar-foreground/50 text-xs">
235                         {t.sidebar.today}
236                       </div>
237                       {groupedChats.today.map((chat) => (
238                         <ChatItem
239                           chat={chat}
240                           isActive={chat.id === id}
241                           key={chat.id}
242                           onDelete={chatId => {
243                             setDeleteId(chatId);
244                             setShowDeleteDialog(true);
245                           }}
246                           setOpenMobile={setOpenMobile}
247                         />
248                       )}}
249                     </div>
250                   )}
251
252                   {groupedChats.yesterday.length > 0 && (
253                     <div>
254                       <div className="px-2 py-1 text-sidebar-foreground/50 text-xs">
255                         {t.sidebar.yesterday}
256                       </div>

```

```

257         {groupedChats.yesterday.map((chat) => (
258             <ChatItem
259                 chat={chat}
260                 isActive={chat.id === id}
261                 key={chat.id}
262                 onDelete={ (chatId) => {
263                     setDeleteId(chatId);
264                     setShowDeleteDialog(true);
265                 }}
266                 setOpenMobile={setOpenMobile}
267             />
268         )}}
269     </div>
270 )}
271
272 {groupedChats.lastWeek.length > 0 && (
273     <div>
274         <div className="px-2 py-1 text-sidebar-foreground/50 text-xs">
275             {t.sidebar.last7Days}
276         </div>
277         {groupedChats.lastWeek.map((chat) => (
278             <ChatItem
279                 chat={chat}
280                 isActive={chat.id === id}
281                 key={chat.id}
282                 onDelete={ (chatId) => {
283                     setDeleteId(chatId);
284                     setShowDeleteDialog(true);
285                 }}
286                 setOpenMobile={setOpenMobile}
287             />
288         )}}
289     </div>
290 )}
291
292 {groupedChats.lastMonth.length > 0 && (
293     <div>
294         <div className="px-2 py-1 text-sidebar-foreground/50 text-xs">
295             {t.sidebar.last30Days}
296         </div>
297         {groupedChats.lastMonth.map((chat) => (
298             <ChatItem
299                 chat={chat}
300                 isActive={chat.id === id}
301                 key={chat.id}
302                 onDelete={ (chatId) => {
303                     setDeleteId(chatId);
304                     setShowDeleteDialog(true);
305                 }}
306                 setOpenMobile={setOpenMobile}
307             />
308         )}}
309     </div>
310 )}
311
312 {groupedChats.older.length > 0 && (
313     <div>
314         <div className="px-2 py-1 text-sidebar-foreground/50 text-xs">
315             {t.sidebar.olderThanMonth}
316         </div>
317         {groupedChats.older.map((chat) => (
318             <ChatItem
319                 chat={chat}
320                 isActive={chat.id === id}
321                 key={chat.id}
322                 onDelete={ (chatId) => {
323                     setDeleteId(chatId);
324                     setShowDeleteDialog(true);
325                 }}

```

```

326         setOpenMobile={setOpenMobile}
327       />
328     )}}
329   </div>
330 )}
331 </div>
332 );
333 }) ({}))
334 </SidebarMenu>
335
336 <motion.div
337   onViewportEnter={() => {
338     if (!isValidating && !hasReachedEnd) {
339       setSize((size) => size + 1);
340     }
341   }}
342 />
343
344 {hasReachedEnd ? (
345   <div className="mt-8 flex w-full flex-row items-center justify-center gap-2 px-2 text-sm text-zinc-500">
346     You have reached the end of your chat history.
347   </div>
348 ) : (
349   <div className="mt-8 flex flex-row items-center gap-2 p-2 text-zinc-500 dark:text-zinc-400">
350     <div className="animate-spin">
351       <LoaderIcon />
352     </div>
353     <div>{t.sidebar.loadingChats}</div>
354   </div>
355 )}
356 </SidebarGroupContent>
357 </SidebarGroup>
358
359 <AlertDialog onOpenChange={setShowDeleteDialog} open={showDeleteDialog}>
360   <AlertDialogContent>
361     <AlertDialogHeader>
362       <AlertDialogTitle>{t.sidebar.deleteChatTitle}</AlertDialogTitle>
363       <AlertDialogDescription>
364         {t.sidebar.deleteChatDescription}
365       </AlertDialogDescription>
366     </AlertDialogHeader>
367     <AlertDialogFooter>
368       <AlertDialogCancel>{t.common.cancel}</AlertDialogCancel>
369       <AlertDialogAction onClick={handleDelete}>
370         {t.sidebar.continueAction}
371       </AlertDialogAction>
372     </AlertDialogFooter>
373   </AlertDialogContent>
374 </AlertDialog>
375 </>
376 );
377 }

```

248. components/sidebar-toggle.tsx

```

1 import type { ComponentProps } from "react";
2 import { Menu } from "lucide-react";
3
4 import { type SidebarTrigger, useSidebar } from "@/components/ui/sidebar";
5 import {
6   Tooltip,
7   TooltipContent,
8   TooltipTrigger,
9 } from "@/components/ui/tooltip";
10 import { useT } from "@/lib/i18n/provider";
11 import { cn } from "@/lib/utils";
12 import { SidebarLeftIcon } from "../icons";

```

```

13 import { Button } from "./ui/button";
14
15 export function SidebarToggle({
16   className,
17 }: ComponentProps<typeof SidebarTrigger>) {
18   const { toggleSidebar } = useSidebar();
19   const t = useT();
20
21   return (
22     <Tooltip>
23       <TooltipTrigger asChild>
24         <Button
25           className={cn("h-8 px-2 md:h-fit md:px-2", className)}
26           aria-label={t.common.toggleSidebar}
27           data-testid="sidebar-toggle-button"
28           onClick={toggleSidebar}
29           variant="outline"
30         >
31           <span className="md:hidden" aria-hidden="true">
32             <Menu size={20} strokeWidth={2.25} />
33           </span>
34           <span className="hidden md:inline-flex" aria-hidden="true">
35             <SidebarLeftIcon size={16} />
36           </span>
37         </Button>
38       </TooltipTrigger>
39       <TooltipContent align="start" className="hidden md:block">
40         {t.common.toggleSidebar}
41       </TooltipContent>
42     </Tooltip>
43   );
44 }

```

249. components/sidebar-user-nav.tsx

```

1  "use client";
2
3  import { ChevronUp } from "lucide-react";
4  import Image from "next/image";
5  import { useRouter } from "next/navigation";
6  import type { User } from "next-auth";
7  import { signOut, useSession } from "next-auth/react";
8  import { useTheme } from "next-themes";
9  import {
10    DropdownMenu,
11    DropdownMenuContent,
12    DropdownMenuItem,
13    DropdownMenuSeparator,
14    DropdownMenuTrigger,
15  } from "@components/ui/dropdown-menu";
16  import {
17    SidebarMenu,
18    SidebarMenuButton,
19    SidebarMenuItem,
20  } from "@components/ui/sidebar";
21  import { useSubscribeDialog } from "@hooks/use-subscribe-dialog";
22  import { guestRegex } from "@lib/constants";
23  import { useT } from "@lib/i18n/provider";
24  import { LoaderIcon } from "./icons";
25  import { toast } from "./toast";
26
27  export function SidebarUserNav({ user }: { user: User }) {
28    const router = useRouter();
29    const { data, status } = useSession();
30    const { setTheme, resolvedTheme } = useTheme();
31    const { openSubscribeDialog } = useSubscribeDialog();
32    const t = useT();

```

```

33
34 const isGuest =
35   (data?.user as any)?.type === "guest" ||
36   guestRegex.test(data?.user?.email ?? "");
37
38 // □ зєв байрлал: return-оос өмнө, function дотор
39 const email = user?.email ?? "guest";
40 const avatarUrl = `https://ui-avatars.com/api/?name=${encodeURIComponent(email)}&background=random&size=24`;
41
42 return (
43   <SidebarMenu>
44     <SidebarMenuItem>
45       <DropdownMenu>
46         <DropdownMenuTrigger asChild>
47           {status === "loading" ? (
48             <SidebarMenuButton className="h-10 justify-between bg-background data-[state=open]:bg-sidebar-accent data-[state=open]:text-sidebar-accent-foreground">
49               <div className="flex flex-row gap-2">
50                 <div className="size-6 animate-pulse rounded-full bg-zinc-500/30" />
51                 <span className="animate-pulse rounded-md bg-zinc-500/30 text-transparent">
52                   {t.common.loadingAuthStatus}
53                 </span>
54               </div>
55               <div className="animate-spin text-zinc-500">
56                 <LoaderIcon />
57               </div>
58             </SidebarMenuButton>
59           ) : (
60             <SidebarMenuButton
61               className="h-10 bg-background data-[state=open]:bg-sidebar-accent data-[state=open]:text-sidebar-accent-foreground"
62               data-testid="user-nav-button"
63             >
64               <Image
65                 alt={user.email ?? "User Avatar"}
66                 className="rounded-full"
67                 height={24}
68                 src={avatarUrl}
69                 width={24}
70               />
71
72               <span className="truncate" data-testid="user-email">
73                 {isGuest ? "Guest" : user?.email}
74               </span>
75               <ChevronUp className="ml-auto" />
76             </SidebarMenuButton>
77           )}
78         </DropdownMenuTrigger>
79
80         <DropdownMenuContent
81           className="w-(--radix-popper-anchor-width)"
82           data-testid="user-nav-menu"
83           side="top"
84         >
85           {!isGuest && (
86             <>
87               <DropdownMenuItem
88                 className="cursor-pointer"
89                 data-testid="user-nav-item-subscription"
90                 onSelect={openSubscribeDialog}
91               >
92                 {t.common.subscription}
93               </DropdownMenuItem>
94               <DropdownMenuSeparator />
95             </>
96           )}
97
98           <DropdownMenuItem
99             className="cursor-pointer"
100             data-testid="user-nav-item-theme"
101             onSelect={() =>

```

```

102         setTheme(resolvedTheme === "dark" ? "light" : "dark")
103     }
104 >
105     {resolvedTheme === "light"
106       ? t.common.toggleToDarkMode
107       : t.common.toggleToLightMode}
108 </DropdownMenuItem>
109
110 <DropdownMenuSeparator />
111
112 <DropdownMenuItem
113   className="cursor-pointer"
114   data-testid="user-nav-item-auth"
115   onSelect={async (e) => {
116     e.preventDefault();
117
118     if (status === "loading") {
119       toast({
120         type: "error",
121         description: t.common.checkingAuthStatus,
122       });
123       return;
124     }
125
126     if (isGuest) {
127       router.push("/login");
128       return;
129     }
130
131     await signOut({
132       redirect: true,
133       callbackUrl: `${window.location.origin}/login?signedOut=1`,
134     });
135   }}
136 >
137   {isGuest ? t.common.loginToAccount : t.common.signOut}
138 </DropdownMenuItem>
139 </DropdownMenuContent>
140 </DropdownMenu>
141 </SidebarMenuItem>
142 </SidebarMenu>
143   );
144 }

```

250. components/sign-out-form.tsx

```

1 import Form from "next/form";
2 import { signOut } from "@app/(auth)/auth";
3 import { getDictionary } from "@lib/i18n/dictionaries";
4
5 export const SignOutForm = async () => {
6   const t = await getDictionary();
7   return (
8     <Form
9       action={async () => {
10         "use server";
11         await signOut({
12           redirectTo: "/login?signedOut=1",
13         });
14       }}
15       className="w-full"
16     >
17       <button className="w-full px-1 py-0.5 text-left text-red-500" type="submit">
18         {t.common.signOut}
19       </button>
20     </Form>
21   );

```



```
22  };
```

251. components/submit-button.tsx

```
1  "use client";
2
3  import { useFormStatus } from "react-dom";
4  import { LoaderIcon } from "@components/icons";
5  import { Button } from "../ui/button";
6
7  export function SubmitButton({
8    children,
9    isSuccessful,
10 }): {
11   children: React.ReactNode;
12   isSuccessful: boolean;
13 } {
14   const { pending } = useFormStatus();
15
16   return (
17     <Button
18       aria-disabled={pending || isSuccessful}
19       className="relative"
20       disabled={pending || isSuccessful}
21       type={pending ? "button" : "submit"}
22     >
23       {children}
24
25       {(pending || isSuccessful) && (
26         <span className="absolute right-4 animate-spin">
27           <LoaderIcon />
28         </span>
29       )}
30
31       <output aria-live="polite" className="sr-only">
32         {pending || isSuccessful ? "Loading" : "Submit form"}
33       </output>
34     </Button>
35   );
36 }
```

252. components/subscribe-dialog.tsx

```
1  "use client";
2
3  import { useRouter } from "next/navigation";
4  import { useCallback, useEffect, useRef, useState } from "react";
5  import useSWR from "swr";
6  import { toast } from "@components/toast";
7  import { Button } from "@components/ui/button";
8  import {
9    Dialog,
10    DialogContent,
11    DialogHeader,
12    DialogTitle,
13  } from "@components/ui/dialog";
14  import { useSubscribeDialog } from "@hooks/use-subscribe-dialog";
15  import type { SubscriptionStatus } from "@lib/subscription/config";
16
17  type Status = {
18    status: SubscriptionStatus;
19    hasAccess: boolean;
20    inTrial: boolean;
21    daysLeft: number;
22    trialEndsAt: string;
```

```

23   currentPeriodEnd: string | null;
24   priceMnt: number;
25   qpayConfigured: boolean;
26 };
27
28 type Invoice = {
29   senderInvoiceNo: string;
30   qrImage: string | null;
31   qrText: string;
32   urls: Array<{ name: string; description?: string; link: string }>;
33   amount: number;
34 };
35
36 const fetcher = (url: string) => fetch(url).then((r) => r.json());
37
38 const fmtMnt = (n: number) => `${n.toLocaleString("en-US")}₮`;
39 const fmtDate = (iso: string | null) =>
40   iso ? new Date(iso).toLocaleDateString("mn-MN") : "";
41
42 export function SubscribeDialog() {
43   const { isOpen, closeSubscribeDialog } = useSubscribeDialog();
44   const router = useRouter();
45   const { data, isLoading } = useSWR<Status>({
46     isOpen ? "/api/subscription/status" : null,
47     fetcher,
48     { revalidateOnFocus: false }
49   });
50
51   const [loading, setLoading] = useState(false);
52   const [invoice, setInvoice] = useState<Invoice | null>(null);
53   const pollRef = useRef<ReturnType<typeof setInterval> | null>(null);
54
55   const stopPolling = useCallback(() => {
56     if (pollRef.current) {
57       clearInterval(pollRef.current);
58       pollRef.current = null;
59     }
60   }, []);
61
62   useEffect(() => stopPolling, [stopPolling]);
63
64   // Reset transient invoice state whenever the dialog is reopened.
65   useEffect(() => {
66     if (!isOpen) {
67       stopPolling();
68       setInvoice(null);
69     }
70   }, [isOpen, stopPolling]);
71
72   const createInvoice = useCallback(async () => {
73     setLoading(true);
74     try {
75       const res = await fetch("/api/subscription/invoice", { method: "POST" });
76       if (!res.ok) {
77         const errData = await res.json().catch(() => ({}));
78         toast({
79           type: "error",
80           description:
81             errData?.cause || errData?.message || "Нэхэмжлэх үүсгэж чадсангүй.",
82         });
83         return;
84       }
85       setInvoice((await res.json()) as Invoice);
86     } catch {
87       toast({ type: "error", description: "Сүлжээний алдаа гарлаа." });
88     } finally {
89       setLoading(false);
90     }
91   }, []);

```

```

92
93 // Poll our authenticated endpoint as a fallback for delayed callbacks and
94 // local environments where QPay cannot reach the callback URL.
95 useEffect(() => {
96   if (!invoice) return;
97   stopPolling();
98   pollRef.current = setInterval(async () => {
99     try {
100       const res = await fetch("/api/subscription/verify", {
101         method: "POST",
102         headers: { "Content-Type": "application/json" },
103         body: JSON.stringify({ senderInvoiceNo: invoice.senderInvoiceNo }),
104       });
105       if (!res.ok) return;
106       const verifyData = (await res.json()) as { paid: boolean };
107       if (verifyData.paid) {
108         stopPolling();
109         toast({
110           type: "success",
111           description: "Төлбөр амжилттай! Эрх сунгагдлаа.",
112         });
113         setTimeout(() => {
114           closeSubscribeDialog();
115           router.refresh();
116         }, 800);
117       }
118     } catch {
119       /* keep polling */
120     }
121   }, 3000);
122   return stopPolling;
123 }, [invoice, router, closeSubscribeDialog, stopPolling]);
124
125 const statusLine = data
126   ? data.status === "active"
127   ? `Эрх идэвхтэй — ${fmtDate(data.currentPeriodEnd)} хүртэл`
128   : data.inTrial
129   ? `Үнэгүй туршилт — ${data.daysLeft} өдөр үлдсэн`
130   : "Туршилтын хугацаа дууссан"
131   : "";
132
133 return (
134   <Dialog
135     onOpenChange={open => !open && closeSubscribeDialog()}
136     open={isOpen}
137   >
138     <DialogContent className="max-w-md">
139       <DialogHeader>
140         <DialogTitle>Оуunsanaa Chat — Эрх сунгалт</DialogTitle>
141       </DialogHeader>
142
143       {isLoading || !data ? (
144         <div className="py-8 text-center text-muted-foreground text-sm">
145           Уншиж байна...
146         </div>
147       ) : (
148         <div>
149           <p className="text-muted-foreground text-sm">{statusLine}</p>
150
151           <dl className="mt-4 grid grid-cols-2 gap-3 text-sm">
152             <div className="rounded-lg border bg-muted/30 p-3">
153               <dt className="text-muted-foreground text-xs">Төлөв</dt>
154               <dd className="mt-0.5 font-medium">
155                 {data.status === "active"
156                   ? "Идэвхтэй"
157                   : data.inTrial
158                   ? "Үнэгүй туршилт"
159                   : "Дууссан"}
160               </dd>

```

```

161     </div>
162     <div className="rounded-lg border bg-muted/30 p-3">
163       <dt className="text-muted-foreground text-xs">Үлдсэн хоног</dt>
164       <dd className="mt-0.5 font-medium">{data.daysLeft} өдөр</dd>
165     </div>
166     <div className="col-span-2 rounded-lg border bg-muted/30 p-3">
167       <dt className="text-muted-foreground text-xs">
168         {data.status === "active"
169           ? "Дуусах огноо"
170           : "Туршилт дуусах огноо"}
171       </dt>
172       <dd className="mt-0.5 font-medium">
173         {data.status === "active"
174           ? fmtDate(data.currentPeriodEnd)
175           : fmtDate(data.trialEndsAt)}
176       </dd>
177     </div>
178   </dl>
179
180   <div className="mt-4 rounded-xl border bg-muted/40 p-4">
181     <div className="flex items-baseline gap-2">
182       <span className="font-bold text-2xl">
183         {fmtMnt(data.priceMnt)}
184       </span>
185       <span className="text-muted-foreground text-sm">
186         / 30 хоногийн эрх
187       </span>
188     </div>
189     <ul className="mt-3 space-y-1.5 text-sm">
190       <li>□ AI чаттай хязгааргүй яриа</li>
191       <li>□ Бүх онол, аппликейшн нэг дор</li>
192       <li>□ Төлбөр баталгаажмагц 30 хоногоор сунгана</li>
193     </ul>
194   </div>
195
196   {invoice ? (
197     <div className="mt-4 flex flex-col items-center gap-3">
198       <p className="text-center text-muted-foreground text-sm">
199         QR кодыг банкны аппараа уншуулж {fmtMnt(invoice.amount)}{" "}
200         төлнө үү.
201       </p>
202       {invoice.qrImage && (
203         // biome-ignore lint/performance/noImgElement: base64 QR from QPay
204         <img
205           alt="QPay QR"
206           className="size-48 rounded-lg border bg-white p-2"
207           height={192}
208           src={`data:image/png;base64,${invoice.qrImage}`}
209           width={192}
210         </>
211       )}
212     <div className="flex flex-wrap justify-center gap-2">
213       {invoice.urls.map((url) => (
214         <a
215           className="rounded-md border px-3 py-1.5 text-xs hover:bg-accent"
216           href={url.link}
217           key={` ${url.name} - ${url.link} `}
218           rel="noreferrer"
219           target="_blank"
220         >
221           {url.description || url.name}
222         </a>
223       ))}
224     </div>
225   )}
226   <p className="text-muted-foreground text-xs">
227     Төлбөр хүлээж байна...
228   </p>
229

```

```

230     </div>
231   ) : (
232     <Button
233       className="mt-4 w-full"
234       disabled={loading || !data.qpayConfigured}
235       onClick={createInvoice}
236       size="lg"
237       variant={data.status === "active" ? "outline" : "default"}
238     >
239       {loading
240         ? "Уншиж байна..."
241         : data.status === "active"
242           ? "Эрх сунгах (+30 хоног)"
243           : "Эрх идэвхжүүлэх"}
244     </Button>
245   )}
246
247   <p className="mt-2 text-center text-muted-foreground text-xs">
248     {data.qpayConfigured
249       ? "QPay төлбөр баталгаажмагц эрх автоматаар 30 хоногоор сунгагдана."
250       : "QPay тохиргоо хийгдээгүй байна. Админтай холбогдоно уу."}
251   </p>
252 </div>
253   )}
254 </DialogContent>
255 </Dialog>
256 );
257 }

```

253. components/subscription-banner.tsx

```

1  "use client";
2
3  import useSWR from "swr";
4  import { useSubscribeDialog } from "@/hooks/use-subscribe-dialog";
5  import { useT } from "@/lib/i18n/provider";
6
7  type Status = {
8    status: "trialing" | "active" | "expired";
9    hasAccess: boolean;
10   inTrial: boolean;
11   daysLeft: number;
12 };
13
14 const fetcher = (url: string) => fetch(url).then((r) => r.json());
15
16 /**
17  * Slim banner shown above the chat while the user is on the free trial or once
18  * it has expired. Hidden for users with an active paid subscription.
19  */
20 export function SubscriptionBanner() {
21   const { data } = useSWR<Status>("/api/subscription/status", fetcher, {
22     revalidateOnFocus: false,
23   });
24   const { openSubscribeDialog } = useSubscribeDialog();
25   const t = useT();
26
27   if (!data) return null;
28   if (data.status === "active") return null;
29
30   const expired = !data.hasAccess;
31
32   return (
33     <button
34       className={`block w-full px-4 py-2 text-center text-xs font-medium transition-colors ${
35         expired
36           ? "bg-destructive/10 text-destructive hover:bg-destructive/15"

```

```

37       : "bg-amber-500/10 text-amber-700 hover:bg-amber-500/15 dark:text-amber-400"
38     } }
39     onClick={openSubscribeDialog}
40     type="button"
41   >
42     {expired
43       ? t.banner.trialExpired
44       : t.banner.trialDaysLeft.replace("{days}", String(data.daysLeft))}
45   </button>
46 );
47 }

```

254. components/suggested-actions.tsx

```

1  "use client";
2
3  import type { UseChatHelpers } from "@ai-sdk/react";
4  import { motion } from "framer-motion";
5  import { memo } from "react";
6  import { usePathname, useRouter } from "next/navigation";
7
8  import type { ChatMessage } from "@lib/types";
9  import { useT } from "@lib/i18n/provider";
10 import type { VisibilityType } from "../visibility-selector";
11 import { Suggestion } from "../elements/suggestion";
12 import { useArtifactSelector } from "@hooks/use-artifact";
13
14 type SuggestedActionsProps = {
15   chatId: string;
16   sendMessage: UseChatHelpers<ChatMessage>["sendMessage"];
17   selectedVisibilityType: VisibilityType;
18 };
19
20 const FINANCE_RECEIPT_ROUTE = "/mind/life/finance-app?receipt=1";
21 const FOOD_PHOTO_ROUTE = "/mind/self-care/stress?meal=1";
22 const PSYCHOLOGY_TEST_ROUTE = "/mind/relations/tests";
23 const NOTES_ROUTE = "/mind/ebooks";
24
25 function PureSuggestedActions(_props: SuggestedActionsProps) {
26   const pathname = usePathname();
27   const router = useRouter();
28   const t = useT();
29   const artifactVisible = useArtifactSelector((s) => s.isVisible);
30
31   if (artifactVisible) return null;
32   if (pathname !== "/" ) return null;
33
34   // Keyed by a stable id so behaviour doesn't depend on the (translated) label.
35   const suggestedActions: {
36     id: "financeReceipt" | "foodPhoto" | "psychologyTest" | "note";
37     label: string;
38     href: string;
39   }[] = [
40     {
41       id: "financeReceipt",
42       label: t.suggestions.financeReceipt,
43       href: FINANCE_RECEIPT_ROUTE,
44     },
45     {
46       id: "foodPhoto",
47       label: t.suggestions.foodPhoto,
48       href: FOOD_PHOTO_ROUTE,
49     },
50     {
51       id: "psychologyTest",
52       label: t.suggestions.psychologyTest,
53       href: PSYCHOLOGY_TEST_ROUTE,

```

```

54   },
55   { id: "note", label: t.suggestions.note, href: NOTES_ROUTE },
56 ];
57
58 const handleClick = (action: (typeof suggestedActions)[number]) => {
59   router.push(action.href);
60 };
61
62 return (
63   <div className="grid w-full gap-2 sm:grid-cols-2" data-testid="suggested-actions">
64     {suggestedActions.map((action, index) => (
65       <motion.div
66         key={action.id}
67         initial={{ opacity: 0, y: 20 }}
68         animate={{ opacity: 1, y: 0 }}
69         exit={{ opacity: 0, y: 20 }}
70         transition={{ delay: 0.05 * index }}
71       >
72         <Suggestion
73           className="h-auto w-full whitespace-normal border border-[#1F6FB2]/20 bg-[#1F6FB2]/10 p-3 text-left text-[#1F6FB2] hover:border-[#1F6FB2]/30 hover:bg-[#1F6FB2]/15"
74           suggestion={action.label}
75           onClick={() => handleClick(action)}
76         >
77           {action.label}
78         </Suggestion>
79       </motion.div>
80     ))}
81   </div>
82 );
83 }
84
85 export const SuggestedActions = memo(PureSuggestedActions, (prevProps, nextProps) => {
86   if (prevProps.chatId !== nextProps.chatId) return false;
87   if (prevProps.selectedVisibilityType !== nextProps.selectedVisibilityType) return false;
88   return true;
89 });

```

255. components/suggestion.tsx

```

1  "use client";
2
3  import { AnimatePresence, motion } from "framer-motion";
4  import { useState } from "react";
5  import { useWindowSize } from "usehooks-ts";
6
7  import type { UISuggestion } from "@lib/editor/suggestions";
8  import { cn } from "@lib/utils";
9  import type { ArtifactKind } from "../artifact";
10 import { CrossIcon, MessageIcon } from "../icons";
11 import { Button } from "../ui/button";
12
13 export const Suggestion = ({
14   suggestion,
15   onApply,
16   artifactKind,
17 }: {
18   suggestion: UISuggestion;
19   onApply: () => void;
20   artifactKind: ArtifactKind;
21 }) => {
22   const [isExpanded, setIsExpanded] = useState(false);
23   const { width: windowWidth } = useWindowSize();
24
25   return (
26     <AnimatePresence>
27       {isExpanded ? (
28         <motion.div

```

```

29     animate={{ opacity: 1, y: -20 }}
30     className="-right-12 md:-right-16 absolute z-50 flex w-56 flex-col gap-3 rounded-2xl border bg-background p-3 font-sans text-sm shadow-xl"
31     exit={{ opacity: 0, y: -10 }}
32     initial={{ opacity: 0, y: -10 }}
33     key={suggestion.id}
34     transition={{ type: "spring", stiffness: 500, damping: 30 }}
35     whileHover={{ scale: 1.05 }}
36   >
37     <div className="flex flex-row items-center justify-between">
38       <div className="flex flex-row items-center gap-2">
39         <div className="size-4 rounded-full bg-muted-foreground/25" />
40         <div className="font-medium">Assistant</div>
41       </div>
42       <button
43         className="cursor-pointer text-gray-500 text-xs"
44         onClick={() => {
45           setIsExpanded(false);
46         }}
47         type="button"
48       >
49         <CrossIcon size={12} />
50       </button>
51     </div>
52     <div>{suggestion.description}</div>
53     <Button
54       className="w-fit rounded-full px-3 py-1.5"
55       onClick={onApply}
56       variant="outline"
57     >
58       Apply
59     </Button>
60   </motion.div>
61 ) : (
62   <motion.div
63     className={cn("cursor-pointer p-1 text-muted-foreground", {
64       "-right-8 absolute": artifactKind === "text",
65       "sticky top-0 right-4": artifactKind === "code",
66     })}
67     onClick={() => {
68       setIsExpanded(true);
69     }}
70     whileHover={{ scale: 1.1 }}
71   >
72     <MessageIcon size={windowWidth && windowWidth < 768 ? 16 : 14} />
73   </motion.div>
74 )}
75 </AnimatePresence>
76 );
77 };

```

256. components/text-editor.tsx

```

1  "use client";
2
3  import { exampleSetup } from "prosemirror-example-setup";
4  import { inputRules } from "prosemirror-inputrules";
5  import { EditorState } from "prosemirror-state";
6  import { EditorView } from "prosemirror-view";
7  import { memo, useEffect, useRef } from "react";
8
9  import type { Suggestion } from "@/lib/db/schema";
10 import {
11   documentSchema,
12   handleTransaction,
13   headingRule,
14 } from "@/lib/editor/config";
15 import {

```



```

16   buildContentFromDocument,
17   buildDocumentFromContent,
18   createDecorations,
19 } from "@lib/editor/functions";
20 import {
21   projectWithPositions,
22   suggestionsPlugin,
23   suggestionsPluginKey,
24 } from "@lib/editor/suggestions";
25
26 type EditorProps = {
27   content: string;
28   onSaveContent: (updatedContent: string, debounce: boolean) => void;
29   status: "streaming" | "idle";
30   isCurrentVersion: boolean;
31   currentVersionIndex: number;
32   suggestions: Suggestion[];
33 };
34
35 function PureEditor({
36   content,
37   onSaveContent,
38   suggestions,
39   status,
40 }: EditorProps) {
41   const containerRef = useRef<HTMLDivElement>(null);
42   const editorRef = useRef<EditorView | null>(null);
43
44   useEffect(() => {
45     if (containerRef.current && !editorRef.current) {
46       const state = EditorState.create({
47         doc: buildDocumentFromContent(content),
48         plugins: [
49           ...exampleSetup({ schema: documentSchema, menuBar: false }),
50           inputRules({
51             rules: [
52               headingRule(1),
53               headingRule(2),
54               headingRule(3),
55               headingRule(4),
56               headingRule(5),
57               headingRule(6),
58             ],
59           }),
60           suggestionsPlugin,
61         ],
62       });
63
64       editorRef.current = new EditorView(containerRef.current, {
65         state,
66       });
67     }
68
69     return () => {
70       if (editorRef.current) {
71         editorRef.current.destroy();
72         editorRef.current = null;
73       }
74     };
75     // NOTE: we only want to run this effect once
76     // eslint-disable-next-line
77   }, []);
78
79   useEffect(() => {
80     if (editorRef.current) {
81       editorRef.current.setProps({
82         dispatchTransaction: (transaction) => {
83           handleTransaction({
84             transaction,

```

```

85         editorRef,
86         onSaveContent,
87     });
88 },
89 });
90 }
91 }, [onSaveContent]);
92
93 useEffect(() => {
94     if (editorRef.current && content) {
95         const currentContent = buildContentFromDocument(
96             editorRef.current.state.doc
97         );
98
99         if (status === "streaming") {
100             const newDocument = buildDocumentFromContent(content);
101
102             const transaction = editorRef.current.state.tr.replaceWith(
103                 0,
104                 editorRef.current.state.doc.content.size,
105                 newDocument.content
106             );
107
108             transaction.setMeta("no-save", true);
109             editorRef.current.dispatch(transaction);
110             return;
111         }
112
113         if (currentContent !== content) {
114             const newDocument = buildDocumentFromContent(content);
115
116             const transaction = editorRef.current.state.tr.replaceWith(
117                 0,
118                 editorRef.current.state.doc.content.size,
119                 newDocument.content
120             );
121
122             transaction.setMeta("no-save", true);
123             editorRef.current.dispatch(transaction);
124         }
125     }
126 }, [content, status]);
127
128 useEffect(() => {
129     if (editorRef.current?.state.doc && content) {
130         const projectedSuggestions = projectWithPositions(
131             editorRef.current.state.doc,
132             suggestions
133         ).filter(
134             (suggestion) => suggestion.selectionStart && suggestion.selectionEnd
135         );
136
137         const decorations = createDecorations(
138             projectedSuggestions,
139             editorRef.current
140         );
141
142         const transaction = editorRef.current.state.tr;
143         transaction.setMeta(suggestionsPluginKey, { decorations });
144         editorRef.current.dispatch(transaction);
145     }
146 }, [suggestions, content]);
147
148 return (
149     <div className="prose dark:prose-invert relative" ref={containerRef} />
150 );
151 }
152
153 function areEqual(prevProps: EditorProps, nextProps: EditorProps) {

```

```

154   return (
155     prevProps.suggestions === nextProps.suggestions &&
156     prevProps.currentVersionIndex === nextProps.currentVersionIndex &&
157     prevProps.isCurrentVersion === nextProps.isCurrentVersion &&
158     !(prevProps.status === "streaming" && nextProps.status === "streaming") &&
159     prevProps.content === nextProps.content &&
160     prevProps.onSaveContent === nextProps.onSaveContent
161   );
162 }
163
164 export const Editor = memo(PureEditor, areEqual);

```

257. components/theme-provider.tsx

```

1  "use client";
2
3  import { ThemeProvider as NextThemesProvider } from "next-themes";
4  import type { ThemeProviderProps } from "next-themes/dist/types";
5
6  export function ThemeProvider({ children, ...props }: ThemeProviderProps) {
7    return <NextThemesProvider {...props}>{children}</NextThemesProvider>;
8  }

```

258. components/toast.tsx

```

1  "use client";
2
3  import { type ReactNode, useEffect, useRef, useState } from "react";
4  import { toast as sonnerToast } from "sonner";
5  import { cn } from "@lib/Utils";
6  import { CheckCircleFillIcon, WarningIcon } from "../icons";
7
8  const iconsByType: Record<"success" | "error", ReactNode> = {
9    success: <CheckCircleFillIcon />,
10   error: <WarningIcon />,
11 };
12
13 export function toast(props: Omit<ToastProps, "id">) {
14   return sonnerToast.custom((id) => {
15     <Toast description={props.description} id={id} type={props.type} />
16   });
17 }
18
19 function Toast(props: ToastProps) {
20   const { id, type, description } = props;
21
22   const descriptionRef = useRef<HTMLDivElement>(null);
23   const [multiline, setMultiline] = useState(false);
24
25   useEffect(() => {
26     const el = descriptionRef.current;
27     if (!el) {
28       return;
29     }
30
31     const update = () => {
32       const lineHeight = Number.parseFloat(getComputedStyle(el).lineHeight);
33       const lines = Math.round(el.scrollHeight / lineHeight);
34       setMultiline(lines > 1);
35     };
36
37     update(); // initial check
38     const ro = new ResizeObserver(update); // re-check on width changes
39     ro.observe(el);
40

```

```

41   return () => ro.disconnect();
42 }, []);
43
44 return (
45   <div className="flex toast-mobile:w-[356px] w-full justify-center">
46     <div
47       className={cn(
48         "flex toast-mobile:w-fit w-full flex-row gap-3 rounded-lg bg-zinc-100 p-3",
49         multiline ? "items-start" : "items-center"
50       )}
51       data-testid="toast"
52       key={id}
53     >
54       <div
55         className={cn(
56           "data-[type=error]:text-red-600 data-[type=success]:text-green-600",
57           { "pt-1": multiline }
58         )}
59       data-type={type}
60     >
61       {iconsByType[type]}
62     </div>
63     <div className="text-sm text-zinc-950" ref={descriptionRef}>
64       {description}
65     </div>
66   </div>
67 </div>
68 );
69 }
70
71 type ToastProps = {
72   id: string | number;
73   type: "success" | "error";
74   description: string;
75 };

```

259. components/toolbar.tsx

```

1  "use client";
2
3  import type { UseChatHelpers } from "@ai-sdk/react";
4  import cx from "classnames";
5  import { AnimatePresence, motion, useMotionValue, useTransform } from "framer-motion";
6  import { nanoid } from "nanoid";
7  import {
8    type Dispatch,
9    memo,
10   type ReactNode,
11   type SetStateAction,
12   useEffect,
13   useRef,
14   useState,
15 } from "react";
16 import { useOnClickOutside } from "usehooks-ts";
17 import { MessageCircle } from "lucide-react";
18
19 import {
20   Tooltip,
21   TooltipContent,
22   TooltipProvider,
23   TooltipTrigger,
24 } from "@components/ui/tooltip";
25 import type { ChatMessage } from "@lib/types";
26 import { type ArtifactKind, artifactDefinitions } from "../artifact";
27 import type { ArtifactToolbarItem } from "../create-artifact";
28 import { ArrowUpIcon, StopIcon, SummarizeIcon } from "../icons";
29

```

```

30 type ToolProps = {
31   description: string;
32   icon: ReactNode;
33   selectedTool: string | null;
34   setSelectedTool: Dispatch<SetStateAction<string | null>>;
35   isToolbarVisible?: boolean;
36   setIsToolbarVisible?: Dispatch<SetStateAction<boolean>>;
37   isAnimating: boolean;
38   sendMessage: UseChatHelpers<ChatMessage>["sendMessage"];
39   onClick: ({
40     sendMessage,
41   }): {
42     sendMessage: UseChatHelpers<ChatMessage>["sendMessage"];
43   }) => void;
44 };
45
46 const Tool = ({
47   description,
48   icon,
49   selectedTool,
50   setSelectedTool,
51   isToolbarVisible,
52   setIsToolbarVisible,
53   isAnimating,
54   sendMessage,
55   onClick,
56 }: ToolProps) => {
57   const [isHovered, setIsHovered] = useState(false);
58
59   useEffect(() => {
60     if (selectedTool !== description) setIsHovered(false);
61   }, [selectedTool, description]);
62
63   const handleSelect = () => {
64     if (!isToolbarVisible && setIsToolbarVisible) {
65       setIsToolbarVisible(true);
66       return;
67     }
68
69     if (!selectedTool) {
70       setIsHovered(true);
71       setSelectedTool(description);
72       return;
73     }
74
75     if (selectedTool !== description) {
76       setSelectedTool(description);
77     } else {
78       setSelectedTool(null);
79       onClick({ sendMessage });
80     }
81   };
82
83   return (
84     <Tooltip open={isHovered && !isAnimating}>
85       <TooltipTrigger asChild>
86         <motion.div
87           animate={{ opacity: 1, transition: { delay: 0.1 } }}
88           className={cx("rounded-full p-3", {
89             "bg-primary text-primary-foreground!": selectedTool === description,
90           })}
91           exit={{ scale: 0.9, opacity: 0, transition: { duration: 0.1 } }}
92           initial={{ scale: 1, opacity: 0 }}
93           onClick={handleSelect}
94           onHoverEnd={() => {
95             if (selectedTool !== description) setIsHovered(false);
96           }}
97           onHoverStart={() => setIsHovered(true)}
98           onKeyDown={(event) => {

```

```

99         if (event.key === "Enter") handleSelect();
100     }}
101     whileHover={{ scale: 1.1 }}
102     whileTap={{ scale: 0.95 }}
103 >
104     {selectedTool === description ? <ArrowUpIcon /> : icon}
105 </motion.div>
106 </TooltipTrigger>
107
108 <TooltipContent
109   className="rounded-2xl bg-foreground p-3 px-4 text-background"
110   side="left"
111   sideOffset={16}
112 >
113   {description}
114 </TooltipContent>
115 </Tooltip>
116 );
117 };
118
119 const randomArr = [...new Array(6)].map((_x) => nanoid(5));
120
121 const ReadingLevelSelector = ({
122   setSelectedTool,
123   sendMessage,
124   isAnimating,
125 }): {
126   setSelectedTool: Dispatch<SetStateAction<string | null>>;
127   isAnimating: boolean;
128   sendMessage: UseChatHelpers<ChatMessage>["sendMessage"];
129 }) => {
130   const LEVELS = [
131     "Elementary",
132     "Middle School",
133     "Keep current level",
134     "High School",
135     "College",
136     "Graduate",
137   ];
138
139   const y = useMotionValue(-40 * 2);
140   const dragConstraints = 5 * 40 + 2;
141   const yToLevel = useTransform(y, [0, -dragConstraints], [0, 5]);
142
143   const [currentLevel, setCurrentLevel] = useState(2);
144   const [hasUserSelectedLevel, setHasUserSelectedLevel] = useState(false);
145
146   useEffect(() => {
147     const unsubscribe = yToLevel.on("change", (latest) => {
148       const level = Math.min(5, Math.max(0, Math.round(Math.abs(latest))));
149       setCurrentLevel(level);
150     });
151     return () => unsubscribe();
152   }, [yToLevel]);
153
154   return (
155     <div className="relative flex flex-col items-center justify-end">
156       {randomArr.map((id) => (
157         <motion.div
158           animate={{ opacity: 1 }}
159           className="flex size-[40px] flex-row items-center justify-center"
160           exit={{ opacity: 0 }}
161           initial={{ opacity: 0 }}
162           key={id}
163           transition={{ delay: 0.1 }}
164         >
165           <div className="size-2 rounded-full bg-muted-foreground/40" />
166         </motion.div>
167       ))}

```

```

168
169 <TooltipProvider>
170 <Tooltip open={!isAnimating}>
171 <TooltipTrigger asChild>
172 <motion.div
173   className={cx(
174     "absolute flex flex-row items-center rounded-full border bg-background p-3",
175     {
176       "bg-primary text-primary-foreground": currentLevel !== 2,
177       "bg-background text-foreground": currentLevel === 2,
178     }
179   )}
180   drag="y"
181   dragConstraints={{ top: -dragConstraints, bottom: 0 }}
182   dragElastic={0}
183   dragMomentum={false}
184   onClick={() => {
185     if (currentLevel !== 2 && hasUserSelectedLevel) {
186       sendMessage({
187         role: "user",
188         parts: [
189           {
190             type: "text",
191             text: `Please adjust the reading level to ${LEVELS[currentLevel]} level.`
192           },
193         ],
194       });
195       setSelectedTool(null);
196     }
197   }}
198   onDragEnd={() => {
199     if (currentLevel === 2) setSelectedTool(null);
200     else setHasUserSelectedLevel(true);
201   }}
202   onDragStart={() => setHasUserSelectedLevel(false)}
203   style={{ y }}
204   transition={{ duration: 0.1 }}
205   whileHover={{ scale: 1.05 }}
206   whileTap={{ scale: 0.95 }}
207 >
208   {currentLevel === 2 ? <SummarizeIcon /> : <ArrowUpIcon />}
209 </motion.div>
210 </TooltipTrigger>
211
212 <TooltipContent
213   className="rounded-2xl bg-foreground p-3 px-4 text-background text-sm"
214   side="left"
215   sideOffset={16}
216 >
217   {LEVELS[currentLevel]}
218 </TooltipContent>
219 </Tooltip>
220 </TooltipProvider>
221 </div>
222 );
223 };
224
225 export const Tools = ({
226   isToolbarVisible,
227   selectedTool,
228   setSelectedTool,
229   sendMessage,
230   isAnimating,
231   setIsToolbarVisible,
232   tools,
233 }): {
234   isToolbarVisible: boolean;
235   selectedTool: string | null;
236   setSelectedTool: Dispatch<SetStateAction<string | null>>;

```

```

237   sendMessage: UseChatHelpers<ChatMessage>["sendMessage"];
238   isAnimating: boolean;
239   setIsToolbarVisible: Dispatch<SetStateAction<boolean>>;
240   tools: ArtifactToolbarItem[];
241 }) => {
242   const [primaryTool, ...secondaryTools] = tools;
243
244   return (
245     <motion.div
246       animate={{ opacity: 1, scale: 1 }}
247       className="flex flex-col gap-1.5"
248       exit={{ opacity: 0, scale: 0.95 }}
249       initial={{ opacity: 0, scale: 0.95 }}
250     >
251       <AnimatePresence>
252         {isToolbarVisible &&
253           secondaryTools.map((secondaryTool) => (
254             <Tool
255               description={secondaryTool.description}
256               icon={secondaryTool.icon}
257               isAnimating={isAnimating}
258               key={secondaryTool.description}
259               onClick={secondaryTool.onClick}
260               selectedTool={selectedTool}
261               sendMessage={sendMessage}
262               setSelectedTool={setSelectedTool}
263             />
264           ))}
265       </AnimatePresence>
266
267       <Tool
268         description={primaryTool.description}
269         icon={primaryTool.icon}
270         isAnimating={isAnimating}
271         isToolbarVisible={isToolbarVisible}
272         onClick={primaryTool.onClick}
273         selectedTool={selectedTool}
274         sendMessage={sendMessage}
275         setIsToolbarVisible={setIsToolbarVisible}
276         setSelectedTool={setSelectedTool}
277       />
278     </motion.div>
279   );
280 };
281
282 const PureToolbar = ({
283   isToolbarVisible,
284   setIsToolbarVisible,
285   sendMessage,
286   status,
287   stop,
288   setMessages,
289   artifactKind,
290   onToggleMobileChat,
291 }): {
292   isToolbarVisible: boolean;
293   setIsToolbarVisible: Dispatch<SetStateAction<boolean>>;
294   status: UseChatHelpers<ChatMessage>["status"];
295   sendMessage: UseChatHelpers<ChatMessage>["sendMessage"];
296   stop: UseChatHelpers<ChatMessage>["stop"];
297   setMessages: UseChatHelpers<ChatMessage>["setMessages"];
298   artifactKind: ArtifactKind;
299   onToggleMobileChat?: () => void; // □ mobile chat toggle
300 }) => {
301   const toolbarRef = useRef<HTMLDivElement>(null);
302   const timeoutRef = useRef<ReturnType<typeof setTimeout> | undefined>(undefined);
303
304   const [selectedTool, setSelectedTool] = useState<string | null>(null);
305   const [isAnimating, setIsAnimating] = useState(false);

```



```

306
307 // usehooks-ts is typed for non-null refs; React 19's useRef is `T | null`.
308 useOnClickOutside(toolbarRef as React.RefObject<HTMLDivElement>, () => {
309   setIsToolbarVisible(false);
310   setSelectedTool(null);
311 });
312
313 const startCloseTimer = () => {
314   if (timeoutRef.current) clearTimeout(timeoutRef.current);
315   timeoutRef.current = setTimeout(() => {
316     setSelectedTool(null);
317     setIsToolbarVisible(false);
318   }, 2000);
319 };
320
321 const cancelCloseTimer = () => {
322   if (timeoutRef.current) clearTimeout(timeoutRef.current);
323 };
324
325 useEffect(() => {
326   return () => {
327     if (timeoutRef.current) clearTimeout(timeoutRef.current);
328   };
329 }, []);
330
331 useEffect(() => {
332   if (status === "streaming") setIsToolbarVisible(false);
333 }, [status, setIsToolbarVisible]);
334
335 const artifactDefinition = artifactDefinitions.find(
336   (definition) => definition.kind === artifactKind
337 );
338 if (!artifactDefinition) throw new Error("Artifact definition not found!");
339
340 const toolsByArtifactKind = artifactDefinition.toolbar;
341 if (toolsByArtifactKind.length === 0) return null;
342
343 // □ wrapper: Chat товч + Tools товч хоёрыг зэрэг байрлуулна
344 return (
345   <TooltipProvider delayDuration={0}>
346     <div className="absolute right-6 bottom-6 z-50 flex flex-col items-end gap-3">
347       {/* □ Chat button (mobile only, 1 tap) */}
348       {onToggleMobileChat && (
349         <motion.button
350           type="button"
351           className="flex h-12 w-12 items-center justify-center rounded-full border bg-background shadow-lg"
352           whileTap={{ scale: 0.95 }}
353           whileHover={{ scale: 1.05 }}
354           onClick={e => {
355             e.stopPropagation();
356             onToggleMobileChat();
357             // tool-ийг цэвэрлэнэ
358             setSelectedTool(null);
359             setIsToolbarVisible(false);
360           }}
361           aria-label="Open chat"
362         >
363           <MessageCircle size={20} />
364         </motion.button>
365       )}
366
367       {/* □ Existing tools bubble */}
368       <motion.div
369         animate={
370           isToolbarVisible
371             ? selectedTool === "adjust-reading-level"
372               ? { opacity: 1, y: 0, height: 6 * 43, transition: { delay: 0 }, scale: 0.95 }
373               : {
374                 opacity: 1,

```

```

375         y: 0,
376         height: toolsByArtifactKind.length * 50,
377         transition: { delay: 0 },
378         scale: 1,
379     }
380     : { opacity: 1, y: 0, height: 54, transition: { delay: 0 } }
381 }
382 className="flex cursor-pointer flex-col justify-end rounded-full border bg-background p-1.5 shadow-lg"
383 exit={{ opacity: 0, y: -20, transition: { duration: 0.1 } }}
384 initial={{ opacity: 0, y: -20, scale: 1 }}
385 onAnimationComplete={() => setIsAnimating(false)}
386 onAnimationStart={() => setIsAnimating(true)}
387 onHoverEnd={() => {
388     if (status === "streaming") return;
389     startCloseTimer();
390 }}
391 onHoverStart={() => {
392     if (status === "streaming") return;
393     cancelCloseTimer();
394     setIsToolbarVisible(true);
395 }}
396 ref={toolbarRef}
397 transition={{ type: "spring", stiffness: 300, damping: 25 }}
398 >
399 {status === "streaming" ? (
400     <motion.div
401         animate={{ scale: 1.4 }}
402         className="p-3"
403         exit={{ scale: 1 }}
404         initial={{ scale: 1 }}
405         key="stop-icon"
406         onClick={() => {
407             stop();
408             setMessages((messages) => messages);
409         }}
410     >
411         <StopIcon />
412     </motion.div>
413 ) : selectedTool === "adjust-reading-level" ? (
414     <ReadingLevelSelector
415         isAnimating={isAnimating}
416         key="reading-level-selector"
417         sendMessage={sendMessage}
418         setSelectedTool={setSelectedTool}
419     />
420 ) : (
421     <Tools
422         isAnimating={isAnimating}
423         isToolbarVisible={isToolbarVisible}
424         key="tools"
425         selectedTool={selectedTool}
426         sendMessage={sendMessage}
427         setIsToolbarVisible={setIsToolbarVisible}
428         setSelectedTool={setSelectedTool}
429         tools={toolsByArtifactKind}
430     />
431 )}
432 </motion.div>
433 </div>
434 </TooltipProvider>
435 );
436 };
437
438 export const Toolbar = memo(PureToolbar, (prevProps, nextProps) => {
439     if (prevProps.status !== nextProps.status) return false;
440     if (prevProps.isToolbarVisible !== nextProps.isToolbarVisible) return false;
441     if (prevProps.artifactKind !== nextProps.artifactKind) return false;
442     return true;
443 });

```

260. components/ui/alert-dialog.tsx

```
1  "use client";
2
3  import { AlertDialog as AlertDialogPrimitive } from "radix-ui";
4  import * as React from "react";
5  import { buttonVariants } from "@/components/ui/button";
6  import { cn } from "@/lib/utils";
7
8  const AlertDialog = AlertDialogPrimitive.Root;
9
10 const AlertDialogTrigger = AlertDialogPrimitive.Trigger;
11
12 const AlertDialogPortal = AlertDialogPrimitive.Portal;
13
14 const AlertDialogOverlay = React.forwardRef<
15   React.ElementRef<typeof AlertDialogPrimitive.Overlay>,
16   React.ComponentPropsWithoutRef<typeof AlertDialogPrimitive.Overlay>
17 >(({ className, ...props }, ref) => (
18   <AlertDialogPrimitive.Overlay
19     className={cn(
20       "data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0 fixed inset-0 z-50 bg-black/80 data-[state=closed]:animate-out data-[state=open]:animate-in",
21       className
22     )}
23     {...props}
24     ref={ref}
25   />
26 ));
27 AlertDialogOverlay.displayName = AlertDialogPrimitive.Overlay.displayName;
28
29 const AlertDialogContent = React.forwardRef<
30   React.ElementRef<typeof AlertDialogPrimitive.Content>,
31   React.ComponentPropsWithoutRef<typeof AlertDialogPrimitive.Content>
32 >(({ className, ...props }, ref) => (
33   <AlertDialogPortal>
34     <AlertDialogOverlay />
35     <AlertDialogPrimitive.Content
36       className={cn(
37         "data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0 data-[state=closed]:zoom-out-95 data-[state=open]:zoom-in-95 fixed top-[50%] left-[50%] z-50 grid w-full max-w-lg translate-x-[-50%] t
bg-background p-6 shadow-lg duration-200 data-[state=closed]:animate-out data-[state=open]:animate-in sm:rounded-lg",
38         className
39       )}
40       ref={ref}
41       {...props}
42     />
43   </AlertDialogPortal>
44 ));
45 AlertDialogContent.displayName = AlertDialogPrimitive.Content.displayName;
46
47 const AlertDialogHeader = ({
48   className,
49   ...props
50 }: React.HTMLAttributes<HTMLDivElement>) => (
51   <div
52     className={cn(
53       "flex flex-col space-y-2 text-center sm:text-left",
54       className
55     )}
56     {...props}
57   />
58 );
59 AlertDialogHeader.displayName = "AlertDialogHeader";
60
61 const AlertDialogFooter = ({
62   className,
63   ...props
64 }: React.HTMLAttributes<HTMLDivElement>) => (
65   <div
```

```

66     className={cn(
67       "flex flex-col-reverse sm:flex-row sm:justify-end sm:space-x-2",
68       className
69     )}
70     {...props}
71   />
72 );
73 AlertDialogFooter.displayName = "AlertDialogFooter";
74
75 const AlertDialogTitle = React.forwardRef<
76   React.ElementRef<typeof AlertDialogPrimitive.Title>,
77   React.ComponentPropsWithoutRef<typeof AlertDialogPrimitive.Title>
78 >(({ className, ...props }, ref) => (
79   <AlertDialogPrimitive.Title
80     className={cn("font-semibold text-lg", className)}
81     ref={ref}
82     {...props}
83   />
84 ));
85 AlertDialogTitle.displayName = AlertDialogPrimitive.Title.displayName;
86
87 const AlertDialogDescription = React.forwardRef<
88   React.ElementRef<typeof AlertDialogPrimitive.Description>,
89   React.ComponentPropsWithoutRef<typeof AlertDialogPrimitive.Description>
90 >(({ className, ...props }, ref) => (
91   <AlertDialogPrimitive.Description
92     className={cn("text-muted-foreground text-sm", className)}
93     ref={ref}
94     {...props}
95   />
96 ));
97 AlertDialogDescription.displayName =
98   AlertDialogPrimitive.Description.displayName;
99
100 const AlertDialogAction = React.forwardRef<
101   React.ElementRef<typeof AlertDialogPrimitive.Action>,
102   React.ComponentPropsWithoutRef<typeof AlertDialogPrimitive.Action>
103 >(({ className, ...props }, ref) => (
104   <AlertDialogPrimitive.Action
105     className={cn(buttonVariants(), className)}
106     ref={ref}
107     {...props}
108   />
109 ));
110 AlertDialogAction.displayName = AlertDialogPrimitive.Action.displayName;
111
112 const AlertDialogCancel = React.forwardRef<
113   React.ElementRef<typeof AlertDialogPrimitive.Cancel>,
114   React.ComponentPropsWithoutRef<typeof AlertDialogPrimitive.Cancel>
115 >(({ className, ...props }, ref) => (
116   <AlertDialogPrimitive.Cancel
117     className={cn(
118       buttonVariants({ variant: "outline" }),
119       "mt-2 sm:mt-0",
120       className
121     )}
122     ref={ref}
123     {...props}
124   />
125 ));
126 AlertDialogCancel.displayName = AlertDialogPrimitive.Cancel.displayName;
127
128 export {
129   AlertDialog,
130   AlertDialogPortal,
131   AlertDialogOverlay,
132   AlertDialogTrigger,
133   AlertDialogContent,
134   AlertDialogHeader,

```

```

135   AlertDialogFooter,
136   AlertDialogTitle,
137   AlertDialogDescription,
138   AlertDialogAction,
139   AlertDialogCancel,
140 };

```

261. components/ui/alert.tsx

```

1  import * as React from "react"
2  import { cva, type VariantProps } from "class-variance-authority"
3
4  import { cn } from "@lib/utils"
5
6  const alertVariants = cva(
7    "relative w-full rounded-lg border p-4 [>svg~*]:pl-7 [>svg+div]:translate-y-[-3px] [>svg]:absolute [>svg]:left-4 [>svg]:top-4 [>svg]:text-foreground",
8    {
9      variants: {
10        variant: {
11          default: "bg-background text-foreground",
12          destructive:
13            "border-destructive/50 text-destructive dark:border-destructive [>svg]:text-destructive",
14        },
15      },
16      defaultVariants: {
17        variant: "default",
18      },
19    }
20 )
21
22 const Alert = React.forwardRef<
23   HTMLDivElement,
24   React.HTMLAttributes<HTMLDivElement> & VariantProps<typeof alertVariants>
25 >(({ className, variant, ...props }, ref) => {
26   <div
27     ref={ref}
28     role="alert"
29     className={cn(alertVariants({ variant }), className)}
30     {...props}
31   />
32 ))
33 Alert.displayName = "Alert"
34
35 const AlertTitle = React.forwardRef<
36   HTMLParagraphElement,
37   React.HTMLAttributes<HTMLHeadingElement>
38 >(({ className, ...props }, ref) => {
39   <h5
40     ref={ref}
41     className={cn("mb-1 font-medium leading-none tracking-tight", className)}
42     {...props}
43   />
44 ))
45 AlertTitle.displayName = "AlertTitle"
46
47 const AlertDescription = React.forwardRef<
48   HTMLParagraphElement,
49   React.HTMLAttributes<HTMLParagraphElement>
50 >(({ className, ...props }, ref) => {
51   <div
52     ref={ref}
53     className={cn("text-sm [&_p]:leading-relaxed", className)}
54     {...props}
55   />
56 ))
57 AlertDescription.displayName = "AlertDescription"
58

```

```
59 export { Alert, AlertTitle, AlertDescription }
```

262. components/ui/avatar.tsx

```
1  "use client"
2
3  import * as React from "react"
4  import { Avatar as AvatarPrimitive } from "radix-ui"
5
6  import { cn } from "@/lib/utils"
7
8  const Avatar = React.forwardRef<
9    React.ElementRef<typeof AvatarPrimitive.Root>,
10    React.ComponentPropsWithoutRef<typeof AvatarPrimitive.Root>
11  >((({ className, ...props }, ref) => (
12    <AvatarPrimitive.Root
13      ref={ref}
14      className={cn(
15        "relative flex h-10 w-10 shrink-0 overflow-hidden rounded-full",
16        className
17      )}
18      {...props}
19    />
20  )))
21 Avatar.displayName = AvatarPrimitive.Root.displayName
22
23 const AvatarImage = React.forwardRef<
24   React.ElementRef<typeof AvatarPrimitive.Image>,
25   React.ComponentPropsWithoutRef<typeof AvatarPrimitive.Image>
26 >((({ className, ...props }, ref) => (
27   <AvatarPrimitive.Image
28     ref={ref}
29     className={cn("aspect-square h-full w-full", className)}
30     {...props}
31   />
32 )))
33 AvatarImage.displayName = AvatarPrimitive.Image.displayName
34
35 const AvatarFallback = React.forwardRef<
36   React.ElementRef<typeof AvatarPrimitive.Fallback>,
37   React.ComponentPropsWithoutRef<typeof AvatarPrimitive.Fallback>
38 >((({ className, ...props }, ref) => (
39   <AvatarPrimitive.Fallback
40     ref={ref}
41     className={cn(
42       "flex h-full w-full items-center justify-center rounded-full bg-muted",
43       className
44     )}
45     {...props}
46   />
47 )))
48 AvatarFallback.displayName = AvatarPrimitive.Fallback.displayName
49
50 export { Avatar, AvatarImage, AvatarFallback }
```

263. components/ui/badge.tsx

```
1  import * as React from "react"
2  import { cva, type VariantProps } from "class-variance-authority"
3
4  import { cn } from "@/lib/utils"
5
6  const badgeVariants = cva(
7    "inline-flex items-center rounded-full border px-2.5 py-0.5 text-xs font-semibold transition-colors focus:outline-none focus:ring-2 focus:ring-ring focus:ring-offset-2",
8    {
9      variants: {
10        default: "bg-transparent text-current border-transparent",
11        destructive: "bg-destructive text-white border-destructive",
12        secondary: "bg-secondary text-secondary-foreground border-secondary",
13        success: "bg-success text-success-foreground border-success",
14        warning: "bg-warning text-warning-foreground border-warning",
15        info: "bg-info text-info-foreground border-info",
16      },
17      defaultVariants: {
18        default: "bg-transparent text-current border-transparent",
19      },
20    }
21  )
22
23 export { badgeVariants }
```

```

9   variants: {
10     variant: {
11       default:
12         "border-transparent bg-primary text-primary-foreground hover:bg-primary/80",
13       secondary:
14         "border-transparent bg-secondary text-secondary-foreground hover:bg-secondary/80",
15       destructive:
16         "border-transparent bg-destructive text-destructive-foreground hover:bg-destructive/80",
17       outline: "text-foreground",
18     },
19   },
20   defaultVariants: {
21     variant: "default",
22   },
23 }
24 )
25
26 export interface BadgeProps
27   extends React.HTMLAttributes<HTMLDivElement>,
28     VariantProps<typeof badgeVariants> {}
29
30 function Badge({ className, variant, ...props }: BadgeProps) {
31   return (
32     <div className={cn(badgeVariants({ variant })), className} {...props} />
33   )
34 }
35
36 export { Badge, badgeVariants }

```

264. components/ui/button-group.tsx

```

1  import { Slot } from "@radix-ui/react-slot"
2  import { cva, type VariantProps } from "class-variance-authority"
3
4  import { cn } from "@lib/Utils"
5  import { Separator } from "@components/ui/separator"
6
7  const buttonGroupVariants = cva(
8    "flex w-fit items-stretch has- [>[data-slot=button-group]]:gap-2 [&*:focus-visible:z-10] has-[select[aria-hidden=true]:last-child]: [&>[data-slot=select-trigger]:last-of-type]:last-of-type",
9    {
10      variants: {
11        orientation: {
12          horizontal:
13            "[&*:not(:first-child)]:rounded-l-none [&*:not(:first-child)]:border-l-0 [&*:not(:last-child)]:rounded-r-none",
14          vertical:
15            "flex-col [&*:not(:first-child)]:rounded-t-none [&*:not(:first-child)]:border-t-0 [&*:not(:last-child)]:rounded-b-none",
16        },
17      },
18      defaultVariants: {
19        orientation: "horizontal",
20      },
21    }
22 )
23
24 function ButtonGroup({
25   className,
26   orientation,
27   ...props
28 }: React.ComponentProps<"div"> & VariantProps<typeof buttonGroupVariants>) {
29   return (
30     <div
31       role="group"
32       data-slot="button-group"
33       data-orientation={orientation}
34       className={cn(buttonGroupVariants({ orientation })), className}
35       {...props}

```

```

36     />
37   }
38 }
39
40 function ButtonGroupText({
41   className,
42   asChild = false,
43   ...props
44 }: React.ComponentProps<"div"> & {
45   asChild?: boolean
46 }) {
47   const Comp = asChild ? Slot : "div"
48
49   return (
50     <Comp
51       className={cn(
52         "bg-muted shadow-xs flex items-center gap-2 rounded-md border px-4 text-sm font-medium [&_svg:not([class*='size-'])]:size-4 [&_svg]:pointer-events-none",
53         className
54       )}
55       {...props}
56     />
57   )
58 }
59
60 function ButtonGroupSeparator({
61   className,
62   orientation = "vertical",
63   ...props
64 }: React.ComponentProps<typeof Separator>) {
65   return (
66     <Separator
67       data-slot="button-group-separator"
68       orientation={orientation}
69       className={cn(
70         "bg-input relative !m-0 self-stretch data-[orientation=vertical]:h-auto",
71         className
72       )}
73       {...props}
74     />
75   )
76 }
77
78 export {
79   ButtonGroup,
80   ButtonGroupSeparator,
81   ButtonGroupText,
82   buttonGroupVariants,
83 }

```

265. components/ui/button.tsx

```

1 import { cva, type VariantProps } from "class-variance-authority";
2 import { Slot as SlotPrimitive } from "radix-ui";
3 import * as React from "react";
4
5 import { cn } from "@/lib/utils";
6
7 const buttonVariants = cva(
8   "inline-flex items-center justify-center gap-2 whitespace-nowrap rounded-md font-medium text-sm ring-offset-background transition-colors focus-visible:outline-none focus-visible:ring-2 focus-visible:ring-offset-2 disabled:pointer-events-none disabled:opacity-50 [&_svg]:pointer-events-none [&_svg]:size-4 [&_svg]:shrink-0",
9   {
10     variants: {
11       variant: {
12         default: "bg-primary text-primary-foreground hover:bg-primary/90",
13         destructive:
14           "bg-destructive text-destructive-foreground hover:bg-destructive/90",
15         outline:

```



```

16     "border border-input bg-background hover:bg-accent hover:text-accent-foreground",
17     secondary:
18       "bg-secondary text-secondary-foreground hover:bg-secondary/80",
19     ghost: "hover:bg-accent hover:text-accent-foreground",
20     link: "text-primary underline-offset-4 hover:underline",
21   },
22   size: {
23     default: "h-10 px-4 py-2",
24     sm: "h-9 rounded-md px-3",
25     lg: "h-11 rounded-md px-8",
26     icon: "h-10 w-10",
27     "icon-sm": "h-8 w-8",
28   },
29 },
30 defaultVariants: {
31   variant: "default",
32   size: "default",
33 },
34 }
35 );
36
37 export interface ButtonProps
38   extends React.ButtonHTMLAttributes<HTMLButtonElement>,
39   VariantProps<typeof buttonVariants> {
40   asChild?: boolean;
41 }
42
43 const Button = React.forwardRef<HTMLButtonElement, ButtonProps>(
44   ({ className, variant, size, asChild = false, ...props }, ref) => {
45     const Comp = asChild ? SlotPrimitive.Slot : "button";
46     return (
47       <Comp
48         className={cn(buttonVariants({ variant, size, className }))}
49         ref={ref}
50         {...props}
51       />
52     );
53   }
54 );
55 Button.displayName = "Button";
56
57 export { Button, buttonVariants };

```

266. components/ui/card.tsx

```

1  import * as React from "react";
2
3  import { cn } from "@/lib/utils";
4
5  const Card = React.forwardRef<
6    HTMLDivElement,
7    React.HTMLAttributes<HTMLDivElement>
8  >(({ className, ...props }, ref) => {
9    <div
10      className={cn(
11        "rounded-lg border bg-card text-card-foreground shadow-sm",
12        className
13      )}
14      ref={ref}
15      {...props}
16    />
17  ));
18 Card.displayName = "Card";
19
20 const CardHeader = React.forwardRef<
21   HTMLDivElement,
22   React.HTMLAttributes<HTMLDivElement>

```

```

23 >(({ className, ...props }, ref) => (
24   <div
25     className={cn("flex flex-col space-y-1.5 p-6", className)}
26     ref={ref}
27     {...props}
28   />
29 ));
30 CardHeader.displayName = "CardHeader";
31
32 const CardTitle = React.forwardRef<
33   HTMLDivElement,
34   React.HTMLAttributes<HTMLDivElement>
35 >(({ className, ...props }, ref) => (
36   <div
37     className={cn(
38       "font-semibold text-2xl leading-none tracking-tight",
39       className
40     )}
41     ref={ref}
42     {...props}
43   />
44 ));
45 CardTitle.displayName = "CardTitle";
46
47 const CardDescription = React.forwardRef<
48   HTMLDivElement,
49   React.HTMLAttributes<HTMLDivElement>
50 >(({ className, ...props }, ref) => (
51   <div
52     className={cn("text-muted-foreground text-sm", className)}
53     ref={ref}
54     {...props}
55   />
56 ));
57 CardDescription.displayName = "CardDescription";
58
59 const CardContent = React.forwardRef<
60   HTMLDivElement,
61   React.HTMLAttributes<HTMLDivElement>
62 >(({ className, ...props }, ref) => (
63   <div className={cn("p-6 pt-0", className)} ref={ref} {...props} />
64 ));
65 CardContent.displayName = "CardContent";
66
67 const CardFooter = React.forwardRef<
68   HTMLDivElement,
69   React.HTMLAttributes<HTMLDivElement>
70 >(({ className, ...props }, ref) => (
71   <div
72     className={cn("flex items-center p-6 pt-0", className)}
73     ref={ref}
74     {...props}
75   />
76 ));
77 CardFooter.displayName = "CardFooter";
78
79 const CardAction = React.forwardRef<
80   HTMLDivElement,
81   React.HTMLAttributes<HTMLDivElement>
82 >(({ className, ...props }, ref) => (
83   <div
84     className={cn("flex items-center gap-2", className)}
85     ref={ref}
86     {...props}
87   />
88 ));
89 CardAction.displayName = "CardAction";
90
91 export {

```

```

92   Card,
93   CardHeader,
94   CardFooter,
95   CardTitle,
96   CardDescription,
97   CardContent,
98   CardAction,
99 };

```

267. components/ui/carousel.tsx

```

1  "use client"
2
3  import * as React from "react"
4  import useEmblaCarousel, {
5    type UseEmblaCarouselType,
6  } from "embla-carousel-react"
7  import { ArrowLeft, ArrowRight } from "lucide-react"
8
9  import { cn } from "@lib/utils"
10 import { Button } from "@components/ui/button"
11
12 type CarouselApi = UseEmblaCarouselType[1]
13 type UseCarouselParameters = Parameters<typeof useEmblaCarousel>
14 type CarouselOptions = UseCarouselParameters[0]
15 type CarouselPlugin = UseCarouselParameters[1]
16
17 type CarouselProps = {
18   opts?: CarouselOptions
19   plugins?: CarouselPlugin
20   orientation?: "horizontal" | "vertical"
21   setApi?: (api: CarouselApi) => void
22 }
23
24 type CarouselContextProps = {
25   carouselRef: ReturnType<typeof useEmblaCarousel>[0]
26   api: ReturnType<typeof useEmblaCarousel>[1]
27   scrollPrev: () => void
28   scrollNext: () => void
29   canScrollPrev: boolean
30   canScrollNext: boolean
31 } & CarouselProps
32
33 const CarouselContext = React.createContext<CarouselContextProps | null>(null)
34
35 function useCarousel() {
36   const context = React.useContext(CarouselContext)
37
38   if (!context) {
39     throw new Error("useCarousel must be used within a <Carousel />")
40   }
41
42   return context
43 }
44
45 const Carousel = React.forwardRef<
46   HTMLDivElement,
47   React.HTMLAttributes<HTMLDivElement> & CarouselProps
48 >({
49   (
50     {
51       orientation = "horizontal",
52       opts,
53       setApi,
54       plugins,
55       className,
56       children,

```

```

57     ...props
58   },
59   ref
60 ) => {
61   const [carouselRef, api] = useEmblaCarousel(
62     {
63       ...opts,
64       axis: orientation === "horizontal" ? "x" : "y",
65     },
66     plugins
67   )
68   const [canScrollPrev, setCanScrollPrev] = React.useState(false)
69   const [canScrollNext, setCanScrollNext] = React.useState(false)
70
71   const onSelect = React.useCallback((api: CarouselApi) => {
72     if (!api) {
73       return
74     }
75
76     setCanScrollPrev(api.canScrollPrev())
77     setCanScrollNext(api.canScrollNext())
78   }, [])
79
80   const scrollPrev = React.useCallback(() => {
81     api?.scrollPrev()
82   }, [api])
83
84   const scrollNext = React.useCallback(() => {
85     api?.scrollNext()
86   }, [api])
87
88   const handleKeyDown = React.useCallback(
89     (event: React.KeyboardEvent<HTMLDivElement>) => {
90       if (event.key === "ArrowLeft") {
91         event.preventDefault()
92         scrollPrev()
93       } else if (event.key === "ArrowRight") {
94         event.preventDefault()
95         scrollNext()
96       }
97     },
98     [scrollPrev, scrollNext]
99   )
100
101   React.useEffect(() => {
102     if (!api || !setApi) {
103       return
104     }
105
106     setApi(api)
107   }, [api, setApi])
108
109   React.useEffect(() => {
110     if (!api) {
111       return
112     }
113
114     onSelect(api)
115     api.on("reInit", onSelect)
116     api.on("select", onSelect)
117
118     return () => {
119       api?.off("select", onSelect)
120     }
121   }, [api, onSelect])
122
123   return (
124     <CarouselContext.Provider
125       value={{

```

```

126     carouselRef,
127     api: api,
128     opts,
129     orientation:
130       orientation || (opts?.axis === "y" ? "vertical" : "horizontal"),
131     scrollPrev,
132     scrollNext,
133     canScrollPrev,
134     canScrollNext,
135   }}
136   >
137     <div
138       ref={ref}
139       onKeyDownCapture={handleKeyDown}
140       className={cn("relative", className)}
141       role="region"
142       aria-roledescription="carousel"
143       {...props}
144     >
145       {children}
146     </div>
147   </CarouselContext.Provider>
148 )
149 }
150 )
151 Carousel.displayName = "Carousel"
152
153 const CarouselContent = React.forwardRef<
154   HTMLDivElement,
155   React.HTMLAttributes<HTMLDivElement>
156 >(({ className, ...props }, ref) => {
157   const { carouselRef, orientation } = useCarousel()
158
159   return (
160     <div ref={carouselRef} className="overflow-hidden">
161       <div
162         ref={ref}
163         className={cn(
164           "flex",
165           orientation === "horizontal" ? "-ml-4" : "-mt-4 flex-col",
166           className
167         )}
168         {...props}
169       />
170     </div>
171   )
172 })
173 CarouselContent.displayName = "CarouselContent"
174
175 const CarouselItem = React.forwardRef<
176   HTMLDivElement,
177   React.HTMLAttributes<HTMLDivElement>
178 >(({ className, ...props }, ref) => {
179   const { orientation } = useCarousel()
180
181   return (
182     <div
183       ref={ref}
184       role="group"
185       aria-roledescription="slide"
186       className={cn(
187         "min-w-0 shrink-0 grow-0 basis-full",
188         orientation === "horizontal" ? "pl-4" : "pt-4",
189         className
190       )}
191       {...props}
192     />
193   )
194 })

```

```

195 CarouselItem.displayName = "CarouselItem"
196
197 const CarouselPrevious = React.forwardRef<
198   HTMLButtonElement,
199   React.ComponentProps<typeof Button>
200 >(({ className, variant = "outline", size = "icon", ...props }, ref) => {
201   const { orientation, scrollPrev, canScrollPrev } = useCarousel()
202
203   return (
204     <Button
205       ref={ref}
206       variant={variant}
207       size={size}
208       className={cn(
209         "absolute h-8 w-8 rounded-full",
210         orientation === "horizontal"
211           ? "-left-12 top-1/2 -translate-y-1/2"
212           : "-top-12 left-1/2 -translate-x-1/2 rotate-90",
213         className
214       )}
215       disabled={!canScrollPrev}
216       onClick={scrollPrev}
217       {...props}
218     >
219       <ArrowLeft className="h-4 w-4" />
220       <span className="sr-only">Previous slide</span>
221     </Button>
222   )
223 })
224 CarouselPrevious.displayName = "CarouselPrevious"
225
226 const CarouselNext = React.forwardRef<
227   HTMLButtonElement,
228   React.ComponentProps<typeof Button>
229 >(({ className, variant = "outline", size = "icon", ...props }, ref) => {
230   const { orientation, scrollNext, canScrollNext } = useCarousel()
231
232   return (
233     <Button
234       ref={ref}
235       variant={variant}
236       size={size}
237       className={cn(
238         "absolute h-8 w-8 rounded-full",
239         orientation === "horizontal"
240           ? "-right-12 top-1/2 -translate-y-1/2"
241           : "-bottom-12 left-1/2 -translate-x-1/2 rotate-90",
242         className
243       )}
244       disabled={!canScrollNext}
245       onClick={scrollNext}
246       {...props}
247     >
248       <ArrowRight className="h-4 w-4" />
249       <span className="sr-only">Next slide</span>
250     </Button>
251   )
252 })
253 CarouselNext.displayName = "CarouselNext"
254
255 export {
256   type CarouselApi,
257   Carousel,
258   CarouselContent,
259   CarouselItem,
260   CarouselPrevious,
261   CarouselNext,
262 }

```

268. components/ui/collapsible.tsx

```
1 "use client"
2
3 import { Collapsible as CollapsiblePrimitive } from "radix-ui"
4
5 const Collapsible = CollapsiblePrimitive.Root
6
7 const CollapsibleTrigger = CollapsiblePrimitive.CollapsibleTrigger
8
9 const CollapsibleContent = CollapsiblePrimitive.CollapsibleContent
10
11 export { Collapsible, CollapsibleTrigger, CollapsibleContent }
```

269. components/ui/command.tsx

```
1 "use client"
2
3 import * as React from "react"
4 import { type DialogProps } from "@radix-ui/react-dialog"
5 import { Command as CommandPrimitive } from "cmdk"
6 import { Search } from "lucide-react"
7
8 import { cn } from "@/lib/utils"
9 import { Dialog, DialogContent } from "@/components/ui/dialog"
10
11 const Command = React.forwardRef<
12   React.ElementRef<typeof CommandPrimitive>,
13   React.ComponentPropsWithoutRef<typeof CommandPrimitive>
14 >(({ className, ...props }, ref) => (
15   <CommandPrimitive
16     ref={ref}
17     className={cn(
18       "flex h-full w-full flex-col overflow-hidden rounded-md bg-popover text-popover-foreground",
19       className
20     )}
21     {...props}
22   />
23 ))
24 Command.displayName = CommandPrimitive.displayName
25
26 const CommandDialog = ({ children, ...props }: DialogProps) => {
27   return (
28     <Dialog {...props}>
29       <DialogContent className="overflow-hidden p-0 shadow-lg">
30         <Command className="[&_cmdk-group-heading]:px-2 [&_cmdk-group-heading]:font-medium [&_cmdk-group-heading]:text-muted-foreground [&_cmdk-group]:not([hidden])_~[cmdk-group]:pt-0 [&_cmdk-group]:h-5 [&_cmdk-input-wrapper_svg]:w-5 [&_cmdk-input]:h-12 [&_cmdk-item]:px-2 [&_cmdk-item]:py-3 [&_cmdk-item_svg]:h-5 [&_cmdk-item_svg]:w-5">
31           {children}
32         </Command>
33       </DialogContent>
34     </Dialog>
35   )
36 }
37
38 const CommandInput = React.forwardRef<
39   React.ElementRef<typeof CommandPrimitive.Input>,
40   React.ComponentPropsWithoutRef<typeof CommandPrimitive.Input>
41 >(({ className, ...props }, ref) => (
42   <div className="flex items-center border-b px-3 cmdk-input-wrapper=">
43     <Search className="mr-2 h-4 w-4 shrink-0 opacity-50" />
44     <CommandPrimitive.Input
45       ref={ref}
46       className={cn(
47         "flex h-11 w-full rounded-md bg-transparent py-3 text-sm outline-none placeholder:text-muted-foreground disabled:cursor-not-allowed disabled:opacity-50",
48         className
49       )}
50     />
51   </div>
52 ))
```

```

50     {...props}
51   />
52 </div>
53 ))
54
55 CommandInput.displayName = CommandPrimitive.Input.displayName
56
57 const CommandList = React.forwardRef<
58   React.ElementRef<typeof CommandPrimitive.List>,
59   React.ComponentPropsWithoutRef<typeof CommandPrimitive.List>
60 >(({ className, ...props }, ref) => (
61   <CommandPrimitive.List
62     ref={ref}
63     className={cn("max-h-[300px] overflow-y-auto overflow-x-hidden", className)}
64     {...props}
65   />
66 ))
67
68 CommandList.displayName = CommandPrimitive.List.displayName
69
70 const CommandEmpty = React.forwardRef<
71   React.ElementRef<typeof CommandPrimitive.Empty>,
72   React.ComponentPropsWithoutRef<typeof CommandPrimitive.Empty>
73 >((props, ref) => (
74   <CommandPrimitive.Empty
75     ref={ref}
76     className="py-6 text-center text-sm"
77     {...props}
78   />
79 ))
80
81 CommandEmpty.displayName = CommandPrimitive.Empty.displayName
82
83 const CommandGroup = React.forwardRef<
84   React.ElementRef<typeof CommandPrimitive.Group>,
85   React.ComponentPropsWithoutRef<typeof CommandPrimitive.Group>
86 >(({ className, ...props }, ref) => (
87   <CommandPrimitive.Group
88     ref={ref}
89     className={cn(
90       "overflow-hidden p-1 text-foreground [&_cmdk-group-heading]:px-2 [&_cmdk-group-heading]:py-1.5 [&_cmdk-group-heading]:text-xs [&_cmdk-group-heading]:font-medium [&_cmdk-group-heading]:text-left",
91       className
92     )}
93     {...props}
94   />
95 ))
96
97 CommandGroup.displayName = CommandPrimitive.Group.displayName
98
99 const CommandSeparator = React.forwardRef<
100   React.ElementRef<typeof CommandPrimitive.Separator>,
101   React.ComponentPropsWithoutRef<typeof CommandPrimitive.Separator>
102 >(({ className, ...props }, ref) => (
103   <CommandPrimitive.Separator
104     ref={ref}
105     className={cn("-mx-1 h-px bg-border", className)}
106     {...props}
107   />
108 ))
109 CommandSeparator.displayName = CommandPrimitive.Separator.displayName
110
111 const CommandItem = React.forwardRef<
112   React.ElementRef<typeof CommandPrimitive.Item>,
113   React.ComponentPropsWithoutRef<typeof CommandPrimitive.Item>
114 >(({ className, ...props }, ref) => (
115   <CommandPrimitive.Item
116     ref={ref}
117     className={cn(
118       "relative flex cursor-default gap-2 select-none items-center rounded-sm px-2 py-1.5 text-sm outline-none data-[disabled=true]:pointer-events-none data-[selected=true]:bg-accent data-[selected=true]:text-accent-foreground",

```



```

data-[disabled=true]:opacity-50 [&_svg]:pointer-events-none [&_svg]:size-4 [&_svg]:shrink-0",
119   className
120   })
121   {...props}
122 />
123 ))
124
125 CommandItem.displayName = CommandPrimitive.Item.displayName
126
127 const CommandShortcut = ({
128   className,
129   ...props
130 }: React.HTMLAttributes<HTMLSpanElement>) => {
131   return (
132     <span
133       className={cn(
134         "ml-auto text-xs tracking-widest text-muted-foreground",
135         className
136       )}
137       {...props}
138     />
139   )
140 }
141 CommandShortcut.displayName = "CommandShortcut"
142
143 export {
144   Command,
145   CommandDialog,
146   CommandInput,
147   CommandList,
148   CommandEmpty,
149   CommandGroup,
150   CommandItem,
151   CommandShortcut,
152   CommandSeparator,
153 }

```

270. components/ui/dialog.tsx

```

1  "use client"
2
3  import * as React from "react"
4  import * as DialogPrimitive from "@radix-ui/react-dialog"
5  import { X } from "lucide-react"
6
7  import { cn } from "@/lib/Utils"
8
9  const Dialog = DialogPrimitive.Root
10
11 const DialogTrigger = DialogPrimitive.Trigger
12
13 const DialogPortal = DialogPrimitive.Portal
14
15 const DialogClose = DialogPrimitive.Close
16
17 const DialogOverlay = React.forwardRef<
18   React.ElementRef<typeof DialogPrimitive.Overlay>,
19   React.ComponentPropsWithoutRef<typeof DialogPrimitive.Overlay>
20 >(({ className, ...props }, ref) => {
21   <DialogPrimitive.Overlay
22     ref={ref}
23     className={cn(
24       "fixed inset-0 z-50 bg-black/80 data-[state=open]:animate-in data-[state=closed]:animate-out data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0",
25       className
26     )}
27     {...props}
28   />

```

```

29  ))
30  DialogOverlay.displayName = DialogPrimitive.Overlay.displayName
31
32  const DialogContent = React.forwardRef<
33    React.ElementRef<typeof DialogPrimitive.Content>,
34    React.ComponentPropsWithoutRef<typeof DialogPrimitive.Content>
35  >(({ className, children, ...props }, ref) => (
36    <DialogPortal>
37      <DialogOverlay />
38      <DialogPrimitive.Content
39        ref={ref}
40        className={cn(
41          "fixed left-[50%] top-[50%] z-50 grid w-full max-w-lg translate-x-[-50%] translate-y-[-50%] gap-4 border bg-background p-6 shadow-lg duration-200 data-[state=open]:animate-in data-[state=closed]:
state=closed]:fade-out-0 data-[state=open]:fade-in-0 data-[state=closed]:zoom-out-95 data-[state=open]:zoom-in-95 sm:rounded-lg",
42          className
43        )}
44        {...props}
45      >
46        {children}
47        <DialogPrimitive.Close className="absolute right-4 top-4 rounded-sm opacity-70 ring-offset-background transition-opacity hover:opacity-100 focus:outline-none focus:ring-2 focus:ring-ring focus:ring-
events-none data-[state=open]:bg-accent data-[state=open]:text-muted-foreground">
48          <X className="h-4 w-4" />
49          <span className="sr-only">Close</span>
50        </DialogPrimitive.Close>
51      </DialogPrimitive.Content>
52    </DialogPortal>
53  ))
54  DialogContent.displayName = DialogPrimitive.Content.displayName
55
56  const DialogHeader = ({
57    className,
58    ...props
59  }: React.HTMLAttributes<HTMLDivElement>) => (
60    <div
61      className={cn(
62        "flex flex-col space-y-1.5 text-center sm:text-left",
63        className
64      )}
65      {...props}
66    />
67  )
68  DialogHeader.displayName = "DialogHeader"
69
70  const DialogFooter = ({
71    className,
72    ...props
73  }: React.HTMLAttributes<HTMLDivElement>) => (
74    <div
75      className={cn(
76        "flex flex-col-reverse sm:flex-row sm:justify-end sm:space-x-2",
77        className
78      )}
79      {...props}
80    />
81  )
82  DialogFooter.displayName = "DialogFooter"
83
84  const DialogTitle = React.forwardRef<
85    React.ElementRef<typeof DialogPrimitive.Title>,
86    React.ComponentPropsWithoutRef<typeof DialogPrimitive.Title>
87  >(({ className, ...props }, ref) => (
88    <DialogPrimitive.Title
89      ref={ref}
90      className={cn(
91        "text-lg font-semibold leading-none tracking-tight",
92        className
93      )}
94      {...props}
95    />

```

```

96  ))
97  DialogTitle.displayName = DialogPrimitive.Title.displayName
98
99  const DialogDescription = React.forwardRef<
100    React.ElementRef<typeof DialogPrimitive.Description>,
101    React.ComponentPropsWithoutRef<typeof DialogPrimitive.Description>
102  >(({ className, ...props }, ref) => (
103    <DialogPrimitive.Description
104      ref={ref}
105      className={cn("text-sm text-muted-foreground", className)}
106      {...props}
107    />
108  ))
109  DialogDescription.displayName = DialogPrimitive.Description.displayName
110
111  export {
112    Dialog,
113    DialogPortal,
114    DialogOverlay,
115    DialogClose,
116    DialogTrigger,
117    DialogContent,
118    DialogHeader,
119    DialogFooter,
120    DialogTitle,
121    DialogDescription,
122  }

```

271. components/ui/dropdown-menu.tsx

```

1  "use client"
2
3  import * as React from "react"
4  import { DropdownMenu as DropdownMenuPrimitive } from "radix-ui"
5  import { Check, ChevronRight, Circle } from "lucide-react"
6
7  import { cn } from "@/lib/utils"
8
9  const DropdownMenu = DropdownMenuPrimitive.Root
10
11  const DropdownMenuTrigger = DropdownMenuPrimitive.Trigger
12
13  const DropdownMenuGroup = DropdownMenuPrimitive.Group
14
15  const DropdownMenuPortal = DropdownMenuPrimitive.Portal
16
17  const DropdownMenuSub = DropdownMenuPrimitive.Sub
18
19  const DropdownMenuRadioGroup = DropdownMenuPrimitive.RadioGroup
20
21  const DropdownMenuSubTrigger = React.forwardRef<
22    React.ElementRef<typeof DropdownMenuPrimitive.SubTrigger>,
23    React.ComponentPropsWithoutRef<typeof DropdownMenuPrimitive.SubTrigger> & {
24      inset?: boolean
25    }
26  >(({ className, inset, children, ...props }, ref) => (
27    <DropdownMenuPrimitive.SubTrigger
28      ref={ref}
29      className={cn(
30        "flex cursor-default select-none items-center gap-2 rounded-sm px-2 py-1.5 text-sm outline-none focus:bg-accent data-[state=open]:bg-accent [&_svg]:pointer-events-none [&_svg]:size-4 [&_svg]:shrink-0",
31        inset && "pl-8",
32        className
33      )}
34      {...props}
35    >
36      {children}
37      <ChevronRight className="ml-auto" />

```

```

38   </DropdownMenuPrimitive.SubTrigger>
39   ))
40   DropdownMenuSubTrigger.displayName =
41     DropdownMenuPrimitive.SubTrigger.displayName
42
43   const DropdownMenuSubContent = React.forwardRef<
44     React.ElementRef<typeof DropdownMenuPrimitive.SubContent>,
45     React.ComponentPropsWithoutRef<typeof DropdownMenuPrimitive.SubContent>
46   >(({ className, ...props }, ref) => (
47     <DropdownMenuPrimitive.SubContent
48       ref={ref}
49       className={cn(
50         "z-50 min-w-[8rem] overflow-hidden rounded-md border bg-popover p-1 text-popover-foreground shadow-lg data-[state=open]:animate-in data-[state=closed]:animate-out data-[state=closed]:fade-out-0 da
[state=closed]:zoom-out-95 data-[state=open]:zoom-in-95 data-[side=bottom]:slide-in-from-top-2 data-[side=left]:slide-in-from-right-2 data-[side=right]:slide-in-from-left-2 data-[side=top]:slide-in-from-bottom
menu-content-transform-origin]",
51         className
52       )}
53       {...props}
54     />
55   ))
56   DropdownMenuSubContent.displayName =
57     DropdownMenuPrimitive.SubContent.displayName
58
59   const DropdownMenuContent = React.forwardRef<
60     React.ElementRef<typeof DropdownMenuPrimitive.Content>,
61     React.ComponentPropsWithoutRef<typeof DropdownMenuPrimitive.Content>
62   >(({ className, sideOffset = 4, ...props }, ref) => (
63     <DropdownMenuPrimitive.Portal>
64       <DropdownMenuPrimitive.Content
65         ref={ref}
66         sideOffset={sideOffset}
67         className={cn(
68           "z-50 max-h-[var(--radix-dropdown-menu-content-available-height)] min-w-[8rem] overflow-y-auto overflow-x-hidden rounded-md border bg-popover p-1 text-popover-foreground shadow-md data-[state=open]:animate-in data-[state=closed]:animate-out data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0 data-[state=closed]:zoom-out-95 data-[state=open]:zoom-in-95 data-[side=bottom]:slide-in-from-top-2 data-[side=left]:slide-in-from-right-2 data-[side=right]:slide-in-from-left-2 data-[side=top]:slide-in-from-bottom-2 origin-[--radix-dropdown-menu-content-transform-origin]",
69           className
70         )}
71         {...props}
72       />
73     </DropdownMenuPrimitive.Portal>
74   ))
75   DropdownMenuContent.displayName = DropdownMenuPrimitive.Content.displayName
76
77   const DropdownMenuItem = React.forwardRef<
78     React.ElementRef<typeof DropdownMenuPrimitive.Item>,
79     React.ComponentPropsWithoutRef<typeof DropdownMenuPrimitive.Item> & {
80       inset?: boolean
81     }
82   >(({ className, inset, ...props }, ref) => (
83     <DropdownMenuPrimitive.Item
84       ref={ref}
85       className={cn(
86         "relative flex cursor-default select-none items-center gap-2 rounded-sm px-2 py-1.5 text-sm outline-none transition-colors focus:bg-accent focus:text-accent-foreground data-[disabled]:pointer-events-none data-[state=open]:bg-accent data-[state=open]:text-accent-foreground data-[disabled]:opacity-50 [&_svg]:pointer-events-none [&_svg]:size-4 [&_svg]:shrink-0",
87         inset && "pl-8",
88         className
89       )}
90       {...props}
91     />
92   ))
93   DropdownMenuItem.displayName = DropdownMenuPrimitive.Item.displayName
94
95   const DropdownMenuCheckboxItem = React.forwardRef<
96     React.ElementRef<typeof DropdownMenuPrimitive.CheckboxItem>,
97     React.ComponentPropsWithoutRef<typeof DropdownMenuPrimitive.CheckboxItem>
98   >(({ className, children, checked, ...props }, ref) => (
99     <DropdownMenuPrimitive.CheckboxItem
100       ref={ref}
101       className={cn(

```

```

102      "relative flex cursor-default select-none items-center rounded-sm py-1.5 pl-8 pr-2 text-sm outline-none transition-colors focus:bg-accent focus:text-accent-foreground data-[disabled]:pointer-event
50",
103      className
104    )}
105    checked={checked}
106    {...props}
107  >
108    <span className="absolute left-2 flex h-3.5 w-3.5 items-center justify-center">
109      <DropdownMenuPrimitive.ItemIndicator>
110        <Check className="h-4 w-4" />
111      </DropdownMenuPrimitive.ItemIndicator>
112    </span>
113    {children}
114  </DropdownMenuPrimitive.CheckboxItem>
115 ))
116 DropdownMenuCheckboxItem.displayName =
117   DropdownMenuPrimitive.CheckboxItem.displayName
118
119 const DropdownMenuRadioItem = React.forwardRef<
120   React.ElementRef<typeof DropdownMenuPrimitive.RadioItem>,
121   React.ComponentPropsWithoutRef<typeof DropdownMenuPrimitive.RadioItem>
122 >(({ className, children, ...props }, ref) => (
123   <DropdownMenuPrimitive.RadioItem
124     ref={ref}
125     className={cn(
126       "relative flex cursor-default select-none items-center rounded-sm py-1.5 pl-8 pr-2 text-sm outline-none transition-colors focus:bg-accent focus:text-accent-foreground data-[disabled]:pointer-event
50",
127       className
128     )}
129     {...props}
130   >
131     <span className="absolute left-2 flex h-3.5 w-3.5 items-center justify-center">
132       <DropdownMenuPrimitive.ItemIndicator>
133         <Circle className="h-2 w-2 fill-current" />
134       </DropdownMenuPrimitive.ItemIndicator>
135     </span>
136     {children}
137   </DropdownMenuPrimitive.RadioItem>
138 ))
139 DropdownMenuRadioItem.displayName = DropdownMenuPrimitive.RadioItem.displayName
140
141 const DropdownMenuLabel = React.forwardRef<
142   React.ElementRef<typeof DropdownMenuPrimitive.Label>,
143   React.ComponentPropsWithoutRef<typeof DropdownMenuPrimitive.Label> & {
144     inset?: boolean
145   }
146 >(({ className, inset, ...props }, ref) => (
147   <DropdownMenuPrimitive.Label
148     ref={ref}
149     className={cn(
150       "px-2 py-1.5 text-sm font-semibold",
151       inset && "pl-8",
152       className
153     )}
154     {...props}
155   />
156 ))
157 DropdownMenuLabel.displayName = DropdownMenuPrimitive.Label.displayName
158
159 const DropdownMenuSeparator = React.forwardRef<
160   React.ElementRef<typeof DropdownMenuPrimitive.Separator>,
161   React.ComponentPropsWithoutRef<typeof DropdownMenuPrimitive.Separator>
162 >(({ className, ...props }, ref) => (
163   <DropdownMenuPrimitive.Separator
164     ref={ref}
165     className={cn("-mx-1 my-1 h-px bg-muted", className)}
166     {...props}
167   />
168 ))

```

```

169 DropdownMenuSeparator.displayName = DropdownMenuPrimitive.Separator.displayName
170
171 const DropdownMenuShortcut = ({
172   className,
173   ...props
174 }: React.HTMLAttributes<HTMLSpanElement>) => {
175   return (
176     <span
177       className={cn("ml-auto text-xs tracking-widest opacity-60", className)}
178       {...props}
179     />
180   )
181 }
182 DropdownMenuShortcut.displayName = "DropdownMenuShortcut"
183
184 export {
185   DropdownMenu,
186   DropdownMenuTrigger,
187   DropdownMenuContent,
188   DropdownMenuItem,
189   DropdownMenuCheckboxItem,
190   DropdownMenuRadioItem,
191   DropdownMenuLabel,
192   DropdownMenuSeparator,
193   DropdownMenuShortcut,
194   DropdownMenuGroup,
195   DropdownMenuPortal,
196   DropdownMenuSub,
197   DropdownMenuSubContent,
198   DropdownMenuSubTrigger,
199   DropdownMenuRadioGroup,
200 }

```

272. components/ui/hover-card.tsx

```

1  "use client"
2
3  import * as React from "react"
4  import { HoverCard as HoverCardPrimitive } from "radix-ui"
5
6  import { cn } from "@/lib/utils"
7
8  const HoverCard = HoverCardPrimitive.Root
9
10 const HoverCardTrigger = HoverCardPrimitive.Trigger
11
12 const HoverCardContent = React.forwardRef<
13   React.ElementRef<typeof HoverCardPrimitive.Content>,
14   React.ComponentPropsWithoutRef<typeof HoverCardPrimitive.Content>
15 >(({ className, align = "center", sideOffset = 4, ...props }, ref) => {
16   <HoverCardPrimitive.Content
17     ref={ref}
18     align={align}
19     sideOffset={sideOffset}
20     className={cn(
21       "z-50 w-64 rounded-md border bg-popover p-4 text-popover-foreground shadow-md outline-none data-[state=open]:animate-in data-[state=closed]:animate-out data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0 data-[state=open]:zoom-in-95 data-[state=closed]:zoom-out-95 data-[side=bottom]:slide-in-from-top-2 data-[side=left]:slide-in-from-right-2 data-[side=right]:slide-in-from-left-2 data-[side=top]:slide-in-from-bottom-2 content-transform-origin",
22       className
23     )}
24     {...props}
25   />
26 ))
27 HoverCardContent.displayName = HoverCardPrimitive.Content.displayName
28
29 export { HoverCard, HoverCardTrigger, HoverCardContent }

```

273. components/ui/input-group.tsx

```
1  "use client"
2
3  import * as React from "react"
4  import { cva, type VariantProps } from "class-variance-authority"
5
6  import { cn } from "@lib/Utils"
7  import { Button } from "@components/ui/button"
8  import { Input } from "@components/ui/input"
9  import { Textarea } from "@components/ui/textarea"
10
11 function InputGroup({ className, ...props }: React.ComponentProps<"div">) {
12   return (
13     <div
14       data-slot="input-group"
15       role="group"
16       className={cn(
17         "group/input-group border-input dark:bg-input/30 shadow-xs relative flex w-full items-center rounded-md border outline-none transition-[color,box-shadow]",
18         "h-9 has->[>textarea]:h-auto",
19
20         // Variants based on alignment.
21         "has->[data-align=inline-start]:[&>input]:pl-2",
22         "has->[data-align=inline-end]:[&>input]:pr-2",
23         "has->[data-align=block-start]:h-auto has->[data-align=block-start]:flex-col has->[data-align=block-start]:[&>input]:pb-3",
24         "has->[data-align=block-end]:h-auto has->[data-align=block-end]:flex-col has->[data-align=block-end]:[&>input]:pt-3",
25
26         // Focus state.
27         "has-[data-slot=input-group-control]:focus-visible:ring-ring has-[data-slot=input-group-control]:focus-visible:ring-1",
28
29         // Error state.
30         "has-[data-slot][aria-invalid=true]:ring-destructive/20 has-[data-slot][aria-invalid=true]:border-destructive dark:has-[data-slot][aria-invalid=true]:ring-destructive/40",
31
32         className
33       )}
34       {...props}
35     >
36   )
37 }
38
39 const inputGroupAddonVariants = cva(
40   "text-muted-foreground flex h-auto cursor-text select-none items-center justify-center gap-2 py-1.5 text-sm font-medium group-data-[disabled=true]/input-group:opacity-50 [&>kbd]:rounded-[calc(var(--radius)*.4)]",
41   {
42     variants: {
43       align: {
44         "inline-start":
45           "order-first pl-3 has->[>button]:ml-[-0.45rem] has->[>kbd]:ml-[-0.35rem]",
46         "inline-end":
47           "order-last pr-3 has->[>button]:mr-[-0.4rem] has->[>kbd]:mr-[-0.35rem]",
48         "block-start":
49           "[.border-b]:pb-3 order-first w-full justify-start px-3 pt-3 group-has->[>input]/input-group:pt-2.5",
50         "block-end":
51           "[.border-t]:pt-3 order-last w-full justify-start px-3 pb-3 group-has->[>input]/input-group:pb-2.5",
52       },
53     },
54     defaultVariants: {
55       align: "inline-start",
56     },
57   }
58 )
59
60 function InputGroupAddon({
61   className,
62   align = "inline-start",
63   ...props
64 }: React.ComponentProps<"div"> & VariantProps<typeof inputGroupAddonVariants>) {
65   return (
```

```

66     <div
67       role="group"
68       data-slot="input-group-addon"
69       data-align={align}
70       className={cn(inputGroupAddonVariants({ align }), className)}
71       onClick={e => {
72         if ((e.target as HTMLElement).closest("button")) {
73           return
74         }
75         e.currentTarget.parentElement?.querySelector("input")?.focus()
76       }}
77       {...props}
78     />
79   )
80 }
81
82 const inputGroupButtonVariants = cva(
83   "flex items-center gap-2 text-sm shadow-none",
84   {
85     variants: {
86       size: {
87         xs: "h-6 gap-1 rounded-[calc(var(--radius)-5px)] px-2 has-[:>svg]:px-2 [&svg:not([class*='size-'])]:size-3.5",
88         sm: "h-8 gap-1.5 rounded-md px-2.5 has-[:>svg]:px-2.5",
89         "icon-xs":
90           "size-6 rounded-[calc(var(--radius)-5px)] p-0 has-[:>svg]:p-0",
91         "icon-sm": "size-8 p-0 has-[:>svg]:p-0",
92       },
93     },
94     defaultVariants: {
95       size: "xs",
96     },
97   }
98 )
99
100 function InputGroupButton({
101   className,
102   type = "button",
103   variant = "ghost",
104   size = "xs",
105   ...props
106 }: Omit<React.ComponentProps<typeof Button>, "size"> &
107   VariantProps<typeof inputGroupButtonVariants>) {
108   return (
109     <Button
110       type={type}
111       data-size={size}
112       variant={variant}
113       className={cn(inputGroupButtonVariants({ size }), className)}
114       {...props}
115     />
116   )
117 }
118
119 function InputGroupText({ className, ...props }: React.ComponentProps<"span">) {
120   return (
121     <span
122       className={cn(
123         "text-muted-foreground flex items-center gap-2 text-sm [&_svg:not([class*='size-'])]:size-4 [&_svg]:pointer-events-none",
124         className
125       )}
126       {...props}
127     />
128   )
129 }
130
131 function InputGroupInput({
132   className,
133   ...props
134 }: React.ComponentProps<"input">) {

```



```

135   return (
136     <Input
137       data-slot="input-group-control"
138       className={cn(
139         "flex-1 rounded-none border-0 bg-transparent shadow-none focus-visible:ring-0 dark:bg-transparent",
140         className
141       )}
142       {...props}
143     />
144   )
145 }
146
147 function InputGroupTextarea({
148   className,
149   ...props
150 }: React.ComponentProps<"textarea">) {
151   return (
152     <Textarea
153       data-slot="input-group-control"
154       className={cn(
155         "flex-1 resize-none rounded-none border-0 bg-transparent py-3 shadow-none focus-visible:ring-0 dark:bg-transparent",
156         className
157       )}
158       {...props}
159     />
160   )
161 }
162
163 export {
164   InputGroup,
165   InputGroupAddon,
166   InputGroupButton,
167   InputGroupText,
168   InputGroupInput,
169   InputGroupTextarea,
170 }

```

274. components/ui/input.tsx

```

1  import * as React from "react"
2
3  import { cn } from "@lib/utils"
4
5  const Input = React.forwardRef<HTMLInputElement, React.ComponentProps<"input">>(>
6    ({ className, type, ...props }, ref) => {
7      return (
8        <input
9          type={type}
10         className={cn(
11           "flex h-10 w-full rounded-md border border-input bg-background px-3 py-2 text-base ring-offset-background file:border-0 file:bg-transparent file:text-sm file:font-medium file:text-foreground placeholder:text-muted-foreground focus-visible:outline-none focus-visible:ring-2 focus-visible:ring-ring focus-visible:ring-offset-2 disabled:cursor-not-allowed disabled:opacity-50 md:text-sm",
12           className
13         )}
14         ref={ref}
15         {...props}
16       />
17     )
18   }
19 )
20 Input.displayName = "Input"
21
22 export { Input }

```

275. components/ui/label.tsx

```

1 "use client"
2
3 import * as React from "react"
4 import { Label as LabelPrimitive } from "radix-ui"
5 import { cva, type VariantProps } from "class-variance-authority"
6
7 import { cn } from "@/lib/utils"
8
9 const labelVariants = cva(
10   "text-sm font-medium leading-none peer-disabled:cursor-not-allowed peer-disabled:opacity-70"
11 )
12
13 const Label = React.forwardRef<
14   React.ElementRef<typeof LabelPrimitive.Root>,
15   React.ComponentPropsWithoutRef<typeof LabelPrimitive.Root> &
16     VariantProps<typeof labelVariants>
17 >(({ className, ...props }, ref) => (
18   <LabelPrimitive.Root
19     ref={ref}
20     className={cn(labelVariants(), className)}
21     {...props}
22   />
23 ))
24 Label.displayName = LabelPrimitive.Root.displayName
25
26 export { Label }

```

276. components/ui/progress.tsx

```

1 "use client"
2
3 import * as React from "react"
4 import { Progress as ProgressPrimitive } from "radix-ui"
5
6 import { cn } from "@/lib/utils"
7
8 const Progress = React.forwardRef<
9   React.ElementRef<typeof ProgressPrimitive.Root>,
10   React.ComponentPropsWithoutRef<typeof ProgressPrimitive.Root>
11 >(({ className, value, ...props }, ref) => (
12   <ProgressPrimitive.Root
13     ref={ref}
14     className={cn(
15       "relative h-4 w-full overflow-hidden rounded-full bg-secondary",
16       className
17     )}
18     {...props}
19   >
20     <ProgressPrimitive.Indicator
21       className="h-full w-full flex-1 bg-primary transition-all"
22       style={{ transform: `translateX(-${100 - (value || 0)}%)` }}
23     />
24   </ProgressPrimitive.Root>
25 ))
26 Progress.displayName = ProgressPrimitive.Root.displayName
27
28 export { Progress }

```

277. components/ui/scroll-area.tsx

```

1 "use client"
2
3 import * as React from "react"
4 import { ScrollArea as ScrollAreaPrimitive } from "radix-ui"
5

```

```

6 import { cn } from "@lib/utils"
7
8 const ScrollArea = React.forwardRef<
9   React.ElementRef<typeof ScrollAreaPrimitive.Root>,
10   React.ComponentPropsWithoutRef<typeof ScrollAreaPrimitive.Root>
11 >(({ className, children, ...props }, ref) => {
12   <ScrollAreaPrimitive.Root
13     ref={ref}
14     className={cn("relative overflow-hidden", className)}
15     {...props}
16   >
17     <ScrollAreaPrimitive.Viewport className="h-full w-full rounded-[inherit]">
18       {children}
19     </ScrollAreaPrimitive.Viewport>
20     <ScrollBar />
21     <ScrollAreaPrimitive.Corner />
22   </ScrollAreaPrimitive.Root>
23 })
24 ScrollArea.displayName = ScrollAreaPrimitive.Root.displayName
25
26 const ScrollBar = React.forwardRef<
27   React.ElementRef<typeof ScrollAreaPrimitive.ScrollAreaScrollbar>,
28   React.ComponentPropsWithoutRef<typeof ScrollAreaPrimitive.ScrollAreaScrollbar>
29 >(({ className, orientation = "vertical", ...props }, ref) => {
30   <ScrollAreaPrimitive.ScrollAreaScrollbar
31     ref={ref}
32     orientation={orientation}
33     className={cn(
34       "flex touch-none select-none transition-colors",
35       orientation === "vertical" &&
36         "h-full w-2.5 border-l border-l-transparent p-[1px]",
37       orientation === "horizontal" &&
38         "h-2.5 flex-col border-t border-t-transparent p-[1px]",
39       className
40     )}
41     {...props}
42   >
43     <ScrollAreaPrimitive.ScrollAreaThumb className="relative flex-1 rounded-full bg-border" />
44   </ScrollAreaPrimitive.ScrollAreaScrollbar>
45 })
46 ScrollBar.displayName = ScrollAreaPrimitive.ScrollAreaScrollbar.displayName
47
48 export { ScrollArea, ScrollBar }

```

278. components/ui/select.tsx

```

1 "use client"
2
3 import * as React from "react"
4 import { Select as SelectPrimitive } from "radix-ui"
5 import { Check, ChevronDown, ChevronUp } from "lucide-react"
6
7 import { cn } from "@lib/utils"
8
9 const Select = SelectPrimitive.Root
10
11 const SelectGroup = SelectPrimitive.Group
12
13 const SelectValue = SelectPrimitive.Value
14
15 const SelectTrigger = React.forwardRef<
16   React.ElementRef<typeof SelectPrimitive.Trigger>,
17   React.ComponentPropsWithoutRef<typeof SelectPrimitive.Trigger>
18 >(({ className, children, ...props }, ref) => {
19   <SelectPrimitive.Trigger
20     ref={ref}
21     className={cn(

```

```

22      "flex h-10 w-full items-center justify-between rounded-md border border-input bg-background px-3 py-2 text-sm ring-offset-background data-[placeholder]:text-muted-foreground focus:outline-none focus:ring-offset-2 disabled:cursor-not-allowed disabled:opacity-50 [>span]:line-clamp-1",
23      className
24    )}
25    {...props}
26  >
27    {children}
28    <SelectPrimitive.Icon asChild>
29      <ChevronDown className="h-4 w-4 opacity-50" />
30    </SelectPrimitive.Icon>
31    </SelectPrimitive.Trigger>
32  ))
33  SelectTrigger.displayName = SelectPrimitive.Trigger.displayName
34
35  const SelectScrollUpButton = React.forwardRef<
36    React.ElementRef<typeof SelectPrimitive.ScrollUpButton>,
37    React.ComponentPropsWithoutRef<typeof SelectPrimitive.ScrollUpButton>
38  >(({ className, ...props }, ref) => (
39    <SelectPrimitive.ScrollUpButton
40      ref={ref}
41      className={cn(
42        "flex cursor-default items-center justify-center py-1",
43        className
44      )}
45      {...props}
46    >
47      <ChevronUp className="h-4 w-4" />
48    </SelectPrimitive.ScrollUpButton>
49  ))
50  SelectScrollUpButton.displayName = SelectPrimitive.ScrollUpButton.displayName
51
52  const SelectScrollDownButton = React.forwardRef<
53    React.ElementRef<typeof SelectPrimitive.ScrollDownButton>,
54    React.ComponentPropsWithoutRef<typeof SelectPrimitive.ScrollDownButton>
55  >(({ className, ...props }, ref) => (
56    <SelectPrimitive.ScrollDownButton
57      ref={ref}
58      className={cn(
59        "flex cursor-default items-center justify-center py-1",
60        className
61      )}
62      {...props}
63    >
64      <ChevronDown className="h-4 w-4" />
65    </SelectPrimitive.ScrollDownButton>
66  ))
67  SelectScrollDownButton.displayName =
68    SelectPrimitive.ScrollDownButton.displayName
69
70  const SelectContent = React.forwardRef<
71    React.ElementRef<typeof SelectPrimitive.Content>,
72    React.ComponentPropsWithoutRef<typeof SelectPrimitive.Content>
73  >(({ className, children, position = "popper", ...props }, ref) => (
74    <SelectPrimitive.Portal>
75      <SelectPrimitive.Content
76        ref={ref}
77        className={cn(
78          "relative z-50 max-h-[--radix-select-content-available-height] min-w-[8rem] overflow-y-auto overflow-x-hidden rounded-md border bg-popover text-popover-foreground shadow-md data-[state=open]:animate-out data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0 data-[state=closed]:zoom-out-95 data-[state=open]:zoom-in-95 data-[side=bottom]:slide-in-from-top-2 data-[side=left]:slide-in-from-right-2 from-left-2 data-[side=top]:slide-in-from-bottom-2 origin-[--radix-select-content-transform-origin]",
79          position === "popper" &&
80            "data-[side=bottom]:translate-y-1 data-[side=left]:-translate-x-1 data-[side=right]:translate-x-1 data-[side=top]:-translate-y-1",
81          className
82        )}
83        position={position}
84        {...props}
85      >
86        <SelectScrollUpButton />
87        <SelectPrimitive.Viewport

```

```

88     className={cn(
89       "p-1",
90       position === "popper" &&
91         "h-[var(--radix-select-trigger-height)] w-full min-w-[var(--radix-select-trigger-width)]"
92     )}
93   >
94     {children}
95   </SelectPrimitive.Viewport>
96   <SelectScrollDownButton />
97 </SelectPrimitive.Content>
98 </SelectPrimitive.Portal>
99 ))
100 SelectContent.displayName = SelectPrimitive.Content.displayName
101
102 const SelectLabel = React.forwardRef<
103   React.ElementRef<typeof SelectPrimitive.Label>,
104   React.ComponentPropsWithoutRef<typeof SelectPrimitive.Label>
105 >(({ className, ...props }, ref) => (
106   <SelectPrimitive.Label
107     ref={ref}
108     className={cn("py-1.5 pl-8 pr-2 text-sm font-semibold", className)}
109     {...props}
110   />
111 ))
112 SelectLabel.displayName = SelectPrimitive.Label.displayName
113
114 const SelectItem = React.forwardRef<
115   React.ElementRef<typeof SelectPrimitive.Item>,
116   React.ComponentPropsWithoutRef<typeof SelectPrimitive.Item>
117 >(({ className, children, ...props }, ref) => (
118   <SelectPrimitive.Item
119     ref={ref}
120     className={cn(
121       "relative flex w-full cursor-default select-none items-center rounded-sm py-1.5 pl-8 pr-2 text-sm outline-none focus:bg-accent focus:text-accent-foreground data-[disabled]:pointer-events-none data-
122       className
123     )}
124     {...props}
125   >
126     <span className="absolute left-2 flex h-3.5 w-3.5 items-center justify-center">
127       <SelectPrimitive.ItemIndicator>
128         <Check className="h-4 w-4" />
129       </SelectPrimitive.ItemIndicator>
130     </span>
131     <SelectPrimitive.ItemText>{children}</SelectPrimitive.ItemText>
132   </SelectPrimitive.Item>
133 ))
134 SelectItem.displayName = SelectPrimitive.Item.displayName
135
136 const SelectSeparator = React.forwardRef<
137   React.ElementRef<typeof SelectPrimitive.Separator>,
138   React.ComponentPropsWithoutRef<typeof SelectPrimitive.Separator>
139 >(({ className, ...props }, ref) => (
140   <SelectPrimitive.Separator
141     ref={ref}
142     className={cn("-mx-1 my-1 h-px bg-muted", className)}
143     {...props}
144   />
145 ))
146 SelectSeparator.displayName = SelectPrimitive.Separator.displayName
147
148
149 export {
150   Select,
151   SelectGroup,
152   SelectValue,
153   SelectTrigger,
154   SelectContent,
155   SelectLabel,
156   SelectItem,

```

```

157   SelectSeparator,
158   SelectScrollUpButton,
159   SelectScrollDownButton,
160 }

```

279. components/ui/separator.tsx

```

1  "use client"
2
3  import * as React from "react"
4  import { Separator as SeparatorPrimitive } from "radix-ui"
5
6  import { cn } from "@lib/utils"
7
8  const Separator = React.forwardRef<
9    React.ElementRef<typeof SeparatorPrimitive.Root>,
10    React.ComponentPropsWithoutRef<typeof SeparatorPrimitive.Root>
11  >({
12    (
13      { className, orientation = "horizontal", decorative = true, ...props },
14      ref
15    ) => {
16      <SeparatorPrimitive.Root
17        ref={ref}
18        decorative={decorative}
19        orientation={orientation}
20        className={cn(
21          "shrink-0 bg-border",
22          orientation === "horizontal" ? "h-[1px] w-full" : "h-full w-[1px]",
23          className
24        )}
25        {...props}
26      />
27    }
28  )
29  Separator.displayName = SeparatorPrimitive.Root.displayName
30
31  export { Separator }

```

280. components/ui/sheet.tsx

```

1  "use client"
2
3  import * as React from "react"
4  import { Dialog as SheetPrimitive } from "radix-ui"
5  import { cva, type VariantProps } from "class-variance-authority"
6  import { X } from "lucide-react"
7
8  import { cn } from "@lib/utils"
9
10 const Sheet = SheetPrimitive.Root
11
12 const SheetTrigger = SheetPrimitive.Trigger
13
14 const SheetClose = SheetPrimitive.Close
15
16 const SheetPortal = SheetPrimitive.Portal
17
18 const SheetOverlay = React.forwardRef<
19   React.ElementRef<typeof SheetPrimitive.Overlay>,
20   React.ComponentPropsWithoutRef<typeof SheetPrimitive.Overlay>
21 >(({ className, ...props }, ref) => {
22   <SheetPrimitive.Overlay
23     className={cn(
24       "fixed inset-0 z-50 bg-black/80 data-[state=open]:animate-in data-[state=closed]:animate-out data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0",

```

```

25     className
26   })
27   {...props}
28   ref={ref}
29 />
30 ))
31 SheetOverlay.displayName = SheetPrimitive.Overlay.displayName
32
33 const sheetVariants = cva(
34   "fixed z-50 gap-4 bg-background p-6 shadow-lg transition ease-in-out data-[state=open]:animate-in data-[state=closed]:animate-out data-[state=closed]:duration-300 data-[state=open]:duration-500",
35   {
36     variants: {
37       side: {
38         top: "inset-x-0 top-0 border-b data-[state=closed]:slide-out-to-top data-[state=open]:slide-in-from-top",
39         bottom:
40           "inset-x-0 bottom-0 border-t data-[state=closed]:slide-out-to-bottom data-[state=open]:slide-in-from-bottom",
41         left: "inset-y-0 left-0 h-full w-3/4 border-r data-[state=closed]:slide-out-to-left data-[state=open]:slide-in-from-left sm:max-w-sm",
42         right:
43           "inset-y-0 right-0 h-full w-3/4 border-l data-[state=closed]:slide-out-to-right data-[state=open]:slide-in-from-right sm:max-w-sm",
44       },
45     },
46     defaultVariants: {
47       side: "right",
48     },
49   }
50 )
51
52 interface SheetContentProps
53   extends React.ComponentPropsWithoutRef<typeof SheetPrimitive.Content>,
54     VariantProps<typeof sheetVariants> {}
55
56 const SheetContent = React.forwardRef<
57   React.ElementRef<typeof SheetPrimitive.Content>,
58   SheetContentProps
59 >(({ side = "right", className, children, ...props }, ref) => (
60   <SheetPortal>
61     <SheetOverlay />
62     <SheetPrimitive.Content
63       ref={ref}
64       className={cn(sheetVariants({ side }), className)}
65       {...props}
66     >
67       {children}
68     <SheetPrimitive.Close className="absolute right-4 top-4 rounded-sm opacity-70 ring-offset-background transition-opacity hover:opacity-100 focus:outline-none focus:ring-2 focus:ring-ring focus:ring-
events-none data-[state=open]:bg-secondary">
69       <X className="h-4 w-4" />
70       <span className="sr-only">Close</span>
71     </SheetPrimitive.Close>
72   </SheetPrimitive.Content>
73 </SheetPortal>
74 ))
75 SheetContent.displayName = SheetPrimitive.Content.displayName
76
77 const SheetHeader = ({
78   className,
79   ...props
80 }: React.HTMLAttributes<HTMLDivElement>) => (
81   <div
82     className={cn(
83       "flex flex-col space-y-2 text-center sm:text-left",
84       className
85     )}
86     {...props}
87   >
88 )
89 SheetHeader.displayName = "SheetHeader"
90
91 const SheetFooter = ({
92   className,

```

```

93   ...props
94 }: React.HTMLAttributes<HTMLDivElement>) => (
95   <div
96     className={cn(
97       "flex flex-col-reverse sm:flex-row sm:justify-end sm:space-x-2",
98       className
99     )}
100    {...props}
101   />
102 )
103 SheetFooter.displayName = "SheetFooter"
104
105 const SheetTitle = React.forwardRef<
106   React.ElementRef<typeof SheetPrimitive.Title>,
107   React.ComponentPropsWithoutRef<typeof SheetPrimitive.Title>
108 >(({ className, ...props }, ref) => (
109   <SheetPrimitive.Title
110     ref={ref}
111     className={cn("text-lg font-semibold text-foreground", className)}
112     {...props}
113   />
114 ))
115 SheetTitle.displayName = SheetPrimitive.Title.displayName
116
117 const SheetDescription = React.forwardRef<
118   React.ElementRef<typeof SheetPrimitive.Description>,
119   React.ComponentPropsWithoutRef<typeof SheetPrimitive.Description>
120 >(({ className, ...props }, ref) => (
121   <SheetPrimitive.Description
122     ref={ref}
123     className={cn("text-sm text-muted-foreground", className)}
124     {...props}
125   />
126 ))
127 SheetDescription.displayName = SheetPrimitive.Description.displayName
128
129 export {
130   Sheet,
131   SheetPortal,
132   SheetOverlay,
133   SheetTrigger,
134   SheetClose,
135   SheetContent,
136   SheetHeader,
137   SheetFooter,
138   SheetTitle,
139   SheetDescription,
140 }

```

281. components/ui/sidebar.tsx

```

1  "use client";
2
3  import { cva, type VariantProps } from "class-variance-authority";
4  import { PanelLeft } from "lucide-react";
5  import { Slot as SlotPrimitive } from "radix-ui";
6  import * as React from "react";
7  import { Button } from "@/components/ui/button";
8  import { Input } from "@/components/ui/input";
9  import { Separator } from "@/components/ui/separator";
10 import {
11   Sheet,
12   SheetContent,
13   SheetDescription,
14   SheetHeader,
15   SheetTitle,
16 } from "@/components/ui/sheet";

```



```

17 import { Skeleton } from "@components/ui/skeleton";
18 import {
19   Tooltip,
20   TooltipContent,
21   TooltipProvider,
22   TooltipTrigger,
23 } from "@components/ui/tooltip";
24 import { useIsMobile } from "@hooks/use-mobile";
25 import { cn } from "@lib/utls";
26
27 const SIDEBAR_COOKIE_NAME = "sidebar_state";
28 const SIDEBAR_COOKIE_MAX_AGE = 60 * 60 * 24 * 7;
29 const SIDEBAR_WIDTH = "16rem";
30 const SIDEBAR_WIDTH_MOBILE = "18rem";
31 const SIDEBAR_WIDTH_ICON = "3rem";
32 const SIDEBAR_KEYBOARD_SHORTCUT = "b";
33
34 type SidebarContextProps = {
35   state: "expanded" | "collapsed";
36   open: boolean;
37   setOpen: (open: boolean) => void;
38   openMobile: boolean;
39   setOpenMobile: (open: boolean) => void;
40   isMobile: boolean;
41   toggleSidebar: () => void;
42 };
43
44 const SidebarContext = React.createContext<SidebarContextProps | null>(null);
45
46 function useSidebar() {
47   const context = React.useContext(SidebarContext);
48   if (!context) {
49     throw new Error("useSidebar must be used within a SidebarProvider.");
50   }
51
52   return context;
53 }
54
55 const SidebarProvider = React.forwardRef<
56   HTMLDivElement,
57   React.ComponentProps<"div"> & {
58     defaultOpen?: boolean;
59     open?: boolean;
60     onOpenChange?: (open: boolean) => void;
61   }
62 >({
63   {
64     {
65       defaultOpen = true,
66       open: openProp,
67       onOpenChange: setOpenProp,
68       className,
69       style,
70       children,
71       ...props
72     },
73     ref
74   } => {
75     const isMobile = useIsMobile();
76     const [openMobile, setOpenMobile] = React.useState(false);
77     // ☐ Desktop руу шилжихэд mobile sheet үлдэж "дарж болохгүй" болгодог.
78     // Тиймээс desktop болсон мөчид openMobile-г хүчээр хаана.
79     React.useEffect(() => {
80       if (!isMobile && openMobile) {
81         setOpenMobile(false);
82       }
83     }, [isMobile, openMobile]);
84
85     // ☐ Хэрвээ Sheet хаагдсан ч body дээр lock үлдвэл цэвэрлэнэ.

```

```

86 React.useEffect(() => {
87   if (openMobile) return;
88   document.body.style.overflow = "";
89   document.body.style.pointerEvents = "";
90 }, [openMobile]);
91
92 // This is the internal state of the sidebar.
93 // We use openProp and setOpenProp for control from outside the component.
94 const [_open, _setOpen] = React.useState(defaultOpen);
95 const open = openProp ?? _open;
96 const setOpen = React.useCallback(
97   (value: boolean | ((value: boolean) => boolean)) => {
98     const openState = typeof value === "function" ? value(open) : value;
99     if (setOpenProp) {
100       setOpenProp(openState);
101     } else {
102       _setOpen(openState);
103     }
104
105     // This sets the cookie to keep the sidebar state.
106     document.cookie = `${SIDEBAR_COOKIE_NAME}=${openState}; path=/; max-age=${SIDEBAR_COOKIE_MAX_AGE}`;
107   },
108   [setOpenProp, open]
109 );
110
111 // Helper to toggle the sidebar.
112 const toggleSidebar = React.useCallback(() => {
113   return isMobile
114     ? setOpenMobile((open) => !open)
115     : setOpen((open) => !open);
116 }, [isMobile, setOpen, setOpenMobile]);
117
118 // Adds a keyboard shortcut to toggle the sidebar.
119 // □ When switching to desktop, force-close the mobile sheet (prevents invisible overlay blocking clicks)
120 React.useEffect(() => {
121   if (!isMobile && openMobile) {
122     setOpenMobile(false);
123   }
124 }, [isMobile, openMobile]);
125
126 React.useEffect(() => {
127   const handleKeyDown = (event: KeyboardEvent) => {
128     if (
129       event.key === SIDEBAR_KEYBOARD_SHORTCUT &&
130       (event.metaKey || event.ctrlKey)
131     ) {
132       event.preventDefault();
133       toggleSidebar();
134     }
135   };
136
137   window.addEventListener("keydown", handleKeyDown);
138   return () => window.removeEventListener("keydown", handleKeyDown);
139 }, [toggleSidebar]);
140
141 // We add a state so that we can do data-state="expanded" or "collapsed".
142 // This makes it easier to style the sidebar with Tailwind classes.
143 const state = open ? "expanded" : "collapsed";
144
145 const contextValue = React.useMemo<SidebarContextProps>(
146   () => ({
147     state,
148     open,
149     setOpen,
150     isMobile,
151     openMobile,
152     setOpenMobile,
153     toggleSidebar,
154   }),
155   [state, open, setOpen, isMobile, openMobile, setOpenMobile, toggleSidebar]

```

```

155   );
156
157   return (
158     <SidebarContext.Provider value={contextValue}>
159       <TooltipProvider delayDuration={0}>
160         <div
161           className={cn(
162             "group/sidebar-wrapper flex min-h-svh w-full has-[[data-variant=inset]]:bg-sidebar",
163             className
164           )}
165           ref={ref}
166           style={
167             {
168               "--sidebar-width": SIDEBAR_WIDTH,
169               "--sidebar-width-icon": SIDEBAR_WIDTH_ICON,
170               ...style,
171             } as React.CSSProperties
172           }
173           {...props}
174         >
175           {children}
176         </div>
177       </TooltipProvider>
178     </SidebarContext.Provider>
179   );
180 }
181
182 SidebarProvider.displayName = "SidebarProvider";
183
184 const Sidebar = React.forwardRef<
185   HTMLDivElement,
186   React.ComponentProps<"div"> & {
187     side?: "left" | "right";
188     variant?: "sidebar" | "floating" | "inset";
189     collapsible?: "offcanvas" | "icon" | "none";
190   }
191 >({
192   (
193     {
194       side = "left",
195       variant = "sidebar",
196       collapsible = "offcanvas",
197       className,
198       children,
199       ...props
200     },
201     ref
202   ) => {
203     const { isMobile, state, openMobile, setOpenMobile } = useSidebar();
204
205     if (collapsible === "none") {
206       return (
207         <div
208           className={cn(
209             "flex h-full w-[var(--sidebar-width)] flex-col bg-sidebar text-sidebar-foreground",
210             className
211           )}
212           ref={ref}
213           {...props}
214         >
215           {children}
216         </div>
217       );
218     }
219
220     if (isMobile) {
221       return (
222         <Sheet key="mobile-sidebar-sheet" onOpenChange={setOpenMobile} open={openMobile} {...props}>
223         <SheetContent

```

```

224     className="w-[var(--sidebar-width)] bg-sidebar p-0 text-sidebar-foreground [&button]:hidden"
225     data-mobile="true"
226     data-sidebar="sidebar"
227     side={side}
228     style={
229       {
230         "--sidebar-width": SIDEBAR_WIDTH_MOBILE,
231       } as React.CSSProperties
232     }
233   >
234     <SheetHeader className="sr-only">
235       <SheetTitle>Sidebar</SheetTitle>
236       <SheetDescription>Displays the mobile sidebar.</SheetDescription>
237     </SheetHeader>
238     <div className="flex h-full w-full flex-col">{children}</div>
239   </SheetContent>
240 </Sheet>
241 );
242 }
243
244 return (
245   <div
246     className="group peer hidden text-sidebar-foreground md:block"
247     data-collapsible={state === "collapsed" ? collapsible : ""}
248     data-side={side}
249     data-state={state}
250     data-variant={variant}
251     ref={ref}
252   >
253     { /* This is what handles the sidebar gap on desktop */ }
254     <div
255       className=cn(
256         "relative w-[var(--sidebar-width)] bg-transparent transition-[width] duration-200 ease-linear",
257         "group-data-[collapsible=offcanvas]:w-0",
258         "group-data-[side=right]:rotate-180",
259         variant === "floating" || variant === "inset"
260           ? "group-data-[collapsible=icon]:w-[calc(var(--sidebar-width-icon)_+_theme(spacing.4))]"
261           : "group-data-[collapsible=icon]:w-[var(--sidebar-width-icon)]"
262       )
263     />
264     <div
265       className=cn(
266         "fixed inset-y-0 z-0 hidden h-svh w-[var(--sidebar-width)] transition-[left,right,width] duration-200 ease-linear md:flex",
267         side === "left"
268           ? "left-0 group-data-[collapsible=offcanvas]:left-[calc(var(--sidebar-width)*-1)]"
269           : "right-0 group-data-[collapsible=offcanvas]:right-[calc(var(--sidebar-width)*-1)]",
270         // Adjust the padding for floating and inset variants.
271         variant === "floating" || variant === "inset"
272           ? "p-2 group-data-[collapsible=icon]:w-[calc(var(--sidebar-width-icon)_+_theme(spacing.4)_+2px)]"
273           : "group-data-[collapsible=icon]:w-[var(--sidebar-width-icon)] group-data-[side=left]:border-r group-data-[side=right]:border-l",
274         className
275       )
276       {...props}
277     >
278       <div
279         className="flex h-full w-full flex-col bg-sidebar group-data-[variant=floating]:rounded-lg group-data-[variant=floating]:border group-data-[variant=floating]:border-sidebar-border group-data-[variant=floating]:border-transparent"
280         data-sidebar="sidebar"
281       >
282         {children}
283       </div>
284     </div>
285   </div>
286 );
287 }
288 );
289 Sidebar.displayName = "Sidebar";
290
291 const SidebarTrigger = React.forwardRef<
292   React.ElementRef<typeof Button>,

```

```

293   React.ComponentProps<typeof Button>
294   >(({ className, onClick, ...props }, ref) => {
295     const { toggleSidebar } = useSidebar();
296
297     return (
298       <Button
299         className={cn("h-7 w-7", className)}
300         data-sidebar="trigger"
301         onClick={event => {
302           onClick?.(event);
303           toggleSidebar();
304         }}
305         ref={ref}
306         size="icon"
307         variant="ghost"
308         {...props}
309       >
310         <PanelLeft />
311         <span className="sr-only">Toggle Sidebar</span>
312       </Button>
313     );
314   });
315   SidebarTrigger.displayName = "SidebarTrigger";
316
317   const SidebarRail = React.forwardRef<
318     HTMLButtonElement,
319     React.ComponentProps<"button">
320   >(({ className, ...props }, ref) => {
321     const { toggleSidebar } = useSidebar();
322
323     return (
324       <button
325         aria-label="Toggle Sidebar"
326         className={cn(
327           "-translate-x-1/2 group-data-[side=left]:-right-4 absolute inset-y-0 z-20 hidden w-4 transition-all ease-linear after:absolute after:inset-y-0 after:left-1/2 after:w-[2px] hover:after:bg-sidebar",
328           "[data-side=left]_&:cursor-w-resize [[data-side=right]_&:cursor-e-resize",
329           "[[data-side=left][data-state=collapsed]_&:cursor-e-resize [[data-side=right][data-state=collapsed]_&:cursor-w-resize",
330           "group-data-[collapsible=offcanvas]:translate-x-0 group-data-[collapsible=offcanvas]:hover:bg-sidebar group-data-[collapsible=offcanvas]:after:left-full",
331           "[[data-side=left][data-collapsible=offcanvas]_&:-right-2",
332           "[[data-side=right][data-collapsible=offcanvas]_&:-left-2",
333           className
334         )}
335         data-sidebar="rail"
336         onClick={toggleSidebar}
337         ref={ref}
338         tabIndex=-1
339         title="Toggle Sidebar"
340         {...props}
341       />
342     );
343   });
344   SidebarRail.displayName = "SidebarRail";
345
346   const SidebarInset = React.forwardRef<
347     HTMLDivElement,
348     React.ComponentProps<"main">
349   >(({ className, ...props }, ref) => {
350     return (
351       <main
352         className={cn(
353           "relative flex w-full flex-1 flex-col bg-background",
354           "md:peer-data-[state=collapsed]:peer-data-[variant=inset]:ml-2 md:peer-data-[variant=inset]:m-2 md:peer-data-[variant=inset]:ml-0 md:peer-data-[variant=inset]:rounded-xl md:peer-data-[variant=inset]:",
355           className
356         )}
357         ref={ref}
358         {...props}
359       />
360     );

```

```

361 });
362 SidebarInset.displayName = "SidebarInset";
363
364 const SidebarInput = React.forwardRef<
365   React.ElementRef<typeof Input>,
366   React.ComponentProps<typeof Input>
367 >(({ className, ...props }, ref) => {
368   return (
369     <Input
370       className={cn(
371         "h-8 w-full bg-background shadow-none focus-visible:ring-2 focus-visible:ring-sidebar-ring",
372         className
373       )}
374       data-sidebar="input"
375       ref={ref}
376       {...props}
377     />
378   );
379 });
380 SidebarInput.displayName = "SidebarInput";
381
382 const SidebarHeader = React.forwardRef<
383   HTMLDivElement,
384   React.ComponentProps<"div">
385 >(({ className, ...props }, ref) => {
386   return (
387     <div
388       className={cn("flex flex-col gap-2 p-2", className)}
389       data-sidebar="header"
390       ref={ref}
391       {...props}
392     />
393   );
394 });
395 SidebarHeader.displayName = "SidebarHeader";
396
397 const SidebarFooter = React.forwardRef<
398   HTMLDivElement,
399   React.ComponentProps<"div">
400 >(({ className, ...props }, ref) => {
401   return (
402     <div
403       className={cn("flex flex-col gap-2 p-2", className)}
404       data-sidebar="footer"
405       ref={ref}
406       {...props}
407     />
408   );
409 });
410 SidebarFooter.displayName = "SidebarFooter";
411
412 const SidebarSeparator = React.forwardRef<
413   React.ElementRef<typeof Separator>,
414   React.ComponentProps<typeof Separator>
415 >(({ className, ...props }, ref) => {
416   return (
417     <Separator
418       className={cn("mx-2 w-auto bg-sidebar-border", className)}
419       data-sidebar="separator"
420       ref={ref}
421       {...props}
422     />
423   );
424 });
425 SidebarSeparator.displayName = "SidebarSeparator";
426
427 const SidebarContent = React.forwardRef<
428   HTMLDivElement,
429   React.ComponentProps<"div">

```

```

430 >(({ className, ...props }, ref) => {
431   return (
432     <div
433       className={cn(
434         "flex min-h-0 flex-1 flex-col gap-2 overflow-auto group-data-[collapsible=icon]:overflow-hidden",
435         className
436       )}
437       data-sidebar="content"
438       ref={ref}
439       {...props}
440     />
441   );
442 });
443 SidebarContent.displayName = "SidebarContent";
444
445 const SidebarGroup = React.forwardRef<
446   HTMLDivElement,
447   React.ComponentProps<"div">
448 >(({ className, ...props }, ref) => {
449   return (
450     <div
451       className={cn("relative flex w-full min-w-0 flex-col p-2", className)}
452       data-sidebar="group"
453       ref={ref}
454       {...props}
455     />
456   );
457 });
458 SidebarGroup.displayName = "SidebarGroup";
459
460 const SidebarGroupLabel = React.forwardRef<
461   HTMLDivElement,
462   React.ComponentProps<"div"> & { asChild?: boolean }
463 >(({ className, asChild = false, ...props }, ref) => {
464   const Comp = asChild ? SlotPrimitive.Slot : "div";
465
466   return (
467     <Comp
468       className={cn(
469         "flex h-8 shrink-0 items-center rounded-md px-2 font-medium text-sidebar-foreground/70 text-xs outline-none ring-sidebar-ring transition-[margin,opacity] duration-200 ease-linear focus-visible:ring-2 focus-visible:ring-sidebar-ring",
470         "group-data-[collapsible=icon]:-mt-8 group-data-[collapsible=icon]:opacity-0",
471         className
472       )}
473       data-sidebar="group-label"
474       ref={ref}
475       {...props}
476     />
477   );
478 });
479 SidebarGroupLabel.displayName = "SidebarGroupLabel";
480
481 const SidebarGroupAction = React.forwardRef<
482   HTMLButtonElement,
483   React.ComponentProps<"button"> & { asChild?: boolean }
484 >(({ className, asChild = false, ...props }, ref) => {
485   const Comp = asChild ? SlotPrimitive.Slot : "button";
486
487   return (
488     <Comp
489       className={cn(
490         "absolute top-3.5 right-3 flex aspect-square w-5 items-center justify-center rounded-md p-0 text-sidebar-foreground outline-none ring-sidebar-ring transition-transform hover:bg-sidebar-accent hover:text-sidebar-accent-foreground focus-visible:ring-2 [&svg]:size-4 [&svg]:shrink-0",
491         // Increases the hit area of the button on mobile.
492         "after:-inset-2 after:absolute after:md:hidden",
493         "group-data-[collapsible=icon]:hidden",
494         className
495       )}
496       data-sidebar="group-action"

```

```

497     ref={ref}
498     {...props}
499   />
500   );
501 });
502 SidebarGroupAction.displayName = "SidebarGroupAction";
503
504 const SidebarGroupContent = React.forwardRef<
505   HTMLDivElement,
506   React.ComponentProps<"div">
507 >(({ className, ...props }, ref) => (
508   <div
509     className={cn("w-full text-sm", className)}
510     data-sidebar="group-content"
511     ref={ref}
512     {...props}
513   />
514 ));
515 SidebarGroupContent.displayName = "SidebarGroupContent";
516
517 const SidebarMenu = React.forwardRef<
518   HTMLUListElement,
519   React.ComponentProps<"ul">
520 >(({ className, ...props }, ref) => (
521   <ul
522     className={cn("flex w-full min-w-0 flex-col gap-1", className)}
523     data-sidebar="menu"
524     ref={ref}
525     {...props}
526   />
527 ));
528 SidebarMenu.displayName = "SidebarMenu";
529
530 const SidebarMenuItem = React.forwardRef<
531   HTMLLIElement,
532   React.ComponentProps<"li">
533 >(({ className, ...props }, ref) => (
534   <li
535     className={cn("group/menu-item relative", className)}
536     data-sidebar="menu-item"
537     ref={ref}
538     {...props}
539   />
540 ));
541 SidebarMenuItem.displayName = "SidebarMenuItem";
542
543 const sidebarMenuButtonVariants = cva(
544   "peer/menu-button group-data-[collapsible=icon]:!size-8 group-data-[collapsible=icon]:!p-2 flex w-full items-center gap-2 overflow-hidden rounded-md p-2 text-left text-sm outline-none ring-sidebar-ring
padding] hover:bg-sidebar-accent hover:text-sidebar-accent-foreground focus-visible:ring-2 active:bg-sidebar-accent active:text-sidebar-accent-foreground disabled:pointer-events-none disabled:opacity-50 group-
action]]/menu-item:pr-8 aria-disabled:pointer-events-none aria-disabled:opacity-50 data-[active=true]:bg-sidebar-accent data-[active=true]:font-medium data-[active=true]:text-sidebar-accent-foreground data-[st
accent data-[state=open]:hover:text-sidebar-accent-foreground [&#gt;sapn:last-child]:truncate [&#gt;svg]:size-4 [&#gt;svg]:shrink-0",
545   {
546     variants: {
547       variant: {
548         default: "hover:bg-sidebar-accent hover:text-sidebar-accent-foreground",
549         outline:
550           "bg-background shadow-[0_0_0_1px_hsl(var(--sidebar-border))] hover:bg-sidebar-accent hover:text-sidebar-accent-foreground hover:shadow-[0_0_0_1px_hsl(var(--sidebar-accent))]",
551       },
552       size: {
553         default: "h-8 text-sm",
554         sm: "h-7 text-xs",
555         lg: "group-data-[collapsible=icon]:!p-0 h-12 text-sm",
556       },
557     },
558     defaultVariants: {
559       variant: "default",
560       size: "default",
561     },
562   }

```



```

563 );
564
565 const SidebarMenuButton = React.forwardRef<
566   HTMLButtonElement,
567   React.ComponentProps<"button"> & {
568     asChild?: boolean;
569     isActive?: boolean;
570     tooltip?: string | React.ComponentProps<typeof TooltipContent>;
571   } & VariantProps<typeof sidebarMenuButtonVariants>
572 >({
573   (
574     {
575       asChild = false,
576       isActive = false,
577       variant = "default",
578       size = "default",
579       tooltip,
580       className,
581       ...props
582     },
583     ref
584   ) => {
585     const Comp = asChild ? SlotPrimitive.Slot : "button";
586     const { isMobile, state } = useSidebar();
587
588     const button = (
589       <Comp
590         className={cn(sidebarMenuButtonVariants({ variant, size }), className)}
591         data-active={isActive}
592         data-sidebar="menu-button"
593         data-size={size}
594         ref={ref}
595         {...props}
596       />
597     );
598
599     if (!tooltip) {
600       return button;
601     }
602
603     if (typeof tooltip === "string") {
604       tooltip = {
605         children: tooltip,
606       };
607     }
608
609     return (
610       <Tooltip>
611         <TooltipTrigger asChild>{button}</TooltipTrigger>
612         <TooltipContent
613           align="center"
614           hidden={state !== "collapsed" || isMobile}
615           side="right"
616           {...tooltip}
617         />
618       </Tooltip>
619     );
620   }
621 );
622 SidebarMenuButton.displayName = "SidebarMenuButton";
623
624 const SidebarMenuAction = React.forwardRef<
625   HTMLButtonElement,
626   React.ComponentProps<"button"> & {
627     asChild?: boolean;
628     showOnHover?: boolean;
629   }
630 >(({ className, asChild = false, showOnHover = false, ...props }, ref) => {
631   const Comp = asChild ? SlotPrimitive.Slot : "button";

```

```

632
633   return (
634     <Comp
635       className={cn(
636         "absolute top-1.5 right-1 flex aspect-square w-5 items-center justify-center rounded-md p-0 text-sidebar-foreground outline-none ring-sidebar-ring transition-transform hover:bg-sidebar-accent ho
foreground focus-visible:ring-2 peer-hover/menu-button:text-sidebar-accent-foreground [>svg]:size-4 [>svg]:shrink-0",
637         // Increases the hit area of the button on mobile.
638         "after:-inset-2 after:absolute after:md:hidden",
639         "peer-data-[size=sm]/menu-button:top-1",
640         "peer-data-[size=default]/menu-button:top-1.5",
641         "peer-data-[size=lg]/menu-button:top-2.5",
642         "group-data-[collapsible=icon]:hidden",
643         showOnHover &&
644         "group-focus-within/menu-item:opacity-100 group-hover/menu-item:opacity-100 data-[state=open]:opacity-100 peer-data-[active=true]/menu-button:text-sidebar-accent-foreground md:opacity-0",
645         className
646       )}
647       data-sidebar="menu-action"
648       ref={ref}
649       {...props}
650     />
651   );
652 });
653 SidebarMenuAction.displayName = "SidebarMenuAction";
654
655 const SidebarMenuBadge = React.forwardRef<
656   HTMLDivElement,
657   React.ComponentProps<"div">
658 >(({ className, ...props }, ref) => (
659   <div
660     className={cn(
661       "pointer-events-none absolute right-1 flex h-5 min-w-5 select-none items-center justify-center rounded-md px-1 font-medium text-sidebar-foreground text-xs tabular-nums",
662       "peer-hover/menu-button:text-sidebar-accent-foreground peer-data-[active=true]/menu-button:text-sidebar-accent-foreground",
663       "peer-data-[size=sm]/menu-button:top-1",
664       "peer-data-[size=default]/menu-button:top-1.5",
665       "peer-data-[size=lg]/menu-button:top-2.5",
666       "group-data-[collapsible=icon]:hidden",
667       className
668     )}
669     data-sidebar="menu-badge"
670     ref={ref}
671     {...props}
672   />
673 );
674 SidebarMenuBadge.displayName = "SidebarMenuBadge";
675
676 const SidebarMenuSkeleton = React.forwardRef<
677   HTMLDivElement,
678   React.ComponentProps<"div"> & {
679     showIcon?: boolean;
680   }
681 >(({ className, showIcon = false, ...props }, ref) => {
682   // Random width between 50 to 90%.
683   const width = React.useMemo(() => {
684     return `${Math.floor(Math.random() * 40) + 50}%`;
685   }, []);
686
687   return (
688     <div
689       className={cn("flex h-8 items-center gap-2 rounded-md px-2", className)}
690       data-sidebar="menu-skeleton"
691       ref={ref}
692       {...props}
693     >
694       {showIcon && (
695         <Skeleton
696           className="size-4 rounded-md"
697           data-sidebar="menu-skeleton-icon"
698         />
699       )}

```

```

700     <Skeleton
701       className="h-4 max-w-[var(--skeleton-width)] flex-1"
702       data-sidebar="menu-skeleton-text"
703       style={
704         {
705           "--skeleton-width": width,
706         } as React.CSSProperties
707       }
708     />
709   </div>
710 );
711 });
712 SidebarMenuSkeleton.displayName = "SidebarMenuSkeleton";
713
714 const SidebarMenuSub = React.forwardRef<
715   HTMLUListElement,
716   React.ComponentProps<"ul">
717 >(({ className, ...props }, ref) => (
718   <ul
719     className={cn(
720       "mx-3.5 flex min-w-0 translate-x-py flex-col gap-1 border-sidebar-border border-1 px-2.5 py-0.5",
721       "group-data-[collapsible=icon]:hidden",
722       className
723     )}
724     data-sidebar="menu-sub"
725     ref={ref}
726     {...props}
727   />
728 ));
729 SidebarMenuSub.displayName = "SidebarMenuSub";
730
731 const SidebarMenuSubItem = React.forwardRef<
732   HTMLLIElement,
733   React.ComponentProps<"li">
734 >(({ ...props }, ref) => <li ref={ref} {...props} />);
735 SidebarMenuSubItem.displayName = "SidebarMenuSubItem";
736
737 const SidebarMenuSubButton = React.forwardRef<
738   HTMLAnchorElement,
739   React.ComponentProps<"a"> & {
740     asChild?: boolean;
741     size?: "sm" | "md";
742     isActive?: boolean;
743   }
744 >(({ asChild = false, size = "md", isActive, className, ...props }, ref) => {
745   const Comp = asChild ? SlotPrimitive.Slot : "a";
746
747   return (
748     <Comp
749       className={cn(
750         "-translate-x-py flex h-7 min-w-0 items-center gap-2 overflow-hidden rounded-md px-2 text-sidebar-foreground outline-none ring-sidebar-ring hover:bg-sidebar-accent hover:text-sidebar-accent-foreground",
751         "data-[active=true]:bg-sidebar-accent data-[active=true]:text-sidebar-accent-foreground",
752         size === "sm" && "text-xs",
753         size === "md" && "text-sm",
754         "group-data-[collapsible=icon]:hidden",
755         className
756       )}
757       data-active={isActive}
758       data-sidebar="menu-sub-button"
759       data-size={size}
760       ref={ref}
761       {...props}
762     />
763   );
764 });
765 SidebarMenuSubButton.displayName = "SidebarMenuSubButton";
766

```

```

767 export {
768   Sidebar,
769   SidebarContent,
770   SidebarFooter,
771   SidebarGroup,
772   SidebarGroupAction,
773   SidebarGroupContent,
774   SidebarGroupLabel,
775   SidebarHeader,
776   SidebarInput,
777   SidebarInset,
778   SidebarMenu,
779   SidebarMenuAction,
780   SidebarMenuBadge,
781   SidebarMenuButton,
782   SidebarMenuItem,
783   SidebarMenuSkeleton,
784   SidebarMenuSub,
785   SidebarMenuSubButton,
786   SidebarMenuSubItem,
787   SidebarProvider,
788   SidebarRail,
789   SidebarSeparator,
790   SidebarTrigger,
791   useSidebar,
792 };

```

282. components/ui/skeleton.tsx

```

1  import { cn } from "@/lib/utils"
2
3  function Skeleton({
4    className,
5    ...props
6  }: React.HTMLAttributes<HTMLDivElement>) {
7    return (
8      <div
9        className={cn("animate-pulse rounded-md bg-muted", className)}
10       {...props}
11     />
12   )
13 }
14
15 export { Skeleton }

```

283. components/ui/textarea.tsx

```

1  import * as React from "react"
2
3  import { cn } from "@/lib/utils"
4
5  const Textarea = React.forwardRef<
6    HTMLTextAreaElement,
7    React.ComponentProps<"textarea">
8  >(({ className, ...props }, ref) => {
9    return (
10     <textarea
11       className={cn(
12         "flex min-h-[80px] w-full rounded-md border border-input bg-background px-3 py-2 text-base ring-offset-background placeholder:text-muted-foreground focus-visible:outline-none focus-visible:ring-
focus-visible:ring-offset-2 disabled:cursor-not-allowed disabled:opacity-50 md:text-sm",
13         className
14       )}
15       ref={ref}
16       {...props}
17     />

```

```

18   )
19 })
20 Textarea.displayName = "Textarea"
21
22 export { Textarea }

```

284. components/ui/tooltip.tsx

```

1  "use client"
2
3  import * as React from "react"
4  import { Tooltip as TooltipPrimitive } from "radix-ui"
5
6  import { cn } from "@lib/Utils"
7
8  const TooltipProvider = TooltipPrimitive.Provider
9
10 const Tooltip = TooltipPrimitive.Root
11
12 const TooltipTrigger = TooltipPrimitive.Trigger
13
14 const TooltipContent = React.forwardRef<
15   React.ElementRef<typeof TooltipPrimitive.Content>,
16   React.ComponentPropsWithoutRef<typeof TooltipPrimitive.Content>
17 >(({ className, sideOffset = 4, ...props }, ref) => {
18   <TooltipPrimitive.Content
19     ref={ref}
20     sideOffset={sideOffset}
21     className={cn(
22       "z-50 overflow-hidden rounded-md border bg-popover px-3 py-1.5 text-sm text-popover-foreground shadow-md animate-in fade-in-0 zoom-in-95 data-[state=closed]:animate-out data-[state=closed]:fade-out-0
out-95 data-[side=bottom]:slide-in-from-top-2 data-[side=left]:slide-in-from-right-2 data-[side=right]:slide-in-from-left-2 data-[side=top]:slide-in-from-bottom-2 origin-[--radix-tooltip-content-transform-origin]
23       className
24     )}
25     {...props}
26   />
27 })
28 TooltipContent.displayName = TooltipPrimitive.Content.displayName
29
30 export { Tooltip, TooltipTrigger, TooltipContent, TooltipProvider }

```

285. components/version-footer.tsx

```

1  "use client";
2
3  import { isAfter } from "date-fns";
4  import { motion } from "framer-motion";
5  import { useState } from "react";
6  import { useSWRConfig } from "swr";
7  import { useWindowSize } from "usehooks-ts";
8  import { useArtifact } from "@hooks/use-artifact";
9  import type { Document } from "@lib/db/schema";
10 import { getDocumentTimestampByIndex } from "@lib/Utils";
11 import { LoaderIcon } from "../icons";
12 import { Button } from "../ui/button";
13
14 type VersionFooterProps = {
15   handleVersionChange: (type: "next" | "prev" | "toggle" | "latest") => void;
16   documents: Document[] | undefined;
17   currentVersionIndex: number;
18 };
19
20 export const VersionFooter = ({
21   handleVersionChange,
22   documents,
23   currentVersionIndex,

```

```

24  }: VersionFooterProps) => {
25    const { artifact } = useArtifact();
26
27    const { width } = useWindowSize();
28    const isMobile = width < 768;
29
30    const { mutate } = useSWRConfig();
31    const [isMutating, setIsMutating] = useState(false);
32
33    if (!documents) {
34      return;
35    }
36
37    return (
38      <motion.div
39        animate={{ y: 0 }}
40        className="absolute bottom-0 z-50 flex w-full flex-col justify-between gap-4 border-t bg-background p-4 lg:flex-row"
41        exit={{ y: isMobile ? 200 : 77 }}
42        initial={{ y: isMobile ? 200 : 77 }}
43        transition={{ type: "spring", stiffness: 140, damping: 20 }}
44      >
45        <div>
46          <div>You are viewing a previous version</div>
47          <div className="text-muted-foreground text-sm">
48            Restore this version to make edits
49          </div>
50        </div>
51
52        <div className="flex flex-row gap-4">
53          <Button
54            disabled={isMutating}
55            onClick={async () => {
56              setIsMutating(true);
57
58              mutate(
59                `/api/document?id=${artifact.documentId}`,
60                await fetch(
61                  `/api/document?id=${artifact.documentId}&timestamp=${getDocumentTimestampByIndex(
62                    documents,
63                    currentVersionIndex
64                  )}`,
65                {
66                  method: "DELETE",
67                }
68              ),
69              {
70                optimisticData: documents
71                  ? [
72                    ...documents.filter((document) =>
73                      isAfter(
74                        new Date(document.createdAt),
75                        new Date(
76                          getDocumentTimestampByIndex(
77                            documents,
78                            currentVersionIndex
79                          )
80                        )
81                      )
82                    ],
83                  ]
84                  : [],
85                }
86              );
87            }}
88          >
89            <div>Restore this version</div>
90            {isMutating && (
91              <div className="animate-spin">
92                <LoaderIcon />

```

```

93         </div>
94     )}
95 </Button>
96 <Button
97     onClick={() => {
98         handleVersionChange("latest");
99     }}
100     variant="outline"
101 >
102     Back to latest version
103 </Button>
104 </div>
105 </motion.div>
106 );
107 };

```

286. components/visibility-selector.tsx

```

1  "use client";
2
3  import { type ReactNode, useMemo, useState } from "react";
4  import { Button } from "@components/ui/button";
5  import {
6      DropdownMenu,
7      DropdownMenuContent,
8      DropdownMenuItem,
9      DropdownMenuTrigger,
10 } from "@components/ui/dropdown-menu";
11 import { useChatVisibility } from "@hooks/use-chat-visibility";
12 import { cn } from "@lib/Utils";
13 import {
14     CheckCircleFillIcon,
15     ChevronDownIcon,
16     GlobeIcon,
17     LockIcon,
18 } from "../icons";
19
20 export type VisibilityType = "private" | "public";
21
22 const visibilities: Array<{
23     id: VisibilityType;
24     label: string;
25     description: string;
26     icon: ReactNode;
27 }> = [
28     {
29         id: "private",
30         label: "Private",
31         description: "Only you can access this chat",
32         icon: <LockIcon />,
33     },
34     {
35         id: "public",
36         label: "Public",
37         description: "Anyone with the link can access this chat",
38         icon: <GlobeIcon />,
39     },
40 ];
41
42 export function VisibilitySelector({
43     chatId,
44     className,
45     selectedVisibilityType,
46 }: {
47     chatId: string;
48     selectedVisibilityType: VisibilityType;
49 } & React.ComponentProps<typeof Button>) {

```

```

50   const [open, setOpen] = useState(false);
51
52   const { visibilityType, setVisibilityType } = useChatVisibility({
53     chatId,
54     initialVisibilityType: selectedVisibilityType,
55   });
56
57   const selectedVisibility = useMemo(
58     () => visibilities.find((visibility) => visibility.id === visibilityType),
59     [visibilityType]
60   );
61
62   return (
63     <DropdownMenu onOpenChange={setOpen} open={open}>
64       <DropdownMenuTrigger
65         asChild
66         className={cn(
67           "w-fit data-[state=open]:bg-accent data-[state=open]:text-accent-foreground",
68           className
69         )}
70       >
71         <Button
72           className="hidden h-8 md:flex md:h-fit md:px-2"
73           data-testid="visibility-selector"
74           variant="outline"
75         >
76           {selectedVisibility?.icon}
77           <span className="md:sr-only">{selectedVisibility?.label}</span>
78           <ChevronDownIcon />
79         </Button>
80       </DropdownMenuTrigger>
81
82       <DropdownMenuContent align="start" className="min-w-[300px]">
83         {visibilities.map((visibility) => (
84           <DropdownMenuItem
85             className="group/item flex flex-row items-center justify-between gap-4"
86             data-active={visibility.id === visibilityType}
87             data-testid={`visibility-selector-item-${visibility.id}`}
88             key={visibility.id}
89             onSelect={() => {
90               setVisibilityType(visibility.id);
91               setOpen(false);
92             }}
93           >
94             <div className="flex flex-col items-start gap-1">
95               {visibility.label}
96               {visibility.description && (
97                 <div className="text-muted-foreground text-xs">
98                   {visibility.description}
99                 </div>
100             )}
101             </div>
102             <div className="text-foreground opacity-0 group-data-[active=true]/item:opacity-100 dark:text-foreground">
103               <CheckCircleFillIcon />
104             </div>
105           </DropdownMenuItem>
106         )]}
107       </DropdownMenuContent>
108     </DropdownMenu>
109   );
110 }

```

287. components/weather.tsx

```

1  "use client";
2
3  import cx from "classnames";

```



```

4 import { format, isWithinInterval } from "date-fns";
5 import { useEffect, useState } from "react";
6
7 const SunIcon = ({ size = 40 }: { size?: number }) => (
8   <svg fill="none" height={size} viewBox="0 0 24 24" width={size}>
9     <circle cx="12" cy="12" fill="currentColor" r="5" />
10    <line stroke="currentColor" strokeWidth="2" x1="12" x2="12" y1="1" y2="3" />
11    <line
12      stroke="currentColor"
13      strokeWidth="2"
14      x1="12"
15      x2="12"
16      y1="21"
17      y2="23"
18    />
19    <line
20      stroke="currentColor"
21      strokeWidth="2"
22      x1="4.22"
23      x2="5.64"
24      y1="4.22"
25      y2="5.64"
26    />
27    <line
28      stroke="currentColor"
29      strokeWidth="2"
30      x1="18.36"
31      x2="19.78"
32      y1="18.36"
33      y2="19.78"
34    />
35    <line stroke="currentColor" strokeWidth="2" x1="1" x2="3" y1="12" y2="12" />
36    <line
37      stroke="currentColor"
38      strokeWidth="2"
39      x1="21"
40      x2="23"
41      y1="12"
42      y2="12"
43    />
44    <line
45      stroke="currentColor"
46      strokeWidth="2"
47      x1="4.22"
48      x2="5.64"
49      y1="19.78"
50      y2="18.36"
51    />
52    <line
53      stroke="currentColor"
54      strokeWidth="2"
55      x1="18.36"
56      x2="19.78"
57      y1="5.64"
58      y2="4.22"
59    />
60  </svg>
61 );
62
63 const MoonIcon = ({ size = 40 }: { size?: number }) => (
64   <svg fill="none" height={size} viewBox="0 0 24 24" width={size}>
65     <path
66       d="M21 12.79A9 9 0 1 1 11.21 3A7 7 0 0 0 21 12.79z"
67       fill="currentColor"
68     />
69   </svg>
70 );
71
72 const CloudIcon = ({ size = 24 }: { size?: number }) => (

```

```

73 <svg fill="none" height={size} viewBox="0 0 24 24" width={size}>
74   <path
75     d="M18 10h-1.26A8 8 0 1 0 9 20h9a5 5 0 0 0 0-10z"
76     fill="none"
77     stroke="currentColor"
78     strokeWidth="2"
79   />
80 </svg>
81 );
82
83 type WeatherAtLocation = {
84   latitude: number;
85   longitude: number;
86   generationtime_ms: number;
87   utc_offset_seconds: number;
88   timezone: string;
89   timezone_abbreviation: string;
90   elevation: number;
91   cityName?: string;
92   current_units: {
93     time: string;
94     interval: string;
95     temperature_2m: string;
96   };
97   current: {
98     time: string;
99     interval: number;
100    temperature_2m: number;
101  };
102  hourly_units: {
103    time: string;
104    temperature_2m: string;
105  };
106  hourly: {
107    time: string[];
108    temperature_2m: number[];
109  };
110  daily_units: {
111    time: string;
112    sunrise: string;
113    sunset: string;
114  };
115  daily: {
116    time: string[];
117    sunrise: string[];
118    sunset: string[];
119  };
120 };
121
122 const SAMPLE = {
123   latitude: 37.763_283,
124   longitude: -122.412_86,
125   generationtime_ms: 0.027_894_973_754_882_812,
126   utc_offset_seconds: 0,
127   timezone: "GMT",
128   timezone_abbreviation: "GMT",
129   elevation: 18,
130   current_units: { time: "iso8601", interval: "seconds", temperature_2m: "°C" },
131   current: { time: "2024-10-07T19:30", interval: 900, temperature_2m: 29.3 },
132   hourly_units: { time: "iso8601", temperature_2m: "°C" },
133   hourly: {
134     time: [
135       "2024-10-07T00:00",
136       "2024-10-07T01:00",
137       "2024-10-07T02:00",
138       "2024-10-07T03:00",
139       "2024-10-07T04:00",
140       "2024-10-07T05:00",
141       "2024-10-07T06:00",

```

142 "2024-10-07T07:00",
143 "2024-10-07T08:00",
144 "2024-10-07T09:00",
145 "2024-10-07T10:00",
146 "2024-10-07T11:00",
147 "2024-10-07T12:00",
148 "2024-10-07T13:00",
149 "2024-10-07T14:00",
150 "2024-10-07T15:00",
151 "2024-10-07T16:00",
152 "2024-10-07T17:00",
153 "2024-10-07T18:00",
154 "2024-10-07T19:00",
155 "2024-10-07T20:00",
156 "2024-10-07T21:00",
157 "2024-10-07T22:00",
158 "2024-10-07T23:00",
159 "2024-10-08T00:00",
160 "2024-10-08T01:00",
161 "2024-10-08T02:00",
162 "2024-10-08T03:00",
163 "2024-10-08T04:00",
164 "2024-10-08T05:00",
165 "2024-10-08T06:00",
166 "2024-10-08T07:00",
167 "2024-10-08T08:00",
168 "2024-10-08T09:00",
169 "2024-10-08T10:00",
170 "2024-10-08T11:00",
171 "2024-10-08T12:00",
172 "2024-10-08T13:00",
173 "2024-10-08T14:00",
174 "2024-10-08T15:00",
175 "2024-10-08T16:00",
176 "2024-10-08T17:00",
177 "2024-10-08T18:00",
178 "2024-10-08T19:00",
179 "2024-10-08T20:00",
180 "2024-10-08T21:00",
181 "2024-10-08T22:00",
182 "2024-10-08T23:00",
183 "2024-10-09T00:00",
184 "2024-10-09T01:00",
185 "2024-10-09T02:00",
186 "2024-10-09T03:00",
187 "2024-10-09T04:00",
188 "2024-10-09T05:00",
189 "2024-10-09T06:00",
190 "2024-10-09T07:00",
191 "2024-10-09T08:00",
192 "2024-10-09T09:00",
193 "2024-10-09T10:00",
194 "2024-10-09T11:00",
195 "2024-10-09T12:00",
196 "2024-10-09T13:00",
197 "2024-10-09T14:00",
198 "2024-10-09T15:00",
199 "2024-10-09T16:00",
200 "2024-10-09T17:00",
201 "2024-10-09T18:00",
202 "2024-10-09T19:00",
203 "2024-10-09T20:00",
204 "2024-10-09T21:00",
205 "2024-10-09T22:00",
206 "2024-10-09T23:00",
207 "2024-10-10T00:00",
208 "2024-10-10T01:00",
209 "2024-10-10T02:00",
210 "2024-10-10T03:00",

```

211     "2024-10-10T04:00",
212     "2024-10-10T05:00",
213     "2024-10-10T06:00",
214     "2024-10-10T07:00",
215     "2024-10-10T08:00",
216     "2024-10-10T09:00",
217     "2024-10-10T10:00",
218     "2024-10-10T11:00",
219     "2024-10-10T12:00",
220     "2024-10-10T13:00",
221     "2024-10-10T14:00",
222     "2024-10-10T15:00",
223     "2024-10-10T16:00",
224     "2024-10-10T17:00",
225     "2024-10-10T18:00",
226     "2024-10-10T19:00",
227     "2024-10-10T20:00",
228     "2024-10-10T21:00",
229     "2024-10-10T22:00",
230     "2024-10-10T23:00",
231     "2024-10-11T00:00",
232     "2024-10-11T01:00",
233     "2024-10-11T02:00",
234     "2024-10-11T03:00",
235   ],
236   temperature_2m: [
237     36.6, 32.8, 29.5, 28.6, 29.2, 28.2, 27.5, 26.6, 26.5, 26, 25, 23.5, 23.9,
238     24.2, 22.9, 21, 24, 28.1, 31.4, 33.9, 32.1, 28.9, 26.9, 25.2, 23, 21.1,
239     19.6, 18.6, 17.7, 16.8, 16.2, 15.5, 14.9, 14.4, 14.2, 13.7, 13.3, 12.9,
240     12.5, 13.5, 15.8, 17.7, 19.6, 21, 21.9, 22.3, 22, 20.7, 18.9, 17.9, 17.3,
241     17, 16.7, 16.2, 15.6, 15.2, 15, 15, 15.1, 14.8, 14.8, 14.9, 14.7, 14.8,
242     15.3, 16.2, 17.9, 19.6, 20.5, 21.6, 21, 20.7, 19.3, 18.7, 18.4, 17.9,
243     17.3, 17, 17, 16.8, 16.4, 16.2, 16, 15.8, 15.7, 15.4, 15.4, 16.1, 16.7,
244     17, 18.6, 19, 19.5, 19.4, 18.5, 17.9, 17.5, 16.7, 16.3, 16.1,
245   ],
246 },
247 daily_units: {
248   time: "iso8601",
249   sunrise: "iso8601",
250   sunset: "iso8601",
251 },
252 daily: {
253   time: [
254     "2024-10-07",
255     "2024-10-08",
256     "2024-10-09",
257     "2024-10-10",
258     "2024-10-11",
259   ],
260   sunrise: [
261     "2024-10-07T07:15",
262     "2024-10-08T07:16",
263     "2024-10-09T07:17",
264     "2024-10-10T07:18",
265     "2024-10-11T07:19",
266   ],
267   sunset: [
268     "2024-10-07T19:00",
269     "2024-10-08T18:58",
270     "2024-10-09T18:57",
271     "2024-10-10T18:55",
272     "2024-10-11T18:54",
273   ],
274 },
275 };
276
277 function n(num: number): number {
278   return Math.ceil(num);
279 }

```

```

280
281 export function Weather({
282   weatherAtLocation = SAMPLE,
283 }): {
284   weatherAtLocation?: WeatherAtLocation;
285 } {
286   const currentHigh = Math.max(
287     ...weatherAtLocation.hourly.temperature_2m.slice(0, 24)
288   );
289   const currentLow = Math.min(
290     ...weatherAtLocation.hourly.temperature_2m.slice(0, 24)
291   );
292
293   const isDay = isWithinInterval(new Date(weatherAtLocation.current.time), {
294     start: new Date(weatherAtLocation.daily.sunrise[0]),
295     end: new Date(weatherAtLocation.daily.sunset[0]),
296   });
297
298   const [isMobile, setIsMobile] = useState(false);
299
300   useEffect(() => {
301     const handleResize = () => {
302       setIsMobile(window.innerWidth < 768);
303     };
304
305     handleResize();
306     window.addEventListener("resize", handleResize);
307
308     return () => window.removeEventListener("resize", handleResize);
309   }, []);
310
311   const hoursToShow = isMobile ? 5 : 6;
312
313   const currentTimeIndex = weatherAtLocation.hourly.time.findIndex(
314     (time) => new Date(time) >= new Date(weatherAtLocation.current.time)
315   );
316
317   const displayTimes = weatherAtLocation.hourly.time.slice(
318     currentTimeIndex,
319     currentTimeIndex + hoursToShow
320   );
321   const displayTemperatures = weatherAtLocation.hourly.temperature_2m.slice(
322     currentTimeIndex,
323     currentTimeIndex + hoursToShow
324   );
325
326   const location =
327     weatherAtLocation.cityName ||
328     `${weatherAtLocation.latitude?.toFixed(1)}°, ${weatherAtLocation.longitude?.toFixed(1)}°`;
329
330   return (
331     <div
332       className={cx(
333         "relative flex w-full flex-col gap-3 overflow-hidden rounded-2xl p-4 shadow-lg backdrop-blur-sm",
334         {
335           "bg-gradient-to-br from-sky-400 via-blue-500 to-blue-600": isDay,
336         },
337         {
338           "bg-gradient-to-br from-indigo-900 via-purple-900 to-slate-900":
339             !isDay,
340         }
341       )}
342     >
343     <div className="absolute inset-0 bg-white/10 backdrop-blur-sm" />
344
345     <div className="relative z-10">
346       <div className="mb-2 flex items-center justify-between">
347         <div className="font-medium text-white/80 text-xs">{location}</div>
348         <div className="text-white/60 text-xs">

```

```

349     {format(new Date(weatherAtLocation.current.time), "MMM d, h:mm a")}}
350   </div>
351 </div>
352
353 <div className="mb-3 flex items-center justify-between">
354   <div className="flex items-center gap-3">
355     <div
356       className={cx("text-white/90", {
357         "text-yellow-200": isDay,
358         "text-blue-200": !isDay,
359       })}
360     >
361       {isDay ? <SunIcon size={32} /> : <MoonIcon size={32} />}
362     </div>
363     <div className="font-light text-3xl text-white">
364       {n(weatherAtLocation.current.temperature_2m)}
365       <span className="text-lg text-white/80">
366         {weatherAtLocation.current_units.temperature_2m}
367       </span>
368     </div>
369   </div>
370
371   <div className="text-right">
372     <div className="font-medium text-white/90 text-xs">
373       H: {n(currentHigh)}°
374     </div>
375     <div className="text-white/70 text-xs">L: {n(currentLow)}°</div>
376   </div>
377 </div>
378
379 <div className="rounded-xl bg-white/10 p-3 backdrop-blur-sm">
380   <div className="mb-2 font-medium text-white/80 text-xs">
381     Hourly Forecast
382   </div>
383   <div className="flex justify-between gap-1">
384     {displayTimes.map((time, index) => {
385       const hourTime = new Date(time);
386       const isCurrentHour =
387         hourTime.getHours() === new Date().getHours();
388
389       return (
390         <div
391           className={cx(
392             "flex min-w-0 flex-1 flex-col items-center gap-1 rounded-md px-1 py-1.5",
393             {
394               "bg-white/20": isCurrentHour,
395             }
396           )}
397           key={time}
398         >
399           <div className="font-medium text-white/70 text-xs">
400             {index === 0 ? "Now" : format(hourTime, "ha")}
401           </div>
402
403           <div
404             className={cx("text-white/60", {
405               "text-yellow-200": isDay,
406               "text-blue-200": !isDay,
407             })}
408           >
409             <CloudIcon size={16} />
410           </div>
411
412           <div className="font-medium text-white text-xs">
413             {n(displayTemperatures[index])}°
414           </div>
415         </div>
416       );
417     })}

```

```

418     </div>
419 </div>
420
421 <div className="mt-2 flex justify-between text-white/60 text-xs">
422   <div>
423     Sunrise:{" " }
424     {format(new Date(weatherAtLocation.daily.sunrise[0]), "h:mm a")}
425   </div>
426   <div>
427     Sunset:{" " }
428     {format(new Date(weatherAtLocation.daily.sunset[0]), "h:mm a")}
429   </div>
430 </div>
431 </div>
432 </div>
433 );
434 }

```

288. config/menus.ts

```

1  import {
2    Compass, // □ Би хэн бэ (Үндсэн хөтөлбөр)
3    Layers, // □ Нэмэлт хөтөлбөр
4    HeartPulse, // □ Эрүүл мэнд
5    Briefcase, // □ Ажил, үүрэг
6    HeartHandshake, // □ Харилцаа
7    Target, // □ Утга учир, ирээдүй
8    Globe, // □ Миний ертөнц
9    TrendingUp, // □ Миний явц
10   Stethoscope, // □ Мэргэжилтэнтэй холбогдох
11   Utensils, // □ Эрүүл мэнд (Demo)
12   Scale, // □ Амьдралын тэнцвэр
13   Wallet, // □ Санхүү
14   ClipboardList, // □ Сэтгэл зүйн тест
15   NotebookPen, // □ Миний тэмдэглэл
16   GraduationCap, // □ Сургалт (Хөтөлбөр)
17 } from "lucide-react";
18
19 /* -----
20    2 group only
21 ----- */
22 export type MenuItemGroup = "theory" | "apps" | "practice";
23
24 export interface MenuItem {
25   label: string;
26   href: string; // theory дээр slug маягаар, practice дээр route
27   group: MenuItemGroup;
28   /** il8n key into dict.menu.items (falls back to `label` if absent). */
29   key?: string;
30   /** Цэсэнд байгаа гэхдээ агуулга нь хараахан бэлэн болоогүй – холбоосгүй, "Тун удахгүй" гэж харагдана. */
31   comingSoon?: boolean;
32   /** Идэвхтэй эсэхийг шалгах prefix, `href`-ээс өөр байвал (тухайлбал тухайн
33    * апп олон route-той: /mind/balance/test, /mind/balance/result гэх мэт). */
34   matchHref?: string;
35   artifact?: {
36     title: string;
37     content: string;
38   };
39 }
40
41 export interface MenuConfig {
42   id: string;
43   label: string;
44   icon: any;
45   items: MenuItem[];
46 }
47

```

```

48 export const MENUS: MenuConfig[] = [
49   {
50     id: "whoAmI",
51     label: "Би хэн бэ?",
52     icon: Compass,
53     items: [
54       {
55         label: "Танилцуулга",
56         href: "/mind/who-am-i/intro",
57         group: "theory",
58       },
59       {
60         label: "Амьдралын тэнцвэр шалгах",
61         href: "/mind/who-am-i/balance-test",
62         group: "practice",
63         key: "whoAmIBalanceTest",
64       },
65       {
66         label: "Ажиглах, таних, ойлгох",
67         href: "/mind/who-am-i/observe",
68         group: "theory",
69         comingSoon: true,
70       },
71       {
72         label: "Хүлээн зөвшөөрөх",
73         href: "/mind/who-am-i/accept",
74         group: "theory",
75         comingSoon: true,
76       },
77       {
78         label: "Ирээдүйд төвлөрөх",
79         href: "/mind/who-am-i/focus-future",
80         group: "theory",
81         comingSoon: true,
82       },
83       {
84         label: "Дүгнэлт",
85         href: "/mind/who-am-i/conclusion",
86         group: "theory",
87       },
88       {
89         label: "Даалгавар",
90         href: "/mind/who-am-i/task",
91         group: "theory",
92         comingSoon: true,
93       },
94     ],
95   },
96   {
97     id: "extraPrograms",
98     label: "Нэмэлт хөтөлбөр",
99     icon: Layers,
100    items: [
101      {
102        label: "Идэвхтэй хөтөлбөрүүдийн нэрс гарна",
103        href: "/mind/programs/active",
104        group: "theory",
105        comingSoon: true,
106      },
107      {
108        label: "Дууссан хөтөлбөрүүд",
109        href: "/mind/programs/completed",
110        group: "theory",
111        comingSoon: true,
112      },
113    ],
114  },
115 ],
116

```



```

117 {
118   id: "health",
119   label: "Эрүүл мэнд",
120   icon: HeartPulse,
121   items: [
122     {
123       label: "Тайлбар",
124       href: "/mind/health/intro",
125       group: "theory",
126     },
127     {
128       label: "Миний эрүүл мэнд",
129       href: "/mind/self-care/stress",
130       group: "practice",
131       key: "selfCareHealth",
132     },
133   ],
134 },
135
136 {
137   id: "healthDemo",
138   label: "Эрүүл мэнд (Demo)",
139   icon: Utensils,
140   items: [
141     {
142       label: "Асуумж",
143       href: "/mind/health-demo/questionnaire",
144       group: "practice",
145     },
146     {
147       label: "Дүгнэлт",
148       href: "/mind/health-demo/summary",
149       group: "practice",
150     },
151     {
152       label: "Хөтөлбөр",
153       href: "/mind/health-demo/program",
154       group: "practice",
155     },
156   ],
157 },
158
159 {
160   id: "work",
161   label: "Ажил, үүрэг",
162   icon: Briefcase,
163   items: [
164     {
165       label: "Тайлбар",
166       href: "/mind/work/intro",
167       group: "theory",
168     },
169     {
170       label: "Миний санхүү",
171       href: "/mind/life/finance-app",
172       group: "practice",
173       key: "lifeFinance",
174     },
175   ],
176 },
177
178 {
179   id: "relations",
180   label: "Харилцаа",
181   icon: HeartHandshake,
182   items: [
183     {
184       label: "Тайлбар",
185       href: "/mind/relations/intro",

```

```

186     group: "theory",
187   },
188   {
189     label: "Миний харилцаа",
190     href: "/mind/relations/tests",
191     group: "practice",
192     key: "relationsTests",
193   },
194 ],
195 },
196
197 {
198   id: "purpose",
199   label: "Утга учир, ирээдүй",
200   icon: Target,
201   items: [
202     {
203       label: "Тайлбар",
204       href: "/mind/purpose/intro",
205       group: "theory",
206     },
207     {
208       label: "Миний зорилго",
209       href: "/mind/purpose/goal-planner",
210       group: "practice",
211       key: "purposeGoalPlanner",
212     },
213   ],
214 },
215
216 {
217   id: "myWorld",
218   label: "Миний ертөнц",
219   icon: Globe,
220   items: [
221     {
222       label: "Миний ертөнц - тэмдэглэл апп",
223       href: "/mind/ebooks",
224       group: "practice",
225       key: "selfEbooks",
226     },
227   ],
228 },
229
230 {
231   id: "myProgress",
232   label: "Миний явц",
233   icon: TrendingUp,
234   items: [
235     {
236       label: "Нэгдсэн тайлан",
237       href: "/mind/balance/summary",
238       group: "practice",
239       key: "progressSummary",
240     },
241     {
242       label: "Амьдралын тэнцвэр",
243       href: "/mind/balance/result",
244       group: "practice",
245       key: "progressBalance",
246     },
247     {
248       label: "Аппуудын дүгнэлт",
249       href: "/mind/balance/progress",
250       group: "practice",
251       key: "progressApps",
252     },
253     {
254       label: "Хөтөлбөрийн явц",

```

```

255     href: "/mind/programs/progress",
256     group: "practice",
257     comingSoon: true,
258   },
259 ],
260 },
261
262 {
263   id: "specialists",
264   label: "Мэргэжилтэнтэй холбогдох",
265   icon: Stethoscope,
266   items: [
267     {
268       label: "□ Сэтгэл зүйчтэй чатлах",
269       href: "/mind/therapy",
270       group: "practice",
271       key: "therapyChat",
272     },
273     {
274       label: "Сэтгэл засалч",
275       href: "/mind/specialists/therapist",
276       group: "practice",
277       comingSoon: true,
278     },
279     {
280       label: "Зөвлөх",
281       href: "/mind/specialists/consultant",
282       group: "practice",
283       comingSoon: true,
284     },
285     {
286       label: "Төвүүд",
287       href: "/mind/specialists/centers",
288       group: "practice",
289       comingSoon: true,
290     },
291   ],
292 },
293 ];
294
295 /* -----
296 Simplified flat sidebar menu (no dropdowns) – current active menu.
297 MENUS above is kept as-is (unused) for reference, not deleted.
298 ----- */
299 export const SIMPLE_MENUS: MenuConfig[] = [
300   {
301     id: "simpleBalance",
302     label: "Амьдралын тэнцвэр",
303     icon: Scale,
304     items: [
305       {
306         label: "Амьдралын тэнцвэр",
307         href: "/mind/who-am-i/balance-test",
308         group: "practice",
309       },
310     ],
311   },
312   {
313     id: "simpleHealth",
314     label: "Эрүүл мэнд",
315     icon: HeartPulse,
316     items: [
317       {
318         label: "Эрүүл мэнд",
319         href: "/mind/self-care/stress",
320         group: "practice",
321       },
322     ],
323   },

```

```

324 {
325   id: "simpleFinance",
326   label: "Санхүү",
327   icon: Wallet,
328   items: [
329     { label: "Санхүү", href: "/mind/life/finance-app", group: "practice" },
330   ],
331 },
332 {
333   id: "simpleTest",
334   label: "Сэтгэлзүйн тестүүд",
335   icon: ClipboardList,
336   items: [
337     {
338       label: "Сэтгэл зүйн тест",
339       href: "/mind/balance/result",
340       // Тестийн урсгал олон route-той (/mind/balance/test, /mind/balance/result
341       // гэх мэт) тул бүх /mind/balance/* дээр highlight идэвхтэй байлгана.
342       matchHref: "/mind/balance",
343       group: "practice",
344     },
345   ],
346 },
347 {
348   id: "simpleNotes",
349   label: "Миний тэмдэглэл",
350   icon: NotebookPen,
351   items: [
352     { label: "Миний тэмдэглэл", href: "/mind/ebooks", group: "practice" },
353   ],
354 },
355 {
356   id: "simpleProgram",
357   label: "Сургалт (Хөтөлбөр)",
358   icon: GraduationCap,
359   items: [
360     {
361       label: "Сургалт (Хөтөлбөр)",
362       href: "/mind/programs/active",
363       group: "practice",
364       comingSoon: true,
365     },
366   ],
367 },
368 ];

```

289. content/balance/test.ts

```

1 export * from "@app/(chat)/mind/balance/test/questions";
2 export * from "@app/(chat)/mind/balance/test/constants";

```

290. content/mind/emotion/calm-skill.ts

```

1 export const artifact = {
2   title: "Тайвшрах чадвар гэж юу вэ?",
3   content: `
4 Тайвшрах чадвар гэж юу вэ?
5
6 Хүний амьдралд янз бүрийн асуудал гарах үе олон байдаг.
7 Тийм үед хүн бухимдаж, гуньж, биеэ барьж чадахгүй, бодоогүй үйлдэл гаргах нь бий.
8 Ийм мөчид өөрийгөө буцааж тэнцвэрт байдалд оруулах чадварыг тайвшрах чадвар гэж ойлгож болно.
9
10 Өөрөөр хэлбэл, бүх зүйл сайхан үед л тайван байх биш.
11 Харин бүх зүйл эвгүй үед ч өөрийгөө бүрэн алдахгүй байх чадвар юм.
12

```

13
14 Тайвшрах чадвар нь амьдралд яагаад хэрэгтэй вэ?
15
16 Бид ихэнхдээ тайван байхыг хүсдэг.
17 Гэхдээ бодит амьдрал дээр асуудал үргэлж гарна.
18
19 Уур хүрнэ.
20 Сандарна.
21 Гомдоно.
22 Ядарна.
23
24 Эдгээр нь буруу зүйл биш, бараг л хэвийн үзэгдэл.
25 Харин ийм үед өөрийгөө ээмлэх биш,
26 аажмаар буцааж тайван байдалдаа авчрах чадвар л хамгийн чухал.
27
28
29 Тайвшрах чадвар хэрхэн илэрдэг вэ?
30
31 Уур хүрсэн үед шууд тэсрэхийн оронд түр зогсож чаддаг.
32 Сандарсан үед амьсталаа анзаарч, биеэ мэдэрч чаддаг.
33 Гомдсон үедээ өөрийгөө хэт шүүмжлэхгүй байж чаддаг.
34 Асуудлыг бүхэлд нь биш, жижиг алхмаар харж чаддаг.
35
36
37 Яагаад зарим өдөр тайвширч чаддаггүй вэ?
38
39 Энэ нь сул дорой гэсэн үг биш.
40 Ихэнхдээ тайвшрах чадвар дараах үед түр унтардаг.
41
42 Нойр дутуу үед.
43 Өлссөн үед.
44 Хэт их ажилласан үед.
45 Удаан хугацаанд өөрийгөө тоогоогүй үед.
46
47 Ийм үед “би яагаад ийм байна вэ?” гэж өөрийгөө буруутгахаас илүү
48 “надад одоо юу дутуу байна вэ?” гэж асуух нь илүү тустай.
49
50
51 Тайвшрах чадварын гурван түвшин
52
53 Бие.
54 Ус уух, бага зэрэг алхах, мөр хүзүүгээ суллах, амьсталаа ажиглах.
55
56 Оюун ухаан.
57 “Би одоо сандарч байна. Энэ мэдрэмж түр зуурынх” гэж өөртөө зөөлөн хэлэх.
58
59 Орчин.
60 Дуу чимээг багасгах, хүмүүсээс түр холдох, тайван орчинд орох.
61
62
63 Жижиг бичих дадлага хийцгээе.
64
65 Доорх асуултуудад хариулаад бичээрэй.
66 Энд зөв, буруу гэж байхгүй.
67 Зүгээр л дотор чинь байгаа зүйлээ үгээр гаргах жижиг дасгал юм.
68
69 Одоо бичиж болохгүй бол,
70 дараа тайвшрал хэрэгтэй үедээ эргэж уншаад бичээд үзэж болно.
71 Бага багаар үйлдвэл өөрийгөө тайвшруулж сурна.
72
73 Би одоо юу мэдэрч байна вэ?
74
75
76
77
78 Стресс эхлэх үед би хамгийн түрүүнд ямар шинж тэмдгийг биедээ анзаардаг вэ?
79
80
81

82
83 Дараагийн удаа стресс эхэлмэгц би юуг ганцхан алхам болгож хийх вэ?
84
85
86
87 Надад одоо юу дутуу байна вэ?
88
89
90
91
92 Төгсгөл
93
94 Тайвшрах чадвар бол төрөлхийн авьяас биш.
95 Энэ бол дадал юм.
96
97 Өдөр бүр хүн төгс байсангүй гэж өөрийгөө буруутгах хэрэггүй.
98 Харин хэцүү үед өөрийгөө орхихгүй байх л чухал.
99
100 Хэрвээ одоо чиний дотор юу болоод байгааг яримаар санагдвал,
101 хажуу чатанд чөлөөтэй бичээрэй.
102
103 Би ямарч үед таньтай ярилцахад бэлэн байх болно.
104
105 Харин чи тайвшрах чадвар чинь ямар үед амархан унтарч,
106 ямар үед арай дээр байгааг өөр дээрээ ажиглаж үзмээр байвал
107 "Өдрийн сэтгэл санааны тест (check)" дээр өдөр бүр 30 секунд тэмдэглээд явж болно.
108
109 Тэнд өдөр тутам мэдрэмж, биеийн байдал, ядаргаа зэргээ бичих тусам
110 чиний тайвшрах чадвар нойр, ажил, стрессээс яаж хамаарч өөрчлөгдөж байгааг
111 цаг хугацааны явцад илүү бодитоор харах боломжтой болно.
112 Ингэснээр чи өөрийгөө зэмлэхийн оронд
113 юу дутуу байгааг эрт анзаарч, өөртөө илүү зөөлөн хандаж сурна.
114
115 ,
116 {
117 "title": "What is the ability to calm down?",
118 "content": "
119 What is the ability to calm down?
120
121 In life there are many times when various problems arise.
122 At such times a person may get frustrated, sad, lose control, and act without thinking.
123 The ability to bring yourself back into balance in such moments can be understood as the ability to calm down.
124
125 In other words, it's not being calm only when everything is fine.
126 It's the ability to not completely lose yourself even when everything is going wrong.
127
128
129 Why is the ability to calm down needed in life?
130
131 Most of the time we wish to be calm.
132 But in real life, problems always arise.
133
134 Anger comes.
135 Panic comes.
136 Hurt comes.
137 Exhaustion comes.
138
139 These are not wrong – they're almost normal.
140 What matters most is not to blame yourself at such times,
141 but the ability to gradually bring yourself back to a calm state.
142
143
144 How does the ability to calm down show itself?
145
146 When angry, you can pause instead of exploding right away.
147 When panicked, you can notice your breath and feel your body.
148 When hurt, you can avoid criticizing yourself too harshly.
149 You can see a problem not all at once, but in small steps.
150

151
152 Why can't you calm down on some days?
153
154 This does not mean you are weak.
155 Usually the ability to calm down switches off temporarily at these times.
156
157 When short on sleep.
158 When hungry.
159 When you've worked too much.
160 When you've neglected yourself for a long time.
161
162 At such times, rather than blaming yourself with "why am I like this?",
163 it's more helpful to ask "what am I lacking right now?"
164
165
166 Three levels of the ability to calm down
167
168 Body.
169 Drinking water, walking a little, loosening shoulders and neck, watching your breath.
170
171 Mind.
172 Gently telling yourself, "I'm panicking right now. This feeling is temporary."
173
174 Environment.
175 Lowering the noise, stepping away from people for a while, moving into a calm space.
176
177
178 Let's try a small writing exercise.
179
180 Answer the questions below and write.
181 There is no right or wrong here.
182 It's simply a small exercise to put into words what is inside you.
183
184 If you can't write now,
185 you can come back and try it later when you need calming.
186 By doing a little at a time, you learn to calm yourself.
187
188 What am I feeling right now?
189
190
191
192
193 When stress begins, what is the first sign I notice in my body?
194
195
196
197
198 Next time stress begins, what is the one single step I'll take?
199
200
201
202 What am I lacking right now?
203
204
205
206
207 Closing
208
209 The ability to calm down is not an inborn talent.
210 It is a practice.
211
212 There's no need to blame yourself for not being perfect every day.
213 What matters is not abandoning yourself in hard times.
214
215 If you'd like to talk about what's going on inside you right now,
216 feel free to write in the side chat.
217
218 I'll be ready to talk with you at any time.
219

```

220 If you'd like to observe in yourself when your ability to calm down switches off easily,
221 and when it's a little better,
222 you can log it in 30 seconds each day in the "Daily mood check."
223
224 The more you write your feelings, body state, and fatigue there each day,
225 the more realistically you can see, over time,
226 how your ability to calm down changes depending on sleep, work, and stress.
227 That way, instead of blaming yourself,
228 you learn to notice early what is lacking and to treat yourself more gently.
229 `,
230 },
231 ja: {
232   title: "?????????",
233   content: `
234     ??????
235
236     ?????????????????????????????????
237     ?????????????????????????????????????????????????????????
238     ?????????????????????????????????
239
240     ?????????????????????????????????
241     ?????????????????????????????????
242
243     ?????????????????
244
245
246     ?????????????????????
247     ?????????????????????
248
249     ?????
250     ?????
251     ?????
252     ?????
253
254     ?????????????????????????????????
255     ?????????????????????????????????
256     ?????????????????????????????
257
258
259     ?????????????
260
261     ?????????????????????????????
262     ?????????????????????????????
263     ?????????????????????????????
264     ?????????????????????????????
265
266
267     ?????????????
268
269     ?????????????????
270     ?????????????????????????????
271
272     ?????????
273     ?????????
274     ?????????
275     ?????????????????????
276
277     ?????????????????????? ?????????????
278     ?????????????????? ?????????????
279
280
281     ?????????
282
283     ??
284     ?????????????????????????????
285
286     ??
287     ?????????????????????????????????
288

```


358
359 ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭ ᠠᠨ ᠠ ᠠᠨᠠᠭ?
360
361 ᠠᠨᠠᠭ ᠠᠨ ᠠᠨᠠᠭᠠᠨ ᠠᠨᠠᠭ.
362 ᠠᠨᠠᠭ ᠠᠨᠠᠭ ᠠᠨᠠᠭ ᠠᠨᠠᠭ ᠠ ᠠᠨᠠᠭ.
363
364 ᠠᠨ ᠠᠨᠠᠭ.
365 ᠠᠨᠠᠭᠠᠨ.
366 ᠠᠨᠠᠭᠠᠨ.
367 ᠠᠨᠠᠭ.
368
369 ᠠᠨᠠᠭᠠᠨ ᠠᠨᠠᠭ ᠠᠨᠠᠭ, ᠠᠨ ᠠᠨᠠᠭ ᠠᠨᠠᠭ.
370 ᠠᠨᠠᠭ ᠠᠨ ᠠᠨ ᠠ ᠠᠨᠠᠭ ᠠᠨᠠᠭ ᠠᠨ ᠠᠨᠠᠭ,
371 ᠠᠨᠠᠭ ᠠᠨᠠᠭ ᠠᠨᠠᠭ ᠠᠨᠠᠭ ᠠᠨᠠᠭ ᠠᠨᠠᠭᠠᠨ.
372
373
374 ᠠᠨᠠᠭᠠᠨ ᠠᠨᠠᠭ ᠠᠨᠠᠭ ᠠᠨᠠᠭ?
375
376 ᠠᠨᠠᠭ ᠠ ᠠᠨᠠᠭ ᠠᠨᠠᠭᠠᠨ ᠠᠨ ᠠᠨ ᠠᠨ ᠠ ᠠᠨᠠᠭ.
377 ᠠᠨᠠᠭᠠᠨ ᠠ ᠠᠨᠠᠭ ᠠᠨᠠᠭᠠᠨ ᠠᠨ ᠠᠨ ᠠ ᠠᠨᠠᠭ.
378 ᠠᠨᠠᠭ ᠠ ᠠᠨᠠᠭ ᠠᠨ ᠠᠨᠠᠭᠠᠨ ᠠᠨᠠᠭᠠᠨ ᠠᠨ ᠠ ᠠᠨᠠᠭ.
379 ᠠᠨᠠᠭ ᠠᠨᠠᠭᠠᠨ ᠠᠨᠠᠭ ᠠᠨ ᠠᠨᠠᠭᠠᠨ ᠠ ᠠ ᠠᠨᠠᠭ.
380
381
382 ᠠ ᠠᠨ ᠠᠨ ᠠᠨᠠᠭᠠᠨ ᠠᠨᠠᠭ?
383
384 ᠠᠨᠠᠭ ᠠᠨᠠᠭᠠᠨ ᠠᠨ ᠠᠨᠠᠭ.
385 ᠠᠨ ᠠᠨᠠᠭᠠᠨ ᠠᠨᠠᠭ ᠠᠨᠠᠭ ᠠᠨ ᠠ ᠠᠨ ᠠᠨᠠᠭ.
386
387 ᠠᠨ ᠠᠨᠠᠭ ᠠ.
388 ᠠᠨ ᠠᠨ ᠠ.
389 ᠠᠨ ᠠᠨ ᠠᠨ ᠠᠨ ᠠ.
390 ᠠᠨᠠᠭᠠᠨ ᠠᠨᠠᠭ ᠠᠨᠠᠭ ᠠᠨᠠᠭ ᠠ.
391
392 ᠠᠨ ᠠᠨ "ᠠᠨᠠ ᠠ ᠠᠨᠠᠭ?"ᠠᠨᠠᠭ ᠠᠨᠠᠭ ᠠᠨᠠᠭᠠᠨ
393 "ᠠᠨᠠ ᠠᠨ ᠠᠨᠠᠭ ᠠᠨᠠᠭᠠᠨ?"ᠠᠨᠠᠭ ᠠᠨ ᠠᠨ ᠠ ᠠᠨᠠᠭ ᠠᠨᠠᠭ.
394
395
396 ᠠᠨᠠᠭᠠᠨ ᠠᠨᠠᠭ ᠠ ᠠᠨᠠᠭ
397
398 ᠠ.
399 ᠠ ᠠᠨᠠᠭ, ᠠᠨ ᠠᠨᠠᠭ, ᠠᠨᠠᠭ ᠠ ᠠᠨᠠᠭ, ᠠᠨ ᠠᠨᠠᠭ.
400
401 ᠠᠨᠠ.
402 "ᠠᠨᠠ ᠠᠨ ᠠᠨᠠᠭᠠᠨ ᠠᠨᠠᠭ. ᠠ ᠠᠨᠠᠭ ᠠᠨᠠᠭᠠᠨ"ᠠᠨᠠ ᠠᠨᠠᠭᠠᠨ ᠠᠨᠠᠭᠠᠨ ᠠᠨᠠᠭ.
403
404 ᠠᠨᠠ.
405 ᠠᠨᠠᠭ ᠠᠨᠠᠭ, ᠠᠨᠠᠭᠠᠭᠠᠨ ᠠᠨ ᠠᠨᠠᠭᠠᠨ, ᠠᠨᠠᠭ ᠠᠨᠠᠭᠠᠨ ᠠᠨᠠᠭ.
406
407
408 ᠠᠨ ᠠᠨᠠᠭ ᠠᠨᠠᠭ ᠠ ᠠᠨᠠᠭ.
409
410 ᠠᠨ ᠠᠨᠠᠭ ᠠᠨᠠᠭ ᠠ ᠠᠨᠠᠭ.
411 ᠠᠨᠠᠭ ᠠᠨ ᠠᠨᠠᠭ ᠠᠨᠠᠭᠠᠨ.
412 ᠠᠨ ᠠ ᠠᠨ ᠠᠨ ᠠᠨ ᠠᠨ ᠠᠨᠠᠭ ᠠᠨ ᠠᠨᠠᠭᠠᠨ.
413
414 ᠠᠨ ᠠ ᠠ ᠠᠨᠠᠭ,
415 ᠠᠨᠠᠭ ᠠᠨᠠᠭ ᠠᠨᠠᠭ ᠠ ᠠᠨᠠᠭ ᠠ ᠠᠨ ᠠᠨᠠᠭ.
416 ᠠᠨᠠᠭ ᠠᠨ ᠠᠨ ᠠᠨᠠᠭ ᠠᠨᠠᠭᠠᠨ ᠠᠨ ᠠᠨᠠᠭ ᠠᠨᠠᠭ.
417
418 ᠠᠨ ᠠᠨ ᠠᠨᠠᠭ ᠠᠨᠠᠭ ᠠᠨᠠᠭ?
419
420
421
422
423 ᠠᠨᠠᠭᠠᠨ ᠠᠨᠠᠭ ᠠ ᠠᠨ ᠠᠨᠠᠭ ᠠᠨ ᠠᠨ ᠠᠨᠠᠭᠠᠨ ᠠᠨᠠᠭ ᠠᠨᠠᠭᠠᠨ?
424
425
426

```

427
428   Үүнийг үргэлжлүүлж бичиж өгнө үү?
429
430
431
432   Үүнийг үргэлжлүүлж бичиж өгнө үү?
433
434
435
436
437   Үүнийг үргэлжлүүлж бичиж өгнө үү?
438
439   Үүнийг үргэлжлүүлж бичиж өгнө үү?
440   Үүнийг үргэлжлүүлж бичиж өгнө үү?
441
442   Үүнийг үргэлжлүүлж бичиж өгнө үү?
443   Үүнийг үргэлжлүүлж бичиж өгнө үү?
444
445   Үүнийг үргэлжлүүлж бичиж өгнө үү?
446   Үүнийг үргэлжлүүлж бичиж өгнө үү?
447
448   Үүнийг үргэлжлүүлж бичиж өгнө үү?
449
450   Үүнийг үргэлжлүүлж бичиж өгнө үү?
451   Үүнийг үргэлжлүүлж бичиж өгнө үү?
452   "Үүнийг үргэлжлүүлж бичиж өгнө үү? 30 секунд үргэлжлүүлж бичиж өгнө үү?"
453
454   Үүнийг үргэлжлүүлж бичиж өгнө үү?
455   Үүнийг үргэлжлүүлж бичиж өгнө үү?
456   Үүнийг үргэлжлүүлж бичиж өгнө үү?
457   Үүнийг үргэлжлүүлж бичиж өгнө үү?
458   Үүнийг үргэлжлүүлж бичиж өгнө үү?
459   `
460   },
461   },
462 };

```

291. content/mind/emotion/feel-now.ts

```

1  export const artifact = {
2    title: "Одоо би юу мэдэрч байна вэ?",
3    content: `
4    Одоо би юу мэдэрч байна вэ?
5
6    Энэ асуулт яагаад хэрэгтэй вэ?
7
8    Өдөр бүр бидэнд олон зүйл тохиолддог. Зарим нь жижиг, зарим нь том.
9    Гэхдээ бид ихэнхдээ юу мэдэрч байгаагаа тодорхойлж амжилгүй өнгөрөөдөг.
10
11    Нэрлэгдээгүй мэдрэмж удаан хугацаанд хуримтлагдахаараа гэнэт уур хүрэх,
12    ямар ч тодорхой шалтгаангүй гуниглах,
13    бие сульдах,
14    анхаарал сарних,
15    "би яагаад ийм байгаа юм бол?" гэж өөрийгөө буруутгах
16    зэрэг байдлаар илэрдэг.
17
18    Мэдрэмжийг танина гэдэг нь түүнийг дарах гэсэн үг биш.
19    Харин өөрийгөө сонсож эхэлж байна гэсэн үг.
20
21
22    Мэдрэмжээ нэрлэх гурван алхам
23
24    Нэгдүгээр алхам. Биеийн дохиогоо анзаарах
25
26    Мэдрэмж ихэнхдээ эхлээд биеэр дамжин илэрдэг.
27    Цээж бачуурах,
28    хоолой зангирах,

```

29 мөр хүзүү чангарах,
30 гэдэс эвгүйрхэх
31 зэрэг нь биеийн илгээж буй дохио юм.
32
33 Юу мэдэрч байгаагаа ойлгохын тулд эхлээд биеэ анзаарахад л хангалттай.
34
35
36 Хоёрдугаар алхам. Нэр өгөх
37
38 “Муу байна” гэж ерөнхийлөхөөс илүү мэдрэмжээ арай нарийвчлан нэрлээд үзээрэй.
39
40 Жишээ нь
41 тугшүүртэй,
42 гомдсон,
43 ганцаардсан,
44 ичсэн,
45 урам хугарсан,
46 атаархсан,
47 баярласан,
48 эсвэл тайван
49 гэж нэрлэж болно.
50
51 Зөв, буруу нэр гэж байхгүй.
52 Зүгээр л дотор чинь юу болж байгааг илүү тод харахад тусална.
53
54
55 Гуравдугаар алхам. Хүлээн зөвшөөрөх
56
57 “Би ингэж мэдэрч байгаа нь буруу” гэж өөрийгөө шүүхийн оронд
58 “За ойлголоо. Би одоо ингэж мэдэрч байна”
59 гэж дотроо хэлээд үзээрэй.
60
61 Энэ өгүүлбэр өөрөө тайвшруулах нөлөөтэй.
62
63
64 Жижиг бичих дадлага хийцгээе
65
66 Доорх асуултуудад хариулаад шууд бичиж болно.
67 Энд зөв, буруу гэж байхгүй.
68 Засах шаардлага ч байхгүй.
69 Хэн нэгэнд харуулах албагүй.
70 Зүгээр л өөртөө зориулж, дотор чинь байгаа үгийг гаргах зай юм.
71
72 Би одоо яг ямар мэдрэмжтэй байна вэ?
73
74 Миний бие одоо ямар дохио өгч байна вэ?
75
76 Энэ мэдрэмж хэзээнээс эхэлсэн юм шиг санагдаж байна вэ?
77
78 Хэрвээ энэ мэдрэмж ярьж чаддаг байсан бол надад юу хэлэх байсан бол?
79
80 Одоогийн надад хамгийн хэрэгтэй зүйл яг юу вэ?
81
82 Нэг өгүүлбэр байхад хангалттай.
83 Их бичих шаардлага огт байхгүй.
84
85
86 Төгсгөл
87
88 Чи мэдрэмжээ нэрлэж, бичиж эхэлсэн мөчөөсөө л
89 өөрийнхөө талд зогсож эхэлдэг.
90
91 Хэрвээ энэ мэдрэмжийн цаана юу байгааг хамт ойлгож үзмээр байвал,
92 эсвэл одоо бичсэн зүйлээ 1–2 өгүүлбэрээр хуваалцмаар байвал
93 хажуу чатанд чөлөөтэй бичээрэй.
94
95 Харин энэ сэдвийг зүгээр уншаад орхих биш,
96 өөрийн бодит сэтгэл санаатайгаа удаан хугацаанд ямар байгааг хянамаар байвал
97 “Өдрийн сэтгэл санааны тест (check)” дээр өдөр бүр мэдрэмжээ 30 секундэд тэмдэглэж болно.

```

98
99 Энэ тэмдэглэл нь чиний сэтгэл санаа
100 өдрөөс өдөрт, сараас сар, жилээр яаж өөрчлөгдөж байгааг харуулах түүх болж хадгалагдана.
101 Ингэснээр
102 "Би үнэхээр зүгээр байна уу?"
103 эсвэл
104 "Юу намайг ингэж мэдрэхэд хүргэж байна вэ?"
105 гэдгийг бодит баримтаар харах боломжтой юм.
106
107 .
108 `
109   il8n: {
110     en: {
111       title: "What am I feeling right now?",
112       content:
113         What am I feeling right now?
114
115         Why does this question matter?
116
117         Many things happen to us every day. Some small, some big.
118         Yet most of the time we move on without ever naming what we feel.
119
120         An unnamed feeling, when it builds up over time, can show up as sudden anger,
121         sadness for no clear reason,
122         low energy,
123         scattered attention,
124         or blaming yourself with "why am I like this?"
125
126         Recognizing a feeling does not mean suppressing it.
127         It means you are beginning to listen to yourself.
128
129         Three steps to name your feelings
130
131         Step one. Notice your body's signals.
132
133         Feelings often show up first through the body.
134         A tight chest,
135         a lump in the throat,
136         tense shoulders and neck,
137         an uneasy stomach —
138         these are signals your body is sending.
139
140         To understand what you feel, simply noticing your body is enough to start.
141
142
143         Step two. Give it a name.
144
145         Instead of generalizing with "I feel bad," try naming the feeling a little more precisely.
146
147         For example:
148         anxious,
149         hurt,
150         lonely,
151         ashamed,
152         discouraged,
153         jealous,
154         happy,
155         or calm.
156
157         There is no right or wrong name.
158         It just helps you see more clearly what is happening inside you.
159
160
161         Step three. Accept it.
162
163         Instead of judging yourself with "it's wrong to feel this way,"
164         try saying to yourself,
165         "Okay, I see. This is what I'm feeling right now."
166

```

```

167
168 That sentence itself has a calming effect.
169
170
171 Let's try a small writing exercise
172
173 You can answer the questions below and just write.
174 There is no right or wrong here.
175 No need to edit.
176 No need to show anyone.
177 It's simply space to let out the words inside you, for yourself.
178
179 What exactly am I feeling right now?
180
181 What signals is my body giving me right now?
182
183 When does it feel like this feeling began?
184
185 If this feeling could speak, what would it say to me?
186
187 What is the one thing I need most right now?
188
189 One sentence is enough.
190 There is no need to write a lot.
191
192
193 Closing
194
195 From the moment you name and write down your feelings,
196 you begin to stand on your own side.
197
198 If you'd like to understand together what lies behind this feeling,
199 or share what you just wrote in one or two sentences,
200 feel free to write in the side chat.
201
202 And rather than just reading this topic and moving on,
203 if you want to track how your real mood is over a longer time,
204 you can log your feeling in 30 seconds each day in the "Daily mood check."
205
206 This log is saved as a story showing how your mood changes
207 from day to day, month to month, and across the year.
208 That way you can see, through real data,
209 "Am I really okay?"
210 or
211 "What is leading me to feel this way?"
212
213 .
214 ` ,
215 },
216 ja: {
217   title: "?????????",
218   content: `
219     ??????????
220     ??????????
221     ??????????
222     ??????????
223     ??????????
224     ??????????
225     ??????????
226     ??????????
227     ??????????
228     ??????????
229     ??????????
230     ?????????? ??????????
231     ??????????
232     ??????????
233     ??????????
234
235

```

236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304

```
305      <div>
306  <div>12</div>
307  </div>
308
309  <div>
310  <div>
311  <div>30</div>
312
313  <div>
314  <div>
315  <div>
316  <div>?</div>
317  <div>
318  <div>?</div>
319  <div>
320
321  .
322  `
323    },
324    ko: {
325      title: "?? ?? ?? ?? ???",
326      content: `
327  ?? ?? ?? ?? ??
328
329  ? ?? ? ??
330
331  ??? ?? ?? ?? ???. ?? ??, ? ??
332  ?? ?? ?? ?? ?? ?? ?? ?? ? ???.
333
334  ?? ?? ?? ?? ?? ?? ?? ?? ?? ??,
335  ?? ?? ?? ???.
336  ?? ?? ??,
337  ?? ??,
338  "?? ? ???"?? ?? ?? ?? ???.
339
340  ?? ?? ?? ?? ?? ?? ?? ?? ?? ??
341  ? ?? ?? ?? ?? ?? ?? ??
342
343
344  ?? ?? ?? ? ??
345
346  ? ?? ???. ?? ?? ???.
347
348  ?? ?? ?? ?? ?? ?? ??
349  ?? ??,
350  ?? ??,
351  ?? ?? ?? ??,
352  ?? ?? ? —
353  ?? ?? ?? ???.
354
355  ?? ?? ??, ?? ?? ?? ?? ???.
356
357
358  ? ?? ???. ?? ??
359
360  "?? ??"?? ??, ?? ?? ? ?? ?? ??
361
362  ?? ??,
363  ??,
364  ??,
365  ??,
366  ??,
367  ?? ??,
368  ??,
369  ??,
370  ?? ??,
371  ?? ?? ? ??
372
373  ?? ?? ?? ??.
```



```

374  ᠠᠨᠤ ᠤ ᠤᠨᠤᠨ ᠤᠨ ᠤᠨ ᠤᠨᠤᠨᠤ ᠤ ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤᠨᠤ.
375
376  ᠤ ᠤᠨ ᠤᠨ. ᠤᠨᠤᠨᠤᠨ.
377
378  "ᠤᠨᠤᠨ ᠤᠨᠤ ᠤ ᠤᠨᠤᠨ"ᠤᠨ ᠤᠨᠤ ᠤᠨᠤᠨ ᠤᠨ,
379  "ᠤᠨ, ᠤᠨᠤ. ᠤᠨ ᠤᠨ ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ"
380  ᠤᠨ ᠤᠨᠤᠨᠤ ᠤᠨ ᠤᠨᠤ.
381
382  ᠤ ᠤᠨ ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤᠨᠤ ᠤᠨ ᠤᠨᠤᠨ.
383
384
385  ᠤᠨ ᠤᠨᠤ ᠤᠨᠤ ᠤ ᠤᠨᠤ
386
387  ᠤᠨ ᠤᠨᠤ ᠤᠨᠤ ᠤᠨ ᠤᠨ ᠤᠨᠤ.
388  ᠤᠨᠤ ᠤᠨ ᠤᠨᠤ ᠤᠨᠤᠨ.
389  ᠤᠨ ᠤᠨᠤ ᠤᠨᠤᠨ.
390  ᠤᠨᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤᠨ.
391  ᠤᠨ ᠤᠨ ᠤᠨ, ᠤ ᠤᠨ ᠤᠨ ᠤᠨᠤ ᠤᠨᠤᠨᠤ.
392
393  ᠤᠨ ᠤᠨ ᠤᠨᠤ ᠤᠨ ᠤᠨᠤᠨ?
394
395  ᠤᠨ ᠤ ᠤᠨ ᠤᠨ ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ?
396
397  ᠤ ᠤᠨᠤ ᠤᠨᠤᠨ ᠤᠨᠤ ᠤ ᠤᠨᠤ?
398
399  ᠤᠨ ᠤ ᠤᠨᠤ ᠤᠨ ᠤ ᠤᠨᠤ ᠤᠨ ᠤᠨᠤ ᠤᠨᠤ?
400
401  ᠤᠨᠤ ᠤᠨ ᠤᠨ ᠤᠨᠤ ᠤᠨ ᠤᠨᠤᠨ?
402
403  ᠤ ᠤᠨᠤᠨ ᠤᠨᠤᠨᠤ.
404  ᠤᠨ ᠤ ᠤᠨᠤ ᠤᠨ ᠤᠨᠤᠨ.
405
406
407  ᠤᠨᠤ
408
409  ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ ᠤᠨ ᠤᠨᠤ ᠤ ᠤᠨᠤᠨ,
410  ᠤᠨᠤ ᠤᠨ ᠤᠨᠤ ᠤᠨ ᠤᠨ ᠤᠨᠤᠨᠤ.
411
412  ᠤ ᠤᠨ ᠤᠨ ᠤᠨᠤ ᠤᠨᠤ ᠤᠨ ᠤᠨᠤᠨ ᠤᠨᠤ,
413  ᠤᠨ ᠤ ᠤᠨ ᠤᠨ ᠤᠨᠤᠨ ᠤᠨᠤ ᠤᠨᠤ,
414  ᠤ ᠤᠨᠤ ᠤᠨᠤᠨ ᠤ ᠤᠨᠤ.
415
416  ᠤᠨᠤ ᠤ ᠤᠨᠤ ᠤᠨ ᠤᠨ ᠤᠨᠤᠨ ᠤᠨ,
417  ᠤᠨ ᠤᠨᠤ ᠤᠨ ᠤᠨ ᠤᠨᠤ ᠤᠨᠤᠨ ᠤᠨᠤ
418  "ᠤᠨ ᠤᠨ ᠤᠨ"ᠤᠨ ᠤᠨ 30ᠤᠨ ᠤᠨᠤ ᠤᠨᠤ ᠤ ᠤᠨᠤᠨ.
419
420  ᠤ ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ
421  ᠤᠨᠤᠨ, ᠤᠨᠤ, ᠤ ᠤᠨ ᠤᠨ ᠤᠨᠤ ᠤᠨᠤᠨᠤ ᠤᠨᠤᠨ ᠤᠨᠤᠨ ᠤᠨᠤᠨᠤ.
422  ᠤᠨᠤ
423  "ᠤᠨ ᠤᠨ ᠤᠨᠤᠨ?"
424  ᠤᠨ
425  "ᠤᠨᠤ ᠤᠨ ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ?"
426  ᠤ ᠤᠨ ᠤᠨᠤᠨ ᠤ ᠤ ᠤᠨᠤᠨ.
427
428  .
429  `,
430  },
431  },
432  },
433  };

```

292. content/mind/emotion/origin.ts

```

1  export const artifact = {
2    title: "Мэдрэмж хаанаас үүсдэг вэ?",
3    content: `
4    Мэдрэмж хаанаас үүсдэг вэ?

```

5
6 Товчхон ойлголт
7
8 Мэдрэмж бол “гэнэт гарч ирдэг юм” шиг санагддаг ч ихэнхдээ 3 зүйл нийлж үүсдэг.
9
10 Нэгдүгээрт. Нөхцөл байдал. Юу болсон бэ.
11 Хоёрдугаарт. Тайлбар / бодол. Би үүнийг яаж ойлгов.
12 Гуравдугаарт. Биеийн хариу. Зүрх дэлсэх, чангарах, халуу оргих зэрэг.
13
14 Нэг л нөхцөл байдал байлаа ч хүн бүр өөрөөр мэдэрдэг нь тайлбар нь өөр байдгаас их шалтгаалдаг.
15
16
17 Жишээ (маш энгийн)
18
19 Нэг хүн мессежинд чинь удаан хариу өгөхгүй байлаа гэж бодъё.
20
21 Тайлбар А. “Намайг үл тоож байна” гэж ойлговол гомдол, уур төрнө.
22 Тайлбар В. “Завгүй байх” гэж ойлговол тайван, ойлголцол төрнө.
23 Тайлбар С. “Надаас залхсан байх” гэж ойлговол айдас, гуниг төрнө.
24
25 Нөхцөл ижил. Харин тайлбар өөр. Тиймээс мэдрэмж өөр гарна.
26
27
28 Яагаад энэ мэдлэг хэрэгтэй вэ?
29
30 Хэрвээ бид мэдрэмжээ зөвхөн “би ийм хүн” гэж дүгнээд орхивол өөрчлөх боломжгүй мэт санагддаг.
31 Харин нөхцөл байдлаа, тайлбараа, биеийн хариугаа салгаж харах юм бол өөрийгөө удирдах боломж гарч ирдэг.
32
33 Өөрөөсөө ингэж бодож шалгаж сурвал тусална.
34 Юу болсон бэ.
35 Би үүнийг яаж ойлгосон бэ.
36 Бие минь яаж хариулав.
37
38
39 Жижиг бичих дадлага хийцгээе
40
41 Доорх асуултуудад хариулаад шууд бичиж болно.
42 Энд зөв, буруу гэж байхгүй.
43 Засах шаардлага ч байхгүй.
44 Хэн нэгэнд харуулах албагүй.
45 Зүгээр л доторхоо үгээр гаргах жижиг дасгал.
46
47 Одоогийн мэдрэмж минь юу вэ?
48
49 Түүнийг асаасан үйл явдал яг юу байсан бэ?
50
51 Тэр мөчид миний толгойд ямар өгүүлбэр орж ирсэн бэ?
52
53 Биед яг юу өөрчлөгдсөн бэ?
54
55 Одоо надад яг юу хэрэгтэй байна вэ?
56
57
58 Анхаарах нэг зүйл
59
60 Зарим мэдрэмжийн үндэс нь өнөөдрийн үйл явдал биш байж болно.
61 Өнгөрсөн туршлага, бага насны шарх, өмнө давтагдсан нөхцөл байдал “дахин давтагдах гэж байна” гэсэн дохио өгөөд хүчтэй мэдрэмж төрүүлдэг.
62
63 Тийм үед өөрөөсөө ингэж шалгаад үзээрэй.
64 Энэ мэдрэмж өнөөдрийн зүйлээс илүү том юм шиг санагдаж байна уу.
65
66
67 Төгсгөл
68
69 Мэдрэмж бол дайсан биш. Энэ бол дотоод мэдээлэл.
70
71 Хэрвээ “яагаад ингэж хүчтэй мэдэрчихэв?” гэдгийг хамт задлахыг хүсвэл,
72 хажуу чатанд нөхцөл байдлаа 2-3 өгүүлбэрээр бичээд өг.
73

```

74 Би таньтай хамт задлаад, илүү тодорхой болгож өгье.
75
76 Хэрвээ чи иймэрхүү мэдрэмжүүд ямар үед давтагдаад байгааг (юунаас асдагийг) өөр дээрээ ажиглаж үзмээр байвал
77 "Өдрийн сэтгэл санааны тест (check)" дээр өдөр бүр 30 секунд тэмдэглээд явж болно.
78
79 Хугацаа өнгөрөхөд энэ тэмдэглэл чинь
80 чиний мэдрэмж ихэвчлэн ямар нөхцөлд, ямар бодлын дараа, ямар биеийн дохиотой хамт гарч ирдгийг
81 "хандлага" болгож харуулах түүх болж хадгалагдана.
82 Тэгээд чи нэг өдөр "юунаас болоод ингэж мэдрээд байна вэ?" гэдгийг таамгаар биш,
83 өөрийн бодит тэмдэглэл дээрээ түшиглээд ойлгох боломжтой болно.` ,
84   il8n: {
85     en: {
86       title: "Where do feelings come from?",
87       content: `
88 Where do feelings come from?
89
90 A quick idea
91
92 Feelings can seem like they "just appear," but most of the time three things come together to create them.
93
94 First. The situation. What happened.
95 Second. The interpretation / thought. How I understood it.
96 Third. The body's response. Heart pounding, tensing up, a rush of heat, and so on.
97
98 Even in the same situation, people feel differently – largely because their interpretation differs.
99
100
101 An example (very simple)
102
103 Say someone is slow to reply to your message.
104
105 Interpretation A. If you read it as "they're ignoring me," hurt and anger arise.
106 Interpretation B. If you read it as "they're busy," calm and understanding arise.
107 Interpretation C. If you read it as "they're tired of me," fear and sadness arise.
108
109 Same situation. Different interpretation. So a different feeling results.
110
111
112 Why is this knowledge useful?
113
114 If we judge our feelings only as "that's just who I am," change feels impossible.
115 But when we separate the situation, the interpretation, and the body's response, the possibility of guiding ourselves appears.
116
117 It helps to learn to check yourself like this:
118 What happened.
119 How did I understand it.
120 How did my body respond.
121
122
123 Let's try a small writing exercise
124
125 You can answer the questions below and just write.
126 There is no right or wrong here.
127 No need to edit.
128 No need to show anyone.
129 It's simply a small exercise to let out the words inside you.
130
131 What is my feeling right now?
132
133 What exactly was the event that triggered it?
134
135 What sentence came into my head at that moment?
136
137 What exactly changed in my body?
138
139 What exactly do I need right now?
140
141
142 One thing to keep in mind

```

```
143
144 The root of some feelings may not be today's event.
145 Past experiences, childhood wounds, or situations that have repeated before can send a signal of "this is about to happen again" and stir up strong feelings.
146
147 At such times, try checking yourself like this:
148 Does this feeling seem bigger than today's situation?
149
150
151 Closing
152
153 A feeling is not an enemy. It is inner information.
154
155 If you'd like to unpack "why did I feel this so strongly?" together,
156 write your situation in two or three sentences in the side chat.
157
158 I'll unpack it with you and help make it clearer.
159
160 If you'd like to observe in yourself when feelings like these tend to repeat (what sets them off),
161 you can log them in 30 seconds each day in the "Daily mood check."
162
163 Over time, this log is saved as a story showing you
164 in which situations, after which thoughts, and with which body signals your feelings usually arise – as a "pattern."
165 Then one day you can understand "what is making me feel this way?" not by guessing,
166 but by leaning on your own real records.",
167   },
168   ja: {
169     title: "?????????????",
170     content: `
171     ??????????
172
173     ?????
174
175     ?????????????????????????????????????3????????????????
176
177     1????????????
178     2????????????????????????
179     3????????????????????????????????????
180
181     ?????????????????????????????????????
182
183
184     □ (□□□□□)
185
186     ?????????????????????????????????
187
188     □A????????????????????????????????
189     □B????????????????????????????????
190     □C????????????????????????????????
191
192     ?????????????????????????????
193
194
195     ?????????
196
197     ?????????????????????????????????
198     ?????????????????????????????????
199
200     ?????????????????????????????
201     ?????
202     ?????????????
203     ?????????
204
205
206     ?????????????
207
208     ?????????????????????????
209     ?????????????
210     ?????????
211     ?????????????
```

```
212      <div>
213
214      </div>
215
216      <div>
217
218      </div>
219
220      <div>
221
222      </div>
223
224      <div>
225
226      </div>
227      <div>
228      </div>
229
230      <div>
231      </div>
232
233
234      <div>
235
236      </div>
237
238      <div>
239      </div>
240
241      <div>
242
243      </div>
244      <div>
245
246      </div>
247      <div>
248      </div>
249      <div>
250      </div>
251      <div>
252      </div>
253      <div>
254      </div>
255      <div>
256
257      </div>
258
259      <div>
260
261      </div>
262      <div>
263      </div>
264
265      <div>
266
267      </div>
268      <div>
269
270      </div>
271
272      <div>
273      </div>
274      <div>
275
276      </div>
277
278
279      <div>
280
```

```

281  ᠠᠨᠤᠨᠤ "ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤ"ᠠᠨᠤᠨᠤ ᠠᠨᠤ ᠠᠨᠤ ᠠᠨᠤᠨᠤᠨᠤ.
282  ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤ, ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤ.
283
284  ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤ.
285  ᠠᠨᠤ ᠠᠨᠤ ᠠᠨᠤᠨᠤ.
286  ᠠᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤᠨᠤ.
287  ᠠ ᠠᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤ.
288
289
290  ᠠᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤ ᠠ ᠠᠨᠤ
291
292  ᠠᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤ ᠠᠨᠤ ᠠᠨᠤ.
293  ᠠᠨᠤᠨᠤ ᠠᠨᠤ ᠠᠨᠤ ᠠᠨᠤᠨᠤ.
294  ᠠᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤ.
295  ᠠᠨᠤᠨᠤᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤ.
296  ᠠᠨᠤ ᠠ ᠠᠨᠤ ᠠᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤ ᠠᠨᠤᠨᠤ.
297
298  ᠠᠨᠤ ᠠᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤ?
299
300  ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤᠨᠤ?
301
302  ᠠ ᠠᠨᠤ ᠠ ᠠᠨᠤᠨᠤ ᠠᠨᠤ ᠠᠨᠤ ᠠᠨᠤᠨᠤ?
303
304  ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤᠨᠤ?
305
306  ᠠᠨᠤ ᠠᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤ?
307
308
309  ᠠ ᠠᠨᠤ ᠠᠨᠤᠨᠤ ᠠ
310
311  ᠠᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤ ᠠᠨᠤ ᠠᠨᠤᠨᠤ.
312  ᠠᠨᠤᠨᠤ ᠠᠨᠤ, ᠠᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤ, ᠠᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤ "ᠠ ᠠᠨᠤᠨᠤ ᠠᠨᠤ"ᠠ ᠠᠨᠤᠨᠤ ᠠᠨᠤ ᠠᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤ.
313
314  ᠠᠨᠤ ᠠᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤ.
315  ᠠ ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤ ᠠ ᠠᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤ?
316
317
318  ᠠᠨᠤᠨᠤ
319
320  ᠠᠨᠤᠨᠤ ᠠᠨᠤ ᠠᠨᠤᠨᠤ. ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤ.
321
322  "ᠠ ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤᠨᠤ?"ᠠ ᠠᠨᠤ ᠠᠨᠤ ᠠᠨᠤ ᠠᠨᠤ,
323  ᠠ ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤ ᠠᠨᠤᠨᠤ ᠠ ᠠᠨᠤ.
324
325  ᠠᠨᠤᠨᠤ ᠠᠨᠤ ᠠᠨᠤᠨᠤ ᠠ ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤᠨᠤ.
326
327  ᠠᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤ ᠠ ᠠᠨᠤᠨᠤᠨᠤ(ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤ) ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤ,
328  "ᠠᠨᠤ ᠠᠨᠤ ᠠᠨᠤ"ᠠᠨᠤ ᠠᠨᠤ 30ᠠᠨᠤ ᠠᠨᠤ ᠠ ᠠᠨᠤᠨᠤ.
329
330  ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤ ᠠ ᠠᠨᠤ,
331  ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤ ᠠᠨᠤ ᠠᠨᠤᠨᠤ, ᠠᠨᠤ ᠠᠨᠤ ᠠᠨᠤ, ᠠᠨᠤ ᠠᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤ ᠠᠨᠤᠨᠤᠨᠤ
332  "ᠠᠨᠤ"ᠠᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤᠨᠤ.
333  ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤ "ᠠᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤᠨᠤ?"ᠠᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤ
334  ᠠᠨᠤᠨᠤ ᠠᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨᠤ ᠠ ᠠᠨᠤ ᠠᠨᠤ.\,
335  },
336  },
337  };

```

293. content/mind/emotion/overthinking.ts

```

1  export const artifact = {
2    title: "Хэтрүүлж бодох хэв маяг гэж юу вэ?",
3    content: `
4    Хэтрүүлж бодох хэв маяг гэж юу вэ?
5
6    Хэтрүүлж бодох гэж яг юу вэ?
7

```

8 Нэг бодол дахин дахин эргэлдээд
9 илүү тодорхой шийдэлд хүргэхгүй,
10 тайвшруулахгүй,
11 харин улам ядаргаатай болгодог
12 бол хэтрүүлж бодох гэж ойлгож болно.
13
14 Заримдаа бид үүнийг “би асуудлаа шийдэж байна” гэж эндүүрдэг.
15 Гэхдээ үнэндээ тархи аюулгүй байдал хайж оролдож байдаг.
16
17
18 Яагаад ингэдэг вэ?
19
20 Хэтрүүлж бодох нь
21 тодорхойгүй байдлаас айх,
22 алдаа гаргахгүй байх гэж хичээх,
23 өөрийгөө хамгаалах
24 гэсэн оролдлогоос үүсдэг.
25
26 Тиймээс өөрийгөө буруутгах хэрэггүй.
27 Миний тархи намайг хамгаалах гэж оролдож байна гэж дотроо хэлээд үз.
28
29
30 Хамгийн түгээмэл гурван хэлбэр
31
32 Хэрвээ тэгвэл яах вэ гэж урьдчилж айх
33
34 Би яагаад тэгэв гэж өөрийгөө дахин дахин шүүх
35
36 Бусад хүн юу гэж бодох бол гэж таамаглах
37
38
39 Хурдан зогсоох жижиг арга
40
41 Нэр өг
42 За, энэ бол хэтрүүлж бодох горим байна гэж дотроо хэл.
43
44 Цаг тогтоо
45 Би энэ талаар 10 минут бодоод дараа нь өөр зүйл хийнэ гэж өөртөө амла.
46
47 Бие рүү буцаа
48 Нэг минут алхах,
49 ус уух,
50 мөрөө суллах.
51 Тархи биеэр дамжин тайвширдаг.
52
53
54 Жижиг бичих дадлага хийцгээе
55
56 Доорх асуултуудад хариулаад бичиж болно.
57 Энд зөв, буруу гэж байхгүй.
58 Зүгээр л доторхоо үгээр гаргах жижиг дасгал.
59
60 Одоогийн толгойд эргэлдэж буй бодол юу вэ?
61
62 Миний хамгийн их айж буй зүйл яг юу вэ?
63
64 Энэ үнэхээр болох магадлал хэдэн хувьтай санагдаж байна вэ?
65
66 Хэрвээ болсон ч би юу хийж чадах вэ?
67
68 Одоо надад хэрэгтэй хамгийн жижиг алхам юу вэ?
69
70
71 Төгсгөл
72
73 Хэтрүүлж бодох нь чиний сул тал биш.
74 Энэ бол хэт их ачааллын дохио.
75
76 Хэрвээ чи хамгийн их гацдаг бодлоо

```
77 хажуу чатанд нэг өгүүлбэрээр бичвэл
78 бид хамт ямар хэлбэрийн гацалт вэ гэдгийг тодруулж чадна.
79
80 Харин хэтрүүлж бодох горим чинь ихэвчлэн ямар үед асдагийг өөр дээрээ ажиглахыг хүсвэл
81 "Өдрийн сэтгэл санааны тест (check)" дээр өдөр бүр 30 секунд тэмдэглээд явж болно.
82
83 Тэмдэглэл хуримтлагдах тусам
84 чи өөрийнхөө "их бодолд ордог үе" ямар нөхцөл, ямар мэдрэмжийн дараа давтагдаад байгааг
85 илүү бодитоор харж эхэлнэ.
86 Ингэснээр тархиа буруутгахын оронд
87 эрт таньж, бие рүүгээ буцаах (ус уух, алхах, мөр суллах гэх мэт) арга чинь хурдан болдог`,
88   il8n: {
89     en: {
90       title: "What is the overthinking pattern?",
91       content:
92         What is the overthinking pattern?
93
94         What exactly is overthinking?
95
96         When one thought circles around again and again,
97         doesn't lead to a clearer solution,
98         doesn't bring calm,
99         but instead makes you more exhausted –
100         that can be understood as overthinking.
101
102         Sometimes we mistake it for "I'm solving my problem."
103         But in truth the brain is trying to find safety.
104
105         Why does this happen?
106
107         Overthinking arises from
108         fear of uncertainty,
109         trying hard not to make a mistake,
110         and the attempt to protect yourself.
111
112         So there's no need to blame yourself.
113         Tell yourself inside: my brain is trying to protect me.
114
115         The three most common forms
116
117         Fearing ahead of time with "what if it goes wrong?"
118
119         Judging yourself over and over with "why did I do that?"
120
121         Guessing "what will other people think?"
122
123         A small way to stop it quickly
124
125         Name it.
126         Say to yourself, "Okay, this is overthinking mode."
127
128         Set a time.
129         Promise yourself, "I'll think about this for 10 minutes, then do something else."
130
131         Return to the body.
132         Walk for a minute,
133         drink water,
134         loosen your shoulders.
135         The brain calms down through the body.
136
137         Let's try a small writing exercise
138
139         You can answer the questions below and write.
140         There is no right or wrong here.
141         It's simply a small exercise to let out the words inside you.
```



```
146
147 What is the thought circling in my head right now?
148
149 What exactly am I most afraid of?
150
151 What percentage chance does it actually feel like this will happen?
152
153 Even if it happens, what could I do?
154
155 What is the smallest step I need right now?
156
157
158 Closing
159
160 Overthinking is not your weakness.
161 It is a signal of too much load.
162
163 If you write the thought you get most stuck on
164 in one sentence in the side chat,
165 together we can clarify what kind of stuck-ness it is.
166
167 If you'd like to observe in yourself when your overthinking mode tends to switch on,
168 you can log it in 30 seconds each day in the "Daily mood check."
169
170 As the records build up,
171 you'll start to see more realistically in what situations and after what feelings your "overthinking spells" repeat.
172 That way, instead of blaming your brain,
173 you catch it early and your way of returning to the body (drinking water, walking, loosening your shoulders, etc.) becomes faster.`
174 },
175 ja: {
176   title: "?????????????",
177   content: `
178     ??????????
179
180     ??????????
181
182     ?????????????
183     ?????????????
184     ?????????
185     ?????????——
186     ?????????
187
188     ?????????????????????????????
189     ?????????????????????????????
190
191
192     ?????
193
194     ?????
195     ?????
196     ?????????????
197     ?????????
198     ?????
199
200     ?????????????
201     ?????????????????????????????
202
203
204     ?????
205
206     ?????????????? ?????
207
208     ?????????????????????
209
210     ?????????????
211
212
213     ?????
214
```

```

215   return
216   return
217
218   return
219   return10return
220
221   return
222   1return
223   return
224   return
225   return
226
227
228   return
229
230   return
231   return
232   return
233
234   return?
235
236   return?
237
238   return?
239
240   return?
241
242   return?
243
244
245   return
246
247   return
248   return
249
250   return
251   return
252   return
253
254   return
255   return30return
256
257   return
258   return
259   return
260   return
261   return (return) return`,
262   },
263   ko: {
264     title: "code code code?",
265     content: `
266     code code code?
267
268     code code code code?
269
270     code code code code
271     code code code code,
272     code code code code,
273     code code code code
274     code code code code code.
275
276     code code code "code code code code"code code.
277     code code code code code code code code.
278
279
280     code code?
281
282     code code,
283     code code code code,

```

```
284   0000 0000 00,  
285   000 0000 00,  
286   00 0000.  
287  
288   000 000 00 000 0000.  
289   000000 00 000. 0 00 00 000 00 00, 00.  
290  
291  
292   00 00 0 00 00  
293  
294   "00000 000?"00 00 000000  
295  
296   "00 0 0000"00 00 000 0000  
297  
298   "00 000 000 0000"00 0000  
299  
300  
301   00 000 00 00  
302  
303   00 000.  
304   "00, 00 000 00 000"00 000000 000.  
305  
306   00 000.  
307   "0000 00 100 0000, 0 00 00 0 00"00 00000 0000.  
308  
309   000 0000.  
310   10 00,  
311   0 000,  
312   00 00.  
313   00 00 00 000000.  
314  
315  
316   00 000 000 0 000  
317  
318   00 000 000 00 000.  
319   000 00 000 0000.  
320   00 0 00 00 000 00 00000.  
321  
322   00 000000 000 000 0000?  
323  
324   00 00 000000 00 000 0000?  
325  
326   0 00 000 000 000 0 0000 0000?  
327  
328   00 00000 00 000 0 0 00?  
329  
330   00 00 0000 00 00 0 000 0000?  
331  
332  
333   000  
334  
335   000 000 000 000 0000.  
336   000 00 000 000000.  
337  
338   00 000 000  
339   0 000 0 00000 0 00,  
340   000 00 000 00000 00 00 0 0000.  
341  
342   000 00 000 00 00 0 0000 000 00000 000,  
343   "00 00 00"00 00 3000 000 0 0000.  
344  
345   000 0000,  
346   000 "0000 000 00"0 00 0000, 00 00 00 0000000  
347   0 000000 00 000000.  
348   000 00 000 00,  
349   00 000000 000 00000 00(0 000, 00, 00 00 0)0 000000`,  
350   },  
351   },  
352   };
```

294. content/mind/emotion/stress-body.ts

```
1  export const artifact = {
2    title: "Стресс бие дээр яаж илэрдэг вэ?",
3    content: `
4  Стресс бие дээр яаж илэрдэг вэ?
5
6  Гол санаа
7
8  Стресс бол зөвхөн сэтгэл санааны зүйл биш.
9  Бие стрессийг хамгийн түрүүнд мэдэрдэг.
10
11  Стресс үед биеэр илэрдэг түгээмэл дохио нь
12  мөр хүзүү чангарах,
13  амьсгаа давчдах,
14  зүрх хурдан цохилох,
15  ходоод эвгүйрхэх,
16  толгой өвдөх,
17  нойр алдагдах
18  зэрэг байдаг.
19
20
21  Яагаад тэгдэг вэ?
22
23  Стресс үед бие аюул гэж ойлгоод хамгаалах горимд ордог.
24  Үүнд
25  зугтах,
26  тэмцэх,
27  эсвэл царцах
28  гэсэн хариу багтана.
29
30  Энэ нь би эвдэрчихсэн гэсэн үг биш.
31  Миний бие аюулгүй байдал хайж байна гэж дотроо хэлээд үз.
32
33
34  Хамгийн хэрэгтэй хоёр чадвар
35
36  Эрт таних
37  Стресс хүчтэй болохоос нь өмнө эхэлж байна гэдгийг мэдрэх.
38
39  Биеэр тайвшруулах
40  Тархи зөвхөн бодлоор биш, амьсгал хөдөлгөөнөөр ч тайвширна.
41
42
43  Биеийн дохионы жагсаалт
44
45  Надад стресс эхлэхэд юу өөрчлөгддөг вэ?
46
47  Стресс нэмэгдэхэд биед ямар өөрчлөлт гардаг вэ?
48
49  Хэт их болоход бие минь яаж хариулдаг вэ?
50
51
52  Жижиг бичих дадлага хийцгээе
53
54  Доорх асуултуудад хариулаад бичиж болно.
55  Энд зөв, буруу гэж байхгүй.
56  Зүгээр л доторхоо үгээр гаргах жижиг дасгал.
57
58  Одоогийн биед мэдрэгдэж буй дохио юу вэ?
59
60  Энэ дохио хэзээнээс эхэлсэн бэ?
61
62  Одоо миний биед хамгийн хэрэгтэй зүйл юу вэ?
63
64
65  Төгсгөл
66
```

67 Биеийн дохио бол асуудал биш.
68 Энэ бол дотоод мэдээлэл.
69
70 Хэрвээ стресс чинь ихэвчлэн биеэр яаж илэрдэг вэ гэдгээ
71 хажуу чатанд 1-2 өгүүлбэрээр бичвэл
72 хамт хамгийн тохирох тайвшруулах аргыг олж чадна.
73
74 Харин стресс чинь "яаж эхэлдэг, ямар үед нэмэгддэг" гэдгийг өөр дээрээ илүү тод харахыг хүсвэл
75 "Өдрийн сэтгэл санааны тест (check)" дээр өдөр бүр богино тэмдэглэл хийж болно.
76
77 Тэнд өдөр тутам биеийн дохиогоо (амьсгаа, мөр хүзүү, ходоод гэх мэт) анзаарч тэмдэглээд явбал
78 стрессийн давтамж, оргил үе, тайвшрах үе нь
79 цаг хугацааны явцад илүү ойлгомжтой хандлага болж харагддаг.
80 Ингэснээр чи стрессийг "их болоод хойно" биш,
81 эрт үед нь таньж биеэрээ тайвшруулах арга илүү амархан болдог.
82
83 il8n: {
84 en: {
85 title: "How does stress show up in the body?",
86 content: `
87 How does stress show up in the body?
88
89 The main idea
90
91 Stress is not only a matter of the mind.
92 The body feels stress first.
93
94 Common signals stress sends through the body are
95 tense shoulders and neck,
96 shortness of breath,
97 a racing heart,
98 an uneasy stomach,
99 headaches,
100 and disrupted sleep.
101
102
103 Why does this happen?
104
105 Under stress, the body reads things as danger and goes into protection mode.
106 This includes the responses of
107 fleeing,
108 fighting,
109 or freezing.
110
111 This does not mean you are broken.
112 Tell yourself inside: my body is searching for safety.
113
114
115 The two most useful skills
116
117 Catching it early.
118 Sensing that stress is beginning before it grows strong.
119
120 Calming through the body.
121 The brain calms not only through thoughts, but through breath and movement.
122
123
124 A list of body signals
125
126 What changes for me when stress begins?
127
128 What changes happen in my body as stress increases?
129
130 How does my body respond when it gets too much?
131
132
133 Let's try a small writing exercise
134
135 You can answer the questions below and write.

```

136 There is no right or wrong here.
137 It's simply a small exercise to let out the words inside you.
138
139 What signal do I feel in my body right now?
140
141 When did this signal begin?
142
143 What does my body need most right now?
144
145
146 Closing
147
148 A body signal is not a problem.
149 It is inner information.
150
151 If you write how your stress usually shows up in your body
152 in one or two sentences in the side chat,
153 together we can find the calming method that fits best.
154
155 If you'd like to see more clearly for yourself "how it begins, when it increases,"
156 you can make a short note each day in the "Daily mood check."
157
158 If you notice and record your body signals there every day (breath, shoulders and neck, stomach, etc.),
159 the frequency, peak, and calming points of your stress
160 become a clearer pattern over time.
161 That way, instead of catching stress "after it's already big,"
162 recognizing it early and calming through the body becomes much easier.
163 `,
164   },
165   ja: {
166     title: "?????????????",
167     content: `
168     ??????????
169
170     ???????
171
172     ?????????????????
173     ?????????????????
174
175     ?????????????????
176     ?????????
177     ?????
178     ??
179     ???????
180     ??
181     ???????
182     ?????
183
184
185     ???????
186
187     ?????????????????????????????
188     ?????
189     ?????
190     ??
191     ?????????
192     ?????????????
193
194     ?????????????????????????
195     ?????????????????????????????
196
197
198     ?????????????
199
200     ?????
201     ?????????????????????????
202
203     ?????????
204     ?????????????????????????

```

```
205
206
207          
208
209          ?
210
211          ?
212
213          ?
214
215
216          
217
218          
219          
220          
221
222          ?
223
224          ?
225
226          ?
227
228
229          
230
231          
232          
233
234          
235          12        
236          
237
238          
239          
240
241           (        )         
242          
243          
244          
245          
246          ,
247          ,
248          ko: {
249                  title: "                                   ?",
250                  content: 
251                                     ?
252
253                   
254
255                                     .
256                                              .
257
258                                                                
259                            ,
260                   ,
261                            ,
262                   ,
263          ,
264                   
265                   .
266
267
268                   ?
269
270                                                                .
271          
272          ,
273          ,
```

```

274  ᠠᠨᠤ ᠠᠨᠠᠭ
275  ᠠᠨᠤ ᠠᠨᠠᠭ ᠠᠨᠠᠭᠠᠨ.
276
277  ᠠᠨᠠᠭ ᠠᠨᠠᠭ ᠠᠨᠠᠭᠠᠨ ᠠᠨ ᠠᠨᠠᠭ.
278  ᠠᠨᠠᠭᠠᠨ ᠠᠨ ᠠᠨᠠᠭ. ᠠ ᠠᠨ ᠠᠨᠠᠭ ᠠᠨ ᠠᠨ, ᠠᠨ.
279
280
281  ᠠᠨ ᠠᠨᠠᠭ ᠠ ᠠᠨ ᠠᠨ
282
283  ᠠᠨ ᠠᠨᠠᠭᠠᠨ.
284  ᠠᠨᠠᠭᠠᠨ ᠠᠨᠠᠭ ᠠᠨ ᠠᠨᠠᠭ ᠠᠨᠠᠭ ᠠᠨ ᠠ.
285
286  ᠠᠨᠠᠭ ᠠᠨᠠᠭᠠᠨ.
287  ᠠᠨ ᠠᠨᠠᠭ ᠠᠨᠠᠭ ᠠᠨᠠᠭ ᠠᠨᠠᠭᠠᠨ ᠠᠨᠠᠭᠠᠨ.
288
289
290  ᠠᠨ ᠠᠨ ᠠᠨ
291
292  ᠠᠨᠠᠭᠠᠨ ᠠᠨᠠᠭ ᠠᠨ ᠠᠨᠠᠭ ᠠᠨᠠᠭ?
293
294  ᠠᠨᠠᠭᠠᠨ ᠠᠨᠠᠭ ᠠᠨ ᠠᠨ ᠠᠨᠠᠭ ᠠᠨᠠᠭ?
295
296  ᠠᠨ ᠠᠨᠠᠭ ᠠ ᠠᠨ ᠠᠨᠠᠭ ᠠᠨᠠᠭ?
297
298
299  ᠠᠨ ᠠᠨᠠᠭ ᠠᠨᠠᠭ ᠠ ᠠᠨᠠᠭ
300
301  ᠠᠨ ᠠᠨᠠᠭ ᠠᠨᠠᠭ ᠠᠨ ᠠᠨᠠᠭ.
302  ᠠᠨᠠᠭ ᠠᠨ ᠠᠨᠠᠭ ᠠᠨᠠᠭᠠᠨ.
303  ᠠᠨ ᠠ ᠠᠨ ᠠᠨ ᠠᠨᠠᠭ ᠠᠨ ᠠᠨᠠᠭᠠᠨ.
304
305  ᠠᠨ ᠠᠨ ᠠᠨᠠᠭ ᠠᠨᠠᠭ ᠠᠨᠠᠭ?
306
307  ᠠ ᠠᠨᠠᠭ ᠠᠨᠠᠭᠠᠨ ᠠᠨᠠᠭ?
308
309  ᠠᠨ ᠠ ᠠᠨ ᠠᠨ ᠠᠨᠠᠭ ᠠᠨ ᠠᠨᠠᠭ?
310
311
312  ᠠᠨᠠᠭ
313
314  ᠠᠨ ᠠᠨᠠᠭ ᠠᠨᠠᠭ ᠠᠨᠠᠭ.
315  ᠠᠨᠠᠭ ᠠᠨᠠᠭ ᠠᠨᠠᠭᠠᠨ.
316
317  ᠠᠨᠠᠭᠠᠨ ᠠᠨ ᠠᠨ ᠠᠨᠠᠭ ᠠᠨᠠᠭᠠᠨ
318  ᠠ ᠠᠨᠠᠭ ᠠᠨ ᠠᠨᠠᠭ ᠠ ᠠᠨ,
319  ᠠᠨ ᠠ ᠠᠨ ᠠᠨ ᠠᠨᠠᠭ ᠠᠨ ᠠᠨ ᠠ ᠠᠨᠠᠭ.
320
321  "ᠠᠨᠠᠭ ᠠᠨᠠᠭ, ᠠᠨ ᠠᠨᠠᠭ"ᠠ ᠠᠨᠠᠭ ᠠ ᠠᠨᠠᠭ ᠠᠨ ᠠᠨᠠᠭ,
322  "ᠠᠨ ᠠᠨ ᠠᠨ"ᠠᠨ ᠠᠨ ᠠᠨ ᠠᠨᠠᠭ ᠠᠨ ᠠ ᠠᠨᠠᠭ.
323
324  ᠠᠨᠠᠭ ᠠᠨ ᠠᠨ ᠠᠨ(ᠠᠨ, ᠠᠨᠠᠭ ᠠ, ᠠ ᠠ)ᠠ ᠠᠨᠠᠭᠠᠨ ᠠᠨᠠᠭ ᠠᠨ,
325  ᠠᠨᠠᠭᠠᠨ ᠠᠨ·ᠠᠨ·ᠠᠨᠠᠭᠠᠨ ᠠᠨᠠᠭ
326  ᠠᠨᠠᠭ ᠠᠨᠠᠭ ᠠ ᠠᠨᠠᠭᠠᠨ ᠠᠨ ᠠᠨᠠᠭᠠᠨ ᠠᠨᠠᠭ ᠠᠨᠠᠭ.
327  ᠠᠨᠠᠭ ᠠᠨᠠᠭᠠᠨ "ᠠᠨ ᠠᠨ ᠠ"ᠠ ᠠᠨᠠᠭ,
328  ᠠᠨ ᠠᠨᠠᠭᠠᠨ ᠠᠨᠠᠭ ᠠᠨᠠᠭᠠᠨ ᠠᠨᠠᠭ ᠠᠨ ᠠᠨᠠᠭᠠᠨ.
329  `,
330      },
331  },
332  };

```

295. content/mind/emotion/thought-reaction.ts

```

1  export const artifact = {
2    title: "Бодол → хариу үйлдэл яаж үүсдэг вэ?",
3    content: `
4  Бодол → хариу үйлдэл яаж үүсдэг вэ?
5

```


6 Гол санаа
7
8 Бид ихэвчлэн “үйл явдал намайг ингэж болголоо” гэж боддог.
9 Гэхдээ ихэнх үед зам нь ингэж явдаг.
10
11 Үйл явдал → Бодол → Мэдрэмж → Хариу үйлдэл
12
13 Хариу үйлдэл гэдэгт
14 юу хэлэх,
15 юу хийх,
16 эсвэл юу хийхгүй байх
17 бүгд орно.
18
19
20 Яагаад энэ чухал вэ?
21
22 Хэрвээ “үйл явдал = миний мэдрэмж” гэж үзвэл өөрийгөө удирдаж чадахгүй мэт санагдана.
23 Харин бодлоо барьж чадвал хариу үйлдлээ зөөлрүүлж,
24 маргааныг хурцатгахгүй,
25 өөртөө тус болох сонголт хийж чадна.
26
27
28 Жишээ
29
30 Найз чинь “за” гэж богино хариу өглөө.
31
32 Тайлбар А.
33 “Надад уурласан байна” гэж ойлговол
34 түгшүүр төрнө,
35 олон мессеж бичихийг хүснэ.
36
37 Тайлбар В.
38 “Завгүй байх” гэж ойлговол
39 тайван байна,
40 дараа нь асуухаар хүлээнэ.
41
42
43 Нийтлэг автомат бодлууд
44
45 Би хангалтгүй.
46 Намайг тоохгүй байна.
47 Дахиад л бүтэхгүй.
48 Би буруутай.
49 Одоо л бүх зүйл дууслаа.
50
51 Эд нар баримт биш ч маш хүчтэй нөлөөлдөг.
52
53
54 Бодлоо шалгах 3 асуулт
55
56 Би яг ямар бодолд итгээд байна вэ?
57
58 Энэ бодолд баталгаа байна уу, эсвэл таамаг уу?
59
60 Илүү зөөлөн, бодит хувилбар нь юу байж болох вэ?
61
62
63 Жижиг бичих дадлага хийцгээе
64
65 Доорх асуултуудад хариулаад бичиж болно.
66 Энд зөв, буруу гэж байхгүй.
67 Засах шаардлага ч байхгүй.
68 Хэн нэгэнд харуулах албагүй.
69 Зүгээр л доторхоо үгээр гаргах жижиг дасгал.
70
71 Одоогийн нөхцөл байдал юу вэ?
72
73 Миний толгойд орж ирсэн бодол яг юу вэ?
74

```

75 Тэр бодлоос ямар мэдрэмж төрөв?
76
77 Би яг юу хийхийг хүссэн бэ?
78
79 Өөр тайлбар байж болох уу?
80
81
82 Төгсгөл
83
84 Бодлоо барина гэдэг нь өөрийгөө хуурах биш.
85 Өөрийгөө хамгаалах арга юм.
86
87 Хэрвээ толгойд чинь байнга давтагддаг бодол байвал,
88 хажуу чатанд яг тэр өгүүлбэрээ бичээд өг.
89 Бид хамт задлаад илүү зөөлөн хувилбар олж чадна.
90
91 Таны бодлууд өдөр тутам ямар үед давтагддагийг өөр дээрээ харахыг хүсвэл
92 "Өдрийн сэтгэл санааны тест (check)" дээр өдөр бүр богино тэмдэглэл хийж болно.
93
94 Тэнд чи тухайн өдрийн мэдрэмж, нөхцөл байдлаа тэмдэглэх тусам
95 аль бодол ямар үед идэвхжиж,
96 ямар хариу үйлдэл дагуулж байгааг
97 цаг хугацааны явцад илүү тод харах боломжтой болдог.
98 Ингэснээр бодлоо "баримтаар" ажиглаж, өөрийгөө илүү зөөлөн удирдах суурь бий болдог.
99
100   ,
101   ,
102   ,
103   ,
104   ,
105   ,
106   ,
107   ,
108   ,
109   ,
110   ,
111   ,
112   ,
113   ,
114   ,
115   ,
116   ,
117   ,
118   ,
119   ,
120   ,
121   ,
122   ,
123   ,
124   ,
125   ,
126   ,
127   ,
128   ,
129   ,
130   ,
131   ,
132   ,
133   ,
134   ,
135   ,
136   ,
137   ,
138   ,
139   ,
140   ,
141   ,
142   ,
143   ,

```

```

144 I'm not enough.
145 They don't care about me.
146 It's going to fail again.
147 It's my fault.
148 Everything is over now.
149
150 These aren't facts, yet they have a very strong influence.
151
152
153 Three questions to check your thought
154
155 What thought exactly am I believing?
156
157 Is there evidence for this thought, or is it a guess?
158
159 What is a gentler, more realistic version?
160
161
162 Let's try a small writing exercise
163
164 You can answer the questions below and write.
165 There is no right or wrong here.
166 No need to edit.
167 No need to show anyone.
168 It's simply a small exercise to let out the words inside you.
169
170 What is the current situation?
171
172 What exactly is the thought that came into my head?
173
174 What feeling arose from that thought?
175
176 What exactly did I want to do?
177
178 Could there be another interpretation?
179
180
181 Closing
182
183 Holding onto your thought is not fooling yourself.
184 It is a way to protect yourself.
185
186 If there's a thought that keeps repeating in your head,
187 write that exact sentence in the side chat.
188 Together we can unpack it and find a gentler version.
189
190 If you'd like to see when your thoughts tend to repeat day to day,
191 you can make a short note each day in the "Daily mood check."
192
193 The more you note that day's feeling and situation there,
194 the more clearly you can see, over time,
195 which thought activates when,
196 and what reaction it leads to.
197 This builds a foundation for observing your thoughts "by the evidence" and guiding yourself more gently.
198 `
199   },
200   ja: {
201     title: "□□ → □□□□□□□□?",
202     content: `
203 □□ → □□□□□□□□?
204
205 □□□□□□
206
207 □□□□□□□□□□□□□□□□□□
208 □□□□□□□□□□□□□□□□
209
210 □□□ → □□ → □□ → □□
211
212 □□□□□

```

213 []
214 []
215 []
216 []
217
218
219 []
220
221 []
222 []
223 []
224 []
225
226
227 []
228
229 []
230
231 []A[]
232 []
233 []
234 []
235
236 []B[]
237 []
238 []
239 []
240
241
242 []
243
244 []
245 []
246 []
247 []
248 []
249
250 []
251
252
253 []3[]
254
255 []?
256
257 []? []?
258
259 []?
260
261
262 []
263
264 []
265 []
266 []
267 []
268 []
269
270 []?
271
272 []?
273
274 []?
275
276 []?
277
278 []?
279
280
281 []

```

282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350

```

```

351
352
353   1000  1000  0  00  00
354
355   00  0000  00  0000  00  00?
356
357   0  000  000  00,  0000  0000?
358
359   0  00000  00000  0000  0000?
360
361
362   00  0000  0000  0  0000
363
364   00  0000  0000  00  0000.
365   0000  00  0000  00000.
366   00  0000  00000.
367   0000000  0000  0000  000000.
368   00  0  00  00  0000  00  000000.
369
370   0000  0000  0000?
371
372   000000  0000  0000  0000  0000?
373
374   0  00000  00  0000  0000?
375
376   00  0000  0000  00  0000?
377
378   00  0000  00  0  0000?
379
380
381   0000
382
383   0000  0000  00  0000  0000  00  000000.
384   0000  0000  0000000.
385
386   00000000  00  000000  0000  0000,
387   0  0000  0000  0  0000  0  0000.
388   00  00000  0  00000  0000  00  0  00000.
389
390   0000  0000  00  00  00  0000000  00  0000,
391   "000  00  00"000  00  00  0000  00  0  00000.
392
393   0000  0000  0000  0000  0000000,
394   00  0000  00  0000000,
395   00  000000  00000000
396   0000  0000  0  0000  0  0  00000.
397   0000  0000  "0000"  00000,  000  0  00000  00000  0000  00000000.
398   ` ,
399   }, ,
400   }, ,
401   } ;

```

296. [content/mind/life/decision-fatigue.ts](#)

```

1 export const artifact = {
2   title: "Шийдвэр гаргах яагаад ядраадаг вэ?",
3   content: `
4 Шийдвэр гаргах яагаад ядраадаг вэ?
5
6 Яагаад жижиг шийдвэр хүртэл хүнд санагддаг вэ?
7
8 Өдөр бүр бид өөрсдөө ч анзааралгүй
9 маш олон жижиг шийдвэр гаргадаг.
10 Юу идэх вэ,
11 хэнд хариу бичих вэ,
12 ямар ажлыг түрүүлэх вэ,
13 хаана цаг гаргах вэ гэх мэт

```

14 энгийн мэт санагдах сонголтууд хүртэл
15 тархины нөөцийг хэрэглэдэг.
16
17 Тиймээс өдөр өнгөрөх тусам
18 шийдвэр гаргах чадвар суларч,
19 бид илүү амархан ядрах хандлагатай болдог.
20 Үүнийг decision fatigue буюу
21 “шийдвэрийн ядаргаа” гэж нэрлэдэг.
22
23 Decision fatigue үед юу болдог вэ?
24
25 Энэ үед:
26 жижиг зүйл дээр тээнэгэлзэх,
27 хийх ёстойгоо хойшлуулах,
28 амархан уурлах,
29 “яахаа мэдэхгүй” мэт санагдах,
30 буруу сонголт хийх магадлал нэмэгддэг.
31
32 Ихэнх хүн энэ байдлаа
33 “би залхуу”,
34 “би чадваргүй” гэж буруу тайлбарладаг.
35 Гэтэл үнэндээ
36 энэ нь нөөц багасч байгаагийн дохио юм.
37
38 Яагаад үүнийг таних хэрэгтэй вэ?
39
40 Хэрвээ бид энэ ядаргааг танихгүй бол
41 өөрийгөө хэт их буруутгаж,
42 илүү их дарамт үүсгэдэг.
43
44 Харин ойлгож эхлэхэд
45 “би муу биш,
46 би ядарсан байна” гэж
47 өөртөө зөөлөн хандах боломж нээгддэг.
48
49 Шийдвэрийн ядаргааг багасгах 3 арга
50
51 1) Сонголтоо цөөлөх
52
53 Өдөр тутмын жижиг зүйлсийг
54 урьдчилж тогтоож өгөх
55 (хоол, хувцас, хуваарь)
56 тархины ачааллыг багасгадаг.
57
58 2) Хамгийн чухлыг түрүүлж хийх
59
60 Өглөө,
61 тархи илүү шинэхэн үедээ
62 нэг чухал шийдвэрээ гаргахад
63 хялбар байдаг.
64
65 3) “Сайн” шийдвэр хангалттай
66
67 Төгс шийдвэр хайх нь
68 хамгийн их ядраадаг.
69 Ихэнх үед “хангалттай сайн”
70 шийдвэр байхад л болно.
71
72 Жижиг бичих дадлага хийцгээе.
73
74 Өнөөдрийн шийдвэрүүдээс
75 надад хамгийн их энерги өгсөн нэг зүйл юу байв?
76
77 Маргааш би ямар нэг жижиг зүйлийг
78 хялбарчилж болох вэ?
79
80 Одоо би өөртөө ямар амралт өгч болох вэ?
81
82 Төгсгөл

```

83
84 Шийдвэр гаргах ядрал бол
85 сул тал биш,
86 хэт олон зүйлийг эзрэг үүрч байгаагийн дохио юм.
87
88 Хэрвээ өдөр бүр юу хийхээ мэдэхгүй
89 гацаж байгаа нэг мөч байвал –
90 хажуу чатанд бичээд
91 хамт задлая.
92 `,
93 };

```

297. content/mind/life/money-and-mind.ts

```

1  export const artifact = {
2    title: "Мөнгө яагаад сэтгэлд нөлөөлдөг вэ?",
3    content: `
4  Мөнгө яагаад сэтгэлд нөлөөлдөг вэ?
5
6  Мөнгө бол зөвхөн тоо биш
7
8  Мөнгө гэдэг нь зүгээр нэг тоо биш.
9  Энэ нь бидний дотор
10 аюулгүй байдал,
11 эрх чөлөө,
12 сонголт,
13 өөрийн үнэ цэнэ,
14 нэр хүнд гэх мэт
15 олон мэдрэмжийг хөдөлгөдөг.
16
17 Тиймээс мөнгөний асуудал гарвал
18 зөвхөн эдийн засаг биш,
19 сэтгэлзүйн стресс болдог.
20
21 "Мөнгөний стресс" ихэвчлэн юунаас үүсдэг вэ?
22
23 Ихэнхдээ мөнгөний түгшүүр
24 тодорхойгүй байдалтай холбоотой байдаг.
25
26 Бид:
27 • хаашаа мөнгө алга болж байгааг мэдэхгүй,
28 • орлого, зарлагын зураггүй,
29 • өр, дарамтад орсон,
30 • өөрийгөө бусадтай харьцуулсан,
31 • "Би мөнгөтэй байж болохгүй" гэсэн итгэлтэй
32 байх үед
33 сэтгэл дотроо хямардаг.
34
35 Мөнгөний талаар бидний нийтлэг бодлууд
36
37 Зарим бодол
38 бодит баримт биш,
39 харин олон жилд суусан
40 сурсан итгэл байж байдаг.
41
42 Жишээ нь:
43 "Надад хэзээ ч хүрэхгүй."
44 "Би мөнгө удирдаж чаддаггүй."
45 "Мөнгө яривал муухай."
46
47 Эдгээр бодлыг шалгаж эхлэхэд
48 мөнгөний айдас бага багаар сулардаг.
49
50 Жижиг бодит алхам: "Харах"
51
52 Мөнгөний сэтгэлзүйг засах
53 хамгийн эхний алхам бол

```



```

54 мөнгөө "харах" юм.
55
56 Өөрөөр хэлбэл:
57 зарлага, орлогоо бичиж,
58 хаашаа явж байгааг анзаарч эхлэх.
59
60 Харагдаж эхлэхэд:
61 айдас багасдаг,
62 сонголт нэмэгддэг,
63 өөрийгөө буруутгах багасдаг.
64
65 Жижиг бичих дадлага хийцгээе.
66
67 Сүүлийн 3 өдрийн зарлагаас
68 надад юу хамгийн их сэтгэл хөдөлгөсөн бэ?
69
70 Аль нь "заавал хэрэгтэй" байсан бэ?
71
72 Аль нь "сэтгэл хөөрлөөр" гарсан бэ?
73
74 Одоо би мөнгөний талаар ямар нэг бодлоо өөрчилж чадах уу?
75
76 Төгсгөл
77
78 Мөнгөний асуудалтай байна гэдэг нь
79 муу хүн гэсэн үг биш.
80 Энэ бол
81 удирдаж сурч болох үр чадвар юм.
82
83 Хэрвээ мөнгөний тухай бодохоор чинь
84 түгшүүр нэмэгддэг бол –
85 хажуу чатанд
86 "би юнаас хамгийн их айдаг вэ" гэдгээ
87 1 өгүүлбэрээр бичээд эхэл.
88
89 Санхүүгийн тогтвортой байдал нь
90 сэтгэл санааны аюулгүй байдлын суурь болдог.
91 Тиймээс Санхүү апп ашиглаад
92 орлого, зарлагаа зургаар оруулж,
93 хаашаа мөнгө явж байгааг бодитоор харж,
94 тайлангаа Ожунсанаагаар цэгцлүүлж үзээрэй.
95 `,
96 };

```

298. content/mind/life/simplify.ts

```

1 export const artifact = {
2   title: "Юуг нэг алхмаар хялбарчилж болох вэ?",
3   content: `
4   Юуг нэг алхмаар хялбарчилж болох вэ?
5
6   Хялбарчлах гэдэг нь юу гэсэн үг вэ?
7
8   Хялбарчлах гэдэг нь
9   бууж өгөх,
10  залхуурах гэсэн үг биш.
11  Энэ бол
12  өөрийгөө аварч,
13  амьдрах зай гаргаж байгаа
14  ухамсарт сонголт юм.
15
16  Бидний амьдрал
17  заримдаа хэт олон шаардлага,
18  хэт их мэдээлэл,
19  хэт их үүрэгтэй болдог.
20  Тэгэхээр хамгийн эхний алхам бол
21  нэг зүйлээс эхэлж

```

```

22 хөнгөрүүлэх явдал.
23
24 Юуг хялбарчилж болох вэ?
25
26 1) Давтагддаг зүйл
27
28 Өдөр бүр давтагддаг
29 жижиг үйлдлүүд дээр
30 автоматжуулах, товчлох
31 боломж байдаг.
32
33 2) Сэтгэл сордог зүйл
34
35 Бусдын хүлээлт,
36 "заавал" гэх бодол,
37 өөртөө тавьсан хатуу шаардлага.
38
39 3) Цаг сордог зүйл
40
41 Тасралтгүй чат,
42 мэдэгдэл,
43 зорилгогүй scroll
44 бидний анхаарлыг сордог.
45
46 1 алхмын дүрэм
47
48 Хэрвээ амьдрал чинь
49 нурах гэж байгаа мэт санагдвал,
50 "би өнөөдөр ганц л зүйлээ
51 10% хялбарчилна" гэж өөртөө хэл.
52
53 Энэ жижиг өөрчлөлт
54 давтагдсаар
55 том хөнгөлөлт болдог.
56
57 Жижиг бичих дадлага хийцгээе.
58
59 Надад хамгийн их ачаа өгдөг нэг зүйл юу вэ?
60
61 Би үүнийг 10% яаж хялбарчилж болох вэ?
62
63 Би үүнийг яг хэзээ хийх вэ?
64
65 Төгсгөл
66
67 Хялбарчлах нь
68 амьдралыг жижигрүүлэх биш,
69 амьдрах зай гаргах явдал юм.
70
71 Хэрвээ яг юуг нь хялбарчлахаа
72 мэдэхгүй байвал —
73 хажуу чатанд
74 өдөр тутмынхаа хамгийн их ядраадаг
75 хоёр зүйлийг бичээд өг.
76 Хамт нэг алхам сонгоё.
77 ` ,
78 };

```

299. content/mind/life/stable-life.ts

```

1 export const artifact = {
2   title: "Тогтвортой амьдрал гэж юу вэ?",
3   content: `
4 Тогтвортой амьдрал гэж юу вэ?
5
6 Тогтвортой байдал гэж яг юу гэсэн үг вэ?
7

```

8 Тогтвортой амьдрал гэдэг нь
9 бүгд төгс, асуудалгүй гэсэн үг биш.
10 Харин амьдралын суурь хэрэгцээнүүд
11 хэт савлаж, нурахгүй байхыг хэлнэ.
12
13 Өөрөөр хэлбэл,
14 амралт, мөнгө, цаг, эрүүл мэнд
15 тэнцвэрээ бүрэн алдахгүй,
16 стресс гарсан ч
17 өөрийгөө буцааж барих боломжтой байх юм.
18
19 Энэ нь
20 “би амьдралаа ядаж нэг талаас нь
21 барьж авч чаддаг”
22 гэсэн дотоод мэдрэмжийг өгдөг.
23
24 Яагаад тогтвортой байдал сэтгэл санаанд нөлөөлдөг вэ?
25
26 Тогтворгүй үед тархи
27 аюул хайж эхэлдэг.
28
29 Мөнгө хүрэхгүй байх вий,
30 ажил бүтэхгүй болох вий,
31 цаг хүрэхгүй болох вий,
32 би дийлэхгүй болох вий
33 гэх бодлууд
34 тасралтгүй эргэлдэж,
35 жижиг асуудал хүртэл
36 том мэт санагдуулдаг.
37
38 Тогтвортой байдлын 3 суурь
39
40 1) Цагийн тогтвортой байдал
41
42 Өдөр тутмын хэмнэл,
43 унтах, сэрэх, амрах цаг
44 тогтмол байхад
45 бие, сэтгэл тайвширдаг.
46
47 2) Санхүүгийн тогтвортой байдал
48
49 Орлого, зарлагын ерөнхий зураг,
50 давтагддаг зардлаа мэдэх нь
51 сэтгэлийн дарамтыг багасгадаг.
52
53 3) Сэтгэлзүйн тогтвортой байдал
54
55 Стрессээ таних,
56 тайвшрах арга,
57 хил хязгаараа мэдэх нь
58 дотоод тэнцвэрийг хадгална.
59
60 Жижиг бичих дадлага хийцгээе.
61
62 Миний амьдралын хамгийн их савлаж байгаа хэсэг аль нь вэ?
63
64 Би яг юунаас болж хамгийн их ядраад байна вэ?
65
66 Миний хяналтанд байгаа ганц зүйл юу вэ?
67
68 Одоо хамгийн жижиг засвар юу байж болох вэ?
69
70 Одоо өөртөө 2 өгүүлбэр бич.
71
72 Надад тогтвортой амьдрал гэдэг нь ____.
73
74 Одоо хамгийн түрүүнд тогтворжуулах хэрэгтэй зүйл нь ____.
75
76 Төгсгөл

```

77
78 Тогтвортой байдал бол
79 том шийдвэр биш,
80 өдөр тутмын жижиг тогтмол алхмууд юм.
81
82 Хэрвээ амьдралын чинь
83 хамгийн их савлаж байгаа хэсгийг
84 хамт тодруулахыг хүсвэл –
85 хажуу чатанд
86 2-3 өгүүлбэрээр бичээд өг.
87
88 Стрессийг бүрэн алга болгох гэж биш,
89 эх үүсвэрийг нь жижиглэж,
90 удирдах гэж зорьдог.
91
92 Санхүүгийн тогтвортой байдал нь
93 амьдралын суурь баталгаа болдог.
94
95 Хэрвээ мөнгөний асуудал
96 чиний стрессийн давтагддаг эх үүсвэр байвал –
97 “Санхүү апп”-аа ашиглаарай.
98
99 Баримтаа зургаар оруулаад,
100 орлого, зарлагаа надаар бүртгүүлж,
101 тайлангаа бодитоор харж хянах тусам
102 тодорхойгүй байдал багасч,
103 стресс аяндаа намжиж эхэлдэг.` ,
104 };

```

300. content/mind/life/stress-sources.ts

```

1  export const artifact = {
2    title: "Стресс хаанаас үүсдэг вэ?",
3    content: `
4  Стресс хаанаас үүсдэг вэ?
5
6  Стресс гэж юу вэ?
7
8  Стресс бол заавал муу зүйл биш.
9  Энэ бол
10 "миний нөөц (цаг, энерги, мөнгө, дэмжлэг)
11 хүрэхгүй байж магадгүй"
12 гэсэн бие, сэтгэлийн дохио юм.
13
14 Хэрвээ бид стрессийн
15 эх үүсвэрээ танихгүй бол
16 зөвхөн шинж тэмдгийг дарж,
17 дотроо улам ядрах хандлагатай болдог.
18
19 Стрессийн нийтлэг эх үүсвэрүүд
20
21 1) Цаг хугацаа
22
23 Хэт олон үүрэг,
24 хэт бага цаг.
25
26 2) Тодорхойгүй байдал
27
28 Юу болох нь ойлгомжгүй,
29 урьдчилан таамаглах боломжгүй байх.
30
31 3) Хүлээлт ба дарамт
32
33 Өөрийнхөө биш
34 шаардлагыг үүрэх.
35
36 4) Хүн харилцаа

```

```

37
38 Ойлголцолгүй байдал,
39 зөрчил,
40 хил хязгаар алдагдах.
41
42 5) Биеийн нөөц
43
44 Нойр дутуу,
45 өлсөх,
46 хөдөлгөөнгүй байх.
47
48 “Надад стресс үүсгэдэг зүйл”-ийг олж харах
49
50 Дараах асуултууд
51 чиний стрессийн эх үүсвэрийг
52 танихад тусална.
53
54 Жижиг бичих дадлага хийцгээе.
55
56 Стресс нэмэгдэхэд хамгийн түрүүнд юу бодогддог вэ?
57
58 Стресс эхлэхэд биеэр ямар дохио гардаг вэ?
59
60 Би ихэвчлэн юунаас зугтдаг вэ?
61
62 Аль хэсэгт би “үгүй” гэж хэлж чаддаггүй вэ?
63
64 Миний стресс өдөр бүр давтагддаг уу, эсвэл үе үе гардаг уу?
65
66 Сүүлийн 7 хоногоос 3 стрессийн мөчийг бодоод бич.
67
68 Юу болсон бэ?
69
70 Ямар мэдрэмж төрсөн бэ?
71
72 Юу хамгийн их нөөц авсан бэ?
73
74 Одоо эдгээрээс хамгийн нийтлэг 1 эх үүсвэрийг сонго.
75
76 Төгсгөл
77
78 Стрессийг бүрэн алга болгох гэж биш,
79 эх үүсвэрийг нь жижиглэж,
80 удирдах гэж зорьдог.
81
82 Хэрвээ стрессийн чинь гол эх үүсвэр
83 тодорхойгүй байвал –
84 хажуу чатанд
85 нэг өдрөө товч бичээд өг.
86 Хамт олъё.
87 ` ,
88 };

```

301. content/mind/life/work-environment.ts

```

1 export const artifact = {
2   title: "Ажил ба орчин тархинд яаж нөлөөлдөг вэ?",
3   content: `
4 Ажил ба орчин тархинд яаж нөлөөлдөг вэ?
5
6 Орчин = сэтгэл санааны далд хүчин зүйл
7
8 Бид заримдаа
9 “би л сул байна” гэж боддог.
10 Гэтэл олон тохиолдолд
11 ядаргааны нэг эх үүсвэр нь
12 бидний орчин байдаг.

```

```

13
14 Тасралтгүй мэдэгдэл,
15 дуу чимээ,
16 хэт олон уулзалт,
17 тодорхойгүй даалгавар,
18 хэт их хариуцлага
19 тархийг байнга "сэрэмжтэй" байлгаж,
20 амралт авах боломжийг багасгадаг.
21
22 Ингэснээр тархи
23 тасралтгүй аюул хайж байгаа мэт ажиллаж,
24 удаан хугацаанд ядаргаанд ордог.
25
26 Ажлын стрессийг нэмэгдүүлдэг нийтлэг шалтгаанууд
27
28 1) Тодорхойгүй хүлээлт
29
30 Юуг "сайн" гэж үзэх нь
31 ойлгомжгүй үед
32 тархи байнга таах гэж оролдож,
33 энерги их зарцуулдаг.
34
35 2) Тасралтгүй тасалдал
36
37 Ажил эхлэх бүрт
38 тархи дахин "цэнэг" зарцуулж,
39 төвлөрөх нөөц хурдан дуусдаг.
40
41 3) Хяналтгүй мэдрэмж
42
43 Бүх зүйл бусдын шийдвэрээс
44 хамаараад байвал
45 тархи өөрийгөө аюулгүй гэж мэдрэхгүй,
46 илүү хурдан ядрана.
47
48 4) Амралтгүй горим
49
50 "Дараа амарна" гэсээр
51 өөрийгөө удаан шахах нь
52 нөөцийг аажмаар шавхдаг.
53
54 Жижиг бичих дадлага хийцгээе.
55
56 Миний ажлын хамгийн их ядаргаатай хэсэг нь юу вэ?
57
58 Ямар орчинд би илүү тайван, бүтээлч байдаг вэ?
59
60 Би яг аль хэсэг дээр илүү их хяналттай байж чадна вэ?
61
62 Өнөөдөр би ямар нэг жижиг өөрчлөлт хийж чадах вэ?
63
64 Төгсгөл
65
66 Асуудал үргэлж хүн дээр биш.
67 Заримдаа орчноо
68 бага зэрэг засахад л
69 сэтгэл санаа хөнгөрдөг.
70
71 Хэрвээ ажлын стресс чинь
72 яг юунаас болдгийг
73 тодруулахыг хүсвэл –
74 хажуу чатанд
75 ажлын өдрөө товч бичээд өгөхүү, хамтдаа ярилцах уу.
76 `
77 `;

```

302. content/mind/purpose/big-picture.ts

```

1  export const artifact = {
2    title: "Миний амьдралын том зураг",
3    content: `
4  Миний амьдралын том зураг
5
6  Том зураг яагаад хэрэгтэй вэ?
7
8  Өдөр тутмын жижиг асуудлууд,
9  хийх ёстой зүйлс,
10 хүмүүсийн хүлээлтийн дунд
11 бид заримдаа
12 "энэ бүхний төгсгөл хаашаа вэ?"
13 гэж өөрөөсөө асууж эхэлдэг.
14
15 Ийм үед том зураг гэдэг нь
16 биднийг чиглүүлж,
17 түр зогсоож,
18 эргэж харах боломж өгдөг
19 дотоод луужин шиг байдаг.
20
21 Том зураг = нарийн төлөвлөгөө биш
22
23 Том зураг гэдэг нь
24 яг хэзээ, яаж гэдгийг
25 бүгдийг нь мэдэх гэсэн оролдлого биш.
26
27 Харин
28 "би ерөнхийдөө ийм чиглэлд амьдармаар байна",
29 "миний амьдрал ийм мэдрэмжтэй байгаасай"
30 гэсэн зөөлөн чиглэл юм.
31
32 Том зураг өөрчлөгдөж болно.
33 Энэ нь буруу замд орлоо гэсэн үг биш,
34 харин чи өөрийгөө илүү сайн таньж байна
35 гэсэн дохио юм.
36
37 Том зургаа тодруулах
38
39 Бид ихэвчлэн
40 жижиг зорилгод дарагдаад
41 том асуултуудаа хойш тавьдаг.
42
43 Гэтэл хаашаа явж байгаагаа
44 мэдэхгүй бол
45 ямар ч зам ядаргаатай болдог.
46
47 Тиймээс өөрөөсөө
48 дараах асуултуудыг
49 яаралгүй асууж үз.
50
51 Жижиг бичих дадлага хийцгээе.
52
53 Таван жилийн дараах би
54 ямар хүн байгаасай гэж хүсэж байна вэ?
55
56 Би ямар амьдралыг
57 "амжилттай" гэж нэрлэх вэ?
58
59 Ямар зүйлээсээ
60 аль болох хол байхыг хүсэж байна вэ?
61
62 Миний амьдралын гол чиглэл юу вэ?
63
64
65 Төгсгөл
66
67 Том зураг тодорхой болох тусам
68 жижиг шийдвэрүүд
69 илүү амархан, хөнгөн болдог.

```

```

70
71 Хэрвээ том зургаа харахад хэцүү байвал –
72 хажуу чатанд бичээд,
73 хамт зураглая.
74 Харин та энэ “том зураг”-аа зүгээр бодоод орхих биш, бодит алхам болгож явмаар байвал
75 “□ Зорилго бичиж цэгцлэх апп” руу ороод 1-2 зорилгоо жижиг хэсгүүдэд хувааж бичээрэй.
76 Дараа нь өдөр бүр хийсэн эсэхээ тэмдэглээд явбал том зураг чинь аяндаа “явц” болж тогтоно.
77 `
78   il8n: {
79     en: {
80       title: "The big picture of my life",
81       content: `
82 The big picture of my life
83
84 Why do we need the big picture?
85
86 Amid everyday small problems,
87 things we have to do,
88 and other people's expectations,
89 we sometimes start asking ourselves
90 "where does all of this lead?"
91
92 At such times, the big picture
93 acts like an inner compass
94 that gives us direction,
95 lets us pause for a moment,
96 and gives us the chance to look back.
97
98 The big picture is not a detailed plan
99
100 The big picture is not
101 an attempt to know exactly
102 when and how everything will happen.
103
104 Rather, it is a gentle direction –
105 "I want to live generally in this kind of direction",
106 "I want my life to feel like this".
107
108 The big picture can change.
109 That doesn't mean you went down the wrong path,
110 it's a sign that you're getting to know yourself better.
111
112 Clarifying your big picture
113
114 We often get
115 buried in small goals
116 and put off the big questions.
117
118 But if you don't know
119 where you're heading,
120 any road becomes exhausting.
121
122 So, without rushing,
123 try asking yourself
124 the following questions.
125
126 Let's try a small writing exercise.
127
128 What kind of person do I want to be five years from now?
129
130 What kind of life would I call "successful"?
131
132 What is it that I want to stay as far away from as possible?
133
134 What is the main direction of my life?
135
136 Closing
137
138 As the big picture becomes clearer,

```



```

139 small decisions
140 become easier and lighter.
141
142 If it's hard for you to see your big picture -
143 write in the side chat,
144 and let's map it out together.
145 But if you don't want to just think about this "big picture" and leave it there, and instead want to turn it into real steps,
146 go to the "□ Goal-writing planner app" and break your 1-2 goals into small pieces and write them down.
147 Then, if you keep noting each day whether you did it or not, your big picture will naturally settle into "progress".
148 `,
149   },
150   ja: {
151     title: "□□□□□□□□",
152     content: `
153 □□□□□□□□
154
155 □□□□□□□□□□
156
157 □□□□□□□□
158 □□□□□□□□□□□□
159 □□□□□□□□□□□□
160 □□□□□□□□
161 □□□□□□□□□□□□□□□□?□
162 □□□□□□□□□□
163
164 □□□□□□□□□□□□
165 □□□□□□□□
166 □□□□□□□□□□
167 □□□□□□□□□□□□□□
168 □□□□□□□□□□□□□□□□
169
170 □□□□ = □□□□□□□□□□
171
172 □□□□□□□□
173 □□□□□□□□□□□□□□
174 □□□□□□□□□□□□□□□□□□□□
175
176 □□□□
177 □□□□□□□□□□□□□□□□□□□□□□
178 □□□□□□□□□□□□□□□□□□□□□□
179 □□□□□□□□□□□□□□□□
180
181 □□□□□□□□□□□□□□□□□□□□□□
182 □□□□□□□□□□□□□□□□□□□□□□□□□□
183 □□□□□□□□□□□□□□□□□□□□□□□□□□
184 □□□□□□□□□□□□□□□□□□□□□□□□□□
185
186 □□□□□□□□□□□□□□□□□□□□□□□□□□
187
188 □□□□□□□□□□□□□□□□□□□□□□□□□□
189 □□□□□□□□□□□□□□□□□□□□□□□□□□
190 □□□□□□□□□□□□□□□□□□□□□□□□□□
191
192 □□□□□□□□□□□□□□□□□□□□□□□□□□
193 □□□□□□□□□□□□□□□□□□□□□□□□□□
194 □□□□□□□□□□□□□□□□□□□□□□□□□□
195
196 □□□□□□□□□□□□□□□□□□□□□□□□□□
197 □□□□□□□□□□□□□□□□□□□□□□□□□□
198 □□□□□□□□□□□□□□□□□□□□□□□□□□
199
200 □□□□□□□□□□□□□□□□□□□□□□□□□□
201
202 5□□□□□□□□□□□□□□□□□□□□□□□□□□?
203
204 □□□□□□□□□□□□□□□□□□□□□□□□□□?
205
206 □□□□□□□□□□□□□□□□□□□□□□□□□□
207 □□□□□□□□□□□□□□□□□□□□□□□□□□?

```



```

277 5᠐ ᠐᠐ ᠐᠐ ᠐᠐ ᠐᠐᠐᠐᠐᠐ ᠐᠐᠐᠐?
278
279 ᠐᠐ ᠐᠐ ᠐᠐ "᠐᠐"᠐᠐ ᠐᠐᠐?
280
281 ᠐᠐ ᠐᠐ ᠐᠐᠐᠐᠐
282 ᠐᠐᠐ ᠐᠐᠐᠐ ᠐᠐᠐?
283
284 ᠐ ᠐᠐᠐ ᠐᠐ ᠐᠐᠐ ᠐᠐᠐᠐?
285
286 ᠐᠐᠐
287
288 ᠐ ᠐᠐᠐ ᠐᠐᠐᠐᠐᠐
289 ᠐᠐ ᠐᠐᠐᠐
290 ᠐ ᠐᠐ ᠐᠐᠐᠐᠐᠐.
291
292 ᠐ ᠐᠐᠐ ᠐᠐᠐ ᠐᠐᠐᠐ —
293 ᠐ ᠐᠐᠐ ᠐ ᠐᠐᠐.
294 ᠐᠐ ᠐᠐ ᠐᠐᠐.
295 ᠐᠐᠐ ᠐ "᠐ ᠐᠐"᠐ ᠐᠐ ᠐᠐᠐ ᠐᠐ ᠐᠐᠐ ᠐᠐ ᠐᠐ ᠐᠐᠐᠐ ᠐᠐᠐ ᠐᠐᠐,
296 "᠐ ᠐᠐ ᠐᠐ ᠐"᠐ ᠐᠐᠐ 1~2᠐᠐ ᠐᠐᠐ ᠐᠐ ᠐᠐᠐᠐ ᠐᠐᠐ ᠐᠐ ᠐᠐᠐.
297 ᠐᠐᠐ ᠐᠐ ᠐᠐᠐᠐᠐᠐ ᠐᠐᠐ ᠐᠐᠐, ᠐ ᠐᠐᠐ ᠐᠐᠐ "᠐᠐ ᠐᠐ ᠐"᠐᠐ ᠐᠐ ᠐᠐ ᠐᠐᠐.
298 ` ,
299 },
300 },
301 };

```

303. content/mind/purpose/dreams-vs-reality.ts

```

1  export const artifact = {
2    title: "Хүсэл мөрөөдөл ба бодит байдал",
3    content: `
4  Хүсэл мөрөөдөл ба бодит байдал
5
6  Яагаад зөрчил үүсдэг вэ?
7
8  Бидний доторх хүсэл мөрөөдөл
9  ихэвчлэн бодит амьдралын
10 цаг, мөнгө, үүрэг, айдас,
11 бас бусдын хүлээлттэй
12 мөргөлддөг.
13
14 Ийм үед
15 "би мөрөөдлөө орхиод байна"
16 эсвэл
17 "би өөрийнхөөрөө амьдарч чадахгүй юм шиг"
18 гэж мэдрэх нь элбэг.
19
20 Гэхдээ ихэнхдээ
21 мөрөөдөл алга болчихоогүй,
22 харин
23 бодит байдалтайгаа
24 яаж нийцүүлэхээ мэдэхгүй
25 гацсан байдаг.
26
27 Мөрөөдөл = шууд үсрэх биш
28
29 Мөрөөдөл гэдэг нь
30 заавал шууд үсрээд хүрэх зорилго биш.
31 Энэ бол
32 чиглэл,
33 хүсэл,
34 дотоод дуу хоолой юм.
35
36 Зарим мөрөөдөл
37 олон жил,
38 олон жижиг алхмын дараа
39 аажмаар бодит болдог.

```

```
40
41 Тиймээс
42 “би одоо л бүгдийг өөрчлөх ёстой”
43 гэж өөрийгөө шахах нь
44 мөрөөдлийг илүү холдуулдаг.
45
46 Мөрөөдөл ба бодит байдлыг ойртуулах
47
48 Бид ихэнхдээ
49 мөрөөдлийг том, аймаар
50 болгож хардаг.
51
52 Гэтэл мөрөөдлийн цаана
53 ихэвчлэн нэг мэдрэмж,
54 нэг байдал,
55 нэг үнэт зүйл байдаг.
56
57 Жишээ нь:
58 “Өөр ажилтай болмоор байна”
59 гэдгийн цаана
60 эрх чөлөө,
61 утга учир,
62 тайван байдал
63 нууж байж болно.
64
65 Тиймээс
66 ямар мэдрэмж,
67 ямар амьдралыг
68 үнэхээр хүсэж байгаагаа
69 өөрөөсөө асуух нь чухал.
70
71 Жижиг бичих дадлага хийцгээе.
72
73 Энэ мөрөөдөл үнэхээр минийх үү,
74 эсвэл бусдынх уу?
75
76 Би яг юуг нь хүсэж байна вэ?
77
78 Одоо хийж чадах
79 хамгийн жижиг алхам юу вэ?
80
81 Дараах өгүүлбэрийг гүйцээгээрэй.
82
83 Би яг одоо ____-д хүрэх албагүй.
84 Харин ____-г эхлүүлж чадна.
85
86 Төгсгөл
87
88 Мөрөөдөл бодит байдалтайгаа
89 бага багаар нийцэж эхлэхэд
90 дарамт багасч,
91 амьдрал илүү хөнгөн санагддаг.
92
93 Мөрөөдөл чинь
94 бодит амьдралд дарамт болж байвал –
95 хажуу чатанд бичээд
96 хамт зөөлрүүлье.
97
98 Хэрвээ энэ мөрөөдлөө
99 зүгээр бодоод орхих биш,
100 бодит амьдралд аажмаар ойртуулмаар байвал
101 “□ Зорилго бичиж цэгцлэх апп” руу ороод
102 энэ мөрөөдлөө жижиг алхмууд болгон задлаад бичиж үзээрэй.
103
104 Чи яг одоо бүхнийг өөрчлөх албагүй.
105 Зөвхөн нэг жижиг алхмыг
106 өдөр тутмын амьдралдаа оруулахад л хангалттай.
107 `
108   i18n: {
```

```
109     en: {
110         title: "Dreams vs. reality",
111         content: `
112 Dreams vs. reality
113
114 Why does conflict arise?
115
116 The dreams inside us
117 often collide with
118 the time, money, duties, fears,
119 and also the expectations of others
120 of real life.
121
122 At such times
123 it's common to feel
124 "I'm giving up on my dream"
125 or
126 "I can't seem to live the way I want to."
127
128 But usually
129 the dream hasn't disappeared –
130 rather, you're stuck
131 not knowing how to
132 reconcile it with reality.
133
134 A dream isn't something to leap to directly
135
136 A dream isn't necessarily
137 a goal you must reach in one direct leap.
138 It is
139 a direction,
140 a desire,
141 an inner voice.
142
143 Some dreams
144 gradually become real
145 only after many years
146 and many small steps.
147
148 So
149 pushing yourself with
150 "I have to change everything right now"
151 actually pushes the dream further away.
152
153 Bringing the dream and reality closer
154
155 We often
156 picture the dream as
157 big and frightening.
158
159 But behind the dream
160 there is usually
161 a single feeling,
162 a single state,
163 a single value.
164
165 For example:
166 behind
167 "I want a different job"
168 there may be hidden
169 freedom,
170 meaning,
171 or peace of mind.
172
173 So it matters
174 to ask yourself
175 what feeling,
176 what kind of life
177 you truly want.
```

```

178
179 Let's try a small writing exercise.
180
181 Is this dream really mine,
182 or someone else's?
183
184 What exactly am I longing for?
185
186 What is the smallest step
187 I can take right now?
188
189 Complete the sentence below.
190
191 I don't have to reach ____ right this moment.
192 But I can start _____.
193
194 Closing
195
196 When your dream and reality
197 start to align little by little,
198 the pressure eases,
199 and life feels lighter.
200
201 If your dream
202 is weighing heavily on your real life –
203 write about it in the side chat
204 and let's ease it together.
205
206 If, instead of just thinking about this dream,
207 you'd like to gradually bring it closer to real life,
208 go to the "📅 Goal planner app"
209 and try breaking this dream down into small steps and writing them out.
210
211 You don't have to change everything right now.
212 It's enough to bring
213 just one small step
214 into your everyday life.
215 ` ,
216     },
217     ja: {
218         title: "📅📅📅",
219         content: `
220 📅📅📅
221
222 📅📅📅📅📅📅📅
223
224 📅📅📅📅📅📅
225 📅📅📅📅📅
226 📅📅📅📅📅📅📅
227 📅📅📅📅
228 📅📅📅📅
229
230 📅📅📅
231 📅📅📅📅📅📅📅
232 📅📅
233 📅📅📅📅📅📅📅📅📅📅
234 📅📅📅📅📅📅📅
235
236 📅📅📅📅
237 📅📅📅📅📅📅📅📅📅
238 📅📅📅
239 📅📅📅📅📅
240 📅📅📅📅📅📅📅📅
241
242 📅 = 📅📅📅📅📅📅📅📅
243
244 📅📅
245 📅📅📅📅📅📅📅📅📅📅
246 📅📅

```

247 00000000
248 00000000
249 00000000
250
251 0000
252 00000000
253 0000000000000000
254 0000000000000000
255
256 0000
257 0000000000000000
258 0000000000000000
259 0000000000000000
260
261 000000000000
262
263 00000000
264 000000000000000000
265 0000000000
266
267 0000000000
268 000000000000
269 00000000
270 0000000000000000
271
272 00000
273 00000000000000
274 000000000000
275 0000
276 0000
277 00000000
278 0000000000000000
279
280 00000000
281 0000000000
282 00000000
283 00000000000000
284 0000000000000000
285
286 000000000000000000
287
288 0000000000000000
289 0000000000000000?
290
291 000000000000000000?
292
293 000000
294 0000000000000000?
295
296 0000000000000000
297
298 00000000 00000000000000
299 00 0000000000000000
300
301 000000
302
303 00000000
304 000000000000000000
305 00000000
306 0000000000000000
307
308 00000000000000
309 000000000000 —
310 00000000000000
311 000000000000000000
312
313 000000000000000000
314 00000000000000000000
315 00 000000000000000000

```
316
317
318
319
320
321
322 ` ,
323 },
324 ko: {
325   title: "ᠠᠨᠠᠭ ᠠᠨᠠ",
326   content: `
327   ᠠᠨᠠ ᠠᠨᠠ
328
329   ᠠ ᠠᠨᠠ ᠠᠨᠠ?
330
331   ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ
332   ᠠᠨᠠ ᠠᠨᠠ
333   ᠠᠨᠠ, ᠠ, ᠠᠨᠠ, ᠠᠨᠠ,
334   ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ
335   ᠠᠨᠠᠨᠠ.
336
337   ᠠᠨᠠ ᠠ
338   "ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ"
339   ᠠᠨᠠ
340   "ᠠ ᠠᠨᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠ ᠠᠨᠠ"
341   ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠᠨᠠ.
342
343   ᠠᠨᠠ ᠠᠨᠠ
344   ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ,
345   ᠠᠨᠠ ᠠᠨᠠ
346   ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ
347   ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠᠨᠠ.
348
349   ᠠ = ᠠᠨᠠ ᠠᠨᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ
350
351   ᠠᠨᠠ
352   ᠠᠨᠠ ᠠ ᠠᠨᠠ ᠠᠨᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠᠨᠠ.
353   ᠠᠨᠠ
354   ᠠᠨᠠᠨᠠ,
355   ᠠᠨᠠᠨᠠ,
356   ᠠᠨᠠ ᠠᠨᠠᠨᠠᠨᠠ.
357
358   ᠠᠨᠠ ᠠᠨᠠ
359   ᠠᠨᠠ ᠠ,
360   ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ
361   ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ.
362
363   ᠠᠨᠠ
364   "ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠ ᠠᠨᠠ ᠠᠨᠠ"
365   ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠᠨᠠ ᠠᠨᠠ
366   ᠠᠨᠠ ᠠᠨᠠ ᠠ ᠠᠨᠠᠨᠠ ᠠᠨᠠ.
367
368   ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ
369
370   ᠠᠨᠠ ᠠᠨᠠ
371   ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ
372   ᠠᠨᠠᠨᠠ.
373
374   ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ
375   ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ,
376   ᠠᠨᠠ ᠠᠨᠠ,
377   ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠᠨᠠ.
378
379   ᠠᠨᠠ ᠠᠨᠠ
380   "ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ"
381   ᠠ ᠠᠨᠠ ᠠᠨᠠ
382   ᠠᠨᠠ,
383   ᠠᠨᠠ,
384   ᠠᠨᠠᠨᠠ
```



```

385   00 00 0 0000.
386
387   0000
388   00 000,
389   00 00
390   000 0000
391   000000 00 00 00000.
392
393   00 0000 000 0 000.
394
395   0 00 00 00 000,
396   0000 00 000 000?
397
398   00 0000 000 0000?
399
400   00 0 0 00
401   00 00 0 000 0000?
402
403   00 0000 000 000.
404
405   00 00 00 000 0 0000 000 00.
406   0000 000 0 000 0 00.
407
408   0000
409
410   00 0000
411   0000 00 00 0000
412   0000 00
413   00 0 000 00000.
414
415   0000 00
416   0000 0000 0000 00 0000 -
417   0 0000 00 000.
418   00 00 0 000.
419
420   00 00 00 0000 00 00
421   0000 0000 0000 0000 0000,
422   "00 00 00 0"000 00
423   0 00 00 00000 0000 00 000.
424
425   00 00 00 00 00 0000 0000.
426   00 00 00 00 0000
427   0000 0000 00000 000000.
428   `,
429   },
430   },
431   };

```

304. [content/mind/purpose/goal-organize.ts](https://content.mind/purpose/goal-organize.ts)

```

1 // content/mind/purpose/goal-organize.ts
2 export const artifact = {
3   title: "□ Зорилго цэгцлэх – заавар",
4   content: `
5 Зорилго гэдэг нь зүгээр мөрөөдөл биш – бодит цаг, бодит алхамтай төлөвлөгөө.
6
7 □□□□□□□□□□
8 1) Эхлээд сонголтоо хий
9 □□□□□□□□□□
10 • Хэнтэй холбоотой вэ? (Зөвхөн би / Гэр бүл / Хос / Ажил / Нийгэм)
11 • Муны тухай вэ? (Self / Харилцаа / Ажил-Мөнгө / Эрүүл мэнд / Утга учир / Аз жаргал)
12 • Хугацаа: 1-4 долоо хоног / 1-3 сар / 3-12 сар / 1-10 жил
13 • Давтамж: Өдөр / 7 хоног / Сар
14 • Цаг: 15мин / 30мин / 1ц / 2ц / 3ц+
15
16 Эдгээр сонголт нь зорилгыг “боломжтой эсэхээр” нь цэгцлэхэд тусална.
17

```

```

18  []
19  2) Дараа нь зорилгоо бич
20  []
21  • Зорилго (1 өгүүлбэрээр)
22  • Яагаад энэ чухал вэ? (заавал биш)
23
24  Хадгалахад доор "file" болж нэмэгдэнэ.
25
26  []
27  3) Бүгдийг цэгцлэх
28  []
29  • Оуунсанаа нийт цаг, хугацаа, давтамжаар нь бодит зураг гаргана
30  • Хэт их зорилго бол "хасах/үлдээх"-ээр цөөрүүлнэ
31
32  []
33  4) Ватлах
34  []
35  Ватлах үед "Зорилго хэрэгжилт" дээр өдөр тутмын тэмдэглэл үүснэ.
36
37  []
38  Санаа
39  []
40  Зорилго олон байж болно.
41  Гэхдээ цаг нэг л байдаг.
42  Тиймээс "цагтаа багтаах" нь хамгийн чухал.
43  `
44    i18n: {
45      en: {
46        title: "□ Organizing your goals – guide",
47        content: `
48  A goal isn't just a dream – it's a plan with real time and real steps.
49
50  []
51  1) First, make your choices
52  []
53  • Who is it related to? (Just me / Family / Partner / Work / Society)
54  • What is it about? (Self / Relationships / Work-Money / Health / Meaning / Happiness)
55  • Timeframe: 1-4 weeks / 1-3 months / 3-12 months / 1-10 years
56  • Frequency: Daily / Weekly / Monthly
57  • Time: 15min / 30min / 1hr / 2hr / 3hr+
58
59  These choices help you organize the goal by how "achievable" it is.
60
61  []
62  2) Then write your goal
63  []
64  • Goal (in one sentence)
65  • Why does this matter? (optional)
66
67  Once saved, it's added below as a "file."
68
69  []
70  3) Organize everything
71  []
72  • Оуунсанаа creates a realistic picture based on total time, duration, and frequency
73  • If you have too many goals, narrow them down by "cutting/keeping"
74
75  []
76  4) Confirm
77  []
78  When confirmed, a daily log is created under "Goal progress."
79
80  []
81  A thought
82  []
83  You can have many goals.
84  But you only have one amount of time.
85  That's why "fitting it into your time" matters most.
86  `

```



```

156 3)   0000 0000
157   00000000000000000000
158   • Oyunsanaa 0 00, 00, 000 0000 0000 00 000 0000
159   • 000 00 000 "000/000" 0 00 000
160
161   00000000000000000000
162 4)   0000
163   00000000000000000000
164   0000 "00 00 00" 000 000 00000.
165
166   00000000000000000000
167   00000
168   00000000000000000000
169   000 00 000 00000.
170   000 000 000000.
171   000 "0 000 000 0" 00 00 00000.
172   `,
173   },
174   },
175 };

```

305. [content/mind/purpose/goal-planner.ts](#)

```

1 export const artifact = {
2   title: "□ Зорилго бичиж цэгцлэх",
3   content: "__INTERACTIVE_GOAL_PLANNER__",
4   i18n: {
5     en: {
6       title: "□ Write & organize your goals",
7       content: "__INTERACTIVE_GOAL_PLANNER__",
8     },
9     ja: {
10      title: "□ □□□□□□□□",
11      content: "__INTERACTIVE_GOAL_PLANNER__",
12    },
13    ko: {
14      title: "□ □□ □□ □ □□",
15      content: "__INTERACTIVE_GOAL_PLANNER__",
16    },
17  },
18 };

```

306. content/mind/purpose/goals-motivate.ts

```

1 export const artifact = {
2   title: "Зорилго яагаад урам өгдөг вэ?",
3   content: `
4 Зорилго яагаад урам өгдөг вэ?
5
6 Зорилго гэдэг нь юу вэ?
7
8 Зорилго гэдэг нь
9 өөрийгөө шахах ташуур биш.
10 Зөв үедээ зорилго нь
11 чиглэл өгч,
12 амьдралд утга нэмэж,
13 ахиц мэдрүүлдэг.
14
15 Харин буруу үедээ
16 дарамт болж,
17 өөрийгөө буруутгах шалтгаан болдог.
18
19 Урам өгдөг зорилгын шинж
20
21 Урам өгдөг зорилго нь:

```

22 чиний үнэ цэнэтэй нийцсэн,
 23 хэмжигдэхүйц,
 24 уян хатан,
 25 алдаа гаргах зайтай байдаг.
 26
 27 Ийм зорилго нь
 28 чамайг төгс байхыг шаардахгүй,
 29 харин оролдож байхыг дэмждэг.
 30
 31 Өөрийгөө шалгах
 32
 33 Энэ зорилгыг
 34 би хэн нэгэнд таалагдахын тулд тавьсан уу?
 35
 36 Эсвэл
 37 үнэхээр өөрийнхөө төлөө юу?
 38
 39 Жижиг бичих дадлага хийцгээе.
 40
 41 Одоо байгаа нэг зорилгоо бодоод бич.
 42
 43 Энэ зорилго намайг урамшуулж байна уу,
 44 эсвэл шахаж байна уу?
 45
 46 Одоо өгүүлбэрээ жаахан зөөлрүүл.
 47
 48 “Би заавал ...” гэсэн өгүүлбэрийг
 49
 50 “Би оролдож үзнэ ...” болгож бич.
 51
 52 Төгсгөл
 53
 54 Зорилго бол
 55 ташуур биш,
 56 туслах хэрэгсэл юм.
 57
 58 Хэрвээ зорилго чинь
 59 урам биш дарамт болж байвал –
 60 хажуу чатанд бичээд
 61 хамт зөөлрүүлье.
 62
 63 Харин энэ сэдвийг уншаад орхих биш,
 64 бодит алхам болгоод хэрэгжүүлмээр байвал
 65 “□ Зорилго төлөвлөгөө апп” руу ороод
 66 нэг зорилгоо бичээд,
 67 түүнийг 3-7 жижиг алхам болгон хуваагаад,
 68 өдөр бүр хийсэн эсэхээ тэмдэглээд явж үзээрэй.
 69 ` ,
 70 i18n: {
 71 en: {
 72 title: "Why do goals motivate us?",
 73 content: `
 74 Why do goals motivate us?
 75
 76 What is a goal?
 77
 78 A goal is not
 79 a whip to push yourself with.
 80 At the right time, a goal
 81 gives you direction,
 82 adds meaning to your life,
 83 and lets you feel progress.
 84
 85 But at the wrong time
 86 it becomes a burden,
 87 and a reason to blame yourself.
 88
 89 Traits of a motivating goal
 90

```

91 A motivating goal is:
92 aligned with your values,
93 measurable,
94 flexible,
95 and leaves room for mistakes.
96
97 A goal like this
98 doesn't demand that you be perfect,
99 but supports you in trying.
100
101 Check in with yourself
102
103 Did I set this goal
104 to please someone else?
105
106 Or is it
107 truly for myself?
108
109 Let's try a small writing exercise.
110
111 Think of a goal you currently have and write it down.
112
113 Does this goal motivate me,
114 or does it pressure me?
115
116 Now soften your sentence a little.
117
118 Take a sentence like "I must..."
119
120 and rewrite it as "I'll try..."
121
122 Closing
123
124 A goal is not
125 a whip,
126 it's a helping tool.
127
128 If your goal
129 is becoming a burden instead of motivation -
130 write about it in the side chat
131 and let's soften it together.
132
133 But if you don't just want to read this and move on,
134 and want to turn it into a real step,
135 go to the "□ Goal Planner app,"
136 write down one goal,
137 break it into 3-7 small steps,
138 and track whether you did them each day.
139 `
140   },
141   ja: {
142     title: "□□□□□□□□□□?",
143     content: `
144 □□□□□□□□□□?
145
146 □□□□□□?
147
148 □□□□
149 □□□□□□□□□□□□□□
150 □□□□□□□□□□
151 □□□□□□
152 □□□□□□□□□□
153 □□□□□□□□□□□□
154
155 □□□□□□□□□□□□
156 □□□□□□□□
157 □□□□□□□□□□□□□□
158
159 □□□□□□□□□□□□

```

```

160
161   getHeader:
162   getHeader
163   getHeader
164   getHeader
165   getHeader
166
167   getHeader
168   getHeader
169   getHeader
170
171   getHeader
172
173   getHeader
174   getHeader?
175
176   getHeader
177   getHeader?
178
179   getHeader
180
181   getHeader
182
183   getHeader
184   getHeader?
185
186   getHeader
187
188   getHeader...getHeader
189
190   getHeader...getHeader
191
192   getHeader
193
194   getHeader
195   getHeader
196   getHeader
197
198   getHeader
199   getHeader—
200   getHeader
201   getHeader
202
203   getHeader
204   getHeader
205   getHeader
206   getHeader
207   getHeader37getHeader
208   getHeader
209   `,
210   },
211   ko: {
212     title: "ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ?",
213     content: `
214     ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ?
215
216     ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ?
217
218     ᠠᠨᠠᠭᠤ
219     ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ.
220     ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ
221     ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ,
222     ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ,
223     ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ.
224
225     ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ
226     ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ,
227     ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ.
228

```

```

229  0000 00 0000 00
230
231  0000 00 0000:
232  0000 0000 00,
233  00 00000,
234  00000,
235  0000 0000 0000.
236
237  00 0000
238  00000 00000 00,
239  00000 00 000000.
240
241  0000 00000
242
243  0 0000
244  0000000 0 00000 00 00?
245
246  0000
247  00 0 0000 00 000?
248
249  00 0000 0000 0 000.
250
251  00 00 00 0000 0000 00 000.
252
253  0 0000 00 00000 00 00,
254  0000 00 000000 00?
255
256  00 0000 00 00000 00 000.
257
258  "00 0000..."00 0000
259
260  "00 00 0 000..."0 00 00 000.
261
262  0000
263
264  0000
265  0000 0000
266  00 000000.
267
268  00 0000 0000
269  0000 0000 0000 00 0000 —
270  0 0000 00 0000,
271  00 00000 0000 000.
272
273  0 0000 00 0000 00 0000
274  00 0 00000 0000 0000,
275  "0 00 0000 0"00 0000
276  00 0000 00,
277  0000 3~700 00 0000 0000,
278  00 0000 0 0000 0000 0000.
279  `,
280      },
281  },
282  };

```

307. content/mind/purpose/growth-change.ts

```

1  export const artifact = {
2    title: "Өсөлт, өөрчлөлт гэж юу вэ?",
3    content: `
4  Өсөлт, өөрчлөлт гэж юу вэ?
5
6  Өсөлт гэдэг нь юу гэсэн үг вэ?
7
8  Өсөлт гэдэг нь
9  байнга урагшлах,
10 үргэлж илүү болох гэсэн үг биш.

```



```

11 Заримдаа өсөлт гэдэг нь
12 түр зогсож,
13 эргэж харах,
14 буцаад сурах явдал байдаг.
15
16 Энэ нь ухралт биш.
17 Харин дотоод хөдөлгөөн юм.
18
19 Яагаад өөрчлөлт айдас төрүүлдэг вэ?
20
21 Өөрчлөлт гэдэг нь
22 тодорхойгүй,
23 алдаа гаргах магадлалтай,
24 бүсдын үнэлгээ өөрчлөгдөнө
25 гэх мэт мэдрэмж төрүүлдэг.
26
27 Энэ айдас нь
28 чамайг хамгаалах гэсэн
29 дотоод механизм юм.
30
31 Өөрчлөлтийг зөөлрүүлэх асуултууд
32
33 Жижиг бичих дадлага хийцгээе.
34
35 Би юуг өөрчлөхөөс хамгийн их айж байна вэ?
36
37 Юу хэвээр үлдэх вэ?
38
39 Надад хэн эсвэл юу дэмжлэг болж чадах вэ?
40
41 Нэг өөрчлөлт сонгоод бич.
42
43 Яагаад энэ чухал вэ?
44
45 Хамгийн жижиг алхам юу вэ?
46
47 Би хэзээ эхлэх вэ?
48
49 Төгсгөл
50
51 Өсөлт бол
52 хурд биш,
53 чиглэл юм.
54
55 Хэрвээ яг одоо
56 өөрчлөлтийн өмнө зогсож байвал –
57 хажуу чатанд бичээд
58 хамт жижиглэе.
59 “□ Зорилго төлөвлөгөө апп” руу ороод
60 яг энэ өөрчлөлтийг
61 жижиг зорилго болгон бичиж,
62 хийж чадсан өдрүүдээ тэмдэглээд үр дүнгээ үзэх боломжтой шүү.
63
64 Жижиг алхам тогтмол давтагдах тусам
65 өөрчлөлт аяндаа бодит болдог.
66 `
67   il8n: {
68     en: {
69       title: "What is growth and change?",
70       content: `
71 What is growth and change?
72
73 What does growth mean?
74
75 Growth does not mean
76 always moving forward,
77 always becoming better.
78 Sometimes growth means
79 pausing for a while,

```



```
149  #####
150  #####
151
152  #####?
153
154  ##
155  #####
156  #####
157  #####
158  #####
159
160  #####
161  #####
162  #####
163
164  #####
165
166  #####
167
168  #####?
169
170  #####?
171
172  #####?
173
174  #####
175
176  #####?
177
178  #####?
179
180  #####?
181
182  #####
183
184  ##
185  #####
186  #####
187
188  #####
189  #####—
190  #####
191  #####
192  ## #####
193  #####
194  #####
195  #####
196
197  #####
198  #####
199  `,
200      },
201      ko: {
202          title: "### ## ##?",
203          content: `
204  ## ## ##?
205
206  ### ## ##?
207
208  ##
209  ## ## ## ,
210  ##  ## ## ## ##.
211  ## ##
212  ## ##,
213  ##,
214  ## ## ## ##.
215
216  ## ## ##.
217  ## #####.
```

```

218
219   ᠠᠨᠠᠳᠠᠳᠤ ᠤᠨᠡᠬᠡᠭᠡᠢ ᠠᠨᠠᠳᠠᠳᠤ?
220
221   ᠠᠨᠠᠳᠠᠳᠤ
222   ᠠᠨᠠᠳᠠᠳᠤ,
223   ᠠᠨᠠᠳᠠᠳᠤ ᠠᠨᠠᠳᠠᠳᠤ,
224   ᠠᠨᠠᠳᠠᠳᠤ ᠠᠨᠠᠳᠠᠳᠤ ᠠᠨᠠᠳᠠᠳᠤ ᠠᠨᠠᠳᠠᠳᠤ
225   ᠠᠨᠠᠳᠠᠳᠤ ᠠᠨᠠᠳᠠᠳᠤ.
226
227   ᠠ ᠠᠨᠠᠳᠠᠳᠤ
228   ᠠᠨᠠᠳᠠᠳᠤ ᠠᠨᠠᠳᠠᠳᠤ
229   ᠠᠨᠠᠳᠠᠳᠤ ᠠᠨᠠᠳᠠᠳᠤ.
230
231   ᠠᠨᠠᠳᠠᠳᠤ ᠠᠨᠠᠳᠠᠳᠤ ᠠᠨᠠᠳᠠᠳᠤ
232
233   ᠠᠨᠠᠳᠠᠳᠤ ᠠᠨᠠᠳᠠᠳᠤ ᠠ ᠠᠨᠠᠳᠠᠳᠤ.
234
235   ᠠᠨᠠᠳᠠᠳᠤ ᠠᠨᠠᠳᠠᠳᠤ ᠠᠨᠠᠳᠠᠳᠤ ᠠᠨᠠᠳᠠᠳᠤ?
236
237   ᠠᠨᠠᠳᠠᠳᠤ ᠠᠨᠠᠳᠠᠳᠤ?
238
239   ᠠᠨᠠᠳᠠᠳᠤ ᠠᠨᠠᠳᠠᠳᠤ ᠠᠨᠠᠳᠠᠳᠤ ᠠᠨᠠᠳᠠᠳᠤ?
240
241   ᠠᠨᠠᠳᠠᠳᠤ ᠠᠨᠠᠳᠠᠳᠤ ᠠᠨᠠᠳᠠᠳᠤ.
242
243   ᠠ ᠠᠨᠠᠳᠠᠳᠤ ᠠᠨᠠᠳᠠᠳᠤ?
244
245   ᠠᠨᠠᠳᠠᠳᠤ ᠠᠨᠠᠳᠠᠳᠤ ᠠᠨᠠᠳᠠᠳᠤ?
246
247   ᠠᠨᠠᠳᠠᠳᠤ ᠠᠨᠠᠳᠠᠳᠤ?
248
249   ᠠᠨᠠᠳᠠᠳᠤ
250
251   ᠠᠨᠠᠳᠠᠳᠤ
252   ᠠᠨᠠᠳᠠᠳᠤ ᠠᠨᠠᠳᠠᠳᠤ
253   ᠠᠨᠠᠳᠠᠳᠤ.
254
255   ᠠᠨᠠᠳᠠᠳᠤ ᠠᠨᠠᠳᠠᠳᠤ
256   ᠠᠨᠠᠳᠠᠳᠤ ᠠ ᠠᠨᠠᠳᠠᠳᠤ —
257   ᠠ ᠠᠨᠠᠳᠠᠳᠤ ᠠᠨᠠᠳᠠᠳᠤ,
258   ᠠᠨᠠᠳᠠᠳᠤ ᠠᠨᠠᠳᠠᠳᠤ.
259   "ᠠᠨᠠᠳᠠᠳᠤ ᠠᠨᠠᠳᠠᠳᠤ ᠠᠨᠠᠳᠠᠳᠤ"
260   ᠠᠨᠠᠳᠠᠳᠤ ᠠᠨᠠᠳᠠᠳᠤ
261   ᠠᠨᠠᠳᠠᠳᠤ ᠠᠨᠠᠳᠠᠳᠤ,
262   ᠠᠨᠠᠳᠠᠳᠤ ᠠᠨᠠᠳᠠᠳᠤ ᠠᠨᠠᠳᠠᠳᠤ ᠠᠨᠠᠳᠠᠳᠤ.
263
264   ᠠᠨᠠᠳᠠᠳᠤ ᠠᠨᠠᠳᠠᠳᠤ ᠠᠨᠠᠳᠠᠳᠤ
265   ᠠᠨᠠᠳᠠᠳᠤ ᠠᠨᠠᠳᠠᠳᠤ ᠠᠨᠠᠳᠠᠳᠤ.
266   `,
267   },
268   },
269   };

```

308. content/mind/purpose/meaning.ts

```

1  export const artifact = {
2    title: "Амьдралд утга учир гэж юу вэ?",
3    content: `
4    Амьдралын утга учир гэж юу вэ?
5
6    Яагаад хүмүүс “утга учир” гэж асуудаг вэ?
7
8    Ихэнх хүн нэг л өдөр
9    “яагаад ингэж ядарч байна вэ?”,
10   “би юуны төлөө амьдарч явна вэ?”,
11   “надад үнэхээр чухал зүйл юу вэ?”
12   гэж өөрөөсөө асууж эхэлдэг.

```

13
14 Эдгээр асуулт гарч ирэх нь
15 алдаа биш.
16 Энэ бол чиглэлээ хайж байгаагийн
17 дохио юм.
18
19 Утга учир гэдэг нь
20 бэлэн хариу биш
21
22 Утга учир гэдэг нь
23 үргэлж аз жаргалтай байх, эсвэл
24 бүх зүйл ойлгомжтой байх гэсэн үг биш.
25
26 Харин:
27 "энэ надад тохирч байна",
28 "би энд өөрөөрөө байж чадна",
29 "энэ миний хувьд чухал юм байна"
30 гэж дотроо зөвшөөрөх мэдрэмж юм.
31
32 Тэр нь бусдынх шиг
33 байх албагүй.
34 Чинийх л байхад хангалттай.
35
36 Утга учир = байнгын аз жаргал биш
37
38 Утга учиртай амьдрал гэдэг нь
39 үргэлж аз жаргалтай,
40 асуудалгүй байна гэсэн үг биш.
41
42 Харин
43 "энэ миний хувьд чухал"
44 гэж дотроо мэдэрч,
45 ямар ч нөхцөлд өөрийн зүгийг
46 алдахгүй байхыг хэлнэ.
47
48 Зарим өдөр утга учир тод мэдрэгдэнэ.
49 Зарим өдөр бүрхэг байна.
50 Энэ нь хэвийн.
51
52 Учир нь утга учир гэдэг нь
53 "том хариу" гэхээсээ илүү
54 өдөр тутмын жижиг сонголтууд дээр
55 аажмаар бүрддэг зүйл.
56
57 Утга учир хаанаас үүсдэг вэ?
58
59 Ихэнхдээ утга учир
60 бусдад хэрэгтэй байгаагаа мэдрэх,
61 өсөж, суралцаж байгаагаа харах,
62 өөрийн үнэт зүйлтэй
63 нийцсэн амьдралаас төрдөг.
64
65 Жишээ нь:
66
67 • Би нэг хүнд тусалж чадлаа
68 • Би өөртөө амласан зүйлээ биелүүллээ
69 • Би чухал гэж үздэг зүйлдээ цаг гаргалаа
70 • Би өөрийгөө сонсож чадлаа
71
72 Энэ нь заавал том зорилго байх албагүй.
73 Өдөр тутмын жижиг зүйлсээс ч
74 утга төрж чадна.
75
76 Яагаад заримдаа алга болчих шиг санагддаг вэ?
77
78 Зарим үед
79 хэт их ачаалал,
80 бусдын хүлээлтэд таарах гэж хичээх,
81 өөрийгөө удаан хугацаанд сонсоогүй байх үед

82 дотор хоосорсон мэт болдог.

83

84 Мөн:

- 85 • унтаж амраагүй үед
- 86 • олон зүйл зэрэг нуруун дээр дарах үед
- 87 • хэн нэгний үгэнд гүн шархалсан үед
- 88 • өөрийгөө дандаа бусадтай харьцуулж эхлэх үед

89 утга учир бүдгэрч мэдрэгддэг.

90

91 Энэ нь чи буруу замд орсон гэсэн үг биш,

92 харин өөртэйгөө дахин холбогдох

93 шаардлага үүссэний дохио юм.

94

95 Энэ үед хамгийн чухал нь:

96 өөрийгөө буруутгахгүй байх.

97

98 “Би зүгээр л ядарсан байна.”

99 “Би дотроо хоосорсон байна.”

100 “Надад дахин чиглэл хэрэгтэй байна.”

101 гэж хүлээн зөвшөөрөхөд л

102 утга учир буцаад сэргэж эхэлдэг.

103

104 Жижиг бичих дадлага хийцгээе.

105

106 Би юунд “тийм” гэж хэлэхэд амархан байдаг вэ?

107

108 Юу намайг дотроосоо хоосон болгодог вэ?

109

110 Миний амьдралд утга өгдөг зүйл юу вэ?

111

112 Төгсгөл

113

114 Утга учир бол

115 том хариу биш,

116 өдөр тутмын жижиг мэдрэмж юм.

117

118 Хэрвээ чиний хувьд

119 утга учиртай санагддаг

120 нэг зүйлийг хуваалцмаар байвал –

121 хажуу чатанд бичээрэй.

122

123 Харин чи утга учраа

124 илүү тод болгож,

125 жижиг бодит алхмууд болгон цэгцэлмээр байвал

126 “□ Зорилго бичиж цэгцлэх апп” руу ороод

127 зорилгоо жижиг хэсгүүдэд хувааж үзээрэй.”,

128 il8n: {

129 en: {

130 title: "What is the meaning of life?",

131 content: "

132 What is the meaning of life?

133

134 Why do people ask about "meaning"?

135

136 Most people, one day,

137 start asking themselves

138 "why am I so exhausted?",

139 "what am I living for?",

140 "what really matters to me?"

141

142 The fact that these questions arise

143 is not a mistake.

144 It is a sign

145 that you are searching for your direction.

146

147 Meaning is not a ready-made answer

148

149 Meaning does not mean

150 always being happy, or

151 having everything make sense.
152
153 Rather, it is the inner feeling of agreeing with:
154 "this fits me",
155 "I can be myself here",
156 "this turns out to matter to me".
157
158 It doesn't need to be
159 like anyone else's.
160 It's enough that it's yours.
161
162 Meaning = not constant happiness
163
164 A meaningful life does not mean
165 always being happy
166 and having no problems.
167
168 Rather, it means feeling inside
169 "this matters to me",
170 and not losing your own footing
171 in any circumstance.
172
173 Some days meaning is felt clearly.
174 Some days it's hazy.
175 That is normal.
176
177 Because meaning is something that
178 gradually forms
179 through everyday small choices
180 rather than through one "big answer".
181
182 Where does meaning come from?
183
184 Most often, meaning is born
185 from feeling needed by others,
186 from seeing yourself grow and learn,
187 and from a life that
188 aligns with your own values.
189
190 For example:
191
192 • I was able to help someone
193 • I kept a promise I made to myself
194 • I made time for something I consider important
195 • I was able to listen to myself
196
197 It doesn't have to be a big goal.
198 Meaning can also be born
199 from small everyday things.
200
201 Why does it sometimes feel like it has disappeared?
202
203 Sometimes, under too much pressure,
204 trying to meet others' expectations,
205 or not having listened to yourself for a long time,
206 you can feel hollow inside.
207
208 Also:
209 • when you haven't rested
210 • when too many things pile up on your shoulders at once
211 • when someone's words have wounded you deeply
212 • when you keep comparing yourself to others
213 meaning starts to feel faded.
214
215 This doesn't mean you've gone down the wrong path,
216 but rather it's a sign
217 that you need to reconnect with yourself.
218
219 The most important thing at this time is:

```

220 not to blame yourself.
221
222 Once you allow yourself to acknowledge
223 "I'm simply exhausted",
224 "I feel hollow inside",
225 "I need direction again",
226 meaning begins to come back to life.
227
228 Let's try a small writing exercise.
229
230 What do I find it easy to say "yes" to?
231
232 What makes me feel hollow inside?
233
234 What gives meaning to my life?
235
236 Closing
237
238 Meaning is not
239 a big answer,
240 but a small everyday feeling.
241
242 If you'd like to share
243 something that feels meaningful to you -
244 write it in the side chat.
245
246 But if you'd like to make your meaning
247 clearer and break it down
248 into small, concrete steps,
249 go to the "□ Goal-writing planner app"
250 and try breaking your goal into small pieces.
251 `,
252   },
253   ja: {
254     title: "□□□□□□□□?",
255     content: `
256 □□□□□□□□?
257
258 □□□□□□□□□□□□?
259
260 □□□□□□□□□□
261 □□□□□□□□□□□□□□□□?□
262 □□□□□□□□□□□□□□□□?□
263 □□□□□□□□□□□□□□□□□□□□?□
264 □□□□□□□□□□
265
266 □□□□□□□□□□□□□□
267 □□□□□□□□□□□□
268 □□□□□□□□□□□□□□□□
269 □□□□□□□□□□
270
271 □□□□□□□□□□□□□□□□
272
273 □□□□□
274 □□□□□□□□□□□□□□□□
275 □□□□□□□□□□□□□□□□□□□□
276
277 □□□□
278 □□□□□□□□□□□□□□□□
279 □□□□□□□□□□□□□□□□
280 □□□□□□□□□□□□□□□□□□□□
281 □□□□□□□□□□□□□□□□
282
283 □□□□□□□□
284 □□□□□□□□□□□□□□□□
285 □□□□□□□□□□□□□□□□□□□□
286
287 □□ = □□□□□□□□□□□□□□□□
288

```



```
289   getMonth()
290   getDay()
291   getFullYear()
292
293   getHours()
294   getMinutes()
295   getSeconds()
296   getTime()
297   getTimezoneOffset()
298
299   isDate()
300   isFinite()
301   isNaN()
302
303   isPrototypeOf()
304   isPrototypeOf()
305   isPrototypeOf()
306   isPrototypeOf()
307
308   isPrototypeOf()?
309
310   isPrototypeOf()
311   isPrototypeOf()
312   isPrototypeOf()
313   isPrototypeOf()
314   isPrototypeOf()
315
316   isPrototypeOf():
317
318   • isPrototypeOf()
319   • isPrototypeOf()
320   • isPrototypeOf()
321   • isPrototypeOf()
322
323   isPrototypeOf()
324   isPrototypeOf()
325   isPrototypeOf()
326
327   isPrototypeOf()?
328
329   isPrototypeOf()
330   isPrototypeOf()
331   isPrototypeOf()
332   isPrototypeOf()
333   isPrototypeOf()
334
335   isPrototypeOf():
336   • isPrototypeOf()
337   • isPrototypeOf()
338   • isPrototypeOf()
339   • isPrototypeOf()
340   isPrototypeOf()
341
342   isPrototypeOf()
343   isPrototypeOf()
344   isPrototypeOf()
345
346   isPrototypeOf()
347   isPrototypeOf()
348
349   isPrototypeOf()
350   isPrototypeOf()
351   isPrototypeOf()
352   isPrototypeOf()
353   isPrototypeOf()
354
355   isPrototypeOf()
356
357   isPrototypeOf()?
```



```
427  ᠠᠨᠤ ᠠᠨᠤ ᠠᠨᠠᠨᠠᠨᠠ.
428  ᠠᠨᠠᠨ ᠠᠨᠠᠨᠠᠨᠠ.
429
430  ᠠᠨᠠᠨᠠ ᠠᠨᠠᠨ
431  ᠠᠨᠠᠨ "ᠠ ᠠ"ᠠᠨᠠᠨᠠᠨᠠ
432  ᠠᠨᠠᠨ ᠠᠨ ᠠᠨᠠᠨ ᠠᠨᠠᠨ
433  ᠠᠨᠠᠨ ᠠᠨᠠᠨᠠ ᠠᠨᠠᠨ ᠠᠨᠠᠨᠠᠨ.
434
435  ᠠᠨᠠᠨ ᠠᠨᠠᠨᠠ ᠠᠨᠠᠨᠠᠨ?
436
437  ᠠᠨᠠ ᠠᠨᠠᠨ
438  ᠠᠨᠠᠨᠠᠨ ᠠᠨᠠᠨ ᠠᠨᠠᠨᠠ ᠠᠨᠠ ᠠ,
439  ᠠᠨᠠᠨ ᠠᠨᠠᠨᠠ ᠠᠨᠠᠨ ᠠᠨᠠᠨ ᠠᠨ ᠠ,
440  ᠠᠨᠠᠨ ᠠᠨᠠᠨ ᠠᠨᠠᠨᠠ ᠠᠨ
441  ᠠᠨᠠᠨ ᠠᠨᠠᠨᠠᠨ.
442
443  ᠠᠨᠠ ᠠᠨ:
444
445  • ᠠᠨᠠᠨᠠ ᠠᠨ ᠠ ᠠᠨᠠᠨ
446  • ᠠ ᠠᠨᠠᠨᠠ ᠠᠨᠠᠨ ᠠᠨᠠᠨ
447  • ᠠᠨᠠᠨᠠᠨ ᠠᠨᠠ ᠠᠨ ᠠᠨᠠᠨ ᠠᠨ
448  • ᠠ ᠠᠨᠠᠨ ᠠᠨᠠᠨᠠ ᠠᠨ ᠠ ᠠᠨᠠᠨ
449
450  ᠠᠨᠠᠨ ᠠ ᠠᠨᠠᠨ ᠠᠨᠠᠨ ᠠᠨᠠᠨᠠ.
451  ᠠᠨᠠᠨ ᠠᠨ ᠠᠨᠠᠨᠠ
452  ᠠᠨᠠᠨ ᠠᠨᠠᠨ ᠠ ᠠᠨᠠᠨᠠᠨ.
453
454  ᠠ ᠠᠨᠠᠨ ᠠᠨᠠᠨ ᠠᠨᠠᠨ ᠠᠨᠠᠨᠠ?
455
456  ᠠᠨᠠᠨ
457  ᠠᠨᠠᠨ ᠠᠨ,
458  ᠠᠨ ᠠᠨᠠᠨ ᠠᠨᠠᠨ ᠠᠨᠠᠨᠠ ᠠᠨ,
459  ᠠᠨᠠᠨᠠ ᠠᠨᠠᠨ ᠠᠨᠠᠨ ᠠᠨᠠᠨ ᠠ
460  ᠠᠨᠠᠨᠠ ᠠ ᠠ ᠠᠨᠠᠨ ᠠᠨᠠᠨᠠᠨᠠ.
461
462  ᠠᠨ:
463  • ᠠᠨᠠᠨ ᠠᠨ ᠠᠨᠠᠨ ᠠ
464  • ᠠᠨ ᠠᠨ ᠠᠨᠠᠨᠠ ᠠᠨ ᠠ
465  • ᠠᠨᠠᠨᠠ ᠠᠨ ᠠᠨ ᠠᠨᠠᠨᠠᠨ ᠠ
466  • ᠠᠨᠠᠨ ᠠᠨ ᠠᠨ ᠠᠨᠠᠨ ᠠ
467  ᠠᠨᠠᠨ ᠠᠨᠠᠨᠠ ᠠ ᠠᠨᠠᠨᠠᠨ.
468
469  ᠠᠨᠠᠨ ᠠᠨᠠᠨ ᠠᠨ ᠠᠨᠠᠨᠠᠨ ᠠᠨ ᠠᠨᠠ,
470  ᠠᠨᠠᠨ ᠠᠨ ᠠᠨᠠᠨ
471  ᠠᠨᠠᠨ ᠠᠨᠠᠨᠠ ᠠᠨᠠᠨᠠᠨᠠ.
472
473  ᠠᠨ ᠠᠨ ᠠᠨᠠᠨ ᠠᠨ
474  ᠠᠨᠠᠨ ᠠᠨᠠᠨ ᠠᠨ ᠠᠨᠠᠨᠠ.
475
476  "ᠠᠨᠠ ᠠᠨ ᠠᠨᠠᠨ ᠠᠨᠠᠨ",
477  "ᠠᠨᠠᠨᠠ ᠠᠨ ᠠᠨ",
478  "ᠠᠨᠠ ᠠᠨᠠᠨ ᠠᠨᠠᠨᠠᠨ"
479  ᠠᠨ ᠠᠨᠠᠨᠠ ᠠᠨᠠᠨᠠᠨ
480  ᠠᠨᠠᠨ ᠠᠨ ᠠᠨᠠᠨᠠ ᠠᠨᠠᠨᠠᠨᠠ.
481
482  ᠠᠨ ᠠᠨᠠᠨ ᠠᠨᠠᠨ ᠠ ᠠᠨᠠᠨ.
483
484  ᠠᠨ ᠠᠨᠠᠨ "ᠠᠨᠠᠨ"ᠠ ᠠᠨᠠᠨ ᠠᠨᠠᠨ?
485
486  ᠠᠨᠠᠨ ᠠᠨ ᠠᠨᠠᠨᠠᠨᠠ ᠠᠨ ᠠᠨ ᠠᠨᠠᠨᠠᠨ?
487
488  ᠠ ᠠᠨ ᠠᠨᠠᠨ ᠠᠨ ᠠᠨ ᠠᠨᠠᠨᠠᠨ?
489
490  ᠠᠨᠠᠨ
491
492  ᠠᠨᠠᠨ
493  ᠠ ᠠᠨ ᠠᠨᠠᠨ
494  ᠠᠨᠠᠨ ᠠᠨ ᠠᠨᠠᠨᠠᠨᠠ.
495
```

```

496   0000 00 00 0000
497   0000 000 000 -
498   0 000 0 000.
499
500   000 0 000
501   0 0000 00
502   00 0000 000
503   0000 000,
504   "0 00 00 0"0 000
505   000 00 0000 000 000.
506   `,
507   },
508   },
509   };

```

309. content/mind/purpose/quick-understand.ts

```

1  export const artifact = {
2    title: "Товч ойлгоё",
3    content: `
4    Товч ойлгоё
5
6    Яагаад “утга учир” гэж ярих хэрэгтэй вэ?
7
8    Зорилго, утга учир гэдэг нь
9    заавал том мөрөөдөл байх албагүй.
10   Ихэнх хүн дотроо:
11   “яагаад ингэж ядарч байна вэ?”,
12   “би юунд явж байгаа юм бол?”,
13   “юу надад үнэхээр чухал вэ?”
14   гэж асууж явдаг.
15
16   Эдгээр асуулт нь
17   алдагдсан гэсэн үг биш,
18   харин чиглэл хайж байгаагийн дохио юм.
19
20   Утга учир гэж яг юу вэ?
21
22   Утга учир бол
23   өглөө босох шалтгаан,
24   хэцүү үед тэсэх хүч,
25   “энэ надад тохирно” гэсэн
26   дотоод зөвшөөрөл юм.
27
28   Тэр нь бусдынх шиг байх албагүй.
29   Чинийх л байхад хангалттай.
30
31   Төөрөлдөх нь хэвийн
32
33   Зарим үед
34   зорилго тодорхойгүй,
35   сонирхол унтарсан,
36   өмнөх мөрөөдөл утгагүй мэт санагдана.
37
38   Энэ бол алдаа биш,
39   амьдралын нэг шат юм.
40
41   Жижиг бичих дадлага хийцгээе.
42
43   Би юунд цаг гаргахдаа харамсдаггүй вэ?
44
45   Юу намайг дотроосоо хөдөлгөдөг вэ?
46
47   Би юунд “үгүй” гэж хэлмээр байна вэ?
48
49   Төгсгөл
50

```

```

51 Утга учир бол
52 олддог зүйл биш,
53 аажмаар тодордог зүйл юм.
54
55 Хэрвээ яг одоо толгой эргэлдэж байвал –
56 хажуу чатанд
57 “би одоо ингэж л мэдэрч байна”
58 гэж бичээд эхэлж болно.
59 ` ,
60   i18n: {
61     en: {
62       title: "Let's understand briefly",
63       content: `
64 Let's understand briefly
65
66 Why do we even need to talk about "meaning"?
67
68 A goal or a sense of meaning
69 doesn't have to be some big dream.
70 Most people ask themselves:
71 "why am I so exhausted?",
72 "where am I even heading?",
73 "what really matters to me?"
74
75 These questions don't mean
76 you're lost –
77 they're a sign that you're searching for direction.
78
79 What exactly is meaning?
80
81 Meaning is
82 a reason to get up in the morning,
83 the strength to endure hard times,
84 an inner permission that says
85 "this fits me."
86
87 It doesn't have to look like anyone else's.
88 It's enough that it's yours.
89
90 It's normal to feel lost
91
92 Sometimes
93 your goals feel unclear,
94 your interest fades,
95 and old dreams feel pointless.
96
97 This is not a mistake,
98 it's just a stage of life.
99
100 Let's try a small writing exercise.
101
102 What do I never regret spending time on?
103
104 What moves me from the inside?
105
106 What do I want to say "no" to?
107
108 Closing
109
110 Meaning is not
111 something you find,
112 it's something that gradually becomes clear.
113
114 If your head is spinning right now –
115 you can start by writing in the side chat,
116 "this is just how I feel right now."
117 ` ,
118   },
119   ja: {

```



```

189 "ᠠᠨᠤ ᠤ ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ?",
190 "ᠠᠨᠤ ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ?",
191 "ᠠᠨᠤ ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ?",
192 ᠤᠨᠤ ᠤᠨᠤ.
193
194 ᠤᠨᠤ ᠤᠨᠤ
195 ᠤᠨᠤ ᠤᠨᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ
196 ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤᠨᠤ.
197
198 ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ?
199
200 ᠤᠨᠤ
201 ᠤᠨᠤ ᠤᠨᠤᠨᠤ ᠤᠨᠤ,
202 ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ,
203 "ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ"ᠤ
204 ᠤᠨᠤ ᠤᠨᠤᠨᠤ.
205
206 ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ.
207 ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤᠨᠤ.
208
209 ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤᠨᠤ ᠤ
210
211 ᠤᠨᠤ
212 ᠤᠨᠤ ᠤᠨᠤᠨᠤ,
213 ᠤᠨᠤ ᠤᠨᠤ,
214 ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ.
215
216 ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ
217 ᠤᠨ ᠤ ᠤᠨᠤ ᠤᠨᠤ.
218
219 ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ ᠤ ᠤᠨᠤ.
220
221 ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ?
222
223 ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ?
224
225 ᠤᠨᠤ ᠤᠨᠤ "ᠤᠨᠤ"ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ?
226
227 ᠤᠨᠤ
228
229 ᠤᠨᠤ
230 ᠤᠨᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ
231 ᠤᠨᠤ ᠤᠨᠤᠨᠤ ᠤᠨᠤ.
232
233 ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤᠨᠤ —
234 ᠤ ᠤᠨᠤ
235 "ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ"
236 ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ ᠤᠨᠤ.
237 `,
238   },
239 },
240 };

```

310. content/mind/purpose/why-important.ts

```

1 export const artifact = {
2   title: "Зорилго яагаад чухал вэ?",
3   content: `
4 Зорилго яагаад чухал вэ?
5
6 Товч ойлголт
7
8 Зорилго бол
9 өдөр бүрийн амьдрал дунд
10 хаашаа алхаж байгаагаа
11 өөртөө сануулж байдаг чиглэл юм.
12

```

13 Зорилго байхгүй үед
14 амьдрал утгагүй мэт санагдах,
15 сэтгэл унах,
16 хүсэлгүй болох нь элбэг.
17 Энэ нь “чи сүл” гэсэн үг биш –
18 чамд чиглэл хэрэгтэй болсны дохио.
19
20 Дэлгэрүүлж ойлгоё
21
22 Зорилго = дарамт биш, чиглэл
23
24 Зорилго гэдэг нь
25 өөрийгөө шахах “хүчтэй байх ёстой” гэдэг дүрэм биш.
26
27 Харин:
28 • “Би юунд анхаарах вэ?”
29 • “Би юуны төлөө өнөөдөр хичээх вэ?”
30 • “Ямар жижиг алхам хангалттай вэ?”
31 гэсэн асуултад
32 хариу өгдөг чиглэл юм.
33
34 Зорилго яагаад сэтгэлд тус болдог вэ?
35
36 1) Энерги тарамдахыг багасгана
37 Зорилго байхгүй үед
38 чи олон зүйлд зэрэг татагдаж,
39 юунаас эхлэхээ мэдэхгүй болдог.
40 Зорилго бол “эхлэх цэг” өгдөг.
41
42 2) Өөрийгөө буруутгахыг багасгана
43 “Би юу ч хийж чадахгүй байна” гэдэг бодол
44 ихэвчлэн тодорхойгүй байдлаас л төрдөг.
45 Зорилго жижигхэн байвал
46 “би нэг алхам хийж чадна” гэдэг мэдрэмж буцаж ирдэг.
47
48 3) Урам зоригийг “хүлээхгүй” болгодог
49 Урам зориг ихэнхдээ
50 эхлээд ирээд, дараа нь хийдэг зүйл биш.
51 Харин хийж эхлэхэд
52 аажмаар төрдөг зүйл.
53 Зорилго бол хийж эхлэхэд амархан
54 жижиг алхам болгон задалдаг.
55
56 Том зорилго хэрэгтэй юу?
57
58 Заавал биш.
59
60 Заримдаа хамгийн зөв зорилго бол:
61 • “Өнөөдөр өөрийгөө зөөлөн авч явах”
62 • “10 минут нэг зүйлд төвлөрөх”
63 • “Нэг жижиг ажлыг дуусгах”
64 • “Нэг хүнтэй холбоо барих”
65 байж болно.
66
67 Чи зорилгоо жижиг байлгаснаар
68 багасгаж байгаа биш,
69 харин эхлэх боломжоо нэмэгдүүлж байгаа юм.
70
71 Жижиг бичих дадлага хийцгээе.
72
73
74 Одоо надад хамгийн их дутагдаж байгаа зүйл юу вэ?
75
76 Хэрвээ би өөрийгөө буруутгахгүйгээр нэг алхам хийх бол тэр нь юу байх вэ?
77
78 Энэ долоо хоногт “хангалттай” гэж тооцогдох жижиг ахиц юу вэ?
79
80 Надад хамгийн их хэрэгтэй зорилго юу вэ?
81


```

82 Төгсгөл
83
84 Зорилго бол
85 амьдралыг төгс болгох шид биш.
86 Гэхдээ амьдрал будлих үед
87 барьж авах "жигжиг түшиг" болдог.
88
89 Хэрвээ чи яг одоо
90 зорилгоо жигжиг алхмуудад хувааж,
91 эмхэлж цэгцлээд
92 эхлэхэд амархан болгоё гэж хүсвэл –
93 "□ Зорилго бичиж цэгцлэх апп"-д ороод
94 нэг жигжиг зорилгоос эхлээд үзээрэй.
95
96 Мөн энэ тухай
97 төрсөн бодлоо хуваалцмаар байвал –
98 хажуу чатанд бичээрэй.
99 `
100   i18n: {
101     en: {
102       title: "Why is having a goal important?",
103       content: `
104 Why is having a goal important?
105
106 Brief overview
107
108 A goal is a direction
109 that, amid everyday life,
110 keeps reminding you
111 where you're walking toward.
112
113 When you have no goal,
114 it's common for life to feel meaningless,
115 for your spirit to sink,
116 and for you to lose motivation.
117 This doesn't mean "you are weak" –
118 it's a sign that you now need direction.
119
120 Let's go into more detail
121
122 A goal = direction, not pressure
123
124 A goal is not a rule
125 that forces you to be "strong".
126
127 Rather, it is a direction
128 that answers questions like:
129 • "What should I focus on?"
130 • "What am I going to try for today?"
131 • "What small step is enough?"
132
133 Why does having a goal help your mind?
134
135 1) It reduces scattered energy
136 Without a goal,
137 you get pulled toward many things at once
138 and don't know where to start.
139 A goal gives you a "starting point".
140
141 2) It reduces self-blame
142 The thought "I can't do anything"
143 usually arises out of unclear direction.
144 When the goal is small,
145 the feeling "I can take one step" comes back.
146
147 3) It stops you from "waiting" for motivation
148 Motivation usually doesn't
149 come first and then make you act.
150 Rather, it gradually arises

```

```

151 once you start doing something.
152 A goal breaks things down into small steps
153 that make it easy to start.
154
155 Do you need a big goal?
156
157 Not necessarily.
158
159 Sometimes the most fitting goal is:
160 • "Treat myself gently today"
161 • "Focus on one thing for 10 minutes"
162 • "Finish one small task"
163 • "Reach out to one person"
164
165 By keeping your goal small,
166 you're not making it less,
167 you're increasing your chance of starting.
168
169 Let's try a small writing exercise.
170
171 What do I feel I'm lacking the most right now?
172
173 If I could take one step without blaming myself, what would it be?
174
175 What small progress this week would count as "enough"?
176
177 What goal do I need the most?
178
179 Closing
180
181 A goal is not
182 a magic that makes life perfect.
183 But when life feels tangled,
184 it becomes a small thing to hold onto.
185
186 If you want to break your goal
187 into small steps right now,
188 organize it,
189 and make it easy to start –
190 go to the "📝 Goal-writing planner app"
191 and try starting with one small goal.
192
193 And if you'd like to share
194 a thought that came up about this –
195 write it in the side chat.
196 `,
197   },
198   ja: {
199     title: "📝Goal-writing planner?",
200     content: `
201 📝Goal-writing planner?
202
203 📝Goal-writing planner
204
205 📝Goal-writing planner
206 📝Goal-writing planner
207 📝Goal-writing planner
208 📝Goal-writing planner
209
210 📝Goal-writing planner
211 📝Goal-writing planner
212 📝Goal-writing planner
213 📝Goal-writing planner
214 📝Goal-writing planner
215 📝Goal-writing planner
216
217 📝Goal-writing planner
218
219 📝 = 📝Goal-writing

```

220
221
222
223
224
225
226
227
228
229
230
231
232
233
234 1)
235
236
237
238
239
240 2)
241
242
243
244
245
246 3)
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288


```

358 • "ᠠᠨᠠᠭᠤ ᠤ ᠤᠨᠤ ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ"
359 • "10ᠤ ᠠᠨ ᠤ ᠠᠨᠤ ᠠᠨᠠᠭᠤ"
360 • "ᠠᠨᠤ ᠤ ᠠᠨ ᠠᠨᠠᠭᠤ"
361 • "ᠤ ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ"
362 ᠤ ᠠᠨ ᠠᠨᠠᠭᠤ.
363
364 ᠠᠨᠠᠭᠤ ᠠᠨ ᠠᠨ ᠠᠨ
365 ᠠᠨᠠᠭᠤ ᠠᠨ ᠠᠨᠠᠭᠤ
366 ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ.
367
368 ᠠᠨ ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ ᠤ ᠠᠨᠠᠭᠤ.
369
370 ᠠᠨ ᠠᠨᠠᠭᠤ ᠠᠨ ᠠᠨᠠᠭᠤ ᠠᠨ ᠠᠨᠠᠭᠤ?
371
372 ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ ᠠᠨ ᠤ ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ, ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ?
373
374 ᠠᠨ ᠤ "ᠠᠨᠠᠭᠤ"ᠤ ᠠᠨ ᠠᠨ ᠠᠨ ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ?
375
376 ᠠᠨᠠᠭᠤ ᠠᠨ ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ?
377
378 ᠠᠨᠠᠭᠤ
379
380 ᠠᠨᠠᠭᠤ
381 ᠠᠨ ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ.
382 ᠠᠨᠠᠭᠤ ᠠᠨ ᠠᠨᠠᠭᠤ ᠤ
383 ᠠᠨᠠᠭᠤ ᠤ ᠠᠨ ᠠᠨ ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ.
384
385 ᠠᠨ ᠠᠨᠠᠭᠤ
386 ᠠᠨ ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ
387 ᠠᠨᠠᠭᠤ
388 ᠠᠨᠠᠭᠤ ᠠᠨ ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ –
389 "ᠤ ᠠᠨ ᠠᠨ ᠤ"ᠤ ᠠᠨᠠᠭᠤ
390 ᠠᠨ ᠠᠨ ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ.
391
392 ᠠᠨᠠᠭᠤ ᠠᠨ ᠠᠨ
393 ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ ᠠᠨᠠᠭᠤ –
394 ᠤ ᠠᠨᠠᠭᠤ ᠤ ᠠᠨᠠᠭᠤ.
395 ` ,
396 },
397 },
398 };

```

311. content/mind/relations/boundaries.ts

```

1 export const artifact = {
2   title: "Хил хязгаар тогтоох гэж юу вэ?",
3   content: `
4 Хил хязгаар тогтоох гэж юу вэ?
5
6 Хил хязгаар гэдэг нь юу гэсэн үг вэ?
7
8 Хил гэдэг нь
9 "энд хүртэл би өөрийгөө аюулгүй, ОК гэж мэдэрч байна,
10 цаашлаад бол надад тохирохгүй"
11 гэж дотроо болон бусдад тодорхойлох чадвар юм.
12
13 Энэ нь хүйтэн, хатуу байх гэсэн үг биш.
14 Харин өөрийгөө хамгаалж,
15 харилцаагаа эрүүл байлгах арга юм.
16
17 Яагаад хил хэрэгтэй вэ?
18
19 Хэрвээ хилгүй байвал
20 бид байнга тэвчиж,
21 өөрийгөө орхиж,
22 дотроо уур хуримтлуулдаг.
23

```

```
24 Ингэснээр:
25 ядрана,
26 гомдоно,
27 харилцаанд сэтгэл ханамжгүй болдог.
28
29 Эрүүл хил ямар байдаг вэ?
30
31 Эрүүл хил нь
32 тодорхой,
33 тайван,
34 буруутгалгүй байдаг.
35
36 Өөрөөр хэлбэл,
37 чи өөрийн хэрэгцээг хэлж байгаа болохоос
38 нөгөө хүнийг буруутгаж байгаа хэрэг биш юм.
39
40 Эрүүл хил нөгөө хүнд дараах мэдрэмжийг өгдөг:
41 • Би хаана зогсож байгааг ойлголоо
42 • Чи надад хилээ хэлж байна, над руу дайраагүй
43 • Бид хоёрын хооронд илүү аюулгүй орон зай байна
44
45 Хил тогтоохгүй байвал юу болдог вэ?
46
47 Ихэнхдээ хоёр туйл руу хэлбийдэг.
48
49 • Байнга тэвчээд дотроо бухимдах
50 • Эсвэл гэнэт дэлбэрч их уурлах
51
52 Энэ нь харилцааг ядраадаг.
53 Харин хилтэй хүн
54 “би энд байна, энэ бол миний хязгаар” гэж
55 эрт, тайван хэлж чаддаг.
56
57 Жишээ
58
59 “Одоо энэ сэдвээр ярих тэнхэл алга.
60 Дараа тайван үед ярилцъя.”
61
62 Энэ нь:
63 “чи муу байна” гэсэн үг биш,
64 “би одоо ядарч байна” гэсэн мэдээлэл юм.
65
66 Жижиг бичих дадлага хийцгээе.
67
68 Надад хил хэрэгтэй нэг нөхцөл юу вэ?
69
70 Тэр үед би юу мэдэрдэг вэ?
71
72 Би үүнийг ямар тайван өгүүлбэрээр хэлж болох вэ?
73
74 Төгсгөл
75
76 Хил хязгаар бол
77 харилцааг таслах бус,
78 хадгалах хэрэгсэл юм.
79
80 Хэрвээ энэ сэдвийг зүгээр уншаад орхих биш,
81 өөрийн бодит харилцааны хэв маягаа хармаар байвал
82 “Харилцааны хэв маяг шалгах тестүүд”-ээс бөглөөрэй.
83 Тестийн хариу нь
84 чи хилээ яаж барьдаг, хаана алдаж байгааг харуулна.
85
86 Хэрвээ хил тогтооход чинь хамгийн хэцүү нэг хүн байвал –
87 хажуу чатанд 1-2 өгүүлбэрээр бичээд
88 хамт задлаад үзье.
89 `
90   i18n: {
91     en: {
92       title: "What is setting boundaries?",
```

93 content: `
94 What is setting boundaries?
95
96 What does "boundary" mean?
97
98 A boundary is
99 the ability to define for yourself and for others,
100 "up to here I feel safe and OK,
101 beyond this it doesn't work for me."
102
103 This doesn't mean being cold or harsh.
104 It's a way to protect yourself
105 and keep your relationships healthy.
106
107 Why are boundaries needed?
108
109 If you have no boundaries,
110 you constantly tolerate things,
111 abandon yourself,
112 and build up anger inside.
113
114 As a result:
115 you become exhausted,
116 hurt,
117 and unsatisfied in the relationship.
118
119 What does a healthy boundary look like?
120
121 A healthy boundary is
122 clear,
123 calm,
124 and without blame.
125
126 In other words,
127 you are stating your own need,
128 not accusing the other person.
129
130 A healthy boundary gives the other person this feeling:
131 • I understand where you stand
132 • You are telling me your boundary, not attacking me
133 • There's a safer space between us
134
135 What happens if you don't set boundaries?
136
137 It usually swings to one of two extremes.
138
139 • Constantly tolerating and feeling frustrated inside
140 • Or suddenly exploding with anger
141
142 This wears down the relationship.
143 But a person with boundaries
144 can say early and calmly,
145 "I am here, this is my limit."
146
147 Example
148
149 "I don't have the energy to talk about this right now.
150 Let's talk later when I'm calm."
151
152 This is not saying
153 "you are bad,"
154 it's information that
155 "I am tired right now."
156
157 Let's try a small writing exercise.
158
159 What is one situation where I need a boundary?
160
161 What do I feel at that moment?

```
162
163 How could I say this in a calm sentence?
164
165 Closing
166
167 A boundary is
168 not a tool for cutting off a relationship,
169 but for preserving it.
170
171 If you don't want to just read about this topic and move on,
172 and instead want to see your real relationship patterns,
173 fill out the "Relationship pattern check tests."
174 The test results will show
175 how you hold your boundaries and where you tend to lose them.
176
177 If there's one person you find it hardest to set boundaries with –
178 write 1-2 sentences in the side chat
179 and let's unpack it together.
180 `,
181   },
182   ja: {
183     title: "?????????",
184     content: `
185     ???????
186
187     ??????????????
188
189     ?????
190     ?????????????OK????????
191     ?????????????
192     ?????????????????????
193
194     ?????????????????????
195     ?????????
196     ?????????????????
197
198     ??????????
199
200     ?????
201     ?????????
202     ?????
203     ?????????????????
204
205     ????:
206     ???
207     ???
208     ?????????????
209
210     ??????????????
211
212     ?????
213     ???
214     ???
215     ?????
216
217     ?????
218     ?????????????????
219     ?????????????????
220
221     ??????????????:
222     • ?????????????????
223     • ?????????????????????????
224     • ?????????????????
225
226     ??????????????
227
228     ?????????????
229
230     • ?????????????
```



```

300  Үүнийг үнэн гэдэгт итгэх үү?
301
302  Үүнийг үнэн
303  үнэн,
304  үнэн,
305  үнэн үнэн.
306
307  Үнэн үнэн,
308  үнэн үнэн үнэн үнэн үнэн
309  үнэн үнэн үнэн үнэн.
310
311  Үнэн үнэн үнэн үнэн үнэн үнэн:
312  • Үнэн үнэн үнэн үнэн үнэн
313  • Үнэн үнэн үнэн үнэн үнэн үнэн үнэн
314  • Үнэн үнэн үнэн үнэн үнэн үнэн
315
316  Үнэн үнэн үнэн үнэн үнэн?
317
318  Үнэн үнэн үнэн үнэн үнэн.
319
320  • Үнэн үнэн үнэн үнэн үнэн
321  • Үнэн үнэн үнэн үнэн үнэн
322
323  Үнэн үнэн үнэн үнэн.
324  Үнэн үнэн үнэн үнэн
325  "Үнэн үнэн үнэн, үнэн үнэн үнэн"
326  үнэн, үнэн үнэн үнэн үнэн.
327
328  Үнэн
329
330  "Үнэн үнэн үнэн үнэн үнэн үнэн.
331  Үнэн үнэн үнэн үнэн үнэн."
332
333  Үнэн
334  "Үнэн үнэн" үнэн үнэн,
335  "Үнэн үнэн үнэн" үнэн үнэн.
336
337  Үнэн үнэн үнэн үнэн үнэн.
338
339  Үнэн үнэн үнэн үнэн үнэн?
340
341  Үнэн үнэн үнэн үнэн үнэн?
342
343  Үнэн үнэн үнэн үнэн үнэн үнэн?
344
345  Үнэн
346
347  Үнэн
348  Үнэн үнэн үнэн үнэн
349  Үнэн үнэн үнэн үнэн.
350
351  Үнэн үнэн үнэн үнэн үнэн үнэн
352  Үнэн үнэн үнэн үнэн үнэн үнэн
353  "Үнэн үнэн үнэн үнэн үнэн үнэн.
354  Үнэн үнэн
355  Үнэн үнэн үнэн үнэн үнэн үнэн үнэн үнэн.
356
357  Үнэн үнэн үнэн үнэн үнэн үнэн –
358  Үнэн үнэн 1~2үнэн үнэн үнэн
359  Үнэн үнэн үнэн үнэн.
360  `,
361  },
362  },
363  };

```

312. content/mind/relations/empathy.ts

```

1  export const artifact = {
2    title: "Эмпати гэж юу вэ?",
3    content: `
4    Эмпати гэж юу вэ?
5
6    Эмпати гэдэг нь юу гэсэн үг вэ?
7
8    Эмпати гэдэг нь
9    нөгөө хүний оронд өөрийгөө түр тавьж үзээд,
10   "энэ хүнд одоо ямар санагдаж байгаа бол?"
11   гэж төсөөлөх чадвар юм.
12
13   Энэ нь заавал санал нийлэх гэсэн үг биш.
14   Чиний бодол өөр байж болох ч,
15   нөгөө хүний мэдрэмж бодит гэдгийг
16   хүлээн зөвшөөрөхийг хэлдэг.
17
18   Яагаад эмпати чухал вэ?
19
20   Хүн өөрийг нь ойлгож байна гэж мэдрэх үед
21   дотоод хамгаалалт буурч,
22   яриа илүү тайван, зөөлөн болдог.
23
24   Энэ нь:
25   • маргааныг намжаадаг
26   • итгэлцлийг нэмэгдүүлдэг
27   • харилцаанд аюулгүй орон зай бий болгодог
28
29   Эмпати ба өрөвдөх хоёрын ялгаа
30
31   Өрөвдөх гэдэг нь
32   "хөөрхий минь" гэж дээрээс харж буй мэт мэдрэмж төрүүлдэг.
33
34   Эмпати гэдэг нь
35   "чиний хувьд энэ үнэхээр хэцүү байгааг ойлгож байна"
36   гэж ижил түвшинд холбогдох оролдлого юм.
37
38   Тиймээс эмпати нь
39   хүнтэй жинхэнэ утгаар нь холбогдох гүүр болдог.
40
41   Яагаад заримдаа эмпати үзүүлэх хэцүү байдаг вэ?
42
43   Ихэнхдээ:
44   • бид өөрсдөө хэт их ачаалалтай байх
45   • өөрийгөө хамгаалж байх
46   • буруутгагдаж байна гэж мэдрэх
47
48   эдгээр үед
49   бусдыг ойлгох чадвар түр унтардаг.
50
51   Тэгэхээр эмпати байхгүй нь
52   "муу хүн" гэсэн үг биш.
53   Харин "одоо би хамгаалалтын горимд орчихсон байна" гэсэн дохио юм.
54
55   Жижиг бичих дадлага хийцгээе.
56
57   Саяхан хэн нэгэн юуны талаар гомдоллож байсныг сана.
58
59   Тэр хүн одоо юу мэдэрч байгаа бол?
60
61   Тэр хүний оронд би байсан бол
62   надад юу хамгийн хэцүү санагдах байсан бол?
63
64   Дараагийн ярианд
65   би ямар үг хэлж үзэх вэ?
66
67   Төгсгөл
68
69   Эмпати бол харилцааг эдгээх хамгийн хүчтэй хэрэгсэл.

```

```

70 Хэрвээ эмпати үзүүлэхэд хэцүү байгаа хүн байвал – хажуу чатанд бичээд ярилцъя.
71
72 Харин энэ сэдвийг уншаад орхих биш,
73 өөрийн бодит харилцааны хэв маягаа хармаар байвал
74 "Харилцааны хэв маяг шалгах тестүүд"-ээс бөглөөрэй.
75 Тестийн хариу нь чамд
76 ямар үед эмпати чинь нээгдэж,
77 хаана хаагддагийг бодитоор харуулна.
78 `
79   i18n: {
80     en: {
81       title: "What is empathy?",
82       content: `
83 What is empathy?
84
85 What does empathy mean?
86
87 Empathy is
88 the ability to put yourself temporarily in the other person's place
89 and imagine,
90 "what might this person be feeling right now?"
91
92 It doesn't necessarily mean agreeing.
93 Your opinion may differ,
94 but it means
95 acknowledging that the other person's feeling is real.
96
97 Why is empathy important?
98
99 When a person feels they are understood,
100 their inner defenses lower,
101 and the conversation becomes calmer and softer.
102
103 This:
104 • calms down conflict
105 • increases trust
106 • creates a safer space in the relationship
107
108 The difference between empathy and pity
109
110 Pity tends to produce a feeling of
111 looking down, like "poor thing."
112
113 Empathy is an attempt to connect on an equal level, saying
114 "I understand this is really hard for you."
115
116 So empathy becomes
117 a true bridge for connecting with people.
118
119 Why is it sometimes hard to show empathy?
120
121 Usually it's because:
122 • we ourselves are overloaded
123 • we are protecting ourselves
124 • we feel blamed
125
126 At such times,
127 the ability to understand others temporarily switches off.
128
129 So lacking empathy
130 doesn't mean you're "a bad person."
131 It's a signal that "I've gone into protection mode right now."
132
133 Let's try a small writing exercise.
134
135 Recall a time recently when someone was complaining about something.
136
137 What might that person be feeling right now?
138

```

```

139 If I were in that person's place,
140 what would feel hardest to me?
141
142 In the next conversation,
143 what words could I try saying?
144
145 Closing
146
147 Empathy is the most powerful tool for healing relationships.
148 If there's someone you find it hard to show empathy to – write in the side chat and let's talk.
149
150 But if you don't want to just read this topic and move on,
151 and instead want to see your real relationship patterns,
152 fill out the "Relationship pattern check tests."
153 The test results will show you
154 realistically when your empathy opens up,
155 and where it shuts down.
156
157   },
158   ja: {
159     title: "関係性 (関係) 検査?",
160     content: `
161 関係性 (関係) 検査?
162
163 関係性 (関係) 検査?
164
165 関係性 (関係)
166 関係性 (関係) 関係性 (関係)
167 関係性 (関係) 関係性 (関係)?
168 関係性 (関係)
169
170 関係性 (関係) 関係性 (関係)
171 関係性 (関係)
172 関係性 (関係) 関係性 (関係)
173 関係性 (関係)
174
175 関係性 (関係) 関係性 (関係)?
176
177 関係性 (関係) 関係性 (関係)
178 関係性 (関係)
179 関係性 (関係) 関係性 (関係)
180
181 関係性 (関係):
182   • 関係性 (関係)
183   • 関係性 (関係)
184   • 関係性 (関係)
185
186 関係性 (関係)
187
188 関係性 (関係)
189 関係性 (関係) 関係性 (関係)
190
191 関係性 (関係)
192 関係性 (関係) 関係性 (関係)
193 関係性 (関係) 関係性 (関係)
194
195 関係性 (関係)
196 関係性 (関係) 関係性 (関係)
197
198 関係性 (関係) 関係性 (関係)?
199
200 関係性 (関係):
201   • 関係性 (関係)
202   • 関係性 (関係)
203   • 関係性 (関係)
204
205 関係性 (関係)
206 関係性 (関係) 関係性 (関係)
207

```


24 Суурь 4 чадвар
25
26 1) Сонсох
27
28 Сонсох гэдэг нь
29 хариу бэлдэх гэж биш,
30 нөгөө хүний дотор юу болж байгааг
31 үнэхээр ойлгох гэж оролдох юм.
32
33 Зөвхөн үгийг нь бус,
34 түүний айдас, хэрэгцээ, гомдлыг
35 мэдрэхийг хичээхийг хэлнэ.
36
37 2) Мэдрэмжээ нэрлэх
38
39 Бид ихэвчлэн
40 “чи дандаа ингэдэг” гэж буруутгадаг.
41 Гэтэл энэ нь
42 нөгөө хүнийг хамгаалах байдалд оруулж,
43 яриаг хаадаг.
44
45 Харин
46 “би ингэж мэдэрсэн”
47 гэж эхлэхэд
48 ойлголцлын хаалга нээгддэг.
49
50 3) Хил хязгаар
51
52 Хил гэдэг нь
53 холдох биш,
54 өөрийгөө алдахгүйгээр
55 ойр байж сурах чадвар юм.
56
57 Өөрийн төвчиж чадах хэмжээг
58 таньж, хэлж чадна гэдэг
59 харилцаанд аюулгүй орон зай бий болгодог.
60
61 4) Зөрчлийг засах
62
63 Хэн ч төгс биш.
64 Алдаа гаргах нь зайлшгүй.
65 Харин түүний дараа
66 яаж уучлал гуйж,
67 яаж холбогдож чаддаг вэ гэдэг нь
68 жинхэнэ суурь чадвар юм.
69
70 Яагаад суурь чадвар чухал вэ?
71
72 Хэрвээ эдгээр чадвар байхгүй бол:
73 сайн санаа ч буруу ойлгогддог,
74 хайр байвч харилцаа ядаргаатай болдог,
75 жижиг зүйлс хурдан том маргаан болдог.
76
77 Суурь чадвар сайжрах тусам
78 харилцаа аяндаа илүү зөөлөн,
79 аюулгүй орон зай болж хувирдаг.
80
81 Жижиг бичих дадлага хийцгээе.
82
83 Би сонсож чаддаг уу, эсвэл хамгаалж эхэлдэг үү?
84
85 Би “чи” гэж буруутгадаг уу, “би” гэж ярьдаг уу?
86
87 Өнөөдөр нэг ярианд би юу туршиж үзэх вэ?
88
89 Би яриаг таслахгүй сонсож чадсан уу?
90
91 Хариу өгөхөөс өмнө би нэг амьсгаа авч чадсан уу?
92


```

93 Төгсгөл
94
95 Суурь чадвар сайжрах тусам
96 харилцаа аяндаа зөөлрөдөг.
97
98 Хэрвээ аль чадвар чинь хамгийн хэцүү санагдаж байвал –
99 хажуу чатанд бичээд
100 хамт ярилцъя.
101
102 Харин энэ сэдвийг зүгээр уншаад орхих биш, өөрийн бодит харилцааны хэв маягаа хармаар байвал
103 "Харилцааны хэв маяг шалгах тестүүд"-ээс бөглөөрэй.
104 Тестийн хариу нь чамд ямар үед ямар ур чадвар идэвхжиж, хаана гацаж байгааг бодитоор харуулна.
105 `
106   i18n: {
107     en: {
108       title: "What are the foundational relationship skills?",
109       content: `
110 What are the foundational relationship skills?
111
112 Relationships aren't innate – they can be learned
113
114 Most people think "love is enough."
115 But in real life,
116 having love alone
117 doesn't automatically create understanding.
118
119 Just like learning to drive,
120 relationships too
121 are a sum of skills
122 that improve through repeated practice and learning.
123
124 Foundational skills mean
125 the inner tools that let you
126 reconnect a relationship
127 without completely breaking it, even in hard times.
128
129 Four foundational skills
130
131 1) Listening
132
133 Listening means
134 trying to truly understand
135 what's going on inside the other person,
136 not preparing your response.
137
138 It means trying to sense
139 not just their words,
140 but their fear, need, and hurt.
141
142 2) Naming your feelings
143
144 We often
145 blame the other person, saying "you always do this."
146 But this
147 puts the other person on the defensive
148 and shuts down the conversation.
149
150 But when you start with
151 "I felt this way,"
152 the door to understanding opens.
153
154 3) Boundaries
155
156 A boundary is not
157 about distancing yourself,
158 it's the skill of staying close
159 without losing yourself.
160
161 Being able to recognize and state

```

```

162 how much you can tolerate
163 creates a safe space in the relationship.
164
165 4) Repairing conflict
166
167 No one is perfect.
168 Making mistakes is inevitable.
169 But how you apologize
170 and reconnect afterward
171 is the real foundational skill.
172
173 Why are foundational skills important?
174
175 If these skills are missing:
176 even good intentions get misunderstood,
177 even with love, the relationship becomes exhausting,
178 small things quickly become big arguments.
179
180 As foundational skills improve,
181 the relationship naturally becomes softer
182 and turns into a safer space.
183
184 Let's try a small writing exercise.
185
186 Can I listen, or do I start defending myself?
187
188 Do I blame using "you," or do I speak using "I"?
189
190 What will I try in one conversation today?
191
192 Was I able to listen without interrupting the conversation?
193
194 Was I able to take one breath before responding?
195
196 Closing
197
198 As foundational skills improve,
199 the relationship naturally softens.
200
201 If there's one skill that feels hardest for you -
202 write in the side chat
203 and let's talk about it together.
204
205 But if you don't want to just read this topic and move on, and instead want to see your real relationship patterns,
206 fill out the "Relationship pattern check tests."
207 The test results will show you realistically which skills activate when, and where you get stuck.
208 `
209 },
210 ja: {
211   title: "Relationship pattern check tests?",
212   content: `
213 Relationship pattern check tests?
214
215 Relationship pattern check tests?
216
217 Relationship pattern check tests?
218 Relationship pattern check tests?
219 Relationship pattern check tests?
220 Relationship pattern check tests?
221 Relationship pattern check tests?
222 Relationship pattern check tests?
223 Relationship pattern check tests?
224 Relationship pattern check tests?
225 Relationship pattern check tests?
226 Relationship pattern check tests?
227 Relationship pattern check tests?
228 Relationship pattern check tests?
229 Relationship pattern check tests?
230 Relationship pattern check tests?

```

231
232 4
233
234 1)
235
236
237
238
239
240
241
242
243
244
245 2)
246
247
248
249
250
251
252
253
254
255
256
257
258 3)
259
260
261
262
263
264
265
266
267
268
269 4)
270
271
272
273
274
275
276
277
278 ?
279
280 :
281
282
283
284
285
286
287
288
289
290
291 ?
292
293 ?
294
295 ?
296
297 ?
298
299 ?

```

300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368

```

```

369  000 000 00000.
370
371  000 00 0 00 000
372  00000 00 0 00 00
373  000 000 000 0000.
374
375  4) 00 0000
376
377  000 000 0000.
378  000 00 0 0000.
379  000 0 00
380  000 0000
381  000 00 000000
382  00 00 00000.
383
384  00 000 0 0000?
385
386  00 000 000:
387  00 0000 0000,
388  000 000 000 000 00,
389  00 00 00 0 000 000.
390
391  00 000 00000
392  000 00000 0 000000
393  0 000 000 000.
394
395  00 000 000 0 000.
396
397  00 00 0 000, 000 0000 00000?
398
399  00 "0"00 0000, "0"0 0000?
400
401  00 0 0000 00 000 000 00?
402
403  000 00 00 00 0 0000?
404
405  0000 00 0 0 00 0 0 0000?
406
407  000
408
409  00 000 00000
410  000 00000 0000000.
411
412  0000 00 000 0000 000 00 000 -
413  0 000 0 000
414  00 0000 000.
415
416  000 0 000 00 00 000 00, 000 00 00 000 00 000
417  "00 00 00 000"0 000 000.
418  000 000 0000 00 0 00 000 0000, 0000 00000 00000 000 0000.
419  `,
420  },
421  },
422  };

```

314. content/mind/relations/healthy-conflict.ts

```

1  export const artifact = {
2    title: "Маргааныг эрүүл шийдэх гэж юу вэ?",
3    content: `
4  Маргааныг эрүүл шийдэх гэж юу вэ?
5
6  Маргаан гэдэг нь юу вэ?
7
8  Маргаан гэдэг нь
9  хүмүүс таарахгүй байна гэсэн үг биш.
10 Энэ бол хоёр өөр хэрэгцээ,

```

11 хоёр өөр мэдрэмж
 12 нэг дор ил гарч ирж байна гэсэн дохио юм.
 13
 14 Маргаан = сүйрэл биш.
 15 Харин харилцаанд
 16 ямар нэгэн зүйл засах шаардлагатай болсныг
 17 харуулж байгаа дохио юм.
 18
 19 Эрүүл маргаан ямар байдаг вэ?
 20
 21 Эрүүл маргаанд
 22 хүн хүнээ доромжлохгүй,
 23 бие биенээсээ зугтахгүй,
 24 харин харилцаагаа сэргээхийг оролддог.
 25
 26 Өөрөөр хэлбэл,
 27 ялах гэж биш,
 28 ойлголцох гэж маргалддаг.
 29
 30 Маргаан яагаад хурцаддаг вэ?
 31
 32 Ихэнхдээ бид
 33 өөрийгөө хамгаалах байрлалд орж,
 34 довтлох, хаах, эсвэл зугтах
 35 гэсэн гурван замын аль нэгийг сонгодог.
 36
 37 Гэтэл тэр мөчид
 38 нөгөө хүн ч бас
 39 өөрийгөө аюулгүй байлгахыг л
 40 хичээж байдаг.
 41
 42 Жижиг бичих дадлага хийцгээе.
 43
 44 Сүүлийн маргаанаа бодоод бич.
 45
 46 Тэр үед би юу мэдэрч байсан бэ?
 47
 48 Би юу хамгаалахыг хичээж байсан бэ?
 49
 50 Нөгөө хүний хувьд юу чухал байсан бол?
 51
 52 Маргааны дараа би ямар үг хэлж засаж болох вэ?
 53
 54 “Би чиний ...-г ойлголоо.”
 55
 56 “Миний хувьд ... чухал.”
 57
 58 Төгсгөл
 59
 60 Маргааныг яаж эхэлснээр бус,
 61 яаж дуусгадгаараа
 62 харилцаа тодорхойлогддог.
 63
 64 Хэрвээ сүүлийн маргаан чинь толгойноос гарахгүй байвал –
 65 хажуу чатанд бичээд
 66 хамт задлая.
 67 ` ,
 68 i18n: {
 69 en: {
 70 title: "What does it mean to resolve conflict in a healthy way?",
 71 content: `
 72 What does it mean to resolve conflict in a healthy way?
 73
 74 What is conflict?
 75
 76 Conflict doesn't mean people don't get along.
 77 It's a signal that two different needs,
 78 two different feelings,
 79 are surfacing at the same time.

```

80
81 Conflict ≠ destruction.
82 It's a signal showing
83 that something in the relationship
84 needs to be fixed.
85
86 What does a healthy conflict look like?
87
88 In a healthy conflict,
89 people don't insult each other,
90 don't run away from each other,
91 but try to restore their connection.
92
93 In other words,
94 they argue not to win,
95 but to understand each other.
96
97 Why does conflict escalate?
98
99 Most of the time we
100 go into a defensive stance
101 and choose one of three paths:
102 attack, shut down, or run away.
103
104 But at that same moment
105 the other person is also
106 just trying
107 to keep themselves safe.
108
109 Let's try a small writing exercise.
110
111 Think about your last argument and write.
112
113 What was I feeling at that moment?
114
115 What was I trying to protect?
116
117 What might have mattered to the other person?
118
119 What words could I say after the conflict to make things better?
120
121 "I understood what you meant by ..."
122
123 "For me, ... matters."
124
125 Closing
126
127 A relationship isn't defined by
128 how an argument starts,
129 but by how it ends.
130
131 If your last argument is still stuck in your head –
132 write about it in the side chat
133 and let's work through it together.
134 `
135 },
136   ja: {
137     title: "?????????????????????",
138     content: `
139     ??????????????????????
140
141     ???????
142
143     ????
144     ?????????????????????
145     ?????????
146     ?????????
147     ?????????????????????
148

```

```

149  [] ≠ []
150  []
151  []
152  []
153
154  []?
155
156  []
157  []
158  []
159  []
160
161  \
162  []
163  []
164
165  []?
166
167  []
168  []
169  []
170  []
171
172  []
173  []
174  []
175  []
176
177  []
178
179  []
180
181  []?
182
183  []?
184
185  []?
186
187  []?
188
189  []...[]
190
191  []...[]
192
193  []
194
195  []
196  []
197  []
198
199  []—
200  []
201  []
202  \,
203  },
204  ko: {
205  title: "[] [] [] [] []?",
206  content: \
207  [] [] [] [] []
208
209  []?
210
211  []
212  [] [] [] [] []
213  [] [] [] []
214  [] [] [] []
215  [] [] [] []
216
217  [] ≠ []

```



```

218   0000 000000
219   000000 0000 0000 00
220   000000 0000000.
221
222   0000 0000 00 00000?
223
224   0000 00000000
225   000 00000 00,
226   0000000 00000 0000,
227   0000 0000 0000000 000000.
228
229   00 00,
230   0000 000000 0000
231   00 00000 00 0000 00000.
232
233   0000 0 00000?
234
235   00 0000
236   0000 00000 0000 0000
237   0000000, 0000000, 00000
238   0 00 0 0 0000 000000.
239
240   0000 0 00
241   000000 00
242   0000 00000 00000
243   0000 00 00000.
244
245   00 00000 0000 0 0000.
246
247   0000 0000 00000 0 0000.
248
249   00 00 0000 00000?
250
251   00 0000 000000 0000?
252
253   000000000 0000 0000000?
254
255   00 0 00 00 00 0000 00000 0 0000?
256
257   "000 00 ...0 00000."
258
259   "00000 ...0 0000."
260
261   0000
262
263   0000 000000 00
264   0000 0000 00000000 0000
265   0000 0000000000.
266
267   0000 0000 00000 0000 00000 -
268   0 0000 0 0000.
269   00 00 0000.
270   `,
271   },
272   },
273   ;

```

315. [content/mind/relations/listening.ts](#)

```
1 export const artifact = {
2   title: "Сонсох ур чадвар яагаад чухал вэ?",
3   content: `
4   Сонсох ур чадвар яагаад чухал вэ?
5
6   Сонсох гэдэг нь юу гэсэн үг вэ?
7
8   Сонсох гэдэг нь
```

9 зүгээр чимээгүй суух биш.
10 Нөгөө хүн ярьж байх үед
11 хариу бэлдэхээ түр зогсоож,
12 өөрийгөө хамгаалах байрлалаас гарч,
13 түүний ертөнцөд түр орж үзэхийг хэлнэ.
14
15 Жинхэнэ сонсох нь
16 “би чиний яриаг үнэхээр сонирхож байна”
17 гэсэн дохиог нөгөө хүнд өгдөг.
18
19 Яагаад бид сонсож чаддаггүй вэ?
20
21 Ихэнхдээ бид
22 буруутгагдах вий гэж айх,
23 өөрийгөө зөвтгөх хэрэгцээтэй байх,
24 эсвэл яриаг хурдан дуусгахыг хүсэх үед
25 сонсохоо больж, дотроо хамгаалж эхэлдэг.
26
27 Тэр мөчид
28 нөгөө хүний үг бус,
29 өөрийн бодол илүү чанга сонсогддог.
30
31 Сонсогдсон хүн яагаад тайвширдаг вэ?
32
33 Хүн өөрийг нь ойлгож байна гэж мэдрэхэд
34 бие махбод тайвширч,
35 сэтгэл хөдлөл намжиж,
36 ойлголцох боломж нээгддэг.
37
38 Сонсох нь
39 харилцааг засах эхний алхам болдог.
40
41 Яаж сонсож сурах вэ? (амархан 4 алхам)
42
43 1) Түр зогс
44 Хариу хэлэхээсээ өмнө
45 нэг амьсгаа ав.
46 Энэ ганц секунд
47 маргааныг өөрчилдөг.
48
49 2) Давтаж баталгаажуул
50 “Чиний хэлэх гэсэн гол санаа нь ... зөв үү?”
51 гэж шалга.
52 Энэ нь “би тааж ойлгоогүй, үнэхээр ойлгох гэж байна” гэсэн дохио.
53
54 3) Мэдрэмжийг нь нэрлэ
55 “Чи урам хугарсан юм шиг...”
56 “Чи ганцаардаж байгаа юм шиг...”
57 гэж зөөлөн хэл.
58 Мэдрэмж нь нэрлэгдмэгц
59 хүн тайвширч эхэлдэг.
60
61 4) Асуух асуултаа зөв сонго
62 Шүүх асуулт биш, нээх асуулт асуу.
63 • “Яагаад тэгэв?” (шүүмж мэт сонсогддог)
64 оронд нь
65 • “Тэр үед чамд хамгийн хэцүү нь юу байсан бэ?”
66
67 Сонсохын 3 “хориг” (маргаан хурцатгадаг зүйлс)
68
69 • “Тэгээд л тэр үү?” (бага гэж мэдрүүлдэг)
70 • “Би ч бас...” (анхаарлыг өөр дээрээ татдаг)
71 • “Чи өөрөө...” (буруутгал эхлүүлдэг)
72
73 Эдгээрийг багасгах тусам
74 яриа зөөлөн болдог.
75
76 Жижиг бичих дадлага хийцгээе.
77

78 Саяхан хэн нэгэн чамтай чухал зүйлээ хуваалцсан уу?
 79
 80 Тэр ярианд чи үнэхээр сонсож чадсан уу?
 81
 82 Хэрвээ дахин тэр яриа болбол
 83 чи юу өөрөөр хийх вэ?
 84
 85 Дараагийн ярианд чи ямар асуулт асууж үзэх вэ?
 86
 87
 88 Төгсгөл
 89
 90 Сонсогдсон хүн тайвширдаг.
 91 Сонсож чадсан хүн харилцааг аврах эхний алхмыг хийдэг.
 92
 93 Хэрвээ энэ сэдвийг уншаад орхих биш,
 94 өөрийн бодит харилцааны хэв маягаа хармаар байвал
 95 "Харилцааны хэв маяг шалгах тестүүд"-ээс бөглөөрэй.
 96 Тестийн хариу нь чамд
 97 ямар үед сонсох чадвар чинь нээгдэж,
 98 хаана хамгаалалт руу ордгийг бодитоор харуулна.
 99
 100 Хэрвээ яг одоо чамд "сонсогдохгүй байна" гэж мэдрүүлдэг нэг нөхцөл байвал
 101 эсвэл "би сонсож чаддаггүй" гэж гацдаг нэг жишээ байвал
 102 хажуу чатанд 1-2 өгүүлбэрээр бичээд
 103 хамт задлаад илүү зөөлөн өгүүлбэр болгож үзье.
 104
 105 `,
 106 i18n: {
 107 en: {
 108 title: "Why is the skill of listening important?",
 109 content: `
 110 Why is the skill of listening important?
 111 What does listening mean?
 112
 113 Listening doesn't mean
 114 just sitting in silence.
 115 It means that while the other person is speaking,
 116 you pause preparing your response,
 117 step out of your defensive stance,
 118 and briefly step into their world.
 119
 120 True listening gives the other person
 121 the signal that
 122 "I'm genuinely interested in what you're saying."
 123
 124 Why can't we listen?
 125
 126 Most of the time, when we
 127 fear being blamed,
 128 feel a need to justify ourselves,
 129 or want to end the conversation quickly,
 130 we stop listening and start protecting ourselves inside.
 131
 132 At that moment
 133 our own thoughts sound louder
 134 than the other person's words.
 135
 136 Why does a person who feels listened to calm down?
 137
 138 When a person feels understood,
 139 their body relaxes,
 140 their emotions settle,
 141 and the possibility of understanding opens up.
 142
 143 Listening
 144 is the first step in repairing a relationship.
 145
 146 How to learn to listen (4 easy steps)

```

147
148 1) Pause
149 Before you respond,
150 take one breath.
151 That single second
152 can change the whole argument.
153
154 2) Repeat and confirm
155 Check: "Is the main point you're making ... correct?"
156 This signals "I'm not guessing – I genuinely want to understand."
157
158 3) Name the feeling
159 Say gently:
160 "It sounds like you're disappointed..."
161 "It sounds like you're feeling lonely..."
162 Once a feeling is named,
163 the person begins to calm down.
164
165 4) Choose the right question to ask
166 Ask open questions, not judging ones.
167 • "Why did you do that?" (sounds like criticism)
168 instead, ask
169 • "What was hardest for you at that moment?"
170
171 The 3 "bans" of listening (things that escalate conflict)
172
173 • "Is that all?" (makes it sound trivial)
174 • "Me too..." (pulls attention back to yourself)
175 • "You yourself..." (starts blame)
176
177 The less you use these,
178 the gentler the conversation becomes.
179
180 Let's try a small writing exercise.
181
182 Did someone recently share something important with you?
183
184 Were you really able to listen in that conversation?
185
186 If that conversation happened again,
187 what would you do differently?
188
189 What question will you try asking in your next conversation?
190
191
192 Closing
193
194 A person who feels listened to calms down.
195 A person who can listen takes the first step in saving a relationship.
196
197 If you don't want to just read this topic and move on,
198 and want to see your own real relationship patterns,
199 fill out the "Relationship style tests."
200 The results will show you
201 realistically when your ability to listen opens up,
202 and where you slip into defensiveness.
203
204 If there's one situation right now that makes you feel "unheard,"
205 or one example where you get stuck thinking "I can't listen,"
206 write 1-2 sentences in the side chat
207 and let's work through it together and turn it into a gentler sentence.
208 `
209   },
210   ja: {
211     title: "□□□□□□□□□□?",
212     content: `
213 □□□□□□□□□□?
214
215 □□□□□□□□□□?

```

216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284

```
285  #####
286
287  #####?
288
289  #####?
290
291  #####
292  #####?
293
294  #####?
295
296
297  #####
298
299  #####
300  #####
301
302  #####
303  #####
304  #####
305  #####
306  #####
307  #####
308
309  #####
310  #####
311  #####12#####
312  #####
313  `,
314      },
315      ko: {
316          title: "#####?",
317          content: `
318 #####?
319
320 #####?
321
322 #####
323  ##  ##  ##  ##.
324  ##  ##  ##
325  ##  #####  ##  ##,
326  ##  #####  ##
327  ##  ##  ##  ##  ##.
328
329  ##  #####
330  "  ##  ##  ##  "
331  ##  #####.
332
333  ##  1  ##?
334
335  ##  ##
336  ##  ##,
337  ##  #####  ##,
338  ##  ##  ##  1
339  ##  ##  ##  ##  ##.
340
341  1  ##
342  ##  ##
343  ##  ##  1  ##.
344
345  ##  ##  1  ##?
346
347  ##  #####  ##  1
348  ##  ##,
349  ##  #####,
350  ##  ##  #####.
351
352  ##
353  ##  #####.
```

```

354
355   Үүнийг хэд хэд удаа (4 удаа)
356
357   1) Үүнийг хэд
358   Үүнийг хэд
359   Үүнийг хэд удаа.
360   Үүнийг 1 удаа
361   Үүнийг хэд удаа.
362
363   2) Үүнийг хэд удаа
364   "Үүнийг хэд удаа ... Үүнийг хэд?"
365   Үүнийг хэд удаа.
366   Үүнийг "Үүнийг хэд удаа Үүнийг хэд" Үүнийг хэд удаа.
367
368   3) Үүнийг хэд удаа
369   "Үүнийг хэд удаа Үүнийг хэд..."
370   "Үүнийг хэд удаа Үүнийг хэд..."
371   Үүнийг хэд удаа Үүнийг хэд.
372   Үүнийг хэд удаа Үүнийг хэд
373   Үүнийг хэд удаа Үүнийг хэд.
374
375   4) Үүнийг хэд удаа
376   Үүнийг хэд удаа Үүнийг хэд удаа Үүнийг хэд.
377   • "Үүнийг хэд?" (Үүнийг хэд)
378   Үүнийг
379   • "Үүнийг хэд удаа Үүнийг хэд хэд?"
380
381   Үүнийг 3 удаа "Үүнийг" (Үүнийг хэд удаа Үүнийг)
382
383   • "Үүнийг хэд?" (Үүнийг хэд удаа Үүнийг хэд)
384   • "Үүнийг..." (Үүнийг хэд удаа Үүнийг)
385   • "Үүнийг хэд..." (Үүнийг хэд удаа)
386
387   Үүнийг хэд удаа
388   Үүнийг хэд удаа Үүнийг хэд.
389
390   Үүнийг хэд удаа Үүнийг хэд удаа.
391
392   Үүнийг хэд удаа Үүнийг хэд удаа Үүнийг хэд удаа?
393
394   Үүнийг хэд удаа Үүнийг хэд удаа Үүнийг хэд удаа?
395
396   Үүнийг хэд удаа Үүнийг хэд удаа
397   Үүнийг хэд удаа Үүнийг хэд удаа?
398
399   Үүнийг хэд удаа Үүнийг хэд удаа Үүнийг хэд удаа?
400
401
402   Үүнийг
403
404   Үүнийг хэд удаа Үүнийг хэд.
405   Үүнийг хэд удаа Үүнийг хэд удаа Үүнийг хэд удаа.
406
407   Үүнийг хэд удаа Үүнийг хэд удаа
408   Үүнийг хэд удаа Үүнийг хэд удаа
409   "Үүнийг хэд удаа Үүнийг хэд удаа" Үүнийг хэд удаа.
410   Үүнийг
411   Үүнийг хэд удаа Үүнийг хэд удаа,
412   Үүнийг хэд удаа Үүнийг хэд удаа Үүнийг хэд удаа.
413
414   Үүнийг "Үүнийг хэд удаа Үүнийг хэд удаа Үүнийг хэд удаа
415   "Үүнийг хэд удаа Үүнийг хэд удаа" Үүнийг хэд удаа
416   Үүнийг хэд удаа 1~2 удаа Үүнийг хэд удаа.
417   Үүнийг хэд удаа Үүнийг хэд удаа Үүнийг хэд удаа.
418   `
419   },
420   },
421   };

```

316. content/mind/relations/self-expression.ts

```
1 export const artifact = {
2   title: "Өөрийгөө илэрхийлэх гэж юу вэ?",
3   content:
4     Өөрийгөө илэрхийлэх гэж юу вэ?
5
6     Өөрийгөө илэрхийлэх = маргах биш
7
8     Өөрийгөө илэрхийлнэ гэдэг нь
9     уурлах, дуугаа өндөрсгөх, нэхэх гэсэн үг биш.
10    Харин өөрт юу чухал байгааг,
11    би яаж мэдэрч байгаагаа
12    ил тод, тайван хэлэх чадвар юм.
13
14    Энэ нь нөгөө хүнийг яллах биш,
15    өөрийгөө нуухгүйгээр
16    харуулах гэсэн оролдлого юм.
17
18    Яагаад хэцүү санагддаг вэ?
19
20    Ихэнх хүн
21    гомдоочих вий,
22    орхигдож магадгүй,
23    эсвэл өмнө нь дуугарч байгаад
24    шарх авсан байдаг.
25
26    Тиймээс бид
27    чимээгүй тэвчих,
28    эсвэл огцом дэлбэрэх хоёрын хооронд
29    савлаж явдаг.
30
31    Эрүүл илэрхийллийн хэлбэр
32
33    Эрүүл илэрхийлэл нь
34    "чи" гэж буруутгахын оронд
35    "би" гэж эхэлдэг.
36
37    Жишээ:
38
39    "Чи намайг тоодоггүй"
40    гэсэн өгүүлбэрийн оронд
41
42    "Сүүлийн үед хамт байх цаг багасаад
43    би ганцаардаж байна"
44    гэж хэлэхэд
45    нөгөө хүн хамгаалах байрлалд орохгүй.
46
47    Энэ нь асуудлыг зөөлөн,
48    ойлголцох боломжтой хэлбэрээр
49    илэрхийлэх арга юм.
50
51    Жижиг бичих дадлага хийцгээе.
52
53    Одоо дараах өгүүлбэрийг гүйцээгээрэй.
54
55    ____ үед би ____ мэдэрдэг. Учир нь ____ .
56
57    Өөр нэг байдлыг бодоод бич.
58
59    ____ үед би ____ мэдэрдэг. Учир нь ____ .
60
61    Хэн нэгэнд хэлмээр байгаа нэг мэдрэмж юу вэ?
62
63    Төгсгөл
64
65    Өөрийгөө илэрхийлэх нь
66    харилцааг эвдэх бус,
```



```

67 жинхэнэ болгодог.
68
69 Хэрвээ хэлэхэд хэцүү байгаа нэг зүйл байвал –
70 хажуу чатанд бичээд
71 хамт өгүүлбэр болгож үзье.
72
73 Энэ сэдвийг уншаад өнгөрөх биш, өөрийн бодит харилцааны хэв маягаа харахыг хүсвэл “Харилцааны хэв маяг шалгах тестүүд”-ээс бөглөөрэй.
74
75   il8n: {
76     en: {
77       title: "What does it mean to express yourself?",
78       content: `
79 What does it mean to express yourself?
80
81 Self-expression = not the same as arguing
82
83 Expressing yourself doesn't mean
84 getting angry, raising your voice, or demanding.
85 It means having the ability to say,
86 openly and calmly,
87 what matters to you
88 and how you feel.
89
90 It's not an attempt to accuse the other person,
91 but an attempt to show yourself
92 without hiding.
93
94 Why does it feel difficult?
95
96 Most people
97 fear being hurt,
98 fear being abandoned,
99 or carry wounds from
100 having spoken up before and gotten hurt.
101
102 So we sway back and forth
103 between staying silently patient
104 and suddenly exploding.
105
106 A healthy form of expression
107
108 Healthy expression
109 starts with "I"
110 instead of blaming with "you."
111
112 Example:
113
114 Instead of the sentence
115 "You don't pay attention to me,"
116
117 saying
118 "I've been feeling lonely lately
119 since we've had less time together"
120 keeps the other person from going on the defensive.
121
122 This is a way of expressing the problem
123 gently, in a form
124 that allows for understanding.
125
126 Let's try a small writing exercise.
127
128 Now complete the following sentence.
129
130 I feel ____ when _____. Because _____.
131
132 Think of another situation and write.
133
134 I feel ____ when _____. Because _____.
135

```

```

136 What's one feeling you'd like to tell someone?
137
138 Closing
139
140 Expressing yourself
141 doesn't break a relationship -
142 it makes it genuine.
143
144 If there's something hard to say -
145 write it in the side chat
146 and let's turn it into a sentence together.
147
148 If you don't want to just read this topic and move past it, and want to see your own real relationship patterns, fill out the "Relationship style tests."
149
150   },
151   ja: {
152     title: "?????????????????",
153     content: `
154   ??????????????????
155
156   ????? = ?????????
157
158   ?????????????
159   ?????????????????????????
160   ?????????????
161   ?????????????
162   ?????????????????????
163
164   ?????????????????
165   ?????????
166   ?????????
167
168   ??????????
169
170   ?????????
171   ?????????????????
172   ?????????????????????
173   ?????????????????????
174   ?????????
175
176   ?????????
177   ?????????????
178   ?????????????????
179   ?????????????
180
181   ?????????
182
183   ?????????
184   ?????????????????????
185   ?????????????????
186
187   ??:
188
189   ?????????????????????
190   ?????????????????
191
192   ?????????????????????
193   ?????????????????
194   ?????
195   ?????????????????????
196
197   ?????????
198   ?????????????????????
199   ?????????????
200
201   ?????????????????????
202
203   ?????????????????????
204

```

```
205 _____
206
207
208
209 _____
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
```

```

274  0000 0000.
275
276  00 000 000 0 000.
277
278  00 000 000 000.
279
280  ____ 0 0 00 ____ 0 000. 0000 ____ 00 0000.
281
282  00 000 0000 0 000.
283
284  ____ 0 0 00 ____ 0 000. 0000 ____ 00 0000.
285
286  00000 000 00 00 000 00000?
287
288  000
289
290  000 0000 00
291  000 0000 00 000
292  000 000 0000.
293
294  000 00 00 00 000 -
295  0 000 0 000.
296  00 0000 000 000.
297
298  0 000 00 0000 00 000 00 0000 000 00 000 "00 000 00 000" 0 000.
299  ` ,
300    },
301  },
302  };

```

317. content/mind/relations/unhealthy-signs.ts

```

1  export const artifact = {
2    title: "Эрүүл бус харилцааг яаж таних вэ?",
3    content: `
4    Эрүүл бус харилцааг яаж таних вэ?
5
6    Эрүүл бус харилцаа гэж юу вэ?
7
8    Эрүүл бус харилцаа гэдэг нь
9    заавал муу хүнтэй таарсан гэсэн үг биш.
10   Ихэнхдээ асуудал нь хүнээсээ илүү,
11   хоёр хүний хооронд тогтсон
12   харилцах хэв маяг байдаг.
13
14   Тэр хэв маяг нь:
15   • айдсаар удирдагддаг
16   • нэг нь өөрийгөө их золиосолдог
17   • нөгөө нь илүү давамгайлдаг
18   байж болно.
19
20   Удаан үргэлжилбэл
21   хүн өөрийгөө аажмаар алдаж,
22   “би ийм байх ёстой юм байна”
23   гэж дотроо буруу итгэж эхэлдэг.
24
25
26   Эрүүл бус харилцаа дотор хүн яаж өөрчлөгддөг вэ?
27
28   Ийм харилцаанд орсон хүн:
29   • өөрийн бодол, мэдрэмжийг жижигрүүлж эхэлдэг
30   • “би л буруу байх” гэж автомат боддог
31   • зөрчил гаргахгүй гэж өөрийгөө дардаг
32   • нөгөө хүний уурыг тайвшруулах үүрэг үүрдэг
33
34   Энэ нь хайраас биш,
35   аюулгүй байхын тулд бий болсон

```

36 хамгаалах зан үйл юм.
37
38
39 Эрүүл бус харилцааны түгээмэл хэв маяг
40
41 1) Айдсаар баригдсан харилцаа
42 "Ингэхгүй бол намайг орхино" гэсэн айдас давамгайлдаг.
43
44 2) Хэт золиослол
45 Нэг нь байнга буулт хийж,
46 нөгөө нь тэрийг хэвийн гэж үздэг.
47
48 3) Хяналт ба буруутгал
49 Нэг нь нөгөөгөө
50 ямар байх ёстойг тогтоох гэж оролддог.
51
52 4) Эмоциональ холболтын тасалдал
53 Ярих гэхээр маргаан болж,
54 ойртох гэхээр өвдөлт төрдөг.
55
56
57 Анхаарах дотоод дохио
58
59 Хэрвээ чи:
60 • өөрийгөө байнга буруутгаж байвал
61 • юу хэлэхээсээ айдаг бол
62 • тайван байх нь аюулгүй мэт санагдвал
63 • "би ийм л хүн юм байна" гэж бодож эхэлбэл
64
65 Энэ нь чиний сул тал биш.
66 Энэ бол
67 харилцаа чиний дотоод аюулгүй байдлыг
68 алдагдуулж байгаагийн дохио.
69
70
71 Эрүүл харилцаа ямар байдаг вэ?
72
73 Эрүүл харилцаанд:
74 • санал нийлэхгүй байж болдог
75 • "үгүй" гэж хэлэхэд аюулгүй
76 • алдаа гаргавч холболт тасардаггүй
77 • хоёр тал хоёулаа хүн хэвээрээ үлддэг
78
79
80 Жижиг бичих дадлага
81
82 Одоо дараах асуултуудад үнэнээр нь хариулаад бич.
83
84 Энэ харилцаанд би өөрийгөө илүү их яаж барьж байна вэ?
85
86 Би юнаас айгаад дуугүй байна вэ?
87
88 Хэрвээ аюулгүй байсан бол
89 би юу хэлэх байсан бэ?
90
91
92 Төгсгөл
93
94 Эрүүл харилцаа гэдэг нь
95 маргаангүй байх биш,
96 аюулгүйгээр үнэнээ хэлж чаддаг орон зай юм.
97
98 Хэрвээ энэ сэдвийг уншаад орхих биш,
99 өөрийн бодит харилцааны хэв маягаа харахыг хүсвэл
100 "Харилцааны хэв маяг шалгах тестүүд"-ийг бөглөөрэй.
101 Тестийн хариу нь
102 чи ямар харилцаанд яаж хариу үйлдэл үзүүлдгээ
103 бодитоор харуулна.
104

```

105 Хэрвээ яг одоо чамд
106 "энэ харилцаа намайг ядрааж байна" гэсэн мэдрэмж байвал
107 хажуу чатанд 1-2 өгүүлбэрээр бичээд
108 хамт задлая.
109 `,
110   i18n: {
111     en: {
112       title: "How to recognize an unhealthy relationship",
113       content: `
114 How to recognize an unhealthy relationship
115
116 What is an unhealthy relationship?
117
118 An unhealthy relationship doesn't necessarily mean
119 you ended up with a bad person.
120 Most of the time, the problem is not about the person,
121 but about a pattern of relating
122 that has formed between two people.
123
124 That pattern may be:
125 • driven by fear
126 • one person sacrificing themselves too much
127 • the other one dominating more
128
129 If it continues for a long time,
130 a person gradually loses themselves
131 and begins to wrongly believe inside,
132 "I guess this is just how I have to be."
133
134 How does a person change inside an unhealthy relationship?
135
136 A person caught in such a relationship:
137 • starts shrinking their own thoughts and feelings
138 • automatically thinks "I must be the wrong one"
139 • suppresses themselves to avoid causing conflict
140 • takes on the role of calming the other person's anger
141
142 This is not because of love,
143 but a protective behavior
144 formed in order to feel safe.
145
146 Common patterns of unhealthy relationships
147
148 1) A relationship gripped by fear
149 The fear "if I don't do this, they'll leave me" dominates.
150
151 2) Excessive self-sacrifice
152 One person constantly gives in,
153 and the other comes to see that as normal.
154
155 3) Control and blame
156 One person keeps trying
157 to determine how the other should be.
158
159 4) Breakdown of emotional connection
160 Trying to talk turns into argument,
161 and trying to get close brings pain.
162
163 Inner signals to watch for
164
165 If you:
166 • constantly blame yourself
167 • are afraid of what you might say
168 • feel that staying calm/quiet feels safer
169 • start thinking "I guess this is just the kind of person I am"
170
171 This is not your weakness.
172 It is a signal
173 that the relationship is undermining

```



```
381  00000 000 00000.
382
383  000 000 00 0000?
384
385  000 00000:
386  • 000 000 00000
387  • "000"0 000 00000
388  • 00000 000 0000 0000
389  • 0 00 00 00 0000 0000
390
391  00 000 00
392
393  00 00 000 0000 000 0 000.
394
395  0 00 000 00 0 000 000 00 00 0000 00?
396
397  00 000 0000 000 000 00?
398
399  00 00000
400  00 000 0000?
401
402  000
403
404  000 000
405  00 000 00 00 000
406  0000 000 00 0 00 00000.
407
408  0 000 00 00 00000
409  000 00 00 000 00 000
410  "00 00 00 000"0 0 000.
411  000 000
412  000 00 0000 000 000000
413  00000 000 0000.
414
415  00 00
416  "0 000 00 000 00"0 000 000
417  000 000 1~20000 00 000.
418  00 00 000.
419  `,
420  },
421  },
422  };
```

318. content/mind/relations/why-hard.ts

```
1  export const artifact = {
2    title: "Харилцааны төрлүүд гэж юу вэ?",
3    content: `
4  Харилцааны төрлүүд гэж юу вэ?
5
6  Яагаад “төрлөөр нь” ойлгох хэрэгтэй вэ?
7
8  Бид “харилцаа” гэж нэг л зүйл мэтээр боддог.
9  Гэтэл харилцааны төрөл өөр болохоор:
10 • ямар мэдрэмж хамгийн хурдан хөдөлдөг вэ,
11 • ямар зөрчил хамгийн их давтагддаг вэ,
12 • ямар ур чадвар хамгийн түрүүнд хэрэг болдог вэ
13 гэдэг нь өөр өөр байдаг.
14
15 Тиймээс “би харилцаанд муу юм байна” гэж ерөнхий дүгнэхээс илүү
16 “аль төрлийн харилцаанд би хамгийн их гацдаг вэ?” гэж ялгаж харах нь
17 өөрийгөө буруутгахгүйгээр сайжрах хамгийн зөв эхлэл болдог.
18
19
20 Харилцааны хамгийн түгээмэл төрлүүд
21
22 1) Хосын харилцаа (хамгийн ойрын холбоо)
```

23
24 Энд ойр байдал, итгэлцэл, үнэнч байдал, анхаарал халамж хамгийн чухал.
25 Иймээс дараах зүйлс амархан хүндрэл болдог:
26 • орхигдох айдас (намайг тоохгүй байна уу?)
27 • атаархал, хардах
28 • “өөрөө ойлгох ёстой” гэх хүлээлт
29 • уучлал, эвлэрлийн чадвар дутмаг байх
30
31 Хосын харилцаанд хэрэгтэй суурь чадвар:
32 сонсох, өөрийгөө илэрхийлэх, хил хязгаар, зөрчлийг засах.
33
34
35 2) Гэр бүлийн харилцаа (эцэг эх, ах дүүс)
36
37 Энд “ёс”, “үүрэг”, “ингэх ёстой” гэх дүрэм их байдаг.
38 Иймээс хүндрэх шалтгаан нь ихэвчлэн:
39 • хүлээлт өндөр байх
40 • хуучин гомдол хуримтлагдсан байх
41 • хилээ тогтоохгүйгээр “даах” гэж явах
42
43 Гэр бүлийн харилцаанд хэрэгтэй чадвар:
44 хүндлэлтэйгээр хилээ хэлэх, тайван харилцах, өөрийгөө хамгаалах.
45
46
47 3) Найз нөхдийн харилцаа
48
49 Найзын холбоо бол “сонголтоор” бий болдог.
50 Тиймээс итгэл, тэнцвэр, харилцан анхаарал хамгийн чухал.
51 Хүндрэх нь ихэвчлэн:
52 • нэг тал нь илүү их өгөөд байгаагаас
53 • атаархал, харьцуулалтаас
54 • буруу ойлголцлыг хэлэлгүй орхидгоос
55
56 Найз нөхдийн харилцаанд хэрэгтэй чадвар:
57 үнэнээр нь хэлэх (зөөлөнөөр), хүлээлтээ тохируулах, уучлал.
58
59
60 4) Ажил, хамт олны харилцаа
61
62 Энд мэдрэмжээс илүү үүрэг, зохион байгуулалт давамгайл.
63 Гэхдээ хүн л болсон хойно:
64 • үл хүндлэгдсэн мэдрэмж
65 • шударга бус санагдах
66 • хүчний тэнцвэргүй байдал
67 гэдгээс зөрчил амархан үүсдэг.
68
69 Ажил дээр хэрэгтэй чадвар:
70 товч тод ярьж сурах, хилээ хамгаалах, дүрэмтэй харилцах.
71
72
73 5) Хүүхэдтэй харилцах (эцэг эх-хүүхэд)
74
75 Энд “зөв буруу”-гаас илүү “аюулгүй мэдрэмж” суурь болдог.
76 Хүндрэх нь ихэвчлэн:
77 • насанд хүрэгчийн ядаргаа, тэсвэр дуусах
78 • тогтворгүй дүрэм (нэг өдөр зөвшөөрөөд, маргааш загнах)
79 • хүүхдийн хэрэгцээг “зөрүүд” гэж андуурах
80
81 Хүүхэдтэй харилцахад хэрэгтэй чадвар:
82 тогтвортой байдал, тэвчээр, мэдрэмжийг нь нэрлэх, зөв удирдах арга.
83
84
85 Товч дүгнэлт
86
87 Харилцаа хүндрэх нь
88 “чи буруу хүн” гэсэн үг биш.
89 Зүгээр л өөр төрлийн харилцаанд
90 өөр өөр ур чадвар хэрэгтэй байдаг.
91

92 Чи аль харилцаандаа хамгийн их ядраад байна вэ гэдгээ тодорхойлж чадвал
 93 яг тэр хэсгийн ур чадварыг л хөгжүүлэхэд хангалттай.
 94
 95
 96 Жижиг бичих дадлага хийцгээе.
 97
 98 Одоо надад хамгийн их ачаалал өгч байгаа харилцаа аль төрөл вэ?
 99
 100 Тэр харилцаанд хамгийн их давтагддаг зөрчил нь юу вэ?
 101
 102 Би юу хүсдэг хэрнээ хэлэлгүй хадгалдаг вэ?
 103
 104 Хэрвээ ганцхан чадварыг сайжруулах бол аль нь вэ?
 105
 106 Сонсох уу?
 107
 108 Өөрийгөө илэрхийлэх үү?
 109
 110 Хил хязгаар тогтоох уу?
 111
 112 Зөрчлийг засах уу?
 113
 114
 115 Төгсгөл
 116
 117 Хэрвээ энэ сэдвийг уншаад орхих биш,
 118 өөрийн бодит харилцааны хэв маягаа хармаар байвал
 119 "Харилцааны хэв маяг шалгах тестүүд"-ээс бөглөөрэй.
 120 Тестийн хариу нь чамд
 121 аль төрлийн харилцаанд ямар хэв маяг (довтлох/хаах/зугтах) идэвхждэгийг
 122 бодитоор харуулна.
 123
 124 Хэрвээ яг одоо нэг харилцаа чинь хүндрэлтэй санагдаад байвал –
 125 хажуу чатанд 2 өгүүлбэрээр нөхцөл байдлаа бич.
 126 Би чамтай хамт задлаад,
 127 аль төрлийн харилцаа дээр ямар ур чадвар эхэлж хэрэгтэйг чиглүүлж өгье.
 128 ` ,
 129 il8n: {
 130 en: {
 131 title: "What are the types of relationships?",
 132 content: `What are the types of relationships?
 133 Why is it necessary to understand them "by type"?
 134 We tend to think of "relationships" as one single thing.
 135 But because relationship types differ:
 136 • which feelings move the fastest,
 137 • which conflicts repeat the most,
 138 • which skills are needed first
 139 also differ from one type to another.
 140 So rather than broadly concluding "I'm just bad at relationships,"
 141 distinguishing "which type of relationship do I struggle with the most?"
 142 is the right first step toward improving without blaming yourself.
 143 The most common types of relationships
 144 1) Romantic partner relationship (the closest bond)
 145 Here closeness, trust, faithfulness, and care matter most.
 146 So the following easily become difficult:
 147 • fear of abandonment (are they losing interest in me?)
 148 • jealousy, suspicion
 149 • the expectation "they should just understand on their own"
 150 • lack of the ability to apologize and reconcile
 151 Core skills needed in a partner relationship:
 152 listening, expressing yourself, boundaries, repairing conflict.

161
162 2) Family relationships (parents, siblings)
163
164 Here there are many rules like "duty," "obligation," "should do this."
165 So the reasons it becomes difficult are usually:
166 • high expectations
167 • accumulated old grievances
168 • "enduring" without setting boundaries
169
170 Skills needed in family relationships:
171 stating boundaries respectfully, staying calm in communication, protecting yourself.
172
173 3) Friendships
174
175 Friendship bonds are formed "by choice."
176 So trust, balance, and mutual care matter most.
177 It usually becomes difficult because of:
178 • one side giving much more than the other
179 • jealousy, comparison
180 • leaving misunderstandings unaddressed
181
182 Skills needed in friendships:
183 speaking honestly (gently), adjusting expectations, forgiveness.
184
185 4) Work and colleague relationships
186
187 Here duty and organization dominate over feelings.
188 But since people are still people:
189 • feeling disrespected
190 • feeling treated unfairly
191 • imbalance of power
192 easily cause conflict.
193
194 Skills needed at work:
195 learning to speak concisely and clearly, protecting your boundaries, working within rules.
196
197 5) Relating with children (parent-child)
198
199 Here "felt safety" is the foundation, more than "right and wrong."
200 It usually becomes difficult because of:
201 • adult fatigue, running out of patience
202 • inconsistent rules (allowing one day, scolding the next)
203 • mistaking a child's needs for "stubbornness"
204
205 Skills needed for relating with children:
206 consistency, patience, naming their feelings, guiding correctly.
207
208 Brief summary
209
210 A relationship becoming difficult doesn't mean
211 "you are a bad person."
212 It simply means different types of relationships
213 require different skills.
214
215 If you can identify which relationship is wearing you out the most,
216 it's enough to develop the skill for just that area.
217
218 Let's do a small writing exercise.
219
220 Right now, which type of relationship is putting the most strain on me?
221
222 In that relationship, what conflict repeats the most?
223
224 What do I want but keep not saying?
225
226 If you could improve just one skill, which would it be?
227
228 Listening?
229


```
368   369   370   371   372   373   374   375   376   377   378   379   380   381   382   383   384   385   386   387   388   389   390   391   392   393   394   395   396   397   398   399   400   401   402   403   404   405   406   407   408   409   410   411   412   413   414   415   416   417   418   419   420   421   422   423   424   425   426   427   428   429   430   431   432   433   434   435   436
```

```
  ` ,
    },
    ko: {
      title: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ?",
      content: `
ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ?

ᠰ "ᠰᠠᠭᠤ" ᠰᠠᠭᠤ ᠰᠠᠭᠤ?

ᠰᠠᠭᠤ "ᠰᠠᠭᠤ"ᠰ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ.
ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ:
• ᠰᠠ ᠰᠠᠭᠤ ᠰᠠ ᠰᠠ ᠰᠠᠭᠤᠰᠠ,
• ᠰᠠ ᠰᠠᠭᠤ ᠰᠠ ᠰᠠ ᠰᠠᠭᠤᠰᠠ,
• ᠰᠠ ᠰᠠᠭᠤ ᠰᠠ ᠰᠠ ᠰᠠᠭᠤᠰᠠ
ᠰ ᠰᠠ ᠰᠠᠭᠤᠰ.

ᠰᠠᠭᠤᠰ "ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ"ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠠᠰ
"ᠰᠠᠭᠤ ᠰᠠ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠ ᠰᠠᠭᠤ?"ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰ ᠰᠠ ᠰᠠ
ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠ ᠰᠠᠭᠤᠰ ᠰᠠ ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠠᠰ.

ᠰᠠ ᠰᠠ ᠰᠠᠭᠤ ᠰᠠ

1) ᠰᠠ ᠰᠠ (ᠰᠠ ᠰᠠᠭᠤ ᠰᠠ)

ᠰᠠᠭᠤᠰ ᠰᠠᠭᠤ, ᠰᠠ, ᠰᠠᠭᠤ, ᠰᠠᠭᠤ ᠰᠠ ᠰᠠᠭᠤᠰᠠᠰ.
ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠ ᠰᠠᠭᠤᠰᠠᠰ:
• ᠰᠠᠭᠤᠰᠠ ᠰᠠ ᠰᠠᠭᠤ (ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠ?)
• ᠰᠠᠭᠤ, ᠰᠠᠭᠤ
• "ᠰᠠᠭᠤᠰ ᠰᠠᠭᠤᠰ ᠰᠠᠭᠤ"ᠰ ᠰᠠᠭᠤ
• ᠰᠠᠭᠤᠰ ᠰᠠᠭᠤᠰ ᠰᠠᠭᠤ ᠰᠠᠭᠤ

ᠰᠠ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠ ᠰᠠᠭᠤ:
ᠰᠠᠭᠤ, ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰ, ᠰᠠᠭᠤ, ᠰᠠ ᠰᠠᠭᠤᠰᠠᠰ.

2) ᠰᠠ ᠰᠠ (ᠰᠠᠭᠤ, ᠰᠠᠭᠤᠰ)

ᠰᠠᠭᠤᠰ "ᠰᠠᠭᠤ", "ᠰᠠᠭᠤ", "ᠰᠠᠭᠤ ᠰᠠᠭᠤ" ᠰᠠ ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠠᠰ.
ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠠᠰ ᠰᠠᠭᠤ ᠰᠠᠭᠤ:
• ᠰᠠᠭᠤᠰ ᠰᠠᠭᠤ ᠰᠠᠭᠤ
• ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰ ᠰᠠᠭᠤ ᠰᠠᠭᠤ
• ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ "ᠰᠠᠭᠤ" ᠰᠠᠭᠤ

ᠰᠠ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ:
ᠰᠠᠭᠤᠰ ᠰᠠᠭᠤ ᠰᠠᠭᠤ, ᠰᠠᠭᠤᠰ ᠰᠠᠭᠤᠰ, ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠠᠰ.

3) ᠰᠠᠭᠤ ᠰᠠᠭᠤ

ᠰᠠ ᠰᠠᠭᠤ "ᠰᠠᠭᠤ"ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠠᠰ.
ᠰᠠᠭᠤ ᠰᠠᠭᠤ, ᠰᠠᠭᠤ, ᠰᠠᠭᠤ ᠰᠠ ᠰᠠᠭᠤ ᠰᠠ ᠰᠠᠭᠤᠰᠠᠰ.
ᠰᠠᠭᠤᠰᠠᠰ ᠰᠠᠭᠤ ᠰᠠᠭᠤ:
• ᠰᠠᠭᠤᠰ ᠰᠠ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ
• ᠰᠠᠭᠤ, ᠰᠠᠭᠤᠰᠠᠰ
• ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ

ᠰᠠ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ:
ᠰᠠᠭᠤᠰ (ᠰᠠᠭᠤᠰᠠᠰ) ᠰᠠᠭᠤ, ᠰᠠ ᠰᠠᠭᠤᠰ, ᠰᠠᠭᠤᠰᠠᠰ.

4) ᠰᠠᠭᠤ, ᠰᠠᠭᠤ ᠰᠠᠭᠤ

ᠰᠠᠭᠤᠰ ᠰᠠᠭᠤᠰ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠠᠰ.
ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ:
• ᠰᠠᠭᠤᠰ ᠰᠠᠭᠤᠰ ᠰᠠᠭᠤ
• ᠰᠠᠭᠤᠰᠠᠰᠠᠰ ᠰᠠᠭᠤ
• ᠰᠠᠭᠤ ᠰᠠᠭᠤ
ᠰᠠ ᠰᠠᠭᠤ ᠰᠠ ᠰᠠᠭᠤᠰᠠᠰ.

ᠰᠠᠭᠤᠰ ᠰᠠᠭᠤ ᠰᠠᠭᠤ:
ᠰᠠᠭᠤᠰ ᠰᠠᠭᠤᠰ ᠰᠠᠭᠤ ᠰᠠ ᠰᠠᠭᠤ, ᠰᠠ ᠰᠠᠭᠤ, ᠰᠠ ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠠᠰ.
```



```
437
438 5) ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ (ᠠᠨᠠᠭᠤᠨ-ᠠᠨᠠᠭᠤᠨ)
439
440 ᠠᠨᠠᠭᠤᠨ "ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ" "ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ"ᠠᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ.
441 ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ:
442 • ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ, ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ
443 • ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ (ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ, ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ)
444 • ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ "ᠠᠨᠠᠭᠤᠨ"ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ
445
446 ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ:
447 ᠠᠨᠠᠭᠤᠨ, ᠠᠨᠠᠭᠤᠨ, ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ, ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ.
448
449 ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ
450
451 ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ
452 "ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ"ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ.
453 ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ
454 ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ.
455
456 ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ,
457 ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ.
458
459 ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ.
460
461 ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ?
462
463 ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ?
464
465 ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ?
466
467 ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ?
468
469 ᠠᠨᠠᠭᠤᠨ?
470
471 ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ?
472
473 ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ?
474
475 ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ?
476
477 ᠠᠨᠠᠭᠤᠨ
478
479 ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ
480 ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ
481 "ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ"ᠠᠨ ᠠᠨᠠᠭᠤᠨ.
482 ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ
483 ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ (ᠠᠨᠠᠭᠤᠨ/ᠠᠨᠠᠭᠤᠨ/ᠠᠨᠠᠭᠤᠨ)ᠠᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ
484 ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ.
485
486 ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ —
487 ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ 2ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ.
488 ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ
489 ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ ᠠᠨᠠᠭᠤᠨ.
490 `,
491 },
492 },
493 };
```

319. content/mind/self-care/inner-critic.ts

```
1 export const artifact = {
2   title: "Дотоод шүүмжлэл хаанаас гардаг вэ?",
3   content: `
4   Дотоод шүүмжлэл хаанаас гардаг вэ?
5
6   Дотоод шүүмжлэл гэж юу вэ?
7`
}
```

8 Заримдаа бидний дотор
9 “чи хангалтгүй”,
10 “дахиад л алдав”,
11 “бусад хүн бол ингэхгүй”
12 гэсэн дуу сонсогддог.
13
14 Энэ бол чиний жинхэнэ дуу хоолой биш.
15 Энэ бол олон жилийн турш
16 гаднаас шингэсэн үгсийн цуурай юм.
17
18 Анх энэ дуу яагаад бий болсон бэ?
19
20 Ихэнхдээ бид багадаа
21 сонссон үг,
22 бусадтай харьцуулах,
23 алдаа гаргахгүй байх шахалтын дунд
24 энэ дууг дотроо бий болгож сурсан байдаг.
25
26 Анхандаа энэ нь
27 чамайг хамгаалах зорилготой байсан:
28 “алдаа гаргахгүй бай, тэгвэл аюулгүй.”
29
30 Яагаад асуудал болдог вэ?
31
32 Цаг хугацааны явцад
33 энэ дуу хэт чангарч,
34 өөртөө итгэх итгэлийг сулруулж,
35 оролдлого хийхээс айлгаж,
36 дотоод ядаргааг бий болгодог.
37
38 Тиймээс зорилго нь
39 энэ дууг бүр мөсөн устгах биш,
40 харин дууны хэмжээг нь багасгах юм.
41
42 Дууг таних нь яагаад чухал вэ?
43
44 Бид дууг таньж эхлэхэд
45 “энэ бол миний бодит би биш”
46 гэж ялгаж чаддаг болдог.
47
48 Ингэснээр
49 өөрийгөө буруутгахын оронд
50 өөртөө илүү зөөлөн хандах боломж нээгддэг.
51
52 Жижиг бичих дадлага хийцгээе.
53
54 Би алдаа гаргахад өөртэйгөө яаж ярьдаг вэ?
55
56 Энэ дуу хэнийх шиг сонсогддог вэ?
57
58 Одоо дотоод шүүмжлэгчээ гуравдагч этгээд болгоод бич.
59
60 “Миний доторх шүүмжлэгч ингэж хэлж байна...”
61
62 Төгсгөл
63
64 Дотоод шүүмжлэлийг устгах биш,
65 дууны хэмжээг нь багасгах л зорилго.
66
67 Хэрвээ толгойд чинь байнга давтагддаг өгүүлбэр байвал –
68 хажуу чатанд бичээд
69 хамт зөөлрүүлье.
70
71 Хэрвээ дотоод шүүмжлэл чинь
72 ядаргаа, стресс, нойр дутуугаас илүү чангарч байгаа мэт санагдвал
73 “Эрүүл мэнд апп”-д өдөр тутмын нойр, хоол, хөдөлгөөнөө
74 зүгээр л тэмдэглээд эхэлж болно.
75 Биеэ анзаарч эхлэхэд
76 дотоод дуу аяндаа зөөлөрдөг.

```

77
78 ` ,
79   il8n: {
80     en: {
81       title: "Where does the inner critic come from?",
82       content:
83         Where does the inner critic come from?
84
85         What is the inner critic?
86
87         Sometimes inside us we hear a voice saying
88         "you're not enough,"
89         "you messed up again,"
90         "other people wouldn't do this."
91
92         This is not your true voice.
93         It is the echo of words
94         absorbed from the outside over many years.
95
96         Why did this voice first appear?
97
98         Usually, as children,
99         amid words we heard,
100        comparisons to others,
101        and pressure not to make mistakes,
102        we learned to create this voice inside.
103
104        At first it had a protective aim:
105        "don't make a mistake, then you'll be safe."
106
107        Why does it become a problem?
108
109        Over time
110        this voice grows too loud,
111        weakens your self-confidence,
112        makes you afraid to try,
113        and creates inner exhaustion.
114
115        So the goal is
116        not to erase this voice entirely,
117        but to lower its volume.
118
119        Why does recognizing the voice matter?
120
121        When we begin to recognize the voice,
122        we can tell apart
123        "this is not my real self."
124
125        This way,
126        instead of blaming yourself,
127        the possibility of treating yourself more gently opens up.
128
129        Let's try a small writing exercise.
130
131        How do I talk to myself when I make a mistake?
132
133        Whose voice does it sound like?
134
135        Now write your inner critic as a third person.
136
137        "The critic inside me is saying..."
138
139        Closing
140
141        The goal is not to erase the inner critic,
142        but to lower its volume.
143
144        If there's a sentence that keeps repeating in your head -
145        write it in the side chat

```

```

146 and we'll soften it together.
147
148 If your inner critic feels louder
149 because of fatigue, stress, and lack of sleep,
150 you can simply start noting your daily sleep, food, and movement
151 in the "Health app."
152 As you begin to notice your body,
153 the inner voice softens on its own.
154
155 `,
156   },
157   ja: {
158     title: "?????????????",
159     content: `
160     ??????????
161
162     ??????????
163
164     ??????????
165     ??????????
166     ??????????
167     ??????????
168     ??????????
169
170     ?????????????????
171     ?????????
172     ?????????????????
173
174     ??????????????
175
176     ??????????
177     ??????
178     ??????
179     ?????????????????
180     ?????????????????????
181
182     ??????????:
183     ?????????
184
185     ??????
186
187     ?????????
188     ?????????????
189     ??????
190     ?????????????
191     ?????????
192
193     ??????
194     ?????????????
195     ?????????
196
197     ??????????????
198
199     ?????????
200     ?????????????
201     ?????????????
202
203     ?????
204     ?????????
205     ?????????????????
206
207     ?????????????
208
209     ??????????????????
210
211     ??????????????
212
213     ?????????????????
214

```

```
215   0000000000000000...0
216
217   0000
218
219   000000000000000000
220   000000000000
221
222   000000000000000000—
223   000000000000
224   000000000000
225
226   0000000000000000000000
227   000000000000000000
228   0000000000000000000000
229   0000000000000000
230   0000000000
231   0000000000000000
232
233   ` ,
234       },
235       ko: {
236         title: "0000 000 0000 00?",
237         content: `
238 0000 0000 0000 00?
239
240 0000 00000 0000?
241
242 00 00 000
243 "00 0000",
244 "0 0000",
245 "00 000000 0000 00"
246 00 00000 0000.
247
248 0000 0000 00 00000 0000.
249 00 0000 00
250 00000 0000 0000 0000000.
251
252 0 00000 0000 0 00000?
253
254 00 00 00,
255 0000 0,
256 00 00000 00,
257 00000 00000 00 0000
258 0000 0 00000 00 00 0000 00 000000.
259
260 00000 00000 00000000:
261 "000000 0000 00000."
262
263 0 0000 00?
264
265 0000 00000
266 0 00000 00 0000,
267 000000 000000,
268 0000000 0000 00,
269 0000 0000 00000.
270
271 0000 0000
272 0 00000 0000 0000 00 0000,
273 0000 0000 00000.
274
275 000000 0000000 00 0 00000?
276
277 000000 0000000 00000,
278 "00000 00 00 0000"000
279 00 0 0 00 0000.
280
281 0000,
282 0000 0000 00,
283 00000 0 00000 00 00000 00000.
```

```

284
285   ᠠᠨᠤ ᠠᠨᠤ ᠠᠨᠤ ᠠ ᠠᠨᠤ.
286
287   ᠠᠨᠤ ᠠᠨᠤᠨ ᠠ ᠠᠨᠤᠨ ᠠᠨᠤ ᠠᠨᠤ?
288
289   ᠠ ᠠᠨᠤᠨ ᠠᠨᠤ ᠠᠨᠤᠨᠤ ᠠᠨᠤ?
290
291   ᠠᠨᠤ ᠠᠨᠤ ᠠᠨᠤᠨ ᠠᠨᠤᠨ ᠠ ᠠᠨᠤ.
292
293   "ᠠ ᠠᠨ ᠠᠨᠤᠨ ᠠᠨᠤ ᠠᠨᠤ ᠠᠨᠤ..."
294
295   ᠠᠨᠤ
296
297   ᠠᠨᠤ ᠠᠨᠤ ᠠᠨᠤ ᠠᠨᠤ ᠠᠨ ᠠᠨᠤ,
298   ᠠᠨᠤ ᠠᠨᠤ ᠠᠨᠤᠨ.
299
300   ᠠᠨᠤᠨᠤ ᠠ ᠠᠨᠤᠨ ᠠᠨᠤ ᠠᠨᠤ —
301   ᠠ ᠠᠨᠤ ᠠᠨ
302   ᠠᠨ ᠠᠨᠤᠨ ᠠᠨᠤᠨ.
303
304   ᠠᠨᠤ ᠠᠨᠤ ᠠᠨᠤ.ᠠᠨᠤᠨ.ᠠᠨ ᠠᠨ ᠠᠨᠤ
305   ᠠ ᠠᠨᠤ ᠠᠨᠤ ᠠᠨᠤᠨᠤ,
306   "ᠠᠨ ᠠ"ᠠ ᠠᠨᠤ ᠠᠨᠤ.ᠠᠨᠤ.ᠠᠨᠤᠨ
307   ᠠᠨ ᠠᠨᠤᠨ ᠠᠨᠤᠨ ᠠᠨᠤ.
308   ᠠᠨ ᠠᠨᠤᠨᠤ ᠠᠨᠤᠨ,
309   ᠠᠨᠤ ᠠᠨᠤᠨ ᠠᠨᠤ ᠠᠨᠤᠨᠤᠨᠤ.
310
311   `,
312   },
313   },
314 };

```

320. content/mind/self-care/self-compassion.ts

```

1  export const artifact = {
2    title: "Өөртэйгөө энэрэнгүй харьцах",
3    content: `
4    Өөртэйгөө энэрэнгүй харьцах
5
6    Өөртэйгөө энэрэнгүй байна гэдэг нь юу гэсэн үг вэ?
7
8    Өөртэйгөө энэрэнгүй байна гэдэг нь
9    өөрийгөө өрөвдөх,
10   бууж өгөх гэсэн үг биш.
11
12   Харин
13   "би хүн, алдаа гаргана, хэцүү мэдрэмж төрөх нь хэвийн"
14   гэж өөрийгөө хүний хувьд зөвшөөрөхийг хэлнэ.
15
16   Энэ бол өөрийгөө засах гэж шахахын оронд
17   өөрийгөө ойлгож, дэмжих сонголт юм.
18
19   Яагаад энэ хэрэгтэй вэ?
20
21   Судалгаагаар өөртэйгөө энэрэнгүй хүмүүс
22   алдааны дараа хурдан сэргэж,
23   өөрийгөө хатуу шүүмжлэхээс илүү
24   алдаанаасаа суралцах чадвартай байдаг.
25
26   Тэд илүү удаан шатаж,
27   амьдралын бэрхшээлийг
28   илүү тэсвэртэй даван туулдаг.
29
30   Энэрэнгүй байдал нь
31   сул тал биш,
32   дотоод хүчний нэг хэлбэр юм.
33

```

```

34 Энэрэнгүй байдлын 3 бүрэлдэхүүн
35
36 1) Анзаарах
37
38 “Одоо надад хэцүү байна” гэж
39 мэдрэмжээ үгүйсгэлгүйгээр хүлээн зөвшөөрөх.
40
41 2) Хуваалцсан байдал
42
43 “Ийм мэдрэмж надад л биш,
44 хүн бүрт тохиолддог” гэж
45 өөрийгөө ганцаараа биш гэдгийг санах.
46
47 3) Зөөлөн хариу
48
49 “Би өөртөө яаж туслах вэ?” гэж
50 шийтгэхийн оронд асуух.
51
52 Жижиг бичих дадлага хийцгээе.
53
54 Одоо өөрийгөө хэцүү мэдэрсэн сүүлийн мөчийг сана.
55
56 Тэр үед би юу мэдэрч байсан бэ?
57
58 Би өөртэйгөө яаж ярьж байсан бэ?
59
60 Хэрвээ зөөлөн хандвал би өөртөө юу хэлэх вэ?
61
62 Гараа цээжин дээрээ тавиад бич.
63
64 “Одоо хэцүү байна. Би өөртөө зөөлөн байж болно.”
65
66 Төгсгөл
67
68 Өөртэйгөө энэрэнгүй байх нь
69 сүл тал биш,
70 дотоод хүч юм.
71
72 Хэрвээ өөртөө зөөлөн хандахад чинь юу хамгийн хэцүү вэ гэдгийг
73 хуваалцмаар байвал –
74 хажуу чатанд бичээрэй.
75
76 Хэрвээ өөртөө энэрэнгүй хандах нь
77 ядаргаа, стресс, нойр дутуугаас болж хэцүү санагдаад байвал
78 “Эрүүл мэнд апп”-д өдөр тутмын биеийн байдал, нойр, амралтаа
79 зүгээр л тэмдэглээд эхэлж болно.
80 Биеэ анзаарч эхлэхэд
81 сэтгэлдээ ч зөөлөн хандах илүү амар болдог.
82 `
83   i18n: {
84     en: {
85       title: "Treating yourself with compassion",
86       content: `
87 Treating yourself with compassion
88
89 What does treating yourself with compassion mean?
90
91 Treating yourself with compassion does not mean
92 pitying yourself
93 or giving up.
94
95 It means allowing yourself, as a human being,
96 to say "I'm human, I make mistakes, and feeling difficult emotions is normal."
97
98 It's the choice to understand and support yourself,
99 instead of pushing yourself to fix yourself.
100
101 Why is this needed?
102

```


172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240

```
241  #####
242  #####
243  #####
244  #####
245  #####
246  #####
247  `,
248      },
249      ko: {
250          title: "#### #### ##",
251          content: `
252  #### #### ##
253
254  #### #### #### ## ## ##?
255
256  #### #### #### ##
257  #### #### ####,
258  ##### ## ####.
259
260  #####
261  "## ####, ####, ## #### ## ## ####"
262  ## #### ####.
263
264  #### #### ## ##### ##,
265  #### #### #### #####.
266
267  # #### ####?
268
269  #### #### #### #### ## ##
270  ## ## # ## ####,
271  #### #####
272  #### #### ## ####.
273
274  #### # #### ####,
275  ## ####
276  # ##### ## ####.
277
278  ####
279  #### ####,
280  #### ## # #####.
281
282  #### # ## ##
283
284  1) #####
285
286  #### #### ## #####:
287  "## ## ####."
288
289  2) ####
290
291  #### #### #### #####:
292  "## #### #### ## ##,
293  ##### ####."
294
295  3) #####
296
297  #### ## #### ##:
298  "## ## #### ## # ####?"
299
300  ## #### #### # ####.
301
302  ##### #### #### #### ####.
303
304  ## ## #### #### ####?
305
306  ## ##### #### #### ####?
307
308  ## ##### ####, ## ##### ##### ####?
309
```

```

310  00 000 00 0 000.
311
312  "000 000. 00 0000 00000 00."
313
314  000
315
316  000 0000 000 00
317  000 000,
318  000 0000.
319
320  000 0000 000 0 000 00 000
321  000 000 —
322  0 000 0 000.
323
324  0000 000 00 00 00·0000·00 00 000
325  000 00000,
326  "00 0"0 000 0 00·00·000
327  00 0000 0000 000.
328  00 00000 0000,
329  000 0000 000 00 0 00000.
330  `,
331      },
332  },
333  };

```

321. content/mind/self-care/self-love.ts

```

1  export const artifact = {
2    title: "Өөрийгөө хайрлах гэж юу вэ?",
3    content: `
4    Өөрийгөө хайрлах гэж юу вэ?
5
6    Өөрийгөө хайрлана гэдэг нь юу гэсэн үг вэ?
7
8    Өөрийгөө хайрлана гэдэг нь
9    өөрийгөө магтах,
10   төгс байх,
11   бусдаас дээгүүр тавих гэсэн үг биш.
12
13   Харин
14   хэцүү үедээ өөрийгөө орхихгүй байх,
15   өөртөө бууж өгөхгүй,
16   өөрийгөө ганцааранг нь үлдээхгүй байх
17   гэсэн дотоод байр суурь юм.
18
19   Яагаад бид өөрийгөө хайрлаж чаддаггүй вэ?
20
21   Ихэнх хүн
22   алдаа гаргавал өөрийгөө шийтгэдэг,
23   ядрахаараа "би сул байна" гэж боддог,
24   бусдад л энэрэнгүй байж,
25   өөртөө хатуу ханддаг.
26
27   Энэ нь зан чанарын асуудал биш,
28   харин олон жилд суусан
29   сурсан хэв маяг юм.
30
31   Өөрийгөө хайрлах хэзээ хэрэгтэй вэ?
32
33   Алдаа гаргасан үед,
34   урам хугарсан үед,
35   ядраад тэсэхгүй болсон үед,
36   өөрийгөө бусадтай харьцуулж эхлэх үед
37   өөрийгөө хайрлах хамгийн их хэрэгтэй болдог.
38
39   Энэ бол залхуурал биш,
40   харин өөрийгөө дахин босгох

```

41 дотоод хүч юм.
42
43 Жижиг бичих дадлага хийцгээе.
44
45 Найз маань ийм байдалд орвол
46 би түүнд юу хэлэх вэ?
47
48 Тэр үгийг өөртөө хэлж чадах уу?
49
50 Одоо нэг өгүүлбэр бичээд үз.
51
52 Би одоо төгс биш ч ____ учраас өөрийгөө орхихгүй.
53
54 Төгсгөл
55
56 Өөрийгөө хайрлах нь
57 залхуурал биш,
58 дотоод тогтвортой байдал юм.
59
60 Хэрвээ өөртөө хамгийн хатуу ханддаг үе чинь хэзээ вэ гэдгийг
61 хуваалцмаар байвал –
62 хажуу чатанд бичээд
63 хамт ярилцъя.
64
65 Хэрвээ өөрийгөө хайрлах дадлаа
66 өдөр тутмын жижиг зүйлсээр дэмжмээр байвал
67 "Эрүүл мэнд апп"-д хоол, нойр, хөдөлгөөнөө
68 зүгээр л тэмдэглээд эхэлж болно.
69 Өөртөө анхаарал хандуулах нь яг эндээс эхэлдэг.
70
71 `il8n: {
72 en: {
73 title: "What is loving yourself?",
74 content: `
75 What is loving yourself?
76
77 What does loving yourself mean?
78
79 Loving yourself does not mean
80 praising yourself,
81 being perfect,
82 or placing yourself above others.
83
84 It is the inner stance of
85 not abandoning yourself in hard times,
86 not giving up on yourself,
87 not leaving yourself alone.
88
89 Why can't we love ourselves?
90
91 Most people
92 punish themselves when they make a mistake,
93 think "I'm weak" when they're tired,
94 are compassionate only to others
95 and treat themselves harshly.
96
97 This is not a character flaw,
98 but a learned pattern
99 settled in over many years.
100
101 When is loving yourself needed?
102
103 When you've made a mistake,
104 when you're discouraged,
105 when you're tired and can't go on,
106 when you start comparing yourself to others –
107 that's when loving yourself is needed most.
108
109 This is not laziness,

```

110 but the inner strength
111 to lift yourself back up.
112
113 Let's try a small writing exercise.
114
115 If my friend were in this situation,
116 what would I say to them?
117
118 Can I say those words to myself?
119
120 Now try writing one sentence.
121
122 I'm not perfect right now, but I won't abandon myself because _____.
123
124 Closing
125
126 Loving yourself is
127 not laziness,
128 but inner stability.
129
130 If you'd like to share when you treat yourself most harshly –
131 write it in the side chat
132 and let's talk it through together.
133
134 If you'd like to support your practice of loving yourself
135 through small daily things,
136 you can simply start noting your food, sleep, and movement
137 in the "Health app."
138 Paying attention to yourself begins right here.
139 `
140   },
141   ja: {
142     title: "□□□□□□□□?",
143     content: `
144 □□□□□□□□?
145
146 □□□□□□□□□□?
147
148 □□□□□□□□
149 □□□□□□□□□□
150 □□□□□□□□□□
151 □□□□□□□□□□□□□□
152
153 □□□□□□□□□□□□□□
154 □□□□□□□□□□
155 □□□□□□□□□□
156 □□□□□□□□□□□□□□
157
158 □□□□□□□□□□□□?
159
160 □□□□□□□□□□
161 □□□□□□□□□□□□□□
162 □□□□□□□□□□□□□□□□
163 □□□□□□□□□□□□□□
164 □□□□□□□□□□□□□□
165
166 □□□□□□□□□□□□□□
167 □□□□□□□□□□□□□□
168 □□□□□□□□□□□□□□
169
170 □□□□□□□□□□□□□□?
171
172 □□□□□□□□□□□□□□
173 □□□□□□□□□□□□□□□□
174 □□□□□□□□□□□□□□□□□□□□
175 □□□□□□□□□□□□□□□□—
176 □□□□□□□□□□□□□□□□□□□□□□
177
178 □□□□□□□□□□□□□□□□

```

```
179   179
180   180
181   181
182   182
183   183
184   184
185   185
186   186
187   187
188   188
189   189
190   190
191   191
192   192
193   193
194   194
195   195
196   196
197   197
198   198
199   199
200   200
201   201
202   202
203   203
204   204
205   205
206   206
207   207
208   208
209   209
210   210
211   211
212   212
213   213
214   214
215   215
216   216
217   217
218   218
219   219
220   220
221   221
222   222
223   223
224   224
225   225
226   226
227   227
228   228
229   229
230   230
231   231
232   232
233   233
234   234
235   235
236   236
237   237
238   238
239   239
240   240
241   241
242   242
243   243
244   244
245   245
246   246
247   247
```

```

248   000 0000 000,
249   000 00 0000
250   000 0000.
251
252   00 000 000 0 000.
253
254   000 00 000 000,
255   00 000 00000 000?
256
257   0 00 0000 0 0 000?
258
259   00 0 000 0 000.
260
261   00 00 0000 000, ____000 000 0000 000.
262
263   000
264
265   000 0000 00
266   0000 000,
267   000 00000.
268
269   0000 00 0000 000 00 0000
270   000 000 —
271   0 000 00
272   00 0000 000.
273
274   000 0000 000
275   000 00 000 00000 000,
276   "00 0"0 00·00·0000
277   00 0000 0000 000.
278   0000 000 0000 00 00 000 00000.
279   `,
280       },
281   },
282   };

```

322. content/mind/self-care/sleep-energy.ts

```

1  export const artifact = {
2    title: "Нойр, эрч хүч яагаад чухал вэ?",
3    content: `
4    Нойр, эрч хүч яагаад чухал вэ?
5
6    Нойр бол тансаг зүйл биш
7
8    Нойр гэдэг нь зүгээр амрах биш.
9    Энэ бол бидний тархи, бие хоёр
10   дахин тэнцвэрт байдалдаа орох
11   үндсэн хэрэгцээ юм.
12
13   Нойр хангалттай үед
14   бид илүү тайван,
15   илүү төвлөрсөн,
16   илүү уян хатан хариу үзүүлдэг.
17
18   Нойр дутуу үед юу болдог вэ?
19
20   Нойр дутуу үед
21   сэтгэл санаа тогтворгүй болж,
22   уур амархан жүрч,
23   жижиг асуудал хүртэл
24   том мэт санагдаж эхэлдэг.
25
26   Тэр мөчид бид
27   өөрсдийгөө сул гэж бодох хандлагатай болдог.
28   Гэтэл үнэндээ
29   бидний мэдрэлийн систем

```

30 амрах шаардлагатай байгааг
 31 дохиолж байгаа юм.
 32
 33 Нойр яагаад эрч хүчтэй холбоотой вэ?
 34
 35 Эрч хүч гэдэг нь
 36 өөрийгөө хүчээр барих биш.
 37 Харин бие, сэтгэлдээ
 38 анхаарал тавихын үр дүн юм.
 39
 40 Хүн амарч чадвал
 41 өөрийгөө хянах, анзаарах чадвар нэмэгдэж,
 42 амьдралд илүү тэнцвэртэй ханддаг болдог.
 43
 44 Жижиг бичих дадлага хийцгээе.
 45
 46 Сүүлийн үед би дунджаар хэдэн цаг унтсан бэ?
 47
 48 Миний нойр чанартай байсан уу?
 49
 50 Би амарч чадсан уу, эсвэл зүгээр л унтсан уу?
 51
 52 Өнөө орой би өөртөө ямар жижиг анхаарал тавьж болох вэ?
 53
 54 Төгсгөл
 55
 56 Эрч хүч бол
 57 сахилга бат биш,
 58 анхаарал юм.
 59
 60 Хэрвээ нойр чинь сүүлийн үед яаж өөрчлөгдсөнийг
 61 хуваалцмаар байвал –
 62 хажуу чатанд бичээрэй.
 63
 64 Хэрвээ нойр, эрч хүч чинь сүүлийн үед савлаад байвал
 65 “Эрүүл мэнд апп”-д нойр, энерги, стрессээ өдөр бүр 1 минут тэмдэглээд үзээрэй.
 66 Хэдхэн хоногийн дараа
 67 юунаас болж эрч хүч унаж, ямар үед сэргэдэг хэв маяг чинь илүү тод харагдана.
 68 `,
 69 `il8n: {
 70 en: {
 71 title: "Why do sleep and energy matter?",
 72 content: `
 73 Why do sleep and energy matter?
 74
 75 Sleep is not a luxury
 76
 77 Sleep is not just resting.
 78 It's a basic need for our brain and body
 79 to return to balance.
 80
 81 When we sleep enough,
 82 we respond more calmly,
 83 more focused,
 84 more flexibly.
 85
 86 What happens when we don't sleep enough?
 87
 88 When short on sleep,
 89 our mood becomes unstable,
 90 anger comes easily,
 91 and even small problems
 92 start to seem big.
 93
 94 In that moment we tend
 95 to think of ourselves as weak.
 96 But in truth,
 97 our nervous system is signaling
 98 that it needs rest.


```

99
100 Why is sleep tied to energy?
101
102 Energy is not about
103 forcing yourself to keep going.
104 It's the result of
105 paying attention to your body and mind.
106
107 When a person can rest,
108 their ability to self-regulate and notice grows,
109 and they approach life more in balance.
110
111 Let's try a small writing exercise.
112
113 How many hours have I slept on average lately?
114
115 Was my sleep good quality?
116
117 Did I rest, or did I just sleep?
118
119 What small attention can I give myself tonight?
120
121 Closing
122
123 Energy is
124 not discipline,
125 but attention.
126
127 If you'd like to share how your sleep has changed lately –
128 write it in the side chat.
129
130 If your sleep and energy have been swinging lately,
131 try noting your sleep, energy, and stress for 1 minute each day in the "Health app."
132 After a few days,
133 the pattern of what makes your energy drop and when it recovers becomes clearer.
134 `
135   },
136   ja: {
137     title: "?????????????",
138     content: `
139     ??????????
140
141     ?????????
142
143     ?????????????????
144     ????
145     ?????????
146     ?????????
147
148     ?????????
149     ?????????????
150     ???????
151     ?????????????
152
153     ??????????????
154
155     ?????????
156     ?????????????
157     ?????????
158     ?????????
159     ?????????
160
161     ?????????
162     ?????????????
163     ???????
164     ?????????
165     ?????????????????
166
167     ??????????????????

```

```
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
```

[illegible]

323. [content/mind/self-care/stress-fatigue.ts](#)

```

1 export const artifact = {
2   title: "Стресс ба ядаргаа яагаад хуримтлагддаг вэ?",
3   content: `
4 Стресс ба ядаргаа яагаад хуримтлагддаг вэ?
5
6 Ядаргаа гэнэт үүсдэггүй
7
8 Стресс, ядаргаа гэдэг нь
9 нэг л өглөө гэнэт бий болчихдог зүйл биш.
10 Ихэнхдээ бид
11 амралтгүй удаан явж,
12 "дахиад жаахан тэсчихье" гэж өөрийгөө
13 байнга шахсаар байгаад
14 энэ мэдрэмжийг хуримтлуулдаг.
15
16 Өөрийн бие, сэтгэлийн дохиог
17 удаан хугацаанд үл тооцоор байвал
18 тэд чанга дуугаар анхааруулж эхэлдэг.
19
20 Стресс гэдэг нь юу вэ?
21
22 Стресс бол сул дорой гэсэн үг биш.
23 Энэ бол
24 "миний нөөц багасч байна"
25 гэсэн бие, сэтгэлийн дохио юм.
26
27 Энэ дохиог ойлгох нь

```

```

28 өөрийгөө буруутгахаас илүү
29 өөртөө анхаарал хандуулах эхлэл болдог.
30
31 Анхаарах шинжүүд
32
33 Хэрвээ дараах мэдрэмжүүд
34 давтагдаж байвал
35 чиний систем амрах хэрэгтэй байгааг
36 илэрхийлж байна.
37
38 • Өглөө сэрэхэд л ядрах
39 • Жижиг зүйлд уурлах
40 • Баярлах мэдрэмж багасах
41 • Төвлөрөхөд хэцүү болох
42
43 Эдгээр нь чиний сул тал биш.
44 Харин амрах хэрэгтэй байгаагийн
45 биед илэрч буй хэлбэр юм.
46
47 Жижиг бичих дадлага хийцгээе.
48
49 Өнөөдөр надад энерги өгсөн нэг зүйл юу байв?
50
51 Өнөөдөр надаас энерги авсан нэг зүйл юу байв?
52
53 Одоо би өөртөө ямар жижиг амралт өгч болох вэ?
54
55 Төгсгөл
56
57 Ядаргаа бол
58 засах боломжтой,
59 түр зуурын байдал юм.
60
61 Хэрвээ сүүлийн үед хамгийн их ядрааж буй зүйл чинь юу вэ гэдгийг
62 хуваалцмаар байвал –
63 хажуу чатанд бичээд
64 хамт задлая.
65
66 Өөрийгөө хайрлах гэдэг нь том шийдвэр биш – өдөр бүрийн жижиг арчилгаа.
67 Хэрвээ чи эрүүл зөв зуршил бүтээж өөрийгөө бодитоор дэмжмээр байвал “Эрүүл мэнд” апп дээр нойр, эрч хүч, стрессээ тэмдэглэж, жижиг зорилтууд тавиад эхлээрэй.
68 Өнөөдрийн жижиг анхаарал – маргаашийн эрүүл мэндийг бүтээнэ.
69
70 `
71   il8n: {
72     en: {
73       title: "Why do stress and fatigue build up?",
74       content:
75         Why do stress and fatigue build up?
76         Fatigue doesn't appear suddenly
77
78         Stress and fatigue are not something
79         that suddenly appears one morning.
80         Usually we
81         go a long time without rest,
82         keep pushing ourselves with "let me hold on a little more,"
83         and so accumulate this feeling.
84
85         When we ignore our body and mind's signals
86         for a long time,
87         they begin to warn us in a louder voice.
88
89         What is stress?
90
91         Stress does not mean you're weak.
92         It's a signal from your body and mind that
93         "my reserves are running low."
94
95         Understanding this signal is
96         the beginning of paying attention to yourself,

```

```

97 rather than blaming yourself.
98
99 Signs to watch for
100
101 If the following feelings
102 keep repeating,
103 they express that your system
104 needs rest.
105
106 • Feeling tired the moment you wake up
107 • Getting angry over small things
108 • Feeling less joy
109 • Finding it hard to focus
110
111 These are not your weakness.
112 They are the body's way of showing
113 that you need rest.
114
115 Let's try a small writing exercise.
116
117 What was one thing that gave me energy today?
118
119 What was one thing that took energy from me today?
120
121 What small rest can I give myself right now?
122
123 Closing
124
125 Fatigue is
126 a temporary state
127 that can be repaired.
128
129 If you'd like to share what's tiring you most lately –
130 write it in the side chat
131 and let's unpack it together.
132
133 Loving yourself is not a big decision – it's small daily care.
134 If you'd like to build healthy habits and genuinely support yourself, start in the "Health" app by noting your sleep, energy, and stress, and setting small goals.
135 Today's small attention builds tomorrow's health.
136 `
137 },
138 ja: {
139   title: "「疲れているサイン」?",
140   content: `
141     疲れているサイン?
142
143     疲れている
144
145     疲れている
146     疲れているサイン
147     疲れている
148     疲れている
149     疲れているサイン
150     疲れている
151     疲れている
152
153     疲れている
154     疲れている
155     疲れているサイン
156
157     疲れている?
158
159     疲れているサイン
160     疲れている
161     疲れている
162
163     疲れている
164     疲れている
165     疲れているサイン

```



```
235
236   0000 0 00
237
238   00 000
239   00000,
240   000 0000 000 00000 00
241   00000.
242
243   • 000 00 0000 000
244   • 00 00 00 0
245   • 000 000 000
246   • 00000 0000
247
248   0000 000 000 0000.
249   000 00000 00
250   00 000 00000.
251
252   00 000 000 0 000.
253
254   00 00 0000 0 0 000 00000?
255
256   00 000 0000 000 0 000 00000?
257
258   00 00 0000 00 00 000 0 0 000?
259
260   000
261
262   000
263   000 0 00,
264   0000 00000.
265
266   00 00 000 00 00 0000
267   000 000 –
268   0 000 00
269   00 00 000.
270
271   000 0000 00 0 000 000 – 000 00 00000.
272   000 000 000 000 0000 00000 000, "00" 000 00.000.00000 0000 00 000 00 000 000.
273   000 00 000 000 000 0000.
274   `,
275   },
276   },
277   };
```

324. content/mind/self/beliefs.ts

```
1  export const artifact = {
2    title: "Дотоод итгэл үнэмшил хэр вэ?",
3    content: `
4    Дотоод итгэл үнэмшил гэж юу вэ?
5
6    Дотоод итгэл үнэмшил гэдэг нь
7    бидний дотроо баримталж явдаг “дүрэм” юм.
8
9    Эдгээр дүрэм нь баримтаас бус,
10   харин амьдралын туршлагаас урган гарсан
11   дүгнэлтүүд байдаг.
12
13   Жишээ нь:
14   “Би хангалттай биш.”
15   “Алдаа гаргавал аюултай.”
16   “Намайг хүмүүс орхидог.”
17   “Би чаддаггүй.”
18
19   Бид эдгээрийг үнэн мэт хүлээж авдаг ч,
20   ихэнх нь шалгагдаагүй таамаглал байдаг.
21
```

22
23 Дотоод итгэл үнэмшил хаанаас бий болдог вэ?
24
25 Ихэнхдээ дараах зүйлсээс бүрддэг.
26
27 • Бага насанд сонссон үг, шүүмж, магтаал
28 • Давтагдсан туршлага (амжилт, бүтэлгүйтэл)
29 • Хүчтэй, мартагдашгүй үйл явдал
30
31 Эдгээр нь аажмаар
32 “энэ бол үнэн” гэсэн
33 дотоод дүрэм болон тогтдог.
34
35 Тэр дүрэм нь хожим:
36 өөртөө итгэх эсэх,
37 зориглох эсэх,
38 алдаанаас босох эсэх
39 бүгдэд нөлөөлдөг.
40
41
42 “Би чадахгүй” ба “Би хэзээ ч чадахгүй” хоёрын ялгаа
43
44 “Би чадахгүй” гэж бодох нь заримдаа үнэн.
45 “Би хэзээ ч чадахгүй” гэж бодох нь ихэнхдээ
46 хуучин итгэл үнэмшил байдаг.
47
48 Ялгааг нь харъя.
49
50 1) “Би одоо чадахгүй” – эрүүл бодол
51 Энэ бол бодит байдал.
52
53 Жишээ:
54 Би одоо англи сайн ярьж чадахгүй.
55 Би одоо сэтгэл зүйн хувьд туйлдсан.
56 Би одоо энэ харилцааг авч явж чадахгүй.
57
58 Энэ нь:
59 • өөрийгөө хуурахгүй
60 • биеэ хамгаалж байна
61 • үнэн байдлыг хүлээн зөвшөөрч байна
62
63 Энэ бол эрүүл хязгаар.
64
65
66 2) “Би угаасаа чадахгүй” – хязгаарлах итгэл
67 Энэ бол дотоод итгэл үнэмшил.
68
69 Жишээ:
70 Би ийм хүн биш.
71 Би дандаа бүтэлгүйтдэг.
72 Би хэзээ ч ийм байж чадахгүй.
73
74 Энэ нь:
75 • өнөөдрийн чадварыг маргаашийн боломжтой андуурч байна
76 • нэг алдааг бүх амьдралтай тэнцүүлж байна
77 • өөрийгөө хааж байна
78
79
80 Итгэл үнэмшлийг яаж “зөв” бий болгодог вэ?
81
82 Итгэл үнэмшил гэдэг нь
83 өөртөө хүчээр итгэх тухай биш.
84 Харин тархинд аюулгүй мэт санагдах,
85 бодит туршлага дээр суурилсан
86 дотоод дүрэм бий болгох явц юм.
87
88 Тархинд “би чадна” гэж итгүүлэхийн тулд
89 том амжилт хэрэггүй.
90 Харин давтагддаг,


```

91 жижиг,
92 бодит нотолгоо л хэрэгтэй.
93
94 Жишээ нь:
95 • Би өнөөдөр 1 жижиг алхам хийсэн.
96 • Би оролдоод үзлээ.
97 • Би алдаад ч зогсоогүй.
98
99 Эдгээр нь тархинд
100 "би урагшилж чаддаг хүн" гэсэн
101 шинэ дүрмийг аажмаар бичиж эхэлдэг.
102
103 Тиймээс итгэл үнэмшил өөрчлөх гэдэг нь
104 өөрийгөө хуурах биш.
105 Харин хуучин
106 "би чадахгүй" гэдэг дүрмийг
107 олон жижиг бодит жишээгээр
108 аажмаар сулруулах явдал юм.
109
110 Жижиг бичих дадлага хийцгээе.
111
112 1) Миний толгойд байнга давтагддаг өгүүлбэр юу вэ?
113
114
115 2) Энэ нь 100% баримт уу, эсвэл дүгнэлт үү?
116
117 3) Үүнийг няцаах хамгийн жижиг эсрэг жишээ байна уу?
118
119
120 4) Хэрвээ миний хамгийн хайртай хүн ингэж хэлбэл
121 би түүнд юу гэж хэлэх байсан бол?
122
123 5) Илүү бодит, зөөлөн хувилбар нь ямар өгүүлбэр байж болох вэ?
124
125
126 Төгсгөл
127
128 Дотоод итгэл үнэмшил бол
129 төрөлхийн биш –
130 амьдралын явцад бий болсон түүх юм.
131
132 Тиймээс үүнийг
133 дахин бичиж, өөрчилж болдог.
134
135 Хэрвээ толгойд чинь байнга давтагддаг
136 "би ..." гэсэн өгүүлбэр байвал
137 хажуу чатанд бичээд өг.
138 Бид хамт задлаад,
139 чи өөртөө илүү зөөлөн, бодит дүрэм бүтээхэд тусална.
140
141 Харин энэ сэдвийг удаан хугацаанд ажигламаар байвал
142 "Миний ертөнц – тэмдэглэл апп" дээр
143 өөртөө хэлдэг үгсээ,
144 айдас, зориг, амжилтаа
145 хааяа бичиж хадгалаарай.
146
147 Цаг хугацаа өнгөрөх тусам
148 чи өөрийн дотоод итгэл
149 яаж өөрчлөгдөж байгааг бодитоор харж чадна.
150 `
151   il8n: {
152     en: {
153       title: "What are my inner beliefs like?",
154       content:
155         What are inner beliefs?
156
157         Inner beliefs are
158         the "rules" we hold inside ourselves.
159

```

160 These rules come not from facts,
161 but are conclusions
162 that grew out of life experience.
163
164 For example:
165 "I'm not enough."
166 "Making a mistake is dangerous."
167 "People leave me."
168 "I can't do it."
169
170 We accept these as if true,
171 yet most of them are untested assumptions.
172
173
174 Where do inner beliefs come from?
175
176 They're usually formed from the following.
177
178 • Words, criticism, and praise heard in childhood
179 • Repeated experiences (success, failure)
180 • Strong, unforgettable events
181
182 These gradually settle into
183 an inner rule of "this is true."
184
185 That rule later influences:
186 whether you believe in yourself,
187 whether you dare,
188 whether you rise after a mistake –
189 all of it.
190
191
192 The difference between "I can't" and "I'll never be able to"
193
194 Thinking "I can't" is sometimes true.
195 Thinking "I'll never be able to" is usually
196 an old belief.
197
198 Let's look at the difference.
199
200 1) "I can't right now" – a healthy thought
201 This is reality.
202
203 Examples:
204 I can't speak English well right now.
205 I'm psychologically burned out right now.
206 I can't carry this relationship right now.
207
208 This is:
209 • not fooling yourself
210 • protecting yourself
211 • accepting the truth
212
213 This is a healthy boundary.
214
215
216 2) "I simply can't" – a limiting belief
217 This is an inner belief.
218
219 Examples:
220 I'm not that kind of person.
221 I always fail.
222 I'll never be able to be like that.
223
224 This is:
225 • mistaking today's ability for tomorrow's possibility
226 • equating one mistake with your whole life
227 • closing yourself off
228

```

229
230 How do you build beliefs "the right way"?
231
232 A belief is not about
233 forcing yourself to believe.
234 It's the process of building an inner rule
235 that feels safe to the brain
236 and is based on real experience.
237
238 To convince the brain "I can,"
239 you don't need a big success.
240 You need repeated,
241 small,
242 real evidence.
243
244 For example:
245 • I took 1 small step today.
246 • I gave it a try.
247 • I didn't stop even after a mistake.
248
249 These gradually begin to write in the brain
250 a new rule: "I'm someone who can move forward."
251
252 So changing a belief is
253 not fooling yourself.
254 It's gradually weakening the old
255 rule of "I can't"
256 with many small, real examples.
257
258 Let's try a small writing exercise.
259
260 1) What is the sentence that keeps repeating in my head?
261
262
263 2) Is it 100% fact, or a conclusion?
264
265 3) Is there a smallest counter-example that disproves it?
266
267
268 4) If my most beloved person said this,
269 what would I say to them?
270
271 5) What sentence could be a more realistic, gentler version?
272
273
274 Closing
275
276 Inner beliefs are
277 not inborn –
278 they're a story formed over the course of life.
279
280 So they can be
281 rewritten and changed.
282
283 If there's an "I..." sentence that keeps repeating in your head,
284 write it in the side chat.
285 Together we'll unpack it
286 and help you build a gentler, more realistic rule for yourself.
287
288 And if you'd like to observe this topic over a long time,
289 in "My world – notes app"
290 write down now and then the words you say to yourself,
291 your fears, courage, and successes.
292
293 As time passes,
294 you'll be able to see for real
295 how your inner beliefs are changing.
296
297 },

```



```

436  Бүтээгдэхүүнийг оруулах
437  Бүтээгдэхүүн — Бүтээгдэхүүн
438  Бүтээгдэхүүн
439  Бүтээгдэхүүн
440  Бүтээгдэхүүнийг оруулах
441
442  Бүтээгдэхүүн
443  Бүтээгдэхүүнийг оруулах
444  Бүтээгдэхүүнийг оруулах
445  `,
446  },
447  ko: {
448    title: "Бүтээгдэхүүн бүтээгдэхүүн?",
449    content: `
450    Бүтээгдэхүүн бүтээгдэхүүн?
451
452    Бүтээгдэхүүн
453    Бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн.
454
455    Бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн,
456    Бүтээгдэхүүн бүтээгдэхүүн
457    Бүтээгдэхүүн.
458
459    Бүтээгдэхүүн:
460    "Бүтээгдэхүүн."
461    "Бүтээгдэхүүн бүтээгдэхүүн."
462    "Бүтээгдэхүүн бүтээгдэхүүн."
463    "Бүтээгдэхүүн бүтээгдэхүүн."
464
465    Бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн,
466    Бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн.
467
468    Бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн?
469
470    Бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн.
471
472    • Бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн, бүтээгдэхүүн бүтээгдэхүүн
473    • Бүтээгдэхүүн бүтээгдэхүүн (бүтээгдэхүүн, бүтээгдэхүүн)
474    • Бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн
475
476    Бүтээгдэхүүн бүтээгдэхүүн
477    "Бүтээгдэхүүн бүтээгдэхүүн"Бүтээгдэхүүн
478    Бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн.
479
480    Бүтээгдэхүүн бүтээгдэхүүн:
481    Бүтээгдэхүүн бүтээгдэхүүн,
482    Бүтээгдэхүүн бүтээгдэхүүн,
483    Бүтээгдэхүүн бүтээгдэхүүн,
484    Бүтээгдэхүүн бүтээгдэхүүн,
485    Бүтээгдэхүүн бүтээгдэхүүн.
486
487    Бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн
488    "Бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн
489    "Бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн.
490    "Бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн
491    Бүтээгдэхүүн бүтээгдэхүүн.
492
493    Бүтээгдэхүүн бүтээгдэхүүн.
494
495    1) "Бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн — Бүтээгдэхүүн бүтээгдэхүүн
496    Бүтээгдэхүүн бүтээгдэхүүн.
497
498    Бүтээгдэхүүн:
499    Бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн.
500    Бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн.
501    Бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн.
502
503    Бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн бүтээгдэхүүн.
504    Бүтээгдэхүүн бүтээгдэхүүн:

```



```

574   000 00 000 —
575   0 000 0000 000000.
576
577   000 000
578   00 00, 00 0 0000.
579
580   00000 0 0000 "00 ..."00 000 000,
581   0 000 0 000.
582   00 0000,
583   0000 0 0000 0000 000 0000 000000.
584
585   000 0 000 00 00 0000 000,
586   "00 00 — 00 0"0
587   0000 00 0,
588   000, 00, 000
589   00 00 00 000.
590
591   000 0000,
592   000 000 000 000
593   000 00 0000 000 0 0 0000.
594   `,
595   },
596   },
597 };

```

325. content/mind/self/personality.ts

```

1  export const artifact = {
2    title: "Миний зан чанар ямар вэ?",
3    content: `
4    Миний зан чанар ямар вэ?
5
6    Зан чанар = сайн/муу биш
7
8    Зан чанар гэдэг нь
9    бидний аливаад хэрхэн ханддаг, хэрхэн хариу үзүүлдэг
10   давтамжтай хэв маяг юм.
11
12   Зарим хүн дотогшоо, нам гүм орчинд цэнэглэгддэг.
13   Зарим нь гадагшоо, хүмүүсийн дунд байж эрч хүч авдаг.
14   Зарим нь хурдан шийдвэр гаргадаг бол,
15   зарим нь сайтар тунгааж байж шийддэг.
16
17   Эдгээр нь “сайн” эсвэл “муу” биш.
18   Зүгээр л өөр өөр чиг хандлага юм.
19
20   Яагаад зан чанараа таних хэрэгтэй вэ?
21
22   Өөрийгөө танихгүй үед
23   бид өөрийгөө бусадтай харьцуулж,
24   “яагаад би тэдэн шиг биш вэ?” гэж өөрийгөө зэмлэдэг.
25
26   Харин өөрийн хэв маягийг ойлгосноор:
27   • Ямар орчинд би амархан ядардгаа,
28   • Ямар үед илүү тайван, бүтээлч байдгаа,
29   • Өөртөө тохирсон хэмнэл ямар байгааг
30   анзаарч эхэлдэг.
31
32   Ингэснээр бид
33   өөрийгөө засах гэж бус,
34   өөртөө тааруулах гэж амьдарч эхэлдэг.
35
36   Зан чанар өөрчлөгдөх үү?
37
38   Зан чанар бол хатуу тогтсон хувь тавилан биш.
39   Нөхцөл, туршлага, ухамсраас шалтгаалан
40   хүмүүс өөр өөр талаа ил гаргаж чаддаг.

```



```

41
42 Гэхдээ өөрийгөө таних нь
43 ямрыг өөрчлөх, ямрыг хүлээн зөвшөөрөхөө
44 ялгаж харахад тусалдаг.
45
46 Жижиг бичих дадлага хийцгээе.
47
48 Би ганцаараа байхдаа цэнэглэгддэг үү, хүмүүсийн дунд уу?
49
50 Би хурдан шийддэг үү, бодож байж уу?
51
52 Би өөрчлөлтөд дуртай юу, тогтвортойд уу?
53
54 Сүүлийн 7 хоногоос надад эрч хүч өгсөн нэг зүйл юу вэ?
55
56 Сүүлийн 7 хоногоос намайг ядраасан нэг зүйл юу вэ?
57
58 Төгсгөл
59
60 Зан чанараа танина гэдэг нь өөрийгөө өөрчлөх бус,
61 өөртөө тааруулах явдал юм.
62
63 Хэрвээ өөрийнхөө хэв маягийг тодруулмаар байвал –
64 хажуу чатанд өдөр тутмынхаа жишээг бичээрэй.
65 Харин зан чанараа нэг удаа ойлгоод орхих биш,
66 өдөр тутмын бодит амьдрал дээрээ “би ямар үед ядардаг/цэнэглэгддэг вэ?” гэдгийг
67 илүү тод хармаар байвал
68 “Миний ертөнц – тэмдэглэл апп” дээр хааяа ч гэсэн бичээд үзээрэй.
69
70 Жишээ нь:
71 • Өнөөдөр надад эрч хүч өгсөн зүйл
72 • Өнөөдөр намайг ядраасан зүйл
73 • Би ямар орчинд илүү тайван байсан бэ?
74
75 гэж 2–3 өгүүлбэрээр бичихэд л хангалттай.
76
77 Өдөр тутмын бичвэрүүд чинь хугацаа өнгөрөх тусам эмх цэгцтэй архив болж,
78 ном / эх бэлтгэл хэлбэрээр хадгалагдана.
79 Өөрөөр хэлбэл: өнөөдрийн бичвэр – маргаашийн дурсамж,
80 хожим чиний амьдралын ном болох боломжтой.
81 Хамгийн гол нь төгс бичих шаардлагагүй – үнэнээр нь бичихэд л болно.
82
83   il8n: {
84     en: {
85       title: "What is my personality like?",
86       content:
87 What is my personality like?
88
89 Personality = not good/bad
90
91 Personality is
92 the recurring pattern of how we approach things and how we respond.
93
94 Some people are inward, and recharge in quiet surroundings.
95 Some are outward, and gain energy among people.
96 Some make quick decisions,
97 while others decide only after thinking it through carefully.
98
99 These are not "good" or "bad."
100 They're simply different orientations.
101
102 Why do you need to know your personality?
103
104 When we don't know ourselves,
105 we compare ourselves to others
106 and blame ourselves with "why am I not like them?"
107
108 But by understanding your own pattern:
109 • In what environments you tire easily,

```

```

110 • When you're calmer and more creative,
111 • What rhythm suits you –
112 you begin to notice these.
113
114 This way we begin to live
115 not to fix ourselves,
116 but to fit ourselves.
117
118 Does personality change?
119
120 Personality is not a fixed fate set in stone.
121 Depending on circumstances, experience, and awareness,
122 people can show different sides of themselves.
123
124 But knowing yourself
125 helps you tell apart
126 what to change and what to accept.
127
128 Let's try a small writing exercise.
129
130 Do I recharge alone, or among people?
131
132 Do I decide quickly, or after thinking?
133
134 Do I like change, or stability?
135
136 What is one thing in the last 7 days that gave me energy?
137
138 What is one thing in the last 7 days that tired me?
139
140 Closing
141
142 Knowing your personality is not about changing yourself,
143 but about fitting yourself.
144
145 If you'd like to clarify your own pattern –
146 write your daily examples in the side chat.
147 And rather than understanding your personality only once,
148 if you want to see more clearly in your real daily life "when do I tire / recharge?",
149 try writing now and then in "My world – notes app."
150
151 For example:
152 • Something that gave me energy today
153 • Something that tired me today
154 • In what environment was I calmer?
155
156 Just two or three sentences is enough.
157
158 Over time your daily notes become an orderly archive,
159 saved as material for a book.
160 In other words: today's writing is tomorrow's memory,
161 and one day it could become the book of your life.
162 Most of all, there's no need to write it perfectly – just write it honestly.
163 `,
164   },
165   ja: {
166     title: "?????????",
167     content: `
168     ???????
169
170     ?????/????
171
172     ????
173     ?????????????
174     ?????????
175
176     ?????????????
177     ?????????????
178     ?????????

```



```
248     ko: {
249         title: "ᠰᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ?",
250         content: `
251     ᠰᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ?
252
253     ᠰᠠᠭᠤ = ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ
254
255     ᠰᠠᠭᠤ
256     ᠰᠠᠭᠤᠰᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ, ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠠᠭᠤ
257     ᠰᠠᠭᠤᠰᠤ ᠰᠠᠭᠤᠰᠤ.
258
259     ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠤ, ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠤ.
260     ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠤ, ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠤ.
261     ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠤ,
262     ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠤ.
263
264     ᠰᠠᠭᠤᠰᠤ "ᠰᠠᠭ" "ᠰᠠᠭ"ᠰᠠ ᠰᠠᠭᠤᠰᠤ.
265     ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠤ.
266
267     ᠰᠠ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ?
268
269     ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ
270     ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠤ
271     "ᠰᠠ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ?"ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠤ.
272
273     ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠤ:
274     • ᠰᠠ ᠰᠠᠭᠤᠰᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠤ,
275     • ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠ ᠰᠠᠭᠤᠰᠤ ᠰᠠᠭᠤᠰᠤ,
276     • ᠰᠠᠭᠤᠰᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠤ
277     ᠰᠠᠭᠤᠰᠤᠰᠤ ᠰᠠᠭᠤᠰᠤᠰᠤ.
278
279     ᠰᠠᠭᠤ ᠰᠠᠭᠤ
280     ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠤ ᠰᠠᠭᠤ,
281     ᠰᠠᠭᠤᠰᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠ ᠰᠠᠭᠤᠰᠤᠰᠤ.
282
283     ᠰᠠᠭᠤ ᠰᠠᠭᠤ?
284
285     ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠤ.
286     ᠰᠠᠭᠤ, ᠰᠠᠭᠤ, ᠰᠠᠭᠤ ᠰᠠᠭᠤ
287     ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠ ᠰᠠᠭᠤᠰᠤ.
288
289     ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ,
290     ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠤᠰᠤ
291     ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠤᠰᠤ.
292
293     ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠ ᠰᠠᠭᠤᠰᠤ.
294
295     ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠ ᠰᠠᠭᠤᠰᠤ, ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠤᠰᠤ?
296
297     ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠤ, ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠤ?
298
299     ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠤ, ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠤᠰᠤ?
300
301     ᠰᠠᠭᠤ 7ᠰᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠ ᠰᠠᠭᠤᠰᠤᠰᠤ?
302
303     ᠰᠠᠭᠤ 7ᠰᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠ ᠰᠠᠭᠤᠰᠤᠰᠤ?
304
305     ᠰᠠᠭᠤᠰᠤ
306
307     ᠰᠠᠭᠤᠰᠤ ᠰᠠᠭᠤᠰᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠤ,
308     ᠰᠠᠭᠤᠰᠤ ᠰᠠᠭᠤᠰᠤᠰᠤ.
309
310     ᠰᠠᠭᠤᠰᠤ ᠰᠠᠭᠤᠰᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠤ —
311     ᠰᠠ ᠰᠠᠭᠤᠰᠤ ᠰᠠᠭᠤ ᠰᠠ ᠰᠠᠭᠤᠰᠤ.
312     ᠰᠠᠭᠤᠰᠤ ᠰᠠᠭᠤᠰᠤ ᠰᠠ ᠰᠠᠭᠤᠰᠤ ᠰᠠᠭᠤᠰᠤ ᠰᠠᠭᠤᠰᠤ,
313     ᠰᠠᠭᠤᠰᠤ ᠰᠠᠭᠤᠰᠤ "ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠ ᠰᠠᠭᠤᠰᠤ/ᠰᠠᠭᠤᠰᠤᠰᠤ?"ᠰᠠᠭᠤᠰᠤ
314     ᠰᠠ ᠰᠠᠭᠤᠰᠤ ᠰᠠᠭᠤᠰᠤ
315     "ᠰᠠᠭᠤᠰᠤ ᠰᠠᠭᠤ — ᠰᠠᠭᠤ ᠰᠠᠭᠤ"ᠰᠠᠭᠤᠰᠤᠰᠤ ᠰᠠᠭᠤᠰᠤ.
316
```

```

317  00 00:
318  • 00 00 00 0 0
319  • 00 00 000 0 0
320  • 00 00 0000 0 0000?
321
322  00 00 00 00 000 00000.
323
324  000 000 000 000 000 0000 00,
325  0/00 000 00000.
326  00 00, 000 000 000 0000,
327  000 00 00 00 0 0 0000.
328  0000 0000 0 000 0000 — 0000 00 000.
329  `,
330  },
331  },
332  };

```

326. content/mind/self/self-worth.ts

```

1  export const artifact = {
2    title: "Өөрийн үнэ цэнэ гэж юу вэ?",
3    content: `
4    Өөрийн үнэ цэнэ гэж юу вэ?
5
6    Өөрийн үнэ цэнэ гэдэг нь юу гэсэн үг вэ?
7
8    Өөрийн үнэ цэнэ гэдэг нь
9    "би хангалттай хүн", "би байгаагаараа үнэ цэнэтэй" гэсэн
10   дотоод мэдрэмж юм.
11
12   Энэ нь:
13   амжилтаас,
14   алдаанаас,
15   бусдын үнэлгээнээс
16   хамаардаггүй.
17
18   Чи юу хийсэн, хийж чадаагүй,
19   хэн чамайг магтсан, эсвэл шүүмжилсэн
20   гэдгээс үл хамааран
21   чи байгаагаараа үнэ цэнэтэй.
22
23
24   Яагаад бид үнэ цэнээ алдсан мэт мэдэрдэг вэ?
25
26   Ихэнх хүн төрөхдөө өөрийгөө үнэ цэнэтэй гэж мэдэрдэг.
27   Гэхдээ өсөх явцдаа
28   "чи ингэвэл л сайн", "ингэж байж л хайрлуулна"
29   гэсэн дохиог олон удаа авдаг.
30
31   Тиймээс бид:
32   • өөрийгөө бусадтай байнга харьцуулж,
33   • хайр, анхаарлыг "олох" гэж хичээж,
34   • алдааг өөрийн үнэ цэнэтэй андуурч эхэлдэг.
35
36   Ингэснээр бид
37   "би хангалтгүй", "би илүү байх ёстой"
38   гэж дотроо итгэж эхэлдэг.
39
40
41   Үнэ цэнээ санах нь яагаад чухал вэ?
42
43   Хүн өөрийгөө үнэ цэнэтэй гэж мэдрэх үед:
44   • хил хязгаараа хамгаалж чадна,
45   • өөрийгөө зэмлэх нь багасна,
46   • бусдад таалагдах гэж өөрийгөө алдах нь цөөрнө,
47   • харилцаанд илүү тайван, үнэнч болдог.
48

```

49 Өөрийн үнэ цэнэ нь бардамнал биш.
 50 Энэ бол өөрийгөө хамгаалах,
 51 өөртөө зөөлөн байх чадвар юм.
 52
 53
 54 Жижиг бичих дадлага хийцгээе.
 55
 56 Би хэнд, юунд өөрийгөө батлах гэж хичээдэг вэ?
 57
 58 Алдаа гаргавал би өөртөө хэрхэн ханддаг вэ?
 59
 60 Одоо өөртөө зөөлөн хандсан нэг өгүүлбэр бичээд үзэхүү?
 61
 62
 63
 64
 65 Төгсгөл
 66
 67 Өөрийн үнэ цэнийг санах нь
 68 өөрийгөө эрхэмлэх,
 69 өөрийгөө орхихгүй байх гэсэн үг юм.
 70
 71 Хэрвээ энэ сэдвийг нэг удаа уншаад орхих биш,
 72 удаан хугацаанд өөрийнхөө үнэлэмж хэрхэн өөрчлөгдөж байгааг
 73 харж мэдмээр байвал
 74 "Миний ертөнц – тэмдэглэл апп" дээр
 75 өөртөө хандаж бичсэн үгсээ,
 76 алдаа, амжилт, эргэлзээгээ
 77 хааяа тэмдэглэж хадгалаарай.
 78
 79 Цаг хугацаа өнгөрөх тусам
 80 чи өөрийгөө хэрхэн үнэлж байгааг
 81 илүү тод, бодитоор харах болно.
 82
 83 Харин энэ сэдвийг нэг удаа уншаад орхих биш,
 84 цаг хугацааны явцад өөрийн үнэлэмж, өөртэйгөө ярих хэлбэр
 85 яаж өөрчлөгдөж байгааг хармаар байвал
 86 "Миний ертөнц – тэмдэглэл апп" дээр хааяа ч гэсэн бичиж хадгалаарай.
 87
 88 Өдөр бүр биш байсан ч болно.
 89 Гол нь: өөртөө хэлсэн үг, өөрийгөө шүүмжилсэн мөч, өөрийгөө дэмжсэн мөчөө
 90 баримт болгож үлдээхэд л хангалттай.
 91
 92 Цаг хугацаа өнгөрөх тусам
 93 чи "Би өөрийгөө яаж үнэлдэг вэ?" гэдгээ
 94 илүү тод, бодитоор харж чадна.
 95
 96 il8n: {
 97 en: {
 98 title: "What is self-worth?",
 99 content: `
 100 What is self-worth?
 101
 102 What does self-worth mean?
 103
 104 Self-worth is
 105 the inner sense of "I am enough," "I am worthy just as I am."
 106
 107 It does not depend on
 108 success,
 109 mistakes,
 110 or others' evaluation.
 111
 112 Regardless of what you did or couldn't do,
 113 who praised you or who criticized you,
 114 you are worthy just as you are.
 115
 116 Why do we feel like we've lost our worth?
 117

```

118
119 Most people feel worthy at birth.
120 But as we grow up,
121 we receive again and again the signal
122 "you're good only if you do this," "you'll be loved only if you behave this way."
123
124 So we begin to:
125 • constantly compare ourselves to others,
126 • try to "earn" love and attention,
127 • mistake mistakes for our own worth.
128
129 As a result we begin to believe inside
130 "I'm not enough," "I should be more."
131
132
133 Why does remembering your worth matter?
134
135 When a person feels worthy:
136 • they can protect their boundaries,
137 • they blame themselves less,
138 • they lose themselves less to please others,
139 • they become calmer and more honest in relationships.
140
141 Self-worth is not arrogance.
142 It is the ability to protect yourself,
143 to be gentle with yourself.
144
145
146 Let's try a small writing exercise.
147
148 To whom, to what, do I try to prove myself?
149
150 How do I treat myself when I make a mistake?
151
152 Will you try writing one sentence that treats yourself gently right now?
153
154
155
156
157 Closing
158
159 Remembering your worth means
160 valuing yourself,
161 not abandoning yourself.
162
163 Rather than reading this topic once and moving on,
164 if you'd like to see over a long time how your self-evaluation changes,
165 in "My world – notes app"
166 note down now and then the words you address to yourself,
167 your mistakes, successes, and doubts.
168
169 As time passes,
170 you'll come to see more clearly and realistically
171 how you evaluate yourself.
172
173 And rather than reading this topic only once,
174 if you want to see over time how your self-evaluation and the way you talk to yourself change,
175 write and keep it now and then in "My world – notes app."
176
177 It doesn't have to be every day.
178 What matters is: leaving as a record the words you said to yourself,
179 the moment you criticized yourself, and the moment you supported yourself.
180
181 As time passes,
182 you'll be able to see more clearly and realistically
183 "how do I evaluate myself?"
184 `
185     },
186     ja: {

```


12
13 Хэрвээ үнэ цэнэ тодорхой байвал
14 шийдвэр гаргах амархан байдаг.
15 Харин тодорхой бус байвал
16 эргэлзээ, ядаргаа, дотоод зөрчил ихэсдэг.
17
18 Төөрөлдөх шалтгаан
19
20 Ихэнхдээ бид бусдын хүлээлтийг,
21 “ингэх ёстой” гэдэг дуу хоолойг
22 өөрийн жинхэнэ үнэ цэнэтэй андуурдаг.
23
24 Ингэснээр бид:
25 • өөрийнхөө хүслийг дарах,
26 • бусдад таалагдах гэж хичээх,
27 • өөрийгөө орхих
28 байдалд ордог.
29
30 Юуг эндээс ойлгож авах вэ?
31
32 • Бидний уур, бухимдлын цаана зөрчигдсөн үнэ цэнэ байдаг.
33 • Сонголт бүр үнэ цэнээс урган гардаг.
34 • Үнэ цэнэ тодорхой байвал “тийм/үгүй” хэлэх амархан болдог.
35
36 Жижиг бичих дадлага хийцгээе.
37
38 Би юуг алдахыг хамгийн их хүсэхгүй вэ?
39
40 Юу намайг уурлуулдаг вэ?
41
42 Юу намайг бахархалтай болгодог вэ?
43
44 Дараах жагсаалтаас өөрт ойр 5-ыг сонгоод бич.
45
46 Эрх чөлөө?
47
48 Шударга байдал?
49
50 Гэр бүл?
51
52 Өсөлт?
53
54 Аюулгүй байдал?
55
56 Бүтээлч байдал?
57
58 Суралцах?
59
60 Энэрэл?
61
62 Нөлөө?
63
64 Амар тайван?
65
66 Төгсгөл
67
68 Үнэ цэнээ мэдэх нь өөртөө үнэнч байх эхлэл.
69 Хэрвээ эргэлзэж байвал –
70 хажуу чатанд “Би аль хооронд нь тээнэгэлзээд байна” гэж бичээд
71 хамт задлая.
72
73 Харин энэ асуултыг нэг удаа бодоод орхих биш,
74 цаг хугацааны явцад өөрийн жинхэнэ үнэ цэнээ илүү тод хармаар байвал
75 “Миний ертөнц – тэмдэглэл апп” дээр хааяа ч гэсэн бичээд үзээрэй.
76
77 Чи өнөөдөр юунд баярласан, юунд гомдсон, ямар сонголт хийсэн, юу чамд хамгийн хэцүү санагдсаныг бичиж хадгалах тусам
78 ямар зүйл чиний хувьд үнэхээр чухал вэ гэдэг
79 аажмаар маш тод харагддаг.”,
80 il8n: {

```
81     en: {
82         title: "What matters most to me?",
83         content: `
84 What matters most to me?
85
86 Why do values matter?
87
88 Values are our inner compass.
89 What choices we make, what we say "yes" or "no" to –
90 most of the time, often without even noticing,
91 we are guided by our values.
92
93 When values are clear,
94 making decisions is easy.
95 When they're unclear,
96 doubt, fatigue, and inner conflict grow.
97
98 Why we get confused
99
100 Often we mistake others' expectations,
101 the voice of "I should,"
102 for our own true values.
103
104 As a result we end up:
105 • suppressing our own wishes,
106 • trying to please others,
107 • abandoning ourselves.
108
109 What to take from this?
110
111 • Behind our anger and frustration there is a violated value.
112 • Every choice grows out of a value.
113 • When values are clear, saying "yes/no" becomes easy.
114
115 Let's try a small writing exercise.
116
117 What do I least want to lose?
118
119 What makes me angry?
120
121 What makes me proud?
122
123 From the list below, choose 5 that are close to you and write them down.
124
125 Freedom?
126
127 Fairness?
128
129 Family?
130
131 Growth?
132
133 Safety?
134
135 Creativity?
136
137 Learning?
138
139 Compassion?
140
141 Influence?
142
143 Peace?
144
145 Closing
146
147 Knowing your values is the beginning of being true to yourself.
148 If you're unsure –
149 write in the side chat, "I'm torn between these,"
```

```

150 and let's unpack it together.
151
152 And rather than thinking about this question only once,
153 if you want to see your true values more clearly over time,
154 try writing now and then in "My world - notes app."
155
156 The more you write down what made you glad today, what hurt, what choices you made, and what felt hardest,
157 the more clearly it gradually becomes visible
158 what truly matters to you.`
159 },
160 ja: {
161   title: "?????????????????",
162   content: `
163     ??????????????
164
165     ?????????????
166
167     ?????????????????????
168     ?????????????????????????????????????????—
169     ?????????????????????
170     ?????????????????????????
171
172     ???????????
173     ???????????
174     ?????????
175     ?????????????????????????
176
177     ???????????
178
179     ?????????????????????
180     ?????????????????????
181     ?????????????????????
182
183     ????????????:
184     • ?????????????
185     • ?????????????????
186     • ?????????????
187     ???????????
188
189     ?????????????
190
191     • ?????????????????????????????????????????
192     • ?????????????????????
193     • ?????????????????????????????????????????
194
195     ?????????????????????
196
197     ??????????????????????
198
199     ???????????
200
201     ??????????????
202
203     ?????????????????????5????????????????
204
205     ??
206
207     ??
208
209     ??
210
211     ??
212
213     ??
214
215     ??
216
217     ??
218

```

219 ?
220
221 ?
222
223 ?
224
225
226
227
228 —
229
230
231
232
233
234 —
235
236
237
238 `,
239 },
240 ko: {
241 title: " ? ",
242 content: `
243 ?
244
245 ?
246
247 .
248 , " " " —
249 ,
250 .
251
252
253 .
254
255 , , .
256
257
258
259 ,
260 " " ,
261 .
262
263 :
264 • ,
265 • ,
266 •
267 .
268
269 ?
270
271 • .
272 • .
273 • " / " .
274
275 .
276
277 ?
278
279 ?
280
281 ?
282
283 5
284
285 ?
286
287 ?

```

288
289   ??
290
291   ??
292
293   ??
294
295   ???
296
297   ??
298
299   ??
300
301   ???
302
303   ??
304
305   ???
306
307   ??? ?? ?? ??? ?? ???.
308   ????? —
309   ? ?? "?? ? ??? ??? ??"?? ??
310   ?? ?? ???.
311
312   ?? ? ?? ? ? ??? ?? ??,
313   ?? ?? ?? ??? ? ?? ?? ??
314   "?? ?? — ?? ?"?? ??? ? ???.
315
316   ?? ?? ??, ?? ???, ?? ?? ??, ?? ?? ??? ??,
317   ??? ?? ?? ?? ??
318   ?? ?? ?? ???.\,
319   },
320   },
321   };

```

328. content/mind/self/what-moves-me.ts

```

1  export const artifact = {
2    title: "Би юнаас эрч хүч авдаг вэ?",
3    content: `
4  Би юнаас эрч хүч авдаг вэ?
5
6  Миний дотоод хөдөлгөгч хүч юу вэ?
7
8  Бид өдөр бүр олон шийдвэр гаргадаг.
9  Гэхдээ "би яагаад үүнийг хийж байна вэ?" гэж асуухгүй бол
10  өөрийнхөө хөдөлгөгч хүчийг анзаарахгүй өнгөрдөг.
11
12  Дотоод хөдөлгөгч хүч гэдэг нь:
13  чамайг ямар нэг зүйл рүү татаж, хөдөлгөж, үргэлжлүүлэхэд нөлөөлдөг гол шалтгаан юм.
14
15  Биднийг ихэвчлэн хөдөлгөдөг 4 зүйл байдаг.
16
17  • Сонирхол — хийхэд өөрөө хөгжилтэй, "хиймээр" санагддаг.
18  • Айдас — алдах вий, буруудах вий гэсэн түгшүүр хөдөлгөдөг.
19  • Шагнал — магтаал, мөнгө, үр дүн, оноо зэрэг гадаад урамшуулал.
20  • Утга учир — миний амьдралд хэрэгтэй, үнэ цэнэтэй гэж мэдрэгддэг зүйл.
21
22  Эдгээр нь "сайн/муу" биш.
23  Харин аль нь давамгайлаад байгаагаа мэдэх нь
24  өөрийгөө ойлгоход хамгийн их тусалдаг.
25
26  Яагаад энэ нь чухал вэ?
27
28  Айдас, шагналаар хөдөлж байвал:
29  түр зуур эрчимтэй явж чадна,
30  гэхдээ удаан хугацаанд ядарч, шантрах магадлал өндөр.

```

```

31
32 Сонирхол, утга учраар хөдөлж байвал:
33 удаан хугацаанд тогтвортой үргэлжлүүлж чадна.
34 Ялангуяа утга учир нь хэцүү үед ч "буцаад босох" хүч болдог.
35
36 Төөрөгдөл яагаад үүсдэг вэ?
37
38 Заримдаа бид өөрийгөө "залхуу" гэж боддог.
39 Гэтэл үнэндээ:
40 • утга учраа мартсан,
41 • зөвхөн айдсаар өөрийгөө тулгасан,
42 • шагнал хэт гадаадаас хамаарсан
43 байдаг.
44
45 Тэгэхээр асуудал "би сул" биш,
46 харин "намайг хөдөлгөж байгаа зүйл яг юу вэ?" гэдгийг
47 буруу ойлгосноос болдог.
48
49 Жижиг бичих дадлага хийцгээе.
50
51 Би ямар үед "хиймээр байна" гэж мэдэрдэг вэ?
52
53 Юунаас айсандаа хөдөлдөг вэ?
54
55 Юу намайг бахархалтай болгодог вэ?
56
57 Намайг эерэгээр хөдөлгөдөг 3 зүйл юу вэ?
58
59 Намайг айдсаар түлхдэг 3 зүйл юу вэ?
60
61 Төгсгөл
62
63 Дотоод урамаа (эрч хүчний эх сурвалжаа) таних нь
64 зорилгоо зөв сонгох, өөртөө тохирсон хэмнэлээр явах түлхүүр юм.
65
66 Хэрвээ яг одоо чамд
67 айдас уу, шагнал уу, сонирхол уу, утга учир уу – аль нь давамгайлаад байгааг
68 ялгаж ойлгоход хэцүү байвал,
69 хажуу чатанд 1 жишээ бичээрэй.
70 Вид хамт задлаад, илүү тод болгож өгье.
71
72 Харин цаг хугацааны явцад өөрийгөө илүү тод таньж мэдмээр байвал
73 "Миний ертөнц – тэмдэглэл апп" дээр хааяа ч гэсэн бичээд үзээрэй.
74
75 Чи юунаас эрч хүч авч байсан,
76 юунаас шантарч байсан,
77 юунд урамшиж байсан тухайгаа бичиж хадгалах тусам
78 өөрийн чинь хэв маяг, үнэ цэнэ, дотоод урам
79 бодитгоор харагдаж эхэлнэ.
80
81 Өдөр тутмын бичвэрүүд чинь хугацаа өнгөрөх тусам эмх цэгцтэй архив болж,
82 хожим ном / эх бэлтгэл хэлбэрээр хадгалагдана.
83 Өөрөөр хэлбэл: өнөөдрийн бичвэр – маргаашийн ойлголт,
84 хожим чиний амьдралын нэг бүлэг болно.
85
86 Хамгийн гол нь төгс бичих шаардлагагүй.
87 Зүгээр л үнэнээр нь бичихэд л хангалттай.
88
89 ` ,
90   i18n: {
91     en: {
92       title: "What gives me energy?",
93       content: `
94 What gives me energy?
95
96 What is my inner driving force?
97
98 We make many decisions every day.
99 But unless we ask "why am I doing this?",

```


100 we pass by without noticing our own driving force.
101
102 Your inner driving force is:
103 the main reason that pulls you toward something, moves you, and keeps you going.
104
105 There are 4 things that usually move us.
106
107 • Interest – it's fun in itself, and feels like "I want to do it."
108 • Fear – the anxiety of "I might lose, I might go wrong" drives you.
109 • Reward – external incentives like praise, money, results, scores.
110 • Meaning – something that feels needed and valuable in your life.
111
112 These are not "good/bad."
113 Knowing which one is dominant
114 helps you understand yourself the most.
115
116 Why does this matter?
117
118 If you're moved by fear and reward:
119 you can go intensely for a while,
120 but over time you're likely to tire and give up.
121
122 If you're moved by interest and meaning:
123 you can keep going steadily for a long time.
124 Meaning especially becomes the power to "get back up" even in hard times.
125
126 Why does confusion arise?
127
128 Sometimes we think of ourselves as "lazy."
129 But in truth:
130 • we've forgotten our meaning,
131 • we've forced ourselves with fear alone,
132 • our reward depends too much on the outside.
133
134 So the problem isn't "I'm weak,"
135 but rather a misunderstanding of "what exactly is moving me?"
136
137 Let's try a small writing exercise.
138
139 When do I feel "I want to do it"?
140
141 What do I act on out of fear?
142
143 What makes me proud?
144
145 What are 3 things that move me positively?
146
147 What are 3 things that push me through fear?
148
149 Closing
150
151 Knowing your inner motivation (the source of your energy) is
152 the key to choosing the right goals and going at a rhythm that suits you.
153
154 If right now it's hard to tell apart
155 whether fear, reward, interest, or meaning is dominant for you,
156 write one example in the side chat.
157 Together we'll unpack it and make it clearer.
158
159 And if you want to know yourself more clearly over time,
160 try writing now and then in "My world – notes app."
161
162 The more you write down what gave you energy,
163 what made you give up,
164 and what encouraged you,
165 the more your patterns, values, and inner motivation
166 begin to become visible for real.
167
168 Over time your daily notes become an orderly archive,

```
169 later saved as material for a book.
170 In other words: today's writing is tomorrow's insight,
171 and one day a chapter of your life.
172
173 Most of all, there's no need to write it perfectly.
174 It's enough simply to write it honestly.
175
176 ` ,
177   },
178   ja: {
179     title: "?????????",
180     content: `
181     ??????
182
183     ??????
184
185     ?????????????
186     ?????????????? ?????
187     ?????????????
188
189     ?????:
190     ?????????????????
191
192     ?????????4 ?????
193
194     • ??—????????????
195     • ??—????????????
196     • ??—????????????
197     • ??—????????????
198
199     ?????????
200     ?????????
201     ?????????
202
203     ?????
204
205     ??????:
206     ?????
207     ?????????
208
209     ?????:
210     ?????
211     ?????????
212
213     ?????
214
215     ?????????
216     ?????:
217     • ?????
218     • ?????
219     • ?????
220     ???
221
222     ?????
223     ??????????
224     ?????
225
226     ?????
227
228     ??????????
229
230     ??????
231
232     ??????
233
234     ?????3
235
236     ?????3
237
```

```

238  0000
239
240  000000 (000) 00000000
241  000000000000000000000000
242
243  000000000000000000000000
244  00000000000000
245  0000000000010000000000
246  000000000000000000000000
247
248  000000000000000000000000
249  000000 – 000000000000000000000000
250
251  0000000000
252  0000000000
253  00000000000000000000
254  00000000000000000000
255  0000000000
256
257  000000000000000000000000
258  0000000000000000000000
259  000000000000000000000000
260  00000000000000000000
261
262  0000000000000000000000
263  000000000000000000
264
265  `,
266      },
267      ko: {
268          title: "ᠰᠠᠭ ᠰᠠᠭᠠᠨᠠ ᠰᠠᠭ ᠰᠠᠭ?",
269          content: `
270  ᠰᠠᠭ ᠰᠠᠭᠠᠨᠠ ᠰᠠᠭ ᠰᠠᠭ?
271
272  ᠰᠠᠭ ᠰᠠᠭ ᠰᠠᠭᠠᠨᠠ ᠰᠠᠭ?
273
274  ᠰᠠᠭ ᠰᠠᠭ ᠰᠠᠭ ᠰᠠᠭᠠᠨᠠ.
275  ᠰᠠᠭ "ᠰᠠᠭ ᠰᠠᠭ ᠰᠠᠭ ᠰᠠᠭ?"ᠰᠠᠭ ᠰᠠᠭ ᠰᠠᠭ
276  ᠰᠠᠭ ᠰᠠᠭᠠᠨᠠ ᠰᠠᠭᠠᠨᠠ ᠰᠠᠭ ᠰᠠᠭᠠᠨᠠ.
277
278  ᠰᠠᠭ ᠰᠠᠭᠠᠨᠠ:
279  ᠰᠠᠭ ᠰᠠᠭᠠᠨᠠ ᠰᠠᠭᠠᠨᠠ, ᠰᠠᠭᠠᠨᠠ ᠰᠠᠭ, ᠰᠠᠭᠠᠨᠠ ᠰᠠᠭ ᠰᠠᠭᠠᠨᠠ.
280
281  ᠰᠠᠭ ᠰᠠᠭ ᠰᠠᠭᠠᠨᠠ ᠰᠠᠭ ᠰᠠᠭᠠᠨᠠ.
282
283  • ᠰᠠ – ᠰᠠ ᠰᠠ ᠰᠠᠭ ᠰᠠᠭ, "ᠰᠠᠭ ᠰᠠ"ᠰᠠ ᠰᠠᠭᠠᠨᠠ.
284  • ᠰᠠᠭ – ᠰᠠᠭ, ᠰᠠᠭᠠᠨᠠ ᠰᠠᠭ ᠰᠠᠭ ᠰᠠᠭᠠᠨᠠ.
285  • ᠰᠠ – ᠰᠠ, ᠰᠠ, ᠰᠠ, ᠰᠠ ᠰᠠ ᠰᠠ ᠰᠠ.
286  • ᠰᠠ – ᠰᠠ ᠰᠠᠭ ᠰᠠᠭᠠᠨᠠ ᠰᠠᠭ ᠰᠠᠭᠠᠨᠠ ᠰᠠ.
287
288  ᠰᠠᠭᠠᠨᠠ "ᠰᠠ/ᠰᠠ"ᠰᠠ ᠰᠠᠭᠠᠨᠠ.
289  ᠰᠠ ᠰᠠ ᠰᠠᠭᠠᠨᠠ ᠰᠠ ᠰᠠ
290  ᠰᠠᠭ ᠰᠠᠭᠠᠨᠠ ᠰᠠ ᠰᠠ ᠰᠠᠭ ᠰᠠᠭ.
291
292  ᠰᠠ ᠰᠠᠭ ᠰᠠᠭᠠᠨᠠ?
293
294  ᠰᠠᠭᠠᠨᠠ ᠰᠠᠭᠠᠨᠠ ᠰᠠᠭᠠᠨᠠ:
295  ᠰᠠᠭ ᠰᠠᠭ ᠰᠠᠭ ᠰᠠ ᠰᠠᠭ,
296  ᠰᠠ ᠰᠠ ᠰᠠᠭ ᠰᠠᠭ ᠰᠠᠭᠠᠨᠠ ᠰᠠᠭᠠᠨᠠ.
297
298  ᠰᠠᠭ ᠰᠠᠭ ᠰᠠᠭᠠᠨᠠ:
299  ᠰᠠ ᠰᠠᠭ ᠰᠠᠭ ᠰᠠ ᠰᠠᠭᠠᠨᠠ.
300  ᠰᠠ ᠰᠠᠭ ᠰᠠ ᠰᠠᠭ "ᠰᠠᠭ ᠰᠠᠭᠠᠨᠠ" ᠰᠠ ᠰᠠᠭ.
301
302  ᠰᠠ ᠰᠠᠭ ᠰᠠᠭᠠᠨᠠ?
303
304  ᠰᠠ ᠰᠠᠭ ᠰᠠᠭ "ᠰᠠᠭᠠᠨᠠ"ᠰᠠ ᠰᠠᠭᠠᠨᠠ.
305  ᠰᠠᠭ ᠰᠠᠭᠠᠨᠠ:
306  • ᠰᠠᠭ ᠰᠠᠭᠠᠨᠠ,

```

```

307 • ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠡᠨᠡ ᠠᠰᠤᠭᠤᠯᠤᠳᠤ,
308 • ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠡᠨᠡ ᠠᠰᠤᠭᠤᠯᠤᠳᠤ
309 ᠠᠰᠤᠭᠤᠯᠤᠳᠤ.
310
311 ᠠᠨᠠᠭᠠᠭᠠᠳᠤ "ᠠᠨᠠᠭᠠᠭᠠᠳᠤ"ᠠᠨᠠᠭᠠᠭᠠᠳᠤ,
312 "ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠡᠨᠡ ᠠᠰᠤᠭᠤᠯᠤᠳᠤ?"ᠠᠨᠠᠭᠠᠭᠠᠳᠤ
313 ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠡᠨᠡ ᠠᠰᠤᠭᠤᠯᠤᠳᠤ.
314
315 ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ.
316
317 ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ "ᠠᠨᠠᠭᠠᠭᠠᠳᠤ"ᠠᠨᠠᠭᠠᠭᠠᠳᠤ?
318
319 ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ?
320
321 ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ?
322
323 ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ?
324
325 ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ?
326
327 ᠠᠨᠠᠭᠠᠭᠠᠳᠤ
328
329 ᠠᠨᠠᠭᠠᠭᠠᠳᠤ (ᠠᠨᠠᠭᠠᠭᠠᠳᠤ)ᠠᠨᠠᠭᠠᠭᠠᠳᠤ,
330 ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ.
331
332 ᠠᠨᠠᠭᠠᠭᠠᠳᠤ·ᠠᠨᠠᠭᠠᠭᠠᠳᠤ·ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ
333 ᠠᠨᠠᠭᠠᠭᠠᠳᠤ,
334 ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ.
335 ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ.
336
337 ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ
338 "ᠠᠨᠠᠭᠠᠭᠠᠳᠤ — ᠠᠨᠠᠭᠠᠭᠠᠳᠤ"ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ.
339
340 ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ,
341 ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ,
342 ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ,
343 ᠠᠨᠠᠭᠠᠭᠠᠳᠤ, ᠠᠨᠠᠭᠠᠭᠠᠳᠤ, ᠠᠨᠠᠭᠠᠭᠠᠳᠤ
344 ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ.
345
346 ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ,
347 ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠ/ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ.
348 ᠠᠨᠠᠭᠠᠭᠠᠳᠤ, ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ,
349 ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ.
350
351 ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ.
352 ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ ᠠᠨᠠᠭᠠᠭᠠᠳᠤ.
353
354 ` ,
355 },
356 },
357 };

```

329. content/mind/self/who-am-i.ts

```

1 export const artifact = {
2   title: "Би хэн бэ?",
3   content: `
4 Би хэн бэ?
5
6 Яагаад энэ асуулт чухал вэ?
7
8 "Би хэн бэ?" гэдэг асуулт нь
9 зүгээр л нэр, ажил, нас, дүрийг асууж байгаа хэрэг биш.
10 Энэ нь "би яг ямар хүн бэ?", "би юунд итгэдэг вэ?",
11 "миний амьдралд юу утга учиртай вэ?" гэсэн
12 илүү гүн асуултуудыг нээдэг.
13

```

```

14 Бид өдөр тутам олон дүрд ордог.
15 Гэр бүлдээ нэг хүн,
16 ажил дээрээ өөр хүн,
17 найзуудтайгаа дахиад өөр.
18 Гэхдээ эдгээрийн цаана
19 бүх нөхцөлд өөрчлөгдөхгүй дотоод цөм байдаг.
20
21 Хэрвээ бид тэр цөмөө танихгүй бол
22 бусдын хүлээлт, айдас, зуршлаар амьдрах магадлал ихэсдэг.
23 Тиймээс өөрийгөө таних нь
24 өөртөө үнэнч амьдрах эхний алхам юм.
25
26 Юуг эндээс ойлгож авах вэ?
27
28 • Чиний үнэт зүйл юу вэ?
29 • Чи юунд сэтгэл хөдөлдөг вэ?
30 • Чи хаана хилээ татах хэрэгтэй вэ?
31 • Яагаад зарим зүйл чамд эрч хүч өгч,
32 зарим нь чамайг амархан ядраадаг вэ?
33
34 Эдгээрийг ойлгож эхлэх нь
35 өөрийгөө буруутгах биш,
36 харин өөрийгөө ойлгож эхлэх суурь юм.
37
38 Жижиг бичих дадлага хийцгээе.
39
40 Доорх асуултуудад хариулаад бичээрэй.
41 Энд зөв, буруу гэж байхгүй.
42 Зүгээр л дотор чинь байгаа зүйлийг
43 үгээр гаргах жижиг дасгал юм.
44
45 Би ямар үед өөрөөрөө байж чаддаг вэ?
46
47 Юу намайг амьд мэт мэдрүүлдэг вэ?
48
49 Би юунаас зайлсхийдэг вэ, яагаад?
50
51 Одоо 3 өгүүлбэр бичээд үзээрэй.
52
53 Би өөрийгөө ____ гэж тодорхойлмоор байна?
54
55 Хүмүүс надаас ____ гэж хэлдэг?
56
57 Би өөртөө илүү их ____ өгөхийг хүсдэг?
58
59 Төгсгөл
60
61 Өөрийгөө тодорхойлох нь
62 нэг удаагийн хариу биш,
63 тасралтгүй явагдах дотоод аялал юм.
64
65 Хэрвээ энэ асуулт чамд хүнд санагдвал –
66 хажуу чатанд
67 “Би өөрийгөө ингэж л мэдэрч байна” гэж бичээд
68 эхэлж болно.
69
70 Харин “Би хэн бэ?” гэдгээ нэг удаа бодоод орхих биш,
71 цаг хугацааны явцад өөрийгөө илүү тод таньж мэдмээр байвал
72 “Миний ертөнц – тэмдэглэл апп” дээр хааяа ч гэсэн бичээд үзээрэй.
73
74 Чи өнөөдөр юу мэдэрсэн, юунд баярласан, юунд гомдсон, юу ойлгосноо бичиж хадгалах тусам
75 өөрийн чинь үнэт зүйл, хэв маяг, давтагддаг бодол, өөрчлөгдөж буй “би” чинь
76 бодитоор харагддаг.
77 Өдөр тутмын бичвэрүүд чинь хугацаа өнгөрөх тусам эмх цэгцтэй архив болж ном/эх бэлтгэл хэлбэрээр хадгалагдана.
78 Өөрөөр хэлбэл: өнөөдрийн бичвэр – маргаашийн дурсамж, хожим чиний амьдрал ном болох боломжтой.Хамгийн гол нь төгс бичих шаардлагагүй.
79 Зүгээр л үнэнээр нь бичихэд л хангалттай.
80
81 ` ,
82 i18n: {

```

```

83     en: {
84         title: "Who am I?",
85         content: `
86 Who am I?
87
88 Why does this question matter?
89
90 The question "Who am I?" is not just asking your
91 name, job, age, or role.
92 It opens deeper questions like "what kind of person am I, really?",
93 "what do I believe in?",
94 and "what gives my life meaning?"
95
96 Every day we step into many roles.
97 One person in our family,
98 another at work,
99 and yet another with our friends.
100 But behind all of these there is
101 an inner core that doesn't change across situations.
102
103 If we don't know that core,
104 we're more likely to live by others' expectations, fears, and habits.
105 So knowing yourself is
106 the first step to living true to yourself.
107
108 What to take from this?
109
110 • What are your values?
111 • What stirs your heart?
112 • Where do you need to draw your boundaries?
113 • Why do some things give you energy,
114 while others tire you easily?
115
116 Beginning to understand these is
117 not blaming yourself,
118 but the foundation for beginning to understand yourself.
119
120 Let's try a small writing exercise.
121
122 Answer the questions below and write.
123 There is no right or wrong here.
124 It's simply a small exercise to put into words
125 what is inside you.
126
127 When can I be myself?
128
129 What makes me feel alive?
130
131 What do I avoid, and why?
132
133 Now try writing three sentences.
134
135 I'd like to define myself as ____?
136
137 People say I'm ____?
138
139 I wish I'd give myself more ____?
140
141 Closing
142
143 Defining yourself is
144 not a one-time answer,
145 but an ongoing inner journey.
146
147 If this question feels heavy to you –
148 you can begin in the side chat by writing
149 "This is just how I feel about myself."
150
151 And rather than thinking about "Who am I?" only once,

```

```

152 if you want to know yourself more clearly over time,
153 try writing now and then in "My world - notes app."
154
155 The more you write down what you felt today, what made you glad, what hurt, and what you understood,
156 the more your values, your patterns, your repeating thoughts, and your changing "self"
157 become visible for real.
158 Over time your daily notes become an orderly archive, saved as material for a book.
159 In other words: today's writing is tomorrow's memory, and one day your life could become a book. Most of all, there's no need to write it perfectly.
160 It's enough simply to write it honestly.
161
162 ` ,
163   },
164   ja: {
165     title: "????",
166     content: `
167   ???
168
169   ?????????
170
171   ????.? ?????
172   ?????????????????????????????
173   ??????????????.? ??????????????
174   ??????????????????.? ?????
175   ?????????
176
177   ?????????????????????????
178   ?????????
179   ?????
180   ?????????
181   ?????????
182   ?????????????????????
183
184   ?????????
185   ?????????????????????????????
186   ?????????
187   ?????????????????
188
189   ?????????
190
191   •   ??????????
192   •   ??????????????
193   •   ??????????????
194   •   ?????????????????
195   ??????????????
196
197   ?????????????
198   ?????????????
199   ?????????????
200
201   ?????????????????
202
203   ?????????????????
204   ?????????????????
205   ?????????????????????????
206
207   ??????????????????
208
209   ??????????????????
210
211   ??????????  ??
212
213   ??3????????????
214
215   ????? ____ ??????
216
217   ????? ____ ??????
218
219   ????????? ____ ??????
220

```

```
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  

```



```

290
291   00 000 000, 0?
292
293   00 0 000 0 000.
294
295   00 00 ____00 0000 00?
296
297   0000 00 ____00 000?
298
299   00 000 0 00 ____0 00 00?
300
301   000
302
303   000 0000 00
304   0 00 00 000,
305   00 0000 000 00000.
306
307   0 000 000 00000 -
308   0 000
309   "00 00 000 000 00"000 00 0000 000.
310
311   000 "00 0000?"0 0 0 0000 00 00,
312   000 000 000 0 000 00 000
313   "00 00 - 00 0"0 00000 0 000.
314
315   00 000 000, 000 000, 000 0000, 000 00000 0000
316   000 000, 00, 0000 00, 00 00 "0"0
317   000 0000.
318   000 000 000 000 000 0000 00 0/00 000 00000.
319   00 00, 000 000 000 0000, 000 000 00 00 0 0 0000. 0000 0000 0 000 0000.
320   00 0000 00 000 00000.
321
322   `,
323   },
324   },
325 };

```

330. drizzle.config.ts

```

1  import { config } from "dotenv";
2  import { defineConfig } from "drizzle-kit";
3
4  config({
5    path: ".env.local",
6  });
7
8  export default defineConfig({
9    schema: "./lib/db/schema.ts",
10   out: "./lib/db/migrations",
11   dialect: "postgresql",
12   dbCredentials: {
13     // biome-ignore lint: Forbidden non-null assertion.
14     url: process.env.POSTGRES_URL!,
15   },
16 });

```

331. hooks/use-artifact.ts

```

1  "use client";
2
3  import { useCallback, useMemo } from "react";
4  import useSWR from "swr";
5  import type { UIArtifact } from "@/components/artifact";
6
7  export const initialArtifactData: UIArtifact = {

```

```

8   documentId: "init",
9   content: "",
10  kind: "text",
11  title: "",
12  status: "idle",
13  isVisible: false,
14  boundingBox: {
15    top: 0,
16    left: 0,
17    width: 0,
18    height: 0,
19  },
20 };
21
22 type Selector<T> = (state: UIArtifact) => T;
23
24 export function useArtifactSelector<Selected>(selector: Selector<Selected>) {
25   const { data: localArtifact } = useSWR<UIArtifact>("artifact", null, {
26     fallbackData: initialArtifactData,
27     revalidateOnFocus: false,
28     revalidateOnReconnect: false,
29   });
30
31   const selectedValue = useMemo(() => {
32     return selector(localArtifact ?? initialArtifactData);
33   }, [localArtifact, selector]);
34
35   return selectedValue;
36 }
37
38 export function useArtifact() {
39   const { data: localArtifact, mutate: mutateArtifact } = useSWR<UIArtifact>(
40     "artifact",
41     null,
42     {
43       fallbackData: initialArtifactData,
44       revalidateOnFocus: false,
45       revalidateOnReconnect: false,
46     }
47   );
48
49   const artifact = useMemo(() => {
50     return localArtifact ?? initialArtifactData;
51   }, [localArtifact]);
52
53   /**
54    * Update local artifact state (NO revalidation)
55    * - Accepts either a full artifact object OR an updater function.
56    */
57   const setArtifact = useCallback(
58     (updater: UIArtifact | ((current: UIArtifact) => UIArtifact)) => {
59       mutateArtifact(
60         (current) => {
61           const currentArtifact = current ?? initialArtifactData;
62           return typeof updater === "function" ? updater(currentArtifact) : updater;
63         },
64         { revalidate: false }
65       );
66     },
67     [mutateArtifact]
68   );
69
70   /**
71    * Metadata is stored per-documentId, so different artifacts don't collide.
72    */
73   const metadataKey = useMemo(() => {
74     const id = artifact.documentId;
75     if (!id || id === "init") return null;
76     return `artifact-metadata-${id}`;

```

```

77   }, [artifact.documentId]);
78
79   const { data: localMetadata, mutate: mutateMetadata } = useSWR<any>(  
80     metadataKey,  
81     null,  
82     {  
83       fallbackData: null,  
84       revalidateOnFocus: false,  
85       revalidateOnReconnect: false,  
86     }  
87   );  
88
89   /**  
90    * Update local metadata state (NO revalidation)  
91    */  
92   const setMetadata = useCallback(  
93     (updater: any) => {  
94       mutateMetadata(updater, { revalidate: false });  
95     },  
96     [mutateMetadata]  
97   );  
98
99   return useMemo(  
100     () => ({  
101       artifact,  
102       setArtifact,  
103       metadata: localMetadata,  
104       setMetadata,  
105     })),  
106     [artifact, setArtifact, localMetadata, setMetadata]  
107   );  
108 }

```

332. hooks/use-auto-resume.ts

```

1  "use client";
2
3  import type { UseChatHelpers } from "@ai-sdk/react";
4  import { useEffect } from "react";
5  import { useDataStream } from "@components/data-stream-provider";
6  import type { ChatMessage } from "@lib/types";
7
8  export type UseAutoResumeParams = {
9    autoResume: boolean;
10   initialMessages: ChatMessage[];
11   resumeStream: UseChatHelpers<ChatMessage>["resumeStream"];
12   setMessages: UseChatHelpers<ChatMessage>["setMessages"];
13 };
14
15 export function useAutoResume({
16   autoResume,
17   initialMessages,
18   resumeStream,
19   setMessages,
20 }: UseAutoResumeParams) {
21   const { dataStream } = useDataStream();
22
23   useEffect(() => {
24     if (!autoResume) {
25       return;
26     }
27
28     const mostRecentMessage = initialMessages.at(-1);
29
30     if (mostRecentMessage?.role === "user") {
31       resumeStream();
32     }

```

```

33
34 // we intentionally run this once
35 // eslint-disable-next-line react-hooks/exhaustive-deps
36 }, [autoResume, initialMessages.at, resumeStream]);
37
38 useEffect(() => {
39   if (!dataStream) {
40     return;
41   }
42   if (dataStream.length === 0) {
43     return;
44   }
45
46   const dataPart = dataStream[0];
47
48   if (dataPart.type === "data-appendMessage") {
49     const message = JSON.parse(dataPart.data);
50     setMessages([...initialMessages, message]);
51   }
52 }, [dataStream, initialMessages, setMessages]);
53 }

```

333. hooks/use-chat-visibility.ts

```

1 "use client";
2
3 import { useMemo } from "react";
4 import useSWR, { useSWRConfig } from "swr";
5 import { unstable_serialize } from "swr/infinite";
6 import { updateChatVisibility } from "@app/(chat)/actions";
7 import {
8   type ChatHistory,
9   getChatHistoryPaginationKey,
10 } from "@components/sidebar-history";
11 import type { VisibilityType } from "@components/visibility-selector";
12
13 export function useChatVisibility({
14   chatId,
15   initialVisibilityType,
16 }: {
17   chatId: string;
18   initialVisibilityType: VisibilityType;
19 }) {
20   const { mutate, cache } = useSWRConfig();
21   const history: ChatHistory = cache.get("/api/history")?.data;
22
23   const { data: localVisibility, mutate: setLocalVisibility } = useSWR(
24     `${chatId}-visibility`,
25     null,
26     {
27       fallbackData: initialVisibilityType,
28     }
29   );
30
31   const visibilityType = useMemo(() => {
32     if (!history) {
33       return localVisibility;
34     }
35     const chat = history.chats.find((currentChat) => currentChat.id === chatId);
36     if (!chat) {
37       return "private";
38     }
39     return chat.visibility;
40   }, [history, chatId, localVisibility]);
41
42   const setVisibilityType = (updatedVisibilityType: VisibilityType) => {
43     setLocalVisibility(updatedVisibilityType);

```

```

44   mutate(unstable_serialize(getChatHistoryPaginationKey));
45
46   updateChatVisibility({
47     chatId,
48     visibility: updatedVisibilityType,
49   });
50 };
51
52 return { visibilityType, setVisibilityType };
53 }

```

334. hooks/use-messages.tsx

```

1  import type { UseChatHelpers } from "@ai-sdk/react";
2  import { useEffect, useState } from "react";
3  import type { ChatMessage } from "@lib/types";
4  import { useScrollToBottom } from "./use-scroll-to-bottom";
5
6  export function useMessages({
7    status,
8  }): {
9    status: UseChatHelpers<ChatMessage>["status"];
10  } {
11    const {
12      containerRef,
13      endRef,
14      isAtBottom,
15      scrollToBottom,
16      onViewportEnter,
17      onViewportLeave,
18    } = useScrollToBottom();
19
20    const [hasSentMessage, setHasSentMessage] = useState(false);
21
22    useEffect(() => {
23      if (status === "submitted") {
24        setHasSentMessage(true);
25      }
26    }, [status]);
27
28    return {
29      containerRef,
30      endRef,
31      isAtBottom,
32      scrollToBottom,
33      onViewportEnter,
34      onViewportLeave,
35      hasSentMessage,
36    };
37 }

```

335. hooks/use-mobile.ts

```

1  import * as React from "react"
2
3  const MOBILE_BREAKPOINT = 768
4
5  export function useIsMobile() {
6    const [isMobile, setIsMobile] = React.useState<boolean | undefined>(undefined)
7
8    React.useEffect(() => {
9      const mql = window.matchMedia(`(max-width: ${MOBILE_BREAKPOINT - 1}px)`)
10     const onChange = () => {
11       setIsMobile(window.innerWidth < MOBILE_BREAKPOINT)
12     }

```

```

13   mql.addEventListener("change", onChange)
14   setIsMobile(window.innerWidth < MOBILE_BREAKPOINT)
15   return () => mql.removeEventListener("change", onChange)
16 }, [])
17
18   return !!isMobile
19 }

```

336. hooks/use-scroll-to-bottom.tsx

```

1  import { useCallback, useEffect, useRef, useState } from "react";
2
3  export function useScrollToBottom() {
4    const containerRef = useRef<HTMLDivElement>(null);
5    const endRef = useRef<HTMLDivElement>(null);
6    const [isAtBottom, setIsAtBottom] = useState(true);
7    const isAtBottomRef = useRef(true);
8    const isUserScrollingRef = useRef(false);
9
10   // Keep ref in sync with state
11   useEffect(() => {
12     isAtBottomRef.current = isAtBottom;
13   }, [isAtBottom]);
14
15   const checkIfAtBottom = useCallback(() => {
16     if (!containerRef.current) {
17       return true;
18     }
19     const { scrollTop, scrollHeight, clientHeight } = containerRef.current;
20     return scrollTop + clientHeight >= scrollHeight - 100;
21   }, []);
22
23   const scrollToBottom = useCallback((behavior: ScrollBehavior = "smooth") => {
24     if (!containerRef.current) {
25       return;
26     }
27     containerRef.current.scrollTo({
28       top: containerRef.current.scrollHeight,
29       behavior,
30     });
31   }, []);
32
33   // Handle user scroll events
34   useEffect(() => {
35     const container = containerRef.current;
36     if (!container) {
37       return;
38     }
39
40     let scrollTimeout: ReturnType<typeof setTimeout>;
41
42     const handleScroll = () => {
43       // Mark as user scrolling
44       isUserScrollingRef.current = true;
45       clearTimeout(scrollTimeout);
46
47       // Update isAtBottom state
48       const atBottom = checkIfAtBottom();
49       setIsAtBottom(atBottom);
50       isAtBottomRef.current = atBottom;
51
52       // Reset user scrolling flag after scroll ends
53       scrollTimeout = setTimeout(() => {
54         isUserScrollingRef.current = false;
55       }, 150);
56     };
57

```

```

58   container.addEventListener("scroll", handleScroll, { passive: true });
59   return () => {
60     container.removeEventListener("scroll", handleScroll);
61     clearTimeout(scrollTimeout);
62   };
63 }, [checkIfAtBottom]);
64
65 // Auto-scroll when content changes
66 useEffect(() => {
67   const container = containerRef.current;
68   if (!container) {
69     return;
70   }
71
72   const scrollIfNeeded = () => {
73     // Only auto-scroll if user was at bottom and isn't actively scrolling
74     if (isAtBottomRef.current && !isUserScrollingRef.current) {
75       requestAnimationFrame(() => {
76         container.scrollTo({
77           top: container.scrollHeight,
78           behavior: "instant",
79         });
80         setIsAtBottom(true);
81         isAtBottomRef.current = true;
82       });
83     }
84   };
85
86   // Watch for DOM changes
87   const mutationObserver = new MutationObserver(scrollIfNeeded);
88   mutationObserver.observe(container, {
89     childList: true,
90     subtree: true,
91     characterData: true,
92   });
93
94   // Watch for size changes
95   const resizeObserver = new ResizeObserver(scrollIfNeeded);
96   resizeObserver.observe(container);
97
98   // Also observe children for size changes
99   for (const child of container.children) {
100     resizeObserver.observe(child);
101   }
102
103   return () => {
104     mutationObserver.disconnect();
105     resizeObserver.disconnect();
106   };
107 }, []);
108
109 function onViewportEnter() {
110   setIsAtBottom(true);
111   isAtBottomRef.current = true;
112 }
113
114 function onViewportLeave() {
115   setIsAtBottom(false);
116   isAtBottomRef.current = false;
117 }
118
119 return {
120   containerRef,
121   endRef,
122   isAtBottom,
123   scrollToBottom,
124   onViewportEnter,
125   onViewportLeave,
126 };

```

```
127 }
```

337. hooks/use-subscribe-dialog.ts

```
1 "use client";
2
3 import useSWR from "swr";
4
5 export function useSubscribeDialog() {
6   const { data: isOpen, mutate } = useSWR<boolean>("subscribe-dialog-open", null, {
7     fallbackData: false,
8     revalidateOnFocus: false,
9     revalidateOnReconnect: false,
10   });
11
12   return {
13     isOpen: isOpen ?? false,
14     openSubscribeDialog: () => mutate(true, { revalidate: false }),
15     closeSubscribeDialog: () => mutate(false, { revalidate: false }),
16   };
17 }
```

338. instrumentation.ts

```
1 import type { Instrumentation } from "next";
2
3 export function register() {
4   // OpenTelemetry disabled — no Vercel OTel configured
5 }
6
7 /**
8  * Next.js calls this for every unhandled server error (route handlers,
9  * server components, server actions). Writes the error + request context to
10  * logs/app-YYYY-MM-DD.log so failures are visible beyond pm2's console dump.
11  */
12 export const onRequestError: Instrumentation.onRequestError = async (
13   error,
14   request,
15   context
16 ) => {
17   const { logger, serializeError } = await import("@/lib/logger");
18   await logger.error("unhandled_request_error", {
19     error: serializeError(error),
20     method: request.method,
21     path: request.path,
22     routerKind: context.routerKind,
23     routePath: context.routePath,
24     routeType: context.routeType,
25   });
26 };
```

339. lib/active-artifact.ts

```
1 export async function setActiveArtifact(params: { slug: string; title: string }) {
2   try {
3     await fetch("/api/user/active-artifact", {
4       method: "POST",
5       headers: { "Content-Type": "application/json" },
6       body: JSON.stringify(params),
7     });
8   } catch {
9     // UI эвдэхгүй, дуугүй өнгөрнө
10  }
```



```
10 }
11 }
```

340. lib/ai/active-artifact-context.ts

```
1  const ACTIVE_ARTIFACT_STOP_WORDS = new Set([
2    "байна",
3    "бэ",
4    "бол",
5    "гэж",
6    "гэх",
7    "дээр",
8    "дээрх",
9    "нь",
10   "талаар",
11   "тэгээд",
12   "тэр",
13   "тухай",
14   "хэрхэн",
15   "хэдэн",
16   "хэн",
17   "юу",
18  ]);
19  const NON_WORD_CHARACTERS = /[^\p{L}\p{N}]+/gu;
20  const WHITESPACE = /\s+/;
21  const ACTIVE_ARTIFACT_REFERENCE =
22    /(?:^[^\p{L}\p{N}]) (энэ|дээрх|нийтлэл|бичвэр|сэдэв|уншиж|уншсан|номын|дэлгэрүүл|тайлбарла|ойлгуул|тухай|талаар) (?:$| [^\p{L}\p{N}]) /iu;
23
24  function meaningfulTerms(text: string) {
25    return new Set(
26      text
27        .toLocaleLowerCase("mn-MN")
28        .replace(NON_WORD_CHARACTERS, " ")
29        .split(WHITESPACE)
30        .filter(
31          (term) => term.length >= 3 && !ACTIVE_ARTIFACT_STOP_WORDS.has(term)
32        )
33    );
34  }
35
36  /**
37   * An opened article is useful context only when the current message points
38   * to it. It must never become a hidden topic for a new, unrelated chat.
39   */
40  export function shouldUseActiveArtifactContext(
41    userText: string,
42    title: string,
43    content: string
44  ) {
45    const query = userText.trim();
46    if (!query) return false;
47
48    if (ACTIVE_ARTIFACT_REFERENCE.test(query)) return true;
49
50    const queryTerms = meaningfulTerms(query);
51    const titleTerms = meaningfulTerms(title);
52    const contentTerms = meaningfulTerms(content.slice(0, 1800));
53    const hasTermMatch = (term: string, terms: Set<string>) =>
54      [...terms].some(
55        (queryTerm) =>
56          queryTerm === term ||
57          queryTerm.startsWith(term) ||
58          term.startsWith(queryTerm)
59      );
60    const titleOverlap = [...titleTerms].filter((term) =>
61      hasTermMatch(term, queryTerms)
62    );
```

```

63
64 // A specific title match is enough for questions such as
65 // "Торттой амьдрал рэж юу вэ?". Generic words from the article body are
66 // deliberately ignored so "Hi" and other small talk stay context-free.
67 const requiredTitleMatches = Math.min(2, Math.max(1, titleTerms.size));
68 if (titleOverlap.length >= requiredTitleMatches) return true;
69
70 const contentOverlap = [...contentTerms].filter((term) =>
71   hasTermMatch(term, queryTerms)
72 );
73 return contentOverlap.length >= 3;
74 }

```

341. lib/ai/classify-image.ts

```

1 import { openai } from "@ai-sdk/openai";
2 import { generateObject } from "ai";
3 import { z } from "zod";
4
5 export type ImageKind = "receipt" | "food" | "other";
6
7 const classifySchema = z.object({
8   kind: z.enum(["receipt", "food", "other"]),
9 });
10
11 /**
12  * Classifies a chat image attachment so the assistant can route to the right
13  * response (finance receipt parsing vs. food nutrition analysis) instead of
14  * assuming every uploaded image is a purchase receipt.
15  */
16 export async function classifyChatImage(imageUrl: string): Promise<ImageKind> {
17   const { object } = await generateObject({
18     model: openai("gpt-4o-mini"),
19     schema: classifySchema,
20     messages: [
21       {
22         role: "user",
23         content: [
24           {
25             type: "text",
26             text: 'Энэ зураг юуг илэрхийлж байна вэ? Хэрэв дэлгүүр/рестораны төлбөрийн баримт (receipt) бол "receipt", хоол/хүнсний зураг бол "food", бусад бол "other" гэж хариул.',
27           },
28           { type: "image", image: imageUrl },
29         ],
30       },
31     ],
32   });
33   return object.kind;
34 }

```

342. lib/ai/entitlements.ts

```

1 import type { UserType } from "@app/(auth)/auth";
2
3 type Entitlements = {
4   maxMessagesPerDay: number;
5 };
6
7 export const entitlementsByUserType: Record<UserType, Entitlements> = {
8   /*
9    * For users without an account
10    */
11   guest: {
12     maxMessagesPerDay: 20,
13   },

```

```

14
15  /*
16   * For users with an account
17   */
18  regular: {
19    maxMessagesPerDay: 50,
20  },
21
22  /*
23   * TODO: For users with an account and a paid membership
24   */
25 };

```

343. lib/ai/models.mock.ts

```

1  import type { LanguageModel } from "ai";
2
3  const mockResponses: Record<string, string> = {
4    default: "This is a mock response for testing.",
5    weather: "The weather in San Francisco is sunny and 72°F.",
6    greeting: "Hello! How can I help you today?",
7  };
8
9  const mockUsage = {
10    inputTokens: { total: 10, noCache: 10, cacheRead: 0, cacheWrite: 0 },
11    outputTokens: { total: 20, text: 20, reasoning: 0 },
12  };
13
14  function getResponseForPrompt(prompt: unknown): string {
15    const promptStr = JSON.stringify(prompt).toLowerCase();
16
17    if (promptStr.includes("weather") || promptStr.includes("temperature")) {
18      return mockResponses.weather;
19    }
20    if (
21      promptStr.includes("hello") ||
22      promptStr.includes("hi") ||
23      promptStr.includes("hey")
24    ) {
25      return mockResponses.greeting;
26    }
27
28    return mockResponses.default;
29  }
30
31  const createMockModel = (): LanguageModel => {
32    return {
33      specificationVersion: "v3",
34      provider: "mock",
35      modelId: "mock-model",
36      defaultObjectGenerationMode: "tool",
37      supportedUrls: {},
38      doGenerate: async ({ prompt }: { prompt: unknown }) => ({
39        finishReason: "stop",
40        usage: mockUsage,
41        content: [{ type: "text", text: getResponseForPrompt(prompt) }],
42        warnings: [],
43      }),
44      doStream: ({ prompt }: { prompt: unknown }) => {
45        const response = getResponseForPrompt(prompt);
46        const words = response.split(" ");
47
48        return {
49          stream: new ReadableStream({
50            async start(controller) {
51              controller.enqueue({ type: "text-start", id: "t1" });
52              for (const word of words) {

```

```

53         controller.enqueue({
54             type: "text-delta",
55             id: "t1",
56             delta: `${word} `,
57         });
58         await new Promise((resolve) => {
59             setTimeout(resolve, 10);
60         });
61     }
62     controller.enqueue({ type: "text-end", id: "t1" });
63     controller.enqueue({
64         type: "finish",
65         finishReason: "stop",
66         usage: mockUsage,
67     });
68     controller.close();
69 },
70 },
71 };
72 },
73 } as unknown as LanguageModel;
74 };
75
76 const createMockReasoningModel = (): LanguageModel => {
77     return {
78         specificationVersion: "v3",
79         provider: "mock",
80         modelId: "mock-reasoning-model",
81         defaultObjectGenerationMode: "tool",
82         supportedUrls: {},
83         doGenerate: async () => ({
84             finishReason: "stop",
85             usage: mockUsage,
86             content: [{ type: "text", text: "This is a reasoned response." }],
87             reasoning: [
88                 { type: "text", text: "Let me think through this step by step..." },
89             ],
90             warnings: [],
91         }),
92         doStream: () => ({
93             stream: new ReadableStream({
94                 async start(controller) {
95                     controller.enqueue({ type: "reasoning-start", id: "r1" });
96                     controller.enqueue({
97                         type: "reasoning-delta",
98                         id: "r1",
99                         delta: "Let me think through this step by step... ",
100                     });
101                     controller.enqueue({ type: "reasoning-end", id: "r1" });
102                     await new Promise((resolve) => {
103                         setTimeout(resolve, 10);
104                     });
105                     controller.enqueue({ type: "text-start", id: "t1" });
106                     controller.enqueue({
107                         type: "text-delta",
108                         id: "t1",
109                         delta: "This is a reasoned response.",
110                     });
111                     controller.enqueue({ type: "text-end", id: "t1" });
112                     controller.enqueue({
113                         type: "finish",
114                         finishReason: "stop",
115                         usage: mockUsage,
116                     });
117                     controller.close();
118                 },
119             }),
120         }),
121     } as unknown as LanguageModel;

```

```

122 };
123
124 const createMockTitleModel = (): LanguageModel => {
125   return {
126     specificationVersion: "v3",
127     provider: "mock",
128     modelId: "mock-title-model",
129     defaultObjectGenerationMode: "tool",
130     supportedUrls: {},
131     doGenerate: async () => ({
132       finishReason: "stop",
133       usage: {
134         inputTokens: { total: 5, noCache: 5, cacheRead: 0, cacheWrite: 0 },
135         outputTokens: { total: 5, text: 5, reasoning: 0 },
136       },
137       content: [{ type: "text", text: "Test Conversation" }],
138       warnings: [],
139     }),
140     doStream: () => ({
141       stream: new ReadableStream({
142         start(controller) {
143           controller.enqueue({ type: "text-start", id: "t1" });
144           controller.enqueue({
145             type: "text-delta",
146             id: "t1",
147             delta: "Test Conversation",
148           });
149           controller.enqueue({ type: "text-end", id: "t1" });
150           controller.enqueue({
151             type: "finish",
152             finishReason: "stop",
153             usage: {
154               inputTokens: {
155                 total: 5,
156                 noCache: 5,
157                 cacheRead: 0,
158                 cacheWrite: 0,
159               },
160               outputTokens: { total: 5, text: 5, reasoning: 0 },
161             },
162           });
163           controller.close();
164         },
165       }),
166     }),
167   } as unknown as LanguageModel;
168 };
169
170 export const chatModel = createMockModel();
171 export const reasoningModel = createMockReasoningModel();
172 export const titleModel = createMockTitleModel();
173 export const artifactModel = createMockModel();

```

344. lib/ai/models.test.ts

```

1 import { simulateReadableStream } from "ai";
2 import { MockLanguageModelV3 } from "ai/test";
3 import { getResponseChunksByPrompt } from "@tests/prompts/utis";
4
5 const mockUsage = {
6   inputTokens: { total: 10, noCache: 10, cacheRead: 0, cacheWrite: 0 },
7   outputTokens: { total: 20, text: 20, reasoning: 0 },
8 };
9
10 export const chatModel = new MockLanguageModelV3({
11   doGenerate: async () => ({
12     finishReason: "stop",

```

```

13     usage: mockUsage,
14     content: [{ type: "text", text: "Hello, world!" }],
15     warnings: [],
16   }},
17   doStream: async ({ prompt }) => ({
18     stream: simulateReadableStream({
19       chunkDelayInMs: 500,
20       initialDelayInMs: 1000,
21       chunks: getResponseChunksByPrompt(prompt),
22     }),
23   }},
24   });
25
26 export const reasoningModel = new MockLanguageModelV3({
27   doGenerate: async () => ({
28     finishReason: "stop",
29     usage: mockUsage,
30     content: [{ type: "text", text: "Hello, world!" }],
31     warnings: [],
32   }},
33   doStream: async ({ prompt }) => ({
34     stream: simulateReadableStream({
35       chunkDelayInMs: 500,
36       initialDelayInMs: 1000,
37       chunks: getResponseChunksByPrompt(prompt, true),
38     }),
39   }},
40   });
41
42 export const titleModel = new MockLanguageModelV3({
43   doGenerate: async () => ({
44     finishReason: "stop",
45     usage: mockUsage,
46     content: [{ type: "text", text: "This is a test title" }],
47     warnings: [],
48   }},
49   doStream: async () => ({
50     stream: simulateReadableStream({
51       chunkDelayInMs: 500,
52       initialDelayInMs: 1000,
53       chunks: [
54         { id: "1", type: "text-start" },
55         { id: "1", type: "text-delta", delta: "This is a test title" },
56         { id: "1", type: "text-end" },
57         {
58           type: "finish",
59           finishReason: "stop",
60           usage: mockUsage,
61         },
62       ],
63     }),
64   }},
65   });
66
67 export const artifactModel = new MockLanguageModelV3({
68   doGenerate: async () => ({
69     finishReason: "stop",
70     usage: mockUsage,
71     content: [{ type: "text", text: "Hello, world!" }],
72     warnings: [],
73   }},
74   doStream: async ({ prompt }) => ({
75     stream: simulateReadableStream({
76       chunkDelayInMs: 50,
77       initialDelayInMs: 100,
78       chunks: getResponseChunksByPrompt(prompt),
79     }),
80   }},
81   });

```

345. lib/ai/models.ts

```
1 // Curated list of top models from Vercel AI Gateway
2 export const DEFAULT_CHAT_MODEL = "openai/gpt-4o";
3
4 export type ChatModel = {
5   id: string;
6   name: string;
7   provider: string;
8   description: string;
9   /** il8n key into dict.models (falls back to `name`). */
10  key?: string;
11 };
12
13 export const chatModels: ChatModel[] = [
14   {
15     id: "openai/gpt-4o",
16     name: "Амьд яриа",
17     key: "liveTalk",
18     provider: "openai",
19     description: "ChatGPT шиг амьд, хурдан яриа",
20   },
21   {
22     id: "openai/gpt-4.1",
23     name: "Сэтгэлзүйн яриа",
24     key: "psychologyTalk",
25     provider: "openai",
26     description: "Түнээгий, чанартай яриа",
27   },
28   {
29     id: "openai/gpt-4.1-mini",
30     name: "Зураг, баримт унших",
31     key: "readDocs",
32     provider: "openai",
33     description: "Хурдан, хямд, уншилт/танилт",
34   },
35   {
36     id: "openai/gpt-4o-mini",
37     name: "Төсөл танилцуулга",
38     key: "projectIntro",
39     provider: "openai",
40     description: "Хурдан, сайн бүтэцтэй танилцуулга",
41   },
42 ];
43
44 // Group models by provider for UI
45 export const modelsByProvider = chatModels.reduce(
46   (acc, model) => {
47     if (!acc[model.provider]) {
48       acc[model.provider] = [];
49     }
50     acc[model.provider].push(model);
51     return acc;
52   },
53   {} as Record<string, ChatModel[]>
54 );
```

346. lib/ai/prompts.ts

```
1 import type { ArtifactKind } from "@components/artifact";
2 import {
3   needsOyunsanaaKnowledge,
4   oyunsanaaKnowledgePrompt,
5   oyunsanaaRulesPrompt,
6 } from "./prompts/oyunsanaa-rules";
7
```

```

8 export const artifactsPrompt = `
9 Artifacts is a special user interface mode that helps users with writing, editing, and other content creation tasks. When artifact is open, it is on the right side of the screen, while the conversation
creating or updating documents, changes are reflected in real-time on the artifacts and visible to the user.
10
11 When asked to write code, always use artifacts. When writing code, specify the language in the backticks, e.g. ``python`code here``. The default language is Python. Other languages are not yet
know if they request a different language.
12
13 DO NOT UPDATE DOCUMENTS IMMEDIATELY AFTER CREATING THEM. WAIT FOR USER FEEDBACK OR REQUEST TO UPDATE IT.
14
15 This is a guide for using artifacts tools: `createDocument` and `updateDocument`, which render content on a artifacts beside the conversation.
16
17 **When to use `createDocument`:**
18 - For substantial content (>10 lines) or code
19 - For content users will likely save/reuse (emails, code, essays, etc.)
20 - When explicitly requested to create a document
21 - For when content contains a single code snippet
22
23 **When NOT to use `createDocument`:**
24 - For informational/explanatory content
25 - For conversational responses
26 - When asked to keep it in chat
27
28 **Using `updateDocument`:**
29 - Default to full document rewrites for major changes
30 - Use targeted updates only for specific, isolated changes
31 - Follow user instructions for which parts to modify
32
33 **When NOT to use `updateDocument`:**
34 - Immediately after creating a document
35
36 Do not update document right after creating it. Wait for user feedback or request to update it.
37
38 If the user message starts with "ONOL:", you MUST call createDocument with kind="document" and a concise Mongolian title. Then write the theory content in the created document (artifact). Do not keep the
39 `;
40
41 export type RequestHints = {
42   latitude?: string;
43   longitude?: string;
44   city?: string;
45   country?: string;
46 };
47
48 export const getRequestPromptFromHints = (requestHints: RequestHints) => `
49 About the origin of user's request:
50 - lat: ${requestHints.latitude}
51 - lon: ${requestHints.longitude}
52 - city: ${requestHints.city}
53 - country: ${requestHints.country}
54 `;
55
56 export const systemPrompt = ({
57   selectedChatModel,
58   requestHints,
59   userText,
60 }): {
61   selectedChatModel: string;
62   requestHints: RequestHints;
63   /** Хамгийн сүүлийн user мессежийн текст — мэдлэгийн санг хэрэгтэй үед л
64    * оруулж токен хэмнэхэд ашиглана. */
65   userText?: string;
66 }) => {
67   const requestPrompt = getRequestPromptFromHints(requestHints);
68
69   // Үндсэн зан чанар + аюулгүй байдлын дүрэм нь oyunsanaaRulesPrompt дотор
70   // байна. Мэдлэгийн сан нь зөвхөн Оюунсанаа/платформын тухай асуусан үед орно.
71   const knowledge = needsOyunsanaaKnowledge(userText)
72     ? `
n\n${oyunsanaaKnowledgePrompt}`
73     : "";
74   const basePrompt = `${oyunsanaaRulesPrompt}${knowledge}`;

```



```

75
76   if (selectedChatModel === "chat-model-reasoning") {
77     return `${basePrompt}\n\n${requestPrompt}`;
78   }
79
80   return `${basePrompt}\n\n${requestPrompt}\n\n${artifactsPrompt}`;
81 };
82
83 export const codePrompt = `
84 You are a Python code generator that creates self-contained, executable code snippets. When writing code:
85
86 1. Each snippet should be complete and runnable on its own
87 2. Prefer using print() statements to display outputs
88 3. Include helpful comments explaining the code
89 4. Keep snippets concise (generally under 15 lines)
90 5. Avoid external dependencies - use Python standard library
91 6. Handle potential errors gracefully
92 7. Return meaningful output that demonstrates the code's functionality
93 8. Don't use input() or other interactive functions
94 9. Don't access files or network resources
95 10. Don't use infinite loops
96
97 Examples of good snippets:
98
99 # Calculate factorial iteratively
100 def factorial(n):
101     result = 1
102     for i in range(1, n + 1):
103         result *= i
104     return result
105
106 print(f"Factorial of 5 is: {factorial(5)}")
107 `;
108
109 export const sheetPrompt = `
110 You are a spreadsheet creation assistant. Create a spreadsheet in csv format based on the given prompt. The spreadsheet should contain meaningful column headers and data.
111 `;
112
113 export const updateDocumentPrompt = (
114   currentContent: string | null,
115   type: ArtifactKind
116 ) => {
117   let mediaType = "document";
118
119   if (type === "code") {
120     mediaType = "code snippet";
121   } else if (type === "sheet") {
122     mediaType = "spreadsheet";
123   }
124
125   return `Improve the following contents of the ${mediaType} based on the given prompt.
126
127 ${currentContent}`;
128 };
129
130 export const titlePrompt = `
131 - you will generate a short title based on the first message a user begins a conversation with
132 - ensure it is not more than 80 characters long
133 - the title should be a summary of the user's message
134 - do not use quotes or colons`;

```

347. lib/ai/prompts/finance.ts

```

1 export const financePrompt = `
2 Чи бол зөвхөн "САНХҮҮ ТУСЛАХ" – Оюунсанаагийн Миний санхүү аппад зориулсан AI.
3
4 Миний санхүү апп гэж юу вэ?

```

```

5  Хэрэглэгчийн орлого, зарлага, өр зээл, хадгаламжийн бүртгэлийг хялбар хөтлөхөд зориулагдсан апп. Зорилго нь хэрэглэгчийг мөнгөө төгс удирдахыг шаардах биш, харин өөрийн мөнгөний урсгал, зарцуулалтын хэв
ойлгож ажиглахад туслах юм. Энэ апп санхүүгийн стресс нэмэхгүй, хэрэглэгчийг буруутгахгүй, харин орлого зарлагаа ойлгож, аажмаар илүү ухамсартай сонголт хийхэд дэмжлэг үзүүлнэ.
6
7  Оюунсанаа юу хийх ёстой вэ (санхүү аппад):
8  - Хэрэглэгчийг мөнгө үрсэн гэж буруутгахгүй.
9  - Санхүүгийн айдас, ичгүүр төрүүлэхгүй.
10 - Орлого, зарлагын хэв маягийг ажиглахад тусална.
11 - Бүртгэл дээр үндэслэн зөөлөн дүгнэлт өгнө.
12 - Хэрэглэгчийн зөвшөөрөлгүйгээр гүйлгээ хадгалахгүй (доорх зөвхөн БАРИМТЫН ЗУРАГ ирсэн үед л хамаарна).
13 - Хөрөнгө оруулалт, зээл, санхүүгийн том шийдвэр дээр баталгаатай зөвлөгөө өгөхгүй. Шаардлагатай үед мэргэжлийн санхүүгийн зөвлөхөөс зөвлөгөө авахыг санал болгоно.
14
15 Оюунсанаа хэрэглэгчтэй хэрхэн ярих вэ: зөөлөн, шүүмжлэлгүй, дэмжсэн өнгөөр.
16 Муу жишээ: "Та мөнгөө буруу зарцуулж байна."
17 Сайн жишээ: "Сүүлийн үед хоол хүнсний зардал нэмэгдсэн байна. Хэрэв хүсвэл энэ ангиллын зарцуулалтаа хэсэг хугацаанд ажиглаж үзэж болно."
18
19 ---
20
21 Хэрэв хэрэглэгч зураг илгээгээгүй бол:
22 - "Санхүүгийн баримтын зургаа илгээнэ үү. Зураг ирмэгц би хүснэгт болгон задлаад өгнө." гэж ганц өгүүлбэрээр хариул.
23
24 Хэрэв хэрэглэгч БАРИМТЫН ЗУРАГ илгээсэн бол чи ЗААВАЛ 2 хэсэг буцаана:
25 1) <FINANCE_HUMAN> ... </FINANCE_HUMAN>
26 2) <FINANCE_JSON> ... </FINANCE_JSON>
27
28 FINANCE_HUMAN хэсэгт товч, зөөлөн, шүүмжлэлгүй тайлбар гарга (жишээ: аль ангилалд их зарцуулсныг товч дурьдаж болно, гэхдээ буруутгахгүй).
29
30 FINANCE_JSON хэсэгт доорх JSON schema-г ЯГ ТАГААР нь буцаа (markdown битгий):
31
32 {
33   "store": string | null,
34   "date": "YYYY-MM-DD" | null,
35   "total_amount": number | null,
36   "items": [
37     {
38       "name": string,
39       "quantity": number | null,
40       "unit_price": number | null,
41       "total_price": number | null,
42       "type": "expense" | "income",
43       "category": "food" | "transport" | "clothes" | "home" | "fun" | "health" | "other" | "income",
44       "sub_category": string | null
45     }
46   ]
47 }
48
49 ДҮРЭМ:
50 - quantity олдохгүй бол 1 гэж үз.
51 - total_price олдохгүй бол unit_price * quantity гэж тооцож болно.
52 - category-г утгаар нь тааж бөглө.
53 - type: ихэнх баримт "expense". Харин орлого гэдэг нь цалин, нөхөн төлбөр, буцаалт, бонус гэх мэт утгатай мөр байвал "income" болгож болно.
54 - sub_category нь дараах жишгээс таарахыг сонгоод string болгон өг. Таарахгүй бол null.
55
56 EXPENSE sub_category жишээ:
57 - food: "food_veg" | "food_meat" | "food_grain" | "food_dairy" | "food_snack" | "food_drink" | "food_other"
58 - clothes: "clothes_shoes" | "clothes_socks" | "clothes_outer" | "clothes_under" | "clothes_accessory" | "clothes_other"
59 - home: "home_furniture" | "home_appliance" | "home_cleaning" | "home_kitchen" | "home_repair" | "home_other"
60 - health: "health_medicine" | "health_supplement" | "health_clinic" | "health_test" | "health_other"
61 - transport: "transport_fuel" | "transport_taxi" | "transport_bus" | "transport_ride" | "transport_other"
62 - fun: "fun_cafe" | "fun_cinema" | "fun_gift" | "fun_trip" | "fun_other"
63 - other: "other_fees" | "other_subscription" | "other_other"
64
65 INCOME sub_category жишээ:
66 - income: "income_salary" | "income_bonus" | "income_business" | "income_gift" | "income_refund" | "income_other"
67
68 Чи зөвхөн дээрх 2 таг-тай хариулт л буцаана (баримтын зураг ирсэн үед).
69 `;

```

348. lib/ai/prompts/food.ts

```
1 export const foodPrompt = `
2 Та Оюунсанаа эрүүл мэнд аппын хэрэглэгчид дэмжлэг үзүүлэх AI туслагч юм. Хоолны зураг, нэр, дуу хоолой оруулах үед хоол таних AI-ийн үүргийг гүйцэтгэнэ.
3
4 Хэрэглэгч хоолны зураг, хоолны нэр, эсвэл дуу хоолойгоор идэх гэж буй/идсэн хоолоо оруулах үед:
5 1. Хоолыг танина.
6 2. Ойролцоо шим тэжээлийн задаргаа гаргана.
7 3. Тухайн өдрийн зорилтот үзүүлэлттэй харьцуулна.
8 4. Хэрэглэгчид "Хоол нэмэх" эсэхээ шийдэх боломж олгоно.
9
10 Хоолыг шууд бүртгэлд хадгалахгүй. Зөвхөн хэрэглэгч "Хоол нэмэх" товч дарсны дараа тухайн өдрийн бүртгэлд нэмэгдэнэ.
11
12 Гаргах мэдээлэл:
13 - Хоолны нэр
14 - Ойролцоо хэмжээ / порц
15 - Илчлэг
16 - Уураг
17 - Өөх тос
18 - Сайн нүүрс ус
19 - Муу нүүрс ус / сахар
20 - Эслэг
21 - Шим тэжээлийн үнэлгээ
22
23 Мөн тухайн өдрийн зорилтот хэмжээтэй харьцуулж дараахыг харуулна:
24 - Өдрийн илчлэгт хэр ойр байгаа эсэх
25 - Уураг дутуу эсэх
26 - Сахар эсвэл муу нүүрс ус ихсэж байгаа эсэх
27 - Өөх тос хэтэрч байгаа эсэх
28 - Эслэг дутуу эсэх
29 - Энэ хоолыг нэмбэл өдрийн нийт үзүүлэлт хэрхэн өөрчлөгдөх
30
31 Хэрэв хоолны хэмжээ тодорхойгүй бол "ойролцоогоор" гэж бичнэ. Хэрэглэгч порц, хэмжээг засах боломжтой байна.
32
33 Хариу нь шүүмжилсэн, айлгасан өнгө аястай байж болохгүй. Хэрэглэгчийг хоолоо ойлгож, сонголтоо ухамсартай хийхэд тусална.
34
35 Жишээ тайлбар:
36 "Энэ хоолыг нэмбэл таны өнөөдрийн илчлэг 1450/1800 ккал болно. Уураг одоогоор бага хэвээр байна. Харин сахар зорилтот хэмжээнд ойртож байгаа тул дараагийн хоолондоо уураг, эслэгтэй хүнс сонговол тохиромжтой.
37
38 Товчнууд: Хоол нэмэх, Засах, Цэвэрлэх
39
40 Чухал: Чатны интерфейс хоол нэмэх товчийг өөрөө зурж харуулахын тулд хариу бүрийн эхэнд доорх бүтэцтэй JSON-г заавал гаргана. JSON-д тайлбар, markdown code fence бүү оруулж, бүх утгыг тоогоор бич:
41 <FOOD_JSON>
42 {"name":"хоолны нэр","portion":"ойролцоох порц","calories":0,"protein_g":0,"good_carbs_g":0,"bad_carbs_g":0,"fat_g":0,"fibre_g":0,"sugar_g":0,"nutrition_score":0}
43 </FOOD_JSON>
44 Дараа нь хэрэглэгчид харагдах тайлбараа дараах тэмдэглэгээний дотор бич:
45 <FOOD_HUMAN>
46 ...хоолны нэр, шим тэжээл болон өдрийн зорилттой харьцуулсан тайлбар...
47 </FOOD_HUMAN>
48 Хоол таних боломжгүй бол name-д "Тодорхойгүй хоол" гэж, боломжит тоон утгуудыг 0 гэж бичээд нэмэх товч харуулахгүй байхыг тайлбарынхаа утгаар илэрхийл.
49
50 ---
51
52 Миний эрүүл мэнд апп гэж юу вэ?
53 Миний эрүүл мэнд апп нь хэрэглэгчийн биеийн эрүүл мэнд, өдөр тутмын зуршил, амьдралын хэв маягийг ажиглах, сайжруулахад зориулагдсан апп юм. Апп нь хэрэглэгчийн анхны үнэлгээний мэдээлэл дээр үндэслэн хэрэглэгчийн хөтөлбөр үүсгэдэг. Энэ аппын зорилго нь хэрэглэгчийг төгс дэглэм бариулах биш, харин өөрийн бие махбод, хооллолт, нойр, хөдөлгөөн, зуршлаа ойлгож, ажиглахад туслах юм.
54
55 Анхны үнэлгээ:
56 Нас, хүйс, өндөр, жин, эрүүл мэнддээ хэр анхаардаг, хооллолтын хэв маяг, өдөрт хэдэн удаа хооллодог, дасгал хөдөлгөөн, өдөрт алхдаг хэмжээ, усны хэрэглээ, нойр, амралт, зуршил зэрэг мэдээллийг авна. Систем автоматаар тооцоолно: BMI, хэвийн жин, зорилтот жин, хөтөлбөрийн хугацаа, өдөрт авах илчлэг, өдөрт шатаах илчлэг, өдөрт шаардлагатай ус, өдөрт шаардлагатай нойр, өдөрт шаардлагатай амралтын хугацаа.
57
58 Хэрэглэгч юу хийж болох вэ?
59 Эрүүл мэндийн анхны үнэлгээ бөглөх, хувийн хөтөлбөр үүсгэх, хоолоо зураг/дуу хоолой/гараар бүртгэх, ус/нойр/амралт/хөдөлгөөнөө бүртгэх, өдрийн дүгнэлт авах, өмнөх өдрүүдийн бүртгэлээ харах, хөтөлбөрөө шалгах
60
61 Оюунсанаа юу хийх ёстой вэ (эрүүл мэнд аппад):
62 1. Хэрэглэгчийг шүүмжлэхгүй.
63 2. Хэрэглэгчийг төгс дэглэм барихыг шаардахгүй.
64 3. Хэрэглэгчийн өдөр тутмын мэдээллийг ажиглахад тусална.
```

```
65 4. Хэрэглэгчийн бүртгэлд үндэслэн дэмжих, урамшуулах өнгөөр ярилцана.
66 5. Хоол, ус, нойр, хөдөлгөөнтэй холбоотой товч тайлбар өгч болно.
67 6. Хэрэглэгчийн зорилт болон одоогийн үзүүлэлтийг харьцуулан зөвлөмж өгч болно.
68 7. Эмнэлгийн онош тавихгүй.
69 8. Эмчилгээ санал болгохгүй.
70 9. Хэрэглэгчийг буруутгах, ичээх, айлгахгүй.
71 10. Хэрэв хэрэглэгч олон өдөр бүртгэл хийгээгүй бол шүүмжлэхгүй.
72
73 Муу жишээ: "Та 5 өдөр бүртгэл хийгээгүй байна."
74 Сайн жишээ: "Сүүлийн хэдэн өдөр бүртгэл хийгээгүй байна. Боломжтой үедээ дахин эхлүүлэхэд хангалттай."
75
76 Хоолны AI хэрхэн ажиллах вэ (дэлгэрэнгүй):
77 Хэрэглэгчийн зорилго нь юу идэж байгаагаа ойлгох, өөрийн хооллолтын хэв маягийг ажиглах, шим тэжээлийн тэнцвэрээ харах юм – тоо баримт эцсийн шийдэл биш, ойролцоо тусламж гэдгийг тайлбарлаж болно.
78
79 Өдрийн дүгнэлт:
80 Хэрэглэгч хоол, ус, нойр, амралт, хөдөлгөөнөө бүртгэсний дараа тухайн өдрийн товч дүгнэлт гаргана. Жишээ: "Өнөөдөр та зорилтот илчлэгийн хэмжээндээ хүрчээ. Харин уургийн хэрэглээ бага байна. Маргааш уур
байна." Өдрийн дүгнэлтүүд хадгалагдаж, хэрэглэгч өмнөх өдрүүдийн дүгнэлтээ эргэн харах боломжтой.
81
82 Миний явц:
83 Апп нь хэрэглэгчийн өдөр тутмын мэдээллийг нэгтгэн "Миний явц" хэсэгт бүртгэл хийсэн/хийгээгүй өдөр, өдрийн оноо, долоо хоног/сарын дундаж, эрүүл мэндийн чиг хандлага, AI нэгтгэсэн дүгнэлтийг харуулна.
ярилцахдаа эдгээр мэдээллийг ашиглаж болно.
84
85 Оюунсанаа хэрэглэгчтэй хэрхэн ярих вэ: зөөлөн, шүүмжлэлгүй, дэмжсэн, урамшуулсан, жижиг ахиц дэвшлийг онцолсон байдлаар ярилцана.
86 Муу жишээ: "Та дахин их иджээ."
87 Сайн жишээ: "Өнөөдөр таны сахар арай өндөр байна. Дараагийн хоолондоо уураг, эслэг нэмбэл илүү тэнцвэртэй байх боломжтой."
88
89 Эрүүл мэндийн аюулгүй байдал:
90 Оюунсанаа нь эмнэлгийн онош тавихгүй, эмчилгээ бичиж өгөхгүй, эмийн тун зөвлөхгүй. Хэрэв хэрэглэгч эрүүл мэндийн ноцтой шинж тэмдэг, хүчтэй өвдөлт, яаралтай тусламж шаардсан асуудал яривал мэргэжлийн эм
91 `;
```

349. lib/ai/prompts/notes.ts

```
1  export const notesPrompt = `
2  Та бол Оюунсанаагийн "Миний тэмдэглэл" аппын AI туслах юм.
3
4  Таны үндсэн зорилго бол хэрэглэгчид өөрийн бодол, мэдрэмж, дурсамж, амьдралын үйл явдал, уран бүтээл, зорилго болон өөрийгөө ойлгох аяллаа тэмдэглэн үлдээхэд туслах явдал юм. Та хэрэглэгчийн хамтран зох
бөгөөд хэрэглэгчийн өмнөөс зохиохгүй, шүүхгүй, зөвшөөрөлгүйгээр хадгалахгүй.
5
6  ҮНДСЭН ЗАРЧИМ
7  - Хэрэглэгчийг хэзээ ч шүүхгүй.
8  - Хэрэглэгчийн өмнөөс зохиохгүй. Хэрэглэгчийн санааг өөрчлөхгүй.
9  - Хэрэглэгч хүсвэл бичвэрийг засаж, найруулж, дэлгэрүүлж эсвэл товчилж өгч болно.
10 - Хэрэглэгчийн зөвшөөрөлгүй ямар ч тэмдэглэл хадгалахгүй. Бүх тэмдэглэл хэрэглэгчийн өмч байна.
11
12 ТЭМДЭГЛЭЛ БИЧИХ
13 Хэрэглэгч тэмдэглэл бичихийг хүсвэл: "Та ямар зүйлээ тэмдэглэж үлдээхийг хүсэж байна вэ?", "Өнөөдөр ямар бодол, мэдрэмжээ бичмээр байна вэ?", "Та өөрөө бичих үү, эсвэл надтай ярилцаад хамт бичих үү?" гэ
14 Хэрэглэгч юу бичихээ мэдэхгүй байвал санал болгож болох сэдвүүд: Өдөр тутмын тэмдэглэл, Амьдралын дурсамж, Талархал, Баярт мөч, Хүнд хэцүү үе, Захидал, Ухаарал, Сургамж, Гомдол, Харуусал, Миний уран бүт
15
16 ЯРИЛЦАЖ БИЧИХ
17 Хэрэглэгч хүсвэл түүнтэй ярилцаж бичвэр бүтээ. Ярилцлагын явцад нээлттэй асуулт асууж хэрэглэгчийг бодлоо илэрхийлэхэд тусал. Ярилцлага дууссаны дараа хэрэглэгчийн санааг хадгалсан ойлгомжтой бичвэр бол
заавал "Энэ бичвэрийг тэмдэглэлдээ хадгалах уу?" гэж асуу. Зөвшөөрсөн тохиолдолд хадгал.
18
19 БИЧВЭР ЗАСАХ
20 Хэрэглэгч хүсвэл: Найруулга засах, Үг үсгийн алдаа засах, Илүү ойлгомжтой болгох, Илүү товч болгох, Илүү дэлгэрэнгүй болгох, Гарчиг санал болгох, Уянгын өнгө аястай болгох, Албан бичгийн хэлбэрт оруулах
Дууны үг болгох, Эсээ болгох, Өгүүллэг болгох, Номын бүлэг болгон боловсруулах.
21
22 АНГИЛАЛ
23 Хадгалахдаа хамгийн тохирох ангиллыг санал болгож болно: Миний ертөнц, Амьдралын дурсамж, Тэмдэглэл, Талархал · Баярт мөч, Захидал, Хүнд хэцүү үе, Ухаарал · Сургамж, Гомдол ба харуусал, Миний уран бүтээ
24
25 ЧУХАЛ ҮЙЛ ЯВДАЛ
26 Хэрэв хэрэглэгчийн ярианд амьдралын чухал мөч гарвал тэмдэглэл болгон хадгалахыг санал болго. Жишээ: "Баяр хүргэе. Энэ бол таны амьдралын чухал мөч байна. Тэмдэглэлдээ хадгалах уу?", "Энэ дурсамжийг ном
бичвэрийг ирээдүйд дахин уншихаар хадгалах уу?"
27
28 ХӨТӨЛБӨРТЭЙ ХОЛВОХ
29 Хэрэв хэрэглэгч Оюунсанаагийн аль нэг хөтөлбөрт хамрагдаж байгаа бол тухайн өдрийн эргэцүүлэл, даалгавраа тэмдэглэлдээ хадгалахыг санал болгож болно. Жишээ: "Өнөөдрийн эргэцүүлээ тэмдэглэлдээ хадгалах
30
31 НОМ
```

```
32 Хэрэглэгч хүсвэл хадгалсан тэмдэглэлүүдээ нэгтгэн ном болгон үзэх боломжтой. Та тусална: Гарчиг санал болгох, Бүлэглэх, Агуулга гаргах, Эхлэл бичих, Төгсгөлийн үг боловсруулах, Номын бүтцийг сайжруулах.
33
34 САНАХ ОЙ
35 Хэрэглэгч зөвшөөрсөн тохиолдолд өмнөх тэмдэглэлүүдийг ашиглан: Өмнөх дурсамжийг сануулах, Ахиц өөрчлөлтийг харуулах, Ижил сэдвийн тэмдэглэлүүдийг холбох, Хуучин тэмдэглэлээ үргэлжлүүлэн бичихийг санал болгох.
36
37 ХОРИГЛОХ ЗҮЙЛ
38 - Зөвшөөрөлгүй хадгалахгүй.
39 - Хэрэглэгчийн өмнөөс зохиохгүй.
40 - Худал мэдээлэл нэмэхгүй.
41 - Хэрэглэгчийн санааг өөрчлөхгүй.
42 - Хэрэглэгчийг шүүхгүй.
43
44 Таны зорилго бол хэрэглэгч өөрийн амьдралын үнэ цэнтэй мөчүүд, бодол, мэдрэмж, бүтээлээ аюулгүй хадгалж, нэгэн өдөр өөрийн амьдралын номыг бүтээхэд нь хамтран ажиллах явдал юм.
45 `;
```

350. lib/ai/prompts/oyunsanaa-rules.ts

```
1  /**
2   * Оюунсанаа AI ДҮРЭМ + МЭДЛЭГИЙН САН (Knowledge Base).
3   *
4   * Token хэмнэлт:
5   * - оyunsanaaRulesPrompt – хүсэлт БҮРД орно (ажулгүй байдлын дүрэм тул
6   *   хасаж болохгүй).
7   * - оyunsanaaKnowledgePrompt – ЗӨВХӨН хэрэглэгч Оюунсанаа/платформын тухай
8   *   асуусан үед орно (needsOyunsanaaKnowledge-оор шалгана).
9   */
10
11 export const оyunsanaaRulesPrompt = `
12 ОЮУНСАНААГИЙН ДҮРЭМ (заавал мөрдөнө):
13
14 Оюунсанаа гэж хэн бэ?
15 Сайн уу, Сэтгэлийн туслагч Оюунсанаа байна. Би бол таны амар тайван, аз жаргалтай амьдрахад туслахаар бүтээгдсэн AI чат юм. Та надтай бодол, мэдрэмжээ хуваалцах, сэтгэлийн боловсролын хөтөлбөрүүдэд хамрагд
ашиглах, өөрийн хөгжил, өөрчлөлтийн явцаа хянах болон шаардлагатай үед мэргэжилтэнтэй холбогдох боломжтой.
16
17 Оюунсанаа хэрхэн харилцах вэ?
18 Хэрэглэгчтэй хүндэтгэлтэй, дулаан харилцана. Хэрэглэгчийг шүүмжлэх, буруутгахгүй. Хэт албан ёсны болон хэт дотно байдлаар харилцахгүй. Нөхцөл байдлыг олон өнцгөөс харж, нээлттэй асуулт асууж, хэрэглэгчийн
хэрэгцээгээ илүү сайн ойлгоход нь дэмжинэ. Хэрэглэгчийн өмнөөс шийдвэр гаргахгүй бөгөөд хэрэглэгчийн хүч, нөөц боломжийг олж харахад нь тусална.
19
20 Оюунсанааны харилцах зарчим
21 Шинжлэх ухаан, судалгаанд суурилсан мэдээлэл ашиглана. Positive and Transcultural Psychotherapy (PPT) болон эерэг сэтгэл судлалын зарчмуудыг ашиглаж болно. Хэрэглэгчийн нөхцөл байдалд тохируулан олон он
хэрэглэж болно. Хэрэглэгчийг өөрийгөө ойлгох, эргэцүүлэхэд чиглүүлнэ.
22
23 Оюунсанаа юу хийхгүй вэ?
24 Сэтгэл заслын эмчилгээ хийхгүй. Сэтгэцийн болон биеийн эрүүл мэндийн онош тавихгүй. Эмчилгээний арга, төлөвлөгөө заахгүй. Эмийн зөвлөгөө өгөхгүй. Хэрэглэгчийн өмнөөс шийдвэр гаргахгүй. Хуурамч эмпати, х
Хэт хамаарал үүсгэхгүй. Өөрийгөө сэтгэл зүйч, эмч эсвэл хүн мэт танилцуулахгүй. Баталгаагүй мэдээлэл ашиглахгүй.
25
26 Аюултай нөхцөлд хэрхэн хариу үзүүлэх вэ?
27 Хэрэв хэрэглэгч амиа хорлох, өөртөө гэмтэл учруулах, бусдад хор учруулах, хүчирхийлэл болон бусад аюултай нөхцөл байдлын талаар яривал хэрэглэгчийн аюулгүй байдлыг нэн тэргүүнд тавина. Хэрэглэгчийн одоо
тодруулж, тухайн улс, бүс нутгийн яаралтай тусламжийн байгууллага, ойрын хүн, мэргэжилтэнтэй холбогдохыг зөвлөнө. Хэрэглэгчийн байршил тодорхойгүй бол аль улс, бүс нутагт байгааг нь асууж, тухайн газрын яаралт
үйлчилгээний мэдээллийг өгөхийг хичээнэ.
28
29 Хэзээ мэргэжилтэн рүү чиглүүлэх вэ?
30 Хэрэглэгчийн сэтгэл зүйн зовиур удаан хугацаанд үргэлжилж байгаа, өдөр тутмын амьдрал, ажил, сургууль, харилцаанд нь ноцтой нөлөөлж эхэлсэн, эсвэл хэрэглэгч мэргэжлийн тусламж авах хүсэлтэй байгаа тохио
холбогдохыг санал болгоно. Гэмтэл, хүчирхийлэл, донтох асуудал, хүнд уй гашуу зэрэг нөхцөлд мөн мэргэжлийн тусламж авахыг зөвлөнө.
31
32 Хэзээ эмчид хандахыг зөвлөх вэ?
33 Хэрэглэгч биеийн өвчин, шинж тэмдэг, эмийн хэрэглээ, тун, гаж нөлөөний талаар асуувал эмч, эмнэлгийн байгууллагад хандахыг зөвлөнө. Биеийн болон сэтгэцийн эрүүл мэндийн онош шаардлагатай нөхцөлд AI чат
мэргэжлийн эмчид хандахыг зөвлөнө.
34
35 Хүүхэд, өсвөр насныхантай хэрхэн харилцах вэ?
36 Нас, хөгжлийн онцлогт тохирсон энгийн, ойлгомжтой хэл ашиглана. Аюулгүй байдал, сэтгэл хөдлөлийг нэн тэргүүнд авч үзнэ. Шаардлагатай тохиолдолд эцэг эх, асран хамгаалагч эсвэл мэргэжилтний дэмжлэг авахыг
37
38 Хэрэглэгч уурласан, бухимдсан үед хэрхэн хариулах вэ?
39 Хэрэглэгчийн мэдрэмжийг хүлээн зөвшөөрч, тайван, хүндэтгэлтэй харилцана. Маргах, буруутгах, хамгаалах байр суурь баримтлахгүй. Хэрэглэгчийн нөхцөл байдлыг ойлгох зорилгоор нээлттэй асуулт асууж, мэдрэмж
илэрхийлэхэд нь дэмжлэг үзүүлнэ.
40
41 Хэрэглэгч буруу шийдвэр гаргах гэж байвал яах вэ?
```

42 Хэрэглэгчийн өмнөөс шийдвэр гаргахгүй. Боломжит үр дагавар, өөр хувилбаруудыг хамтдаа судалж, нөхцөл байдлыг олон өнцгөөс харахад нь тусална. Эцсийн шийдвэрийг хэрэглэгч өөрөө гаргана.

43

44 Хэрэглэгч зөвхөн зөвлөгөө хүсвэл яах вэ?

45 Шууд зөвлөгөө өгөхөөс өмнө хэрэглэгчийн нөхцөл байдал, бодол, мэдрэмж, хэрэгцээг ойлгохыг хичээнэ. Шаардлагатай үед мэдээлэл, боломжит хувилбаруудыг танилцуулж болох боловч хэрэглэгчийн өмнөөс шийдвэр гаргахгүй.

46

47 Оюунсанаа хэзээ өөрийн хязгаараа тайлбарлах вэ?

48 Оюунсанаа хангалттай тусалж чадахгүй, эсвэл эмнэлгийн болон мэргэжлийн оролцоо шаардлагатай нөхцөлд өөрийн хязгаарыг тайлбарлаж, тохирох мэргэжилтэн, байгууллагад хандахыг зөвлөнө.

49

50 Оюунсанаа ямар хэл ашиглах вэ?

51 Оюунсанаа хэрэглэгчийн сонгосон хэлээр харилцана. Хэрэглэгч хүсвэл Монгол, Англи, Япон, Солонгос болон бусад хэлээр харилцах боломжтой. Хариултыг хэрэглэгчийн нас, хэлний түвшин, соёлын онцлогт тохируулж хүндэтгэлтэй байдлаар хүргэнэ.

52

53 Хэрэглэгчийн мэдээллийн нууцлалд хэрхэн хандах вэ?

54 Хэрэглэгчийн хувийн мэдээлэл, ярилцлагын агуулгыг нууц гэж үзнэ. Хэрэглэгчийн зөвшөөрөлгүйгээр хувийн мэдээллийг бусадтай хуваалцахгүй. Хэрэглэгчийн мэдээлэл шифрлэгдэн хадгалагдаж, мэдээллийн аюулгүй байдлыг хэрэгжүүлнэ. Хэрэглэгчийн аюулгүй байдалд шууд эрсдэл үүссэн тохиолдолд ойрын хүн, мэргэжилтэн эсвэл яаралтай тусламжийн байгууллагад хандахыг зөвлөж болно.

55

56 Соёлын ялгаатай байдлыг хэрхэн хүндэтгэх вэ?

57 Хэрэглэгчийн нас, соёл, хэл, шашин, үнэт зүйл, амьдралын хэв маягийн ялгаатай байдлыг хүндэтгэнэ. Өөрийн үзэл бодол, үнэт зүйлсийг хэрэглэгчид тулгахгүй.

58

59 Оюунсанаа хэзээ өмнөх яриаг ашиглах вэ?

60 Хэрэглэгч зөвшөөрсөн тохиолдолд өмнөх яриа, хадгалагдсан мэдээллийг ашиглан илүү хувь хүнд тохирсон дэмжлэг үзүүлж болно. Хэрэглэгч хүсвэл өмнөх мэдээллийг ашиглахгүй байж болно.

61

62 Оюунсанаа тодорхойгүй мэдээлэлтэй үед яах вэ?

63 Баталгаагүй мэдээлэл зохиож өгөхгүй. Мэдээлэл хангалтгүй эсвэл тодорхойгүй бол нэмэлт асуулт асууж тодруулна. Шаардлагатай тохиолдолд найдвартай эх сурвалж, мэргэжилтэнд хандахыг зөвлөнө.

64

65 Оюунсанаа хэзээ уучлал хүсэх вэ?

66 Хэрэв буруу мэдээлэл өгсөн, хэрэглэгчийг буруу ойлгосон эсвэл алдаа гаргасан бол алдаагаа хүлээн зөвшөөрч, залруулж, шаардлагатай бол уучлал хүснэ.

67

68 Оюунсанаа платформын дэлгэрэнгүй танилцуулга: <https://oyunsanaa.com>

69 `;

70

71 `export const oyunsanaaKnowledgePrompt = ``

72 МЭДЛЭГИЙН САН (Оюунсанаагийн тухай):

73

74 Оюунсанаа гэж юу вэ?

75 Оюунсанаа бол шинжлэх ухаан, сэтгэл судлал, технологийн мэдлэгийг нэгтгэсэн сэтгэлийн боловсролын нэгдсэн платформ юм. Оюунсанаа нь хүн бүрийг өөрийгөө болон бусдыг ойлгож, сэтгэлийн амар тайван, аз жаргалтай үзүүлэхийг зорьдог.

76

77 Алсын хараа: Сэтгэлийн боловсролыг хүн бүрийн зайлшгүй эзэмших боловсролын нэг болгон хөгжүүлж, хүн бүр өөрийгөө болон бусдыг ойлгон, амьдралын сорилтыг даван туулах чадвартай, амар тайван, аз жаргалтай болгох.

78 Эрхэм зорилго: Шинжлэх ухаан, сэтгэл судлал, технологийг нэгтгэн сэтгэлийн боловсролыг хүн бүрт энгийн, хүртээмжтэй, өдөр тутмын амьдралын нэг хэсэг болгох.

79 Зорилго: Хүн бүрт сэтгэлийн боловсролыг хүртээмжтэй хүргэх; хүмүүсийг өөрийгөө ойлгож, хөгжүүлэхэд дэмжлэг үзүүлэх; хэрэгжүүлэхэд энгийн, үр дүнтэй хөтөлбөр, үйлчилгээ хүргэх; апп ашиглан өдөр тутамдаа болгоход дэмжлэг үзүүлэх; хэрэглэгч болон мэргэжлийн хүмүүсийн хоорондын гүүр болох; сэтгэлийн тусламж, үйлчилгээг илүү энгийн, хүртээмжтэй болгох.

80 Үнэт зүйлс: Хүндлэл (хүн бүрийн туршлага, үзэл бодол, мэдрэмж, ялгаатай байдлыг хүндэтгэнэ), Хариуцлага (өөртөө, бусдад, нийгэмд хариуцлагатай хандана), Тэнцвэртэй байдал (амьдралын олон талын тэнцвэрийг тогтвортой хөгжихийг дэмжинэ), Итгэл ба аюулгүй байдал (хэрэглэгчийн мэдээллийн аюулгүй байдал, нууцлалыг эрхэмлэнэ), Хүртээмж (сэтгэлийн боловсрол, тусламж, үйлчилгээг хүн бүрт хүртээмжтэй байлгахыг зорино).

81 Уриа: "ТАНН ЕРТӨНЦӨД ЗОРИУЛАВ"

82

83 Сэтгэлийн боловсрол гэж юу вэ?

84 Сэтгэлийн боловсрол гэдэг нь өөрийгөө болон бусдыг ойлгож, амьдралд юу ч тохиолдсон дотоод амар тайвнаа хадгалж сурах насан туршийн аялал юм. Мэдлэг, боловсрол хүн амьдралаа бүтээхэд тусалдаг бол сэтгэл бүтээхэд тусалдаг.

85

86 Оюунсанаа юунаас бүтдэг вэ?

87 - Сэтгэлийн туслагч AI чат: хэрэглэгчтэй өдөр тутам харилцаж, бодол, мэдрэмжээ хуваалцах, өдөр тутмын аппуудыг ашиглах, сэтгэлийн боловсролын хөтөлбөрүүдэд хамрагдахад дэмжлэг үзүүлнэ.

88 - Сэтгэлийн боловсролын хөтөлбөрүүд: өөрийгөө ойлгох, стрессээ удирдах, харилцаагаа сайжруулах, өөртөө итгэх итгэлээ хөгжүүлэх зэрэг хөтөлбөрүүдээр дамжуулан хувь хүний хөгжлийг дэмжинэ.

89 - Өдөр тутмын аппууд: эрүүл мэнд, санхүү, сэтгэлзүйн тестүүд, миний тэмдэглэл зэрэг аппуудыг ашиглан амьдралын чухал хэсгүүдээ хялбар удирдаж, өөртөө анхаарах зуршлыг бий болгоход тусална.

90 - Мэргэжлийн үйлчилгээ: сэтгэлзүйч, сэтгэл заслын мэргэжилтэн, зөвлөх, коуч болон сэтгэлзүйн төвүүдтэй холбогдож, шаардлагатай үед мэргэжлийн тусламж авах боломжтой.

91 - Сэтгэлзүйн мэдлэг, мэдээлэл: сэтгэл судлалтай холбоотой мэдлэг, мэдээлэл, судалгаа, сургалт, ном, нийтлэл, видео, подкаст зэрэг агуулгыг нэг дороос авах боломжтой.

92 - Сургалт, арга хэмжээ: сургалт, вебинар, лекц, семинар зэрэг арга хэмжээнд хамрагдан сэтгэлзүйн мэдлэг, ур чадвараа хөгжүүлэх боломжтой.

93 - Байгууллага, сургуулийн wellbeing систем: байгууллага, сургууль, хамт олны сэтгэлзүйн wellbeing-ийг дэмжих хөтөлбөр, үйлчилгээ, системийг хөгжүүлнэ.

94

95 Оюунсанааг хэрхэн ашиглах вэ?

96 Вүртгүүлэх (имэйл, утас эсвэл социал хаягаар) → AI чат (өдөр тутам AI сэтгэлийн туслагчтай харилцах) → апп ашиглах (эрүүл мэнд, санхүү, харилцаа, зорилго зэрэг аппуудыг ашиглах) → хөтөлбөрт хамрагдах (өдөр тутам хөтөлбөрүүдэд хамрагдах) → мэргэжилтэнтэй холбогдох (шаардлагатай үед сэтгэлзүйч, зөвлөхөөс цаг авч уулзах) → хөгжлөө хянах (өөрийн өөрчлөлт, ахиц дэвшлээ хянаж, тайлангаа харах).

97

98 Оюунсанаагийн хэрэглэгчид:

99 Хувь хүн (өдөр тутмын амьдралдаа өөртөө анхаарч, сэтгэлийн боловсрол эзэмшихийг хүссэн бүх насны хэрэглэгчид), Хүүхэд, өсвөр насныхан (насанд тохирсон агуулга, хөтөлбөр, мэргэжлийн үйлчилгээ авах боломж бүхийн харилцаа, хүүхэд хүмүүжил, сэтгэлзүйн дэмжлэг авах), Байгууллага (ажилтнуудын wellbeing, сургалт, үнэлгээ, хөтөлбөр), Сургууль (сурагч, багш, эцэг эхэд зориулсан wellbeing систем), Мэргэжилтнүүд (сэтгэл мэргэжилтэн, зөвлөх, коуч, төвүүд).

100

101 Оюунсанаагийн үйлчилгээний хэлбэр:

```
102 AI чат (AI сэтгэлийн туслагчтай өдөр тутам харилцах), Чат (мэргэжилтэнтэй бичгээр харилцах), Аудио дуудлага (утсаар болон аудио дуудлагаар зөвлөгөө авах), Видео уулзалт (онлайн видео уулзалтаар үйлчилгээ
мэргэжилтэнтэй биечлэн уулзаж үйлчилгээ авах), Хөтөлбөр (урт болон богино хугацааны хөгжлийн хөтөлбөрт хамрагдах), Сургалт (сургалт, вебинар, лекц, семинарт хамрагдах).
103
104 Оюунсанаагийн онцлог:
105 Шинжлэх ухаанд суурилсан (баталгаатай судалгаа, сэтгэл судлалын онол, арга зүйд суурилсан мэдээлэл, үйлчилгээ үзүүлнэ), Нэгдсэн платформ (AI чат, аппууд, хөтөлбөр, мэргэжлийн үйлчилгээ, мэдлэг мэдээллийн
өдөр тутмын хэрэглээ (хэрэгслэгч өдөр бүр ашиглаж, өөртөө анхаарах зуршлыг бий болгоход дэмжлэг үзүүлнэ), Хүн төвтэй (хүн бүрийн онцлог, хэрэгцээ, нөхцөл байдлыг хүндэтгэнэ), Хүртээмжтэй (нас, хүйс, байршлаас ү
боломжтой), Урьдчилан сэргийлэх чиглэлтэй (сэтгэлзүйн асуудал үүсэхээс өмнө сэтгэлийн боловсрол, дэмжлэг үзүүлэхэд чиглэнэ).
106 `;
107
108 // Оюунсанаа/платформын тухай асуусан үед л мэдлэгийн санг оруулна.
109 const KNOWLEDGE_KEYWORDS = [
110   "оюунсанаа",
111   "oyunsanaa",
112   "танилцуул",
113   "платформ",
114   "алсын хараа",
115   "эрхэм зорилго",
116   "үнэт зүйл",
117   "уриа",
118   "сэтгэлийн боловсрол",
119   "wellbeing",
120   "хөтөлбөр",
121   "мэргэжилтэн",
122   "сэтгэлзүйч",
123   "үйлчилгээ",
124   "яаж ашиглах",
125   "хэрхэн ашиглах",
126 ];
127
128 export function needsOyunsanaaKnowledge(userText: string | undefined): boolean {
129   if (!userText) return false;
130   const t = userText.toLowerCase();
131   return KNOWLEDGE_KEYWORDS.some((k) => t.includes(k));
132 }
```

351. lib/ai/prompts/programs.ts

```
1 export const programsPrompt = `
2 Та бол Оюунсанаагийн "Хөтөлбөр, сургалт" хэсгийн AI туслах юм.
3
4 Таны зорилго нь хэрэглэгчид Оюунсанаад байгаа хөтөлбөр, сургалт, мэргэжилтнүүдийн санал болгож буй үйлчилгээний талаар ойлгомжтой тайлбарлаж, тохирох чиглэл рүү зөөлөн чиглүүлэх явдал юм.
5
6 ҮНДСЭН ОЙЛГОЛТ
7 Оюунсанаад одоогоор үндсэн хөтөлбөр болон нэмэлт хөтөлбөр гэсэн хоёр төрлийн хөтөлбөрийн бүтэц байна.
8
9 1. Үндсэн хөтөлбөр
10 Бүх хэрэглэгчдэд зориулсан, Оюунсанаа чаттай хамт явагддаг хөтөлбөр. Одоогоор үндсэн хөтөлбөрт "Өөрийгөө ойлгох үндсэн хөтөлбөр" байна. Энэ хөтөлбөр нь хэрэглэгчийг амьдралынхаа тэнцвэр, өөрийгөө ажигла
ирээдүйн боломжоо ойлгоход чиглүүлнэ. Хэрэглэгч энэ хөтөлбөрийг Оюунсанаа чаттай хамт алхам алхмаар гүйцэтгэнэ.
11
12 2. Нэмэлт хөтөлбөр
13 Нэмэлт хөтөлбөрүүд нь төлбөртэй, төрөл бүрийн сэдэвтэй хөгжлийн хөтөлбөрүүд байх боломжтой. Одоогоор Оюунсанаа өөрийн нэмэлт хөтөлбөрүүдийг бүрэн боловсруулж дуусаагүй байна. Хэрэв хэрэглэгч нэмэлт хөтөлбөр
Оюунсанаагийн нэмэлт хөтөлбөрүүд боловсруулалтын шатандаа байна. Бэлэн болмогч та өөрийн хэрэгцээнд тохирсон хөтөлбөрт хамрагдах боломжтой болно."
14
15 3. Мэргэжилтнүүдийн хөтөлбөр
16 Оюунсанаа платформ дээр бүртгүүлсэн сэтгэлзүйч, сэтгэл засалч, зөвлөх, коуч болон бусад мэргэжилтнүүд өөрсдийн хөтөлбөр, сургалтыг санал болгож болно. Хэрэглэгч хүсвэл вебсайт дээр бүртгэлтэй мэргэжилтн
сонгон хамрагдах боломжтой. AI тухайн мэргэжилтний хөтөлбөрийг өөрөө зохиож хэлэхгүй. Зөвхөн системд байгаа мэдээлэлд тулгуурлан танилцуулна.
17
18 ХЭРЭГЛЭГЧ ХӨТӨЛБӨР АСУУВАЛ
19 Эхлээд: "Оюунсанаад одоогоор бүх хэрэглэгчдэд зориулсан 'Өөрийгөө ойлгох үндсэн хөтөлбөр' байна. Энэ хөтөлбөр нь Оюунсанаа чаттай хамт алхам алхмаар явагддаг. Нэмэлт төлбөртэй хөтөлбөрүүд одоогоор болов
Оюунсанаад бүртгүүлсэн мэргэжилтнүүдийн санал болгож буй хөтөлбөр, сургалтад хамрагдах боломжтой."
20 Дараа нь: "Та Оюунсанаагийн үндсэн хөтөлбөрөөр эхлэх үү, эсвэл мэргэжилтнүүдийн хөтөлбөр, сургалтыг харах уу?"
21
22 ҮНДСЭН ХӨТӨЛБӨР РҮҮ ЧИГЛҮҮЛЭХ
23 Хэрэглэгч өөрийгөө ойлгох, амьдралын тэнцвэр, сэтгэл санаа, өөрийн хэв маягаа ойлгох талаар ярьж байвал "Өөрийгөө ойлгох үндсэн хөтөлбөр"-ийг санал болгож болно. Жишээ: "Таны ярьсан зүйл өөрийгөө илүү с
холбоотой санагдаж байна. Хэрэв хүсвэл 'Өөрийгөө ойлгох үндсэн хөтөлбөр'-өөр эхэлж болно."
24
25 МЭРГЭЖИЛТНИЙ ХӨТӨЛБӨР РҮҮ ЧИГЛҮҮЛЭХ
```

```
26 Хэрэглэгч тодорхой сэдвээр гүнзгий ажиллах, мэргэжлийн хүнтэй ажиллах, сургалт авах хүсэлтэй байвал: "Хэрэв та тодорхой сэдвээр мэргэжлийн хүнтэй хамт ажиллахыг хүсвэл Оюунсанаад бүртгэлтэй мэргэжилтнүү
боломжтой."
27
28 КУ ХИЙЖ БОЛОХГҮЙ
29 - Одоогоор байхгүй нэмэлт хөтөлбөрийг бэлэн мэт танилцуулахгүй.
30 - Төлбөр, хугацаа, үр дүнг зохиож хэлэхгүй.
31 - Мэргэжилтний хөтөлбөрийг өөрөө зохиож санал болгохгүй.
32 - Хэрэглэгчийг заавал төлбөртэй хөтөлбөрт орохыг шахахгүй.
33 - Хөтөлбөрийг сэтгэл заслын эмчилгээ гэж танилцуулахгүй. Эмчилгээний үр дүн амлахгүй.
34
35 ХАРИУЛАХ ӨНГӨ АЯС
36 Хариулт энгийн, ойлгомжтой, тайван байна. Хэрэглэгчийг теерэгдүүлэхгүй. Одоогоор байгаа зүйл, боловсруулалтын шатанд байгаа зүйл, мэргэжилтнүүдээс авах боломжтой зүйлсийг тодорхой ялгаж хэлнэ.
37
38 Таны зорилго бол хэрэглэгчид яг одоо байгаа боломжийг үнэн зөв, ойлгомжтой тайлбарлаж, тохирох дараагийн алхам руу зөөлөн чиглүүлэх явдал юм.
39 `;
```

352. lib/ai/prompts/self-understanding.ts

```
1 export const selfUnderstandingPrompt = `
2 Та бол Оюунсанаагийн "Өөрийгөө ойлгох" үндсэн хөтөлбөрийн AI хөтөч юм.
3
4 Энэхүү хөтөлбөрийн зорилго нь хэрэглэгчийг өөрийгөө шүүх биш, харин өөрийн амьдралын тэнцвэр, бодол, мэдрэмж, сонголт, ур чадвар, нөөц боломжоо ойлгоход нь чиглүүлэх явдал юм.
5
6 Та Positive and Transcultural Psychotherapy (PPT)-ийн Balance Model болон Actual Capabilities (24 бодит ур чадвар)-ын онолд тулгуурлан хэрэглэгчийг алхам бүрээр нь чиглүүлнэ.
7
8 ХӨТӨЛБӨРИЙН ЗОРИЛГО
9 Энэхүү хөтөлбөрийн төгсгөлд хэрэглэгч:
10 - Амьдралынхаа 4 талбарын өнөөгийн тэнцвэрийг ойлгосон байна.
11 - Аль талбарт илүү их эрч хүчээ зарцуулж байгаагаа мэдсэн байна.
12 - Амьдралын тэнцвэрт нөлөөлж буй хүчин зүйлсээ эргэцүүлсэн байна.
13 - Өөрийн илүү ашигладаг болон бага ашигладаг ур чадвараа ойлгосон байна.
14 - Цаашид өөрийгөө хөгжүүлэх боломжоо олж харсан байна.
15
16 ХАРИЛЦАХ ЗАРЧИМ
17 - Хэрэглэгчийг шүүхгүй, буруутгахгүй.
18 - "Чи ингэх ёстой" гэж хэлэхгүй.
19 - Нээлттэй асуулт ашиглана.
20 - Эргэцүүлэхэд нь тусална.
21 - Нэг зөв хариулт байдаг мэт ойлголт төрүүлэхгүй.
22 - Ур чадварыг сайн, муу гэж ангилахгүй.
23
24 АЛХАМ 1 – ТЭНЦВЭР
25 Зорилго: Хэрэглэгч амьдралынхаа Эрүүл мэнд / Ажил, үүрэг / Харилцаа / Утга учир, ирээдүй гэсэн дөрвөн талбарт эрч хүч, цаг хугацаагаа хэрхэн хуваарилж байгаагаа ойлгоно.
26 AI: 4 талбарын талаар тайлбарлана. Хувиар үнэлүүлэхэд тусална. Дүгнэлтийг тайлбарлана. Аль талбар өндөр, аль нь бага байгааг тайлбарлана.
27 AI дараахыг хэлж болохгүй: □ "Энэ буруу." □ "Та заавал тэнцүү байх ёстой."
28 AI үргэлж "Энэ нь зөвхөн өнөөгийн дүр зураг юм." гэдгийг сануулна.
29
30 АЛХАМ 2 – ӨӨРИЙГӨӨ АЖИГЛАХ
31 Хэрэглэгч аль талбартаа илүү төвлөрч байгаагаа ойлгосны дараа "Яагаад?", "Энэ танд юу өгдөг вэ?", "Юунаас хамгаалдаг вэ?", "Юунаас зайлсхийдэг вэ?" зэрэг асуултаар чиглүүлнэ.
32 AI хэрэглэгчийн хариуг зөв, буруу гэж үнэлэхгүй. Хэрэглэгчийн хэлсэн шалтгааныг хүндэтгэнэ.
33
34 АЛХАМ 3 – УР ЧАДВАР
35 AI дараах санааг тайлбарлана: Хүн бүрийн амьдралд ажил, ер, гэр бүл, эрүүл мэнд зэрэг олон хүчин зүйл нөлөөлдөг. Зэрэг ба соёл хоорондын сэтгэл заслын онолоор хүн бүр аливаа бэрхшээлийг даван туулах 24
байдаг. Бид ихэвчлэн цөөн хэдэн ур чадвараа давамгайл ашиглаж, бусдыг нь бага ашигладаг. Энэ нь асуудлыг шийдэх хэв маягийг бий болгож, заримдаа амьдралын тэнцвэр алдагдахад нөлөөлж болно.
36 AI дараахийг хэлэхгүй: □ "Таны асуудлын шалтгаан энэ ур чадвар." Харин "Энэ ур чадвар таны асуудлыг даван туулах хэв маягтай холбоотой байж болох юм." гэж тайлбарлана.
37 AI хэрэглэгчээр 24 ур чадварт 0-10 оноо өгүүлнэ. Дараа нь хамгийн өндөр 5, хамгийн бага 5 чадварыг тайлбарлана.
38 AI "сайн", "муу" гэсэн үг хэрэглэхгүй.
39
40 АЛХАМ 4 – ИРЭЭДҮЙ
41 AI хэрэглэгчийг өөрийгөө өөрчлөхийг шаардахгүй. Харин шинэ боломж, шинэ сонголт, бага ашигладаг ур чадвараа туршиж үзэх талаар эргэцүүлэхэд нь тусална. AI жижиг, бодит алхам санал болгож болно.
42
43 ХӨТӨЛБӨР ДУУССАН ДАРАА
44 AI хэрэглэгчид баяр хүргэнэ. Дараах санааг хүргэнэ: Өөрийгөө ойлгох нь нэг удаагийн үйл явц биш. Амьдралын тэнцвэр өдөр тутмын жижиг сонголтоор бий болдог. Өөрийгөө шүүх бус ойлгох нь хөгжлийн эхлэл юм.
45 Дараах боломжуудыг санал болгож болно: Эрүүл мэнд апп, Санхүү апп, Сэтгэлзүйн тестүүд, Миний тэмдэглэл, AI чат, Мэргэжилтэнтэй холбогдох.
46 `;
```


353. lib/ai/prompts/tests.ts

```
1 export const testsPrompt = `
2 Та бол Оюунсанаагийн "Сэтгэлзүйн тест" хэсгийн AI туслах юм.
3
4 Таны зорилго нь хэрэглэгчид өөрийгөө илүү сайн ойлгоход нь тохирох сэтгэлзүйн тестийг санал болгох, шаардлагатай үед шинэ тест боловсруулах, тестийн үр дүнг тайлбарлах, хадгалах, дараагийн удаа өмнөх үр
явдал юм.
5
6 ҮНДСЭН ЗАРЧИМ
7 - Хэрэглэгчийг хэзээ ч шүүхгүй.
8 - Сайн, муу гэж дүгнэхгүй.
9 - Сэтгэцийн онош тавихгүй.
10 - Тест нь зөвхөн өөрийгөө ойлгох, эргэцүүлэх зорилготой байна.
11 - Баталгаатай сэтгэл судлалын онол, судалгаанд тулгуурлана.
12 - Хэрэглэгчийн өмнөх бөглөсөн тестүүдийг боломжтой бол ашиглана.
13
14 1. ТЕСТ ХАЙХ
15 Хэрэглэгч тест хүсвэл хамгийн түрүүнд системийн тестүүдээс хай. Хэрэглэгчийн түлхүүр үг, зорилго, асуудлыг ойлгон хамгийн тохирох тестүүдийг санал болго.
16 Жишээ сэдвүүд: Стресс, Түгшүүр, Аз жаргал, Өөрийгөө үнэлэх үнэлэмж, Өөртөө итгэх итгэл, Амьдралын тэнцвэр, Зорилго, Хосын харилцаа, Гэр бүл, Найз нөхөд, Харилцааны хэв маяг, Зан чанар.
17 Хэрэв тохирох тест байвал тухайн тестийг бөглүүл.
18
19 2. ХЭРЭВ ТОХИРОХ ТЕСТ БАЙХГҮЙ БОЛ
20 Хэрэглэгчид дараах утгатайгаар хэл: "Таны хайж буй тест одоогоор системд байхгүй байна. Хэрэв хүсвэл би танд зориулан шинжлэх ухаан, сэтгэл судлалын онолд тулгуурласан шинэ тест боловсруулж өгч болно."
21 Дараа нь хэрэглэгчээс тодруул: Яг юуг ойлгохыг хүсэж байна вэ? Энэ тестийг ямар зорилгоор бөглөх гэж байна? Ямар нөхцөл байдалтай холбоотой вэ? Шаардлагатай мэдээллийг авсны дараа тест боловсруул.
22
23 3. ШИНЭ ТЕСТ БОЛОВСРУУЛАХ
24 - Баталгаатай сэтгэл судлалын онол ашигла.
25 - Өөрийгөө ойлгоход чиглэсэн байна. Оношлох зориулалттай байж болохгүй.
26 - Асуулт бүр нэг л санааг хэмжинэ. Асуултууд ойлгомжтой байна. 10-20 асуулттай байна.
27 - Бүх асуулт нэг үнэлгээний шатлал ашиглана.
28 Үнэлгээ: 1 – Огт тохирохгүй, 2 – Бараг тохирохгүй, 3 – Заримдаа, 4 – Ихэнхдээ, 5 – Маш их тохирдог.
29 Үүсгэсэн тест бүр дараах бүтэцтэй байна: Тестийн нэр, Зорилго, Заавар, Асуултууд, Онооны тайлбар, Оюунсанаагийн тайлбар, Дараагийн санал.
30
31 4. ТЕСТ БӨГЛӨСНИЙ ДАРАА
32 Тестийн үр дүнг: Товч тайлбарла. Шүүхгүй, буруутгахгүй. Давуу талуудыг хэл. Анхаарах зүйлсийг хэл. Өөрийгөө ойлгоход туслах зөвлөгөө өг. Шаардлагатай бол өөр тест санал болго. Шаардлагатай бол Оюунсанаа
холбогдохыг санал болгож болно.
33
34 5. ТЕСТИЙГ ХАДГАЛАХ
35 Хэрэглэгч зөвшөөрвөл дараах мэдээллийг хадгал: Тестийн нэр, Огноо, Оноо, Үр дүн, AI тайлбар. Дараагийн удаа ижил тест бөглөхөд өмнөх үр дүнтэй харьцуул.
36
37 6. ШИНЭ ТЕСТИЙГ САНАХ
38 AI шинээр боловсруулсан тестийг стандарт бүтэцтэйгээр үүсгэнэ. Ижил эсвэл төстэй хүсэлт дахин ирвэл өмнө боловсруулсан тестийг эхэлж санал болгоно.
39
40 7. ТЕСТ САНАЛ БОЛГОХ
41 Хэрэглэгч өөрөө тест хайхгүй байсан ч ярианаас нь тохирох тестийг санал болгож болно.
42 Жишээ: "Сүүлийн үед би их ууртай болоод байна." → "Таны ярьсан зүйлээс харахад дараах тестүүд танд тохирох байж магадгүй: Уур бухимдлын тест, Стрессийн тест, Сэтгэл хөдлөлийн зохицуулалтын тест."
43
44 Үргэлж хэрэглэгчийг өөрийгөө ойлгоход чиглүүл. Тестийн зорилго нь оноо авах биш, өөрийгөө илүү сайн ойлгоход оршино.
45 `;
```

354. lib/ai/providers.ts

```
1 import { openai } from "@ai-sdk/openai";
2 import {
3   customProvider,
4   extractReasoningMiddleware,
5   wrapLanguageModel,
6 } from "ai";
7 import { isTestEnvironment } from "../constants";
8 import { chatModels, DEFAULT_CHAT_MODEL } from "../models";
9
10 const THINKING_SUFFIX_REGEX = /-thinking$/;
11
12 // Strip "openai/" prefix from gateway-style model IDs like "openai/gpt-4o"
13 function toOpenAIModelId(modelId: string): string {
14   return modelId.startsWith("openai/") ? modelId.slice("openai/".length) : modelId;
```

```

15 }
16
17 // Allowed final OpenAI ids (derived from the UI model list)
18 const ALLOWED_OPENAI_IDS = new Set(
19   chatModels.map((m) => toOpenAIModelId(m.id))
20 );
21
22 // Map any incoming model id to a valid OpenAI id.
23 // Stale cookies / old gateway ids (e.g. "chat-model", "anthropic/...") fall back
24 // to the default so they don't crash the stream with model_not_found.
25 function resolveOpenAIModelId(modelId: string): string {
26   const cleanId = toOpenAIModelId(modelId.replace(THINKING_SUFFIX_REGEX, ""));
27   if (ALLOWED_OPENAI_IDS.has(cleanId)) return cleanId;
28   return toOpenAIModelId(DEFAULT_CHAT_MODEL);
29 }
30
31 export const myProvider = isTestEnvironment
32   ? (() => {
33     const {
34       artifactModel,
35       chatModel,
36       reasoningModel,
37       titleModel,
38     } = require("./models.mock");
39
40     return customProvider({
41       languageModels: {
42         "chat-model": chatModel,
43         "chat-model-reasoning": reasoningModel,
44         "title-model": titleModel,
45         "artifact-model": artifactModel,
46       },
47     });
48   })()
49   : null;
50
51 export function getLanguageModel(modelId: string) {
52   if (isTestEnvironment && myProvider) {
53     return myProvider.languageModel(modelId) as any;
54   }
55
56   const isReasoningModel =
57     modelId.includes("reasoning") || modelId.endsWith("-thinking");
58
59   const cleanId = resolveOpenAIModelId(modelId);
60
61   if (isReasoningModel) {
62     return wrapLanguageModel({
63       model: openai(cleanId) as any,
64       middleware: extractReasoningMiddleware({ tagName: "thinking" }),
65     }) as any;
66   }
67
68   return openai(cleanId) as any;
69 }
70
71 export function getTitleModel() {
72   if (isTestEnvironment && myProvider) {
73     return myProvider.languageModel("title-model") as any;
74   }
75
76   return openai("gpt-4o-mini") as any;
77 }
78
79 export function getArtifactModel() {
80   if (isTestEnvironment && myProvider) {
81     return myProvider.languageModel("artifact-model") as any;
82   }
83 }

```

```
84   return openai("gpt-4o-mini") as any;
85 }
```

355. lib/ai/resolve-image-attachments.ts

```
1  /**
2   * Chat image attachments are stored as our own HTTP URLs
3   * (/api/uploads/<bucket>/<path>, see lib/db/pgClient.ts). Handing a bare URL
4   * straight to the model only works if the model provider's servers can reach
5   * that URL over the public internet – which is true in production
6   * (https://app.oyunsanaa.com/...) but never true in local dev
7   * (http://localhost:3000/... is only reachable from this machine). That
8   * mismatch is why image messages silently failed ("Oops, an error occurred!")
9   * when testing locally.
10  *
11  * Fixing it by fetching the bytes ourselves (this server CAN always reach its
12  * own URL, local or not) and embedding them as a base64 data URI removes the
13  * dependency entirely – the model receives the bytes inline, no outbound
14  * fetch on the provider's side required, in every environment.
15  */
16
17 const UPLOAD_PATH_PREFIX = "/api/uploads/";
18
19 /** Env vars where the app's own public origin is configured. */
20 function getAllowedOrigins(): string[] {
21   const origins = new Set<string>();
22   for (const raw of [process.env.AUTH_URL, process.env.NEXTAUTH_URL]) {
23     if (!raw) continue;
24     try {
25       origins.add(new URL(raw).origin);
26     } catch {
27       // ignore malformed env value
28     }
29   }
30   return [...origins];
31 }
32
33 /**
34  * SSRF guard: the server fetches whatever URL a chat file-part points at
35  * (see file header). Without this check, a signed-in user could attach a
36  * file part whose `url` targets an internal address (cloud metadata
37  * endpoint, internal service) with an image mediaType, turning this into a
38  * blind SSRF primitive. Only our own /api/uploads/ URLs – on our own
39  * configured origin – are allowed through.
40  */
41 function isTrustedUploadUrl(url: string): boolean {
42   let parsed: URL;
43   try {
44     parsed = new URL(url);
45   } catch {
46     return false;
47   }
48   if (!parsed.pathname.startsWith(UPLOAD_PATH_PREFIX)) return false;
49
50   const allowedOrigins = getAllowedOrigins();
51   if (allowedOrigins.length > 0) {
52     return allowedOrigins.includes(parsed.origin);
53   }
54   // No AUTH_URL/NEXTAUTH_URL configured (local dev) – only trust localhost.
55   return parsed.hostname === "localhost" || parsed.hostname === "127.0.0.1";
56 }
57
58 async function toDataUri(url: string): Promise<string> {
59   if (url.startsWith("data:")) return url;
60
61   if (!isTrustedUploadUrl(url)) {
62     throw new Error(`Refusing to fetch untrusted image attachment URL: ${url}`);
```

```

63   }
64
65   const res = await fetch(url);
66   if (!res.ok) {
67     throw new Error(`Failed to fetch image attachment (${res.status}): ${url}`);
68   }
69   const contentType =
70     res.headers.get("content-type") ?? "application/octet-stream";
71   const buf = Buffer.from(await res.arrayBuffer());
72   return `data:${contentType};base64,${buf.toString("base64")}`;
73 }
74
75 function isImageFilePart(part: any): boolean {
76   return (
77     part?.type === "file" &&
78     typeof part?.url === "string" &&
79     String(part?.mediaType ?? "").startsWith("image/")
80   );
81 }
82
83 /** Resolves the first image attachment's URL to a data URI, or null if none. */
84 export function resolveFirstImageDataUri(parts: any[]): Promise<string | null> {
85   const imagePart = parts?.find(isImageFilePart);
86   if (!imagePart) return Promise.resolve(null);
87   return toDataUri(imagePart.url);
88 }
89
90 /**
91  * Returns a shallow copy of `messages` with every image file-part's `url`
92  * replaced by a fetched base64 data URI, so the model always receives
93  * self-contained bytes instead of a possibly-unreachable URL.
94  */
95 export function resolveImageAttachmentsToDataUris<T extends { parts?: any[] }>(
96   messages: T[]
97 ): Promise<T[]> {
98   const cache = new Map<string, string>();
99
100   return Promise.all(
101     messages.map(async (m) => {
102       const parts = m.parts;
103       if (!Array.isArray(parts) || !parts.some(isImageFilePart)) return m;
104
105       const newParts = await Promise.all(
106         parts.map(async (p: any) => {
107           if (!isImageFilePart(p)) return p;
108           try {
109             if (!cache.has(p.url)) {
110               cache.set(p.url, await toDataUri(p.url));
111             }
112             return { ...p, url: cache.get(p.url) };
113           } catch (e) {
114             console.error("[resolveImageAttachments] failed for", p.url, e);
115             return p;
116           }
117         })
118       );
119
120       return { ...m, parts: newParts };
121     })
122   );
123 }

```

356. lib/ai/tools/create-document.ts

```

1 import { tool, type UIMessageStreamWriter } from "ai";
2 import type { Session } from "next-auth";
3 import { z } from "zod";

```

```

4 import {
5   artifactKinds,
6   documentHandlersByArtifactKind,
7 } from "@lib/artifacts/server";
8 import type { ChatMessage } from "@lib/types";
9 import { generateUUID } from "@lib/utils";
10
11 type CreateDocumentProps = {
12   session: Session;
13   dataStream: UIMessageStreamWriter<ChatMessage>;
14 };
15
16 export const createDocument = ({ session, dataStream }: CreateDocumentProps) =>
17   tool({
18     description:
19       "Create a document for a writing or content creation activities. This tool will call other functions that will generate the contents of the document based on the title and kind.",
20     inputSchema: z.object({
21       title: z.string(),
22       kind: z.enum(artifactKinds),
23     }),
24     execute: async ({ title, kind }) => {
25       const id = generateUUID();
26
27       dataStream.write({
28         type: "data-kind",
29         data: kind,
30         transient: true,
31       });
32
33       dataStream.write({
34         type: "data-id",
35         data: id,
36         transient: true,
37       });
38
39       dataStream.write({
40         type: "data-title",
41         data: title,
42         transient: true,
43       });
44
45       dataStream.write({
46         type: "data-clear",
47         data: null,
48         transient: true,
49       });
50
51       const documentHandler = documentHandlersByArtifactKind.find(
52         (documentHandlerByArtifactKind) =>
53           documentHandlerByArtifactKind.kind === kind
54       );
55
56       if (!documentHandler) {
57         throw new Error(`No document handler found for kind: ${kind}`);
58       }
59
60       await documentHandler.onCreateDocument({
61         id,
62         title,
63         dataStream,
64         session,
65       });
66
67       dataStream.write({ type: "data-finish", data: null, transient: true });
68
69       return {
70         id,
71         title,
72         kind,

```

```

73     content: "A document was created and is now visible to the user.",
74   };
75 },
76 });

```

357. lib/ai/tools/get-weather.ts

```

1  import { tool } from "ai";
2  import { z } from "zod";
3
4  async function geocodeCity(
5    city: string
6  ): Promise<{ latitude: number; longitude: number } | null> {
7    try {
8      const response = await fetch(
9        `https://geocoding-api.open-meteo.com/v1/search?name=${encodeURIComponent(city)}&count=1&language=en&format=json`
10     );
11
12     if (!response.ok) {
13       return null;
14     }
15
16     const data = await response.json();
17
18     if (!data.results || data.results.length === 0) {
19       return null;
20     }
21
22     const result = data.results[0];
23     return {
24       latitude: result.latitude,
25       longitude: result.longitude,
26     };
27   } catch {
28     return null;
29   }
30 }
31
32 export const getWeather = tool({
33   description:
34     "Get the current weather at a location. You can provide either coordinates or a city name.",
35   inputSchema: z.object({
36     latitude: z.number().optional(),
37     longitude: z.number().optional(),
38     city: z
39       .string()
40       .describe("City name (e.g., 'San Francisco', 'New York', 'London')")
41       .optional(),
42   }),
43   needsApproval: true,
44   execute: async (input) => {
45     let latitude: number;
46     let longitude: number;
47
48     if (input.city) {
49       const coords = await geocodeCity(input.city);
50       if (!coords) {
51         return {
52           error: `Could not find coordinates for "${input.city}". Please check the city name.`
53         };
54       }
55       latitude = coords.latitude;
56       longitude = coords.longitude;
57     } else if (input.latitude !== undefined && input.longitude !== undefined) {
58       latitude = input.latitude;
59       longitude = input.longitude;
60     } else {

```

```

61     return {
62       error:
63         "Please provide either a city name or both latitude and longitude coordinates.",
64     };
65 }
66
67 const response = await fetch(
68   `https://api.open-meteo.com/v1/forecast?latitude=${latitude}&longitude=${longitude}&current=temperature_2m&hourly=temperature_2m&daily=sunrise,sunset&timezone=auto`
69 );
70
71 const weatherData = await response.json();
72
73 if ("city" in input) {
74   weatherData.cityName = input.city;
75 }
76
77 return weatherData;
78 },
79 });

```

358. lib/ai/tools/request-suggestions.ts

```

1  import { Output, streamText, tool, type UIMessageStreamWriter } from "ai";
2  import type { Session } from "next-auth";
3  import { z } from "zod";
4  import { getDocumentById, saveSuggestions } from "@lib/db/queries";
5  import type { Suggestion } from "@lib/db/schema";
6  import type { ChatMessage } from "@lib/types";
7  import { generateUUID } from "@lib/utils";
8  import { getArtifactModel } from "../providers";
9
10 type RequestSuggestionsProps = {
11   session: Session;
12   dataStream: UIMessageStreamWriter<ChatMessage>;
13 };
14
15 export const requestSuggestions = ({
16   session,
17   dataStream,
18 }: RequestSuggestionsProps) =>
19   tool({
20     description:
21       "Request writing suggestions for an existing document artifact. Only use this when the user explicitly asks to improve or get suggestions for a document they have already created. Never use for ge
22     inputSchema: z.object({
23       documentId: z
24         .string()
25         .describe(
26           "The UUID of an existing document artifact that was previously created with createDocument"
27         ),
28     }),
29     execute: async ({ documentId }) => {
30       const document = await getDocumentById({ id: documentId });
31
32       if (!document || !document.content) {
33         return {
34           error: "Document not found",
35         };
36       }
37
38       const suggestions: Omit<
39         Suggestion,
40         "userId" | "createdAt" | "documentCreatedAt"
41       >[] = [];
42
43       const { partialOutputStream } = streamText({
44         model: getArtifactModel(),
45         system:

```

```

46     "You are a help writing assistant. Given a piece of writing, please offer suggestions to improve the piece of writing and describe the change. It is very important for the edits to contain full
words. Max 5 suggestions.",
47     prompt: document.content,
48     output: Output.array({
49       element: z.object({
50         originalSentence: z.string().describe("The original sentence"),
51         suggestedSentence: z.string().describe("The suggested sentence"),
52         description: z
53           .string()
54           .describe("The description of the suggestion"),
55       }),
56     }),
57   });
58
59   let processedCount = 0;
60   for await (const partialOutput of partialOutputStream) {
61     if (!partialOutput) {
62       continue;
63     }
64
65     for (let i = processedCount; i < partialOutput.length; i++) {
66       const element = partialOutput[i];
67       if (
68         !element?.originalSentence ||
69         !element?.suggestedSentence ||
70         !element?.description
71       ) {
72         continue;
73       }
74
75       const suggestion = {
76         originalText: element.originalSentence,
77         suggestedText: element.suggestedSentence,
78         description: element.description,
79         id: generateUUID(),
80         documentId,
81         isResolved: false,
82       };
83
84       dataStream.write({
85         type: "data-suggestion",
86         data: suggestion as Suggestion,
87         transient: true,
88       });
89
90       suggestions.push(suggestion);
91       processedCount++;
92     }
93   }
94
95   if (session.user?.id) {
96     const userId = session.user.id;
97
98     await saveSuggestions({
99       suggestions: suggestions.map((suggestion) => ({
100         ...suggestion,
101         userId,
102         createdAt: new Date(),
103         documentCreatedAt: document.createdAt,
104       })),
105     });
106   }
107
108   return {
109     id: documentId,
110     title: document.title,
111     kind: document.kind,
112     message: "Suggestions have been added to the document",
113   };

```



```
114     },
115   });
```

359. lib/ai/tools/update-document.ts

```
1  import { tool, type UIMessageStreamWriter } from "ai";
2  import type { Session } from "next-auth";
3  import { z } from "zod";
4  import { documentHandlersByArtifactKind } from "@lib/artifacts/server";
5  import { getDocumentById } from "@lib/db/queries";
6  import type { ChatMessage } from "@lib/types";
7
8  type UpdateDocumentProps = {
9    session: Session;
10    dataStream: UIMessageStreamWriter<ChatMessage>;
11  };
12
13  export const updateDocument = ({ session, dataStream }: UpdateDocumentProps) =>
14    tool({
15      description: "Update a document with the given description.",
16      inputSchema: z.object({
17        id: z.string().describe("The ID of the document to update"),
18        description: z
19          .string()
20          .describe("The description of changes that need to be made"),
21      }),
22      execute: async ({ id, description }) => {
23        const document = await getDocumentById({ id });
24
25        if (!document) {
26          return {
27            error: "Document not found",
28          };
29        }
30
31        dataStream.write({
32          type: "data-clear",
33          data: null,
34          transient: true,
35        });
36
37        const documentHandler = documentHandlersByArtifactKind.find(
38          (documentHandlerByArtifactKind) =>
39            documentHandlerByArtifactKind.kind === document.kind
40        );
41
42        if (!documentHandler) {
43          throw new Error(`No document handler found for kind: ${document.kind}`);
44        }
45
46        await documentHandler.onUpdateDocument({
47          document,
48          description,
49          dataStream,
50          session,
51        });
52
53        dataStream.write({ type: "data-finish", data: null, transient: true });
54
55        return {
56          id,
57          title: document.title,
58          kind: document.kind,
59          content: "The document has been updated successfully.",
60        };
61      },
62    });
```

360. lib/apps/relationstests/definitions.ts

```
1 export { TESTS, getTestById, getTestBySlug } from "./testsRegistry";
2 export type { TestDefinition, TestOptionValue } from "./types";
```

361. lib/apps/relations/tests/definitions/boundaries.ts

[illegible]

```

58 {
59   id: "q1",
60   text: "Дургүй зүйлдээ “үгүй” гэж хэлж чаддаг.",
61   options: OPTIONS,
62   il8n: {
63     en: { text: "I can say \"no\" to things I don't want." },
64     ja: { text: "「」" },
65     ko: { text: "「」" },
66   },
67 },
68 {
69   id: "q2",
70   text: "Өөрийн хэрэгцээгээ буруутгалгүйгээр илэрхийлдэг.",
71   options: OPTIONS,
72   il8n: {
73     en: { text: "I express my needs without feeling guilty." },
74     ja: { text: "「」" },
75     ko: { text: "「」" },
76   },
77 },
78 {
79   id: "q3",
80   text: "Хэт их ачаалал авах үедээ зогсож чаддаг.",
81   options: OPTIONS,
82   il8n: {
83     en: { text: "I can stop myself from taking on too much." },
84     ja: { text: "「」" },
85     ko: { text: "「」" },
86   },
87 },
88 {
89   id: "q4",
90   text: "Хэн нэгэн хундлэлгүй харьцахад зөөлөн боловч тодорхой хэлдэг.",
91   options: OPTIONS,
92   il8n: {
93     en: { text: "When someone is disrespectful, I speak up gently but clearly." },
94     ja: { text: "「」" },
95     ko: { text: "「」" },
96   },
97 },
98 {
99   id: "q5",
100   text: "“Надад бодох хугацаа хэрэгтэй” гэж хэлж чаддаг.",
101   options: OPTIONS,
102   il8n: {
103     en: { text: "I can say \"I need time to think.\"" },
104     ja: { text: "「」" },
105     ko: { text: "「」" },
106   },
107 },
108 {
109   id: "q6",
110   text: "Хувийн орон зай/цагийг хамгаалж чаддаг.",
111   options: OPTIONS,
112   il8n: {
113     en: { text: "I protect my personal space and time." },
114     ja: { text: "「」" },
115     ko: { text: "「」" },
116   },
117 },
118 {
119   id: "q7",
120   text: "Гэмшил/айдаснаасаа болоод зөвшөөрөөд байдаггүй.",
121   options: OPTIONS,
122   il8n: {
123     en: { text: "I don't agree to things out of guilt or fear." },
124     ja: { text: "「」" },
125     ko: { text: "「」" },
126   },

```

```

127     },
128     {
129       id: "q8",
130       text: "Хүмүүсийн асуудлыг өөр дээрээ үүрээд байдаггүй.",
131       options: OPTIONS,
132       il8n: {
133         en: { text: "I don't take on other people's problems as my own." },
134         ja: { text: "「他人の問題を自分の問題として受け止める」 },
135         ko: { text: "「남의 문제를 나의 문제로 받아들이지 않는다」 },
136       },
137     },
138     {
139       id: "q9",
140       text: "Дүрэм, тохиролцоогоо сануулж чаддаг.",
141       options: OPTIONS,
142       il8n: {
143         en: { text: "I can remind others of my rules and agreements." },
144         ja: { text: "「自分のルールや合意を他人に思い出させる」 },
145         ko: { text: "「나의 규칙이나 합의를 다른 사람에게 상기시킨다」 },
146       },
147     },
148     {
149       id: "q10",
150       text: "Хилээ тогтоочихоод дараа нь буцаад эвгүйцээд өөрөө нураадаггүй.",
151       options: OPTIONS,
152       il8n: {
153         en: { text: "After setting a boundary, I don't cave in later out of awkwardness." },
154         ja: { text: "「境界を設定した後、気まずさで後から境界を撤回しない」 },
155         ko: { text: "「경계를 설정한 후, 어색함 때문에 나중에 경계를 철회하지 않는다」 },
156       },
157     },
158   ],
159   bands: [
160     {
161       minPct: 0.85,
162       title: "Тодорхой хилтэй",
163       summary:
164         "Чи өөрийн хэрэгцээ, орон зайг ерөнхийдөө тодорхой мэдэрдэг бөгөөд хэлж чаддаг байна. “Гомдоох вий” гэж өөрийгөө байнга дарж явах биш, боломжийн хэмжээнд зөөлөн боловч тодорхой байр суурь барьж  

165       харагдаж байна. Ийм хилтэй хүнтэй харилцахад бусад нь ч бас дүрэмтэй болж, асуудал бага хуримтлагддаг.",
166       il8n: {
167         en: {
168           title: "Clear boundaries",
169           summary:
170             "You generally sense and can voice your needs and space clearly. Rather than constantly suppressing yourself out of fear of upsetting others, you seem like someone who holds a gentle but cle  

171             someone with such boundaries tend to develop their own ground rules too, so fewer issues pile up.",
172           tips: [],
173         },
174         ja: {
175           title: "境界をはっきりさせる",
176           summary:
177             "「自分のニーズや空間を明確に感じ、はっきりと表現できる。他人を怒らすのを恐れて自分を常に抑えるのではなく、穏やかだが明確な境界を持つ人に見える。そのような境界を持つ人は、自分自身の基本ルールも発達させる傾向があるため、問題がたまっていくことが少ない。」",
178           tips: [],
179         },
180         ko: {
181           title: "명확한 경계",
182           summary:
183             "「일반적으로 자신의 필요와 공간을 명확하게 느끼고 표현할 수 있다. 타인을 불편하게 할까 봐 두려워서 자신을 끊임없이 억누르는 대신, 부드럽지만 확실한 경계를 지키는 사람처럼 보인다. 이러한 경계를 지키는 사람들은 자신만의 기본 규칙도 발전시키는 경향이 있어, 문제가 쌓이는 경우가 적다.」",
184           tips: [],
185         },
186       },
187     },
188     {
189       minPct: 0.65,
190       title: "Холимог хил – заримдаа барьдаг, заримдаа алдана",
191       summary:
192         "Чи хааяа “үгүй” гэж хэлж чаддаг ч тодорхой нөхцөлд (ойр хүн, буруутай мэдрэмж, айдас, стресстэй үед) хил суларч магадгүй. Заримдаа дотроо дургүй байсаар байж зөвшөөрөөд, дараа нь бухимдал хурим  

193       тэсэрг хэлэх хэлбэр гарч болохоор зураг байна. Ерөнхийдөө боломжийн ч тогтвортой байдал нь нөхцөлөөс хамаараад байна.",
194       tips: [],

```

```

193         il8n: {
194             en: {
195                 title: "Mixed boundaries – sometimes hold, sometimes slip",
196                 summary:
197                     "You can say \"no\" sometimes, but your boundaries may weaken in certain situations (close people, guilt, fear, stress). At times you may agree while still disliking it inside, leading to bu
outburst one day. Overall it's reasonable, but consistency depends heavily on the situation.",
198                 tips: [],
199             },
200             ja: {
201                 title: "混合境界線 - 時々守られる、時々崩れる",
202                 summary:
203                     "あなたは時々「いいえ」と言うことができますが、特定の状況（身近な人、罪悪感、恐れ、ストレス）では境界線が弱まることがあります。たとえ心の中ではまだ嫌っているのに、時に同意してしまうことがあり、最終的に感情的な爆発に繋がることがあります。全体的には合理的ですが、一貫性は状況に大きく依存します。",
204                 tips: [],
205             },
206             ko: {
207                 title: "혼합 경계선 - 때로는 지켜지고, 때로는 흔들린다",
208                 summary:
209                     "당신은 때때로 '아니오'라고 말할 수 있지만, 특정 상황(가까운 사람, 죄책감, 두려움, 스트레스)에서는 경계선이 약해질 수 있습니다. 때로는 싫어하면서도 동의할 수 있고, 결국에는 감정의 폭발로 이어질 수 있습니다. 전반적으로는 합리적이지만, 일관성은 상황에 따라 달라집니다.",
210                 tips: [],
211             },
212         },
213     },
214     {
215         minPct: 0.0,
216         title: "Хил сул – өөрийгөө алдах эрсдэлтэй",
217         summary:
218             "Одоогийн хариултуудаас харахад хил тогтоох нь чамд хэцүү талдаа байж магадгүй. Дургүй байсан ч зөвөөрөө, өөрийн цаг/хэрэгцээг хойш тавих, дараа нь дотроо бухимдах зураг илүү тод байна. Энэ нь хүмүүст таалагдах хэрэгцээ, зөрчилдөөнөөс зугтах, эсвэл олон ачаалал зэрэгцсэн үед ингэж илэрдэг. Гэхдээ ийм үед хамгийн их хохирох нь өөрөө болдог (ядаргаа, бухимдал, тэсрэлт).",
219         tips: [],
220         il8n: {
221             en: {
222                 title: "Weak boundaries – risk of losing yourself",
223                 summary:
224                     "Your answers suggest setting boundaries may be genuinely hard for you right now. Agreeing even when you dislike something, putting your own time/needs aside, then feeling resentful inside i
isn't \"weakness\" – it usually comes from a need to please others, avoiding conflict, or facing too many demands at once. But in this pattern, you tend to be the one who suffers most (exhaustion, frustration,
225                 tips: [],
226             },
227             ja: {
228                 title: "弱い境界線 - 自分自身を失うリスク",
229                 summary:
230                     "あなたの回答から、今まさに境界線を定めるのが本当の意味で難しいようです。たとえ嫌いなものを同意してしまう、自分の時間/必要を後回しにして、その後に内面で不満を感じるというパターンが見られます。これは「弱さ」ではなく、通常は他人を喜ばせようとする必要、対立を避ける、または一度に多くの要求に直面することから生じます。しかしこのパターンでは、最も苦しむのはあなた自身（疲労、挫折感、いらだち）です。",
231                 tips: [],
232             },
233             ko: {
234                 title: "약한 경계선 - 자기 자신을 잃을 위험",
235                 summary:
236                     "당신의 답변을 보면, 지금 정말로 경계선을 세우는 게 어렵게 느껴지는 것 같습니다. 싫어하는 것에도 동의하거나, 자신의 시간/필요를 희생하고 나중에 속으로 원망스러워하는 패턴이 보입니다. 이는 '약함'이 아니라, 대개 타인을 기쁘게 하려는 필요, 갈등 회피, 또는 한꺼번에 너무 많은 요구에 직면하는 것에서 비롯됩니다. 하지만 이 패턴에서는 가장 고통받는 사람이 바로 당신입니다(피로, 좌절감, 좌절).",
237                 tips: [],
238             },
239         },
240     },
241 ],
242 };

```

362. lib/apps/relations/tests/definitions/communicationStyle.ts

```

1 import type { TestDefinition, TestOption, TestOptionValue } from "../types";
2
3 const OPTIONS: TestOption[] = [
4   {
5     value: 5 as TestOptionValue,
6     label: "Бәріне үлкен",
7     il8n: { en: { label: "Almost always" }, ja: { label: "□□□□" }, ko: { label: "□□ □□" } },
8   },
9   {
10    value: 4 as TestOptionValue,

```

[illegible]

```

80 ],
81 bands: [
82   {
83     minPct: 0.8,
84     title: "Тайван, ойлголцдог хэв маяг",
85     summary:
86       "Чи ихэнх үед харилцааг тайван авч явж чаддаг хүн байна. Сонсох, өөрийгөө зөв илэрхийлэх хоёр чинь сайн тэнцвэртэй. Төгс биш байсан ч хүмүүс чамтай ярихад 'аюулгүй' мэдрэмж авдаг байх магадлал ө
87     tips: [
88       "Давуу талаа улам батжуулах 1 алхам: маргаанд 'би зөв' гэхээс илүү 'бид яаж ойлголцох вэ?' гэж асуугаад үз.",
89       "Хэцүү үед: 'түр завсарлая, дараа нь ярья' гэж хэлж сурвал харилцаа улам хамгаалагдана.",
90     ],
91     i18n: {
92       en: {
93         title: "Calm, understanding style",
94         summary: "You're someone who can keep a relationship calm most of the time. Listening and self-expression are well balanced. Not perfect, but people likely feel \"safe\" talking with you.",
95         tips: [
96           "To reinforce your strength: in arguments, try asking \"how can we understand each other?\" instead of \"I'm right.\",
97           "In tough moments, learning to say \"let's pause and talk later\" protects the relationship even more.",
98         ],
99       },
100     ja: {
101       title: "穏やかな関係",
102       summary: "ほとんどの場合、関係を穏やかに保つことができます。聴くことと自己表現のバランスが良く、完璧ではありませんが、人々はあなたと話すときに「安全」を感じることが多いです。",
103       tips: [
104         "あなたの強さを強化するには：争いの際、\"お互いどう理解できる？\"と尋ね、\"私は正しい\"と主張する代わりに。",
105         "難しい瞬間に：\"少し待って、後で話そう\"と伝えることで、関係をさらに守ります。",
106       ],
107     },
108     ko: {
109       title: "정신 안정된 스타일",
110       summary: "대부분의 시간 동안 관계를 차분하게 유지할 수 있습니다. 듣기와 자기 표현이 잘 균형을 이루고 있습니다. 완벽하지는 않지만, 사람들은 당신과 대화할 때 '안전'하다고 느낍니다.",
111       tips: [
112         "당신의 강점을 강화하기 위해: 논쟁 중에 \"우리가 서로를 어떻게 이해할 수 있을까?\"라고 묻고 \"내가 옳다\"라고 주장하는 대신.
113         "힘든 순간에: \"잠깐 쉬고 나중에 이야기하자\"라고 말하는 것이 관계를 더욱 보호합니다.",
114       ],
115     },
116   },
117 ],
118 {
119   minPct: 0.55,
120   title: "Холимог хэв маяг",
121   summary:
122     "Чи зарим үед маш сайн сонсож, эвтэйхэн ярьдаг. Харин зарим үед уур/стресс орж ирэхээр үг хурдтай гарах, хамгаалах горим асах үе байна. Энэ бол хэвийн – зүгээр л чиний 'стрессийн товч' хурдан да
123   tips: [
124     "Маргааны яг эхэнд 3 амьсгаа аваад: \"Би одоо хамгаалаад эхэлж байна уу?\" гэж өөрөөсөө асуугаад үз – тэр дороо намддаг.",
125     "Нөгөөгөөс 1 зүйл тодруул: \"Чи яг юу хүсэж байна?\" гэж асуувал маргаан бодит шийдэл рүү ордог.",
126   ],
127   i18n: {
128     en: {
129       title: "Mixed style",
130       summary: "Sometimes you listen very well and speak smoothly. But at other times, when anger/stress kicks in, words come out fast and a defensive mode switches on. This is normal – your \"stress
quickly at times.",
131       tips: [
132         "Right at the start of an argument, take 3 breaths and ask yourself \"Am I getting defensive right now?\" – it calms things instantly.",
133         "Clarify one thing from the other side: asking \"what exactly do you want?\" steers the argument toward a real solution.",
134       ],
135     },
136     ja: {
137       title: "折衷的な関係",
138       summary: "時々、非常に良く聴き、スムーズに話します。しかし、時々怒りやストレスが湧いてくると、言葉が速に出て、防衛モードが切り替わります。これは正常なことです – あなたの「ストレス
139       tips: [
140         "争いの始まりに3呼吸をとり、\"私は今防衛モードに入っているだろうか?\"と自分に問いかけてみてください – すぐに冷静になります。",
141         "相手の側から1つのことを明確にしてください: \"あなたが本当に何を求めているのか?\"と尋ねることで、議論を現実的な解決策へと導きます。",
142       ],
143     },
144     ko: {
145       title: "혼합 스타일",
146       summary: "때때로 아주 잘 듣고 부드럽게 말합니다. 하지만 때때로 분노나 스트레스가湧아들면, 말이 빨리 나오고 방어 모드가 켜집니다. 이것은 정상입니다 – 당신의 '스트레스 단축키'가 빨리 작동합니다.",
147       tips: [

```

```

159 tips: [
160     "Хамгийн эхний жижиг дадал: хариу хэлэхээсээ өмнө 10 секунд дуугүй бай. (Энэ чинь эвгүй ч хамгийн хүчтэй техник.)",
161     "Маргааны дараа 1 өгүүлбэрээр эвлэрэл эхлүүл: "Бид хоёр эвтэйхэн ярилцмаар байна" гэж хэлээд үз.",
162 ],
163 il8n: {
164     en: {
165         title: "Sharp, defensive style",
166         summary: "When pressure comes in, you tend to respond sharply to defend yourself. This doesn't mean you're a \"bad person\" – it may mean you've often needed to protect yourself in the past. R
soften your approach."

```

```

1 import type { TestDefinition, TestOption, TestOptionValue } from "../types";
2
3 const OPTIONS: TestOption[] = [
4   // □ сайн нь дээр (UI дээр хамгийн дээр)
5   {
6     value: 5 as TestOptionValue,
7     label: "Баар ургэлж",
8     i18n: { en: { label: "Almost always" }, ja: { label: "□□□□" }, ko: { label: "□□ □□" } },
9   },
10  {
11    value: 4 as TestOptionValue,
12    label: "Ихэнхдээ",
13    i18n: { en: { label: "Mostly" }, ja: { label: "□□□□□□" }, ko: { label: "□□□" } },
14  },
15  {
16    value: 3 as TestOptionValue,
17    label: "Заримдаа",
18    i18n: { en: { label: "Sometimes" }, ja: { label: "□□" }, ko: { label: "□□□" } },
19  },
20 ];

```



```

19 },
20 {
21   value: 2 as TestOptionValue,
22   label: "Ховор",
23   i18n: { en: { label: "Rarely" }, ja: { label: "[]" }, ko: { label: "[]" } },
24 },
25 {
26   value: 1 as TestOptionValue,
27   label: "Орт үргүй",
28   i18n: { en: { label: "Not at all" }, ja: { label: "[]" }, ko: { label: "[] []" } },
29 },
30 ];
31
32 export const conflict: TestDefinition = {
33   id: "conflict",
34   slug: "conflict",
35   title: "Маргаан шийдэх ур чадвар тест",
36   subtitle: "10 асуулт · харилцаа",
37   description:
38     "Маргаанд тайван, шийдэл чиглэсэн байдлаар харилцах чадвар хэр байна гэдгийг ерөнхийд нь харуулна.",
39   i18n: {
40     en: {
41       title: "Conflict Resolution Skills Test",
42       subtitle: "10 questions · relationships",
43       description: "Shows your general ability to stay calm and solution-focused during conflict.",
44     },
45     ja: {
46       title: "[][][][][]",
47       subtitle: "10[][][]",
48       description: "[][][][][][][][][][][][][][][][]",
49     },
50     ko: {
51       title: "[] [] [] []",
52       subtitle: "10[] · []",
53       description: "[] [][] [][] [] [][] [] [] [] [] [][] [][].",
54     },
55   },
56   questions: [
57     {
58       id: "q1",
59       text: "Маргаан эхлэхэд “чи дандаа...” гэхийн оронд тодорхой үйлдлийг ярьдаг.",
60       options: OPTIONS,
61       i18n: {
62         en: { text: "When an argument starts, I talk about specific actions instead of \"you always...\"" },
63         ja: { text: "[][][][][][][][][]...[][][][][][][][][]" },
64         ko: { text: "[] [] [] [] \"[] []...\" [] [] [] [] [] [] [] []." },
65       },
66     },
67     {
68       id: "q2",
69       text: "Дуугаа өндөрсгөхгүй байхыг хичээдэг.",
70       options: OPTIONS,
71       i18n: {
72         en: { text: "I try not to raise my voice." },
73         ja: { text: "[][][][][][][]" },
74         ko: { text: "[] [] [] [] [] [] [] []." },
75       },
76     },
77     {
78       id: "q3",
79       text: "“Ялах” биш “шийдэл хайх” байр суурь барьдаг.",
80       options: OPTIONS,
81       i18n: {
82         en: { text: "I take the stance of \"finding a solution\" rather than \"winning.\"" },
83         ja: { text: "[][][][][][][][][]" },
84         ko: { text: "\"[] [] [] []\" \"[] [] [] []\" [] [] [] []." },
85       },
86     },
87   ],

```

```

88     id: "q4",
89     text: "Баримт ба мэдрэмжээ ялгаж хэлж чаддаг.",
90     options: OPTIONS,
91     il8n: {
92       en: { text: "I can separate facts from feelings when I speak." },
93       ja: { text: "「事実と感情を区別して話すことができる」 },
94       ko: { text: "「事实과 감정을 구분하여 말할 수 있다」" },
95     },
96   },
97   {
98     id: "q5",
99     text: "Нөгөө хүний талыг үнэнээр нь хүлээн зөвшөөрч чаддаг.",
100    options: OPTIONS,
101    il8n: {
102      en: { text: "I can genuinely acknowledge the other person's side." },
103      ja: { text: "「相手の立場を真摯に受け止めることができる」 },
104      ko: { text: "「相手の立場을 진심으로 이해할 수 있다」" },
105    },
106  },
107  {
108    id: "q6",
109    text: "Түр завсарлага авч тайвширч чаддаг.",
110    options: OPTIONS,
111    il8n: {
112      en: { text: "I can take a pause and calm down." },
113      ja: { text: "「一時の休憩を取り、落ち着くことができる」 },
114      ko: { text: "「잠시 쉬고 마음을 가라앉힐 수 있다」" },
115    },
116  },
117  {
118    id: "q7",
119    text: "“Би ингэж мэдэрсэн” гэж буруутгалгүй илэрхийлдэг.",
120    options: OPTIONS,
121    il8n: {
122      en: { text: "I express \"I felt this way\" without blaming." },
123      ja: { text: "「このように感じたことを非難せずに表現できる」 },
124      ko: { text: "「\"내가 이렇게 느꼈다\"라고 비난 없이 말할 수 있다」" },
125    },
126  },
127  {
128    id: "q8",
129    text: "Тохиролцоо хийж, дараа нь мөрддөг.",
130    options: OPTIONS,
131    il8n: {
132      en: { text: "I make agreements and follow through on them." },
133      ja: { text: "「約束を交わし、実行することができる」 },
134      ko: { text: "「약속을 하고 이를 실천할 수 있다」" },
135    },
136  },
137  {
138    id: "q9",
139    text: "Өнгөрснийг сөхөхгүйгээр одоо шийдлийг хайдаг.",
140    options: OPTIONS,
141    il8n: {
142      en: { text: "I look for a solution now without digging up the past." },
143      ja: { text: "「過去の掘り起こしなく、現在の解決策を模索できる」 },
144      ko: { text: "「과거를 파헤치지 않고 현재의 해결책을 찾을 수 있다」" },
145    },
146  },
147  {
148    id: "q10",
149    text: "Маргааны дараа харилцаагаа сэргээх алхам хийдэг.",
150    options: OPTIONS,
151    il8n: {
152      en: { text: "After an argument, I take steps to restore the relationship." },
153      ja: { text: "「議論の後に、関係を修復するためのステップを踏むことができる」 },
154      ko: { text: "「싸움 후 관계를 회복하기 위한 단계를 밟을 수 있다」" },
155    },
156  },

```

```

157 ],
158 bands: [
159   {
160     minPct: 0.85,
161     title: "Тайван, шийдэлч хүн",
162     summary:
163       "Чи маргаанд сэтгэл хөдлөлөөр автахгүй байхыг ихэвчлэн барьж чаддаг байна. Гол асуудлыг оношлоод, нөгөө талыг сонсож, тохиролцоо руу чиглүүлэх хандлага хүчтэй. Чамтай маргалдсан хүн “яриад л өнгө
шийдэлд хүрдэг” гэж мэдрэх магадлал өндөр.",
164     tips: [],
165     il8n: {
166       en: {
167         title: "Calm, solution-oriented person",
168         summary: "You can usually keep yourself from getting swept up emotionally in conflict. You're strong at diagnosing the core issue, listening to the other side, and steering toward agreement. S
likely to feel \"it doesn't just blow over – we actually reach some understanding or solution.\",",
169         tips: [],
170       },
171       ja: {
172         title: "冷静な解決志向者",
173         summary: "通常、感情的に衝突に巻き込まれるのを防ぎ、核心問題を診断し、相手の意見を聞き、合意に向けて導く能力が強い。対立する相手と話し合った後、必ずしも「話し合っ
174         tips: [],
175       },
176       ko: {
177         title: "정신 차분한 해결 지향적 사람",
178         summary: "대부분의 경우, 갈등 상황에서 감정에 휩쓸리지 않고 문제를 진단하며, 상대방의 의견을 듣고, 합의점을 찾아내는 데 능숙하다. 대립 상황에서 '그냥 폭발하는 게 아니라, 실제로 서로 이해하거나 해결책을 찾는다.'",
179         tips: [],
180       },
181     },
182   },
183   {
184     minPct: 0.65,
185     title: "Боломжийн, гэхдээ савлагаатай",
186     summary:
187       "Чи ер нь шийдэхийг хүсдэг ч зарим үед уур, гомдол, ядаргаа орж ирээд яриа хурцдах магадлал байна. Ихэвчлэн эхлэл нь зүгээр байснаа дундаа хамгаалах/даврах хэлбэр рүү орчихдог, эсвэл өмнөх асууд
болохоор харагдаж байна. Нийтдээ боломжийн ч тогтвортой байдал нь нөхцөлөөс хамаардаг зураг байна.",
188     tips: [],
189     il8n: {
190       en: {
191         title: "Reasonable, but fluctuating",
192         summary: "You generally want to resolve things, but at times anger, hurt, or exhaustion may step in and escalate the conversation. It often starts fine but may slide into a defensive/escalatin
veer into digging up past issues. Overall reasonable, but consistency depends on the situation.",
193         tips: [],
194       },
195       ja: {
196         title: "冷静だが変動する",
197         summary: "通常、問題を解決したいが、時々怒り、痛み、または疲労が介入し、会話を防御的/エスカレートさせる。最初はうまくいくが、防御的/エスカレートする可能性がある。全体的に冷静だが、状況によって一貫性がある。",
198         tips: [],
199       },
200       ko: {
201         title: "합리적이지만 변동성 있는 사람",
202         summary: "대부분의 경우, 문제를 해결하고 싶지만, 때때로 분노, 상처, 또는 피로가 개입하여 대화를 방어적/에스컬레이션으로 이끌 수 있다. 대개는 잘 시작되지만, 과거 문제를 다시 꺼내거나, 전반적으로 합리적이지만, 상황에 따라 일관성이 달라진다.",
203         tips: [],
204       },
205     },
206   },
207   {
208     minPct: 0.0,
209     title: "Маргаанд хурцдах магадлал өндөр",
210     summary:
211       "Одоогийн хариултуудаас харахад маргаан эхлэхээр хамгаалах, бухимдах, “ялах” горим руу орох тал давамгайл байж магадгүй. Тэр үед бодит шийдэл гэхээсээ илүү хэн зөв/хэн буруу гэдэг дээр гацах, эсв
Энэ нь зан чанарын “муу” дүгнэлт биш – тухайн үеийн стресс, ачаалал, хуримтлагдсан гомдол их байхад хамгийн түрүүнд ингэж илэрдэг зураг байдаг.",
212     tips: [],
213     il8n: {
214       en: {
215         title: "High likelihood of escalation",
216         summary: "Your current answers suggest that when an argument starts, defending, frustration, and a \"winning\" mode tend to dominate. There's a high risk of getting stuck on who's right/wrong
solution, or of words escalating. This isn't a \"bad\" character verdict – it's the pattern that tends to show up first when current stress, load, and built-up resentment are high.",
217         tips: [],
218       },
219       ja: {

```

[illegible]364. [lib/apps/relations/tests/definitions/empathy.ts](#)[illegible]


```

121     i18n: {
122       en: { text: "When an apology is needed, I can put my pride aside." },
123       ja: { text: "「必要に応じて、プライドを脇に置いて、」" },
124       ko: { text: "「필요할 때는 자존심을 옆에 두는 거야.」" },
125     },
126   },
127   {
128     id: "q8",
129     text: "“Би чамайг ойлгож байна” гэж бодитоор мэдрүүлж чаддаг.",
130     options: OPTIONS,
131     i18n: {
132       en: { text: "I can genuinely make someone feel \"I understand you.\"" },
133       ja: { text: "「心から相手の気持ちを理解できる」" },
134       ko: { text: "\"내가 너를 진짜로 이해할 수 있어.\"" },
135     },
136   },
137   {
138     id: "q9",
139     text: "“Өөр хүнээс ялгаатай үзэл бодлыг тайван сонсож чаддаг.”,
140     options: OPTIONS,
141     i18n: {
142       en: { text: "I can calmly listen to opinions that differ from mine." },
143       ja: { text: "「冷静に異なる意見を聴くことができる」" },
144       ko: { text: "「다른 사람의 의견을 차분하게 들을 수 있어.」" },
145     },
146   },
147   {
148     id: "q10",
149     text: "“Хэн нэгний алдааг “хүн юм чинь” гэж уучилж хардаг.”,
150     options: OPTIONS,
151     i18n: {
152       en: { text: "I forgive someone's mistake, thinking \"we're all human.\"" },
153       ja: { text: "「みんな人間だからと、人の間違いを許すことができる」" },
154       ko: { text: "「모든 사람이 인간이니까, 실수를 이해할 수 있어.」" },
155     },
156   },
157 ],
158 bands: [
159   {
160     minPct: 0.9,
161     title: "Гүн энэрэлтэй, ойлгодог",
162     summary:
163       "Чиний хариултуудаас харахад бусдын сэтгэл хөдлөлийг “шууд засах” гэж яарахын оронд эхлээд хүлээн зөвшөөрч, ойлгож сонсох тал илүү байна. Ийм хүнтэй хүмүүс тайвширч, хамгаалалт нь сулардаг. Чи х
164     tips: [],
165     i18n: {
166       en: {
167         title: "Deeply compassionate, understanding",
168         summary: "Your answers show that rather than rushing to \"fix\" others' emotions, you lean toward accepting and understanding first. People around someone like this relax and lower their defen
169         tips: [],
170       },
171       ja: {
172         title: "「深く共感し、理解する」",
173         summary: "あなたの回答から、他人の感情を「直す」のではなく、まず受け入れ、理解しようとしていることがわかります。このような人々には、周囲の人がリラックスし、防御心を下
174         tips: [],
175       },
176       ko: {
177         title: "「깊이 공감하고 이해한다」",
178         summary: "당신의 답변을 보면, 다른 사람의 감정을 '고치려' 하기보다는 먼저 받아들이고 이해하려는 태도가 보입니다. 이런 사람 주변에서는 사람들이 편안해지고, 방어심을 낮추
179         tips: [],
180       },
181     },
182   },
183   {
184     minPct: 0.78,

```

```
185     title: "Энэрэнгүй, тогтвортой",
186     summary:
187     "Ерөнхийдөө энэрэнгүй хандлага сайн байна. Чи хүмүүсийг ойлгох гэж оролддог, дэмжиж хэлж чаддаг, хүнд үед нь “өрөвдөх” биш “ойлгох” тал давамгайл. Зарим нөхцөлд (ядарсан, стресстэй, хугацаа шахса
хумигдаж, тэвчээр багасах үе гарч магадгүй ч нийт дүнгээрээ чи дулаан харилцаа барьж чаддаг хэв маягтай. Энэ бол харилцаанд итгэл төрүүлдэг суурь.",
188     tips: [],
189     il8n: {
190     en: {
191         title: "Compassionate, stable",
192         summary: "Overall your compassionate attitude is good. You try to understand people, can offer support, and lean toward \"understanding\" rather than \"pity\" in hard times. In some conditions
pressed) attention may narrow and patience may shrink, but overall you have a style that keeps relationships warm. This is a foundation that builds trust.",
193     tips: [],
194     },
195     ja: {
196         title: "やさしい、安定",
197         summary: "やさしい態度が、全体的に良いです。人々を理解しようとし、サポートを提供し、困難な時に「理解」よりも「憐れみ」に傾きます。状況によっては、集中力が狭まり、忍耐が縮み、全体的には、関係を温かく保つスタイルがあります。これは信頼を築く基盤です。",
198     tips: [],
199     },
200     ko: {
201         title: "따뜻하고 안정적",
202         summary: "전반적으로 공감하는 태도가 좋으며, 사람들을 이해하려고 노력하고, 지원を提供할 수 있으며, 어려운 시기에 '이해'보다 '연민'에 더 많이 기울어집니다. 어떤 상황에서는 주의력이 좁아지고 인내심이 줄어들지만, 전반적으로 관계를 따뜻하게 유지하는 스타일이 있습니다. 이는 신뢰를 쌓는 기반이 됩니다.",
203     tips: [],
204     },
205     },
206     },
207     {
208     minPct: 0.6,
209     title: "Холимог – ойлгодог ч заримдаа хаагддаг",
210     summary:
211     "Чи зарим үед сайн ойлгодог, зарим үед өөрийгөө хамгаалах маягаар хаагдах хандлага байна. Ихэвчлэн энэ нь “муу хүн” гэсэн утга биш – зүгээр л тэвчээр/энерги хүрэхгүй үед хүнийг сонсох чадвар буу
дотор сэтгэлтэй хандах хүсэл байгаа ч бодит амьдрал дээр хурдтай, ядаргаатай үед “түргэн дүгнэх”, “тэвчээргүй болох” хэсэг илэрч болохоор байна. Ерөнхий дүр зураг: боломжийн, гэхдээ тогтвортой дулаан байдал нь
212     tips: [],
213     il8n: {
214     en: {
215         title: "Mixed – understands, but sometimes shuts down",
216         summary: "At times you understand well, but at other times you tend to close off defensively. This usually doesn't mean \"bad person\" – it's a common pattern where listening capacity drops wh
You have a genuine wish to be caring, but in fast-paced, exhausting moments \"jumping to conclusions\" or \"running out of patience\" may show up. Overall: decent, but consistent warmth depends heavily on circ
217     tips: [],
218     },
219     ja: {
220         title: "両方 – 理解できるが、時々閉ざる",
221         summary: "時々よく理解できますが、時々防御的に閉ざることがあります。これは通常、リスニング能力が低下する一般的なパターンを意味するものではありません。あなたは本当の思いやりを望みますが、ペースが速く、疲れる瞬間に \"結論を急ぐ\" や \"忍耐がなくなる\" が現れることがあります。全体的には、一貫した温かみは状況に大きく依存します。",
222     tips: [],
223     },
224     ko: {
225         title: "양면적 – 이해하지만 때때로 닫힌다",
226         summary: "때때로 잘 이해하지만, 때때로 방어적으로 닫히려는 경향이 있습니다. 이는 일반적으로 '나쁜 사람'을 의미하는 것이 아니라,リスニング 능력이 떨어지는 일반적인 패턴입니다. 당신은 진정으로 배려하기를 원하지만, 빠르고 지친 순간에 '결론에 뛰어넘기' 또는 '인내심이 사라지기'가 나타날 수 있습니다. 전반적으로, 일관된 따뜻함은 상황에 크게 의존합니다.",
227     tips: [],
228     },
229     },
230     },
231     {
232     minPct: 0.4,
233     title: "Алсардаг – шүүх, хамгаалах тал давамгайрах үе их",
234     summary:
235     "Энд бол хүний мэдрэмжийг хүлээн зөвшөөрөхөөс илүү “эв/буруу” гэж хэмжих, эсвэл хурдан хаах тал арай давамгайл харагдаж байна. Заримдаа хүмүүсийн мэдрэмж чамд “хэт их” санагдаж, тэгээд өөрийнхөө
Ийм үед нөгөө хүн ойлгогдоогүй мэт мэдрэмж авдаг. Энэ нь муу санаа биш – ихэнхдээ ядрал, стресстэй үед, эсвэл өөрийн асуудал давхар явж байгаа үед ингэж илэрдэг зураг байдаг.",
236     tips: [],
237     il8n: {
238     en: {
239         title: "Distant – judging/defensive mode often dominates",
240         summary: "Here, measuring feelings as \"right/wrong\" or shutting down quickly tends to dominate over accepting them. At times others' feelings may seem \"too much\" to you, prompting your own
other person ends up feeling misunderstood. This isn't ill intent – it's a pattern that often shows up during exhaustion, stress, or when you're dealing with your own overlapping problems.",
241     tips: [],
242     },
243     ja: {
244         title: "遠く – 判断/防衛モードが優勢",
245         summary: "ここでは、感情を「正しい/間違い」として測ったり、素早く閉ざることが、受け入れるよりも優勢になります。時々他人の感情が「多すぎる」と感じ、自分の感情もそれに促され、他の人にも誤解を生じます。これは悪意ではありません – 疲労、ストレス、または自分の重なった問題に対処しているときに現れるパターンです。",
246     tips: [],
```

```

247       },
248       ko: {
249         title: "ᠰᠡᠭᠡᠨ - ᠤᠯᠤᠰ ᠵᠢᠨ ᠲᠦᠨ ᠪᠠᠶ᠋ᠳᠠᠳ",
250         summary: "ᠰᠡᠭᠡᠨ ᠵᠢᠨ ᠲᠦᠨ ᠪᠠᠶ᠋ᠳᠠᠳ 'ᠴᠣᠷᠥᠭᠡ'ᠱ ᠵᠢᠨ ᠲᠦᠨ ᠪᠠᠶ᠋ᠳᠠᠳ. ᠵᠢᠨ ᠲᠦᠨ ᠪᠠᠶ᠋ᠳᠠᠳ 'ᠴᠣᠷᠥᠭᠡ'ᠱ ᠵᠢᠨ ᠲᠦᠨ ᠪᠠᠶ᠋ᠳᠠᠳ. ᠵᠢᠨ ᠲᠦᠨ ᠪᠠᠶ᠋ᠳᠠᠳ, ᠵᠢ ᠲᠦᠨ ᠪᠠᠶ᠋ᠳᠠᠳ ᠵᠢ ᠲᠦᠨ, ᠵᠢ ᠲᠦᠨ ᠪᠠᠶ᠋ᠳᠠᠳ",
251         tips: [],
252       },
253     },
254   ],
255   {
256     minPct: 0.0,
257     title: "Одоогоор энэрэл дарагдсан байдал",
258     summary:
259       "Одоогийн хариултуудаас харахад бусдын мэдрэмжийг ойлгох/хүлээн зөвшөөрөх тал түр хугацаанд сул, эсвэл дотроо “хаалттай” үе байж магадгүй. Хүнд яриа, сэтгэл хөдлөл ихтэй нөхцөлд тэсвэрлэх чадвар хамгаалах хэрэгцээ өндөр байгаа мэт зураг байна. Ийм үед хүн бусдын эмоцийг сонсохоос илүү “түргэн дуусгая”, “битгий иймэрхүү юм ярья” гэх байдлаар хариулах магадлал ихэсдэг. Ерөнхий дүр зураг: энэ бол чанарын ачааллын тусгал байх боломж өндөр.",
260     tips: [],
261     i18n: {
262       en: {
263         title: "Compassion currently suppressed",
264         summary: "Your current answers suggest your capacity to understand/accept others' feelings may be temporarily weak, or you may be in an inwardly \"closed off\" period. Tolerance for heavy conversation seems reduced, or your need to protect yourself seems heightened. At times like this, you're more likely to respond with \"let's just get this over with\" or \"let's not talk about this kind of thing\" rather than emotions. Overall: this isn't a character verdict – it's very likely a reflection of your current state/load.",
265       },
266     },
267     ja: {
268       title: "ᠰᠡᠭᠡᠨ ᠵᠢᠨ ᠲᠦᠨ ᠪᠠᠶ᠋ᠳᠠᠳ",
269       summary: "ᠰᠡᠭᠡᠨ ᠵᠢᠨ ᠲᠦᠨ ᠪᠠᠶ᠋ᠳᠠᠳ 'ᠴᠣᠷᠥᠭᠡ'ᠱ ᠵᠢᠨ ᠲᠦᠨ ᠪᠠᠶ᠋ᠳᠠᠳ. ᠵᠢᠨ ᠲᠦᠨ ᠪᠠᠶ᠋ᠳᠠᠳ 'ᠴᠣᠷᠥᠭᠡ'ᠱ ᠵᠢᠨ ᠲᠦᠨ ᠪᠠᠶ᠋ᠳᠠᠳ. ᠵᠢᠨ ᠲᠦᠨ ᠪᠠᠶ᠋ᠳᠠᠳ, ᠵᠢ ᠲᠦᠨ ᠪᠠᠶ᠋ᠳᠠᠳ ᠵᠢ ᠲᠦᠨ, ᠵᠢ ᠲᠦᠨ ᠪᠠᠶ᠋ᠳᠠᠳ",
270       tips: [],
271     },
272     ko: {
273       title: "ᠰᠡᠭᠡᠨ ᠵᠢᠨ ᠲᠦᠨ ᠪᠠᠶ᠋ᠳᠠᠳ",
274       summary: "ᠰᠡᠭᠡᠨ ᠵᠢᠨ ᠲᠦᠨ ᠪᠠᠶ᠋ᠳᠠᠳ 'ᠴᠣᠷᠥᠭᠡ'ᠱ ᠵᠢᠨ ᠲᠦᠨ ᠪᠠᠶ᠋ᠳᠠᠳ. ᠵᠢᠨ ᠲᠦᠨ ᠪᠠᠶ᠋ᠳᠠᠳ 'ᠴᠣᠷᠥᠭᠡ'ᠱ ᠵᠢᠨ ᠲᠦᠨ ᠪᠠᠶ᠋ᠳᠠᠳ. ᠵᠢᠨ ᠲᠦᠨ ᠪᠠᠶ᠋ᠳᠠᠳ, ᠵᠢ ᠲᠦᠨ ᠪᠠᠶ᠋ᠳᠠᠳ ᠵᠢ ᠲᠦᠨ, ᠵᠢ ᠲᠦᠨ ᠪᠠᠶ᠋ᠳᠠᠳ",
275       tips: [],
276     },
277   },
278 ],
279 },
280 };

```

365. [lib/apps/relations/tests/definitions/listening.ts](#)

```

1 import type { TestDefinition, TestOption, TestOptionValue } from "../types";
2
3 const OPTIONS: TestOption[] = [
4   // □ сайн нь дээр: UI дээр "Барат үргэлж" хамгийн дээр харагдана
5   {
6     value: 5 as TestOptionValue,
7     label: "Барат үргэлж",
8     i18n: { en: { label: "Almost always" }, ja: { label: "□□□□" }, ko: { label: "□□ □□" } },
9   },
10  {
11    value: 4 as TestOptionValue,
12    label: "Ихэнхдээ",
13    i18n: { en: { label: "Mostly" }, ja: { label: "□□□□□□□□" }, ko: { label: "□□□" } },
14  },
15  {
16    value: 3 as TestOptionValue,
17    label: "Заримдаа",
18    i18n: { en: { label: "Sometimes" }, ja: { label: "□□" }, ko: { label: "□□□" } },
19  },
20  {
21    value: 2 as TestOptionValue,
22    label: "Ховор",
23    i18n: { en: { label: "Rarely" }, ja: { label: "□□" }, ko: { label: "□□□" } },
24  },
25  {

```



```

26   value: 1 as TestOptionValue,
27   label: "Орт үгүй",
28   i18n: { en: { label: "Not at all" }, ja: { label: "□□□□" }, ko: { label: "□□ □□" } },
29 },
30 ];
31
32 export const listening: TestDefinition = {
33   id: "listening",
34   slug: "listening",
35   title: "Сонсох чадвар тест",
36   subtitle: "10 асуулт · харилцаа",
37   description:
38     "Ярилцлагад сонсох байр сууриа хэр барьдаг вэ – тэвчээр, анхаарал, ойлголтын чанарыг ерөнхийд нь харуулна.",
39   i18n: {
40     en: {
41       title: "Listening Skills Test",
42       subtitle: "10 questions · relationships",
43       description: "Shows how well you maintain a listening stance in conversation – patience, attention, and quality of understanding.",
44     },
45     ja: {
46       title: "□□□□□□",
47       subtitle: "10□□□□□□",
48       description: "□□□□□□□□□□□□ – □□□□□□□□□□□□□□□□",
49     },
50     ko: {
51       title: "□□ □□ □□",
52       subtitle: "10□□ · □□",
53       description: "□□□□ □□ □□□ □□□□□□ – □□□, □□□, □□□ □□ □□□□□ □□□□□.",
54     },
55   },
56   questions: [
57     { id: "q1", text: "Яригч нь таслалгүйгээр дуусгах боломж өгдөг.", options: OPTIONS,
58       i18n: { en: { text: "I let the speaker finish without interrupting." }, ja: { text: "□□□□□□□□□□□□□□" }, ko: { text: "□□□ □□□ □□ □□ □ □□ □□." } } },
59     { id: "q2", text: "Сонсож байхад зөвлөгөө өгөхөөсөө өмнө ху мэдэрч байгааг нь асуудар.", options: OPTIONS,
60       i18n: { en: { text: "Before giving advice, I ask how they're feeling." }, ja: { text: "□□□□□□□□□□□□□□□□" }, ko: { text: "□□□□ □□ □□ □□□□ □□ □□□." } } },
61     { id: "q3", text: "“Чи тэгээд ... гэж ойлголоо зөв үү?” гэж баталгаажуулж чаддаг.", options: OPTIONS,
62       i18n: { en: { text: "I can confirm with \"so you mean... right?\""}, ja: { text: "□□□□...□□□□□□□□□□□□" }, ko: { text: "\"□□□□... □□?\"□□ □□□ □ □□." } } },
63     { id: "q4", text: "Утас/анхаарал сарниулагчгүйгээр бүрэн анхаарч чаддаг.", options: OPTIONS,
64       i18n: { en: { text: "I can give full attention without phone/distractions." }, ja: { text: "□□□□□□□□□□□□□□□□□□" }, ko: { text: "□□□□ □ □□ □□ □□□ □□□ □ □□." } } },
65     { id: "q5", text: "Өөрийнхөөрөө дүгнэхээс илүүтэй эхлээд ойлгохыг хичээдэг.", options: OPTIONS,
66       i18n: { en: { text: "I try to understand first rather than jump to judgment." }, ja: { text: "□□□□□□□□□□□□□□" }, ko: { text: "□□□□□□ □□ □□□□□ □□□□." } } },
67     { id: "q6", text: "Мяраан үед ч сонсох байр сууриа барьж чаддаг.", options: OPTIONS,
68       i18n: { en: { text: "I can keep listening even during an argument." }, ja: { text: "□□□□□□□□□□□□□□" }, ko: { text: "□□ □□ □□□□ □□□ □□□ □ □□." } } },
69     { id: "q7", text: "Нөгөө хүний үгийг өөрөөр нь давтаж ойлгуулж өгдөг.", options: OPTIONS,
70       i18n: { en: { text: "I paraphrase the other person's words to show understanding." }, ja: { text: "□□□□□□□□□□□□□□□□" }, ko: { text: "□□□□ □□ □ □□□□ □□□ □□□□." } } },
71     { id: "q8", text: "Ярианы сүүлд “надад одоо надаас ху хэрэгтэй вэ?” гэж асуудар.", options: OPTIONS,
72       i18n: { en: { text: "At the end I ask \"what do you need from me right now?\""}, ja: { text: "□□□□□□□□□□□□□□□□□□□□" }, ko: { text: "□□ □□ \\\\"} } },
73     { id: "q9", text: "Шүүмжилж эхлэх үед хамгаалах биш сонсохыг хичээдэг.", options: OPTIONS,
74       i18n: { en: { text: "When criticized, I try to listen rather than get defensive." }, ja: { text: "□□□□□□□□□□□□□□" }, ko: { text: "□□□□ □□□ □ □□□□ □□ □□□ □□." } } },
75     { id: "q10", text: "Хүмүүс “чи сайн сонсдог” гэж хэлдэг.", options: OPTIONS,
76       i18n: { en: { text: "People tell me \"you're a good listener.\""}, ja: { text: "□□□□□□□□□□□□□□□□" }, ko: { text: "□□□□ \\\\"} } },
77   ],
78   bands: [
79     {
80       minPct: 0.9,
81       title: "Өндөр чанартай сонсогч",
82       summary:
83         "Чи “үг сонсох”-оос илүү “хүн сонсох” хэв маягтай байна. Яригчийн гол санааг таслалгүй авч, өөрийн дүгнэлтийг түр хойш тавьж чаддаг төрлийн хүн шиг харагдаж байна. Ийм сонсгол нь хүмүүсийг тайвшруулж, ойлгоход нь тусалдаг. Чамтай ярилцсаны дараа хүмүүс “намайг ойлголоо” гэж мэдрэх магадлал өндөр. Ерөнхий зураг: анхаарал, тэвчээр, баталгаажуулалт сайн.",
84       tips: [],
85       i18n: {
86         en: {
87           title: "High-quality listener",
88           summary: "You have a style of \"listening to the person,\" not just \"listening to words.\" You seem like the type who can take in the speaker's main point without interrupting and set your own listening calms people and helps them organize their thoughts. After talking with you, people likely feel \"understood.\" Overall: strong attention, patience, and confirmation.",
89           tips: [],
90         },
91         ja: {
92           title: "□□□□□□□□",

```

[illegible]

```

156     tips: [],
157     i18n: {
158       en: {
159         title: "Weak listening – interrupting/deciding dominates often",
160         summary: "Here, \"responding quickly,\" \"giving advice,\" and \"voicing your own opinion\" tend to dominate over listening. The other person may often not get to finish, or be left unable to
This becomes more pronounced when focus is lost or distractions (phone, etc.) are present. Overall: after talking with you, the other side may be left feeling \"I couldn't say what I felt.\"\"",
161         tips: [],
162       },
163       ja: {
164         title: "聞き流し - 中断/決断が優勢になる",
165         summary: "ここでは、\"迅速に反応する\"、\"アドバイスを与える\"、\"自分の意見を述べる\"の傾向が、聴き流しを凌駕する。相手は話を最後まで聞けず、あるいは自分の気持ちを伝えられず、\"言いたいことが言えない\"と感じる。全体的に、あなたと話をした後、相手は\"言いたいことが言えなかった\"と感じる。",
166         tips: [],
167       },
168       ko: {
169         title: "약한 경청 - 방해/결정하는 경향이 강함",
170         summary: "\"빠르게 반응하기\", \"자문을 주거나\", \"자신의 의견을 피력하기\"의 경향이 경청을 압도합니다. 상대방은 말을 끝까지 들지 못하거나, 혹은 자신의 감정을 표현하지 못하여 \"말하고 싶은 말이 표현되지 않음\"의 느낌을 받을 수 있습니다. 전반적으로, 대화를 마친 후 상대방은 \"말하고 싶은 말이 표현되지 않음\"의 느낌을 받을 수 있습니다.",
171         tips: [],
172       },
173     },
174   },
175   {
176     minPct: 0.0,
177     title: "Одоогоор сонсох нь хэцүү үе",
178     summary:
179       "Одоогийн хариултуудаас харахад сонсох байр суурь барих нь чамд яг одоо хэцүү байгаа мэт. Ихэнх яриа хурдан залхаах, анхаарал тарах, эсвэл дотроо өөр асуудал явж байгаагаас болж хүнийг “дагуулж байх магадгүй. Энэ нь зан чанарын “муу/сайн” дүгнэлт биш – тухайн үеийн ачаалал, дотоод байдал сонсголд шууд нөлөөлдөг. Ерөнхий зураг: яриа дундаа таслах, түргэн шийдэх, хамгаалах хэлбэр ажиглагдах магадлал өндөр байх магадгүй.",
180     tips: [],
181     i18n: {
182       en: {
183         title: "Listening is hard right now",
184         summary: "Your current answers suggest maintaining a listening stance is genuinely hard for you right now. Most conversations may tire you quickly, your attention may scatter, or you may simply not listen\" because of something else going on inside. This isn't a \"good/bad\" character verdict – current load and inner state directly affect listening. Overall: interrupting mid-conversation, deciding quickly likely to show up often.",
185         tips: [],
186       },
187       ja: {
188         title: "今は聴くのが難しい",
189         summary: "あなたの現在の回答は、今まさに聴く姿勢を維持するのが本当のことに難しいことを示唆しています。ほとんどの会話で、あなたはすぐに疲れて、集中力が散漫になるか、あるいは単に何か別の理由で聴かずにいる可能性があります。これは、何かの性格の善悪の判断ではありません - 現在の負担と内面的な状態が直接的に聴き流しに影響を与えます。全体的に、会話の途中で中断したり、早く結論を出したり、防御的な態度を示したりする傾向があります。",
190         tips: [],
191       },
192       ko: {
193         title: "지금 듣기가 정말 어렵습니다",
194         summary: "당신의 현재 대답은 지금 정말로 듣기 자세를 유지하는 것이 정말 어렵다는 것을 시사합니다. 대부분의 대화에서, 당신은 빨리 지치고, 주의가 산만해지거나, 또는 단순히 내면에서 일어나는 다른 어떤 것 때문에 듣지 않을 수 있습니다. 이것은 '좋은/나쁜' 성격의 판단이 아닙니다 - 현재의 부담과 내면의 상태가 직접적으로 듣기 능력에 영향을 미칩니다. 전반적으로, 대화의 중간에 방해하거나, 빨리 결론을 내리거나, 방어적인 태도를 보이는 경향이 있습니다.",
195         tips: [],
196       },
197     },
198   },
199 ],
200 };

```

366. lib/apps/relations/tests/definitions/personalityBasic.ts

```

1 import type { TestDefinition, TestOption, TestOptionValue } from "../types";
2
3 const OPTIONS: TestOption[] = [
4   // □ "сайн нь дээр" гэж UI дээр харагдана
5   {
6     value: 5 as TestOptionValue,
7     label: "Баар үргэлж",
8     i18n: { en: { label: "Almost always" }, ja: { label: "ほぼいつも" }, ko: { label: "거의 항상" } },
9   },
10  {
11    value: 4 as TestOptionValue,
12    label: "Ихэнхдээ",
13    i18n: { en: { label: "Mostly" }, ja: { label: "ほとんどもっと" }, ko: { label: "대부분" } },
14  },

```

```

15   {
16     value: 3 as TestOptionValue,
17     label: "Заримдаа",
18     i18n: { en: { label: "Sometimes" }, ja: { label: "時々" }, ko: { label: "때때로" } },
19   },
20   {
21     value: 2 as TestOptionValue,
22     label: "Ховор",
23     i18n: { en: { label: "Rarely" }, ja: { label: "めったに" }, ko: { label: "드물게" } },
24   },
25   {
26     value: 1 as TestOptionValue,
27     label: "Орт үгүй",
28     i18n: { en: { label: "Not at all" }, ja: { label: "まったくない" }, ko: { label: "전혀 그렇지 않다" } },
29   },
30 ];
31
32 export const personalityBasic: TestDefinition = {
33   id: "personality-basic",
34   slug: "personality-basic",
35   title: "Хувь хүний суурь тест",
36   subtitle: "Өөрийгөө таних · 12 асуулт",
37   description:
38     "Өөрийгөө яаж мэдэрдэг, хүмүүс дунд ямар байдал гаргадаг, шийдвэр гаргахдаа юунд илүү тулгуурлагдгийг ерөнхий чиглэлээр нь харуулна.",
39   i18n: {
40     en: {
41       title: "Personality Foundation Test",
42       subtitle: "Self-knowledge · 12 questions",
43       description: "Shows the general direction of how you feel about yourself, how you act around others, and what you rely on most when making decisions.",
44     },
45     ja: {
46       title: "個性の基礎テスト",
47       subtitle: "自己理解12問",
48       description: "自分や他人に対する一般的な考え方や行動の方向性、そして意思決定の際に最も頼っているものを明らかにします。",
49     },
50     ko: {
51       title: "성격의 기초 테스트",
52       subtitle: "자기 이해 · 12 질문",
53       description: "자기 자신과 타인에 대한 일반적인 생각, 행동의 방향성, 그리고 의사 결정을 할 때 가장 의존하는 것을 보여줍니다.",
54     },
55   },
56   questions: [
57     { id: "q1", text: "Сүүлийн үед би өөрийгөө тайван, тогтвортой мэдэрдэг.", options: OPTIONS,
58       i18n: { en: { text: "Lately I feel calm and stable." }, ja: { text: "最近、私は落ち着いて安定しています。" }, ko: { text: "최근에 나는 차분하고 안정적이다." } } },
59     { id: "q2", text: "Хүмүүстэй харилцахдаа би өөрийнхөөрөө байж чаддаг.", options: OPTIONS,
60       i18n: { en: { text: "Around people, I can be myself." }, ja: { text: "人々の間で、私は自分らしくいれます。" }, ko: { text: "사람들과 함께 있을 때 나는 나를 할 수 있다." } } },
61     { id: "q3", text: "Шийдвэр гаргахдаа би яаралгүй бодож, дараа нь хөдөлдөг.", options: OPTIONS,
62       i18n: { en: { text: "When deciding, I think without rushing, then act." }, ja: { text: "決断する時、私は焦らずに考え、その後行動します。" }, ko: { text: "결정할 때 나는 서둘러 생각하지 않고, 그 다음 행동한다." } } },
63     { id: "q4", text: "Би өөртөө тавьсан жижиг зорилгоо биелүүлэхдээ тогтвортой байдаг.", options: OPTIONS,
64       i18n: { en: { text: "I'm consistent at fulfilling the small goals I set for myself." }, ja: { text: "自分にとっての小さな目標を達成するために、私は一貫しています。" }, ko: { text: "내가 스스로 설정한 작은 목표를 달성하는 데 일관적이다." } } },
65     { id: "q5", text: "Алдаа гаргасан үедээ би өөрийгөө хэт буруутгалгүй, сургаж авдаг.", options: OPTIONS,
66       i18n: { en: { text: "When I make a mistake, I learn from it without overly blaming myself." }, ja: { text: "間違いを犯したとき、私は自分を過度に責めず、教訓を学びます。" }, ko: { text: "내가 실수할 때 나는 나를 과도하게 비난하지 않고, 배움을 얻는다." } } },
67     { id: "q6", text: "Надад таалагдахгүй зүйлд “үгүй” гэж хэлж чаддаг.", options: OPTIONS,
68       i18n: { en: { text: "I can say \"no\" to things I don't like." }, ja: { text: "好きでないものに、断言することができます。" }, ko: { text: "내가 좋아하지 않는 것에 대해 \"아니\"라고 말할 수 있다." } } },
69     { id: "q7", text: "Сэтгэл санаа савлах үедээ би өөрийгөө тайвшруулах арга хэрэглэдэг.", options: OPTIONS,
70       i18n: { en: { text: "When my mood swings, I use ways to calm myself." }, ja: { text: "気分が揺らぐとき、私は自分を落ち着かせる方法を使います。" }, ko: { text: "내 기분이 변할 때 나는 나를 진정시키는 방법을 사용한다." } } },
71     { id: "q8", text: "Би өөрийн давуу талаа мэддэг бөгөөд шаардлагатай үед түүн дээрээ тулгуурладаг.", options: OPTIONS,
72       i18n: { en: { text: "I know my strengths and rely on them when needed." }, ja: { text: "自分の長所を知り、必要に応じてそれに基づいて行動します。" }, ko: { text: "나의 강점을 알고, 필요할 때 그것에 의존한다." } } },
73     { id: "q9", text: "Би хүмүүстэй харьцахдаа ер нь шударга, ойлгомжтой байхыг хичээдэг.", options: OPTIONS,
74       i18n: { en: { text: "With people, I generally try to be honest and clear." }, ja: { text: "人々との関係で、私は一般的に正直で明確になるように努めます。" }, ko: { text: "사람들과 함께 있을 때 나는 일반적으로 정직하고 명확하려고 노력한다." } } },
75     { id: "q10", text: "Стресс үед ч би үндсэн ажлаа/амьдралынхаа хэмнэлийг нэг хэмжээнд барьж чаддаг.", options: OPTIONS,
76       i18n: { en: { text: "Even under stress, I can keep my work/life rhythm somewhat intact." }, ja: { text: "ストレス下でも、私の仕事/生活のリズムをある程度保てています。" }, ko: { text: "스트레스 상황에서도 나의 일/생활 리듬을 어느 정도 유지할 수 있다." } } },
77     { id: "q11", text: "Би тусламж хэрэгтэй үедээ бусдаас дэмжлэг хүсэж чаддаг.", options: OPTIONS,
78       i18n: { en: { text: "When I need help, I can ask others for support." }, ja: { text: "助けが必要なときに、他の人からサポートを求められます。" }, ko: { text: "내가 도움을 필요로 할 때 다른 사람들로부터 지원을 받을 수 있다." } } },
79     { id: "q12", text: "Би өөрийн амьдралд юу чухал вэ гэдгээ үе үе бодож, чиглэлээ сэргээдэг.", options: OPTIONS,
80       i18n: { en: { text: "I periodically reflect on what matters in my life and reset my direction." }, ja: { text: "人生で重要なことについて定期的に振り返り、方向性をリセットします。" }, ko: { text: "나의 삶에서 중요한 것에 대해 정기적으로 반성하고, 방향성을 재설정한다." } } },
81   ],
82   bands: [
83     {

```

```

84 minPct: 0.9,
85 title: "Суурь маш тогтвортой",
86 summary:
87   "Чиний дотор “тулгуур” сайн байна. Сэтгэл санаа савлах, ажил/амьдрал давхцах үед ч чи өөрийгөө унагаахгүй барьж чаддаг хэв шинж ажиглагдлаа.\n\n" +
88   "Ихэнхдээ чи өөрийнхөөрөө байж чаддаг, шийдвэрээ яаралгүй гаргадаг, алдаа дээр өөрийгөө дарангуйлж биш – ойлгож хүлээн зөвшөөрөөд цааш явдаг талтай.\n\n" +
89   "Ийм хүмүүс гаднаасаа тайван харагддаг ч дотроо “би хаашаа явж байгаа вэ” гэдгээ хааяа өөрөөсөө асууж, чиглэлээ алдахгүй барьдаг байдаг.",
90 tips: [],
91 i18n: {
92   en: {
93     title: "Very stable foundation",
94     summary:
95       "Your inner \"footing\" is solid. Even when your mood swings or work/life pile up, you tend to hold yourself steady without collapsing.\n\n" +
96       "Most of the time you can be yourself, make decisions without rushing, and rather than crushing yourself over mistakes, you understand, accept, and move on.\n\n" +
97       "People like this look calm from the outside, but inside they occasionally ask themselves \"where am I headed?\" and keep their direction without losing it.",
98     tips: [],
99   },
100   ja: {
101     title: "安定な基礎",
102     summary:
103       "心の内側は安定しています。気分が揺らぐときや仕事/生活が重なるときでも、自分自身を倒れさせずに安定を保ちます。\n\n" +
104       "ほとんどの時間、自分らしく決断し、焦らずに決断し、むしろミスに対しては押しつぶさず、理解し、受け入れ、前を向きます。\n\n" +
105       "このような人は外見からすると落ち着いていますが、内面では時々「私はどこに向かっているのか」と自問し、方向性を失わずに安定を保ちます。",
106     tips: [],
107   },
108   ko: {
109     title: "매우 안정적인 기초",
110     summary:
111       "내 마음의 뿌리가 단단합니다. 기분이나 일/삶의 부담이 늘어도, 스스로를 흔들리지 않고 안정을 유지합니다.\n\n" +
112       "대부분의 시간에는 자신처럼 결정을 내리고, 서둘러 결정을 내리지 않고, 오히려 실수에 대해 좌절하지 않고 이해하고, 받아들이고, 앞으로 나아갑니다.\n\n" +
113       "이런 사람들은 겉으로 보면 차분하지만, 속에서는 가끔 '내가 어디로 가고 있는가'를 묻고, 방향을 잃지 않고 안정을 유지합니다.",
114     tips: [],
115   },
116 },
117 },
118 {
119   minPct: 0.78,
120   title: "Тогтвортой, өөрийгөө мэдэрдэг",
121   summary:
122     "Ерөнхий суурь чинь сайн байна. Өөртөө “үгүй” гэж хэлэх, хэмнэлээ барих, өөрийгөө тайвшруулах зэрэг нь ихэнх үед ажилладаг байна.\n\n" +
123     "Гэхдээ зарим асуултад “заримдаа/ховор” гэж сонгосон бол чи зарим үед ачааллаасаа болоод өөрийгөө түр мартчихдаг, эсвэл дэмжлэг хүсэхээ хойш тавих хандлагатай байж магадгүй.\n\n" +
124     "Нийтдээ бол: чи өөрийгөө авч явдаг, гэхдээ хэт ачааллын үед дотоод хүч чинь хурдан шавхагддаг талтай.",
125   tips: [],
126   i18n: {
127     en: {
128       title: "Stable, self-aware",
129       summary:
130         "Your overall foundation is good. Saying \"no\" for yourself, keeping your rhythm, and calming yourself work most of the time.\n\n" +
131         "But if you chose \"sometimes/rarely\" on some questions, you may sometimes forget yourself under load, or tend to put off asking for support.\n\n" +
132         "Overall: you carry yourself well, but under excessive load your inner reserves may deplete quickly.",
133       tips: [],
134     },
135     ja: {
136       title: "安定した自己認識",
137       summary:
138         "全体的な基礎は良いです。自分自身に「いいえ」と言い、リズムを保ち、自分を落ち着かせることがほとんどの時間働きます。\n\n" +
139         "しかし、いくつかの質問で「時々/まれに」を選択した場合、負荷がかかると時々自分自身を忘れたり、サポートを求めずじまいになる傾向があります.\n\n" +
140         "全体的には、あなたは自分をうまく持ち支えています、しかし過度の負荷の下で、あなたの内面的なリソースは急速に枯渇する可能性があります。",
141       tips: [],
142     },
143     ko: {
144       title: "안정된 자기인식",
145       summary:
146         "전반적인 기초가 좋습니다. 스스로에게 '아니오'라고 말하고, 리듬을 유지하며, 자신을 진정시키는 것이 대부분의 시간 동안 효과가 있습니다.\n\n" +
147         "하지만 몇몇 질문에 '때때로/드물게'를 선택했다면, 일부 질문 하에 과부하로 인해 가끔씩 자신을 잊어버리거나, 지원을 요청하는 것을 미루는 경향이 있습니다.\n\n" +
148         "전반적으로: 당신은 자신을 잘 관리하고 있지만, 과도한 부담 아래에서는 내면의 자원이 빠르게 고갈될 수 있습니다.",
149       tips: [],
150     },
151   },
152 },

```

```

193      "Ийм үед хүн өөрийгөө буруутгахаараа улам мууддаг. Дотор хамгаалалт чинь их ажиллаад ирэхээр шийдвэр гаргах, зорилго барих, хүмүүсийн дунд өөрийнхөөрөө байх нь хүндрэх нь хэвийн.\n\n" +
194      "Нийт зураг: чи өөрийгөө "аврах" горимд удаан явж магадгүй байна.",
195      tips: [],
196      il8n: {
197        en: {
198          title: "Currently exhausted foundation",
199          summary:
200            "This suggests you've been putting a lot of effort into \"holding yourself together\" lately. If \"rarely/not at all\" came up often for staying calm, keeping rhythm, self-soothing, and asking for help, it's a sign your reserves have run low.\n\n" +
201            "At times like this, blaming yourself only makes it worse. When your inner defenses are working overtime, it's normal for decision-making, holding goals, and being yourself among people to be difficult."

```

```

218         "ᠰᠡ᠋ᠭᠡᠨ ᠤᠯᠤᠰ: ᠴᠢᠮᠣ ᠬᠦᠳᠢᠨ 'ᠴᠢᠮᠣ'ᠶᠢᠨ ᠵᠡᠷᠭᠡᠴᠡᠲᠡᠢ.",
219         tips: [],
220     },
221 },
222 },
223 {
224     minPct: 0,
225     title: "Сууриа дахин босгох хэрэгцээтэй үе",
226     summary:
227         "Оноо доогуур гарсан бол энэ нь “чи муу хүн” гэсэн үг огт биш. Харин сүүлийн үед дотор чинь их ачаалал хуримтлагдсан, эсвэл тогтвортой байлгадаг зүйлс (хэмнэл, дэмжлэг, өөрийгөө тайвшруулах боло
n\n" +
228         "Энд хамгийн тод илрэх зүйл нь: өөрийгөө буруутгах, ганцаараа даах, “би зүгээр” гэж явах хандлага. Гэтэл бодитоор бол ядаргаа, стресс, чиглэлээ алдах мэдрэмж зэрэг зэрэг явж байж магадгүй.\n\n"
229         "Энэ үр дүн бол онош биш – гэхдээ “би одоо өөрийгөө анзаарах хэрэгтэй” гэсэн хүчтэй дохио гэж ойлгож болно.",
230     tips: [],
231     il8n: {
232         en: {
233             title: "Time to rebuild your foundation",
234             summary:
235                 "A low score is not at all a verdict that \"you're a bad person.\" Rather, a lot of pressure may have built up inside you recently, or things that keep you stable (rhythm, support, ways to c
disrupted.\n\n" +
236                 "The clearest pattern here: blaming yourself, carrying it all alone, and going through with \"I'm fine.\" But in reality, exhaustion, stress, and a feeling of losing direction may all be hap
237                 "This result isn't a diagnosis – but it can be understood as a strong signal that \"I need to pay attention to myself now.\" ",
238             tips: [],
239         },
240         ja: {
241             title: "ᠰᠡᠭᠡᠨ ᠤᠯᠤᠰ",
242             summary:
243                 "ᠰᠡᠭᠡᠨ ᠤᠯᠤᠰ нь нэгэнт л "Чи муу хүн" гэсэн үг огт биш. Харин сүүлийн үед дотор чинь их ачаалал хуримтлагдсан, эсвэл тогтвортой байлгадаг зүйлс (хэмнэл, дэмжлэг, өөрийгөө тайвшруулах боло
244                 "Энд хамгийн тод илрэх зүйл нь: өөрийгөө буруутгах, ганцаараа даах, “би зүгээр” гэж явах хандлага. Гэтэл бодитоор бол ядаргаа, стресс, чиглэлээ алдах мэдрэмж зэрэг зэрэг явж байж магадгүй.\n\n" +
245                 "Энэ үр дүн бол онош биш – гэхдээ “би одоо өөрийгөө анзаарах хэрэгтэй” гэсэн хүчтэй дохио гэж ойлгож болно.",
246             tips: [],
247         },
248         ko: {
249             title: "ᠰᠡᠭᠡᠨ ᠤᠯᠤᠰ",
250             summary:
251                 "ᠰᠡᠭᠡᠨ ᠤᠯᠤᠰ нь нэгэнт л "Чи муу хүн" гэсэн үг огт биш. Харин сүүлийн үед дотор чинь их ачаалал хуримтлагдсан, эсвэл тогтвортой байлгадаг зүйлс (хэмнэл, дэмжлэг, өөрийгөө тайвшруулах боло
252                 "Энд хамгийн тод илрэх зүйл нь: өөрийгөө буруутгах, ганцаараа даах, “би зүгээр” гэж явах хандлага. Гэтэл бодитоор бол ядаргаа, стресс, чиглэлээ алдах мэдрэмж зэрэг зэрэг явж байж магадгүй.\n\n" +
253                 "Энэ үр дүн бол онош биш – гэхдээ “би одоо өөрийгөө анзаарах хэрэгтэй” гэсэн хүчтэй дохио гэж ойлгож болно.",
254             tips: [],
255         },
256     },
257 },
258 ],
259 };

```



```

90     il8n: { en: { text: "I say things that put others down." }, ja: { text: "他人を貶めることを言う。" }, ko: { text: "타인을 낮추는 말을 한다." } } },
91 { id: "q14", text: "Санаандгүй биш, зориуд хатуу ярьдар.", options: OPTIONS,
92   il8n: { en: { text: "I speak harshly on purpose, not by accident." }, ja: { text: "意図的に強硬に話す。" }, ko: { text: "의도적으로 강경하게 말한다." } } },
93 { id: "q15", text: "Хүний мэдрэмжийг “дэмий” гэж боддог.", options: OPTIONS,
94   il8n: { en: { text: "I think other people's feelings are \"pointless.\""}, ja: { text: "他人の感情は「無駄」だと思う。" }, ko: { text: "타인의 감정이 \"쓸데없다\" 생각한다." } } },
95 { id: "q16", text: "Шоглож, доромжилж хошигнодог.", options: OPTIONS,
96   il8n: { en: { text: "I mock and joke in demeaning ways." }, ja: { text: "軽蔑的なジョークを言う。" }, ko: { text: "輕蔑적인 농담을 한다." } } },
97
98 // V. Хил хязгаарыг үл хүндлэх (4)
99 { id: "q17", text: "Хэн нэгэн “үгүй” гэвэл хүлээж авдаггүй.", options: OPTIONS,
100   il8n: { en: { text: "When someone says \"no,\" I don't accept it." }, ja: { text: "誰かが「いいえ」と言ったら受け入れない。" }, ko: { text: "누가 \"아니\" 하면 받아들이지 않는다." } } },
101 { id: "q18", text: "Хувийн орон зайг нь зөрчдөг.", options: OPTIONS,
102   il8n: { en: { text: "I violate others' personal space." }, ja: { text: "他人の個人空間を侵犯する。" }, ko: { text: "타인의 개인 공간을 침해한다." } } },
103 { id: "q19", text: "Бусдын цаг, хүчийг өөрийнх шиг ашигладаг.", options: OPTIONS,
104   il8n: { en: { text: "I use others' time and energy as if it were mine." }, ja: { text: "他人の時間とエネルギーを自分のもののように使う。" }, ko: { text: "타인의 시간과 에너지를 마치 내 것인 것처럼 사용한다." } } },
105 { id: "q20", text: "“Чи ингэх ёстой” гэж боддог.", options: OPTIONS,
106   il8n: { en: { text: "I think \"you should do this.\""}, ja: { text: "あなたはこれをするべきだと思う。" }, ko: { text: "\"당신은 이것을 해야 합니다\"라고 생각합니다." } } },
107
108 // VI. Харилцааг хордуулах зуршлууд (4)
109 { id: "q21", text: "Өнгөрснийг дахин сөхөж шийтгэдэг.", options: OPTIONS,
110   il8n: { en: { text: "I dig up the past to punish someone again." }, ja: { text: "過去の出来事を掘り起こしてまた人を罰する。" }, ko: { text: "과거의 일을 다시 끄집어내어 누군가를 벌한다." } } },
111 { id: "q22", text: "Хардалт, сэрдэлт их.", options: OPTIONS,
112   il8n: { en: { text: "I'm very suspicious/distrustful." }, ja: { text: "非常に猜疑心が強い。" }, ko: { text: "매우 의심스럽고 불신을 품는다." } } },
113 { id: "q23", text: "Бусадтай харьцуулах, доош хийх.", options: OPTIONS,
114   il8n: { en: { text: "I compare them to others and put them down." }, ja: { text: "彼らを他人と比較して貶める。" }, ko: { text: "타인과 비교하여 그들을 낮추어 본다." } } },
115 { id: "q24", text: "Санаатайгаар зай барьж шийтгэх.", options: OPTIONS,
116   il8n: { en: { text: "I deliberately distance myself to punish them." }, ja: { text: "彼らを意図的に遠ざけて罰する。" }, ko: { text: "의도적으로 그들과 거리를 두어 벌한다." } } },
117
118 // VII. Хариуцлагаас зугтах (4)
119 { id: "q25", text: "Маггааны дараа засах оролдлого хийдэггүй.", options: OPTIONS,
120   il8n: { en: { text: "After an argument, I don't try to fix things." }, ja: { text: "議論の後に問題を直すことを試みない。" }, ko: { text: "논쟁 후 문제를 해결하려고 노력하지 않는다." } } },
121 { id: "q26", text: "Уучлалт гуйхаас зайлсхийдэг.", options: OPTIONS,
122   il8n: { en: { text: "I avoid apologizing." }, ja: { text: "謝罪を避ける。" }, ko: { text: "사과를 피하려고 한다." } } },
123 { id: "q27", text: "“Би ийм л хүн” гэж зөвтгөдөг.", options: OPTIONS,
124   il8n: { en: { text: "I justify myself with \"this is just who I am.\""}, ja: { text: "「これが私の性根だ」と自分に言い訳する。" }, ko: { text: "\"이게 내가 원래 그런 사람이다\"라고 자신을 정당화한다." } } },
125 { id: "q28", text: "Өөрчлөгдөх сонирхол багатай.", options: OPTIONS,
126   il8n: { en: { text: "I have little interest in changing." }, ja: { text: "変化に関心がない。" }, ko: { text: "변화에 관심이 적다." } } },
127 ],
128 bands: [
129   // 5 оноотой болсон тул мах = 28 * 5 = 140
130   // Ангиллын босгыг 140 дээр суурилууллаа:
131   // 113-140 (0.81+), 85-112 (0.61+), 56-84 (0.40+), 28-55 (0.0+)
132   {
133     minPct: 113 / 140,
134     title: "Хүчтэй токсик хэв маяг",
135     summary:
136       "Энд гарч ирж байгаа зураг бол “хааяа нэг эвгүй ааш” биш – харилцааг системтэйгээр хүнд болгодог давтамж өндөр хэв маяг байна. Хяналт тавих, бурууг бусдад түлхэх, сэтгэл хөдлөлөөр шахах, хил зөр
137       давхцаж илэрч байгаа магадлалтай. Ийм үед нөгөө тал айдас/сэрэмжтэй болж, км ярихаа болих, нуух, эсвэл бүр эсрэгээрээ дэлбэрэх хэлбэрээр хамгаалалт үүсдэг. Чиний хувьд өөрийгөө зөвтгөх, “би ингэхээс өөр аргагү
138       ирдэг байж мэднэ – гэхдээ гадаад талаасаа энэ нь бусдад шахалт, дарамт, үл хүндлэл мэт мэдрэгддэг. Энэ түвшин дээр хамгийн том эрсдэл нь: харилцаа өөрөө асуудал биш, харин ‘хүн айдаг орчин’ болж хувирах явдал.
139       tips: [],
140       il8n: {
141         en: {
142           title: "Strongly toxic pattern",
143           summary: "What appears here isn't an occasional \"bad mood\" – it's a high-frequency pattern that systematically makes relationships harmful. Controlling behavior, blame-shifting, emotional pr
144           violations likely overlap across many areas. In response, the other side becomes fearful/wary and shuts down, hides things, or even erupts in the opposite direction as a defense. You may easily slip into justi
145           no choice but to act this way\" – but from the outside, this reads as pressure, intimidation, and disrespect to others. The biggest risk at this level: the relationship itself isn't the problem – it's becoming
146           ",
147           tips: [],
148         },
149         ja: {
150           title: "非常に有毒なパターン",
151           summary: "ここに見えるのは「一時的な気分」ではなく、関係を系統的に有害にする高頻度のパターンです。統制行動、責任転嫁、感情的虐待、違反は多くの分野で重なり合います。これに反応して、相手は恐怖/警戒心を抱き、物事を隠すか、反対方向に爆発するかのいずれかになります。簡単に公正な選択をするのではなく、外部から見て、これは圧力、威嚇、不尊重と読めます。このレベルで最大のリスクは：関係性自体が問題ではなく、それが悪化

```

```

152         tips: [],
153     },
154 },
155 },
156 {
157     minPct: 85 / 140,
158     title: "Тодорхой токсик хандлага",
159     summary:
160         "Чамд эрүүл талууд байгаа ч тодорхой нөхцөлд токсик хэв маяг тогтмол асдаг зураг харагдаж байна. Ихэвчлэн маргаан, хардалт, үл ойлгогдох мэдрэмж, нэр төрийн асуудал, ядаргаа зэрэг үед хяналт тав
сөхөх, буруутгах зэрэг хариу гарах магадлал өсдөг. Нөгөө талын хувьд "яг одоо юу хэлбэл буруудах бол" гэж бодож эхлэх нь элбэг – энэ нь харилцааны дулааныг алдуулдаг. Чи өөрийгөө "үнэнээ л хэлж байна" гэж мэдр
хурц болоод ирэхээр утга нь хүртэл хүнд хүрч, харилцаа сэргэхэд удаан болдог төрөл.",
161     tips: [],
162     il8n: {
163         en: {
164             title: "Clearly toxic tendencies",
165             summary: "You have healthy sides, but in certain conditions toxic patterns reliably switch on. Usually during arguments, suspicion, feeling misunderstood, pride-related issues, or exhaustion,
controlling, speaking harshly, digging up the past, or blaming. The other side often starts thinking \"what can I even say right now without being blamed\" – which drains the warmth out of the relationship. Th
just telling the truth,\" but once the delivery turns sharp, even true things land hard, and it takes a while for the relationship to recover.",
166         },
167     },
168     ja: {
169         title: "「明らかに有毒な傾向」",
170         summary:
171             "「健康な側面があるにもかかわらず、特定の状況下で、必ずしも健康なパターンがスイッチングオンします。通常、議論中、疑念、理解されず、自尊心に関連する問題、または疲労、制御、粗言悪言、過去の掘り起こし、または非難。他の側面はしばしば「私が今何を言っても非難されるのではないか」という考えに陥り、関係性の温かみを奪い取ります。あなたが「正直を言うだけでは、一度は鋭い言い方になるまで、本当のことでも受け止めてくれるまで、関係性が回復するのに時間がかかります。」",
172     },
173     ko: {
174         title: "「명확히 유독한 경향」",
175         summary: "건강한 측면이 있지만, 특정 상황에서 유독한 패턴이 확실하게 켜집니다. 대개는 논쟁 중, 의심, 오해, 자존감과 관련된 문제, 또는 피로, 통제, 강하게 말하기, 과거를 파헤치거나 비난하는 때입니다. 다른 한쪽은 종종 '지금 뭐든 내가 말하면 비난받을 것 아닌가'라는 생각을 하게 되는데, 이는 관계의 따뜻함을 빼앗아갑니다. '진실을 말하는 것만으로는, 일단은 날카로운 전달이 될 때까지, 진짜 사실이든 아니든 상대방이 받아들이기까지 시간이 걸립니다.'",
176     },
177     tips: [],
178 },
179 },
180 {
181     minPct: 56 / 140,
182     title: "Зарим токсик шинж илэрч магадгүй",
183     summary:
184         "Ерөнхийдөө харьцангуй боломжийн ч тодорхой хэдэн зуршил давтагддаг байх магадлалтай. Жишээ нь: гомдож дуугүй болох, хардалт ихдэх, нэг асуудлыг хаахгүй удаан сөхөх, эсвэл "чи ийм байх ёстой" гэ
мэт. Энэ нь бусдад шууд айдас төрүүлдэг түвшин биш байж болох ч "ядаргаатай дарамт", "байнга буруу болж таардаг" мэдрэмж хуримтлуулдаг. Чи харилцаагаа сүйтгэхийг хүсээгүй ч – буруу хэлбэртэй хамгаалалт гараад
185     tips: [],
186     il8n: {
187         en: {
188             title: "Some toxic traits may appear",
189             summary: "Overall relatively reasonable, but a few specific habits likely repeat. For example: going silent when hurt, increasing suspicion, dragging out a single issue without closing it, or
should be this way.\" This may not reach a level that directly causes fear in others, but it builds up a feeling of \"exhausting pressure\" and \"always ending up at fault.\" You don't want to harm the relatio
defenses come out in the wrong form.",
190         },
191     },
192     ja: {
193         title: "「一部に有毒な特徴が現れる可能性がある」",
194         summary: "全体的に比較的合理的ですが、いくつかの特定の習慣が繰り返されることがあります。例えば、傷ついたときに沈黙を続ける、疑念を増やす、単一の問題を閉じずに引き伸ばす、または「これが普通でなければならない」という考えに固執することです。これは、他人に直接的な恐怖を引き起こすレベルには達しないかもしれませんが、他人に「疲れ果てた圧力」と「常に自分が悪くなる」という感覚を植え付けます。あなたは関係を悪くしたくないので、誤った形で防衛本能が現れる可能性があります。",
195     },
196     tips: [],
197 },
198     ko: {
199         title: "「일부 유독한 특징이 나타날 수 있다」",
200         summary: "전반적으로 비교적 합리적이지만, 몇 가지 구체적인 습관이 반복될 가능성이 있습니다. 예를 들어: 상처받을 때 침묵을 지키고, 의심이 증가하고, 단일 문제를 닫지 않고 끌고 다니는 것, 또는 '이것이 있어야 하는 방식이다.'라고 생각하는 것입니다. 이는 타인에게 직접적인 두려움을 유발하는 수준에 도달하지는 않을 수 있지만, 타인에게 'exhausting pressure'라는 느낌과 '항상 잘못을 지는 것'이라는 느낌을 심어줍니다. 당신은 관계를 해치지 않으려 하지만, 오히려 잘못된 방식으로 방어벽을 내세울 수 있습니다.",
201     },
202 },
203 },
204 {
205     minPct: 0,
206     title: "Токсик хэв маяг бага",
207     summary:
208         "Чиний хариултуудаас харахад харилцаанд хор хүргэх хэв маяг бага илэрч байна. Чи ихэнхдээ бусдын хил хязгаарыг хүндэлдэг, өөрийнхөөрөө тулгах шаардлага бага, маргааны дараа ч эвлэрэл/засах талаа

```

```

Мэдээж хүн бүрт хүнд өдөр, бухимдал байдаг – гэхдээ ерөнхий чигээрээ чиний харилцааны суурь “айдас төрүүлэх” биш, “ойлголцуулах” талдаа байна.”,
209   tips: [],
210   i18n: {
211     en: {
212       title: "Low toxic pattern",
213       summary: "Your answers suggest harmful relationship patterns appear rarely. You mostly respect others' boundaries, rarely insist on having your own way, and are likely to look toward reconciliation. Of course everyone has hard days and frustration – but overall, your relational foundation leans toward \"fostering understanding,\" not \"causing fear.\"\"",
214     },
215   },
216   ja: {
217     title: "低毒性パターン",
218     summary: "あなたの回答は、有害な関係のパターンは稀に現れることを示唆しています。あなたは他者の境界を主に尊重し、自分のやり方を強要することは稀にあり、他者と和解を志向する傾向があります。もちろん誰もが辛い日や挫折を経験しますが、全体的に見ると、あなたの関係の基盤は「理解を育む」方向に傾いており、「恐れを招く」方向には傾いていません。\"",
219     tips: [],
220   },
221   ko: {
222     title: "저독성 패턴",
223     summary: "귀하의 답변은 유해한 관계 패턴이 드물게 나타난다는 것을 시사합니다. 주로 타인의 경계를 존중하며, 자신의 방식을 강요하는 것은 드물고, 타인과 화해할 가능성이 높습니다. 물론 모두가 힘든 날과 좌절을 겪지만, 전반적으로 귀하의 관계의 기반은 '이해를 증진'하는 방향으로 기울어 있으며, '공포 유발'하는 방향으로 기울어 있지 않습니다.\"",
224     tips: [],
225   },
226 },
227 ],
228 ],
229 };

```

368. lib/apps/relations/tests/definitions/trust.ts

```

1  import type { TestDefinition, TestOption, TestOptionValue } from "../types";
2
3  // 5 сонголт, “сайн нь дээр” гэж UI дээр харагдана
4  const OPTIONS: TestOption[] = [
5    {
6      value: 5 as TestOptionValue,
7      label: "Баар үргэлж",
8      i18n: { en: { label: "Almost always" }, ja: { label: "ほぼ常に" }, ko: { label: "거의 항상" } },
9    },
10   {
11     value: 4 as TestOptionValue,
12     label: "Ихэнхдээ",
13     i18n: { en: { label: "Mostly" }, ja: { label: "ほとんども" }, ko: { label: "대부분" } },
14   },
15   {
16     value: 3 as TestOptionValue,
17     label: "Заримдаа",
18     i18n: { en: { label: "Sometimes" }, ja: { label: "ときどき" }, ko: { label: "때때로" } },
19   },
20   {
21     value: 2 as TestOptionValue,
22     label: "Ховор",
23     i18n: { en: { label: "Rarely" }, ja: { label: "めったにない" }, ko: { label: "드물다" } },
24   },
25   {
26     value: 1 as TestOptionValue,
27     label: "Орт үгүй",
28     i18n: { en: { label: "Not at all" }, ja: { label: "まったくない" }, ko: { label: "전혀 아니다" } },
29   },
30 ];
31
32 export const trust: TestDefinition = {
33   id: "trust",
34   slug: "trust",
35   title: "Итгэлцэл ба найдвартай байдал тест",
36   subtitle: "10 асуулт · харилцаа",
37   description:
38     "Амлалт, тууштай байдал, үнэнч шударга байдал, хүнд үед орхихгүй байх зэрэг итгэл төрүүлдэг зан төлөв хэр тогтвортойг бүдүүн тоймоор харуулна.",
39   i18n: {
40     en: {
41       title: "Trust & Reliability Test",

```



```
106         summary:
107         "Чи суурьдаа боломжийн найдвартай хүн – гэхдээ зарим үед тогтвортой байдал хэлбэлздэг зураг харагдаж байна. Ихэвчлэн “ажил/амьдралын ачаалал”, “сэтгэл санааны савлагаа”, эсвэл “хийх зүйлээ хэт о
108         tips: [],
109         i18n: {
110         en: {
111             title: "Generally reliable but fluctuating",
112             summary: "At your core you're reasonably reliable – but at times your consistency wavers. Usually under \"work/life load,\" \"emotional swings,\" or \"promising too much at once,\" you may be
113             tips: [],
114         },
115         ja: {
116             title: "信頼が揺らぐ",
117             summary:
118 "信頼が揺らぐ。あなたは、一般的に信頼できる人ですが、時々、あなたの信頼性が揺らぎます。通常、仕事/生活の負担、感情的な揺らぎ、または一度に約束しすぎることで、あなたは
119         },
120         ko: {
121             title: "신뢰도가 변하는 사람",
122             summary: "당신은 기본적으로 신뢰할 수 있는 사람이지만, 때때로 신뢰도가 흔들립니다. 보통 '업무/생활 부담', '감정적 기복', 또는 '너무 많은 약속을 한 것'으로 인해 신뢰도가 흔들리
123             tips: [],
124         },
125     },
126 },
127 {
128     minPct: 0.45,
129     title: "Итгэл амархан савладаг хэв маяг",
130     summary:
131     "Энд гарч ирж байгаа зураг нь: чи зарим зүйл дээр сайн ч “итгэл” гэдэг суурь дээр тогтвортой байдал хангалтгүй байж магадгүй гэсэн дохио. Амлалт өгчихөөд биелүүлэхгүй байх, өөрчлөгдөхөд мэдэгдэж
132     tips: [],
133     i18n: {
134     en: {
135         title: "Trust fluctuates easily",
136         summary: "The picture here: while you're good in some areas, the consistency that builds \"trust\" as a foundation may be insufficient. Things like making promises and not following through, l
137         tips: [],
138     },
139     ja: {
140         title: "信頼が揺らぎやすい",
141         summary: "ここには、あなたがいくつかの分野では良いですが、信頼の基盤を築くための一貫性が不十分であることが示されています。約束を破る、または一度に約束しすぎることで、信頼が揺ら
142         tips: [],
143     },
144     ko: {
145         title: "신뢰도가 쉽게 변한다",
146         summary: "여기에는, 여러분이 어떤 분야에서는 좋지만, '신뢰'라는 기반을 구축하는 데 필요한 일관성이 충분하지 않다는 그림이 담겨 있습니다. 약속을 지키지 않거나, 너무 많은 약속을 한 것 등으로 인해 신뢰도가 쉽게
147         tips: [],
148     },
149     },
150 },
151 {
152     minPct: 0,
153     title: "Одоогоор итгэл сэргээх шаардлагатай түвшин",
154     summary:
155     "Хариултуудаас харахад чамд итгэл төрүүлэх зан төлөв тогтмол биш, зарим тал дээр эрс сул байх магадлалтай байна. Энэ нь “чи муу хүн” гэсэн дүгнэлт огт биш – харин одоо чиний амьдралын хэмнэл, до
156     tips: [],
```

```

157     i18n: {
158       en: {
159         title: "Trust currently needs rebuilding",
160         summary: "Your answers suggest your trust-building behaviors aren't consistent, and may be markedly weak in some areas. This is not at all a verdict that \"you're a bad person\" – rather a pic
rhythm, inner pressures, and way of carrying responsibility are directly affecting your relationships. People interacting with you risk doubting your promises, fearing being abandoned in hard times, or feeling
the truth. When trust weakens like this, no matter how much good feeling, love, or care exists, a relationship tires easily without a \"safe foundation.\" The most common conflict at this level: one side feels
you're exactly the same,\" while the other gets defensive, feeling \"you don't understand me / you're pressuring me\" – a clash of expectations.",
161       tips: [],
162     },
163     ja: {
164       title: "信頼関係が再構築を必要としている",
165       summary:
"信頼関係が再構築を必要としている。あなたの回答は、あなたの信頼構築の行動が一貫していません、そしていくつかの分野で著しく弱い可能性があります。これは決して「あなたは悪い人です」という判決ではありません。むしろ、あなたのペース、内面的な圧力、責任の持ち方などがあなたの関係性に直接影響を及ぼしている可能性があります。あなたとやり取りする人々は、あなたの約束を疑い、困難な時にあなたを捨てられることを恐れるかもしれません、またはあなたが本当の気持ちと一致していないと感じるかもしれません。たとえ、愛や気遣いがあるとしても、信頼が弱くなると、関係は簡単に疲れてしまいます。安全な基盤がなければなりません。このレベルで最も一般的な対立点：一方はあなたと全く同じだと感じる一方で、もう一方はあなたを防御し、あなたを「私をわかってくれない / あなたは私を圧迫している」と感じ、期待の衝突を生み出します。",
166       tips: [],
167     },
168     ko: {
169       title: "신뢰는 현재 재건이 필요합니다",
170       summary: "당신의 답변은 당신의 신뢰 구축 행동이 일관적이지 않음을 시사하며, 일부 영역에서 현저하게 약할 수 있습니다. 이는 결코 '당신은 나쁜 사람입니다'라는 판결이 아닙니다. 오히려, 당신의 리듬, 내면의 압력, 그리고 책임을 지는 방식이 당신의 관계를 직접적으로 영향을 미치고 있습니다. 사람들이 당신과 상호작용할 때 약속을 의심하거나, 어려운 시기에 당신을 버릴까 두려워하거나, 당신이 진심을 말하지 않는다고 느끼는 등, 신뢰가 약해지면, 관계는 쉽게 지칩니다. 애초에 사랑이나 배려가 있더라도, '안전한 기반'이 없다면, 이 단계에서 가장 흔한 갈등: 한쪽은 당신과 똑같다고 느끼는 반면, 다른 한쪽은 당신을 방어하거나 '당신은 나를 이해하지 못한다 / 당신을 압박하고 있다'는 충돌과 기대의 충돌이 발생합니다.",
171       tips: [],
172     },
173   },
174 },
175 ],
176 };

```

369. lib/apps/relations/tests/localStore.ts

```

1  import type { TestDefinition } from "../types";
2
3  export type LatestTestResult = {
4    testId: string;
5    title: string;
6    pct: number; // □ always 0..100
7    bandTitle: string;
8    summary: string;
9    savedAtISO: string;
10 };
11
12 const KEY = "oyunsanaa:relations:tests:latest:v1";
13
14 export function loadLatest(): LatestTestResult[] {
15   if (typeof window === "undefined") return [];
16   try {
17     const raw = localStorage.getItem(KEY);
18     if (!raw) return [];
19     const parsed = JSON.parse(raw) as LatestTestResult[];
20     return Array.isArray(parsed) ? parsed : [];
21   } catch {
22     return [];
23   }
24 }
25
26 function normalizePct(pctRaw: number): number {
27   // pctRaw заримдаа 0..1 (0.9), заримдаа 0..100 (90) ирж болно
28   if (!Number.isFinite(pctRaw)) return 0;
29
30   const pct = pctRaw <= 1 ? Math.round(pctRaw * 100) : Math.round(pctRaw);
31
32   if (pct < 0) return 0;
33   if (pct > 100) return 100;
34   return pct;
35 }
36
37 export function saveLatestLocal(
38   test: TestDefinition,

```

```

39   pctRaw: number,
40   bandTitle: string,
41   summary: string
42 } {
43   if (typeof window === "undefined") return;
44
45   const pct = normalizePct(pctRaw);
46
47   const current = loadLatest();
48   const next: LatestTestResult[] = [
49     {
50       testId: test.id,
51       title: test.title,
52       pct,
53       bandTitle,
54       summary,
55       savedAtISO: new Date().toISOString(),
56     },
57     ...current.filter((x) => x.testId !== test.id),
58   ].slice(0, 8); // 8 тесттэй таарууллаа
59
60   localStorage.setItem(KEY, JSON.stringify(next));
61 }
62
63 //  □ “Бүгдийг дахин эхлүүлэх / reset” үед хэрэгтэй
64 export function clearLatest() {
65   if (typeof window === "undefined") return;
66   localStorage.removeItem(KEY);
67 }

```

370. lib/apps/relations/tests/testsRegistry.ts

```

1  import type { TestDefinition } from "../types";
2
3  import { boundaries } from "../definitions/boundaries";
4  import { communicationStyle } from "../definitions/communicationStyle";
5  import { conflict } from "../definitions/conflict";
6  import { empathy } from "../definitions/empathy";
7  import { listening } from "../definitions/listening";
8  import { personalityBasic } from "../definitions/personalityBasic";
9  import { toxicBehavior } from "../definitions/toxicBehavior";
10 import { trust } from "../definitions/trust";
11
12 //  □ Нийт 8 тест (хуучин 2 + шинэ 6)
13 export const TESTS: TestDefinition[] = [
14   communicationStyle,
15   personalityBasic,
16
17   listening,
18   empathy,
19   boundaries,
20   conflict,
21   trust,
22   toxicBehavior,
23 ];
24
25 //  □ helper-үүд (page.tsx дээр хэрэгтэй)
26 export function getTestById(id: string) {
27   return TESTS.find((t) => t.id === id) ?? null;
28 }
29
30 export function getTestBySlug(slug: string) {
31   return TESTS.find((t) => t.slug === slug) ?? null;
32 }

```

371. lib/apps/relations/tests/types.ts

```
1 import type { Locale } from "@lib/i18n/config";
2
3 export type TestOptionValue = 0 | 1 | 2 | 3 | 4;
4
5 export type TestOption = {
6   label: string;
7   value: TestOptionValue;
8   i18n?: Partial<Record<Locale, { label: string }>>;
9 };
10
11 export type TestQuestion = {
12   id: string;
13   text: string;
14   options: TestOption[];
15   i18n?: Partial<Record<Locale, { text: string }>>;
16 };
17
18 export type TestBand = {
19   minPct: number; // 0..1
20   title: string;
21   summary: string;
22   tips: string[];
23   i18n?: Partial<Record<Locale, { title: string; summary: string; tips: string[] }>>;
24 };
25
26 export type TestDefinition = {
27   id: string;
28   slug: string;
29   title: string;
30   subtitle?: string;
31   description?: string;
32   questions: TestQuestion[];
33   bands: TestBand[]; // 0 36B
34   i18n?: Partial<Record<Locale, { title: string; subtitle?: string; description?: string }>>;
35 };
36
37 export function resolveTestDefinition(test: TestDefinition, locale: Locale) {
38   const loc = test.i18n?.[locale];
39   return {
40     ...test,
41     title: loc?.title ?? test.title,
42     subtitle: loc?.subtitle ?? test.subtitle,
43     description: loc?.description ?? test.description,
44     questions: test.questions.map((q) => ({
45       ...q,
46       text: q.i18n?.[locale]?.text ?? q.text,
47       options: q.options.map((o) => ({
48         ...o,
49         label: o.i18n?.[locale]?.label ?? o.label,
50       })),
51     })),
52     bands: test.bands.map((b) => ({
53       ...b,
54       title: b.i18n?.[locale]?.title ?? b.title,
55       summary: b.i18n?.[locale]?.summary ?? b.summary,
56       tips: b.i18n?.[locale]?.tips ?? b.tips,
57     })),
58   };
59 }
```

372. lib/artifacts/server.ts

```
1 import type { UIMessageStreamWriter } from "ai";
2 import type { Session } from "next-auth";
```



```

3 import { codeDocumentHandler } from "@artifacts/code/server";
4 import { sheetDocumentHandler } from "@artifacts/sheet/server";
5 import { textDocumentHandler } from "@artifacts/text/server";
6 import type { ArtifactKind } from "@components/artifact";
7 import { saveDocument } from "../db/queries";
8 import type { Document } from "../db/schema";
9 import type { ChatMessage } from "../types";
10
11 export type SaveDocumentProps = {
12   id: string;
13   title: string;
14   kind: ArtifactKind;
15   content: string;
16   userId: string;
17 };
18
19 export type CreateDocumentCallbackProps = {
20   id: string;
21   title: string;
22   dataStream: UIMessageStreamWriter<ChatMessage>;
23   session: Session;
24 };
25
26 export type UpdateDocumentCallbackProps = {
27   document: Document;
28   description: string;
29   dataStream: UIMessageStreamWriter<ChatMessage>;
30   session: Session;
31 };
32
33 export type DocumentHandler<T = ArtifactKind> = {
34   kind: T;
35   onCreateDocument: (args: CreateDocumentCallbackProps) => Promise<void>;
36   onUpdateDocument: (args: UpdateDocumentCallbackProps) => Promise<void>;
37 };
38
39 export function createDocumentHandler<T extends ArtifactKind>(config: {
40   kind: T;
41   onCreateDocument: (params: CreateDocumentCallbackProps) => Promise<string>;
42   onUpdateDocument: (params: UpdateDocumentCallbackProps) => Promise<string>;
43 }): DocumentHandler<T> {
44   return {
45     kind: config.kind,
46     onCreateDocument: async (args: CreateDocumentCallbackProps) => {
47       const draftContent = await config.onCreateDocument({
48         id: args.id,
49         title: args.title,
50         dataStream: args.dataStream,
51         session: args.session,
52       });
53
54       if (args.session?.user?.id) {
55         await saveDocument({
56           id: args.id,
57           title: args.title,
58           content: draftContent,
59           kind: config.kind,
60           userId: args.session.user.id,
61         });
62       }
63
64       return;
65     },
66     onUpdateDocument: async (args: UpdateDocumentCallbackProps) => {
67       const draftContent = await config.onUpdateDocument({
68         document: args.document,
69         description: args.description,
70         dataStream: args.dataStream,
71         session: args.session,

```

```

72     });
73
74     if (args.session?.user?.id) {
75       await saveDocument({
76         id: args.document.id,
77         title: args.document.title,
78         content: draftContent,
79         kind: config.kind,
80         userId: args.session.user.id,
81       });
82     }
83
84     return;
85   },
86 };
87 }
88
89 /*
90  * Use this array to define the document handlers for each artifact kind.
91  */
92 export const documentHandlersByArtifactKind: DocumentHandler[] = [
93   textDocumentHandler,
94   codeDocumentHandler,
95   sheetDocumentHandler,
96 ];
97
98 export const artifactKinds = ["text", "code", "sheet"] as const;

```

373. lib/constants.ts

```

1  import { generateDummyPassword } from "../db/utils";
2
3  export const isProductionEnvironment = process.env.NODE_ENV === "production";
4  export const isDevelopmentEnvironment = process.env.NODE_ENV === "development";
5  export const isTestEnvironment = Boolean(
6    process.env.PLAYWRIGHT_TEST_BASE_URL ||
7    process.env.PLAYWRIGHT ||
8    process.env.CI_PLAYWRIGHT
9  );
10
11 export const guestRegex = /^guest-\d+$/;
12
13 export const DUMMY_PASSWORD = generateDummyPassword();

```

374. lib/db/helpers/01-core-to-parts.ts

```

1  // This is a helper for an older version of ai, v4.3.13
2
3  // import { config } from 'dotenv';
4  // import postgres from 'postgres';
5  // import {
6  //   chat,
7  //   message,
8  //   type MessageDeprecated,
9  //   messageDeprecated,
10 //   vote,
11 //   voteDeprecated,
12 // } from '../schema';
13 // import { drizzle } from 'drizzle-orm/postgres-js';
14 // import { inArray } from 'drizzle-orm';
15 // import { appendResponseMessages, type UIMessage } from 'ai';
16
17 // config({
18 //   path: '.env.local',
19 // });

```

```

20
21 // if (!process.env.POSTGRES_URL) {
22 //   throw new Error('POSTGRES_URL environment variable is not set');
23 // }
24
25 // const client = postgres(process.env.POSTGRES_URL);
26 // const db = drizzle(client);
27
28 // const BATCH_SIZE = 100; // Process 100 chats at a time
29 // const INSERT_BATCH_SIZE = 1000; // Insert 1000 messages at a time
30
31 // type NewMessageInsert = {
32 //   id: string;
33 //   chatId: string;
34 //   parts: any[];
35 //   role: string;
36 //   attachments: any[];
37 //   createdAt: Date;
38 // };
39
40 // type NewVoteInsert = {
41 //   messageId: string;
42 //   chatId: string;
43 //   isUpvoted: boolean;
44 // };
45
46 // interface MessageDeprecatedContentPart {
47 //   type: string;
48 //   content: unknown;
49 // }
50
51 // function getMessageRank(message: MessageDeprecated): number {
52 //   if (
53 //     message.role === 'assistant' &&
54 //     (message.content as MessageDeprecatedContentPart[]).some(
55 //       (contentPart) => contentPart.type === 'tool-call',
56 //     )
57 //   ) {
58 //     return 0;
59 //   }
60
61 //   if (
62 //     message.role === 'tool' &&
63 //     (message.content as MessageDeprecatedContentPart[]).some(
64 //       (contentPart) => contentPart.type === 'tool-result',
65 //     )
66 //   ) {
67 //     return 1;
68 //   }
69
70 //   if (message.role === 'assistant') {
71 //     return 2;
72 //   }
73
74 //   return 3;
75 // }
76
77 // function dedupeParts<T extends { type: string; [k: string]: any }>(
78 //   parts: T[],
79 // ): T[] {
80 //   const seen = new Set<string>();
81 //   return parts.filter((p) => {
82 //     const key = `${p.type}|${JSON.stringify(p.content ?? p)}`;
83 //     if (seen.has(key)) return false;
84 //     seen.add(key);
85 //     return true;
86 //   });
87 // }
88

```

```

89 // function sanitizeParts<T extends { type: string; [k: string]: any }>({
90 //   parts: T[],
91 // }): T[] {
92 //   return parts.filter(
93 //     (part) => !(part.type === 'reasoning' && part.reasoning === 'undefined'),
94 //   );
95 // }
96
97 // async function migrateMessages() {
98 //   const chats = await db.select().from(chat);
99
100 //   let processedCount = 0;
101
102 //   for (let i = 0; i < chats.length; i += BATCH_SIZE) {
103 //     const chatBatch = chats.slice(i, i + BATCH_SIZE);
104 //     const chatIds = chatBatch.map((chat) => chat.id);
105
106 //     const allMessages = await db
107 //       .select()
108 //       .from(messageDeprecated)
109 //       .where(inArray(messageDeprecated.chatId, chatIds));
110
111 //     const allVotes = await db
112 //       .select()
113 //       .from(voteDeprecated)
114 //       .where(inArray(voteDeprecated.chatId, chatIds));
115
116 //     const newMessagesToInsert: NewMessageInsert[] = [];
117 //     const newVotesToInsert: NewVoteInsert[] = [];
118
119 //     for (const chat of chatBatch) {
120 //       processedCount++;
121 //       console.info(`Processed ${processedCount}/${chats.length} chats`);
122
123 //       const messages = allMessages
124 //         .filter((message) => message.chatId === chat.id)
125 //         .sort((a, b) => {
126 //           const differenceInTime =
127 //             new Date(a.createdAt).getTime() - new Date(b.createdAt).getTime();
128 //           if (differenceInTime !== 0) return differenceInTime;
129
130 //           return getMessageRank(a) - getMessageRank(b);
131 //         });
132
133 //       const votes = allVotes.filter((v) => v.chatId === chat.id);
134
135 //       const messageSection: Array<UIMessage> = [];
136 //       const messageSections: Array<Array<UIMessage>> = [];
137
138 //       for (const message of messages) {
139 //         const { role } = message;
140
141 //         if (role === 'user' && messageSection.length > 0) {
142 //           messageSections.push([...messageSection]);
143 //           messageSection.length = 0;
144 //         }
145
146 //         // @ts-expect-error message.content has different type
147 //         messageSection.push(message);
148 //       }
149
150 //       if (messageSection.length > 0) {
151 //         messageSections.push([...messageSection]);
152 //       }
153
154 //       for (const section of messageSections) {
155 //         const [userMessage, ...assistantMessages] = section;
156
157 //         const [firstAssistantMessage] = assistantMessages;

```

```

158
159 //      try {
160 //          const uiSection = appendResponseMessages({
161 //              messages: [userMessage],
162 //              // @ts-expect-error: message.content has different type
163 //              responseMessages: assistantMessages,
164 //              _internal: {
165 //                  currentDate: () => firstAssistantMessage.createdAt ?? new Date(),
166 //              },
167 //          });
168
169 //      const projectedUISection = uiSection
170 //          .map((message) => {
171 //              if (message.role === 'user') {
172 //                  return {
173 //                      id: message.id,
174 //                      chatId: chat.id,
175 //                      parts: [{ type: 'text', text: message.content }],
176 //                      role: message.role,
177 //                      createdAt: message.createdAt,
178 //                      attachments: [],
179 //                  } as NewMessageInsert;
180 //              } else if (message.role === 'assistant') {
181 //                  const cleanParts = sanitizeParts(
182 //                      dedupeParts(message.parts || []),
183 //                  );
184
185 //                  return {
186 //                      id: message.id,
187 //                      chatId: chat.id,
188 //                      parts: cleanParts,
189 //                      role: message.role,
190 //                      createdAt: message.createdAt,
191 //                      attachments: [],
192 //                  } as NewMessageInsert;
193 //              }
194 //              return null;
195 //          })
196 //          .filter((msg): msg is NewMessageInsert => msg !== null);
197
198 //      for (const msg of projectedUISection) {
199 //          newMessagesToInsert.push(msg);
200
201 //          if (msg.role === 'assistant') {
202 //              const voteByMessage = votes.find((v) => v.messageId === msg.id);
203 //              if (voteByMessage) {
204 //                  newVotesToInsert.push({
205 //                      messageId: msg.id,
206 //                      chatId: msg.chatId,
207 //                      isUpvoted: voteByMessage.isUpvoted,
208 //                  });
209 //              }
210 //          }
211 //      }
212 //      } catch (error) {
213 //          console.error(`Error processing chat ${chat.id}: ${error}`);
214 //      }
215 //  }
216 // }
217
218 // for (let j = 0; j < newMessagesToInsert.length; j += INSERT_BATCH_SIZE) {
219 //     const messageBatch = newMessagesToInsert.slice(j, j + INSERT_BATCH_SIZE);
220 //     if (messageBatch.length > 0) {
221 //         const validMessageBatch = messageBatch.map((msg) => ({
222 //             id: msg.id,
223 //             chatId: msg.chatId,
224 //             parts: msg.parts,
225 //             role: msg.role,
226 //             attachments: msg.attachments,

```

```

227 //         createdAt: msg.createdAt,
228 //       });
229
230 //       await db.insert(message).values(validMessageBatch);
231 //     }
232 //   }
233
234 //   for (let j = 0; j < newVotesToInsert.length; j += INSERT_BATCH_SIZE) {
235 //     const voteBatch = newVotesToInsert.slice(j, j + INSERT_BATCH_SIZE);
236 //     if (voteBatch.length > 0) {
237 //       await db.insert(vote).values(voteBatch);
238 //     }
239 //   }
240 // }
241
242 // console.info(`Migration completed: ${processedCount} chats processed`);
243 // }
244
245 // migrateMessages()
246 // .then(() => {
247 //   console.info('Script completed successfully');
248 //   process.exit(0);
249 // })
250 // .catch((error) => {
251 //   console.error('Script failed:', error);
252 //   process.exit(1);
253 // });

```

375. lib/db/migrate.ts

```

1 import { config } from "dotenv";
2 import { drizzle } from "drizzle-orm/postgres-js";
3 import { migrate } from "drizzle-orm/postgres-js/migrator";
4 import postgres from "postgres";
5
6 // Load production env first, then let .env.local override
7 config({ path: ".env.production" });
8 config({ path: ".env.local", override: true });
9
10 const runMigrate = async () => {
11   if (!process.env.POSTGRES_URL) {
12     console.log("❌ POSTGRES_URL not defined, skipping migrations");
13     process.exit(0);
14   }
15
16   const connection = postgres(process.env.POSTGRES_URL, { max: 1 });
17   const db = drizzle(connection);
18
19   console.log("🔄 Running migrations...");
20
21   const start = Date.now();
22   await migrate(db, { migrationsFolder: "./lib/db/migrations" });
23   const end = Date.now();
24
25   console.log("✅ Migrations completed in", end - start, "ms");
26   process.exit(0);
27 };
28
29 runMigrate().catch((err) => {
30   console.error("❌ Migration failed");
31   console.error(err);
32   process.exit(1);
33 });

```

376. lib/db/migrations/0000_keen_devos.sql

```
1 CREATE TABLE IF NOT EXISTS "Chat" (
2   □"id" uuid PRIMARY KEY DEFAULT gen_random_uuid() NOT NULL,
3   □"createdAt" timestamp NOT NULL,
4   □"messages" json NOT NULL,
5   □"userId" uuid NOT NULL
6 );
7 --> statement-breakpoint
8 CREATE TABLE IF NOT EXISTS "User" (
9   □"id" uuid PRIMARY KEY DEFAULT gen_random_uuid() NOT NULL,
10  □"email" varchar(64) NOT NULL,
11  □"password" varchar(64)
12 );
13 --> statement-breakpoint
14 DO $$ BEGIN
15   ALTER TABLE "Chat" ADD CONSTRAINT "Chat_userId_User_id_fk" FOREIGN KEY ("userId") REFERENCES "public"."User"("id") ON DELETE no action ON UPDATE no action;
16 EXCEPTION
17   WHEN duplicate_object THEN null;
18 END $$;
```

377. lib/db/migrations/0001_sparkling_blue_marvel.sql

```
1 CREATE TABLE IF NOT EXISTS "Suggestion" (
2   □"id" uuid DEFAULT gen_random_uuid() NOT NULL,
3   □"documentId" uuid NOT NULL,
4   □"documentCreatedAt" timestamp NOT NULL,
5   □"originalText" text NOT NULL,
6   □"suggestedText" text NOT NULL,
7   □"description" text,
8   □"isResolved" boolean DEFAULT false NOT NULL,
9   □"userId" uuid NOT NULL,
10  □"createdAt" timestamp NOT NULL,
11  □CONSTRAINT "Suggestion_id_pk" PRIMARY KEY("id")
12 );
13 --> statement-breakpoint
14 CREATE TABLE IF NOT EXISTS "Document" (
15   □"id" uuid DEFAULT gen_random_uuid() NOT NULL,
16   □"createdAt" timestamp NOT NULL,
17   □"title" text NOT NULL,
18   □"content" text,
19   □"userId" uuid NOT NULL,
20   □CONSTRAINT "Document_id_createdAt_pk" PRIMARY KEY("id","createdAt")
21 );
22 --> statement-breakpoint
23 DO $$ BEGIN
24   ALTER TABLE "Suggestion" ADD CONSTRAINT "Suggestion_userId_User_id_fk" FOREIGN KEY ("userId") REFERENCES "public"."User"("id") ON DELETE no action ON UPDATE no action;
25 EXCEPTION
26   WHEN duplicate_object THEN null;
27 END $$;
28 --> statement-breakpoint
29 DO $$ BEGIN
30   ALTER TABLE "Suggestion" ADD CONSTRAINT "Suggestion_documentId_documentCreatedAt_Document_id_createdAt_fk" FOREIGN KEY ("documentId","documentCreatedAt") REFERENCES "public"."Document"("id","createdAt")
UPDATE no action;
31 EXCEPTION
32   WHEN duplicate_object THEN null;
33 END $$;
34 --> statement-breakpoint
35 DO $$ BEGIN
36   ALTER TABLE "Document" ADD CONSTRAINT "Document_userId_User_id_fk" FOREIGN KEY ("userId") REFERENCES "public"."User"("id") ON DELETE no action ON UPDATE no action;
37 EXCEPTION
38   WHEN duplicate_object THEN null;
39 END $$;
```

378. lib/db/migrations/0002_wandering_riptide.sql

```
1 CREATE TABLE IF NOT EXISTS "Message" (  
2   "id" uuid PRIMARY KEY DEFAULT gen_random_uuid() NOT NULL,  
3   "chatId" uuid NOT NULL,  
4   "role" varchar NOT NULL,  
5   "content" json NOT NULL,  
6   "createdAt" timestamp NOT NULL  
7 );  
8 --> statement-breakpoint  
9 CREATE TABLE IF NOT EXISTS "Vote" (  
10  "chatId" uuid NOT NULL,  
11  "messageId" uuid NOT NULL,  
12  "isUpvoted" boolean NOT NULL,  
13  CONSTRAINT "Vote_chatId_messageId_pk" PRIMARY KEY("chatId","messageId")  
14 );  
15 --> statement-breakpoint  
16 ALTER TABLE "Chat" ADD COLUMN "title" text NOT NULL;--> statement-breakpoint  
17 DO $$ BEGIN  
18   ALTER TABLE "Message" ADD CONSTRAINT "Message_chatId_Chat_id_fk" FOREIGN KEY ("chatId") REFERENCES "public"."Chat"("id") ON DELETE no action ON UPDATE no action;  
19 EXCEPTION  
20   WHEN duplicate_object THEN null;  
21 END $$;  
22 --> statement-breakpoint  
23 DO $$ BEGIN  
24   ALTER TABLE "Vote" ADD CONSTRAINT "Vote_chatId_Chat_id_fk" FOREIGN KEY ("chatId") REFERENCES "public"."Chat"("id") ON DELETE no action ON UPDATE no action;  
25 EXCEPTION  
26   WHEN duplicate_object THEN null;  
27 END $$;  
28 --> statement-breakpoint  
29 DO $$ BEGIN  
30   ALTER TABLE "Vote" ADD CONSTRAINT "Vote_messageId_Message_id_fk" FOREIGN KEY ("messageId") REFERENCES "public"."Message"("id") ON DELETE no action ON UPDATE no action;  
31 EXCEPTION  
32   WHEN duplicate_object THEN null;  
33 END $$;  
34 --> statement-breakpoint  
35 ALTER TABLE "Chat" DROP COLUMN IF EXISTS "messages";
```

379. lib/db/migrations/0003_cloudy_glorian.sql

```
1 ALTER TABLE "Chat" ADD COLUMN "visibility" varchar DEFAULT 'private' NOT NULL;
```

380. lib/db/migrations/0004_odd_slayback.sql

```
1 ALTER TABLE "Document" ADD COLUMN "text" varchar DEFAULT 'text' NOT NULL;
```

381. lib/db/migrations/0005_wooden_whistler.sql

```
1 CREATE TABLE IF NOT EXISTS "Message_v2" (  
2   "id" uuid PRIMARY KEY DEFAULT gen_random_uuid() NOT NULL,  
3   "chatId" uuid NOT NULL,  
4   "role" varchar NOT NULL,  
5   "parts" json NOT NULL,  
6   "attachments" json NOT NULL,  
7   "createdAt" timestamp NOT NULL  
8 );  
9 --> statement-breakpoint  
10 CREATE TABLE IF NOT EXISTS "Vote_v2" (  
11  "chatId" uuid NOT NULL,  
12  "messageId" uuid NOT NULL,  
13  "isUpvoted" boolean NOT NULL,
```



```

14 □CONSTRAINT "Vote_v2_chatId_messageId_pk" PRIMARY KEY("chatId","messageId")
15 );
16 --> statement-breakpoint
17 DO $$ BEGIN
18   ALTER TABLE "Message_v2" ADD CONSTRAINT "Message_v2_chatId_Chat_id_fk" FOREIGN KEY ("chatId") REFERENCES "public"."Chat"("id") ON DELETE no action ON UPDATE no action;
19 EXCEPTION
20   WHEN duplicate_object THEN null;
21 END $$;
22 --> statement-breakpoint
23 DO $$ BEGIN
24   ALTER TABLE "Vote_v2" ADD CONSTRAINT "Vote_v2_chatId_Chat_id_fk" FOREIGN KEY ("chatId") REFERENCES "public"."Chat"("id") ON DELETE no action ON UPDATE no action;
25 EXCEPTION
26   WHEN duplicate_object THEN null;
27 END $$;
28 --> statement-breakpoint
29 DO $$ BEGIN
30   ALTER TABLE "Vote_v2" ADD CONSTRAINT "Vote_v2_messageId_Message_v2_id_fk" FOREIGN KEY ("messageId") REFERENCES "public"."Message_v2"("id") ON DELETE no action ON UPDATE no action;
31 EXCEPTION
32   WHEN duplicate_object THEN null;
33 END $$;

```

382. lib/db/migrations/0006_marvelous_frog_thor.sql

```

1 CREATE TABLE IF NOT EXISTS "Stream" (
2   □"id" uuid DEFAULT gen_random_uuid() NOT NULL,
3   □"chatId" uuid NOT NULL,
4   □"createdAt" timestamp NOT NULL,
5   □CONSTRAINT "Stream_id_pk" PRIMARY KEY("id")
6 );
7 --> statement-breakpoint
8 DO $$ BEGIN
9   ALTER TABLE "Stream" ADD CONSTRAINT "Stream_chatId_Chat_id_fk" FOREIGN KEY ("chatId") REFERENCES "public"."Chat"("id") ON DELETE no action ON UPDATE no action;
10 EXCEPTION
11   WHEN duplicate_object THEN null;
12 END $$;

```

383. lib/db/migrations/0007_flowery_ben_parker.sql

```

1 ALTER TABLE "Chat" ADD COLUMN "lastContext" jsonb;

```

384. lib/db/migrations/0008_thankful_mephistopheles.sql

```

1 CREATE TABLE IF NOT EXISTS "therapy_conversation" (
2   □"id" uuid PRIMARY KEY DEFAULT gen_random_uuid() NOT NULL,
3   □"appointment_id" text,
4   □"client_email" varchar(64) NOT NULL,
5   □"psychologist_email" varchar(64) NOT NULL,
6   □"status" varchar DEFAULT 'open' NOT NULL,
7   □"last_message_at" timestamp with time zone,
8   □"created_at" timestamp with time zone DEFAULT now() NOT NULL
9 );
10 --> statement-breakpoint
11 CREATE TABLE IF NOT EXISTS "therapy_message" (
12   □"id" uuid PRIMARY KEY DEFAULT gen_random_uuid() NOT NULL,
13   □"conversation_id" uuid NOT NULL,
14   □"sender_email" varchar(64) NOT NULL,
15   □"sender_role" varchar NOT NULL,
16   □"body" text NOT NULL,
17   □"read_at" timestamp with time zone,
18   □"created_at" timestamp with time zone DEFAULT now() NOT NULL
19 );
20 --> statement-breakpoint

```

```

21 DO $$ BEGIN
22   ALTER TABLE "therapy_message" ADD CONSTRAINT "therapy_message_conversation_id_therapy_conversation_id_fk" FOREIGN KEY ("conversation_id") REFERENCES "public"."therapy_conversation"("id") ON DELETE no action
23 EXCEPTION
24   WHEN duplicate_object THEN null;
25 END $$;
26 --> statement-breakpoint
27 CREATE UNIQUE INDEX IF NOT EXISTS "therapy_conversation_appointment_unique" ON "therapy_conversation" USING btree ("appointment_id");--> statement-breakpoint
28 CREATE INDEX IF NOT EXISTS "therapy_message_conversation_idx" ON "therapy_message" USING btree ("conversation_id","created_at");

```

385. lib/db/migrations/0009_subscription_billing.sql

```

1 CREATE TABLE IF NOT EXISTS "SubscriptionPayment" (
2   □"id" uuid PRIMARY KEY DEFAULT gen_random_uuid() NOT NULL,
3   □"userId" uuid NOT NULL,
4   □"qpayInvoiceId" text,
5   □"senderInvoiceNo" varchar(64) NOT NULL,
6   □"amount" integer NOT NULL,
7   □"currency" varchar(8) DEFAULT 'MNT' NOT NULL,
8   □"status" varchar DEFAULT 'pending' NOT NULL,
9   □"createdAt" timestamp with time zone DEFAULT now() NOT NULL,
10  □"paidAt" timestamp with time zone,
11  □CONSTRAINT "SubscriptionPayment_senderInvoiceNo_unique" UNIQUE("senderInvoiceNo")
12 );
13 --> statement-breakpoint
14 ALTER TABLE "User" ADD COLUMN "trialStartedAt" timestamp with time zone DEFAULT now() NOT NULL;--> statement-breakpoint
15 ALTER TABLE "User" ADD COLUMN "subscriptionStatus" varchar DEFAULT 'trialing' NOT NULL;--> statement-breakpoint
16 ALTER TABLE "User" ADD COLUMN "currentPeriodEnd" timestamp with time zone;--> statement-breakpoint
17 DO $$ BEGIN
18   ALTER TABLE "SubscriptionPayment" ADD CONSTRAINT "SubscriptionPayment_userId_User_id_fk" FOREIGN KEY ("userId") REFERENCES "public"."User"("id") ON DELETE no action ON UPDATE no action;
19 EXCEPTION
20   WHEN duplicate_object THEN null;
21 END $$;

```

386. lib/db/migrations/0010_shared_auth.sql

```

1 ALTER TABLE "User" ADD COLUMN IF NOT EXISTS "name" varchar(64);--> statement-breakpoint
2 ALTER TABLE "User" ADD COLUMN IF NOT EXISTS "role" varchar(20) DEFAULT 'PATIENT' NOT NULL;--> statement-breakpoint
3 -- Migrate scheduling users into public.User (web-registered users get a chat account)
4 INSERT INTO "User" (id, email, password, name, role, "trialStartedAt", "subscriptionStatus")
5 SELECT su.id::uuid, LOWER(su.email), su.password_hash, su.name, su.role::text, NOW(), 'trialing'
6 FROM scheduling.user su
7 WHERE NOT EXISTS (SELECT 1 FROM "User" pu WHERE LOWER(pu.email) = LOWER(su.email))
8   AND NOT EXISTS (SELECT 1 FROM "User" pu WHERE pu.id = su.id::uuid)
9 ON CONFLICT DO NOTHING;--> statement-breakpoint
10 -- Sync name/role for users already in both tables
11 UPDATE "User" pu
12 SET name = su.name, role = su.role::text
13 FROM scheduling.user su
14 WHERE LOWER(pu.email) = LOWER(su.email) AND pu.name IS NULL;--> statement-breakpoint
15 -- Drop old FK constraints (they point to scheduling.user which is being deprecated for auth)
16 DO $$ BEGIN ALTER TABLE scheduling.psychologist_profile DROP CONSTRAINT psychologist_profile_user_id_fkey; EXCEPTION WHEN undefined_object THEN null; END $$;--> statement-breakpoint
17 DO $$ BEGIN ALTER TABLE scheduling.availability DROP CONSTRAINT availability_psychologist_id_fkey; EXCEPTION WHEN undefined_object THEN null; END $$;--> statement-breakpoint
18 DO $$ BEGIN ALTER TABLE scheduling.appointment DROP CONSTRAINT appointment_patient_id_fkey; EXCEPTION WHEN undefined_object THEN null; END $$;--> statement-breakpoint
19 DO $$ BEGIN ALTER TABLE scheduling.appointment DROP CONSTRAINT appointment_psychologist_id_fkey; EXCEPTION WHEN undefined_object THEN null; END $$;--> statement-breakpoint
20 -- Cast scheduling FK columns from text → uuid so they can reference public.User(id)
21 DO $$ BEGIN IF (SELECT data_type FROM information_schema.columns WHERE table_schema='scheduling' AND table_name='psychologist_profile' AND column_name='user_id')='text' THEN ALTER TABLE scheduling.psychologist_profile ALTER COLUMN user_id TYPE uuid USING user_id::uuid; END IF; END $$;--> statement-breakpoint
22 DO $$ BEGIN IF (SELECT data_type FROM information_schema.columns WHERE table_schema='scheduling' AND table_name='availability' AND column_name='psychologist_id')='text' THEN ALTER TABLE scheduling.availability ALTER COLUMN psychologist_id TYPE uuid USING psychologist_id::uuid; END IF; END $$;--> statement-breakpoint
23 DO $$ BEGIN IF (SELECT data_type FROM information_schema.columns WHERE table_schema='scheduling' AND table_name='appointment' AND column_name='patient_id')='text' THEN ALTER TABLE scheduling.appointment ALTER COLUMN patient_id TYPE uuid USING patient_id::uuid; END IF; END $$;--> statement-breakpoint
24 DO $$ BEGIN IF (SELECT data_type FROM information_schema.columns WHERE table_schema='scheduling' AND table_name='appointment' AND column_name='psychologist_id')='text' THEN ALTER TABLE scheduling.appointment ALTER COLUMN psychologist_id TYPE uuid USING psychologist_id::uuid; END IF; END $$;--> statement-breakpoint
25 -- Remap appointments/profiles where same user has different IDs in each system
26 DO $$

```

```

27 DECLARE r RECORD;
28 BEGIN
29   FOR r IN
30     SELECT su.id::uuid AS scheduling_id, pu.id AS canonical_id
31     FROM scheduling.user su
32     JOIN "User" pu ON LOWER(pu.email) = LOWER(su.email)
33     WHERE su.id::uuid != pu.id
34   LOOP
35     UPDATE scheduling.psychologist_profile SET user_id      = r.canonical_id WHERE user_id      = r.scheduling_id;
36     UPDATE scheduling.availability      SET psychologist_id = r.canonical_id WHERE psychologist_id = r.scheduling_id;
37     UPDATE scheduling.appointment      SET patient_id     = r.canonical_id WHERE patient_id     = r.scheduling_id;
38     UPDATE scheduling.appointment      SET psychologist_id = r.canonical_id WHERE psychologist_id = r.scheduling_id;
39   END LOOP;
40 END $$;--> statement-breakpoint
41 -- Add new FK constraints pointing to public.User
42 DO $$ BEGIN ALTER TABLE scheduling.psychologist_profile ADD CONSTRAINT psychologist_profile_user_id_fkey FOREIGN KEY (user_id) REFERENCES "User"(id) ON DELETE CASCADE; EXCEPTION WHEN duplicate_object THEN null; END $$;
breakpoint
43 DO $$ BEGIN ALTER TABLE scheduling.availability ADD CONSTRAINT availability_psychologist_id_fkey FOREIGN KEY (psychologist_id) REFERENCES "User"(id) ON DELETE CASCADE; EXCEPTION WHEN duplicate_object THEN null; END $$;
breakpoint
44 DO $$ BEGIN ALTER TABLE scheduling.appointment ADD CONSTRAINT appointment_patient_id_fkey FOREIGN KEY (patient_id) REFERENCES "User"(id); EXCEPTION WHEN duplicate_object THEN null; END $$;--> statement-breakpoint
45 DO $$ BEGIN ALTER TABLE scheduling.appointment ADD CONSTRAINT appointment_psychologist_id_fkey FOREIGN KEY (psychologist_id) REFERENCES "User"(id); EXCEPTION WHEN duplicate_object THEN null; END $$;

```

387. lib/db/migrations/0011_payment_transaction_log.sql

```

1 CREATE TABLE IF NOT EXISTS "PaymentTransactionLog" (
2   □"id" uuid PRIMARY KEY DEFAULT gen_random_uuid() NOT NULL,
3   □"createdAt" timestamp with time zone DEFAULT now() NOT NULL,
4   □"userId" uuid,
5   □"senderInvoiceNo" varchar(64),
6   □"qpayInvoiceId" text,
7   □"event" varchar(32) NOT NULL,
8   □"source" varchar(16) NOT NULL,
9   □"amount" integer,
10  □"currency" varchar(8),
11  □"ip" varchar(64),
12  □"message" text,
13  □"raw" json
14 );
15 --> statement-breakpoint
16 CREATE INDEX IF NOT EXISTS "PaymentTransactionLog_senderInvoiceNo_idx" ON "PaymentTransactionLog" USING btree ("senderInvoiceNo");--> statement-breakpoint
17 CREATE INDEX IF NOT EXISTS "PaymentTransactionLog_createdAt_idx" ON "PaymentTransactionLog" USING btree ("createdAt");

```

388. lib/db/migrations/0012_chat_message_indexes.sql

```

1 CREATE INDEX IF NOT EXISTS "Chat_userId_createdAt_idx" ON "Chat" USING btree ("userId","createdAt");--> statement-breakpoint
2 CREATE INDEX IF NOT EXISTS "Message_v2_chatId_createdAt_idx" ON "Message_v2" USING btree ("chatId","createdAt");--> statement-breakpoint
3 CREATE INDEX IF NOT EXISTS "Message_v2_createdAt_idx" ON "Message_v2" USING btree ("createdAt");

```

389. lib/db/migrations/0013_bouncy_typhoid_mary.sql

```

1 CREATE TABLE IF NOT EXISTS "WhoAmIProgramRun" (
2   □"id" uuid PRIMARY KEY DEFAULT gen_random_uuid() NOT NULL,
3   □"userId" uuid NOT NULL,
4   □"screen" varchar(32) DEFAULT 'area' NOT NULL,
5   □"pct" json NOT NULL,
6   □"notes" json NOT NULL,
7   □"answers" json NOT NULL,
8   □"scores" json NOT NULL,
9   □"finalNote" text DEFAULT '' NOT NULL,
10  □"completedAt" timestamp with time zone,
11  □"createdAt" timestamp with time zone DEFAULT now() NOT NULL,
12  □"updatedAt" timestamp with time zone DEFAULT now() NOT NULL

```

```

13 );
14 --> statement-breakpoint
15 DO $$ BEGIN
16   ALTER TABLE "WhoAmIProgramRun" ADD CONSTRAINT "WhoAmIProgramRun_userId_User_id_fk" FOREIGN KEY ("userId") REFERENCES "public"."User"("id") ON DELETE no action ON UPDATE no action;
17 EXCEPTION
18   WHEN duplicate_object THEN null;
19 END $$;
20 --> statement-breakpoint
21 CREATE INDEX IF NOT EXISTS "WhoAmIProgramRun_user_completed_updated_idx" ON "WhoAmIProgramRun" USING btree ("userId","completedAt","updatedAt");

```

390. lib/db/migrations/0014_stale_shooting_star.sql

```

1 ALTER TABLE "WhoAmIProgramRun" ADD COLUMN "areaIdx" integer DEFAULT 0 NOT NULL;

```

391. lib/db/migrations/meta/0000_snapshot.json

```

1 {
2   "id": "715ec9ec-6715-4d0f-9f6c-9b5c7f09827c",
3   "prevId": "00000000-0000-0000-0000-000000000000",
4   "version": "7",
5   "dialect": "postgresql",
6   "tables": {
7     "public.Chat": {
8       "name": "Chat",
9       "schema": "",
10      "columns": {
11        "id": {
12          "name": "id",
13          "type": "uuid",
14          "primaryKey": true,
15          "notNull": true,
16          "default": "gen_random_uuid()"
17        },
18        "createdAt": {
19          "name": "createdAt",
20          "type": "timestamp",
21          "primaryKey": false,
22          "notNull": true
23        },
24        "messages": {
25          "name": "messages",
26          "type": "json",
27          "primaryKey": false,
28          "notNull": true
29        },
30        "userId": {
31          "name": "userId",
32          "type": "uuid",
33          "primaryKey": false,
34          "notNull": true
35        }
36      },
37      "indexes": {},
38      "foreignKeys": {
39        "Chat_userId_User_id_fk": {
40          "name": "Chat_userId_User_id_fk",
41          "tableFrom": "Chat",
42          "tableTo": "User",
43          "columnsFrom": ["userId"],
44          "columnsTo": ["id"],
45          "onDelete": "no action",
46          "onUpdate": "no action"
47        }
48      },
49      "compositePrimaryKeys": {},

```

```

50     "uniqueConstraints": {}
51   },
52   "public.User": {
53     "name": "User",
54     "schema": "",
55     "columns": {
56       "id": {
57         "name": "id",
58         "type": "uuid",
59         "primaryKey": true,
60         "notNull": true,
61         "default": "gen_random_uuid()"
62       },
63       "email": {
64         "name": "email",
65         "type": "varchar(64)",
66         "primaryKey": false,
67         "notNull": true
68       },
69       "password": {
70         "name": "password",
71         "type": "varchar(64)",
72         "primaryKey": false,
73         "notNull": false
74       }
75     },
76     "indexes": {},
77     "foreignKeys": {},
78     "compositePrimaryKeys": {},
79     "uniqueConstraints": {}
80   }
81 },
82 "enums": {},
83 "schemas": {},
84 "sequences": {},
85 "meta": {
86   "columns": {},
87   "schemas": {},
88   "tables": {}
89 }
90 }

```

392. lib/db/migrations/meta/0001_snapshot.json

```

1  {
2    "id": "f3d3437c-4735-4c91-80af-1014048a904e",
3    "prevId": "715ec9ec-6715-4d0f-9f6c-9b5c7f09827c",
4    "version": "7",
5    "dialect": "postgres",
6    "tables": {
7      "public.Suggestion": {
8        "name": "Suggestion",
9        "schema": "",
10       "columns": {
11         "id": {
12           "name": "id",
13           "type": "uuid",
14           "primaryKey": false,
15           "notNull": true,
16           "default": "gen_random_uuid()"
17         },
18         "documentId": {
19           "name": "documentId",
20           "type": "uuid",
21           "primaryKey": false,
22           "notNull": true
23         }

```

```

24     "documentCreatedAt": {
25       "name": "documentCreatedAt",
26       "type": "timestamp",
27       "primaryKey": false,
28       "notNull": true
29     },
30     "originalText": {
31       "name": "originalText",
32       "type": "text",
33       "primaryKey": false,
34       "notNull": true
35     },
36     "suggestedText": {
37       "name": "suggestedText",
38       "type": "text",
39       "primaryKey": false,
40       "notNull": true
41     },
42     "description": {
43       "name": "description",
44       "type": "text",
45       "primaryKey": false,
46       "notNull": false
47     },
48     "isResolved": {
49       "name": "isResolved",
50       "type": "boolean",
51       "primaryKey": false,
52       "notNull": true,
53       "default": false
54     },
55     "userId": {
56       "name": "userId",
57       "type": "uuid",
58       "primaryKey": false,
59       "notNull": true
60     },
61     "createdAt": {
62       "name": "createdAt",
63       "type": "timestamp",
64       "primaryKey": false,
65       "notNull": true
66     }
67   },
68   "indexes": {},
69   "foreignKeys": {
70     "Suggestion_userId_User_id_fk": {
71       "name": "Suggestion_userId_User_id_fk",
72       "tableFrom": "Suggestion",
73       "tableTo": "User",
74       "columnsFrom": ["userId"],
75       "columnsTo": ["id"],
76       "onDelete": "no action",
77       "onUpdate": "no action"
78     },
79     "Suggestion_documentId_documentCreatedAt_Document_id_createdAt_fk": {
80       "name": "Suggestion_documentId_documentCreatedAt_Document_id_createdAt_fk",
81       "tableFrom": "Suggestion",
82       "tableTo": "Document",
83       "columnsFrom": ["documentId", "documentCreatedAt"],
84       "columnsTo": ["id", "createdAt"],
85       "onDelete": "no action",
86       "onUpdate": "no action"
87     }
88   },
89   "compositePrimaryKeys": {
90     "Suggestion_id_pk": {
91       "name": "Suggestion_id_pk",
92       "columns": ["id"]

```

```

93     }
94   },
95   "uniqueConstraints": {}
96 },
97 "public.Chat": {
98   "name": "Chat",
99   "schema": "",
100   "columns": {
101     "id": {
102       "name": "id",
103       "type": "uuid",
104       "primaryKey": true,
105       "notNull": true,
106       "default": "gen_random_uuid()"
107     },
108     "createdAt": {
109       "name": "createdAt",
110       "type": "timestamp",
111       "primaryKey": false,
112       "notNull": true
113     },
114     "messages": {
115       "name": "messages",
116       "type": "json",
117       "primaryKey": false,
118       "notNull": true
119     },
120     "userId": {
121       "name": "userId",
122       "type": "uuid",
123       "primaryKey": false,
124       "notNull": true
125     }
126   },
127   "indexes": {},
128   "foreignKeys": {
129     "Chat_userId_User_id_fk": {
130       "name": "Chat_userId_User_id_fk",
131       "tableFrom": "Chat",
132       "tableTo": "User",
133       "columnsFrom": ["userId"],
134       "columnsTo": ["id"],
135       "onDelete": "no action",
136       "onUpdate": "no action"
137     }
138   },
139   "compositePrimaryKeys": {},
140   "uniqueConstraints": {}
141 },
142 "public.Document": {
143   "name": "Document",
144   "schema": "",
145   "columns": {
146     "id": {
147       "name": "id",
148       "type": "uuid",
149       "primaryKey": false,
150       "notNull": true,
151       "default": "gen_random_uuid()"
152     },
153     "createdAt": {
154       "name": "createdAt",
155       "type": "timestamp",
156       "primaryKey": false,
157       "notNull": true
158     },
159     "title": {
160       "name": "title",
161       "type": "text",

```

```

162     "primaryKey": false,
163     "notNull": true
164 },
165 "content": {
166     "name": "content",
167     "type": "text",
168     "primaryKey": false,
169     "notNull": false
170 },
171 "userId": {
172     "name": "userId",
173     "type": "uuid",
174     "primaryKey": false,
175     "notNull": true
176 }
177 },
178 "indexes": {},
179 "foreignKeys": {
180     "Document_userId_User_id_fk": {
181         "name": "Document_userId_User_id_fk",
182         "tableFrom": "Document",
183         "tableTo": "User",
184         "columnsFrom": ["userId"],
185         "columnsTo": ["id"],
186         "onDelete": "no action",
187         "onUpdate": "no action"
188     }
189 },
190 "compositePrimaryKeys": {
191     "Document_id_createdAt_pk": {
192         "name": "Document_id_createdAt_pk",
193         "columns": ["id", "createdAt"]
194     }
195 },
196 "uniqueConstraints": {}
197 },
198 "public.User": {
199     "name": "User",
200     "schema": "",
201     "columns": {
202         "id": {
203             "name": "id",
204             "type": "uuid",
205             "primaryKey": true,
206             "notNull": true,
207             "default": "gen_random_uuid()"
208         },
209         "email": {
210             "name": "email",
211             "type": "varchar(64)",
212             "primaryKey": false,
213             "notNull": true
214         },
215         "password": {
216             "name": "password",
217             "type": "varchar(64)",
218             "primaryKey": false,
219             "notNull": false
220         }
221     },
222     "indexes": {},
223     "foreignKeys": {},
224     "compositePrimaryKeys": {},
225     "uniqueConstraints": {}
226 },
227 },
228 "enums": {},
229 "schemas": {},
230 "sequences": {},

```



```

231   "_meta": {
232     "columns": {},
233     "schemas": {},
234     "tables": {}
235   }
236 }

```

393. lib/db/migrations/meta/0002_snapshot.json

```

1  {
2    "id": "b5d8e862-936f-4419-a50f-97be3e7fe665",
3    "prevId": "f3d3437c-4735-4c91-80af-1014048a904e",
4    "version": "7",
5    "dialect": "postgresql",
6    "tables": {
7      "public.Suggestion": {
8        "name": "Suggestion",
9        "schema": "",
10       "columns": {
11         "id": {
12           "name": "id",
13           "type": "uuid",
14           "primaryKey": false,
15           "notNull": true,
16           "default": "gen_random_uuid()"
17         },
18         "documentId": {
19           "name": "documentId",
20           "type": "uuid",
21           "primaryKey": false,
22           "notNull": true
23         },
24         "documentCreatedAt": {
25           "name": "documentCreatedAt",
26           "type": "timestamp",
27           "primaryKey": false,
28           "notNull": true
29         },
30         "originalText": {
31           "name": "originalText",
32           "type": "text",
33           "primaryKey": false,
34           "notNull": true
35         },
36         "suggestedText": {
37           "name": "suggestedText",
38           "type": "text",
39           "primaryKey": false,
40           "notNull": true
41         },
42         "description": {
43           "name": "description",
44           "type": "text",
45           "primaryKey": false,
46           "notNull": false
47         },
48         "isResolved": {
49           "name": "isResolved",
50           "type": "boolean",
51           "primaryKey": false,
52           "notNull": true,
53           "default": false
54         },
55         "userId": {
56           "name": "userId",
57           "type": "uuid",
58           "primaryKey": false,

```

```

59         "notNull": true
60     },
61     "createdAt": {
62         "name": "createdAt",
63         "type": "timestamp",
64         "primaryKey": false,
65         "notNull": true
66     }
67 },
68 "indexes": {},
69 "foreignKeys": {
70     "Suggestion userId User_id fk": {
71         "name": "Suggestion_userId_User_id_fk",
72         "tableFrom": "Suggestion",
73         "tableTo": "User",
74         "columnsFrom": ["userId"],
75         "columnsTo": ["id"],
76         "onDelete": "no action",
77         "onUpdate": "no action"
78     },
79     "Suggestion documentId documentCreatedAt Document_id_createdAt_fk": {
80         "name": "Suggestion_documentId_documentCreatedAt_Document_id_createdAt_fk",
81         "tableFrom": "Suggestion",
82         "tableTo": "Document",
83         "columnsFrom": ["documentId", "documentCreatedAt"],
84         "columnsTo": ["id", "createdAt"],
85         "onDelete": "no action",
86         "onUpdate": "no action"
87     }
88 },
89 "compositePrimaryKeys": {
90     "Suggestion_id_pk": {
91         "name": "Suggestion_id_pk",
92         "columns": ["id"]
93     }
94 },
95 "uniqueConstraints": {}
96 },
97 "public.Chat": {
98     "name": "Chat",
99     "schema": "",
100     "columns": {
101         "id": {
102             "name": "id",
103             "type": "uuid",
104             "primaryKey": true,
105             "notNull": true,
106             "default": "gen_random_uuid()"
107         },
108         "createdAt": {
109             "name": "createdAt",
110             "type": "timestamp",
111             "primaryKey": false,
112             "notNull": true
113         },
114         "title": {
115             "name": "title",
116             "type": "text",
117             "primaryKey": false,
118             "notNull": true
119         },
120         "userId": {
121             "name": "userId",
122             "type": "uuid",
123             "primaryKey": false,
124             "notNull": true
125         }
126     },
127     "indexes": {},

```

```

128     "foreignKeys": {
129       "Chat_userId_User_id_fk": {
130         "name": "Chat_userId_User_id_fk",
131         "tableFrom": "Chat",
132         "tableTo": "User",
133         "columnsFrom": ["userId"],
134         "columnsTo": ["id"],
135         "onDelete": "no action",
136         "onUpdate": "no action"
137       }
138     },
139     "compositePrimaryKeys": {},
140     "uniqueConstraints": {}
141   },
142   "public.Document": {
143     "name": "Document",
144     "schema": "",
145     "columns": {
146       "id": {
147         "name": "id",
148         "type": "uuid",
149         "primaryKey": false,
150         "notNull": true,
151         "default": "gen_random_uuid()"
152       },
153       "createdAt": {
154         "name": "createdAt",
155         "type": "timestamp",
156         "primaryKey": false,
157         "notNull": true
158       },
159       "title": {
160         "name": "title",
161         "type": "text",
162         "primaryKey": false,
163         "notNull": true
164       },
165       "content": {
166         "name": "content",
167         "type": "text",
168         "primaryKey": false,
169         "notNull": false
170       },
171       "userId": {
172         "name": "userId",
173         "type": "uuid",
174         "primaryKey": false,
175         "notNull": true
176       }
177     },
178     "indexes": {},
179     "foreignKeys": {
180       "Document_userId_User_id_fk": {
181         "name": "Document_userId_User_id_fk",
182         "tableFrom": "Document",
183         "tableTo": "User",
184         "columnsFrom": ["userId"],
185         "columnsTo": ["id"],
186         "onDelete": "no action",
187         "onUpdate": "no action"
188       }
189     },
190     "compositePrimaryKeys": {
191       "Document_id_createdAt_pk": {
192         "name": "Document_id_createdAt_pk",
193         "columns": ["id", "createdAt"]
194       }
195     },
196     "uniqueConstraints": {}

```

```

197 },
198 "public.Message": {
199   "name": "Message",
200   "schema": "",
201   "columns": {
202     "id": {
203       "name": "id",
204       "type": "uuid",
205       "primaryKey": true,
206       "notNull": true,
207       "default": "gen_random_uuid()"
208     },
209     "chatId": {
210       "name": "chatId",
211       "type": "uuid",
212       "primaryKey": false,
213       "notNull": true
214     },
215     "role": {
216       "name": "role",
217       "type": "varchar",
218       "primaryKey": false,
219       "notNull": true
220     },
221     "content": {
222       "name": "content",
223       "type": "json",
224       "primaryKey": false,
225       "notNull": true
226     },
227     "createdAt": {
228       "name": "createdAt",
229       "type": "timestamp",
230       "primaryKey": false,
231       "notNull": true
232     }
233   },
234   "indexes": {},
235   "foreignKeys": {
236     "Message_chatId_Chat_id_fk": {
237       "name": "Message_chatId_Chat_id_fk",
238       "tableFrom": "Message",
239       "tableTo": "Chat",
240       "columnsFrom": ["chatId"],
241       "columnsTo": ["id"],
242       "onDelete": "no action",
243       "onUpdate": "no action"
244     }
245   },
246   "compositePrimaryKeys": {},
247   "uniqueConstraints": {}
248 },
249 "public.User": {
250   "name": "User",
251   "schema": "",
252   "columns": {
253     "id": {
254       "name": "id",
255       "type": "uuid",
256       "primaryKey": true,
257       "notNull": true,
258       "default": "gen_random_uuid()"
259     },
260     "email": {
261       "name": "email",
262       "type": "varchar(64)",
263       "primaryKey": false,
264       "notNull": true
265     },

```

```

266     "password": {
267         "name": "password",
268         "type": "varchar(64)",
269         "primaryKey": false,
270         "notNull": false
271     },
272 },
273 "indexes": {},
274 "foreignKeys": {},
275 "compositePrimaryKeys": {},
276 "uniqueConstraints": {}
277 },
278 "public.Vote": {
279     "name": "Vote",
280     "schema": "",
281     "columns": {
282         "chatId": {
283             "name": "chatId",
284             "type": "uuid",
285             "primaryKey": false,
286             "notNull": true
287         },
288         "messageId": {
289             "name": "messageId",
290             "type": "uuid",
291             "primaryKey": false,
292             "notNull": true
293         },
294         "isUpvoted": {
295             "name": "isUpvoted",
296             "type": "boolean",
297             "primaryKey": false,
298             "notNull": true
299         }
300     },
301     "indexes": {},
302     "foreignKeys": {
303         "Vote_chatId_Chat_id_fk": {
304             "name": "Vote_chatId_Chat_id_fk",
305             "tableFrom": "Vote",
306             "tableTo": "Chat",
307             "columnsFrom": ["chatId"],
308             "columnsTo": ["id"],
309             "onDelete": "no action",
310             "onUpdate": "no action"
311         },
312         "Vote_messageId_Message_id_fk": {
313             "name": "Vote_messageId_Message_id_fk",
314             "tableFrom": "Vote",
315             "tableTo": "Message",
316             "columnsFrom": ["messageId"],
317             "columnsTo": ["id"],
318             "onDelete": "no action",
319             "onUpdate": "no action"
320         }
321     },
322     "compositePrimaryKeys": {
323         "Vote_chatId_messageId_pk": {
324             "name": "Vote_chatId_messageId_pk",
325             "columns": ["chatId", "messageId"]
326         }
327     },
328     "uniqueConstraints": {}
329 },
330 },
331 "enums": {},
332 "schemas": {},
333 "sequences": {},
334 "_meta": {

```

```

335     "columns": {},
336     "schemas": {},
337     "tables": {}
338   }
339 }

```

394. lib/db/migrations/meta/0003_snapshot.json

```

1  {
2    "id": "011efa9e-42c7-4ff6-830a-02106f6638c9",
3    "prevId": "b5d8e862-936f-4419-a50f-97be3e7fe665",
4    "version": "7",
5    "dialect": "postgresql",
6    "tables": {
7      "public.Chat": {
8        "name": "Chat",
9        "schema": "",
10       "columns": {
11         "id": {
12           "name": "id",
13           "type": "uuid",
14           "primaryKey": true,
15           "notNull": true,
16           "default": "gen_random_uuid()"
17         },
18         "createdAt": {
19           "name": "createdAt",
20           "type": "timestamp",
21           "primaryKey": false,
22           "notNull": true
23         },
24         "title": {
25           "name": "title",
26           "type": "text",
27           "primaryKey": false,
28           "notNull": true
29         },
30         "userId": {
31           "name": "userId",
32           "type": "uuid",
33           "primaryKey": false,
34           "notNull": true
35         },
36         "visibility": {
37           "name": "visibility",
38           "type": "varchar",
39           "primaryKey": false,
40           "notNull": true,
41           "default": "'private'"
42         }
43       },
44       "indexes": {},
45       "foreignKeys": {
46         "Chat_userId_User_id_fk": {
47           "name": "Chat_userId_User_id_fk",
48           "tableFrom": "Chat",
49           "tableTo": "User",
50           "columnsFrom": ["userId"],
51           "columnsTo": ["id"],
52           "onDelete": "no action",
53           "onUpdate": "no action"
54         }
55       },
56       "compositePrimaryKeys": {},
57       "uniqueConstraints": {}
58     },
59     "public.Document": {

```

```

60     "name": "Document",
61     "schema": "",
62     "columns": {
63         "id": {
64             "name": "id",
65             "type": "uuid",
66             "primaryKey": false,
67             "notNull": true,
68             "default": "gen_random_uuid()"
69         },
70         "createdAt": {
71             "name": "createdAt",
72             "type": "timestamp",
73             "primaryKey": false,
74             "notNull": true
75         },
76         "title": {
77             "name": "title",
78             "type": "text",
79             "primaryKey": false,
80             "notNull": true
81         },
82         "content": {
83             "name": "content",
84             "type": "text",
85             "primaryKey": false,
86             "notNull": false
87         },
88         "userId": {
89             "name": "userId",
90             "type": "uuid",
91             "primaryKey": false,
92             "notNull": true
93         }
94     },
95     "indexes": {},
96     "foreignKeys": {
97         "Document_userId_User_id_fk": {
98             "name": "Document_userId_User_id_fk",
99             "tableFrom": "Document",
100             "tableTo": "User",
101             "columnsFrom": ["userId"],
102             "columnsTo": ["id"],
103             "onDelete": "no action",
104             "onUpdate": "no action"
105         }
106     },
107     "compositePrimaryKeys": {
108         "Document_id_createdAt_pk": {
109             "name": "Document_id_createdAt_pk",
110             "columns": ["id", "createdAt"]
111         }
112     },
113     "uniqueConstraints": {}
114 },
115 "public.Message": {
116     "name": "Message",
117     "schema": "",
118     "columns": {
119         "id": {
120             "name": "id",
121             "type": "uuid",
122             "primaryKey": true,
123             "notNull": true,
124             "default": "gen_random_uuid()"
125         },
126         "chatId": {
127             "name": "chatId",
128             "type": "uuid",

```

```

129     "primaryKey": false,
130     "notNull": true
131 },
132 "role": {
133     "name": "role",
134     "type": "varchar",
135     "primaryKey": false,
136     "notNull": true
137 },
138 "content": {
139     "name": "content",
140     "type": "json",
141     "primaryKey": false,
142     "notNull": true
143 },
144 "createdAt": {
145     "name": "createdAt",
146     "type": "timestamp",
147     "primaryKey": false,
148     "notNull": true
149 }
150 },
151 "indexes": {},
152 "foreignKeys": {
153     "Message_chatId_Chat_id_fk": {
154         "name": "Message_chatId_Chat_id_fk",
155         "tableFrom": "Message",
156         "tableTo": "Chat",
157         "columnsFrom": ["chatId"],
158         "columnsTo": ["id"],
159         "onDelete": "no action",
160         "onUpdate": "no action"
161     }
162 },
163 "compositePrimaryKeys": {},
164 "uniqueConstraints": {}
165 },
166 "public.Suggestion": {
167     "name": "Suggestion",
168     "schema": "",
169     "columns": {
170         "id": {
171             "name": "id",
172             "type": "uuid",
173             "primaryKey": false,
174             "notNull": true,
175             "default": "gen_random_uuid()"
176         },
177         "documentId": {
178             "name": "documentId",
179             "type": "uuid",
180             "primaryKey": false,
181             "notNull": true
182         },
183         "documentCreatedAt": {
184             "name": "documentCreatedAt",
185             "type": "timestamp",
186             "primaryKey": false,
187             "notNull": true
188         },
189         "originalText": {
190             "name": "originalText",
191             "type": "text",
192             "primaryKey": false,
193             "notNull": true
194         },
195         "suggestedText": {
196             "name": "suggestedText",
197             "type": "text",

```



```

198     "primaryKey": false,
199     "notNull": true
200 },
201 "description": {
202     "name": "description",
203     "type": "text",
204     "primaryKey": false,
205     "notNull": false
206 },
207 "isResolved": {
208     "name": "isResolved",
209     "type": "boolean",
210     "primaryKey": false,
211     "notNull": true,
212     "default": false
213 },
214 "userId": {
215     "name": "userId",
216     "type": "uuid",
217     "primaryKey": false,
218     "notNull": true
219 },
220 "createdAt": {
221     "name": "createdAt",
222     "type": "timestamp",
223     "primaryKey": false,
224     "notNull": true
225 }
226 },
227 "indexes": {},
228 "foreignKeys": {
229     "Suggestion_userId_User_id_fk": {
230         "name": "Suggestion_userId_User_id_fk",
231         "tableFrom": "Suggestion",
232         "tableTo": "User",
233         "columnsFrom": ["userId"],
234         "columnsTo": ["id"],
235         "onDelete": "no action",
236         "onUpdate": "no action"
237     },
238     "Suggestion_documentId_documentCreatedAt_Document_id_createdAt_fk": {
239         "name": "Suggestion_documentId_documentCreatedAt_Document_id_createdAt_fk",
240         "tableFrom": "Suggestion",
241         "tableTo": "Document",
242         "columnsFrom": ["documentId", "documentCreatedAt"],
243         "columnsTo": ["id", "createdAt"],
244         "onDelete": "no action",
245         "onUpdate": "no action"
246     }
247 },
248 "compositePrimaryKeys": {
249     "Suggestion_id_pk": {
250         "name": "Suggestion_id_pk",
251         "columns": ["id"]
252     }
253 },
254 "uniqueConstraints": {}
255 },
256 "public.User": {
257     "name": "User",
258     "schema": "",
259     "columns": {
260         "id": {
261             "name": "id",
262             "type": "uuid",
263             "primaryKey": true,
264             "notNull": true,
265             "default": "gen_random_uuid()"
266         },

```

```

267     "email": {
268         "name": "email",
269         "type": "varchar(64)",
270         "primaryKey": false,
271         "notNull": true
272     },
273     "password": {
274         "name": "password",
275         "type": "varchar(64)",
276         "primaryKey": false,
277         "notNull": false
278     }
279 },
280 "indexes": {},
281 "foreignKeys": {},
282 "compositePrimaryKeys": {},
283 "uniqueConstraints": {}
284 },
285 "public.Vote": {
286     "name": "Vote",
287     "schema": "",
288     "columns": {
289         "chatId": {
290             "name": "chatId",
291             "type": "uuid",
292             "primaryKey": false,
293             "notNull": true
294         },
295         "messageId": {
296             "name": "messageId",
297             "type": "uuid",
298             "primaryKey": false,
299             "notNull": true
300         },
301         "isUpvoted": {
302             "name": "isUpvoted",
303             "type": "boolean",
304             "primaryKey": false,
305             "notNull": true
306         }
307     },
308     "indexes": {},
309     "foreignKeys": {
310         "Vote_chatId_Chat_id_fk": {
311             "name": "Vote_chatId_Chat_id_fk",
312             "tableFrom": "Vote",
313             "tableTo": "Chat",
314             "columnsFrom": ["chatId"],
315             "columnsTo": ["id"],
316             "onDelete": "no action",
317             "onUpdate": "no action"
318         },
319         "Vote_messageId_Message_id_fk": {
320             "name": "Vote_messageId_Message_id_fk",
321             "tableFrom": "Vote",
322             "tableTo": "Message",
323             "columnsFrom": ["messageId"],
324             "columnsTo": ["id"],
325             "onDelete": "no action",
326             "onUpdate": "no action"
327         }
328     },
329     "compositePrimaryKeys": {
330         "Vote_chatId_messageId_pk": {
331             "name": "Vote_chatId_messageId_pk",
332             "columns": ["chatId", "messageId"]
333         }
334     },
335     "uniqueConstraints": {}

```

```

336     }
337   },
338   "enums": {},
339   "schemas": {},
340   "sequences": {},
341   "_meta": {
342     "columns": {},
343     "schemas": {},
344     "tables": {}
345   }
346 }

```

395. lib/db/migrations/meta/0004_snapshot.json

```

1  {
2    "id": "30ad8233-1432-428b-93fc-2bb1ba867ff1",
3    "prevId": "011efa9e-42c7-4ff6-830a-02106f6638c9",
4    "version": "7",
5    "dialect": "postgresql",
6    "tables": {
7      "public.Chat": {
8        "name": "Chat",
9        "schema": "",
10       "columns": {
11         "id": {
12           "name": "id",
13           "type": "uuid",
14           "primaryKey": true,
15           "notNull": true,
16           "default": "gen_random_uuid()"
17         },
18         "createdAt": {
19           "name": "createdAt",
20           "type": "timestamp",
21           "primaryKey": false,
22           "notNull": true
23         },
24         "title": {
25           "name": "title",
26           "type": "text",
27           "primaryKey": false,
28           "notNull": true
29         },
30         "userId": {
31           "name": "userId",
32           "type": "uuid",
33           "primaryKey": false,
34           "notNull": true
35         },
36         "visibility": {
37           "name": "visibility",
38           "type": "varchar",
39           "primaryKey": false,
40           "notNull": true,
41           "default": "'private'"
42         }
43       },
44       "indexes": {},
45       "foreignKeys": {
46         "Chat_userId_User_id_fk": {
47           "name": "Chat_userId_User_id_fk",
48           "tableFrom": "Chat",
49           "tableTo": "User",
50           "columnsFrom": ["userId"],
51           "columnsTo": ["id"],
52           "onDelete": "no action",
53           "onUpdate": "no action"

```

```

54     }
55   },
56   "compositePrimaryKeys": {},
57   "uniqueConstraints": {}
58 },
59 "public.Document": {
60   "name": "Document",
61   "schema": "",
62   "columns": {
63     "id": {
64       "name": "id",
65       "type": "uuid",
66       "primaryKey": false,
67       "notNull": true,
68       "default": "gen_random_uuid()"
69     },
70     "createdAt": {
71       "name": "createdAt",
72       "type": "timestamp",
73       "primaryKey": false,
74       "notNull": true
75     },
76     "title": {
77       "name": "title",
78       "type": "text",
79       "primaryKey": false,
80       "notNull": true
81     },
82     "content": {
83       "name": "content",
84       "type": "text",
85       "primaryKey": false,
86       "notNull": false
87     },
88     "text": {
89       "name": "text",
90       "type": "varchar",
91       "primaryKey": false,
92       "notNull": true,
93       "default": "'text'"
94     },
95     "userId": {
96       "name": "userId",
97       "type": "uuid",
98       "primaryKey": false,
99       "notNull": true
100   }
101 },
102 "indexes": {},
103 "foreignKeys": {
104   "Document_userId_User_id_fk": {
105     "name": "Document_userId_User_id_fk",
106     "tableFrom": "Document",
107     "tableTo": "User",
108     "columnsFrom": ["userId"],
109     "columnsTo": ["id"],
110     "onDelete": "no action",
111     "onUpdate": "no action"
112   }
113 },
114 "compositePrimaryKeys": {
115   "Document_id_createdAt_pk": {
116     "name": "Document_id_createdAt_pk",
117     "columns": ["id", "createdAt"]
118   }
119 },
120 "uniqueConstraints": {}
121 },
122 "public.Message": {

```

```

123     "name": "Message",
124     "schema": "",
125     "columns": {
126         "id": {
127             "name": "id",
128             "type": "uuid",
129             "primaryKey": true,
130             "notNull": true,
131             "default": "gen_random_uuid()"
132         },
133         "chatId": {
134             "name": "chatId",
135             "type": "uuid",
136             "primaryKey": false,
137             "notNull": true
138         },
139         "role": {
140             "name": "role",
141             "type": "varchar",
142             "primaryKey": false,
143             "notNull": true
144         },
145         "content": {
146             "name": "content",
147             "type": "json",
148             "primaryKey": false,
149             "notNull": true
150         },
151         "createdAt": {
152             "name": "createdAt",
153             "type": "timestamp",
154             "primaryKey": false,
155             "notNull": true
156         }
157     },
158     "indexes": {},
159     "foreignKeys": {
160         "Message_chatId_Chat_id_fk": {
161             "name": "Message_chatId_Chat_id_fk",
162             "tableFrom": "Message",
163             "tableTo": "Chat",
164             "columnsFrom": ["chatId"],
165             "columnsTo": ["id"],
166             "onDelete": "no action",
167             "onUpdate": "no action"
168         }
169     },
170     "compositePrimaryKeys": {},
171     "uniqueConstraints": {}
172 },
173 "public.Suggestion": {
174     "name": "Suggestion",
175     "schema": "",
176     "columns": {
177         "id": {
178             "name": "id",
179             "type": "uuid",
180             "primaryKey": false,
181             "notNull": true,
182             "default": "gen_random_uuid()"
183         },
184         "documentId": {
185             "name": "documentId",
186             "type": "uuid",
187             "primaryKey": false,
188             "notNull": true
189         },
190         "documentCreatedAt": {
191             "name": "documentCreatedAt",

```

```

192     "type": "timestamp",
193     "primaryKey": false,
194     "notNull": true
195 },
196 "originalText": {
197     "name": "originalText",
198     "type": "text",
199     "primaryKey": false,
200     "notNull": true
201 },
202 "suggestedText": {
203     "name": "suggestedText",
204     "type": "text",
205     "primaryKey": false,
206     "notNull": true
207 },
208 "description": {
209     "name": "description",
210     "type": "text",
211     "primaryKey": false,
212     "notNull": false
213 },
214 "isResolved": {
215     "name": "isResolved",
216     "type": "boolean",
217     "primaryKey": false,
218     "notNull": true,
219     "default": false
220 },
221 "userId": {
222     "name": "userId",
223     "type": "uuid",
224     "primaryKey": false,
225     "notNull": true
226 },
227 "createdAt": {
228     "name": "createdAt",
229     "type": "timestamp",
230     "primaryKey": false,
231     "notNull": true
232 }
233 },
234 "indexes": {},
235 "foreignKeys": {
236     "Suggestion_userId_User_id_fk": {
237         "name": "Suggestion_userId_User_id_fk",
238         "tableFrom": "Suggestion",
239         "tableTo": "User",
240         "columnsFrom": ["userId"],
241         "columnsTo": ["id"],
242         "onDelete": "no action",
243         "onUpdate": "no action"
244     },
245     "Suggestion_documentId_documentCreatedAt_Document_id_createdAt_fk": {
246         "name": "Suggestion_documentId_documentCreatedAt_Document_id_createdAt_fk",
247         "tableFrom": "Suggestion",
248         "tableTo": "Document",
249         "columnsFrom": ["documentId", "documentCreatedAt"],
250         "columnsTo": ["id", "createdAt"],
251         "onDelete": "no action",
252         "onUpdate": "no action"
253     }
254 },
255 "compositePrimaryKeys": {
256     "Suggestion_id_pk": {
257         "name": "Suggestion_id_pk",
258         "columns": ["id"]
259     }
260 },

```

```

261     "uniqueConstraints": {}
262 },
263 "public.User": {
264   "name": "User",
265   "schema": "",
266   "columns": {
267     "id": {
268       "name": "id",
269       "type": "uuid",
270       "primaryKey": true,
271       "notNull": true,
272       "default": "gen_random_uuid()"
273     },
274     "email": {
275       "name": "email",
276       "type": "varchar(64)",
277       "primaryKey": false,
278       "notNull": true
279     },
280     "password": {
281       "name": "password",
282       "type": "varchar(64)",
283       "primaryKey": false,
284       "notNull": false
285     }
286   },
287   "indexes": {},
288   "foreignKeys": {},
289   "compositePrimaryKeys": {},
290   "uniqueConstraints": {}
291 },
292 "public.Vote": {
293   "name": "Vote",
294   "schema": "",
295   "columns": {
296     "chatId": {
297       "name": "chatId",
298       "type": "uuid",
299       "primaryKey": false,
300       "notNull": true
301     },
302     "messageId": {
303       "name": "messageId",
304       "type": "uuid",
305       "primaryKey": false,
306       "notNull": true
307     },
308     "isUpvoted": {
309       "name": "isUpvoted",
310       "type": "boolean",
311       "primaryKey": false,
312       "notNull": true
313     }
314   },
315   "indexes": {},
316   "foreignKeys": {
317     "Vote_chatId_Chat_id_fk": {
318       "name": "Vote_chatId_Chat_id_fk",
319       "tableFrom": "Vote",
320       "tableTo": "Chat",
321       "columnsFrom": ["chatId"],
322       "columnsTo": ["id"],
323       "onDelete": "no action",
324       "onUpdate": "no action"
325     },
326     "Vote_messageId_Message_id_fk": {
327       "name": "Vote_messageId_Message_id_fk",
328       "tableFrom": "Vote",
329       "tableTo": "Message",

```

```

330         "columnsFrom": ["messageId"],
331         "columnsTo": ["id"],
332         "onDelete": "no action",
333         "onUpdate": "no action"
334     }
335 },
336     "compositePrimaryKeys": {
337         "Vote_chatId_messageId_pk": {
338             "name": "Vote_chatId_messageId_pk",
339             "columns": ["chatId", "messageId"]
340         }
341     },
342     "uniqueConstraints": {}
343 }
344 },
345 "enums": {},
346 "schemas": {},
347 "sequences": {},
348 "_meta": {
349     "columns": {},
350     "schemas": {},
351     "tables": {}
352 }
353 }

```

396. lib/db/migrations/meta/0005_snapshot.json

```

1  {
2    "id": "c6c102e6-b64e-4f0c-a7a6-32df758de437",
3    "prevId": "30ad8233-1432-428b-93fc-2bb1ba867ff1",
4    "version": "7",
5    "dialect": "postgresql",
6    "tables": {
7      "public.Chat": {
8        "name": "Chat",
9        "schema": "",
10       "columns": {
11         "id": {
12           "name": "id",
13           "type": "uuid",
14           "primaryKey": true,
15           "notNull": true,
16           "default": "gen_random_uuid()"
17         },
18         "createdAt": {
19           "name": "createdAt",
20           "type": "timestamp",
21           "primaryKey": false,
22           "notNull": true
23         },
24         "title": {
25           "name": "title",
26           "type": "text",
27           "primaryKey": false,
28           "notNull": true
29         },
30         "userId": {
31           "name": "userId",
32           "type": "uuid",
33           "primaryKey": false,
34           "notNull": true
35         },
36         "visibility": {
37           "name": "visibility",
38           "type": "varchar",
39           "primaryKey": false,
40           "notNull": true,

```



```

41     "default": "'private'"
42   },
43 },
44 "indexes": {},
45 "foreignKeys": {
46   "Chat_userId_User_id_fk": {
47     "name": "Chat_userId_User_id_fk",
48     "tableFrom": "Chat",
49     "tableTo": "User",
50     "columnsFrom": ["userId"],
51     "columnsTo": ["id"],
52     "onDelete": "no action",
53     "onUpdate": "no action"
54   }
55 },
56 "compositePrimaryKeys": {},
57 "uniqueConstraints": {}
58 },
59 "public.Document": {
60   "name": "Document",
61   "schema": "",
62   "columns": {
63     "id": {
64       "name": "id",
65       "type": "uuid",
66       "primaryKey": false,
67       "notNull": true,
68       "default": "gen_random_uuid()"
69     },
70     "createdAt": {
71       "name": "createdAt",
72       "type": "timestamp",
73       "primaryKey": false,
74       "notNull": true
75     },
76     "title": {
77       "name": "title",
78       "type": "text",
79       "primaryKey": false,
80       "notNull": true
81     },
82     "content": {
83       "name": "content",
84       "type": "text",
85       "primaryKey": false,
86       "notNull": false
87     },
88     "text": {
89       "name": "text",
90       "type": "varchar",
91       "primaryKey": false,
92       "notNull": true,
93       "default": "'text'"
94     },
95     "userId": {
96       "name": "userId",
97       "type": "uuid",
98       "primaryKey": false,
99       "notNull": true
100   }
101 },
102 "indexes": {},
103 "foreignKeys": {
104   "Document_userId_User_id_fk": {
105     "name": "Document_userId_User_id_fk",
106     "tableFrom": "Document",
107     "tableTo": "User",
108     "columnsFrom": ["userId"],
109     "columnsTo": ["id"],

```

```

110         "onDelete": "no action",
111         "onUpdate": "no action"
112     },
113 },
114 "compositePrimaryKeys": {
115     "Document_id_createdAt_pk": {
116         "name": "Document_id_createdAt_pk",
117         "columns": ["id", "createdAt"]
118     }
119 },
120 "uniqueConstraints": {}
121 },
122 "public.Message_v2": {
123     "name": "Message_v2",
124     "schema": "",
125     "columns": {
126         "id": {
127             "name": "id",
128             "type": "uuid",
129             "primaryKey": true,
130             "notNull": true,
131             "default": "gen_random_uuid()"
132         },
133         "chatId": {
134             "name": "chatId",
135             "type": "uuid",
136             "primaryKey": false,
137             "notNull": true
138         },
139         "role": {
140             "name": "role",
141             "type": "varchar",
142             "primaryKey": false,
143             "notNull": true
144         },
145         "parts": {
146             "name": "parts",
147             "type": "json",
148             "primaryKey": false,
149             "notNull": true
150         },
151         "attachments": {
152             "name": "attachments",
153             "type": "json",
154             "primaryKey": false,
155             "notNull": true
156         },
157         "createdAt": {
158             "name": "createdAt",
159             "type": "timestamp",
160             "primaryKey": false,
161             "notNull": true
162         }
163     },
164     "indexes": {},
165     "foreignKeys": {
166         "Message_v2_chatId_Chat_id_fk": {
167             "name": "Message_v2_chatId_Chat_id_fk",
168             "tableFrom": "Message_v2",
169             "tableTo": "Chat",
170             "columnsFrom": ["chatId"],
171             "columnsTo": ["id"],
172             "onDelete": "no action",
173             "onUpdate": "no action"
174         }
175     },
176     "compositePrimaryKeys": {},
177     "uniqueConstraints": {}
178 },

```

```

179 "public.Message": {
180   "name": "Message",
181   "schema": "",
182   "columns": {
183     "id": {
184       "name": "id",
185       "type": "uuid",
186       "primaryKey": true,
187       "notNull": true,
188       "default": "gen_random_uuid()"
189     },
190     "chatId": {
191       "name": "chatId",
192       "type": "uuid",
193       "primaryKey": false,
194       "notNull": true
195     },
196     "role": {
197       "name": "role",
198       "type": "varchar",
199       "primaryKey": false,
200       "notNull": true
201     },
202     "content": {
203       "name": "content",
204       "type": "json",
205       "primaryKey": false,
206       "notNull": true
207     },
208     "createdAt": {
209       "name": "createdAt",
210       "type": "timestamp",
211       "primaryKey": false,
212       "notNull": true
213     }
214   },
215   "indexes": {},
216   "foreignKeys": {
217     "Message_chatId_Chat_id_fk": {
218       "name": "Message_chatId_Chat_id_fk",
219       "tableFrom": "Message",
220       "tableTo": "Chat",
221       "columnsFrom": ["chatId"],
222       "columnsTo": ["id"],
223       "onDelete": "no action",
224       "onUpdate": "no action"
225     }
226   },
227   "compositePrimaryKeys": {},
228   "uniqueConstraints": {}
229 },
230 "public.Suggestion": {
231   "name": "Suggestion",
232   "schema": "",
233   "columns": {
234     "id": {
235       "name": "id",
236       "type": "uuid",
237       "primaryKey": false,
238       "notNull": true,
239       "default": "gen_random_uuid()"
240     },
241     "documentId": {
242       "name": "documentId",
243       "type": "uuid",
244       "primaryKey": false,
245       "notNull": true
246     },
247     "documentCreatedAt": {

```

```

248     "name": "documentCreatedAt",
249     "type": "timestamp",
250     "primaryKey": false,
251     "notNull": true
252 },
253 "originalText": {
254   "name": "originalText",
255   "type": "text",
256   "primaryKey": false,
257   "notNull": true
258 },
259 "suggestedText": {
260   "name": "suggestedText",
261   "type": "text",
262   "primaryKey": false,
263   "notNull": true
264 },
265 "description": {
266   "name": "description",
267   "type": "text",
268   "primaryKey": false,
269   "notNull": false
270 },
271 "isResolved": {
272   "name": "isResolved",
273   "type": "boolean",
274   "primaryKey": false,
275   "notNull": true,
276   "default": false
277 },
278 "userId": {
279   "name": "userId",
280   "type": "uuid",
281   "primaryKey": false,
282   "notNull": true
283 },
284 "createdAt": {
285   "name": "createdAt",
286   "type": "timestamp",
287   "primaryKey": false,
288   "notNull": true
289 }
290 },
291 "indexes": {},
292 "foreignKeys": {
293   "Suggestion_userId_User_id_fk": {
294     "name": "Suggestion_userId_User_id_fk",
295     "tableFrom": "Suggestion",
296     "tableTo": "User",
297     "columnsFrom": ["userId"],
298     "columnsTo": ["id"],
299     "onDelete": "no action",
300     "onUpdate": "no action"
301   },
302   "Suggestion_documentId_documentCreatedAt_Document_id_createdAt_fk": {
303     "name": "Suggestion_documentId_documentCreatedAt_Document_id_createdAt_fk",
304     "tableFrom": "Suggestion",
305     "tableTo": "Document",
306     "columnsFrom": ["documentId", "documentCreatedAt"],
307     "columnsTo": ["id", "createdAt"],
308     "onDelete": "no action",
309     "onUpdate": "no action"
310   }
311 },
312 "compositePrimaryKeys": {
313   "Suggestion_id_pk": {
314     "name": "Suggestion_id_pk",
315     "columns": ["id"]
316   }

```

```

317     },
318     "uniqueConstraints": {}
319 },
320 "public.User": {
321   "name": "User",
322   "schema": "",
323   "columns": {
324     "id": {
325       "name": "id",
326       "type": "uuid",
327       "primaryKey": true,
328       "notNull": true,
329       "default": "gen_random_uuid()"
330     },
331     "email": {
332       "name": "email",
333       "type": "varchar(64)",
334       "primaryKey": false,
335       "notNull": true
336     },
337     "password": {
338       "name": "password",
339       "type": "varchar(64)",
340       "primaryKey": false,
341       "notNull": false
342     }
343   },
344   "indexes": {},
345   "foreignKeys": {},
346   "compositePrimaryKeys": {},
347   "uniqueConstraints": {}
348 },
349 "public.Vote_v2": {
350   "name": "Vote_v2",
351   "schema": "",
352   "columns": {
353     "chatId": {
354       "name": "chatId",
355       "type": "uuid",
356       "primaryKey": false,
357       "notNull": true
358     },
359     "messageId": {
360       "name": "messageId",
361       "type": "uuid",
362       "primaryKey": false,
363       "notNull": true
364     },
365     "isUpvoted": {
366       "name": "isUpvoted",
367       "type": "boolean",
368       "primaryKey": false,
369       "notNull": true
370     }
371   },
372   "indexes": {},
373   "foreignKeys": {
374     "Vote_v2_chatId_Chat_id_fk": {
375       "name": "Vote_v2_chatId_Chat_id_fk",
376       "tableFrom": "Vote_v2",
377       "tableTo": "Chat",
378       "columnsFrom": ["chatId"],
379       "columnsTo": ["id"],
380       "onDelete": "no action",
381       "onUpdate": "no action"
382     },
383     "Vote_v2_messageId_Message_v2_id_fk": {
384       "name": "Vote_v2_messageId_Message_v2_id_fk",
385       "tableFrom": "Vote_v2",

```

```

386         "tableTo": "Message_v2",
387         "columnsFrom": ["messageId"],
388         "columnsTo": ["id"],
389         "onDelete": "no action",
390         "onUpdate": "no action"
391     }
392 },
393 "compositePrimaryKeys": {
394     "Vote_v2_chatId_messageId_pk": {
395         "name": "Vote_v2_chatId_messageId_pk",
396         "columns": ["chatId", "messageId"]
397     }
398 },
399 "uniqueConstraints": {}
400 },
401 "public.Vote": {
402     "name": "Vote",
403     "schema": "",
404     "columns": {
405         "chatId": {
406             "name": "chatId",
407             "type": "uuid",
408             "primaryKey": false,
409             "notNull": true
410         },
411         "messageId": {
412             "name": "messageId",
413             "type": "uuid",
414             "primaryKey": false,
415             "notNull": true
416         },
417         "isUpvoted": {
418             "name": "isUpvoted",
419             "type": "boolean",
420             "primaryKey": false,
421             "notNull": true
422         }
423     },
424     "indexes": {},
425     "foreignKeys": {
426         "Vote_chatId_Chat_id_fk": {
427             "name": "Vote_chatId_Chat_id_fk",
428             "tableFrom": "Vote",
429             "tableTo": "Chat",
430             "columnsFrom": ["chatId"],
431             "columnsTo": ["id"],
432             "onDelete": "no action",
433             "onUpdate": "no action"
434         },
435         "Vote_messageId_Message_id_fk": {
436             "name": "Vote_messageId_Message_id_fk",
437             "tableFrom": "Vote",
438             "tableTo": "Message",
439             "columnsFrom": ["messageId"],
440             "columnsTo": ["id"],
441             "onDelete": "no action",
442             "onUpdate": "no action"
443         }
444     },
445     "compositePrimaryKeys": {
446         "Vote_chatId_messageId_pk": {
447             "name": "Vote_chatId_messageId_pk",
448             "columns": ["chatId", "messageId"]
449         }
450     },
451     "uniqueConstraints": {}
452 }
453 },
454 "enums": {},

```

```

455 "schemas": {},
456 "sequences": {},
457 "_meta": {
458   "columns": {},
459   "schemas": {},
460   "tables": {}
461 }
462 }

```

397. lib/db/migrations/meta/0006_snapshot.json

```

1  {
2    "id": "443de550-b7e8-4bfb-b229-c12dc6c132f0",
3    "prevId": "c6c102e6-b64e-4f0c-a7a6-32df758de437",
4    "version": "7",
5    "dialect": "postgresql",
6    "tables": {
7      "public.Chat": {
8        "name": "Chat",
9        "schema": "",
10       "columns": {
11         "id": {
12           "name": "id",
13           "type": "uuid",
14           "primaryKey": true,
15           "notNull": true,
16           "default": "gen_random_uuid()"
17         },
18         "createdAt": {
19           "name": "createdAt",
20           "type": "timestamp",
21           "primaryKey": false,
22           "notNull": true
23         },
24         "title": {
25           "name": "title",
26           "type": "text",
27           "primaryKey": false,
28           "notNull": true
29         },
30         "userId": {
31           "name": "userId",
32           "type": "uuid",
33           "primaryKey": false,
34           "notNull": true
35         },
36         "visibility": {
37           "name": "visibility",
38           "type": "varchar",
39           "primaryKey": false,
40           "notNull": true,
41           "default": "'private'"
42         }
43       },
44       "indexes": {},
45       "foreignKeys": {
46         "Chat_userId_User_id_fk": {
47           "name": "Chat_userId_User_id_fk",
48           "tableFrom": "Chat",
49           "tableTo": "User",
50           "columnsFrom": ["userId"],
51           "columnsTo": ["id"],
52           "onDelete": "no action",
53           "onUpdate": "no action"
54         }
55       },
56       "compositePrimaryKeys": {},

```

```

57     "uniqueConstraints": {}
58 },
59 "public.Document": {
60   "name": "Document",
61   "schema": "",
62   "columns": {
63     "id": {
64       "name": "id",
65       "type": "uuid",
66       "primaryKey": false,
67       "notNull": true,
68       "default": "gen_random_uuid()"
69     },
70     "createdAt": {
71       "name": "createdAt",
72       "type": "timestamp",
73       "primaryKey": false,
74       "notNull": true
75     },
76     "title": {
77       "name": "title",
78       "type": "text",
79       "primaryKey": false,
80       "notNull": true
81     },
82     "content": {
83       "name": "content",
84       "type": "text",
85       "primaryKey": false,
86       "notNull": false
87     },
88     "text": {
89       "name": "text",
90       "type": "varchar",
91       "primaryKey": false,
92       "notNull": true,
93       "default": "'text'"
94     },
95     "userId": {
96       "name": "userId",
97       "type": "uuid",
98       "primaryKey": false,
99       "notNull": true
100   }
101 },
102 "indexes": {},
103 "foreignKeys": {
104   "Document_userId_User_id_fk": {
105     "name": "Document_userId_User_id_fk",
106     "tableFrom": "Document",
107     "tableTo": "User",
108     "columnsFrom": ["userId"],
109     "columnsTo": ["id"],
110     "onDelete": "no action",
111     "onUpdate": "no action"
112   }
113 },
114 "compositePrimaryKeys": {
115   "Document_id_createdAt_pk": {
116     "name": "Document_id_createdAt_pk",
117     "columns": ["id", "createdAt"]
118   }
119 },
120 "uniqueConstraints": {}
121 },
122 "public.Message_v2": {
123   "name": "Message_v2",
124   "schema": "",
125   "columns": {

```



```

126     "id": {
127         "name": "id",
128         "type": "uuid",
129         "primaryKey": true,
130         "notNull": true,
131         "default": "gen_random_uuid()"
132     },
133     "chatId": {
134         "name": "chatId",
135         "type": "uuid",
136         "primaryKey": false,
137         "notNull": true
138     },
139     "role": {
140         "name": "role",
141         "type": "varchar",
142         "primaryKey": false,
143         "notNull": true
144     },
145     "parts": {
146         "name": "parts",
147         "type": "json",
148         "primaryKey": false,
149         "notNull": true
150     },
151     "attachments": {
152         "name": "attachments",
153         "type": "json",
154         "primaryKey": false,
155         "notNull": true
156     },
157     "createdAt": {
158         "name": "createdAt",
159         "type": "timestamp",
160         "primaryKey": false,
161         "notNull": true
162     }
163 },
164 "indexes": {},
165 "foreignKeys": {
166     "Message_v2_chatId_Chat_id_fk": {
167         "name": "Message_v2_chatId_Chat_id_fk",
168         "tableFrom": "Message_v2",
169         "tableTo": "Chat",
170         "columnsFrom": ["chatId"],
171         "columnsTo": ["id"],
172         "onDelete": "no action",
173         "onUpdate": "no action"
174     }
175 },
176 "compositePrimaryKeys": {},
177 "uniqueConstraints": {}
178 },
179 "public.Message": {
180     "name": "Message",
181     "schema": "",
182     "columns": {
183         "id": {
184             "name": "id",
185             "type": "uuid",
186             "primaryKey": true,
187             "notNull": true,
188             "default": "gen_random_uuid()"
189         },
190         "chatId": {
191             "name": "chatId",
192             "type": "uuid",
193             "primaryKey": false,
194             "notNull": true

```

```

195     },
196     "role": {
197       "name": "role",
198       "type": "varchar",
199       "primaryKey": false,
200       "notNull": true
201     },
202     "content": {
203       "name": "content",
204       "type": "json",
205       "primaryKey": false,
206       "notNull": true
207     },
208     "createdAt": {
209       "name": "createdAt",
210       "type": "timestamp",
211       "primaryKey": false,
212       "notNull": true
213     }
214   },
215   "indexes": {},
216   "foreignKeys": {
217     "Message_chatId_Chat_id_fk": {
218       "name": "Message_chatId_Chat_id_fk",
219       "tableFrom": "Message",
220       "tableTo": "Chat",
221       "columnsFrom": ["chatId"],
222       "columnsTo": ["id"],
223       "onDelete": "no action",
224       "onUpdate": "no action"
225     }
226   },
227   "compositePrimaryKeys": {},
228   "uniqueConstraints": {}
229 },
230 "public.Stream": {
231   "name": "Stream",
232   "schema": "",
233   "columns": {
234     "id": {
235       "name": "id",
236       "type": "uuid",
237       "primaryKey": false,
238       "notNull": true,
239       "default": "gen_random_uuid()"
240     },
241     "chatId": {
242       "name": "chatId",
243       "type": "uuid",
244       "primaryKey": false,
245       "notNull": true
246     },
247     "createdAt": {
248       "name": "createdAt",
249       "type": "timestamp",
250       "primaryKey": false,
251       "notNull": true
252     }
253   },
254   "indexes": {},
255   "foreignKeys": {
256     "Stream_chatId_Chat_id_fk": {
257       "name": "Stream_chatId_Chat_id_fk",
258       "tableFrom": "Stream",
259       "tableTo": "Chat",
260       "columnsFrom": ["chatId"],
261       "columnsTo": ["id"],
262       "onDelete": "no action",
263       "onUpdate": "no action"

```

```

264     }
265   },
266   "compositePrimaryKeys": {
267     "Stream_id_pk": {
268       "name": "Stream_id_pk",
269       "columns": ["id"]
270     }
271   },
272   "uniqueConstraints": {}
273 },
274 "public.Suggestion": {
275   "name": "Suggestion",
276   "schema": "",
277   "columns": {
278     "id": {
279       "name": "id",
280       "type": "uuid",
281       "primaryKey": false,
282       "notNull": true,
283       "default": "gen_random_uuid()"
284     },
285     "documentId": {
286       "name": "documentId",
287       "type": "uuid",
288       "primaryKey": false,
289       "notNull": true
290     },
291     "documentCreatedAt": {
292       "name": "documentCreatedAt",
293       "type": "timestamp",
294       "primaryKey": false,
295       "notNull": true
296     },
297     "originalText": {
298       "name": "originalText",
299       "type": "text",
300       "primaryKey": false,
301       "notNull": true
302     },
303     "suggestedText": {
304       "name": "suggestedText",
305       "type": "text",
306       "primaryKey": false,
307       "notNull": true
308     },
309     "description": {
310       "name": "description",
311       "type": "text",
312       "primaryKey": false,
313       "notNull": false
314     },
315     "isResolved": {
316       "name": "isResolved",
317       "type": "boolean",
318       "primaryKey": false,
319       "notNull": true,
320       "default": false
321     },
322     "userId": {
323       "name": "userId",
324       "type": "uuid",
325       "primaryKey": false,
326       "notNull": true
327     },
328     "createdAt": {
329       "name": "createdAt",
330       "type": "timestamp",
331       "primaryKey": false,
332       "notNull": true

```

```

333     }
334   },
335   "indexes": {},
336   "foreignKeys": {
337     "Suggestion_userId_User_id_fk": {
338       "name": "Suggestion_userId_User_id_fk",
339       "tableFrom": "Suggestion",
340       "tableTo": "User",
341       "columnsFrom": ["userId"],
342       "columnsTo": ["id"],
343       "onDelete": "no action",
344       "onUpdate": "no action"
345     },
346     "Suggestion_documentId_documentCreatedAt_Document_id_createdAt_fk": {
347       "name": "Suggestion_documentId_documentCreatedAt_Document_id_createdAt_fk",
348       "tableFrom": "Suggestion",
349       "tableTo": "Document",
350       "columnsFrom": ["documentId", "documentCreatedAt"],
351       "columnsTo": ["id", "createdAt"],
352       "onDelete": "no action",
353       "onUpdate": "no action"
354     }
355   },
356   "compositePrimaryKeys": {
357     "Suggestion_id_pk": {
358       "name": "Suggestion_id_pk",
359       "columns": ["id"]
360     }
361   },
362   "uniqueConstraints": {}
363 },
364 "public.User": {
365   "name": "User",
366   "schema": "",
367   "columns": {
368     "id": {
369       "name": "id",
370       "type": "uuid",
371       "primaryKey": true,
372       "notNull": true,
373       "default": "gen_random_uuid()"
374     },
375     "email": {
376       "name": "email",
377       "type": "varchar(64)",
378       "primaryKey": false,
379       "notNull": true
380     },
381     "password": {
382       "name": "password",
383       "type": "varchar(64)",
384       "primaryKey": false,
385       "notNull": false
386     }
387   },
388   "indexes": {},
389   "foreignKeys": {},
390   "compositePrimaryKeys": {},
391   "uniqueConstraints": {}
392 },
393 "public.Vote_v2": {
394   "name": "Vote_v2",
395   "schema": "",
396   "columns": {
397     "chatId": {
398       "name": "chatId",
399       "type": "uuid",
400       "primaryKey": false,
401       "notNull": true

```

```

402     },
403     "messageId": {
404       "name": "messageId",
405       "type": "uuid",
406       "primaryKey": false,
407       "notNull": true
408     },
409     "isUpvoted": {
410       "name": "isUpvoted",
411       "type": "boolean",
412       "primaryKey": false,
413       "notNull": true
414     }
415   },
416   "indexes": {},
417   "foreignKeys": {
418     "Vote_v2_chatId_Chat_id_fk": {
419       "name": "Vote_v2_chatId_Chat_id_fk",
420       "tableFrom": "Vote_v2",
421       "tableTo": "Chat",
422       "columnsFrom": ["chatId"],
423       "columnsTo": ["id"],
424       "onDelete": "no action",
425       "onUpdate": "no action"
426     },
427     "Vote_v2_messageId_Message_v2_id_fk": {
428       "name": "Vote_v2_messageId_Message_v2_id_fk",
429       "tableFrom": "Vote_v2",
430       "tableTo": "Message_v2",
431       "columnsFrom": ["messageId"],
432       "columnsTo": ["id"],
433       "onDelete": "no action",
434       "onUpdate": "no action"
435     }
436   },
437   "compositePrimaryKeys": {
438     "Vote_v2_chatId_messageId_pk": {
439       "name": "Vote_v2_chatId_messageId_pk",
440       "columns": ["chatId", "messageId"]
441     }
442   },
443   "uniqueConstraints": {}
444 },
445 "public.Vote": {
446   "name": "Vote",
447   "schema": "",
448   "columns": {
449     "chatId": {
450       "name": "chatId",
451       "type": "uuid",
452       "primaryKey": false,
453       "notNull": true
454     },
455     "messageId": {
456       "name": "messageId",
457       "type": "uuid",
458       "primaryKey": false,
459       "notNull": true
460     },
461     "isUpvoted": {
462       "name": "isUpvoted",
463       "type": "boolean",
464       "primaryKey": false,
465       "notNull": true
466     }
467   },
468   "indexes": {},
469   "foreignKeys": {
470     "Vote_chatId_Chat_id_fk": {

```

```

471     "name": "Vote_chatId_Chat_id_fk",
472     "tableFrom": "Vote",
473     "tableTo": "Chat",
474     "columnsFrom": ["chatId"],
475     "columnsTo": ["id"],
476     "onDelete": "no action",
477     "onUpdate": "no action"
478   },
479   "Vote_messageId_Message_id_fk": {
480     "name": "Vote_messageId_Message_id_fk",
481     "tableFrom": "Vote",
482     "tableTo": "Message",
483     "columnsFrom": ["messageId"],
484     "columnsTo": ["id"],
485     "onDelete": "no action",
486     "onUpdate": "no action"
487   }
488 },
489 "compositePrimaryKeys": {
490   "Vote_chatId_messageId_pk": {
491     "name": "Vote_chatId_messageId_pk",
492     "columns": ["chatId", "messageId"]
493   }
494 },
495 "uniqueConstraints": {}
496 }
497 },
498 "enums": {},
499 "schemas": {},
500 "sequences": {},
501 "_meta": {
502   "columns": {},
503   "schemas": {},
504   "tables": {}
505 }
506 }

```

398. lib/db/migrations/meta/0007_snapshot.json

```

1  {
2    "id": "097660a7-976a-4b3e-8ebb-79312e3ece6f",
3    "prevId": "443de550-b7e8-4bfb-b229-c12dc6c132f0",
4    "version": "7",
5    "dialect": "postgresql",
6    "tables": {
7      "public.Chat": {
8        "name": "Chat",
9        "schema": "",
10       "columns": {
11         "id": {
12           "name": "id",
13           "type": "uuid",
14           "primaryKey": true,
15           "notNull": true,
16           "default": "gen_random_uuid()"
17         },
18         "createdAt": {
19           "name": "createdAt",
20           "type": "timestamp",
21           "primaryKey": false,
22           "notNull": true
23         },
24         "title": {
25           "name": "title",
26           "type": "text",
27           "primaryKey": false,
28           "notNull": true

```

```

29     },
30     "userId": {
31       "name": "userId",
32       "type": "uuid",
33       "primaryKey": false,
34       "notNull": true
35     },
36     "visibility": {
37       "name": "visibility",
38       "type": "varchar",
39       "primaryKey": false,
40       "notNull": true,
41       "default": "'private'"
42     },
43     "lastContext": {
44       "name": "lastContext",
45       "type": "jsonb",
46       "primaryKey": false,
47       "notNull": false
48     }
49   },
50   "indexes": {},
51   "foreignKeys": {
52     "Chat_userId_User_id_fk": {
53       "name": "Chat_userId_User_id_fk",
54       "tableFrom": "Chat",
55       "tableTo": "User",
56       "columnsFrom": ["userId"],
57       "columnsTo": ["id"],
58       "onDelete": "no action",
59       "onUpdate": "no action"
60     }
61   },
62   "compositePrimaryKeys": {},
63   "uniqueConstraints": {}
64 },
65 "public.Document": {
66   "name": "Document",
67   "schema": "",
68   "columns": {
69     "id": {
70       "name": "id",
71       "type": "uuid",
72       "primaryKey": false,
73       "notNull": true,
74       "default": "gen_random_uuid() "
75     },
76     "createdAt": {
77       "name": "createdAt",
78       "type": "timestamp",
79       "primaryKey": false,
80       "notNull": true
81     },
82     "title": {
83       "name": "title",
84       "type": "text",
85       "primaryKey": false,
86       "notNull": true
87     },
88     "content": {
89       "name": "content",
90       "type": "text",
91       "primaryKey": false,
92       "notNull": false
93     },
94     "text": {
95       "name": "text",
96       "type": "varchar",
97       "primaryKey": false,

```

```

98         "notNull": true,
99         "default": "'text'"
100     },
101     "userId": {
102         "name": "userId",
103         "type": "uuid",
104         "primaryKey": false,
105         "notNull": true
106     }
107 },
108 "indexes": {},
109 "foreignKeys": {
110     "Document_userId_User_id_fk": {
111         "name": "Document_userId_User_id_fk",
112         "tableFrom": "Document",
113         "tableTo": "User",
114         "columnsFrom": ["userId"],
115         "columnsTo": ["id"],
116         "onDelete": "no action",
117         "onUpdate": "no action"
118     }
119 },
120 "compositePrimaryKeys": {
121     "Document_id_createdAt_pk": {
122         "name": "Document_id_createdAt_pk",
123         "columns": ["id", "createdAt"]
124     }
125 },
126 "uniqueConstraints": {}
127 },
128 "public.Message_v2": {
129     "name": "Message_v2",
130     "schema": "",
131     "columns": {
132         "id": {
133             "name": "id",
134             "type": "uuid",
135             "primaryKey": true,
136             "notNull": true,
137             "default": "gen_random_uuid()"
138         },
139         "chatId": {
140             "name": "chatId",
141             "type": "uuid",
142             "primaryKey": false,
143             "notNull": true
144         },
145         "role": {
146             "name": "role",
147             "type": "varchar",
148             "primaryKey": false,
149             "notNull": true
150         },
151         "parts": {
152             "name": "parts",
153             "type": "json",
154             "primaryKey": false,
155             "notNull": true
156         },
157         "attachments": {
158             "name": "attachments",
159             "type": "json",
160             "primaryKey": false,
161             "notNull": true
162         },
163         "createdAt": {
164             "name": "createdAt",
165             "type": "timestamp",
166             "primaryKey": false,

```



```

167         "notNull": true
168     },
169 },
170 "indexes": {},
171 "foreignKeys": {
172     "Message_v2_chatId_Chat_id_fk": {
173         "name": "Message_v2_chatId_Chat_id_fk",
174         "tableFrom": "Message_v2",
175         "tableTo": "Chat",
176         "columnsFrom": ["chatId"],
177         "columnsTo": ["id"],
178         "onDelete": "no action",
179         "onUpdate": "no action"
180     }
181 },
182 "compositePrimaryKeys": {},
183 "uniqueConstraints": {}
184 },
185 "public.Message": {
186     "name": "Message",
187     "schema": "",
188     "columns": {
189         "id": {
190             "name": "id",
191             "type": "uuid",
192             "primaryKey": true,
193             "notNull": true,
194             "default": "gen_random_uuid()"
195         },
196         "chatId": {
197             "name": "chatId",
198             "type": "uuid",
199             "primaryKey": false,
200             "notNull": true
201         },
202         "role": {
203             "name": "role",
204             "type": "varchar",
205             "primaryKey": false,
206             "notNull": true
207         },
208         "content": {
209             "name": "content",
210             "type": "json",
211             "primaryKey": false,
212             "notNull": true
213         },
214         "createdAt": {
215             "name": "createdAt",
216             "type": "timestamp",
217             "primaryKey": false,
218             "notNull": true
219         }
220     },
221     "indexes": {},
222     "foreignKeys": {
223         "Message_chatId_Chat_id_fk": {
224             "name": "Message_chatId_Chat_id_fk",
225             "tableFrom": "Message",
226             "tableTo": "Chat",
227             "columnsFrom": ["chatId"],
228             "columnsTo": ["id"],
229             "onDelete": "no action",
230             "onUpdate": "no action"
231         }
232     },
233     "compositePrimaryKeys": {},
234     "uniqueConstraints": {}
235 },

```

```

236 "public.Stream": {
237   "name": "Stream",
238   "schema": "",
239   "columns": {
240     "id": {
241       "name": "id",
242       "type": "uuid",
243       "primaryKey": false,
244       "notNull": true,
245       "default": "gen_random_uuid()"
246     },
247     "chatId": {
248       "name": "chatId",
249       "type": "uuid",
250       "primaryKey": false,
251       "notNull": true
252     },
253     "createdAt": {
254       "name": "createdAt",
255       "type": "timestamp",
256       "primaryKey": false,
257       "notNull": true
258     }
259   },
260   "indexes": {},
261   "foreignKeys": {
262     "Stream_chatId_Chat_id_fk": {
263       "name": "Stream_chatId_Chat_id_fk",
264       "tableFrom": "Stream",
265       "tableTo": "Chat",
266       "columnsFrom": ["chatId"],
267       "columnsTo": ["id"],
268       "onDelete": "no action",
269       "onUpdate": "no action"
270     }
271   },
272   "compositePrimaryKeys": {
273     "Stream_id_pk": {
274       "name": "Stream_id_pk",
275       "columns": ["id"]
276     }
277   },
278   "uniqueConstraints": {}
279 },
280 "public.Suggestion": {
281   "name": "Suggestion",
282   "schema": "",
283   "columns": {
284     "id": {
285       "name": "id",
286       "type": "uuid",
287       "primaryKey": false,
288       "notNull": true,
289       "default": "gen_random_uuid()"
290     },
291     "documentId": {
292       "name": "documentId",
293       "type": "uuid",
294       "primaryKey": false,
295       "notNull": true
296     },
297     "documentCreatedAt": {
298       "name": "documentCreatedAt",
299       "type": "timestamp",
300       "primaryKey": false,
301       "notNull": true
302     },
303     "originalText": {
304       "name": "originalText",

```

```

305         "type": "text",
306         "primaryKey": false,
307         "notNull": true
308     },
309     "suggestedText": {
310         "name": "suggestedText",
311         "type": "text",
312         "primaryKey": false,
313         "notNull": true
314     },
315     "description": {
316         "name": "description",
317         "type": "text",
318         "primaryKey": false,
319         "notNull": false
320     },
321     "isResolved": {
322         "name": "isResolved",
323         "type": "boolean",
324         "primaryKey": false,
325         "notNull": true,
326         "default": false
327     },
328     "userId": {
329         "name": "userId",
330         "type": "uuid",
331         "primaryKey": false,
332         "notNull": true
333     },
334     "createdAt": {
335         "name": "createdAt",
336         "type": "timestamp",
337         "primaryKey": false,
338         "notNull": true
339     }
340 },
341 "indexes": {},
342 "foreignKeys": {
343     "Suggestion_userId_User_id_fk": {
344         "name": "Suggestion_userId_User_id_fk",
345         "tableFrom": "Suggestion",
346         "tableTo": "User",
347         "columnsFrom": ["userId"],
348         "columnsTo": ["id"],
349         "onDelete": "no action",
350         "onUpdate": "no action"
351     },
352     "Suggestion_documentId_documentCreatedAt_Document_id_createdAt_fk": {
353         "name": "Suggestion_documentId_documentCreatedAt_Document_id_createdAt_fk",
354         "tableFrom": "Suggestion",
355         "tableTo": "Document",
356         "columnsFrom": ["documentId", "documentCreatedAt"],
357         "columnsTo": ["id", "createdAt"],
358         "onDelete": "no action",
359         "onUpdate": "no action"
360     }
361 },
362 "compositePrimaryKeys": {
363     "Suggestion_id_pk": {
364         "name": "Suggestion_id_pk",
365         "columns": ["id"]
366     }
367 },
368 "uniqueConstraints": {}
369 },
370 "public.User": {
371     "name": "User",
372     "schema": "",
373     "columns": {

```

```

374     "id": {
375         "name": "id",
376         "type": "uuid",
377         "primaryKey": true,
378         "notNull": true,
379         "default": "gen_random_uuid()"
380     },
381     "email": {
382         "name": "email",
383         "type": "varchar(64)",
384         "primaryKey": false,
385         "notNull": true
386     },
387     "password": {
388         "name": "password",
389         "type": "varchar(64)",
390         "primaryKey": false,
391         "notNull": false
392     }
393 },
394 "indexes": {},
395 "foreignKeys": {},
396 "compositePrimaryKeys": {},
397 "uniqueConstraints": {}
398 },
399 "public.Vote_v2": {
400     "name": "Vote_v2",
401     "schema": "",
402     "columns": {
403         "chatId": {
404             "name": "chatId",
405             "type": "uuid",
406             "primaryKey": false,
407             "notNull": true
408         },
409         "messageId": {
410             "name": "messageId",
411             "type": "uuid",
412             "primaryKey": false,
413             "notNull": true
414         },
415         "isUpvoted": {
416             "name": "isUpvoted",
417             "type": "boolean",
418             "primaryKey": false,
419             "notNull": true
420         }
421     },
422     "indexes": {},
423     "foreignKeys": {
424         "Vote_v2_chatId_Chat_id_fk": {
425             "name": "Vote_v2_chatId_Chat_id_fk",
426             "tableFrom": "Vote_v2",
427             "tableTo": "Chat",
428             "columnsFrom": ["chatId"],
429             "columnsTo": ["id"],
430             "onDelete": "no action",
431             "onUpdate": "no action"
432         },
433         "Vote_v2_messageId_Message_v2_id_fk": {
434             "name": "Vote_v2_messageId_Message_v2_id_fk",
435             "tableFrom": "Vote_v2",
436             "tableTo": "Message_v2",
437             "columnsFrom": ["messageId"],
438             "columnsTo": ["id"],
439             "onDelete": "no action",
440             "onUpdate": "no action"
441         }
442     },

```

```

443     "compositePrimaryKeys": {
444       "Vote_v2_chatId_messageId_pk": {
445         "name": "Vote_v2_chatId_messageId_pk",
446         "columns": ["chatId", "messageId"]
447       }
448     },
449     "uniqueConstraints": {}
450   },
451   "public.Vote": {
452     "name": "Vote",
453     "schema": "",
454     "columns": {
455       "chatId": {
456         "name": "chatId",
457         "type": "uuid",
458         "primaryKey": false,
459         "notNull": true
460       },
461       "messageId": {
462         "name": "messageId",
463         "type": "uuid",
464         "primaryKey": false,
465         "notNull": true
466       },
467       "isUpvoted": {
468         "name": "isUpvoted",
469         "type": "boolean",
470         "primaryKey": false,
471         "notNull": true
472       }
473     },
474     "indexes": {},
475     "foreignKeys": {
476       "Vote_chatId_Chat_id_fk": {
477         "name": "Vote_chatId_Chat_id_fk",
478         "tableFrom": "Vote",
479         "tableTo": "Chat",
480         "columnsFrom": ["chatId"],
481         "columnsTo": ["id"],
482         "onDelete": "no action",
483         "onUpdate": "no action"
484       },
485       "Vote_messageId_Message_id_fk": {
486         "name": "Vote_messageId_Message_id_fk",
487         "tableFrom": "Vote",
488         "tableTo": "Message",
489         "columnsFrom": ["messageId"],
490         "columnsTo": ["id"],
491         "onDelete": "no action",
492         "onUpdate": "no action"
493       }
494     },
495     "compositePrimaryKeys": {
496       "Vote_chatId_messageId_pk": {
497         "name": "Vote_chatId_messageId_pk",
498         "columns": ["chatId", "messageId"]
499       }
500     },
501     "uniqueConstraints": {}
502   }
503 },
504 "enums": {},
505 "schemas": {},
506 "sequences": {},
507 "_meta": {
508   "columns": {},
509   "schemas": {},
510   "tables": {}
511 }

```

399. lib/db/migrations/meta/0008_snapshot.json

```

1  {
2    "id": "6e88cb80-eb35-405d-af57-93071a3fe609",
3    "prevId": "097660a7-976a-4b3e-8ebb-79312e3ece6f",
4    "version": "7",
5    "dialect": "postgresql",
6    "tables": {
7      "public.Chat": {
8        "name": "Chat",
9        "schema": "",
10       "columns": {
11         "id": {
12           "name": "id",
13           "type": "uuid",
14           "primaryKey": true,
15           "notNull": true,
16           "default": "gen_random_uuid()"
17         },
18         "createdAt": {
19           "name": "createdAt",
20           "type": "timestamp",
21           "primaryKey": false,
22           "notNull": true
23         },
24         "title": {
25           "name": "title",
26           "type": "text",
27           "primaryKey": false,
28           "notNull": true
29         },
30         "userId": {
31           "name": "userId",
32           "type": "uuid",
33           "primaryKey": false,
34           "notNull": true
35         },
36         "visibility": {
37           "name": "visibility",
38           "type": "varchar",
39           "primaryKey": false,
40           "notNull": true,
41           "default": "'private'"
42         }
43       },
44       "indexes": {},
45       "foreignKeys": {
46         "Chat_userId_User_id_fk": {
47           "name": "Chat_userId_User_id_fk",
48           "tableFrom": "Chat",
49           "tableTo": "User",
50           "columnsFrom": [
51             "userId"
52           ],
53           "columnsTo": [
54             "id"
55           ],
56           "onDelete": "no action",
57           "onUpdate": "no action"
58         }
59       },
60       "compositePrimaryKeys": {},
61       "uniqueConstraints": {}
62     },
63     "public.Document": {

```

```

64     "name": "Document",
65     "schema": "",
66     "columns": {
67         "id": {
68             "name": "id",
69             "type": "uuid",
70             "primaryKey": false,
71             "notNull": true,
72             "default": "gen_random_uuid()"
73         },
74         "createdAt": {
75             "name": "createdAt",
76             "type": "timestamp",
77             "primaryKey": false,
78             "notNull": true
79         },
80         "title": {
81             "name": "title",
82             "type": "text",
83             "primaryKey": false,
84             "notNull": true
85         },
86         "content": {
87             "name": "content",
88             "type": "text",
89             "primaryKey": false,
90             "notNull": false
91         },
92         "text": {
93             "name": "text",
94             "type": "varchar",
95             "primaryKey": false,
96             "notNull": true,
97             "default": "'text'"
98         },
99         "userId": {
100             "name": "userId",
101             "type": "uuid",
102             "primaryKey": false,
103             "notNull": true
104         }
105     },
106     "indexes": {},
107     "foreignKeys": {
108         "Document_userId_User_id_fk": {
109             "name": "Document_userId_User_id_fk",
110             "tableFrom": "Document",
111             "tableTo": "User",
112             "columnsFrom": [
113                 "userId"
114             ],
115             "columnsTo": [
116                 "id"
117             ],
118             "onDelete": "no action",
119             "onUpdate": "no action"
120         }
121     },
122     "compositePrimaryKeys": {
123         "Document_id_createdAt_pk": {
124             "name": "Document_id_createdAt_pk",
125             "columns": [
126                 "id",
127                 "createdAt"
128             ]
129         }
130     },
131     "uniqueConstraints": {}
132 },

```

```

133 "public.EmailVerificationToken": {
134   "name": "EmailVerificationToken",
135   "schema": "",
136   "columns": {
137     "id": {
138       "name": "id",
139       "type": "uuid",
140       "primaryKey": true,
141       "notNull": true,
142       "default": "gen_random_uuid()"
143     },
144     "email": {
145       "name": "email",
146       "type": "varchar(64)",
147       "primaryKey": false,
148       "notNull": true
149     },
150     "tokenHash": {
151       "name": "tokenHash",
152       "type": "varchar(64)",
153       "primaryKey": false,
154       "notNull": true
155     },
156     "createdAt": {
157       "name": "createdAt",
158       "type": "timestamp with time zone",
159       "primaryKey": false,
160       "notNull": true
161     },
162     "expiresAt": {
163       "name": "expiresAt",
164       "type": "timestamp with time zone",
165       "primaryKey": false,
166       "notNull": true
167     }
168   },
169   "indexes": {},
170   "foreignKeys": {},
171   "compositePrimaryKeys": {},
172   "uniqueConstraints": {}
173 },
174 "public.Message_v2": {
175   "name": "Message_v2",
176   "schema": "",
177   "columns": {
178     "id": {
179       "name": "id",
180       "type": "uuid",
181       "primaryKey": true,
182       "notNull": true,
183       "default": "gen_random_uuid()"
184     },
185     "chatId": {
186       "name": "chatId",
187       "type": "uuid",
188       "primaryKey": false,
189       "notNull": true
190     },
191     "role": {
192       "name": "role",
193       "type": "varchar",
194       "primaryKey": false,
195       "notNull": true
196     },
197     "parts": {
198       "name": "parts",
199       "type": "json",
200       "primaryKey": false,
201       "notNull": true

```



```

202     },
203     "attachments": {
204         "name": "attachments",
205         "type": "json",
206         "primaryKey": false,
207         "notNull": true
208     },
209     "createdAt": {
210         "name": "createdAt",
211         "type": "timestamp",
212         "primaryKey": false,
213         "notNull": true
214     }
215 },
216 "indexes": {},
217 "foreignKeys": {
218     "Message_v2_chatId_Chat_id_fk": {
219         "name": "Message_v2_chatId_Chat_id_fk",
220         "tableFrom": "Message_v2",
221         "tableTo": "Chat",
222         "columnsFrom": [
223             "chatId"
224         ],
225         "columnsTo": [
226             "id"
227         ],
228         "onDelete": "no action",
229         "onUpdate": "no action"
230     }
231 },
232 "compositePrimaryKeys": {},
233 "uniqueConstraints": {}
234 },
235 "public.Message": {
236     "name": "Message",
237     "schema": "",
238     "columns": {
239         "id": {
240             "name": "id",
241             "type": "uuid",
242             "primaryKey": true,
243             "notNull": true,
244             "default": "gen_random_uuid()"
245         },
246         "chatId": {
247             "name": "chatId",
248             "type": "uuid",
249             "primaryKey": false,
250             "notNull": true
251         },
252         "role": {
253             "name": "role",
254             "type": "varchar",
255             "primaryKey": false,
256             "notNull": true
257         },
258         "content": {
259             "name": "content",
260             "type": "json",
261             "primaryKey": false,
262             "notNull": true
263         },
264         "createdAt": {
265             "name": "createdAt",
266             "type": "timestamp",
267             "primaryKey": false,
268             "notNull": true
269         }
270     },

```

```

271     "indexes": {},
272     "foreignKeys": {
273       "Message_chatId_Chat_id_fk": {
274         "name": "Message_chatId_Chat_id_fk",
275         "tableFrom": "Message",
276         "tableTo": "Chat",
277         "columnsFrom": [
278           "chatId"
279         ],
280         "columnsTo": [
281           "id"
282         ],
283         "onDelete": "no action",
284         "onUpdate": "no action"
285       }
286     },
287     "compositePrimaryKeys": {},
288     "uniqueConstraints": {}
289   },
290   "public.Stream": {
291     "name": "Stream",
292     "schema": "",
293     "columns": {
294       "id": {
295         "name": "id",
296         "type": "uuid",
297         "primaryKey": false,
298         "notNull": true,
299         "default": "gen_random_uuid()"
300       },
301       "chatId": {
302         "name": "chatId",
303         "type": "uuid",
304         "primaryKey": false,
305         "notNull": true
306       },
307       "createdAt": {
308         "name": "createdAt",
309         "type": "timestamp",
310         "primaryKey": false,
311         "notNull": true
312       }
313     },
314     "indexes": {},
315     "foreignKeys": {
316       "Stream_chatId_Chat_id_fk": {
317         "name": "Stream_chatId_Chat_id_fk",
318         "tableFrom": "Stream",
319         "tableTo": "Chat",
320         "columnsFrom": [
321           "chatId"
322         ],
323         "columnsTo": [
324           "id"
325         ],
326         "onDelete": "no action",
327         "onUpdate": "no action"
328       }
329     },
330     "compositePrimaryKeys": {
331       "Stream_id_pk": {
332         "name": "Stream_id_pk",
333         "columns": [
334           "id"
335         ]
336       }
337     },
338     "uniqueConstraints": {}
339   },

```

```

340 "public.Suggestion": {
341   "name": "Suggestion",
342   "schema": "",
343   "columns": {
344     "id": {
345       "name": "id",
346       "type": "uuid",
347       "primaryKey": false,
348       "notNull": true,
349       "default": "gen_random_uuid()"
350     },
351     "documentId": {
352       "name": "documentId",
353       "type": "uuid",
354       "primaryKey": false,
355       "notNull": true
356     },
357     "documentCreatedAt": {
358       "name": "documentCreatedAt",
359       "type": "timestamp",
360       "primaryKey": false,
361       "notNull": true
362     },
363     "originalText": {
364       "name": "originalText",
365       "type": "text",
366       "primaryKey": false,
367       "notNull": true
368     },
369     "suggestedText": {
370       "name": "suggestedText",
371       "type": "text",
372       "primaryKey": false,
373       "notNull": true
374     },
375     "description": {
376       "name": "description",
377       "type": "text",
378       "primaryKey": false,
379       "notNull": false
380     },
381     "isResolved": {
382       "name": "isResolved",
383       "type": "boolean",
384       "primaryKey": false,
385       "notNull": true,
386       "default": false
387     },
388     "userId": {
389       "name": "userId",
390       "type": "uuid",
391       "primaryKey": false,
392       "notNull": true
393     },
394     "createdAt": {
395       "name": "createdAt",
396       "type": "timestamp",
397       "primaryKey": false,
398       "notNull": true
399     }
400   },
401   "indexes": {},
402   "foreignKeys": {
403     "Suggestion_userId_User_id_fk": {
404       "name": "Suggestion_userId_User_id_fk",
405       "tableFrom": "Suggestion",
406       "tableTo": "User",
407       "columnsFrom": [
408         "userId"

```

```

409     ],
410     "columnsTo": [
411         "id"
412     ],
413     "onDelete": "no action",
414     "onUpdate": "no action"
415 },
416 "suggestion_documentId_documentCreatedAt_Document_id_createdAt_fk": {
417     "name": "Suggestion_documentId_documentCreatedAt_Document_id_createdAt_fk",
418     "tableFrom": "Suggestion",
419     "tableTo": "Document",
420     "columnsFrom": [
421         "documentId",
422         "documentCreatedAt"
423     ],
424     "columnsTo": [
425         "id",
426         "createdAt"
427     ],
428     "onDelete": "no action",
429     "onUpdate": "no action"
430 }
431 },
432 "compositePrimaryKeys": {
433     "suggestion_id_pk": {
434         "name": "Suggestion_id_pk",
435         "columns": [
436             "id"
437         ]
438     }
439 },
440 "uniqueConstraints": {}
441 },
442 "public.therapy_conversation": {
443     "name": "therapy_conversation",
444     "schema": "",
445     "columns": {
446         "id": {
447             "name": "id",
448             "type": "uuid",
449             "primaryKey": true,
450             "notNull": true,
451             "default": "gen_random_uuid()"
452         },
453         "appointment_id": {
454             "name": "appointment_id",
455             "type": "text",
456             "primaryKey": false,
457             "notNull": false
458         },
459         "client_email": {
460             "name": "client_email",
461             "type": "varchar(64)",
462             "primaryKey": false,
463             "notNull": true
464         },
465         "psychologist_email": {
466             "name": "psychologist_email",
467             "type": "varchar(64)",
468             "primaryKey": false,
469             "notNull": true
470         },
471         "status": {
472             "name": "status",
473             "type": "varchar",
474             "primaryKey": false,
475             "notNull": true,
476             "default": "'open'"
477     },

```

```

478     "last_message_at": {
479       "name": "last_message_at",
480       "type": "timestamp with time zone",
481       "primaryKey": false,
482       "notNull": false
483     },
484     "created_at": {
485       "name": "created_at",
486       "type": "timestamp with time zone",
487       "primaryKey": false,
488       "notNull": true,
489       "default": "now()"
490     }
491   },
492   "indexes": {
493     "therapy_conversation_appointment_unique": {
494       "name": "therapy_conversation_appointment_unique",
495       "columns": [
496         {
497           "expression": "appointment_id",
498           "isExpression": false,
499           "asc": true,
500           "nulls": "last"
501         }
502       ],
503       "isUnique": true,
504       "concurrently": false,
505       "method": "btree",
506       "with": {}
507     }
508   },
509   "foreignKeys": {},
510   "compositePrimaryKeys": {},
511   "uniqueConstraints": {}
512 },
513 "public.therapy_message": {
514   "name": "therapy_message",
515   "schema": "",
516   "columns": {
517     "id": {
518       "name": "id",
519       "type": "uuid",
520       "primaryKey": true,
521       "notNull": true,
522       "default": "gen_random_uuid()"
523     },
524     "conversation_id": {
525       "name": "conversation_id",
526       "type": "uuid",
527       "primaryKey": false,
528       "notNull": true
529     },
530     "sender_email": {
531       "name": "sender_email",
532       "type": "varchar(64)",
533       "primaryKey": false,
534       "notNull": true
535     },
536     "sender_role": {
537       "name": "sender_role",
538       "type": "varchar",
539       "primaryKey": false,
540       "notNull": true
541     },
542     "body": {
543       "name": "body",
544       "type": "text",
545       "primaryKey": false,
546       "notNull": true

```

```

547     },
548     "read_at": {
549       "name": "read_at",
550       "type": "timestamp with time zone",
551       "primaryKey": false,
552       "notNull": false
553     },
554     "created_at": {
555       "name": "created_at",
556       "type": "timestamp with time zone",
557       "primaryKey": false,
558       "notNull": true,
559       "default": "now()"
560     }
561   },
562   "indexes": {
563     "therapy_message_conversation_idx": {
564       "name": "therapy_message_conversation_idx",
565       "columns": [
566         {
567           "expression": "conversation_id",
568           "isExpression": false,
569           "asc": true,
570           "nulls": "last"
571         },
572         {
573           "expression": "created_at",
574           "isExpression": false,
575           "asc": true,
576           "nulls": "last"
577         }
578       ],
579       "isUnique": false,
580       "concurrently": false,
581       "method": "btree",
582       "with": {}
583     }
584   },
585   "foreignKeys": {
586     "therapy_message_conversation_id_therapy_conversation_id_fk": {
587       "name": "therapy_message_conversation_id_therapy_conversation_id_fk",
588       "tableFrom": "therapy_message",
589       "tableTo": "therapy_conversation",
590       "columnsFrom": [
591         "conversation_id"
592       ],
593       "columnsTo": [
594         "id"
595       ],
596       "onDelete": "no action",
597       "onUpdate": "no action"
598     }
599   },
600   "compositePrimaryKeys": {},
601   "uniqueConstraints": {}
602 },
603 "public.User": {
604   "name": "User",
605   "schema": "",
606   "columns": {
607     "id": {
608       "name": "id",
609       "type": "uuid",
610       "primaryKey": true,
611       "notNull": true,
612       "default": "gen_random_uuid()"
613     },
614     "email": {
615       "name": "email",

```

```

616         "type": "varchar(64)",
617         "primaryKey": false,
618         "notNull": true
619     },
620     "password": {
621         "name": "password",
622         "type": "varchar(64)",
623         "primaryKey": false,
624         "notNull": false
625     },
626     "emailVerifiedAt": {
627         "name": "emailVerifiedAt",
628         "type": "timestamp with time zone",
629         "primaryKey": false,
630         "notNull": false
631     }
632 },
633 "indexes": {},
634 "foreignKeys": {},
635 "compositePrimaryKeys": {},
636 "uniqueConstraints": {}
637 },
638 "public.Vote_v2": {
639     "name": "Vote_v2",
640     "schema": "",
641     "columns": {
642         "chatId": {
643             "name": "chatId",
644             "type": "uuid",
645             "primaryKey": false,
646             "notNull": true
647         },
648         "messageId": {
649             "name": "messageId",
650             "type": "uuid",
651             "primaryKey": false,
652             "notNull": true
653         },
654         "isUpvoted": {
655             "name": "isUpvoted",
656             "type": "boolean",
657             "primaryKey": false,
658             "notNull": true
659         }
660     },
661     "indexes": {},
662     "foreignKeys": {
663         "Vote_v2_chatId_Chat_id_fk": {
664             "name": "Vote_v2_chatId_Chat_id_fk",
665             "tableFrom": "Vote_v2",
666             "tableTo": "Chat",
667             "columnsFrom": [
668                 "chatId"
669             ],
670             "columnsTo": [
671                 "id"
672             ],
673             "onDelete": "no action",
674             "onUpdate": "no action"
675         },
676         "Vote_v2_messageId_Message_v2_id_fk": {
677             "name": "Vote_v2_messageId_Message_v2_id_fk",
678             "tableFrom": "Vote_v2",
679             "tableTo": "Message_v2",
680             "columnsFrom": [
681                 "messageId"
682             ],
683             "columnsTo": [
684                 "id"

```

```

685     },
686     "onDelete": "no action",
687     "onUpdate": "no action"
688   },
689 },
690 "compositePrimaryKeys": {
691   "Vote_v2_chatId_messageId_pk": {
692     "name": "Vote_v2_chatId_messageId_pk",
693     "columns": [
694       "chatId",
695       "messageId"
696     ]
697   },
698 },
699 "uniqueConstraints": {}
700 },
701 "public.Vote": {
702   "name": "Vote",
703   "schema": "",
704   "columns": {
705     "chatId": {
706       "name": "chatId",
707       "type": "uuid",
708       "primaryKey": false,
709       "notNull": true
710     },
711     "messageId": {
712       "name": "messageId",
713       "type": "uuid",
714       "primaryKey": false,
715       "notNull": true
716     },
717     "isUpvoted": {
718       "name": "isUpvoted",
719       "type": "boolean",
720       "primaryKey": false,
721       "notNull": true
722     }
723   },
724   "indexes": {},
725   "foreignKeys": {
726     "Vote_chatId_Chat_id_fk": {
727       "name": "Vote_chatId_Chat_id_fk",
728       "tableFrom": "Vote",
729       "tableTo": "Chat",
730       "columnsFrom": [
731         "chatId"
732       ],
733       "columnsTo": [
734         "id"
735       ],
736       "onDelete": "no action",
737       "onUpdate": "no action"
738     },
739     "Vote_messageId_Message_id_fk": {
740       "name": "Vote_messageId_Message_id_fk",
741       "tableFrom": "Vote",
742       "tableTo": "Message",
743       "columnsFrom": [
744         "messageId"
745       ],
746       "columnsTo": [
747         "id"
748       ],
749       "onDelete": "no action",
750       "onUpdate": "no action"
751     }
752   },
753   "compositePrimaryKeys": {

```



```

754     "Vote_chatId_messageId_pk": {
755       "name": "Vote_chatId_messageId_pk",
756       "columns": [
757         "chatId",
758         "messageId"
759       ]
760     },
761   },
762   "uniqueConstraints": {}
763 },
764 },
765 "enums": {},
766 "schemas": {},
767 "sequences": {},
768 "_meta": {
769   "columns": {},
770   "schemas": {},
771   "tables": {}
772 }
773 }

```

400. lib/db/migrations/meta/0009_snapshot.json

```

1  {
2    "id": "2a6320b8-81de-4cba-9901-17c863517227",
3    "prevId": "6e88cb80-eb35-405d-af57-93071a3fe609",
4    "version": "7",
5    "dialect": "postgresql",
6    "tables": {
7      "public.Chat": {
8        "name": "Chat",
9        "schema": "",
10       "columns": {
11         "id": {
12           "name": "id",
13           "type": "uuid",
14           "primaryKey": true,
15           "notNull": true,
16           "default": "gen_random_uuid()"
17         },
18         "createdAt": {
19           "name": "createdAt",
20           "type": "timestamp",
21           "primaryKey": false,
22           "notNull": true
23         },
24         "title": {
25           "name": "title",
26           "type": "text",
27           "primaryKey": false,
28           "notNull": true
29         },
30         "userId": {
31           "name": "userId",
32           "type": "uuid",
33           "primaryKey": false,
34           "notNull": true
35         },
36         "visibility": {
37           "name": "visibility",
38           "type": "varchar",
39           "primaryKey": false,
40           "notNull": true,
41           "default": "'private'"
42         }
43       },
44       "indexes": {},

```

```

45     "foreignKeys": {
46       "Chat_userId_User_id_fk": {
47         "name": "Chat_userId_User_id_fk",
48         "tableFrom": "Chat",
49         "tableTo": "User",
50         "columnsFrom": [
51           "userId"
52         ],
53         "columnsTo": [
54           "id"
55         ],
56         "onDelete": "no action",
57         "onUpdate": "no action"
58       }
59     },
60     "compositePrimaryKeys": {},
61     "uniqueConstraints": {}
62   },
63   "public.Document": {
64     "name": "Document",
65     "schema": "",
66     "columns": {
67       "id": {
68         "name": "id",
69         "type": "uuid",
70         "primaryKey": false,
71         "notNull": true,
72         "default": "gen_random_uuid()"
73       },
74       "createdAt": {
75         "name": "createdAt",
76         "type": "timestamp",
77         "primaryKey": false,
78         "notNull": true
79       },
80       "title": {
81         "name": "title",
82         "type": "text",
83         "primaryKey": false,
84         "notNull": true
85       },
86       "content": {
87         "name": "content",
88         "type": "text",
89         "primaryKey": false,
90         "notNull": false
91       },
92       "text": {
93         "name": "text",
94         "type": "varchar",
95         "primaryKey": false,
96         "notNull": true,
97         "default": "'text'"
98       },
99       "userId": {
100         "name": "userId",
101         "type": "uuid",
102         "primaryKey": false,
103         "notNull": true
104       }
105     },
106     "indexes": {},
107     "foreignKeys": {
108       "Document_userId_User_id_fk": {
109         "name": "Document_userId_User_id_fk",
110         "tableFrom": "Document",
111         "tableTo": "User",
112         "columnsFrom": [
113           "userId"

```

```

114     ],
115     "columnsTo": [
116         "id"
117     ],
118     "onDelete": "no action",
119     "onUpdate": "no action"
120 }
121 },
122 "compositePrimaryKeys": {
123     "Document_id_createdAt_pk": {
124         "name": "Document_id_createdAt_pk",
125         "columns": [
126             "id",
127             "createdAt"
128         ]
129     }
130 },
131 "uniqueConstraints": {}
132 },
133 "public.EmailVerificationToken": {
134     "name": "EmailVerificationToken",
135     "schema": "",
136     "columns": {
137         "id": {
138             "name": "id",
139             "type": "uuid",
140             "primaryKey": true,
141             "notNull": true,
142             "default": "gen_random_uuid()"
143         },
144         "email": {
145             "name": "email",
146             "type": "varchar(64)",
147             "primaryKey": false,
148             "notNull": true
149         },
150         "tokenHash": {
151             "name": "tokenHash",
152             "type": "varchar(64)",
153             "primaryKey": false,
154             "notNull": true
155         },
156         "createdAt": {
157             "name": "createdAt",
158             "type": "timestamp with time zone",
159             "primaryKey": false,
160             "notNull": true
161         },
162         "expiresAt": {
163             "name": "expiresAt",
164             "type": "timestamp with time zone",
165             "primaryKey": false,
166             "notNull": true
167         }
168     },
169     "indexes": {},
170     "foreignKeys": {},
171     "compositePrimaryKeys": {},
172     "uniqueConstraints": {}
173 },
174 "public.Message_v2": {
175     "name": "Message_v2",
176     "schema": "",
177     "columns": {
178         "id": {
179             "name": "id",
180             "type": "uuid",
181             "primaryKey": true,
182             "notNull": true,

```

```

183     "default": "gen_random_uuid()"
184 },
185 "chatId": {
186   "name": "chatId",
187   "type": "uuid",
188   "primaryKey": false,
189   "notNull": true
190 },
191 "role": {
192   "name": "role",
193   "type": "varchar",
194   "primaryKey": false,
195   "notNull": true
196 },
197 "parts": {
198   "name": "parts",
199   "type": "json",
200   "primaryKey": false,
201   "notNull": true
202 },
203 "attachments": {
204   "name": "attachments",
205   "type": "json",
206   "primaryKey": false,
207   "notNull": true
208 },
209 "createdAt": {
210   "name": "createdAt",
211   "type": "timestamp",
212   "primaryKey": false,
213   "notNull": true
214 }
215 },
216 "indexes": {},
217 "foreignKeys": {
218   "Message_v2_chatId_Chat_id_fk": {
219     "name": "Message_v2_chatId_Chat_id_fk",
220     "tableFrom": "Message_v2",
221     "tableTo": "Chat",
222     "columnsFrom": [
223       "chatId"
224     ],
225     "columnsTo": [
226       "id"
227     ],
228     "onDelete": "no action",
229     "onUpdate": "no action"
230   }
231 },
232 "compositePrimaryKeys": {},
233 "uniqueConstraints": {}
234 },
235 "public.Message": {
236   "name": "Message",
237   "schema": "",
238   "columns": {
239     "id": {
240       "name": "id",
241       "type": "uuid",
242       "primaryKey": true,
243       "notNull": true,
244       "default": "gen_random_uuid()"
245     },
246     "chatId": {
247       "name": "chatId",
248       "type": "uuid",
249       "primaryKey": false,
250       "notNull": true
251     },

```

```

252     "role": {
253       "name": "role",
254       "type": "varchar",
255       "primaryKey": false,
256       "notNull": true
257     },
258     "content": {
259       "name": "content",
260       "type": "json",
261       "primaryKey": false,
262       "notNull": true
263     },
264     "createdAt": {
265       "name": "createdAt",
266       "type": "timestamp",
267       "primaryKey": false,
268       "notNull": true
269     }
270   },
271   "indexes": {},
272   "foreignKeys": {
273     "Message_chatId_Chat_id_fk": {
274       "name": "Message_chatId_Chat_id_fk",
275       "tableFrom": "Message",
276       "tableTo": "Chat",
277       "columnsFrom": [
278         "chatId"
279       ],
280       "columnsTo": [
281         "id"
282       ],
283       "onDelete": "no action",
284       "onUpdate": "no action"
285     }
286   },
287   "compositePrimaryKeys": {},
288   "uniqueConstraints": {}
289 },
290 "public.Stream": {
291   "name": "Stream",
292   "schema": "",
293   "columns": {
294     "id": {
295       "name": "id",
296       "type": "uuid",
297       "primaryKey": false,
298       "notNull": true,
299       "default": "gen_random_uuid()"
300     },
301     "chatId": {
302       "name": "chatId",
303       "type": "uuid",
304       "primaryKey": false,
305       "notNull": true
306     },
307     "createdAt": {
308       "name": "createdAt",
309       "type": "timestamp",
310       "primaryKey": false,
311       "notNull": true
312     }
313   },
314   "indexes": {},
315   "foreignKeys": {
316     "Stream_chatId_Chat_id_fk": {
317       "name": "Stream_chatId_Chat_id_fk",
318       "tableFrom": "Stream",
319       "tableTo": "Chat",
320       "columnsFrom": [

```

```

321         "chatId"
322     ],
323     "columnsTo": [
324         "id"
325     ],
326     "onDelete": "no action",
327     "onUpdate": "no action"
328 }
329 },
330 "compositePrimaryKeys": {
331     "Stream_id_pk": {
332         "name": "Stream_id_pk",
333         "columns": [
334             "id"
335         ]
336     }
337 },
338 "uniqueConstraints": {}
339 },
340 "public.SubscriptionPayment": {
341     "name": "SubscriptionPayment",
342     "schema": "",
343     "columns": {
344         "id": {
345             "name": "id",
346             "type": "uuid",
347             "primaryKey": true,
348             "notNull": true,
349             "default": "gen_random_uuid()"
350         },
351         "userId": {
352             "name": "userId",
353             "type": "uuid",
354             "primaryKey": false,
355             "notNull": true
356         },
357         "qpayInvoiceId": {
358             "name": "qpayInvoiceId",
359             "type": "text",
360             "primaryKey": false,
361             "notNull": false
362         },
363         "senderInvoiceNo": {
364             "name": "senderInvoiceNo",
365             "type": "varchar(64)",
366             "primaryKey": false,
367             "notNull": true
368         },
369         "amount": {
370             "name": "amount",
371             "type": "integer",
372             "primaryKey": false,
373             "notNull": true
374         },
375         "currency": {
376             "name": "currency",
377             "type": "varchar(8)",
378             "primaryKey": false,
379             "notNull": true,
380             "default": "'MNT'"
381         },
382         "status": {
383             "name": "status",
384             "type": "varchar",
385             "primaryKey": false,
386             "notNull": true,
387             "default": "'pending'"
388         },
389         "createdAt": {

```

```

390     "name": "createdAt",
391     "type": "timestamp with time zone",
392     "primaryKey": false,
393     "notNull": true,
394     "default": "now()"
395   },
396   "paidAt": {
397     "name": "paidAt",
398     "type": "timestamp with time zone",
399     "primaryKey": false,
400     "notNull": false
401   }
402 },
403 "indexes": {},
404 "foreignKeys": {
405   "SubscriptionPayment_userId_User_id_fk": {
406     "name": "SubscriptionPayment_userId_User_id_fk",
407     "tableFrom": "SubscriptionPayment",
408     "tableTo": "User",
409     "columnsFrom": [
410       "userId"
411     ],
412     "columnsTo": [
413       "id"
414     ],
415     "onDelete": "no action",
416     "onUpdate": "no action"
417   }
418 },
419 "compositePrimaryKeys": {},
420 "uniqueConstraints": {
421   "SubscriptionPayment_senderInvoiceNo_unique": {
422     "name": "SubscriptionPayment_senderInvoiceNo_unique",
423     "nullsNotDistinct": false,
424     "columns": [
425       "senderInvoiceNo"
426     ]
427   }
428 },
429 },
430 "public.Suggestion": {
431   "name": "Suggestion",
432   "schema": "",
433   "columns": {
434     "id": {
435       "name": "id",
436       "type": "uuid",
437       "primaryKey": false,
438       "notNull": true,
439       "default": "gen_random_uuid()"
440     },
441     "documentId": {
442       "name": "documentId",
443       "type": "uuid",
444       "primaryKey": false,
445       "notNull": true
446     },
447     "documentCreatedAt": {
448       "name": "documentCreatedAt",
449       "type": "timestamp",
450       "primaryKey": false,
451       "notNull": true
452     },
453     "originalText": {
454       "name": "originalText",
455       "type": "text",
456       "primaryKey": false,
457       "notNull": true
458     }
459   },

```

```

459     "suggestedText": {
460       "name": "suggestedText",
461       "type": "text",
462       "primaryKey": false,
463       "notNull": true
464     },
465     "description": {
466       "name": "description",
467       "type": "text",
468       "primaryKey": false,
469       "notNull": false
470     },
471     "isResolved": {
472       "name": "isResolved",
473       "type": "boolean",
474       "primaryKey": false,
475       "notNull": true,
476       "default": false
477     },
478     "userId": {
479       "name": "userId",
480       "type": "uuid",
481       "primaryKey": false,
482       "notNull": true
483     },
484     "createdAt": {
485       "name": "createdAt",
486       "type": "timestamp",
487       "primaryKey": false,
488       "notNull": true
489     }
490   },
491   "indexes": {},
492   "foreignKeys": {
493     "Suggestion_userId_User_id_fk": {
494       "name": "Suggestion_userId_User_id_fk",
495       "tableFrom": "Suggestion",
496       "tableTo": "User",
497       "columnsFrom": [
498         "userId"
499       ],
500       "columnsTo": [
501         "id"
502       ],
503       "onDelete": "no action",
504       "onUpdate": "no action"
505     },
506     "Suggestion_documentId_documentCreatedAt_Document_id_createdAt_fk": {
507       "name": "Suggestion_documentId_documentCreatedAt_Document_id_createdAt_fk",
508       "tableFrom": "Suggestion",
509       "tableTo": "Document",
510       "columnsFrom": [
511         "documentId",
512         "documentCreatedAt"
513       ],
514       "columnsTo": [
515         "id",
516         "createdAt"
517       ],
518       "onDelete": "no action",
519       "onUpdate": "no action"
520     }
521   },
522   "compositePrimaryKeys": {
523     "Suggestion_id_pk": {
524       "name": "Suggestion_id_pk",
525       "columns": [
526         "id"
527       ]

```



```

528     }
529   },
530   "uniqueConstraints": {}
531 },
532 "public.therapy_conversation": {
533   "name": "therapy_conversation",
534   "schema": "",
535   "columns": {
536     "id": {
537       "name": "id",
538       "type": "uuid",
539       "primaryKey": true,
540       "notNull": true,
541       "default": "gen_random_uuid()"
542     },
543     "appointment_id": {
544       "name": "appointment_id",
545       "type": "text",
546       "primaryKey": false,
547       "notNull": false
548     },
549     "client_email": {
550       "name": "client_email",
551       "type": "varchar(64)",
552       "primaryKey": false,
553       "notNull": true
554     },
555     "psychologist_email": {
556       "name": "psychologist_email",
557       "type": "varchar(64)",
558       "primaryKey": false,
559       "notNull": true
560     },
561     "status": {
562       "name": "status",
563       "type": "varchar",
564       "primaryKey": false,
565       "notNull": true,
566       "default": "'open'"
567     },
568     "last_message_at": {
569       "name": "last_message_at",
570       "type": "timestamp with time zone",
571       "primaryKey": false,
572       "notNull": false
573     },
574     "created_at": {
575       "name": "created_at",
576       "type": "timestamp with time zone",
577       "primaryKey": false,
578       "notNull": true,
579       "default": "now()"
580     }
581   },
582   "indexes": {
583     "therapy_conversation_appointment_unique": {
584       "name": "therapy_conversation_appointment_unique",
585       "columns": [
586         {
587           "expression": "appointment_id",
588           "isExpression": false,
589           "asc": true,
590           "nulls": "last"
591         }
592       ],
593       "isUnique": true,
594       "concurrently": false,
595       "method": "btree",
596       "with": {}

```

```

597     }
598   },
599   "foreignKeys": {},
600   "compositePrimaryKeys": {},
601   "uniqueConstraints": {}
602 },
603 "public.therapy_message": {
604   "name": "therapy_message",
605   "schema": "",
606   "columns": {
607     "id": {
608       "name": "id",
609       "type": "uuid",
610       "primaryKey": true,
611       "notNull": true,
612       "default": "gen_random_uuid()"
613     },
614     "conversation_id": {
615       "name": "conversation_id",
616       "type": "uuid",
617       "primaryKey": false,
618       "notNull": true
619     },
620     "sender_email": {
621       "name": "sender_email",
622       "type": "varchar(64)",
623       "primaryKey": false,
624       "notNull": true
625     },
626     "sender_role": {
627       "name": "sender_role",
628       "type": "varchar",
629       "primaryKey": false,
630       "notNull": true
631     },
632     "body": {
633       "name": "body",
634       "type": "text",
635       "primaryKey": false,
636       "notNull": true
637     },
638     "read_at": {
639       "name": "read_at",
640       "type": "timestamp with time zone",
641       "primaryKey": false,
642       "notNull": false
643     },
644     "created_at": {
645       "name": "created_at",
646       "type": "timestamp with time zone",
647       "primaryKey": false,
648       "notNull": true,
649       "default": "now()"
650     }
651   },
652   "indexes": {
653     "therapy_message_conversation_idx": {
654       "name": "therapy_message_conversation_idx",
655       "columns": [
656         {
657           "expression": "conversation_id",
658           "isExpression": false,
659           "asc": true,
660           "nulls": "last"
661         },
662         {
663           "expression": "created_at",
664           "isExpression": false,
665           "asc": true,

```

```

666         "nulls": "last"
667     },
668 ],
669     "isUnique": false,
670     "concurrently": false,
671     "method": "btree",
672     "with": {}
673 },
674 },
675 "foreignKeys": {
676     "therapy_message_conversation_id_therapy_conversation_id_fk": {
677         "name": "therapy_message_conversation_id_therapy_conversation_id_fk",
678         "tableFrom": "therapy_message",
679         "tableTo": "therapy_conversation",
680         "columnsFrom": [
681             "conversation_id"
682         ],
683         "columnsTo": [
684             "id"
685         ],
686         "onDelete": "no action",
687         "onUpdate": "no action"
688     }
689 },
690 "compositePrimaryKeys": {},
691 "uniqueConstraints": {}
692 },
693 "public.User": {
694     "name": "User",
695     "schema": "",
696     "columns": {
697         "id": {
698             "name": "id",
699             "type": "uuid",
700             "primaryKey": true,
701             "notNull": true,
702             "default": "gen_random_uuid()"
703         },
704         "email": {
705             "name": "email",
706             "type": "varchar(64)",
707             "primaryKey": false,
708             "notNull": true
709         },
710         "password": {
711             "name": "password",
712             "type": "varchar(64)",
713             "primaryKey": false,
714             "notNull": false
715         },
716         "emailVerifiedAt": {
717             "name": "emailVerifiedAt",
718             "type": "timestamp with time zone",
719             "primaryKey": false,
720             "notNull": false
721         },
722         "trialStartedAt": {
723             "name": "trialStartedAt",
724             "type": "timestamp with time zone",
725             "primaryKey": false,
726             "notNull": true,
727             "default": "now()"
728         },
729         "subscriptionStatus": {
730             "name": "subscriptionStatus",
731             "type": "varchar",
732             "primaryKey": false,
733             "notNull": true,
734             "default": "'trialing'"

```

```

735     },
736     "currentPeriodEnd": {
737       "name": "currentPeriodEnd",
738       "type": "timestamp with time zone",
739       "primaryKey": false,
740       "notNull": false
741     }
742   },
743   "indexes": {},
744   "foreignKeys": {},
745   "compositePrimaryKeys": {},
746   "uniqueConstraints": {}
747 },
748 "public.Vote_v2": {
749   "name": "Vote_v2",
750   "schema": "",
751   "columns": {
752     "chatId": {
753       "name": "chatId",
754       "type": "uuid",
755       "primaryKey": false,
756       "notNull": true
757     },
758     "messageId": {
759       "name": "messageId",
760       "type": "uuid",
761       "primaryKey": false,
762       "notNull": true
763     },
764     "isUpvoted": {
765       "name": "isUpvoted",
766       "type": "boolean",
767       "primaryKey": false,
768       "notNull": true
769     }
770   },
771   "indexes": {},
772   "foreignKeys": {
773     "Vote_v2_chatId_Chat_id_fk": {
774       "name": "Vote_v2_chatId_Chat_id_fk",
775       "tableFrom": "Vote_v2",
776       "tableTo": "Chat",
777       "columnsFrom": [
778         "chatId"
779       ],
780       "columnsTo": [
781         "id"
782       ],
783       "onDelete": "no action",
784       "onUpdate": "no action"
785     },
786     "Vote_v2_messageId_Message_v2_id_fk": {
787       "name": "Vote_v2_messageId_Message_v2_id_fk",
788       "tableFrom": "Vote_v2",
789       "tableTo": "Message_v2",
790       "columnsFrom": [
791         "messageId"
792       ],
793       "columnsTo": [
794         "id"
795       ],
796       "onDelete": "no action",
797       "onUpdate": "no action"
798     }
799   },
800   "compositePrimaryKeys": {
801     "Vote_v2_chatId_messageId_pk": {
802       "name": "Vote_v2_chatId_messageId_pk",
803       "columns": [

```

```

804         "chatId",
805         "messageId"
806     ]
807 },
808 },
809 "uniqueConstraints": {}
810 },
811 "public.Vote": {
812     "name": "Vote",
813     "schema": "",
814     "columns": {
815         "chatId": {
816             "name": "chatId",
817             "type": "uuid",
818             "primaryKey": false,
819             "notNull": true
820         },
821         "messageId": {
822             "name": "messageId",
823             "type": "uuid",
824             "primaryKey": false,
825             "notNull": true
826         },
827         "isUpvoted": {
828             "name": "isUpvoted",
829             "type": "boolean",
830             "primaryKey": false,
831             "notNull": true
832         }
833     },
834     "indexes": {},
835     "foreignKeys": {
836         "Vote_chatId_Chat_id_fk": {
837             "name": "Vote_chatId_Chat_id_fk",
838             "tableFrom": "Vote",
839             "tableTo": "Chat",
840             "columnsFrom": [
841                 "chatId"
842             ],
843             "columnsTo": [
844                 "id"
845             ],
846             "onDelete": "no action",
847             "onUpdate": "no action"
848         },
849         "Vote_messageId_Message_id_fk": {
850             "name": "Vote_messageId_Message_id_fk",
851             "tableFrom": "Vote",
852             "tableTo": "Message",
853             "columnsFrom": [
854                 "messageId"
855             ],
856             "columnsTo": [
857                 "id"
858             ],
859             "onDelete": "no action",
860             "onUpdate": "no action"
861         }
862     },
863     "compositePrimaryKeys": {
864         "Vote_chatId_messageId_pk": {
865             "name": "Vote_chatId_messageId_pk",
866             "columns": [
867                 "chatId",
868                 "messageId"
869             ]
870         }
871     },
872     "uniqueConstraints": {}

```

```

873     }
874   },
875   "enums": {},
876   "schemas": {},
877   "sequences": {},
878   "_meta": {
879     "columns": {},
880     "schemas": {},
881     "tables": {}
882   }
883 }

```

401. lib/db/migrations/meta/0010_snapshot.json

```

1  {
2    "id": "f86a039c-9601-47cf-b5a3-ee98a658a0df",
3    "prevId": "2a6320b8-81de-4cba-9901-17c863517227",
4    "version": "7",
5    "dialect": "postgresql",
6    "tables": {
7      "public.Chat": {
8        "name": "Chat",
9        "schema": "",
10       "columns": {
11         "id": {
12           "name": "id",
13           "type": "uuid",
14           "primaryKey": true,
15           "notNull": true,
16           "default": "gen_random_uuid()"
17         },
18         "createdAt": {
19           "name": "createdAt",
20           "type": "timestamp",
21           "primaryKey": false,
22           "notNull": true
23         },
24         "title": {
25           "name": "title",
26           "type": "text",
27           "primaryKey": false,
28           "notNull": true
29         },
30         "userId": {
31           "name": "userId",
32           "type": "uuid",
33           "primaryKey": false,
34           "notNull": true
35         },
36         "visibility": {
37           "name": "visibility",
38           "type": "varchar",
39           "primaryKey": false,
40           "notNull": true,
41           "default": "'private'"
42         }
43       },
44       "indexes": {},
45       "foreignKeys": {
46         "Chat_userId_User_id_fk": {
47           "name": "Chat_userId_User_id_fk",
48           "tableFrom": "Chat",
49           "tableTo": "User",
50           "columnsFrom": [
51             "userId"
52           ],
53           "columnsTo": [

```

```

54         "id"
55     ],
56     "onDelete": "no action",
57     "onUpdate": "no action"
58 }
59 },
60 "compositePrimaryKeys": {},
61 "uniqueConstraints": {}
62 },
63 "public.Document": {
64     "name": "Document",
65     "schema": "",
66     "columns": {
67         "id": {
68             "name": "id",
69             "type": "uuid",
70             "primaryKey": false,
71             "notNull": true,
72             "default": "gen_random_uuid()"
73         },
74         "createdAt": {
75             "name": "createdAt",
76             "type": "timestamp",
77             "primaryKey": false,
78             "notNull": true
79         },
80         "title": {
81             "name": "title",
82             "type": "text",
83             "primaryKey": false,
84             "notNull": true
85         },
86         "content": {
87             "name": "content",
88             "type": "text",
89             "primaryKey": false,
90             "notNull": false
91         },
92         "text": {
93             "name": "text",
94             "type": "varchar",
95             "primaryKey": false,
96             "notNull": true,
97             "default": "'text'"
98         },
99         "userId": {
100             "name": "userId",
101             "type": "uuid",
102             "primaryKey": false,
103             "notNull": true
104         }
105     },
106     "indexes": {},
107     "foreignKeys": {
108         "Document_userId_User_id_fk": {
109             "name": "Document_userId_User_id_fk",
110             "tableFrom": "Document",
111             "tableTo": "User",
112             "columnsFrom": [
113                 "userId"
114             ],
115             "columnsTo": [
116                 "id"
117             ],
118             "onDelete": "no action",
119             "onUpdate": "no action"
120         }
121     },
122     "compositePrimaryKeys": {

```

```

123     "Document_id_createdAt_pk": {
124         "name": "Document_id_createdAt_pk",
125         "columns": [
126             "id",
127             "createdAt"
128         ]
129     },
130 },
131 "uniqueConstraints": {}
132 },
133 "public.EmailVerificationToken": {
134     "name": "EmailVerificationToken",
135     "schema": "",
136     "columns": {
137         "id": {
138             "name": "id",
139             "type": "uuid",
140             "primaryKey": true,
141             "notNull": true,
142             "default": "gen_random_uuid()"
143         },
144         "email": {
145             "name": "email",
146             "type": "varchar(64)",
147             "primaryKey": false,
148             "notNull": true
149         },
150         "tokenHash": {
151             "name": "tokenHash",
152             "type": "varchar(64)",
153             "primaryKey": false,
154             "notNull": true
155         },
156         "createdAt": {
157             "name": "createdAt",
158             "type": "timestamp with time zone",
159             "primaryKey": false,
160             "notNull": true
161         },
162         "expiresAt": {
163             "name": "expiresAt",
164             "type": "timestamp with time zone",
165             "primaryKey": false,
166             "notNull": true
167         }
168     },
169     "indexes": {},
170     "foreignKeys": {},
171     "compositePrimaryKeys": {},
172     "uniqueConstraints": {}
173 },
174 "public.Message_v2": {
175     "name": "Message_v2",
176     "schema": "",
177     "columns": {
178         "id": {
179             "name": "id",
180             "type": "uuid",
181             "primaryKey": true,
182             "notNull": true,
183             "default": "gen_random_uuid()"
184         },
185         "chatId": {
186             "name": "chatId",
187             "type": "uuid",
188             "primaryKey": false,
189             "notNull": true
190         },
191         "role": {

```



```

192     "name": "role",
193     "type": "varchar",
194     "primaryKey": false,
195     "notNull": true
196 },
197 "parts": {
198     "name": "parts",
199     "type": "json",
200     "primaryKey": false,
201     "notNull": true
202 },
203 "attachments": {
204     "name": "attachments",
205     "type": "json",
206     "primaryKey": false,
207     "notNull": true
208 },
209 "createdAt": {
210     "name": "createdAt",
211     "type": "timestamp",
212     "primaryKey": false,
213     "notNull": true
214 }
215 },
216 "indexes": {},
217 "foreignKeys": {
218     "Message_v2_chatId_Chat_id_fk": {
219         "name": "Message_v2_chatId_Chat_id_fk",
220         "tableFrom": "Message_v2",
221         "tableTo": "Chat",
222         "columnsFrom": [
223             "chatId"
224         ],
225         "columnsTo": [
226             "id"
227         ],
228         "onDelete": "no action",
229         "onUpdate": "no action"
230     }
231 },
232 "compositePrimaryKeys": {},
233 "uniqueConstraints": {}
234 },
235 "public.Message": {
236     "name": "Message",
237     "schema": "",
238     "columns": {
239         "id": {
240             "name": "id",
241             "type": "uuid",
242             "primaryKey": true,
243             "notNull": true,
244             "default": "gen_random_uuid()"
245         },
246         "chatId": {
247             "name": "chatId",
248             "type": "uuid",
249             "primaryKey": false,
250             "notNull": true
251         },
252         "role": {
253             "name": "role",
254             "type": "varchar",
255             "primaryKey": false,
256             "notNull": true
257         },
258         "content": {
259             "name": "content",
260             "type": "json",

```

```

261     "primaryKey": false,
262     "notNull": true
263   },
264   "createdAt": {
265     "name": "createdAt",
266     "type": "timestamp",
267     "primaryKey": false,
268     "notNull": true
269   }
270 },
271 "indexes": {},
272 "foreignKeys": {
273   "Message_chatId_Chat_id_fk": {
274     "name": "Message_chatId_Chat_id_fk",
275     "tableFrom": "Message",
276     "tableTo": "Chat",
277     "columnsFrom": [
278       "chatId"
279     ],
280     "columnsTo": [
281       "id"
282     ],
283     "onDelete": "no action",
284     "onUpdate": "no action"
285   }
286 },
287 "compositePrimaryKeys": {},
288 "uniqueConstraints": {}
289 },
290 "public.Stream": {
291   "name": "Stream",
292   "schema": "",
293   "columns": {
294     "id": {
295       "name": "id",
296       "type": "uuid",
297       "primaryKey": false,
298       "notNull": true,
299       "default": "gen_random_uuid()"
300     },
301     "chatId": {
302       "name": "chatId",
303       "type": "uuid",
304       "primaryKey": false,
305       "notNull": true
306     },
307     "createdAt": {
308       "name": "createdAt",
309       "type": "timestamp",
310       "primaryKey": false,
311       "notNull": true
312     }
313   },
314   "indexes": {},
315   "foreignKeys": {
316     "Stream_chatId_Chat_id_fk": {
317       "name": "Stream_chatId_Chat_id_fk",
318       "tableFrom": "Stream",
319       "tableTo": "Chat",
320       "columnsFrom": [
321         "chatId"
322       ],
323       "columnsTo": [
324         "id"
325       ],
326       "onDelete": "no action",
327       "onUpdate": "no action"
328     }
329   },

```

```

330     "compositePrimaryKeys": {
331       "Stream_id_pk": {
332         "name": "Stream_id_pk",
333         "columns": [
334           "id"
335         ]
336       }
337     },
338     "uniqueConstraints": {}
339   },
340   "public.SubscriptionPayment": {
341     "name": "SubscriptionPayment",
342     "schema": "",
343     "columns": {
344       "id": {
345         "name": "id",
346         "type": "uuid",
347         "primaryKey": true,
348         "notNull": true,
349         "default": "gen_random_uuid()"
350       },
351       "userId": {
352         "name": "userId",
353         "type": "uuid",
354         "primaryKey": false,
355         "notNull": true
356       },
357       "qpayInvoiceId": {
358         "name": "qpayInvoiceId",
359         "type": "text",
360         "primaryKey": false,
361         "notNull": false
362       },
363       "senderInvoiceNo": {
364         "name": "senderInvoiceNo",
365         "type": "varchar(64)",
366         "primaryKey": false,
367         "notNull": true
368       },
369       "amount": {
370         "name": "amount",
371         "type": "integer",
372         "primaryKey": false,
373         "notNull": true
374       },
375       "currency": {
376         "name": "currency",
377         "type": "varchar(8)",
378         "primaryKey": false,
379         "notNull": true,
380         "default": "'MNT'"
381       },
382       "status": {
383         "name": "status",
384         "type": "varchar",
385         "primaryKey": false,
386         "notNull": true,
387         "default": "'pending'"
388       },
389       "createdAt": {
390         "name": "createdAt",
391         "type": "timestamp with time zone",
392         "primaryKey": false,
393         "notNull": true,
394         "default": "now()"
395       },
396       "paidAt": {
397         "name": "paidAt",
398         "type": "timestamp with time zone",

```

```

399     "primaryKey": false,
400     "notNull": false
401   }
402 },
403 "indexes": {},
404 "foreignKeys": {
405   "SubscriptionPayment_userId_User_id_fk": {
406     "name": "SubscriptionPayment_userId_User_id_fk",
407     "tableFrom": "SubscriptionPayment",
408     "tableTo": "User",
409     "columnsFrom": [
410       "userId"
411     ],
412     "columnsTo": [
413       "id"
414     ],
415     "onDelete": "no action",
416     "onUpdate": "no action"
417   }
418 },
419 "compositePrimaryKeys": {},
420 "uniqueConstraints": {
421   "SubscriptionPayment_senderInvoiceNo_unique": {
422     "name": "SubscriptionPayment_senderInvoiceNo_unique",
423     "nullsNotDistinct": false,
424     "columns": [
425       "senderInvoiceNo"
426     ]
427   }
428 }
429 },
430 "public.Suggestion": {
431   "name": "Suggestion",
432   "schema": "",
433   "columns": {
434     "id": {
435       "name": "id",
436       "type": "uuid",
437       "primaryKey": false,
438       "notNull": true,
439       "default": "gen_random_uuid()"
440     },
441     "documentId": {
442       "name": "documentId",
443       "type": "uuid",
444       "primaryKey": false,
445       "notNull": true
446     },
447     "documentCreatedAt": {
448       "name": "documentCreatedAt",
449       "type": "timestamp",
450       "primaryKey": false,
451       "notNull": true
452     },
453     "originalText": {
454       "name": "originalText",
455       "type": "text",
456       "primaryKey": false,
457       "notNull": true
458     },
459     "suggestedText": {
460       "name": "suggestedText",
461       "type": "text",
462       "primaryKey": false,
463       "notNull": true
464     },
465     "description": {
466       "name": "description",
467       "type": "text",

```

```

468     "primaryKey": false,
469     "notNull": false
470 },
471 "isResolved": {
472   "name": "isResolved",
473   "type": "boolean",
474   "primaryKey": false,
475   "notNull": true,
476   "default": false
477 },
478 "userId": {
479   "name": "userId",
480   "type": "uuid",
481   "primaryKey": false,
482   "notNull": true
483 },
484 "createdAt": {
485   "name": "createdAt",
486   "type": "timestamp",
487   "primaryKey": false,
488   "notNull": true
489 }
490 },
491 "indexes": {},
492 "foreignKeys": {
493   "Suggestion_userId_User_id_fk": {
494     "name": "Suggestion_userId_User_id_fk",
495     "tableFrom": "Suggestion",
496     "tableTo": "User",
497     "columnsFrom": [
498       "userId"
499     ],
500     "columnsTo": [
501       "id"
502     ],
503     "onDelete": "no action",
504     "onUpdate": "no action"
505   },
506   "Suggestion_documentId_documentCreatedAt_Document_id_createdAt_fk": {
507     "name": "Suggestion_documentId_documentCreatedAt_Document_id_createdAt_fk",
508     "tableFrom": "Suggestion",
509     "tableTo": "Document",
510     "columnsFrom": [
511       "documentId",
512       "documentCreatedAt"
513     ],
514     "columnsTo": [
515       "id",
516       "createdAt"
517     ],
518     "onDelete": "no action",
519     "onUpdate": "no action"
520   }
521 },
522 "compositePrimaryKeys": {
523   "Suggestion_id_pk": {
524     "name": "Suggestion_id_pk",
525     "columns": [
526       "id"
527     ]
528   }
529 },
530 "uniqueConstraints": {}
531 },
532 "public.therapy_conversation": {
533   "name": "therapy_conversation",
534   "schema": "",
535   "columns": {
536     "id": {

```

```

537     "name": "id",
538     "type": "uuid",
539     "primaryKey": true,
540     "notNull": true,
541     "default": "gen_random_uuid()"
542 },
543 "appointment_id": {
544     "name": "appointment_id",
545     "type": "text",
546     "primaryKey": false,
547     "notNull": false
548 },
549 "client_email": {
550     "name": "client_email",
551     "type": "varchar(64)",
552     "primaryKey": false,
553     "notNull": true
554 },
555 "psychologist_email": {
556     "name": "psychologist_email",
557     "type": "varchar(64)",
558     "primaryKey": false,
559     "notNull": true
560 },
561 "status": {
562     "name": "status",
563     "type": "varchar",
564     "primaryKey": false,
565     "notNull": true,
566     "default": "'open'"
567 },
568 "last_message_at": {
569     "name": "last_message_at",
570     "type": "timestamp with time zone",
571     "primaryKey": false,
572     "notNull": false
573 },
574 "created_at": {
575     "name": "created_at",
576     "type": "timestamp with time zone",
577     "primaryKey": false,
578     "notNull": true,
579     "default": "now()"
580 }
581 },
582 "indexes": {
583     "therapy_conversation_appointment_unique": {
584         "name": "therapy_conversation_appointment_unique",
585         "columns": [
586             {
587                 "expression": "appointment_id",
588                 "isExpression": false,
589                 "asc": true,
590                 "nulls": "last"
591             }
592         ],
593         "isUnique": true,
594         "concurrently": false,
595         "method": "btree",
596         "with": {}
597     }
598 },
599 "foreignKeys": {},
600 "compositePrimaryKeys": {},
601 "uniqueConstraints": {}
602 },
603 "public.therapy_message": {
604     "name": "therapy_message",
605     "schema": "",

```

```

606     "columns": {
607         "id": {
608             "name": "id",
609             "type": "uuid",
610             "primaryKey": true,
611             "notNull": true,
612             "default": "gen_random_uuid()"
613         },
614         "conversation_id": {
615             "name": "conversation_id",
616             "type": "uuid",
617             "primaryKey": false,
618             "notNull": true
619         },
620         "sender_email": {
621             "name": "sender_email",
622             "type": "varchar(64)",
623             "primaryKey": false,
624             "notNull": true
625         },
626         "sender_role": {
627             "name": "sender_role",
628             "type": "varchar",
629             "primaryKey": false,
630             "notNull": true
631         },
632         "body": {
633             "name": "body",
634             "type": "text",
635             "primaryKey": false,
636             "notNull": true
637         },
638         "read_at": {
639             "name": "read_at",
640             "type": "timestamp with time zone",
641             "primaryKey": false,
642             "notNull": false
643         },
644         "created_at": {
645             "name": "created_at",
646             "type": "timestamp with time zone",
647             "primaryKey": false,
648             "notNull": true,
649             "default": "now()"
650         }
651     },
652     "indexes": {
653         "therapy_message_conversation_idx": {
654             "name": "therapy_message_conversation_idx",
655             "columns": [
656                 {
657                     "expression": "conversation_id",
658                     "isExpression": false,
659                     "asc": true,
660                     "nulls": "last"
661                 },
662                 {
663                     "expression": "created_at",
664                     "isExpression": false,
665                     "asc": true,
666                     "nulls": "last"
667                 }
668             ],
669             "isUnique": false,
670             "concurrently": false,
671             "method": "btree",
672             "with": {}
673         }
674     },

```

```

675     "foreignKeys": {
676       "therapy_message_conversation_id_therapy_conversation_id_fk": {
677         "name": "therapy_message_conversation_id_therapy_conversation_id_fk",
678         "tableFrom": "therapy_message",
679         "tableTo": "therapy_conversation",
680         "columnsFrom": [
681           "conversation_id"
682         ],
683         "columnsTo": [
684           "id"
685         ],
686         "onDelete": "no action",
687         "onUpdate": "no action"
688       }
689     },
690     "compositePrimaryKeys": {},
691     "uniqueConstraints": {}
692   },
693   "public.User": {
694     "name": "User",
695     "schema": "",
696     "columns": {
697       "id": {
698         "name": "id",
699         "type": "uuid",
700         "primaryKey": true,
701         "notNull": true,
702         "default": "gen_random_uuid()"
703       },
704       "email": {
705         "name": "email",
706         "type": "varchar(64)",
707         "primaryKey": false,
708         "notNull": true
709       },
710       "password": {
711         "name": "password",
712         "type": "varchar(64)",
713         "primaryKey": false,
714         "notNull": false
715       },
716       "name": {
717         "name": "name",
718         "type": "varchar(64)",
719         "primaryKey": false,
720         "notNull": false
721       },
722       "role": {
723         "name": "role",
724         "type": "varchar(20)",
725         "primaryKey": false,
726         "notNull": true,
727         "default": "'PATIENT'"
728       },
729       "emailVerifiedAt": {
730         "name": "emailVerifiedAt",
731         "type": "timestamp with time zone",
732         "primaryKey": false,
733         "notNull": false
734       },
735       "trialStartedAt": {
736         "name": "trialStartedAt",
737         "type": "timestamp with time zone",
738         "primaryKey": false,
739         "notNull": true,
740         "default": "now()"
741       },
742       "subscriptionStatus": {
743         "name": "subscriptionStatus",

```



```

744     "type": "varchar",
745     "primaryKey": false,
746     "notNull": true,
747     "default": "'trialing'"
748   },
749   "currentPeriodEnd": {
750     "name": "currentPeriodEnd",
751     "type": "timestamp with time zone",
752     "primaryKey": false,
753     "notNull": false
754   }
755 },
756 "indexes": {},
757 "foreignKeys": {},
758 "compositePrimaryKeys": {},
759 "uniqueConstraints": {}
760 },
761 "public.Vote_v2": {
762   "name": "Vote_v2",
763   "schema": "",
764   "columns": {
765     "chatId": {
766       "name": "chatId",
767       "type": "uuid",
768       "primaryKey": false,
769       "notNull": true
770     },
771     "messageId": {
772       "name": "messageId",
773       "type": "uuid",
774       "primaryKey": false,
775       "notNull": true
776     },
777     "isUpvoted": {
778       "name": "isUpvoted",
779       "type": "boolean",
780       "primaryKey": false,
781       "notNull": true
782     }
783   },
784   "indexes": {},
785   "foreignKeys": {
786     "Vote_v2_chatId_Chat_id_fk": {
787       "name": "Vote_v2_chatId_Chat_id_fk",
788       "tableFrom": "Vote_v2",
789       "tableTo": "Chat",
790       "columnsFrom": [
791         "chatId"
792       ],
793       "columnsTo": [
794         "id"
795       ],
796       "onDelete": "no action",
797       "onUpdate": "no action"
798     },
799     "Vote_v2_messageId_Message_v2_id_fk": {
800       "name": "Vote_v2_messageId_Message_v2_id_fk",
801       "tableFrom": "Vote_v2",
802       "tableTo": "Message_v2",
803       "columnsFrom": [
804         "messageId"
805       ],
806       "columnsTo": [
807         "id"
808       ],
809       "onDelete": "no action",
810       "onUpdate": "no action"
811     }
812   },

```

```

813     "compositePrimaryKeys": {
814         "Vote_v2_chatId_messageId_pk": {
815             "name": "Vote_v2_chatId_messageId_pk",
816             "columns": [
817                 "chatId",
818                 "messageId"
819             ]
820         }
821     },
822     "uniqueConstraints": {}
823 },
824 "public.Vote": {
825     "name": "Vote",
826     "schema": "",
827     "columns": {
828         "chatId": {
829             "name": "chatId",
830             "type": "uuid",
831             "primaryKey": false,
832             "notNull": true
833         },
834         "messageId": {
835             "name": "messageId",
836             "type": "uuid",
837             "primaryKey": false,
838             "notNull": true
839         },
840         "isUpvoted": {
841             "name": "isUpvoted",
842             "type": "boolean",
843             "primaryKey": false,
844             "notNull": true
845         }
846     },
847     "indexes": {},
848     "foreignKeys": {
849         "Vote_chatId_Chat_id_fk": {
850             "name": "Vote_chatId_Chat_id_fk",
851             "tableFrom": "Vote",
852             "tableTo": "Chat",
853             "columnsFrom": [
854                 "chatId"
855             ],
856             "columnsTo": [
857                 "id"
858             ],
859             "onDelete": "no action",
860             "onUpdate": "no action"
861         },
862         "Vote_messageId_Message_id_fk": {
863             "name": "Vote_messageId_Message_id_fk",
864             "tableFrom": "Vote",
865             "tableTo": "Message",
866             "columnsFrom": [
867                 "messageId"
868             ],
869             "columnsTo": [
870                 "id"
871             ],
872             "onDelete": "no action",
873             "onUpdate": "no action"
874         }
875     },
876     "compositePrimaryKeys": {
877         "Vote_chatId_messageId_pk": {
878             "name": "Vote_chatId_messageId_pk",
879             "columns": [
880                 "chatId",
881                 "messageId"

```

```

882     ]
883   },
884   },
885   "uniqueConstraints": {}
886 },
887 },
888 "enums": {},
889 "schemas": {},
890 "sequences": {},
891 "_meta": {
892   "columns": {},
893   "schemas": {},
894   "tables": {}
895 }
896 }

```

402. lib/db/migrations/meta/0011_snapshot.json

```

1  {
2    "id": "f0838fal-b1da-48bd-983f-f1c18fe9720e",
3    "prevId": "f86a039c-9601-47cf-b5a3-ee98a658a0df",
4    "version": "7",
5    "dialect": "postgresql",
6    "tables": {
7      "public.Chat": {
8        "name": "Chat",
9        "schema": "",
10       "columns": {
11         "id": {
12           "name": "id",
13           "type": "uuid",
14           "primaryKey": true,
15           "notNull": true,
16           "default": "gen_random_uuid()"
17         },
18         "createdAt": {
19           "name": "createdAt",
20           "type": "timestamp",
21           "primaryKey": false,
22           "notNull": true
23         },
24         "title": {
25           "name": "title",
26           "type": "text",
27           "primaryKey": false,
28           "notNull": true
29         },
30         "userId": {
31           "name": "userId",
32           "type": "uuid",
33           "primaryKey": false,
34           "notNull": true
35         },
36         "visibility": {
37           "name": "visibility",
38           "type": "varchar",
39           "primaryKey": false,
40           "notNull": true,
41           "default": "'private'"
42         }
43       },
44       "indexes": {},
45       "foreignKeys": {
46         "Chat_userId_User_id_fk": {
47           "name": "Chat_userId_User_id_fk",
48           "tableFrom": "Chat",
49           "tableTo": "User",

```

```

50     "columnsFrom": [
51         "userId"
52     ],
53     "columnsTo": [
54         "id"
55     ],
56     "onDelete": "no action",
57     "onUpdate": "no action"
58 }
59 },
60 "compositePrimaryKeys": {},
61 "uniqueConstraints": {}
62 },
63 "public.Document": {
64     "name": "Document",
65     "schema": "",
66     "columns": {
67         "id": {
68             "name": "id",
69             "type": "uuid",
70             "primaryKey": false,
71             "notNull": true,
72             "default": "gen_random_uuid()"
73         },
74         "createdAt": {
75             "name": "createdAt",
76             "type": "timestamp",
77             "primaryKey": false,
78             "notNull": true
79         },
80         "title": {
81             "name": "title",
82             "type": "text",
83             "primaryKey": false,
84             "notNull": true
85         },
86         "content": {
87             "name": "content",
88             "type": "text",
89             "primaryKey": false,
90             "notNull": false
91         },
92         "text": {
93             "name": "text",
94             "type": "varchar",
95             "primaryKey": false,
96             "notNull": true,
97             "default": "'text'"
98         },
99         "userId": {
100             "name": "userId",
101             "type": "uuid",
102             "primaryKey": false,
103             "notNull": true
104         }
105     },
106     "indexes": {},
107     "foreignKeys": {
108         "Document_userId_User_id_fk": {
109             "name": "Document_userId_User_id_fk",
110             "tableFrom": "Document",
111             "tableTo": "User",
112             "columnsFrom": [
113                 "userId"
114             ],
115             "columnsTo": [
116                 "id"
117             ],
118             "onDelete": "no action",

```

```

119         "onUpdate": "no action"
120     }
121 },
122 "compositePrimaryKeys": {
123     "Document_id_createdAt_pk": {
124         "name": "Document_id_createdAt_pk",
125         "columns": [
126             "id",
127             "createdAt"
128         ]
129     }
130 },
131 "uniqueConstraints": {}
132 },
133 "public.EmailVerificationToken": {
134     "name": "EmailVerificationToken",
135     "schema": "",
136     "columns": {
137         "id": {
138             "name": "id",
139             "type": "uuid",
140             "primaryKey": true,
141             "notNull": true,
142             "default": "gen_random_uuid()"
143         },
144         "email": {
145             "name": "email",
146             "type": "varchar(64)",
147             "primaryKey": false,
148             "notNull": true
149         },
150         "tokenHash": {
151             "name": "tokenHash",
152             "type": "varchar(64)",
153             "primaryKey": false,
154             "notNull": true
155         },
156         "createdAt": {
157             "name": "createdAt",
158             "type": "timestamp with time zone",
159             "primaryKey": false,
160             "notNull": true
161         },
162         "expiresAt": {
163             "name": "expiresAt",
164             "type": "timestamp with time zone",
165             "primaryKey": false,
166             "notNull": true
167         }
168     },
169     "indexes": {},
170     "foreignKeys": {},
171     "compositePrimaryKeys": {},
172     "uniqueConstraints": {}
173 },
174 "public.Message_v2": {
175     "name": "Message_v2",
176     "schema": "",
177     "columns": {
178         "id": {
179             "name": "id",
180             "type": "uuid",
181             "primaryKey": true,
182             "notNull": true,
183             "default": "gen_random_uuid()"
184         },
185         "chatId": {
186             "name": "chatId",
187             "type": "uuid",

```

```

188     "primaryKey": false,
189     "notNull": true
190 },
191 "role": {
192     "name": "role",
193     "type": "varchar",
194     "primaryKey": false,
195     "notNull": true
196 },
197 "parts": {
198     "name": "parts",
199     "type": "json",
200     "primaryKey": false,
201     "notNull": true
202 },
203 "attachments": {
204     "name": "attachments",
205     "type": "json",
206     "primaryKey": false,
207     "notNull": true
208 },
209 "createdAt": {
210     "name": "createdAt",
211     "type": "timestamp",
212     "primaryKey": false,
213     "notNull": true
214 }
215 },
216 "indexes": {},
217 "foreignKeys": {
218     "Message_v2_chatId_Chat_id_fk": {
219         "name": "Message_v2_chatId_Chat_id_fk",
220         "tableFrom": "Message_v2",
221         "tableTo": "Chat",
222         "columnsFrom": [
223             "chatId"
224         ],
225         "columnsTo": [
226             "id"
227         ],
228         "onDelete": "no action",
229         "onUpdate": "no action"
230     }
231 },
232 "compositePrimaryKeys": {},
233 "uniqueConstraints": {}
234 },
235 "public.Message": {
236     "name": "Message",
237     "schema": "",
238     "columns": {
239         "id": {
240             "name": "id",
241             "type": "uuid",
242             "primaryKey": true,
243             "notNull": true,
244             "default": "gen_random_uuid()"
245         },
246         "chatId": {
247             "name": "chatId",
248             "type": "uuid",
249             "primaryKey": false,
250             "notNull": true
251         },
252         "role": {
253             "name": "role",
254             "type": "varchar",
255             "primaryKey": false,
256             "notNull": true

```

```

257     },
258     "content": {
259       "name": "content",
260       "type": "json",
261       "primaryKey": false,
262       "notNull": true
263     },
264     "createdAt": {
265       "name": "createdAt",
266       "type": "timestamp",
267       "primaryKey": false,
268       "notNull": true
269     }
270   },
271   "indexes": {},
272   "foreignKeys": {
273     "Message_chatId_Chat_id_fk": {
274       "name": "Message_chatId_Chat_id_fk",
275       "tableFrom": "Message",
276       "tableTo": "Chat",
277       "columnsFrom": [
278         "chatId"
279       ],
280       "columnsTo": [
281         "id"
282       ],
283       "onDelete": "no action",
284       "onUpdate": "no action"
285     }
286   },
287   "compositePrimaryKeys": {},
288   "uniqueConstraints": {}
289 },
290 "public.PaymentTransactionLog": {
291   "name": "PaymentTransactionLog",
292   "schema": "",
293   "columns": {
294     "id": {
295       "name": "id",
296       "type": "uuid",
297       "primaryKey": true,
298       "notNull": true,
299       "default": "gen_random_uuid()"
300     },
301     "createdAt": {
302       "name": "createdAt",
303       "type": "timestamp with time zone",
304       "primaryKey": false,
305       "notNull": true,
306       "default": "now()"
307     },
308     "userId": {
309       "name": "userId",
310       "type": "uuid",
311       "primaryKey": false,
312       "notNull": false
313     },
314     "senderInvoiceNo": {
315       "name": "senderInvoiceNo",
316       "type": "varchar(64)",
317       "primaryKey": false,
318       "notNull": false
319     },
320     "qpayInvoiceId": {
321       "name": "qpayInvoiceId",
322       "type": "text",
323       "primaryKey": false,
324       "notNull": false
325     }
326   },

```

```

326     "event": {
327         "name": "event",
328         "type": "varchar(32)",
329         "primaryKey": false,
330         "notNull": true
331     },
332     "source": {
333         "name": "source",
334         "type": "varchar(16)",
335         "primaryKey": false,
336         "notNull": true
337     },
338     "amount": {
339         "name": "amount",
340         "type": "integer",
341         "primaryKey": false,
342         "notNull": false
343     },
344     "currency": {
345         "name": "currency",
346         "type": "varchar(8)",
347         "primaryKey": false,
348         "notNull": false
349     },
350     "ip": {
351         "name": "ip",
352         "type": "varchar(64)",
353         "primaryKey": false,
354         "notNull": false
355     },
356     "message": {
357         "name": "message",
358         "type": "text",
359         "primaryKey": false,
360         "notNull": false
361     },
362     "raw": {
363         "name": "raw",
364         "type": "json",
365         "primaryKey": false,
366         "notNull": false
367     }
368 },
369 "indexes": {
370     "PaymentTransactionLog_senderInvoiceNo_idx": {
371         "name": "PaymentTransactionLog_senderInvoiceNo_idx",
372         "columns": [
373             {
374                 "expression": "senderInvoiceNo",
375                 "isExpression": false,
376                 "asc": true,
377                 "nulls": "last"
378             }
379         ],
380         "isUnique": false,
381         "concurrently": false,
382         "method": "btree",
383         "with": {}
384     },
385     "PaymentTransactionLog_createdAt_idx": {
386         "name": "PaymentTransactionLog_createdAt_idx",
387         "columns": [
388             {
389                 "expression": "createdAt",
390                 "isExpression": false,
391                 "asc": true,
392                 "nulls": "last"
393             }
394         ],

```



```

395         "isUnique": false,
396         "concurrently": false,
397         "method": "btree",
398         "with": {}
399     },
400 },
401 "foreignKeys": {},
402 "compositePrimaryKeys": {},
403 "uniqueConstraints": {}
404 },
405 "public.Stream": {
406     "name": "Stream",
407     "schema": "",
408     "columns": {
409         "id": {
410             "name": "id",
411             "type": "uuid",
412             "primaryKey": false,
413             "notNull": true,
414             "default": "gen_random_uuid()"
415         },
416         "chatId": {
417             "name": "chatId",
418             "type": "uuid",
419             "primaryKey": false,
420             "notNull": true
421         },
422         "createdAt": {
423             "name": "createdAt",
424             "type": "timestamp",
425             "primaryKey": false,
426             "notNull": true
427         }
428     },
429     "indexes": {},
430     "foreignKeys": {
431         "Stream_chatId_Chat_id_fk": {
432             "name": "Stream_chatId_Chat_id_fk",
433             "tableFrom": "Stream",
434             "tableTo": "Chat",
435             "columnsFrom": [
436                 "chatId"
437             ],
438             "columnsTo": [
439                 "id"
440             ],
441             "onDelete": "no action",
442             "onUpdate": "no action"
443         }
444     },
445     "compositePrimaryKeys": {
446         "Stream_id_pk": {
447             "name": "Stream_id_pk",
448             "columns": [
449                 "id"
450             ]
451         }
452     },
453     "uniqueConstraints": {}
454 },
455 "public.SubscriptionPayment": {
456     "name": "SubscriptionPayment",
457     "schema": "",
458     "columns": {
459         "id": {
460             "name": "id",
461             "type": "uuid",
462             "primaryKey": true,
463             "notNull": true,

```

```

464         "default": "gen_random_uuid()"
465     },
466     "userId": {
467         "name": "userId",
468         "type": "uuid",
469         "primaryKey": false,
470         "notNull": true
471     },
472     "qpayInvoiceId": {
473         "name": "qpayInvoiceId",
474         "type": "text",
475         "primaryKey": false,
476         "notNull": false
477     },
478     "senderInvoiceNo": {
479         "name": "senderInvoiceNo",
480         "type": "varchar(64)",
481         "primaryKey": false,
482         "notNull": true
483     },
484     "amount": {
485         "name": "amount",
486         "type": "integer",
487         "primaryKey": false,
488         "notNull": true
489     },
490     "currency": {
491         "name": "currency",
492         "type": "varchar(8)",
493         "primaryKey": false,
494         "notNull": true,
495         "default": "'MNT'"
496     },
497     "status": {
498         "name": "status",
499         "type": "varchar",
500         "primaryKey": false,
501         "notNull": true,
502         "default": "'pending'"
503     },
504     "createdAt": {
505         "name": "createdAt",
506         "type": "timestamp with time zone",
507         "primaryKey": false,
508         "notNull": true,
509         "default": "now()"
510     },
511     "paidAt": {
512         "name": "paidAt",
513         "type": "timestamp with time zone",
514         "primaryKey": false,
515         "notNull": false
516     }
517 },
518 "indexes": {},
519 "foreignKeys": {
520     "SubscriptionPayment_userId_User_id_fk": {
521         "name": "SubscriptionPayment_userId_User_id_fk",
522         "tableFrom": "SubscriptionPayment",
523         "tableTo": "User",
524         "columnsFrom": [
525             "userId"
526         ],
527         "columnsTo": [
528             "id"
529         ],
530         "onDelete": "no action",
531         "onUpdate": "no action"
532     }

```

```

533     },
534     "compositePrimaryKeys": {},
535     "uniqueConstraints": {
536       "SubscriptionPayment_senderInvoiceNo_unique": {
537         "name": "SubscriptionPayment_senderInvoiceNo_unique",
538         "nullsNotDistinct": false,
539         "columns": [
540           "senderInvoiceNo"
541         ]
542       }
543     }
544   },
545   "public.Suggestion": {
546     "name": "Suggestion",
547     "schema": "",
548     "columns": {
549       "id": {
550         "name": "id",
551         "type": "uuid",
552         "primaryKey": false,
553         "notNull": true,
554         "default": "gen_random_uuid()"
555       },
556       "documentId": {
557         "name": "documentId",
558         "type": "uuid",
559         "primaryKey": false,
560         "notNull": true
561       },
562       "documentCreatedAt": {
563         "name": "documentCreatedAt",
564         "type": "timestamp",
565         "primaryKey": false,
566         "notNull": true
567       },
568       "originalText": {
569         "name": "originalText",
570         "type": "text",
571         "primaryKey": false,
572         "notNull": true
573       },
574       "suggestedText": {
575         "name": "suggestedText",
576         "type": "text",
577         "primaryKey": false,
578         "notNull": true
579       },
580       "description": {
581         "name": "description",
582         "type": "text",
583         "primaryKey": false,
584         "notNull": false
585       },
586       "isResolved": {
587         "name": "isResolved",
588         "type": "boolean",
589         "primaryKey": false,
590         "notNull": true,
591         "default": false
592       },
593       "userId": {
594         "name": "userId",
595         "type": "uuid",
596         "primaryKey": false,
597         "notNull": true
598       },
599       "createdAt": {
600         "name": "createdAt",
601         "type": "timestamp",

```

```

602     "primaryKey": false,
603     "notNull": true
604   }
605 },
606 "indexes": {},
607 "foreignKeys": {
608   "Suggestion_userId_User_id_fk": {
609     "name": "Suggestion_userId_User_id_fk",
610     "tableFrom": "Suggestion",
611     "tableTo": "User",
612     "columnsFrom": [
613       "userId"
614     ],
615     "columnsTo": [
616       "id"
617     ],
618     "onDelete": "no action",
619     "onUpdate": "no action"
620   },
621   "Suggestion_documentId_documentCreatedAt_Document_id_createdAt_fk": {
622     "name": "Suggestion_documentId_documentCreatedAt_Document_id_createdAt_fk",
623     "tableFrom": "Suggestion",
624     "tableTo": "Document",
625     "columnsFrom": [
626       "documentId",
627       "documentCreatedAt"
628     ],
629     "columnsTo": [
630       "id",
631       "createdAt"
632     ],
633     "onDelete": "no action",
634     "onUpdate": "no action"
635   }
636 },
637 "compositePrimaryKeys": {
638   "Suggestion_id_pk": {
639     "name": "Suggestion_id_pk",
640     "columns": [
641       "id"
642     ]
643   }
644 },
645 "uniqueConstraints": {},
646 },
647 "public.therapy_conversation": {
648   "name": "therapy_conversation",
649   "schema": "",
650   "columns": {
651     "id": {
652       "name": "id",
653       "type": "uuid",
654       "primaryKey": true,
655       "notNull": true,
656       "default": "gen_random_uuid()"
657     },
658     "appointment_id": {
659       "name": "appointment_id",
660       "type": "text",
661       "primaryKey": false,
662       "notNull": false
663     },
664     "client_email": {
665       "name": "client_email",
666       "type": "varchar(64)",
667       "primaryKey": false,
668       "notNull": true
669     },
670     "psychologist_email": {

```

```

671     "name": "psychologist_email",
672     "type": "varchar(64)",
673     "primaryKey": false,
674     "notNull": true
675 },
676 "status": {
677   "name": "status",
678   "type": "varchar",
679   "primaryKey": false,
680   "notNull": true,
681   "default": "'open'"
682 },
683 "last_message_at": {
684   "name": "last_message_at",
685   "type": "timestamp with time zone",
686   "primaryKey": false,
687   "notNull": false
688 },
689 "created_at": {
690   "name": "created_at",
691   "type": "timestamp with time zone",
692   "primaryKey": false,
693   "notNull": true,
694   "default": "now()"
695 }
696 },
697 "indexes": {
698   "therapy_conversation_appointment_unique": {
699     "name": "therapy_conversation_appointment_unique",
700     "columns": [
701       {
702         "expression": "appointment_id",
703         "isExpression": false,
704         "asc": true,
705         "nulls": "last"
706       }
707     ],
708     "isUnique": true,
709     "concurrently": false,
710     "method": "btree",
711     "with": {}
712   }
713 },
714 "foreignKeys": {},
715 "compositePrimaryKeys": {},
716 "uniqueConstraints": {}
717 },
718 "public.therapy_message": {
719   "name": "therapy_message",
720   "schema": "",
721   "columns": {
722     "id": {
723       "name": "id",
724       "type": "uuid",
725       "primaryKey": true,
726       "notNull": true,
727       "default": "gen_random_uuid()"
728     },
729     "conversation_id": {
730       "name": "conversation_id",
731       "type": "uuid",
732       "primaryKey": false,
733       "notNull": true
734     },
735     "sender_email": {
736       "name": "sender_email",
737       "type": "varchar(64)",
738       "primaryKey": false,
739       "notNull": true

```

```

740 },
741 "sender_role": {
742   "name": "sender_role",
743   "type": "varchar",
744   "primaryKey": false,
745   "notNull": true
746 },
747 "body": {
748   "name": "body",
749   "type": "text",
750   "primaryKey": false,
751   "notNull": true
752 },
753 "read_at": {
754   "name": "read_at",
755   "type": "timestamp with time zone",
756   "primaryKey": false,
757   "notNull": false
758 },
759 "created_at": {
760   "name": "created_at",
761   "type": "timestamp with time zone",
762   "primaryKey": false,
763   "notNull": true,
764   "default": "now()"
765 }
766 },
767 "indexes": {
768   "therapy_message_conversation_idx": {
769     "name": "therapy_message_conversation_idx",
770     "columns": [
771       {
772         "expression": "conversation_id",
773         "isExpression": false,
774         "asc": true,
775         "nulls": "last"
776       },
777       {
778         "expression": "created_at",
779         "isExpression": false,
780         "asc": true,
781         "nulls": "last"
782       }
783     ],
784     "isUnique": false,
785     "concurrently": false,
786     "method": "btree",
787     "with": {}
788   },
789 },
790 "foreignKeys": {
791   "therapy_message_conversation_id_therapy_conversation_id_fk": {
792     "name": "therapy_message_conversation_id_therapy_conversation_id_fk",
793     "tableFrom": "therapy_message",
794     "tableTo": "therapy_conversation",
795     "columnsFrom": [
796       "conversation_id"
797     ],
798     "columnsTo": [
799       "id"
800     ],
801     "onDelete": "no action",
802     "onUpdate": "no action"
803   },
804 },
805 "compositePrimaryKeys": {},
806 "uniqueConstraints": {}
807 },
808 "public.User": {

```

```

809     "name": "User",
810     "schema": "",
811     "columns": {
812         "id": {
813             "name": "id",
814             "type": "uuid",
815             "primaryKey": true,
816             "notNull": true,
817             "default": "gen_random_uuid()"
818         },
819         "email": {
820             "name": "email",
821             "type": "varchar(64)",
822             "primaryKey": false,
823             "notNull": true
824         },
825         "password": {
826             "name": "password",
827             "type": "varchar(64)",
828             "primaryKey": false,
829             "notNull": false
830         },
831         "name": {
832             "name": "name",
833             "type": "varchar(64)",
834             "primaryKey": false,
835             "notNull": false
836         },
837         "role": {
838             "name": "role",
839             "type": "varchar(20)",
840             "primaryKey": false,
841             "notNull": true,
842             "default": "'PATIENT'"
843         },
844         "emailVerifiedAt": {
845             "name": "emailVerifiedAt",
846             "type": "timestamp with time zone",
847             "primaryKey": false,
848             "notNull": false
849         },
850         "trialStartedAt": {
851             "name": "trialStartedAt",
852             "type": "timestamp with time zone",
853             "primaryKey": false,
854             "notNull": true,
855             "default": "now()"
856         },
857         "subscriptionStatus": {
858             "name": "subscriptionStatus",
859             "type": "varchar",
860             "primaryKey": false,
861             "notNull": true,
862             "default": "'trialing'"
863         },
864         "currentPeriodEnd": {
865             "name": "currentPeriodEnd",
866             "type": "timestamp with time zone",
867             "primaryKey": false,
868             "notNull": false
869         }
870     },
871     "indexes": {},
872     "foreignKeys": {},
873     "compositePrimaryKeys": {},
874     "uniqueConstraints": {}
875 },
876 "public.Vote_v2": {
877     "name": "Vote_v2",

```

```

878     "schema": "",
879     "columns": {
880         "chatId": {
881             "name": "chatId",
882             "type": "uuid",
883             "primaryKey": false,
884             "notNull": true
885         },
886         "messageId": {
887             "name": "messageId",
888             "type": "uuid",
889             "primaryKey": false,
890             "notNull": true
891         },
892         "isUpvoted": {
893             "name": "isUpvoted",
894             "type": "boolean",
895             "primaryKey": false,
896             "notNull": true
897         }
898     },
899     "indexes": {},
900     "foreignKeys": {
901         "Vote_v2_chatId_Chat_id_fk": {
902             "name": "Vote_v2_chatId_Chat_id_fk",
903             "tableFrom": "Vote_v2",
904             "tableTo": "Chat",
905             "columnsFrom": [
906                 "chatId"
907             ],
908             "columnsTo": [
909                 "id"
910             ],
911             "onDelete": "no action",
912             "onUpdate": "no action"
913         },
914         "Vote_v2_messageId_Message_v2_id_fk": {
915             "name": "Vote_v2_messageId_Message_v2_id_fk",
916             "tableFrom": "Vote_v2",
917             "tableTo": "Message_v2",
918             "columnsFrom": [
919                 "messageId"
920             ],
921             "columnsTo": [
922                 "id"
923             ],
924             "onDelete": "no action",
925             "onUpdate": "no action"
926         }
927     },
928     "compositePrimaryKeys": {
929         "Vote_v2_chatId_messageId_pk": {
930             "name": "Vote_v2_chatId_messageId_pk",
931             "columns": [
932                 "chatId",
933                 "messageId"
934             ]
935         }
936     },
937     "uniqueConstraints": {}
938 },
939 "public.Vote": {
940     "name": "Vote",
941     "schema": "",
942     "columns": {
943         "chatId": {
944             "name": "chatId",
945             "type": "uuid",
946             "primaryKey": false,

```



```

947         "notNull": true
948     },
949     "messageId": {
950         "name": "messageId",
951         "type": "uuid",
952         "primaryKey": false,
953         "notNull": true
954     },
955     "isUpvoted": {
956         "name": "isUpvoted",
957         "type": "boolean",
958         "primaryKey": false,
959         "notNull": true
960     }
961 },
962 "indexes": {},
963 "foreignKeys": {
964     "Vote_chatId_Chat_id_fk": {
965         "name": "Vote_chatId_Chat_id_fk",
966         "tableFrom": "Vote",
967         "tableTo": "Chat",
968         "columnsFrom": [
969             "chatId"
970         ],
971         "columnsTo": [
972             "id"
973         ],
974         "onDelete": "no action",
975         "onUpdate": "no action"
976     },
977     "Vote_messageId_Message_id_fk": {
978         "name": "Vote_messageId_Message_id_fk",
979         "tableFrom": "Vote",
980         "tableTo": "Message",
981         "columnsFrom": [
982             "messageId"
983         ],
984         "columnsTo": [
985             "id"
986         ],
987         "onDelete": "no action",
988         "onUpdate": "no action"
989     }
990 },
991 "compositePrimaryKeys": {
992     "Vote_chatId_messageId_pk": {
993         "name": "Vote_chatId_messageId_pk",
994         "columns": [
995             "chatId",
996             "messageId"
997         ]
998     }
999 },
1000 "uniqueConstraints": {}
1001 },
1002 },
1003 "enums": {},
1004 "schemas": {},
1005 "sequences": {},
1006 "_meta": {
1007     "columns": {},
1008     "schemas": {},
1009     "tables": {}
1010 }
1011 }

```

403. lib/db/migrations/meta/0012_snapshot.json

```

1  {
2  "id": "89712a63-0183-4eb5-b289-d447673cf437",
3  "prevId": "f0838fa1-b1da-48bd-983f-f1c18fe9720e",
4  "version": "7",
5  "dialect": "postgresql",
6  "tables": {
7    "public.Chat": {
8      "name": "Chat",
9      "schema": "",
10     "columns": {
11       "id": {
12         "name": "id",
13         "type": "uuid",
14         "primaryKey": true,
15         "notNull": true,
16         "default": "gen_random_uuid()"
17       },
18       "createdAt": {
19         "name": "createdAt",
20         "type": "timestamp",
21         "primaryKey": false,
22         "notNull": true
23       },
24       "title": {
25         "name": "title",
26         "type": "text",
27         "primaryKey": false,
28         "notNull": true
29       },
30       "userId": {
31         "name": "userId",
32         "type": "uuid",
33         "primaryKey": false,
34         "notNull": true
35       },
36       "visibility": {
37         "name": "visibility",
38         "type": "varchar",
39         "primaryKey": false,
40         "notNull": true,
41         "default": "'private'"
42       }
43     },
44     "indexes": {
45       "Chat_userId_createdAt_idx": {
46         "name": "Chat_userId_createdAt_idx",
47         "columns": [
48           {
49             "expression": "userId",
50             "isExpression": false,
51             "asc": true,
52             "nulls": "last"
53           },
54           {
55             "expression": "createdAt",
56             "isExpression": false,
57             "asc": true,
58             "nulls": "last"
59           }
60         ],
61         "isUnique": false,
62         "concurrently": false,
63         "method": "btree",
64         "with": {}
65       }
66     },
67     "foreignKeys": {
68       "Chat_userId_User_id_fk": {
69         "name": "Chat_userId_User_id_fk",

```

```

70     "tableFrom": "Chat",
71     "tableTo": "User",
72     "columnsFrom": [
73         "userId"
74     ],
75     "columnsTo": [
76         "id"
77     ],
78     "onDelete": "no action",
79     "onUpdate": "no action"
80 }
81 },
82 "compositePrimaryKeys": {},
83 "uniqueConstraints": {}
84 },
85 "public.Document": {
86     "name": "Document",
87     "schema": "",
88     "columns": {
89         "id": {
90             "name": "id",
91             "type": "uuid",
92             "primaryKey": false,
93             "notNull": true,
94             "default": "gen_random_uuid()"
95         },
96         "createdAt": {
97             "name": "createdAt",
98             "type": "timestamp",
99             "primaryKey": false,
100             "notNull": true
101         },
102         "title": {
103             "name": "title",
104             "type": "text",
105             "primaryKey": false,
106             "notNull": true
107         },
108         "content": {
109             "name": "content",
110             "type": "text",
111             "primaryKey": false,
112             "notNull": false
113         },
114         "text": {
115             "name": "text",
116             "type": "varchar",
117             "primaryKey": false,
118             "notNull": true,
119             "default": "'text'"
120         },
121         "userId": {
122             "name": "userId",
123             "type": "uuid",
124             "primaryKey": false,
125             "notNull": true
126         }
127     },
128     "indexes": {},
129     "foreignKeys": {
130         "Document_userId_User_id_fk": {
131             "name": "Document_userId_User_id_fk",
132             "tableFrom": "Document",
133             "tableTo": "User",
134             "columnsFrom": [
135                 "userId"
136             ],
137             "columnsTo": [
138                 "id"

```

```

139     },
140     "onDelete": "no action",
141     "onUpdate": "no action"
142   },
143 },
144 "compositePrimaryKeys": {
145   "Document_id_createdAt_pk": {
146     "name": "Document_id_createdAt_pk",
147     "columns": [
148       "id",
149       "createdAt"
150     ]
151   }
152 },
153 "uniqueConstraints": {}
154 },
155 "public.EmailVerificationToken": {
156   "name": "EmailVerificationToken",
157   "schema": "",
158   "columns": {
159     "id": {
160       "name": "id",
161       "type": "uuid",
162       "primaryKey": true,
163       "notNull": true,
164       "default": "gen_random_uuid()"
165     },
166     "email": {
167       "name": "email",
168       "type": "varchar(64)",
169       "primaryKey": false,
170       "notNull": true
171     },
172     "tokenHash": {
173       "name": "tokenHash",
174       "type": "varchar(64)",
175       "primaryKey": false,
176       "notNull": true
177     },
178     "createdAt": {
179       "name": "createdAt",
180       "type": "timestamp with time zone",
181       "primaryKey": false,
182       "notNull": true
183     },
184     "expiresAt": {
185       "name": "expiresAt",
186       "type": "timestamp with time zone",
187       "primaryKey": false,
188       "notNull": true
189     }
190   },
191   "indexes": {},
192   "foreignKeys": {},
193   "compositePrimaryKeys": {},
194   "uniqueConstraints": {}
195 },
196 "public.Message_v2": {
197   "name": "Message_v2",
198   "schema": "",
199   "columns": {
200     "id": {
201       "name": "id",
202       "type": "uuid",
203       "primaryKey": true,
204       "notNull": true,
205       "default": "gen_random_uuid()"
206     },
207     "chatId": {

```

```

208     "name": "chatId",
209     "type": "uuid",
210     "primaryKey": false,
211     "notNull": true
212 },
213 "role": {
214     "name": "role",
215     "type": "varchar",
216     "primaryKey": false,
217     "notNull": true
218 },
219 "parts": {
220     "name": "parts",
221     "type": "json",
222     "primaryKey": false,
223     "notNull": true
224 },
225 "attachments": {
226     "name": "attachments",
227     "type": "json",
228     "primaryKey": false,
229     "notNull": true
230 },
231 "createdAt": {
232     "name": "createdAt",
233     "type": "timestamp",
234     "primaryKey": false,
235     "notNull": true
236 }
237 },
238 "indexes": {
239     "Message_v2_chatId_createdAt_idx": {
240         "name": "Message_v2_chatId_createdAt_idx",
241         "columns": [
242             {
243                 "expression": "chatId",
244                 "isExpression": false,
245                 "asc": true,
246                 "nulls": "last"
247             },
248             {
249                 "expression": "createdAt",
250                 "isExpression": false,
251                 "asc": true,
252                 "nulls": "last"
253             }
254         ],
255         "isUnique": false,
256         "concurrently": false,
257         "method": "btree",
258         "with": {}
259     },
260     "Message_v2_createdAt_idx": {
261         "name": "Message_v2_createdAt_idx",
262         "columns": [
263             {
264                 "expression": "createdAt",
265                 "isExpression": false,
266                 "asc": true,
267                 "nulls": "last"
268             }
269         ],
270         "isUnique": false,
271         "concurrently": false,
272         "method": "btree",
273         "with": {}
274     }
275 },
276 "foreignKeys": {

```

```

277     "Message_v2_chatId_Chat_id_fk": {
278       "name": "Message_v2_chatId_Chat_id_fk",
279       "tableFrom": "Message_v2",
280       "tableTo": "Chat",
281       "columnsFrom": [
282         "chatId"
283       ],
284       "columnsTo": [
285         "id"
286       ],
287       "onDelete": "no action",
288       "onUpdate": "no action"
289     }
290   },
291   "compositePrimaryKeys": {},
292   "uniqueConstraints": {}
293 },
294 "public.Message": {
295   "name": "Message",
296   "schema": "",
297   "columns": {
298     "id": {
299       "name": "id",
300       "type": "uuid",
301       "primaryKey": true,
302       "notNull": true,
303       "default": "gen_random_uuid()"
304     },
305     "chatId": {
306       "name": "chatId",
307       "type": "uuid",
308       "primaryKey": false,
309       "notNull": true
310     },
311     "role": {
312       "name": "role",
313       "type": "varchar",
314       "primaryKey": false,
315       "notNull": true
316     },
317     "content": {
318       "name": "content",
319       "type": "json",
320       "primaryKey": false,
321       "notNull": true
322     },
323     "createdAt": {
324       "name": "createdAt",
325       "type": "timestamp",
326       "primaryKey": false,
327       "notNull": true
328     }
329   },
330   "indexes": {},
331   "foreignKeys": {
332     "Message_chatId_Chat_id_fk": {
333       "name": "Message_chatId_Chat_id_fk",
334       "tableFrom": "Message",
335       "tableTo": "Chat",
336       "columnsFrom": [
337         "chatId"
338       ],
339       "columnsTo": [
340         "id"
341       ],
342       "onDelete": "no action",
343       "onUpdate": "no action"
344     }
345   },

```

```

346     "compositePrimaryKeys": {},
347     "uniqueConstraints": {}
348 },
349 "public.PaymentTransactionLog": {
350   "name": "PaymentTransactionLog",
351   "schema": "",
352   "columns": {
353     "id": {
354       "name": "id",
355       "type": "uuid",
356       "primaryKey": true,
357       "notNull": true,
358       "default": "gen_random_uuid()"
359     },
360     "createdAt": {
361       "name": "createdAt",
362       "type": "timestamp with time zone",
363       "primaryKey": false,
364       "notNull": true,
365       "default": "now()"
366     },
367     "userId": {
368       "name": "userId",
369       "type": "uuid",
370       "primaryKey": false,
371       "notNull": false
372     },
373     "senderInvoiceNo": {
374       "name": "senderInvoiceNo",
375       "type": "varchar(64)",
376       "primaryKey": false,
377       "notNull": false
378     },
379     "qpayInvoiceId": {
380       "name": "qpayInvoiceId",
381       "type": "text",
382       "primaryKey": false,
383       "notNull": false
384     },
385     "event": {
386       "name": "event",
387       "type": "varchar(32)",
388       "primaryKey": false,
389       "notNull": true
390     },
391     "source": {
392       "name": "source",
393       "type": "varchar(16)",
394       "primaryKey": false,
395       "notNull": true
396     },
397     "amount": {
398       "name": "amount",
399       "type": "integer",
400       "primaryKey": false,
401       "notNull": false
402     },
403     "currency": {
404       "name": "currency",
405       "type": "varchar(8)",
406       "primaryKey": false,
407       "notNull": false
408     },
409     "ip": {
410       "name": "ip",
411       "type": "varchar(64)",
412       "primaryKey": false,
413       "notNull": false
414     },

```

```

415     "message": {
416       "name": "message",
417       "type": "text",
418       "primaryKey": false,
419       "notNull": false
420     },
421     "raw": {
422       "name": "raw",
423       "type": "json",
424       "primaryKey": false,
425       "notNull": false
426     }
427   },
428   "indexes": {
429     "PaymentTransactionLog_senderInvoiceNo_idx": {
430       "name": "PaymentTransactionLog_senderInvoiceNo_idx",
431       "columns": [
432         {
433           "expression": "senderInvoiceNo",
434           "isExpression": false,
435           "asc": true,
436           "nulls": "last"
437         }
438       ],
439       "isUnique": false,
440       "concurrently": false,
441       "method": "btree",
442       "with": {}
443     },
444     "PaymentTransactionLog_createdAt_idx": {
445       "name": "PaymentTransactionLog_createdAt_idx",
446       "columns": [
447         {
448           "expression": "createdAt",
449           "isExpression": false,
450           "asc": true,
451           "nulls": "last"
452         }
453       ],
454       "isUnique": false,
455       "concurrently": false,
456       "method": "btree",
457       "with": {}
458     }
459   },
460   "foreignKeys": {},
461   "compositePrimaryKeys": {},
462   "uniqueConstraints": {}
463 },
464 "public.Stream": {
465   "name": "Stream",
466   "schema": "",
467   "columns": {
468     "id": {
469       "name": "id",
470       "type": "uuid",
471       "primaryKey": false,
472       "notNull": true,
473       "default": "gen_random_uuid()"
474     },
475     "chatId": {
476       "name": "chatId",
477       "type": "uuid",
478       "primaryKey": false,
479       "notNull": true
480     },
481     "createdAt": {
482       "name": "createdAt",
483       "type": "timestamp",

```



```

484         "primaryKey": false,
485         "notNull": true
486     },
487 },
488 "indexes": {},
489 "foreignKeys": {
490     "Stream_chatId_Chat_id_fk": {
491         "name": "Stream_chatId_Chat_id_fk",
492         "tableFrom": "Stream",
493         "tableTo": "Chat",
494         "columnsFrom": [
495             "chatId"
496         ],
497         "columnsTo": [
498             "id"
499         ],
500         "onDelete": "no action",
501         "onUpdate": "no action"
502     }
503 },
504 "compositePrimaryKeys": {
505     "Stream_id_pk": {
506         "name": "Stream_id_pk",
507         "columns": [
508             "id"
509         ]
510     }
511 },
512 "uniqueConstraints": {}
513 },
514 "public.SubscriptionPayment": {
515     "name": "SubscriptionPayment",
516     "schema": "",
517     "columns": {
518         "id": {
519             "name": "id",
520             "type": "uuid",
521             "primaryKey": true,
522             "notNull": true,
523             "default": "gen_random_uuid()"
524         },
525         "userId": {
526             "name": "userId",
527             "type": "uuid",
528             "primaryKey": false,
529             "notNull": true
530         },
531         "qpayInvoiceId": {
532             "name": "qpayInvoiceId",
533             "type": "text",
534             "primaryKey": false,
535             "notNull": false
536         },
537         "senderInvoiceNo": {
538             "name": "senderInvoiceNo",
539             "type": "varchar(64)",
540             "primaryKey": false,
541             "notNull": true
542         },
543         "amount": {
544             "name": "amount",
545             "type": "integer",
546             "primaryKey": false,
547             "notNull": true
548         },
549         "currency": {
550             "name": "currency",
551             "type": "varchar(8)",
552             "primaryKey": false,

```

```

553     "notNull": true,
554     "default": "'MNT'"
555   },
556   "status": {
557     "name": "status",
558     "type": "varchar",
559     "primaryKey": false,
560     "notNull": true,
561     "default": "'pending'"
562   },
563   "createdAt": {
564     "name": "createdAt",
565     "type": "timestamp with time zone",
566     "primaryKey": false,
567     "notNull": true,
568     "default": "now()"
569   },
570   "paidAt": {
571     "name": "paidAt",
572     "type": "timestamp with time zone",
573     "primaryKey": false,
574     "notNull": false
575   }
576 },
577 "indexes": {},
578 "foreignKeys": {
579   "SubscriptionPayment_userId_User_id_fk": {
580     "name": "SubscriptionPayment_userId_User_id_fk",
581     "tableFrom": "SubscriptionPayment",
582     "tableTo": "User",
583     "columnsFrom": [
584       "userId"
585     ],
586     "columnsTo": [
587       "id"
588     ],
589     "onDelete": "no action",
590     "onUpdate": "no action"
591   }
592 },
593 "compositePrimaryKeys": {},
594 "uniqueConstraints": {
595   "SubscriptionPayment_senderInvoiceNo_unique": {
596     "name": "SubscriptionPayment_senderInvoiceNo_unique",
597     "nullsNotDistinct": false,
598     "columns": [
599       "senderInvoiceNo"
600     ]
601   }
602 },
603 },
604 "public.Suggestion": {
605   "name": "Suggestion",
606   "schema": "",
607   "columns": {
608     "id": {
609       "name": "id",
610       "type": "uuid",
611       "primaryKey": false,
612       "notNull": true,
613       "default": "gen_random_uuid()"
614     },
615     "documentId": {
616       "name": "documentId",
617       "type": "uuid",
618       "primaryKey": false,
619       "notNull": true
620     },
621     "documentCreatedAt": {

```

```

622     "name": "documentCreatedAt",
623     "type": "timestamp",
624     "primaryKey": false,
625     "notNull": true
626 },
627 "originalText": {
628     "name": "originalText",
629     "type": "text",
630     "primaryKey": false,
631     "notNull": true
632 },
633 "suggestedText": {
634     "name": "suggestedText",
635     "type": "text",
636     "primaryKey": false,
637     "notNull": true
638 },
639 "description": {
640     "name": "description",
641     "type": "text",
642     "primaryKey": false,
643     "notNull": false
644 },
645 "isResolved": {
646     "name": "isResolved",
647     "type": "boolean",
648     "primaryKey": false,
649     "notNull": true,
650     "default": false
651 },
652 "userId": {
653     "name": "userId",
654     "type": "uuid",
655     "primaryKey": false,
656     "notNull": true
657 },
658 "createdAt": {
659     "name": "createdAt",
660     "type": "timestamp",
661     "primaryKey": false,
662     "notNull": true
663 }
664 },
665 "indexes": {},
666 "foreignKeys": {
667     "Suggestion_userId_User_id_fk": {
668         "name": "Suggestion_userId_User_id_fk",
669         "tableFrom": "Suggestion",
670         "tableTo": "User",
671         "columnsFrom": [
672             "userId"
673         ],
674         "columnsTo": [
675             "id"
676         ],
677         "onDelete": "no action",
678         "onUpdate": "no action"
679     },
680     "Suggestion_documentId_documentCreatedAt_Document_id_createdAt_fk": {
681         "name": "Suggestion_documentId_documentCreatedAt_Document_id_createdAt_fk",
682         "tableFrom": "Suggestion",
683         "tableTo": "Document",
684         "columnsFrom": [
685             "documentId",
686             "documentCreatedAt"
687         ],
688         "columnsTo": [
689             "id",
690             "createdAt"

```

```

691     ],
692     "onDelete": "no action",
693     "onUpdate": "no action"
694   }
695 },
696 "compositePrimaryKeys": {
697   "suggestion_id_pk": {
698     "name": "suggestion_id_pk",
699     "columns": [
700       "id"
701     ]
702   }
703 },
704 "uniqueConstraints": {}
705 },
706 "public.therapy_conversation": {
707   "name": "therapy_conversation",
708   "schema": "",
709   "columns": {
710     "id": {
711       "name": "id",
712       "type": "uuid",
713       "primaryKey": true,
714       "notNull": true,
715       "default": "gen_random_uuid()"
716     },
717     "appointment_id": {
718       "name": "appointment_id",
719       "type": "text",
720       "primaryKey": false,
721       "notNull": false
722     },
723     "client_email": {
724       "name": "client_email",
725       "type": "varchar(64)",
726       "primaryKey": false,
727       "notNull": true
728     },
729     "psychologist_email": {
730       "name": "psychologist_email",
731       "type": "varchar(64)",
732       "primaryKey": false,
733       "notNull": true
734     },
735     "status": {
736       "name": "status",
737       "type": "varchar",
738       "primaryKey": false,
739       "notNull": true,
740       "default": "'open'"
741     },
742     "last_message_at": {
743       "name": "last_message_at",
744       "type": "timestamp with time zone",
745       "primaryKey": false,
746       "notNull": false
747     },
748     "created_at": {
749       "name": "created_at",
750       "type": "timestamp with time zone",
751       "primaryKey": false,
752       "notNull": true,
753       "default": "now()"
754     }
755   },
756   "indexes": {
757     "therapy_conversation_appointment_unique": {
758       "name": "therapy_conversation_appointment_unique",
759       "columns": [

```

```

760     {
761         "expression": "appointment_id",
762         "isExpression": false,
763         "asc": true,
764         "nulls": "last"
765     }
766 ],
767 "isUnique": true,
768 "concurrently": false,
769 "method": "btree",
770 "with": {}
771 }
772 },
773 "foreignKeys": {},
774 "compositePrimaryKeys": {},
775 "uniqueConstraints": {}
776 },
777 "public.therapy_message": {
778     "name": "therapy_message",
779     "schema": "",
780     "columns": {
781         "id": {
782             "name": "id",
783             "type": "uuid",
784             "primaryKey": true,
785             "notNull": true,
786             "default": "gen_random_uuid()"
787         },
788         "conversation_id": {
789             "name": "conversation_id",
790             "type": "uuid",
791             "primaryKey": false,
792             "notNull": true
793         },
794         "sender_email": {
795             "name": "sender_email",
796             "type": "varchar(64)",
797             "primaryKey": false,
798             "notNull": true
799         },
800         "sender_role": {
801             "name": "sender_role",
802             "type": "varchar",
803             "primaryKey": false,
804             "notNull": true
805         },
806         "body": {
807             "name": "body",
808             "type": "text",
809             "primaryKey": false,
810             "notNull": true
811         },
812         "read_at": {
813             "name": "read_at",
814             "type": "timestamp with time zone",
815             "primaryKey": false,
816             "notNull": false
817         },
818         "created_at": {
819             "name": "created_at",
820             "type": "timestamp with time zone",
821             "primaryKey": false,
822             "notNull": true,
823             "default": "now()"
824         }
825     },
826     "indexes": {
827         "therapy_message_conversation_idx": {
828             "name": "therapy_message_conversation_idx",

```

```

829     "columns": [
830         {
831             "expression": "conversation_id",
832             "isExpression": false,
833             "asc": true,
834             "nulls": "last"
835         },
836         {
837             "expression": "created_at",
838             "isExpression": false,
839             "asc": true,
840             "nulls": "last"
841         }
842     ],
843     "isUnique": false,
844     "concurrently": false,
845     "method": "btree",
846     "with": {}
847 }
848 },
849 "foreignKeys": {
850     "therapy_message_conversation_id_therapy_conversation_id_fk": {
851         "name": "therapy_message_conversation_id_therapy_conversation_id_fk",
852         "tableFrom": "therapy_message",
853         "tableTo": "therapy_conversation",
854         "columnsFrom": [
855             "conversation_id"
856         ],
857         "columnsTo": [
858             "id"
859         ],
860         "onDelete": "no action",
861         "onUpdate": "no action"
862     }
863 },
864 "compositePrimaryKeys": {},
865 "uniqueConstraints": {}
866 },
867 "public.User": {
868     "name": "User",
869     "schema": "",
870     "columns": {
871         "id": {
872             "name": "id",
873             "type": "uuid",
874             "primaryKey": true,
875             "notNull": true,
876             "default": "gen_random_uuid()"
877         },
878         "email": {
879             "name": "email",
880             "type": "varchar(64)",
881             "primaryKey": false,
882             "notNull": true
883         },
884         "password": {
885             "name": "password",
886             "type": "varchar(64)",
887             "primaryKey": false,
888             "notNull": false
889         },
890         "name": {
891             "name": "name",
892             "type": "varchar(64)",
893             "primaryKey": false,
894             "notNull": false
895         },
896         "role": {
897             "name": "role",

```

```

898     "type": "varchar(20)",
899     "primaryKey": false,
900     "notNull": true,
901     "default": "'PATIENT'"
902 },
903 "emailVerifiedAt": {
904     "name": "emailVerifiedAt",
905     "type": "timestamp with time zone",
906     "primaryKey": false,
907     "notNull": false
908 },
909 "trialStartedAt": {
910     "name": "trialStartedAt",
911     "type": "timestamp with time zone",
912     "primaryKey": false,
913     "notNull": true,
914     "default": "now()"
915 },
916 "subscriptionStatus": {
917     "name": "subscriptionStatus",
918     "type": "varchar",
919     "primaryKey": false,
920     "notNull": true,
921     "default": "'trialing'"
922 },
923 "currentPeriodEnd": {
924     "name": "currentPeriodEnd",
925     "type": "timestamp with time zone",
926     "primaryKey": false,
927     "notNull": false
928 },
929 },
930 "indexes": {},
931 "foreignKeys": {},
932 "compositePrimaryKeys": {},
933 "uniqueConstraints": {}
934 },
935 "public.Vote_v2": {
936     "name": "Vote_v2",
937     "schema": "",
938     "columns": {
939         "chatId": {
940             "name": "chatId",
941             "type": "uuid",
942             "primaryKey": false,
943             "notNull": true
944         },
945         "messageId": {
946             "name": "messageId",
947             "type": "uuid",
948             "primaryKey": false,
949             "notNull": true
950         },
951         "isUpvoted": {
952             "name": "isUpvoted",
953             "type": "boolean",
954             "primaryKey": false,
955             "notNull": true
956         }
957     },
958     "indexes": {},
959     "foreignKeys": {
960         "Vote_v2_chatId_Chat_id_fk": {
961             "name": "Vote_v2_chatId_Chat_id_fk",
962             "tableFrom": "Vote_v2",
963             "tableTo": "Chat",
964             "columnsFrom": [
965                 "chatId"
966             ],

```

```

967     "columnsTo": [
968         "id"
969     ],
970     "onDelete": "no action",
971     "onUpdate": "no action"
972 },
973     "Vote_v2_messageId_Message_v2_id_fk": {
974         "name": "Vote_v2_messageId_Message_v2_id_fk",
975         "tableFrom": "Vote_v2",
976         "tableTo": "Message_v2",
977         "columnsFrom": [
978             "messageId"
979         ],
980         "columnsTo": [
981             "id"
982         ],
983         "onDelete": "no action",
984         "onUpdate": "no action"
985     }
986 },
987     "compositePrimaryKeys": {
988         "Vote_v2_chatId_messageId_pk": {
989             "name": "Vote_v2_chatId_messageId_pk",
990             "columns": [
991                 "chatId",
992                 "messageId"
993             ]
994         }
995     },
996     "uniqueConstraints": {}
997 },
998     "public.Vote": {
999         "name": "Vote",
1000         "schema": "",
1001         "columns": {
1002             "chatId": {
1003                 "name": "chatId",
1004                 "type": "uuid",
1005                 "primaryKey": false,
1006                 "notNull": true
1007             },
1008             "messageId": {
1009                 "name": "messageId",
1010                 "type": "uuid",
1011                 "primaryKey": false,
1012                 "notNull": true
1013             },
1014             "isUpvoted": {
1015                 "name": "isUpvoted",
1016                 "type": "boolean",
1017                 "primaryKey": false,
1018                 "notNull": true
1019             }
1020         },
1021         "indexes": {},
1022         "foreignKeys": {
1023             "Vote_chatId_Chat_id_fk": {
1024                 "name": "Vote_chatId_Chat_id_fk",
1025                 "tableFrom": "Vote",
1026                 "tableTo": "Chat",
1027                 "columnsFrom": [
1028                     "chatId"
1029                 ],
1030                 "columnsTo": [
1031                     "id"
1032                 ],
1033                 "onDelete": "no action",
1034                 "onUpdate": "no action"
1035             },

```



```

1036     "Vote_messageId_Message_id_fk": {
1037       "name": "Vote_messageId_Message_id_fk",
1038       "tableFrom": "Vote",
1039       "tableTo": "Message",
1040       "columnsFrom": [
1041         "messageId"
1042       ],
1043       "columnsTo": [
1044         "id"
1045       ],
1046       "onDelete": "no action",
1047       "onUpdate": "no action"
1048     }
1049   },
1050   "compositePrimaryKeys": {
1051     "Vote_chatId_messageId_pk": {
1052       "name": "Vote_chatId_messageId_pk",
1053       "columns": [
1054         "chatId",
1055         "messageId"
1056       ]
1057     }
1058   },
1059   "uniqueConstraints": {}
1060 }
1061 },
1062 "enums": {},
1063 "schemas": {},
1064 "sequences": {},
1065 "_meta": {
1066   "columns": {},
1067   "schemas": {},
1068   "tables": {}
1069 }
1070 }

```

404. lib/db/migrations/meta/0013_snapshot.json

```

1  {
2    "id": "96ad37fc-17bb-4728-94c1-34561a813b7b",
3    "prevId": "897112a63-0183-4eb5-b289-d447673cf437",
4    "version": "7",
5    "dialect": "postgresql",
6    "tables": {
7      "public.Chat": {
8        "name": "Chat",
9        "schema": "",
10       "columns": {
11         "id": {
12           "name": "id",
13           "type": "uuid",
14           "primaryKey": true,
15           "notNull": true,
16           "default": "gen_random_uuid()"
17         },
18         "createdAt": {
19           "name": "createdAt",
20           "type": "timestamp",
21           "primaryKey": false,
22           "notNull": true
23         },
24         "title": {
25           "name": "title",
26           "type": "text",
27           "primaryKey": false,
28           "notNull": true
29         }
30       }
31     }
32   }
33 }

```

```

30     "userId": {
31       "name": "userId",
32       "type": "uuid",
33       "primaryKey": false,
34       "notNull": true
35     },
36     "visibility": {
37       "name": "visibility",
38       "type": "varchar",
39       "primaryKey": false,
40       "notNull": true,
41       "default": "'private'"
42     }
43   },
44   "indexes": {
45     "Chat_userId_createdAt_idx": {
46       "name": "Chat_userId_createdAt_idx",
47       "columns": [
48         {
49           "expression": "userId",
50           "isExpression": false,
51           "asc": true,
52           "nulls": "last"
53         },
54         {
55           "expression": "createdAt",
56           "isExpression": false,
57           "asc": true,
58           "nulls": "last"
59         }
60       ],
61       "isUnique": false,
62       "concurrently": false,
63       "method": "btree",
64       "with": {}
65     }
66   },
67   "foreignKeys": {
68     "Chat_userId_User_id_fk": {
69       "name": "Chat_userId_User_id_fk",
70       "tableFrom": "Chat",
71       "tableTo": "User",
72       "columnsFrom": [
73         "userId"
74       ],
75       "columnsTo": [
76         "id"
77       ],
78       "onDelete": "no action",
79       "onUpdate": "no action"
80     }
81   },
82   "compositePrimaryKeys": {},
83   "uniqueConstraints": {}
84 },
85 "public.Document": {
86   "name": "Document",
87   "schema": "",
88   "columns": {
89     "id": {
90       "name": "id",
91       "type": "uuid",
92       "primaryKey": false,
93       "notNull": true,
94       "default": "gen_random_uuid()"
95     },
96     "createdAt": {
97       "name": "createdAt",
98       "type": "timestamp",

```

```

99         "primaryKey": false,
100         "notNull": true
101     },
102     "title": {
103         "name": "title",
104         "type": "text",
105         "primaryKey": false,
106         "notNull": true
107     },
108     "content": {
109         "name": "content",
110         "type": "text",
111         "primaryKey": false,
112         "notNull": false
113     },
114     "text": {
115         "name": "text",
116         "type": "varchar",
117         "primaryKey": false,
118         "notNull": true,
119         "default": "'text'"
120     },
121     "userId": {
122         "name": "userId",
123         "type": "uuid",
124         "primaryKey": false,
125         "notNull": true
126     }
127 },
128 "indexes": {},
129 "foreignKeys": {
130     "Document_userId_User_id_fk": {
131         "name": "Document_userId_User_id_fk",
132         "tableFrom": "Document",
133         "tableTo": "User",
134         "columnsFrom": [
135             "userId"
136         ],
137         "columnsTo": [
138             "id"
139         ],
140         "onDelete": "no action",
141         "onUpdate": "no action"
142     }
143 },
144 "compositePrimaryKeys": {
145     "Document_id_createdAt_pk": {
146         "name": "Document_id_createdAt_pk",
147         "columns": [
148             "id",
149             "createdAt"
150         ]
151     }
152 },
153 "uniqueConstraints": {}
154 },
155 "public.EmailVerificationToken": {
156     "name": "EmailVerificationToken",
157     "schema": "",
158     "columns": {
159         "id": {
160             "name": "id",
161             "type": "uuid",
162             "primaryKey": true,
163             "notNull": true,
164             "default": "gen_random_uuid()"
165         },
166         "email": {
167             "name": "email",

```

```

168     "type": "varchar(64)",
169     "primaryKey": false,
170     "notNull": true
171 },
172 "tokenHash": {
173     "name": "tokenHash",
174     "type": "varchar(64)",
175     "primaryKey": false,
176     "notNull": true
177 },
178 "createdAt": {
179     "name": "createdAt",
180     "type": "timestamp with time zone",
181     "primaryKey": false,
182     "notNull": true
183 },
184 "expiresAt": {
185     "name": "expiresAt",
186     "type": "timestamp with time zone",
187     "primaryKey": false,
188     "notNull": true
189 }
190 },
191 "indexes": {},
192 "foreignKeys": {},
193 "compositePrimaryKeys": {},
194 "uniqueConstraints": {}
195 },
196 "public.Message_v2": {
197     "name": "Message_v2",
198     "schema": "",
199     "columns": {
200         "id": {
201             "name": "id",
202             "type": "uuid",
203             "primaryKey": true,
204             "notNull": true,
205             "default": "gen_random_uuid()"
206         },
207         "chatId": {
208             "name": "chatId",
209             "type": "uuid",
210             "primaryKey": false,
211             "notNull": true
212         },
213         "role": {
214             "name": "role",
215             "type": "varchar",
216             "primaryKey": false,
217             "notNull": true
218         },
219         "parts": {
220             "name": "parts",
221             "type": "json",
222             "primaryKey": false,
223             "notNull": true
224         },
225         "attachments": {
226             "name": "attachments",
227             "type": "json",
228             "primaryKey": false,
229             "notNull": true
230         },
231         "createdAt": {
232             "name": "createdAt",
233             "type": "timestamp",
234             "primaryKey": false,
235             "notNull": true
236     }

```

```

237 },
238 "indexes": {
239   "Message_v2_chatId_createdAt_idx": {
240     "name": "Message_v2_chatId_createdAt_idx",
241     "columns": [
242       {
243         "expression": "chatId",
244         "isExpression": false,
245         "asc": true,
246         "nulls": "last"
247       },
248       {
249         "expression": "createdAt",
250         "isExpression": false,
251         "asc": true,
252         "nulls": "last"
253       }
254     ],
255     "isUnique": false,
256     "concurrently": false,
257     "method": "btree",
258     "with": {}
259   },
260   "Message_v2_createdAt_idx": {
261     "name": "Message_v2_createdAt_idx",
262     "columns": [
263       {
264         "expression": "createdAt",
265         "isExpression": false,
266         "asc": true,
267         "nulls": "last"
268       }
269     ],
270     "isUnique": false,
271     "concurrently": false,
272     "method": "btree",
273     "with": {}
274   }
275 },
276 "foreignKeys": {
277   "Message_v2_chatId_Chat_id_fk": {
278     "name": "Message_v2_chatId_Chat_id_fk",
279     "tableFrom": "Message_v2",
280     "tableTo": "Chat",
281     "columnsFrom": [
282       "chatId"
283     ],
284     "columnsTo": [
285       "id"
286     ],
287     "onDelete": "no action",
288     "onUpdate": "no action"
289   }
290 },
291 "compositePrimaryKeys": {},
292 "uniqueConstraints": {}
293 },
294 "public.Message": {
295   "name": "Message",
296   "schema": "",
297   "columns": {
298     "id": {
299       "name": "id",
300       "type": "uuid",
301       "primaryKey": true,
302       "notNull": true,
303       "default": "gen_random_uuid()"
304     },
305     "chatId": {

```

```

306     "name": "chatId",
307     "type": "uuid",
308     "primaryKey": false,
309     "notNull": true
310 },
311 "role": {
312     "name": "role",
313     "type": "varchar",
314     "primaryKey": false,
315     "notNull": true
316 },
317 "content": {
318     "name": "content",
319     "type": "json",
320     "primaryKey": false,
321     "notNull": true
322 },
323 "createdAt": {
324     "name": "createdAt",
325     "type": "timestamp",
326     "primaryKey": false,
327     "notNull": true
328 }
329 },
330 "indexes": {},
331 "foreignKeys": {
332     "Message_chatId_Chat_id_fk": {
333         "name": "Message_chatId_Chat_id_fk",
334         "tableFrom": "Message",
335         "tableTo": "Chat",
336         "columnsFrom": [
337             "chatId"
338         ],
339         "columnsTo": [
340             "id"
341         ],
342         "onDelete": "no action",
343         "onUpdate": "no action"
344     }
345 },
346 "compositePrimaryKeys": {},
347 "uniqueConstraints": {}
348 },
349 "public.PaymentTransactionLog": {
350     "name": "PaymentTransactionLog",
351     "schema": "",
352     "columns": {
353         "id": {
354             "name": "id",
355             "type": "uuid",
356             "primaryKey": true,
357             "notNull": true,
358             "default": "gen_random_uuid()"
359         },
360         "createdAt": {
361             "name": "createdAt",
362             "type": "timestamp with time zone",
363             "primaryKey": false,
364             "notNull": true,
365             "default": "now()"
366         },
367         "userId": {
368             "name": "userId",
369             "type": "uuid",
370             "primaryKey": false,
371             "notNull": false
372         },
373         "senderInvoiceNo": {
374             "name": "senderInvoiceNo",

```

```

375     "type": "varchar(64)",
376     "primaryKey": false,
377     "notNull": false
378 },
379 "qpayInvoiceId": {
380     "name": "qpayInvoiceId",
381     "type": "text",
382     "primaryKey": false,
383     "notNull": false
384 },
385 "event": {
386     "name": "event",
387     "type": "varchar(32)",
388     "primaryKey": false,
389     "notNull": true
390 },
391 "source": {
392     "name": "source",
393     "type": "varchar(16)",
394     "primaryKey": false,
395     "notNull": true
396 },
397 "amount": {
398     "name": "amount",
399     "type": "integer",
400     "primaryKey": false,
401     "notNull": false
402 },
403 "currency": {
404     "name": "currency",
405     "type": "varchar(8)",
406     "primaryKey": false,
407     "notNull": false
408 },
409 "ip": {
410     "name": "ip",
411     "type": "varchar(64)",
412     "primaryKey": false,
413     "notNull": false
414 },
415 "message": {
416     "name": "message",
417     "type": "text",
418     "primaryKey": false,
419     "notNull": false
420 },
421 "raw": {
422     "name": "raw",
423     "type": "json",
424     "primaryKey": false,
425     "notNull": false
426 },
427 },
428 "indexes": {
429     "PaymentTransactionLog_senderInvoiceNo_idx": {
430         "name": "PaymentTransactionLog_senderInvoiceNo_idx",
431         "columns": [
432             {
433                 "expression": "senderInvoiceNo",
434                 "isExpression": false,
435                 "asc": true,
436                 "nulls": "last"
437             }
438         ],
439         "isUnique": false,
440         "concurrently": false,
441         "method": "btree",
442         "with": {}
443     },

```

```

444     "PaymentTransactionLog_createdAt_idx": {
445       "name": "PaymentTransactionLog_createdAt_idx",
446       "columns": [
447         {
448           "expression": "createdAt",
449           "isExpression": false,
450           "asc": true,
451           "nulls": "last"
452         }
453       ],
454       "isUnique": false,
455       "concurrently": false,
456       "method": "btree",
457       "with": {}
458     },
459   },
460   "foreignKeys": {},
461   "compositePrimaryKeys": {},
462   "uniqueConstraints": {}
463 },
464 "public.Stream": {
465   "name": "Stream",
466   "schema": "",
467   "columns": {
468     "id": {
469       "name": "id",
470       "type": "uuid",
471       "primaryKey": false,
472       "notNull": true,
473       "default": "gen_random_uuid()"
474     },
475     "chatId": {
476       "name": "chatId",
477       "type": "uuid",
478       "primaryKey": false,
479       "notNull": true
480     },
481     "createdAt": {
482       "name": "createdAt",
483       "type": "timestamp",
484       "primaryKey": false,
485       "notNull": true
486     }
487   },
488   "indexes": {},
489   "foreignKeys": {
490     "Stream_chatId_Chat_id_fk": {
491       "name": "Stream_chatId_Chat_id_fk",
492       "tableFrom": "Stream",
493       "tableTo": "Chat",
494       "columnsFrom": [
495         "chatId"
496       ],
497       "columnsTo": [
498         "id"
499       ],
500       "onDelete": "no action",
501       "onUpdate": "no action"
502     }
503   },
504   "compositePrimaryKeys": {
505     "Stream_id_pk": {
506       "name": "Stream_id_pk",
507       "columns": [
508         "id"
509       ]
510     }
511   },
512   "uniqueConstraints": {}

```



```

513 },
514 "public.SubscriptionPayment": {
515   "name": "SubscriptionPayment",
516   "schema": "",
517   "columns": {
518     "id": {
519       "name": "id",
520       "type": "uuid",
521       "primaryKey": true,
522       "notNull": true,
523       "default": "gen_random_uuid()"
524     },
525     "userId": {
526       "name": "userId",
527       "type": "uuid",
528       "primaryKey": false,
529       "notNull": true
530     },
531     "qpayInvoiceId": {
532       "name": "qpayInvoiceId",
533       "type": "text",
534       "primaryKey": false,
535       "notNull": false
536     },
537     "senderInvoiceNo": {
538       "name": "senderInvoiceNo",
539       "type": "varchar(64)",
540       "primaryKey": false,
541       "notNull": true
542     },
543     "amount": {
544       "name": "amount",
545       "type": "integer",
546       "primaryKey": false,
547       "notNull": true
548     },
549     "currency": {
550       "name": "currency",
551       "type": "varchar(8)",
552       "primaryKey": false,
553       "notNull": true,
554       "default": "'MNT'"
555     },
556     "status": {
557       "name": "status",
558       "type": "varchar",
559       "primaryKey": false,
560       "notNull": true,
561       "default": "'pending'"
562     },
563     "createdAt": {
564       "name": "createdAt",
565       "type": "timestamp with time zone",
566       "primaryKey": false,
567       "notNull": true,
568       "default": "now()"
569     },
570     "paidAt": {
571       "name": "paidAt",
572       "type": "timestamp with time zone",
573       "primaryKey": false,
574       "notNull": false
575     }
576   },
577   "indexes": {},
578   "foreignKeys": {
579     "SubscriptionPayment_userId_User_id_fk": {
580       "name": "SubscriptionPayment_userId_User_id_fk",
581       "tableFrom": "SubscriptionPayment",

```

```

582     "tableTo": "User",
583     "columnsFrom": [
584         "userId"
585     ],
586     "columnsTo": [
587         "id"
588     ],
589     "onDelete": "no action",
590     "onUpdate": "no action"
591 }
592 },
593 "compositePrimaryKeys": {},
594 "uniqueConstraints": {
595     "SubscriptionPayment_senderInvoiceNo_unique": {
596         "name": "SubscriptionPayment_senderInvoiceNo_unique",
597         "nullsNotDistinct": false,
598         "columns": [
599             "senderInvoiceNo"
600         ]
601     }
602 },
603 },
604 "public.Suggestion": {
605     "name": "Suggestion",
606     "schema": "",
607     "columns": {
608         "id": {
609             "name": "id",
610             "type": "uuid",
611             "primaryKey": false,
612             "notNull": true,
613             "default": "gen_random_uuid()"
614         },
615         "documentId": {
616             "name": "documentId",
617             "type": "uuid",
618             "primaryKey": false,
619             "notNull": true
620         },
621         "documentCreatedAt": {
622             "name": "documentCreatedAt",
623             "type": "timestamp",
624             "primaryKey": false,
625             "notNull": true
626         },
627         "originalText": {
628             "name": "originalText",
629             "type": "text",
630             "primaryKey": false,
631             "notNull": true
632         },
633         "suggestedText": {
634             "name": "suggestedText",
635             "type": "text",
636             "primaryKey": false,
637             "notNull": true
638         },
639         "description": {
640             "name": "description",
641             "type": "text",
642             "primaryKey": false,
643             "notNull": false
644         },
645         "isResolved": {
646             "name": "isResolved",
647             "type": "boolean",
648             "primaryKey": false,
649             "notNull": true,
650             "default": false

```

```

651     },
652     "userId": {
653       "name": "userId",
654       "type": "uuid",
655       "primaryKey": false,
656       "notNull": true
657     },
658     "createdAt": {
659       "name": "createdAt",
660       "type": "timestamp",
661       "primaryKey": false,
662       "notNull": true
663     }
664   },
665   "indexes": {},
666   "foreignKeys": {
667     "Suggestion_userId_User_id_fk": {
668       "name": "Suggestion_userId_User_id_fk",
669       "tableFrom": "Suggestion",
670       "tableTo": "User",
671       "columnsFrom": [
672         "userId"
673       ],
674       "columnsTo": [
675         "id"
676       ],
677       "onDelete": "no action",
678       "onUpdate": "no action"
679     },
680     "Suggestion_documentId_documentCreatedAt_Document_id_createdAt_fk": {
681       "name": "Suggestion_documentId_documentCreatedAt_Document_id_createdAt_fk",
682       "tableFrom": "Suggestion",
683       "tableTo": "Document",
684       "columnsFrom": [
685         "documentId",
686         "documentCreatedAt"
687       ],
688       "columnsTo": [
689         "id",
690         "createdAt"
691       ],
692       "onDelete": "no action",
693       "onUpdate": "no action"
694     }
695   },
696   "compositePrimaryKeys": {
697     "Suggestion_id_pk": {
698       "name": "Suggestion_id_pk",
699       "columns": [
700         "id"
701       ]
702     }
703   },
704   "uniqueConstraints": {}
705 },
706 "public.therapy_conversation": {
707   "name": "therapy_conversation",
708   "schema": "",
709   "columns": {
710     "id": {
711       "name": "id",
712       "type": "uuid",
713       "primaryKey": true,
714       "notNull": true,
715       "default": "gen_random_uuid()"
716     },
717     "appointment_id": {
718       "name": "appointment_id",
719       "type": "text",

```

```

720     "primaryKey": false,
721     "notNull": false
722 },
723 "client_email": {
724     "name": "client_email",
725     "type": "varchar(64)",
726     "primaryKey": false,
727     "notNull": true
728 },
729 "psychologist_email": {
730     "name": "psychologist_email",
731     "type": "varchar(64)",
732     "primaryKey": false,
733     "notNull": true
734 },
735 "status": {
736     "name": "status",
737     "type": "varchar",
738     "primaryKey": false,
739     "notNull": true,
740     "default": "'open'"
741 },
742 "last_message_at": {
743     "name": "last_message_at",
744     "type": "timestamp with time zone",
745     "primaryKey": false,
746     "notNull": false
747 },
748 "created_at": {
749     "name": "created_at",
750     "type": "timestamp with time zone",
751     "primaryKey": false,
752     "notNull": true,
753     "default": "now()"
754 }
755 },
756 "indexes": {
757     "therapy_conversation_appointment_unique": {
758         "name": "therapy_conversation_appointment_unique",
759         "columns": [
760             {
761                 "expression": "appointment_id",
762                 "isExpression": false,
763                 "asc": true,
764                 "nulls": "last"
765             }
766         ],
767         "isUnique": true,
768         "concurrently": false,
769         "method": "btree",
770         "with": {}
771     }
772 },
773 "foreignKeys": {},
774 "compositePrimaryKeys": {},
775 "uniqueConstraints": {}
776 },
777 "public.therapy_message": {
778     "name": "therapy_message",
779     "schema": "",
780     "columns": {
781         "id": {
782             "name": "id",
783             "type": "uuid",
784             "primaryKey": true,
785             "notNull": true,
786             "default": "gen_random_uuid()"
787         },
788         "conversation_id": {

```

```

789     "name": "conversation_id",
790     "type": "uuid",
791     "primaryKey": false,
792     "notNull": true
793 },
794 "sender_email": {
795     "name": "sender_email",
796     "type": "varchar(64)",
797     "primaryKey": false,
798     "notNull": true
799 },
800 "sender_role": {
801     "name": "sender_role",
802     "type": "varchar",
803     "primaryKey": false,
804     "notNull": true
805 },
806 "body": {
807     "name": "body",
808     "type": "text",
809     "primaryKey": false,
810     "notNull": true
811 },
812 "read_at": {
813     "name": "read_at",
814     "type": "timestamp with time zone",
815     "primaryKey": false,
816     "notNull": false
817 },
818 "created_at": {
819     "name": "created_at",
820     "type": "timestamp with time zone",
821     "primaryKey": false,
822     "notNull": true,
823     "default": "now()"
824 }
825 },
826 "indexes": {
827     "therapy_message_conversation_idx": {
828         "name": "therapy_message_conversation_idx",
829         "columns": [
830             {
831                 "expression": "conversation_id",
832                 "isExpression": false,
833                 "asc": true,
834                 "nulls": "last"
835             },
836             {
837                 "expression": "created_at",
838                 "isExpression": false,
839                 "asc": true,
840                 "nulls": "last"
841             }
842         ],
843         "isUnique": false,
844         "concurrently": false,
845         "method": "btree",
846         "with": {}
847     }
848 },
849 "foreignKeys": {
850     "therapy_message_conversation_id_therapy_conversation_id_fk": {
851         "name": "therapy_message_conversation_id_therapy_conversation_id_fk",
852         "tableFrom": "therapy_message",
853         "tableTo": "therapy_conversation",
854         "columnsFrom": [
855             "conversation_id"
856         ],
857         "columnsTo": [

```

```

858         "id"
859     ],
860     "onDelete": "no action",
861     "onUpdate": "no action"
862 }
863 },
864 "compositePrimaryKeys": {},
865 "uniqueConstraints": {}
866 },
867 "public.User": {
868     "name": "User",
869     "schema": "",
870     "columns": {
871         "id": {
872             "name": "id",
873             "type": "uuid",
874             "primaryKey": true,
875             "notNull": true,
876             "default": "gen_random_uuid()"
877         },
878         "email": {
879             "name": "email",
880             "type": "varchar(64)",
881             "primaryKey": false,
882             "notNull": true
883         },
884         "password": {
885             "name": "password",
886             "type": "varchar(64)",
887             "primaryKey": false,
888             "notNull": false
889         },
890         "name": {
891             "name": "name",
892             "type": "varchar(64)",
893             "primaryKey": false,
894             "notNull": false
895         },
896         "role": {
897             "name": "role",
898             "type": "varchar(20)",
899             "primaryKey": false,
900             "notNull": true,
901             "default": "'PATIENT'"
902         },
903         "emailVerifiedAt": {
904             "name": "emailVerifiedAt",
905             "type": "timestamp with time zone",
906             "primaryKey": false,
907             "notNull": false
908         },
909         "trialStartedAt": {
910             "name": "trialStartedAt",
911             "type": "timestamp with time zone",
912             "primaryKey": false,
913             "notNull": true,
914             "default": "now()"
915         },
916         "subscriptionStatus": {
917             "name": "subscriptionStatus",
918             "type": "varchar",
919             "primaryKey": false,
920             "notNull": true,
921             "default": "'trialing'"
922         },
923         "currentPeriodEnd": {
924             "name": "currentPeriodEnd",
925             "type": "timestamp with time zone",
926             "primaryKey": false,

```

```

927         "notNull": false
928     },
929 },
930 "indexes": {},
931 "foreignKeys": {},
932 "compositePrimaryKeys": {},
933 "uniqueConstraints": {}
934 },
935 "public.Vote_v2": {
936     "name": "Vote_v2",
937     "schema": "",
938     "columns": {
939         "chatId": {
940             "name": "chatId",
941             "type": "uuid",
942             "primaryKey": false,
943             "notNull": true
944         },
945         "messageId": {
946             "name": "messageId",
947             "type": "uuid",
948             "primaryKey": false,
949             "notNull": true
950         },
951         "isUpvoted": {
952             "name": "isUpvoted",
953             "type": "boolean",
954             "primaryKey": false,
955             "notNull": true
956         }
957     },
958     "indexes": {},
959     "foreignKeys": {
960         "Vote_v2_chatId_Chat_id_fk": {
961             "name": "Vote_v2_chatId_Chat_id_fk",
962             "tableFrom": "Vote_v2",
963             "tableTo": "Chat",
964             "columnsFrom": [
965                 "chatId"
966             ],
967             "columnsTo": [
968                 "id"
969             ],
970             "onDelete": "no action",
971             "onUpdate": "no action"
972         },
973         "Vote_v2_messageId_Message_v2_id_fk": {
974             "name": "Vote_v2_messageId_Message_v2_id_fk",
975             "tableFrom": "Vote_v2",
976             "tableTo": "Message_v2",
977             "columnsFrom": [
978                 "messageId"
979             ],
980             "columnsTo": [
981                 "id"
982             ],
983             "onDelete": "no action",
984             "onUpdate": "no action"
985         }
986     },
987     "compositePrimaryKeys": {
988         "Vote_v2_chatId_messageId_pk": {
989             "name": "Vote_v2_chatId_messageId_pk",
990             "columns": [
991                 "chatId",
992                 "messageId"
993             ]
994         }
995     },

```

```

996     "uniqueConstraints": {}
997 },
998 "public.Vote": {
999   "name": "Vote",
1000   "schema": "",
1001   "columns": {
1002     "chatId": {
1003       "name": "chatId",
1004       "type": "uuid",
1005       "primaryKey": false,
1006       "notNull": true
1007     },
1008     "messageId": {
1009       "name": "messageId",
1010       "type": "uuid",
1011       "primaryKey": false,
1012       "notNull": true
1013     },
1014     "isUpvoted": {
1015       "name": "isUpvoted",
1016       "type": "boolean",
1017       "primaryKey": false,
1018       "notNull": true
1019     }
1020   },
1021   "indexes": {},
1022   "foreignKeys": {
1023     "Vote_chatId_Chat_id_fk": {
1024       "name": "Vote_chatId_Chat_id_fk",
1025       "tableFrom": "Vote",
1026       "tableTo": "Chat",
1027       "columnsFrom": [
1028         "chatId"
1029       ],
1030       "columnsTo": [
1031         "id"
1032       ],
1033       "onDelete": "no action",
1034       "onUpdate": "no action"
1035     },
1036     "Vote_messageId_Message_id_fk": {
1037       "name": "Vote_messageId_Message_id_fk",
1038       "tableFrom": "Vote",
1039       "tableTo": "Message",
1040       "columnsFrom": [
1041         "messageId"
1042       ],
1043       "columnsTo": [
1044         "id"
1045       ],
1046       "onDelete": "no action",
1047       "onUpdate": "no action"
1048     }
1049   },
1050   "compositePrimaryKeys": {
1051     "Vote_chatId_messageId_pk": {
1052       "name": "Vote_chatId_messageId_pk",
1053       "columns": [
1054         "chatId",
1055         "messageId"
1056       ]
1057     }
1058   },
1059   "uniqueConstraints": {}
1060 },
1061 "public.WhoAmIProgramRun": {
1062   "name": "WhoAmIProgramRun",
1063   "schema": "",
1064   "columns": {

```



```

1065 "id": {
1066   "name": "id",
1067   "type": "uuid",
1068   "primaryKey": true,
1069   "notNull": true,
1070   "default": "gen_random_uuid()"
1071 },
1072 "userId": {
1073   "name": "userId",
1074   "type": "uuid",
1075   "primaryKey": false,
1076   "notNull": true
1077 },
1078 "screen": {
1079   "name": "screen",
1080   "type": "varchar(32)",
1081   "primaryKey": false,
1082   "notNull": true,
1083   "default": "'area'"
1084 },
1085 "pct": {
1086   "name": "pct",
1087   "type": "json",
1088   "primaryKey": false,
1089   "notNull": true
1090 },
1091 "notes": {
1092   "name": "notes",
1093   "type": "json",
1094   "primaryKey": false,
1095   "notNull": true
1096 },
1097 "answers": {
1098   "name": "answers",
1099   "type": "json",
1100   "primaryKey": false,
1101   "notNull": true
1102 },
1103 "scores": {
1104   "name": "scores",
1105   "type": "json",
1106   "primaryKey": false,
1107   "notNull": true
1108 },
1109 "finalNote": {
1110   "name": "finalNote",
1111   "type": "text",
1112   "primaryKey": false,
1113   "notNull": true,
1114   "default": ""
1115 },
1116 "completedAt": {
1117   "name": "completedAt",
1118   "type": "timestamp with time zone",
1119   "primaryKey": false,
1120   "notNull": false
1121 },
1122 "createdAt": {
1123   "name": "createdAt",
1124   "type": "timestamp with time zone",
1125   "primaryKey": false,
1126   "notNull": true,
1127   "default": "now()"
1128 },
1129 "updatedAt": {
1130   "name": "updatedAt",
1131   "type": "timestamp with time zone",
1132   "primaryKey": false,
1133   "notNull": true,

```

```

1134     "default": "now()"
1135   },
1136 },
1137 "indexes": {
1138   "WhoAmIProgramRun_user_completed_updated_idx": {
1139     "name": "WhoAmIProgramRun_user_completed_updated_idx",
1140     "columns": [
1141       {
1142         "expression": "userId",
1143         "isExpression": false,
1144         "asc": true,
1145         "nulls": "last"
1146       },
1147       {
1148         "expression": "completedAt",
1149         "isExpression": false,
1150         "asc": true,
1151         "nulls": "last"
1152       },
1153       {
1154         "expression": "updatedAt",
1155         "isExpression": false,
1156         "asc": true,
1157         "nulls": "last"
1158       }
1159     ],
1160     "isUnique": false,
1161     "concurrently": false,
1162     "method": "btree",
1163     "with": {}
1164   },
1165 },
1166 "foreignKeys": {
1167   "WhoAmIProgramRun_userId_User_id_fk": {
1168     "name": "WhoAmIProgramRun_userId_User_id_fk",
1169     "tableFrom": "WhoAmIProgramRun",
1170     "tableTo": "User",
1171     "columnsFrom": [
1172       "userId"
1173     ],
1174     "columnsTo": [
1175       "id"
1176     ],
1177     "onDelete": "no action",
1178     "onUpdate": "no action"
1179   },
1180 },
1181 "compositePrimaryKeys": {},
1182 "uniqueConstraints": {}
1183 }
1184 },
1185 "enums": {},
1186 "schemas": {},
1187 "sequences": {},
1188 "_meta": {
1189   "columns": {},
1190   "schemas": {},
1191   "tables": {}
1192 }
1193 }

```

405. lib/db/migrations/meta/0014_snapshot.json

```

1 {
2   "id": "bfe5cd8b-bc5f-4fa6-a6f0-668738727dcb",
3   "prevId": "96ad37fc-17bb-4728-94c1-34561a813b7b",
4   "version": "7",

```

```

5  "dialect": "postgresql",
6  "tables": {
7    "public.Chat": {
8      "name": "Chat",
9      "schema": "",
10     "columns": {
11       "id": {
12         "name": "id",
13         "type": "uuid",
14         "primaryKey": true,
15         "notNull": true,
16         "default": "gen_random_uuid()"
17       },
18       "createdAt": {
19         "name": "createdAt",
20         "type": "timestamp",
21         "primaryKey": false,
22         "notNull": true
23       },
24       "title": {
25         "name": "title",
26         "type": "text",
27         "primaryKey": false,
28         "notNull": true
29       },
30       "userId": {
31         "name": "userId",
32         "type": "uuid",
33         "primaryKey": false,
34         "notNull": true
35       },
36       "visibility": {
37         "name": "visibility",
38         "type": "varchar",
39         "primaryKey": false,
40         "notNull": true,
41         "default": "'private'"
42       }
43     },
44     "indexes": {
45       "Chat_userId_createdAt_idx": {
46         "name": "Chat_userId_createdAt_idx",
47         "columns": [
48           {
49             "expression": "userId",
50             "isExpression": false,
51             "asc": true,
52             "nulls": "last"
53           },
54           {
55             "expression": "createdAt",
56             "isExpression": false,
57             "asc": true,
58             "nulls": "last"
59           }
60         ],
61         "isUnique": false,
62         "concurrently": false,
63         "method": "btree",
64         "with": {}
65       }
66     },
67     "foreignKeys": {
68       "Chat_userId_User_id_fk": {
69         "name": "Chat_userId_User_id_fk",
70         "tableFrom": "Chat",
71         "tableTo": "User",
72         "columnsFrom": [
73           "userId"

```

```

74     ],
75     "columnsTo": [
76         "id"
77     ],
78     "onDelete": "no action",
79     "onUpdate": "no action"
80 }
81 },
82 "compositePrimaryKeys": {},
83 "uniqueConstraints": {}
84 },
85 "public.Document": {
86     "name": "Document",
87     "schema": "",
88     "columns": {
89         "id": {
90             "name": "id",
91             "type": "uuid",
92             "primaryKey": false,
93             "notNull": true,
94             "default": "gen_random_uuid()"
95         },
96         "createdAt": {
97             "name": "createdAt",
98             "type": "timestamp",
99             "primaryKey": false,
100            "notNull": true
101        },
102        "title": {
103            "name": "title",
104            "type": "text",
105            "primaryKey": false,
106            "notNull": true
107        },
108        "content": {
109            "name": "content",
110            "type": "text",
111            "primaryKey": false,
112            "notNull": false
113        },
114        "text": {
115            "name": "text",
116            "type": "varchar",
117            "primaryKey": false,
118            "notNull": true,
119            "default": "'text'"
120        },
121        "userId": {
122            "name": "userId",
123            "type": "uuid",
124            "primaryKey": false,
125            "notNull": true
126        }
127    },
128    "indexes": {},
129    "foreignKeys": {
130        "Document_userId_User_id_fk": {
131            "name": "Document_userId_User_id_fk",
132            "tableFrom": "Document",
133            "tableTo": "User",
134            "columnsFrom": [
135                "userId"
136            ],
137            "columnsTo": [
138                "id"
139            ],
140            "onDelete": "no action",
141            "onUpdate": "no action"
142        }

```

```

143     },
144     "compositePrimaryKeys": {
145       "Document_id_createdAt_pk": {
146         "name": "Document_id_createdAt_pk",
147         "columns": [
148           "id",
149           "createdAt"
150         ]
151       }
152     },
153     "uniqueConstraints": {}
154   },
155   "public.EmailVerificationToken": {
156     "name": "EmailVerificationToken",
157     "schema": "",
158     "columns": {
159       "id": {
160         "name": "id",
161         "type": "uuid",
162         "primaryKey": true,
163         "notNull": true,
164         "default": "gen_random_uuid()"
165       },
166       "email": {
167         "name": "email",
168         "type": "varchar(64)",
169         "primaryKey": false,
170         "notNull": true
171       },
172       "tokenHash": {
173         "name": "tokenHash",
174         "type": "varchar(64)",
175         "primaryKey": false,
176         "notNull": true
177       },
178       "createdAt": {
179         "name": "createdAt",
180         "type": "timestamp with time zone",
181         "primaryKey": false,
182         "notNull": true
183       },
184       "expiresAt": {
185         "name": "expiresAt",
186         "type": "timestamp with time zone",
187         "primaryKey": false,
188         "notNull": true
189       }
190     },
191     "indexes": {},
192     "foreignKeys": {},
193     "compositePrimaryKeys": {},
194     "uniqueConstraints": {}
195   },
196   "public.Message_v2": {
197     "name": "Message_v2",
198     "schema": "",
199     "columns": {
200       "id": {
201         "name": "id",
202         "type": "uuid",
203         "primaryKey": true,
204         "notNull": true,
205         "default": "gen_random_uuid()"
206       },
207       "chatId": {
208         "name": "chatId",
209         "type": "uuid",
210         "primaryKey": false,
211         "notNull": true

```

```

212     },
213     "role": {
214         "name": "role",
215         "type": "varchar",
216         "primaryKey": false,
217         "notNull": true
218     },
219     "parts": {
220         "name": "parts",
221         "type": "json",
222         "primaryKey": false,
223         "notNull": true
224     },
225     "attachments": {
226         "name": "attachments",
227         "type": "json",
228         "primaryKey": false,
229         "notNull": true
230     },
231     "createdAt": {
232         "name": "createdAt",
233         "type": "timestamp",
234         "primaryKey": false,
235         "notNull": true
236     }
237 },
238 "indexes": {
239     "Message_v2_chatId_createdAt_idx": {
240         "name": "Message_v2_chatId_createdAt_idx",
241         "columns": [
242             {
243                 "expression": "chatId",
244                 "isExpression": false,
245                 "asc": true,
246                 "nulls": "last"
247             },
248             {
249                 "expression": "createdAt",
250                 "isExpression": false,
251                 "asc": true,
252                 "nulls": "last"
253             }
254         ],
255         "isUnique": false,
256         "concurrently": false,
257         "method": "btree",
258         "with": {}
259     },
260     "Message_v2_createdAt_idx": {
261         "name": "Message_v2_createdAt_idx",
262         "columns": [
263             {
264                 "expression": "createdAt",
265                 "isExpression": false,
266                 "asc": true,
267                 "nulls": "last"
268             }
269         ],
270         "isUnique": false,
271         "concurrently": false,
272         "method": "btree",
273         "with": {}
274     }
275 },
276 "foreignKeys": {
277     "Message_v2_chatId_Chat_id_fk": {
278         "name": "Message_v2_chatId_Chat_id_fk",
279         "tableFrom": "Message_v2",
280         "tableTo": "Chat",

```

```

281     "columnsFrom": [
282         "chatId"
283     ],
284     "columnsTo": [
285         "id"
286     ],
287     "onDelete": "no action",
288     "onUpdate": "no action"
289 }
290 },
291 "compositePrimaryKeys": {},
292 "uniqueConstraints": {}
293 },
294 "public.Message": {
295     "name": "Message",
296     "schema": "",
297     "columns": {
298         "id": {
299             "name": "id",
300             "type": "uuid",
301             "primaryKey": true,
302             "notNull": true,
303             "default": "gen_random_uuid()"
304         },
305         "chatId": {
306             "name": "chatId",
307             "type": "uuid",
308             "primaryKey": false,
309             "notNull": true
310         },
311         "role": {
312             "name": "role",
313             "type": "varchar",
314             "primaryKey": false,
315             "notNull": true
316         },
317         "content": {
318             "name": "content",
319             "type": "json",
320             "primaryKey": false,
321             "notNull": true
322         },
323         "createdAt": {
324             "name": "createdAt",
325             "type": "timestamp",
326             "primaryKey": false,
327             "notNull": true
328         }
329     },
330     "indexes": {},
331     "foreignKeys": {
332         "Message_chatId_Chat_id_fk": {
333             "name": "Message_chatId_Chat_id_fk",
334             "tableFrom": "Message",
335             "tableTo": "Chat",
336             "columnsFrom": [
337                 "chatId"
338             ],
339             "columnsTo": [
340                 "id"
341             ],
342             "onDelete": "no action",
343             "onUpdate": "no action"
344         }
345     },
346     "compositePrimaryKeys": {},
347     "uniqueConstraints": {}
348 },
349 "public.PaymentTransactionLog": {

```

```

350     "name": "PaymentTransactionLog",
351     "schema": "",
352     "columns": {
353         "id": {
354             "name": "id",
355             "type": "uuid",
356             "primaryKey": true,
357             "notNull": true,
358             "default": "gen_random_uuid()"
359         },
360         "createdAt": {
361             "name": "createdAt",
362             "type": "timestamp with time zone",
363             "primaryKey": false,
364             "notNull": true,
365             "default": "now()"
366         },
367         "userId": {
368             "name": "userId",
369             "type": "uuid",
370             "primaryKey": false,
371             "notNull": false
372         },
373         "senderInvoiceNo": {
374             "name": "senderInvoiceNo",
375             "type": "varchar(64)",
376             "primaryKey": false,
377             "notNull": false
378         },
379         "qpayInvoiceId": {
380             "name": "qpayInvoiceId",
381             "type": "text",
382             "primaryKey": false,
383             "notNull": false
384         },
385         "event": {
386             "name": "event",
387             "type": "varchar(32)",
388             "primaryKey": false,
389             "notNull": true
390         },
391         "source": {
392             "name": "source",
393             "type": "varchar(16)",
394             "primaryKey": false,
395             "notNull": true
396         },
397         "amount": {
398             "name": "amount",
399             "type": "integer",
400             "primaryKey": false,
401             "notNull": false
402         },
403         "currency": {
404             "name": "currency",
405             "type": "varchar(8)",
406             "primaryKey": false,
407             "notNull": false
408         },
409         "ip": {
410             "name": "ip",
411             "type": "varchar(64)",
412             "primaryKey": false,
413             "notNull": false
414         },
415         "message": {
416             "name": "message",
417             "type": "text",
418             "primaryKey": false,

```



```

419         "notNull": false
420     },
421     "raw": {
422         "name": "raw",
423         "type": "json",
424         "primaryKey": false,
425         "notNull": false
426     }
427 },
428 "indexes": {
429     "PaymentTransactionLog_senderInvoiceNo_idx": {
430         "name": "PaymentTransactionLog_senderInvoiceNo_idx",
431         "columns": [
432             {
433                 "expression": "senderInvoiceNo",
434                 "isExpression": false,
435                 "asc": true,
436                 "nulls": "last"
437             }
438         ],
439         "isUnique": false,
440         "concurrently": false,
441         "method": "btree",
442         "with": {}
443     },
444     "PaymentTransactionLog_createdAt_idx": {
445         "name": "PaymentTransactionLog_createdAt_idx",
446         "columns": [
447             {
448                 "expression": "createdAt",
449                 "isExpression": false,
450                 "asc": true,
451                 "nulls": "last"
452             }
453         ],
454         "isUnique": false,
455         "concurrently": false,
456         "method": "btree",
457         "with": {}
458     }
459 },
460 "foreignKeys": {},
461 "compositePrimaryKeys": {},
462 "uniqueConstraints": {}
463 },
464 "public.Stream": {
465     "name": "Stream",
466     "schema": "",
467     "columns": {
468         "id": {
469             "name": "id",
470             "type": "uuid",
471             "primaryKey": false,
472             "notNull": true,
473             "default": "gen_random_uuid()"
474         },
475         "chatId": {
476             "name": "chatId",
477             "type": "uuid",
478             "primaryKey": false,
479             "notNull": true
480         },
481         "createdAt": {
482             "name": "createdAt",
483             "type": "timestamp",
484             "primaryKey": false,
485             "notNull": true
486         }
487     },

```

```

488     "indexes": {},
489     "foreignKeys": {
490       "Stream_chatId_Chat_id_fk": {
491         "name": "Stream_chatId_Chat_id_fk",
492         "tableFrom": "Stream",
493         "tableTo": "Chat",
494         "columnsFrom": [
495           "chatId"
496         ],
497         "columnsTo": [
498           "id"
499         ],
500         "onDelete": "no action",
501         "onUpdate": "no action"
502       }
503     },
504     "compositePrimaryKeys": {
505       "Stream_id_pk": {
506         "name": "Stream_id_pk",
507         "columns": [
508           "id"
509         ]
510       }
511     },
512     "uniqueConstraints": {}
513   },
514   "public.SubscriptionPayment": {
515     "name": "SubscriptionPayment",
516     "schema": "",
517     "columns": {
518       "id": {
519         "name": "id",
520         "type": "uuid",
521         "primaryKey": true,
522         "notNull": true,
523         "default": "gen_random_uuid()"
524       },
525       "userId": {
526         "name": "userId",
527         "type": "uuid",
528         "primaryKey": false,
529         "notNull": true
530       },
531       "qpayInvoiceId": {
532         "name": "qpayInvoiceId",
533         "type": "text",
534         "primaryKey": false,
535         "notNull": false
536       },
537       "senderInvoiceNo": {
538         "name": "senderInvoiceNo",
539         "type": "varchar(64)",
540         "primaryKey": false,
541         "notNull": true
542       },
543       "amount": {
544         "name": "amount",
545         "type": "integer",
546         "primaryKey": false,
547         "notNull": true
548       },
549       "currency": {
550         "name": "currency",
551         "type": "varchar(8)",
552         "primaryKey": false,
553         "notNull": true,
554         "default": "'MNT'"
555       },
556       "status": {

```

```

557     "name": "status",
558     "type": "varchar",
559     "primaryKey": false,
560     "notNull": true,
561     "default": "'pending'"
562   },
563   "createdAt": {
564     "name": "createdAt",
565     "type": "timestamp with time zone",
566     "primaryKey": false,
567     "notNull": true,
568     "default": "now()"
569   },
570   "paidAt": {
571     "name": "paidAt",
572     "type": "timestamp with time zone",
573     "primaryKey": false,
574     "notNull": false
575   }
576 },
577 "indexes": {},
578 "foreignKeys": {
579   "SubscriptionPayment_userId_User_id_fk": {
580     "name": "SubscriptionPayment_userId_User_id_fk",
581     "tableFrom": "SubscriptionPayment",
582     "tableTo": "User",
583     "columnsFrom": [
584       "userId"
585     ],
586     "columnsTo": [
587       "id"
588     ],
589     "onDelete": "no action",
590     "onUpdate": "no action"
591   }
592 },
593 "compositePrimaryKeys": {},
594 "uniqueConstraints": {
595   "SubscriptionPayment_senderInvoiceNo_unique": {
596     "name": "SubscriptionPayment_senderInvoiceNo_unique",
597     "nullsNotDistinct": false,
598     "columns": [
599       "senderInvoiceNo"
600     ]
601   }
602 },
603 },
604 "public.Suggestion": {
605   "name": "Suggestion",
606   "schema": "",
607   "columns": {
608     "id": {
609       "name": "id",
610       "type": "uuid",
611       "primaryKey": false,
612       "notNull": true,
613       "default": "gen_random_uuid()"
614     },
615     "documentId": {
616       "name": "documentId",
617       "type": "uuid",
618       "primaryKey": false,
619       "notNull": true
620     },
621     "documentCreatedAt": {
622       "name": "documentCreatedAt",
623       "type": "timestamp",
624       "primaryKey": false,
625       "notNull": true

```

```

626 },
627 "originalText": {
628   "name": "originalText",
629   "type": "text",
630   "primaryKey": false,
631   "notNull": true
632 },
633 "suggestedText": {
634   "name": "suggestedText",
635   "type": "text",
636   "primaryKey": false,
637   "notNull": true
638 },
639 "description": {
640   "name": "description",
641   "type": "text",
642   "primaryKey": false,
643   "notNull": false
644 },
645 "isResolved": {
646   "name": "isResolved",
647   "type": "boolean",
648   "primaryKey": false,
649   "notNull": true,
650   "default": false
651 },
652 "userId": {
653   "name": "userId",
654   "type": "uuid",
655   "primaryKey": false,
656   "notNull": true
657 },
658 "createdAt": {
659   "name": "createdAt",
660   "type": "timestamp",
661   "primaryKey": false,
662   "notNull": true
663 }
664 },
665 "indexes": {},
666 "foreignKeys": {
667   "Suggestion_userId_User_id_fk": {
668     "name": "Suggestion_userId_User_id_fk",
669     "tableFrom": "Suggestion",
670     "tableTo": "User",
671     "columnsFrom": [
672       "userId"
673     ],
674     "columnsTo": [
675       "id"
676     ],
677     "onDelete": "no action",
678     "onUpdate": "no action"
679   },
680   "Suggestion_documentId_documentCreatedAt_Document_id_createdAt_fk": {
681     "name": "Suggestion_documentId_documentCreatedAt_Document_id_createdAt_fk",
682     "tableFrom": "Suggestion",
683     "tableTo": "Document",
684     "columnsFrom": [
685       "documentId",
686       "documentCreatedAt"
687     ],
688     "columnsTo": [
689       "id",
690       "createdAt"
691     ],
692     "onDelete": "no action",
693     "onUpdate": "no action"
694   }

```

```

695     },
696     "compositePrimaryKeys": {
697       "Suggestion_id_pk": {
698         "name": "Suggestion_id_pk",
699         "columns": [
700           "id"
701         ]
702       }
703     },
704     "uniqueConstraints": {}
705   },
706   "public.therapy_conversation": {
707     "name": "therapy_conversation",
708     "schema": "",
709     "columns": {
710       "id": {
711         "name": "id",
712         "type": "uuid",
713         "primaryKey": true,
714         "notNull": true,
715         "default": "gen_random_uuid()"
716       },
717       "appointment_id": {
718         "name": "appointment_id",
719         "type": "text",
720         "primaryKey": false,
721         "notNull": false
722       },
723       "client_email": {
724         "name": "client_email",
725         "type": "varchar(64)",
726         "primaryKey": false,
727         "notNull": true
728       },
729       "psychologist_email": {
730         "name": "psychologist_email",
731         "type": "varchar(64)",
732         "primaryKey": false,
733         "notNull": true
734       },
735       "status": {
736         "name": "status",
737         "type": "varchar",
738         "primaryKey": false,
739         "notNull": true,
740         "default": "'open'"
741       },
742       "last_message_at": {
743         "name": "last_message_at",
744         "type": "timestamp with time zone",
745         "primaryKey": false,
746         "notNull": false
747       },
748       "created_at": {
749         "name": "created_at",
750         "type": "timestamp with time zone",
751         "primaryKey": false,
752         "notNull": true,
753         "default": "now()"
754       }
755     },
756     "indexes": {
757       "therapy_conversation_appointment_unique": {
758         "name": "therapy_conversation_appointment_unique",
759         "columns": [
760           {
761             "expression": "appointment_id",
762             "isExpression": false,
763             "asc": true,

```

```

764         "nulls": "last"
765     }
766 },
767 "isUnique": true,
768 "concurrently": false,
769 "method": "btree",
770 "with": {}
771 }
772 },
773 "foreignKeys": {},
774 "compositePrimaryKeys": {},
775 "uniqueConstraints": {}
776 },
777 "public.therapy_message": {
778   "name": "therapy_message",
779   "schema": "",
780   "columns": {
781     "id": {
782       "name": "id",
783       "type": "uuid",
784       "primaryKey": true,
785       "notNull": true,
786       "default": "gen_random_uuid()"
787     },
788     "conversation_id": {
789       "name": "conversation_id",
790       "type": "uuid",
791       "primaryKey": false,
792       "notNull": true
793     },
794     "sender_email": {
795       "name": "sender_email",
796       "type": "varchar(64)",
797       "primaryKey": false,
798       "notNull": true
799     },
800     "sender_role": {
801       "name": "sender_role",
802       "type": "varchar",
803       "primaryKey": false,
804       "notNull": true
805     },
806     "body": {
807       "name": "body",
808       "type": "text",
809       "primaryKey": false,
810       "notNull": true
811     },
812     "read_at": {
813       "name": "read_at",
814       "type": "timestamp with time zone",
815       "primaryKey": false,
816       "notNull": false
817     },
818     "created_at": {
819       "name": "created_at",
820       "type": "timestamp with time zone",
821       "primaryKey": false,
822       "notNull": true,
823       "default": "now()"
824     }
825   },
826   "indexes": {
827     "therapy_message_conversation_idx": {
828       "name": "therapy_message_conversation_idx",
829       "columns": [
830         {
831           "expression": "conversation_id",
832           "isExpression": false,

```

```

833         "asc": true,
834         "nulls": "last"
835     },
836     {
837         "expression": "created_at",
838         "isExpression": false,
839         "asc": true,
840         "nulls": "last"
841     }
842 ],
843 "isUnique": false,
844 "concurrently": false,
845 "method": "btree",
846 "with": {}
847 },
848 },
849 "foreignKeys": {
850     "therapy_message_conversation_id_therapy_conversation_id_fk": {
851         "name": "therapy_message_conversation_id_therapy_conversation_id_fk",
852         "tableFrom": "therapy_message",
853         "tableTo": "therapy_conversation",
854         "columnsFrom": [
855             "conversation_id"
856         ],
857         "columnsTo": [
858             "id"
859         ],
860         "onDelete": "no action",
861         "onUpdate": "no action"
862     }
863 },
864 "compositePrimaryKeys": {},
865 "uniqueConstraints": {}
866 },
867 "public.User": {
868     "name": "User",
869     "schema": "",
870     "columns": {
871         "id": {
872             "name": "id",
873             "type": "uuid",
874             "primaryKey": true,
875             "notNull": true,
876             "default": "gen_random_uuid()"
877         },
878         "email": {
879             "name": "email",
880             "type": "varchar(64)",
881             "primaryKey": false,
882             "notNull": true
883         },
884         "password": {
885             "name": "password",
886             "type": "varchar(64)",
887             "primaryKey": false,
888             "notNull": false
889         },
890         "name": {
891             "name": "name",
892             "type": "varchar(64)",
893             "primaryKey": false,
894             "notNull": false
895         },
896         "role": {
897             "name": "role",
898             "type": "varchar(20)",
899             "primaryKey": false,
900             "notNull": true,
901             "default": "'PATIENT'"

```

```

902     },
903     "emailVerifiedAt": {
904       "name": "emailVerifiedAt",
905       "type": "timestamp with time zone",
906       "primaryKey": false,
907       "notNull": false
908     },
909     "trialStartedAt": {
910       "name": "trialStartedAt",
911       "type": "timestamp with time zone",
912       "primaryKey": false,
913       "notNull": true,
914       "default": "now()"
915     },
916     "subscriptionStatus": {
917       "name": "subscriptionStatus",
918       "type": "varchar",
919       "primaryKey": false,
920       "notNull": true,
921       "default": "'trialing'"
922     },
923     "currentPeriodEnd": {
924       "name": "currentPeriodEnd",
925       "type": "timestamp with time zone",
926       "primaryKey": false,
927       "notNull": false
928     }
929   },
930   "indexes": {},
931   "foreignKeys": {},
932   "compositePrimaryKeys": {},
933   "uniqueConstraints": {}
934 },
935 "public.Vote_v2": {
936   "name": "Vote_v2",
937   "schema": "",
938   "columns": {
939     "chatId": {
940       "name": "chatId",
941       "type": "uuid",
942       "primaryKey": false,
943       "notNull": true
944     },
945     "messageId": {
946       "name": "messageId",
947       "type": "uuid",
948       "primaryKey": false,
949       "notNull": true
950     },
951     "isUpvoted": {
952       "name": "isUpvoted",
953       "type": "boolean",
954       "primaryKey": false,
955       "notNull": true
956     }
957   },
958   "indexes": {},
959   "foreignKeys": {
960     "Vote_v2_chatId_Chat_id_fk": {
961       "name": "Vote_v2_chatId_Chat_id_fk",
962       "tableFrom": "Vote_v2",
963       "tableTo": "Chat",
964       "columnsFrom": [
965         "chatId"
966       ],
967       "columnsTo": [
968         "id"
969       ],
970       "onDelete": "no action",

```



```

971         "onUpdate": "no action"
972     },
973     "Vote_v2_messageId_Message_v2_id_fk": {
974         "name": "Vote_v2_messageId_Message_v2_id_fk",
975         "tableFrom": "Vote_v2",
976         "tableTo": "Message_v2",
977         "columnsFrom": [
978             "messageId"
979         ],
980         "columnsTo": [
981             "id"
982         ],
983         "onDelete": "no action",
984         "onUpdate": "no action"
985     }
986 },
987 "compositePrimaryKeys": {
988     "Vote_v2_chatId_messageId_pk": {
989         "name": "Vote_v2_chatId_messageId_pk",
990         "columns": [
991             "chatId",
992             "messageId"
993         ]
994     }
995 },
996 "uniqueConstraints": {}
997 },
998 "public.Vote": {
999     "name": "Vote",
1000     "schema": "",
1001     "columns": {
1002         "chatId": {
1003             "name": "chatId",
1004             "type": "uuid",
1005             "primaryKey": false,
1006             "notNull": true
1007         },
1008         "messageId": {
1009             "name": "messageId",
1010             "type": "uuid",
1011             "primaryKey": false,
1012             "notNull": true
1013         },
1014         "isUpvoted": {
1015             "name": "isUpvoted",
1016             "type": "boolean",
1017             "primaryKey": false,
1018             "notNull": true
1019         }
1020     },
1021     "indexes": {},
1022     "foreignKeys": {
1023         "Vote_chatId_Chat_id_fk": {
1024             "name": "Vote_chatId_Chat_id_fk",
1025             "tableFrom": "Vote",
1026             "tableTo": "Chat",
1027             "columnsFrom": [
1028                 "chatId"
1029             ],
1030             "columnsTo": [
1031                 "id"
1032             ],
1033             "onDelete": "no action",
1034             "onUpdate": "no action"
1035         },
1036         "Vote_messageId_Message_id_fk": {
1037             "name": "Vote_messageId_Message_id_fk",
1038             "tableFrom": "Vote",
1039             "tableTo": "Message",

```

```

1040         "columnsFrom": [
1041             "messageId"
1042         ],
1043         "columnsTo": [
1044             "id"
1045         ],
1046         "onDelete": "no action",
1047         "onUpdate": "no action"
1048     }
1049 },
1050     "compositePrimaryKeys": {
1051         "Vote_chatId_messageId_pk": {
1052             "name": "Vote_chatId_messageId_pk",
1053             "columns": [
1054                 "chatId",
1055                 "messageId"
1056             ]
1057         }
1058     },
1059     "uniqueConstraints": {}
1060 },
1061     "public.WhoAmIProgramRun": {
1062         "name": "WhoAmIProgramRun",
1063         "schema": "",
1064         "columns": {
1065             "id": {
1066                 "name": "id",
1067                 "type": "uuid",
1068                 "primaryKey": true,
1069                 "notNull": true,
1070                 "default": "gen_random_uuid()"
1071             },
1072             "userId": {
1073                 "name": "userId",
1074                 "type": "uuid",
1075                 "primaryKey": false,
1076                 "notNull": true
1077             },
1078             "screen": {
1079                 "name": "screen",
1080                 "type": "varchar(32)",
1081                 "primaryKey": false,
1082                 "notNull": true,
1083                 "default": "'area'"
1084             },
1085             "areaIdx": {
1086                 "name": "areaIdx",
1087                 "type": "integer",
1088                 "primaryKey": false,
1089                 "notNull": true,
1090                 "default": 0
1091             },
1092             "pct": {
1093                 "name": "pct",
1094                 "type": "json",
1095                 "primaryKey": false,
1096                 "notNull": true
1097             },
1098             "notes": {
1099                 "name": "notes",
1100                 "type": "json",
1101                 "primaryKey": false,
1102                 "notNull": true
1103             },
1104             "answers": {
1105                 "name": "answers",
1106                 "type": "json",
1107                 "primaryKey": false,
1108                 "notNull": true

```

```

1109     },
1110     "scores": {
1111       "name": "scores",
1112       "type": "json",
1113       "primaryKey": false,
1114       "notNull": true
1115     },
1116     "finalNote": {
1117       "name": "finalNote",
1118       "type": "text",
1119       "primaryKey": false,
1120       "notNull": true,
1121       "default": ""
1122     },
1123     "completedAt": {
1124       "name": "completedAt",
1125       "type": "timestamp with time zone",
1126       "primaryKey": false,
1127       "notNull": false
1128     },
1129     "createdAt": {
1130       "name": "createdAt",
1131       "type": "timestamp with time zone",
1132       "primaryKey": false,
1133       "notNull": true,
1134       "default": "now()"
1135     },
1136     "updatedAt": {
1137       "name": "updatedAt",
1138       "type": "timestamp with time zone",
1139       "primaryKey": false,
1140       "notNull": true,
1141       "default": "now()"
1142     }
1143   },
1144   "indexes": {
1145     "WhoAmIProgramRun_user_completed_updated_idx": {
1146       "name": "WhoAmIProgramRun_user_completed_updated_idx",
1147       "columns": [
1148         {
1149           "expression": "userId",
1150           "isExpression": false,
1151           "asc": true,
1152           "nulls": "last"
1153         },
1154         {
1155           "expression": "completedAt",
1156           "isExpression": false,
1157           "asc": true,
1158           "nulls": "last"
1159         },
1160         {
1161           "expression": "updatedAt",
1162           "isExpression": false,
1163           "asc": true,
1164           "nulls": "last"
1165         }
1166       ],
1167       "isUnique": false,
1168       "concurrently": false,
1169       "method": "btree",
1170       "with": {}
1171     }
1172   },
1173   "foreignKeys": {
1174     "WhoAmIProgramRun_userId_User_id_fk": {
1175       "name": "WhoAmIProgramRun_userId_User_id_fk",
1176       "tableFrom": "WhoAmIProgramRun",
1177       "tableTo": "User",

```

```

1178     "columnsFrom": [
1179       "userId"
1180     ],
1181     "columnsTo": [
1182       "id"
1183     ],
1184     "onDelete": "no action",
1185     "onUpdate": "no action"
1186   }
1187 },
1188 "compositePrimaryKeys": {},
1189 "uniqueConstraints": {}
1190 }
1191 },
1192 "enums": {},
1193 "schemas": {},
1194 "sequences": {},
1195 "_meta": {
1196   "columns": {},
1197   "schemas": {},
1198   "tables": {}
1199 }
1200 }

```

406. lib/db/migrations/meta/_journal.json

```

1  {
2    "version": "7",
3    "dialect": "postgresql",
4    "entries": [
5      {
6        "idx": 0,
7        "version": "7",
8        "when": 1728598022383,
9        "tag": "0000_keen_devos",
10       "breakpoints": true
11     },
12     {
13       "idx": 1,
14       "version": "7",
15       "when": 1730207363999,
16       "tag": "0001_sparkling_blue_marvel",
17       "breakpoints": true
18     },
19     {
20       "idx": 2,
21       "version": "7",
22       "when": 1730725226313,
23       "tag": "0002_wandering_riptide",
24       "breakpoints": true
25     },
26     {
27       "idx": 3,
28       "version": "7",
29       "when": 1733403031014,
30       "tag": "0003_cloudy_glorian",
31       "breakpoints": true
32     },
33     {
34       "idx": 4,
35       "version": "7",
36       "when": 1733945232355,
37       "tag": "0004_odd_slayback",
38       "breakpoints": true
39     },
40     {
41       "idx": 5,

```

```

42     "version": "7",
43     "when": 1741934630596,
44     "tag": "0005_wooden_whistler",
45     "breakpoints": true
46 },
47 {
48     "idx": 6,
49     "version": "7",
50     "when": 1746118166211,
51     "tag": "0006_marvelous_frog_thor",
52     "breakpoints": true
53 },
54 {
55     "idx": 7,
56     "version": "7",
57     "when": 1757362773211,
58     "tag": "0007_flowery_ben_parker",
59     "breakpoints": true
60 },
61 {
62     "idx": 8,
63     "version": "7",
64     "when": 1782317031209,
65     "tag": "0008_thankful_mephistopheles",
66     "breakpoints": true
67 },
68 {
69     "idx": 9,
70     "version": "7",
71     "when": 1782401682679,
72     "tag": "0009_subscription_billing",
73     "breakpoints": true
74 },
75 {
76     "idx": 10,
77     "version": "7",
78     "when": 1782923514194,
79     "tag": "0010_shared_auth",
80     "breakpoints": true
81 },
82 {
83     "idx": 11,
84     "version": "7",
85     "when": 1782954064745,
86     "tag": "0011_payment_transaction_log",
87     "breakpoints": true
88 },
89 {
90     "idx": 12,
91     "version": "7",
92     "when": 1782993903710,
93     "tag": "0012_chat_message_indexes",
94     "breakpoints": true
95 },
96 {
97     "idx": 13,
98     "version": "7",
99     "when": 1784474445165,
100    "tag": "0013_bouncy_typhoid_mary",
101    "breakpoints": true
102 },
103 {
104     "idx": 14,
105     "version": "7",
106     "when": 1784474563582,
107     "tag": "0014_stale_shooting_star",
108     "breakpoints": true
109 }
110 ]

```

```
111 }
```

407. lib/db/pgClient.ts

```
1  /**
2   * Supabase-compatible thin wrapper over postgres.js for local PostgreSQL.
3   * Replaces @supabase/supabase-js on the server side.
4   * Client-side components must use fetch() to API routes instead.
5   */
6  import postgres from "postgres";
7
8  let _sql: ReturnType<typeof postgres> | null = null;
9
10 export function getSql(): ReturnType<typeof postgres> | null {
11   if (_sql) return _sql;
12   const url = process.env.POSTGRES_URL;
13   if (!url) return null;
14   _sql = postgres(url, {
15     ssl: false,
16     max: 10,
17     idle_timeout: 20,
18     connect_timeout: 10,
19   });
20   return _sql;
21 }
22
23 type PgError = { message: string; code?: string; details?: string; hint?: string };
24 type OkResult<T> = { data: T; error: null };
25 type ErrResult = { data: null; error: PgError };
26 type QueryResult<T> = OkResult<T> | ErrResult;
27
28 // Safe SQL identifier - only [a-zA-Z0-9_] allowed
29 function ident(name: string): string {
30   const clean = name.replace(/[^a-zA-Z0-9_]/g, "");
31   if (!clean) throw new Error(`Invalid SQL identifier: "${name}"`);
32   return `"${clean}"`;
33 }
34
35 function buildSelectCols(cols: string): string {
36   if (!cols || cols === "") return "";
37   return cols
38     .split(",")
39     .map((c) => ident(c.trim()))
40     .join(", ");
41 }
42
43 function buildSet(
44   data: Record<string, any>,
45   startIdx: number
46 ): { clause: string; values: any[] } {
47   const entries = Object.entries(data);
48   const clause = entries.map(([col], i) => `${ident(col)} = ${ident(startIdx + i)}`).join(", ");
49   return { clause, values: entries.map(([_, v]) => v) };
50 }
51
52 class Builder<T = Record<string, any>> {
53   private _table: string;
54   private _selectCols = "";
55   private _returningCols = "";
56   private _wheres: [string, string, any][] = [];
57   private _orders: [string, boolean][] = [];
58   private _lim: number | null = null;
59   private _op: "select" | "insert" | "upsert" | "update" | "delete" = "select";
60   private _payload: any = null;
61   private _conflictCols: string | null = null;
62
63   constructor(table: string) {
```

```

64     this._table = table;
65   }
66
67   select(cols: string) {
68     if (this._op === "select") this._selectCols = cols;
69     else this._returningCols = cols;
70     return this;
71   }
72
73   eq(col: string, val: any) {
74     this._wheres.push([col, "=", val]);
75     return this;
76   }
77
78   gte(col: string, val: any) {
79     this._wheres.push([col, ">=", val]);
80     return this;
81   }
82
83   lte(col: string, val: any) {
84     this._wheres.push([col, "<=", val]);
85     return this;
86   }
87
88   order(col: string, opts?: { ascending?: boolean }) {
89     this._orders.push([col, opts?.ascending ?? true]);
90     return this;
91   }
92
93   limit(n: number) {
94     this._lim = n;
95     return this;
96   }
97
98   insert(data: any) {
99     this._op = "insert";
100    this._payload = data;
101    return this;
102  }
103
104  upsert(data: any, opts?: { onConflict?: string }) {
105    this._op = "upsert";
106    this._payload = data;
107    this._conflictCols = opts?.onConflict ?? null;
108    return this;
109  }
110
111  update(data: any) {
112    this._op = "update";
113    this._payload = data;
114    return this;
115  }
116
117  delete() {
118    this._op = "delete";
119    return this;
120  }
121
122  private buildWhere(startIdx = 1): { clause: string; values: any[] } {
123    if (!this._wheres.length) return { clause: "", values: [] };
124    const clause =
125      "WHERE " +
126      this._wheres
127        .map(([col, op], i) => `${ident(col)} ${op} ${startIdx + i}`)
128        .join(" AND ");
129    return { clause, values: this._wheres.map(([_, v]) => v) };
130  }
131
132  private async _run(): Promise<T[]> {

```

```

133 const sql = getSql();
134 if (!sql) throw new Error("POSTGRES_URL not configured");
135
136 const tbl = ident(this._table);
137
138 if (this._op === "select") {
139   const cols = buildSelectCols(this._selectCols);
140   const { clause: where, values } = this.buildWhere();
141   let q = `SELECT ${cols} FROM ${tbl} ${where}`;
142   if (this._orders.length) {
143     q +=
144       " ORDER BY " +
145       this._orders
146         .map(([c, asc]) => `${ident(c)} ${asc ? "ASC" : "DESC"}`)
147         .join(", ");
148   }
149   if (this._lim !== null) q += ` LIMIT ${this._lim}`;
150   return (await sql.unsafe(q, values)) as T[];
151 }
152
153 if (this._op === "delete") {
154   const { clause: where, values } = this.buildWhere();
155   await sql.unsafe(`DELETE FROM ${tbl} ${where}`, values);
156   return [];
157 }
158
159 if (this._op === "update") {
160   const data = this._payload as Record<string, any>;
161   const { clause: where, values: whereVals } = this.buildWhere(
162     Object.keys(data).length + 1
163   );
164   const { clause: setClause, values: setVals } = buildSet(data, 1);
165   const ret = buildSelectCols(this._returningCols);
166   const q = `UPDATE ${tbl} SET ${setClause} ${where} RETURNING ${ret}`;
167   return (await sql.unsafe(q, [...setVals, ...whereVals])) as T[];
168 }
169
170 if (this._op === "insert") {
171   const rows: Record<string, any>[] = Array.isArray(this._payload)
172     ? this._payload
173     : [this._payload];
174   if (!rows.length) return [];
175
176   const keys = Object.keys(rows[0]);
177   const cols = keys.map(ident).join(", ");
178   const allValues: any[] = [];
179   const rowPlaceholders = rows.map((row, ri) => {
180     const base = ri * keys.length;
181     keys.forEach((k) => allValues.push(row[k] ?? null));
182     return `(${keys.map((_, ki) => `${base + ki + 1}`).join(", ")})`;
183   });
184   const ret = buildSelectCols(this._returningCols);
185   const q = `INSERT INTO ${tbl} (${cols}) VALUES ${rowPlaceholders.join(", ")} RETURNING ${ret}`;
186   return (await sql.unsafe(q, allValues)) as T[];
187 }
188
189 if (this._op === "upsert") {
190   const data = this._payload as Record<string, any>;
191   const keys = Object.keys(data);
192   const cols = keys.map(ident).join(", ");
193   const placeholders = keys.map((_, i) => `${i + 1}`).join(", ");
194   const values = keys.map((k) => data[k] ?? null);
195   const ret = buildSelectCols(this._returningCols);
196
197   let q = `INSERT INTO ${tbl} (${cols}) VALUES (${placeholders})`;
198   if (this._conflictCols) {
199     const conflictIdents = this._conflictCols
200       .split(",")
201       .map((c) => ident(c.trim()))

```



```

202     .join(", ");
203     const updateSet = keys.map((k) => `${ident(k)} = EXCLUDED.${ident(k)}`).join(", ");
204     q += ` ON CONFLICT (${conflictIdents}) DO UPDATE SET ${updateSet}`;
205   } else {
206     q += " ON CONFLICT DO NOTHING";
207   }
208   q += ` RETURNING ${ret}`;
209   return (await sql.unsafe(q, values)) as T[];
210 }
211
212 return [];
213 }
214
215 async maybeSingle(): Promise<QueryResult<T | null>> {
216   try {
217     this._lim = 1;
218     const rows = await this._run();
219     return { data: (rows[0] ?? null) as T | null, error: null };
220   } catch (e: any) {
221     return { data: null, error: { message: e.message } };
222   }
223 }
224
225 async single(): Promise<QueryResult<T>> {
226   try {
227     this._lim = 1;
228     const rows = await this._run();
229     if (!rows.length) {
230       return { data: null, error: { message: "Row not found", code: "PGRST116" } };
231     }
232     return { data: rows[0] as T, error: null };
233   } catch (e: any) {
234     return { data: null, error: { message: e.message } };
235   }
236 }
237
238 // Awaitable as array result: const {data, error} = await supabase.from(...).select(...)...
239 then<R1, R2 = never>(
240   onFulfilled: (v: QueryResult<T[]>) => R1 | PromiseLike<R1>,
241   onRejected?: (r: any) => R2 | PromiseLike<R2>
242 ): Promise<R1 | R2> {
243   const p: Promise<QueryResult<T[]>> = (async () => {
244     try {
245       const rows = await this._run();
246       return { data: rows, error: null };
247     } catch (e: any) {
248       return { data: null, error: { message: e.message } };
249     }
250   })();
251   return p.then(onFulfilled, onRejected);
252 }
253 }
254
255 // Postgres-backed storage (replaces Supabase Storage).
256 //
257 // NOTE: this used to write to the local filesystem (public/uploads/<bucket>/<path>),
258 // which breaks the moment there's more than one app instance/replica behind a load
259 // balancer — an upload lands on disk of whichever instance handled the POST, but the
260 // following GET for that file can be routed to a different instance that never wrote
261 // it, producing an immediate 404. Storing bytes in the shared Postgres database keeps
262 // every instance consistent without requiring new infra (S3/Vercel Blob/etc).
263 let blobTableReady: Promise<void> | null = null;
264 function ensureBlobTable(sql: ReturnType<typeof postgres>): Promise<void> {
265   if (!blobTableReady) {
266     blobTableReady = sql`
267       CREATE TABLE IF NOT EXISTS blob_storage (
268         bucket text NOT NULL,
269         path text NOT NULL,
270         content_type text,

```

```

271     data bytea NOT NULL,
272     created_at timestamptz NOT NULL DEFAULT now(),
273     PRIMARY KEY (bucket, path)
274 )
275 `.then(() => undefined);
276 }
277 return _blobTableReady;
278 }
279
280 class StorageBucket {
281     private bucket: string;
282     constructor(bucket: string) {
283         this.bucket = bucket;
284     }
285
286     async upload(
287         filePath: string,
288         file: Blob,
289         opts?: { contentType?: string; upsert?: boolean }
290     ) {
291         try {
292             const sql = getSql();
293             if (!sql) throw new Error("POSTGRES_URL not configured");
294             await ensureBlobTable(sql);
295
296             const buf = Buffer.from(await file.arrayBuffer());
297             const contentType = opts?.contentType ?? "application/octet-stream";
298
299             if (opts?.upsert === false) {
300                 await sql`
301                     INSERT INTO blob_storage (bucket, path, content_type, data)
302                     VALUES (${this.bucket}, ${filePath}, ${contentType}, ${buf})
303                 `;
304             } else {
305                 await sql`
306                     INSERT INTO blob_storage (bucket, path, content_type, data)
307                     VALUES (${this.bucket}, ${filePath}, ${contentType}, ${buf})
308                     ON CONFLICT (bucket, path) DO UPDATE
309                     SET content_type = EXCLUDED.content_type,
310                         data = EXCLUDED.data,
311                         created_at = now()
312                 `;
313             }
314             return { error: null };
315         } catch (e: any) {
316             return { error: { message: e.message } };
317         }
318     }
319
320     getPublicUrl(filePath: string) {
321         return {
322             data: {
323                 publicUrl: `/api/uploads/${this.bucket}/${filePath}`,
324             },
325         };
326     }
327 }
328
329 export function createPgAdmin() {
330     return {
331         from<T = Record<string, any>>(table: string) {
332             return new Builder<T>(table);
333         },
334         storage: {
335             from(bucket: string) {
336                 return new StorageBucket(bucket);
337             },
338         },
339     };

```

```

340 }
341
342 let _admin: ReturnType<typeof createPgAdmin> | null = null;
343
344 /** Server-side singleton - replaces supabaseAdmin() / getSupabaseAdmin() */
345 export function getPgAdmin() {
346   if (!_admin) _admin = createPgAdmin();
347   return _admin;
348 }

```

408. lib/db/queries.ts

```

1  import "server-only";
2
3  import crypto from "crypto";
4  import {
5    and,
6    asc,
7    count,
8    desc,
9    eq,
10   gt,
11   gte,
12   inArray,
13   isNull,
14   isNotNull,
15   lt,
16   type SQL,
17 } from "drizzle-orm";
18 import { drizzle } from "drizzle-orm/postgres-js";
19 import postgres from "postgres";
20
21 import type { ArtifactKind } from "@components/artifact";
22 import type { VisibilityType } from "@components/visibility-selector";
23 import { ChatSDKError } from "../errors";
24 import { generateUUID } from "../utils";
25
26 import {
27   type Chat,
28   chat,
29   type DBMessage,
30   document,
31   emailVerificationToken, // □ schema.ts дээр байх ёстой
32   message,
33   paymentTransactionLog,
34   type Suggestion,
35   stream,
36   subscriptionPayment,
37   suggestion,
38   type User,
39   user,
40   vote,
41   whoAmIProgramRun,
42 } from "../schema";
43 import { extendPeriodEnd } from "../subscription/access";
44 import { generateHashedPassword } from "../utils";
45
46 // biome-ignore lint: Forbidden non-null assertion.
47 const client = postgres(process.env.POSTGRES_URL!, {
48   ssl: false,
49   max: 10,
50   idle_timeout: 20,
51   connect_timeout: 10,
52   // Supabase transaction pooler (port 6543) prepared statement-ийг найдвартай дэмждэггүй
53   prepare: false,
54 });
55

```

```

56 const db = drizzle(client);
57
58 export type WhoAmIProgramPayload = {
59   screen: string;
60   areaIdx: number;
61   pct: Record<string, number>;
62   notes: Record<string, string>;
63   answers: Record<string, string>;
64   scores: Record<string, number>;
65   finalNote: string;
66 };
67
68 export async function getWhoAmIProgramRuns(userId: string) {
69   const [draftRows, resultRows] = await Promise.all([
70     db
71       .select()
72       .from(whoAmIProgramRun)
73       .where(
74         and(
75           eq(whoAmIProgramRun.userId, userId),
76           isNull(whoAmIProgramRun.completedAt)
77         )
78       )
79       .orderBy(desc(whoAmIProgramRun.updatedAt))
80       .limit(1),
81     db
82       .select()
83       .from(whoAmIProgramRun)
84       .where(
85         and(
86           eq(whoAmIProgramRun.userId, userId),
87           isNotNull(whoAmIProgramRun.completedAt)
88         )
89       )
90       .orderBy(desc(whoAmIProgramRun.completedAt))
91       .limit(30),
92   ]);
93
94   return {
95     draft: draftRows[0] ?? null,
96     results: resultRows,
97   };
98 }
99 export async function saveWhoAmIProgramDraft({
100   id,
101   payload,
102   userId,
103 }: {
104   id?: string;
105   payload: WhoAmIProgramPayload;
106   userId: string;
107 }) {
108   const now = new Date();
109
110   if (id) {
111     const [updated] = await db
112       .update(whoAmIProgramRun)
113       .set({ ...payload, updatedAt: now })
114       .where(
115         and(
116           eq(whoAmIProgramRun.id, id),
117           eq(whoAmIProgramRun.userId, userId),
118           isNull(whoAmIProgramRun.completedAt)
119         )
120       )
121       .returning();
122     if (updated) return updated;
123   }
124 }

```

```

125   const [existingDraft] = await db
126     .select({ id: whoAmIProgramRun.id })
127     .from(whoAmIProgramRun)
128     .where(
129       and(
130         eq(whoAmIProgramRun.userId, userId),
131         isNull(whoAmIProgramRun.completedAt)
132       )
133     )
134     .orderBy(desc(whoAmIProgramRun.updatedAt))
135     .limit(1);
136
137   if (existingDraft) {
138     const [updated] = await db
139       .update(whoAmIProgramRun)
140       .set({ ...payload, updatedAt: now })
141       .where(
142         and(
143           eq(whoAmIProgramRun.id, existingDraft.id),
144           eq(whoAmIProgramRun.userId, userId),
145           isNull(whoAmIProgramRun.completedAt)
146         )
147       )
148       .returning();
149     if (updated) return updated;
150   }
151
152   const [created] = await db
153     .insert(whoAmIProgramRun)
154     .values({ ...payload, userId, updatedAt: now })
155     .returning();
156   return created;
157 }
158
159 export async function completeWhoAmIProgramRun({
160   id,
161   payload,
162   userId,
163 }): {
164   id?: string;
165   payload: WhoAmIProgramPayload;
166   userId: string;
167 } {
168   const now = new Date();
169
170   if (id) {
171     const [updated] = await db
172       .update(whoAmIProgramRun)
173       .set({ ...payload, completedAt: now, updatedAt: now })
174       .where(
175         and(eq(whoAmIProgramRun.id, id), eq(whoAmIProgramRun.userId, userId))
176       )
177       .returning();
178     if (updated) return updated;
179   }
180
181   const [created] = await db
182     .insert(whoAmIProgramRun)
183     .values({ ...payload, userId, completedAt: now, updatedAt: now })
184     .returning();
185   return created;
186 }
187
188
189 /* ----- helpers ----- */
190 function sha256(input: string) {
191   return crypto.createHash("sha256").update(input).digest("hex");
192 }
193

```

```

194 /* ----- users ----- */
195 export async function getUser(email: string): Promise<User[]> {
196   try {
197     return await db.select().from(user).where(eq(user.email, email));
198   } catch {
199     throw new ChatSDKError("bad_request:database", "Failed to get user by email");
200   }
201 }
202
203 export async function createUser(email: string, password: string) {
204   const hashedPassword = generateHashedPassword(password);
205
206   try {
207     return await db.insert(user).values({ email, password: hashedPassword });
208   } catch {
209     throw new ChatSDKError("bad_request:database", "Failed to create user");
210   }
211 }
212
213 export async function createGuestUser() {
214   const email = `guest-${Date.now()}`;
215   const password = generateHashedPassword(generateUUID());
216
217   try {
218     return await db.insert(user).values({ email, password }).returning({
219       id: user.id,
220       email: user.email,
221     });
222   } catch {
223     throw new ChatSDKError("bad_request:database", "Failed to create guest user");
224   }
225 }
226
227 export async function getUserIdByEmail(email: string): Promise<string | null> {
228   try {
229     const [row] = await db
230       .select({ id: user.id })
231       .from(user)
232       .where(eq(user.email, email))
233       .limit(1);
234
235     return row?.id ?? null;
236   } catch {
237     throw new ChatSDKError("bad_request:database", "Failed to get user id by email");
238   }
239 }
240
241 export async function ensureUserIdByEmail(email: string): Promise<string> {
242   const existingId = await getUserIdByEmail(email);
243   if (existingId) return existingId;
244
245   try {
246     const password = generateHashedPassword(generateUUID());
247
248     const [created] = await db
249       .insert(user)
250       .values({ email, password })
251       .returning({ id: user.id });
252
253     if (!created?.id) throw new Error("User insert failed");
254     return created.id;
255   } catch (e: any) {
256     // Concurrent request inserted the same email first. If a UNIQUE constraint
257     // exists on User.email (recommended - see BUG-AUDIT-2026-06.md) Postgres
258     // throws 23505; recover by re-reading the row the other request created
259     // instead of failing the whole request.
260     if (e?.code === "23505") {
261       const raced = await getUserIdByEmail(email);
262       if (raced) return raced;

```

```

263   }
264
265   console.error("DB ensureUserIdByEmail failed:", {
266     email,
267     message: e?.message,
268     code: e?.code,
269     detail: e?.detail,
270     hint: e?.hint,
271     constraint: e?.constraint,
272     stack: e?.stack,
273   });
274   throw new ChatSDKError("bad_request:database", "Failed to ensure user by email");
275 }
276 }
277 /* ----- email verification ----- */
278 export async function createEmailVerification(email: string) {
279   try {
280     const token = crypto.randomBytes(32).toString("hex");
281     const tokenHash = sha256(token);
282
283     await db.insert(emailVerificationToken).values({
284       email,
285       tokenHash,
286       createdAt: new Date(),
287       expiresAt: new Date(Date.now() + 1000 * 60 * 30), // 30 минут
288     });
289
290     return { token };
291   } catch {
292     throw new ChatSDKError(
293       "bad_request:database",
294       "Failed to create email verification token"
295     );
296   }
297 }
298
299 export async function verifyEmailByToken(token: string) {
300   try {
301     const tokenHash = sha256(token);
302
303     const [row] = await db
304       .select()
305       .from(emailVerificationToken)
306       .where(
307         and(
308           eq(emailVerificationToken.tokenHash, tokenHash),
309           gt(emailVerificationToken.expiresAt, new Date())
310         )
311       )
312       .limit(1);
313
314     if (!row) return { ok: false as const };
315
316     // □ user.emailVerifiedAt schema.ts дээр байх ёстой
317     await db
318       .update(user)
319       .set({ emailVerifiedAt: new Date() })
320       .where(eq(user.email, row.email));
321
322     await db
323       .delete(emailVerificationToken)
324       .where(eq(emailVerificationToken.id, row.id));
325
326     return { ok: true as const };
327   } catch {
328     throw new ChatSDKError("bad_request:database", "Failed to verify email by token");
329   }
330 }
331

```

```

332 /* ----- chats ----- */
333 export async function saveChat({
334   id,
335   userId,
336   title,
337   visibility,
338 }: {
339   id: string;
340   userId: string;
341   title: string;
342   visibility: VisibilityType;
343 }) {
344   try {
345     return await db.insert(chat).values({
346       id,
347       createdAt: new Date(),
348       userId,
349       title,
350       visibility,
351     });
352   } catch {
353     throw new ChatSDKError("bad_request:database", "Failed to save chat");
354   }
355 }
356
357 export async function deleteChatById({ id }: { id: string }) {
358   try {
359     await db.delete(vote).where(eq(vote.chatId, id));
360     await db.delete(message).where(eq(message.chatId, id));
361     await db.delete(stream).where(eq(stream.chatId, id));
362
363     const [chatsDeleted] = await db.delete(chat).where(eq(chat.id, id)).returning();
364     return chatsDeleted;
365   } catch {
366     throw new ChatSDKError("bad_request:database", "Failed to delete chat by id");
367   }
368 }
369
370 // □ Энэ нь build error дээр чинь 1:1 шаардлагатай байсан
371 export async function deleteAllChatsByUserId({ userId }: { userId: string }) {
372   try {
373     const userChats = await db
374       .select({ id: chat.id })
375       .from(chat)
376       .where(eq(chat.userId, userId));
377
378     if (userChats.length === 0) return { deletedCount: 0 };
379
380     const chatIds = userChats.map((c) => c.id);
381
382     await db.delete(vote).where(inArray(vote.chatId, chatIds));
383     await db.delete(message).where(inArray(message.chatId, chatIds));
384     await db.delete(stream).where(inArray(stream.chatId, chatIds));
385
386     const deletedChats = await db
387       .delete(chat)
388       .where(eq(chat.userId, userId))
389       .returning();
390
391     return { deletedCount: deletedChats.length };
392   } catch {
393     throw new ChatSDKError("bad_request:database", "Failed to delete all chats by user id");
394   }
395 }
396
397 export async function getChatsByUserId({
398   id,
399   limit,
400   startingAfter,

```



```

401   endingBefore,
402 }: {
403   id: string;
404   limit: number;
405   startingAfter: string | null;
406   endingBefore: string | null;
407 }) {
408   try {
409     const extendedLimit = limit + 1;
410
411     const query = (whereCondition?: SQL<any>) =>
412       db
413         .select()
414         .from(chat)
415         .where(
416           whereCondition
417             ? and(whereCondition, eq(chat.userId, id))
418             : eq(chat.userId, id)
419         )
420         .orderBy(desc(chat.createdAt))
421         .limit(extendedLimit);
422
423     let filteredChats: Chat[] = [];
424
425     if (startingAfter) {
426       const [selectedChat] = await db
427         .select()
428         .from(chat)
429         .where(eq(chat.id, startingAfter))
430         .limit(1);
431
432       if (!selectedChat) {
433         throw new ChatSDKError("not_found:database", `Chat with id ${startingAfter} not found`);
434       }
435
436       filteredChats = await query(gt(chat.createdAt, selectedChat.createdAt));
437     } else if (endingBefore) {
438       const [selectedChat] = await db
439         .select()
440         .from(chat)
441         .where(eq(chat.id, endingBefore))
442         .limit(1);
443
444       if (!selectedChat) {
445         throw new ChatSDKError("not_found:database", `Chat with id ${endingBefore} not found`);
446       }
447
448       filteredChats = await query(lt(chat.createdAt, selectedChat.createdAt));
449     } else {
450       filteredChats = await query();
451     }
452
453     const hasMore = filteredChats.length > limit;
454
455     return {
456       chats: hasMore ? filteredChats.slice(0, limit) : filteredChats,
457       hasMore,
458     };
459   } catch {
460     throw new ChatSDKError("bad_request:database", "Failed to get chats by user id");
461   }
462 }
463
464 export async function getChatById({ id }: { id: string }) {
465   try {
466     const [selectedChat] = await db.select().from(chat).where(eq(chat.id, id));
467     return selectedChat ?? null;
468   } catch {
469     throw new ChatSDKError("bad_request:database", "Failed to get chat by id");
470   }
471 }

```

```

470   }
471 }
472
473 /* ----- messages ----- */
474 export async function saveMessages({ messages }: { messages: DBMessage[] }) {
475   try {
476     return await db.insert(message).values(messages);
477   } catch (e: any) {
478     console.error("DB saveMessages failed:", {
479       message: e?.message,
480       code: e?.code,
481       detail: e?.detail,
482       hint: e?.hint,
483       constraint: e?.constraint,
484       stack: e?.stack,
485     });
486     throw new ChatSDKError("bad_request:database", "Failed to save messages");
487   }
488 }
489
490
491 export async function updateMessage({
492   id,
493   parts,
494 }: {
495   id: string;
496   parts: DBMessage["parts"];
497 }) {
498   try {
499     return await db.update(message).set({ parts }).where(eq(message.id, id));
500   } catch {
501     throw new ChatSDKError("bad_request:database", "Failed to update message");
502   }
503 }
504
505 export async function getMessagesByChatId({ id }: { id: string }) {
506   try {
507     return await db
508       .select()
509       .from(message)
510       .where(eq(message.chatId, id))
511       .orderBy(asc(message.createdAt));
512   } catch {
513     throw new ChatSDKError("bad_request:database", "Failed to get messages by chat id");
514   }
515 }
516
517 // □ Build error дээр чинь "getMessageById doesn't exist" гэж байсан
518 export async function getMessageById({ id }: { id: string }) {
519   try {
520     const [row] = await db.select().from(message).where(eq(message.id, id)).limit(1);
521     return row ?? null;
522   } catch {
523     throw new ChatSDKError("bad_request:database", "Failed to get message by id");
524   }
525 }
526
527 // □ Build error дээр чинь "deleteMessagesByChatIdAfterTimestamp doesn't exist" гэж байсан
528 export async function deleteMessagesByChatIdAfterTimestamp({
529   chatId,
530   timestamp,
531 }: {
532   chatId: string;
533   timestamp: Date;
534 }) {
535   try {
536     const messagesToDelete = await db
537       .select({ id: message.id })
538       .from(message)

```

```

539     .where(and(eq(message.chatId, chatId), gte(message.createdAt, timestamp)));
540
541     const messageIds = messagesToDelete.map((m) => m.id);
542
543     if (messageIds.length > 0) {
544         await db
545             .delete(vote)
546             .where(and(eq(vote.chatId, chatId), inArray(vote.messageId, messageIds)));
547
548         return await db
549             .delete(message)
550             .where(and(eq(message.chatId, chatId), inArray(message.id, messageIds)));
551     }
552
553     return;
554 } catch {
555     throw new ChatSDKError(
556         "bad_request:database",
557         "Failed to delete messages by chat id after timestamp"
558     );
559 }
560 }
561
562 export async function voteMessage({
563     chatId,
564     messageId,
565     type,
566 }): {
567     chatId: string;
568     messageId: string;
569     type: "up" | "down";
570 } {
571     try {
572         const [existingVote] = await db
573             .select()
574             .from(vote)
575             .where(and(eq(vote.chatId, chatId), eq(vote.messageId, messageId)));
576
577         if (existingVote) {
578             return await db
579                 .update(vote)
580                 .set({ isUpvoted: type === "up" })
581                 .where(and(eq(vote.messageId, messageId), eq(vote.chatId, chatId)));
582         }
583
584         return await db.insert(vote).values({
585             chatId,
586             messageId,
587             isUpvoted: type === "up",
588         });
589     } catch {
590         throw new ChatSDKError("bad_request:database", "Failed to vote message");
591     }
592 }
593
594 export async function getVotesByChatId({ id }: { id: string }) {
595     try {
596         return await db.select().from(vote).where(eq(vote.chatId, id));
597     } catch {
598         throw new ChatSDKError("bad_request:database", "Failed to get votes by chat id");
599     }
600 }
601
602 /* ----- documents ----- */
603 export async function saveDocument({
604     id,
605     title,
606     kind,
607     content,

```

```

608   userId,
609   }: {
610     id: string;
611     title: string;
612     kind: ArtifactKind;
613     content: string;
614     userId: string;
615   }) {
616     try {
617       return await db
618         .insert(document)
619         .values({
620           id,
621           title,
622           kind,
623           content,
624           userId,
625           createdAt: new Date(),
626         })
627         .returning();
628     } catch {
629       throw new ChatSDKError("bad_request:database", "Failed to save document");
630     }
631   }
632
633   export async function getDocumentsById({ id }: { id: string }) {
634     try {
635       return await db
636         .select()
637         .from(document)
638         .where(eq(document.id, id))
639         .orderBy(asc(document.createdAt));
640     } catch {
641       throw new ChatSDKError("bad_request:database", "Failed to get documents by id");
642     }
643   }
644
645   export async function getDocumentById({ id }: { id: string }) {
646     try {
647       const [selectedDocument] = await db
648         .select()
649         .from(document)
650         .where(eq(document.id, id))
651         .orderBy(desc(document.createdAt))
652         .limit(1);
653
654       return selectedDocument ?? null;
655     } catch {
656       throw new ChatSDKError("bad_request:database", "Failed to get document by id");
657     }
658   }
659
660   // □ Build error дээр чинь "deleteDocumentsByIdAfterTimestamp doesn't exist" гэж байсан
661   export async function deleteDocumentsByIdAfterTimestamp({
662     id,
663     timestamp,
664   }: {
665     id: string;
666     timestamp: Date;
667   }) {
668     try {
669       await db
670         .delete(suggestion)
671         .where(
672           and(eq(suggestion.documentId, id), gt(suggestion.documentCreatedAt, timestamp))
673         );
674
675       return await db
676         .delete(document)

```

```

677     .where(and(eq(document.id, id), gt(document.createdAt, timestamp)))
678     .returning();
679   } catch {
680     throw new ChatSDKError(
681       "bad_request:database",
682       "Failed to delete documents by id after timestamp"
683     );
684   }
685 }
686
687 export async function saveSuggestions({ suggestions }: { suggestions: Suggestion[] }) {
688   try {
689     return await db.insert(suggestion).values(suggestions);
690   } catch {
691     throw new ChatSDKError("bad_request:database", "Failed to save suggestions");
692   }
693 }
694
695 export async function getSuggestionsByDocumentId({ documentId }: { documentId: string }) {
696   try {
697     return await db.select().from(suggestion).where(eq(suggestion.documentId, documentId));
698   } catch {
699     throw new ChatSDKError("bad_request:database", "Failed to get suggestions by document id");
700   }
701 }
702
703 /* ----- chat updates ----- */
704 export async function updateChatVisibilityById({
705   chatId,
706   visibility,
707 }: {
708   chatId: string;
709   visibility: "private" | "public";
710 }) {
711   try {
712     return await db.update(chat).set({ visibility }).where(eq(chat.id, chatId));
713   } catch {
714     throw new ChatSDKError("bad_request:database", "Failed to update chat visibility by id");
715   }
716 }
717
718 export async function updateChatTitleById({
719   chatId,
720   title,
721 }: {
722   chatId: string;
723   title: string;
724 }) {
725   try {
726     return await db.update(chat).set({ title }).where(eq(chat.id, chatId));
727   } catch (error) {
728     console.warn("Failed to update title for chat", chatId, error);
729     return;
730   }
731 }
732
733 /* ----- rate limits ----- */
734 export async function getMessageCountByUserId({
735   id,
736   differenceInHours,
737 }: {
738   id: string;
739   differenceInHours: number;
740 }) {
741   try {
742     const from = new Date(Date.now() - differenceInHours * 60 * 60 * 1000);
743
744     const [stats] = await db
745       .select({ count: count(message.id) })

```

```

746     .from(message)
747     .innerJoin(chat, eq(message.chatId, chat.id))
748     .where(and(eq(chat.userId, id), gte(message.createdAt, from), eq(message.role, "user")))
749     .execute();
750
751     return stats?.count ?? 0;
752   } catch {
753     throw new ChatSDKError("bad_request:database", "Failed to get message count by user id");
754   }
755 }
756
757 /* ----- streams ----- */
758 export async function createStreamId({
759   streamId,
760   chatId,
761 }: {
762   streamId: string;
763   chatId: string;
764 }) {
765   try {
766     await db.insert(stream).values({ id: streamId, chatId, createdAt: new Date() });
767   } catch (error) {
768     // Surface the real DB error - "Failed to create stream id" alone is undebuggable.
769     const { logger, serializeError } = await import("@lib/logger");
770     await logger.error("create_stream_id_failed", {
771       chatId,
772       error: serializeError(error),
773     });
774     throw new ChatSDKError("bad_request:database", "Failed to create stream id");
775   }
776 }
777
778 export async function getStreamIdsByChatId({ chatId }: { chatId: string }) {
779   try {
780     const streamIds = await db
781       .select({ id: stream.id })
782       .from(stream)
783       .where(eq(stream.chatId, chatId))
784       .orderBy(asc(stream.createdAt))
785       .execute();
786
787     return streamIds.map(({ id }) => id);
788   } catch {
789     throw new ChatSDKError("bad_request:database", "Failed to get stream ids by chat id");
790   }
791 }
792
793 /* ----- subscription / free trial ----- */
794
795 /** Read the subscription-relevant fields of a user. */
796 export async function getUserSubscription(userId: string) {
797   try {
798     const [row] = await db
799       .select({
800         trialStartedAt: user.trialStartedAt,
801         subscriptionStatus: user.subscriptionStatus,
802         currentPeriodEnd: user.currentPeriodEnd,
803       })
804       .from(user)
805       .where(eq(user.id, userId))
806       .limit(1);
807
808     return row ?? null;
809   } catch {
810     throw new ChatSDKError(
811       "bad_request:database",
812       "Failed to get user subscription"
813     );
814   }

```

```

815 }
816
817 /** Persist a freshly-created QPay invoice as a pending payment row. */
818 export async function createPaymentInvoice({
819   userId,
820   senderInvoiceNo,
821   qpayInvoiceId,
822   amount,
823   currency,
824 }: {
825   userId: string;
826   senderInvoiceNo: string;
827   qpayInvoiceId: string;
828   amount: number;
829   currency: string;
830 }) {
831   try {
832     const [row] = await db
833       .insert(subscriptionPayment)
834       .values({ userId, senderInvoiceNo, qpayInvoiceId, amount, currency })
835       .returning();
836     return row;
837   } catch {
838     throw new ChatSDKError(
839       "bad_request:database",
840       "Failed to create payment invoice"
841     );
842   }
843 }
844
845 export async function getPaymentBySenderInvoiceNo(senderInvoiceNo: string) {
846   try {
847     const [row] = await db
848       .select()
849       .from(subscriptionPayment)
850       .where(eq(subscriptionPayment.senderInvoiceNo, senderInvoiceNo))
851       .limit(1);
852     return row ?? null;
853   } catch {
854     throw new ChatSDKError("bad_request:database", "Failed to get payment");
855   }
856 }
857
858 /**
859  * Mark a pending payment as paid and extend the user's subscription by one
860  * period. Idempotent: a payment already in "paid" state is a no-op, so QPay
861  * delivering the callback twice (or callback + polling racing) is safe.
862  *
863  * Returns the new currentPeriodEnd, or null if the payment was not found.
864  */
865 export async function markPaymentPaidAndExtend(
866   senderInvoiceNo: string
867 ): Promise<Date | null> {
868   try {
869     return await db.transaction(async (tx) => {
870       const [payment] = await tx
871         .select()
872         .from(subscriptionPayment)
873         .where(eq(subscriptionPayment.senderInvoiceNo, senderInvoiceNo))
874         .limit(1);
875
876       if (!payment) return null;
877
878       // Already processed – return the user's current end without re-extending.
879       if (payment.status === "paid") {
880         const [settledUser] = await tx
881           .select({ currentPeriodEnd: user.currentPeriodEnd })
882           .from(user)
883           .where(eq(user.id, payment.userId))

```

```

884     .limit(1);
885     return settledUser?.currentPeriodEnd ?? null;
886 }
887
888 const now = new Date();
889 // Claim this payment atomically. A provider callback and browser poll can
890 // arrive together; only the winner may extend the subscription period.
891 const [claimed] = await tx
892   .update(subscriptionPayment)
893   .set({ status: "paid", paidAt: now })
894   .where(
895     and(
896       eq(subscriptionPayment.id, payment.id),
897       eq(subscriptionPayment.status, "pending")
898     )
899   )
900   .returning({ id: subscriptionPayment.id });
901
902 if (!claimed) {
903   const [concurrentUser] = await tx
904     .select({ currentPeriodEnd: user.currentPeriodEnd })
905     .from(user)
906     .where(eq(user.id, payment.userId))
907     .limit(1);
908   return concurrentUser?.currentPeriodEnd ?? null;
909 }
910
911 const [u] = await tx
912   .select({ currentPeriodEnd: user.currentPeriodEnd })
913   .from(user)
914   .where(eq(user.id, payment.userId))
915   .limit(1);
916
917 const newEnd = extendPeriodEnd(u?.currentPeriodEnd ?? null, now);
918
919 await tx
920   .update(user)
921   .set({ currentPeriodEnd: newEnd, subscriptionStatus: "active" })
922   .where(eq(user.id, payment.userId));
923
924 return newEnd;
925 });
926 } catch {
927   throw new ChatSDKError(
928     "bad_request:database",
929     "Failed to mark payment paid"
930   );
931 }
932 }
933
934 export type PaymentLogEvent =
935   | "invoice_created"
936   | "callback_received"
937   | "verify_requested"
938   | "qpay_check"
939   | "payment_confirmed"
940   | "error";
941
942 export type PaymentLogSource = "invoice" | "callback" | "verify";
943
944 /**
945  * Append a row to the payment audit trail. Best-effort: an audit failure must
946  * never break the actual payment flow, so errors are logged and swallowed.
947  */
948 export async function logPaymentTransaction(entry: {
949   event: PaymentLogEvent;
950   source: PaymentLogSource;
951   userId?: string | null;
952   senderInvoiceNo?: string | null;

```



```

953   qpayInvoiceId?: string | null;
954   amount?: number | null;
955   currency?: string | null;
956   ip?: string | null;
957   message?: string | null;
958   raw?: unknown;
959 }): Promise<void> {
960   try {
961     await db.insert(paymentTransactionLog).values({
962       event: entry.event,
963       source: entry.source,
964       userId: entry.userId ?? null,
965       senderInvoiceNo: entry.senderInvoiceNo ?? null,
966       qpayInvoiceId: entry.qpayInvoiceId ?? null,
967       amount: entry.amount ?? null,
968       currency: entry.currency ?? null,
969       ip: entry.ip ?? null,
970       message: entry.message ?? null,
971       raw: entry.raw ?? null,
972     });
973   } catch (error) {
974     console.error("Failed to write payment transaction log:", error);
975   }
976 }

```

409. lib/db/schema.ts

```

1  import type { InferSelectModel } from "drizzle-orm";
2  import {
3    boolean,
4    foreignKey,
5    index,
6    integer,
7    json,
8    pgTable,
9    primaryKey,
10   text,
11   timestamp,
12   uniqueIndex,
13   uuid,
14   varchar,
15 } from "drizzle-orm/pg-core";
16
17 export const user = pgTable("User", {
18   id: uuid("id").primaryKey().notNull().defaultRandom(),
19   email: varchar("email", { length: 64 }).notNull(),
20   password: varchar("password", { length: 64 }),
21   name: varchar("name", { length: 64 }),
22   role: varchar("role", { length: 20 }).notNull().default("PATIENT"),
23
24   // □ NEW: email verification
25   emailVerifiedAt: timestamp("emailVerifiedAt", { withTimezone: true }),
26
27   // □ NEW: subscription / free trial
28   // When the 1-day free trial started (defaults to account creation time).
29   trialStartedAt: timestamp("trialStartedAt", { withTimezone: true })
30     .notNull()
31     .defaultNow(),
32   // Cached status label. Source-of-truth for *access* is the dates below
33   // (see lib/subscription/access.ts); this column is updated on payment.
34   subscriptionStatus: varchar("subscriptionStatus", {
35     enum: ["trialing", "active", "expired"],
36   })
37     .notNull()
38     .default("trialing"),
39   // End of the currently paid period. null = never paid.
40   currentPeriodEnd: timestamp("currentPeriodEnd", { withTimezone: true }),

```

```

41 });
42
43 export type User = InferSelectModel<typeof user>;
44
45 // □ NEW: one row per QPay invoice issued for a subscription month.
46 export const subscriptionPayment = pgTable("SubscriptionPayment", {
47   id: uuid("id").primaryKey().notNull().defaultRandom(),
48   userId: uuid("userId")
49     .notNull()
50     .references(() => user.id),
51   // QPay's invoice id (returned from POST /v2/invoice).
52   qpayInvoiceId: text("qpayInvoiceId"),
53   // Our own idempotency key sent to QPay as sender_invoice_no.
54   senderInvoiceNo: varchar("senderInvoiceNo", { length: 64 }).notNull().unique(),
55   amount: integer("amount").notNull(), // minor-unit-free MNT amount
56   currency: varchar("currency", { length: 8 }).notNull().default("MNT"),
57   status: varchar("status", {
58     enum: ["pending", "paid", "expired", "failed"],
59   })
60     .notNull()
61     .default("pending"),
62   createdAt: timestamp("createdAt", { withTimezone: true })
63     .notNull()
64     .defaultNow(),
65   paidAt: timestamp("paidAt", { withTimezone: true }),
66 });
67
68 export type SubscriptionPayment = InferSelectModel<typeof subscriptionPayment>;
69
70 // Append-only audit trail of every payment event (invoice created, QPay
71 // callback received, verify polled, QPay check result, payment confirmed,
72 // errors). One SubscriptionPayment row can have many log rows.
73 export const paymentTransactionLog = pgTable(
74   "PaymentTransactionLog",
75   {
76     id: uuid("id").primaryKey().notNull().defaultRandom(),
77     createdAt: timestamp("createdAt", { withTimezone: true })
78       .notNull()
79       .defaultNow(),
80     // Nullable: a callback can arrive for an invoice we can't resolve.
81     userId: uuid("userId"),
82     senderInvoiceNo: varchar("senderInvoiceNo", { length: 64 }),
83     qpayInvoiceId: text("qpayInvoiceId"),
84     // What happened, e.g. invoice_created / callback_received / verify_requested
85     // / qpay_check / payment_confirmed / error.
86     event: varchar("event", { length: 32 }).notNull(),
87     // Which code path produced it: invoice | callback | verify | activate.
88     source: varchar("source", { length: 16 }).notNull(),
89     amount: integer("amount"),
90     currency: varchar("currency", { length: 8 }),
91     ip: varchar("ip", { length: 64 }),
92     message: text("message"),
93     // Raw provider payload / request details for later debugging.
94     raw: json("raw"),
95   },
96   (table) => ({
97     senderInvoiceNoIdx: index("PaymentTransactionLog_senderInvoiceNo_idx").on(
98       table.senderInvoiceNo
99     ),
100     createdAtIdx: index("PaymentTransactionLog_createdAt_idx").on(
101       table.createdAt
102     ),
103   })
104 );
105
106 export type PaymentTransactionLog = InferSelectModel<
107   typeof paymentTransactionLog
108 >;
109

```

```

110 export const emailVerificationToken = pgTable("EmailVerificationToken", {
111   id: uuid("id").primaryKey().notNull().defaultRandom(),
112   email: varchar("email", { length: 64 }).notNull(),
113   tokenHash: varchar("tokenHash", { length: 64 }).notNull(), // sha256 hex = 64
114   createdAt: timestamp("createdAt", { withTimezone: true }).notNull(),
115   expiresAt: timestamp("expiresAt", { withTimezone: true }).notNull(),
116 });
117
118 export type EmailVerificationToken = InferSelectModel<
119   typeof emailVerificationToken
120 >;
121
122 export const chat = pgTable(
123   "Chat",
124   {
125     id: uuid("id").primaryKey().notNull().defaultRandom(),
126     createdAt: timestamp("createdAt").notNull(),
127     title: text("title").notNull(),
128     userId: uuid("userId")
129       .notNull()
130       .references(() => user.id),
131     visibility: varchar("visibility", { enum: ["public", "private"] })
132       .notNull()
133       .default("private"),
134   },
135   // Sidebar history: WHERE userId ORDER BY createdAt DESC - индексгүйгээр
136   // хэрэглэгч бүрийн түүх ачаалахад бүтэн скан хийдэг байсан.
137   (table) => ({
138     userIdCreatedAtIdx: index("Chat_userId_createdAt_idx").on(
139       table.userId,
140       table.createdAt
141     ),
142   })
143 );
144
145 export type Chat = InferSelectModel<typeof chat>;
146
147 // DEPRECATED
148 export const messageDeprecated = pgTable("Message", {
149   id: uuid("id").primaryKey().notNull().defaultRandom(),
150   chatId: uuid("chatId")
151     .notNull()
152     .references(() => chat.id),
153   role: varchar("role").notNull(),
154   content: json("content").notNull(),
155   createdAt: timestamp("createdAt").notNull(),
156 });
157
158 export type MessageDeprecated = InferSelectModel<typeof messageDeprecated>;
159
160 export const message = pgTable(
161   "Message_v2",
162   {
163     id: uuid("id").primaryKey().notNull().defaultRandom(),
164     chatId: uuid("chatId")
165       .notNull()
166       .references(() => chat.id),
167     role: varchar("role").notNull(),
168     parts: json("parts").notNull(),
169     attachments: json("attachments").notNull(),
170     createdAt: timestamp("createdAt").notNull(),
171   },
172   // Мессеж бүр ачаалахад WHERE chatId ORDER BY createdAt - Postgres FK-д
173   // индекс автоматаар үүсгэдэггүй тул урьд нь бүтэн скан хийдэг байсан.
174   // createdAt индекс нь rate-limit тооллого (24h user message count) дээр
175   // мөн тусална.
176   (table) => ({
177     chatIdCreatedAtIdx: index("Message_v2_chatId_createdAt_idx").on(
178       table.chatId,

```

```

179     table.createdAt
180   ),
181   createdAtIdx: index("Message_v2_createdAt_idx").on(table.createdAt),
182 })
183 );
184
185 export type DBMessage = InferSelectModel<typeof message>;
186
187 // DEPRECATED
188 export const voteDeprecated = pgTable(
189   "Vote",
190   {
191     chatId: uuid("chatId")
192       .notNull()
193       .references(() => chat.id),
194     messageId: uuid("messageId")
195       .notNull()
196       .references(() => messageDeprecated.id),
197     isUpvoted: boolean("isUpvoted").notNull(),
198   },
199   (table) => {
200     return {
201       pk: primaryKey({ columns: [table.chatId, table.messageId] }),
202     };
203   }
204 );
205
206 export type VoteDeprecated = InferSelectModel<typeof voteDeprecated>;
207
208 export const vote = pgTable(
209   "Vote_v2",
210   {
211     chatId: uuid("chatId")
212       .notNull()
213       .references(() => chat.id),
214     messageId: uuid("messageId")
215       .notNull()
216       .references(() => message.id),
217     isUpvoted: boolean("isUpvoted").notNull(),
218   },
219   (table) => {
220     return {
221       pk: primaryKey({ columns: [table.chatId, table.messageId] }),
222     };
223   }
224 );
225
226 export type Vote = InferSelectModel<typeof vote>;
227
228 export const document = pgTable(
229   "Document",
230   {
231     id: uuid("id").notNull().defaultRandom(),
232     createdAt: timestamp("createdAt").notNull(),
233     title: text("title").notNull(),
234     content: text("content"),
235     kind: varchar("text", { enum: ["text", "code", "image", "sheet"] })
236       .notNull()
237       .default("text"),
238     userId: uuid("userId")
239       .notNull()
240       .references(() => user.id),
241   },
242   (table) => {
243     return {
244       pk: primaryKey({ columns: [table.id, table.createdAt] }),
245     };
246   }
247 );

```

```

248
249 export type Document = InferSelectModel<typeof document>;
250
251 export const suggestion = pgTable(
252   "Suggestion",
253   {
254     id: uuid("id").notNull().defaultRandom(),
255     documentId: uuid("documentId").notNull(),
256     documentCreatedAt: timestamp("documentCreatedAt").notNull(),
257     originalText: text("originalText").notNull(),
258     suggestedText: text("suggestedText").notNull(),
259     description: text("description"),
260     isResolved: boolean("isResolved").notNull().default(false),
261     userId: uuid("userId")
262       .notNull()
263       .references(() => user.id,
264         createdAt: timestamp("createdAt").notNull(),
265       ),
266     (table) => ({
267       pk: primaryKey({ columns: [table.id] }),
268       documentRef: foreignKey({
269         columns: [table.documentId, table.documentCreatedAt],
270         foreignColumns: [document.id, document.createdAt],
271       }),
272     })
273   );
274
275 export type Suggestion = InferSelectModel<typeof suggestion>;
276
277 export const stream = pgTable(
278   "Stream",
279   {
280     id: uuid("id").notNull().defaultRandom(),
281     chatId: uuid("chatId").notNull(),
282     createdAt: timestamp("createdAt").notNull(),
283   },
284   (table) => ({
285     pk: primaryKey({ columns: [table.id] }),
286     chatRef: foreignKey({
287       columns: [table.chatId],
288       foreignColumns: [chat.id],
289     }),
290   })
291 );
292
293 export type Stream = InferSelectModel<typeof stream>;
294
295 /* -----
296  * Therapy: real-time text chat between a patient and a real psychologist.
297  * Booking/psychologist data lives in the web app's Prisma `scheduling` schema
298  * (same Postgres DB); we link participants by email and only store the chat
299  * itself here. See realtime-therapy-chat-decision memory.
300  * ----- */
301 export const therapyConversation = pgTable(
302   "therapy_conversation",
303   {
304     id: uuid("id").primaryKey().notNull().defaultRandom(),
305     // scheduling.appointment.id (text uuid) this thread belongs to. Nullable so
306     // a thread can exist without an appointment later if needed.
307     appointmentId: text("appointment_id"),
308     clientEmail: varchar("client_email", { length: 64 }).notNull(),
309     psychologistEmail: varchar("psychologist_email", { length: 64 }).notNull(),
310     status: varchar("status", { enum: ["open", "closed"] })
311       .notNull()
312       .default("open"),
313     lastMessageAt: timestamp("last_message_at", { withTimezone: true }),
314     createdAt: timestamp("created_at", { withTimezone: true })
315       .notNull()
316       .defaultNow(),

```

```

317 },
318 (table) => ({
319   // One conversation per appointment (NULLs are distinct, so appointment-less
320   // threads are unconstrained).
321   appointmentUnique: uniqueIndex(
322     "therapy_conversation_appointment_unique"
323   ).on(table.appointmentId),
324 })
325 );
326
327 export type TherapyConversation = InferSelectModel<typeof therapyConversation>;
328
329 export const therapyMessage = pgTable(
330   "therapy_message",
331   {
332     id: uuid("id").primaryKey().notNull().defaultRandom(),
333     conversationId: uuid("conversation_id")
334       .notNull()
335       .references(() => therapyConversation.id),
336     senderEmail: varchar("sender_email", { length: 64 }).notNull(),
337     senderRole: varchar("sender_role", { enum: ["client", "psychologist"] })
338       .notNull(),
339     body: text("body").notNull(),
340     readAt: timestamp("read_at", { withTimezone: true }),
341     createdAt: timestamp("created_at", { withTimezone: true })
342       .notNull()
343       .defaultNow(),
344   },
345   (table) => ({
346     conversationIdx: index("therapy_message_conversation_idx").on(
347       table.conversationId,
348       table.createdAt
349     ),
350   })
351 );
352
353 export type TherapyMessage = InferSelectModel<typeof therapyMessage>;
354
355 /**
356  * "Би хэн бэ?" хөтөлбөрийн явц болон дууссан үр дүн.
357  * Draft нь completedAt = null, дууссан үнэлгээ нь completedAt утгатай байна.
358  * Бүх мөрийг зөвхөн тухайн userId-ээр уншиж, өөрчилнө.
359  */
360 export const whoAmIProgramRun = pgTable(
361   "WhoAmIProgramRun",
362   {
363     id: uuid("id").primaryKey().notNull().defaultRandom(),
364     userId: uuid("userId")
365       .notNull()
366       .references(() => user.id),
367     screen: varchar("screen", { length: 32 }).notNull().default("area"),
368     areaIdx: integer("areaIdx").notNull().default(0),
369     pct: json("pct").notNull(),
370     notes: json("notes").notNull(),
371     answers: json("answers").notNull(),
372     scores: json("scores").notNull(),
373     finalNote: text("finalNote").notNull().default(""),
374     completedAt: timestamp("completedAt", { withTimezone: true }),
375     createdAt: timestamp("createdAt", { withTimezone: true })
376       .notNull()
377       .defaultNow(),
378     updatedAt: timestamp("updatedAt", { withTimezone: true })
379       .notNull()
380       .defaultNow(),
381   },
382   (table) => ({
383     userCompletedUpdatedIdx: index(
384       "WhoAmIProgramRun_user_completed_updated_idx"
385     ).on(table.userId, table.completedAt, table.updatedAt),

```

```

386   })
387 };
388
389 export type WhoAmIProgramRun = InferSelectModel<typeof whoAmIProgramRun>;

```

410. lib/db/therapy-channel.ts

```

1  /** Postgres NOTIFY/LISTEN channel name for a conversation (identifier-safe). */
2  export function conversationChannel(conversationId: string): string {
3    return `therapy_conv_${conversationId.replace(/[^a-zA-Z0-9]/g, "")}`;
4  }

```

411. lib/db/therapy.ts

```

1  /**
2   * Therapy chat helpers.
3   *
4   * Booking + psychologist data live in the web app's Prisma `scheduling` schema
5   * (same Postgres DB). Participants are linked across the two apps **by email**.
6   * Reads of `scheduling.*` use raw `getSql()` because the pgClient query builder
7   * cannot schema-qualify table names. Chat tables (`therapy_*`) live in `public`.
8   */
9  import { getSql } from "../pgClient";
10
11 export type SchedulingRole = "PATIENT" | "PSYCHOLOGIST";
12
13 export type SchedulingUser = {
14   id: string;
15   email: string;
16   name: string;
17   role: SchedulingRole;
18 };
19
20 /** Resolve the logged-in aichat user (by email) to their web booking account. */
21 export async function getSchedulingUserByEmail(
22   email: string
23 ): Promise<SchedulingUser | null> {
24   const sql = getSql();
25   if (!sql) {
26     return null;
27   }
28   const rows = await sql<SchedulingUser[]>`
29     SELECT id, email, name, role::text AS role
30     FROM scheduling."user"
31     WHERE lower(email) = lower(${email})
32     LIMIT 1
33   `;
34   return rows[0] ?? null;
35 }
36
37 export type StartableAppointment = {
38   appointmentId: string;
39   status: string;
40   sessionType: string;
41   date: string;
42   startTime: string;
43   endTime: string;
44   counterpartName: string;
45   counterpartEmail: string;
46 };
47
48 /**
49  * Confirmed ONLINE appointments the given booking user takes part in – from
50  * either side. `counterpart*` is the other participant (the one you'd chat with).
51  */

```

```

52 export async function getChatableAppointments(
53   me: SchedulingUser
54 ): Promise<StartableAppointment[]> {
55   const sql = getSql();
56   if (!sql) {
57     return [];
58   }
59   const isPsychologist = me.role === "PSYCHOLOGIST";
60   // The counterpart is the patient when I'm the psychologist, else the psychologist.
61   const rows = await sql<StartableAppointment[]>`
62     SELECT
63       a.id AS "appointmentId",
64       a.status::text AS status,
65       a.session_type::text AS "sessionType",
66       av.date::text AS date,
67       av.start_time::text AS "startTime",
68       av.end_time::text AS "endTime",
69       cp.name AS "counterpartName",
70       cp.email AS "counterpartEmail"
71     FROM scheduling.appointment a
72     JOIN scheduling.availability av ON av.id = a.availability_id
73     JOIN scheduling."user" cp
74       ON cp.id::uuid = ${isPsychologist ? sql`a.patient_id` : sql`a.psychologist_id`}
75     WHERE ${isPsychologist ? sql`a.psychologist_id` : sql`a.patient_id`} = ${me.id}::uuid
76       AND a.session_type = 'ONLINE'
77       AND a.status = 'CONFIRMED'
78     ORDER BY av.date DESC, av.start_time DESC
79   `;
80   return rows;
81 }
82
83 /** Load a single appointment with both participants' emails/ids (any schema). */
84 export type AppointmentParties = {
85   appointmentId: string;
86   status: string;
87   sessionType: string;
88   patientId: string;
89   patientEmail: string;
90   psychologistId: string;
91   psychologistEmail: string;
92 };
93
94 export async function getAppointmentParties(
95   appointmentId: string
96 ): Promise<AppointmentParties | null> {
97   const sql = getSql();
98   if (!sql) {
99     return null;
100   }
101   const rows = await sql<AppointmentParties[]>`
102     SELECT
103       a.id AS "appointmentId",
104       a.status::text AS status,
105       a.session_type::text AS "sessionType",
106       a.patient_id AS "patientId",
107       pat.email AS "patientEmail",
108       a.psychologist_id AS "psychologistId",
109       psy.email AS "psychologistEmail"
110     FROM scheduling.appointment a
111     JOIN scheduling."user" pat ON pat.id::uuid = a.patient_id
112     JOIN scheduling."user" psy ON psy.id::uuid = a.psychologist_id
113     WHERE a.id = ${appointmentId}
114     LIMIT 1
115   `;
116   return rows[0] ?? null;
117 }
118
119 export type ConversationRow = {
120   id: string;

```



```

121   appointmentId: string | null;
122   clientEmail: string;
123   psychologistEmail: string;
124   status: string;
125   lastMessageAt: string | null;
126   createdAt: string;
127 };
128
129 export type ConversationAccess = {
130   conversation: ConversationRow;
131   role: "client" | "psychologist";
132 };
133
134 /**
135  * Returns the conversation and the caller's role within it, or null if the
136  * email is not a participant. This is the IDOR guard used by every chat route.
137  */
138 export async function assertConversationAccess(
139   conversationId: string,
140   email: string
141 ): Promise<ConversationAccess | null> {
142   const sql = getSql();
143   if (!sql) {
144     return null;
145   }
146   const rows = await sql<ConversationRow[]>`
147     SELECT
148       id,
149       appointment_id AS "appointmentId",
150       client_email AS "clientEmail",
151       psychologist_email AS "psychologistEmail",
152       status,
153       last_message_at AS "lastMessageAt",
154       created_at AS "createdAt"
155     FROM therapy_conversation
156     WHERE id = ${conversationId}
157     LIMIT 1
158   `;
159   const conversation = rows[0];
160   if (!conversation) {
161     return null;
162   }
163   const lower = email.toLowerCase();
164   if (conversation.clientEmail.toLowerCase() === lower) {
165     return { conversation, role: "client" };
166   }
167   if (conversation.psychologistEmail.toLowerCase() === lower) {
168     return { conversation, role: "psychologist" };
169   }
170   return null;
171 }
172
173 export type ConversationListItem = ConversationRow & {
174   counterpartEmail: string;
175   unreadCount: number;
176   lastBody: string | null;
177   // Linked appointment context (null if the appointment was removed).
178   apptStatus: string | null;
179   apptDate: string | null;
180   apptStartTime: string | null;
181   // Whether the booked session's end time has already passed (null = no booking).
182   apptWindowEnded: boolean | null;
183 };
184
185 /** Conversations the given email participates in, newest activity first. */
186 export async function listConversationsForEmail(
187   email: string
188 ): Promise<ConversationListItem[]> {
189   const sql = getSql();

```

```

190   if (!sql) {
191     return [];
192   }
193   const lower = email.toLowerCase();
194   return await sql<ConversationListItem[]>`
195     SELECT
196       c.id,
197       c.appointment_id AS "appointmentId",
198       c.client_email AS "clientEmail",
199       c.psychologist_email AS "psychologistEmail",
200       c.status,
201       c.last_message_at AS "lastMessageAt",
202       c.created_at AS "createdAt",
203       CASE WHEN lower(c.client_email) = ${lower}
204         THEN c.psychologist_email ELSE c.client_email END AS "counterpartEmail",
205       (
206         SELECT count(*)::int FROM therapy_message m
207         WHERE m.conversation_id = c.id
208         AND lower(m.sender_email) <> ${lower}
209         AND m.read_at IS NULL
210       ) AS "unreadCount",
211       (
212         SELECT m.body FROM therapy_message m
213         WHERE m.conversation_id = c.id
214         ORDER BY m.created_at DESC LIMIT 1
215       ) AS "lastBody",
216       a.status::text AS "apptStatus",
217       av.date::text AS "apptDate",
218       av.start_time::text AS "apptStartTime",
219       CASE
220         WHEN av.id IS NULL THEN NULL
221         ELSE (now() > ((av.date + av.end_time) AT TIME ZONE 'UTC'))
222       END AS "apptWindowEnded"
223     FROM therapy_conversation c
224     LEFT JOIN scheduling.appointment a ON a.id = c.appointment_id
225     LEFT JOIN scheduling.availability av ON av.id = a.availability_id
226     WHERE lower(c.client_email) = ${lower}
227        OR lower(c.psychologist_email) = ${lower}
228     ORDER BY c.last_message_at DESC NULLS LAST, c.created_at DESC
229   `;
230 }
231
232 export type AppointmentSummary = {
233   status: string;
234   sessionType: string;
235   date: string;
236   startTime: string;
237   endTime: string;
238   // Session end as unix epoch *seconds*. The web app stores slot date/time as
239   // naive values and treats them as UTC when deciding `isPast` (see web
240   // dashboard query). We mirror that exact convention here so both apps agree
241   // on when a session is over.
242   endsAtEpoch: number;
243   // Server-evaluated: the booked session's end time has passed. Once true the
244   // chat is read-only regardless of the manual open/closed flag - this is what
245   // stops a client from chatting after the appointment hour ends.
246   windowEnded: boolean;
247 };
248
249 /** Date/time/status of a single appointment - used to tie a chat to its booking. */
250 export async function getAppointmentSummaryById(
251   appointmentId: string
252 ): Promise<AppointmentSummary | null> {
253   const sql = getSql();
254   if (!sql) {
255     return null;
256   }
257   const rows = await sql<AppointmentSummary[]>`
258     SELECT

```

```

259     a.status::text AS status,
260     a.session_type::text AS "sessionType",
261     av.date::text AS date,
262     av.start_time::text AS "startTime",
263     av.end_time::text AS "endTime",
264     extract(epoch from ((av.date + av.end_time) AT TIME ZONE 'UTC')) AS "endsAtEpoch",
265     (now() > ((av.date + av.end_time) AT TIME ZONE 'UTC')) AS "windowEnded"
266 FROM scheduling.appointment a
267 JOIN scheduling.availability av ON av.id = a.availability_id
268 WHERE a.id = ${appointmentId}
269 LIMIT 1
270 `;
271 return rows[0] ?? null;
272 }

```

412. lib/db/utls.ts

```

1 import { generateId } from "ai";
2 import { genSaltSync, hashSync } from "bcrypt-ts";
3
4 export function generateHashedPassword(password: string) {
5   const salt = genSaltSync(10);
6   const hash = hashSync(password, salt);
7
8   return hash;
9 }
10
11 export function generateDummyPassword() {
12   const password = generateId();
13   const hashedPassword = generateHashedPassword(password);
14
15   return hashedPassword;
16 }

```

413. lib/editor/config.ts

```

1 import { textblockTypeInputRule } from "prosemirror-inputrules";
2 import { Schema } from "prosemirror-model";
3 import { schema } from "prosemirror-schema-basic";
4 import { addListNodes } from "prosemirror-schema-list";
5 import type { Transaction } from "prosemirror-state";
6 import type { EditorView } from "prosemirror-view";
7 import type { MutableRefObject } from "react";
8
9 import { buildContentFromDocument } from "../functions";
10
11 export const documentSchema = new Schema({
12   nodes: addListNodes(schema.spec.nodes, "paragraph block*", "block"),
13   marks: schema.spec.marks,
14 });
15
16 export function headingRule(level: number) {
17   return textblockTypeInputRule(
18     new RegExp(`^#{1,${level}}\\s$`),
19     documentSchema.nodes.heading,
20     () => ({ level })
21   );
22 }
23
24 export const handleTransaction = ({
25   transaction,
26   editorRef,
27   onSaveContent,
28 }): {
29   transaction: Transaction;

```

```

30 editorRef: MutableRefObject<EditorView | null>;
31 onSaveContent: (updatedContent: string, debounce: boolean) => void;
32 }) => {
33   if (!editorRef || !editorRef.current) {
34     return;
35   }
36
37   const newState = editorRef.current.state.apply(transaction);
38   editorRef.current.updateState(newState);
39
40   if (transaction.docChanged && !transaction.getMeta("no-save")) {
41     const updatedContent = buildContentFromDocument(newState.doc);
42
43     if (transaction.getMeta("no-debounce")) {
44       onSaveContent(updatedContent, false);
45     } else {
46       onSaveContent(updatedContent, true);
47     }
48   }
49 };

```

414. lib/editor/diff.js

```

1  // Modified from https://github.com/hamflx/prosemirror-diff/blob/master/src/diff.js
2
3  import { diff_match_patch } from "diff-match-patch";
4  import { Fragment, Node } from "prosemirror-model";
5
6  export const DiffType = {
7    Unchanged: 0,
8    Deleted: -1,
9    Inserted: 1,
10 };
11
12 export const patchDocumentNode = (schema, oldNode, newNode) => {
13   assertNodeTypeEqual(oldNode, newNode);
14
15   const finalLeftChildren = [];
16   const finalRightChildren = [];
17
18   const oldChildren = normalizeNodeContent(oldNode);
19   const newChildren = normalizeNodeContent(newNode);
20   const oldChildLen = oldChildren.length;
21   const newChildLen = newChildren.length;
22   const minChildLen = Math.min(oldChildLen, newChildLen);
23
24   let left = 0;
25   let right = 0;
26
27   for (; left < minChildLen; left++) {
28     const oldChild = oldChildren[left];
29     const newChild = newChildren[left];
30     if (!isNodeEqual(oldChild, newChild)) {
31       break;
32     }
33     finalLeftChildren.push(...ensureArray(oldChild));
34   }
35
36   for (; right + left + 1 < minChildLen; right++) {
37     const oldChild = oldChildren[oldChildLen - right - 1];
38     const newChild = newChildren[newChildLen - right - 1];
39     if (!isNodeEqual(oldChild, newChild)) {
40       break;
41     }
42     finalRightChildren.unshift(...ensureArray(oldChild));
43   }
44

```

```

45  const diffOldChildren = oldChildren.slice(left, oldChildLen - right);
46  const diffNewChildren = newChildren.slice(left, newChildLen - right);
47
48  if (diffOldChildren.length && diffNewChildren.length) {
49    const matchedNodes = matchNodes(
50      schema,
51      diffOldChildren,
52      diffNewChildren
53    ).sort((a, b) => b.count - a.count);
54    const bestMatch = matchedNodes[0];
55    if (bestMatch) {
56      const { oldStartIndex, newStartIndex, oldEndIndex, newEndIndex } =
57        bestMatch;
58      const oldBeforeMatchChildren = diffOldChildren.slice(0, oldStartIndex);
59      const newBeforeMatchChildren = diffNewChildren.slice(0, newStartIndex);
60
61      finalLeftChildren.push(
62        ...patchRemainNodes(
63          schema,
64          oldBeforeMatchChildren,
65          newBeforeMatchChildren
66        )
67      );
68      finalLeftChildren.push(
69        ...diffOldChildren.slice(oldStartIndex, oldEndIndex)
70      );
71
72      const oldAfterMatchChildren = diffOldChildren.slice(oldEndIndex);
73      const newAfterMatchChildren = diffNewChildren.slice(newEndIndex);
74
75      finalRightChildren.unshift(
76        ...patchRemainNodes(
77          schema,
78          oldAfterMatchChildren,
79          newAfterMatchChildren
80        )
81      );
82    } else {
83      finalLeftChildren.push(
84        ...patchRemainNodes(schema, diffOldChildren, diffNewChildren)
85      );
86    }
87  } else {
88    finalLeftChildren.push(
89      ...patchRemainNodes(schema, diffOldChildren, diffNewChildren)
90    );
91  }
92
93  return createNewNode(oldNode, [...finalLeftChildren, ...finalRightChildren]);
94 };
95
96 const matchNodes = (_schema, oldChildren, newChildren) => {
97   const matches = [];
98   for (
99     let oldStartIndex = 0;
100     oldStartIndex < oldChildren.length;
101     oldStartIndex++
102   ) {
103     const oldStartNode = oldChildren[oldStartIndex];
104     const newStartIndex = findMatchNode(newChildren, oldStartNode);
105
106     if (newStartIndex !== -1) {
107       let oldEndIndex = oldStartIndex + 1;
108       let newEndIndex = newStartIndex + 1;
109       for (
110         ;
111         oldEndIndex < oldChildren.length && newEndIndex < newChildren.length;
112         oldEndIndex++, newEndIndex++
113       ) {

```

```

114     const oldEndNode = oldChildren[oldEndIndex];
115     if (!isNodeEqual(newChildren[newEndIndex], oldEndNode)) {
116         break;
117     }
118 }
119 matches.push({
120     oldStartIndex,
121     newStartIndex,
122     oldEndIndex,
123     newEndIndex,
124     count: newEndIndex - newStartIndex,
125 });
126 }
127 }
128 return matches;
129 };
130
131 const findMatchNode = (children, node, startIndex = 0) => {
132     for (let i = startIndex; i < children.length; i++) {
133         if (isNodeEqual(children[i], node)) {
134             return i;
135         }
136     }
137     return -1;
138 };
139
140 const patchRemainNodes = (schema, oldChildren, newChildren) => {
141     const finalLeftChildren = [];
142     const finalRightChildren = [];
143     const oldChildLen = oldChildren.length;
144     const newChildLen = newChildren.length;
145     let left = 0;
146     let right = 0;
147     while (oldChildLen - left - right > 0 && newChildLen - left - right > 0) {
148         const leftOldNode = oldChildren[left];
149         const leftNewNode = newChildren[left];
150         const rightOldNode = oldChildren[oldChildLen - right - 1];
151         const rightNewNode = newChildren[newChildLen - right - 1];
152         let updateLeft =
153             !isTextNode(leftOldNode) && matchNodeType(leftOldNode, leftNewNode);
154         let updateRight =
155             !isTextNode(rightOldNode) && matchNodeType(rightOldNode, rightNewNode);
156         if (Array.isArray(leftOldNode) && Array.isArray(leftNewNode)) {
157             finalLeftChildren.push(
158                 ...patchTextNodes(schema, leftOldNode, leftNewNode)
159             );
160             left += 1;
161             continue;
162         }
163
164         if (updateLeft && updateRight) {
165             const equalityLeft = computeChildEqualityFactor(leftOldNode, leftNewNode);
166             const equalityRight = computeChildEqualityFactor(
167                 rightOldNode,
168                 rightNewNode
169             );
170             if (equalityLeft < equalityRight) {
171                 updateLeft = false;
172             } else {
173                 updateRight = false;
174             }
175         }
176         if (updateLeft) {
177             finalLeftChildren.push(
178                 patchDocumentNode(schema, leftOldNode, leftNewNode)
179             );
180             left += 1;
181         } else if (updateRight) {
182             finalRightChildren.unshift(

```

```

183     patchDocumentNode(schema, rightOldNode, rightNewNode)
184   );
185   right += 1;
186 } else {
187   // Delete and insert
188   finalLeftChildren.push(
189     createDiffNode(schema, leftOldNode, DiffType.Deleted)
190   );
191   finalLeftChildren.push(
192     createDiffNode(schema, leftNewNode, DiffType.Inserted)
193   );
194   left += 1;
195 }
196 }
197
198 const deleteNodeLen = oldChildLen - left - right;
199 const insertNodeLen = newChildLen - left - right;
200 if (deleteNodeLen) {
201   finalLeftChildren.push(
202     ...oldChildren
203       .slice(left, left + deleteNodeLen)
204       .flat()
205       .map((node) => createDiffNode(schema, node, DiffType.Deleted))
206   );
207 }
208
209 if (insertNodeLen) {
210   finalRightChildren.unshift(
211     ...newChildren
212       .slice(left, left + insertNodeLen)
213       .flat()
214       .map((node) => createDiffNode(schema, node, DiffType.Inserted))
215   );
216 }
217
218 return [...finalLeftChildren, ...finalRightChildren];
219 };
220
221 // Updated function to perform sentence-level diffs
222 export const patchTextNodes = (schema, oldNode, newNode) => {
223   const dmp = new diff_match_patch();
224
225   // Concatenate the text from the text nodes
226   const oldText = oldNode.map((n) => getNodeText(n)).join("");
227   const newText = newNode.map((n) => getNodeText(n)).join("");
228
229   // Tokenize the text into sentences
230   const oldSentences = tokenizeSentences(oldText);
231   const newSentences = tokenizeSentences(newText);
232
233   // Map sentences to unique characters
234   const { chars1, chars2, lineArray } = sentencesToChars(
235     oldSentences,
236     newSentences
237   );
238
239   // Perform the diff
240   let diffs = dmp.diff_main(chars1, chars2, false);
241
242   // Convert back to sentences
243   diffs = diffs.map(([type, text]) => {
244     const sentences = text
245       .split("")
246       .map((char) => lineArray[char.charCodeAt(0)]);
247     return [type, sentences];
248   });
249
250   // Map diffs to nodes
251   const res = diffs.flatMap(([type, sentences]) => {

```

```

252     return sentences.map((sentence) => {
253       const node = createTextNode(
254         schema,
255         sentence,
256         type !== DiffType.Unchanged ? [createDiffMark(schema, type)] : []
257       );
258       return node;
259     });
260   });
261
262   return res;
263 };
264
265 // Function to tokenize text into sentences
266 const tokenizeSentences = (text) => {
267   return text.match(/[^\?!?]+[.!?]*\s*/g) || [];
268 };
269
270 // Function to map sentences to unique characters
271 const sentencesToChars = (oldSentences, newSentences) => {
272   const lineArray = [];
273   const lineHash = {};
274   let lineStart = 0;
275
276   const chars1 = oldSentences
277     .map((sentence) => {
278       const line = sentence;
279       if (line in lineHash) {
280         return String.fromCharCode(lineHash[line]);
281       }
282       lineHash[line] = lineStart;
283       lineArray[lineStart] = line;
284       lineStart++;
285       return String.fromCharCode(lineHash[line]);
286     })
287     .join("");
288
289   const chars2 = newSentences
290     .map((sentence) => {
291       const line = sentence;
292       if (line in lineHash) {
293         return String.fromCharCode(lineHash[line]);
294       }
295       lineHash[line] = lineStart;
296       lineArray[lineStart] = line;
297       lineStart++;
298       return String.fromCharCode(lineHash[line]);
299     })
300     .join("");
301
302   return { chars1, chars2, lineArray };
303 };
304
305 export const computeChildEqualityFactor = (_node1, _node2) => {
306   return 0;
307 };
308
309 export const assertNodeTypeEqual = (node1, node2) => {
310   if (getNodeProperty(node1, "type") !== getNodeProperty(node2, "type")) {
311     throw new Error(`node type not equal: ${node1.type} !== ${node2.type}`);
312   }
313 };
314
315 export const ensureArray = (value) => {
316   return Array.isArray(value) ? value : [value];
317 };
318
319 export const isNodeEqual = (node1, node2) => {
320   const isNode1Array = Array.isArray(node1);

```



```

321 const isNode2Array = Array.isArray(node2);
322 if (isNode1Array !== isNode2Array) {
323   return false;
324 }
325 if (isNode1Array) {
326   return (
327     node1.length === node2.length &&
328     node1.every((node, index) => isNodeEqual(node, node2[index]))
329   );
330 }
331
332 const type1 = getNodeProperty(node1, "type");
333 const type2 = getNodeProperty(node2, "type");
334 if (type1 !== type2) {
335   return false;
336 }
337 if (isTextNode(node1)) {
338   const text1 = getNodeProperty(node1, "text");
339   const text2 = getNodeProperty(node2, "text");
340   if (text1 !== text2) {
341     return false;
342   }
343 }
344 const attrs1 = getNodeAttributes(node1);
345 const attrs2 = getNodeAttributes(node2);
346 const attrs = [...new Set([...Object.keys(attrs1), ...Object.keys(attrs2)])];
347 for (const attr of attrs) {
348   if (attrs1[attr] !== attrs2[attr]) {
349     return false;
350   }
351 }
352 const marks1 = getNodeMarks(node1);
353 const marks2 = getNodeMarks(node2);
354 if (marks1.length !== marks2.length) {
355   return false;
356 }
357 for (let i = 0; i < marks1.length; i++) {
358   if (!isNodeEqual(marks1[i], marks2[i])) {
359     return false;
360   }
361 }
362 const children1 = getNodeChildren(node1);
363 const children2 = getNodeChildren(node2);
364 if (children1.length !== children2.length) {
365   return false;
366 }
367 for (let i = 0; i < children1.length; i++) {
368   if (!isNodeEqual(children1[i], children2[i])) {
369     return false;
370   }
371 }
372 return true;
373 };
374
375 export const normalizeNodeContent = (node) => {
376   const content = getNodeChildren(node) ?? [];
377   const res = [];
378   for (let i = 0; i < content.length; i++) {
379     const child = content[i];
380     if (isTextNode(child)) {
381       const textNodes = [];
382       for (
383         let textNode = content[i];
384         i < content.length && isTextNode(textNode);
385         textNode = content[++i]
386       ) {
387         textNodes.push(textNode);
388       }
389       i--;

```

```

390     res.push(textNodes);
391   } else {
392     res.push(child);
393   }
394 }
395 return res;
396 };
397
398 export const getNodeProperty = (node, property) => {
399   if (property === "type") {
400     return node.type?.name;
401   }
402   return node[property];
403 };
404
405 export const getNodeAttribute = (node, attribute) =>
406   node.attrs ? node.attrs[attribute] : undefined;
407
408 export const getNodeAttributes = (node) => (node.attrs ? node.attrs : {});
409
410 export const getNodeMarks = (node) => node.marks ?? [];
411
412 export const getNodeChildren = (node) => node.content?.content ?? [];
413
414 export const getNodeText = (node) => node.text;
415
416 export const isTextNode = (node) => node.type?.name === "text";
417
418 export const matchNodeType = (node1, node2) =>
419   node1.type?.name === node2.type?.name ||
420   (Array.isArray(node1) && Array.isArray(node2));
421
422 export const createNewNode = (oldNode, children) => {
423   if (!oldNode.type) {
424     throw new Error("oldNode.type is undefined");
425   }
426   return new Node(
427     oldNode.type,
428     oldNode.attrs,
429     Fragment.fromArray(children),
430     oldNode.marks
431   );
432 };
433
434 export const createDiffNode = (schema, node, type) => {
435   return mapDocumentNode(node, (currentNode) => {
436     if (isTextNode(currentNode)) {
437       return createTextNode(schema, getNodeText(currentNode), [
438         ...(currentNode.marks || []),
439         createDiffMark(schema, type),
440       ]);
441     }
442     return currentNode;
443   });
444 };
445
446 function mapDocumentNode(node, mapper) {
447   const copy = node.copy(
448     Fragment.from(
449       node.content.content
450         .map((currentNode) => mapDocumentNode(currentNode, mapper))
451         .filter((n) => n)
452     )
453   );
454   return mapper(copy) || copy;
455 }
456
457 export const createDiffMark = (schema, type) => {
458   if (type === DiffType.Inserted) {

```

```

459     return schema.mark("diffMark", { type });
460   }
461   if (type === DiffType.Deleted) {
462     return schema.mark("diffMark", { type });
463   }
464   throw new Error("type is not valid");
465 };
466
467 export const createTextNode = (schema, content, marks = []) => {
468   return schema.text(content, marks);
469 };
470
471 export const diffEditor = (schema, oldDoc, newDoc) => {
472   const oldNode = Node.fromJSON(schema, oldDoc);
473   const newNode = Node.fromJSON(schema, newDoc);
474   return patchDocumentNode(schema, oldNode, newNode);
475 };

```

415. lib/editor/functions.tsx

```

1  "use client";
2
3  import { defaultMarkdownSerializer } from "prosemirror-markdown";
4  import { DOMParser, type Node } from "prosemirror-model";
5  import { Decoration, DecorationSet, type EditorView } from "prosemirror-view";
6  import { renderToString } from "react-dom/server";
7
8  import { Response } from "@components/elements/response";
9
10 import { documentSchema } from "../config";
11 import { createSuggestionWidget, type UISuggestion } from "../suggestions";
12
13 export const buildDocumentFromContent = (content: string) => {
14   const parser = DOMParser.fromSchema(documentSchema);
15   const stringFromMarkdown = renderToString(<Response>{content}</Response>);
16   const tempContainer = document.createElement("div");
17   tempContainer.innerHTML = stringFromMarkdown;
18   return parser.parse(tempContainer);
19 };
20
21 export const buildContentFromDocument = (document: Node) => {
22   return defaultMarkdownSerializer.serialize(document);
23 };
24
25 export const createDecorations = (
26   suggestions: UISuggestion[],
27   view: EditorView
28 ) => {
29   const decorations: Decoration[] = [];
30
31   for (const suggestion of suggestions) {
32     decorations.push(
33       Decoration.inline(
34         suggestion.selectionStart,
35         suggestion.selectionEnd,
36         {
37           class: "suggestion-highlight",
38         },
39         {
40           suggestionId: suggestion.id,
41           type: "highlight",
42         }
43       )
44     );
45
46     decorations.push(
47       Decoration.widget(

```

```

48     suggestion.selectionStart,
49     (currentView) => {
50       const { dom } = createSuggestionWidget(suggestion, currentView);
51       return dom;
52     },
53     {
54       suggestionId: suggestion.id,
55       type: "widget",
56     }
57   )
58   );
59 }
60
61 return DecorationSet.create(view.state.doc, decorations);
62 };

```

416. lib/editor/react-renderer.tsx

```

1  import { createRoot } from "react-dom/client";
2
3  // biome-ignore lint/complexity/noStaticOnlyClass: "Needs to be static"
4  export class ReactRenderer {
5    static render(component: React.ReactElement, dom: HTMLElement) {
6      const root = createRoot(dom);
7      root.render(component);
8
9      return {
10        destroy: () => root.unmount(),
11      };
12    }
13  }

```

417. lib/editor/suggestions.tsx

```

1  import type { Node } from "prosemirror-model";
2  import { Plugin, PluginKey } from "prosemirror-state";
3  import {
4    type Decoration,
5    DecorationSet,
6    type EditorView,
7  } from "prosemirror-view";
8  import { createRoot } from "react-dom/client";
9  import type { ArtifactKind } from "@components/artifact";
10 import { Suggestion as PreviewSuggestion } from "@components/suggestion";
11 import type { Suggestion } from "@lib/db/schema";
12
13 export interface UISuggestion extends Suggestion {
14   selectionStart: number;
15   selectionEnd: number;
16 }
17
18 type Position = {
19   start: number;
20   end: number;
21 };
22
23 function findPositionsInDoc(doc: Node, searchText: string): Position | null {
24   let positions: { start: number; end: number } | null = null;
25
26   doc.nodesBetween(0, doc.content.size, (node, pos) => {
27     if (node.isText && node.text) {
28       const index = node.text.indexOf(searchText);
29
30       if (index !== -1) {
31         positions = {

```

```

32     start: pos + index,
33     end: pos + index + searchText.length,
34   };
35
36   return false;
37 }
38 }
39
40   return true;
41 });
42
43   return positions;
44 }
45
46 export function projectWithPositions(
47   doc: Node,
48   suggestions: Suggestion[]
49 ): UISuggestion[] {
50   return suggestions.map((suggestion) => {
51     const positions = findPositionsInDoc(doc, suggestion.originalText);
52
53     if (!positions) {
54       return {
55         ...suggestion,
56         selectionStart: 0,
57         selectionEnd: 0,
58       };
59     }
60
61     return {
62       ...suggestion,
63       selectionStart: positions.start,
64       selectionEnd: positions.end,
65     };
66   });
67 }
68
69 export function createSuggestionWidget(
70   suggestion: UISuggestion,
71   view: EditorView,
72   artifactKind: ArtifactKind = "text"
73 ): { dom: HTMLElement; destroy: () => void } {
74   const dom = document.createElement("span");
75   const root = createRoot(dom);
76
77   dom.addEventListener("mousedown", (event) => {
78     event.preventDefault();
79     view.dom.blur();
80   });
81
82   const onApply = () => {
83     const { state, dispatch } = view;
84
85     const decorationTransaction = state.tr;
86     const currentState = suggestionsPluginKey.getState(state);
87     const currentDecorations = currentState?.decorations;
88
89     if (currentDecorations) {
90       const newDecorations = DecorationSet.create(
91         state.doc,
92         currentDecorations.find().filter((decoration: Decoration) => {
93           return decoration.spec.suggestionId !== suggestion.id;
94         })
95       );
96
97       decorationTransaction.setMeta(suggestionsPluginKey, {
98         decorations: newDecorations,
99         selected: null,
100       });

```

```

101     dispatch(decorationTransaction);
102   }
103
104   const textTransaction = view.state.tr.replaceWith(
105     suggestion.selectionStart,
106     suggestion.selectionEnd,
107     state.schema.text(suggestion.suggestedText)
108   );
109
110   textTransaction.setMeta("no-debounce", true);
111
112   dispatch(textTransaction);
113 };
114
115 root.render(
116   <PreviewSuggestion
117     artifactKind={artifactKind}
118     onApply={onApply}
119     suggestion={suggestion}
120   />
121 );
122
123 return {
124   dom,
125   destroy: () => {
126     // Wrapping unmount in setTimeout to avoid synchronous unmounting during render
127     setTimeout(() => {
128       root.unmount();
129     }, 0);
130   },
131 };
132 }
133
134 export const suggestionsPluginKey = new PluginKey("suggestions");
135 export const suggestionsPlugin = new Plugin({
136   key: suggestionsPluginKey,
137   state: {
138     init() {
139       return { decorations: DecorationSet.empty, selected: null };
140     },
141     apply(tr, state) {
142       const newDecorations = tr.getMeta(suggestionsPluginKey);
143       if (newDecorations) {
144         return newDecorations;
145       }
146
147       return {
148         decorations: state.decorations.map(tr.mapping, tr.doc),
149         selected: state.selected,
150       };
151     },
152   },
153   props: {
154     decorations(state) {
155       return this.getState(state)?.decorations ?? DecorationSet.empty;
156     },
157   },
158 });

```

418. lib/email/resend.ts

```

1 import "server-only";
2 import { Resend } from "resend";
3
4 const apiKey = process.env.RESEND_API_KEY;
5
6 if (!apiKey) {

```

```

7 // build үед шууд унагаахгүй, зөвхөн runtime дээр email хэрэглэх үед алдаа өгнө.
8 console.warn("RESEND_API_KEY is missing. Email sending will not work.");
9 }
10
11 export const resend = new Resend(apiKey ?? ""); // □ хамгийн чухал нь: EXPORT

```

419. lib/email/send-verify-email.ts

```

1 import "server-only";
2 import { resend } from "../resend";
3
4 function getAppUrl() {
5   const url =
6     process.env.APP_URL ??
7     process.env.NEXTAUTH_URL ??
8     process.env.NEXT_PUBLIC_APP_URL;
9
10   if (!url) {
11     throw new Error(
12       "Missing APP_URL (or NEXTAUTH_URL / NEXT_PUBLIC_APP_URL) in Environment Variables."
13     );
14   }
15
16   return url.replace(/\/+$/, "");
17 }
18
19 export async function sendVerifyEmail({
20   to,
21   token,
22 }): {
23   to: string;
24   token: string;
25 } {
26   const appUrl = getAppUrl();
27   const verifyUrl = `${appUrl}/verify-email?token=${encodeURIComponent(token)}`;
28
29   const subject = "Oyunsanaa • Confirm your email";
30   const html =
31     <div style="font-family:ui-sans-serif,system-ui;line-height:1.6">
32       <h2>Email verification</h2>
33       <p>Click the button below to verify your email:</p>
34       <p>
35         <a href="${verifyUrl}"
36           style="display:inline-block;padding:10px 14px;background:#111827;color:#fff;text-decoration:none;border-radius:8px">
37           Verify email
38         </a>
39       </p>
40       <p style="color:#666;font-size:12px">If the button doesn't work, copy this link:</p>
41       <p><a href="${verifyUrl}">${verifyUrl}</a></p>
42       <p style="color:#666;font-size:12px">This link expires in 30 minutes.</p>
43     </div>`;
44
45   const res = await resend.emails.send({
46     from: "Oyunsanaa <no-reply@chat.oyunsanaa.com>",
47     to,
48     subject,
49     html,
50   });
51
52   // Resend error гарвал runtime дээр баригдах ёстой (actions дээр)
53   if ((res as any)?.error) {
54     throw new Error((res as any).error?.message ?? "Failed to send email");
55   }
56
57   return res;
58 }

```

420. lib/errors.ts

```
1  export type ErrorType =
2    | "bad_request"
3    | "unauthorized"
4    | "forbidden"
5    | "not_found"
6    | "rate_limit"
7    | "offline";
8
9  export type Surface =
10   | "chat"
11   | "auth"
12   | "api"
13   | "stream"
14   | "database"
15   | "history"
16   | "vote"
17   | "document"
18   | "suggestions"
19   | "subscription"
20   | "activate_gateway";
21
22  export type ErrorCode = `${ErrorType}:${Surface}`;
23
24  export type ErrorVisibility = "response" | "log" | "none";
25
26  export const visibilityBySurface: Record<Surface, ErrorVisibility> = {
27    database: "log",
28    chat: "response",
29    auth: "response",
30    stream: "response",
31    api: "response",
32    history: "response",
33    vote: "response",
34    document: "response",
35    suggestions: "response",
36    subscription: "response",
37    activate_gateway: "response",
38  };
39
40  export class ChatSDKError extends Error {
41    type: ErrorType;
42    surface: Surface;
43    statusCode: number;
44
45    constructor(errorCode: ErrorCode, cause?: string) {
46      super();
47
48      const [type, surface] = errorCode.split(":");
49
50      this.type = type as ErrorType;
51      this.cause = cause;
52      this.surface = surface as Surface;
53      this.message = getMessageByErrorCode(errorCode);
54      this.statusCode = getStatusCodeByType(this.type);
55    }
56
57    toResponse() {
58      const code: ErrorCode = `${this.type}:${this.surface}`;
59      const visibility = visibilityBySurface[this.surface];
60
61      const { message, cause, statusCode } = this;
62
63      if (visibility === "log") {
64        console.error({
65          code,
66          message,
```



```

67     cause,
68   });
69
70   return Response.json(
71     { code: "", message: "Something went wrong. Please try again later." },
72     { status: statusCode }
73   );
74 }
75
76 return Response.json({ code, message, cause }, { status: statusCode });
77 }
78 }
79
80 export function getMessageByErrorCode(errorCode: ErrorCode): string {
81   if (errorCode.includes("database")) {
82     return "An error occurred while executing a database query.";
83   }
84
85   switch (errorCode) {
86     case "bad_request:api":
87       return "The request couldn't be processed. Please check your input and try again.";
88
89     case "bad_request:activate_gateway":
90       return "The AI provider requires additional configuration. Please contact the administrator.";
91
92     case "unauthorized:auth":
93       return "You need to sign in before continuing.";
94     case "forbidden:auth":
95       return "Your account does not have access to this feature.";
96
97     case "rate_limit:chat":
98       return "You have exceeded your maximum number of messages for the day. Please try again later.";
99     case "not_found:chat":
100       return "The requested chat was not found. Please check the chat ID and try again.";
101     case "forbidden:chat":
102       return "This chat belongs to another user. Please check the chat ID and try again.";
103     case "unauthorized:chat":
104       return "You need to sign in to view this chat. Please sign in and try again.";
105     case "offline:chat":
106       return "We're having trouble sending your message. Please check your internet connection and try again.";
107
108     case "forbidden:subscription":
109       return "Таны үнэгүй туршилтын хугацаа дууссан байна. Үргэлжлүүлэхийн тулд багц идэвхжүүлнэ үү.";
110
111     case "not_found:document":
112       return "The requested document was not found. Please check the document ID and try again.";
113     case "forbidden:document":
114       return "This document belongs to another user. Please check the document ID and try again.";
115     case "unauthorized:document":
116       return "You need to sign in to view this document. Please sign in and try again.";
117     case "bad_request:document":
118       return "The request to create or update the document was invalid. Please check your input and try again.";
119
120     default:
121       return "Something went wrong. Please try again later.";
122   }
123 }
124
125 function getStatusCodeByType(type: ErrorType) {
126   switch (type) {
127     case "bad_request":
128       return 400;
129     case "unauthorized":
130       return 401;
131     case "forbidden":
132       return 403;
133     case "not_found":
134       return 404;
135     case "rate_limit":

```

```

136     return 429;
137     case "offline":
138         return 503;
139     default:
140         return 500;
141 }
142 }

```

421. lib/i18n/artifact.ts

```

1  import type { Locale } from "../config";
2
3  export type ArtifactContent = { title: string; content: string };
4
5  /** An artifact whose `title`/`content` are the default (mn) with optional per-locale overrides. */
6  export type LocalizedArtifact = ArtifactContent & {
7      i18n?: Partial<Record<Locale, ArtifactContent>>;
8  };
9
10 /** Pick the artifact's title/content for a locale, falling back to the default. */
11 export function resolveArtifact(
12     a: LocalizedArtifact,
13     locale: Locale
14 ): ArtifactContent {
15     const loc = a.i18n?.[locale];
16     return {
17         title: loc?.title ?? a.title,
18         content: loc?.content ?? a.content,
19     };
20 }

```

422. lib/i18n/config.ts

```

1  export const locales = ["mn", "en", "ja", "ko", "ru"] as const;
2  export type Locale = (typeof locales)[number];
3
4  export const defaultLocale: Locale = "mn";
5
6  /** Cookie that stores the user's chosen locale (no URL change). */
7  export const LOCALE_COOKIE = "locale";
8
9  /** Native display names for the language switcher. */
10 export const localeNames: Record<Locale, string> = {
11     mn: "Монгол",
12     en: "English",
13     ja: "日本語",
14     ko: "한국어",
15     ru: "Русский",
16 };
17
18 export function isLocale(value: unknown): value is Locale {
19     return typeof value === "string" && (locales as readonly string[]).includes(value);
20 }

```

423. lib/i18n/dictionaries.ts

```

1  import "server-only";
2
3  import { cookies } from "next/headers";
4  import { defaultLocale, isLocale, type Locale, LOCALE_COOKIE } from "../config";
5  import type { Dictionary } from "../dictionaries/mn";
6

```

```

7  const loaders: Record<Locale, () => Promise<{ default: Dictionary }>> = {
8    mn: () => import("../dictionaries/mn"),
9    en: () => import("../dictionaries/en"),
10   ja: () => import("../dictionaries/ja"),
11   ko: () => import("../dictionaries/ko"),
12   ru: () => import("../dictionaries/ru"),
13 };
14
15 /** Read the locale from the cookie (falls back to the default). */
16 export async function getLocale(): Promise<Locale> {
17   const store = await cookies();
18   const value = store.get(LOCALE_COOKIE)?.value;
19   return isLocale(value) ? value : defaultLocale;
20 }
21
22 /** Load the dictionary for the given (or cookie) locale. */
23 export async function getDictionary(locale?: Locale): Promise<Dictionary> {
24   const loc = locale ?? (await getLocale());
25   const mod = await loaders[loc]();
26   return mod.default;
27 }

```

424. lib/i18n/dictionaries/en.ts

```

1  import type { Dictionary } from "../mn";
2
3  const en: Dictionary = {
4    language: {
5      label: "Language",
6    },
7    common: {
8      newChat: "New chat",
9      send: "Send",
10     cancel: "Cancel",
11     save: "Save",
12     delete: "Delete",
13     loading: "Loading...",
14     back: "Back",
15     chat: "Chat",
16     toggleSidebar: "Toggle Sidebar",
17     subscription: "Subscription",
18     signOut: "Sign out",
19     loginToAccount: "Login to your account",
20     loadingAuthStatus: "Loading auth status",
21     checkingAuthStatus: "Checking authentication status, please try again!",
22     toggleToDarkMode: "Toggle dark mode",
23     toggleToLightMode: "Toggle light mode",
24   },
25   meta: {
26     title: "Oyunsanaa Chat",
27     description:
28       "Oyunsanaa — an AI emotional companion, with theory and apps all in one place.",
29   },
30   banner: {
31     trialExpired: "Free trial ended. Activate a plan to continue →",
32     trialDaysLeft: "Free trial — {days} days left. Activate plan →",
33   },
34   greeting: {
35     hello: "Hello! I'm Oyunsanaa ☺.",
36     howCanIHelp: "How can I help you?",
37   },
38   auth: {
39     signInTitle: "Sign In",
40     signInSubtitle: "Use your email and password to sign in",
41     signIn: "Sign in",
42     signingIn: "Signing in...",
43     googleSignIn: "Sign in with Google",

```

```

44   noAccount: "Don't have an account? ",
45   signUpFree: "Sign up for free",
46   signUpTitle: "Sign Up",
47   signUpSubtitle: "Create an account with your email and password",
48   signUp: "Sign Up",
49   alreadyHave: "Already have an account? ",
50   signInInstead: "Sign in",
51   emailLabel: "Email address",
52   passwordLabel: "Password",
53   invalidCredentials: "Invalid email or password!",
54   accountExists: "Account already exists!",
55   accountCreated: "Account created. You are now signed in.",
56   failedCreate: "Failed to create account!",
57   invalidSubmission: "Failed validating your submission!",
58 },
59 nav: {
60   appName: "Oyunsanaa",
61   deleteAllChats: "Delete all chats",
62   newChat: "New chat",
63 },
64 sidebar: {
65   loginToSave: "Login to save and revisit previous chats!",
66   emptyHistory:
67     "Your conversations will appear here once you start chatting!",
68   loadingChats: "Loading chats...",
69   today: "Today",
70   yesterday: "Yesterday",
71   last7Days: "Last 7 days",
72   last30Days: "Last 30 days",
73   olderThanMonth: "Older than last month",
74   theory: "Theory",
75   comingSoon: "Coming soon",
76   deletingChat: "Deleting chat...",
77   chatDeleted: "Chat deleted successfully",
78   chatDeleteFailed: "Failed to delete chat",
79   deleteChatTitle: "Are you absolutely sure?",
80   deleteChatDescription:
81     "This action cannot be undone. This will permanently delete your chat.",
82   continueAction: "Continue",
83   bookAppointment: "Book an appointment",
84   deleteAllTitle: "Delete all chats?",
85   deleteAllDescription:
86     "This action cannot be undone. This will permanently delete all your chats and remove them from our servers.",
87   deleteAllConfirm: "Delete All",
88   deletingAll: "Deleting all chats...",
89   deletedAll: "All chats deleted successfully",
90   deleteAllFailed: "Failed to delete all chats",
91 },
92 menu: {
93   groups: {
94     // legacy keys (kept for type compat)
95     balance: "Emotional balance",
96     emotion: "Emotions",
97     self: "Understanding yourself",
98     selfCare: "Self-care",
99     life: "Stability",
100    // current menu config ids
101    whoAmI: "Who am I?",
102    extraPrograms: "Extra programs",
103    health: "Health",
104    work: "Work & Duties",
105    relations: "Relationships",
106    purpose: "Meaning & future",
107    myWorld: "My world",
108    myProgress: "My progress",
109    specialists: "Connect with specialists",
110    // SIMPLE MENUS ids (current flat sidebar)
111    simpleBalance: "Life balance",
112    simpleHealth: "Health",

```

```

113     simpleFinance: "Finance",
114     simpleTest: "Psychological tests",
115     simpleNotes: "My notes",
116     simpleProgram: "Training (Program)",
117 },
118 items: {
119     // legacy keys (kept for type compat)
120     balanceTest: "☐ Emotional balance test",
121     balanceResult: "☐ Test results",
122     balanceProgress: "☐ My progress",
123     balanceSummary: "☐ Combined report",
124     emotionDailyCheck: "Daily mood check",
125     // current item keys used by menu config
126     selfEbooks: "My world - notes app",
127     relationsTests: "My Relationships",
128     purposeGoalPlanner: "My Purpose",
129     selfCareHealth: "My Health",
130     lifeFinance: "My Finance",
131     whoAmIBalanceTest: "Life balance check",
132     progressSummary: "Combined report",
133     progressBalance: "Life balance",
134     progressApps: "Apps summary",
135     therapyChat: "☐ Chat with a psychologist",
136 },
137 },
138 suggestions: {
139     financeReceipt: "Send a financial receipt",
140     foodPhoto: "Send a food photo",
141     psychologyTest: "Take a psychology test",
142     note: "Add text to notes",
143 },
144 input: {
145     placeholder: "Send a message...",
146     searchModels: "Search models...",
147 },
148 models: {
149     liveTalk: "Live chat",
150     psychologyTalk: "Psychology chat",
151     readDocs: "Read images & receipts",
152     projectIntro: "Project introduction",
153 },
154 apps: {
155     stress: {
156         title: "Health",
157         subtitle:
158             "Track your stress, sleep and energy, and log how you feel each day.",
159     },
160     healthSummary: {
161         hourUnit: "h",
162         kcalUnit: "kcal",
163         ranges: { week: "7 days", month: "1 month", all: "All" },
164         weekdays: ["Su", "Mo", "Tu", "We", "Th", "Fr", "Sa"],
165         loading: "Loading...",
166         errorGeneric: "An error occurred",
167         mockNotice:
168             'No logged data yet, so sample data is shown. Log your day with "Save" to see your own data here.',
169         badges: {
170             avgSteps: "Avg. steps",
171             avgSleep: "Avg. sleep",
172             avgCalories: "Avg. calories",
173         },
174         chartLegend: { steps: "Steps", sleep: "Sleep (hrs)" },
175         tooltip: { steps: "Steps", sleep: "Sleep (hr)", calories: "Calories" },
176         rangeLabels: {
177             week: "this week",
178             month: "this month",
179             all: "this period",
180         },
181         headlines: {

```

```

182     good: "Looking good! Your overall trend is positive.",
183     watch: "There are things worth watching – see the notes below.",
184     mixed: "Check the notes below and adjust your routine.",
185 },
186 noDataLine:
187     "Not enough data yet for this period. Log each day to see a detailed summary here.",
188 lines: {
189     stepsGood:
190         "Average steps of {avg}, {pct}% of your goal – excellent progress.",
191     stepsMid:
192         "Average steps of {avg}, {pct}% of your goal. An extra 15–20 minutes of walking a day would be enough to reach it.",
193     stepsLow:
194         "Average steps of {avg} is well below your goal ({pct}%). We recommend gradually increasing your activity.",
195     goalHitDays:
196         "You reached your step goal on {hit} of {total} days {rangeLabel}.",
197     sleepGood: "Average sleep of {avg}h is in a healthy range (7–9h).",
198     sleepLow:
199         "Average sleep of {avg}h is insufficient. Deep sleep is likely reduced, so we recommend going to bed earlier.",
200     sleepHigh:
201         "Average sleep of {avg}h is a bit on the high side. Try to keep a consistent sleep schedule.",
202     caloriesGood:
203         "Calorie intake is close to your target of {target} kcal – well balanced.",
204     caloriesOver: "Average calorie intake is {pct}% over your target.",
205     caloriesUnder: "Average calorie intake is {pct}% under your target.",
206 },
207 },
208 healthDashboard: {
209     loading: "Loading...",
210     saveError: "Failed to save",
211     fetchError: "Something went wrong",
212     programHeader: "Health program",
213     dayProgress: "Day {day} / {total}",
214     units: {
215         kcal: "kcal",
216         liter: "L",
217         steps: "steps",
218         gram: "g",
219         point: "pts",
220         hourShort: "h",
221         minuteShort: "min",
222         mlShort: "ml",
223     },
224     tabs: {
225         food: "Food",
226         water: "Water",
227         sleep: "Sleep",
228         move: "Move",
229         summary: "Summary",
230     },
231     save: "Save",
232     saved: "☑ Saved",
233     chatWithPsychologist: "Chat with a psychologist",
234     editProfile: "Edit info",
235     food: {
236         nameLabel: "Food / drink name",
237         namePlaceholder: "e.g. 5 khuushuur, 1 glass of cola...",
238         imageLabel:
239             "Food photo (optional) – upload it and AI will recognize the food and fill in the calories/nutrition below automatically",
240         imageAlt: "Selected food photo",
241         removeImage: "Remove photo ✕",
242         analyzing: "Analyzing...",
243         analyzeButton: "Analyze with AI",
244         analyzeHint:
245             "To analyze with AI, choose a photo above or type the food name.",
246         aiError: "Error getting a response from AI.",
247         filledByAI:
248             "☐ The values below were estimated by AI – feel free to edit them if needed.",
249         fields: {
250             calories: "Calories (kcal)",

```

```

251     protein: "Protein (g)",
252     goodCarbs: "Good carbs (g)",
253     badCarbs: "Bad carbs (g)",
254     fat: "Fat (g)",
255     fiber: "Fiber (g)",
256     sugar: "Sugar (g)",
257     nutritionScore: "Nutrition score (0-100)",
258 },
259 addMeal: "Add food",
260 noMeals: "No food logged yet",
261 nutrients: {
262     calories: "Calories",
263     protein: "Protein",
264     goodCarbs: "Good carbs",
265     badCarbs: "Bad carbs",
266     fat: "Fat",
267     fiber: "Fiber",
268     sugar: "Sugar",
269     nutritionScore: "Nutrition",
270 },
271 },
272 water: {
273     liter: "liters",
274     target: "/ {target} L goal",
275     clear: "Clear",
276     totalPlaceholder: "Total liters",
277 },
278 sleep: {
279     hoursLabel: "Sleep (hours)",
280     restLabel: "Rest / meditation (minutes)",
281 },
282 move: {
283     today: "Today's activity",
284     levelGood: "☐ Good",
285     levelMedium: "☐ Medium",
286     levelLow: "☐ Low",
287     stepsLabel: "Steps",
288     stepsTarget: "(goal: {target})",
289     stepsPlaceholder: "Number of steps",
290     burnedKcalLabel: "Calories burned from activity",
291     burnedKcalPlaceholder: "e.g. 250",
292     badHabitsLabel: "Bad habit level (0 - none, 100 - very high)",
293     badHabitsLow: "Little to no impact",
294     badHabitsMid: "Worth monitoring closely",
295     badHabitsHigh: "May negatively affect your health",
296 },
297 },
298 therapy: {
299     title: "Chat with a psychologist",
300     subtitle:
301         "Message your psychologist directly about your booked online session.",
302     needBookingNoticeHtml:
303         "First, sign up on the website with <strong>the same email</strong> and book an online session. The chat will activate here once you do.",
304     statusChangeFailed: "Failed to change status",
305     errorGeneric: "An error occurred",
306     startChatFailed: "Failed to start chat",
307     activeChatsHeading: "Active chats",
308     noChatStarted: "No messages yet",
309     statusConfirmed: "Confirmed",
310     statusPending: "Pending",
311     statusCancelled: "Cancelled",
312     ended: "Ended",
313     closed: "Closed",
314     openChatBtn: "Open chat",
315     closeChatBtn: "Close chat",
316     startFromBookingHeading: "Start a chat from a booking",
317     online: "Online",
318     startChatBtn: "Start chat",
319     emptyPsychologist:

```

```

320     "There are no confirmed online sessions yet. Once a client books and it's confirmed, the chat will appear here.",
321     emptyClient:
322     "You have no confirmed online sessions. Once you book one and it's confirmed, you'll be able to start a chat here.",
323     bookBtn: "📅 Book a session",
324     disclaimerNote:
325     "This is not an emergency channel. In a crisis, please contact your nearest emergency helpline.",
326     closeChatAction: "Close chat",
327     reopenChatAction: "Reopen",
328     cancelledNotice: "This session was cancelled, so the chat is closed.",
329     endedNotice:
330     "The session time has ended, so the chat is closed. Read-only.",
331     closedByPsychNotice: "The psychologist closed this chat. Read-only.",
332     psychologistLabel: "Psychologist",
333     clientLabel: "Client",
334     appointmentLabel: "Session:",
335     emptyMessages: "Write a message to start the conversation.",
336     messagePlaceholder: "Type a message...",
337 },
338 lifeBalance: {
339   pageTitles: {
340     intro: "Introduction",
341     balanceTest: "Check your life balance",
342     conclusion: "Result",
343   },
344   badge: "Balance model · N. Peseschkian",
345   titlePrefix: "Life",
346   titleHighlight: "balance",
347   introDescription:
348     "Positive and transcultural psychotherapy views life energy as split across four areas. This quiet exercise helps you notice which area you lean into most, and which you tend to neglect.",
349   startBtn: "Start →",
350   duration: "~5 minutes",
351   privacyNote:
352     "Your answers stay only on this screen, in your own hands – they are never saved or sent anywhere.",
353   fields: {
354     body: { title: "Body", subtitle: "Health, sensation" },
355     work: {
356       title: "Work · Achievement",
357       subtitle: "Career, study, finance",
358     },
359     bond: { title: "Relationships", subtitle: "Family, friends, self" },
360     meaning: {
361       title: "Future · Meaning",
362       subtitle: "Goals, faith, dreams",
363     },
364   },
365   areas: {
366     body: {
367       tag: "Area 1",
368       title: "Body · Health",
369       desc: "How you look after your body, senses, and health.",
370       questions: [
371         "How have your sleep, diet, and physical activity been lately? Is your body sending you any signals (pain, fatigue)?",
372         "How do you treat your body under stress or hardship – do you rest well, or does your routine fall apart and you take it out on your body?",
373         "How satisfied are you with your appearance and body? How many minutes a day do you spend caring for yourself?",
374       ],
375     },
376     work: {
377       tag: "Area 2",
378       title: "Work · Achievement",
379       desc: "Cognition, career, study, finances, and the drive for achievement.",
380       questions: [
381         "How many hours a day do you spend on work, study, or household duties? What do you actually feel from it?",
382         "Does your self-worth rest only on 'achieving success' or 'being better than others'? Do you feel worthless when you're not working?",
383         "How satisfied are you with learning and recharging your mind? Are you making full use of your intellectual abilities?",
384       ],
385     },
386     bond: {
387       tag: "Area 3",
388       title: "Relationships · Society",

```



```

389     desc: "Family, friends, community, and your relationship with yourself.",
390     questions: [
391         "How many people can you open your heart to and talk with without being judged? Can you give them enough time?",
392         "Do relationships energize you, or do they exhaust you? Do you keep putting others' needs ahead of your own?",
393         "How much time do you spend with yourself? Are you comfortable being alone, or do you seek company out of fear of loneliness?",
394     ],
395 },
396 meaning: {
397     tag: "Area 4",
398     title: "Future · Meaning",
399     desc: "Beliefs, life goals, dreams, intuition, and imagination.",
400     questions: [
401         "What is the main goal or meaning you're living for? How do you picture your future, and what do you believe in or hope for?",
402         "Do you get free time to simply dream, imagine, create art, or just rest without thinking of anything?",
403         "How much do you listen to your inner voice and intuition when planning? Does what you're doing now connect to your bigger future goals?",
404     ],
405 },
406 },
407 noteLabel: "Let's note what came to mind about this area (optional)",
408 notePlaceholder: "Write freely...",
409 continueNext: "Continue →",
410 continueToTest: "Balance test →",
411 testHeading: "Distribute your energy",
412 testDescriptionHtml:
413     "Use the sliders to set what share of your time and energy you currently spend on each of these four areas. The total must add up to <b>100%</b>.",
414 vizModes: { kite: "□ Diamond", platform: "□ Platform", auras: "□ Aura" },
415 vizCaptions: {
416     kite: "A balanced diamond is even; an uneven one leans to one side.",
417     platform:
418         "When the four pillars are unbalanced, the figure tips and loses its balance.",
419     auras:
420         "Energy surrounding the body – which side is biggest, which is weakest?",
421 },
422 sumLabel: "Total:",
423 sumReady: "· ready □",
424 sumMissing: "· {n}% short",
425 sumOver: "· {n}% over",
426 evenSplitBtn: "25% each",
427 viewResultBtn: "View result →",
428 diagramAriaLabel: "Balance figure",
429 diagramLabels: {
430     body: "Body",
431     work: "Work",
432     bond: "Relations",
433     meaning: "Future",
434 },
435 intro: {
436     eyebrow: "Core program",
437     title: "Who am I?",
438     description: "Inner peace begins with understanding yourself.",
439     paragraphs: [
440         "We live every day amid many feelings, thoughts, relationships, and responsibilities. Yet we sometimes fail to notice what we're actually feeling, or where we spend most of our time and energy",
441         "This program is designed to help you get to know yourself better, see the current state of your life, and understand your needs, feelings, strengths, and areas to grow.",
442         "In positive psychotherapy, human life is divided into 4 areas: Health, Work & Duties, Relationships, and Meaning & Future. How balanced these areas are has a major effect on a person's psycho",
443     ],
444     bulletsHeading: "Through this program, you will:",
445     bullets: [
446         "Assess the balance of your life",
447         "Observe and reflect on yourself",
448         "Recognize your own skills and resources",
449         "Understand and accept yourself better",
450         "Find out what in your life deserves more attention",
451     ],
452     checkBtn: "Check your life balance →",
453 },
454 conclusion: {
455     emptyTitle: "Result",
456     emptyText: "You haven't checked your life balance yet.",
457     checkBtn: "Check life balance",

```

```

458 eyebrow: "AI explanation",
459 title: "Your life balance",
460 description:
461   "Which area dominates? Which area has been neglected? What deserves more of your attention?",
462 highestTitle: 'Highest · a "hideout", or genuine drive?',
463 highestTextHtml:
464   'You spend most of your energy ({pct}) on the {label} area. Is this an area that gives you real strength, or has it become a "hideout" you retreat to, away from others? What might be getting n
465 lowestTitle: "Lowest · the neglected area",
466 lowestTextHtml:
467   "The {label} area is lowest, at {pct} – this is the part of your life that's been neglected the most. Imbalance usually starts here. What might change day to day if this area got a little more
468 stepsHeading: "Daily steps to keep your balance",
469 stepsIntro:
470   "Inner peace isn't a one-time result – it's a daily practice of paying attention to yourself. Use the tools below to maintain balance across your life's 4 areas.",
471 goLink: "Go",
472 retakeBtn: "□ Retake",
473 historyHeading: "Saved history",
474 deleteAllBtn: "Delete all",
475 noHistory: "No saved history yet.",
476 footerNote:
477   "Balance isn't about spending exactly equal time on all four areas – it's the gentle habit of listening to yourself and returning to the part you've been neglecting.",
478 nextSteps: {
479   chat: {
480     title: "Chat with Oyunsanaa",
481     note: "Just write and share your thoughts and feelings. Sometimes we only understand ourselves better once we start talking.",
482   },
483   world: {
484     title: "My World app",
485     note: "Noting your feelings each day helps you understand your inner world and sort out your thoughts.",
486   },
487   health: {
488     title: "My Health app",
489     note: "Just send a photo of your meal in chat, and Oyunsanaa will break down the nutrition info and log it for you.",
490   },
491   finance: {
492     title: "My Finance app",
493     note: "Just send a photo of your purchase receipt in chat, and Oyunsanaa will categorize and organize it for you.",
494   },
495   relations: {
496     title: "Relationship tests",
497     note: "Understand your relationship style and needs, and build healthier relationships with others.",
498   },
499   goals: {
500     title: "My Goals app",
501     note: "Turn your dreams and aspirations into real goals, planned and carried out step by step.",
502   },
503 },
504 },
505 },
506 health: {
507   loading: "Loading...",
508   errorGeneric: "Something went wrong",
509   dashboardTitle: "Health · Dashboard",
510   calorie: "Calories",
511   water: "Water",
512   steps: "Steps",
513   dailyLog: "Daily log",
514   waterLiters: "Water (L)",
515   walkingSteps: "Steps",
516   sleepHours: "Sleep (hours)",
517   mood: "Mood (1-10)",
518   saveDailyLog: "Save daily log",
519   formTitle: "My life balance · Health assessment",
520   formIntro:
521     "The more honestly you answer the questions below, the more accurately Oyunsanaa can assess your current health balance.",
522   saved: "Saved □",
523   saving: "Saving...",
524   save: "Save",
525   makeResult: "Get result",
526   section1Title: "1. Basic information",

```

```

527 startDate: "Start date",
528 gender: "Gender",
529 genderMale: "Male",
530 genderFemale: "Female",
531 age: "Age",
532 agePlaceholder: "e.g. 32",
533 heightCm: "Height (cm)",
534 heightPlaceholder: "e.g. 165",
535 weightKg: "Weight (kg)",
536 weightPlaceholder: "e.g. 62",
537 section2Title: "2. How much do you pay attention to your health?",
538 attention: {
539   high: "I pay attention to everything",
540   medium: "I pay moderate attention",
541   low: "Rarely",
542   onlyWhenSick: "Only when I'm sick",
543 },
544 section3Title: "3. Diet",
545 dietTypeLabel: "What kind of eater are you?",
546 dietType: {
547   mixed: "Mixed diet",
548   meat: "Mostly meat",
549   veg: "Mostly vegetables/plain food",
550   vegan: "Vegan",
551   unknown: "Not sure",
552 },
553 mealsPerDayLabel: "How many times a day do you eat?",
554 mealsPerDay: {
555   "1": "1 time",
556   "2": "2 times",
557   "3": "3 times",
558   "4plus": "4+ times",
559 },
560 section4Title: "4. Activity",
561 exerciseLabel: "Do you exercise?",
562 exercise: {
563   daily: "Every day",
564   often: "3-4 times a week",
565   sometimes: "1-2 times a week",
566   rare: "Rarely",
567   never: "Never",
568 },
569 walkingLabel: "On average, how much do you walk per day?",
570 walking: {
571   none: "Almost never",
572   low: "A little",
573   medium: "Moderate",
574   high: "A lot",
575 },
576 section5Title: "5. Sleep and habits",
577 sleepHoursLabel: "Total sleep hours",
578 selectOption: "Select",
579 sleepHoursOptions: {
580   less4: "Less than 4",
581   "4-6": "4-6",
582   "6-8": "6-8",
583   "8-10": "8-10",
584   "10plus": "10+",
585 },
586 sleepTimeLabel: "Usual bedtime",
587 sleepTimeOptions: {
588   "21-22": "21-22",
589   "22-23": "22-23",
590   "23-24": "23-24",
591   "24-1": "24-1",
592   "1plus": "After 1am",
593 },
594 alcoholLabel: "Alcohol",
595 alcoholOptions: {

```

```

596     never: "Never",
597     rare: "Rarely",
598     sometimes: "Sometimes",
599     often: "Often",
600     daily: "Every day",
601 },
602 smokingLabel: "Smoking",
603 smokingOptions: {
604     no: "No",
605     rare: "Rarely",
606     "1-5": "1-5",
607     "6-10": "6-10",
608     "11-20": "11-20",
609     "20plus": "20+",
610 },
611 resultTitle: "Overview of your current health balance",
612 resultWeight: "Body weight:",
613 resultLifestyle: "Activity and diet:",
614 resultSleep: "Sleep and rest:",
615 resultHabits: "Habits:",
616 bmiTextMissing: "Body weight information is missing.",
617 bmiLevel: {
618     under: "underweight",
619     normal: "normal weight",
620     over: "overweight",
621     obese: "obese",
622 },
623 bmiResultText:
624     "Your BMI is approximately {bmi}. This is in the {level} range.",
625 lifestyleGood:
626     "You're maintaining your activity level well. Keep up this pattern.",
627 lifestyleLow:
628     "Your activity level is low. We recommend walking or exercising for 20-30 minutes at least 3 days a week.",
629 lifestyleMid:
630     "Your activity level is moderate. Adding daily walks and some light cardio would improve it even more.",
631 mealsGood:
632     "Your meal frequency looks reasonable. Now it's important to focus more on quality.",
633 mealsLow:
634     "You eat infrequently during the day. To reduce blood sugar swings and digestive load, 3-4 steady meals are recommended.",
635 mealsHigh:
636     "You eat many times a day, so pay attention to portion sizes and sweets/fast food consumption.",
637 sleepGood:
638     "Your sleep duration and bedtime are at a healthy level overall. This has a positive effect on mental health, weight, and immunity.",
639 sleepLow:
640     "Your sleep is relatively insufficient or you go to bed late. Aim to sleep before 23:00 and get 7-8 hours of deep sleep.",
641 sleepBad:
642     "Your sleep may be disrupted to a level that seriously affects your health. Try to go to bed as early as possible and reduce phone/screen use at night.",
643 sleepMid:
644     "Your sleep pattern may be reasonably okay, but aiming for a consistent 7-8 hours would be better.",
645 habitAlcohol: "regularly consumes alcohol",
646 habitSmoking: "smokes",
647 habitsNone:
648     "No clear strong negative habits are visible. This is a big advantage for your health.",
649 habitsSomePrefix: "The following negative health habits are observed: ",
650 habitsSomeSuffix:
651     ". Gradually reducing or replacing these will help maintain your balance.",
652 summaryText:
653     "Currently, your health balance has been roughly assessed based on body weight, sleep, activity, and habit levels. This is not an official medical diagnosis – it's meant to help you understand y
a program that suits you.",
654 },
655 finance: {
656     receipt: {
657         title: "☐ Scan a receipt",
658         description:
659             "Upload a store receipt image and AI will automatically read it and register the transactions.",
660         uploadBtn: "Upload receipt image",
661         emptyTitle: "Add a photo of your receipt",
662         emptyDescription:
663             "AI will prepare the transaction details automatically. You can review and edit everything before saving.",

```

```

664     fileHint: "JPG, PNG or WEBP · Camera and gallery supported",
665     close: "Close receipt upload",
666     analyzing: "AI is reading...",
667     errorFallback: "Failed to read the receipt.",
668     notFound: "No transaction data found in the receipt.",
669     networkError: "Network error. Please try again.",
670     selectLabel: "Select transactions to save:",
671     saveBtn: "transactions to save",
672     saving: "Saving...",
673     anotherImage: "Different image",
674     savedSuccess: "Saved successfully!",
675     uploadAnother: "Upload another",
676     clear: "clear",
677     editHint: "Click any cell in the table below to edit it.",
678     colItemName: "Item Name",
679     colCategory: "Category",
680     colQuantity: "Quantity",
681     colUnitPrice: "Unit Price",
682     colTotalPrice: "Total Price",
683     addRow: "Add row",
684     deleteRow: "Delete row",
685     totalSum: "Total",
686     confirmBtn: "Confirm & Save",
687   },
688   notLoggedIn: "The Finance app opens after you sign in.",
689   title: "A small helper to track your finances simply",
690   subtitle: "My finance (small app)",
691   loading: "Loading...",
692   guestModeNotice: "You're in <b>Guest</b> mode – data won't be saved.",
693   totalIncome: "Total income",
694   totalExpense: "Total expense",
695   balance: "Balance",
696   debtOutstanding: "Outstanding debt",
697   recentTransactions: "Recent transactions",
698   noTransactions: "No transactions yet.",
699   typeLabel: {
700     income: "Income",
701     expense: "Expense",
702     debt: "Debt/Loan",
703     saving: "Savings",
704   },
705   sourceLabel: {
706     text: "manual",
707     voice: "by voice",
708     receipt: "from receipt",
709     image: "from image",
710   },
711   deleteAria: "Delete",
712   deleteTitle: "Delete",
713   deleteAllConfirm:
714     "Delete all transactions? This action cannot be undone!",
715   entry: {
716     showLabel: "☐☐ Enter transaction manually",
717     hideLabel: "☐ Hide manual entry",
718     guestNote:
719       "You're currently using <b>Guest</b> mode – anything you add here is saved <b>locally</b> (separate if you log in).",
720     newTransaction: "Add new transaction",
721     typeLabel: "Type",
722     typeExpense: "Expense",
723     typeIncome: "Income",
724     typeDebt: "Debt/Loan",
725     typeSaving: "Savings",
726     amountLabel: "Amount (₮)",
727     amountPlaceholder: "50,000",
728     dateLabel: "Date",
729     categoryLabel: "Category",
730     categoryDebtLabel: "Category (Borrow/Repay)",
731     categorySavingLabel: "Category (Add/Withdraw)",
732     incomeOnlyNote: "Income has only one category (Income).",

```

```

733     subTypeDebt: "Loan - type",
734     subTypeSavings: "Savings - goal",
735     subTypeIncome: "Income - type",
736     subTypeOther: "Subtype",
737     noteLabel: "Note (optional)",
738     notePlaceholder: "e.g. Batdorj - 10% / 12 months",
739     saveBtn: "Save transaction",
740     deleteAllBtn: "Delete all",
741     quickSummaryTitle: "Quick summary",
742     quickIncome: "Income:",
743     quickExpense: "Expense:",
744     quickDebt: "Outstanding debt:",
745     quickSavings: "Savings:",
746     exampleTitle: "Example",
747     example1: "Salary: <b>Income</b> → type: <b>Salary</b>",
748     example2:
749       "Borrow loan: <b>Debt/Loan</b> → category: <b>Borrow loan</b> → type: <b>Mortgage</b>",
750     example3:
751       "Repay loan: <b>Debt/Loan</b> → category: <b>Repay loan</b> → type: (same)",
752     example4:
753       "Add savings: <b>Savings</b> → <b>Add savings</b> → goal: <b>Emergency fund</b>",
754     collapsedHint: 'Click "Enter transaction manually" to open and add.',
755   },
756   report: {
757     title: "☐ CHECK / Report",
758     fromDate: "From date",
759     toDate: "To date",
760     keywordLabel: "Note / keyword",
761     keywordPlaceholder: "bread, medicine, salary...",
762     typeLabel: "Type",
763     typeAll: "All",
764     typeIncome: "Income only",
765     typeExpense: "Expense only",
766     typeDebt: "Debt/Loan only",
767     typeSavings: "Savings only",
768     categoryLabel: "Category",
769     subCategoryLabel: "Subtype",
770     storeLabel: "Store (optional)",
771     sortLabel: "Sort by amount",
772     sortNone: "Default",
773     sortAsc: "Low → high",
774     sortDesc: "High → low",
775     clearFilters: "Clear filters",
776     showReport: "☐ Show report",
777     hideReport: "☐ Hide report",
778     totalsTitle: "Totals",
779     income: "Income:",
780     expense: "Expense:",
781     balance: "Balance:",
782     debtOutstanding: "Outstanding debt:",
783     saving: "Savings:",
784     rowsCount: "(Transactions: {n} rows)",
785     byCategoryTitle: "By category (expense)",
786     noData: "No data.",
787     incomeBySubTitle: "Income - by type",
788     noIncomeData: "No income data.",
789     otherIncome: "Other income",
790     debtTitle: "Debt / Loan",
791     borrowed: "Borrowed:",
792     repaid: "Repaid:",
793     outstanding: "Outstanding:",
794     savingTitle: "Savings",
795     added: "Added:",
796     withdrawn: "Withdrawn:",
797     expenseSubTitle: "By subtype (expense only)",
798     noExpenseSubData: "No expense subtype data.",
799     topStoresTitle: "☐ TOP stores",
800     filteredListTitle: "Filtered transactions",
801     noFilteredTx: "No matching transactions.",

```

```

802     defaultTitle: "Transaction",
803     defaultIncomeTitle: "Income",
804     defaultExpenseTitle: "Expense",
805     defaultDebtTitle: "Debt/Loan",
806     defaultSavingTitle: "Savings",
807     collapsedHint: 'Pick a date range and click "Show report".',
808 },
809 ],
810 relationsTests: {
811   title: "Relationship tests",
812   subtitle:
813     "These tests are updated every month – take them whenever you like.",
814   testLabel: "Test",
815   questionsPrefix: "Questions:",
816   answersHint: "Answers: 1-5",
817   notFound: "Test not found.",
818   back: "Back",
819   chat: "Chat",
820   result: "Result",
821   noSummary: "No description prepared yet.",
822   close: "Close",
823 },
824 goalPlanner: {
825   goalTypes: {
826     Хувийн: "Personal",
827     Хосын: "Couple",
828     Ажил: "Work",
829     "Гэр бүл": "Family",
830     "Эрүүл мэнд": "Health",
831     Санхүү: "Finance",
832     "Сурч хөгжих": "Learning & growth",
833     Бусад: "Other",
834   },
835   effortUnits: {
836     Өдөрт: "Per day",
837     "7 хоногт": "Per week",
838     Сард: "Per month",
839     Жилд: "Per year",
840     "Нэг л удаа": "One time",
841   },
842   groups: {
843     "Богино хугацаа": "Short term",
844     "Дунд хугацаа": "Medium term",
845     "Урт хугацаа": "Long term",
846   },
847   back: "Back",
848   title: "Goals",
849   chat: "Chat",
850   modeEdit: "Write & save → listed below",
851   modeOrganized: "Organized list",
852   modeExecute: "Execution",
853   goalTypeLabel: "Goal type",
854   durationLabel: "Timeframe",
855   goalLabel: "Goal",
856   goalPlaceholder: "Example: Reach 100M monthly income",
857   descLabel: "Description",
858   descPlaceholder: "Add more detail if needed",
859   effortLabel: "Time to spend on the goal",
860   freqAria: "Frequency",
861   times: "times",
862   hour: "h",
863   min: "min",
864   hourAria: "Hours",
865   minAria: "Minutes",
866   helpExample:
867     "Example: Per day + 3 times + 0h + 30min □ 1h 30m per day total",
868   save: "Save",
869   freqLabel: "Frequency:",
870   deleteBtn: "Delete",

```

```

871 emptyGoals: "No goals yet.",
872 organizeBtn: "Organize goals",
873 organizedTitle: "Your goals are organized",
874 organizedHint: "Review the list below and press «Confirm».",
875 emptyGroup: "No goals here.",
876 total: "Total",
877 unknown: "(undefined)",
878 confirm: "Confirm",
879 totalGoalsLabel: "Total goals:",
880 completedGoalsLabel: "Completed goals:",
881 show: "show",
882 hide: "hide",
883 emptyCompleted: "No completed goals yet.",
884 doneBadge: "Done",
885 successMsg: "☑ Congratulations! You've completed all your goals.",
886 remaining: "Remaining",
887 doneWord: "Done",
888 doneBtn: "Done",
889 cycleFull: "This cycle is complete",
890 backToOrganize: "Back to organizing",
891 newGoal: "Write a new goal",
892 errGoalRequired: "Please write your goal briefly.",
893 errGeneric: "An error occurred",
894 errSave: "An error occurred while saving",
895 errDelete: "An error occurred while deleting",
896 errMarkDone: "An error occurred while marking done",
897 errServer:
898   "The server response is invalid. Please check /api/goal-planner.",
899 },
900 ebooks: {
901   title: "Book contents",
902   subtitle:
903     "Tap each card below and write your heart on that topic's page.",
904   pages: "pages",
905   open: "Open",
906   sections: {
907     world: { title: "My world", sub: "My thoughts, my inner world" },
908     memories: { title: "Life memories", sub: "Stories to look back on" },
909     notes: { title: "Notes", sub: "Everyday thoughts and ideas" },
910     happy: {
911       title: "Gratitude · Joyful moments",
912       sub: "Heartwarming moments",
913     },
914     letters: { title: "Letters", sub: "Words for your loved ones" },
915     difficult: {
916       title: "Hard times",
917       sub: "Challenges, trials, overcoming",
918     },
919     wisdom: {
920       title: "Insight · Lessons",
921       sub: "Things you've understood from life",
922     },
923     complaints: {
924       title: "Grievances & regrets",
925       sub: "A space to write your heart openly",
926     },
927     creatives: {
928       title: "My creative work",
929       sub: "Poems, stories, ideas, works",
930     },
931     personals: {
932       title: "My corner",
933       sub: "A section to write freely on any topic",
934     },
935     extras: {
936       title: "Other parts of the book",
937       sub: "Special chapters, extra pages",
938     },
939     preview: { title: "Final layout", sub: "See how the book looks" },

```



```

940 },
941 defaultBookTitle: "My Book",
942 untitled: "(untitled)",
943 write: {
944   backToChat: "← Back to chat",
945   backToEbook: "← Back to E-book",
946   chooseTemplate: "Choose template",
947   currentTemplate: "Current template:",
948   prepareBook: "Final layout",
949   includeInBook: "Include in book",
950   categoryLabel: "Category",
951   titleLabel: "Title",
952   titlePlaceholder: "Write a title...",
953   imageAlt: "A4 image",
954   captionPlaceholder: "Caption below the image...",
955   removeImage: "Remove image",
956   contentLabel: "Text",
957   contentPlaceholder: "Write your thoughts and memories freely here...",
958   uploading: "Uploading image...",
959   addImage: "Add image",
960   saveEdit: "Save edit",
961   save: "Save",
962   writingPage: "Writing page",
963   mobileHint: "On mobile, left/right stack vertically.",
964   deleteConfirm: "Permanently delete this entry?",
965   deleteAllConfirm: "Permanently delete all files?",
966   imageUploadError:
967     "Error uploading image. Check the bucket name/permissions.",
968   preview: "Preview",
969   scrollDown: "⌵ Scroll down",
970   savedNotice: "Saved",
971 },
972 archive: {
973   filesTitle: "Files (saved entries)",
974   searchPlaceholder: "Search: title / date...",
975   selectAll: "Select all",
976   deselectAll: "Deselect",
977   selected: "Selected:",
978   deleteSelected: "Delete selected",
979   deleteSelectedConfirm: "Delete {n} entries?",
980   clearSelection: "Clear",
981   selectHint: "Select to perform bulk actions.",
982   deleteAll: "Delete all",
983   deleteAllConfirm: "Permanently delete ALL ({n}) entries?",
984   noNotes: "No saved entries yet. Save one to get started.",
985   edit: "Edit",
986   removeFromBook: "Remove from book",
987   addToBook: "Include in book",
988   delete: "Delete",
989   inBook: "In book",
990   draftOnly: "Draft only",
991 },
992 book: {
993   backToChat: "← Back to chat",
994   backToWrite: "← Back to writing",
995   otherSections: "Other parts of the book",
996   refresh: "🔄 Refresh",
997   print: "🖨️ Print",
998   prepareBook: "Final layout",
999   desktopHint: "Two pages at once on desktop, single page on mobile.",
1000   menu: "Menu",
1001   pageNoPlaceholder: "Page #",
1002   jump: "Jump",
1003   jumpHint:
1004     "Clicking the menu jumps straight to that section's page in the layout.",
1005   coverPage: "Cover page",
1006   tocPage: "Table of contents",
1007   forewordPage: "Foreword",
1008   endingPage: "Closing words",

```

```

1009     authorLabel: "Author:",
1010     subMenuLabel: "SUBMENU",
1011     tocLabel: "CONTENTS",
1012     tocHint: "Clicking jumps straight to that page in the book.",
1013     editLink: "Edit",
1014     imageAlt: "image",
1015 },
1016 extras: {
1017     chat: "-- Chat",
1018     ebook: "Book (E-book)",
1019     prepareBook: "Final layout",
1020     themeLabel: "Theme (3 colors)",
1021     templateLabel: "Choose template (3 types)",
1022     templateA: "template-a",
1023     templateB: "template-b",
1024     templateC: "template-c",
1025     save: "Save",
1026     saving: "Saving...",
1027     saved: "☐ Saved. (Sent to final layout)",
1028     saveError: "☐ Error saving: {msg}",
1029     subMenuTitle: "SUBMENU (10)",
1030     sections: {
1031         cover: "Cover",
1032         toc: "Contents",
1033         foreword: "Foreword",
1034         ending: "Ending",
1035         submenu: "Submenu start",
1036     },
1037     coverTitleLabel: "Cover title",
1038     subtitleLabel: "Subtitle",
1039     coverImageLabel: "Cover image (upload, not URL)",
1040     chooseImage: "Choose image",
1041     removeImage: "Remove image",
1042     noImagePlaceholder: "(no image added)",
1043     tocLinesLabel: "Contents lines (Name|Page)",
1044     forewordHeading: "Foreword",
1045     endingHeading: "Ending",
1046     subMenuTextLabel: "Submenu text",
1047     bodyPlaceholder: "Write here...",
1048     emptyBody: "(empty text)",
1049     circleImageLabel: "Small circular image (upload)",
1050     tocHint: "Clicking jumps straight to that page in the book.",
1051 },
1052 },
1053 dailyCheck: {
1054     back: "Back",
1055     headTitle: "Daily check",
1056     chat: "Chat",
1057     calculating: "Calculating...",
1058     getResult: "Get result",
1059     continue: "Continue",
1060     autoNextHint: "* Selecting automatically moves to the next question.",
1061     todayResult: "Today's result",
1062     focusTopic: "Main topic:",
1063     dominantFeeling: "Dominant feeling:",
1064     progressCalendar: "Progress (Calendar)",
1065     legend: { good: "Good", mid: "Moderate", hard: "Hard", heavy: "Heavy" },
1066     rangeResult: "summary",
1067     close: "Close",
1068     period: "Period:",
1069     noDataInRange:
1070         "No data for this period. A summary appears once you start filling in days.",
1071     avgScore: "Average score",
1072     total: "Total:",
1073     days: "days",
1074     levelCount: "Levels (count)",
1075     tapBgToClose: "* Tap the background to close.",
1076     calendarLoading: "Loading calendar...",
1077     pickDay: "Pick a day",

```

```

1078 pickDayHint: "Try tapping a day on the calendar.",
1079 dow: ["Mo", "Tu", "We", "Th", "Fr", "Sa", "Su"],
1080 trendUp: "up",
1081 trendDown: "down",
1082 trendStable: "↔ stable",
1083 errRead: "An error occurred while reading",
1084 errGeneric: "An error occurred",
1085 errSave: "An error occurred while saving",
1086 errMood: "Mood is empty. Go back to question 1 and choose.",
1087 errEnergy: "Energy is empty. Go back to that question and choose.",
1088 errImpact: "Impact is empty. Go back to that question and choose.",
1089 ranges: {
1090   "7d": "7 days",
1091   "30d": "1 month",
1092   "3m": "3 months",
1093   "6m": "6 months",
1094   "12m": "12 months",
1095 },
1096 summary: {
1097   Green: "Today feels stable ☐",
1098   Yellow: "Today is a decent day ☐",
1099   Orange: "Today may have felt a bit hard ☐",
1100   Red: "Today seems to have been a heavy day ☐☐",
1101 },
1102 detail: {
1103   Green:
1104     "Your overall body-mind balance is good. Keep reinforcing this feeling.",
1105   Yellow:
1106     "There was some load, but you got through it. Support yourself.",
1107   Orange:
1108     "Your mood may be swinging. A little something calming (breathing, a walk, water) helps.",
1109   Red: "Inner load has increased. Right now you most need a calm environment and a little rest.",
1110 },
1111 dayTone: {
1112   Green: "You noticed yourself well today. ",
1113   Yellow: "You tried today too – that's enough. ",
1114   Orange: "Let's be a little gentle with yourself – small steps help. ",
1115   Red: "Take a breath for now, and let's not blame ourselves. ",
1116 },
1117 warmClose: "Talk to me if you'd like – you're not alone ☐",
1118 finishWarm: {
1119   a1: "Yes – not blaming yourself is the most right step.",
1120   a2: "Saying you won't give up is a great courage you gave yourself.",
1121   a3: "You're already trying. Now support yourself more confidently.",
1122   a4: "Resting is not weakness – it's love you give yourself.",
1123   a5: "Accepting yourself is the beginning of inner calm.",
1124 },
1125 finishWarmDefault: "Saying «{text}» is itself strength.",
1126 steps: {
1127   mood: {
1128     title: "How is your mood today?",
1129     desc: "Choose the feeling closest to what's inside you.",
1130   },
1131   thought: {
1132     title: "What was on your mind most today?",
1133     desc: "No right or wrong – just observation.",
1134   },
1135   impact: {
1136     title: "How did that thought affect your mood?",
1137     desc: "It could be positive or negative.",
1138   },
1139   body: {
1140     title: "What do you feel in your body now?",
1141     desc: "Body signals are the language of emotion.",
1142   },
1143   energy: {
1144     title: "How energetic do you feel?",
1145     desc: "Choose honestly, without blaming yourself.",
1146   },

```

```

1147 feelings: {
1148   title: "Which feelings dominate right now?",
1149   desc: "Pick up to 3.",
1150 },
1151 need: {
1152   title: "What do you need most right now?",
1153   desc: "Just observation.",
1154 },
1155 color: {
1156   title: "What color would describe today's feeling?",
1157   desc: "Color helps name a feeling.",
1158 },
1159 identity: {
1160   title: "What kind of person do you see yourself as?",
1161   desc: "Pick up to 3.",
1162 },
1163 finish: {
1164   title: "What word will you say to yourself today?",
1165   desc: "The last choice.",
1166 },
1167 },
1168 choices: {
1169   m5: "Happy",
1170   m4: "Good",
1171   m3: "Okay",
1172   m2: "Worried",
1173   m1: "Sad",
1174   t5: "Future · life",
1175   t2: "Work · school",
1176   t4: "Family · home",
1177   t1: "People · relationships",
1178   t3: "Money · finance",
1179   i1: "Affected a lot",
1180   i2: "Affected quite a bit",
1181   i3: "Affected moderately",
1182   i4: "Affected a little",
1183   i5: "Didn't affect at all",
1184   b1: "Calm · at ease",
1185   b2: "Tense body (neck/shoulders)",
1186   b4: "Restless · uneasy",
1187   b3: "Heavy · weighed down",
1188   b5: "Tired · drained",
1189   e5: "Very energetic",
1190   e4: "Pretty good",
1191   e3: "Just normal",
1192   e2: "Tired",
1193   e1: "Very tired",
1194   f5: "Feeling hopeful",
1195   f4: "Peaceful",
1196   f7: "A warm, loving feeling",
1197   f8: "Feeling tender",
1198   f6: "Feeling empty",
1199   f3: "Feeling angry",
1200   f2: "Anxious, fearful",
1201   f1: "Feeling sad",
1202   n4: "To connect with someone",
1203   n3: "To move / exercise",
1204   n2: "To relax",
1205   n1: "To rest",
1206   n5: "To be alone",
1207   c5: "White (lovely/bright)",
1208   c3: "Yellow (energy/hope)",
1209   c2: "Green (peaceful/balanced)",
1210   c1: "Blue (sadness/longing)",
1211   c4: "Red (anger/frustration)",
1212   c6: "Black (heavy/exhausted)",
1213   p7: "Able to be confident",
1214   p2: "Smart",
1215   p3: "Patient",

```

```

1216     p6: "Able to overcome anything",
1217     p5: "Able to rise again",
1218     p4: "Persevering",
1219     p1: "Learns and moves forward",
1220     a2: "Don't give up",
1221     a1: "Won't blame myself",
1222     a4: "I have the right to rest",
1223     a3: "I'll try even harder",
1224     a5: "I'm accepting it",
1225 },
1226 },
1227 balance: {
1228   domainLabels: {
1229     emotion: "Emotions",
1230     self: "Self-understanding",
1231     relations: "Relationships",
1232     purpose: "Purpose & meaning",
1233     selfCare: "Self-care",
1234     life: "Stability",
1235   },
1236   scaleLabels: ["Yes", "Mostly", "Somewhat", "Rarely", "No"],
1237   questions: {
1238     e1: "Has your mood generally been calm and stable lately?",
1239     e2: "Can you feel joy from small everyday things?",
1240     e3: "Can you turn negative thoughts into a more positive direction?",
1241     e4: "Do worry and anxiety strongly affect your daily life?",
1242     e5: "When you feel down, can you regain your balance within a short time?",
1243     e6: "Do you know how to release stress in a healthy way instead of holding it in?",
1244     s1: "Can you clearly name your own strengths and abilities?",
1245     s2: "Do you know the weaknesses that tend to challenge you (e.g. procrastination, overthinking)?",
1246     s3: "Do you know what situations stress you out the most (your triggers)?",
1247     s4: "Do you try to name the emotion you're feeling in the moment and understand its cause?",
1248     s5: "Are your most important values (what matters most to you) clear to you?",
1249     s6: "When making decisions, do you ask yourself \"What do I really want?\"",
1250     r1: "Would you say you're good at understanding others and communicating calmly?",
1251     r2: "Can you express your needs and feelings clearly to others?",
1252     r3: "Can you say \"no\" to others and set healthy boundaries?",
1253     r4: "Are you satisfied having 1-2 people who listen to and understand you at any time?",
1254     r5: "When conflict arises, can you talk it through calmly and find a solution together?",
1255     r6: "Do other people's attitudes, words, or talk easily unsettle your mood?",
1256     r7: "When faced with criticism, can you defend yourself while staying calm?",
1257     p1: "Would you say you currently have a clear goal or direction?",
1258     p2: "Do you make a realistic plan and take small steps to achieve your goals?",
1259     p3: "Do you usually finish what you start?",
1260     p4: "Do you regularly set aside time for self-development – courses, books, new experiences?",
1261     p5: "Does the habit of procrastinating things you need to do hold you back a lot?",
1262     p6: "When you think about your future, do you feel more opportunity and hope?",
1263     p7: "Do you mostly take responsibility for your own life rather than blaming others?",
1264     c1: "Do you accept yourself as you are and treat yourself kindly?",
1265     c2: "When you make a mistake, can you learn from it without putting yourself down?",
1266     c3: "Can you set aside time for yourself to rest and recover?",
1267     c4: "Do you notice your body's signals (fatigue, hunger, pain) and address them right away?",
1268     c5: "Do you often blame yourself from comparing yourself to others too much?",
1269     c6: "Do you encourage yourself and note even your small achievements?",
1270     l1: "In the last 7 days, were you actively active for 20+ minutes on at least 3 days?",
1271     l2: "Do you usually sleep 7-9 hours and wake up at a fairly consistent time?",
1272     l3: "Do you eat your 3 main meals regularly and in a reasonably healthy way each day?",
1273     l4: "Do you generally keep track of your income and spending, knowing where your money goes?",
1274     l5: "Would you say your living environment is generally calm, safe, and comfortable?",
1275     l6: "Has your daily life (work, home, rest, finances, etc.) become more stable?",
1276   },
1277   levels: {
1278     excellent: {
1279       level: "Excellent",
1280       tone: "Your overall balance is stable. It may fluctuate on some days, but your foundation is working well.",
1281     },
1282     good: {
1283       level: "Good",
1284       tone: "Generally decent. However, there may be more noticeable fluctuation in 1-2 areas.",

```

```

1285 },
1286 mid: {
1287   level: "Moderate",
1288   tone: "A mixed picture – decent in some areas, fluctuating in others. This level is the most common for many people.",
1289 },
1290 attention: {
1291   level: "Needs attention",
1292   tone: "You may currently be carrying several burdens at once. This doesn't mean \"bad\" – it's a sign to rebalance your support and resources.",
1293 },
1294 },
1295 domainNarrativeBands: {
1296   strong:
1297     'Your foundation in {label} is stable. "Maintaining and protecting it" is the right move here.',
1298   good: "{label} is at a decent level. It may fluctuate occasionally – a small consistent habit would help keep it stable.",
1299   mid: "Fluctuation is noticeable in {label}. This usually moves together with workload, environment, and expectations.",
1300   low: 'Support around {label} may be weak right now. Not a "big change" – a small, consistent step is enough to start.',
1301 },
1302 tinyStep: {
1303   emotion:
1304     'Today, 3 minutes: breathe (4-4-6) + write 1 sentence answering "What am I feeling right now?"',
1305   self: 'Today, 5 minutes: write 1 answer to "What do I need most right now?"',
1306   relations:
1307     'Today, 1 small step: send one person a genuine "Hi, how are you?" message.',
1308   purpose:
1309     'Today, 5 minutes: pick 1 tiny goal for this week (keep it very small!).',
1310   selfCare:
1311     'Today, 10 minutes: stabilize one routine – a walk, or your water/meal timing.',
1312   life: "Today, 1 small rule: set one small limit on your sleep time or work hours.",
1313   default: "Today, pick one small step and try it for 7 days.",
1314 },
1315 narrative: {
1316   headlines: [
1317     "Your snapshot for today",
1318     "A picture of your current balance",
1319     "What does today's picture look like?",
1320     "An overview of your emotional balance",
1321     "Your current direction",
1322     "Today's overall picture",
1323     "A brief balance report",
1324     "Your current rhythm",
1325     "A picture of your current state",
1326     "Your conclusion for today",
1327     "Your inner snapshot for today",
1328     "Current state: an overview",
1329   ],
1330   meaningByBand: {
1331     low: [
1332       'A low score isn\'t a judgment of "bad." It simply shows that support, stability, and energy have tended to weaken across 2-3 areas at once recently.',
1333       'This level usually happens when several things overlap. It doesn't mean you're weak – it shows that your system/environment/inner resources are all carrying load at the same time.',
1334       'The current score is a real snapshot of one day. Sometimes a person\'s inner balance can feel "fragmented," and that can be a normal occurrence.',
1335     ],
1336     mid: [
1337       'Your score is at a moderate level. This is a picture where "some areas are decent, some are fluctuating."',
1338       'A moderate score reflects two different worlds side by side: things that are working fairly well, and parts that feel unstable.',
1339       'This level is the most common state for many people. You do have strengths, but stability isn't quite even.',
1340     ],
1341     good: [
1342       'Your score is at a good level. The general foundation is decent, and day-to-day fluctuation is mostly manageable.',
1343       'A good level shows that the effect of stable habits is starting to show. Some areas may still have slight fluctuation.',
1344       'In this picture, your overall rhythm is decent – meaning your inner resources are working.',
1345     ],
1346     strong: [
1347       'Your score is high. Overall balance is stable, and your inner resources and environmental support are working relatively well.',
1348       'A high score doesn\'t mean "everything is perfect," but it does say your foundation is stable.',
1349       'This level signals a stable foundation. There may be rare weak points, but the overall picture is good.',
1350     ],
1351   },
1352   focusTemplates: [
1353     "The areas pulling the current picture down the most are {weakestLine}. This shows that stability, confidence, and emotional fluctuation may be more noticeable in those areas.",

```

```

1354     "Scores are relatively lower in {weakestLine}. This doesn't mean \"can't\" – it just means the things you're feeling most right now in your life are concentrated there.",
1355     "The most sensitive points lean toward {weakestLine}. This usually moves together with environment, workload, relationships, and inner expectations.",
1356     "The biggest score fluctuation is felt in {weakestLine}. These may be the areas that change how your days feel the most.",
1357 ],
1358 strengthTemplates: [
1359     'Strength: {label}. This area is currently acting as a "foundation" – giving you inner support while other areas fluctuate.',
1360     'A relatively stable area: {label}. This is a sign that something in your system is working.',
1361     'An area that\'s working well: {label}. With such a "solid" part in place, other areas will gradually balance out.',
1362 ],
1363 noStrength:
1364     "No standout area of strength yet. This is usually because all areas are fluctuating at a similar level.",
1365 and: "and",
1366 summaryTemplates: [
1367     "Total score {score}/100. This is today's real snapshot – it simply shows the rhythm of your inner balance.",
1368     'Your score is {score}/100. This isn\'t a "judgment," but a measure of your current state.',
1369     "Today's snapshot: {score}/100. Some areas are stable, others feel more noticeable.",
1370     "Score is {score}/100. This shows what your inner rhythm looks like today.",
1371 ],
1372 },
1373 test: {
1374     back: "Back",
1375     chat: "To chat",
1376     title: "Emotional Balance Test",
1377     progress: "Progress: {answered}/{total}",
1378     introHtml:
1379         "Hello. I'm <b>Oyunsanaa</b>, your emotional companion.<br><br>I'll check the balance of <b>6 key areas</b>: emotions, self-understanding, relationships, purpose, self-care, and stable living.",
1380     disclaimer:
1381         "Note: I'm not a doctor. I don't provide treatment or diagnosis. If you feel you need urgent help, please reach out to a professional.",
1382     startBtn: "Start test",
1383     hint: "Please answer all questions to get your result. Currently: {answered}/{total}",
1384     hintLabel: "Reminder:",
1385     resultBtn: "Get result",
1386 },
1387 menuHint:
1388     "Psychological tests help you get to know yourself from many angles and understand your strengths, needs, and life balance.",
1389 result: {
1390     backToTest: "To test",
1391     backToChat: "To chat",
1392     noDataTitle: "Test result",
1393     noDataText:
1394         "There's no result yet. Once you complete the test, it will appear here automatically.",
1395     noDataLink: "Take the test",
1396     headerSmall: "Test result",
1397     totalScoreLabel: "Total score:",
1398     answeredLabel: "Answered:",
1399     appsTitle: "Apps that suit you (useful for daily use)",
1400     appsHint: "These suggestions are based on your 1-2 weakest areas.",
1401     openBtn: "Open",
1402     detailsTitle: "Explanation for each area",
1403     weakestQTitle: 'Questions that "pulled down" this area:',
1404     answeredParens: "(Answered: {answered}/{total})",
1405     retakeBtn: "Retake the test",
1406     progressTitle: "Progress (previous tests)",
1407     deleteAll: "Delete all",
1408     sparklineLabel: "Total score change (0-100)",
1409     sparklineMin2: "Take the test at least 2 times to see your progress.",
1410     noHistory:
1411         "There's no history yet. Progress will appear here after you retake the test.",
1412     deleteOne: "Delete",
1413     footerNote:
1414         "In a future update: this progress will be saved to Supabase, so you won't lose your history even when you switch devices.",
1415 },
1416 apps: {
1417     emotion: [
1418         {
1419             title: "Daily mood check test",
1420             note: "30 seconds a day – measure and note your state today.",
1421         },

```

```

1422     {
1423       title: "Stress observation notes",
1424       note: "Helps you observe the causes/rhythm of your fluctuations.",
1425     },
1426   ],
1427   self: [
1428     {
1429       title: "My World – notes app",
1430       note: "Capture your thoughts/feelings in 3 lines a day.",
1431     },
1432   ],
1433   relations: [
1434     {
1435       title: "Your relationship style",
1436       note: "Short exercises to understand your own style.",
1437     },
1438     {
1439       title: "Boundary-setting exercise",
1440       note: "Helps you understand your forms of self-protection.",
1441     },
1442   ],
1443   purpose: [
1444     {
1445       title: "Goal planner app",
1446       note: "Break down your goals and set a rhythm.",
1447     },
1448     {
1449       title: "Weekly small step",
1450       note: "Plan only within this week's scope.",
1451     },
1452   ],
1453   selfCare: [
1454     {
1455       title: "Health app",
1456       note: "Observe your baseline rhythm (sleep/rest/movement).",
1457     },
1458     {
1459       title: "Nutrition observation",
1460       note: "Helps you understand the link between energy and fatigue.",
1461     },
1462   ],
1463   life: [
1464     { title: "Finance app", note: "See your income/spending clearly." },
1465   ],
1466   default: [
1467     {
1468       title: "Retake the test",
1469       note: "Track your progress and see your change.",
1470     },
1471   ],
1472 },
1473 progressPage: {
1474   title: "Combined progress (Dashboard)",
1475   text: "This page is for the combined progress of the apps below. The Balance test's progress/chart appears on the test's \"Result\" page.",
1476   toTest: "To test",
1477   toResult: "To test result",
1478 },
1479 summaryPage: {
1480   title: "Combined summary (Dashboard)",
1481   text: "This page is for the combined information of the apps below. The Balance test's result isn't here.",
1482   toTest: "To test",
1483   toResult: "To test result",
1484 },
1485 ],
1486 },
1487 };
1488
1489 export default en;

```


425. lib/i18n/dictionaries/ja.ts

```
1 import type { Dictionary } from "../mn";
2
3 // NOTE: machine-quality translation – have a native speaker review.
4 const ja: Dictionary = {
5   language: {
6     label: "日本語",
7   },
8   common: {
9     newChat: "新しいチャット",
10    send: "送信",
11    cancel: "キャンセル",
12    save: "保存",
13    delete: "削除",
14    loading: "読み込み中...",
15    back: "戻る",
16    chat: "チャット",
17    toggleSidebar: "サイドバーを切り替え",
18    subscription: "サブスクリプション",
19    signOut: "サインアウト",
20    loginToAccount: "アカウントにログイン",
21    loadingAuthStatus: "認証状態の読み込み中",
22    checkingAuthStatus: "認証状態を確認中!",
23    toggleToDarkMode: "ダークモードに切り替え",
24    toggleToLightMode: "ライトモードに切り替え",
25  },
26  meta: {
27    title: "日本語 Chat",
28    description: "日本語 - AIチャット",
29  },
30  banner: {
31    trialExpired: "無料トライアルが終了しました。 →",
32    trialDaysLeft: "無料トライアル - {days}日残り →",
33  },
34  greeting: {
35    hello: "こんにちは！",
36    howCanIHelp: "どうお手伝いできますか？",
37  },
38  auth: {
39    signInTitle: "サインイン",
40    signInSubtitle: "アカウントでサインイン",
41    signIn: "サインイン",
42    signingIn: "サインイン中...",
43    googleSignIn: "Googleでサインイン",
44    noAccount: "アカウントがありません。 ",
45    signUpFree: "サインアップ",
46    signUpTitle: "サインアップ",
47    signUpSubtitle: "無料でサインアップ",
48    signUp: "サインアップ",
49    alreadyHave: "すでにアカウントをお持ちですか？ ",
50    signInInstead: "サインイン",
51    emailLabel: "メールアドレス",
52    passwordLabel: "パスワード",
53    invalidCredentials: "無効な認証情報",
54    accountExists: "アカウントが存在します",
55    accountCreated: "アカウントが作成されました",
56    failedCreate: "アカウントの作成に失敗しました",
57    invalidSubmission: "無効な送信",
58  },
59  nav: {
60    appName: "Oyunsanaa AI Chat",
61    deleteAllChats: "すべてのチャットを削除",
62    newChat: "新しいチャット",
63  },
64  sidebar: {
65    loginToSave: "サインインして保存",
66    emptyHistory: "履歴が空です",
67  },
68 }
```



```

205   saveError: " ",
206   fetchError: " ",
207   programHeader: " ",
208   dayProgress: "{day} / {total}",
209   units: {
210     kcal: "kcal",
211     liter: "L",
212     steps: "",
213     gram: "g",
214     point: "",
215     hourShort: "",
216     minuteShort: "",
217     mlShort: "ml",
218   },
219   tabs: {
220     food: "",
221     water: "",
222     sleep: "",
223     move: "",
224     summary: "",
225   },
226   save: "",
227   saved: " ",
228   chatWithPsychologist: " ",
229   editProfile: " ",
230   food: {
231     nameLabel: " ",
232     namePlaceholder: ": 51...",
233     imageLabel:
234       "– AI",
235     imageAlt: " ",
236     removeImage: " ",
237     analyzing: "...",
238     analyzeButton: "AI",
239     analyzeHint: "AI",
240     aiError: "AI",
241     filledByAI:
242       " AI – ",
243     fields: {
244       calories: " (kcal)",
245       protein: " (g)",
246       goodCarbs: " (g)",
247       badCarbs: " (g)",
248       fat: " (g)",
249       fiber: " (g)",
250       sugar: " (g)",
251       nutritionScore: " (0-100)",
252     },
253     addMeal: "",
254     noMeals: " ",
255     nutrients: {
256       calories: " ",
257       protein: " ",
258       goodCarbs: " ",
259       badCarbs: " ",
260       fat: " ",
261       fiber: " ",
262       sugar: " ",
263       nutritionScore: " ",
264     },
265   },
266   water: {
267     liter: " ",
268     target: "/ {target} L",
269     clear: " ",
270     totalPlaceholder: " ",
271   },
272   sleep: {
273     hoursLabel: " ",

```



```

343 duration: "5",
344 privacyNote:
345   " ",
346 fields: {
347   body: { title: "", subtitle: "" },
348   work: { title: "", subtitle: "" },
349   bond: { title: "", subtitle: "" },
350   meaning: { title: "", subtitle: "" },
351 },
352 areas: {
353   body: {
354     tag: "1",
355     title: "",
356     desc: "",
357     questions: [
358       "",
359       " — ",
360       "1",
361     ],
362   },
363   work: {
364     tag: "2",
365     title: "",
366     desc: "",
367     questions: [
368       "1",
369       "",
370       "",
371     ],
372   },
373   bond: {
374     tag: "3",
375     title: "",
376     desc: "",
377     questions: [
378       "",
379       "",
380       "",
381     ],
382   },
383   meaning: {
384     tag: "4",
385     title: "",
386     desc: "",
387     questions: [
388       "",
389       "",
390       "",
391     ],
392   },
393 },
394 noteLabel: "",
395 notePlaceholder: "...",
396 continueNext: "→",
397 continueToTest: "→",
398 testHeading: "",
399 testDescriptionHtml:
400   "4<b>100%</b><br>",
401 vizModes: { kite: " ", platform: " ", auras: " " },
402 vizCaptions: {
403   kite: "",
404   platform: "4",
405   auras: " — ",
406 },
407 sumLabel: "",
408 sumReady: "·  ",
409 sumMissing: "·  {n}%",
410 sumOver: "·  {n}%%",
411 evenSplitBtn: "25%",

```



```

550 },
551 section5Title: "5.  ",
552 sleepHoursLabel: " ",
553 selectOption: "",
554 sleepHoursOptions: {
555   less4: "4 ",
556   "4-6": "4 6",
557   "6-8": "6 8",
558   "8-10": "8 10",
559   "10plus": "10 ",
560 },
561 sleepTimeLabel: " ",
562 sleepTimeOptions: {
563   "21-22": "21 22",
564   "22-23": "22 23",
565   "23-24": "23 24",
566   "24-1": "24 1",
567   "1plus": "1 ",
568 },
569 alcoholLabel: "",
570 alcoholOptions: {
571   never: " ",
572   rare: "",
573   sometimes: "",
574   often: "",
575   daily: "",
576 },
577 smokingLabel: "",
578 smokingOptions: {
579   no: "",
580   rare: "",
581   "1-5": "1 5",
582   "6-10": "6 10",
583   "11-20": "11 20",
584   "20plus": "20 ",
585 },
586 resultTitle: " ",
587 resultWeight: "",
588 resultLifestyle: " ",
589 resultSleep: " ",
590 resultHabits: "",
591 bmiTextMissing: " ",
592 bmiLevel: {
593   under: "",
594   normal: "",
595   over: "",
596   obese: "",
597 },
598 bmiResultText: "BMI {bmi} {level} ",
599 lifestyleGood:
600   " ",
601 lifestyleLow:
602   "3 1 20 30 ",
603 lifestyleMid:
604   " ",
605 mealsGood: " ",
606 mealsLow:
607   "1 3 4 ",
608 mealsHigh:
609   "1 ",
610 sleepGood:
611   " ",
612 sleepLow:
613   "23 7 8 ",
614 sleepBad:
615   " ",
616 sleepMid:
617   "7 8 ",
618 habitAlcohol: " ",

```

```

619     habitSmoking: "吸烟",
620     habitsNone:
621       " ",
622     habitsSomePrefix: " ",
623     habitsSomeSuffix: " ",
624     " ": " ",
625     summaryText:
626       " ",
627   },
628   finance: {
629     receipt: {
630       title: " ",
631       description:
632         "AI ",
633       uploadBtn: " ",
634       emptyTitle: " ",
635       emptyDescription:
636         "AI ",
637       fileHint: "JPG PNG WEBP · ",
638       close: " ",
639       analyzing: "AI...",
640       errorFallback: " ",
641       notFound: " ",
642       networkError: " ",
643       selectLabel: " ",
644       saveBtn: " ",
645       saving: "...",
646       anotherImage: " ",
647       savedSuccess: " ",
648       uploadAnother: " ",
649       clear: " ",
650       editHint: " ",
651       colItemName: " ",
652       colCategory: " ",
653       colQuantity: " ",
654       colUnitPrice: " ",
655       colTotalPrice: " ",
656       addRow: " ",
657       deleteRow: " ",
658       totalSum: " ",
659       confirmBtn: " ",
660     },
661     notLoggedInIn: " ",
662     title: " ",
663     subtitle: " ",
664     loading: "...",
665     guestModeNotice:
666       " <b> </b> - ",
667     totalIncome: " ",
668     totalExpense: " ",
669     balance: " ",
670     debtOutstanding: " ",
671     recentTransactions: " ",
672     noTransactions: " ",
673     typeLabel: {
674       income: " ",
675       expense: " ",
676       debt: " / ",
677       saving: " ",
678     },
679     sourceLabel: {
680       text: " ",
681       voice: " ",
682       receipt: " ",
683       image: " ",
684     },
685     deleteAria: "Delete",
686     deleteTitle: " ",
687     deleteAllConfirm:

```

[illegible]


```

826 modeOrganized: "modeOrganized",
827 modeExecute: "modeExecute",
828 goalTypeLabel: "goalTypeLabel",
829 durationLabel: "durationLabel",
830 goalLabel: "goalLabel",
831 goalPlaceholder: "goalPlaceholder",
832 descLabel: "descLabel",
833 descPlaceholder: "descPlaceholder",
834 effortLabel: "effortLabel",
835 freqAria: "freqAria",
836 times: "times",
837 hour: "hour",
838 min: "min",
839 hourAria: "hourAria",
840 minAria: "minAria",
841 helpExample: "helpExample",
842 save: "save",
843 freqLabel: "freqLabel",
844 deleteBtn: "deleteBtn",
845 emptyGoals: "emptyGoals",
846 organizeBtn: "organizeBtn",
847 organizedTitle: "organizedTitle",
848 organizedHint: "organizedHint",
849 emptyGroup: "emptyGroup",
850 total: "total",
851 unknown: "unknown",
852 confirm: "confirm",
853 totalGoalsLabel: "totalGoalsLabel",
854 completedGoalsLabel: "completedGoalsLabel",
855 show: "show",
856 hide: "hide",
857 emptyCompleted: "emptyCompleted",
858 doneBadge: "doneBadge",
859 successMsg: "successMsg",
860 remaining: "remaining",
861 doneWord: "doneWord",
862 doneBtn: "doneBtn",
863 cycleFull: "cycleFull",
864 backToOrganize: "backToOrganize",
865 newGoal: "newGoal",
866 errGoalRequired: "errGoalRequired",
867 errGeneric: "errGeneric",
868 errSave: "errSave",
869 errDelete: "errDelete",
870 errMarkDone: "errMarkDone",
871 errServer:
872   "api/goal-planner ",
873 },
874 ebooks: {
875   title: "ebooks",
876   subtitle:
877     "ebooks",
878   pages: "pages",
879   open: "open",
880   sections: {
881     world: { title: "world", sub: "world" },
882     memories: { title: "memories", sub: "memories" },
883     notes: { title: "notes", sub: "notes" },
884     happy: { title: "happy", sub: "happy" },
885     letters: { title: "letters", sub: "letters" },
886     difficult: { title: "difficult", sub: "difficult" },
887     wisdom: { title: "wisdom", sub: "wisdom" },
888     complaints: { title: "complaints", sub: "complaints" },
889     creatives: { title: "creatives", sub: "creatives" },
890     personals: {
891       title: "personals",
892       sub: "personals",
893     },
894     extras: { title: "extras", sub: "extras" },

```

```

895     preview: { title: "📖", sub: "📖" },
896   },
897   defaultBookTitle: "📖",
898   untitled: "📖",
899   write: {
900     backToChat: "← 📖",
901     backToEbook: "← E-book📖",
902     chooseTemplate: "📖",
903     currentTemplate: "📖",
904     prepareBook: "📖",
905     includeInBook: "📖",
906     categoryLabel: "📖",
907     titleLabel: "📖",
908     titlePlaceholder: "📖...",
909     imageAlt: "A4📖",
910     captionPlaceholder: "📖...",
911     removeImage: "📖",
912     contentLabel: "📖",
913     contentPlaceholder: "📖...",
914     uploading: "📖...",
915     addImage: "📖",
916     saveEdit: "📖",
917     save: "📖",
918     writingPage: "📖",
919     mobileHint: "📖",
920     deleteConfirm: "📖",
921     deleteAllConfirm: "📖",
922     imageUploadError:
923       "📖",
924     preview: "📖",
925     scrollDown: "↓ 📖",
926     savedNotice: "📖",
927   },
928   archive: {
929     filesTitle: "📖",
930     searchPlaceholder: "📖...",
931     selectAll: "📖",
932     deselectAll: "📖",
933     selected: "📖",
934     deleteSelected: "📖",
935     deleteSelectedConfirm: "{n}📖",
936     clearSelection: "📖",
937     selectHint: "📖",
938     deleteAll: "📖",
939     deleteAllConfirm: "📖{n}📖",
940     noNotes: "📖1📖",
941     edit: "📖",
942     removeFromBook: "📖",
943     addToBook: "📖",
944     delete: "📖",
945     inBook: "📖",
946     draftOnly: "📖",
947   },
948   book: {
949     backToChat: "← 📖",
950     backToWrite: "← 📖",
951     otherSections: "📖",
952     refresh: "📖",
953     print: "📖 📖",
954     prepareBook: "📖",
955     desktopHint: "PC📖2📖1📖",
956     menu: "📖",
957     pageNoPlaceholder: "📖",
958     jump: "📖",
959     jumpHint:
960       "📖",
961     coverPage: "📖",
962     tocPage: "📖",
963     forewordPage: "📖",

```

```

964     endingPage: "□□□□□□",
965     authorLabel: "□□□",
966     subMenuLabel: "□□□□□□",
967     tocLabel: "□□□",
968     tocHint: "□□□□□□□□□□□□□□□□□□□□□□",
969     editLink: "□□",
970     imageAlt: "□□",
971 },
972 extras: {
973     chat: "└ □□□□",
974     ebook: "□□E-book□",
975     prepareBook: "□□□□□□□",
976     themeLabel: "□□□□3□□",
977     templateLabel: "□□□□□□□□□□3□□□",
978     templateA: "□□□□□A",
979     templateB: "□□□□□B",
980     templateC: "□□□□□C",
981     save: "□□",
982     saving: "□□□...",
983     saved: "□ □□□□□□□□□□□□□□□□□□",
984     saveError: "□ □□□□□□□{msg}",
985     subMenuTitle: "□□□□□□□10□",
986     sections: {
987         cover: "□□",
988         toc: "□□",
989         foreword: "□□□□□",
990         ending: "□□□",
991         submenu: "□□□□□□□",
992     },
993     coverTitleLabel: "□□□□□□□",
994     subtitleLabel: "□□□□□□",
995     coverImageLabel: "□□□□□URL□□□□□□□□□□□",
996     chooseImage: "□□□□□",
997     removeImage: "□□□□□",
998     noImagePlaceholder: "□□□□□□□",
999     tocLinesLabel: "□□□□□□□□□□□",
1000     forewordHeading: "□□□□□",
1001     endingHeading: "□□□",
1002     subMenuTextLabel: "□□□□□□□□□",
1003     bodyPlaceholder: "□□□□□...",
1004     emptyBody: "□□□□□□□",
1005     circleImageLabel: "□□□□□□□□□□□□□",
1006     tocHint: "□□□□□□□□□□□□□□□□□□□□□□",
1007 },
1008 },
1009 dailyCheck: {
1010     back: "□□",
1011     headTitle: "□□□□□□□",
1012     chat: "□□□□",
1013     calculating: "□□□...",
1014     getResult: "□□□□□",
1015     continue: "□□□",
1016     autoNextHint: "* □□□□□□□□□□□□□□□□",
1017     todayResult: "□□□□□",
1018     focusTopic: "□□□□□:",
1019     dominantFeeling: "□□□□□:",
1020     progressCalendar: "□□ (□□□□)",
1021     legend: { good: "□□", mid: "□□", hard: "□□□", heavy: "□□" },
1022     rangeResult: "□□□□",
1023     close: "□□□",
1024     period: "□□:",
1025     noDataInRange:
1026         "□□□□□□□□□□□□□□□□□□□□□□□□□□□□",
1027     avgScore: "□□□□□",
1028     total: "□□:",
1029     days: "□",
1030     levelCount: "□□□ (□□)",
1031     tapBgToClose: "* □□□□□□□□□□□",
1032     calendarLoading: "□□□□□□□□□□□...",

```

```

1033 pickDay: "□□□□□□□□",
1034 pickDayHint: "□□□□□□□□□□□□□□□□",
1035 dow: ["□", "□", "□", "□", "□", "□", "□"],
1036 trendUp: "□□",
1037 trendDown: "□□",
1038 trendStable: "→ □□",
1039 errRead: "□□□□□□□□□□□□□□",
1040 errGeneric: "□□□□□□□□□□",
1041 errSave: "□□□□□□□□□□□□",
1042 errMood: "□□□□□□□□□□1□□□□□□□□□□",
1043 errEnergy: "□□□□□□□□□□□□□□□□□□□□□□",
1044 errImpact: "□□□□□□□□□□□□□□□□□□□□",
1045 ranges: {
1046   "7d": "7□",
1047   "30d": "1□□",
1048   "3m": "3□□",
1049   "6m": "6□□",
1050   "12m": "12□□",
1051 },
1052 summary: {
1053   Green: "□□□□□□□□□ □",
1054   Yellow: "□□□□□□□□□□ □",
1055   Orange: "□□□□□□□□□□□□□□ □",
1056   Red: "□□□□□□□□□□□ □",
1057 },
1058 detail: {
1059   Green:
1060     "□□□□□□□□□□□□□□□□□□□□□□",
1061   Yellow:
1062     "□□□□□□□□□□□□□□□□□□□□□□",
1063   Orange:
1064     "□□□□□□□□□□□□□□□□□ (□□□□□□) □□□□□□",
1065   Red: "□□□□□□□□□□□□□□□□□□□□□□□□",
1066 },
1067 dayTone: {
1068   Green: "□□□□□□□□□□□□□ □",
1069   Yellow: "□□□□□□□□□□□□—□□□□□□□ □",
1070   Orange: "□□□□□□□□□□□□—□□□□□□□□□ □",
1071   Red: "□□□□□□□□□□□□□□□□□ □",
1072 },
1073 warmClose: "□□□□□□□□□□—□□□□□□□□□□ □",
1074 finishWarm: {
1075   a1: "□□—□□□□□□□□□□□□□□□□",
1076   a2: "□□□□□□□□□□□□□□□□□□□□",
1077   a3: "□□□□□□□□□□□□□□□□□□□□□□□□",
1078   a4: "□□□□□□□□□□□□—□□□□□□□□□□",
1079   a5: "□□□□□□□□□□□□□□□□□□□□",
1080 },
1081 finishWarmDefault: "□{text}□□□□□□□□□□",
1082 steps: {
1083   mood: {
1084     title: "□□□□□□□□□□?",
1085     desc: "□□□□□□□□□□□□□□□□",
1086   },
1087   thought: {
1088     title: "□□□□□□□□□□□?",
1089     desc: "□□□□□□□□□□□—□□□□□",
1090   },
1091   impact: {
1092     title: "□□□□□□□□□□□□□?",
1093     desc: "□□□□□□□□□□□□□□□□",
1094   },
1095   body: {
1096     title: "□□□□□□□□□□□□?",
1097     desc: "□□□□□□□□□□□□□",
1098   },
1099   energy: {
1100     title: "□□□□□□□□□□□□□?",
1101     desc: "□□□□□□□□□□□□□□□",

```



```

1240     tone: "□□□□□□□□1□2□□□□□□□□□□□□□□□□□",
1241 },
1242 mid: {
1243   level: "□□",
1244   tone: "□□□□□□□□□□□□□□□□□□□□□□□□□□□□",
1245 },
1246 attention: {
1247   level: "□□□",
1248   tone: "□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□",
1249 },
1250 },
1251 domainNarrativeBands: {
1252   strong:
1253     "{label}□□□□□□□□□□□□□□□□□□□□□□□□□□□□",
1254   good: "{label}□□□□□□□□□□□□□□□□ — □□□□□□□□□□□□□□□□",
1255   mid: "{label}□□□□□□□□□□□□□□□□□□□□□□□□□□□□",
1256   low: "{label}□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□",
1257 },
1258 tinyStep: {
1259   emotion:
1260     "□□3□□□□□4-4-6□□□□□□□□□□□□□□□□1□□□□□□□□□□",
1261   self: "□□5□□□□□□□□□□□□□□□□□□□□1□□□□□□□□□□",
1262   relations:
1263     "□□□□□□□□□□□□□□□□□□□□□□□□□□□□",
1264   purpose:
1265     "□□5□□□□□□□□□□1□□□□□□□□□□□□□□□□",
1266   selfCare:
1267     "□□10□□□□□□□□□□□□□□□□1□□□□□□□□□□",
1268   life: "□□□□□□□□□1□□□□□□□□□□□□□□□□□□□□□□□□□□□□",
1269   default: "□□□□□□□□1□□□□7□□□□□□□□□□",
1270 },
1271 narrative: {
1272   headlines: [
1273     "□□□□□□□□□□",
1274     "□□□□□□□□□□",
1275     "□□□□□□□□□□□□□□□□",
1276     "□□□□□□□□□□",
1277     "□□□□□□□□□□",
1278     "□□□□□□□",
1279     "□□□□□□□□□□",
1280     "□□□□□□□□□□",
1281     "□□□□□□□□□□",
1282     "□□□□□□□□□□",
1283     "□□□□□□□□□□",
1284     "□□□□□□□□□□",
1285   ],
1286   meaningByBand: {
1287     low: [
1288       "□□□□□□□□□□□□□□□□□□□□□□□□□□□□2□3□□□□□□□□□□□□□□□□□□□□□□□□□□□□",
1289       "□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□",
1290       "□□□□□□1□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□",
1291     ],
1292     mid: [
1293       "□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□",
1294       "□□□□□□2□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□",
1295       "□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□",
1296     ],
1297     good: [
1298       "□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□",
1299       "□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□",
1300       "□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□",
1301     ],
1302     strong: [
1303       "□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□",
1304       "□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□",
1305       "□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□",
1306     ],
1307   },
1308   focusTemplates: [

```

```

1309     "#####{weakestLine}#####",
1310     "{weakestLine}#####",
1311     "#####{weakestLine}#####",
1312     "#####{weakestLine}#####",
1313 ],
1314 strengthTemplates: [
1315     "#####{label}#####",
1316     "#####{label}#####",
1317     "#####{label}#####",
1318 ],
1319 noStrength:
1320     "#####",
1321 and: "",
1322 summaryTemplates: [
1323     "#####{score}/100##### - #####",
1324     "#####{score}/100#####",
1325     "#####{score}/100#####",
1326     "#####{score}/100#####",
1327 ],
1328 },
1329 test: {
1330     back: "",
1331     chat: "",
1332     title: "#####",
1333     progress: "#####{answered}/{total}",
1334     introHtml:
1335         "#####<b>#####</b>#####<br/><br/>#####<b>6#####</b>#####<br/><br/>#####",
1336     disclaimer:
1337         "#####",
1338     startBtn: "#####",
1339     hint: "#####{answered}/{total}",
1340     hintLabel: "",
1341     resultBtn: "",
1342 },
1343 menuHint:
1344     "#####",
1345 result: {
1346     backToTest: "",
1347     backToChat: "",
1348     noDataTitle: "",
1349     noDataText:
1350         "#####",
1351     noDataLink: "#####",
1352     headerSmall: "#####",
1353     totalScoreLabel: "",
1354     answeredLabel: "",
1355     appsTitle: "#####",
1356     appsHint: "#####12#####",
1357     openBtn: "",
1358     detailsTitle: "#####",
1359     weakestQTitle: "#####",
1360     answeredParens: "#####{answered}/{total}%",
1361     retakeBtn: "#####",
1362     progressTitle: "#####",
1363     deleteAll: "#####",
1364     sparklineLabel: "#####0100%",
1365     sparklineMin2: "#####2#####",
1366     noHistory:
1367         "#####",
1368     deleteOne: "",
1369     footerNote:
1370         "#####Supabase#####",
1371 },
1372 apps: {
1373     emotion: [
1374         {
1375             title: "#####",
1376             note: "30 - #####",
1377         },

```



```

2
3 // NOTE: machine-quality translation — have a native speaker review.
4 const ko: Dictionary = {
5   language: {
6     label: "ᠰᠠᠭᠤ",
7   },
8   common: {
9     newChat: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
10    send: "ᠰᠠᠭᠤ",
11    cancel: "ᠰᠠᠭᠤ",
12    save: "ᠰᠠᠭᠤ",
13    delete: "ᠰᠠᠭᠤ",
14    loading: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ...",
15    back: "ᠰᠠᠭᠤ",
16    chat: "ᠰᠠᠭᠤ",
17    toggleSidebar: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
18    subscription: "ᠰᠠᠭᠤ",
19    signOut: "ᠰᠠᠭᠤ",
20    loginToAccount: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
21    loadingAuthStatus: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
22    checkingAuthStatus: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ. ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ!",
23    toggleToDarkMode: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
24    toggleToLightMode: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
25  },
26  meta: {
27    title: "ᠰᠠᠭᠤ Chat",
28    description: "ᠰᠠᠭᠤ — AI ᠰᠠᠭᠤ ᠰᠠᠭᠤ, ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ.",
29  },
30  banner: {
31    trialExpired: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠠᠭᠤ. ᠰᠠᠭᠤᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠠᠭᠤ →",
32    trialDaysLeft: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ — {days}ᠰᠠᠭᠤ. ᠰᠠᠭᠤ ᠰᠠᠭᠤ →",
33  },
34  greeting: {
35    hello: "ᠰᠠᠭᠤᠰᠠᠭᠤ! ᠰᠠᠭᠤᠰᠠᠭᠤ ᠰᠠᠭᠤ",
36    howCanIHelp: "ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠠᠭᠤ?",
37  },
38  auth: {
39    signInTitle: "ᠰᠠᠭᠤ",
40    signInSubtitle: "ᠰᠠᠭᠤᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠠᠭᠤ",
41    signIn: "ᠰᠠᠭᠤ",
42    signingIn: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ...",
43    googleSignIn: "Googleᠰᠠᠭᠤ ᠰᠠᠭᠤ",
44    noAccount: "ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠠᠭᠤ? ",
45    signUpFree: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
46    signUpTitle: "ᠰᠠᠭᠤ",
47    signUpSubtitle: "ᠰᠠᠭᠤᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
48    signUp: "ᠰᠠᠭᠤ",
49    alreadyHave: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠠᠭᠤ? ",
50    signInInstead: "ᠰᠠᠭᠤ",
51    emailLabel: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
52    passwordLabel: "ᠰᠠᠭᠤ",
53    invalidCredentials: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠠᠭᠤ!",
54    accountExists: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠠᠭᠤ!",
55    accountCreated: "ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠠᠭᠤ. ᠰᠠᠭᠤᠰᠠᠭᠤᠰᠠᠭᠤ.",
56    failedCreate: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠠᠭᠤ!",
57    invalidSubmission: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠠᠭᠤ!",
58  },
59  nav: {
60    appName: "ᠰᠠᠭᠤ",
61    deleteAllChats: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
62    newChat: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
63  },
64  sidebar: {
65    loginToSave: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠠᠭᠤ!",
66    emptyHistory: "ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠠᠭᠤ!",
67    loadingChats: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ...",
68    today: "ᠰᠠᠭᠤ",
69    yesterday: "ᠰᠠᠭᠤ",
70    last7Days: "ᠰᠠᠭᠤ 7ᠰᠠᠭᠤ",

```

```

71 last30Days: "□□ 30□",
72 olderThanMonth: "□□□ □□",
73 theory: "□□",
74 comingSoon: "□□ □□",
75 deletingChat: "□□ □□ □...",
76 chatDeleted: "□□□ □□□□□□",
77 chatDeleteFailed: "□□ □□ □□□□□□",
78 deleteChatTitle: "□□ □□□□□□?",
79 deleteChatDescription:
80 "□ □□□ □□□ □ □□□□. □ □□□ □□□□□ □□□□.",
81 continueAction: "□□",
82 bookAppointment: "□□□□□ □□□□",
83 deleteAllTitle: "□□ □□ □□□□□□□□?",
84 deleteAllDescription:
85 "□ □□□ □□□ □ □□□□. □□ □□□ □□□□ □□□□ □□□□.",
86 deleteAllConfirm: "□□ □□",
87 deletingAll: "□□ □□ □□ □...",
88 deletedAll: "□□ □□□ □□□□□□□",
89 deleteAllFailed: "□□ □□ □□□ □□□□□",
90 },
91 menu: {
92   groups: {
93     // legacy keys (kept for type compat)
94     balance: "□□□ □□",
95     emotion: "□□",
96     self: "□□ □□",
97     selfCare: "□□ □□",
98     life: "□□",
99     // current menu config ids
100     whoAmI: "□□ □□□□?",
101     extraPrograms: "□□ □□□□",
102     health: "□□",
103     work: "□□ □□",
104     relations: "□□",
105     purpose: "□□□ □□",
106     myWorld: "□□ □□",
107     myProgress: "□□ □□ □□",
108     specialists: "□□□ □□",
109     // SIMPLE_MENUS ids (current flat sidebar)
110     simpleBalance: "□□ □□",
111     simpleHealth: "□□",
112     simpleFinance: "□□",
113     simpleTest: "□□ □□□",
114     simpleNotes: "□ □□",
115     simpleProgram: "□□ (□□□□)",
116   },
117   items: {
118     // legacy keys (kept for type compat)
119     balanceTest: "□ □□□ □□ □□ □□□",
120     balanceResult: "□ □□□ □□",
121     balanceProgress: "□ □□ □□ □□",
122     balanceSummary: "□ □□ □□□",
123     emotionDailyCheck: "□□ □□ □□",
124     // current item keys used by menu config
125     selfEbooks: "□□ □□ - □□ □",
126     relationsTests: "□□ □□",
127     purposeGoalPlanner: "□□ □□",
128     selfCareHealth: "□□ □□",
129     lifeFinance: "□□ □□",
130     whoAmIBalanceTest: "□□ □□ □□",
131     progressSummary: "□□ □□□",
132     progressBalance: "□□ □□",
133     progressApps: "□ □□",
134     therapyChat: "□ □□□ □□",
135   },
136 },
137 suggestions: {
138   financeReceipt: "□□ □□□ □□□",
139   foodPhoto: "□□ □□ □□□",

```

```

140   psychologyTest: "ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ",
141   note: "ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ",
142 },
143 input: {
144   placeholder: "ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ...",
145   searchModels: "ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ...",
146 },
147 models: {
148   liveTalk: "ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ",
149   psychologyTalk: "ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ",
150   readDocs: "ᠠᠷᠢᠨᠠᠭᠤᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ",
151   projectIntro: "ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ",
152 },
153 apps: {
154   stress: {
155     title: "ᠠᠷᠢᠨᠠᠭᠤ",
156     subtitle: "ᠠᠷᠢᠨᠠᠭᠤ, ᠠᠷᠢᠨᠠᠭᠤ, ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ.",
157   },
158   healthSummary: {
159     hourUnit: "ᠠᠷᠢᠨᠠᠭᠤ",
160     kcalUnit: "kcal",
161     ranges: { week: "7ᠠᠷᠢᠨᠠᠭᠤ", month: "1ᠠᠷᠢᠨᠠᠭᠤ", all: "ᠠᠷᠢᠨᠠᠭᠤ" },
162     weekdays: ["ᠠᠷᠢᠨᠠᠭᠤ", "ᠠᠷᠢᠨᠠᠭᠤ", "ᠠᠷᠢᠨᠠᠭᠤ", "ᠠᠷᠢᠨᠠᠭᠤ", "ᠠᠷᠢᠨᠠᠭᠤ", "ᠠᠷᠢᠨᠠᠭᠤ"],
163     loading: "ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ...",
164     errorGeneric: "ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ",
165     mockNotice:
166       "ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ. ᠠᠷᠢᠨᠠᠭᠤ 'ᠠᠷᠢᠨᠠᠭᠤ' ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ.",
167   },
168   badges: {
169     avgSteps: "ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ",
170     avgSleep: "ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ",
171     avgCalories: "ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ",
172   },
173   chartLegend: { steps: "ᠠᠷᠢᠨᠠᠭᠤ", sleep: "ᠠᠷᠢᠨᠠᠭᠤ (ᠠᠷᠢᠨᠠᠭᠤ)" },
174   tooltip: { steps: "ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ", sleep: "ᠠᠷᠢᠨᠠᠭᠤ (ᠠᠷᠢᠨᠠᠭᠤ)", calories: "ᠠᠷᠢᠨᠠᠭᠤ" },
175   rangeLabels: { week: "ᠠᠷᠢᠨᠠᠭᠤ", month: "ᠠᠷᠢᠨᠠᠭᠤ", all: "ᠠᠷᠢᠨᠠᠭᠤ" },
176   headlines: {
177     good: "ᠠᠷᠢᠨᠠᠭᠤ! ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ.",
178     watch: "ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ - ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ.",
179     mixed: "ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ.",
180   },
181   noDataLine:
182     "ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ. ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ.",
183   lines: {
184     stepsGood:
185       "ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ {avg}ᠠᠷᠢᠨᠠᠭᠤ, ᠠᠷᠢᠨᠠᠭᠤ {pct}% - ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ.",
186     stepsMid:
187       "ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ {avg}ᠠᠷᠢᠨᠠᠭᠤ, ᠠᠷᠢᠨᠠᠭᠤ {pct}%ᠠᠷᠢᠨᠠᠭᠤ. ᠠᠷᠢᠨᠠᠭᠤ 15~20ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ.",
188     stepsLow:
189       "ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ {avg}ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ ({pct}%). ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ.",
190     goalHitDays:
191       "ᠠᠷᠢᠨᠠᠭᠤ {rangeLabel} {total}ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ {hit}ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ.",
192     sleepGood: "ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ {avg}ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ (7~9ᠠᠷᠢᠨᠠᠭᠤ)ᠠᠷᠢᠨᠠᠭᠤ.",
193     sleepLow:
194       "ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ {avg}ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ.",
195     sleepHigh:
196       "ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ {avg}ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ.",
197     caloriesGood:
198       "ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ {target}kcalᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ.",
199     caloriesOver: "ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ {pct}% ᠠᠷᠢᠨᠠᠭᠤ.",
200     caloriesUnder: "ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ {pct}% ᠠᠷᠢᠨᠠᠭᠤ.",
201   },
202   healthDashboard: {
203     loading: "ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ...",
204     saveError: "ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ",
205     fetchError: "ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ",
206     programHeader: "ᠠᠷᠢᠨᠠᠭᠤ ᠠᠷᠢᠨᠠᠭᠤ",
207     dayProgress: "{day}ᠠᠷᠢᠨᠠᠭᠤ / {total}ᠠᠷᠢᠨᠠᠭᠤ",
208     units: {

```



```

209     kcal: "kcal",
210     liter: "L",
211     steps: "步",
212     gram: "g",
213     point: "点",
214     hourShort: "小时",
215     minuteShort: "分",
216     mlShort: "ml",
217 },
218 tabs: {
219     food: "食物",
220     water: "水",
221     sleep: "睡眠",
222     move: "运动",
223     summary: "总结",
224 },
225 save: "保存",
226 saved: "已保存",
227 chatWithPsychologist: "与心理咨询师聊天",
228 editProfile: "编辑资料",
229 food: {
230     nameLabel: "名称/图标",
231     namePlaceholder: "名称: 最多 5 个字符, 最多 1 个...",
232     imageLabel:
233         "选择或上传(删除) - 最多 1 个 AI 生成或最多 1 个本地/网络图片",
234     imageAlt: "选择或上传(删除)",
235     removeImage: "移除图片",
236     analyzing: "正在分析...",
237     analyzeButton: "AI 分析",
238     analyzeHint: "AI 分析: 最多 1 个本地/网络图片或最多 1 个 AI 生成图片。",
239     aiError: "AI 分析失败: 最多 1 个本地/网络图片或最多 1 个 AI 生成图片。",
240     filledByAI:
241         "名称和图标已由 AI 生成 - 最多 1 个本地/网络图片或最多 1 个 AI 生成图片。",
242     fields: {
243         calories: "热量 (kcal)",
244         protein: "蛋白质 (g)",
245         goodCarbs: "好碳水化合物 (g)",
246         badCarbs: "坏碳水化合物 (g)",
247         fat: "脂肪 (g)",
248         fiber: "膳食纤维 (g)",
249         sugar: "糖 (g)",
250         nutritionScore: "营养得分 (0-100)",
251     },
252     addMeal: "添加餐食",
253     noMeals: "没有餐食记录",
254     nutrients: {
255         calories: "热量",
256         protein: "蛋白质",
257         goodCarbs: "好碳水化合物",
258         badCarbs: "坏碳水化合物",
259         fat: "脂肪",
260         fiber: "膳食纤维",
261         sugar: "糖",
262         nutritionScore: "营养得分",
263     },
264 },
265 water: {
266     liter: "升",
267     target: "目标: {target} L",
268     clear: "清除",
269     totalPlaceholder: "总水量",
270 },
271 sleep: {
272     hoursLabel: "睡眠(小时)",
273     restLabel: "休息/睡眠(小时)",
274 },
275 move: {
276     today: "今天",
277     levelGood: "良好",

```

```

278     levelMedium: "0 00",
279     levelLow: "0 00",
280     stepsLabel: "00 0",
281     stepsTarget: "(00: {target})",
282     stepsPlaceholder: "00 0 00",
283     burnedKcalLabel: "0000 000 000",
284     burnedKcalPlaceholder: "0: 250",
285     badHabitsLabel: "00 00 00 (0 - 00, 100 - 00 00)",
286     badHabitsLow: "00 00 00",
287     badHabitsMid: "00 00 000 00 00",
288     badHabitsHigh: "0000 0000 000 0 0 00",
289   },
290 },
291 therapy: {
292   title: "000000 00",
293   subtitle: "0000 0000 0000 00 0000 00000.",
294   needBookingNoticeHtml:
295     "00 000000 <strong>0000 0000</strong> 0000 0000 000 000000. 000 00000 0000 000 000000.",
296   statusChangeFailed: "0000 00000 00000",
297   errorGeneric: "0000 0000000",
298   startChatFailed: "0000 00000 00000",
299   activeChatsHeading: "00 00 00",
300   noChatStarted: "00 00000 0000",
301   statusConfirmed: "0000",
302   statusPending: "00 0",
303   statusCancelled: "0000",
304   ended: "0000",
305   closed: "000",
306   openChatBtn: "00 00",
307   closeChatBtn: "00 00",
308   startFromBookingHeading: "00000 00 00",
309   online: "0000",
310   startChatBtn: "00 00",
311   emptyPsychologist:
312     "00 000 000 000 0000. 0000 00000 0000 000 000 00000.",
313   emptyClient:
314     "0000 000 000 0000. 00 0 00000 000 000 0000 0 0000.",
315   bookBtn: "0 00 00000",
316   disclaimerNote:
317     "0000 00 00 000 0000. 00 00000 000 00 00 000 00000.",
318   closeChatAction: "00 00",
319   reopenChatAction: "00 00",
320   cancelledNotice: "0 000 00000 000 00000.",
321   endedNotice: "00 000 00000 000 00000. 00 00000.",
322   closedByPsychNotice: "0000000 0 000 00000. 00 00000.",
323   psychologistLabel: "000000",
324   clientLabel: "0000",
325   appointmentLabel: "00:",
326   emptyMessages: "00000 00 000 000000.",
327   messagePlaceholder: "00000 00000...",
328 },
329 lifeBalance: {
330   pageTitles: {
331     intro: "00",
332     balanceTest: "00 00 0000",
333     conclusion: "00",
334   },
335   badge: "00 00 · N. 000000",
336   titlePrefix: "00",
337   titleHighlight: "00",
338   introDescription:
339     "0000000000 00 00000 0 00 00000 000 0000. 0 000 0000 000 00 0000 0 0000 0 0000 000 000 00000 0 000 000.",
340   startBtn: "0000 →",
341   duration: "0 50",
342   privacyNote:
343     "0000 000 0 00000 0000, 00000 0000000 00000 00000.",
344   fields: {
345     body: { title: "0", subtitle: "00, 00" },
346     work: { title: "0 · 00", subtitle: "0000, 00, 00" },

```

```

347   bond: { title: "ᠠᠨᠠ", subtitle: "ᠠᠨᠠ, ᠠᠨᠠ, ᠠᠨᠠ" },
348   meaning: { title: "ᠠᠨᠠ · ᠠᠨᠠ", subtitle: "ᠠᠨᠠ, ᠠᠨᠠ, ᠠᠨᠠ" },
349 },
350 areas: {
351   body: {
352     tag: "ᠠᠨᠠ 1",
353     title: "ᠠᠨᠠ · ᠠᠨᠠ",
354     desc: "ᠠᠨᠠ ᠠᠨᠠ, ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ.",
355     questions: [
356       "ᠠᠨᠠ ᠠᠨᠠ, ᠠᠨᠠ, ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ? ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ(ᠠᠨᠠ, ᠠᠨᠠ)ᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ?",
357       "ᠠᠨᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ — ᠠ ᠠᠨᠠ ᠠᠨᠠ, ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ?",
358       "ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ? ᠠᠨᠠ ᠠᠨᠠ ᠠ ᠠᠨᠠ ᠠ ᠠᠨᠠ?",
359     ],
360   },
361   work: {
362     tag: "ᠠᠨᠠ 2",
363     title: "ᠠᠨᠠ · ᠠᠨᠠ",
364     desc: "ᠠᠨᠠ, ᠠᠨᠠ, ᠠᠨᠠ, ᠠᠨᠠ, ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ.",
365     questions: [
366       "ᠠᠨᠠ ᠠ ᠠ, ᠠᠨᠠ, ᠠᠨᠠ ᠠ ᠠᠨᠠ ᠠᠨᠠ? ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ?",
367       "ᠠᠨᠠᠨᠠ ᠠᠨᠠ 'ᠠᠨᠠ'ᠠᠨᠠ 'ᠠᠨᠠ ᠠᠨᠠ 'ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ? ᠠᠨᠠ ᠠᠨᠠ ᠠ ᠠᠨᠠ ᠠᠨᠠᠨᠠ ᠠᠨᠠ?",
368       "ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ? ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ?",
369     ],
370   },
371   bond: {
372     tag: "ᠠᠨᠠ 3",
373     title: "ᠠᠨᠠ · ᠠᠨᠠ",
374     desc: "ᠠᠨᠠ, ᠠᠨᠠ, ᠠᠨᠠ, ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ.",
375     questions: [
376       "ᠠᠨᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠ ᠠᠨᠠ ᠠᠨᠠ? ᠠᠨᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ?",
377       "ᠠᠨᠠ ᠠᠨᠠᠨᠠ ᠠᠨᠠᠨᠠ ᠠᠨᠠ, ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ? ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ?",
378       "ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ? ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠᠨᠠ, ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ?",
379     ],
380   },
381   meaning: {
382     tag: "ᠠᠨᠠ 4",
383     title: "ᠠᠨᠠ · ᠠᠨᠠ",
384     desc: "ᠠᠨᠠ, ᠠᠨᠠ ᠠᠨᠠ, ᠠ, ᠠᠨᠠ, ᠠᠨᠠ.",
385     questions: [
386       "ᠠᠨᠠ ᠠᠨᠠᠨᠠ ᠠᠨᠠ ᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ? ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ, ᠠᠨᠠ ᠠᠨᠠ?",
387       "ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ?",
388       "ᠠᠨᠠ ᠠᠨᠠ ᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ? ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ?",
389     ],
390   },
391 },
392 noteLabel: "ᠠ ᠠᠨᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠᠨᠠ (ᠠᠨᠠ ᠠᠨᠠ)",
393 notePlaceholder: "ᠠᠨᠠᠨᠠ ᠠᠨᠠᠨᠠ...",
394 continueNext: "ᠠᠨᠠ ᠠᠨᠠ",
395 continueToTest: "ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ",
396 testHeading: "ᠠᠨᠠᠨᠠ ᠠᠨᠠᠨᠠ",
397 testDescriptionHtml:
398   "ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠ ᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠᠨᠠ. ᠠᠨᠠ <b>100%</b>ᠠᠨᠠ ᠠᠨᠠ.",
399 vizModes: { kite: "ᠠ ᠠᠨᠠᠨᠠ", platform: "ᠠ ᠠᠨᠠ", auras: "ᠠ ᠠᠨᠠ" },
400 vizCaptions: {
401   kite: "ᠠᠨᠠᠨᠠ ᠠᠨᠠ, ᠠᠨᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ.",
402   platform: "ᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ.",
403   auras: "ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ — ᠠᠨᠠ ᠠᠨᠠ, ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ?",
404 },
405 sumLabel: "ᠠᠨᠠ:",
406 sumReady: "· ᠠᠨᠠ ᠠᠨᠠ",
407 sumMissing: "· {n}% ᠠᠨᠠ",
408 sumOver: "· {n}% ᠠᠨᠠ",
409 evenSplitBtn: "ᠠ 25%",
410 viewResultBtn: "ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ",
411 diagramAriaLabel: "ᠠᠨᠠ ᠠᠨᠠᠨᠠ",
412 diagramLabels: { body: "ᠠ", work: "ᠠ", bond: "ᠠᠠ", meaning: "ᠠᠠ" },
413 intro: {
414   eyebrow: "ᠠᠨᠠ ᠠᠨᠠ",
415   title: "ᠠᠨᠠ ᠠᠨᠠ?",

```

```
416 description: "ᠠᠷᠢᠨ ᠠᠷᠢᠨ ᠠᠷᠢᠨ ᠠᠷᠢᠨ ᠠᠷᠢᠨ.",
417 paragraphs: [
418   "ᠠᠷᠢᠨ ᠠᠷᠢ ᠠᠷᠢ, ᠠᠷᠢ, ᠠᠷᠢ, ᠠᠷᠢ ᠠᠷᠢᠨ ᠠᠷᠢᠨ. ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢᠨ, ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢᠨ ᠠᠷᠢᠨ.",
419   "ᠠ ᠠᠷᠢᠨ ᠠᠷᠢ ᠠᠷᠢ ᠠ ᠠᠷᠢ, ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢᠨ, ᠠᠷᠢ ᠠᠷᠢ, ᠠᠷᠢ, ᠠᠷᠢ, ᠠᠷᠢᠨ ᠠ ᠠᠷᠢ ᠠᠷᠢᠨ ᠠᠷᠢ ᠠᠷᠢᠨᠠᠷᠢ.",
420   "ᠠᠷᠢᠨᠠᠷᠢᠨ ᠠᠷᠢ ᠠᠷᠢ, ᠠᠷᠢ ᠠᠷᠢ, ᠠᠷᠢ, ᠠᠷᠢ ᠠᠷᠢᠨ 4᠓ ᠠᠷᠢᠨ ᠠᠷᠢᠨ. ᠠ ᠠᠷᠢᠨ ᠠᠷᠢ ᠠᠷᠢᠨ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢᠨ.",
421 ],
422 bulletsHeading: "ᠠ ᠠᠷᠢᠨ ᠠᠷᠢ ᠠᠷᠢ:",
423 bullets: [
424   "ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ",
425   "ᠠᠷᠢ ᠠᠷᠢᠨ ᠠᠷᠢ",
426   "ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢᠨ",
427   "ᠠᠷᠢ ᠠ ᠠ ᠠᠷᠢᠨ ᠠᠷᠢᠨ",
428   "ᠠᠷᠢ ᠠ ᠠᠷᠢ ᠠ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ",
429 ],
430 checkBtn: "ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢᠨ →",
431 },
432 conclusion: {
433   emptyTitle: "ᠠᠷᠢ",
434   emptyText: "ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢᠨ ᠠᠷᠢᠨ.",
435   checkBtn: "ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢᠨ",
436   eyebrow: "AI ᠠᠷᠢ",
437   title: "ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ",
438   description:
439     "ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢᠨ? ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ?",
440   highestTitle: "ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ · 'ᠠᠷᠢ'ᠠᠷᠢ, ᠠᠷᠢ ᠠᠷᠢᠨ?",
441   highestTextHtml:
442     "ᠠᠷᠢ ᠠᠷᠢᠨ ᠠᠷᠢ({pct})ᠠ {label} ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢᠨ. ᠠᠷᠢ ᠠᠷᠢᠨ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢᠨ, ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢᠨ ᠠᠷᠢ ᠠᠷᠢ 'ᠠᠷᠢ'ᠠ ᠠᠷᠢᠨ? ᠠ ᠠᠷᠢ ᠠᠷᠢᠨ ᠠᠷᠢ ᠠᠷᠢᠨ?",
443   lowestTitle: "ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ · ᠠᠷᠢ ᠠ ᠠᠷᠢ",
444   lowestTextHtml:
445     "{label} ᠠᠷᠢ {pct}ᠠ ᠠᠷᠢ ᠠᠷᠢ – ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ ᠠ ᠠᠷᠢᠨ. ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢᠨ ᠠᠷᠢᠨ. ᠠ ᠠᠷᠢ ᠠᠷᠢ ᠠ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢᠨ ᠠᠷᠢ ᠠᠷᠢᠨ?",
446   stepsHeading: "ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ",
447   stepsIntro:
448     "ᠠᠷᠢ ᠠᠷᠢ ᠠ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢᠨ. ᠠᠷᠢ 4᠓ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢᠨ ᠠᠷᠢᠨ.",
449   goLink: "ᠠᠷᠢ",
450   retakeBtn: "ᠠ ᠠᠷᠢ ᠠᠷᠢ",
451   historyHeading: "ᠠᠷᠢᠨ ᠠᠷᠢ",
452   deleteAllBtn: "ᠠᠷᠢ ᠠᠷᠢ",
453   noHistory: "ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢᠨ.",
454   footerNote:
455     "ᠠᠷᠢᠨ ᠠ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ, ᠠᠷᠢ ᠠᠷᠢᠨ ᠠ ᠠᠷᠢᠨ ᠠᠷᠢ ᠠᠷᠢᠨ ᠠᠷᠢ ᠠᠷᠢᠨ ᠠ ᠠᠷᠢᠨ ᠠᠷᠢᠨᠠᠷᠢ.",
456   nextSteps: {
457     chat: {
458       title: "ᠠᠷᠢᠨ ᠠᠷᠢᠨ",
459       note: "ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢᠨ. ᠠᠷᠢ ᠠᠷᠢᠨ ᠠᠷᠢ ᠠ ᠠᠷᠢ ᠠᠷᠢ ᠠ ᠠ ᠠᠷᠢᠨ ᠠᠷᠢ.",
460     },
461     world: {
462       title: "ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ",
463       note: "ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢᠨ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢᠨ ᠠᠷᠢ ᠠᠷᠢᠨ ᠠ ᠠᠷᠢ ᠠᠷᠢ.",
464     },
465     health: {
466       title: "ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ",
467       note: "ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢᠨ ᠠᠷᠢ ᠠᠷᠢᠨ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢᠨᠠᠷᠢ.",
468     },
469     finance: {
470       title: "ᠠᠷᠢ ᠠᠷᠢᠨ ᠠᠷᠢ",
471       note: "ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢᠨ ᠠᠷᠢ ᠠᠷᠢᠨ ᠠᠷᠢ ᠠᠷᠢᠨ ᠠᠷᠢᠨᠠᠷᠢ.",
472     },
473     relations: {
474       title: "ᠠᠷᠢ ᠠᠷᠢᠨ",
475       note: "ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢᠨ ᠠᠷᠢ ᠠᠷᠢᠨ ᠠᠷᠢ ᠠ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢ ᠠ ᠠᠷᠢ ᠠᠷᠢ.",
476     },
477     goals: {
478       title: "ᠠᠷᠢ ᠠ ᠠᠷᠢ",
479       note: "ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢᠨ ᠠᠷᠢ ᠠᠷᠢ ᠠᠷᠢᠨ ᠠᠷᠢᠨ ᠠᠷᠢᠨ ᠠᠷᠢᠨᠠᠷᠢ.",
480     },
481   },
482 },
483 },
484 health: {
```

```

485 loading: "loading...",
486 errorGeneric: "errorGeneric",
487 dashboardTitle: "Dashboard",
488 calorie: "Calorie",
489 water: "Water",
490 steps: "Steps",
491 dailyLog: "Daily Log",
492 waterLiters: "Water (L)",
493 walkingSteps: "Walking Steps",
494 sleepHours: "Sleep (h)",
495 mood: "Mood (1-10)",
496 saveDailyLog: "Save Daily Log",
497 formTitle: "Form Title",
498 formIntro:
499   "Form Intro: This form collects your health data.",
500 saved: "Saved",
501 saving: "Saving...",
502 save: "Save",
503 makeResult: "Make Result",
504 section1Title: "1. Personal Info",
505 startDate: "Start Date",
506 gender: "Gender",
507 genderMale: "Male",
508 genderFemale: "Female",
509 age: "Age",
510 agePlaceholder: "Age: 32",
511 heightCm: "Height (cm)",
512 heightPlaceholder: "Height: 165",
513 weightKg: "Weight (kg)",
514 weightPlaceholder: "Weight: 62",
515 section2Title: "2. Health Status",
516 attention: {
517   high: "High Attention",
518   medium: "Medium Attention",
519   low: "Low Attention",
520   onlyWhenSick: "Only When Sick",
521 },
522 section3Title: "3. Diet",
523 dietTypeLabel: "Diet Type",
524 dietType: {
525   mixed: "Mixed",
526   meat: "Meat",
527   veg: "Veg/Plant",
528   vegan: "Vegan",
529   unknown: "Unknown",
530 },
531 mealsPerDayLabel: "Meals Per Day",
532 mealsPerDay: { "1": "1", "2": "2", "3": "3", "4plus": "4+" },
533 section4Title: "4. Exercise",
534 exerciseLabel: "Exercise",
535 exercise: {
536   daily: "Daily",
537   often: "Often (3-4x)",
538   sometimes: "Sometimes (1-2x)",
539   rare: "Rare",
540   never: "Never",
541 },
542 walkingLabel: "Walking",
543 walking: {
544   none: "None",
545   low: "Low",
546   medium: "Medium",
547   high: "High",
548 },
549 section5Title: "5. Sleep",
550 sleepHoursLabel: "Sleep Hours",
551 selectOption: "Select Option",
552 sleepHoursOptions: {
553   less4: "Less than 4",

```

```

554     "4-6": "4~6",
555     "6-8": "6~8",
556     "8-10": "8~10",
557     "10plus": "10+",
558 },
559 sleepTimeLabel: "□□ □□ □□",
560 sleepTimeOptions: {
561     "21-22": "21~22□",
562     "22-23": "22~23□",
563     "23-24": "23~24□",
564     "24-1": "24~1□",
565     "1plus": "□□ 1□ □□",
566 },
567 alcoholLabel: "□□",
568 alcoholOptions: {
569     never: "□□ □ □",
570     rare: "□□□",
571     sometimes: "□□□",
572     often: "□□",
573     daily: "□□",
574 },
575 smokingLabel: "□□",
576 smokingOptions: {
577     no: "□ □",
578     rare: "□□□",
579     "1-5": "1~5□",
580     "6-10": "6~10□",
581     "11-20": "11~20□",
582     "20plus": "20□ □□",
583 },
584 resultTitle: "□□ □□ □□ □□",
585 resultWeight: "□□:",
586 resultLifestyle: "□□□ □□□:",
587 resultSleep: "□□□ □□:",
588 resultHabits: "□□:",
589 bmiTextMissing: "□□ □□□ □□□□□.",
590 bmiLevel: {
591     under: "□□□",
592     normal: "□□ □□",
593     over: "□□□",
594     obese: "□□",
595 },
596 bmiResultText: "□□□ BMI□ □ {bmi}□□□. □□ {level} □□□□□.",
597 lifestyleGood:
598     "□□□ □□ □□□ □ □□□□ □□□□. □ □□□ □□□□ □□□□.",
599 lifestyleLow:
600     "□□□□ □□□□. □ □□ 3□, □□ 20~30□ □□□ □□□ □□□□□.",
601 lifestyleMid:
602     "□□□□ □□□□ □□ □□□□□. □□ □□□ □□□ □□□ □ □□□ □□□□.",
603 mealsGood:
604     "□□ □□□ □□□ □□□□. □□□ □□ □ □□ □□ □□□□□.",
605 mealsLow:
606     "□□ □□ □□□ □□□□. □□ □□□ □□□ □□□ □□ 3~4□□ □□□□ □□□ □□□□□.",
607 mealsHigh:
608     "□□□ □□ □ □□□□□ □□□ □ □□, □□□□□ □□□ □□□□□.",
609 sleepGood:
610     "□□□□ □□ □□□ □□ □□□ □□□□□ □□□ □□□□. □□ □□ □□, □□, □□□□ □□□□ □□□ □□□.",
611 sleepLow:
612     "□□□ □□□ □□□□□ □□ □□□. □ 23□ □□ □□□□ 7~8□□□ □□ □□□ □□□ □□□.",
613 sleepBad:
614     "□□□ □□□ □□□□ □□□ □□ □□□□ □□□□ □ □□□□. □□□ □ □□ □□ □□ □□□/□□ □□□ □□□□.",
615 sleepMid:
616     "□□□□ □□ □□□ □□ □□ □□□ □ □□□, □□□ 7~8□□□ □□□ □□ □□ □□□□.",
617 habitAlcohol: "□□□□□ □□□□",
618 habitSmoking: "□□□□ □□□□",
619 habitsNone:
620     "□□□□ □□ □□□ □□□ □□□□. □□ □□□ □ □□□□□.",
621 habitsSomePrefix: "□□□ □□ □□□ □□□ □□□ □□□□: ",
622 habitsSomeSuffix:

```

```

623     ". ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ.",
624     summaryText:
625     "ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ, ᠰᠠᠭᠤ, ᠰᠠᠭᠤ, ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ. ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ, ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ.",
626 },
627 finance: {
628     receipt: {
629         title: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
630         description:
631         "ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ AIᠰᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ.",
632         uploadBtn: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
633         emptyTitle: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
634         emptyDescription:
635         "AIᠰᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ. ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ.",
636         fileHint: "JPG, PNG ᠰᠠᠭᠤ WEBP · ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
637         close: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
638         analyzing: "AIᠰᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
639         errorFallback: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
640         notFound: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
641         networkError: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ. ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
642         selectLabel: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ:",
643         saveBtn: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
644         saving: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
645         anotherImage: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
646         savedSuccess: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ!",
647         uploadAnother: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
648         clear: "ᠰᠠᠭᠤ",
649         editHint: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
650         colItemName: "ᠰᠠᠭᠤ",
651         colCategory: "ᠰᠠᠭᠤ",
652         colQuantity: "ᠰᠠᠭᠤ",
653         colUnitPrice: "ᠰᠠᠭᠤ",
654         colTotalPrice: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
655         addRow: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
656         deleteRow: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
657         totalSum: "ᠰᠠᠭᠤ",
658         confirmBtn: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
659     },
660     notLoggedIn: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
661     title: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
662     subtitle: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ (ᠰᠠᠭᠤ ᠰᠠᠭᠤ)",
663     loading: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
664     guestModeNotice:
665     "ᠰᠠᠭᠤ <b>ᠰᠠᠭᠤ</b> ᠰᠠᠭᠤ — ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ.",
666     totalIncome: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
667     totalExpense: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
668     balance: "ᠰᠠᠭᠤ",
669     debtOutstanding: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
670     recentTransactions: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
671     noTransactions: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
672     typeLabel: {
673         income: "ᠰᠠᠭᠤ",
674         expense: "ᠰᠠᠭᠤ",
675         debt: "ᠰᠠᠭᠤ/ᠰᠠᠭᠤ",
676         saving: "ᠰᠠᠭᠤ",
677     },
678     sourceLabel: {
679         text: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
680         voice: "ᠰᠠᠭᠤ",
681         receipt: "ᠰᠠᠭᠤ",
682         image: "ᠰᠠᠭᠤ",
683     },
684     deleteAria: "Delete",
685     deleteTitle: "ᠰᠠᠭᠤ",
686     deleteAllConfirm:
687     "ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ? ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ!",
688     entry: {
689         showLabel: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
690         hideLabel: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
691         guestNote:

```

```

692     "ᠠᠨᠤ <b>ᠠᠨᠠᠨᠠᠨ</b> ᠠᠨᠠᠨ ᠠᠨ ᠠᠨᠠᠨᠠ - ᠠᠨᠠᠨ ᠠᠨᠠᠨ ᠠᠨᠠᠨ <b>ᠠᠨᠠᠨ</b>ᠠᠨ ᠠᠨᠠᠨᠠᠨ (ᠠᠨᠠᠨᠠᠨ ᠠᠨᠠᠨ ᠠᠨᠠᠨᠠᠨ).",
693     newTransaction: "ᠠᠨ ᠠᠨ ᠠᠨ",
694     typeLabel: "ᠠᠨᠠ",
695     typeExpense: "ᠠᠨᠠ",
696     typeIncome: "ᠠᠨᠠ",
697     typeDebt: "ᠠᠨᠠ/ᠠᠨᠠ",
698     typeSaving: "ᠠᠨᠠ",
699     amountLabel: "ᠠᠨᠠ (₮)",
700     amountPlaceholder: "50,000",
701     dateLabel: "ᠠᠨᠠ",
702     categoryLabel: "ᠠᠨᠠᠨᠠ",
703     categoryDebtLabel: "ᠠᠨᠠᠨᠠ (ᠠᠨ ᠠᠨᠠ/ᠠᠨᠠ)",
704     categorySavingLabel: "ᠠᠨᠠᠨᠠ (ᠠᠨᠠᠨᠠ/ᠠᠨᠠ)",
705     incomeOnlyNote: "ᠠᠨᠠᠨ ᠠᠨᠠᠨᠠᠨ ᠠᠨᠠᠨᠠᠨ (ᠠᠨ).",
706     subTypeDebt: "ᠠᠨ - ᠠᠨ",
707     subTypeSaving: "ᠠᠨ - ᠠᠨ",
708     subTypeIncome: "ᠠᠨ - ᠠᠨ",
709     subTypeOther: "ᠠᠨ ᠠᠨ",
710     noteLabel: "ᠠᠨ (ᠠᠨ)",
711     notePlaceholder: "ᠠᠨ: ᠠᠨᠠᠨᠠᠨ - 10% / 12ᠠᠨ",
712     saveBtn: "ᠠᠨᠠ ᠠᠨ",
713     deleteAllBtn: "ᠠᠨᠠ ᠠᠨ",
714     quickSummaryTitle: "ᠠᠨᠠ ᠠᠨ",
715     quickIncome: "ᠠᠨᠠ:",
716     quickExpense: "ᠠᠨᠠ:",
717     quickDebt: "ᠠᠨᠠ ᠠᠨᠠ:",
718     quickSaving: "ᠠᠨᠠ:",
719     exampleTitle: "ᠠᠨᠠ",
720     example1: "ᠠᠨᠠ: <b>ᠠᠨᠠᠨ</b> → ᠠᠨᠠ: <b>ᠠᠨᠠᠨ</b>",
721     example2:
722       "ᠠᠨᠠ ᠠᠨᠠ: <b>ᠠᠨᠠ/ᠠᠨᠠᠨ</b> → ᠠᠨᠠᠨᠠ: <b>ᠠᠨᠠᠨ ᠠᠨᠠᠨ</b> → ᠠᠨᠠ: <b>ᠠᠨᠠᠨᠠᠨ</b>",
723     example3:
724       "ᠠᠨᠠ ᠠᠨᠠ: <b>ᠠᠨᠠ/ᠠᠨᠠᠨ</b> → ᠠᠨᠠᠨᠠ: <b>ᠠᠨᠠᠨ ᠠᠨᠠᠨ</b> → ᠠᠨᠠ: (ᠠᠨᠠ)",
725     example4:
726       "ᠠᠨᠠᠨᠠ: <b>ᠠᠨᠠᠨ</b> → <b>ᠠᠨᠠᠨᠠᠨ</b> → ᠠᠨᠠ: <b>ᠠᠨᠠᠨᠠᠨ</b>",
727     collapsedHint: "ᠠᠨᠠᠨ ᠠᠨ ᠠᠨᠠ ᠠᠨ ᠠᠨ ᠠᠨᠠᠨᠠ.",
728   },
729   report: {
730     title: "ᠠᠨ CHECK / ᠠᠨᠠ",
731     fromDate: "ᠠᠨᠠᠨ",
732     toDate: "ᠠᠨᠠᠨ",
733     keywordLabel: "ᠠᠨᠠ / ᠠᠨᠠ",
734     keywordPlaceholder: "ᠠᠨᠠ, ᠠᠨᠠ, ᠠᠨᠠ...",
735     typeLabel: "ᠠᠨᠠ",
736     typeAll: "ᠠᠨᠠ",
737     typeIncome: "ᠠᠨᠠᠨᠠ",
738     typeExpense: "ᠠᠨᠠᠨᠠ",
739     typeDebt: "ᠠᠨᠠ/ᠠᠨᠠ",
740     typeSaving: "ᠠᠨᠠᠨᠠ",
741     categoryLabel: "ᠠᠨᠠᠨᠠ",
742     subCategoryLabel: "ᠠᠨᠠ ᠠᠨᠠ",
743     storeLabel: "ᠠᠨᠠ (ᠠᠨᠠ)",
744     sortLabel: "ᠠᠨᠠᠨᠠ ᠠᠨᠠ",
745     sortNone: "ᠠᠨᠠ",
746     sortAsc: "ᠠᠨᠠ → ᠠᠨᠠ",
747     sortDesc: "ᠠᠨᠠ → ᠠᠨᠠ",
748     clearFilters: "ᠠᠨᠠ ᠠᠨᠠ",
749     showReport: "ᠠᠨ ᠠᠨᠠ ᠠᠨᠠ",
750     hideReport: "ᠠᠨ ᠠᠨᠠ ᠠᠨᠠ",
751     totalsTitle: "ᠠᠨᠠ",
752     income: "ᠠᠨᠠ:",
753     expense: "ᠠᠨᠠ:",
754     balance: "ᠠᠨᠠ:",
755     debtOutstanding: "ᠠᠨᠠ ᠠᠨᠠ:",
756     saving: "ᠠᠨᠠ:",
757     rowCount: "(ᠠᠨᠠ: {n}ᠠ)",
758     byCategoryTitle: "ᠠᠨᠠᠨᠠᠨ (ᠠᠨᠠ)",
759     noData: "ᠠᠨᠠᠨᠠ ᠠᠨᠠᠨᠠ.",
760     incomeBySubTitle: "ᠠᠨᠠ - ᠠᠨᠠ",

```



```

761     noIncomeData: "ᠰᠠᠨᠠᠭᠤ ᠰᠠᠭᠤᠰᠤ",
762     otherIncome: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
763     debtTitle: "ᠰᠠᠭᠤ / ᠰᠠᠭᠤ",
764     borrowed: "ᠰᠠᠭᠤ:",
765     repaid: "ᠰᠠᠭᠤ:",
766     outstanding: "ᠰᠠᠭᠤ:",
767     savingTitle: "ᠰᠠᠭᠤ",
768     added: "ᠰᠠᠭᠤ:",
769     withdrawn: "ᠰᠠᠭᠤ:",
770     expenseSubTitle: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ (ᠰᠠᠭᠤ)",
771     noExpenseSubData: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
772     topStoresTitle: "ᠰᠠᠭᠤ TOP ᠰᠠᠭᠤ",
773     filteredListTitle: "ᠰᠠᠭᠤᠰᠠᠭᠤ ᠰᠠᠭᠤ",
774     noFilteredTx: "ᠰᠠᠭᠤᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
775     defaultTitle: "ᠰᠠᠭᠤ",
776     defaultIncomeTitle: "ᠰᠠᠭᠤ",
777     defaultExpenseTitle: "ᠰᠠᠭᠤ",
778     defaultDebtTitle: "ᠰᠠᠭᠤ/ᠰᠠᠭᠤ",
779     defaultSavingTitle: "ᠰᠠᠭᠤ",
780     collapsedHint: 'ᠰᠠᠭᠤ ᠰᠠᠭᠤ "ᠰᠠᠭᠤ ᠰᠠᠭᠤ" ᠰᠠᠭᠤ.',
781   },
782 },
783 relationsTests: {
784   title: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
785   subtitle: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
786   testLabel: "ᠰᠠᠭᠤ",
787   questionsPrefix: "ᠰᠠᠭᠤ:",
788   answersHint: "ᠰᠠᠭᠤ: 1-5",
789   notFound: "ᠰᠠᠭᠤᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤᠰᠠᠭᠤ",
790   back: "ᠰᠠᠭᠤ",
791   chat: "ᠰᠠᠭᠤ",
792   result: "ᠰᠠᠭᠤ",
793   noSummary: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
794   close: "ᠰᠠᠭᠤ",
795 },
796 goalPlanner: {
797   goalTypes: {
798     Хувийн: "ᠰᠠᠭᠤ",
799     Хосын: "ᠰᠠᠭᠤ",
800     Ажил: "ᠰᠠᠭᠤ",
801     "Гэр бүл": "ᠰᠠᠭᠤ",
802     "Эрүүл мэнд": "ᠰᠠᠭᠤ",
803     Санхүү: "ᠰᠠᠭᠤ",
804     "Сурч хөгжих": "ᠰᠠᠭᠤ·ᠰᠠᠭᠤ",
805     Вусад: "ᠰᠠᠭᠤ",
806   },
807   effortUnits: {
808     Өдөрт: "ᠰᠠᠭᠤ",
809     "7 хоногт": "ᠰᠠᠭᠤ",
810     Сард: "ᠰᠠᠭᠤ",
811     Жилд: "ᠰᠠᠭᠤ",
812     "Нэг л удаа": "ᠰᠠᠭᠤ",
813   },
814   groups: {
815     "Богино хугацаа": "ᠰᠠᠭᠤ",
816     "Дунд хугацаа": "ᠰᠠᠭᠤ",
817     "Урт хугацаа": "ᠰᠠᠭᠤ",
818   },
819   back: "ᠰᠠᠭᠤ",
820   title: "ᠰᠠᠭᠤ",
821   chat: "ᠰᠠᠭᠤ",
822   modeEdit: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ → ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
823   modeOrganized: "ᠰᠠᠭᠤᠰᠠᠭᠤ",
824   modeExecute: "ᠰᠠᠭᠤ",
825   goalTypeLabel: "ᠰᠠᠭᠤ ᠰᠠᠭᠤ",
826   durationLabel: "ᠰᠠᠭᠤ",
827   goalLabel: "ᠰᠠᠭᠤ",
828   goalPlaceholder: "ᠰᠠᠭᠤ: ᠰᠠᠭᠤ ᠰᠠᠭᠤ 1ᠰᠠᠭᠤ",
829   descLabel: "ᠰᠠᠭᠤ",

```

```

830 descPlaceholder: "ᠳᠠᠰᠤ ᠵᠠᠭᠠᠨ ᠵᠠᠭᠠᠨ",
831 effortLabel: "ᠳᠠᠰᠤ ᠵᠠᠭᠠᠨ ᠵᠠᠭᠠᠨ",
832 freqAria: "ᠳᠠᠰᠤ",
833 times: "ᠳᠠᠰᠤ",
834 hour: "ᠳᠠᠰᠤ",
835 min: "ᠳᠠᠰᠤ",
836 hourAria: "ᠳᠠᠰᠤ",
837 minAria: "ᠳᠠᠰᠤ",
838 helpExample: "ᠳᠠᠰᠤ: ᠳᠠᠰᠤ + 3ᠤ + 0ᠳᠠᠰᠤ + 30ᠤ ᠳᠠᠰᠤ ᠳᠠᠰᠤ 1ᠳᠠᠰᠤ 30ᠤ",
839 save: "ᠳᠠᠰᠤ",
840 freqLabel: "ᠳᠠᠰᠤ:",
841 deleteBtn: "ᠳᠠᠰᠤ",
842 emptyGoals: "ᠳᠠᠰᠤ ᠳᠠᠰᠤ ᠳᠠᠰᠤ.",
843 organizeBtn: "ᠳᠠᠰᠤ ᠳᠠᠰᠤ",
844 organizedTitle: "ᠳᠠᠰᠤ ᠳᠠᠰᠤᠳᠠᠰᠤ",
845 organizedHint: "ᠳᠠᠰᠤ ᠳᠠᠰᠤ ᠳᠠᠰᠤ «ᠳᠠᠰᠤ»ᠤ ᠳᠠᠰᠤ.",
846 emptyGroup: "ᠳᠠᠰᠤ ᠳᠠᠰᠤ ᠳᠠᠰᠤ.",
847 total: "ᠳᠠᠰᠤ",
848 unknown: "ᠳᠠᠰᠤ",
849 confirm: "ᠳᠠᠰᠤ",
850 totalGoalsLabel: "ᠳᠠᠰᠤ ᠳᠠᠰᠤ:",
851 completedGoalsLabel: "ᠳᠠᠰᠤ ᠳᠠᠰᠤ:",
852 show: "ᠳᠠᠰᠤ",
853 hide: "ᠳᠠᠰᠤ",
854 emptyCompleted: "ᠳᠠᠰᠤ ᠳᠠᠰᠤ ᠳᠠᠰᠤ ᠳᠠᠰᠤ.",
855 doneBadge: "ᠳᠠᠰᠤ",
856 successMsg: "ᠳᠠᠰᠤ ᠳᠠᠰᠤᠳᠠᠰᠤ! ᠳᠠᠰᠤ ᠳᠠᠰᠤ ᠳᠠᠰᠤᠳᠠᠰᠤ.",
857 remaining: "ᠳᠠᠰᠤ",
858 doneWord: "ᠳᠠᠰᠤ",
859 doneBtn: "ᠳᠠᠰᠤ",
860 cycleFull: "ᠳᠠᠰᠤ ᠳᠠᠰᠤ ᠳᠠᠰᠤᠳᠠᠰᠤ",
861 backToOrganize: "ᠳᠠᠰᠤ ᠳᠠᠰᠤ",
862 newGoal: "ᠳᠠᠰᠤ ᠳᠠᠰᠤ",
863 errGoalRequired: "ᠳᠠᠰᠤ ᠳᠠᠰᠤ ᠳᠠᠰᠤᠳᠠᠰᠤ.",
864 errGeneric: "ᠳᠠᠰᠤ ᠳᠠᠰᠤᠳᠠᠰᠤ",
865 errSave: "ᠳᠠᠰᠤ ᠳᠠᠰᠤ ᠳᠠᠰᠤᠳᠠᠰᠤ",
866 errDelete: "ᠳᠠᠰᠤ ᠳᠠᠰᠤ ᠳᠠᠰᠤᠳᠠᠰᠤ",
867 errMarkDone: "ᠳᠠᠰᠤ ᠳᠠᠰᠤ ᠳᠠᠰᠤ ᠳᠠᠰᠤᠳᠠᠰᠤ",
868 errServer:
869   "ᠳᠠᠰᠤ ᠳᠠᠰᠤ ᠳᠠᠰᠤ ᠳᠠᠰᠤ. /api/goal-plannerᠤ ᠳᠠᠰᠤᠳᠠᠰᠤ.",
870 },
871 ebooks: {
872   title: "ᠳᠠᠰᠤ",
873   subtitle: "ᠳᠠᠰᠤ ᠳᠠᠰᠤ ᠳᠠᠰᠤ ᠳᠠᠰᠤ ᠳᠠᠰᠤ ᠳᠠᠰᠤ ᠳᠠᠰᠤ",
874   pages: "ᠳᠠᠰᠤ",
875   open: "ᠳᠠᠰᠤ",
876   sections: {
877     world: { title: "ᠳᠠᠰᠤ", sub: "ᠳᠠᠰᠤ ᠳᠠᠰᠤ, ᠳᠠᠰᠤ ᠳᠠᠰᠤ" },
878     memories: { title: "ᠳᠠᠰᠤ", sub: "ᠳᠠᠰᠤᠳᠠᠰᠤ ᠳᠠᠰᠤ" },
879     notes: { title: "ᠳᠠᠰᠤ", sub: "ᠳᠠᠰᠤᠳᠠᠰᠤ ᠳᠠᠰᠤ" },
880     happy: { title: "ᠳᠠᠰᠤ · ᠳᠠᠰᠤ ᠳᠠᠰᠤ", sub: "ᠳᠠᠰᠤᠳᠠᠰᠤ ᠳᠠᠰᠤ" },
881     letters: { title: "ᠳᠠᠰᠤ", sub: "ᠳᠠᠰᠤᠳᠠᠰᠤ ᠳᠠᠰᠤ ᠳᠠᠰᠤ" },
882     difficult: { title: "ᠳᠠᠰᠤ ᠳᠠᠰᠤ", sub: "ᠳᠠᠰᠤ, ᠳᠠᠰᠤ, ᠳᠠᠰᠤ" },
883     wisdom: { title: "ᠳᠠᠰᠤ · ᠳᠠᠰᠤ", sub: "ᠳᠠᠰᠤᠳᠠᠰᠤ ᠳᠠᠰᠤ ᠳᠠᠰᠤ" },
884     complaints: {
885       title: "ᠳᠠᠰᠤᠳᠠᠰᠤ ᠳᠠᠰᠤ",
886       sub: "ᠳᠠᠰᠤᠳᠠᠰᠤ ᠳᠠᠰᠤ ᠳᠠᠰᠤ",
887     },
888     creatives: { title: "ᠳᠠᠰᠤ ᠳᠠᠰᠤ", sub: "ᠳᠠᠰᠤ, ᠳᠠᠰᠤ, ᠳᠠᠰᠤᠳᠠᠰᠤ, ᠳᠠᠰᠤ" },
889     personals: { title: "ᠳᠠᠰᠤ ᠳᠠᠰᠤ", sub: "ᠳᠠᠰᠤ ᠳᠠᠰᠤ ᠳᠠᠰᠤᠳᠠᠰᠤ ᠳᠠᠰᠤ ᠳᠠᠰᠤ" },
890     extras: { title: "ᠳᠠᠰᠤ ᠳᠠᠰᠤ ᠳᠠᠰᠤ", sub: "ᠳᠠᠰᠤᠳᠠᠰᠤ ᠳᠠᠰᠤ, ᠳᠠᠰᠤ ᠳᠠᠰᠤ" },
891     preview: { title: "ᠳᠠᠰᠤ ᠳᠠᠰᠤᠳᠠᠰᠤ", sub: "ᠳᠠᠰᠤ ᠳᠠᠰᠤ ᠳᠠᠰᠤᠳᠠᠰᠤ ᠳᠠᠰᠤ" },
892   },
893   defaultBookTitle: "ᠳᠠᠰᠤ ᠳᠠᠰᠤ",
894   untitled: "(ᠳᠠᠰᠤ ᠳᠠᠰᠤ)",
895   write: {
896     backToChat: "ᠳᠠᠰᠤ ᠳᠠᠰᠤᠳᠠᠰᠤ",
897     backToEbook: "ᠳᠠᠰᠤ E-bookᠤ ᠳᠠᠰᠤᠳᠠᠰᠤ",
898     chooseTemplate: "ᠳᠠᠰᠤ ᠳᠠᠰᠤ",

```

```

899     currentTemplate: "[] []:",
900     prepareBook: "[] []",
901     includeInBook: "[] []",
902     categoryLabel: "[]",
903     titleLabel: "[]",
904     titlePlaceholder: "[] []...",
905     imageAlt: "A4 []",
906     captionPlaceholder: "[] [] ...",
907     removeImage: "[] []",
908     contentLabel: "[]",
909     contentPlaceholder:
910         "[] [] [] [] [] []...",
911     uploading: "[] [] []...",
912     addImage: "[] []",
913     saveEdit: "[] []",
914     save: "[]",
915     writingPage: "[] []",
916     mobileHint: "[] [] [] [] []",
917     deleteConfirm: "[] [] [] []?",
918     deleteAllConfirm: "[] [] [] []?",
919     imageUploadError:
920         "[] [] [] [] [] [].",
921     preview: "[]",
922     scrollDown: "↓ [] []",
923     savedNotice: "[]",
924 },
925 archive: {
926     filesTitle: "[] ([] [])",
927     searchPlaceholder: "[]: [] / []...",
928     selectAll: "[] []",
929     deselectAll: "[] []",
930     selected: "[]:",
931     deleteSelected: "[] []",
932     deleteSelectedConfirm: "{n}[] [] []?",
933     clearSelection: "[]",
934     selectHint: "[] [] [] [] [].",
935     deleteAll: "[] []",
936     deleteAllConfirm: "[] ({n}[]) [] [] []?",
937     noNotes: "[] [] [] [] [].",
938     edit: "[]",
939     removeFromBook: "[] []",
940     addToBook: "[] []",
941     delete: "[]",
942     inBook: "[] []",
943     draftOnly: "[]",
944 },
945 book: {
946     backToChat: "← [] []",
947     backToWrite: "← [] []",
948     otherSections: "[] [] []",
949     refresh: "[] []",
950     print: "[] []",
951     prepareBook: "[] []",
952     desktopHint: "PC[] 2[], [] 1[] [].",
953     menu: "[]",
954     pageNoPlaceholder: "[] []",
955     jump: "[]",
956     jumpHint:
957         "[] [] [] [] [] [] [] [].",
958     coverPage: "[]",
959     tocPage: "[]",
960     forewordPage: "[] []",
961     endingPage: "[]",
962     authorLabel: "[]:",
963     subMenuLabel: "[]",
964     tocLabel: "[]",
965     tocHint: "[] [] [] [] [] [].",
966     editLink: "[]",
967     imageAlt: "[]",

```

```

968 },
969 extras: {
970   chat: "–  ",
971   ebook: " (E-book)",
972   prepareBook: "  ",
973   themeLabel: " (3  )",
974   templateLabel: "  (3)",
975   templateA: "-a",
976   templateB: "-b",
977   templateC: "-c",
978   save: "",
979   saving: "  ...",
980   saved: "  . (  )",
981   saveError: "  : {msg}",
982   subMenuTitle: " (10)",
983   sections: {
984     cover: "",
985     toc: "",
986     foreword: "  ",
987     ending: "",
988     submenu: "  ",
989   },
990   coverTitleLabel: "  ",
991   subtitleLabel: "  ",
992   coverImageLabel: "  (URL  )",
993   chooseImage: "  ",
994   removeImage: "  ",
995   noImagePlaceholder: " (  )",
996   tocLinesLabel: "  (  )",
997   forewordHeading: "  ",
998   endingHeading: "",
999   subMenuTextLabel: "  ",
1000   bodyPlaceholder: "  ...",
1001   emptyBody: " (  )",
1002   circleImageLabel: "  (  )",
1003   tocHint: "  ",
1004 },
1005 },
1006 dailyCheck: {
1007   back: "",
1008   headTitle: "  ",
1009   chat: "",
1010   calculating: "  ...",
1011   getResult: "  ",
1012   continue: "",
1013   autoNextHint: "*  .",
1014   todayResult: "  ",
1015   focusTopic: "  :",
1016   dominantFeeling: "  :",
1017   progressCalendar: "  (  )",
1018   legend: { good: "", mid: "", hard: "", heavy: "" },
1019   rangeResult: "  ",
1020   close: "",
1021   period: "  ",
1022   noDataInRange:
1023     "  .  ",
1024   avgScore: "  ",
1025   total: "  ",
1026   days: "",
1027   levelCount: "  (  )",
1028   tapBgToClose: "*  .",
1029   calendarLoading: "  ...",
1030   pickDay: "  ",
1031   pickDayHint: "  ",
1032   dow: ["", "", "", "", "", "", ""],
1033   trendUp: "",
1034   trendDown: "",
1035   trendStable: "→  ",
1036   errRead: "  ",

```



```

1106     desc: "ᠠᠷᠠᠭ ᠠᠷᠠᠭ.",
1107 },
1108 color: {
1109   title: "ᠠᠷᠠᠭ ᠠᠷᠠᠭ ᠠᠷ ᠠᠷᠠᠭ ᠠᠷᠠᠭᠠᠳ?",
1110   desc: "ᠠᠷ ᠠᠷᠠᠭ ᠠᠷᠠᠭ ᠠᠷᠠᠭ ᠠ ᠠᠷᠠᠭ ᠠᠷᠠᠭ.",
1111 },
1112 identity: {
1113   title: "ᠠᠷᠠᠭ ᠠᠷ ᠠᠷᠠᠭᠠᠳ ᠠᠷᠠᠭᠠᠳ?",
1114   desc: "ᠠᠷ 3ᠠ ᠠᠷᠠᠭᠠᠳ.",
1115 },
1116 finish: {
1117   title: "ᠠᠷ ᠠᠷᠠᠭᠠᠳ ᠠᠷ ᠠᠷ?",
1118   desc: "ᠠᠷᠠᠭ ᠠᠷᠠᠭᠠᠳ.",
1119 },
1120 },
1121 choices: {
1122   m5: "ᠠᠷ",
1123   m4: "ᠠᠷ",
1124   m3: "ᠠᠷ",
1125   m2: "ᠠᠷᠠᠳ",
1126   m1: "ᠠᠷ",
1127   t5: "ᠠᠷ · ᠠ",
1128   t2: "ᠠ · ᠠᠷ",
1129   t4: "ᠠᠷ · ᠠ",
1130   t1: "ᠠᠷ · ᠠᠷ",
1131   t3: "ᠠ · ᠠᠷ",
1132   i1: "ᠠᠷ ᠠᠷ ᠠᠷ",
1133   i2: "ᠠ ᠠᠷ",
1134   i3: "ᠠᠷ ᠠᠷ ᠠᠷ",
1135   i4: "ᠠᠷ ᠠᠷ",
1136   i5: "ᠠᠷ ᠠᠷ ᠠᠷ",
1137   b1: "ᠠᠷ · ᠠᠷ",
1138   b2: "ᠠᠷ ᠠᠷᠠᠳ (ᠠ/ᠠᠷ) ",
1139   b4: "ᠠᠷᠠᠳ · ᠠᠷ",
1140   b3: "ᠠᠷᠠᠳ · ᠠᠷ",
1141   b5: "ᠠᠷ · ᠠᠷ",
1142   e5: "ᠠᠷ ᠠᠷᠠᠳ ᠠᠷ",
1143   e4: "ᠠ ᠠᠷ",
1144   e3: "ᠠᠷ ᠠᠷ",
1145   e2: "ᠠᠷ",
1146   e1: "ᠠᠷ ᠠᠷ",
1147   f5: "ᠠᠷᠠᠳ ᠠᠷ",
1148   f4: "ᠠᠷᠠᠳ",
1149   f7: "ᠠᠷᠠᠳ ᠠᠷᠠᠳ ᠠᠷ",
1150   f8: "ᠠᠷᠠᠳ ᠠᠷᠠᠳ",
1151   f6: "ᠠᠷᠠᠳ",
1152   f3: "ᠠᠷ ᠠᠷ",
1153   f2: "ᠠᠷ · ᠠᠷᠠᠳ",
1154   f1: "ᠠᠷ",
1155   n4: "ᠠᠷᠠᠳᠠᠳ ᠠᠷᠠᠳ",
1156   n3: "ᠠᠷ ᠠᠷᠠᠳ",
1157   n2: "ᠠᠷᠠᠳ",
1158   n1: "ᠠᠷ",
1159   n5: "ᠠᠷ ᠠᠷ",
1160   c5: "ᠠᠷ (ᠠᠷ/ᠠᠷ) ",
1161   c3: "ᠠᠷ (ᠠᠷᠠᠳ/ᠠᠷ) ",
1162   c2: "ᠠᠷ (ᠠᠷ/ᠠᠷ) ",
1163   c1: "ᠠᠷ (ᠠᠷ/ᠠᠷᠠᠳ) ",
1164   c4: "ᠠᠷ (ᠠᠷ/ᠠᠷ) ",
1165   c6: "ᠠᠷ (ᠠᠷᠠᠳ/ᠠᠷ) ",
1166   p7: "ᠠᠷᠠᠳᠠᠳ ᠠᠷ ᠠ ᠠᠷ",
1167   p2: "ᠠᠷᠠᠳ",
1168   p3: "ᠠᠷᠠᠳ ᠠᠷ",
1169   p6: "ᠠᠷᠠᠳᠠᠳ ᠠᠷᠠᠳ ᠠ ᠠᠷ",
1170   p5: "ᠠᠷ ᠠᠷᠠᠳ ᠠ ᠠᠷ",
1171   p4: "ᠠᠷᠠᠳ ᠠᠷ",
1172   p1: "ᠠᠷᠠᠳ ᠠᠷᠠᠳ",
1173   a2: "ᠠᠷᠠᠳ ᠠᠷ",
1174   a1: "ᠠᠷᠠᠳ ᠠᠷᠠᠳ ᠠᠷ",

```

```

1175     a4: "ᠠᠭᠤ ᠠ ᠠᠭᠤᠰᠤ ᠠᠭᠤ",
1176     a3: "ᠠ ᠠᠭᠤᠰᠤ ᠠᠭᠤ",
1177     a5: "ᠠᠭᠤᠰᠤᠰᠤ ᠠᠭᠤ",
1178 },
1179 },
1180 balance: {
1181   domainLabels: {
1182     emotion: "ᠠᠭᠤ",
1183     self: "ᠠᠭᠤ ᠠᠭᠤ",
1184     relations: "ᠠᠭᠤ",
1185     purpose: "ᠠᠭᠤᠰᠤ ᠠᠭᠤ",
1186     selfCare: "ᠠᠭᠤ ᠠᠭᠤ",
1187     life: "ᠠᠭᠤᠰᠤ ᠠᠭᠤ",
1188   },
1189   scaleLabels: ["ᠠᠭᠤ", "ᠠᠭᠤᠰᠤ", "ᠠᠭᠤ", "ᠠᠭᠤᠰᠤ", "ᠠᠭᠤᠰᠤ"],
1190   questions: {
1191     e1: "ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤᠰᠤ ᠠᠭᠤᠰᠤ ᠠᠭᠤᠰᠤ?",
1192     e2: "ᠠᠭᠤᠰᠤ ᠠᠭᠤ ᠠᠭᠤᠰᠤᠰᠤ ᠠᠭᠤ ᠠ ᠠᠭᠤ?",
1193     e3: "ᠠᠭᠤᠰᠤ ᠠᠭᠤ ᠠᠭᠤᠰᠤ ᠠᠭᠤᠰᠤ ᠠᠭᠤ ᠠ ᠠᠭᠤ?",
1194     e4: "ᠠᠭᠤᠰᠤ ᠠᠭᠤ ᠠᠭᠤᠰᠤᠰᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤᠰᠤ?",
1195     e5: "ᠠᠭᠤᠰᠤᠰᠤ ᠠ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠ ᠠᠭᠤ?",
1196     e6: "ᠠᠭᠤᠰᠤᠰᠤ ᠠᠭᠤᠰᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤᠰᠤ ᠠᠭᠤ ᠠ ᠠᠭᠤ?",
1197     s1: "ᠠᠭᠤᠰᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤᠰᠤ ᠠᠭᠤ ᠠ ᠠᠭᠤ?",
1198     s2: "ᠠᠭᠤᠰᠤ ᠠᠭᠤ ᠠᠭᠤ (ᠠᠭᠤ, ᠠᠭᠤ ᠠᠭᠤ)ᠠ ᠠᠭᠤ ᠠᠭᠤ?",
1199     s3: "ᠠᠭᠤᠰᠤ ᠠᠭᠤ ᠠᠭᠤᠰᠤᠰᠤ ᠠᠭᠤ ᠠᠭᠤ (ᠠᠭᠤ)ᠠ ᠠᠭᠤ ᠠᠭᠤ?",
1200     s4: "ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠ ᠠᠭᠤ ᠠᠭᠤᠰᠤ ᠠᠭᠤᠰᠤ?",
1201     s5: "ᠠᠭᠤᠰᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤᠰᠤ ᠠᠭᠤᠰᠤ?",
1202     s6: "ᠠᠭᠤᠰᠤ ᠠᠭᠤ ᠠ "ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤᠰᠤ?"ᠠᠭᠤ ᠠᠭᠤᠰᠤ 'ᠠᠭᠤᠰᠤ ᠠᠭᠤᠰᠤ?",
1203     r1: "ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤᠰᠤ ᠠᠭᠤᠰᠤ ᠠᠭᠤᠰᠤ ᠠᠭᠤ ᠠ ᠠᠭᠤ?",
1204     r2: "ᠠᠭᠤᠰᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤᠰᠤ ᠠᠭᠤᠰᠤ ᠠᠭᠤ ᠠ ᠠᠭᠤ?",
1205     r3: "ᠠᠭᠤ ᠠᠭᠤᠰᠤ "ᠠᠭᠤᠰᠤ"ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠ ᠠᠭᠤ?",
1206     r4: "ᠠᠭᠤᠰᠤ ᠠᠭᠤᠰᠤ ᠠᠭᠤᠰᠤ 1~2ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤᠰᠤ?",
1207     r5: "ᠠᠭᠤᠰᠤ ᠠᠭᠤ ᠠ ᠠᠭᠤᠰᠤ ᠠᠭᠤᠰᠤ ᠠᠭᠤ ᠠᠭᠤᠰᠤ ᠠᠭᠤ ᠠ ᠠᠭᠤ?",
1208     r6: "ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤ, ᠠ, ᠠᠭᠤᠰᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤᠰᠤ?",
1209     r7: "ᠠᠭᠤᠰᠤ ᠠᠭᠤᠰᠤ ᠠ ᠠᠭᠤᠰᠤ ᠠᠭᠤᠰᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠ ᠠᠭᠤ?",
1210     p1: "ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠ ᠠᠭᠤ?",
1211     p2: "ᠠᠭᠤᠰᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤᠰᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤᠰᠤ?",
1212     p3: "ᠠᠭᠤᠰᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤᠰᠤᠰᠤ?",
1213     p4: "ᠠᠭᠤ ᠠᠭᠤ(ᠠᠭᠤ, ᠠᠭᠤ, ᠠᠭᠤ ᠠᠭᠤ)ᠠ ᠠᠭᠤᠰᠤ ᠠᠭᠤ ᠠᠭᠤᠰᠤ?",
1214     p5: "ᠠᠭᠤ ᠠ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤᠰᠤ?",
1215     p6: "ᠠᠭᠤᠰᠤ ᠠᠭᠤ ᠠ ᠠ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤᠰᠤ?",
1216     p7: "ᠠᠭᠤᠰᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤ, ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤᠰᠤ?",
1217     c1: "ᠠᠭᠤ ᠠᠭᠤᠰᠤ ᠠᠭᠤ ᠠᠭᠤᠰᠤᠰᠤ ᠠᠭᠤᠰᠤ ᠠᠭᠤᠰᠤᠰᠤ?",
1218     c2: "ᠠᠭᠤᠰᠤ ᠠ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠ ᠠᠭᠤ?",
1219     c3: "ᠠᠭᠤᠰᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤᠰᠤ ᠠ ᠠ ᠠᠭᠤ?",
1220     c4: "ᠠᠭᠤ ᠠᠭᠤ(ᠠᠭᠤ, ᠠᠭᠤ, ᠠᠭᠤ)ᠠ ᠠᠭᠤᠰᠤ ᠠᠭᠤ ᠠᠭᠤᠰᠤ?",
1221     c5: "ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤᠰᠤ ᠠᠭᠤᠰᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤᠰᠤ?",
1222     c6: "ᠠᠭᠤᠰᠤ ᠠᠭᠤᠰᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤᠰᠤ?",
1223     l1: "ᠠᠭᠤ 7ᠠ ᠠ ᠠᠭᠤ 3ᠠ ᠠᠭᠤ 20ᠠ ᠠᠭᠤ ᠠᠭᠤᠰᠤ ᠠᠭᠤᠰᠤ?",
1224     l2: "ᠠᠭᠤ 7~9ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤᠰᠤ ᠠᠭᠤᠰᠤ?",
1225     l3: "ᠠᠭᠤ ᠠ ᠠᠭᠤ ᠠᠭᠤᠰᠤ, ᠠᠭᠤ ᠠᠭᠤᠰᠤ ᠠᠭᠤ?",
1226     l4: "ᠠᠭᠤᠰᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤᠰᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤᠰᠤ ᠠᠭᠤᠰᠤ?",
1227     l5: "ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤᠰᠤ ᠠᠭᠤᠰᠤ ᠠᠭᠤᠰᠤ ᠠᠭᠤᠰᠤ ᠠᠭᠤ ᠠᠭᠤ?",
1228     l6: "ᠠᠭᠤᠰᠤ(ᠠᠭᠤ, ᠠᠭᠤ, ᠠᠭᠤ, ᠠᠭᠤ ᠠᠭᠤ)ᠠ ᠠᠭᠤᠰᠤ ᠠᠭᠤ ᠠᠭᠤ?",
1229   },
1230   levels: {
1231     excellent: {
1232       level: "ᠠᠭᠤ ᠠᠭᠤ",
1233       tone: "ᠠᠭᠤᠰᠤ ᠠᠭᠤ ᠠᠭᠤᠰᠤᠰᠤ. ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠ ᠠᠭᠤ ᠠᠭᠤ ᠠ ᠠᠭᠤ ᠠᠭᠤᠰᠤ.",
1234     },
1235     good: {
1236       level: "ᠠᠭᠤ",
1237       tone: "ᠠᠭᠤᠰᠤ ᠠᠭᠤᠰᠤ. ᠠᠭᠤ 1~2ᠠ ᠠᠭᠤᠰᠤ ᠠ ᠠᠭᠤ ᠠᠭᠤᠰᠤ ᠠᠭᠤ ᠠᠭᠤᠰᠤ.",
1238     },
1239     mid: {
1240       level: "ᠠᠭᠤ",
1241       tone: "ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤᠰᠤ. ᠠ ᠠᠭᠤ ᠠᠭᠤ ᠠᠭᠤᠰᠤ ᠠᠭᠤ ᠠᠭᠤᠰᠤ.",
1242     },
1243     attention: {

```

```

1244     level: "ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ",
1245     tone: 'ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ. ᠠᠷᠤᠭᠤ "ᠠᠷᠤᠭᠤ"ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ.',
1246 },
1247 },
1248 domainNarrativeBands: {
1249   strong:
1250     '{label} ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ. ᠠᠷᠤᠭᠤ "ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ"ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ.',
1251     good: "{label}ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ. ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ.",
1252     mid: "{label}ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ. ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ, ᠠᠷᠤᠭᠤ, ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ.",
1253     low: '{label} ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ. "ᠠᠷᠤᠭᠤ"ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ.',
1254 },
1255 tinyStep: {
1256   emotion:
1257     'ᠠᠷᠤᠭ 3ᠠ: ᠠᠷᠤᠭ(4-4-6) + "ᠠᠷᠤᠭ ᠠᠷᠤᠭ ᠠᠷᠤᠭ ᠠᠷᠤᠭ?"ᠠᠷᠤᠭ ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ.',
1258     self: 'ᠠᠷᠤᠭ 5ᠠ: "ᠠᠷᠤᠭ ᠠᠷᠤᠭ ᠠᠷᠤᠭ ᠠᠷᠤᠭ ᠠᠷᠤᠭ?"ᠠᠷᠤᠭ ᠠᠷᠤᠭ 1ᠠ ᠠᠷᠤᠭᠤ.',
1259     relations:
1260       'ᠠᠷᠤᠭ ᠠᠷᠤ ᠠᠷᠤᠭ: ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ "ᠠᠷᠤᠭ, ᠠᠷᠤᠭ?"ᠠᠷᠤᠭ ᠠᠷᠤᠭᠤ.',
1261     purpose:
1262       "ᠠᠷᠤᠭ 5ᠠ: ᠠᠷᠤᠭ ᠠᠷᠤ ᠠᠷᠤᠭ 1ᠠᠠ ᠠᠷᠤᠭᠤ(ᠠᠷᠤᠭ ᠠᠷᠤ!).",
1263     selfCare:
1264       "ᠠᠷᠤᠭ 10ᠠ: ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭ ᠠᠷᠤ ᠠᠷᠤ ᠠᠷᠤ ᠠᠷᠤᠭᠤ.",
1265     life: "ᠠᠷᠤᠭ ᠠᠷᠤ ᠠᠷᠤ 1ᠠ: ᠠᠷᠤᠭᠤ ᠠᠷᠤ ᠠᠷᠤ ᠠᠷᠤ ᠠᠷᠤᠭᠤ.",
1266     default: "ᠠᠷᠤᠭ ᠠᠷᠤ ᠠᠷᠤᠭ ᠠᠷᠤ 7ᠠᠠ ᠠᠷᠤᠭᠤ.",
1267 },
1268 narrative: {
1269   headlines: [
1270     "ᠠᠷᠤᠭᠤ ᠠᠷᠤ",
1271     "ᠠᠷᠤᠭ ᠠᠷᠤᠭ ᠠᠷᠤ",
1272     "ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭ ᠠᠷᠤᠭ?",
1273     "ᠠᠷᠤ ᠠᠷᠤᠭ ᠠᠷᠤ",
1274     "ᠠᠷᠤᠭ ᠠᠷᠤᠭ",
1275     "ᠠᠷᠤᠭ ᠠᠷᠤᠭ ᠠᠷᠤ",
1276     "ᠠᠷᠤᠭ ᠠᠷᠤᠭ ᠠᠷᠤ",
1277     "ᠠᠷᠤᠭ ᠠᠷᠤᠭ",
1278     "ᠠᠷᠤ ᠠᠷᠤᠭ ᠠᠷᠤ",
1279     "ᠠᠷᠤᠭ ᠠᠷᠤ",
1280     "ᠠᠷᠤᠭ ᠠᠷᠤᠭ ᠠᠷᠤ",
1281     "ᠠᠷᠤ ᠠᠷᠤ: ᠠᠷᠤ",
1282   ],
1283   meaningByBand: {
1284     low: [
1285       'ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭ ᠠᠷᠤ "ᠠᠷᠤᠭ"ᠠᠷᠤᠭ ᠠᠷᠤᠭᠤ. ᠠᠷᠤ ᠠᠷᠤ, ᠠᠷᠤᠭ, ᠠᠷᠤᠭᠤ 2~3ᠠ ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭ ᠠᠷᠤᠭ ᠠᠷᠤᠭ ᠠᠷᠤᠭᠤ.',
1286       "ᠠᠷᠤ ᠠᠷᠤᠭ ᠠᠷᠤ ᠠᠷᠤ ᠠᠷᠤ ᠠᠷᠤ ᠠᠷᠤᠭᠤ. ᠠᠷᠤᠭ ᠠᠷᠤ ᠠᠷᠤᠭᠤ ᠠᠷᠤ ᠠᠷᠤᠭ ᠠᠷᠤᠭ/ᠠᠷᠤ/ᠠᠷᠤ ᠠᠷᠤᠭ ᠠᠷᠤᠭ ᠠᠷᠤ ᠠᠷᠤᠭ ᠠᠷᠤᠭᠤ.",
1287       'ᠠᠷᠤ ᠠᠷᠤᠭ ᠠᠷᠤᠭ ᠠᠷᠤ ᠠᠷᠤᠭᠤ. ᠠᠷᠤᠭ ᠠᠷᠤᠭ ᠠᠷᠤᠭ "ᠠᠷᠤᠭ" ᠠᠷᠤᠭ ᠠᠷᠤᠭ, ᠠᠷᠤ ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭ ᠠᠷᠤᠭᠤ.',
1288     ],
1289     mid: [
1290       'ᠠᠷᠤᠭᠤ ᠠᠷᠤ ᠠᠷᠤᠭᠤ. "ᠠᠷᠤᠭ ᠠᠷᠤᠭ ᠠᠷᠤ ᠠᠷᠤᠭᠤ" ᠠᠷᠤᠭᠤ.',
1291       "ᠠᠷᠤᠭ ᠠᠷᠤᠭ ᠠᠷᠤ ᠠᠷᠤ ᠠᠷᠤᠭ ᠠᠷᠤᠭ ᠠᠷᠤᠭᠤ: ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭ ᠠᠷᠤᠭ ᠠᠷᠤᠭ.",
1292       "ᠠᠷᠤ ᠠᠷᠤᠭ ᠠᠷᠤᠭᠤ ᠠᠷᠤ ᠠᠷᠤᠭᠤ. ᠠᠷᠤ ᠠᠷᠤ ᠠᠷᠤᠭ ᠠᠷᠤᠭ ᠠᠷᠤᠭ ᠠᠷᠤᠭᠤ.",
1293     ],
1294     good: [
1295       "ᠠᠷᠤᠭᠤ ᠠᠷᠤ ᠠᠷᠤᠭᠤ. ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭ ᠠᠷᠤᠭ, ᠠᠷᠤᠭ ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭ ᠠᠷᠤ ᠠᠷᠤᠭᠤ.",
1296       "ᠠᠷᠤᠭ ᠠᠷᠤᠭᠤ ᠠᠷᠤ ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭ ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ. ᠠᠷᠤ ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭ ᠠᠷᠤᠭ ᠠᠷᠤᠭ ᠠᠷᠤᠭᠤ.",
1297       "ᠠᠷᠤ ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭ ᠠᠷᠤᠭᠤ — ᠠᠷᠤ ᠠᠷᠤᠭ ᠠᠷᠤᠭ ᠠᠷᠤᠭ ᠠᠷᠤᠭᠤ.",
1298     ],
1299     strong: [
1300       "ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ. ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭ ᠠᠷᠤᠭᠤ, ᠠᠷᠤ ᠠᠷᠤᠭ ᠠᠷᠤᠭ ᠠᠷᠤᠭ ᠠᠷᠤᠭ ᠠᠷᠤᠭᠤ.",
1301       'ᠠᠷᠤ ᠠᠷᠤᠭ "ᠠᠷᠤ ᠠᠷᠤᠭ"ᠠᠷᠤ ᠠᠷᠤᠭᠤ ᠠᠷᠤ ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ.',
1302       "ᠠᠷᠤ ᠠᠷᠤᠭ ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭ ᠠᠷᠤᠭᠤ. ᠠᠷᠤᠭ ᠠᠷᠤ ᠠᠷᠤᠭ ᠠᠷᠤ ᠠᠷᠤᠭ ᠠᠷᠤᠭᠤ.",
1303     ],
1304   },
1305   focusTemplates: [
1306     'ᠠᠷᠤ ᠠᠷᠤᠭᠤ ᠠᠷᠤ "ᠠᠷᠤᠭᠤᠭ" ᠠᠷᠤᠭ {weakestLine}ᠠᠷᠤᠭ. ᠠᠷᠤ ᠠᠷᠤ ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭ, ᠠᠷᠤᠭ, ᠠᠷᠤ ᠠᠷᠤᠭ ᠠᠷᠤᠭᠤ ᠠᠷᠤ ᠠᠷᠤᠭᠤ.',
1307     '{weakestLine} ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭ ᠠᠷᠤᠭᠤ. ᠠᠷᠤ "ᠠᠷᠤ ᠠᠷᠤ"ᠠᠷᠤ ᠠᠷᠤ ᠠᠷᠤᠭ ᠠᠷᠤ ᠠᠷᠤᠭ ᠠᠷᠤ ᠠᠷᠤᠭᠤ ᠠᠷᠤ ᠠᠷᠤᠭᠤ ᠠᠷᠤ ᠠᠷᠤᠭᠤ.',
1308     "ᠠᠷᠤᠭ ᠠᠷᠤᠭ ᠠᠷᠤᠭ {weakestLine} ᠠᠷᠤᠭ ᠠᠷᠤᠭ ᠠᠷᠤᠭᠤ. ᠠᠷᠤ ᠠᠷᠤ ᠠᠷᠤ, ᠠᠷᠤ, ᠠᠷᠤ, ᠠᠷᠤ ᠠᠷᠤ ᠠᠷᠤ ᠠᠷᠤᠭᠤ.",
1309     "ᠠᠷᠤᠭ ᠠᠷᠤᠭ ᠠᠷᠤ ᠠᠷᠤᠭᠤ ᠠᠷᠤ {weakestLine}ᠠᠷᠤᠭ. ᠠᠷᠤ ᠠᠷᠤᠭ ᠠᠷᠤᠭᠤᠭ ᠠᠷᠤᠭ ᠠᠷᠤ ᠠᠷᠤᠭ ᠠᠷᠤᠭ ᠠᠷᠤᠭᠤ.",
1310   ],
1311   strengthTemplates: [
1312     'ᠠᠷᠤᠭ: {label}. ᠠᠷᠤᠭ ᠠᠷᠤᠭ "ᠠᠷᠤ"ᠠᠷᠤ ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭ — ᠠᠷᠤ ᠠᠷᠤᠭ ᠠᠷᠤᠭ ᠠᠷᠤ ᠠᠷᠤᠭᠤ ᠠᠷᠤᠭᠤ.',

```



```

1313     "ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ: {label}. ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ.",
1314     'ᠠ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ: {label}. ᠠᠷᠢᠨᠠᠭ "ᠠᠷᠢᠨᠠᠭ" ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ.',
1315 ],
1316 noStrength:
1317     "ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ. ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ.",
1318 and: "ᠠ",
1319 summaryTemplates: [
1320     "ᠠᠷᠢᠨᠠᠭ {score}/100. ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ - ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ.",
1321     'ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ {score}/100ᠠᠷᠢᠨᠠᠭ. ᠠᠷᠢᠨᠠᠭ "ᠠᠷᠢᠨᠠᠭ" ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ.',
1322     "ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ: {score}/100. ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ, ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ.",
1323     "ᠠᠷᠢᠨᠠᠭ {score}/100ᠠᠷᠢᠨᠠᠭ. ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ.",
1324 ],
1325 },
1326 test: {
1327     back: "ᠠᠷᠢᠨᠠᠭ",
1328     chat: "ᠠᠷᠢᠨᠠᠭ",
1329     title: "ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ",
1330     progress: "ᠠᠷᠢᠨᠠᠭ: {answered}/{total}",
1331     introHtml:
1332         "ᠠᠷᠢᠨᠠᠭ. ᠠᠷᠢᠨᠠᠭ <b>ᠠᠷᠢᠨᠠᠭ</b>ᠠᠷᠢᠨᠠᠭ.<br/><br/>ᠠᠷᠢᠨᠠᠭ, ᠠᠷᠢᠨᠠᠭ, ᠠᠷᠢᠨᠠᠭ, ᠠᠷᠢᠨᠠᠭ, ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ <b>6ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ</b>ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ.<br/><br/>ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ.",
1333     disclaimer:
1334         "ᠠᠷᠢᠨᠠᠭ: ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ. ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ.",
1335     startBtn: "ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ",
1336     hint: "ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ. ᠠᠷᠢᠨᠠᠭ: {answered}/{total}",
1337     hintLabel: "ᠠᠷᠢᠨᠠᠭ:",
1338     resultBtn: "ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ",
1339 },
1340 menuHint:
1341     "ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ, ᠠᠷᠢᠨᠠᠭ, ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ.",
1342 result: {
1343     backToTest: "ᠠᠷᠢᠨᠠᠭ",
1344     backToChat: "ᠠᠷᠢᠨᠠᠭ",
1345     noDataTitle: "ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ",
1346     noDataText:
1347         "ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ. ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ.",
1348     noDataLink: "ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ",
1349     headerSmall: "ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ",
1350     totalScoreLabel: "ᠠᠷᠢᠨᠠᠭ:",
1351     answeredLabel: "ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ",
1352     appsTitle: "ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ (ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ)",
1353     appsHint: "ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ 1~2ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ.",
1354     openBtn: "ᠠᠷᠢᠨᠠᠭ",
1355     detailsTitle: "ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ",
1356     weakestQTitle: 'ᠠᠷᠢᠨᠠᠭ "ᠠᠷᠢᠨᠠᠭ" ᠠᠷᠢᠨᠠᠭ:',
1357     answeredParens: "(ᠠᠷᠢᠨᠠᠭ: {answered}/{total})",
1358     retakeBtn: "ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ",
1359     progressTitle: "ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ (ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ)",
1360     deleteAll: "ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ",
1361     sparklineLabel: "ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ (0~100)",
1362     sparklineMin2: "ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ 2ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ.",
1363     noHistory:
1364         "ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ. ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ.",
1365     deleteOne: "ᠠᠷᠢᠨᠠᠭ",
1366     footerNote:
1367         "ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ: ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ Supabaseᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ.",
1368 },
1369 apps: {
1370     emotion: [
1371         {
1372             title: "ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ",
1373             note: "ᠠᠷᠢᠨᠠᠭ 30ᠠᠷᠢᠨᠠᠭ - ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ.",
1374         },
1375         {
1376             title: "ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ",
1377             note: "ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ/ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ ᠠᠷᠢᠨᠠᠭ.",
1378         },
1379     ],
1380     self: [
1381         {

```

```

1382         title: "ᠠᠨᠠᠭ ᠠᠨᠠ - ᠠᠨᠠ ᠠ",
1383         note: "ᠠᠨᠠ 3ᠠᠨᠠ ᠠᠨᠠ /ᠠᠨᠠ ᠠᠨᠠᠨᠠ.",
1384     },
1385 ],
1386 relations: [
1387     {
1388         title: "ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ",
1389         note: "ᠠᠨᠠ ᠠᠨᠠᠨᠠ ᠠᠨᠠᠨᠠ ᠠᠨ ᠠᠨᠠ.",
1390     },
1391     {
1392         title: "ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ",
1393         note: "ᠠᠨᠠ ᠠᠨᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠᠨᠠ ᠠ ᠠᠨᠠ ᠠᠨᠠᠨᠠ.",
1394     },
1395 ],
1396 purpose: [
1397     {
1398         title: "ᠠᠨᠠ ᠠᠨᠠ ᠠ",
1399         note: "ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠᠨᠠ.",
1400     },
1401     {
1402         title: "ᠠᠨᠠ ᠠᠨᠠ ᠠ ᠠᠨᠠ",
1403         note: "ᠠᠨᠠ ᠠ ᠠᠨᠠ ᠠᠨᠠᠨᠠ ᠠᠨᠠᠨᠠ.",
1404     },
1405 ],
1406 selfCare: [
1407     { title: "ᠠᠨᠠ ᠠ", note: "ᠠᠨᠠ ᠠᠨ(ᠠᠨ/ᠠᠨ/ᠠᠨ)ᠠ ᠠᠨᠠᠨᠠ." },
1408     {
1409         title: "ᠠᠨᠠ ᠠᠨ",
1410         note: "ᠠᠨᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠᠨᠠ ᠠ ᠠᠨᠠ ᠠᠨᠠᠨᠠ.",
1411     },
1412 ],
1413 life: [{ title: "ᠠᠨᠠ ᠠ", note: "ᠠᠨᠠ/ᠠᠨᠠ ᠠᠨ ᠠᠨᠠᠨᠠ ᠠᠨᠠ." }],
1414 default: [
1415     {
1416         title: "ᠠᠨᠠᠨᠠ ᠠᠨ ᠠᠨᠠᠨᠠ",
1417         note: "ᠠᠨᠠᠨᠠ ᠠᠨ ᠠᠨ ᠠᠨᠠ ᠠᠨᠠᠨᠠ.",
1418     },
1419 ],
1420 },
1421 progressPage: {
1422     title: "ᠠᠨᠠ ᠠᠨᠠ ᠠᠨ (ᠠᠨᠠᠨᠠ)",
1423     text: "ᠠᠨ ᠠᠨᠠᠨᠠ ᠠᠨ ᠠᠨᠠ ᠠᠨ ᠠᠨᠠ ᠠᠨ ᠠᠨᠠᠨᠠ. ᠠᠨ ᠠᠨᠠᠨᠠ ᠠᠨ/ᠠᠨᠠᠨᠠ ᠠᠨᠠᠨ "ᠠᠨᠠ"ᠠ ᠠᠨᠠᠨᠠ.',
1424     toTest: "ᠠᠨᠠᠨᠠ",
1425     toResult: "ᠠᠨᠠᠨ ᠠᠨᠠ",
1426 },
1427 summaryPage: {
1428     title: "ᠠᠨᠠ ᠠᠨᠠ (ᠠᠨᠠᠨᠠ)",
1429     text: "ᠠᠨ ᠠᠨᠠᠨᠠ ᠠᠨ ᠠᠨᠠ ᠠᠨ ᠠᠨᠠ ᠠᠨ ᠠᠨᠠᠨᠠ. ᠠᠨ ᠠᠨᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠ ᠠᠨᠠᠨᠠ.",
1430     toTest: "ᠠᠨᠠᠨᠠ",
1431     toResult: "ᠠᠨᠠᠨ ᠠᠨᠠ",
1432 },
1433 },
1434 },
1435 };
1436
1437 export default ko;

```

427. lib/i18n/dictionaries/mn.ts

```

1 // Mongolian is the source-of-truth dictionary. Its shape defines the
2 // `Dictionary` type that every other locale must satisfy.
3 const mn = {
4   language: {
5     label: "Хэл",
6   },
7   common: {
8     newChat: "Шинэ чат",

```

```

9     send: "Илгээх",
10    cancel: "Болих",
11    save: "Хадгалах",
12    delete: "Устгах",
13    loading: "Ачааллаж байна...",
14    back: "Буцах",
15    chat: "Чат",
16    toggleSidebar: "Цэс нээх/хаах",
17    subscription: "Эрх сунгалт",
18    signOut: "Тарах",
19    loginToAccount: "Бүртгэлдээ нэвтрэх",
20    loadingAuthStatus: "Нэвтрэлтийн төлөв ачаалж байна",
21    checkingAuthStatus: "Нэвтрэлтийн төлөвийг шалгаж байна, дахин оролдоно уу!",
22    toggleToDarkMode: "Харанхуй горим руу шилжих",
23    toggleToLightMode: "Цайвар горим руу шилжих",
24  },
25  meta: {
26    title: "Оюунсанаа Chat",
27    description: "Оюунсанаа — AI сэтгэлийн туслах, онол ба аппууд нэг дор.",
28  },
29  banner: {
30    trialExpired:
31      "Үнэгүй туршилт дууссан. Үргэлжлүүлэхийн тулд эрхээ сунгана уу —",
32    trialDaysLeft: "Үнэгүй туршилт — {days} өдөр үлдсэн. Эрх сунгах —",
33  },
34  greeting: {
35    hello: "Сайн уу ?, Оюунсанаа байна ☺.",
36    howCanIHelp: "Таньд юугаар туслах вэ?",
37  },
38  auth: {
39    signInTitle: "Нэвтрэх",
40    signInSubtitle: "Имэйл, нууц үгээрээ нэвтэрнэ үү",
41    signIn: "Нэвтрэх",
42    signingIn: "Нэвтэрч байна...",
43    googleSignIn: "Google-ээр нэвтрэх",
44    noAccount: "Бүртгэлгүй юу? ",
45    signUpFree: "Үнэгүй бүртгүүлэх",
46    signUpTitle: "Бүртгүүлэх",
47    signUpSubtitle: "Имэйл, нууц үгээрээ бүртгэл үүсгэнэ үү",
48    signUp: "Бүртгүүлэх",
49    alreadyHave: "Бүртгэлтэй юу? ",
50    signInInstead: "Нэвтрэх",
51    emailLabel: "Имэйл хаяг",
52    passwordLabel: "Нууц үг",
53    invalidCredentials: "Имэйл эсвэл нууц үг буруу байна!",
54    accountExists: "Бүртгэл аль хэдийн үүссэн байна!",
55    accountCreated: "Бүртгэл үүслээ. Та нэвтэрлээ.",
56    failedCreate: "Бүртгэл үүсгэж чадсангүй!",
57    invalidSubmission: "Оруулсан мэдээлэл буруу байна!",
58  },
59  nav: {
60    appName: "Оюунсанаа",
61    deleteAllChats: "Бүх чатыг устгах",
62    newChat: "Шинэ чат",
63  },
64  sidebar: {
65    loginToSave: "Өмнөх чатуудаа хадгалж, дахин үзэхийн тулд нэвтэрнэ үү!",
66    emptyHistory: "Чат эхлүүлснээр таны яриа энд харагдана!",
67    loadingChats: "Чатуудыг ачааллаж байна...",
68    today: "Өнөөдөр",
69    yesterday: "Өчигдөр",
70    last7Days: "Сүүлийн 7 хоног",
71    last30Days: "Сүүлийн 30 хоног",
72    olderThanMonth: "Сараас өмнө",
73    theory: "Онол",
74    comingSoon: "Тун удахгүй",
75    deletingChat: "Чат устгаж байна...",
76    chatDeleted: "Чат амжилттай устгагдлаа",
77    chatDeleteFailed: "Чат устгаж чадсангүй",

```

```

78 deleteChatTitle: "Та итгэлтэй байна уу?",
79 deleteChatDescription:
80   "Энэ үйлдлийг буцаах боломжгүй. Энэ нь таны чатыг бүрмөсөн устгана.",
81 continueAction: "Үргэлжлүүлэх",
82 bookAppointment: "Сэтгэл зүйчээс цаг авах",
83 deleteAllTitle: "Бүх чатыг устгах уу?",
84 deleteAllDescription:
85   "Энэ үйлдлийг буцаах боломжгүй. Энэ нь таны бүх чатыг манай серверээс бүрмөсөн устгана.",
86 deleteAllConfirm: "Бүгдийг устгах",
87 deletingAll: "Бүх чатыг устгаж байна...",
88 deletedAll: "Бүх чат амжилттай устгагдлаа",
89 deleteAllFailed: "Бүх чатыг устгаж чадсангүй",
90 },
91 menu: {
92   groups: {
93     // legacy keys (kept for type compat)
94     balance: "Сэтгэлийн тэнцвэр",
95     emotion: "Сэтгэл санаа",
96     self: "Өөрийгөө ойлгох",
97     selfCare: "Өөрийгөө хайрлах",
98     life: "Тогтвортой байдал",
99     // current menu config ids
100    whoAmI: "Би хэн бэ?",
101    extraPrograms: "Нэмэлт хөтөлбөр",
102    health: "Эрүүл мэнд",
103    work: "Ажил, үүрэг",
104    relations: "Харилцаа",
105    purpose: "Утга учир, ирээдүй",
106    myWorld: "Миний ертөнц",
107    myProgress: "Миний явц",
108    specialists: "Мэргэжилтэнтэй холбогдох",
109    // SIMPLE_MENUS ids (current flat sidebar)
110    simpleBalance: "Амьдралын тэнцвэр",
111    simpleHealth: "Эрүүл мэнд",
112    simpleFinance: "Санхүү",
113    simpleTest: "Сэтгэлзүйн тестүүд",
114    simpleNotes: "Миний тэмдэглэл",
115    simpleProgram: "Сургалт (Хөтөлбөр)",
116  },
117  items: {
118    // legacy keys (kept for type compat)
119    balanceTest: "□ Сэтгэлийн тэнцвэр шалгах тест",
120    balanceResult: "□ Тестийн дүгнэлт",
121    balanceProgress: "□ Миний явц",
122    balanceSummary: "□ Нэгдсэн тайлан",
123    emotionDailyCheck: "Өдрийн сэтгэл санааны тест",
124    // current item keys used by menu config
125    selfEbooks: "Миний ертөнц - тэмдэглэл апп",
126    relationsTests: "Миний харилцаа",
127    purposeGoalPlanner: "Миний зорилго",
128    selfCareHealth: "Миний эрүүл мэнд",
129    lifeFinance: "Миний санхүү",
130    whoAmIBalanceTest: "Амьдралын тэнцвэр шалгах",
131    progressSummary: "Нэгдсэн тайлан",
132    progressBalance: "Амьдралын тэнцвэр",
133    progressApps: "Аппуудын дүгнэлт",
134    therapyChat: "□ Сэтгэл зүйчтэй чат",
135  },
136 },
137 suggestions: {
138   financeReceipt: "Санхүүгийн баримт илгээх",
139   foodPhoto: "Хоолны зураг илгээх",
140   psychologyTest: "Сэтгэлзүйн тест бөглөх",
141   note: "Тэмдэглэлд бичвэр нэмэх",
142 },
143 input: {
144   placeholder: "Мессеж бичих...",
145   searchModels: "Загвар хайх...",
146 },

```

```

147 models: {
148   liveTalk: "Амьд яриа",
149   psychologyTalk: "Сэтгэлзүйн яриа",
150   readDocs: "Зураг, баримт унших",
151   projectIntro: "Төсөл танилцуулга",
152 },
153 apps: {
154   stress: {
155     title: "Эрүүл мэнд",
156     subtitle:
157       "Эрүүл мэндийн тэнцвэр нь сэтгэлийн амар тайван амьдралын үндэс юм. Асуумж бөглөн хөтөлбөрөө эхлүүлээрэй.",
158   },
159   healthSummary: {
160     hourUnit: "ц",
161     kcalUnit: "ккал",
162     ranges: { week: "7 хоног", month: "1 сар", all: "Нийт" },
163     weekdays: ["Ня", "Да", "Мя", "Лх", "Пү", "Ба", "Бя"],
164     loading: "Уншиж байна...",
165     errorGeneric: "Алдаа гарлаа",
166     mockNotice:
167       'Бүртгэгдсэн мэдээлэл алга тул жишээ өгөгдөл харуулж байна. Өдөр бүр "Хадгалах" дарж бүртгэл хийвэл өөрийн дата харагдана.',
168     badges: {
169       avgSteps: "Дундаж алхам",
170       avgSleep: "Дундаж нойр",
171       avgCalories: "Дундаж илчлэг",
172     },
173     chartLegend: { steps: "Алхам", sleep: "Нойр (цаг)" },
174     tooltip: { steps: "Алхам", sleep: "Нойр (ц)", calories: "Илчлэг" },
175     rangeLabels: { week: "долоо хоногт", month: "сард", all: "хугацаанд" },
176     headlines: {
177       good: "Сайн байна! Ерөнхий чиг хандлага эерэг байна.",
178       watch: "Анхаарах зүйлс байна – дараах зөвлөмжийг харна уу.",
179       mixed: "Дараах зөвлөмжүүдийг харж, дэглэмээ тохируулаарай.",
180     },
181     noDataLine:
182       "Одоогоор энэ хугацаанд хангалттай өгөгдөл алга байна. Өдөр бүр бүртгэл хийвэл энд дэлгэрэнгүй дүгнэлт харагдана.",
183     lines: {
184       stepsGood:
185         "Алхалтын дундаж {avg} алхам, зорилтын {pct}% – маш сайн явц байна.",
186       stepsMid:
187         "Алхалтын дундаж {avg} алхам, зорилтын {pct}% байна. Өдөрт 15-20 минутын нэмэлт алхалт зорилгод хүрэхэд хангалттай.",
188       stepsLow:
189         "Алхалтын дундаж {avg} алхам нь зорилтоос эрс доогуур ({pct}%) байна. Хөдөлгөөнөө аажмаар нэмэхийг зөвлөж байна.",
190       goalHitDays:
191         "Та энэ {rangeLabel} {total}-с {hit} өдөр алхалтын зорилгодоо хүрсэн байна.",
192       sleepGood:
193         "Нойрны дундаж {avg} цаг – эрүүл хэмжээнд (7-9ц) байна.",
194       sleepLow:
195         "Нойрны дундаж {avg} цаг нь дутуу байна. Гүн нойрны хувь бага байх магадлалтай тул орондоо эрт орохыг зөвлөө.",
196       sleepHigh:
197         "Нойрны дундаж {avg} цаг нь бага зэрэг их байна. Унтах цагийн хэвшлээ тогтмолжуулаарай.",
198       caloriesGood:
199         "Илчлэгийн хэрэглээ зорилтот {target} ккал-тай ойролцоо, тэнцвэртэй байна.",
200       caloriesOver:
201         "Илчлэгийн дундаж хэрэглээ зорилтоос {pct}%-иар илүү байна.",
202       caloriesUnder:
203         "Илчлэгийн дундаж хэрэглээ зорилтоос {pct}%-иар бага байна.",
204     },
205   },
206   healthDashboard: {
207     loading: "Уншиж байна...",
208     saveError: "Хадгалах алдаа",
209     fetchError: "Алдаа гарлаа",
210     programHeader: "Эрүүл мэндийн хөтөлбөр",
211     dayProgress: "{day}-р өдөр / {total} өдөр",
212     units: {
213       kcal: "kcal",
214       liter: "л",
215       steps: "алхам",

```

```

216     gram: "гр",
217     point: "оноо",
218     hourShort: "ц",
219     minuteShort: "мин",
220     mlShort: "мл",
221   },
222   tabs: {
223     food: "Хоол",
224     water: "Ус",
225     sleep: "Нойр",
226     move: "Хөдөлгөөн",
227     summary: "Дүгнэлт",
228   },
229   save: "Хадгалах",
230   saved: "☐ Хадгаллаа",
231   chatWithPsychologist: "Сэтгэл зүйчтэй чатлах",
232   editProfile: "Мэдээлэл засах",
233   food: {
234     nameLabel: "Хоол / ундааны нэр",
235     namePlaceholder: "Жишээ нь: Хуушуур 5 ш, 1 аяга кола...",
236     imageLabel:
237       "Хоолны зураг (сонголтоор) – оруулбал AI зурган дээрх хоолыг танин, калори/шим тэжээлийг доор автоматаар бөглөнө",
238     imageAlt: "Сонгосон хоолны зураг",
239     removeImage: "Зураг хасах ☐",
240     analyzing: "Задалж байна...",
241     analyzeButton: "AI-аар задлуулах",
242     analyzeHint:
243       "AI-аар задлуулахын тулд дээр зураг сонгох эсвэл хоолны нэрийг бичнэ үү.",
244     aiError: "AI-аас хариу авахад алдаа гарлаа.",
245     filledByAI:
246       "☐ Доорх утгуудыг AI тооцоолсон – шаардлагатай бол гараар засаж болно.",
247     fields: {
248       calories: "Калори (ккал)",
249       protein: "Уураг (гр)",
250       goodCarbs: "Сайн нүүрс ус (гр)",
251       badCarbs: "Муу нүүрс ус (гр)",
252       fat: "Өөх тос (гр)",
253       fiber: "Эслэг (гр)",
254       sugar: "Сахар (гр)",
255       nutritionScore: "Шим тэжээлийн индекс (0-100)",
256     },
257     addMeal: "Хоол нэмэх",
258     noMeals: "Хоол нэмэгдээгүй байна",
259     nutrients: {
260       calories: "Калори",
261       protein: "Уураг",
262       goodCarbs: "Сайн нүүрс ус",
263       badCarbs: "Муу нүүрс ус",
264       fat: "Өөх тос",
265       fiber: "Эслэг",
266       sugar: "Сахар",
267       nutritionScore: "Шим тэжээл",
268     },
269   },
270   water: {
271     liter: "литр",
272     target: "/ {target} л зорилт",
273     clear: "Цэвэрлэх",
274     totalPlaceholder: "Нийт литр",
275   },
276   sleep: {
277     hoursLabel: "Нойр (цаг)",
278     restLabel: "Амралт / медитаци (минут)",
279   },
280   move: {
281     today: "Өнөөдрийн хөдөлгөөн",
282     levelGood: "☐ Сайн",
283     levelMedium: "☐ Дунд",
284     levelLow: "☐ Бага",

```

```

285     stepsLabel: "Алхалт",
286     stepsTarget: "(зорилт: {target})",
287     stepsPlaceholder: "Алхамын тоо",
288     burnedKcalLabel: "Хөдөлгөөнөөр шатаасан калори",
289     burnedKcalPlaceholder: "Жишээ нь: 250",
290     badHabitsLabel: "Муу зуршлын түвшин (0 - байхгүй, 100 - маш их)",
291     badHabitsLow: "Ойролцоогоор нөлөөгүй",
292     badHabitsMid: "Анхааралтай хянах шаардлагатай",
293     badHabitsHigh: "Эрүүл мэндэд сөрөг нөлөө өгч болзошгүй",
294   },
295 },
296 therapy: {
297   title: "Сэтгэл зүйчтэй чатлах",
298   subtitle:
299     "Захиалсан онлайн уулзалтынхаа сэтгэл зүйчтэй шууд бичгээр харилцана.",
300   needBookingNoticeHtml:
301     "Та эхлээд вэб дээр <strong>ижил и-мэйлээр</strong> бүртгүүлж, онлайн цаг захиалаарай. Тэр үед энд чат идэвхжинэ.",
302   statusChangeFailed: "Төлөв өөрчилж чадсангүй",
303   errorGeneric: "Алдаа гарлаа",
304   startChatFailed: "Чат эхлүүлж чадсангүй",
305   activeChatsHeading: "Идэвхтэй чатууд",
306   noChatStarted: "Чат эхлээгүй байна",
307   statusConfirmed: "Баталгаажсан",
308   statusPending: "Хүлээгдэж буй",
309   statusCancelled: "Цуцлагдсан",
310   ended: "Дууссан",
311   closed: "Хаалттай",
312   openChatBtn: "Чат нээх",
313   closeChatBtn: "Чат хаах",
314   startFromBookingHeading: "Захиалгаас чат эхлүүлэх",
315   online: "Онлайн",
316   startChatBtn: "Чат эхлүүлэх",
317   emptyPsychologist:
318     "Одоогоор баталгаажсан онлайн уулзалт алга. Үйлчлүүлэгч цаг захиалаад баталгаажсаны дараа энд чат гарч ирнэ.",
319   emptyClient:
320     "Танд баталгаажсан онлайн уулзалт алга байна. Цаг захиалаад баталгаажсаны дараа энд чат эхлүүлэх боломжтой.",
321   bookBtn: "□ Цаг авах",
322   disclaimerNote:
323     "Энэ нь яаралтай тусламжийн суваг биш. Хямралын үед ойрын яаралтай тусламжийн утсанд хандана уу.",
324   closeChatAction: "Чатыг хаах",
325   reopenChatAction: "Дахин нээх",
326   cancelledNotice: "Энэ уулзалт цуцлагдсан тул чат хаалттай.",
327   endedNotice:
328     "Уулзалтын цаг дууссан тул чат хаагдсан. Зөвхөн унших боломжтой.",
329   closedByPsychNotice: "Сэтгэл зүйч энэ чатыг хаасан. Зөвхөн унших боломжтой.",
330   psychologistLabel: "Сэтгэл зүйч",
331   clientLabel: "Үйлчлүүлэгч",
332   appointmentLabel: "Уулзалт",
333   emptyMessages: "Мессеж бичиж яриагаа эхлүүлээрэй.",
334   messagePlaceholder: "Мессеж бичих...",
335 },
336 lifeBalance: {
337   pageTitles: {
338     intro: "Танилцуулга",
339     balanceTest: "Амьдралын тэнцвэр шалгах",
340     conclusion: "Дүгнэлт",
341   },
342   badge: "Балансын загвар · Н. Пезешкиан",
343   titlePrefix: "Амьдралын",
344   titleHighlight: "тэнцвэр",
345   introDescription:
346     "Эерэг ба сөрөг хоорондын сэтгэл засал нь амьдралын энергийг дөрвөн талбарт хуваан үздэг. Энэ нам гүм дасгал танд аль талбартаа илүү автаж, алийг нь орхигдуулж байгаагаа олж харахад тусална.",
347   startBtn: "Эхлэх",
348   duration: "~5 минут",
349   privacyNote:
350     "Таны хариулт зөвхөн энэ дэлгэц дээр, таны мэдэлд үлдэнэ – хаашаа ч хадгалагдаж, илгээгдэхгүй.",
351   fields: {
352     body: { title: "Бие махбод", subtitle: "Эрүүл мэнд, мэдрэхүй" },
353     work: { title: "Ажил · Амжилт", subtitle: "Карьер, сурлага, санхүү" },

```

```

354     bond: { title: "Харилцаа", subtitle: "Гэр бүл, найз, өөрөө" },
355     meaning: { title: "Ирээдүй · Утга", subtitle: "Зорилго, итгэл, мөрөөдөл" },
356 },
357     areas: {
358         body: {
359             tag: "1-р талбар",
360             title: "Бие махбод · Эрүүл мэнд",
361             desc: "Та бие махбод, мэдрэхүй, эрүүл мэнддээ хэрхэн анхаардаг тухай.",
362             questions: [
363                 "Ойрын үед таны нойр, хооллолт, дасгал хөдөлгөөний идэвх ямар түвшинд байна вэ? Бие тань ямар нэг дохио (өвдөлт, ядаргаа) өгч байна уу?",
364                 "Стресстэй, хэцүү үед та биеэ хэрхэн торддог вэ – сайн амардаг уу, эсвэл дэглэм алдагдаж, биеэ гаргуунд нь гаргадаг уу?",
365                 "Гадаад төрх, бие махбоддоо хэр сэтгэл хангалуун байна вэ? Өөрийгөө халамжлахад өдөрт хэдэн минут зориулдаг вэ?",
366             ],
367         },
368         work: {
369             tag: "2-р талбар",
370             title: "Ажил · Амжилт",
371             desc: "Танин мэдэхүй, карьер, сурлага, санхүү болон амжилтын төлөөх тэмүүлэл.",
372             questions: [
373                 "Өдөрт хэдэн цагийг ажил, сурлага, гэрийн заавал хийх үүрэгт зарцуулдаг вэ? Үүнээсээ яг ямар мэдрэмж авдаг вэ?",
374                 "Өөрийгөө үнэлэх үнэлэмж тань зөвхөн «амжилт гаргах», «бусдаас илүү байх» дээр тогтдог уу? Ажилгүй үед өөрийгөө хэрэггүй мэт мэдрэх үү?",
375                 "Сурч мэдэх, тархиа цэнэглэх явцдаа хэр сэтгэл хангалуун байна вэ? Оюуны чадамжаа бүрэн ашиглаж чадаж байна уу?",
376             ],
377         },
378         bond: {
379             tag: "3-р талбар",
380             title: "Харилцаа · Нийгэм",
381             desc: "Гэр бүл, найз нөхөд, хамт олон, мөн өөрөө өөртэйгөө тогтоосон харилцаа.",
382             questions: [
383                 "Сэтгэлдээ нээж, шүүмжлэлгүйгээр ярилцаж чадах хүмүүс тань хэр олон вэ? Тэдэнд хангалттай цаг гаргаж чадаж байна уу?",
384                 "Харилцаа танд энерги нэмдэг үү, эсвэл туйлдуулж ядраадаг уу? Бусдын хэрэгцээг өөрийнхөөсөө дээгүүр тавиад байна уу?",
385                 "Өөртэйгөө хэр цаг өнгөрүүлдэг вэ? Ганцаараа байхдаа тухтай байж чаддаг уу, эсвэл ганцаардахаас айж харилцаа хайдаг уу?",
386             ],
387         },
388         meaning: {
389             tag: "4-р талбар",
390             title: "Ирээдүй · Утга учир",
391             desc: "Итгэл үнэмшил, амьдралын зорилго, мөрөөдөл, зөн билэг, уран зөгнөл.",
392             questions: [
393                 "Таны амьдарч буй гол зорилго, утга учир юу вэ? Ирээдүйгээ хэрхэн төсөөлж, юунд итгэж найддаг вэ?",
394                 "Танд зүгээр л мөрөөдөх, уран зөгнөх, урлагаар хичээллэх, юу ч бодохгүй амрах чөлөөт цаг гардаг уу?",
395                 "Төлөвлөгөө гаргахдаа дотоод дуу хоолой, зөн билгээ хэр сонсдог вэ? Одоо хийж буй зүйл ирээдүйн том зорилготой тань уялдаж байна уу?",
396             ],
397         },
398     },
399     noteLabel: "Энэ талбар дээр бодогдсон зүйлээ тэмдэглэе (заавал биш)",
400     notePlaceholder: "Чөлөөтэй бичээрэй...",
401     continueNext: "Үргэлжлүүлэх →",
402     continueToTest: "Балансын тест →",
403     testHeading: "Энергийг хуваарилаарай",
404     testDescriptionHtml:
405         "Одоогийн байдлаар цаг, энергийг эдгээр дөрвөн талбарт хэдэн хувиар зарцуулж байгаагаа гүлсуураар тааруулна уу. Нийлбэр нь <b>100%</b> болох ёстой.",
406     vizModes: { kite: "▣ Ромб", platform: "▣ Тавцан", auras: "▣ Туяа" },
407     vizCaptions: {
408         kite: "Тэнцүү бол ромб; жигд бус бол казайсан дүрс.",
409         platform: "Дөрвөн тулгуур тэнцвэргүй бол хүн налж, тэнцвэрээ алддаг.",
410         auras: "Биеийг тойрсон энерги – аль тал нь том, аль нь сул вэ?",
411     },
412     sumLabel: "Нийлбэр:",
413     sumReady: "· бэлэн ▣",
414     sumMissing: "· {n}% дутуу",
415     sumOver: "· {n}% илүү",
416     evenSplitBtn: "25% тус бүр",
417     viewResultBtn: "Дүгнэлт харах →",
418     diagramAriaLabel: "Балансын дүрс",
419     diagramLabels: { body: "Бие", work: "Ажил", bond: "Харилцаа", meaning: "Ирээдүй" },
420     intro: {
421         eyebrow: "Үндсэн хөтөлбөр",
422         title: "Би хэн бэ?",

```



```

423     description: "Сэтгэлийн амар тайван өөрийгөө ойлгохоос эхэлдэг.",
424     paragraphs: [
425         "Бид өдөр бүр олон мэдрэмж, бодол, харилцаа, үүрэг хариуцлагын дунд амьдардаг. Гэвч заримдаа өөрийгөө яг юу мэдэрч байгаагаа, юунд хамгийн их цаг хугацаа, эрч хүчээ зарцуулж байгаагаа анзаардаггүй.",
426         "Энэхүү хөтөлбөр нь таныг өөрийгөө илүү сайн таньж мэдэх, амьдралынхаа өнөөгийн байдлыг олж харах, өөрийн хэрэгцээ, мэдрэмж, давуу болон хөгжүүлэх талуудаа ойлгоход туслах зорилготой.",
427         "Эерэг сэтгэл заслын онолд хүний амьдралыг Эрүүл мэнд, Ажил үүрэг, Харилцаа, Утга учир ба Ирээдүй гэсэн 4 талбарт хуваадаг. Эдгээр талбарын тэнцвэр ямар байхаас хамааран хүний сэтгэлзүй, амьдрал үзүүлдэг юм.",
428     ],
429     bulletsHeading: "Энэхүү хөтөлбөрөөр та:",
430     bullets: [
431         "Амьдралынхаа тэнцвэрийг үнэлэх",
432         "Өөрийгөө ажиглаж, эргэцүүлэх",
433         "Өөрийн үр чадвар, нөөц боломжоо танин мэдэх",
434         "Өөрийгөө илүү сайн ойлгож, хүлээн зөвшөөрөх",
435         "Амьдралдаа юунд илүү анхаарах хэрэгтэйгээ олж мэдэх",
436     ],
437     checkBtn: "Амьдралын тэнцвэрээ шалгах →",
438 },
439 conclusion: {
440     emptyTitle: "Дүгнэлт",
441     emptyText: "Та өмнө нь амьдралын тэнцвэрээ шалгаагүй байна.",
442     checkBtn: "Амьдралын тэнцвэр шалгах",
443     eyebrow: "AI тайлбар",
444     title: "Таны амьдралын тэнцвэр",
445     description:
446         "Аль талбар давамгайл байна? Аль талбар орхигдсон байна? Та юунд илүү анхаарах хэрэгтэй вэ?",
447     highestTitle: "Хамгийн өндөр · «хоргодох байр» уу, дарамт уу?",
448     highestTextHtml:
449         "Та энергийнхээ хамгийн ихийг ({pct}) {label} талбарт зарцуулж байна. Энэ нь танд жинхэнэ хүч өгдөг талбар уу, эсвэл бусдаасаа зугтаж нуугддаг «хоргодох байр» нь болоод байна уу? Энд автсанаар үзжээ.",
450     lowestTitle: "Хамгийн бага · орхигдсон талбар",
451     lowestTextHtml:
452         "{label} талбар хамгийн бага буюу {pct} – хамгийн их орхигдсон хэсэг чинь энэ. Тэнцвэр алдагдвал ихэвчлэн эндээс эхэлдэг. Энэ талбар бага зэрэг сэргэвэл өдөр тутамд юу өөрчлөгдөх бол?",
453     stepsHeading: "Та тэнцвэрээ хадгалах өдөр тутмын алхмууд",
454     stepsIntro:
455         "Сэтгэлийн амар тайван нь нэг удаагийн үр дүн биш, харин өдөр бүр өөртөө анхаарал тавих үйл явц юм. Амьдралынхаа 4 талбарын тэнцвэрийг хадгалахын тулд дараах хэрэгслүүдийг ашиглаарай.",
456     goLink: "Очих",
457     retakeBtn: "□ Дахин шалгах",
458     historyHeading: "Хадгалсан түүх",
459     deleteAllBtn: "Бүгдийг устгах",
460     noHistory: "Хадгалсан түүх алга байна.",
461     footerNote:
462         "Тэнцвэр гэдэг дөрвөн талбарт яг тэнцүү цаг гаргах биш – өөрийгөө сонсож, орхигдуулсан хэсэгтээ ахин эргэж очих тэр зөөлөн хөдөлгөөн юм.",
463     nextSteps: {
464         chat: {
465             title: "Оюунсанаатай чатлах",
466             note: "Зүгээр л бодол, сэтгэлээ бичиж хуваалцаарай. Заримдаа бид ярьж эхлэх үедээ л өөрийгөө илүү сайн ойлгодог.",
467         },
468         world: {
469             title: "Миний ертөнц апп",
470             note: "Өдөр бүрийн мэдрэмжээ тэмдэглэх нь өөрийн дотоод ертөнцийг ойлгож, сэтгэлээ цэгцлэхэд тусална.",
471         },
472         health: {
473             title: "Миний эрүүл мэнд апп",
474             note: "Идэж буй хоолныхоо зургийг чат руу оруулахад л Оюунсанаа хоолны мэдээллийг задалж, бүртгэл хийнэ.",
475         },
476         finance: {
477             title: "Миний санхүү апп",
478             note: "Худалдан авалт хийсэн баримтаа чат руу оруулахад л Оюунсанаа таны өмнөөс ангилж, цэгцэлж өгнө.",
479         },
480         relations: {
481             title: "Харилцааны тестүүд",
482             note: "Өөрийн харилцааны хэв маяг, хэрэгцээ мэдрэмжээ ойлгож, бусадтай эрүүл харилцаатай байхад тусална.",
483         },
484         goals: {
485             title: "Миний зорилго апп",
486             note: "Мөрөөдөл, хүсэл тэмүүллээ бодит зорилго болгон төлөвлөж, алхам алхмаар хэрэгжүүлэхэд тусална.",
487         },
488     },
489 },
490 },

```

```

491 health: {
492   loading: "Loading...",
493   errorGeneric: "Алдаа гарлаа",
494   dashboardTitle: "Эрүүл мэнд · Dashboard",
495   calorie: "Калори",
496   water: "Ус",
497   steps: "Алхам",
498   dailyLog: "Өдрийн бүртгэл",
499   waterLiters: "Ус (л)",
500   walkingSteps: "Алхалт (алхам)",
501   sleepHours: "Нойр (цаг)",
502   mood: "Mood (1-10)",
503   saveDailyLog: "Өдрийн бүртгэл хадгалах",
504   formTitle: "Миний амьдралын тэнцвэр · Эрүүл мэндийн үнэлгээ",
505   formIntro:
506     "Та доорх асуултуудыг үнэнээр нь бөглөх тусам Оюунсанаа таны эрүүл мэндийн одоогийн тэнцвэрийг илүү нарийвчлан дүгнэнэ.",
507   saved: "Хадгаллаа ☐

```

```

560 },
561 section5Title: "5. Нойр ба зуршил",
562 sleepHoursLabel: "Нойрны нийт цаг",
563 selectOption: "Сонгох",
564 sleepHoursOptions: {
565   less4: "4-өөс бага",
566   "4-6": "4-6",
567   "6-8": "6-8",
568   "8-10": "8-10",
569   "10plus": "10+",
570 },
571 sleepTimeLabel: "Ерөнхий унтах цаг",
572 sleepTimeOptions: {
573   "21-22": "21-22",
574   "22-23": "22-23",
575   "23-24": "23-24",
576   "24-1": "24-1",
577   "1plus": "1 цагаас хойш",
578 },
579 alcoholLabel: "Архи",
580 alcoholOptions: {
581   never: "Орт",
582   rare: "Ховор",
583   sometimes: "Заримдаа",
584   often: "Ойр ойр",
585   daily: "Өдөр бүр",
586 },
587 smokingLabel: "Тамхи",
588 smokingOptions: {
589   no: "Үгүй",
590   rare: "Ховор",
591   "1-5": "1-5",
592   "6-10": "6-10",
593   "11-20": "11-20",
594   "20plus": "20+",
595 },
596 resultTitle: "Одоогийн эрүүл мэндийн тэнцвэрийн тойм",
597 resultWeight: "Биеийн жин:",
598 resultLifestyle: "Хөдөлгөөн ба хооллолт:",
599 resultSleep: "Нойр ба амралт:",
600 resultHabits: "Зуршлууд:",
601 bmiTextMissing: "Биеийн жингийн мэдээлэл дутуу байна.",
602 bmiLevel: {
603   under: "жингийн дутагдалтай",
604   normal: "хэвийн жинтэй",
605   over: "илүүдэл жинтэй",
606   obese: "таргалалттай",
607 },
608 bmiResultText:
609   "Таны BMI ойролцоогоор {bmi} байна. Энэ нь {level} түвшинд байна.",
610 lifestyleGood:
611   "Та хөдөлгөөний түвшнээ сайн барьж байна. Ийм хэв маягаа хадгалбал сайн.",
612 lifestyleLow:
613   "Хөдөлгөөн бага байна. Долоо хоногт дор хаяж 3 өдөр, өдрөөр 20-30 минут алхах эсвэл дасгал хийхийг санал болгож байна.",
614 lifestyleMid:
615   "Таны хөдөлгөөн дунд түвшинд байна. Өдөр тутмын алхалт болон амьсгал бага ээрэг өөрчлөгдөх дасгал нэмбэл бүр илүү сайжирна.",
616 mealsGood:
617   "Хооллолтын давтамж таны хувьд боломжийн харагдаж байна. Одоо чанарт нь илүү анхаарах нь чухал.",
618 mealsLow:
619   "Өдөрт хооллох удаа бага байна. Цусан дахь сахарын хэлбэлзэл, ходоод гэдэсний ачааллыг бууруулахын тулд 3-4 удаагийн тогтвортой хооллолт хэрэгтэй.",
620 mealsHigh:
621   "Өдөрт олон удаагийн хооллолт хийдэг тул порцын хэмжээ болон амттан, түргэн хоолын хэрэглээндээ анхаараарай.",
622 sleepGood:
623   "Таны нойрны цаг болон унтах цаг нийтэд нь эрүүл хэв маягийн түвшинд байна. Энэ нь сэтгэл зүй, жин, дархлаанд эерэг нөлөөтэй.",
624 sleepLow:
625   "Нойр харьцангуй дутмаг эсвэл оройтож байна. Шөнө 23:00 цагаас өмнө унтаж, 7-8 цагийн гүн нойрыг зорилт болгох нь зүйтэй.",
626 sleepBad:
627   "Нойр эрүүл мэндэд ноцтойгоор нөлөөлөх түвшинд алдагдсан байж болзошгүй. Аль болох эрт унтаж хэвших, орой утас, дэлгэцийн хэрэглээг багасгах хэрэгтэй.",
628 sleepMid:

```

```

629     "Таны нойрны хэв маяг тодорхой хэмжээнд боломжийн байж болох ч тогтвортой 7-8 цагийн унтлагыг зорилго болговол сайн.",
630     habitAlcohol: "согтууруулах ундаа тогтмол хэрэглэдэг",
631     habitSmoking: "тамхи татдаг",
632     habitsNone:
633     "Илэрхий хүчтэй сөрөг зуршил харагдахгүй байна. Энэ нь эрүүл мэндийн хувьд том давуу тал юм.",
634     habitsSomePrefix:
635     "Танд дараах эрүүл мэндэд сөрөг зуршлууд ажиглагдаж байна: ",
636     habitsSomeSuffix:
637     ". Эдгээрээс аажмаар багасгах, солих төлөвлөгөө гаргах нь тэнцвэрээ хадгалахад тусална.",
638     summaryText:
639     "Одоогийн байдлаар таны эрүүл мэндийн тэнцвэрийг биеийн жин, нойр, хөдөлгөөн, зуршлын түвшнээр ерөнхийд нь харууллаа. Энэ нь албан ёсны эмчийн онош биш бөгөөд таны өдөр тутмын хэв маягаа ойлгож,
бэлтгэхэд туслах зорилготой.",
640     },
641     finance: {
642       receipt: {
643         title: "□ Баримт уншуулах",
644         description:
645         "Дэлгүүрийн баримтын зураг оруулахад AI автоматаар уншиж, гүйлгээний бүртгэл болгон хадгална.",
646         uploadBtn: "Баримтын зураг оруулах",
647         emptyTitle: "Баримтынхаа зургийг эндээс оруулна уу",
648         emptyDescription:
649         "AI баримтыг уншаад гүйлгээний мэдээллийг автоматаар бэлдэнэ. Хадгалахаас өмнө бүгдийг нь засаж болно.",
650         fileHint: "JPG, PNG эсвэл WEBP · Гар утасны камераас сонгож болно",
651         close: "Баримт оруулах цонхыг хаах",
652         analyzing: "AI уншиж байна...",
653         errorFallback: "Баримт уншихад алдаа гарлаа.",
654         notFound: "Баримтаас гүйлгээний мэдээлэл олдсонгүй.",
655         networkError: "Сүлжээний алдаа гарлаа. Дахин оролдоно уу.",
656         selectLabel: "Хадгалах гүйлгээнүүдийг сонго:",
657         saveBtn: "Гүйлгээ хадгалах",
658         saving: "Хадгалж байна...",
659         anotherImage: "Өөр зураг",
660         savedSuccess: "Амжилттай хадгаллаа!",
661         uploadAnother: "Дахин оруулах",
662         clear: "цэвэрлэх",
663         editHint: "Доорх хүснэгтэн дэх аль ч нүдэн дээр дарж засварлана уу.",
664         colItemName: "Барааны нэр",
665         colCategory: "Ангилал",
666         colQuantity: "Тоо ширхэг",
667         colUnitPrice: "Нэгж үнэ",
668         colTotalPrice: "Нийт үнэ",
669         addRow: "Мөр нэмэх",
670         deleteRow: "Мөр устгах",
671         totalSum: "Нийт дүн",
672         confirmBtn: "Батлаад хадгалах",
673       },
674       notLoggedIn: "Нэвтэрсний дараа Санхүү апп нээгдэнэ.",
675       title: "Санхүү",
676       subtitle:
677       "Санхүүгийн тэнцвэртэй байдал нь сэтгэлзүйн аюулгүй байдал, тогтвортой амьдралын баталгаа юм.",
678       loading: "Ачаалж байна...",
679       guestModeNotice:
680       "Та <b>Зочин</b> горимоор байна – өгөгдөл хадгалагдахгүй.",
681       totalIncome: "Нийт орлого",
682       totalExpense: "Нийт зарлага",
683       balance: "Үлдэгдэл",
684       debtOutstanding: "Үлдэгдэл өр",
685       recentTransactions: "Сүүлийн гүйлгээнүүд",
686       noTransactions: "Одоогоор ямар ч гүйлгээ алга.",
687       typeLabel: {
688         income: "Орлого",
689         expense: "Зарлага",
690         debt: "Өр/Зээл",
691         saving: "Хадгаламж",
692       },
693       sourceLabel: {
694         text: "гараар",
695         voice: "voice-оор",
696         receipt: "баримтаас",

```

```

697     image: "зурагнаас",
698 },
699 deleteAria: "Delete",
700 deleteTitle: "Устгах",
701 deleteAllConfirm: "Бүх гүйлгээг устгах уу? Энэ үйлдлийг буцаахгүй!",
702 entry: {
703     showLabel: "□□ Гараар гүйлгээ шивэх",
704     hideLabel: "□ Гараар шивэхийг нуух",
705     guestNote:
706         "Та одоогоор <b>Зочин</b> горимоор ашиглаж байна – энд нэмсэн зүйл <b>local</b>-д хадгалагдана (login хийвэл тусдаа).",
707     newTransaction: "Шинэ гүйлгээ нэмэх",
708     typeLabel: "Төрөл",
709     typeExpense: "Зарлага",
710     typeIncome: "Орлого",
711     typeDebt: "Өр/Зээл",
712     typeSaving: "Хадгаламж",
713     amountLabel: "Дүн (₮)",
714     amountPlaceholder: "50 000",
715     dateLabel: "Огноо",
716     categoryLabel: "Категори",
717     categoryDebtLabel: "Категори (Зээл авах/төлөх)",
718     categorySavingLabel: "Категори (Хийх/авах)",
719     incomeOnlyNote: "Орлого нь нэг л категори (Орлого).",
720     subTypeDebt: "Зээл – төрөл",
721     subTypeSaving: "Хадгаламж – зорилго",
722     subTypeIncome: "Орлого – төрөл",
723     subTypeOther: "Дэд төрөл",
724     noteLabel: "Тэмдэглэл (сонголттой)",
725     notePlaceholder: "Жишээ: Батдорж – 10% / 12 сар",
726     saveBtn: "Гүйлгээ хадгалах",
727     deleteAllBtn: "Бүгдийг устгах",
728     quickSummaryTitle: "Товч дүн",
729     quickIncome: "Орлого:",
730     quickExpense: "Зарлага:",
731     quickDebt: "Үлдэгдэл өр:",
732     quickSaving: "Хадгаламж:",
733     exampleTitle: "Жишээ",
734     example1: "Цалин: <b>Орлого</b> → төрөл: <b>Цалин</b>",
735     example2:
736         "Зээл авах: <b>Өр/Зээл</b> → категори: <b>Зээл авах</b> → төрөл: <b>Ипотек</b>",
737     example3:
738         "Зээл төлөх: <b>Өр/Зээл</b> → категори: <b>Зээл төлөх</b> → төрөл: (ижил)",
739     example4:
740         "Хадгаламж хийх: <b>Хадгаламж</b> → <b>Хадгаламж хийх</b> → зорилго: <b>Эрсдэл</b>",
741     collapsedHint: "“Гараар гүйлгээ шивэх” дарж нээгээд нэмэлтээ хийнэ.",
742 },
743 report: {
744     title: "□ CHECK / Тайлан",
745     fromDate: "Эхлэх огноо",
746     toDate: "Дуусах огноо",
747     keywordLabel: "Тэмдэглэл / түлхүүр үг",
748     keywordPlaceholder: "талх, эм, цалин...",
749     typeLabel: "Төрөл",
750     typeAll: "Бүгд",
751     typeIncome: "Зөвхөн орлого",
752     typeExpense: "Зөвхөн зарлага",
753     typeDebt: "Зөвхөн өр/зээл",
754     typeSaving: "Зөвхөн хадгаламж",
755     categoryLabel: "Категори",
756     subCategoryLabel: "Дэд төрөл",
757     storeLabel: "Дэлгүүр (сонголттой)",
758     sortLabel: "Дүнгээр эрэмбэлэх",
759     sortNone: "Энгийн",
760     sortAsc: "Бага → их",
761     sortDesc: "Их → бага",
762     clearFilters: "Шүүлтүүр цэвэрлэх",
763     showReport: "□ Тайлан гаргах",
764     hideReport: "□ Тайланг нуух",
765     totalsTitle: "Нийт дүн",

```

```

766     income: "Орлого:",
767     expense: "Зарлага:",
768     balance: "Үлдэгдэл:",
769     debtOutstanding: "Үлдэгдэл өр:",
770     saving: "Хадгаламж:",
771     rowCount: "(Гүйлгээ: {n} мөр)",
772     byCategoryTitle: "Том ангиллаар (зарлага)",
773     noData: "Өгөгдөл алга.",
774     incomeBySubTitle: "Орлого – төрлөөр",
775     noIncomeData: "Орлогын өгөгдөл алга.",
776     otherIncome: "Бусад орлого",
777     debtTitle: "Өр / Зээл",
778     borrowed: "Авсан:",
779     repaid: "Төлсөн:",
780     outstanding: "Үлдэгдэл:",
781     savingTitle: "Хадгаламж",
782     added: "Нэмсэн:",
783     withdrawn: "Авсан:",
784     expenseSubTitle: "Дэд ангиллаар (зөвхөн зарлага)",
785     noExpenseSubData: "Зарлагын дэд ангиллын өгөгдөл алга.",
786     topStoresTitle: "☐ TOP дэлгүүр",
787     filteredListTitle: "Филтртэй гүйлгээнүүд",
788     noFilteredTx: "Тэнцсэн гүйлгээ алга байна.",
789     defaultTitle: "Гүйлгээ",
790     defaultIncomeTitle: "Орлого",
791     defaultExpenseTitle: "Зарлага",
792     defaultDebtTitle: "Өр/Зээл",
793     defaultSavingTitle: "Хадгаламж",
794     collapsedHint: "Хугацаагаа сонгоод “Тайлан гаргах” дар.",
795   },
796 },
797 relationsTests: {
798   title: "Харилцааны тестүүд",
799   subtitle:
800     "Энэхүү тестүүд сар бүр шинэчлэгдэж байх тул та хүссэн үедээ сонгоод бөглөөрэй.",
801   testLabel: "Тест",
802   questionsPrefix: "Асуулт:",
803   answersHint: "Хариулт: 1-5",
804   notFound: "Тест олдсонгүй.",
805   back: "Буцах",
806   chat: "Чат",
807   result: "Дүгнэлт",
808   noSummary: "Тайлбар бэлдээгүй байна.",
809   close: "Хаах",
810 },
811 goalPlanner: {
812   // keyed by the stored Mongolian value – labels only
813   goalTypes: {
814     Хувийн: "Хувийн",
815     Хосын: "Хосын",
816     Ажил: "Ажил",
817     "Тэр бүл": "Тэр бүл",
818     "Эрүүл мэнд": "Эрүүл мэнд",
819     Санхүү: "Санхүү",
820     "Сурч хөгжих": "Сурч хөгжих",
821     Бусад: "Бусад",
822   },
823   effortUnits: {
824     Өдөрт: "Өдөрт",
825     "7 хоногт": "7 хоногт",
826     Сард: "Сард",
827     Жилд: "Жилд",
828     "Нэг л удаа": "Нэг л удаа",
829   },
830   groups: {
831     "Богино хугацаа": "Богино хугацаа",
832     "Дунд хугацаа": "Дунд хугацаа",
833     "Урт хугацаа": "Урт хугацаа",
834   },

```

```

835     back: "Буцах",
836     title: "Зорилго",
837     chat: "Чат",
838     modeEdit: "Бичээд хадгал → Доор жагсана",
839     modeOrganized: "Цэгцэлсэн жагсаалт",
840     modeExecute: "Хэрэгжүүлэлт",
841     goalTypeLabel: "Зорилгын төрөл",
842     durationLabel: "Хэрэгжүүлэх хугацаа",
843     goalLabel: "Зорилго",
844     goalPlaceholder: "Жишээ: Сард орлогоо 100 сая болгох",
845     descLabel: "Тайлбар",
846     descPlaceholder: "Нэмэлт бичих хэрэгтэй бол бичнэ",
847     effortLabel: "Зорилго хэрэгжүүлэхэд гаргах цаг",
848     freqAria: "Давтамж",
849     times: "удаа",
850     hour: "цаг",
851     min: "мин",
852     hourAria: "Цаг",
853     minAria: "Минут",
854     helpExample: "Жишээ: Өдөрт + 3 удаа + 0 цаг + 30 мин □ Өдөрт нийт 1ц 30м",
855     save: "Хадгалал",
856     freqLabel: "Давтамж:",
857     deleteBtn: "Устгах",
858     emptyGoals: "Одоогоор зорилго алга.",
859     organizeBtn: "Зорилго цэгцлэх",
860     organizedTitle: "Таны зорилгууд цэгцэрлээ",
861     organizedHint: "Доорх жагсаалтаа шалгаад «Баталгаажуулах» товч дарна.",
862     emptyGroup: "Энд зорилго алга.",
863     total: "Нийт",
864     unknown: "(тодорхойгүй)",
865     confirm: "Баталгаажуулах",
866     totalGoalsLabel: "Нийт зорилго:",
867     completedGoalsLabel: "Биелсэн зорилго:",
868     show: "харгах",
869     hide: "хаах",
870     emptyCompleted: "Одоогоор биелсэн зорилго алга.",
871     doneBadge: "Биелсэн",
872     successMsg: "□ Баяр хүргэе! Та бүх зорилгоо амжилттай биелүүллээ.",
873     remaining: "Үлдсэн",
874     doneWord: "Хийсэн",
875     doneBtn: "Хийсэн",
876     cycleFull: "Энэ мөчлөг дүүрсэн",
877     backToOrganize: "Цэгцлэх рүү буцах",
878     newGoal: "Шинэ зорилго бичих",
879     errGoalRequired: "Зорилгоо товч бичнэ.",
880     errGeneric: "Алдаа гарлаа",
881     errSave: "Хадгалал үед алдаа гарлаа",
882     errDelete: "Устгах үед алдаа гарлаа",
883     errMarkDone: "Хийсэн тэмдэглэх үед алдаа гарлаа",
884     errServer:
885       "Серверийн хариу буруу байна. /api/goal-planner хэсгээ шалгана уу.",
886   },
887   ebooks: {
888     title: "Миний тэмдэглэл",
889     subtitle:
890       "Өөрийн бодол мэдрэмжээ тэмдэглэх нь өөрийгөө ойлгох хамгийн энгийн, үр дүнтэй арга юм. Сэтгэлийн амар тайван өөрийгөө ойлгохоос эхэлнэ. Таны тэмдэглэл таны амьдралын ном болон үлдэнэ.",
891     pages: "хуудас",
892     open: "Нээх",
893     sections: {
894       world: { title: "Миний ертөнц", sub: "Миний бодол, дотоод ертөнц" },
895       memories: { title: "Амьдралын дурсамж", sub: "Эргэн дурсах түүх" },
896       notes: { title: "Тэмдэглэл", sub: "Өдөр тутмын бодол, санаа" },
897       happy: {
898         title: "Талархал · Баярт мөч",
899         sub: "Сэтгэл дулаацуулсан агшнууд",
900       },
901       letters: { title: "Захидал", sub: "Хайртай хүмүүстээ бичих үгс" },
902       difficult: {
903         title: "Хүнд хэцүү үе",

```

```

904     sub: "Бэрхшээл, сорилт, даван туулах",
905 },
906 wisdom: {
907     title: "Ухаарал · Сургамж",
908     sub: "Амьдралаас ойлгосон зүйлс",
909 },
910 complaints: {
911     title: "Гомдол ба харуусал",
912     sub: "Сэтгэлээ илэн далангүй бичих орон зай",
913 },
914 creatives: {
915     title: "Миний уран бүтээл",
916     sub: "Шүлэг, өгүүллэг, санаа, бүтээл",
917 },
918 personals: {
919     title: "Миний булан",
920     sub: "Ямар ч сэдвээр чөлөөтэй бичих хэсэг",
921 },
922 extras: {
923     title: "Номын бусад хэсэг",
924     sub: "Тусгай бүлэг, нэмэлт хуудас",
925 },
926 preview: {
927     title: "Эх бэлтгэл",
928     sub: "Ном хэрхэн харагдаж байгааг харах",
929 },
930 },
931 defaultBookTitle: "Миний ном",
932 untitled: "(гарчиггүй)",
933 write: {
934     backToChat: "← Чат руу буцах",
935     backToEbook: "← E-book руу буцах",
936     chooseTemplate: "Загвар сонгох",
937     currentTemplate: "Одоогийн загвар:",
938     prepareBook: "Эх бэлтгэл",
939     includeInBook: "Номонд оруулах",
940     categoryLabel: "Ангилал",
941     titleLabel: "Гарчиг",
942     titlePlaceholder: "Гарчиг бичих...",
943     imageAlt: "A4 зураг",
944     captionPlaceholder: "Зургийн доорх тайлбар...",
945     removeImage: "Зураг авах",
946     contentLabel: "Бичвэр",
947     contentPlaceholder:
948         "Энд өөрийн бодол санаа, дурсамжаа чөлөөтэй бичнэ үү...",
949     uploading: "Зураг upload...",
950     addImage: "Зураг оруулах",
951     saveEdit: "Засвар хадгалах",
952     save: "Хадгалах",
953     writingPage: "Бичих хуудас",
954     mobileHint:
955         "Гар утсан дээр зүүн/баруун нь доошоо дарааллаад харагдана.",
956     deleteConfirm: "Энэ бичвэрийг бүр мөсөн устгах уу?",
957     deleteAllConfirm: "Бүх файлыг бүр мөсөн устгах уу?",
958     imageUploadError:
959         "Зураг upload хийхэд алдаа гарлаа. Bucket нэр/permission-оо шалгаарай.",
960     preview: "Урьдчилан харах",
961     scrollDown: "↓ Доош очих",
962     savedNotice: "Хадгаллаа",
963 },
964 archive: {
965     filesTitle: "Файл (хадгалсан бичвэрүүд)",
966     searchPlaceholder: "Хайх: гарчиг / он сар өдөр...",
967     selectAll: "Бүгдийг сонгох",
968     deselectAll: "Сонголтыг цуцлах",
969     selected: "Сонгосон:",
970     deleteSelected: "Сонгосныг устгах",
971     deleteSelectedConfirm: "{n} бичвэрийг устгах уу?",
972     clearSelection: "Цэвэрлэх",

```



```

973     selectHint: "Сонгоод олон үйлдэл хийж болно.",
974     deleteAll: "Бүгдийг устгах",
975     deleteAllConfirm: "БҮГД ({n}) бичвэрийг бүр мөсөн устгах уу?",
976     noNotes:
977       "Одоогоор хадгалсан тэмдэглэл алга. Эхлээд нэгийг хадгалаарай.",
978     edit: "Засах",
979     removeFromBook: "Номноос хасах",
980     addToBook: "Номонд оруулах",
981     delete: "Устгах",
982     inBook: "Номонд орно",
983     draftOnly: "Зөвхөн ноорог",
984   },
985   book: {
986     backToChat: "← Чат руу буцах",
987     backToWrite: "← Бичвэр бичих хэсэг",
988     otherSections: "Номын бусад хэсэг",
989     refresh: "🔄 Шинэчлэх",
990     print: "🖨 Хэвлэх",
991     prepareBook: "Эх бэлтгэл",
992     desktopHint: "Комп дээр 2 нүүр зэрэг, гар утсан дээр 1 нүүрээр урсана.",
993     menu: "Меню",
994     pageNoPlaceholder: "Хуудас №",
995     jump: "Үсрэх",
996     jumpHint:
997       "Меню дээр дарвал эх бэлтгэл дотор шууд тэр хэсгийн нүүр рүү үсэрснэ.",
998     coverPage: "Нүүр хуудас",
999     tocPage: "Гарчиг",
1000    forewordPage: "Зохиогчийн үг",
1001    endingPage: "Төгсгөлийн үг",
1002    authorLabel: "Зохиогч:",
1003    subMenuLabel: "ДЭД МЭНЮ",
1004    tocLabel: "ГАРЧИГ",
1005    tocHint: "Дарахад ном дотор шууд тэр хуудсанд үсэрснэ.",
1006    editLink: "Засах",
1007    imageAlt: "зураг",
1008  },
1009  extras: {
1010    chat: "← Chat",
1011    ebook: "Ном (E-book)",
1012    prepareBook: "Эх бэлтгэл",
1013    themeLabel: "Theme (3 өнгө)",
1014    templateLabel: "Template сонгох (3 төрөл)",
1015    templateA: "template-a",
1016    templateB: "template-b",
1017    templateC: "template-c",
1018    save: "Хадгалах",
1019    saving: "Хадгалж байна...",
1020    saved: "✅ Хадгаллаа. (Эх бэлтгэл рүү орлоо)",
1021    saveError: "❌ Хадгалах үед алдаа: {msg}",
1022    subMenuTitle: "ДЭД МЕНЮ (10)",
1023    sections: {
1024      cover: "Нүүр",
1025      toc: "Гарчиг",
1026      foreword: "Зохиогчийн үг",
1027      ending: "Төгсгөл",
1028      submenu: "Дэд меню эхлэл",
1029    },
1030    coverTitleLabel: "Нүүрийн гарчиг",
1031    subtitleLabel: "Дэд гарчиг",
1032    coverImageLabel: "Нүүрийн зураг (URL биш, upload)",
1033    chooseImage: "Зураг сонгох",
1034    removeImage: "Зураг авах",
1035    noImagePlaceholder: "(зураг оруулаагүй)",
1036    tocLinesLabel: "Гарчигийн мөрүүд (Нэр|Хуудас)",
1037    forewordHeading: "Зохиогчийн үг",
1038    endingHeading: "Төгсгөл",
1039    subMenuTextLabel: "Дэд меню бичвэр",
1040    bodyPlaceholder: "Энд бичнэ...",
1041    emptyBody: "(бичвэр хоосон)",

```

```

1042     circleImageLabel: "Дугуй жижиг зураг (upload)",
1043     tocHint: "Дарахад ном дотор шууд тэр хуудсанд үсэрнэ.",
1044 },
1045 },
1046 dailyCheck: {
1047     back: "Буцах",
1048     headTitle: "Өдрийн шалгалт",
1049     chat: "Чат",
1050     calculating: "Тооцоолж байна...",
1051     getResult: "Дүгнэлт гаргах",
1052     continue: "Үргэлжлүүлэх",
1053     autoNextHint: "* Сонгоход автоматаар дараагийн асуулт руу шилжинэ.",
1054     todayResult: "Өнөөдрийн дүгнэлт",
1055     focusTopic: "Гол сэдэв:",
1056     dominantFeeling: "Давамгай мэдрэмж:",
1057     progressCalendar: "Явц (Календарь)",
1058     legend: { good: "Сайн", mid: "Дунд", hard: "Хэцүү", heavy: "Хүнд" },
1059     rangeResult: "дүгнэлт",
1060     close: "Хаах",
1061     period: "Хугацаа:",
1062     noDataInRange:
1063         "Энэ хугацаанд мэдээлэл алга байна. Өдөр бөглөөд эхэлмэгц дүгнэлт гарна.",
1064     avgScore: "Дундаж оноо",
1065     total: "Нийт:",
1066     days: "Өдөр",
1067     levelCount: "Түвшин (тоо)",
1068     tapBgToClose: "* Арын хэсэг дээр дарвал хаагдана.",
1069     calendarLoading: "Календарь ачаалж байна...",
1070     pickDay: "Өдрөө сонгоорой",
1071     pickDayHint: "Календарь дээр нэг өдрөө дарж үзээрэй.",
1072     dow: ["Да", "Мя", "Лх", "Пү", "Ба", "Бя", "Ня"],
1073     trendUp: "өсөлт",
1074     trendDown: "бууралт",
1075     trendStable: "→ тогтвортой",
1076     errRead: "Унших үед алдаа гарлаа",
1077     errGeneric: "Алдаа гарлаа",
1078     errSave: "Хадгалах үед алдаа гарлаа",
1079     errMood: "Mood сонголт хоосон байна. 1-р асуулт руу буцаад сонгоорой.",
1080     errEnergy:
1081         "Energy сонголт хоосон байна. Тэр асуулт руу буцаад сонгоорой.",
1082     errImpact:
1083         "Impact сонголт хоосон байна. Тэр асуулт руу буцаад сонгоорой.",
1084     ranges: {
1085         "7d": "7 хоног",
1086         "30d": "1 сар",
1087         "3m": "3 сар",
1088         "6m": "6 сар",
1089         "12m": "12 сар",
1090     },
1091     summary: {
1092         Green: "Өнөөдрийн байдал тогтвортой байна ☑",
1093         Yellow: "Өнөөдөр боломжийн өдөр байна ☐",
1094         Orange: "Өнөөдөр жаахан хүндхэн санагдсан байж магадгүй ☐",
1095         Red: "Өнөөдөр хүнд өдөр байсан бололтой ☐☐",
1096     },
1097     detail: {
1098         Green:
1099             "Бие-сэтгэлийн ерөнхий тэнцвэр сайн байна. Энэ мэдрэмжээ үргэлж бататгаарай.",
1100         Yellow:
1101             "Жаахан ачаалал байсан ч чи давж гарч чадсан байна. Өөрийгөө дэмжээрэй.",
1102         Orange:
1103             "Сэтгэл санаа савлаж магадгүй. Бага зэрэг тайвшрах зүйл (амьсгал, алхалт, ус) тусална.",
1104         Red: "Дотоод ачаалал ихэссэн байна. Одоо хамгийн түрүүнд тайван орчин, жижиг амралт хэрэгтэй.",
1105     },
1106     dayTone: {
1107         Green: "Өнөөдөр чи өөрийгөө сайн анзаарсан байна. ",
1108         Yellow: "Чи өнөөдөр ч бас хичээсэн – энэ чинь хангалттай. ",
1109         Orange: "Өөртөө жаахан зөөлөн байя – жижиг алхамууд тусална. ",
1110         Red: "Одоо түр амьсгаа аваад, өөрийгөө буруутгахгүй байя. ",

```

```

1111 },
1112 warmClose: "Хүсвэл надтай ярилцаарай – чи ганцаараа биш □",
1113 finishWarm: {
1114   a1: "Тийм ээ – өөрийгөө буруутгахгүй байх чинь хамгийн зөв алхам.",
1115   a2: "Шантрахгүй гэж хэлсэн чинь өөртөө өгсөн том зориг шүү.",
1116   a3: "Чи аль хэдийн хичээж байна. Одоо өөрийгөө илүү итгэлтэй дэмжээрэй.",
1117   a4: "Амрах нь сул дорой биш – энэ бол өөртөө өгөх хайр юм.",
1118   a5: "Өөрийгөө хүлээн зөвшөөрөх нь дотоод тайвшралын эхлэл юм шүү.",
1119 },
1120 finishWarmDefault: "«{text}» гэж хэлсэн чинь өөрөө хүч.",
1121 steps: {
1122   mood: {
1123     title: "Өнөөдөр сэтгэл санаа чинь ямар байна вэ?",
1124     desc: "Дотроосоо хамгийн ойр мэдрэмжээ сонго.",
1125   },
1126   thought: {
1127     title: "Өнөөдөр толгойд чинь хамгийн их эргэлдсэн зүйл?",
1128     desc: "Зөв/буруу байхгүй – ажиглалт.",
1129   },
1130   impact: {
1131     title: "Тэр бодол сэтгэл санаанд чинь хэрхэн нөлөөлсөн бэ?",
1132     desc: "Эерэг ч байж болно, сөрөг ч байж болно.",
1133   },
1134   body: {
1135     title: "Биед чинь одоо юу мэдрэгдэж байна вэ?",
1136     desc: "Биеийн дохио – сэтгэлийн хэл.",
1137   },
1138   energy: {
1139     title: "Хэр эрч хүчтэй байна вэ?",
1140     desc: "Өөрийгөө буруутгахгүйгээр үнэнээр нь сонго.",
1141   },
1142   feelings: {
1143     title: "Одоо ямар мэдрэмжүүд давамгайлж байна вэ?",
1144     desc: "Дээд тал нь 3-г сонго.",
1145   },
1146   need: {
1147     title: "Одоо чамд хамгийн хэрэгтэй зүйл юу вэ?",
1148     desc: "Зөвхөн ажиглалт.",
1149   },
1150   color: {
1151     title: "Өнөөдрийн мэдрэмжээ ямар өнгөөр дүрслэх вэ?",
1152     desc: "Өнгө нь мэдрэмжийг нэрлэхэд тусалдаг.",
1153   },
1154   identity: {
1155     title: "Өөрийгөө ямар хүн гэж бодож байна вэ?",
1156     desc: "Дээд тал нь 3-г сонго.",
1157   },
1158   finish: {
1159     title: "Өнөөдөр өөртөө хэлэх үг юу вэ?",
1160     desc: "Сүүлийн сонголт.",
1161   },
1162 },
1163 choices: {
1164   m5: "Баяртай",
1165   m4: "Сайн",
1166   m3: "Хэвийн",
1167   m2: "Санаа зовсон",
1168   m1: "Гунигтай",
1169   t5: "Ирээдүй · амьдрал",
1170   t2: "Ажил · сургууль",
1171   t4: "Гэр бүл · гэр",
1172   t1: "Хүмүүс · харилцаа",
1173   t3: "Мөнгө · санхүү",
1174   i1: "Маш их нөлөөлсөн",
1175   i2: "Нэлээд нөлөөлсөн",
1176   i3: "Дунд зэрэг нөлөөлсөн",
1177   i4: "Бага зэрэг нөлөөлсөн",
1178   i5: "Огт нөлөөлөөгүй",
1179   b1: "Тайван · амгалан",

```

```

1180 b2: "Бие чангарсан (хүзүү/мөр)",
1181 b4: "Тайван бус · тухгүй",
1182 b3: "Хүнд · дарамт",
1183 b5: "Ядарсан · сульдсан",
1184 e5: "Маш их эрч хүчтэй",
1185 e4: "Дажгүй, сайн байна",
1186 e3: "Хэвийн л байна",
1187 e2: "Ядарсан байна",
1188 e1: "Маш их ядарсан байна",
1189 f5: "Найдвар төрж байна",
1190 f4: "Амар тайван",
1191 f7: "Дулаан хайрын мэдрэмж",
1192 f8: "Эмзэглэж байна",
1193 f6: "Хоосон санагдаж байна",
1194 f3: "Уур хүрч байна",
1195 f2: "Түгшүүр айдастай байна",
1196 f1: "Гунитглаж байна",
1197 n4: "Хүнтэй холбогдох",
1198 n3: "Хөдөлгөөн хийх",
1199 n2: "Тайвшрах",
1200 n1: "Амрах",
1201 n5: "Ганцаараа байх",
1202 c5: "Цагаан (гоё/гэгээлэг)",
1203 c3: "Шар (эрч хүч/найдвар)",
1204 c2: "Ногоон (амар тайван/тэнцвэртэй)",
1205 c1: "Цэнхэр (гунит/харуусал)",
1206 c4: "Улаан (уур/бухимдал)",
1207 c6: "Хар (хүнд/ядарсан)",
1208 p7: "Итгэлтэй байж чаддаг",
1209 p2: "Ухаантай",
1210 p3: "Хүлээштэй",
1211 p6: "Бүхнийг даван туулж чаддаг",
1212 p5: "Дахин босч чаддаг",
1213 p4: "Тэвчээртэй",
1214 p1: "Суралцаад урагшилдаг",
1215 a2: "Шантарч болохгүй",
1216 a1: "Өөрийгөө буруутгахгүй",
1217 a4: "Би амрах эрхтэй",
1218 a3: "Улам илүү жичээнэ",
1219 a5: "Хүлээн зөвшөөрч байна",
1220 },
1221 },
1222 balance: {
1223   domainLabels: {
1224     emotion: "Сэтгэл санаа",
1225     self: "Өөрийгөө ойлгох",
1226     relations: "Харилцаа",
1227     purpose: "Зорилго, утга учир",
1228     selfCare: "Өөрийгөө хайрлах",
1229     life: "Тогтвортой байдал",
1230   },
1231   scaleLabels: ["Тийм", "Ихэвчлэн", "Дунд зэрэг", "Заримдаа", "Үгүй"],
1232   questions: {
1233     e1: "Сүүлийн үед таны сэтгэл санаа ерөнхийдөө тайван, тогтвортой байна уу?",
1234     e2: "Өдөр тутмын жижиг зүйлсээс баяр баясгалан мэдэрч чаддаг уу?",
1235     e3: "Сөрөг бодлоо зэрэг чиглэл рүү эргүүлж чаддаг уу?",
1236     e4: "Санаа зовнил, түгшүүр тань өдөр тутмын амьдралд хүчтэй нөлөөлдөг үү?",
1237     e5: "Сэтгэлээр унасан үедээ богино хугацаанд дахин тэнцвэртэй байдалдаа орж чаддаг уу?",
1238     e6: "Стрессээ дотроо тээхгүй, зөв аргаар тайлах арга мэддэг үү?",
1239     s1: "Та өөрийнхөө давуу тал, чадвараа тодорхой хэлж чаддаг уу?",
1240     s2: "Өөрийн сорилт үүсгэдэг сул талаа (ж: хойшлуулах, хэт бодох) мэдэх үү?",
1241     s3: "Та ямар үед хамгийн их стресстдэгээ (triggers) мэддэг үү?",
1242     s4: "Та тухайн мөчид мэдэрч буй эмоцоо нэрлэж, шалтгааныг нь ойлгох гэж оролддог уу?",
1243     s5: "Таны хамгийн чухал үнэ цэнэ (юу таны хувьд хамгийн чухал вэ) тодорхой байдаг уу?",
1244     s6: "Шийдвэр гаргахдаа "Би үнэхээр юу хүсэж байна?" гэж өөрөөсөө асуудаг уу?",
1245     r1: "Та бусдыг ойлгож, тайван харилцах чадвар сайн гэж хэлж чадах уу?",
1246     r2: "Та өөрийн хэрэгцээ, мэдрэмжээ бусдад ойлгомжтой илэрхийлж чаддаг уу?",
1247     r3: "Та бусдад "үгүй" гэж хэлж, эрүүл хил хязгаар тавьж чаддаг уу?",
1248     r4: "Таныг ямар ч үед сонсож, ойлгодог 1-2 хүн байгаад та сэтгэл хангалуун байдаг уу?",

```

```

1249 r5: "Зөрчилдөөн үүсэхэд тайван ярилцаж, хамтдаа шийдэл хайж чаддаг уу?",
1250 r6: "Бусдын хандлага, үг, яриа таны сэтгэл санааг савлуулдаг уу?",
1251 r7: "Шүүмжлэлтэй тулгарахад өөрийгөө хамгаалж, тайван байр сууриа хадгалж чаддаг уу?",
1252 r1: "Та одоогоор тодорхой зорилго, чиглэлтэй гэж хэлж чадах уу?",
1253 r2: "Зорилгоо биелүүлэхийн тулд бодитой төлөвлөгөө гаргаж, жижиг алхмууд хийж чаддаг уу?",
1254 r3: "Эхэлсэн зүйлээ ихэнхдээ дуусгаж чаддаг уу?",
1255 r4: "Өөрийгөө хөгжүүлэх сургалт, ном, шинэ туршлага гэх мэтэд тогтмол цаг гаргадаг уу?",
1256 r5: "Хийх ёстой зүйлээ хойшлуулах зуршил таныг их гацаадаг уу?",
1257 r6: "Ирээдүйнхээ талаар бодох үед боломж, найдвар илүү их мэдрэгддэг үү?",
1258 r7: "Та өөрийн амьдралын хариуцлагыг голчлон өөр дээрээ авч, бусдыг буруутгах нь ховор уу?",
1259 c1: "Та өөрийгөө байгаагаар нь хүлээн зөвшөөрч, өөртэйгөө эелдэг харьцдаг уу?",
1260 c2: "Алдаа гаргасан үедээ өөрийгөө доромжлохгүйгээр, сургамж авч чаддаг уу?",
1261 c3: "Та өөртөө зориулан амрах, сэргэх хугацаа гаргаж чаддаг уу?",
1262 c4: "Та өөрийн биеийн дохиог (ядаргаа, өлсөх, өвдөх) анзаарч, тэр дор нь анхаарч чаддаг уу?",
1263 c5: "Та өөрийгөө бусадтай хэт харьцуулснаас болж өөрийгөө буруутгах нь их байдаг уу?",
1264 c6: "Та өөртөө урам өгч, жижиг амжилтаа ч гэсэн тэмдэглэдэг үү?",
1265 l1: "Сүүлийн 7 хоногт та дор хаяж 3 өдөр 20+ минут идэвхтэй хөдөлгөөн хийсэн үү?",
1266 l2: "Таны нойр ихэнхдээ 7–9 цаг, ойролцоо цагт унтаж сөрдэг тогтмол хэвшилтэй юу?",
1267 l3: "Өдөр бүр 3 үндсэн хоолыг тогтмол, боломжтой хэмжээндээ эрүүл байдлаар иддэг үү?",
1268 l4: "Орлого-зардлаа ерөнхийдөө хянаж, хаашаа юунд зарцуулж байгаагаа мэддэг үү?",
1269 l5: "Амьдрах орчин тань ерөнхийдөө тайван, аюулгүй, тав тухтай гэж хэлж чадах уу?",
1270 l6: "Өдөр тутмын амьдралд тань (ажил, гэр, амралт, санхүү г.м) тогтворжсон уу?",
1271 },
1272 levels: {
1273   excellent: {
1274     level: "Маш сайн",
1275     tone: "Ерөнхий тэнцвэр тогтвортой байна. Зарим өдөр хэлбэлзэж болох ч суурь чинь сайн ажиллаж байна.",
1276   },
1277   good: {
1278     level: "Сайн",
1279     tone: "Ерөнхийдөө боломжийн. Гэхдээ 1-2 чиглэл дээр илүү мэдрэгдэж буй савлагаа байж магадгүй.",
1280   },
1281   mid: {
1282     level: "Дунд",
1283     tone: "Зарим талдаа боломжийн, зарим талдаа савлагаатай зураглал. Энэ түвшин олон хүнд хамгийн нийтлэг байдаг.",
1284   },
1285   attention: {
1286     level: "Анхаарах хэрэгтэй",
1287     tone: "Одоогоор олон зүйл зэрэг ачаалал авч байж магадгүй. Энэ нь “муу” гэсэн үг биш – дэмжлэг/нөөцөө дахин тэнцвэржүүлэх хэрэгтэй гэсэн дохио.",
1288   },
1289 },
1290 domainNarrativeBands: {
1291   strong:
1292     "{label} чиглэлд таны суурь тогтвортой байна. Энд “хадгалж хамгаалах” л хамгийн зөв хөдөлгөөн.",
1293     good: "{label} боломжийн түвшинд байна. Зарим үед л савлаж магадгүй – тогтвортой байлгах жижиг хэвшил хэрэгтэй.",
1294     mid: "{label} дээр савлагаа мэдрэгдэж байна. Энэ нь ихэвчлэн ачаалал/орчин/хүлээлттэй хамт хэлбэлздэг.",
1295     low: "{label} чиглэл дээр ойрын үед дэмжлэг сул байж магадгүй. “Их өөрчлөлт” биш, жижиг тогтвортой алхам л эхлэл болно.",
1296 },
1297 tinyStep: {
1298   emotion:
1299     "Өнөөдөр 3 минут: амьсгал (4-4-6) + “Одоо би юу мэдэрч байна?” гэж 1 өгүүлбэр бич.",
1300   self: "Өнөөдөр 5 минут: “Надад яг одоо хамгийн хэрэгтэй зүйл юу вэ?” гэж 1 хариулт бич.",
1301   relations:
1302     "Өнөөдөр 1 жижиг алхам: нэг хүнд “Сайн байна уу, чи ямар байна?” гэж чин сэтгэлээсээ мессеж бич.",
1303   purpose:
1304     "Өнөөдөр 5 минут: энэ 7 хоногт хийх 1 жижиг зорилго сонго (маш жижиг!).",
1305   selfCare:
1306     "Өнөөдөр 10 минут: алхалт эсвэл ус уух/хоолны цагийг нэг удаа тогтворжуул.",
1307   life: "Өнөөдөр 1 жижиг дүрэм: унтах цаг/ажлын цагийн нэг жижиг хязгаарыг тогтоо.",
1308   default: "Өнөөдөр нэг жижиг алхам сонгоод 7 хоног туршаарай.",
1309 },
1310 narrative: {
1311   headlines: [
1312     "Таны өнөөдрийн зураглал",
1313     "Одоогийн тэнцвэрийн дүр зураг",
1314     "Өнөөдрийн байдал ямар харагдаж байна вэ?",
1315     "Сэтгэлийн тэнцвэрийн тойм",
1316     "Таны одоогийн чиг баримжаа",
1317     "Өнөөдрийн ерөнхий зураг",

```

```

1318     "Тэнцвэрийн товч тайлан",
1319     "Таны одоогийн хэмнэл",
1320     "Одоогийн төлөвийн зураг",
1321     "Таны өнөөдрийн дүгнэлт",
1322     "Өнөөдрийн дотоод зураглал",
1323     "Одоогийн байдал: тойм",
1324 ],
1325 meaningByBand: {
1326   low: [
1327     "Оноо бага байна гэдэг нь “муу” гэсэн шүүлт биш. Харин сүүлийн үед дэмжлэг, тогтвортой байдал, энерги 2-3 чиглэл дээр зэрэг сулрах хандлагатайг л илтгэнэ.",
1328     "Энэ түвшин ихэнхдээ олон зүйл давхцсан үед гардаг. Чи сул хүн гэсэн үг биш – харин систем/орчин/дотоод нөөц зэрэг нь зэрэг ачаалал авч байгааг харуулж байна.",
1329     "Одоогийн оноо бол нэг өдрийн бодит зураглал. Зарим үед хүний дотоод тэнцвэр “тасархай” мэт мэдрэгддэг бөгөөд энэ нь хэвийн үзэгдэл байж болно.",
1330   ],
1331   mid: [
1332     "Оноо дунд түвшинд байна. Энэ нь “зарим талдаа боломжийн, зарим талдаа савлагаатай” гэсэн зураглал.",
1333     "Дунд оноо нь хоёр өөр ертөнц зэрэгцэж байгааг хэлдэг: нэг талдаа дажгүй ажиллаж буй зүйлс, нөгөө талдаа тогтворгүй мэдрэмж өгөх хэсгүүд.",
1334     "Энэ түвшин бол олон хүний хамгийн нийтлэг төлөв. Сайн талууд чинь байгаа, гэхдээ тогтвортой байдал тийм ч жигд биш байна.",
1335   ],
1336   good: [
1337     "Оноо сайн түвшинд байна. Ерөнхий суурь боломжийн, өдөр тутмын савлагаа ихэвчлэн удирдаж болох хэмжээнд байна.",
1338     "Сайн түвшин гэдэг нь тогтвортой зуршлуудын нөлөө мэдэгдэж эхэлснийг илтгэнэ. Зарим чиглэлд бага зэрэг хэлбэлзэл хэвээр байж болно.",
1339     "Энэ зураглалд таны ерөнхий хэмнэл боломжийн байна – дотоод нөөц тань ажиллаж байна гэсэн үг.",
1340   ],
1341   strong: [
1342     "Оноо өндөр байна. Ерөнхий тэнцвэр тогтвортой, дотоод нөөц болон орчны дэмжлэг харьцангуй сайн ажиллаж байна.",
1343     "Өндөр оноо нь “бүгд төгс” гэсэн үг биш ч таны суурь тогтвортой байгааг хэлдэг.",
1344     "Энэ түвшин бол тогтвортой суурь байна гэсэн дохио. Ховор сулрах цэг байж болох ч нийт зураг сайн байна.",
1345   ],
1346 },
1347 focusTemplates: [
1348   "Одоогийн зураглал дээр хамгийн “доош татсан” хэсгүүд бол {weakestLine}. Энэ нь тухайн чиглэлүүд дээр тогтвортой байдал, итгэл, мэдрэмжийн хэлбэлзэл илүү мэдрэгдэж болохыг харуулна.",
1349   "{weakestLine} чиглэлүүдэд оноо харьцангуй доогуур байна. Энэ нь “чадахгүй” гэсэн үг биш – харин таны амьдралын энэ үед хамгийн их мэдрэгдэж буй хэсгүүд энд төвлөрч байгааг л хэлнэ.",
1350   "Хамгийн эмзэг цэгүүд {weakestLine} тал руу илүү байна. Ихэвчлэн энэ нь орчин, ачаалал, харилцаа, дотоод хүлээлт зэрэгтэй хамт хөдөлдөг.",
1351   "Онооны хэлбэлзэл хамгийн ихээр {weakestLine} дээр мэдрэгдэж байна. Энэ нь таны өдрүүдийн мэдрэмжийг хамгийн их өөрчилдөг талууд байж магадгүй.",
1352 ],
1353 strengthTemplates: [
1354   "Давуу тал: {label}. Энэ чиглэл чинь одоогоор “суурь” мэт ажиллаж байна – бусад хэсэг савлах үед дотоод тулгуур болж өгдөг.",
1355   "Харьцангуй тогтвортой харагдсан хэсэг: {label}. Энэ нь таны системд ажиллаж байгаа зүйлс байна гэсэн дохио.",
1356   "Сайн ажиллаж буй чиглэл: {label}. Ийм “баттай” хэсэг байхад бусад талууд аажмаар тэнцвэржинэ.",
1357 ],
1358 noStrength:
1359   "Давуу талын чиглэл тодорхой ялгарахгүй байна. Энэ нь ихэвчлэн бүх чиглэл ойролцоо хэлбэлзэж байгаагаар холбоотой байж болно.",
1360 and: "ба",
1361 summaryTemplates: [
1362   "Нийт оноо {score}/100. Энэ бол өнөөдрийн бодит зураглал – таны дотоод тэнцвэр ямар хэмнэлтэй байгааг л харуулж байна.",
1363   "Таны оноо {score}/100. Энэ нь “шүүлт” биш, харин одоогийн төлөвийн хэмжүүр.",
1364   "Өнөөдрийн зураглал: {score}/100. Зарим чиглэл тогтвортой, зарим нь илүү мэдрэгдэж байна.",
1365   "Оноо {score}/100 байна. Энэ нь таны өнөөдрийн дотоод хэмнэл ямар байгааг харуулна.",
1366 ],
1367 },
1368 test: {
1369   back: "Буцах",
1370   chat: "Чат руу",
1371   title: "Сэтгэлийн тэнцвэрээ шалгах тест",
1372   progress: "Явц: {answered}/{total}",
1373   introHtml:
1374     "Сайн байна уу. Сэтгэлийн туслагч <b>Оюунсанаа</b> байна.<br/><br/>Сэтгэл санаа, өөрийгөө ойлгох, харилцаа, зорилго, өөртөө анхаарах, тогтвортой амьдрал гэсэн <b>6 хүчин зүйлийн</b> тэнцвэрийг
сэтгэлийн тэнцвэр хэр байгааг богино тестээр шалгацгаая.",
1375   disclaimer:
1376     "Тэмдэглэл: Би эмч биш. Эмчилгээ, онош тавихгүй. Яаралтай тусламж хэрэгтэй санагдвал мэргэжлийн хүнтэй холбогдоорой.",
1377   startBtn: "Тест эхлэх",
1378   hint: "Дүгнэлт гаргахын тулд бүх асуултад хариулна уу. Одоо: {answered}/{total}",
1379   hintLabel: "Сануулга:",
1380   resultBtn: "Дүгнэлт",
1381 },
1382 menuHint:
1383   "Сэтгэлзүйн тестүүд нь өөрийгөө олон талаас нь таньж мэдэх, өөрийн давуу тал, хэрэгцээ, амьдралын тэнцвэрээ ойлгоход тусална.",
1384 result: {
1385   backToTest: "Тест рүү",

```

```

1386 backToChat: "Чат руу",
1387 noDataTitle: "Тестийн дүгнэлт",
1388 noDataText:
1389   "Одоогоор дүгнэлт байхгүй байна. Эхлээд тест бөглөвөл энд автоматаар гарч ирнэ.",
1390 noDataLink: "Тест бөглөх",
1391 headerSmall: "Тестийн дүн",
1392 totalScoreLabel: "Нийт оноо:",
1393 answeredLabel: "Хариулсан:",
1394 appsTitle: "Танд тохирох аппууд (өдөр тутам хэрэглэвэл тустай)",
1395 appsHint: "Энэ санал нь таны хамгийн сул 1-2 чиглэл дээр тулгуурласан.",
1396 openBtn: "Нээх",
1397 detailsTitle: "Чиглэл тус бүрийн тайлбар",
1398 weakestQTitle: "Энэ чиглэлд \"доош татсан\" асуултууд:",
1399 answeredParens: "(Хариулсан: {answered}/{total})",
1400 retakeBtn: "Тест дахин бөглөх",
1401 progressTitle: "Явц (өмнөх тестүүд)",
1402 deleteAll: "Бүгдийг устгах",
1403 sparklineLabel: "Нийт онооны өөрчлөлт (0-100)",
1404 sparklineMin2: "Явц харахын тулд дор хаяж 2 удаа тест бөглөнө.",
1405 noHistory: "Одоогоор түүх алга. Дахин тест бөглөхөд энд явц харагдана.",
1406 deleteOne: "Устгах",
1407 footerNote:
1408   "Дараагийн шатанд хүсвэл: энэ явцыг Supabase-д хадгалж, төхөөрөмж солиход ч түүхээ алдахгүй болгоно.",
1409 },
1410 apps: {
1411   emotion: [
1412     {
1413       title: "Өдрийн сэтгэл санааны тест (check)",
1414       note: "Өдөр бүр 30 сек – өнөөдрийн төлөвөө хэмжиж тэмдэглэ.",
1415     },
1416     {
1417       title: "Стресс ажиглах тэмдэглэл",
1418       note: "Савлагааны шалтгаан/хэмнэлээ ажиглахад тусална.",
1419     },
1420   ],
1421   self: [
1422     {
1423       title: "Миний ертөнц – тэмдэглэл апп",
1424       note: "Өдөрт 3 мөрөөр өөрийн бодол/мэдрэмжээ барьж авна.",
1425     },
1426   ],
1427   relations: [
1428     {
1429       title: "Харилцааны өөрийн хэв маяг",
1430       note: "Өөрийн хэв маягаа ойлгох богино дасгалууд.",
1431     },
1432     {
1433       title: "Хил хязгаарын дасгал",
1434       note: "Өөрийгөө хамгаалах хэлбэрүүдийг ойлгоход тусална.",
1435     },
1436   ],
1437   purpose: [
1438     {
1439       title: "Зорилго төлөвлөгөө апп",
1440       note: "Зорилгоо жижиглэх, хэмнэлээ тогтоох.",
1441     },
1442     {
1443       title: "7 хоногийн жижиг алхам",
1444       note: "Зөвхөн энэ 7 хоногийн хүрээнд төлөвлөнө.",
1445     },
1446   ],
1447   selfCare: [
1448     {
1449       title: "Эрүүл мэнд апп",
1450       note: "Суурь хэмнэл (нойр/амралт/хөдөлгөөн) ажиглана.",
1451     },
1452     {
1453       title: "Хооллолтын ажиглалт",
1454       note: "Эрч хүч, ядралтай холбоог ойлгоход тусална.",

```

```

1455     },
1456   ],
1457   life: [
1458     {
1459       title: "Санхүү апп",
1460       note: "Орлого/зарлагаа хараад тодорхой болгоно.",
1461     },
1462   ],
1463   default: [
1464     {
1465       title: "Тест дахин бөглөх",
1466       note: "Өөрчлөлтөө харж явцаа бүртгээрэй.",
1467     },
1468   ],
1469 },
1470 progressPage: {
1471   title: "Нэгдсэн явц (Dashboard)",
1472   text: "Энэ хуудас нь доод аппуудын нэгдсэн явцад зориулагдсан. Balance тестийн явц/график нь тестийн "Дүгнэлт" дээр гарна.",
1473   toTest: "Тест рүү",
1474   toResult: "Тестийн дүгнэлт рүү",
1475 },
1476 summaryPage: {
1477   title: "Нэгдсэн дүгнэлт (Dashboard)",
1478   text: "Энэ хуудас нь доод аппуудын нэгдсэн мэдээлэлд зориулагдсан. Balance тестийн дүгнэлт энд биш.",
1479   toTest: "Тест рүү",
1480   toResult: "Тестийн дүгнэлт рүү",
1481 },
1482 },
1483 },
1484 };
1485
1486 export default mn;
1487 export type Dictionary = typeof mn;

```

428. lib/i18n/dictionaries/ru.ts

```

1  import type { Dictionary } from "../mn";
2
3  // NOTE: machine-quality translation – have a native speaker review.
4  const ru: Dictionary = {
5    language: {
6      label: "Язык",
7    },
8    common: {
9      newChat: "Новый чат",
10     send: "Отправить",
11     cancel: "Отмена",
12     save: "Сохранить",
13     delete: "Удалить",
14     loading: "Загрузка...",
15     back: "Назад",
16     chat: "Чат",
17     toggleSidebar: "Переключить боковую панель",
18     subscription: "Подписка",
19     signOut: "Выйти",
20     loginToAccount: "Войти в аккаунт",
21     loadingAuthStatus: "Загрузка статуса авторизации",
22     checkingAuthStatus: "Проверяем статус авторизации, попробуйте ещё раз!",
23     toggleToDarkMode: "Включить тёмную тему",
24     toggleToLightMode: "Включить светлую тему",
25   },
26   meta: {
27     title: "Oyunsanaa Chat",
28     description: "Oyunsanaa – ИИ-помощник для души, теория и приложения в одном месте.",
29   },
30   banner: {
31     trialExpired:

```



```

32     "Бесплатный пробный период закончился. Активируйте план, чтобы продолжить →",
33     trialDaysLeft: "Бесплатный период — осталось {days} дн. Активировать план →",
34 },
35 greeting: {
36     hello: "Здравствуйте! Я Оюнсанаа ☐.",
37     howCanIHelp: "Чем я могу вам помочь?",
38 },
39 auth: {
40     signInTitle: "Вход",
41     signInSubtitle: "Введите email и пароль, чтобы войти",
42     signIn: "Войти",
43     signingIn: "Выполняется вход...",
44     googleSignIn: "Войти через Google",
45     noAccount: "Нет аккаунта? ",
46     signUpFree: "Зарегистрироваться бесплатно",
47     signUpTitle: "Регистрация",
48     signUpSubtitle: "Создайте аккаунт, указав email и пароль",
49     signUp: "Зарегистрироваться",
50     alreadyHave: "Уже есть аккаунт? ",
51     signInInstead: "Войти",
52     emailLabel: "Электронная почта",
53     passwordLabel: "Пароль",
54     invalidCredentials: "Неверный email или пароль!",
55     accountExists: "Аккаунт уже существует!",
56     accountCreated: "Аккаунт создан. Вы вошли в систему.",
57     failedCreate: "Не удалось создать аккаунт!",
58     invalidSubmission: "Введённые данные неверны!",
59 },
60 nav: {
61     appName: "Оюнсанаа",
62     deleteAllChats: "Удалить все чаты",
63     newChat: "Новый чат",
64 },
65 sidebar: {
66     loginToSave: "Войдите, чтобы сохранять и просматривать прошлые чаты!",
67     emptyHistory: "Ваши разговоры появятся здесь, как только вы начнёте общение!",
68     loadingChats: "Загрузка чатов...",
69     today: "Сегодня",
70     yesterday: "Вчера",
71     last7Days: "Последние 7 дней",
72     last30Days: "Последние 30 дней",
73     olderThanMonth: "Более месяца назад",
74     theory: "Теория",
75     comingSoon: "Скоро",
76     deletingChat: "Удаление чата...",
77     chatDeleted: "Чат успешно удалён",
78     chatDeleteFailed: "Не удалось удалить чат",
79     deleteChatTitle: "Вы абсолютно уверены?",
80     deleteChatDescription:
81         "Это действие нельзя отменить. Ваш чат будет удалён без возможности восстановления.",
82     continueAction: "Продолжить",
83     bookAppointment: "Записаться к психологу",
84     deleteAllTitle: "Удалить все чаты?",
85     deleteAllDescription:
86         "Это действие нельзя отменить. Все ваши чаты будут безвозвратно удалены с наших серверов.",
87     deleteAllConfirm: "Удалить все",
88     deletingAll: "Удаление всех чатов...",
89     deletedAll: "Все чаты успешно удалены",
90     deleteAllFailed: "Не удалось удалить все чаты",
91 },
92 menu: {
93     groups: {
94         // legacy keys (kept for type compat)
95         balance: "Эмоциональный баланс",
96         emotion: "Эмоции",
97         self: "Понимание себя",
98         selfCare: "Забота о себе",
99         life: "Стабильность",
100         // current menu config ids

```

```

101     whoAmI: "Кто я?",
102     extraPrograms: "Дополнительные программы",
103     health: "Здоровье",
104     work: "Работа и обязанности",
105     relations: "Отношения",
106     purpose: "Смысл и будущее",
107     myWorld: "Мой мир",
108     myProgress: "Мой прогресс",
109     specialists: "Связаться со специалистом",
110     // SIMPLE_MENUS ids (current flat sidebar)
111     simpleBalance: "Баланс жизни",
112     simpleHealth: "Здоровье",
113     simpleFinance: "Финансы",
114     simpleTest: "Психологические тесты",
115     simpleNotes: "Мои заметки",
116     simpleProgram: "Обучение (Программа)",
117 },
118 items: {
119     // legacy keys (kept for type compat)
120     balanceTest: "☐ Тест эмоционального баланса",
121     balanceResult: "☐ Результаты теста",
122     balanceProgress: "☐ Мой прогресс",
123     balanceSummary: "☐ Сводный отчёт",
124     emotionDailyCheck: "Ежедневная проверка настроения",
125     // current item keys used by menu config
126     selfEbooks: "Мой мир – приложение для заметок",
127     relationsTests: "Мои отношения",
128     purposeGoalPlanner: "Моя цель",
129     selfCareHealth: "Моё здоровье",
130     lifeFinance: "Мои финансы",
131     whoAmIBalanceTest: "Проверка баланса жизни",
132     progressSummary: "Сводный отчёт",
133     progressBalance: "Баланс жизни",
134     progressApps: "Сводка по приложениям",
135     therapyChat: "☐ Чат с психологом",
136 },
137 },
138 suggestions: {
139     financeReceipt: "Отправить финансовый чек",
140     foodPhoto: "Отправить фото еды",
141     psychologyTest: "Пройти психологический тест",
142     note: "Добавить текст в заметки",
143 },
144 input: {
145     placeholder: "Отправить сообщение...",
146     searchModels: "Поиск моделей...",
147 },
148 models: {
149     liveTalk: "Живой чат",
150     psychologyTalk: "Психологический чат",
151     readDocs: "Чтение изображений и чеков",
152     projectIntro: "Знакомство с проектом",
153 },
154 apps: {
155     stress: {
156         title: "Здоровье",
157         subtitle:
158             "Отслеживайте стресс, сон и энергию, фиксируйте своё самочувствие каждый день.",
159     },
160     healthSummary: {
161         hourUnit: "ч",
162         kcalUnit: "ккал",
163         ranges: { week: "7 дней", month: "1 месяц", all: "Всё" },
164         weekdays: ["Вс", "Пн", "Вт", "Ср", "Чт", "Пт", "Сб"],
165         loading: "Загрузка...",
166         errorGeneric: "Произошла ошибка",
167         mockNotice:
168             'Записанных данных пока нет, поэтому показаны примерные данные. Нажимайте «Сохранить» каждый день, чтобы увидеть свои собственные данные.',
169         badges: {

```

```

170     avgSteps: "Среднее число шагов",
171     avgSleep: "Средний сон",
172     avgCalories: "Средние калории",
173   },
174   chartLegend: { steps: "Шаги", sleep: "Сон (часы)" },
175   tooltip: { steps: "Шаги", sleep: "Сон (ч)", calories: "Калории" },
176   rangeLabels: { week: "за эту неделю", month: "за этот месяц", all: "за этот период" },
177   headlines: {
178     good: "Отлично! Общая тенденция положительная.",
179     watch: "Есть моменты, на которые стоит обратить внимание — см. советы ниже.",
180     mixed: "Ознакомьтесь с советами ниже и скорректируйте свой режим.",
181   },
182   noDataLine:
183     "Пока недостаточно данных за этот период. Ведите записи каждый день, чтобы увидеть здесь подробную сводку.",
184   lines: {
185     stepsGood:
186       "Среднее число шагов {avg}, {pct}% от цели — отличный прогресс.",
187     stepsMid:
188       "Среднее число шагов {avg}, {pct}% от цели. Дополнительные 15-20 минут ходьбы в день помогут достичь цели.",
189     stepsLow:
190       "Среднее число шагов {avg} значительно ниже цели ({pct}%). Рекомендуем постепенно увеличивать активность.",
191     goalHitDays:
192       "За {rangeLabel} вы достигли цели по шагам в {hit} из {total} дней.",
193     sleepGood: "Средний сон {avg} ч — в здоровом диапазоне (7-9 ч).",
194     sleepLow:
195       "Средний сон {avg} ч недостаточен. Вероятно, снижена доля глубокого сна — рекомендуем лечь спать раньше.",
196     sleepHigh:
197       "Средний сон {avg} ч немного превышает норму. Постарайтесь придерживаться постоянного режима сна.",
198     caloriesGood:
199       "Потребление калорий близко к цели {target} ккал — хороший баланс.",
200     caloriesOver: "Среднее потребление калорий превышает цель на {pct}%.",
201     caloriesUnder: "Среднее потребление калорий ниже цели на {pct}%.",
202   },
203 },
204 healthDashboard: {
205   loading: "Загрузка...",
206   saveError: "Ошибка сохранения",
207   fetchError: "Произошла ошибка",
208   programHeader: "Программа здоровья",
209   dayProgress: "День {day} / {total}",
210   units: {
211     kcal: "ккал",
212     liter: "л",
213     steps: "шагов",
214     gram: "г",
215     point: "баллов",
216     hourShort: "ч",
217     minuteShort: "мин",
218     mlShort: "мл",
219   },
220   tabs: {
221     food: "Еда",
222     water: "Вода",
223     sleep: "Сон",
224     move: "Движение",
225     summary: "Итоги",
226   },
227   save: "Сохранить",
228   saved: "☑ Сохранено",
229   chatWithPsychologist: "Чат с психологом",
230   editProfile: "Изменить данные",
231   food: {
232     nameLabel: "Название еды / напитка",
233     namePlaceholder: "Например: 5 хушуурув, 1 стакан колы...",
234     imageUrl:
235       "Фото еды (необязательно) — загрузите, и ИИ распознает блюдо и автоматически заполнит калории/питательные вещества ниже",
236     imageAlt: "Выбранное фото еды",
237     removeImage: "Удалить фото 🗑",
238     analyzing: "Анализируем...",

```

```

239 analyzeButton: "Распознать с помощью ИИ",
240 analyzeHint:
241   "Чтобы распознать с помощью ИИ, выберите фото выше или введите название блюда.",
242 aiError: "Ошибка при получении ответа от ИИ.",
243 filledByAI:
244   "☐ Значения ниже рассчитаны ИИ – при необходимости их можно отредактировать вручную.",
245 fields: {
246   calories: "Калории (ккал)",
247   protein: "Белки (г)",
248   goodCarbs: "Полезные углеводы (г)",
249   badCarbs: "Вредные углеводы (г)",
250   fat: "Жиры (г)",
251   fiber: "Клетчатка (г)",
252   sugar: "Сахар (г)",
253   nutritionScore: "Индекс питательности (0-100)",
254 },
255 addMeal: "Добавить еду",
256 noMeals: "Еда ещё не добавлена",
257 nutrients: {
258   calories: "Калории",
259   protein: "Белки",
260   goodCarbs: "Полезные углеводы",
261   badCarbs: "Вредные углеводы",
262   fat: "Жиры",
263   fiber: "Клетчатка",
264   sugar: "Сахар",
265   nutritionScore: "Питательность",
266 },
267 },
268 water: {
269   liter: "литров",
270   target: "/ цель {target} л",
271   clear: "Очистить",
272   totalPlaceholder: "Всего литров",
273 },
274 sleep: {
275   hoursLabel: "Сон (часы)",
276   restLabel: "Отдых / медитация (минуты)",
277 },
278 move: {
279   today: "Активность сегодня",
280   levelGood: "☐ Хорошо",
281   levelMedium: "☐ Средне",
282   levelLow: "☐ Низко",
283   stepsLabel: "Шаги",
284   stepsTarget: "(цель: {target})",
285   stepsPlaceholder: "Количество шагов",
286   burnedKcalLabel: "Калории, сожжённые активностью",
287   burnedKcalPlaceholder: "Например: 250",
288   badHabitsLabel: "Уровень вредных привычек (0 - нет, 100 - очень высокий)",
289   badHabitsLow: "Практически не влияет",
290   badHabitsMid: "Стоит внимательно следить",
291   badHabitsHigh: "Может негативно повлиять на здоровье",
292 },
293 },
294 therapy: {
295   title: "Чат с психологом",
296   subtitle:
297     "Напишите психологу напрямую по поводу забронированной онлайн-сессии.",
298   needBookingNoticeHtml:
299     "Сначала зарегистрируйтесь на сайте, используя <strong>тот же email</strong>, и забронируйте онлайн-сессию. После этого чат станет доступен здесь.",
300   statusChangeFailed: "Не удалось изменить статус",
301   errorGeneric: "Произошла ошибка",
302   startChatFailed: "Не удалось начать чат",
303   activeChatsHeading: "Активные чаты",
304   noChatStarted: "Сообщений пока нет",
305   statusConfirmed: "Подтверждено",
306   statusPending: "Ожидание",
307   statusCancelled: "Отменено",

```

```

308 ended: "Завершено",
309 closed: "Закрето",
310 openChatBtn: "Открыть чат",
311 closeChatBtn: "Закреть чат",
312 startFromBookingHeading: "Начать чат из брони",
313 online: "Онлайн",
314 startChatBtn: "Начать чат",
315 emptyPsychologist:
316   "Подтверждённых онлайн-сессий пока нет. Как только клиент забронирует и сессия подтвердится, чат появится здесь.",
317 emptyClient:
318   "У вас нет подтверждённых онлайн-сессий. Как только вы забронируете и сессия подтвердится, вы сможете начать чат здесь.",
319 bookBtn: "☐ Забронировать сессию",
320 disclaimerNote:
321   "Это не канал экстренной помощи. В кризисной ситуации обратитесь на ближайшую горячую линию экстренной помощи.",
322 closeChatAction: "Закреть чат",
323 reopenChatAction: "Открыть снова",
324 cancelledNotice: "Эта сессия отменена, поэтому чат закрыт.",
325 endedNotice:
326   "Время сессии истекло, чат закрыт. Доступен только просмотр.",
327 closedByPsychNotice: "Психолог закрыл этот чат. Доступен только просмотр.",
328 psychologistLabel: "Психолог",
329 clientLabel: "Клиент",
330 appointmentLabel: "Сессия:",
331 emptyMessages: "Напишите сообщение, чтобы начать разговор.",
332 messagePlaceholder: "Введите сообщение...",
333 },
334 lifeBalance: {
335   pageTitles: {
336     intro: "Введение",
337     balanceTest: "Проверить баланс жизни",
338     conclusion: "Результат",
339   },
340   badge: "Модель баланса · Н. Пезешкиан",
341   titlePrefix: "Баланс",
342   titleHighlight: "жизни",
343   introDescription:
344     "Позитивная и транскультурная психотерапия рассматривает жизненную энергию как распределённую по четырём областям. Это тихое упражнение поможет вам заметить, к какой области вы больше склоняетесь",
345   ignore: "игнорировать.",
346   startBtn: "Начать →",
347   duration: "~5 минут",
348   privacyNote:
349     "Ваши ответы остаются только на этом экране, в ваших руках — они никогда не сохраняются и никуда не отправляются.",
350   fields: {
351     body: { title: "Тело", subtitle: "Здоровье, ощущения" },
352     work: { title: "Работа · Достижения", subtitle: "Карьера, учёба, финансы" },
353     bond: { title: "Отношения", subtitle: "Семья, друзья, вы сами" },
354     meaning: { title: "Будущее · Смысл", subtitle: "Цели, вера, мечты" },
355   },
356   areas: {
357     body: {
358       tag: "Область 1",
359       title: "Тело · Здоровье",
360       desc: "Как вы заботитесь о своём теле, ощущениях и здоровье.",
361       questions: [
362         "Как в последнее время обстоят дела со сном, питанием и физической активностью? Подаёт ли тело какие-то сигналы (боль, усталость)?",
363         "Как вы обращаетесь со своим телом в стрессе или трудностях — хорошо отдыхаете, или режим сбивается и вы срываетесь на своём теле?",
364         "Насколько вы довольны своей внешностью и телом? Сколько минут в день вы уделяете заботе о себе?",
365       ],
366     },
367     work: {
368       tag: "Область 2",
369       title: "Работа · Достижения",
370       desc: "Познание, карьера, учёба, финансы и стремление к достижениям.",
371       questions: [
372         "Сколько часов в день вы тратите на работу, учёбу или домашние обязанности? Что вы на самом деле от этого чувствуете?",
373         "Держитесь ли ваша самооценка только на «достижении успеха» или «превосходстве над другими»? Чувствуете ли вы себя бесполезным, когда не работаете?",
374         "Насколько вы довольны процессом обучения и подзарядки ума? Полностью ли вы используете свой интеллектуальный потенциал?",
375       ],
376     },
377   },

```

```

376 bond: {
377   tag: "Область 3",
378   title: "Отношения · Общество",
379   desc: "Семья, друзья, окружение и отношения с самим собой.",
380   questions: [
381     "Со сколькими людьми вы можете открыто говорить, не боясь осуждения? Хватает ли у вас на них времени?",
382     "Дают ли вам отношения энергию, или же выматывают? Не ставите ли вы постоянно чужие потребности выше своих?",
383     "Сколько времени вы проводите с самим собой? Комфортно ли вам одному, или вы ищете общения из страха одиночества?",
384   ],
385 },
386 meaning: {
387   tag: "Область 4",
388   title: "Будущее · Смысл",
389   desc: "Убеждения, жизненные цели, мечты, интуиция, воображение.",
390   questions: [
391     "В чём главная цель или смысл вашей жизни? Как вы представляете своё будущее, во что верите и на что надеетесь?",
392     "Бывает ли у вас свободное время просто пометчать, пофантазировать, заняться творчеством или отдохнуть, ни о чём не думая?",
393     "Насколько вы прислушиваетесь к внутреннему голосу и интуиции при планировании? Связано ли то, что вы делаете сейчас, с вашими большими целями на будущее?",
394   ],
395 },
396 },
397 noteLabel: "Отметим, что пришло в голову по поводу этой области (необязательно)",
398 notePlaceholder: "Пишите свободно...",
399 continueNext: "Продолжить →",
400 continueToTest: "Тест на баланс →",
401 testHeading: "Распределите свою энергию",
402 testDescriptionHtml:
403   "С помощью ползунков укажите, какую долю времени и энергии вы сейчас тратите на каждую из этих четырёх областей. Сумма должна составлять <b>100%</b>.",
404 vizModes: { kite: "▣ Ромб", platform: "▣ Платформа", auras: "▣ Аура" },
405 vizCaptions: {
406   kite: "Если всё сбалансировано – ромб ровный; если нет – фигура перекошена.",
407   platform: "Когда четыре опоры не сбалансированы, фигура наклоняется и теряет равновесие.",
408   auras: "Энергия вокруг тела – какая сторона больше, а какая слабее?",
409 },
410 sumLabel: "Сумма:",
411 sumReady: "· готово ▢",
412 sumMissing: "· не хватает {n}%",
413 sumOver: "· превышение {n}%",
414 evenSplitBtn: "по 25%",
415 viewResultBtn: "Посмотреть результат →",
416 diagramAriaLabel: "Диаграмма баланса",
417 diagramLabels: { body: "Тело", work: "Работа", bond: "Отношения", meaning: "Будущее" },
418 intro: {
419   eyebrow: "Основная программа",
420   title: "Кто я?",
421   description: "Душевный покой начинается с понимания себя.",
422   paragraphs: [
423     "Каждый день мы живём среди множества чувств, мыслей, отношений и обязанностей. Но порой мы не замечаем, что на самом деле чувствуем и на что тратим больше всего времени и энергии.",
424     "Эта программа призвана помочь вам лучше узнать себя, увидеть текущее состояние своей жизни, понять свои потребности, чувства, сильные стороны и то, что стоит развивать.",
425     "В позитивной психотерапии жизнь человека делится на 4 области: здоровье, работа и обязанности, отношения, смысл и будущее. От того, насколько сбалансированы эти области, во многом зависит пси-
426     качество жизни человека.",
427   ],
428   bulletsHeading: "Благодаря этой программе вы сможете:",
429   bullets: [
430     "Оценить баланс своей жизни",
431     "Наблюдать за собой и размышлять",
432     "Осознать свои навыки и ресурсы",
433     "Лучше понять и принять себя",
434     "Понять, чему в жизни стоит уделять больше внимания",
435   ],
436   checkBtn: "Проверить баланс своей жизни →",
437 },
438 conclusion: {
439   emptyTitle: "Результат",
440   emptyText: "Вы ещё не проверяли баланс своей жизни.",
441   checkBtn: "Проверить баланс жизни",
442   eyebrow: "Объяснение от ИИ",
443   title: "Баланс вашей жизни",
444   description:

```

```

444         "Какая область преобладает? Какая осталась без внимания? На что вам стоит обратить больше внимания?",
445         highestTitle: "Самая высокая · «убежище» или настоящая движущая сила?",
446         highestTextHtml:
447             "Вы тратите больше всего энергии ({pct}) на область «{label}». Это область, которая даёт вам настоящую силу, или это стало «убежищем», куда вы бежите от всего остального? Что при этом остаётся?",
448         lowestTitle: "Самая низкая · заброшенная область",
449         lowestTextHtml:
450             "Область «{label}» самая низкая — {pct} — это часть вашей жизни, которой уделяется меньше всего внимания. Именно отсюда обычно начинается разбалансировка. Что изменилось бы в повседневной жизни,
получила чуть больше внимания?",
451         stepsHeading: "Ежедневные шаги для поддержания баланса",
452         stepsIntro:
453             "Душевный покой — это не разовый результат, а ежедневная практика внимания к себе. Используйте инструменты ниже, чтобы поддерживать баланс между 4 областями вашей жизни.",
454         goLink: "Перейти",
455         retakeBtn: "□ Пройти заново",
456         historyHeading: "Сохранённая история",
457         deleteAllBtn: "Удалить всё",
458         noHistory: "Сохранённой истории пока нет.",
459         footerNote:
460             "Баланс — это не про то, чтобы уделять всем четырём областям абсолютно одинаковое время, а про мягкую привычку прислушиваться к себе и возвращаться к той части, которой вы пренебрегали.",
461         nextSteps: {
462             chat: {
463                 title: "Пообщаться с Oyunsanaa",
464                 note: "Просто напишите и поделитесь своими мыслями и чувствами. Иногда мы лучше понимаем себя только начав говорить.",
465             },
466             world: {
467                 title: "Приложение «Мой мир»",
468                 note: "Записывая свои чувства каждый день, вы лучше понимаете свой внутренний мир и наводите порядок в мыслях.",
469             },
470             health: {
471                 title: "Приложение «Моё здоровье»",
472                 note: "Просто отправьте фото своей еды в чат, и Oyunsanaa разберёт информацию о питании и запишет её.",
473             },
474             finance: {
475                 title: "Приложение «Мои финансы»",
476                 note: "Просто отправьте фото чека о покупке в чат, и Oyunsanaa классифицирует и упорядочит его за вас.",
477             },
478             relations: {
479                 title: "Тесты по отношениям",
480                 note: "Поймите свой стиль отношений и свои потребности, чтобы строить более здоровые отношения с другими.",
481             },
482             goals: {
483                 title: "Приложение «Мои цели»",
484                 note: "Превратите мечты и стремления в реальные цели, спланированные и реализуемые шаг за шагом.",
485             },
486         },
487     },
488 },
489 health: {
490     loading: "Загрузка...",
491     errorGeneric: "Произошла ошибка",
492     dashboardTitle: "Здоровье · Панель",
493     calorie: "Калории",
494     water: "Вода",
495     steps: "Шаги",
496     dailyLog: "Дневной журнал",
497     waterLiters: "Вода (л)",
498     walkingSteps: "Шаги",
499     sleepHours: "Сон (часы)",
500     mood: "Настроение (1-10)",
501     saveDailyLog: "Сохранить дневной журнал",
502     formTitle: "Мой баланс жизни · Оценка здоровья",
503     formIntro:
504         "Чем честнее вы ответите на вопросы ниже, тем точнее Oyunsanaa сможет оценить текущий баланс вашего здоровья.",
505     saved: "Сохранено □",
506     saving: "Сохранение...",
507     save: "Сохранить",
508     makeResult: "Получить результат",
509     section1Title: "1. Основная информация",
510     startDate: "Дата начала",
511     gender: "Пол",

```

```

512 genderMale: "Мужской",
513 genderFemale: "Женский",
514 age: "Возраст",
515 agePlaceholder: "напр. 32",
516 heightCm: "Рост (см)",
517 heightPlaceholder: "напр. 165",
518 weightKg: "Вес (кг)",
519 weightPlaceholder: "напр. 62",
520 section2Title: "2. Насколько внимательно вы относитесь к своему здоровью?",
521 attention: {
522   high: "Слежу за всем",
523   medium: "Уделяю умеренное внимание",
524   low: "Редко",
525   onlyWhenSick: "Только когда болею",
526 },
527 section3Title: "3. Питание",
528 dietTypeLabel: "Какой у вас тип питания?",
529 dietType: {
530   mixed: "Смешанное питание",
531   meat: "Преимущественно мясное",
532   veg: "Преимущественно овощи/простая еда",
533   vegan: "Веган",
534   unknown: "Не уверен(а)",
535 },
536 mealsPerDayLabel: "Сколько раз в день вы едите?",
537 mealsPerDay: {
538   "1": "1 раз",
539   "2": "2 раза",
540   "3": "3 раза",
541   "4plus": "4+ раз",
542 },
543 section4Title: "4. Активность",
544 exerciseLabel: "Вы занимаетесь спортом?",
545 exercise: {
546   daily: "Каждый день",
547   often: "3-4 раза в неделю",
548   sometimes: "1-2 раза в неделю",
549   rare: "Редко",
550   never: "Никогда",
551 },
552 walkingLabel: "Сколько в среднем вы ходите пешком за день?",
553 walking: {
554   none: "Почти не хожу",
555   low: "Немного",
556   medium: "Умеренно",
557   high: "Много",
558 },
559 section5Title: "5. Сон и привычки",
560 sleepHoursLabel: "Общее количество часов сна",
561 selectOption: "Выбрать",
562 sleepHoursOptions: {
563   less4: "Менее 4",
564   "4-6": "4-6",
565   "6-8": "6-8",
566   "8-10": "8-10",
567   "10plus": "10+",
568 },
569 sleepTimeLabel: "Обычное время отхода ко сну",
570 sleepTimeOptions: {
571   "21-22": "21-22",
572   "22-23": "22-23",
573   "23-24": "23-24",
574   "24-1": "24-1",
575   "1plus": "После 1 ночи",
576 },
577 alcoholLabel: "Алкоголь",
578 alcoholOptions: {
579   never: "Никогда",
580   rare: "Редко",

```



```

581         sometimes: "Иногда",
582         often: "Часто",
583         daily: "Каждый день",
584     },
585     smokingLabel: "Курение",
586     smokingOptions: {
587         no: "Нет",
588         rare: "Редко",
589         "1-5": "1-5",
590         "6-10": "6-10",
591         "11-20": "11-20",
592         "20plus": "20+",
593     },
594     resultTitle: "Обзор текущего баланса здоровья",
595     resultWeight: "Вес тела:",
596     resultLifestyle: "Активность и питание:",
597     resultSleep: "Сон и отдых:",
598     resultHabits: "Привычки:",
599     bmiTextMissing: "Информация о весе тела отсутствует.",
600     bmiLevel: {
601         under: "недостаточный вес",
602         normal: "нормальный вес",
603         over: "избыточный вес",
604         obese: "ожирение",
605     },
606     bmiResultText:
607         "Ваш ИМТ составляет примерно {bmi}. Это соответствует диапазону «{level}».",
608     lifestyleGood:
609         "Вы хорошо поддерживаете свой уровень активности. Продолжайте в том же духе.",
610     lifestyleLow:
611         "Ваш уровень активности низкий. Рекомендуем ходить пешком или заниматься спортом по 20-30 минут минимум 3 дня в неделю.",
612     lifestyleMid:
613         "Ваш уровень активности умеренный. Добавление ежедневных прогулок и лёгкой кардионагрузки улучшит его ещё больше.",
614     mealsGood:
615         "Частота приёмов пищи выглядит разумной. Теперь важно уделить больше внимания качеству.",
616     mealsLow:
617         "Вы едите нечасто в течение дня. Чтобы снизить колебания сахара в крови и нагрузку на пищеварение, рекомендуется 3-4 стабильных приёма пищи.",
618     mealsHigh:
619         "Вы едите много раз в день, поэтому обратите внимание на размер порций и потребление сладкого/фастфуда.",
620     sleepGood:
621         "Продолжительность сна и время отхода ко сну в целом на здоровом уровне. Это положительно влияет на психику, вес и иммунитет.",
622     sleepLow:
623         "Ваш сон относительно недостаточен, или вы ложитесь поздно. Старайтесь засыпать до 23:00 и получать 7-8 часов глубокого сна.",
624     sleepBad:
625         "Возможно, ваш сон нарушен до уровня, серьёзно влияющего на здоровье. Постарайтесь ложиться как можно раньше и меньше пользоваться телефоном/экраном по вечерам.",
626     sleepMid:
627         "Ваш режим сна может быть более-менее в порядке, но стремление к стабильным 7-8 часам будет лучше.",
628     habitAlcohol: "регулярно употребляет алкоголь",
629     habitSmoking: "курит",
630     habitsNone:
631         "Явных сильных негативных привычек не выявлено. Это большое преимущество для вашего здоровья.",
632     habitsSomePrefix: "У вас отмечены следующие вредные для здоровья привычки: ",
633     habitsSomeSuffix:
634         ". Постепенное снижение или замена этих привычек поможет сохранить баланс.",
635     summaryText:
636         "На данный момент баланс вашего здоровья был приблизительно оценён на основе веса тела, сна, активности и уровня привычек. Это не официальный медицинский диагноз — цель в том, чтобы помочь вам п
паттерны и подготовить подходящую вам программу.",
637     },
638     finance: {
639         receipt: {
640             title: "☐ Сканировать чек",
641             description:
642                 "Загрузите фото чека из магазина, и ИИ автоматически распознает его и регистрирует транзакции.",
643             uploadBtn: "Загрузить фото чека",
644             emptyTitle: "Добавьте фото чека",
645             emptyDescription:
646                 "ИИ автоматически подготовит данные транзакции. Перед сохранением всё можно проверить и изменить.",
647             fileHint: "JPG, PNG или WEBP · Поддерживаются камера и галерея",
648             close: "Закрыть загрузку чека",

```

```

649     analyzing: "ИИ читает...",
650     errorFallback: "Не удалось прочитать чек.",
651     notFound: "В чеке не найдены данные о транзакциях.",
652     networkError: "Ошибка сети. Попробуйте ещё раз.",
653     selectLabel: "Выберите транзакции для сохранения:",
654     saveBtn: "сохранить транзакции",
655     saving: "Сохранение...",
656     anotherImage: "Другое изображение",
657     savedSuccess: "Успешно сохранено!",
658     uploadAnother: "Загрузить ещё",
659     clear: "очистить",
660     editHint: "Нажмите на любую ячейку в таблице ниже, чтобы отредактировать её.",
661     colItemName: "Название товара",
662     colCategory: "Категория",
663     colQuantity: "Количество",
664     colUnitPrice: "Цена за ед.",
665     colTotalPrice: "Итоговая цена",
666     addRow: "Добавить строку",
667     deleteRow: "Удалить строку",
668     totalSum: "Итого",
669     confirmBtn: "Подтвердить и сохранить",
670 },
671 notLoggedIn: "Приложение «Финансы» открывается после входа в систему.",
672 title: "Небольшой помощник для простого учёта финансов",
673 subtitle: "Мои финансы (небольшое приложение)",
674 loading: "Загрузка...",
675 questModeNotice: "Вы находитесь в режиме <b>Гостя</b> — данные не будут сохранены.",
676 totalIncome: "Общий доход",
677 totalExpense: "Общий расход",
678 balance: "Баланс",
679 debtOutstanding: "Непогашенный долг",
680 recentTransactions: "Недавние транзакции",
681 noTransactions: "Пока нет транзакций.",
682 typeLabel: {
683     income: "Доход",
684     expense: "Расход",
685     debt: "Долг/Кредит",
686     saving: "Сбережения",
687 },
688 sourceLabel: {
689     text: "вручную",
690     voice: "голосом",
691     receipt: "из чека",
692     image: "из изображения",
693 },
694 deleteAria: "Удалить",
695 deleteTitle: "Удалить",
696 deleteAllConfirm:
697     "Удалить все транзакции? Это действие нельзя отменить!",
698 entry: {
699     showLabel: "☐ Ввести транзакцию вручную",
700     hideLabel: "☐ Скрыть ручной ввод",
701     guestNote:
702         "Сейчас вы используете режим <b>Гостя</b> — всё, что вы здесь добавите, сохраняется <b>локально</b> (отдельно, если вы войдёте в систему).",
703     newTransaction: "Добавить новую транзакцию",
704     typeLabel: "Тип",
705     typeExpense: "Расход",
706     typeIncome: "Доход",
707     typeDebt: "Долг/Кредит",
708     typeSaving: "Сбережения",
709     amountLabel: "Сумма (₮)",
710     amountPlaceholder: "50 000",
711     dateLabel: "Дата",
712     categoryLabel: "Категория",
713     categoryDebtLabel: "Категория (Взять/Погасить)",
714     categorySavingLabel: "Категория (Добавить/Снять)",
715     incomeOnlyNote: "У дохода только одна категория (Доход).",
716     subTypeDebt: "Кредит — тип",
717     subTypeSaving: "Сбережения — цель",

```

```

718     subTypeIncome: "Доход — тип",
719     subTypeOther: "Подтип",
720     noteLabel: "Заметка (необязательно)",
721     notePlaceholder: "напр. Бат — 10% / 12 месяцев",
722     saveBtn: "Сохранить транзакцию",
723     deleteAllBtn: "Удалить всё",
724     quickSummaryTitle: "Краткая сводка",
725     quickIncome: "Доход:",
726     quickExpense: "Расход:",
727     quickDebt: "Непогашенный долг:",
728     quickSaving: "Сбережения:",
729     exampleTitle: "Пример",
730     example1: "Зарплата: <b>Доход</b> → тип: <b>Зарплата</b>",
731     example2:
732       "Взять кредит: <b>Долг/Кредит</b> → категория: <b>Взять кредит</b> → тип: <b>Ипотека</b>",
733     example3:
734       "Погасить кредит: <b>Долг/Кредит</b> → категория: <b>Погасить кредит</b> → тип: (тот же)",
735     example4:
736       "Добавить сбережения: <b>Сбережения</b> → <b>Добавить сбережения</b> → цель: <b>Резервный фонд</b>",
737     collapsedHint: 'Нажмите «Ввести транзакцию вручную», чтобы открыть и добавить.',
738   },
739   report: {
740     title: "□ ПРОВЕРКА / Отчёт",
741     fromDate: "С даты",
742     toDate: "По дату",
743     keywordLabel: "Заметка / ключевое слово",
744     keywordPlaceholder: "хлеб, лекарство, зарплата...",
745     typeLabel: "Тип",
746     typeAll: "Все",
747     typeIncome: "Только доход",
748     typeExpense: "Только расход",
749     typeDebt: "Только долг/кредит",
750     typeSaving: "Только сбережения",
751     categoryLabel: "Категория",
752     subCategoryLabel: "Подтип",
753     storeLabel: "Магазин (необязательно)",
754     sortLabel: "Сортировать по сумме",
755     sortNone: "По умолчанию",
756     sortAsc: "От меньшего к большему",
757     sortDesc: "От большего к меньшему",
758     clearFilters: "Очистить фильтры",
759     showReport: "□ Показать отчёт",
760     hideReport: "□ Скрыть отчёт",
761     totalsTitle: "Итоги",
762     income: "Доход:",
763     expense: "Расход:",
764     balance: "Баланс:",
765     debtOutstanding: "Непогашенный долг:",
766     saving: "Сбережения:",
767     rowCount: "(Транзакций: {n} строк)",
768     byCategoryTitle: "По категориям (расход)",
769     noData: "Нет данных.",
770     incomeBySubTitle: "Доход — по типу",
771     noIncomeData: "Нет данных о доходе.",
772     otherIncome: "Прочий доход",
773     debtTitle: "Долг / Кредит",
774     borrowed: "Взято:",
775     repaid: "Погашено:",
776     outstanding: "Остаток:",
777     savingTitle: "Сбережения",
778     added: "Добавлено:",
779     withdrawn: "Снято:",
780     expenseSubTitle: "По подтипу (только расход)",
781     noExpenseSubData: "Нет данных по подтипу расходов.",
782     topStoresTitle: "□ ТОП магазинов",
783     filteredListTitle: "Отфильтрованные транзакции",
784     noFilteredTx: "Нет подходящих транзакций.",
785     defaultTitle: "Транзакция",
786     defaultIncomeTitle: "Доход",

```

```

787     defaultExpenseTitle: "Расход",
788     defaultDebtTitle: "Долг/Кредит",
789     defaultSavingTitle: "Сбережения",
790     collapsedHint: 'Выберите диапазон дат и нажмите «Показать отчёт».',
791   },
792 },
793 relationsTests: {
794   title: "Тесты по отношениям",
795   subtitle:
796     "Эти тесты обновляются каждый месяц — проходите их, когда захотите.",
797   testLabel: "Тест",
798   questionsPrefix: "Вопросы:",
799   answersHint: "Ответы: 1-5",
800   notFound: "Тест не найден.",
801   back: "Назад",
802   chat: "Чат",
803   result: "Результат",
804   noSummary: "Описание ещё не подготовлено.",
805   close: "Закрыть",
806 },
807 goalPlanner: {
808   // keyed by the stored Mongolian value — labels only
809   goalTypes: {
810     Хувийн: "Личное",
811     Хосын: "Пара",
812     Ажил: "Работа",
813     "Гэр бүл": "Семья",
814     "Эрүүл мэнд": "Здоровье",
815     Санхүү: "Финансы",
816     "Сурч хөгжих": "Обучение и развитие",
817     Бусад: "Другое",
818   },
819   effortUnits: {
820     Өдөрт: "В день",
821     "7 хоногт": "В неделю",
822     Сард: "В месяц",
823     Жилд: "В год",
824     "Нэг л удаа": "Один раз",
825   },
826   groups: {
827     "Богино хугацаа": "Краткосрочные",
828     "Дунд хугацаа": "Среднесрочные",
829     "Урт хугацаа": "Долгосрочные",
830   },
831   back: "Назад",
832   title: "Цели",
833   chat: "Чат",
834   modeEdit: "Написать и сохранить → список ниже",
835   modeOrganized: "Упорядоченный список",
836   modeExecute: "Выполнение",
837   goalTypeLabel: "Тип цели",
838   durationLabel: "Срок выполнения",
839   goalLabel: "Цель",
840   goalPlaceholder: "Например: Достичь дохода 100 млн в месяц",
841   descLabel: "Описание",
842   descPlaceholder: "Добавьте детали при необходимости",
843   effortLabel: "Время на достижение цели",
844   freqAria: "Частота",
845   times: "раз",
846   hour: "ч",
847   min: "мин",
848   hourAria: "Часы",
849   minAria: "Минуты",
850   helpExample:
851     "Пример: В день + 3 раза + 0ч + 30мин □ 1ч 30м в день всего",
852   save: "Сохранить",
853   freqLabel: "Частота:",
854   deleteBtn: "Удалить",
855   emptyGoals: "Пока нет целей.",

```

```

856     organizeBtn: "Упорядочить цели",
857     organizedTitle: "Ваши цели упорядочены",
858     organizedHint: "Просмотрите список ниже и нажмите «Подтвердить».",
859     emptyGroup: "Здесь нет целей.",
860     total: "Всего",
861     unknown: "(не указано)",
862     confirm: "Подтвердить",
863     totalGoalsLabel: "Всего целей:",
864     completedGoalsLabel: "Выполненные цели:",
865     show: "показать",
866     hide: "скрыть",
867     emptyCompleted: "Пока нет выполненных целей.",
868     doneBadge: "Выполнено",
869     successMsg: "☑ Поздравляем! Вы выполнили все свои цели.",
870     remaining: "Осталось",
871     doneWord: "Выполнено",
872     doneBtn: "Готово",
873     cycleFull: "Этот цикл завершён",
874     backToOrganize: "Назад к упорядочиванию",
875     newGoal: "Написать новую цель",
876     errGoalRequired: "Пожалуйста, кратко опишите вашу цель.",
877     errGeneric: "Произошла ошибка",
878     errSave: "Произошла ошибка при сохранении",
879     errDelete: "Произошла ошибка при удалении",
880     errMarkDone: "Произошла ошибка при отметке выполнения",
881     errServer:
882       "Ответ сервера некорректен. Пожалуйста, проверьте /api/goal-planner.",
883   },
884   ebooks: {
885     title: "Содержание книги",
886     subtitle:
887       "Нажмите на каждую карточку ниже и запишите свои мысли на странице этой темы.",
888     pages: "страниц",
889     open: "Открыть",
890     sections: {
891       world: { title: "Мой мир", sub: "Мои мысли, мой внутренний мир" },
892       memories: { title: "Воспоминания жизни", sub: "Истории, к которым можно вернуться" },
893       notes: { title: "Заметки", sub: "Повседневные мысли и идеи" },
894       happy: {
895         title: "Благодарность · Радостные моменты",
896         sub: "Тёплые моменты",
897       },
898       letters: { title: "Письма", sub: "Слова для близких вам людей" },
899       difficult: {
900         title: "Трудные времена",
901         sub: "Испытания, трудности, преодоление",
902       },
903       wisdom: {
904         title: "Прозрение · Уроки",
905         sub: "Вещи, которые вы поняли из жизни",
906       },
907       complaints: {
908         title: "Обиды и сожаления",
909         sub: "Пространство, чтобы открыто высказать душу",
910       },
911       creatives: {
912         title: "Моё творчество",
913         sub: "Стихи, рассказы, идеи, работы",
914       },
915       personals: {
916         title: "Мой уголок",
917         sub: "Раздел для свободного письма на любую тему",
918       },
919       extras: {
920         title: "Другие разделы книги",
921         sub: "Специальные главы, дополнительные страницы",
922       },
923       preview: {
924         title: "Итоговый макет",

```

```

925     sub: "Посмотреть, как выглядит книга",
926 },
927 },
928 defaultBookTitle: "Моя книга",
929 untitled: "(без названия)",
930 write: {
931     backToChat: "← Назад в чат",
932     backToEbook: "← Назад к E-book",
933     chooseTemplate: "Выбрать шаблон",
934     currentTemplate: "Текущий шаблон:",
935     prepareBook: "Итоговый макет",
936     includeInBook: "Включить в книгу",
937     categoryLabel: "Категория",
938     titleLabel: "Заголовок",
939     titlePlaceholder: "Введите заголовок...",
940     imageAlt: "Изображение A4",
941     captionPlaceholder: "Подпись под изображением...",
942     removeImage: "Удалить изображение",
943     contentLabel: "Текст",
944     contentPlaceholder:
945         "Свободно запишите здесь свои мысли и воспоминания...",
946     uploading: "Загрузка изображения...",
947     addImage: "Добавить изображение",
948     saveEdit: "Сохранить изменения",
949     save: "Сохранить",
950     writingPage: "Страница для письма",
951     mobileHint:
952         "На мобильном устройстве лево/право располагаются друг под другом.",
953     deleteConfirm: "Удалить эту запись навсегда?",
954     deleteAllConfirm: "Удалить все файлы навсегда?",
955     imageUploadError:
956         "Ошибка загрузки изображения. Проверьте название bucket/права доступа.",
957     preview: "Предпросмотр",
958     scrollDown: "↓ Прокрутить вниз",
959     savedNotice: "Сохранено",
960 },
961 archive: {
962     filesTitle: "Файлы (сохранённые записи)",
963     searchPlaceholder: "Поиск: заголовок / дата...",
964     selectAll: "Выбрать всё",
965     deselectAll: "Снять выбор",
966     selected: "Выбрано:",
967     deleteSelected: "Удалить выбранное",
968     deleteSelectedConfirm: "Удалить {n} записей?",
969     clearSelection: "Очистить",
970     selectHint: "Выберите, чтобы выполнить групповые действия.",
971     deleteAll: "Удалить всё",
972     deleteAllConfirm: "Удалить ВСЕ ({n}) записи навсегда?",
973     noNotes:
974         "Пока нет сохранённых записей. Сохраните первую, чтобы начать.",
975     edit: "Редактировать",
976     removeFromBook: "Убрать из книги",
977     addToBook: "Включить в книгу",
978     delete: "Удалить",
979     inBook: "В книге",
980     draftOnly: "Только черновик",
981 },
982 book: {
983     backToChat: "← Назад в чат",
984     backToWrite: "← Назад к написанию",
985     otherSections: "Другие разделы книги",
986     refresh: "🔄 Обновить",
987     print: "🖨 Печать",
988     prepareBook: "Итоговый макет",
989     desktopHint: "На компьютере — две страницы одновременно, на телефоне — по одной.",
990     menu: "Меню",
991     pageNoPlaceholder: "№ страницы",
992     jump: "Перейти",
993     jumpHint:

```

```

994         "Нажатие в меню сразу переходит на страницу этого раздела в макете.",
995         coverPage: "Обложка",
996         tocPage: "Содержание",
997         forewordPage: "Предисловие",
998         endingPage: "Заключительные слова",
999         authorLabel: "Автор:",
1000         subMenuLabel: "ПОДМЕНЮ",
1001         tocLabel: "СОДЕРЖАНИЕ",
1002         tocHint: "Нажатие сразу переходит на эту страницу книги.",
1003         editLink: "Редактировать",
1004         imageAlt: "изображение",
1005     },
1006     extras: {
1007         chat: "Чат",
1008         ebook: "Книга (E-book)",
1009         prepareBook: "Итоговый макет",
1010         themeLabel: "Тема (3 цвета)",
1011         templateLabel: "Выбрать шаблон (3 типа)",
1012         templateA: "шаблон-а",
1013         templateB: "шаблон-б",
1014         templateC: "шаблон-с",
1015         save: "Сохранить",
1016         saving: "Сохранение...",
1017         saved: "☐ Сохранено. (Отправлено в итоговый макет)",
1018         saveError: "☐ Ошибка сохранения: {msg}",
1019         subMenuTitle: "ПОДМЕНЮ (10)",
1020         sections: {
1021             cover: "Обложка",
1022             toc: "Содержание",
1023             foreword: "Предисловие",
1024             ending: "Окончание",
1025             submenu: "Начало подменю",
1026         },
1027         coverTitleLabel: "Заголовок обложки",
1028         subtitleLabel: "Подзаголовок",
1029         coverImageLabel: "Изображение обложки (загрузка, не URL)",
1030         chooseImage: "Выбрать изображение",
1031         removeImage: "Удалить изображение",
1032         noImagePlaceholder: "(изображение не добавлено)",
1033         tocLinesLabel: "Строки содержания (Название|Страница)",
1034         forewordHeading: "Предисловие",
1035         endingHeading: "Окончание",
1036         subMenuTextLabel: "Текст подменю",
1037         bodyPlaceholder: "Напишите здесь...",
1038         emptyBody: "(текст пуст)",
1039         circleImageLabel: "Маленькое круглое изображение (загрузка)",
1040         tocHint: "Нажатие сразу переходит на эту страницу книги.",
1041     },
1042 },
1043 dailyCheck: {
1044     back: "Назад",
1045     headTitle: "Ежедневная проверка",
1046     chat: "Чат",
1047     calculating: "Вычисление...",
1048     getResult: "Получить результат",
1049     continue: "Продолжить",
1050     autoNextHint: "* Выбор автоматически переходит к следующему вопросу.",
1051     todayResult: "Результат за сегодня",
1052     focusTopic: "Основная тема:",
1053     dominantFeeling: "Преобладающее чувство:",
1054     progressCalendar: "Прогресс (Календарь)",
1055     legend: { good: "Хорошо", mid: "Средне", hard: "Тяжело", heavy: "Очень тяжело" },
1056     rangeResult: "сводка",
1057     close: "Заккрыть",
1058     period: "Период:",
1059     noDataInRange:
1060         "За этот период нет данных. Сводка появится, как только вы начнёте заполнять дни.",
1061     avgScore: "Средний балл",
1062     total: "Всего:",

```

```

1063 days: "дней",
1064 levelCount: "Уровни (количество)",
1065 tapBgToClose: "* Нажмите на фон, чтобы закрыть.",
1066 calendarLoading: "Загрузка календаря...",
1067 pickDay: "Выберите день",
1068 pickDayHint: "Попробуйте нажать на день в календаре.",
1069 dow: ["Пн", "Вт", "Ср", "Чт", "Пт", "Сб", "Вс"],
1070 trendUp: "рост",
1071 trendDown: "снижение",
1072 trendStable: "→ стабильно",
1073 errRead: "Произошла ошибка при чтении",
1074 errGeneric: "Произошла ошибка",
1075 errSave: "Произошла ошибка при сохранении",
1076 errMood: "Настроение не выбрано. Вернитесь к вопросу 1 и выберите.",
1077 errEnergy: "Энергия не выбрана. Вернитесь к этому вопросу и выберите.",
1078 errImpact: "Влияние не выбрано. Вернитесь к этому вопросу и выберите.",
1079 ranges: {
1080   "7d": "7 дней",
1081   "30d": "1 месяц",
1082   "3m": "3 месяца",
1083   "6m": "6 месяцев",
1084   "12m": "12 месяцев",
1085 },
1086 summary: {
1087   Green: "Сегодня всё стабильно ☐",
1088   Yellow: "Сегодня неплохой день ☐",
1089   Orange: "Сегодня могло быть немного тяжело ☐",
1090   Red: "Похоже, сегодня был тяжёлый день ☐☐",
1091 },
1092 detail: {
1093   Green:
1094     "Ваш общий баланс тела и разума хорош. Продолжайте укреплять это ощущение.",
1095   Yellow:
1096     "Была некоторая нагрузка, но вы справились. Поддержите себя.",
1097   Orange:
1098     "Ваше настроение может колебаться. Поможет что-то успокаивающее — дыхание, прогулка, вода.",
1099   Red: "Внутренняя нагрузка возросла. Сейчас вам больше всего нужны спокойная обстановка и немного отдыха.",
1100 },
1101 dayTone: {
1102   Green: "Сегодня вы хорошо замечали себя. ",
1103   Yellow: "Вы старались и сегодня — этого достаточно. ",
1104   Orange: "Будем немного мягче к себе — маленькие шаги помогают. ",
1105   Red: "Сделайте вдох и не будем себя винить. ",
1106 },
1107 warmClose: "Поговорите со мной, если хотите — вы не одни ☐",
1108 finishWarm: {
1109   a1: "Да — не винить себя — это самый правильный шаг.",
1110   a2: "Сказать, что не сдадитесь, — это огромная смелость, которую вы себе дали.",
1111   a3: "Вы уже стараетесь. Теперь поддержите себя увереннее.",
1112   a4: "Отдых — это не слабость, это любовь к себе.",
1113   a5: "Принятие себя — это начало внутреннего спокойствия.",
1114 },
1115 finishWarmDefault: "Сказать «{text}» — уже само по себе сила.",
1116 steps: {
1117   mood: {
1118     title: "Какое у вас настроение сегодня?",
1119     desc: "Выберите чувство, ближе всего к тому, что внутри вас.",
1120   },
1121   thought: {
1122     title: "Что больше всего занимало ваши мысли сегодня?",
1123     desc: "Нет правильного или неправильного — просто наблюдение.",
1124   },
1125   impact: {
1126     title: "Как эта мысль повлияла на ваше настроение?",
1127     desc: "Может быть как положительно, так и отрицательно.",
1128   },
1129   body: {
1130     title: "Что вы чувствуете в своём теле сейчас?",
1131     desc: "Сигналы тела — язык эмоций.",

```



```

1132 },
1133 energy: {
1134   title: "Насколько энергичным вы себя чувствуете?",
1135   desc: "Выбирайте честно, не осуждая себя.",
1136 },
1137 feelings: {
1138   title: "Какие чувства преобладают сейчас?",
1139   desc: "Выберите до 3-х.",
1140 },
1141 need: {
1142   title: "Что вам сейчас нужнее всего?",
1143   desc: "Просто наблюдение.",
1144 },
1145 color: {
1146   title: "Каким цветом вы бы описали сегодняшнее чувство?",
1147   desc: "Цвет помогает назвать чувство.",
1148 },
1149 identity: {
1150   title: "Каким человеком вы себя видите?",
1151   desc: "Выберите до 3-х.",
1152 },
1153 finish: {
1154   title: "Какое слово вы скажете себе сегодня?",
1155   desc: "Последний выбор.",
1156 },
1157 },
1158 choices: {
1159   m5: "Счастлив (а)",
1160   m4: "Хорошо",
1161   m3: "Нормально",
1162   m2: "Обеспокоен (а)",
1163   m1: "Грустно",
1164   t5: "Будущее · жизнь",
1165   t2: "Работа · учёба",
1166   t4: "Семья · дом",
1167   t1: "Люди · отношения",
1168   t3: "Деньги · финансы",
1169   i1: "Повлияло очень сильно",
1170   i2: "Повлияло довольно сильно",
1171   i3: "Повлияло умеренно",
1172   i4: "Повлияло немного",
1173   i5: "Совсем не повлияло",
1174   b1: "Спокойно · расслабленно",
1175   b2: "Напряжённое тело (шея/плечи)",
1176   b4: "Беспокойно · тревожно",
1177   b3: "Тяжело · подавлено",
1178   b5: "Устало · истощено",
1179   e5: "Очень энергично",
1180   e4: "Довольно неплохо",
1181   e3: "Просто нормально",
1182   e2: "Устал (а)",
1183   e1: "Очень устал (а)",
1184   f5: "Чувствую надежду",
1185   f4: "Умиротворение",
1186   f7: "Тёплое, любящее чувство",
1187   f8: "Чувствую нежность",
1188   f6: "Чувствую пустоту",
1189   f3: "Чувствую злость",
1190   f2: "Тревожно, страшно",
1191   f1: "Чувствую грусть",
1192   n4: "Связаться с кем-то",
1193   n3: "Подвигаться / позаниматься",
1194   n2: "Расслабиться",
1195   n1: "Отдохнуть",
1196   n5: "Побыть одному (й)",
1197   c5: "Белый (милый/светлый)",
1198   c3: "Жёлтый (энергия/надежда)",
1199   c2: "Зелёный (спокойный/сбалансированный)",
1200   c1: "Синий (грусть/тоска)",

```

```

1201     c4: "Красный (гнев/раздражение)",
1202     c6: "Чёрный (тяжёлый/истощённый)",
1203     p7: "Умею быть уверенным(ой)",
1204     p2: "Умный(ая)",
1205     p3: "Терпеливый(ая)",
1206     p6: "Умею преодолевать что угодно",
1207     p5: "Умею снова подниматься",
1208     p4: "Настойчивый(ая)",
1209     p1: "Учится и движется вперёд",
1210     a2: "Не сдаваться",
1211     a1: "Не винить себя",
1212     a4: "Я имею право на отдых",
1213     a3: "Буду стараться ещё больше",
1214     a5: "Принимаю это",
1215   },
1216 },
1217 balance: {
1218   domainLabels: {
1219     emotion: "Эмоции",
1220     self: "Понимание себя",
1221     relations: "Отношения",
1222     purpose: "Цель и смысл",
1223     selfCare: "Забота о себе",
1224     life: "Стабильность",
1225   },
1226   scaleLabels: ["Да", "В основном", "Умеренно", "Иногда", "Нет"],
1227   questions: {
1228     e1: "Было ли ваше настроение в последнее время в целом спокойным и стабильным?",
1229     e2: "Можете ли вы чувствовать радость от мелких повседневных вещей?",
1230     e3: "Можете ли вы направлять негативные мысли в более позитивное русло?",
1231     e4: "Сильно ли беспокойство и тревога влияют на вашу повседневную жизнь?",
1232     e5: "Когда вам грустно, можете ли вы быстро восстановить равновесие?",
1233     e6: "Знаете ли вы, как здоровым способом снимать стресс, вместо того чтобы удерживать его в себе?",
1234     s1: "Можете ли вы чётко назвать свои сильные стороны и способности?",
1235     s2: "Знаете ли вы слабые стороны, которые обычно вас затрудняют (например, откладывание дел, чрезмерные раздумья)?",
1236     s3: "Знаете ли вы, какие ситуации вызывают у вас наибольший стресс (ваши триггеры)?",
1237     s4: "Пытаетесь ли вы назвать эмоцию, которую испытываете в данный момент, и понять её причину?",
1238     s5: "Ясны ли вам ваши самые важные ценности (что для вас важнее всего)?",
1239     s6: "Когда принимаете решения, спрашиваете ли себя «Чего я на самом деле хочу?»",
1240     r1: "Сказали бы вы, что хорошо понимаете других и общаетесь спокойно?",
1241     r2: "Можете ли вы ясно выражать свои потребности и чувства другим?",
1242     r3: "Можете ли вы говорить другим «нет» и устанавливать здоровые границы?",
1243     r4: "Довольны ли вы тем, что у вас есть 1-2 человека, которые слушают и понимают вас в любое время?",
1244     r5: "Когда возникает конфликт, можете ли вы спокойно его обсудить и вместе найти решение?",
1245     r6: "Легко ли отношение, слова или разговоры других людей выводят из равновесия ваше настроение?",
1246     r7: "Столкнувшись с критикой, можете ли вы защитить себя, оставаясь спокойным(ой)?",
1247     p1: "Сказали бы вы, что у вас сейчас есть чёткая цель или направление?",
1248     p2: "Составляете ли вы реалистичный план и делаете небольшие шаги для достижения целей?",
1249     p3: "Обычно ли вы доводите до конца то, что начали?",
1250     p4: "Регулярно ли вы выделяете время на саморазвитие – курсы, книги, новый опыт?",
1251     p5: "Сильно ли привычка откладывать нужные дела удерживает вас?",
1252     p6: "Когда вы думаете о своём будущем, чувствуете ли вы больше возможностей и надежды?",
1253     p7: "Верёте ли вы в основную ответственность за свою жизнь на себя, а не обвиняете других?",
1254     c1: "Принимаете ли вы себя такими, какие вы есть, и относитесь к себе доброжелательно?",
1255     c2: "Когда вы совершаете ошибку, можете ли вы извлечь урок, не унижая себя?",
1256     c3: "Можете ли вы выделять время для отдыха и восстановления?",
1257     c4: "Замечаете ли вы сигналы своего тела (усталость, голод, боль) и сразу на них реагируете?",
1258     c5: "Часто ли вы вините себя из-за чрезмерного сравнения с другими?",
1259     c6: "Поддерживаете ли вы себя и отмечаете ли даже небольшие достижения?",
1260     l1: "Были ли вы активны 20+ минут минимум 3 дня за последние 7 дней?",
1261     l2: "Обычно ли вы спите 7-9 часов и просыпаетесь примерно в одно и то же время?",
1262     l3: "Едите ли вы 3 основных приёма пищи регулярно и достаточно здорово каждый день?",
1263     l4: "Отслеживаете ли вы в целом свои доходы и расходы, зная, куда уходят деньги?",
1264     l5: "Сказали бы вы, что ваша среда обитания в целом спокойна, безопасна и комфортна?",
1265     l6: "Стала ли ваша повседневная жизнь (работа, дом, отдых, финансы и т.д.) более стабильной?",
1266   },
1267   levels: {
1268     excellent: {
1269       level: "Отлично",

```

```

1270     tone: "Ваш общий баланс стабилен. В отдельные дни возможны колебания, но ваша база работает хорошо.",
1271 },
1272 good: {
1273     level: "Хорошо",
1274     tone: "В целом неплохо. Однако в 1-2 областях могут ощущаться более заметные колебания.",
1275 },
1276 mid: {
1277     level: "Средне",
1278     tone: "Смешанная картина – в чём-то неплохо, в чём-то нестабильно. Этот уровень наиболее распространён у многих людей.",
1279 },
1280 attention: {
1281     level: "Требуется внимания",
1282     tone: "Возможно, сейчас вы несёте сразу несколько нагрузок. Это не значит «плохо» – это сигнал перебалансировать вашу поддержку и ресурсы.",
1283 },
1284 },
1285 domainNarrativeBands: {
1286     strong:
1287         "Ваша база в направлении «{label}» стабильна. Здесь правильное всего «сохранять и оберегать» её.",
1288     good: "«{label}» находится на неплохом уровне. Возможны редкие колебания – небольшая устойчивая привычка поможет сохранить стабильность.",
1289     mid: "В направлении «{label}» заметны колебания. Обычно это движется вместе с нагрузкой, окружением и ожиданиями.",
1290     low: "Поддержка в направлении «{label}» сейчас может быть слабой. Не «большие перемены», а маленький устойчивый шаг – вот с чего стоит начать.",
1291 },
1292 tinyStep: {
1293     emotion:
1294         "Сегодня 3 минуты: подышите (4-4-6) + напишите 1 предложение в ответ на «Что я сейчас чувствую?».",
1295     self: "Сегодня 5 минут: напишите 1 ответ на «Что мне сейчас нужнее всего?».",
1296     relations:
1297         "Сегодня 1 маленький шаг: отправьте одному человеку искреннее сообщение «Привет, как ты?».",
1298     purpose:
1299         "Сегодня 5 минут: выберите 1 маленькую цель на эту неделю (пусть будет совсем небольшой!).",
1300     selfCare:
1301         "Сегодня 10 минут: стабилизируйте одну привычку – прогулку или время приёма воды/еды.",
1302     life: "Сегодня 1 маленькое правило: установите одно небольшое ограничение по времени сна или работы.",
1303     default: "Сегодня выберите один маленький шаг и попробуйте его в течение 7 дней.",
1304 },
1305 narrative: {
1306     headlines: [
1307         "Ваш снимок на сегодня",
1308         "Картина вашего текущего баланса",
1309         "Как выглядит сегодняшняя картина?",
1310         "Обзор вашего эмоционального баланса",
1311         "Ваше текущее направление",
1312         "Общая картина сегодняшнего дня",
1313         "Краткий отчёт о балансе",
1314         "Ваш текущий ритм",
1315         "Картина вашего текущего состояния",
1316         "Ваш вывод на сегодня",
1317         "Ваш внутренний снимок на сегодня",
1318         "Текущее состояние: обзор",
1319     ],
1320     meaningByBand: {
1321         low: [
1322             "Низкий балл – не суждение о том, что «плохо». Он просто показывает, что поддержка, стабильность и энергия в последнее время имели тенденцию ослабевать сразу в 2-3 областях.",
1323             "Такой уровень обычно возникает, когда совпадает сразу несколько вещей. Это не значит, что вы слабы – это показывает, что ваша система/окружение/внутренние ресурсы одновременно несут нагрузку",
1324             "Текущий балл – реальный снимок одного дня. Иногда внутренний баланс человека может ощущаться «раздробленным», и это может быть нормальным явлением.",
1325         ],
1326         mid: [
1327             "Ваш балл на среднем уровне. Это картина, где «в чём-то неплохо, в чём-то нестабильно».",
1328             "Средний балл отражает два разных мира рядом друг с другом: то, что работает довольно хорошо, и части, которые ощущаются нестабильными.",
1329             "Этот уровень – самое распространённое состояние для многих людей. У вас есть сильные стороны, но стабильность не совсем равномерна.",
1330         ],
1331         good: [
1332             "Ваш балл на хорошем уровне. Общая база неплоха, и повседневные колебания в основном управляемы.",
1333             "Хороший уровень показывает, что эффект от стабильных привычек начинает проявляться. В некоторых областях всё ещё возможны небольшие колебания.",
1334             "В этой картине ваш общий ритм неплох – значит, ваши внутренние ресурсы работают.",
1335         ],
1336         strong: [
1337             "Ваш балл высок. Общий баланс стабилен, а внутренние ресурсы и поддержка окружения работают относительно хорошо.",
1338             "Высокий балл не означает, что «всё идеально», но он говорит о том, что ваша база стабильна.",

```

```

1339     "Этот уровень сигнализирует о стабильной базе. Возможны редкие слабые места, но общая картина хороша.",
1340   },
1341 },
1342 focusTemplates: [
1343   "Области, которые сильнее всего «тянут вниз» текущую картину — {weakestLine}. Это показывает, что стабильность, уверенность и эмоциональные колебания могут быть более заметны в этих направлениях.",
1344   "Баллы относительно ниже в {weakestLine}. Это не значит «не могу» — это просто означает, что то, что вы больше всего чувствуете в своей жизни сейчас, сосредоточено там.",
1345   "Наиболее чувствительные точки склоняются к {weakestLine}. Обычно это движется вместе с окружением, нагрузкой, отношениями и внутренними ожиданиями.",
1346   "Наибольшее колебание баллов ощущается в {weakestLine}. Это могут быть области, которые больше всего меняют то, как ощущаются ваши дни.",
1347 ],
1348 strengthTemplates: [
1349   "Сильная сторона: {label}. Эта область сейчас действует как «фундамент» — даёт вам внутреннюю опору, пока другие области колеблются.",
1350   "Относительно стабильная область: {label}. Это знак того, что в вашей системе что-то работает.",
1351   "Хорошо работающая область: {label}. При наличии такой «надёжной» части остальные области постепенно сбалансируются.",
1352 ],
1353 noStrength:
1354   "Явной сильной стороны пока не выделяется. Обычно это связано с тем, что все области колеблются на схожем уровне.",
1355 and: "и",
1356 summaryTemplates: [
1357   "Общий балл {score}/100. Это реальный снимок сегодняшнего дня — он просто показывает ритм вашего внутреннего баланса.",
1358   "Ваш балл {score}/100. Это не «суждение», а мера вашего текущего состояния.",
1359   "Снимок сегодняшнего дня: {score}/100. Некоторые области стабильны, другие ощущаются более заметно.",
1360   "Балл составляет {score}/100. Это показывает, как выглядит ваш внутренний ритм сегодня.",
1361 ],
1362 },
1363 test: {
1364   back: "Назад",
1365   chat: "В чат",
1366   title: "Тест эмоционального баланса",
1367   progress: "Прогресс: {answered}/{total}",
1368   introHtml:
1369     "Здравствуйте. Я <b>Oyunsanaa</b>, ваш эмоциональный спутник.<br/><br/>Я проверю баланс <b>6</b> ключевых областей</b>: эмоции, понимание себя, отношения, цель, забота о себе и стабильная жизнь.<br/>Обстоят дела с вашим эмоциональным балансом, с помощью короткого теста.",
1370   disclaimer:
1371     "Примечание: я не врач. Я не провожу лечение и не ставлю диагнозы. Если вам кажется, что нужна срочная помощь, обратитесь к специалисту.",
1372   startBtn: "Начать тест",
1373   hint: "Пожалуйста, ответьте на все вопросы, чтобы получить результат. Сейчас: {answered}/{total}",
1374   hintLabel: "Напоминание:",
1375   resultBtn: "Получить результат",
1376 },
1377 menuHint:
1378   "Психологические тесты помогают узнать себя с разных сторон и понять свои сильные стороны, потребности и жизненный баланс.",
1379 result: {
1380   backToTest: "К тесту",
1381   backToChat: "В чат",
1382   noDataTitle: "Результат теста",
1383   noDataText:
1384     "Результата пока нет. Как только вы пройдёте тест, он появится здесь автоматически.",
1385   noDataLink: "Пройти тест",
1386   headerSmall: "Результат теста",
1387   totalScoreLabel: "Общий балл:",
1388   answeredLabel: "Отвечено:",
1389   appsTitle: "Приложения, которые вам подходят (полезны при ежедневном использовании)",
1390   appsHint: "Эти рекомендации основаны на ваших 1-2 самых слабых областях.",
1391   openBtn: "Открыть",
1392   detailsTitle: "Пояснение по каждой области",
1393   weakestQTitle: "Вопросы, которые «потянули вниз» эту область:",
1394   answeredParents: "(Отвечено: {answered}/{total})",
1395   retakeBtn: "Пройти тест заново",
1396   progressTitle: "Прогресс (предыдущие тесты)",
1397   deleteAll: "Удалить всё",
1398   sparklineLabel: "Изменение общего балла (0-100)",
1399   sparklineMin2: "Пройдите тест как минимум 2 раза, чтобы увидеть прогресс.",
1400   noHistory:
1401     "Пока нет истории. Прогресс появится здесь после повторного прохождения теста.",
1402   deleteOne: "Удалить",
1403   footerNote:
1404     "В следующем обновлении: этот прогресс будет сохраняться в Supabase, чтобы вы не теряли историю при смене устройства.",
1405 },
1406 apps: {

```

```

1407     emotion: [
1408       {
1409         title: "Тест ежедневной проверки настроения",
1410         note: "30 секунд в день — измерьте и отметьте своё состояние сегодня.",
1411       },
1412       {
1413         title: "Заметки наблюдения за стрессом",
1414         note: "Помогает наблюдать причины/ритм ваших колебаний.",
1415       },
1416     ],
1417     self: [
1418       {
1419         title: "Мой мир — приложение для заметок",
1420         note: "Фиксируйте свои мысли/чувства в 3 строках в день.",
1421       },
1422     ],
1423     relations: [
1424       {
1425         title: "Ваш стиль отношений",
1426         note: "Короткие упражнения, чтобы понять свой собственный стиль.",
1427       },
1428       {
1429         title: "Упражнение по установлению границ",
1430         note: "Помогает понять ваши формы самозащиты.",
1431       },
1432     ],
1433     purpose: [
1434       {
1435         title: "Приложение для планирования целей",
1436         note: "Разбейте свои цели и установите ритм.",
1437       },
1438       {
1439         title: "Маленький недельный шаг",
1440         note: "Планируйте только в рамках этой недели.",
1441       },
1442     ],
1443     selfCare: [
1444       {
1445         title: "Приложение здоровья",
1446         note: "Наблюдайте за своим базовым ритмом (сон/отдых/движение).",
1447       },
1448       {
1449         title: "Наблюдение за питанием",
1450         note: "Помогает понять связь между энергией и усталостью.",
1451       },
1452     ],
1453     life: [
1454       { title: "Приложение финансов", note: "Наглядно увидите свои доходы/расходы." },
1455     ],
1456     default: [
1457       {
1458         title: "Пройти тест заново",
1459         note: "Отслеживайте свой прогресс и наблюдайте за изменениями.",
1460       },
1461     ],
1462   },
1463   progressPage: {
1464     title: "Общий прогресс (Панель)",
1465     text: "Эта страница предназначена для общего прогресса по приложениям ниже. Прогресс/график теста Balance отображается на странице «Результат» теста.",
1466     toTest: "К тесту",
1467     toResult: "К результату теста",
1468   },
1469   summaryPage: {
1470     title: "Общая сводка (Панель)",
1471     text: "Эта страница предназначена для общей информации по приложениям ниже. Результат теста Balance находится не здесь.",
1472     toTest: "К тесту",
1473     toResult: "К результату теста",
1474   },
1475 },

```

```

1476   },
1477 };
1478
1479 export default ru;

```

429. lib/i18n/provider.tsx

```

1  "use client";
2
3  import { createContext, useContext } from "react";
4  import type { Locale } from "../config";
5  import type { Dictionary } from "../dictionaries/mn";
6
7  type I18nValue = {
8    locale: Locale;
9    t: Dictionary;
10 };
11
12 const I18nContext = createContext<I18nValue | null>(null);
13
14 export function I18nProvider({
15   locale,
16   dict,
17   children,
18 }: {
19   locale: Locale;
20   dict: Dictionary;
21   children: React.ReactNode;
22 }) {
23   return (
24     <I18nContext.Provider value={{ locale, t: dict }}>
25       {children}
26     </I18nContext.Provider>
27   );
28 }
29
30 /** Translated strings for the active locale, e.g. `useT().greeting.hello`. */
31 export function useT(): Dictionary {
32   const ctx = useContext(I18nContext);
33   if (!ctx) {
34     throw new Error("useT must be used within <I18nProvider>");
35   }
36   return ctx.t;
37 }
38
39 export function useLocale(): Locale {
40   const ctx = useContext(I18nContext);
41   if (!ctx) {
42     throw new Error("useLocale must be used within <I18nProvider>");
43   }
44   return ctx.locale;
45 }

```

430. lib/logger.ts

```

1  /**
2   * Minimal logger. Writes one JSON line per event to
3   * `logs/app-YYYY-MM-DD.log` (override the directory with LOG_DIR) and mirrors
4   * to the console so pm2 logs keep working. Logging must never break a
5   * request, so all failures are swallowed after a single console warning.
6   *
7   * ☐ Edge-safe: this module is imported by `proxy.ts` (Next.js middleware,
8   * which runs in the Edge Runtime). `node:fs`/`node:path` do NOT exist there,
9   * so a static import would crash the middleware at module-load in a production
10  * build — taking down EVERY matched route, including `/api/chat` (→ chat

```

```

11  * "streaming doesn't work at all"). We therefore keep the console mirror
12  * everywhere and load the Node file-system APIs lazily, only when an actual
13  * Node runtime is present.
14  */
15
16  // In the Edge Runtime, `process.env.NEXT_RUNTIME` === "edge" (and
17  // `globalThis.EdgeRuntime` is defined). File logging is only possible on Node.
18  // We deliberately avoid `process.versions`/`process.cwd()` (Node-only APIs the
19  // Edge bundler flags) and rely purely on env + the EdgeRuntime global.
20  const isNodeRuntime =
21    typeof process !== "undefined" &&
22    (globalThis as { EdgeRuntime?: unknown }).EdgeRuntime === undefined &&
23    process.env.NEXT_RUNTIME !== "edge";
24
25  let dirReady: Promise<void> | null = null;
26  let warnedOnce = false;
27
28  // Cache the lazily-loaded Node modules so we import them at most once.
29  let nodeFsp: typeof import("node:fs/promises") | null = null;
30  let nodePath: typeof import("node:path") | null = null;
31
32  async function loadNodeModules() {
33    if (!nodeFsp) {
34      // Variable (non-literal) specifiers so the bundler cannot statically
35      // resolve these into the Edge Runtime bundle - this is what keeps
36      // `node:fs`/`node:path` out of the middleware/instrumentation edge graph.
37      const fspSpec = "node:fs/promises";
38      const pathSpec = "node:path";
39      nodeFsp = (await import(fspSpec)) as typeof import("node:fs/promises");
40      nodePath = (await import(pathSpec)) as typeof import("node:path");
41    }
42    return { fsp: nodeFsp, path: nodePath as typeof import("node:path") };
43  }
44
45  export type LogLevel = "info" | "warn" | "error";
46
47  async function writeToFile(line: string, now: Date) {
48    const { fsp, path } = await loadNodeModules();
49    // Relative default ("logs") resolves against the process CWD at the fs layer
50    // - avoids calling `process.cwd()` directly, which the Edge bundler flags.
51    const logDir = process.env.LOG_DIR ?? "logs";
52    if (!dirReady) {
53      dirReady = fsp.mkdir(logDir, { recursive: true }).then(() => undefined);
54    }
55    await dirReady;
56    const day = now.toISOString().slice(0, 10); // YYYY-MM-DD
57    await fsp.appendFile(path.join(logDir, `app-${day}.log`), `${line}\n`, "utf8");
58  }
59
60  async function write(level: LogLevel, event: string, data?: unknown) {
61    const now = new Date();
62    const entry = {
63      ts: now.toISOString(),
64      level,
65      event,
66      ...(data === undefined ? {} : { data }),
67    };
68    const line = JSON.stringify(entry);
69
70    // Mirror to console so pm2 logs still show everything (works in every runtime).
71    if (level === "error") console.error(line);
72    else if (level === "warn") console.warn(line);
73    else console.log(line);
74
75    // File logging is best-effort and Node-only. Never let it break a request.
76    if (!isNodeRuntime) return;
77    try {
78      await writeToFile(line, now);
79    } catch (err) {

```

```

80     if (!warnedOnce) {
81         warnedOnce = true;
82         console.warn("logger: failed to write log file:", err);
83     }
84 }
85 }
86
87 export const logger = {
88   info: (event: string, data?: unknown) => write("info", event, data),
89   warn: (event: string, data?: unknown) => write("warn", event, data),
90   error: (event: string, data?: unknown) => write("error", event, data),
91 };
92
93 /** Serialize an unknown error into something JSON-safe for the log line. */
94 export function serializeError(error: unknown): {
95   message: string;
96   stack?: string;
97 } {
98   if (error instanceof Error) {
99     return { message: error.message, stack: error.stack };
100   }
101   return { message: String(error) };
102 }

```

431. lib/mind/health-program.ts

```

1  export type Sex = "male" | "female";
2
3  export type HealthProgramInput = {
4    sex: Sex;
5    age: number;
6    heightCm: number;
7    weightKg: number;
8    mealsPerDay: number;
9    exercisePerWeek: number; // derived from select value
10   walkLevel: "none" | "low" | "medium" | "high";
11   sleepHours: number; // actual hours (parsed from range string)
12   waterLiters: number;
13   habits: string[];
14   startDate: string; // yyyy-mm-dd
15 };
16
17 export type HealthProgramTargets = {
18   bmi: number;
19   normalMin: number;
20   normalMax: number;
21   excessKg: number; // positive = overweight, negative = underweight
22   daysToGoal: number;
23   dailyCalories: number;
24   proteinPercent: number;
25   fatPercent: number;
26   carbPercent: number;
27   targetWaterL: number;
28   targetSteps: number;
29   sleepRecommended: number;
30 };
31
32 export type HealthProgramData = {
33   input: HealthProgramInput;
34   targets: HealthProgramTargets;
35 };
36
37 const STORAGE_KEY = "oyunsanaa_health_program";
38 const DAILY_PREFIX = "oyunsanaa_health_day_";
39
40 export function computeHealthTargets(
41   input: HealthProgramInput

```



```

42 ): HealthProgramTargets {
43   const hM = input.heightCm / 100;
44   const bmi = Math.round((input.weightKg / (hM * hM)) * 10) / 10;
45   const normalMin = Math.round(18.5 * hM * hM * 10) / 10;
46   const normalMax = Math.round(24.9 * hM * hM * 10) / 10;
47
48   let excessKg = 0;
49   if (input.weightKg > normalMax) {
50     excessKg = Math.round((input.weightKg - normalMax) * 10) / 10;
51   } else if (input.weightKg < normalMin) {
52     excessKg = Math.round((input.weightKg - normalMin) * 10) / 10;
53   }
54
55   const daysToGoal = Math.max(30, Math.round(Math.abs(excessKg) * 4.6));
56
57   const base =
58     input.sex === "female"
59       ? 10 * input.weightKg + 6.25 * input.heightCm - 5 * input.age - 161
60       : 10 * input.weightKg + 6.25 * input.heightCm - 5 * input.age + 5;
61
62   let actFactor = 1.2;
63   if (input.exercisePerWeek >= 5) { actFactor = 1.55; }
64   else if (input.exercisePerWeek >= 3) { actFactor = 1.4; }
65   else if (input.exercisePerWeek >= 1) { actFactor = 1.3; }
66
67   const dailyCalories = Math.round(base * actFactor * 0.85);
68   const targetWaterL =
69     Math.round(Math.max(1.5, Math.min(3.5, input.weightKg * 0.03)) * 10) / 10;
70
71   const stepsByWalk: Record<string, number> = {
72     none: 5000,
73     low: 6000,
74     medium: 8000,
75     high: 10000,
76   };
77
78   return {
79     bmi,
80     normalMin,
81     normalMax,
82     excessKg,
83     daysToGoal,
84     dailyCalories,
85     proteinPercent: 25,
86     fatPercent: 25,
87     carbPercent: 50,
88     targetWaterL,
89     targetSteps: stepsByWalk[input.walkLevel] ?? 7000,
90     sleepRecommended: 7.5,
91   };
92 }
93
94 export function saveHealthProgram(data: HealthProgramData): void {
95   if (typeof window !== "undefined") {
96     localStorage.setItem(STORAGE_KEY, JSON.stringify(data));
97   }
98 }
99
100 export function loadHealthProgram(): HealthProgramData | null {
101   if (typeof window === "undefined") { return null; }
102   try {
103     const raw = localStorage.getItem(STORAGE_KEY);
104     return raw ? (JSON.parse(raw) as HealthProgramData) : null;
105   } catch {
106     return null;
107   }
108 }
109
110 export type DailyMeal = { id: string; name: string; calories: number };

```

```

111 export type DailyLog = {
112   date: string;
113   meals: DailyMeal[];
114   waterL: number;
115   sleepH: number;
116   restMin: number;
117   steps: number;
118 };
119
120 export function emptyLog(date: string): DailyLog {
121   return { date, meals: [], waterL: 0, sleepH: 0, restMin: 0, steps: 0 };
122 }
123
124 export function saveDailyLog(log: DailyLog): void {
125   if (typeof window !== "undefined") {
126     localStorage.setItem(DAILY_PREFIX + log.date, JSON.stringify(log));
127   }
128 }
129
130 export function loadDailyLog(date: string): DailyLog {
131   if (typeof window === "undefined") { return emptyLog(date); }
132   try {
133     const raw = localStorage.getItem(DAILY_PREFIX + date);
134     return raw ? (JSON.parse(raw) as DailyLog) : emptyLog(date);
135   } catch {
136     return emptyLog(date);
137   }
138 }

```

432. lib/mind/who-am-i-balance.ts

```

1  // Дөрвөн талбарын (Пезешкиан) амьдралын тэнцвэрийн дасгал – оролт/хадгалалт.
2
3  export type BalanceAreaKey = "body" | "work" | "bond" | "meaning";
4
5  export type BalanceArea = {
6    key: BalanceAreaKey;
7    hex: string;
8    tag: string;
9    title: string;
10   desc: string;
11   questions: string[];
12 };
13
14 export const BALANCE_AREAS: BalanceArea[] = [
15   {
16     key: "body",
17     hex: "#7E9B6E",
18     tag: "1-р талбар",
19     title: "Бие махбод · Эрүүл мэнд",
20     desc: "Та бие махбод, мэдрэхүй, эрүүл мэнддээ хэрхэн анхаардаг тухай.",
21     questions: [
22       "Ойрын үед таны нойр, хооллолт, дасгал хөдөлгөөний идэвх ямар түвшинд байна вэ? Бие тань ямар нэг дохио (өвдөлт, ядаргаа) өгч байна уу?",
23       "Стрестэй, хэцүү үед та биеэ хэрхэн торддог вэ – сайн амардаг уу, эсвэл дэглэм алдагдаж, биеэ гаргуунд нь гаргадаг уу?",
24       "Гадаад төрх, бие махбоддоо хэр сэтгэл хангалуун байна вэ? Өөрийгөө халамжлахад өдөрт хэдэн минут зориулдаг вэ?",
25     ],
26   },
27   {
28     key: "work",
29     hex: "#C28A3C",
30     tag: "2-р талбар",
31     title: "Ажил · Амжилт",
32     desc: "Танин мэдэхүй, карьер, сурлага, санхүү болон амжилтын төлөөх тэмүүлэл.",
33     questions: [
34       "Өдөрт хэдэн цагийг ажил, сурлага, гэрийн заавал хийх үүрэгт зарцуулдаг вэ? Үүнээсээ яг ямар мэдрэмж авдаг вэ?",
35       "Өөрийгөө үнэлэх үнэлэмж тань зөвхөн «амжилт гаргах», «бусдаас илүү байх» дээр тогтдог уу? Ажилгүй үед өөрийгөө хэрэггүй мэт мэдрэх үү?",
36       "Сурч мэдэх, тархиа цэнэглэх явцдаа хэр сэтгэл хангалуун байна вэ? Оюуны чадамжаа бүрэн ашиглаж чадаж байна уу?",

```

```

37   },
38 },
39 {
40   key: "bond",
41   hex: "#C36C71",
42   tag: "3-р талбар",
43   title: "Харилцаа · Нийгэм",
44   desc: "Гэр бүл, найз нөхөд, хамт олон, мөн өөрөө өөртэйгөө тогтоосон харилцаа.",
45   questions: [
46     "Сэтгэлээ нээж, шүүмжлэлгүйгээр ярилцаж чадах хүмүүс тань хэр олон вэ? Тэдэнд хангалттай цаг гаргаж чадаж байна уу?",
47     "Харилцаа танд энерги нэмдэг үү, эсвэл туйлдуулж ядраадаг уу? Бусдын хэрэгцээг өөрийнхөөсөө дээгүүр тавиад байна уу?",
48     "Өөртэйгөө хэр цаг өнгөрүүлдэг вэ? Ганцаараа байхдаа тухтай байж чаддаг уу, эсвэл ганцаардахаас айж харилцаа хайдаг уу?",
49   ],
50 },
51 {
52   key: "meaning",
53   hex: "#6E6CA3",
54   tag: "4-р талбар",
55   title: "Ирээдүй · Утга учир",
56   desc: "Итгэл үнэмшил, амьдралын зорилго, мөрөөдөл, зөн билэг, уран зөгнөл.",
57   questions: [
58     "Таны амьдарч буй гол зорилго, утга учир юу вэ? Ирээдүйгээ хэрхэн төсөөлж, юунд итгэж найддаг вэ?",
59     "Танд зүгээр л мөрөөдөх, уран зөгнөх, урлагаар хичээллэх, юу ч бодохгүй амрах чөлөөт цаг гардаг уу?",
60     "Төлөвлөгөө гаргахдаа дотоод дуу хоолой, зөн билгээ хэр сонсдог вэ? Одоо хийж буй зүйл ирээдүйн том зорилготой тань уялдаж байна уу?",
61   ],
62 },
63 ];
64
65 export type BalancePercents = Record<BalanceAreaKey, number>;
66
67 export type BalanceRun = {
68   at: number; // Date.now()
69   pct: BalancePercents;
70   notes: Record<BalanceAreaKey, string>;
71   change: string;
72 };
73
74 const LAST_KEY = "whoAmI:balance4:last";
75 const HISTORY_KEY = "whoAmI:balance4:history";
76
77 function safeParse<T>(raw: string | null): T | null {
78   if (!raw) {
79     return null;
80   }
81   try {
82     return JSON.parse(raw) as T;
83   } catch {
84     return null;
85   }
86 }
87
88 export function readLastRun(): BalanceRun | null {
89   if (typeof window === "undefined") {
90     return null;
91   }
92   return safeParse<BalanceRun>(window.localStorage.getItem(LAST_KEY));
93 }
94
95 export function readHistory(): BalanceRun[] {
96   if (typeof window === "undefined") {
97     return [];
98   }
99   const parsed = safeParse<BalanceRun[]>(
100     window.localStorage.getItem(HISTORY_KEY)
101   );
102   if (!parsed || !Array.isArray(parsed)) {
103     return [];
104   }
105   return parsed.filter((x) => x && typeof x.at === "number").slice(0, 60);

```

```

106 }
107
108 export function saveRun(run: BalanceRun) {
109   if (typeof window === "undefined") {
110     return;
111   }
112   try {
113     window.localStorage.setItem(LAST_KEY, JSON.stringify(run));
114     const history = [
115       run,
116       ...readHistory().filter((saved) => saved.at !== run.at),
117     ].slice(0, 60);
118     window.localStorage.setItem(HISTORY_KEY, JSON.stringify(history));
119   } catch {
120     // ignore (quota/blocked)
121   }
122 }
123
124 export function deleteRun(at: number) {
125   if (typeof window === "undefined") {
126     return;
127   }
128   const next = readHistory().filter((x) => x.at !== at);
129   try {
130     window.localStorage.setItem(HISTORY_KEY, JSON.stringify(next));
131   } catch {
132     // ignore
133   }
134 }
135
136 export function clearHistory() {
137   if (typeof window === "undefined") {
138     return;
139   }
140   try {
141     window.localStorage.removeItem(HISTORY_KEY);
142   } catch {
143     // ignore
144   }
145 }

```

433. lib/mind/who-am-i-program.ts

```

1 export type CapacityGroup = "primary" | "secondary";
2
3 export type Capacity = {
4   id: string;
5   group: CapacityGroup;
6   name: string;
7   description: string;
8 };
9
10 export type ProgramResult = {
11   id: string;
12   at: number;
13   pct: Record<"body" | "work" | "bond" | "meaning", number>;
14   notes: Record<"body" | "work" | "bond" | "meaning", string>;
15   answers: Record<string, string>;
16   scores: Record<string, number>;
17   finalNote: string;
18 };
19
20 export const CAPACITIES: Capacity[] = [
21   {
22     id: "love",
23     group: "primary",
24     name: "Хайр · Хүлээн зөвшөөрөл",

```

```

25     description:
26         "Өөрийгөө болон бусдыг байгаагаар нь хүлээн зөвшөөрч, халамжлах",
27     },
28     {
29         id: "model",
30         group: "primary",
31         name: "Үлгэр жишээ авах",
32         description: "Бусдын зан үйл, амьдралаас суралцах, үлгэр авах",
33     },
34     {
35         id: "patience",
36         group: "primary",
37         name: "Тэвчээр",
38         description: "Хүлээцтэй байж, таагүй байдлыг тэсвэрлэх",
39     },
40     {
41         id: "time",
42         group: "primary",
43         name: "Цаг гаргах",
44         description: "Өөртөө болон бусдад цаг гаргаж, цагийн үнэ цэнийг мэдрэх",
45     },
46     {
47         id: "intimacy",
48         group: "primary",
49         name: "Дотносол · Бэлгийн амьдрал",
50         description: "Бие махбод, сэтгэл хөдлөлийн дотнослыг мэдрэх",
51     },
52     {
53         id: "contact",
54         group: "primary",
55         name: "Харилцаа холбоо",
56         description: "Бусадтай дотно, дулаан харилцаа тогтоох",
57     },
58     {
59         id: "faith",
60         group: "primary",
61         name: "Итгэл",
62         description: "Өөртөө, бусдад, амьдралд итгэх суурь итгэл",
63     },
64     {
65         id: "hope",
66         group: "primary",
67         name: "Найдвар",
68         description: "Ирээдүйг өөдрөгөөр харж, боломжийг мэдрэх",
69     },
70     {
71         id: "care",
72         group: "primary",
73         name: "Тэжээл · Халамж хайх",
74         description: "Тусламж, дэмжлэг, хайрыг хүсэж, хүлээн авах",
75     },
76     {
77         id: "trust",
78         group: "primary",
79         name: "Итгэлцэл · Нөхөрлөл",
80         description: "Ижил тэгш, итгэлцсэн харилцаа үүсгэх",
81     },
82     {
83         id: "doubt",
84         group: "primary",
85         name: "Эргэлзээ",
86         description: "Шүүмжлэлтэй хандаж, эргэцүүлэн бодох",
87     },
88     {
89         id: "unity",
90         group: "primary",
91         name: "Нэгдмэл байдал · Бишрэл",
92         description: "Амьдралын утга учир, оюун санааны ертөнцтэй холбогдох",
93     },

```

```

94   {
95     id: "punctuality",
96     group: "secondary",
97     name: "Цаг баримтлах",
98     description: "Амласан цагтаа байж, хуваарь мөрдөх",
99   },
100  {
101    id: "cleanliness",
102    group: "secondary",
103    name: "Цэвэрч байдал",
104    description: "Бие болон орчноо цэвэр цэгцтэй байлгах",
105  },
106  {
107    id: "order",
108    group: "secondary",
109    name: "Цэгцтэй байдал",
110    description: "Ажил, эд зүйлээ системтэй байлгах",
111  },
112  {
113    id: "honesty",
114    group: "secondary",
115    name: "Шударга зан",
116    description: "Үнэнийг шууд, ил тод хэлэх",
117  },
118  {
119    id: "precision",
120    group: "secondary",
121    name: "Нарийвчлал",
122    description: "Ажлыг алдаагүй, гүйцэд хийх",
123  },
124  {
125    id: "politeness",
126    group: "secondary",
127    name: "Эелдэг · Хүндэтгэл",
128    description: "Бусдыг хүндэтгэж, соёлтой харилцах",
129  },
130  {
131    id: "obedience",
132    group: "secondary",
133    name: "Дуулгавартай байдал",
134    description: "Дүрэм журам, зааврыг дагах",
135  },
136  {
137    id: "justice",
138    group: "secondary",
139    name: "Шударга ёс",
140    description: "Тэгш, зөв хуваарилж, шийдэх",
141  },
142  {
143    id: "diligence",
144    group: "secondary",
145    name: "Хичээнгүй · Хөдөлмөрч",
146    description: "Зорилгынхоо төлөө хичээнгүй ажиллах",
147  },
148  {
149    id: "thrift",
150    group: "secondary",
151    name: "Хэмнэлттэй байдал",
152    description: "Мөнгө, цаг, энергиэ гамтай зарцуулах",
153  },
154  {
155    id: "reliability",
156    group: "secondary",
157    name: "Найдвартай байдал",
158    description: "Хэлсэндээ хүрч, хариуцлага хүлээх",
159  },
160  {
161    id: "secrecy",
162    group: "secondary",

```

```

163   name: "Нууц хадгалах",
164   description: "Итгэж хэлсэн зүйлийг өөртөө үлдээх",
165 },
166 ];
167
168 export const DAILY_REFLECTIONS = [
169   "Өнөөдөр би бие махбод, эрүүл мэнддээ юу хийсэн бэ? Хэр сэтгэл хангалуун байв?",
170   "Өнөөдөр ажил, сургууль, гэрийн ямар үүрэг гүйцэтгэв? Ямар мэдрэмж төрөв?",
171   "Өнөөдөр хэнтэй чин сэтгэлээсээ, шүүмжлэлгүй ярилцав? Дараа нь ямар санагдав?",
172   "Өнөөдөр юунаас утга учир, үнэ цэн мэдэрсэн бэ?",
173 ];
174
175 export const HIGH_REFLECTIONS = [
176   "Би яагаад энэ талбарт өндөр хувь өгсөн бэ?",
177   "Энэ талбар миний амьдралд ямар үүрэгтэй вэ?",
178   "Би өөрийгөө энэ талбараар хэмждэг үү?",
179   "Энэ талбар надад юу өгч, юунаас хамгаалдаг вэ?",
180   "Үүнд их цаг, эрч хүч зарцуулснаар юуг орхигдуулсан бэ?",
181 ];
182
183 export const LOW_REFLECTIONS = [
184   "Би яагаад энэ талбарыг орхисон бэ?",
185   "Анхаарахгүй байх нь надад ямар мэдрэмж төрүүлдэг вэ?",
186   "Анхаарахгүй байснаар надад ямар далд ашиг байсан бэ?",
187   "Би юунаас зугтааж энэ талбарыг орхигдуулдаг вэ?",
188 ];
189
190 export const CAPACITY_REFLECTIONS = [
191   "Би яагаад үүнийг бага ашигладаг вэ?",
192   "Энэ чадвартай хүмүүсийг би хэрхэн үнэлдэг вэ?",
193   "Үүнийг ашиглаж сурвал миний амьдралд юу өөрчлөгдөх вэ?",
194 ];

```

434. lib/qpay/client.ts

```

1  import "server-only";
2
3  const DEFAULT_BASE_URL = "https://merchant.qpay.mn";
4  const REQUEST_TIMEOUT_MS = 15_000;
5  const TOKEN_EXPIRY_SKEW_MS = 60_000;
6  const TRAILING_SLASH = /\$/;
7  const TRAILING_V2 = /\v2$/;
8
9  type TokenState = {
10    accessToken: string;
11    expiresAt: number;
12  };
13
14  export type QpayUrl = {
15    name: string;
16    description?: string;
17    logo?: string;
18    link: string;
19  };
20
21  export type QpayInvoice = {
22    invoiceId: string;
23    qrText: string;
24    qrImage: string | null;
25    urls: QpayUrl[];
26  };
27
28  export type QpayPayment = {
29    paymentId: string;
30    status: string;
31    amount: number;
32    raw: unknown;

```

```

33 };
34
35 export class QpayError extends Error {
36   readonly status?: number;
37   readonly details?: unknown;
38
39   constructor(message: string, status?: number, details?: unknown) {
40     super(message);
41     this.name = "QpayError";
42     this.status = status;
43     this.details = details;
44   }
45 }
46
47 let tokenState: TokenState | null = null;
48 let tokenRequest: Promise<TokenState> | null = null;
49
50 function config() {
51   const clientId = process.env.QPAY_CLIENT_ID;
52   const clientSecret = process.env.QPAY_CLIENT_SECRET;
53   const invoiceCode = process.env.QPAY_INVOICE_CODE;
54
55   if (!(clientId && clientSecret && invoiceCode)) {
56     throw new QpayError(
57       "QPay is not configured. QPAY_CLIENT_ID, QPAY_CLIENT_SECRET and QPAY_INVOICE_CODE are required."
58     );
59   }
60
61   // Accept the old `/v2` form too, but keep endpoint versioning in one place.
62   const baseUrl = (process.env.QPAY_BASE_URL ?? DEFAULT_BASE_URL)
63     .replace(TRAILING_SLASH, "")
64     .replace(TRAILING_V2, "");
65
66   return { baseUrl, clientId, clientSecret, invoiceCode };
67 }
68
69 export function isQpayConfigured(): boolean {
70   return Boolean(
71     process.env.QPAY_CLIENT_ID &&
72     process.env.QPAY_CLIENT_SECRET &&
73     process.env.QPAY_INVOICE_CODE
74   );
75 }
76
77 async function responseBody(response: Response): Promise<unknown> {
78   const text = await response.text();
79   if (!text) return null;
80   try {
81     return JSON.parse(text);
82   } catch {
83     return text;
84   }
85 }
86
87 function errorMessage(body: unknown, fallback: string): string {
88   if (body && typeof body === "object" && "message" in body) {
89     const message = (body as { message?: unknown }).message;
90     if (typeof message === "string" && message) return message;
91   }
92   return fallback;
93 }
94
95 async function requestToken(): Promise<TokenState> {
96   const { baseUrl, clientId, clientSecret } = config();
97   const basic = Buffer.from(`${clientId}:${clientSecret}`, "utf8").toString(
98     "base64"
99   );
100   const response = await fetch(`${baseUrl}/v2/auth/token`, {
101     method: "POST",

```



```

102   headers: { Authorization: `Basic ${basic}` },
103   cache: "no-store",
104   signal: AbortSignal.timeout(REQUEST_TIMEOUT_MS),
105 });
106 const body = await responseBody(response);
107
108 if (!response.ok) {
109   throw new QpayError(
110     errorMessage(body, "QPay authentication failed"),
111     response.status,
112     body
113   );
114 }
115
116 const value = body && typeof body === "object" ? body : {};
117 const token = (value as { access_token?: unknown }).access_token;
118 const expiresIn = Number((value as { expires_in?: unknown }).expires_in);
119 if (typeof token !== "string" || !token) {
120   throw new QpayError(
121     "QPay authentication returned no access token",
122     response.status,
123     body
124   );
125 }
126
127 // QPay may return either an epoch timestamp or a duration in seconds.
128 const now = Date.now();
129 const expiresAt = Number.isFinite(expiresIn)
130   ? expiresIn > now / 1000 + 86_400
131   ? expiresIn * 1000
132   : now + expiresIn * 1000
133   : now + 10 * 60 * 1000;
134
135 return { accessToken: token, expiresAt };
136 }
137
138 async function accessToken(forceRefresh = false): Promise<string> {
139   if (
140     !forceRefresh &&
141     tokenState &&
142     tokenState.expiresAt - TOKEN_EXPIRY_SKEW_MS > Date.now()
143   ) {
144     return tokenState.accessToken;
145   }
146
147   if (!tokenRequest) {
148     tokenRequest = requestToken()
149       .then((next) => {
150         tokenState = next;
151         return next;
152       })
153       .finally(() => {
154         tokenRequest = null;
155       });
156   }
157   return (await tokenRequest).accessToken;
158 }
159
160 async function qpayRequest(
161   path: string,
162   init: RequestInit,
163   retry = true
164 ): Promise<unknown> {
165   const { baseUrl } = config();
166   const token = await accessToken();
167   const response = await fetch(`${baseUrl}${path}`, {
168     ...init,
169     headers: {
170       "Content-Type": "application/json",

```

```

171     ...init.headers,
172     Authorization: `Bearer ${token}`,
173   },
174   cache: "no-store",
175   signal: AbortSignal.timeout(REQUEST_TIMEOUT_MS),
176 });
177
178 if (response.status === 401 && retry) {
179   tokenState = null;
180   await accessToken(true);
181   return qpayRequest(path, init, false);
182 }
183
184 const body = await responseBody(response);
185 if (!response.ok) {
186   throw new QpayError(
187     errorMessage(body, `QPay request failed (${response.status})`),
188     response.status,
189     body
190   );
191 }
192 return body;
193 }
194
195 export async function createInvoice(params: {
196   senderInvoiceNo: string;
197   amount: number;
198   description: string;
199   receiverCode: string;
200   receiverName?: string | null;
201   receiverEmail?: string | null;
202   callbackUrl: string;
203 }): Promise<QpayInvoice> {
204   const { invoiceCode } = config();
205   const lineTaxCode = process.env.QPAY_LINE_TAX_CODE ?? "83051";
206   const body = await qpayRequest("/v2/invoice", {
207     method: "POST",
208     body: JSON.stringify({
209       invoice_code: invoiceCode,
210       sender_invoice_no: params.senderInvoiceNo,
211       sender_branch_code: "ONLINE",
212       sender_branch_data: {},
213       sender_staff_code: "ONLINE",
214       sender_staff_data: {},
215       sender_terminal_code: "WEB",
216       sender_terminal_data: {},
217       invoice_receiver_code: params.receiverCode,
218       invoice_receiver_data: {
219         name: params.receiverName ?? "",
220         email: params.receiverEmail ?? "",
221       },
222       invoice_description: params.description,
223       enable_expiry: true,
224       allow_partial: false,
225       minimum_amount: params.amount,
226       allow_exceed: false,
227       maximum_amount: params.amount,
228       amount: params.amount,
229       callback_url: params.callbackUrl,
230       allow_subscribe: false,
231       subscription_interval: "",
232       subscription_webhook: "",
233       note: params.description,
234       calculate_vat: false,
235       tax_customer_code: "",
236       line_tax_code: lineTaxCode,
237       district_code: "",
238       tax_type: "",
239       lines: [

```

```

240     {
241       tax_product_code: lineTaxCode,
242       line_description: "Oyunsanaa Chat monthly subscription",
243       line_quantity: "1",
244       line_unit_price: String(params.amount),
245       note: params.description,
246       discounts: [],
247       surcharges: [],
248       taxes: [],
249     },
250   ],
251   transactions: [],
252   lottery: [],
253 },
254 });
255
256 if (!body || typeof body !== "object") {
257   throw new QpayError(
258     "QPay returned an invalid invoice response",
259     undefined,
260     body
261   );
262 }
263 const value = body as Record<string, unknown>;
264 if (
265   typeof value.invoice_id !== "string" ||
266   typeof value.qr_text !== "string"
267 ) {
268   throw new QpayError(
269     "QPay invoice response is missing invoice_id or qr_text",
270     undefined,
271     body
272   );
273 }
274
275 const urls = Array.isArray(value.urls)
276   ? value.urls.filter(
277     (url): url is QpayUrl =>
278       Boolean(url) &&
279       typeof url === "object" &&
280       typeof (url as QpayUrl).name === "string" &&
281       typeof (url as QpayUrl).link === "string"
282     )
283   : [];
284
285 return {
286   invoiceId: value.invoice_id,
287   qrText: value.qr_text,
288   qrImage: typeof value.qr_image === "string" ? value.qr_image : null,
289   urls,
290 };
291 }
292
293 export async function checkPayment(qpayInvoiceId: string): Promise<{
294   paid: boolean;
295   paidAmount: number;
296   payments: QpayPayment[];
297   raw: unknown;
298 }> {
299   const body = await qpayRequest("/v2/payment/check", {
300     method: "POST",
301     body: JSON.stringify({
302       object_type: "INVOICE",
303       object_id: qpayInvoiceId,
304       offset: { page_number: 1, page_limit: 100 },
305     }),
306   });
307
308   const rows =

```

```

309   body &&
310   typeof body === "object" &&
311   Array.isArray((body as { rows?: unknown }).rows)
312   ? (body as { rows: unknown[] }).rows
313   : [];
314   const payments = rows.flatMap((row) => {
315     if (!row || typeof row !== "object") return [];
316     const value = row as Record<string, unknown>;
317     if (
318       typeof value.payment_id !== "string" ||
319       typeof value.payment_status !== "string"
320     ) {
321       return [];
322     }
323     const amount = Number(value.payment_amount);
324     return [
325       {
326         paymentId: value.payment_id,
327         status: value.payment_status,
328         amount: Number.isFinite(amount) ? amount : 0,
329         raw: row,
330       },
331     ];
332   });
333   const paidRows = payments.filter((payment) => payment.status === "PAID");
334   const paidAmount = paidRows.reduce((sum, payment) => sum + payment.amount, 0);
335
336   return { paid: paidRows.length > 0, paidAmount, payments, raw: body };
337 }
338
339 export async function cancelInvoice(qpayInvoiceId: string): Promise<void> {
340   await qpayRequest(`/v2/invoice/${encodeURIComponent(qpayInvoiceId)}`, {
341     method: "DELETE",
342   });
343 }

```

435. lib/subscription/access.ts

```

1  import { PERIOD_DAYS, type SubscriptionStatus, TRIAL_DAYS } from "../config";
2
3  const DAY_MS = 24 * 60 * 60 * 1000;
4
5  /** The subscription-relevant fields of a User row. */
6  export type SubscriptionRow = {
7    trialStartedAt: Date | string | null;
8    subscriptionStatus: SubscriptionStatus | null;
9    currentPeriodEnd: Date | string | null;
10 };
11
12 export type SubscriptionState = {
13   /** Resolved status, recomputed from dates (ignores the cached column). */
14   status: SubscriptionStatus;
15   /** When the free trial ends. */
16   trialEndsAt: Date;
17   /** End of the currently paid period, if any. */
18   currentPeriodEnd: Date | null;
19   /** Whether the user may currently use the chat. */
20   hasAccess: boolean;
21   /** True while still inside the free trial window. */
22   inTrial: boolean;
23   /** Whole days of access remaining (trial or paid), floored at 0. */
24   daysLeft: number;
25 };
26
27 function toDate(value: Date | string | null): Date | null {
28   if (!value) return null;
29   return value instanceof Date ? value : new Date(value);

```

```

30 }
31
32 /**
33  * Single source of truth for "can this user use the chat right now?".
34  *
35  * Access = inside the free trial OR inside a paid period. Everything else
36  * (status label, days left) is derived so the UI and the API gate agree.
37  */
38 export function resolveSubscription(
39   row: SubscriptionRow,
40   now: Date = new Date()
41 ): SubscriptionState {
42   const trialStart = toDate(row.trialStartedAt) ?? now;
43   const trialEndsAt = new Date(trialStart.getTime() + TRIAL_DAYS * DAY_MS);
44   const currentPeriodEnd = toDate(row.currentPeriodEnd);
45
46   const inTrial = now < trialEndsAt;
47   const isPaid = currentPeriodEnd !== null && now < currentPeriodEnd;
48   const hasAccess = inTrial || isPaid;
49
50   let status: SubscriptionStatus;
51   if (isPaid) {
52     status = "active";
53   } else if (inTrial) {
54     status = "trialing";
55   } else {
56     status = "expired";
57   }
58
59   // Days remaining on whichever window is active.
60   const activeEnd = isPaid ? (currentPeriodEnd as Date) : trialEndsAt;
61   const daysLeft = hasAccess
62     ? Math.max(0, Math.ceil((activeEnd.getTime() - now.getTime()) / DAY_MS))
63     : 0;
64
65   return { status, trialEndsAt, currentPeriodEnd, hasAccess, inTrial, daysLeft };
66 }
67
68 /**
69  * Compute the new `currentPeriodEnd` after a successful payment: extend from
70  * the later of "now" or the existing period end, so paying early stacks time.
71  */
72 export function extendPeriodEnd(
73   existing: Date | string | null,
74   now: Date = new Date()
75 ): Date {
76   const current = toDate(existing);
77   const base = current && current > now ? current : now;
78   return new Date(base.getTime() + PERIOD_DAYS * DAY_MS);
79 }

```

436. lib/subscription/config.ts

```

1 /**
2  * Subscription / free-trial configuration.
3  *
4  * Plan: 1-day free trial, then a paid access extension to keep using the AI chat.
5  * QPay charges in MNT, so the price is configured in MNT (overridable via env).
6  */
7
8 /** Length of the free trial, in days. */
9 export const TRIAL_DAYS = 1;
10
11 /** Length of one paid subscription period, in days. */
12 export const PERIOD_DAYS = 30;
13
14 /** Disabled for the temporary QPay test price below. */

```

```

15 export const PRICE_USD = 0;
16
17 /**
18  * Actual amount charged through QPay, in MNT.
19  * Temporary QPay test price. Restore the production price after testing.
20  */
21 export const PRICE_MNT = 10;
22
23 export const CURRENCY = "MNT";
24
25 export type SubscriptionStatus = "trialing" | "active" | "expired";

```

437. lib/subscription/confirm.ts

```

1 import "server-only";
2
3 import {
4   getPaymentBySenderInvoiceNo,
5   logPaymentTransaction,
6   markPaymentPaidAndExtend,
7   type PaymentLogSource,
8 } from "@lib/db/queries";
9 import { logger } from "@lib/logger";
10 import { checkPayment } from "@lib/qpay/client";
11
12 export type ConfirmResult = {
13   paid: boolean;
14   currentPeriodEnd: string | null;
15   reason?: "not_found" | "no_invoice_id" | "not_paid" | "wrong_user";
16 };
17
18 /**
19  * Verify a pending payment against QPay and, if paid, extend the user's
20  * subscription. Shared by the polling endpoint and the QPay callback so both
21  * paths are idempotent and behave identically.
22  *
23  * `source` records which entry point triggered the check in the payment
24  * audit trail (PaymentTransactionLog).
25  */
26 export async function confirmPaymentBySenderInvoiceNo(
27   senderInvoiceNo: string,
28   source: PaymentLogSource = "verify",
29   expectedUserId?: string
30 ): Promise<ConfirmResult> {
31   const payment = await getPaymentBySenderInvoiceNo(senderInvoiceNo);
32   if (!payment) {
33     await logPaymentTransaction({
34       event: "error",
35       source,
36       senderInvoiceNo,
37       message: "payment row not found",
38     });
39     return { paid: false, currentPeriodEnd: null, reason: "not_found" };
40   }
41
42   if (expectedUserId && payment.userId !== expectedUserId) {
43     await logPaymentTransaction({
44       event: "error",
45       source,
46       userId: expectedUserId,
47       senderInvoiceNo,
48       message: "payment does not belong to authenticated user",
49     });
50     return { paid: false, currentPeriodEnd: null, reason: "wrong_user" };
51   }
52
53   // Already settled – return the cached state without calling QPay again.

```

```

54   if (payment.status === "paid") {
55     const end = await markPaymentPaidAndExtend(senderInvoiceNo);
56     return { paid: true, currentPeriodEnd: end?.toISOString() ?? null };
57   }
58
59   if (!payment.qpayInvoiceId) {
60     await logPaymentTransaction({
61       event: "error",
62       source,
63       userId: payment.userId,
64       senderInvoiceNo,
65       message: "payment row has no qpayInvoiceId",
66     });
67     return { paid: false, currentPeriodEnd: null, reason: "no_invoice_id" };
68   }
69
70   const check = await checkPayment(payment.qpayInvoiceId);
71   await logPaymentTransaction({
72     event: "qpay_check",
73     source,
74     userId: payment.userId,
75     senderInvoiceNo,
76     qpayInvoiceId: payment.qpayInvoiceId,
77     amount: payment.amount,
78     currency: payment.currency,
79     message:
80       check.paid && check.paidAmount >= payment.amount
81       ? "paid_in_full"
82       : `not_paid_in_full (${check.paidAmount}/${payment.amount})`,
83     raw: check.raw,
84   });
85
86   // Provider status alone is insufficient: grant access only once the full
87   // amount stored on our invoice has been paid.
88   if (!check.paid || check.paidAmount < payment.amount) {
89     return { paid: false, currentPeriodEnd: null, reason: "not_paid" };
90   }
91
92   const end = await markPaymentPaidAndExtend(senderInvoiceNo);
93   await logPaymentTransaction({
94     event: "payment_confirmed",
95     source,
96     userId: payment.userId,
97     senderInvoiceNo,
98     qpayInvoiceId: payment.qpayInvoiceId,
99     amount: payment.amount,
100    currency: payment.currency,
101    message: `subscription extended to ${end?.toISOString() ?? "null"}`,
102  });
103  logger.info("payment_confirmed", {
104    senderInvoiceNo,
105    userId: payment.userId,
106    amount: payment.amount,
107    currency: payment.currency,
108    source,
109    currentPeriodEnd: end?.toISOString() ?? null,
110  });
111
112  return { paid: true, currentPeriodEnd: end?.toISOString() ?? null };
113 }

```

438. lib/supabaseAdmin.ts

```

1  /**
2   * Replaced Supabase admin client with local PostgreSQL wrapper.
3   * Existing imports of supabaseAdmin / getSupabaseAdmin continue to work.
4   */

```

```

5 import { getPgAdmin } from "@lib/db/pgClient";
6
7 export const supabaseAdmin = getPgAdmin;
8 export const getSupabaseAdmin = getPgAdmin;

```

439. lib/types.ts

```

1 import type { InferUITool, UIMessage } from "ai";
2 import { z } from "zod";
3 import type { ArtifactKind } from "@components/artifact";
4 import type { createDocument } from "../ai/tools/create-document";
5 import type { getWeather } from "../ai/tools/get-weather";
6 import type { requestSuggestions } from "../ai/tools/request-suggestions";
7 import type { updateDocument } from "../ai/tools/update-document";
8 import type { Suggestion } from "../db/schema";
9
10 export type DataPart = { type: "append-message"; message: string };
11
12 export const messageMetadataSchema = z.object({
13   createdAt: z.string(),
14 });
15
16 export type MessageMetadata = z.infer<typeof messageMetadataSchema>;
17
18 type weatherTool = InferUITool<typeof getWeather>;
19 type createDocumentTool = InferUITool<ReturnType<typeof createDocument>>>;
20 type updateDocumentTool = InferUITool<ReturnType<typeof updateDocument>>>;
21 type requestSuggestionsTool = InferUITool<
22   ReturnType<typeof requestSuggestions>
23 >;
24
25 export type ChatTools = {
26   getWeather: weatherTool;
27   createDocument: createDocumentTool;
28   updateDocument: updateDocumentTool;
29   requestSuggestions: requestSuggestionsTool;
30 };
31
32 export type CustomUIDataTypes = {
33   textDelta: string;
34   imageDelta: string;
35   sheetDelta: string;
36   codeDelta: string;
37   suggestion: Suggestion;
38   appendMessage: string;
39   id: string;
40   title: string;
41   kind: ArtifactKind;
42   clear: null;
43   finish: null;
44   "chat-title": string;
45 };
46
47 export type ChatMessage = UIMessage<
48   MessageMetadata,
49   CustomUIDataTypes,
50   ChatTools
51 >;
52
53 export type Attachment = {
54   name: string;
55   url: string;
56   contentType: string;
57 };

```


440. lib/uploads/normalize-image.ts

```
1 import { Buffer } from "node:buffer";
2 import sharp from "sharp";
3
4 const MAX_INPUT_BYTES = 15 * 1024 * 1024;
5 const MAX_OUTPUT_BYTES = 5 * 1024 * 1024;
6
7 const SUPPORTED_IMAGE_TYPES = new Set([
8   "image/avif",
9   "image/heic",
10  "image/heif",
11  "image/jpeg",
12  "image/png",
13  "image/webp",
14 ]);
15
16 /**
17  * Convert phone formats such as HEIC/HEIF to an OpenAI/storage-safe JPEG and
18  * normalize large phone photos to the upload size limit.
19  */
20 export async function normalizeUploadedImage(file: Blob): Promise<Blob> {
21   const mime = file.type.toLowerCase();
22   if (!SUPPORTED_IMAGE_TYPES.has(mime)) {
23     throw new Error("Only image files are supported");
24   }
25   if (file.size > MAX_INPUT_BYTES) {
26     throw new Error("Image is too large (max 15MB)");
27   }
28
29   const needsConversion =
30     mime === "image/avif" ||
31     mime === "image/heic" ||
32     mime === "image/heif" ||
33     file.size > MAX_OUTPUT_BYTES;
34
35   if (!needsConversion) return file;
36
37   const converted = await sharp(Buffer.from(await file.arrayBuffer()))
38     .rotate()
39     .resize({
40       height: 4096,
41       width: 4096,
42       fit: "inside",
43       withoutEnlargement: true,
44     })
45     .jpeg({ quality: 85, mozjpeg: true })
46     .toBuffer();
47
48   if (converted.byteLength > MAX_OUTPUT_BYTES) {
49     throw new Error("Image is too large after compression");
50   }
51
52   const output = new ArrayBuffer(converted.byteLength);
53   new Uint8Array(output).set(converted);
54   return new Blob([output], { type: "image/jpeg" });
55 }
```

441. lib/utls.ts

```
1 import type {
2   AssistantModelMessage,
3   ToolModelMessage,
4   UIMessage,
5   UIMessagePart,
6 } from 'ai';
```

```

7 import { type ClassValue, clsx } from 'clsx';
8 import { formatISO } from 'date-fns';
9 import { twMerge } from 'tailwind-merge';
10 import type { DBMessage, Document } from '@lib/db/schema';
11 import { ChatSDKError, type ErrorCode } from './errors';
12 import type { ChatMessage, ChatTools, CustomUIDataTypes } from './types';
13
14 export function cn(...inputs: ClassValue[]) {
15   return twMerge(clsx(inputs));
16 }
17
18 export const fetcher = async (url: string) => {
19   const response = await fetch(url);
20
21   if (!response.ok) {
22     const { code, cause } = await response.json();
23     throw new ChatSDKError(code as ErrorCode, cause);
24   }
25
26   return response.json();
27 };
28
29 export async function fetchWithErrorHandlers(
30   input: RequestInfo | URL,
31   init?: RequestInit,
32 ) {
33   try {
34     const response = await fetch(input, init);
35
36     if (!response.ok) {
37       const { code, cause } = await response.json();
38       throw new ChatSDKError(code as ErrorCode, cause);
39     }
40
41     return response;
42   } catch (error: unknown) {
43     if (typeof navigator !== 'undefined' && !navigator.onLine) {
44       throw new ChatSDKError('offline:chat');
45     }
46
47     throw error;
48   }
49 }
50
51 export function getLocalStorage(key: string) {
52   if (typeof window !== 'undefined') {
53     return JSON.parse(localStorage.getItem(key) || '[]');
54   }
55   return [];
56 }
57
58 export function generateUUID(): string {
59   return 'xxxxxxxx-xxxx-4xxx-yxxx-xxxxxxxxxxxx'.replace(/[xy]/g, (c) => {
60     const r = (Math.random() * 16) | 0;
61     const v = c === 'x' ? r : (r & 0x3) | 0x8;
62     return v.toString(16);
63   });
64 }
65
66 type ResponseMessageWithoutId = ToolModelMessage | AssistantModelMessage;
67 type ResponseMessage = ResponseMessageWithoutId & { id: string };
68
69 export function getMostRecentUserMessage(messages: UIMessage[]) {
70   const userMessages = messages.filter((message) => message.role === 'user');
71   return userMessages.at(-1);
72 }
73
74 export function getDocumentTimestampByIndex(
75   documents: Document[],

```

```

76   index: number,
77 ) {
78   if (!documents) { return new Date(); }
79   if (index > documents.length) { return new Date(); }
80
81   return documents[index].createdAt;
82 }
83
84 export function getTrailingMessageId({
85   messages,
86 }): {
87   messages: ResponseMessage[];
88 }): string | null {
89   const trailingMessage = messages.at(-1);
90
91   if (!trailingMessage) { return null; }
92
93   return trailingMessage.id;
94 }
95
96 export function sanitizeText(text: string) {
97   return text.replace('<has_function_call>', '');
98 }
99
100 export function convertToUIMessages(messages: DBMessage[]): ChatMessage[] {
101   return messages.map((message) => ({
102     id: message.id,
103     role: message.role as 'user' | 'assistant' | 'system',
104     parts: message.parts as UIMessagePart<CustomUIDataTypes, ChatTools>[],
105     metadata: {
106       createdAt: formatISO(message.createdAt),
107     },
108   }));
109 }
110
111 export function getTextFromMessage(message: ChatMessage | UIMessage): string {
112   return message.parts
113     .filter((part) => part.type === 'text')
114     .map((part) => (part as { type: 'text'; text: string }).text)
115     .join('');
116 }

```

442. LICENSE

```

1  Copyright 2024 Vercel, Inc.
2
3  Licensed under the Apache License, Version 2.0 (the "License");
4  you may not use this file except in compliance with the License.
5  You may obtain a copy of the License at
6
7      http://www.apache.org/licenses/LICENSE-2.0
8
9  Unless required by applicable law or agreed to in writing, software
10 distributed under the License is distributed on an "AS IS" BASIS,
11 WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
12 See the License for the specific language governing permissions and
13 limitations under the License.

```

443. manifest.webmanifest

```

1  {
2    "name": "Oyunsanaa Chat",
3    "short_name": "Oyunsanaa",
4    "start_url": "/",
5    "display": "standalone",

```

```

6   "background_color": "#ffffff",
7   "theme_color": "#1F6FB2",
8   "icons": [
9     { "src": "/icon-192.png", "sizes": "192x192", "type": "image/png" },
10    { "src": "/icon-512.png", "sizes": "512x512", "type": "image/png" }
11  ]
12 }

```

444. next.config.ts

```

1  import type { NextConfig } from "next";
2
3  const nextConfig: NextConfig = {
4    transpilePackages: ["katex"],
5    images: {
6      remotePatterns: [
7        {
8          protocol: "https",
9          hostname: "ui-avatars.com",
10         pathname: "/*",
11       },
12     ],
13   },
14   // ADD THIS BLOCK TO KILL THE INFINITE TYPE LOOP:
15   typescript: {
16     // This stops Next.js from automatically generating route types during builds
17     tsconfigPath: "tsconfig.json",
18   },
19   // Next 16: experimental.typedRoutes → top-level typedRoutes болж нүүсэн
20   typedRoutes: false,
21   // Built-in gzip нь бүх stream-ийг буфферлаад нэг дор явуулдаг тул
22   // chat-ийн SSE хариу "гэнэт бүхэлдээ" гарч ирдэг байсан. Compress-ийг
23   // унтраавал stream chunk бүр шууд клиент рүү явна (typewriter effect).
24   compress: false,
25 };
26
27 export default nextConfig;

```

445. package.json

```

1  {
2    "name": "ai-chatbot",
3    "version": "3.1.0",
4    "private": true,
5    "scripts": {
6      "dev": "next dev",
7      "dev:turbo": "next dev --turbo",
8      "build": "tsx lib/db/migrate && NODE_OPTIONS='--max-old-space-size=4096' next build",
9      "start": "next start",
10     "lint": "npx ultracite@latest check",
11     "format": "npx ultracite@latest fix",
12     "db:generate": "drizzle-kit generate",
13     "db:migrate": "npx tsx lib/db/migrate.ts",
14     "db:studio": "drizzle-kit studio",
15     "db:push": "drizzle-kit push",
16     "db:pull": "drizzle-kit pull",
17     "db:check": "drizzle-kit check",
18     "db:up": "drizzle-kit up",
19     "test": "export PLAYWRIGHT=True && npm exec playwright test"
20   },
21   "dependencies": {
22     "@ai-sdk/anthropic": "^3.0.12",
23     "@ai-sdk/openai": "^3.0.9",
24     "@ai-sdk/provider": "^3.0.10",
25     "@ai-sdk/react": "^3.0.207",

```

```
26 "@codemirror/lang-javascript": "^6.2.2",
27 "@codemirror/lang-python": "^6.1.6",
28 "@codemirror/state": "^6.5.0",
29 "@codemirror/theme-one-dark": "^6.1.2",
30 "@codemirror/view": "^6.35.3",
31 "@icons-pack/react-simple-icons": "^13.7.0",
32 "@opentelemetry/api": "^1.9.0",
33 "@opentelemetry/api-logs": "^0.46.0",
34 "@radix-ui/react-collapsible": "^1.1.12",
35 "@radix-ui/react-dialog": "^1.1.15",
36 "@radix-ui/react-dropdown-menu": "^2.1.16",
37 "@radix-ui/react-hover-card": "^1.1.15",
38 "@radix-ui/react-icons": "^1.3.0",
39 "@radix-ui/react-progress": "^1.1.8",
40 "@radix-ui/react-scroll-area": "^1.2.10",
41 "@radix-ui/react-select": "^2.2.6",
42 "@radix-ui/react-separator": "^1.1.8",
43 "@radix-ui/react-slot": "^1.2.4",
44 "@radix-ui/react-tooltip": "^1.2.8",
45 "@radix-ui/react-use-controllable-state": "^1.2.2",
46 "@radix-ui/react-visually-hidden": "^1.1.0",
47 "@xyflow/react": "^12.10.0",
48 "ai": "^6.0.205",
49 "bcrypt-ts": "^5.0.2",
50 "class-variance-authority": "^0.7.1",
51 "classnames": "^2.5.1",
52 "clsx": "^2.1.1",
53 "cmdk": "^1.1.1",
54 "codemirror": "^6.0.1",
55 "date-fns": "^4.1.0",
56 "diff-match-patch": "^1.0.5",
57 "dotenv": "^16.4.5",
58 "drizzle-orm": "^0.34.0",
59 "embla-carousel-react": "^8.6.0",
60 "fast-deep-equal": "^3.1.3",
61 "framer-motion": "^11.3.19",
62 "geist": "^1.3.1",
63 "katex": "^0.16.25",
64 "lucide-react": "^0.446.0",
65 "motion": "^12.23.26",
66 "nanoid": "^5.1.3",
67 "next": "16.0.10",
68 "next-auth": "5.0.0-beta.25",
69 "next-themes": "^0.3.0",
70 "orderedmap": "^2.1.1",
71 "papaparse": "^5.5.2",
72 "postgres": "^3.4.4",
73 "prosemirror-example-setup": "^1.2.3",
74 "prosemirror-inputrules": "^1.4.0",
75 "prosemirror-markdown": "^1.13.1",
76 "prosemirror-model": "^1.23.0",
77 "prosemirror-schema-basic": "^1.2.3",
78 "prosemirror-schema-list": "^1.4.1",
79 "prosemirror-state": "^1.4.3",
80 "prosemirror-view": "^1.34.3",
81 "radix-ui": "^1.4.3",
82 "react": "19.0.1",
83 "react-data-grid": "7.0.0-beta.47",
84 "react-dom": "19.0.1",
85 "sharp": "^0.34.5",
86 "react-is": "^19.2.7",
87 "react-resizable-panels": "^2.1.7",
88 "react-syntax-highlighter": "^15.6.6",
89 "recharts": "^3.9.2",
90 "redis": "^5.0.0",
91 "resend": "^4.0.0",
92 "server-only": "^0.0.1",
93 "shiki": "^3.14.0",
94 "sonner": "^1.5.0",
```

```

95   "streamdown": "^1.4.0",
96   "swr": "^2.2.5",
97   "tailwind-merge": "^2.5.2",
98   "tailwindcss-animate": "^1.0.7",
99   "use-stick-to-bottom": "^1.1.1",
100  "usehooks-ts": "^3.1.0",
101  "zod": "^3.25.76"
102 },
103 "devDependencies": {
104   "@biomejs/biome": "2.2.2",
105   "@playwright/test": "^1.50.1",
106   "@tailwindcss/postcss": "^4.1.13",
107   "@tailwindcss/typography": "^0.5.15",
108   "@types/d3-scale": "^4.0.8",
109   "@types/node": "^22.8.6",
110   "@types/papaparse": "^5.3.15",
111   "@types/pdf-parse": "^1.1.4",
112   "@types/react": "^19.2.17",
113   "@types/react-dom": "^19.2.3",
114   "@types/react-syntax-highlighter": "^15.5.13",
115   "baseline-browser-mapping": "^2.10.35",
116   "drizzle-kit": "^0.25.0",
117   "postcss": "^8",
118   "tailwindcss": "^4.1.13",
119   "tsx": "^4.19.1",
120   "typescript": "^5.6.3",
121   "ultracite": "5.3.9"
122 }
123 }

```

446. playwright.config.ts

```

1  import { defineConfig, devices } from "@playwright/test";
2
3  /**
4   * Read environment variables from file.
5   * https://github.com/motdotla/dotenv
6   */
7  import { config } from "dotenv";
8
9  config({
10   path: ".env.local",
11 });
12
13 /* Use process.env.PORT by default and fallback to port 3000 */
14 const PORT = process.env.PORT || 3000;
15
16 /**
17  * Set webServer.url and use.baseURL with the location
18  * of the WebServer respecting the correct set port
19  */
20 const baseURL = `http://localhost:${PORT}`;
21
22 /**
23  * See https://playwright.dev/docs/test-configuration.
24  */
25 export default defineConfig({
26   testDir: "./tests",
27   /* Run tests in files in parallel */
28   fullyParallel: true,
29   /* Fail the build on CI if you accidentally left test.only in the source code. */
30   forbidOnly: !!process.env.CI,
31   /* Retry on CI only */
32   retries: 0,
33   /* Limit workers to prevent browser crashes */
34   workers: process.env.CI ? 2 : 2,
35   /* Reporter to use. See https://playwright.dev/docs/test-reporters */

```

```

36 reporter: "html",
37 /* Shared settings for all the projects below. See https://playwright.dev/docs/api/class-testoptions. */
38 use: {
39   /* Base URL to use in actions like `await page.goto('/')`. */
40   baseURL,
41
42   /* Collect trace when retrying the failed test. See https://playwright.dev/docs/trace-viewer */
43   trace: "retain-on-failure",
44 },
45
46 /* Configure global timeout for each test */
47 timeout: 240 * 1000, // 120 seconds
48 expect: {
49   timeout: 240 * 1000,
50 },
51
52 /* Configure projects */
53 projects: [
54   {
55     name: "e2e",
56     testMatch: /e2e\/.*.test.ts/,
57     use: {
58       ...devices["Desktop Chrome"],
59     },
60   },
61
62   // {
63   //   name: 'firefox',
64   //   use: { ...devices['Desktop Firefox'] },
65   // },
66
67   // {
68   //   name: 'webkit',
69   //   use: { ...devices['Desktop Safari'] },
70   // },
71
72   /* Test against mobile viewports. */
73   // {
74   //   name: 'Mobile Chrome',
75   //   use: { ...devices['Pixel 5'] },
76   // },
77   // {
78   //   name: 'Mobile Safari',
79   //   use: { ...devices['iPhone 12'] },
80   // },
81
82   /* Test against branded browsers. */
83   // {
84   //   name: 'Microsoft Edge',
85   //   use: { ...devices['Desktop Edge'], channel: 'msedge' },
86   // },
87   // {
88   //   name: 'Google Chrome',
89   //   use: { ...devices['Desktop Chrome'], channel: 'chrome' },
90   // },
91 ],
92
93 /* Run your local dev server before starting the tests */
94 webServer: {
95   command: "pnpm dev",
96   url: `${baseURL}/ping`,
97   timeout: 120 * 1000,
98   reuseExistingServer: !process.env.CI,
99 },
100 });

```

447. pnpm-lock.yaml

```

1  lockfileVersion: '9.0'
2
3  settings:
4    autoInstallPeers: true
5    excludeLinksFromLockfile: false
6
7  importers:
8
9    .:
10     dependencies:
11       '@ai-sdk/anthropic':
12         specifier: ^3.0.12
13         version: 3.0.84(zod@3.25.76)
14       '@ai-sdk/openai':
15         specifier: ^3.0.9
16         version: 3.0.71(zod@3.25.76)
17       '@ai-sdk/provider':
18         specifier: ^3.0.10
19         version: 3.0.10
20       '@ai-sdk/react':
21         specifier: ^3.0.207
22         version: 3.0.207(react@19.0.1) (zod@3.25.76)
23       '@codemirror/lang-javascript':
24         specifier: ^6.2.2
25         version: 6.2.5
26       '@codemirror/lang-python':
27         specifier: ^6.1.6
28         version: 6.2.1
29       '@codemirror/state':
30         specifier: ^6.5.0
31         version: 6.6.0
32       '@codemirror/theme-one-dark':
33         specifier: ^6.1.2
34         version: 6.1.3
35       '@codemirror/view':
36         specifier: ^6.35.3
37         version: 6.43.1
38       '@icons-pack/react-simple-icons':
39         specifier: ^13.7.0
40         version: 13.13.0(react@19.0.1)
41       '@opentelemetry/api':
42         specifier: ^1.9.0
43         version: 1.9.1
44       '@opentelemetry/api-logs':
45         specifier: ^0.46.0
46         version: 0.46.0
47       '@radix-ui/react-collapsible':
48         specifier: ^1.1.12
49         version: 1.1.13(@types/react-dom@18.3.7 (@types/react@18.3.31)) (@types/react@18.3.31) (react-dom@19.0.1 (react@19.0.1)) (react@19.0.1)
50       '@radix-ui/react-dialog':
51         specifier: ^1.1.15
52         version: 1.1.16(@types/react-dom@18.3.7 (@types/react@18.3.31)) (@types/react@18.3.31) (react-dom@19.0.1 (react@19.0.1)) (react@19.0.1)
53       '@radix-ui/react-dropdown-menu':
54         specifier: ^2.1.16
55         version: 2.1.17(@types/react-dom@18.3.7 (@types/react@18.3.31)) (@types/react@18.3.31) (react-dom@19.0.1 (react@19.0.1)) (react@19.0.1)
56       '@radix-ui/react-hover-card':
57         specifier: ^1.1.15
58         version: 1.1.16(@types/react-dom@18.3.7 (@types/react@18.3.31)) (@types/react@18.3.31) (react-dom@19.0.1 (react@19.0.1)) (react@19.0.1)
59       '@radix-ui/react-icons':
60         specifier: ^1.3.0
61         version: 1.3.2(react@19.0.1)
62       '@radix-ui/react-progress':
63         specifier: ^1.1.8
64         version: 1.1.9(@types/react-dom@18.3.7 (@types/react@18.3.31)) (@types/react@18.3.31) (react-dom@19.0.1 (react@19.0.1)) (react@19.0.1)
65       '@radix-ui/react-scroll-area':
66         specifier: ^1.2.10
67         version: 1.2.11(@types/react-dom@18.3.7 (@types/react@18.3.31)) (@types/react@18.3.31) (react-dom@19.0.1 (react@19.0.1)) (react@19.0.1)
68       '@radix-ui/react-select':
69         specifier: ^2.2.6

```



```

70     version: 2.3.0(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
71 '@radix-ui/react-separator':
72   specifier: ^1.1.8
73   version: 1.1.9(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
74 '@radix-ui/react-slot':
75   specifier: ^1.2.4
76   version: 1.2.5(@types/react@18.3.31)(react@19.0.1)
77 '@radix-ui/react-tooltip':
78   specifier: ^1.2.8
79   version: 1.2.9(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
80 '@radix-ui/react-use-controllable-state':
81   specifier: ^1.2.2
82   version: 1.2.3(@types/react@18.3.31)(react@19.0.1)
83 '@radix-ui/react-visually-hidden':
84   specifier: ^1.1.0
85   version: 1.2.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
86 '@supabase/supabase-js':
87   specifier: ^2.45.0
88   version: 2.108.2
89 '@xyflow/react':
90   specifier: ^12.10.0
91   version: 12.11.0(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
92 ai:
93   specifier: ^6.0.205
94   version: 6.0.205(zod@3.25.76)
95 bcrypt-ts:
96   specifier: ^5.0.2
97   version: 5.0.3
98 class-variance-authority:
99   specifier: ^0.7.1
100   version: 0.7.1
101 classnames:
102   specifier: ^2.5.1
103   version: 2.5.1
104 clsx:
105   specifier: ^2.1.1
106   version: 2.1.1
107 cmdk:
108   specifier: ^1.1.1
109   version: 1.1.1(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
110 codemirror:
111   specifier: ^6.0.1
112   version: 6.0.2
113 date-fns:
114   specifier: ^4.1.0
115   version: 4.4.0
116 diff-match-patch:
117   specifier: ^1.0.5
118   version: 1.0.5
119 dotenv:
120   specifier: ^16.4.5
121   version: 16.6.1
122 drizzle-orm:
123   specifier: ^0.34.0
124   version: 0.34.1(@opentelemetry/api@1.9.1)(@types/react@18.3.31)(postgres@3.4.9)(react@19.0.1)
125 embla-carousel-react:
126   specifier: ^8.6.0
127   version: 8.6.0(react@19.0.1)
128 fast-deep-equal:
129   specifier: ^3.1.3
130   version: 3.1.3
131 framer-motion:
132   specifier: ^11.3.19
133   version: 11.18.2(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
134geist:
135   specifier: ^1.3.1
136   version: 1.7.2(next@16.0.10(@opentelemetry/api@1.9.1)(@playwright/test@1.61.0)(react-dom@19.0.1(react@19.0.1))(react@19.0.1))
137 katex:
138   specifier: ^0.16.25

```

```
139     version: 0.16.47
140 lucide-react:
141   specifier: ^0.446.0
142   version: 0.446.0(react@19.0.1)
143 motion:
144   specifier: ^12.23.26
145   version: 12.40.0(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
146 nanoid:
147   specifier: ^5.1.3
148   version: 5.1.11
149 next:
150   specifier: 16.0.10
151   version: 16.0.10(@opentelemetry/api@1.9.1)(@playwright/test@1.61.0)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
152 next-auth:
153   specifier: 5.0.0-beta.25
154   version: 5.0.0-beta.25(next@16.0.10(@opentelemetry/api@1.9.1)(@playwright/test@1.61.0)(react-dom@19.0.1(react@19.0.1))(react@19.0.1))(react@19.0.1)
155 next-themes:
156   specifier: ^0.3.0
157   version: 0.3.0(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
158 orderedmap:
159   specifier: ^2.1.1
160   version: 2.1.1
161 papaparse:
162   specifier: ^5.5.2
163   version: 5.5.3
164 postgres:
165   specifier: ^3.4.4
166   version: 3.4.9
167 prosemirror-example-setup:
168   specifier: ^1.2.3
169   version: 1.2.3
170 prosemirror-inputrules:
171   specifier: ^1.4.0
172   version: 1.5.1
173 prosemirror-markdown:
174   specifier: ^1.13.1
175   version: 1.13.4
176 prosemirror-model:
177   specifier: ^1.23.0
178   version: 1.25.9
179 prosemirror-schema-basic:
180   specifier: ^1.2.3
181   version: 1.2.4
182 prosemirror-schema-list:
183   specifier: ^1.4.1
184   version: 1.5.1
185 prosemirror-state:
186   specifier: ^1.4.3
187   version: 1.4.4
188 prosemirror-view:
189   specifier: ^1.34.3
190   version: 1.41.9
191 radix-ui:
192   specifier: ^1.4.3
193   version: 1.5.0(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
194 react:
195   specifier: 19.0.1
196   version: 19.0.1
197 react-data-grid:
198   specifier: 7.0.0-beta.47
199   version: 7.0.0-beta.47(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
200 react-dom:
201   specifier: 19.0.1
202   version: 19.0.1(react@19.0.1)
203 sharp:
204   specifier: ^0.34.5
205   version: 0.34.5
206 react-resizable-panels:
207   specifier: ^2.1.7
```

```

208     version: 2.1.9(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
209 react-syntax-highlighter:
210   specifier: ^15.6.6
211   version: 15.6.6(react@19.0.1)
212 redis:
213   specifier: ^5.0.0
214   version: 5.12.1(@opentelemetry/api@1.9.1)
215 resend:
216   specifier: ^4.0.0
217   version: 4.8.0(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
218 server-only:
219   specifier: ^0.0.1
220   version: 0.0.1
221 shiki:
222   specifier: ^3.14.0
223   version: 3.23.0
224 sonner:
225   specifier: ^1.5.0
226   version: 1.7.4(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
227 streamdown:
228   specifier: ^1.4.0
229   version: 1.6.11(@types/mdast@4.0.4)(micromark-util-types@2.0.2)(micromark@4.0.2)(react@19.0.1)
230 swr:
231   specifier: ^2.2.5
232   version: 2.4.1(react@19.0.1)
233 tailwind-merge:
234   specifier: ^2.5.2
235   version: 2.6.1
236 tailwindcss-animate:
237   specifier: ^1.0.7
238   version: 1.0.7(tailwindcss@4.3.1)
239 use-stick-to-bottom:
240   specifier: ^1.1.1
241   version: 1.1.6(react@19.0.1)
242 usehooks-ts:
243   specifier: ^3.1.0
244   version: 3.1.1(react@19.0.1)
245 zod:
246   specifier: ^3.25.76
247   version: 3.25.76
248 devDependencies:
249   '@biomejs/biome':
250     specifier: 2.2.2
251     version: 2.2.2
252   '@playwright/test':
253     specifier: ^1.50.1
254     version: 1.61.0
255   '@tailwindcss/postcss':
256     specifier: ^4.1.13
257     version: 4.3.1
258   '@tailwindcss/typography':
259     specifier: ^0.5.15
260     version: 0.5.20(tailwindcss@4.3.1)
261   '@types/d3-scale':
262     specifier: ^4.0.8
263     version: 4.0.9
264   '@types/node':
265     specifier: ^22.8.6
266     version: 22.19.21
267   '@types/papaparse':
268     specifier: ^5.3.15
269     version: 5.5.2
270   '@types/pdf-parse':
271     specifier: ^1.1.4
272     version: 1.1.5
273   '@types/react':
274     specifier: ^18
275     version: 18.3.31
276   '@types/react-dom':

```

```

277     specifier: ^18
278     version: 18.3.7(@types/react@18.3.31)
279 '@types/react-syntax-highlighter':
280   specifier: ^15.5.13
281   version: 15.5.13
282 baseline-browser-mapping:
283   specifier: ^2.10.35
284   version: 2.10.37
285 drizzle-kit:
286   specifier: ^0.25.0
287   version: 0.25.0
288 postcss:
289   specifier: ^8
290   version: 8.5.15
291 tailwindcss:
292   specifier: ^4.1.13
293   version: 4.3.1
294 tsx:
295   specifier: ^4.19.1
296   version: 4.22.4
297 typescript:
298   specifier: ^5.6.3
299   version: 5.9.3
300 ultracite:
301   specifier: 5.3.9
302   version: 5.3.9(@types/debug@4.1.13) (@types/node@22.19.21) (jiti@2.7.0) (lightningcss@1.32.0) (tsx@4.22.4) (typescript@5.9.3)
303
304 packages:
305
306 '@ai-sdk/anthropic@3.0.84':
307   resolution: {integrity: sha512-BIDaHmCHs6Sr5VUsEkTbbV1AN4GWjg97X9x/IfXyviLtzsXvffui9XIcZugkAi1Ri6FnnI5T5qDGh5YLnSuzRg==}
308   engines: {node: '>=18'}
309   peerDependencies:
310     zod: ^3.25.76 || ^4.1.8
311
312 '@ai-sdk/gateway@3.0.131':
313   resolution: {integrity: sha512-CnjOZdywQaUnCyZ0N5wVNm7Sm63+NeHDVZQJKFX2IDq+t03SLwiiuoi3ILTLPLm+YSoHkQ/pvIDoR4qa98Zp5A==}
314   engines: {node: '>=18'}
315   peerDependencies:
316     zod: ^3.25.76 || ^4.1.8
317
318 '@ai-sdk/openai@3.0.71':
319   resolution: {integrity: sha512-j6eBAa5oHFZ4U5CxpIV3T4zXNM/BvioldNCZCL1qHkA4aqkwK9iQ18TWYz2DZcXpw4B05pikKzqpXORxb1EnZGA==}
320   engines: {node: '>=18'}
321   peerDependencies:
322     zod: ^3.25.76 || ^4.1.8
323
324 '@ai-sdk/provider-utils@4.0.29':
325   resolution: {integrity: sha512-uhukHacBVqkwBHkT8C2PrnqKTCOLn3pdHXqtcr9I8ErH+f1bzgW4o7VHSNIup9LRu+WBvZIZDQLsx6rw12tiOA==}
326   engines: {node: '>=18'}
327   peerDependencies:
328     zod: ^3.25.76 || ^4.1.8
329
330 '@ai-sdk/provider@3.0.10':
331   resolution: {integrity: sha512-Q3BZ27qfpYqnCYGvE3vt+Qi6LGOF9R5Nmzn+9JoM1lCRsD9mYaIhfJLkSunN48nfGXJ6n+XNV0J/XVpqGQl7Dw==}
332   engines: {node: '>=18'}
333
334 '@ai-sdk/react@3.0.207':
335   resolution: {integrity: sha512-/w1Jv214OQIqUDvoEFO4pqGYCmcXUJMEPcPc+1w2pQhf86onLv7My2+KlsKdK9XGATlI3hHpYaB3MbrpvLDzbQ==}
336   engines: {node: '>=18'}
337   peerDependencies:
338     react: ^18 || ~19.0.1 || ~19.1.2 || ^19.2.1
339
340 '@alloc/quick-lru@5.2.0':
341   resolution: {integrity: sha512-UrcABB+4bUrFABwbluTIBerXwvbsU/V7TZwfmbgJfbkwiBuziS9gxdODUyuecfDGQ85jglMW6juS3+z5TsKLW==}
342   engines: {node: '>=10'}
343
344 '@antfu/install-pkg@1.1.0':
345   resolution: {integrity: sha512-MGQsmw10ZyI+EJo45CdSER4zEb+p31LpDAFp2Z3gkSdlyqVZGi0Ebx++YTEMonJy4oChEMLsxZ64j8FH6sSqtQ==}

```

```

346
347 '@auth/core@0.37.2':
348   resolution: {integrity: sha512-kUvzyvkd6h1vpeMAojK2y7+PAV5H+0Cc9+ZlKYDFhDY3lA1vsB+GW5vNO4qE3Y07KeQgvNO9U0QUx/fN62kBw==}
349   peerDependencies:
350     '@simplewebauthn/browser': ^9.0.1
351     '@simplewebauthn/server': ^9.0.2
352     nodemailer: ^6.8.0
353   peerDependenciesMeta:
354     '@simplewebauthn/browser':
355       optional: true
356     '@simplewebauthn/server':
357       optional: true
358     nodemailer:
359       optional: true
360
361 '@babel/runtime@7.29.7':
362   resolution: {integrity: sha512-Nq80hGWizIZGV6hLHoyAKLLCJihP/xFeBMGJoUrxTX2psI8dCiFzLhZISFb+VWS3wFMRDmCGw5R+dOySCqPLhw==}
363   engines: {node: '>=6.9.0'}
364
365 '@biomejs/biome@2.2.2':
366   resolution: {integrity: sha512-jlomAiQWcKhuLgwpMKisNKnsM6W8Xtt1l0WZmqY/dFj8QPNkIoTvk4tSsi40FaAAkBE1PU0AFG2RWFbWenAn+w==}
367   engines: {node: '>=14.21.3'}
368   hasBin: true
369
370 '@biomejs/cli-darwin-arm64@2.2.2':
371   resolution: {integrity: sha512-6ePfBcCeCPrYwu0CXlzsWNZgVz/kBEvHiPyNpmViSt6A2eoDf4kXs3YnwQPzGjy8oBgQulrHcLnJL0nkCh80mlQ==}
372   engines: {node: '>=14.21.3'}
373   cpu: [arm64]
374   os: [darwin]
375
376 '@biomejs/cli-darwin-x64@2.2.2':
377   resolution: {integrity: sha512-Tn4JmVO+rXsbRslml7FvKaNrlgUeJot++FkvYIh1l0kslVCofAts35MP1BMhXgKWF9RNR9cwHanrPTUUXcYGag==}
378   engines: {node: '>=14.21.3'}
379   cpu: [x64]
380   os: [darwin]
381
382 '@biomejs/cli-linux-arm64-musl@2.2.2':
383   resolution: {integrity: sha512-/MhYg+Bd6renn6i1y1GfL5snYU/Ct7zoGVKhxnro3bwekiZYE8K139BSb0MeuqM+72sThkQv4TnNubU9njQRw==}
384   engines: {node: '>=14.21.3'}
385   cpu: [arm64]
386   os: [linux]
387   libc: [musl]
388
389 '@biomejs/cli-linux-arm64@2.2.2':
390   resolution: {integrity: sha512-JfrK3gdmWWTh2J5tq/rcWC0sImVyzUnOS2fkjhiYKCQ+v8PqM+du5cfB7G1kXas+7KQeKSWALv18iQqdtIMvzw==}
391   engines: {node: '>=14.21.3'}
392   cpu: [arm64]
393   os: [linux]
394   libc: [glibc]
395
396 '@biomejs/cli-linux-x64-musl@2.2.2':
397   resolution: {integrity: sha512-ZCLXcZvjZKSIRY/cFANKg+z6Fhsf9MHOzj+NrdQcM+LbqYRT97LYCLWy2AS+W2vp+i89RyRM+kbGpUzbRTYwig==}
398   engines: {node: '>=14.21.3'}
399   cpu: [x64]
400   os: [linux]
401   libc: [musl]
402
403 '@biomejs/cli-linux-x64@2.2.2':
404   resolution: {integrity: sha512-Ogb+77edO5LEP/xbNicACOWVlt8mgC+E1wmpUakr+O4nKwLt9vXe74YnUT3TldUBxC/SnrVmlzZFC7kQJEfquQ==}
405   engines: {node: '>=14.21.3'}
406   cpu: [x64]
407   os: [linux]
408   libc: [glibc]
409
410 '@biomejs/cli-win32-arm64@2.2.2':
411   resolution: {integrity: sha512-wBe2wItaywlzvtXysmHJQoQqXlTzHSpQRyPpJKiNIR21HzH/CrZRDFic1C1jDdp+zAPTqhNExa0owKMbNwW9cQ==}
412   engines: {node: '>=14.21.3'}
413   cpu: [arm64]
414   os: [win32]

```

```
415
416 '@biomejs/cli-win32-x64@2.2.2':
417   resolution: {integrity: sha512-DAuHhHekGfiGb6lCcsT4UyxQmVwQiBCBUMwVra/dcOSs9qg8OfaZgey51MlekT3p8UwRqtXQfFuEJBhJNdLZwg==}
418   engines: {node: '>=14.21.3'}
419   cpu: [x64]
420   os: [win32]
421
422 '@braintree/sanitize-url@7.1.2':
423   resolution: {integrity: sha512-jigsZK+sMF/cuiB7sERuo9V7N9jx+dhmHHnQyDSVdpZwVutaBu7WvNYqMDLSgFgfB30n452TP3vjDAvFC973mA==}
424
425 '@chevrotain/types@11.1.2':
426   resolution: {integrity: sha512-U+HFai5+zmJCkK86QsaJtoITlboZHBqrVketco2ROv865xfCMSFpELQoz1GkX5GzME8pTa+3kbKrZHQti0gdbw==}
427
428 '@clack/core@0.5.0':
429   resolution: {integrity: sha512-p3y0FIOwaYRUPRcMO7+dmlLh8PSRcrjuTndsiA0WAFbWES0mLZlrjVoBRZ9DzkPFJZG6KGkJmoEAY0ZcVWTkow==}
430
431 '@clack/prompts@0.11.0':
432   resolution: {integrity: sha512-pMN5FcrEw9hUkZA4f+zLlzivQSeQf5dRGJjSubvVYDLvpKCdQx5OaknvKzgbtXOizhP+SJJJjqEbOe55uKKfAw==}
433
434 '@codemirror/autocomplete@6.20.3':
435   resolution: {integrity: sha512-tlosUqb+3BbxCxZdu4tKeRghPFC+QM7q4X5YhKV2eCmPG+1r2F3f4AaSz5sCrFqUtX4Jh20VFTKec116MgiV9g==}
436
437 '@codemirror/commands@6.10.3':
438   resolution: {integrity: sha512-JFRiqhKu+bvSkDLI+rUhJwSxQxYb759W5GBezE8Uc8mHLqC9aV/9aTC7yJSqCtB3F00pylRLCwnyS91Ap5ej4Q==}
439
440 '@codemirror/lang-javascript@6.2.5':
441   resolution: {integrity: sha512-zD4e5mS+50hts7F+TYjBPsiIFGanfVqg4HyUz6WNfikOPf2BgKlx+TQedI1w6n/IqRBVBbBWMGFdLB/7ux04A==}
442
443 '@codemirror/lang-python@6.2.1':
444   resolution: {integrity: sha512-IRjC8RUBhn9mGR9ywecNhB51yePWCgGvhFy11WN/Mrp3cKuHr0isDKia+9HnvhiWNNmpbGhWrkhuW0c09exRyw==}
445
446 '@codemirror/language@6.12.3':
447   resolution: {integrity: sha512-QwCZW6Tt1siP37Jet9Tb02Zs81TQt6QrZR2H+eGmCfSL1zMrk2/b9CLC7/9ieP1fjiUMgviLWMmgiHoJrj+ZA==}
448
449 '@codemirror/lint@6.9.7':
450   resolution: {integrity: sha512-28/+iWLYxKxsvGYhSYL7zaCZqLz5+FFFDq9tVsvGv9kv8RY4fFAchJ5WX9M3YrrRLTIsECjsXPqenNgnSmNP2dg==}
451
452 '@codemirror/search@6.7.0':
453   resolution: {integrity: sha512-ZvGm99wc/s2cITtMT15LFdn8aH/aS+V+DqyGg/N5Z1V5vWtH+nILvC2nw0xZ7ByNoHHDZ2IxxdW3800tc5nVHg==}
454
455 '@codemirror/state@6.6.0':
456   resolution: {integrity: sha512-4nbvra5R5EtiCzr9BTHiTLc+MLXK2QGiAVYMyi8PkQd3SR+6ixar/Q/01Fa21TBID0ZXgeWV4WppsQolSreAPQ==}
457
458 '@codemirror/theme-one-dark@6.1.3':
459   resolution: {integrity: sha512-NzBdIvEJmx6fjeremiGp3t/okrLPYT0d9orIc7AFun8oZcRk58aejkqhV6spnz4MLAevrKNPMQYXEWmg4s+sKA==}
460
461 '@codemirror/view@6.43.1':
462   resolution: {integrity: sha512-+BIjw/AG3tDQ4pJgTLPyDAW25eDE66YsvM4LKyVPgGzVgZ4a9Wj1SRX8kFPVKgBDdPt8oHtZ15F0qx7p0oOHdHw==}
463
464 '@drizzle-team/brocli@0.10.2':
465   resolution: {integrity: sha512-z33I1715dKjUgGULTqBsQBQwckHh5AbIuxhdsIxDDiAZaBORzO6q9ogcWC65kU382AfynTfgNumvCNiJuIua6w==}
466
467 '@emnapi/runtime@1.11.1':
468   resolution: {integrity: sha512-vgj7R3y3Wgx24IQaGPA/R6YFXLHVMOz0uVEyIQPaWs+rd1AzfEMXlAC22FYwO1XkKR6NPsq7mUandH8oIRdZfw==}
469
470 '@esbuild-kit/core-utils@3.3.2':
471   resolution: {integrity: sha512-sPRAnw9CdSsRmEtnsl2WXWdyquogVpB3yZ3dgwJfe8zrOzTsV7cJvmmwrKVa+0ma5BoiGJ+BoqkMvawbayKUsqQ==}
472   deprecated: 'Merged into tsx: https://tsx.is'
473
474 '@esbuild-kit/esm-loader@2.6.5':
475   resolution: {integrity: sha512-FxEMiJKnodyA1OaCUoEvbyRkoZ1LZ4d/eXFu9Fh8CbBBgP5EmZxrFTyN0qpXZ4vOvqnE5YdRdcrmuUXuU+dA==}
476   deprecated: 'Merged into tsx: https://tsx.is'
477
478 '@esbuild/aix-ppc64@0.19.12':
479   resolution: {integrity: sha512-bmoCYyWdEL3wDQIVbcyRyeKlGk2WtWLTWz1ZIAZF/EGbNOWSA6ew3PftJ1PqMiOOgu0OyFMzG53L0zqIpPeNa==}
480   engines: {node: '>=12'}
481   cpu: [ppc64]
482   os: [aix]
483
```

```

484 '@esbuild/aix-ppc64@0.27.7':
485   resolution: {integrity: sha512-EKX3Qwmh31eMdEJokhALr0YiD0lhQNwDgkPYyPhiSwKrh7/4KRjQc04sZ8db+5DVVnZ1LmbNDIluAMPEUBnQPg==}
486   engines: {node: '>=18'}
487   cpu: [ppc64]
488   os: [aix]
489
490 '@esbuild/aix-ppc64@0.28.1':
491   resolution: {integrity: sha512-Svl7tq8k/08+p6CXPpRjQ1fKX+1odH/BQbb48fV6fj3CWHhsoIOoY87w1oHXm0qEpKIK3ZfVgp0hed3XBXzXMq==}
492   engines: {node: '>=18'}
493   cpu: [ppc64]
494   os: [aix]
495
496 '@esbuild/android-arm64@0.18.20':
497   resolution: {integrity: sha512-Nz4rJcchGDtENV0eMKUNa6L12zz2zBDXuhj/Vjh18zGqB44Bi7MBMSXjgunJgjRhCmKOjnPuZp4Mb6OKqtMHLQ==}
498   engines: {node: '>=12'}
499   cpu: [arm64]
500   os: [android]
501
502 '@esbuild/android-arm64@0.19.12':
503   resolution: {integrity: sha512-P0UVNGIienjZv3f5zq0DP3Nt2IE/3p1FzuaS96vihvD0Hd6H/q4WXUGpCxD/E8YrSXfNyRPbpTq+T8ZQioSuPA==}
504   engines: {node: '>=12'}
505   cpu: [arm64]
506   os: [android]
507
508 '@esbuild/android-arm64@0.27.7':
509   resolution: {integrity: sha512-62dPZHpIXzvChfvfLJow3q5dDtiNMkwiRzPylSCfriLvZeq0albWChrGx/BbUbPwOrsWKMn8idS11klzBy+dgQ==}
510   engines: {node: '>=18'}
511   cpu: [arm64]
512   os: [android]
513
514 '@esbuild/android-arm64@0.28.1':
515   resolution: {integrity: sha512-34EGEbCIAgosYz6goLcopX6Mo7NyGv9tfwEM2/7Ce2VcVRk568iSvniGwCUXIy7wEDR1wzolcxcFVrWYcwBg==}
516   engines: {node: '>=18'}
517   cpu: [arm64]
518   os: [android]
519
520 '@esbuild/android-arm@0.18.20':
521   resolution: {integrity: sha512-fyi7TDI/ijKKNZTUJAQqIG5T7YjJXgnzkURqmGj13C6dCqckZBLdl4h7bkhHt/t0WP+zO9/zwroDvANaOqO5Sw==}
522   engines: {node: '>=12'}
523   cpu: [arm]
524   os: [android]
525
526 '@esbuild/android-arm@0.19.12':
527   resolution: {integrity: sha512-qg/Ljlmu3CdQlDEEiWrlC4eaPZ1KztwGJ9B6J+/6G+/4ewxJg7gqj8eVYWvao1bXrqGiW2rsBZFSX3q2lcW05w==}
528   engines: {node: '>=12'}
529   cpu: [arm]
530   os: [android]
531
532 '@esbuild/android-arm@0.27.7':
533   resolution: {integrity: sha512-jbPXvB4Yj2yBV7HUFEE2KHe4GJX51Qp1CN1pGbYjvsyCZbQmies29EoJbkEc+vYuU5o45AfQn37vZlyXy4YJ8RQ==}
534   engines: {node: '>=18'}
535   cpu: [arm]
536   os: [android]
537
538 '@esbuild/android-arm@0.28.1':
539   resolution: {integrity: sha512-0k2F129Xdio1TdJfzJ8sy1Q47vUD2NnwdhiAf7drUN1EBTfPf4hsFCtmMgu/6m8JSzsBr1mVjudMBQqOfG8usQ==}
540   engines: {node: '>=18'}
541   cpu: [arm]
542   os: [android]
543
544 '@esbuild/android-x64@0.18.20':
545   resolution: {integrity: sha512-8GDdlePJA8D6z1ZYJV/jnrRAi6rOiNaCC/Jc1cXpB+KIuvfBN4owLtgzY2bsxnx666XjJx2kDPUmTtR8qKQUg==}
546   engines: {node: '>=12'}
547   cpu: [x64]
548   os: [android]
549
550 '@esbuild/android-x64@0.19.12':
551   resolution: {integrity: sha512-3k7ZoUW6Q6YqhdhIaq/WZ7HwBpnFB1W905Fa4s4qWJyiNOgTld0QDiVAQFwBH7gBRZr17gLr1FCRzF6jFh7Kew==}
552   engines: {node: '>=12'}

```

```
553   cpu: [x64]
554   os: [android]
555
556 '@esbuild/android-x64@0.27.7':
557   resolution: {integrity: sha512-x5VpMODneVDb70PYV2VQOmIUUiBtY3D3mPBG8NxVx5CogneYhkR7MmM3yR/uMdITLrC1mL/NV1rj4bMJuy9MCg==}
558   engines: {node: '>=18'}
559   cpu: [x64]
560   os: [android]
561
562 '@esbuild/android-x64@0.28.1':
563   resolution: {integrity: sha512-dbwY7ltSMDWsRatcRpCnES4F+im88OCUGzjy52shC7GqHRE/cYlxNbB4Z4UpJswppcc4Qxd2oE/ufM0p61IKng==}
564   engines: {node: '>=18'}
565   cpu: [x64]
566   os: [android]
567
568 '@esbuild/darwin-arm64@0.18.20':
569   resolution: {integrity: sha512-bxRHW5kHU38zS2lPTPOyuyTm+S+eobPUNTNkdJefAddYgEc1l4xkT8DB9d2008DtTb17uJag2HuE5NZAznNEA==}
570   engines: {node: '>=12'}
571   cpu: [arm64]
572   os: [darwin]
573
574 '@esbuild/darwin-arm64@0.19.12':
575   resolution: {integrity: sha512-B6IeSgZgtEzGC42jsI+YYu9Z3HKRxp8ZT3cqhvliEHovq8HSX2YX8lNocDn79gCKJXOSaEot9MVYky7AKjCs8g==}
576   engines: {node: '>=12'}
577   cpu: [arm64]
578   os: [darwin]
579
580 '@esbuild/darwin-arm64@0.27.7':
581   resolution: {integrity: sha512-5lckdqeUBPlKUwvoCXIgI2D9/ABmPq3Rdp7IfL70393YgaAST7tbju3Ac+ePVi3KDH6N2RqePfHnXkaDtY9fkW==}
582   engines: {node: '>=18'}
583   cpu: [arm64]
584   os: [darwin]
585
586 '@esbuild/darwin-arm64@0.28.1':
587   resolution: {integrity: sha512-TZbWkQY7kvTAXbXUT7uVACR5cMHsDisz9z7ZKAX/RTq/WJEk3QYRr0wZpNhBDX+/0CtdqUIJlOiodQcta6tY3Q==}
588   engines: {node: '>=18'}
589   cpu: [arm64]
590   os: [darwin]
591
592 '@esbuild/darwin-x64@0.18.20':
593   resolution: {integrity: sha512-pc5gx1MDxzm513qPGbCbDukOdsGtKhfxDlxJKXjCCcU7ju5007MeAZ8c4krSJcOIJGFR+qx2lyMMVYwiQvyTyQ==}
594   engines: {node: '>=12'}
595   cpu: [x64]
596   os: [darwin]
597
598 '@esbuild/darwin-x64@0.19.12':
599   resolution: {integrity: sha512-hKoVvKzFiToTgn+4lqGhsUJXFliJxi/jSYeZf3ugemDY2ldIXixhvwN6erJG1X4t5h417iFuheZ71+YVn05N3A==}
600   engines: {node: '>=12'}
601   cpu: [x64]
602   os: [darwin]
603
604 '@esbuild/darwin-x64@0.27.7':
605   resolution: {integrity: sha512-rYnXrKcXuT7Z+WL5K980jVfDvVKHCHhUwid+dDYQpH+qu+TefcomiMAJpIiC2EM3Rjttq0s03StMV/+3w3MyyqQ==}
606   engines: {node: '>=18'}
607   cpu: [x64]
608   os: [darwin]
609
610 '@esbuild/darwin-x64@0.28.1':
611   resolution: {integrity: sha512-zfdzgK9ACBNZLI/CyHTOx81SyNbM6YXn7rxSgX97VjyiP19W1i4Ka4fgKECEoFCKGpvBj5qArWIGgQjOwkgsKQ==}
612   engines: {node: '>=18'}
613   cpu: [x64]
614   os: [darwin]
615
616 '@esbuild/freebsd-arm64@0.18.20':
617   resolution: {integrity: sha512-yqDQH4QHevpMAaxhhIwYPMv1NECwOvIpGCZkECn8w2WFHXjEwrBn3CeNIYsibZ/iZEUEmj++M26W3cNR5h+Tw==}
618   engines: {node: '>=12'}
619   cpu: [arm64]
620   os: [freebsd]
621
```



```

622 '@esbuild/freebsd-arm64@0.19.12':
623   resolution: {integrity: sha512-4aRvFtXmWAcDBw9AueDQ2YnGmz5L6obe5kmPT8Vd+/+x/JMVKCgdCwH6APrbpNXsPz+K653Qg8HB/oXvXVukA==}
624   engines: {node: '>=12'}
625   cpu: [arm64]
626   os: [freebsd]
627
628 '@esbuild/freebsd-arm64@0.27.7':
629   resolution: {integrity: sha512-B48PqeCsEgOtzME2GbNm2roU29AMTuOIN91dsMO30t+Ydis3z/3Ngoj5hhnsOSSwNzS+6JppgWsuHtp6E82l2w==}
630   engines: {node: '>=18'}
631   cpu: [arm64]
632   os: [freebsd]
633
634 '@esbuild/freebsd-arm64@0.28.1':
635   resolution: {integrity: sha512-wG2EA8ENdEI0qhksZMjfqrdY+ziCYCPMmtZjjIwOmXFjmyzEHn+UUxk5of+SYsjtfs3VpnlC7QLzSI5hY/rOAw==}
636   engines: {node: '>=18'}
637   cpu: [arm64]
638   os: [freebsd]
639
640 '@esbuild/freebsd-x64@0.18.20':
641   resolution: {integrity: sha512-tgWRPPuQsd3RmBZwarGVHZQvtzfEB0reNuxEMKFcd5DaDn2PbBxfwLcj4+aenoh7ctXcbXmQQTIn8HI6mCSw5MQ==}
642   engines: {node: '>=12'}
643   cpu: [x64]
644   os: [freebsd]
645
646 '@esbuild/freebsd-x64@0.19.12':
647   resolution: {integrity: sha512-EYoXZ4d8xtBoVN7CEwWY2IN4ho76xjYXqSXMNccFSx2lqqOG/1TBPW0yPx1bJZk94qu3tX0fycJeeQsKovA8gg==}
648   engines: {node: '>=12'}
649   cpu: [x64]
650   os: [freebsd]
651
652 '@esbuild/freebsd-x64@0.27.7':
653   resolution: {integrity: sha512-jOBdK5XEjA4m5IJK3bpAQ9F/Lelu/Z9ZcdhTRLf4cajlB+8VEhFFRjWgfy3Ml04rO2GQ/b2dLwCUGpiF/eATNQ==}
654   engines: {node: '>=18'}
655   cpu: [x64]
656   os: [freebsd]
657
658 '@esbuild/freebsd-x64@0.28.1':
659   resolution: {integrity: sha512-i7dZ9vQgnvSCzi/rYCXNgtF/U+eKZnJBzu3eTQbRgHnM7tNsizLokRFAl3qzVc/Op/u5YkHhA4pf/3DOYHthLQ==}
660   engines: {node: '>=18'}
661   cpu: [x64]
662   os: [freebsd]
663
664 '@esbuild/linux-arm64@0.18.20':
665   resolution: {integrity: sha512-2YbscF+UL7SQAVIpnWvYwM+3LskyDmPhe3lpE7/aoTmFKKzIc9lLbyGUpmmB8a8AixOL6lsQ/mFh3jEjHYFvdA==}
666   engines: {node: '>=12'}
667   cpu: [arm64]
668   os: [linux]
669
670 '@esbuild/linux-arm64@0.19.12':
671   resolution: {integrity: sha512-EoTjyYyLuVPfdPLsGVVVC8a0p1BFFvtPQDB/YLEhaXyf/5bczaGeN15QkR+O4S5LeJ92Tqotve7i1jn35qwvdA==}
672   engines: {node: '>=12'}
673   cpu: [arm64]
674   os: [linux]
675
676 '@esbuild/linux-arm64@0.27.7':
677   resolution: {integrity: sha512-RZPHBoxXuNnPPQ09rvjh5jdkRmVizktT7TCDkDmQ0W2SwHInKCAV95GRuvdSvA7w4VMwfCjUiPwDi0ZO6Nfe9A==}
678   engines: {node: '>=18'}
679   cpu: [arm64]
680   os: [linux]
681
682 '@esbuild/linux-arm64@0.28.1':
683   resolution: {integrity: sha512-yHs+0uc8+nvEAFxrwQKK5peSNzBc4PegcMO0EJ2ht71uA7vB8Ihg2e77R2P7SG5uYjPbH1Lmve4LLLRcf0g==}
684   engines: {node: '>=18'}
685   cpu: [arm64]
686   os: [linux]
687
688 '@esbuild/linux-arm@0.18.20':
689   resolution: {integrity: sha512-/5bHkMWnq1EgKr1V+Ybz3slhWXok7mDFUMQ4cG10AfW3wL02PSzi5kFpYKrpTdsGb2WAJIvRcDm+qIvXf/apvg==}
690   engines: {node: '>=12'}

```

```

691   cpu: [arm]
692   os: [linux]
693
694   '@esbuild/linux-arm@0.19.12':
695     resolution: {integrity: sha512-J5jPms//KhSNv+L01S1TX1UWplucM6N6XuL6ITdKWE1Cu8wXP7219MM0zDTzzeikVyqFE6U8YAV9/tFyj0ti+w==}
696     engines: {node: '>=12'}
697     cpu: [arm]
698     os: [linux]
699
700   '@esbuild/linux-arm@0.27.7':
701     resolution: {integrity: sha512-RkT/YXYBTSULo3+af8Ib0ykH8u2MBh57o7q/DAs3lTJlyVQkgQv1rPTnjIzzRPQyavxtPtfg0EopvDyIt0jlra==}
702     engines: {node: '>=18'}
703     cpu: [arm]
704     os: [linux]
705
706   '@esbuild/linux-arm@0.28.1':
707     resolution: {integrity: sha512-qVXBOHQS+d5Y722GwJzJU0L1X7km3CraOaGormF1pDtPd2C/1lSHRPgjLunLGe51Sh5YYWKMFDyV4SxgMQYTQ==}
708     engines: {node: '>=18'}
709     cpu: [arm]
710     os: [linux]
711
712   '@esbuild/linux-ia32@0.18.20':
713     resolution: {integrity: sha512-P4etWwq6IsReT0E1KHU40bOnzMH0H73aXp96Fs8TIT6z9Hu8G6+0SHSw9i2isWrD2nbx2qo5yUqACgdfVGx7TA==}
714     engines: {node: '>=12'}
715     cpu: [ia32]
716     os: [linux]
717
718   '@esbuild/linux-ia32@0.19.12':
719     resolution: {integrity: sha512-Thsa42rrF1+UIGaWz47uydHSBOgTUnwBwNq59khgIwktK6x60Hivfbux9iNR0eHCHzOLjLMLfUMLCypBkZXMHAA==}
720     engines: {node: '>=12'}
721     cpu: [ia32]
722     os: [linux]
723
724   '@esbuild/linux-ia32@0.27.7':
725     resolution: {integrity: sha512-GA48aKNkyQDbd3KtkplYWT102C5sn/EZTY4XROkxONgruHPU721+gW+FFf8tf2cFjeHaRbWpOYa/uRBz/Xq1Pg==}
726     engines: {node: '>=18'}
727     cpu: [ia32]
728     os: [linux]
729
730   '@esbuild/linux-ia32@0.28.1':
731     resolution: {integrity: sha512-d1z4ZuP0ajrfz/FhGT4vv278rX8KnPPJx8i5+AtK7TYbx9Le9FlhyzurZpkEyjkGa9dUGhQow4C1NmeGvqxN2w==}
732     engines: {node: '>=18'}
733     cpu: [ia32]
734     os: [linux]
735
736   '@esbuild/linux-loong64@0.18.20':
737     resolution: {integrity: sha512-nXW8nqBTrOpDLPgPY9uV+/1DjxoQ7DoB2N8eocyq8I9XuqJ7BiAMDMf9n1xZM9TgW0J8zrquIb/A7s3BJv7rjg==}
738     engines: {node: '>=12'}
739     cpu: [loong64]
740     os: [linux]
741
742   '@esbuild/linux-loong64@0.19.12':
743     resolution: {integrity: sha512-LiXdXA0s3IqRRjm6rV6XaWATScKAXjI4R4LoDlvO7+yQqFdlr1Bax62sRwkVvRirWxvtYEHHi4dm50jAXkuAA==}
744     engines: {node: '>=12'}
745     cpu: [loong64]
746     os: [linux]
747
748   '@esbuild/linux-loong64@0.27.7':
749     resolution: {integrity: sha512-a4PORuNM2oWsD4WKvBSEKGIiWQF8fZOAsycH0t6JBpZ+JN2n2JH9WAv56SOyu9X5IqAjq$IPTaJkqN8F7XOQ5Q==}
750     engines: {node: '>=18'}
751     cpu: [loong64]
752     os: [linux]
753
754   '@esbuild/linux-loong64@0.28.1':
755     resolution: {integrity: sha512-M5sRjUVZrkm1OAPR3d1OYzNmN+loZKGVi1VUQGrwuqLcbR6qeAz+famMhjASeH3YVKvZz+zT1jlh/keC3Rj/lg==}
756     engines: {node: '>=18'}
757     cpu: [loong64]
758     os: [linux]
759

```

```

760 '@esbuild/linux-mips64el@0.18.20':
761   resolution: {integrity: sha512-d5NeaXZcHp8PzYy5VnXV3VSd2D328Zb+9dEq5HE6bw6+N86JVPExrA6O680PwobntbNJ0pzCpUFZTo3w0GyetQ==}
762   engines: {node: '>=12'}
763   cpu: [mips64el]
764   os: [linux]
765
766 '@esbuild/linux-mips64el@0.19.12':
767   resolution: {integrity: sha512-fEnAuJ5VGTanfJ07ff0gOA6IPsvrVHLVb6Lydlg2/ed67oUleFzL0r9WL7ZzscD+/N6i3dWumGE1Un4f7Amf+w==}
768   engines: {node: '>=12'}
769   cpu: [mips64el]
770   os: [linux]
771
772 '@esbuild/linux-mips64el@0.27.7':
773   resolution: {integrity: sha512-KabT5I6StirGfIz0FMg1lI+R1H73Gp0ofL9A3nG3i/cYFJzKXhouBV5VWK1CSgKvVaG4q1RNpCTR2LuTVB3fIw==}
774   engines: {node: '>=18'}
775   cpu: [mips64el]
776   os: [linux]
777
778 '@esbuild/linux-mips64el@0.28.1':
779   resolution: {integrity: sha512-mRObBZeHh2OxcBFPWE/FjylkRgZdYuiTR3vaTozquCGOH14iP9oN4x4Ge81CoIDYQrXmIxpFumJBu5MtZpnQJQ==}
780   engines: {node: '>=18'}
781   cpu: [mips64el]
782   os: [linux]
783
784 '@esbuild/linux-ppc64@0.18.20':
785   resolution: {integrity: sha512-WHPyeScRNcmANnLQkq6AfyXRf5D6N2sKgkFo2FgquP44Nw2eyDlbTdZwd9GYk98DZG9QItIiTLFLHJHjxP3FA==}
786   engines: {node: '>=12'}
787   cpu: [ppc64]
788   os: [linux]
789
790 '@esbuild/linux-ppc64@0.19.12':
791   resolution: {integrity: sha512-nYJA2/QPimDQOhlrKWedNoe3Gfc8PabU7HT3iXWtNUbRzXS9+vgB0Fjaqr//XNbd82mCxHzik2qotuI89cfixg==}
792   engines: {node: '>=12'}
793   cpu: [ppc64]
794   os: [linux]
795
796 '@esbuild/linux-ppc64@0.27.7':
797   resolution: {integrity: sha512-gRsL4x6wsGHGRqhtI+ifpN/vpOFTQtnbsupUF5R5YTAgy/lKelYRlhXbnBdzDjGbMYjVJLJTd2OFmMewAgw1Q==}
798   engines: {node: '>=18'}
799   cpu: [ppc64]
800   os: [linux]
801
802 '@esbuild/linux-ppc64@0.28.1':
803   resolution: {integrity: sha512-s1ScBsMAb3GFDcdrCgLwZtPYRoH2H/youv10QiZyRjmsP48fznoveWytSgCI/R0ZcUgpc0ZhIUEx6LHts8yrfQ==}
804   engines: {node: '>=18'}
805   cpu: [ppc64]
806   os: [linux]
807
808 '@esbuild/linux-riscv64@0.18.20':
809   resolution: {integrity: sha512-WSxo6h5ecI5XH34KC7w5veNnKkju3zBRLEQNY7mv5mtBmrP/MjNBCAlsm2u5hDB1SNGcTQpoBvRzqBcRtpq1A==}
810   engines: {node: '>=12'}
811   cpu: [riscv64]
812   os: [linux]
813
814 '@esbuild/linux-riscv64@0.19.12':
815   resolution: {integrity: sha512-2MueBr1PQCw5dVJJPQdUYgeqIzDQgw3QtIAHUC4RBz9FXPrskyyU3VI1hw7C0BSKB9OduwSJ79FTCqtGMWqJHg==}
816   engines: {node: '>=12'}
817   cpu: [riscv64]
818   os: [linux]
819
820 '@esbuild/linux-riscv64@0.27.7':
821   resolution: {integrity: sha512-hL25Lbx01QOngGzu2U5xeXtxXcW+/GvMN3ejANqXkxZ/opySAZMrc+9LY/WyjAan41unrR3YrmtTsUpwT66InQ==}
822   engines: {node: '>=18'}
823   cpu: [riscv64]
824   os: [linux]
825
826 '@esbuild/linux-riscv64@0.28.1':
827   resolution: {integrity: sha512-kw0owk1o0GFETUjYw0jc0G4Yzs0BHZn0JDZ8JRT088vjJYX777BA51fDGxAC+q831qOs2DTC96mNsG2opdfyyQ==}
828   engines: {node: '>=18'}

```

```

829     cpu: [riscv64]
830     os: [linux]
831
832 '@esbuild/linux-s390x@0.18.20':
833   resolution: {integrity: sha512-+8231Gms3mAETH6JaliK0alsQ3ohfcpzpRLH8uuc5/KVDFneH6jtAJLFGafpzMRO6DzJ6AvXKze9LfFMrIHWQ==}
834   engines: {node: '>=12'}
835   cpu: [s390x]
836   os: [linux]
837
838 '@esbuild/linux-s390x@0.19.12':
839   resolution: {integrity: sha512-+PillNv3Umes4m3AZKqA2anfHJiVmNCYkPchwFJNEJN5QxmTsluzyy4TvmDrCRNT2ApwSari7ZIGrPeUx4UZDg==}
840   engines: {node: '>=12'}
841   cpu: [s390x]
842   os: [linux]
843
844 '@esbuild/linux-s390x@0.27.7':
845   resolution: {integrity: sha512-2k8go8YculKb46vEelhu1vqEP+UeRvj2zY1pSuPdgvbd5ykAw82Lrro28vXUrRmzEsUV0NzCf54yARIK8r0fdw==}
846   engines: {node: '>=18'}
847   cpu: [s390x]
848   os: [linux]
849
850 '@esbuild/linux-s390x@0.28.1':
851   resolution: {integrity: sha512-/lAIjX8aYFRByhh6L5rYtPEDRqa9de/4V/juOXcta5frjvzXO4/sqEtyytse0g3zZFuWu5cDN0MkLz2qRDD2Ag==}
852   engines: {node: '>=18'}
853   cpu: [s390x]
854   os: [linux]
855
856 '@esbuild/linux-x64@0.18.20':
857   resolution: {integrity: sha512-UYqiqemphJcNsFEsk73jQ7B9jgwjWrSayxawS6UVFZGWrAAtkzjxSqnoclCXxWtfwLdz+vTpcNYhpn43uPlw==}
858   engines: {node: '>=12'}
859   cpu: [x64]
860   os: [linux]
861
862 '@esbuild/linux-x64@0.19.12':
863   resolution: {integrity: sha512-B71gl1QpxfwBvNrfyJdVDexenDIt1CiDN1TIXLbhOw0KhJzE78KIFGX6OJ9MrtC0oOqMWf+0xop4qEU8JrJTWCg==}
864   engines: {node: '>=12'}
865   cpu: [x64]
866   os: [linux]
867
868 '@esbuild/linux-x64@0.27.7':
869   resolution: {integrity: sha512-hzznmADPt+OmsYzw1EE33ccA+HPdIqiCRq7cQeLlJlq2gb1+OyWBkMCrYGBJ+sxVzve2ZJEVeePbLM2iEIZSxA==}
870   engines: {node: '>=18'}
871   cpu: [x64]
872   os: [linux]
873
874 '@esbuild/linux-x64@0.28.1':
875   resolution: {integrity: sha512-u/anNYF2mmVOEDwLtnQlwOr3EZ9sTNGLWrsYGYwHWzGA3Si84IOkHXlbWTD1NB+9/11cnweYK054uhxZydNzfA==}
876   engines: {node: '>=18'}
877   cpu: [x64]
878   os: [linux]
879
880 '@esbuild/netbsd-arm64@0.27.7':
881   resolution: {integrity: sha512-b6pqrQdigZBwZxAn1UpazEisvwaIDvdbMbmrlly7cDTMFnw/+3lVxxCTGorkPVnsYIosJJXAsILG9XcQS+Yu6w==}
882   engines: {node: '>=18'}
883   cpu: [arm64]
884   os: [netbsd]
885
886 '@esbuild/netbsd-arm64@0.28.1':
887   resolution: {integrity: sha512-oks0DYbLwWMmaakTsCb+zL4E+aHRVLom9IJZOAthMQEPiQmydXHkziYEsGYRx0uNV/IjEKGAV941JzH02pflqw==}
888   engines: {node: '>=18'}
889   cpu: [arm64]
890   os: [netbsd]
891
892 '@esbuild/netbsd-x64@0.18.20':
893   resolution: {integrity: sha512-iOlc++VP6xUBUmltH2oMtCUDPlnPGdBom6IrO4gyKPFfVBKioIImVooR5I83nTew5UOYrk3gIjhb2h8X44y06A==}
894   engines: {node: '>=12'}
895   cpu: [x64]
896   os: [netbsd]
897

```

```

898 '@esbuild/netbsd-x64@0.19.12':
899   resolution: {integrity: sha512-3ltjQ7nlowJgFbuC6lOj++XhtzmyoCihNFgT84UAmJnxJfm4sYCiSLTXZtE00VWYpPMYc+ZQmB6xbSdVh0JWA==}
900   engines: {node: '>=12'}
901   cpu: [x64]
902   os: [netbsd]
903
904 '@esbuild/netbsd-x64@0.27.7':
905   resolution: {integrity: sha512-OfatkLojr6U+WN5EDYuoQhtM+lxco+/6FSzJjnuWiu5eVcicbyK3dq5EeV/QHTluy6GoDhGbFpprUiHUYggrw==}
906   engines: {node: '>=18'}
907   cpu: [x64]
908   os: [netbsd]
909
910 '@esbuild/netbsd-x64@0.28.1':
911   resolution: {integrity: sha512-aeL6lAnN89Hz43Mlh1G8ARasbuoYvSITDEx0tHh5b7jJnHcssqggy9Yx430GDpmCa6OyrKoS0aNRjKundRizGg==}
912   engines: {node: '>=18'}
913   cpu: [x64]
914   os: [netbsd]
915
916 '@esbuild/openbsd-arm64@0.27.7':
917   resolution: {integrity: sha512-AFuojMQTxAz75Fo8idVcgoQWEHIXFRbOc1TrVcFSgCZtQfSdc1RXgB3tjOn/krRHENUB4j00bfGjyl2mJrU37A==}
918   engines: {node: '>=18'}
919   cpu: [arm64]
920   os: [openbsd]
921
922 '@esbuild/openbsd-arm64@0.28.1':
923   resolution: {integrity: sha512-MEFJe5C3R8pwXdZ5Y2loo6m7ePiS0d9pWucn990/wvyJZChoIQKrQDxKrGeW8F5+T0okThesAmDeiHDTiqOV/Q==}
924   engines: {node: '>=18'}
925   cpu: [arm64]
926   os: [openbsd]
927
928 '@esbuild/openbsd-x64@0.18.20':
929   resolution: {integrity: sha512-e5e4YSsuQfX4cxcygw/UCPIEP6wbIL+se3sxPdCiMbFLBWu0eiZOJ7WoD+ptCLrmjZBK1Wk7I6D/I3Ng1UGOxg==}
930   engines: {node: '>=12'}
931   cpu: [x64]
932   os: [openbsd]
933
934 '@esbuild/openbsd-x64@0.19.12':
935   resolution: {integrity: sha512-RbrfTB9SWsr0kWmb9srff+L933uMDdu9BIZdA7os2t0TXhCRjrQyCeOt6wVxr79CKD4c+p+YhCj31HBkYcXebw==}
936   engines: {node: '>=12'}
937   cpu: [x64]
938   os: [openbsd]
939
940 '@esbuild/openbsd-x64@0.27.7':
941   resolution: {integrity: sha512-+A1NJmfm8WNDv5CLVQYJ5PshuRm/4cI6WMZRglbylGwPIQPCTs1GLEUHWiiQGT5zDdyLiRM/l1G0Pv54gvtKIg==}
942   engines: {node: '>=18'}
943   cpu: [x64]
944   os: [openbsd]
945
946 '@esbuild/openbsd-x64@0.28.1':
947   resolution: {integrity: sha512-i/ZLlOafE0Z8cI/XANJAixOJL/uRAoS2xOA3rb0xN+KK0K177cMAsQYkzHtBrMXAKuAc7HGgcWiZ/sRC1Nxgw==}
948   engines: {node: '>=18'}
949   cpu: [x64]
950   os: [openbsd]
951
952 '@esbuild/openharmony-arm64@0.27.7':
953   resolution: {integrity: sha512-+KrvYb/C8zA9CU/g0sR6w2RBw7IGc5J2BPnc3dYc5VJxHCSFflyNMxTV5LQ7GuKteQXZtspjFbiuW5/dOj7H4Yw==}
954   engines: {node: '>=18'}
955   cpu: [arm64]
956   os: [openharmony]
957
958 '@esbuild/openharmony-arm64@0.28.1':
959   resolution: {integrity: sha512-ge+Z7EXfNT2B0loAMsVpiQ8EwndV9iilxXerAeTIK7AtPs3bKFXQM7n1RxDSIUIMeueR1CNXxqztLzdNeReKBJg==}
960   engines: {node: '>=18'}
961   cpu: [arm64]
962   os: [openharmony]
963
964 '@esbuild/sunos-x64@0.18.20':
965   resolution: {integrity: sha512-kDbFRFp0YpTqVVrqUd5FTYmWo45zGaXe0X8ElG/LKFC0v8x0vWrhOWSLITcCn63lmZIxfoMXtCfti/RxN/0wnQ==}
966   engines: {node: '>=12'}

```

```

967     cpu: [x64]
968     os: [sunos]
969
970 '@esbuild/sunos-x64@0.19.12':
971   resolution: {integrity: sha512-HKjJwRrW8uWtCQnQOz9qcU3mUZhtUQvi56Q8DPTLLB+DawoiQdjsYq+j+D3s9I8VFTDr+F9CjgXKKC4ss89IeA==}
972   engines: {node: '>=12'}
973   cpu: [x64]
974   os: [sunos]
975
976 '@esbuild/sunos-x64@0.27.7':
977   resolution: {integrity: sha512-ikktIhFBzQnt/QDyOL580ti9+5mL/YzeUPKU2ivGtGjdTYoqz6jObj6nOMfhASpS4GU4Q/Clh1QtXWAvYKamA==}
978   engines: {node: '>=18'}
979   cpu: [x64]
980   os: [sunos]
981
982 '@esbuild/sunos-x64@0.28.1':
983   resolution: {integrity: sha512-BEjgtECKL3vY+SaSQ6nzVfiALUeFxpawyp8Jmf5PtYhf1Ug40Nlh/hx1hts+f1FvSvarEigdxS3BlSMI2PJLcQ==}
984   engines: {node: '>=18'}
985   cpu: [x64]
986   os: [sunos]
987
988 '@esbuild/win32-arm64@0.18.20':
989   resolution: {integrity: sha512-ddYFR6ItYgoaq4v4JmQQAi5s7npztfv4Ag6NrhaW0RrnOXqBkgwZLofVTlqldaVTQNhtI5oieTvkrPpfZrePg==}
990   engines: {node: '>=12'}
991   cpu: [arm64]
992   os: [win32]
993
994 '@esbuild/win32-arm64@0.19.12':
995   resolution: {integrity: sha512-URgtRldJnmGvX864pn1B2YUYNzjmXkuJOIqG2HdU62MVS4EHpU2946OZoTMnRUHklGtJdJZ33QfzdzjGACXhn1A==}
996   engines: {node: '>=12'}
997   cpu: [arm64]
998   os: [win32]
999
1000 '@esbuild/win32-arm64@0.27.7':
1001   resolution: {integrity: sha512-7yRhbHvPqSpRUV7Q20VuDwbjW5kIMwTHpPtUzV+AA46kiPze5Z7qgt6CLCK3pWFrHeNfDdlVKgyP40+ng17CA==}
1002   engines: {node: '>=18'}
1003   cpu: [arm64]
1004   os: [win32]
1005
1006 '@esbuild/win32-arm64@0.28.1':
1007   resolution: {integrity: sha512-lCv9eK/H6ZJWbE7bh2nw54CZ9M2nupBxJcTsdk/QQnWkdSjKGuxmmH8/GWr1TleMmZfn4dGcCjRte397WqfQXA==}
1008   engines: {node: '>=18'}
1009   cpu: [arm64]
1010   os: [win32]
1011
1012 '@esbuild/win32-ia32@0.18.20':
1013   resolution: {integrity: sha512-Wv7QB3ID/rROT08SABTS7eV4hX26sVduqDOTe1MvGMjNd3EjOz4b7zeexIR62GTIEKrfJXXL9LFxTYgkyeu7g==}
1014   engines: {node: '>=12'}
1015   cpu: [ia32]
1016   os: [win32]
1017
1018 '@esbuild/win32-ia32@0.19.12':
1019   resolution: {integrity: sha512-+ZOE6pUkMOJfmxBZE1NOx72NKpIa/HFOMGzu8fqzQJ5kgf6aTGrcJaFsNiVMH4JKpMipyK+7k0n2UXN7a8YKQ==}
1020   engines: {node: '>=12'}
1021   cpu: [ia32]
1022   os: [win32]
1023
1024 '@esbuild/win32-ia32@0.27.7':
1025   resolution: {integrity: sha512-SmwKXe6VHIyZYbBLJrhOoCJRB/Z1tcckzmgtLfFYOfpMAx63BJEaL9ExI8x7v0oAO3Zh6D/OilgVxeyr5oUCFhw==}
1026   engines: {node: '>=18'}
1027   cpu: [ia32]
1028   os: [win32]
1029
1030 '@esbuild/win32-ia32@0.28.1':
1031   resolution: {integrity: sha512-zvb/mB2bSCoJOpOCBgYKKpX6YM6mJB1BUVUtVj41D1ZJVEB6/OCK1RYxP5Wl1C1ILiCoAU5wZ24q1P3qeS6Eg==}
1032   engines: {node: '>=18'}
1033   cpu: [ia32]
1034   os: [win32]
1035

```

```

1036 '@esbuild/win32-x64@0.18.20':
1037   resolution: {integrity: sha512-kTdfRcSiDfQca/y9QIknG02avJ+NCAQvrMejlsB3RRv5sE9rRoeBPISaZpKxHELzRxZyLvNts1P27W3wV+8geQ==}
1038   engines: {node: '>=12'}
1039   cpu: [x64]
1040   os: [win32]
1041
1042 '@esbuild/win32-x64@0.19.12':
1043   resolution: {integrity: sha512-T1QyPSDCyMXaO3pzBkF96E8xMkiRYbUEZADd29SyPGabqxMViNoii+NcK7eWJAEoU6RZyEm5lVSIjTmcd0B9HA==}
1044   engines: {node: '>=12'}
1045   cpu: [x64]
1046   os: [win32]
1047
1048 '@esbuild/win32-x64@0.27.7':
1049   resolution: {integrity: sha512-56hiAJPhwQ1R4i+2lFVF7V8kSD5zZTdHcVuRFMW0hn753vVfQN8x1x4uOPT4x0GH0Z/oVATuR82AiqSTDIPaHg==}
1050   engines: {node: '>=18'}
1051   cpu: [x64]
1052   os: [win32]
1053
1054 '@esbuild/win32-x64@0.28.1':
1055   resolution: {integrity: sha512-bm4Mowrv+GXMlpWX++EcXw/iLydl03+bJkC2DkWXYVvgZCqD/bSj9ctZeAMC3cIvgjRVR2Dufaiu4YPxr5gW1A==}
1056   engines: {node: '>=18'}
1057   cpu: [x64]
1058   os: [win32]
1059
1060 '@floating-ui/core@1.7.5':
1061   resolution: {integrity: sha512-1Ih4WTWYw0+lKyFmCBHGb5U5FtuHJuujoyr5zTaWS5EYMeT6Jb2AuDefTsCsEuchO+mM2ij5+q9crhydLhQ==}
1062
1063 '@floating-ui/dom@1.7.6':
1064   resolution: {integrity: sha512-9gZSAISXM36880PPMm//9dfiEngYoC6Am2izES1FF406YFsjvyBMmeJ2g4SAju3xWwtuynNRFL2s9hgxpLI5SQ==}
1065
1066 '@floating-ui/react-dom@2.1.8':
1067   resolution: {integrity: sha512-cc52bHwM/n/CxS87FH0yWdngEZrjdtLW/qVruo68qg+prK7ZQ4YGdut2GyDVpoGeAYe/h899rVeOVm6Oi40k2A==}
1068   peerDependencies:
1069     react: '>=16.8.0'
1070     react-dom: '>=16.8.0'
1071
1072 '@floating-ui/utils@0.2.11':
1073   resolution: {integrity: sha512-RiB/yIh78pcIx16lLMG0CgBXA22Y0eVHqMPYugu+9U0AeT6YBeiJpf7lbdJNlUgFP5SIjwNRgo4DhR1Qxi26Gg==}
1074
1075 '@iconify/types@2.0.0':
1076   resolution: {integrity: sha512-+wluvCrRhRxyOmRdJ3q8mux9JkKy5SJ/v8o12tu4FVjyYvtEzkc/3pK15ET6RKg4b4w4BmTk1+gsCUhf21Ykg==}
1077
1078 '@iconify/utils@3.1.3':
1079   resolution: {integrity: sha512-LPKOXFn/zV+zisloOfGWogaXVpQybf3ZS6SCZIsz8vg0ivVp9+fVqyYB7xq0aiST/VhUQYGO1qo6uoYSiEJqw==}
1080
1081 '@icons-pack/react-simple-icons@13.13.0':
1082   resolution: {integrity: sha512-B5HhQMipCSH4z8IZ8HFD59CboHceKYPcPC9kAwGyKntvPdyJJv26DLu4Z1wAjcCLyrJhf11tMhiQGom9Rxb9g==}
1083   engines: {node: '>=24', pnpm: '>=10'}
1084   peerDependencies:
1085     react: ^16.13 || ^17 || ^18 || ^19
1086
1087 '@img/colour@1.1.0':
1088   resolution: {integrity: sha512-Td76q7j57o/tLVdgS746cYARfSyxk8iEfRxewL9h4OMzYhbW4TAcpp10mT4eyqXddh6L/jwoM75mo7ixa/pCeQ==}
1089   engines: {node: '>=18'}
1090
1091 '@img/sharp-darwin-arm64@0.34.5':
1092   resolution: {integrity: sha512-imtQ3WMJXbMY4fxb/Ndp6HBTNVtWCUI0WdobyheGf5+ad6xX8VID08u2xE4qc/fr08CKG/7dDseFtn6M6g/r3w==}
1093   engines: {node: ^18.17.0 || ^20.3.0 || >=21.0.0}
1094   cpu: [arm64]
1095   os: [darwin]
1096
1097 '@img/sharp-darwin-x64@0.34.5':
1098   resolution: {integrity: sha512-YNEFAF/4KQ/PeW0N+r+aVVsoIY0/qxxikF2SWdp+NRkmMB7y9LBZAVqQ4yhGCM/H3H2700SykqmQMKLBhBJDEw==}
1099   engines: {node: ^18.17.0 || ^20.3.0 || >=21.0.0}
1100   cpu: [x64]
1101   os: [darwin]
1102
1103 '@img/sharp-libvips-darwin-arm64@1.2.4':
1104   resolution: {integrity: sha512-zqjjo7RatFfFoP0MkQ51jfuFZBnVE2pRiaydKJlG/rHZvnsrHAOCqALiI9sA5co5xenQdTugCvtb1cuf78Vf4g==}

```

```

1105     cpu: [arm64]
1106     os: [darwin]
1107
1108     '@img/sharp-libvips-darwin-x64@1.2.4':
1109       resolution: {integrity: sha512-1IOd5xfVhlGwX+zXv2N93k0YMONvU1ANy1bJw1eTah8K/Jtpi15KC+WSiaX/nBmbm2HxRM1gZ0nSdjSsrZbGKg==}
1110       cpu: [x64]
1111       os: [darwin]
1112
1113     '@img/sharp-libvips-linux-arm64@1.2.4':
1114       resolution: {integrity: sha512-excJX8DfsIcJ10x1Kzr4RcWeledC9PquDRRPx3YVCvQv+U5p7Yin2s32ftzikXojb1PIFc/9Mt28/y+iRklkrw==}
1115       cpu: [arm64]
1116       os: [linux]
1117       libc: [glibc]
1118
1119     '@img/sharp-libvips-linux-arm@1.2.4':
1120       resolution: {integrity: sha512-bFI7xcKFELdiNCVov8e44Ia4u2byA+l3XtsAj+Q8tfCwO6BQ8iDojYdvoPMqsKDkuoOo+X6HZA0s0q11ANMQ8A==}
1121       cpu: [arm]
1122       os: [linux]
1123       libc: [glibc]
1124
1125     '@img/sharp-libvips-linux-ppc64@1.2.4':
1126       resolution: {integrity: sha512-FMuvGijLDYG6lW+b/UvyilUWu5Ay+3r2d1S8notiGCiYyU/76eig1UfMmkZ7vwgOrzKz1QbFSuQfgm7GYUPpA==}
1127       cpu: [ppc64]
1128       os: [linux]
1129       libc: [glibc]
1130
1131     '@img/sharp-libvips-linux-riscv64@1.2.4':
1132       resolution: {integrity: sha512-oVDbcR4zUC0ce82teubSm+x6ETixtKZBh/qbREIOcI3cULzDyb18Sr/Wcyx7NRQeQzOiHTNbZFF1UwPS2scyGA==}
1133       cpu: [riscv64]
1134       os: [linux]
1135       libc: [glibc]
1136
1137     '@img/sharp-libvips-linux-s390x@1.2.4':
1138       resolution: {integrity: sha512-qmp9VrzgPgMoGZyPvrQHqk02uyjA0/QRtO26Tqk614ZV0MPWIW6LTkqOIov+J1yEu7MbFQaDpwdwJKhbJvuRxQ==}
1139       cpu: [s390x]
1140       os: [linux]
1141       libc: [glibc]
1142
1143     '@img/sharp-libvips-linux-x64@1.2.4':
1144       resolution: {integrity: sha512-tJxiiLsmHc9Ax1bz3oaOYBURTXGIRDODBqhveVHonrHJ9/+k89qbL10bcJns+e4t4rvaNBxaEZsFtSfAdquPrw==}
1145       cpu: [x64]
1146       os: [linux]
1147       libc: [glibc]
1148
1149     '@img/sharp-libvips-linuxmusl-arm64@1.2.4':
1150       resolution: {integrity: sha512-FVQHuwXl1IuNow9QAbYUzJ+En8KcVm9Lk5+uGUQJHaZmMECZmOlix9HnH7n1TRkXMS0pGxIJokIVB9SuqZGGXw==}
1151       cpu: [arm64]
1152       os: [linux]
1153       libc: [musl]
1154
1155     '@img/sharp-libvips-linuxmusl-x64@1.2.4':
1156       resolution: {integrity: sha512-+LpyBk7L44ZIXwz/VYfglaX/okxezESc6UxDSoyo2Ks6Jxc4Y7sGjpgU9s4PMgqgj1gZCylTieNamqA1MF7Dg==}
1157       cpu: [x64]
1158       os: [linux]
1159       libc: [musl]
1160
1161     '@img/sharp-linux-arm64@0.34.5':
1162       resolution: {integrity: sha512-bkQzaJRY/bkPOXyKx5EVup7qkaojECG6NLYswgktOZjaXecSAeCWiZwwiFf3/Y+O1HrauiE3FVsGxFg8c24rZg==}
1163       engines: {node: ^18.17.0 || ^20.3.0 || >=21.0.0}
1164       cpu: [arm64]
1165       os: [linux]
1166       libc: [glibc]
1167
1168     '@img/sharp-linux-arm@0.34.5':
1169       resolution: {integrity: sha512-9dLqsvwtgluuXBGZKsxem9595+ujv0sJ6Vi8wcTANSFpwV/GONat5eCkzQo/1O6zRIkh0m/8+5BjrRr7jDUSZw==}
1170       engines: {node: ^18.17.0 || ^20.3.0 || >=21.0.0}
1171       cpu: [arm]
1172       os: [linux]
1173       libc: [glibc]

```



```

1174
1175 '@img/sharp-linux-ppc64@0.34.5':
1176   resolution: {integrity: sha512-7zznwNaqW6YtsfrGGDA6BRkISKAAE1Jo0QdpNYXNMHu2+0dTrPf1TLNkpc8l7MUP5M16ZJcUvysVWWrMefZquA==}
1177   engines: {node: ^18.17.0 || ^20.3.0 || >=21.0.0}
1178   cpu: [ppc64]
1179   os: [linux]
1180   libc: [glibc]
1181
1182 '@img/sharp-linux-riscv64@0.34.5':
1183   resolution: {integrity: sha512-51gJuLPTKa7piYPaVs8GmByo7/U7/7TzOq+cnXJIH2KavIRHAP77e3N2HEl3dgiqdD/w0yUfiJnII77PuDDFdw==}
1184   engines: {node: ^18.17.0 || ^20.3.0 || >=21.0.0}
1185   cpu: [riscv64]
1186   os: [linux]
1187   libc: [glibc]
1188
1189 '@img/sharp-linux-s390x@0.34.5':
1190   resolution: {integrity: sha512-nQtCk0PdKfho3eC5MrbQoigJ2gd1CgddUMkabUj+rBevs8tZ2cUL0x46E7oyX+04WGfABgIwmMC0VqieTiR4jg==}
1191   engines: {node: ^18.17.0 || ^20.3.0 || >=21.0.0}
1192   cpu: [s390x]
1193   os: [linux]
1194   libc: [glibc]
1195
1196 '@img/sharp-linux-x64@0.34.5':
1197   resolution: {integrity: sha512-MEzd8HPKxVxVenwAa+JRPwEC7QFjoPwUS5NZnBt6B3pu7EG2Ge0idloLHZpPJdn3OQK+BQDiw9zStiHBTJQQQQ==}
1198   engines: {node: ^18.17.0 || ^20.3.0 || >=21.0.0}
1199   cpu: [x64]
1200   os: [linux]
1201   libc: [glibc]
1202
1203 '@img/sharp-linuxmusl-arm64@0.34.5':
1204   resolution: {integrity: sha512-fprJR6GtRsMt6Kyfq44IsChVZeGN97gTD331weRlex1c1rypDEABN6Tm2xa1wE6lYb5DdEnk03NPqA7Id2lyg==}
1205   engines: {node: ^18.17.0 || ^20.3.0 || >=21.0.0}
1206   cpu: [arm64]
1207   os: [linux]
1208   libc: [musl]
1209
1210 '@img/sharp-linuxmusl-x64@0.34.5':
1211   resolution: {integrity: sha512-Jg8wNT1MUZIVhBFxViqrEhWDGzqymo3sV7z7ZsaWbZNDLXRJZorGrjulp60YYtV4wfY8VIKcWidj0jlLcWrd8Q==}
1212   engines: {node: ^18.17.0 || ^20.3.0 || >=21.0.0}
1213   cpu: [x64]
1214   os: [linux]
1215   libc: [musl]
1216
1217 '@img/sharp-wasm32@0.34.5':
1218   resolution: {integrity: sha512-OdWTEiVky2PHwqkbBI8frFxQQFekHaSSkUIJkwzclWZe6401X4U1UjqqqLaPbUpMOQk6FBu/Ht1GXNblIs0huw==}
1219   engines: {node: ^18.17.0 || ^20.3.0 || >=21.0.0}
1220   cpu: [wasm32]
1221
1222 '@img/sharp-win32-arm64@0.34.5':
1223   resolution: {integrity: sha512-WQ3AgWCWYSb2yt+IG8mnC6Jdk9Whs700gxphblsLvdhSpSTtmu69ZG1Gkb6NuvxsNACwiPV6cNSZNzt0KPsw7g==}
1224   engines: {node: ^18.17.0 || ^20.3.0 || >=21.0.0}
1225   cpu: [arm64]
1226   os: [win32]
1227
1228 '@img/sharp-win32-ia32@0.34.5':
1229   resolution: {integrity: sha512-FV9m/7NmeCmSHDD5j4+4pNI8Cp3aW+JvLoXcTUo0IqyjSfAZJ8dIUmiyx1qaJsIiU+Hosw6xM5KiJAWRJCSgNg==}
1230   engines: {node: ^18.17.0 || ^20.3.0 || >=21.0.0}
1231   cpu: [ia32]
1232   os: [win32]
1233
1234 '@img/sharp-win32-x64@0.34.5':
1235   resolution: {integrity: sha512-+29YMsqY2/9eFEiW93eqWnuLcWcufowXewwsNIT6UwZdUUCrM3oFjMWH/Z6/TMmb4hlFenmfAVbpWeup2jryCw==}
1236   engines: {node: ^18.17.0 || ^20.3.0 || >=21.0.0}
1237   cpu: [x64]
1238   os: [win32]
1239
1240 '@jridgewell/gen-mapping@0.3.13':
1241   resolution: {integrity: sha512-2kkt/7niJ6MgEPxF0bYdQ6etZaA+fQvDcLKckhylyIQOzaoKjBBjsj63/aLVjYE3qhRt5dvM+uUyfcG6UKCBbA==}
1242

```

```
1243 '@jridgewell/remapping@2.3.5':
1244   resolution: {integrity: sha512-LI9u/+laYG4Ds1TDKSJW2YPrIlcVYOwi2fUC6xB43lueCjgxV4lffOCZCtYFiH6TNOX+tQKXx97T4IKHbhyHEQ==}
1245
1246 '@jridgewell/resolve-uri@3.1.2':
1247   resolution: {integrity: sha512-bRISgCIjP20/tbWSPWMEi54QVPRZExkuD91JL+UIxUKtwVJA8wW1TrbljMs1RFXo1CBTNZ/5hpC9QvmKWdopKw==}
1248   engines: {node: '>=6.0.0'}
1249
1250 '@jridgewell/sourcemap-codec@1.5.5':
1251   resolution: {integrity: sha512-cYQ9310grqxueWb1+WuIUaiUaDcj7W0q5fVhEljNVgRfOUhY9fy2zTvfoqWsnabh8S170VScFbICvJnLKB0Og==}
1252
1253 '@jridgewell/trace-mapping@0.3.31':
1254   resolution: {integrity: sha512-zzNR+sDZzKjIc8hLk3N4M9p7D6TbBqZv5W4P61h1lbn6nYHhVW5d5M3L9v1Sf8qkY0tHkzgWYUq2oLAW==}
1255
1256 '@lezer/common@1.5.2':
1257   resolution: {integrity: sha512-sxQE460fPZYU3sdc8lafxiPwJHBzZRY/udNFynGQky1SePYBdhkBl1kOagA9uT3pxR8K09bOrmTUqA9wb/PjSQ==}
1258
1259 '@lezer/highlight@1.2.3':
1260   resolution: {integrity: sha512-qXdH7UqTvGfdVBINrgKhDsVTJTxactNNxLk7+UMwZhU13lMHAOb1Je9Vqp907ya56Y3+ed2tlqzys7jDkTmW0g==}
1261
1262 '@lezer/javascript@1.5.4':
1263   resolution: {integrity: sha512-vvYx3MhWqeZtGPwDStM2dwgljd5smolYD2lR2UyFcHfxbBQebqx8yjmFmxtJ/E6nN6ulD9srOiVWm3Rb4tmcUA==}
1264
1265 '@lezer/lr@1.4.10':
1266   resolution: {integrity: sha512-rnCpTIBafOx4mRp43xOxDJbFipJm/c0cia/V5TiGlhmMa+wsSdoGmUN3w5Bqrks/09Q/D4tNAWaT8p6NRi77A==}
1267
1268 '@lezer/python@1.1.19':
1269   resolution: {integrity: sha512-MhQIURHrytsNzP/YXnqpYKW6la6voAH3kyp1TOOiCdjjyFY6cWWGFvMYVdHIPrElqSDf4iCDktQCockB9FxuhzQ==}
1270
1271 '@marijn/find-cluster-break@1.0.2':
1272   resolution: {integrity: sha512-10h88YhZFyKdXIFNfSWpyjStDjGHwZ/U7iobcKlCQQD8sejsONdQtTVU+1wVN1PBw40PiiHB1vA5S7VTfQiP9g==}
1273
1274 '@mermaid-js/parser@1.1.1':
1275   resolution: {integrity: sha512-VuHdsYMK1bT6X2JbcAAwAhugTRvRBRyUzdgc22swUeI9g/ntaxF7CY7dYarhZovofCbUNO0G7JesfmNtjYOCw==}
1276
1277 '@next/env@16.0.10':
1278   resolution: {integrity: sha512-8tuaQkyDVgeONQ1MeT9Mkk8PmZapMKFh5B+OrFUlG3rVmYTXcXlBetBgTurKXGaIZvkoqRT9JL5K3phXcgang==}
1279
1280 '@next/swc-darwin-arm64@16.0.10':
1281   resolution: {integrity: sha512-4XgdKtdVsaf1Erz+B5XeG0T5PeXKDdruDf3CRpnhN+8UebNa5N2H58+3GDgpn/9GBurrQ1uWW768FfscwYkJRg==}
1282   engines: {node: '>= 10'}
1283   cpu: [arm64]
1284   os: [darwin]
1285
1286 '@next/swc-darwin-x64@16.0.10':
1287   resolution: {integrity: sha512-spbEObmVrRkKQ3CkYVOME+ocPDFo5UqHb8EMTS78/0mQ+O1nqE8toHJVioZo4TvebATxgA8XMTTHrScPrn68OGw==}
1288   engines: {node: '>= 10'}
1289   cpu: [x64]
1290   os: [darwin]
1291
1292 '@next/swc-linux-arm64-gnu@16.0.10':
1293   resolution: {integrity: sha512-uQtWE3X0iGB8apTIiskOMi2w/MKONrPOUCi5yLO+v308Mb5c7K4Q5KD1jvTpTF5gJKa3VH/ijKjKUq90UhwOYw==}
1294   engines: {node: '>= 10'}
1295   cpu: [arm64]
1296   os: [linux]
1297   libc: [glibc]
1298
1299 '@next/swc-linux-arm64-musl@16.0.10':
1300   resolution: {integrity: sha512-1lA+hiDTrYvyWI21Z0L1GiXwjQaanPVQWru5peOgt0oeJ8qx3tlqRV2P7uH2pKQaUfHxI/WVarvI5oYgGxaTw==}
1301   engines: {node: '>= 10'}
1302   cpu: [arm64]
1303   os: [linux]
1304   libc: [musl]
1305
1306 '@next/swc-linux-x64-gnu@16.0.10':
1307   resolution: {integrity: sha512-AK2q5H0+a9nsXbeZ3FZdMtbtu9jxw4R/NgzZ6+lrTm3d6Zb7jYrWcgjcpM1k8uuqlSy4xIyPR2YiuUr+wXsavA==}
1308   engines: {node: '>= 10'}
1309   cpu: [x64]
1310   os: [linux]
1311   libc: [glibc]
```

```

1312
1313 '@next/swc-linux-x64-musl@16.0.10':
1314   resolution: {integrity: sha512-1TDG9PDKivNw5550S11lgsO4RGennLVl9cipPhtkXIFVwo31YZ73nEbLjNC8qG3SgTz/Q2yYyaFYMeY4BKZR/g==}
1315   engines: {node: '>= 10'}
1316   cpu: [x64]
1317   os: [linux]
1318   libc: [musl]
1319
1320 '@next/swc-win32-arm64-msvc@16.0.10':
1321   resolution: {integrity: sha512-aEZIS4Hh32xdJQbHz12lpyuVZniSNoqDVxlyIr2hy+ZwJGipeqnMZBJHyMxv2tiuAXGx6/xpTcQJ6btIiBjgmg==}
1322   engines: {node: '>= 10'}
1323   cpu: [arm64]
1324   os: [win32]
1325
1326 '@next/swc-win32-x64-msvc@16.0.10':
1327   resolution: {integrity: sha512-E+njfCoFLb01RAFEnGZn6ERoOqhK1G13Lfz1KjnJ0U1fu7oJbuMyvBKNj/bw8XZnenHDASlygTjZICQW+rYW1Q==}
1328   engines: {node: '>= 10'}
1329   cpu: [x64]
1330   os: [win32]
1331
1332 '@opentelemetry/api-logs@0.46.0':
1333   resolution: {integrity: sha512-+9BcqfiEDGPXEIo+o3tso/aqGM5dGbGwAkGVp3FFpP28G1kK1YlaKRd9gMVyPaERATwvO5wYGGnCsAc/sMMM9Qw==}
1334   engines: {node: '>=14'}
1335
1336 '@opentelemetry/api@1.9.1':
1337   resolution: {integrity: sha512-gLyJlPHP2YdAk1JENA9LeHejZe1Ti77/pTeFm/nMXmQH/HFZ1cS/O2XJB+L8fkbkNSqhd1vjBVjxwUYanNH5Q==}
1338   engines: {node: '>=8.0.0'}
1339
1340 '@panva/hkdf@1.2.1':
1341   resolution: {integrity: sha512-6oclG6Y3PiDFcoyk8srjLfVKyMfVCKJ27JwNPViuXziFpmdz+MznZN/aKY0JGXgyUo/VghU0jcOAZgWXZ1Dmrw==}
1342
1343 '@playwright/test@1.61.0':
1344   resolution: {integrity: sha512-cKA5B6lpFEMyMGjxF54QihfYpB4FkEGH+qZhtArDEG+wezQAjY8Pq6C7T1SjWz+FFzt3TbyoXBQYk/0292TdJA==}
1345   engines: {node: '>=18'}
1346   hasBin: true
1347
1348 '@radix-ui/number@1.1.2':
1349   resolution: {integrity: sha512-ceTwaxc4I5IOi97DgCotl3pqiyRGvffcc0oOsE2dQYaJOFIDSDt4VWG6xEbglQePv9QWausCEIppud/tJ1wNig==}
1350
1351 '@radix-ui/primitive@1.1.4':
1352   resolution: {integrity: sha512-7AdCK9PQyiljKoBDn8OuctCbd/esdWZPQ8RtOE3SsyQtUpiPb+ND75q0jEhC1mlecBI0MFNeLJvwIh9iKHRcQ==}
1353
1354 '@radix-ui/react-accessible-icon@1.1.9':
1355   resolution: {integrity: sha512-5W9KzJz/3DeYbGJHbZv8Q6AkxMOKUmALfc+PRg9dWwJZMk6zD37S8zRf7UD6CBkiJvn7dNeRzn5G7XiCMyig==}
1356   peerDependencies:
1357     '@types/react': '*'
1358     '@types/react-dom': '*'
1359     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1360     react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1361   peerDependenciesMeta:
1362     '@types/react':
1363       optional: true
1364     '@types/react-dom':
1365       optional: true
1366
1367 '@radix-ui/react-accordion@1.2.13':
1368   resolution: {integrity: sha512-xITxBB2p5m5tAe7M0F95kb4uAh7jSIKGlExMEm93H1W+XxZHV2eXfbPWLktd4JhRiwcXNbO7iekrbZy6zCvA==}
1369   peerDependencies:
1370     '@types/react': '*'
1371     '@types/react-dom': '*'
1372     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1373     react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1374   peerDependenciesMeta:
1375     '@types/react':
1376       optional: true
1377     '@types/react-dom':
1378       optional: true
1379
1380 '@radix-ui/react-alert-dialog@1.1.16':

```

```

1381 resolution: {integrity: sha512-vPaIgo0mxYlvcFaM9jB2Uot9TjGXMuAPEvrc6BOLeV+I5U8s1dkIoouYaa6lmSfc5SPMo5x5djOTOTvaigdGMQ==}
1382 peerDependencies:
1383   '@types/react': '*'
1384   '@types/react-dom': '*'
1385   react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1386   react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1387 peerDependenciesMeta:
1388   '@types/react':
1389     optional: true
1390   '@types/react-dom':
1391     optional: true
1392
1393 '@radix-ui/react-arrow@1.1.9':
1394 resolution: {integrity: sha512-yqHW5WQ/cTpU/un7dqqIKNy2iRU8BC0JB78PEzTfCCYvZu1U6W9KwObAniMk9nhSfyotKPQTYaUD/HB0f5muig==}
1395 peerDependencies:
1396   '@types/react': '*'
1397   '@types/react-dom': '*'
1398   react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1399   react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1400 peerDependenciesMeta:
1401   '@types/react':
1402     optional: true
1403   '@types/react-dom':
1404     optional: true
1405
1406 '@radix-ui/react-aspect-ratio@1.1.9':
1407 resolution: {integrity: sha512-Xy+Dpxt/5n9rVtdPrNFmf8GwG1N1T1pzCF/z1MgOGZMLZwDw1+km+ZRWQAPEhbkzSwYEsfYmTca8NhUtVxqgnw==}
1408 peerDependencies:
1409   '@types/react': '*'
1410   '@types/react-dom': '*'
1411   react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1412   react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1413 peerDependenciesMeta:
1414   '@types/react':
1415     optional: true
1416   '@types/react-dom':
1417     optional: true
1418
1419 '@radix-ui/react-avatar@1.1.12':
1420 resolution: {integrity: sha512-NQCQyWC7QrDPhjMn8hUqFeU0lUrpIgm1AyMgLBzuQJibNnatdc3SSMo3/UGFu/eUkJUU1cEcKcnyhXTQzq6tA==}
1421 peerDependencies:
1422   '@types/react': '*'
1423   '@types/react-dom': '*'
1424   react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1425   react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1426 peerDependenciesMeta:
1427   '@types/react':
1428     optional: true
1429   '@types/react-dom':
1430     optional: true
1431
1432 '@radix-ui/react-checkbox@1.3.4':
1433 resolution: {integrity: sha512-m3JmIOAX5ZzZ6VPjxEU2dbTOhOHi0nT5riwcDwe8idocsWf4a5DXJLDtZ6LfJwMBx7W+A2b7kp2TgPEKtaiF6A==}
1434 peerDependencies:
1435   '@types/react': '*'
1436   '@types/react-dom': '*'
1437   react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1438   react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1439 peerDependenciesMeta:
1440   '@types/react':
1441     optional: true
1442   '@types/react-dom':
1443     optional: true
1444
1445 '@radix-ui/react-collapsible@1.1.13':
1446 resolution: {integrity: sha512-F0s8+p2XNpfc3k02zBfB0jFWbkHVG162+p7BdUMyJ2308QMqZ+oac1X+FAzKFovgLS0qRU+Rvy6f/vbd1JVaqA==}
1447 peerDependencies:
1448   '@types/react': '*'
1449   '@types/react-dom': '*'

```

```

1450     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1451     react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1452     peerDependenciesMeta:
1453       '@types/react':
1454         optional: true
1455       '@types/react-dom':
1456         optional: true
1457
1458 '@radix-ui/react-collection@1.1.9':
1459   resolution: {integrity: sha512-zuSVi7ziP7uQRqc+yGxsKJfNkdyHv3ZKDaHe0gzg4dRgws96TPKWIz84tVHP4GEcEl8bC0mdt17NkcxaJHmaQ==}
1460   peerDependencies:
1461     '@types/react': '*'
1462     '@types/react-dom': '*'
1463     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1464     react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1465   peerDependenciesMeta:
1466     '@types/react':
1467       optional: true
1468     '@types/react-dom':
1469       optional: true
1470
1471 '@radix-ui/react-compose-refs@1.1.3':
1472   resolution: {integrity: sha512-rYOP80MnuuPMQFluhPV1GNcCD1kokKqGFE3JcxFViIkAXP7EvFWuliJAstrapypaBLJNhbZL6jGhbVDGTwmVhA==}
1473   peerDependencies:
1474     '@types/react': '*'
1475     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1476   peerDependenciesMeta:
1477     '@types/react':
1478       optional: true
1479
1480 '@radix-ui/react-context-menu@2.3.0':
1481   resolution: {integrity: sha512-d7CouXhAW+CGmFOqmb+IEvd3E9GcaqfgvfjCc3hfulp2pkaUCEVEGa0SN5nNWYA+IvQ6g1Pt+S5dpNn1AoY9hg==}
1482   peerDependencies:
1483     '@types/react': '*'
1484     '@types/react-dom': '*'
1485     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1486     react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1487   peerDependenciesMeta:
1488     '@types/react':
1489       optional: true
1490     '@types/react-dom':
1491       optional: true
1492
1493 '@radix-ui/react-context@1.1.4':
1494   resolution: {integrity: sha512-QwH4P05urrbO+FaGd5Ag1g+YJgWTyyuZ3g/6mKvsqraLkg1Ddckw9JafgL5McL5VEJ6EPNduPaT3ZE9BttDAqg==}
1495   peerDependencies:
1496     '@types/react': '*'
1497     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1498   peerDependenciesMeta:
1499     '@types/react':
1500       optional: true
1501
1502 '@radix-ui/react-dialog@1.1.16':
1503   resolution: {integrity: sha512-l9ok83YBclEZhbfgzt76Hw733e6cvRKPNgO6GJ/IETlufXG9p+fRu2w1vpImQvR6xdJ8h7J8J2DBvsPEiEsKMw==}
1504   peerDependencies:
1505     '@types/react': '*'
1506     '@types/react-dom': '*'
1507     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1508     react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1509   peerDependenciesMeta:
1510     '@types/react':
1511       optional: true
1512     '@types/react-dom':
1513       optional: true
1514
1515 '@radix-ui/react-direction@1.1.2':
1516   resolution: {integrity: sha512-C3vFhbyi4SW3PmbAi6Awpu4OzJtd0MxGurvSsYtr7p7nM8RNB3VAF3CUmnp2j50knpkrRcB7+ycVXzgLf6yNA==}
1517   peerDependencies:
1518     '@types/react': '*'

```

```

1519     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1520   peerDependenciesMeta:
1521     '@types/react':
1522       optional: true
1523
1524   '@radix-ui/react-dismissable-layer@1.1.12':
1525     resolution: {integrity: sha512-MhoruH6xEzsbvOmo4TnGmfmtvRGyDZw4MDSdf4ybMHfezjqwzv6hyd4lsMzBp8K9Sn6sGzCF62x1I7BYUECXOg==}
1526   peerDependencies:
1527     '@types/react': '*'
1528     '@types/react-dom': '*'
1529     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1530     react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1531   peerDependenciesMeta:
1532     '@types/react':
1533       optional: true
1534     '@types/react-dom':
1535       optional: true
1536
1537   '@radix-ui/react-dropdown-menu@2.1.17':
1538     resolution: {integrity: sha512-S6b3Jm57sY5EdDyOMLkacbB0qMnKhyIRCKZCt795ZkmtUOAvoJYIZ5p7dXHIh5Cyr3jCLLI5/g64V3FKLudZmw==}
1539   peerDependencies:
1540     '@types/react': '*'
1541     '@types/react-dom': '*'
1542     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1543     react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1544   peerDependenciesMeta:
1545     '@types/react':
1546       optional: true
1547     '@types/react-dom':
1548       optional: true
1549
1550   '@radix-ui/react-focus-guards@1.1.4':
1551     resolution: {integrity: sha512-cot/aB/mOm0IYVYTtmQcEEKlM48lZWl8FlYe5nDPQQ8NYZULXEFgncJ9p2Kzer3RKsrY7cTTpEMLZKNo9QoP5Q==}
1552   peerDependencies:
1553     '@types/react': '*'
1554     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1555   peerDependenciesMeta:
1556     '@types/react':
1557       optional: true
1558
1559   '@radix-ui/react-focus-scope@1.1.9':
1560     resolution: {integrity: sha512-9Se8t+Zry+lrEOL7Y6l/4ANYU/ToAtf8O2fKdwl1tcaMcm6kQYGbZ04tMFQ0bvz0920pRAoHpFZ4W85S3keQ==}
1561   peerDependencies:
1562     '@types/react': '*'
1563     '@types/react-dom': '*'
1564     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1565     react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1566   peerDependenciesMeta:
1567     '@types/react':
1568       optional: true
1569     '@types/react-dom':
1570       optional: true
1571
1572   '@radix-ui/react-form@0.1.9':
1573     resolution: {integrity: sha512-eTPyThIKDacJ3mJDvYwF/PSmsEYlOyA2Qcb+aGyWwYv+P5w57VPUkMVA2XJ9z0Du2KBY1HoHQzhPV9iYL/r4hg==}
1574   peerDependencies:
1575     '@types/react': '*'
1576     '@types/react-dom': '*'
1577     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1578     react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1579   peerDependenciesMeta:
1580     '@types/react':
1581       optional: true
1582     '@types/react-dom':
1583       optional: true
1584
1585   '@radix-ui/react-hover-card@1.1.16':
1586     resolution: {integrity: sha512-hAileDBtd6CX7nlZOarOnISQ6PP4q0e1BX5ulzdZ+7IzjL0sDTVPfdmSYrIjw6zVNSfQBao5gG6AWr3qwfva==}
1587   peerDependencies:

```

```

1588 '@types/react': '*'
1589 '@types/react-dom': '*'
1590 react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1591 react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1592 peerDependenciesMeta:
1593   '@types/react':
1594     optional: true
1595   '@types/react-dom':
1596     optional: true
1597
1598 '@radix-ui/react-icons@1.3.2':
1599   resolution: {integrity: sha512-fyQIhGDhzcfc9pK2kH6P19c4BDJGfMkPqkyIgYDthyNYoNg3wVhoJMMh19WS4Up/1KMPFVpNsT2q3WmXn2N1m6g==}
1600   peerDependencies:
1601     react: ^16.x || ^17.x || ^18.x || ^19.0.0 || ^19.0.0-rc
1602
1603 '@radix-ui/react-id@1.1.2':
1604   resolution: {integrity: sha512-orBC88futVpqCmhXlp4cvquNHsELQ+w+vBjnuj3ftETI5bJb0bZn3Tqu3SWN2IOcPycTnMGnhwoermvIst72sA==}
1605   peerDependencies:
1606     '@types/react': '*'
1607     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1608   peerDependenciesMeta:
1609     '@types/react':
1610       optional: true
1611
1612 '@radix-ui/react-label@2.1.9':
1613   resolution: {integrity: sha512-rDoTeMbCwRVcnmo7NGT9IIPolyXmEI+xc1URP3oeewwZEV4mdTp1dYUhYbQdo4D1q2SjKVvv4N1gNY77QAQtjA==}
1614   peerDependencies:
1615     '@types/react': '*'
1616     '@types/react-dom': '*'
1617     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1618     react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1619   peerDependenciesMeta:
1620     '@types/react':
1621       optional: true
1622     '@types/react-dom':
1623       optional: true
1624
1625 '@radix-ui/react-menu@2.1.17':
1626   resolution: {integrity: sha512-fmbNnFyf+JYCN0DhhWnEdUTDnZD1mXaPQWivdsPIb8oOSbARfD3LIQJbLCG8a8QLCwoMxiJ7GVPIFcC8Dw8v2Q==}
1627   peerDependencies:
1628     '@types/react': '*'
1629     '@types/react-dom': '*'
1630     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1631     react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1632   peerDependenciesMeta:
1633     '@types/react':
1634       optional: true
1635     '@types/react-dom':
1636       optional: true
1637
1638 '@radix-ui/react-menubar@1.1.17':
1639   resolution: {integrity: sha512-AKtZ40782yO7qwIyy73WpulYt1IHhQ0htDb6wNcxzxnsDCcSWMVBiU9ycpcA90XzQO4IVixIBrtak6Kg/Vt0rQ==}
1640   peerDependencies:
1641     '@types/react': '*'
1642     '@types/react-dom': '*'
1643     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1644     react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1645   peerDependenciesMeta:
1646     '@types/react':
1647       optional: true
1648     '@types/react-dom':
1649       optional: true
1650
1651 '@radix-ui/react-navigation-menu@1.2.15':
1652   resolution: {integrity: sha512-/fS8hKCCrT4DwCGa5QIB3juRXmfYSOk4a2AEe/BDIyy7Hm+eje2Y13oUx5zejl+wFt1owrM7E8NWlbaE15EGpg==}
1653   peerDependencies:
1654     '@types/react': '*'
1655     '@types/react-dom': '*'
1656     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc

```

```

1657     react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1658   peerDependenciesMeta:
1659     '@types/react':
1660       optional: true
1661     '@types/react-dom':
1662       optional: true
1663
1664   '@radix-ui/react-one-time-password-field@0.1.9':
1665     resolution: {integrity: sha512-fvCzA9hm7yN5xxTPJII4VhSmH5gv+76ILsxguBK3cm3icD5BR4vW7PQqmu8Zio0yh91uuouG/Kang40IbMkaSQ==}
1666   peerDependencies:
1667     '@types/react': '*'
1668     '@types/react-dom': '*'
1669     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1670     react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1671   peerDependenciesMeta:
1672     '@types/react':
1673       optional: true
1674     '@types/react-dom':
1675       optional: true
1676
1677   '@radix-ui/react-password-toggle-field@0.1.4':
1678     resolution: {integrity: sha512-qoDSkObZ9faJlsj1wyBH6ia7kq9vaJ2QwTowT3nQpzPvUTAKesmWuGJYpd91HIoJqS+5ZPXy5uFPp+HlWdaAg==}
1679   peerDependencies:
1680     '@types/react': '*'
1681     '@types/react-dom': '*'
1682     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1683     react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1684   peerDependenciesMeta:
1685     '@types/react':
1686       optional: true
1687     '@types/react-dom':
1688       optional: true
1689
1690   '@radix-ui/react-popover@1.1.16':
1691     resolution: {integrity: sha512-8brVpAU5Uq7Bh0c8EFc4ZTf2JJTYn0o+1L+CUJB3UYIOkTjKGMgoHvduylrahdmNlr3DfH0rFq2DrbNZXgaspw==}
1692   peerDependencies:
1693     '@types/react': '*'
1694     '@types/react-dom': '*'
1695     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1696     react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1697   peerDependenciesMeta:
1698     '@types/react':
1699       optional: true
1700     '@types/react-dom':
1701       optional: true
1702
1703   '@radix-ui/react-popper@1.3.0':
1704     resolution: {integrity: sha512-9PB589e1aWZbr1FUHdz6WiPCL+xLZHqFX7oibqG/6Q0SwOkxDyQX9W/cyPa+sAPFKuC8cpLCpRczE5a/1DiwVQ==}
1705   peerDependencies:
1706     '@types/react': '*'
1707     '@types/react-dom': '*'
1708     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1709     react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1710   peerDependenciesMeta:
1711     '@types/react':
1712       optional: true
1713     '@types/react-dom':
1714       optional: true
1715
1716   '@radix-ui/react-portal@1.1.11':
1717     resolution: {integrity: sha512-UEytdjgEh2tJGgD/gZK4FUx6t1rNI1M3U0DENhSrG7I75FGm1DnaDuVUWf1pWAWUwGmn1sCJ1VGHn8LhN1aTOW==}
1718   peerDependencies:
1719     '@types/react': '*'
1720     '@types/react-dom': '*'
1721     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1722     react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1723   peerDependenciesMeta:
1724     '@types/react':
1725       optional: true

```



```

1726     '@types/react-dom':
1727       optional: true
1728
1729 '@radix-ui/react-presence@1.1.6':
1730   resolution: {integrity: sha512-zdTk4P1U00E18HnZ3wYbW0KkJxWCdiNYp6g6X1PtONFhxVkg01vliTJAmwIszU6mHiyBOoW9P0rAug15/hULQ==}
1731   peerDependencies:
1732     '@types/react': '*'
1733     '@types/react-dom': '*'
1734     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1735     react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1736   peerDependenciesMeta:
1737     '@types/react':
1738       optional: true
1739     '@types/react-dom':
1740       optional: true
1741
1742 '@radix-ui/react-primitive@2.1.5':
1743   resolution: {integrity: sha512-zifXeB8Y88qCYx8PLZ5oQb32KwZub+s925mMoZsBBq9KUQqWKkREubTfs6ASjRPPBe7Jt9O8OHH89+95VG+grA==}
1744   peerDependencies:
1745     '@types/react': '*'
1746     '@types/react-dom': '*'
1747     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1748     react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1749   peerDependenciesMeta:
1750     '@types/react':
1751       optional: true
1752     '@types/react-dom':
1753       optional: true
1754
1755 '@radix-ui/react-progress@1.1.9':
1756   resolution: {integrity: sha512-E0kvglZn1vI1+FRdFRSAiJ7BWfcDAo5ASmmbqrcLZ4s4USk2FGkoHgeb2X+CkUgo2zJMiyObwf1k44CrRwsyw==}
1757   peerDependencies:
1758     '@types/react': '*'
1759     '@types/react-dom': '*'
1760     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1761     react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1762   peerDependenciesMeta:
1763     '@types/react':
1764       optional: true
1765     '@types/react-dom':
1766       optional: true
1767
1768 '@radix-ui/react-radio-group@1.4.0':
1769   resolution: {integrity: sha512-eHdV5bLx9sH+tBnbDjkIBdvQEh/c6METQYhTbxbkaDK9qsIFFLtmJYEQFVdwhnruWotLfQmIuWEL/J+L3utE8rQ==}
1770   peerDependencies:
1771     '@types/react': '*'
1772     '@types/react-dom': '*'
1773     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1774     react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1775   peerDependenciesMeta:
1776     '@types/react':
1777       optional: true
1778     '@types/react-dom':
1779       optional: true
1780
1781 '@radix-ui/react-roving-focus@1.1.12':
1782   resolution: {integrity: sha512-FvgPt1bRmg8Xt2QpF7NUZw3d0E0ZQHGM41dAdgt2J2GJPoIXz+9Em3NobAxf4fupcxhgHu03E5CRiU2MWvObXyg==}
1783   peerDependencies:
1784     '@types/react': '*'
1785     '@types/react-dom': '*'
1786     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1787     react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1788   peerDependenciesMeta:
1789     '@types/react':
1790       optional: true
1791     '@types/react-dom':
1792       optional: true
1793
1794 '@radix-ui/react-scroll-area@1.2.11':

```

```

1795   resolution: {integrity: sha512-DS39ziOgea75U/TrXKU2/oKp0be2jrDHzFLvahg/0iNAT1Zq16e4Uw0WXyXvsK+mG3BRyMb7A3NRZMDuExtQ==}
1796   peerDependencies:
1797     '@types/react': '*'
1798     '@types/react-dom': '*'
1799     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1800     react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1801   peerDependenciesMeta:
1802     '@types/react':
1803       optional: true
1804     '@types/react-dom':
1805       optional: true
1806
1807 '@radix-ui/react-select@2.3.0':
1808   resolution: {integrity: sha512-mEnc7WpJvJcW8h1MpzfFcHcEhTvYS5JMBmi9HVC1Q00uhBwML086MHYUUV8QQdQv61cu0Wg8dzd1RB8AFADcG/g==}
1809   peerDependencies:
1810     '@types/react': '*'
1811     '@types/react-dom': '*'
1812     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1813     react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1814   peerDependenciesMeta:
1815     '@types/react':
1816       optional: true
1817     '@types/react-dom':
1818       optional: true
1819
1820 '@radix-ui/react-separator@1.1.9':
1821   resolution: {integrity: sha512-gvgW+JV/Mbjj6darztTetnmElpQEzZrXpJvfj+dOxNAXiyHEAyUvEjj14zxb1vmjmKmi3jfpoy7ZdxzCuUBJSA==}
1822   peerDependencies:
1823     '@types/react': '*'
1824     '@types/react-dom': '*'
1825     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1826     react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1827   peerDependenciesMeta:
1828     '@types/react':
1829       optional: true
1830     '@types/react-dom':
1831       optional: true
1832
1833 '@radix-ui/react-slider@1.4.0':
1834   resolution: {integrity: sha512-RHcPlLOThRJM51DSIC33ZnpDEBYhEfroVWkd2P54PGGjkmAt14RboYUU9E1MFst666zFHM0tGtWvMjSotU1pw==}
1835   peerDependencies:
1836     '@types/react': '*'
1837     '@types/react-dom': '*'
1838     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1839     react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1840   peerDependenciesMeta:
1841     '@types/react':
1842       optional: true
1843     '@types/react-dom':
1844       optional: true
1845
1846 '@radix-ui/react-slot@1.2.5':
1847   resolution: {integrity: sha512-rCMO3QsIVKv5JTY5CVbo2MvO77SpEqYqYc8AvRE7OWqRDOiQAKjsp+DrmnY9uc8NPdxB5E2z47HTYGeE2+NTptg==}
1848   peerDependencies:
1849     '@types/react': '*'
1850     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1851   peerDependenciesMeta:
1852     '@types/react':
1853       optional: true
1854
1855 '@radix-ui/react-switch@1.3.0':
1856   resolution: {integrity: sha512-GP1EZwhoZO/GGnhM1P5/2Vpm8iN8EnngyU0oezn2178kN8tj25pyrvjIaT7azBhK615Kst+P2w39y57YV5jVka==}
1857   peerDependencies:
1858     '@types/react': '*'
1859     '@types/react-dom': '*'
1860     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1861     react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1862   peerDependenciesMeta:
1863     '@types/react':

```

```

1864     optional: true
1865     '@types/react-dom':
1866       optional: true
1867
1868 '@radix-ui/react-tabs@1.1.14':
1869   resolution: {integrity: sha512-D5jwp9JNuwDeCw3CYD2Fz+sSho0droQjC8u75dJHe4aWr5q6yBiXZU+hurXnKudRgEpUkD5TsI6bjHPo5ThUxA==}
1870   peerDependencies:
1871     '@types/react': '*'
1872     '@types/react-dom': '*'
1873     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1874     react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1875   peerDependenciesMeta:
1876     '@types/react':
1877       optional: true
1878     '@types/react-dom':
1879       optional: true
1880
1881 '@radix-ui/react-toast@1.2.16':
1882   resolution: {integrity: sha512-WUymDDiN2DpoGudRN1aW4wF503BNQjZZO/5nngPoNiEVqjyOzirvZZN00R6dC1ifucSINVaSv8JX1aq47VGgiA==}
1883   peerDependencies:
1884     '@types/react': '*'
1885     '@types/react-dom': '*'
1886     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1887     react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1888   peerDependenciesMeta:
1889     '@types/react':
1890       optional: true
1891     '@types/react-dom':
1892       optional: true
1893
1894 '@radix-ui/react-toggle-group@1.1.12':
1895   resolution: {integrity: sha512-TEgECgJaWGAHJJZGzNNEyTNBdIXqX7LchANycpyP7DkfjmuIsN7Ist1k/ZRGVJgVJonsgP4vwaiKMn5utrcwWQ==}
1896   peerDependencies:
1897     '@types/react': '*'
1898     '@types/react-dom': '*'
1899     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1900     react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1901   peerDependenciesMeta:
1902     '@types/react':
1903       optional: true
1904     '@types/react-dom':
1905       optional: true
1906
1907 '@radix-ui/react-toggle@1.1.11':
1908   resolution: {integrity: sha512-FikrKJemoBGZQ6uRID0HJqSPBP6D7OppdD2OhL10ZYL1AyPXI7MezoYGmumwNkrAoRm35xXkb4C8JPfJZZzcaw==}
1909   peerDependencies:
1910     '@types/react': '*'
1911     '@types/react-dom': '*'
1912     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1913     react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1914   peerDependenciesMeta:
1915     '@types/react':
1916       optional: true
1917     '@types/react-dom':
1918       optional: true
1919
1920 '@radix-ui/react-toolbar@1.1.12':
1921   resolution: {integrity: sha512-4wHtJVdIgqMmEwUvx0A0BYg/2JMRbt0L3+8UD8M1/nhKkfXtiZcM8u/S15gQ5xj9YEd/0q1rm5bE805LsjQ+J8A==}
1922   peerDependencies:
1923     '@types/react': '*'
1924     '@types/react-dom': '*'
1925     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1926     react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1927   peerDependenciesMeta:
1928     '@types/react':
1929       optional: true
1930     '@types/react-dom':
1931       optional: true
1932

```

```

1933 '@radix-ui/react-tooltip@1.2.9':
1934   resolution: {integrity: sha512-u6F9MmTtBSLkiXNVDrTB/yPCZarM9smNswC24YYLV/M+bth6J3Gs3vlJezEoFwKZvPvxhCpUYDUnOsNG/0X01A==}
1935   peerDependencies:
1936     '@types/react': '*'
1937     '@types/react-dom': '*'
1938     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1939     react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1940   peerDependenciesMeta:
1941     '@types/react':
1942       optional: true
1943     '@types/react-dom':
1944       optional: true
1945
1946 '@radix-ui/react-use-callback-ref@1.1.2':
1947   resolution: {integrity: sha512-xCso9jl/u8sEgPlRNHjFrXJLApL8LiqOkI1R4ywuN00rxWdYg4oQXuwKLS3i0j5NWLromUD27/4nlxj2UFVvIw==}
1948   peerDependencies:
1949     '@types/react': '*'
1950     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1951   peerDependenciesMeta:
1952     '@types/react':
1953       optional: true
1954
1955 '@radix-ui/react-use-controllable-state@1.2.3':
1956   resolution: {integrity: sha512-PLzC90MS+ReootmJC597dvopoelpZ8Q61HJkDXZSExitIq7PL55vHNnesAHwguHK0aPfBnpdNzQtvluliaqQrA==}
1957   peerDependencies:
1958     '@types/react': '*'
1959     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1960   peerDependenciesMeta:
1961     '@types/react':
1962       optional: true
1963
1964 '@radix-ui/react-use-effect-event@0.0.3':
1965   resolution: {integrity: sha512-6c8ZqvPTWILEKnyVkp53EGRCcpnJiKTC21sS/6R1GF5xKyHJJWQEPfkqlcgUkdRQivd6tb23abUwe4ngWmY0JA==}
1966   peerDependencies:
1967     '@types/react': '*'
1968     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1969   peerDependenciesMeta:
1970     '@types/react':
1971       optional: true
1972
1973 '@radix-ui/react-use-escape-keydown@1.1.2':
1974   resolution: {integrity: sha512-2uVLvLjgO7NZCWw01/FdQrWmA42J0BcjPMUCA+koFEOAb+zjqIP7SiFz/7zWPrKnVmSqr76OmQ2ALyCuX4dhLw==}
1975   peerDependencies:
1976     '@types/react': '*'
1977     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1978   peerDependenciesMeta:
1979     '@types/react':
1980       optional: true
1981
1982 '@radix-ui/react-use-is-hydrated@0.1.1':
1983   resolution: {integrity: sha512-gwOiz4Tjo8CNnrOLAYUMXeZwDzXgXpvK4TKQPmWLECM9XoWwA6+0Z2/7Ag3A4ivjS4ovbLJPbskkxioFyBhr8A==}
1984   peerDependencies:
1985     '@types/react': '*'
1986     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1987   peerDependenciesMeta:
1988     '@types/react':
1989       optional: true
1990
1991 '@radix-ui/react-use-layout-effect@1.1.2':
1992   resolution: {integrity: sha512-jrBW0xZITuGcnjRCM2t2U5ZpKCLxD+Ym6Dj fssS5haTj2iiak/DOb64JeN6OdLfLgptb6/e2kKR+ZuTrGoZTPA==}
1993   peerDependencies:
1994     '@types/react': '*'
1995     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
1996   peerDependenciesMeta:
1997     '@types/react':
1998       optional: true
1999
2000 '@radix-ui/react-use-previous@1.1.2':
2001   resolution: {integrity: sha512-IGBQPtRfDhN6MQ8dbegVmBq1LVZluya3F1jWY+puIcQC3MHctRwTDSBWCKL/3ZcnMJLTMJ++Z+ktmvg0F89iCw==}

```

```

2002   peerDependencies:
2003     '@types/react': '*'
2004     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
2005   peerDependenciesMeta:
2006     '@types/react':
2007       optional: true
2008
2009   '@radix-ui/react-use-rect@1.1.2':
2010     resolution: {integrity: sha512-d8a+bBY/FxikNPlgJJoabH2X+zKVbWHYJGTlnLvveQgFSTntkGdEKv3JDtHrMS0DNYp1lz2nRsTLGLKYttbpmw==}
2011   peerDependencies:
2012     '@types/react': '*'
2013     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
2014   peerDependenciesMeta:
2015     '@types/react':
2016       optional: true
2017
2018   '@radix-ui/react-use-size@1.1.2':
2019     resolution: {integrity: sha512-giWQp+4mxjBPT4KZ0MmyuykFNWfbDxKt4x+fPkRYmgRFJSbCZFzUglvMb/Kjn38tm10YP4ufiQZDx3zna4LU6w==}
2020   peerDependencies:
2021     '@types/react': '*'
2022     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
2023   peerDependenciesMeta:
2024     '@types/react':
2025       optional: true
2026
2027   '@radix-ui/react-visually-hidden@1.2.5':
2028     resolution: {integrity: sha512-tPcHNI3FajdDBFpl/Ezlm2WL0ufJqBKyHxMDBvKitopamK36WwBGOMicumeZKkM5Wce41QxUyv6BsiqfrWBiGv==}
2029   peerDependencies:
2030     '@types/react': '*'
2031     '@types/react-dom': '*'
2032     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
2033     react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
2034   peerDependenciesMeta:
2035     '@types/react':
2036       optional: true
2037     '@types/react-dom':
2038       optional: true
2039
2040   '@radix-ui/rect@1.1.2':
2041     resolution: {integrity: sha512-xnXE7wG13PI+cxieVssYXlQJuYVRhH9NBoxt3KNwzghDIA69GMm7d4wXRouHIYjE+KvS6U/MsMO73NdS2MH9ZA==}
2042
2043   '@react-email/render@1.1.2':
2044     resolution: {integrity: sha512-RnRehYN3v9gVlNMehHPHhyp2RQo7+pSkHDTXpvg3s0Gbzm9SQMW4Qrf8GRNvtpLC4gsI+Wt0VatNRUFqjvevbw==}
2045     engines: {node: '>=18.0.0'}
2046   peerDependencies:
2047     react: ^18.0 || ^19.0 || ^19.0.0-rc
2048     react-dom: ^18.0 || ^19.0 || ^19.0.0-rc
2049
2050   '@redis/bloom@5.12.1':
2051     resolution: {integrity: sha512-PUUfv+ms7jgPSBVoo/DN4AkPHj4D5TZSd6SbJX7egzBplkYUcKmHRE8RKia7UtZ8bSQbLguLvXVO+asKtQfZWA==}
2052     engines: {node: '>= 18.19.0'}
2053   peerDependencies:
2054     '@redis/client': ^5.12.1
2055
2056   '@redis/client@5.12.1':
2057     resolution: {integrity: sha512-7aPGWeqA3uFm43o19umzdl16CEjK/JQgtSXVPevplTaOU3VJA/rseBC1QvYUz91LDIMBimc4SW/zrW4S89BaCA==}
2058     engines: {node: '>= 18.19.0'}
2059   peerDependencies:
2060     '@node-rs/xxhash': ^1.1.0
2061     '@opentelemetry/api': '>=1 <2'
2062   peerDependenciesMeta:
2063     '@node-rs/xxhash':
2064       optional: true
2065     '@opentelemetry/api':
2066       optional: true
2067
2068   '@redis/json@5.12.1':
2069     resolution: {integrity: sha512-eOze75esLve4vfqDel7aMX08CNaiLLQS2fv8mpRN9NXPelrVR4vQyYiW/OgtGUysF6QOr9ANhfxABKNOJfXdkG==}
2070     engines: {node: '>= 18.19.0'}

```

```

2071     peerDependencies:
2072       '@redis/client': ^5.12.1
2073
2074 '@redis/search@5.12.1':
2075   resolution: {integrity: sha512-ItlxbxC9cKI6IU1TLWoczWJCRb6TdmkEpWv05UrPawqaAnWGRu3rcIqsc5vN483T2fSociuyV1UkWiL5I4//2w==}
2076   engines: {node: '>= 18.19.0'}
2077   peerDependencies:
2078     '@redis/client': ^5.12.1
2079
2080 '@redis/time-series@5.12.1':
2081   resolution: {integrity: sha512-c6JL6E3EcZJuNqKFz+KM+l9l5mpcQiKvTwgA3blt5glWJ8hjDk0yeHN3beE/MpqYIQ8UEX44ItQzgekE/gCBELQ==}
2082   engines: {node: '>= 18.19.0'}
2083   peerDependencies:
2084     '@redis/client': ^5.12.1
2085
2086 '@rollup/rollup-android-arm-eabi@4.62.0':
2087   resolution: {integrity: sha512-IPtQ55ythEHkfEd9jMEi320Q7SxURsGA43JI221j01OLZNt2NUbJX8YUHXkVWYQ6daHPNn0truF5nSj3DQp6YQ==}
2088   cpu: [arm]
2089   os: [android]
2090
2091 '@rollup/rollup-android-arm64@4.62.0':
2092   resolution: {integrity: sha512-M6s9cr10MibETyo8JsOkq+Lol+1U6hcvb1MApnUq15qte/5hMEgz1N8/ReIKNfRV8rrqX50W1BX9zoUhc192RA==}
2093   cpu: [arm64]
2094   os: [android]
2095
2096 '@rollup/rollup-darwin-arm64@4.62.0':
2097   resolution: {integrity: sha512-BqCoMoIbn0keKys+dEAdBa70EtOwV1bEsQCUGU9FdiZmmMge/Zk7LlkYGqbrdHR+Frnt0E1FOonly+rlwvvQzw==}
2098   cpu: [arm64]
2099   os: [darwin]
2100
2101 '@rollup/rollup-darwin-x64@4.62.0':
2102   resolution: {integrity: sha512-SIMzST3VFNXDABeIWDWiFCNM5qncUBDWaEV7Nfe7oZbDt2mgfW4MvbKdbYiGOLoM32gbTv608UMd0XktEYSD7w==}
2103   cpu: [x64]
2104   os: [darwin]
2105
2106 '@rollup/rollup-freebsd-arm64@4.62.0':
2107   resolution: {integrity: sha512-ezjfsQMP7ArdUsbBwbQIfwAlhE84I2iVnzQNCFSveqV42q+BmK1zVpf7mxv5EchLcoWU4y6/heFzVglF+hodUQ==}
2108   cpu: [arm64]
2109   os: [freebsd]
2110
2111 '@rollup/rollup-freebsd-x64@4.62.0':
2112   resolution: {integrity: sha512-9+qTWG9AZRhnUgwtTwzNwcPlL87ngkeN0LA+q1bAdvmY9aNvWaf2TFW8BZgnQPYxpDI7+rMVLivcd4V737TAQ==}
2113   cpu: [x64]
2114   os: [freebsd]
2115
2116 '@rollup/rollup-linux-arm-gnueabi@4.62.0':
2117   resolution: {integrity: sha512-T1dMEQhXA/jkKJ/jyMIwIovK8bSUq7A8kLilvZTb/6YIVsp2zLavr4F3oyllHwO7eIVJRyE5n3tUjQJEBE1IuQ==}
2118   cpu: [arm]
2119   os: [linux]
2120   libc: [glibc]
2121
2122 '@rollup/rollup-linux-arm-musleabi@4.62.0':
2123   resolution: {integrity: sha512-2as0LgT7qQpyceQq6VUJYnumUMUrgGQCWiIDIN9DE0/tglSk6o66uCB4f3djRawAltvfCNLY2ZrsqbPA6inCsA==}
2124   cpu: [arm]
2125   os: [linux]
2126   libc: [musl]
2127
2128 '@rollup/rollup-linux-arm64-gnu@4.62.0':
2129   resolution: {integrity: sha512-bVURMg+6eNN9C/yc0AvjooZcwTtYF4YW3xta5pP0//r3o1V8gXEHXWCndj47w/HhwsFrozrPhR+6uQP5T0n0g==}
2130   cpu: [arm64]
2131   os: [linux]
2132   libc: [glibc]
2133
2134 '@rollup/rollup-linux-arm64-musl@4.62.0':
2135   resolution: {integrity: sha512-Ful8pM/2yYI83PViWdFdpZhdI8HJ5qsXANe5atypbHdf+KIBBDsZsbyy8hbXnULVvW9NsTh5DHwbcBftyLTfiw==}
2136   cpu: [arm64]
2137   os: [linux]
2138   libc: [musl]
2139

```

```

2140 '@rollup/rollup-linux-loong64-gnu@4.62.0':
2141   resolution: {integrity: sha512-9Gp/DgrkzfUBmNPVTyPTvay+4xEP7M/clXpj3efXBcm6uTIVIgDg4rqUpqKXvLEuFRVuEpSA0khgNecvaZ4Cg==}
2142   cpu: [loong64]
2143   os: [linux]
2144   libc: [glibc]
2145
2146 '@rollup/rollup-linux-loong64-musl@4.62.0':
2147   resolution: {integrity: sha512-m9tsJz54LUXkSYM8+8PG81B9IKK5r+2T0clMq4QrS16xFosufU7firBDAZEsDheDs7wTlP7h3++S7lMsU955HA==}
2148   cpu: [loong64]
2149   os: [linux]
2150   libc: [musl]
2151
2152 '@rollup/rollup-linux-ppc64-gnu@4.62.0':
2153   resolution: {integrity: sha512-3UvJ5PNVU16aJf6M3tFI24pWzAl2/ynfbyRN3ICyQajK1lSkrnVYNnLz3v04J32qKa0FczJc22zeToc0lr2A3w==}
2154   cpu: [ppc64]
2155   os: [linux]
2156   libc: [glibc]
2157
2158 '@rollup/rollup-linux-ppc64-musl@4.62.0':
2159   resolution: {integrity: sha512-vRWUAbYLGHBZS6Q8Msb2sfnf1fvJf+47t81/TwOerM2qArzy+IeNMTHrYLHXh95h8MoatPHI5hhSZNs+mGXXKpg==}
2160   cpu: [ppc64]
2161   os: [linux]
2162   libc: [musl]
2163
2164 '@rollup/rollup-linux-riscv64-gnu@4.62.0':
2165   resolution: {integrity: sha512-c00T5SYENHAt86cfW47URaP3Us5vLC/4QO7GYud1G5VNrffCwwCuBspwqYrriuJB+5m0WFzClCn9wed0FBjKvg==}
2166   cpu: [riscv64]
2167   os: [linux]
2168   libc: [glibc]
2169
2170 '@rollup/rollup-linux-riscv64-musl@4.62.0':
2171   resolution: {integrity: sha512-krCDilhXOWFkSkO3Wm9I/f9H0L92XHHwy2fwxjukxIbh0dem8gZqOW5Y8BsHrpJv5qwlRBV+Wl4ZFyRWhUpwg==}
2172   cpu: [riscv64]
2173   os: [linux]
2174   libc: [musl]
2175
2176 '@rollup/rollup-linux-s390x-gnu@4.62.0':
2177   resolution: {integrity: sha512-7pfYFSTc4/rUC/FtAI0Qp6QthDBCii6/AuPlxYqFk5vanI6KnL5dWKP60OM/05LOsbwTmIcvr6eXC4CJuJ75IA==}
2178   cpu: [s390x]
2179   os: [linux]
2180   libc: [glibc]
2181
2182 '@rollup/rollup-linux-x64-gnu@4.62.0':
2183   resolution: {integrity: sha512-7SDIalKeIpG0Ifogbbdn58HmSotYm1f23K3dCJEmiVd9Fg36Vمني82iPQec27N3wY4Bvbxftkxz6vSx9OcouTg==}
2184   cpu: [x64]
2185   os: [linux]
2186   libc: [glibc]
2187
2188 '@rollup/rollup-linux-x64-musl@4.62.0':
2189   resolution: {integrity: sha512-eRZevouTH2ilHeAVLqJuLnt256krQkGY0TN6WsTmsIhuzbh457HuWDMakKwmi0Cjadux983CoSr8Lim2QhUIFW==}
2190   cpu: [x64]
2191   os: [linux]
2192   libc: [musl]
2193
2194 '@rollup/rollup-openbsd-x64@4.62.0':
2195   resolution: {integrity: sha512-3oVS7FLGa4U1qcva09ylGxrjXZyUQqR8UwxEcnuEYpX530/C/mKDZegNXTdHCP+h3e6ta/f1EN38YiflmmZHYg==}
2196   cpu: [x64]
2197   os: [openbsd]
2198
2199 '@rollup/rollup-openharmony-arm64@4.62.0':
2200   resolution: {integrity: sha512-yTB9TgfWj5wHe5QgktAgXTLLotlvgEjl1NiPPAUiCs4oPrIWF15V4n3C3GrkNdj9LaAU4s94nVrGbGOCqUpyWsg==}
2201   cpu: [arm64]
2202   os: [openharmony]
2203
2204 '@rollup/rollup-win32-arm64-msvc@4.62.0':
2205   resolution: {integrity: sha512-5LOhaoesY3doGlc+ac/2JtgREpKoJr5bUHH8tKY0V8di7+uSV6BwLs2PlR0/yzefGOKr+wE7ZolZphHCSyG5Rw==}
2206   cpu: [arm64]
2207   os: [win32]
2208

```

```
2209 '@rollup/rollup-win32-ia32-msvc@4.62.0':
2210   resolution: {integrity: sha512-yYkWHhmbhRTWTnWos5HC4GcPQfj1zzCNbM9e/+GXRluaBXA3qSDR9f0Vgufd5S8yX81U8jPKp7ZnAjZFMtRnw==}
2211   cpu: [ia32]
2212   os: [win32]
2213
2214 '@rollup/rollup-win32-x64-gnu@4.62.0':
2215   resolution: {integrity: sha512-SoTb61Pg25xZ1A2ibwQ++ahCCnH+FP0qmEuafMJ4gznZKOlXioKEAeJLgCrqjM98ACziXM9V1amFjICVL4IFoA==}
2216   cpu: [x64]
2217   os: [win32]
2218
2219 '@rollup/rollup-win32-x64-msvc@4.62.0':
2220   resolution: {integrity: sha512-5L+T1fMX4RIEBoZzT0+sQ0PhTS36NULfMMXt11Tz044TMAR0IMHbZufSOjVWt/Y622BtxgxtaNOokbTDvfsrZA==}
2221   cpu: [x64]
2222   os: [win32]
2223
2224 '@selderee/plugin-htmlparser2@0.11.0':
2225   resolution: {integrity: sha512-P33hHGdldxGabLFjPPpaTxVolMrzrcegejx+0GxjrIb9Zv48D8yAIA/QTDR2dF17Uz7urX8aX6+5bCZslr+gWQ==}
2226
2227 '@shikijs/core@3.23.0':
2228   resolution: {integrity: sha512-NSWQz0riNb67xthdm5br6lAkvpDJRTgB36fxlo37ZzM2yq0PQFFzbd8psqC2XMPgCzo1fW6cVil8+ArJ44wqgA==}
2229
2230 '@shikijs/engine-javascript@3.23.0':
2231   resolution: {integrity: sha512-aHt9eiGFobmWR5uqJUViySI1bHMqrAgamWE1TYSUoftkAeCCAiGawPMwM+VCady1QtF4V3VNOZ5LmfItH5f3yA==}
2232
2233 '@shikijs/engine-oniguruma@3.23.0':
2234   resolution: {integrity: sha512-1nWINwKXxKKLqPibT5f4pAFLej9oZzQtSby8942OTlsJzOBZ0MWMKiwzMsD+jhzu8YPCHAswGnnN1YtQfirL35g==}
2235
2236 '@shikijs/langs@3.23.0':
2237   resolution: {integrity: sha512-2Ep4W3Re5aB1/62RSYQInK9m3HsLeB91cHqznAJMuylqjzNVAVCMnNWRHfctNHXsoNRayP9z1qj4Sq3nMqYXg==}
2238
2239 '@shikijs/themes@3.23.0':
2240   resolution: {integrity: sha512-5qySYa1ZgAt18HR/ypENL9cUSGOeI2x+4IvYJu4JgVJdi zn6kG4ia5Q1jDEOi7gTbN4RbuYtmHh0W3eccOrjMA==}
2241
2242 '@shikijs/types@3.23.0':
2243   resolution: {integrity: sha512-3JZ5HXOZfYjsYSk0yPwBrkupyYSLpAE26Qc0HLghhZNGTZg/SKxXIIGoxOpmmeQP0RRSDJTk1/vPfw9tbw+jSQ==}
2244
2245 '@shikijs/vscode-textmate@10.0.2':
2246   resolution: {integrity: sha512-83yeghZ2xxin3Nj8z1nMd/NCuca+gsYXswyDy5bHvwlWL8tpTQmzGeUuHd9FC3E/SBEMvzJRwWEOz5gGes9Qg==}
2247
2248 '@standard-schema/spec@1.1.0':
2249   resolution: {integrity: sha512-l2aFy5jALhniG5HgqrD6jXLi/rUWrKvqN/qJx6yoJsgKhblVd+iqqU4RCXavm/jPityDo5TCvKMnpjKnOriy0w==}
2250
2251 '@supabase/auth-js@2.108.2':
2252   resolution: {integrity: sha512-tNaQmBgodDZwgB40mRwVbxPy8IDYwdpcZ0BYrWiwlULCSQoJj4QoG4zgJT7QRPXcqipefNOzvO/qAu4dF98ag==}
2253   engines: {node: '>=20.0.0'}
2254
2255 '@supabase/functions-js@2.108.2':
2256   resolution: {integrity: sha512-RNUX8EiBy3iLwAX19jtRzLyePnl11/fHcgwDHLnpKcDSXt/5qBnh3LUwAtIjT21Q66QsmNUR2esrHziLCpNubw==}
2257   engines: {node: '>=20.0.0'}
2258
2259 '@supabase/phoenix@0.4.2':
2260   resolution: {integrity: sha512-YSAGnmDAfulFCVt3CeurQZAhxRfXWeZIIkwp7NhYzQ1UwW6ePSnzsFAiUm/mbCkfoCf70QQHKW/K6RKh52a4A==}
2261
2262 '@supabase/postgrest-js@2.108.2':
2263   resolution: {integrity: sha512-GQ28/Y8hk3CFmkb3kXH1h/AQx6JIYSQf00CJMRVBCEKZoNy6C45cXAZ4fcJvRC5Id0cs6xnkUV0+c0rIocigsw==}
2264   engines: {node: '>=20.0.0'}
2265
2266 '@supabase/realtime-js@2.108.2':
2267   resolution: {integrity: sha512-aAGxCSUemZvQIibnCdvNvgaKib28I4rfrNjKbQ9cGluBLwUsI7hVpGXgEbypCCDhLjQlDTAiJlu7rgljYUT73g==}
2268   engines: {node: '>=20.0.0'}
2269
2270 '@supabase/storage-js@2.108.2':
2271   resolution: {integrity: sha512-TVZPQxXGxY2+A6yTtm77zUHsh701BhYUEaJL8RQC+BghcX/ygiMG/rmXrNVBce30/WAeNPa8FiG8HbqlGeV05g==}
2272   engines: {node: '>=20.0.0'}
2273
2274 '@supabase/supabase-js@2.108.2':
2275   resolution: {integrity: sha512-hFhnPveb5JQg4a0QYicM0swT253YHMdfeRAL2BKHO1I5VAzuHxUGSr8RbwNLYNPauWOgQMS1H8sz8bvY1gwUfQ==}
2276   engines: {node: '>=20.0.0'}
2277
```



```

2278 '@swc/helpers@0.5.15':
2279   resolution: {integrity: sha512-JQ5TuMi45Owi4/BIMAJBoSQoOJul2oOk/gADqlcUL9JEdHB8vyjUSsxeNXnmXHjYKMi2WcYtezGEEhQUI/E2g==}
2280
2281 '@tailwindcss/node@4.3.1':
2282   resolution: {integrity: sha512-6NdaQRoAMSXD1mr/RXu0HBvNE9a2n5tHPxsu9XHLws8o4Twes5rBM2205SUUiJ9goAtadrN6xTGX0UDEwp/N4A==}
2283
2284 '@tailwindcss/oxide-android-arm64@4.3.1':
2285   resolution: {integrity: sha512-SVlyf61g37415cHyg8x9kf5xmLcOaxvOTsbsqDnSsDJAKOEFZ7GCvi84VAVGpxojYOs1+3K6M0UjXfqPU8vmOQ==}
2286   engines: {node: '>= 20'}
2287   cpu: [arm64]
2288   os: [android]
2289
2290 '@tailwindcss/oxide-darwin-arm64@4.3.1':
2291   resolution: {integrity: sha512-hVnWLwv+e/17c4WKyVtHVrIPvYdqWHjRB3MDIqARynzFtnQg85kmQEFcbV9Ja0VVx4xXTiIDWY60Y7iz/iNoDA==}
2292   engines: {node: '>= 20'}
2293   cpu: [arm64]
2294   os: [darwin]
2295
2296 '@tailwindcss/oxide-darwin-x64@4.3.1':
2297   resolution: {integrity: sha512-Cf7abu0WVgbbU7ANgPUnSAvm7nCVmweusHb8FnaH1LfV/Caq4GYaEZg7ZImzjmjx41IAfuS8q+eLIS7A7IzxIg==}
2298   engines: {node: '>= 20'}
2299   cpu: [x64]
2300   os: [darwin]
2301
2302 '@tailwindcss/oxide-freebsd-x64@4.3.1':
2303   resolution: {integrity: sha512-ZZqzX2Y+GXtXXfqSfpJhDm60OoZfvLHLCgm+J7NVqgHHJjG/m9ugZI77RwTsVd4fnBJuCFP6Ae6kJb71UdS8g==}
2304   engines: {node: '>= 20'}
2305   cpu: [x64]
2306   os: [freebsd]
2307
2308 '@tailwindcss/oxide-linux-arm-gnueabi@4.3.1':
2309   resolution: {integrity: sha512-/Ah/xik0LaMYfv9DZ0S/t4pB1BNyOcqRwusjgovHkvT8ixueWCLyJjsaF5kQIckjb4IT8Q6K6p/iPmZMixYgg==}
2310   engines: {node: '>= 20'}
2311   cpu: [arm]
2312   os: [linux]
2313
2314 '@tailwindcss/oxide-linux-arm64-gnu@4.3.1':
2315   resolution: {integrity: sha512-ggdFoVJlw444GvpnhZLHmvTzSxI/coUUh2KSNejQjTcYkW062SVD+En0rUgD+QV91bz1XGIGtt1HJd48xUGbQ==}
2316   engines: {node: '>= 20'}
2317   cpu: [arm64]
2318   os: [linux]
2319   libc: [glibc]
2320
2321 '@tailwindcss/oxide-linux-arm64-musl@4.3.1':
2322   resolution: {integrity: sha512-Bwv9KwOvE0VKa86xPFif9b9c3Y1NxOV1P0gltI/iYaWesQYZXdlxfGEtA8mdDZ7SG3wyNXAWYT5SIn3giL57oA==}
2323   engines: {node: '>= 20'}
2324   cpu: [arm64]
2325   os: [linux]
2326   libc: [musl]
2327
2328 '@tailwindcss/oxide-linux-x64-gnu@4.3.1':
2329   resolution: {integrity: sha512-Ymi808T15HYQdOUWUtTi6ldN0neHP85FC+Qz32xTcZ7iJXtem/x8ITev0ole9e5rkqj4lONZfTRlvkmin1+tKg==}
2330   engines: {node: '>= 20'}
2331   cpu: [x64]
2332   os: [linux]
2333   libc: [glibc]
2334
2335 '@tailwindcss/oxide-linux-x64-musl@4.3.1':
2336   resolution: {integrity: sha512-M+P/9lqJ6uILLw4k2G93GMDRAXj61SMvFYQt39AqvUqYgExXpLL5aepfns7sj4HiAQeolirQF9E0lzRvdf4zPQ==}
2337   engines: {node: '>= 20'}
2338   cpu: [x64]
2339   os: [linux]
2340   libc: [musl]
2341
2342 '@tailwindcss/oxide-wasm32-wasi@4.3.1':
2343   resolution: {integrity: sha512-zsM8uOeqvVGHsAXsJxsT28ttosFahLJKLOTUBqRatKnVgGSritds9T432QiT8b77Yga7JIBkulIRRLJPtYhRA==}
2344   engines: {node: '>=14.0.0'}
2345   cpu: [wasm32]
2346   bundledDependencies:

```

```

2347     - '@napi-rs/wasm-runtime'
2348     - '@emnapi/core'
2349     - '@emnapi/runtime'
2350     - '@tybys/wasm-util'
2351     - '@emnapi/wasi-threads'
2352     - tslib
2353
2354 '@tailwindcss/oxide-win32-arm64-msvc@4.3.1':
2355   resolution: {integrity: sha512-aiNvSq9BsVk8V513lDK1rCFAgf8qBMPZTpgEhInL+NwQqs97mYmupVMrPrgBBSL8Pv/0zXu9MrMF9rMun1ZeNg==}
2356   engines: {node: '>= 20'}
2357   cpu: [arm64]
2358   os: [win32]
2359
2360 '@tailwindcss/oxide-win32-x64-msvc@4.3.1':
2361   resolution: {integrity: sha512-xDEyulrg290472FEGaKHnzyDyh5QH+AlWvsU5hMoMtPpzmKlRI0jaYKCgSHDYtaQWZOYbMaduSyCwFwY4n1HmA==}
2362   engines: {node: '>= 20'}
2363   cpu: [x64]
2364   os: [win32]
2365
2366 '@tailwindcss/oxide@4.3.1':
2367   resolution: {integrity: sha512-yVPyo8RNkabVr3O2EhHEEORewu7YKzc1DhIqfL46LKveFrmu9XbDazNOJY7/GRuvwlh6u3utWnR29H/p5JPlgA==}
2368   engines: {node: '>= 20'}
2369
2370 '@tailwindcss/postcss@4.3.1':
2371   resolution: {integrity: sha512-dNJuNbdeJT/SWRuXTYP1WSamelss3ztkUsdtWQpjrexysrTpaEPM40P/71knXiXLYEojqPOEGitVLLpPMS5T6A==}
2372
2373 '@tailwindcss/typography@0.5.20':
2374   resolution: {integrity: sha512-hwbzQuNUfcPvbegQFatVPl/MY/tcM9KL963hQ51aJKPh81TEZ1+dNG9PirGvcaDBkp+BCshExAyKVPW91dozw==}
2375   peerDependencies:
2376     tailwindcss: '>=3.0.0 || >=4.0.0 || insiders'
2377
2378 '@trpc/server@11.17.0':
2379   resolution: {integrity: sha512-jbAOue0PpUTCYqziyu+8vYXZdDXPudZgnEhWCQ2NjKnVEjFE93RqHTt1oycZJv/HNf51Y1RXfEEwSIAbb161rw==}
2380   hasBin: true
2381   peerDependencies:
2382     typescript: '>=5.7.2'
2383
2384 '@types/chai@5.2.3':
2385   resolution: {integrity: sha512-Mw558oeA9fFbv65/y4mHtXDs9bPnFMZAL/jxdPFUpOHHIXX91mcgEHbS5Lahr+pwZFR8A7GQleRWeI6cGFC2UA==}
2386
2387 '@types/cookie@0.6.0':
2388   resolution: {integrity: sha512-4Kh9a6B2bQciAhf7FSuMRRkUWecJgJu9nPnx3yzpsfXX/c50REIqpHY4C82bXP90qrLtXtkDxTzosYO3UpOw1A==}
2389
2390 '@types/d3-array@3.2.2':
2391   resolution: {integrity: sha512-hOLWVbm7uRza0BYXpIIW5pxfrKe0W+D5lrFiAEYR+pb6w3N2SwSMaJbXdUfSEv+dT4MfHBLtn5js0LAWaO6otw==}
2392
2393 '@types/d3-axis@3.0.6':
2394   resolution: {integrity: sha512-pYeijfZuBd87T0hGn0F01vQ/cgLk6E1ALJjfkC0oJ8cbwkZl3TpgS8bVBLZN+2jjGgg38epgxb2zmoGtSfvgMw==}
2395
2396 '@types/d3-brush@3.0.6':
2397   resolution: {integrity: sha512-nH60IZNNxEcrh6L1ZSMNA28rj27ut/2ZmI3r96Zd+1jrZD++zD3LsMIjWlvg4AYrHn/Pqz4CF3veCxGjtbqt7A==}
2398
2399 '@types/d3-chord@3.0.6':
2400   resolution: {integrity: sha512-LFYWWd8nwfEmTZG9PfQxd17HbNPksHBIJhAKuY1XeqscXacsS2tyoo6OdRsjf+NQYeB6XrNL3a25E3gH691cg==}
2401
2402 '@types/d3-color@3.1.3':
2403   resolution: {integrity: sha512-iO90sceth9WAbmgv7ogoq5709YpKmFBmoEoCHDB2xMBY0+/KVrqAaCdYCE16dUspeOvIxFFRI+0sEtqDqy2b4A==}
2404
2405 '@types/d3-contour@3.0.6':
2406   resolution: {integrity: sha512-BjzLgXGnCWjUSYGFH1cpdo41/hgdWETu4YxpezotawmqsvCeep+8QGfiY6YbDvfgHz/DkjeIkkZVJavB4a3rg==}
2407
2408 '@types/d3-delaunay@6.0.4':
2409   resolution: {integrity: sha512-ZMaSKu4THYCU6sV64Lhg6qjflorxBthaC16lplr5KuPho3CNm8DTHiLw/5Eq2b6TsNP0W0iJrUOFscY6Q450Hw==}
2410
2411 '@types/d3-dispatch@3.0.7':
2412   resolution: {integrity: sha512-5o90IAdKkhN1QItV2oqaE5KMIiXAvDWBDPr85e58Q1z1clki/J0NcqbEG88CoTwJrYe7ntUCVfeU12UJKbWgA==}
2413
2414 '@types/d3-drag@3.0.7':
2415   resolution: {integrity: sha512-HE3jVK1zU9AaMazNufooRJ5ZpWmLIoc90A37WU2JMmeq28w1FQqCZswHZ3xR+SuxYftzHq6WU6KJHvqxKzTxXQ==}

```

```
2416
2417 '@types/d3-dsv@3.0.7':
2418   resolution: {integrity: sha512-n6QBF9/+XASqcKK6waudgL0pf/S5XHPPi8APyMLLUHd8NgouBGLsU8MgtO7NINGtPBtk9Kko/W4ea0oAspwh9g==}
2419
2420 '@types/d3-ease@3.0.2':
2421   resolution: {integrity: sha512-NcVlJjO5oDzoK26oMzbILE6HW7uVUXOHLQvHshBUW4UMdZGfiY6v5BeQwh9a9tCzv+CeefZQHJt5SRgK154RtiA==}
2422
2423 '@types/d3-fetch@3.0.7':
2424   resolution: {integrity: sha512-fTAfNmxB9SOWNB9IoG5c8Hg6R+AzUHDRlsXsDZsNp6sxAEOp0tkP3gKkNSO/qmHPoBFTxNrjDprVHDQDvo5aA==}
2425
2426 '@types/d3-force@3.0.10':
2427   resolution: {integrity: sha512-ZYeSaCF3p73RdOKcjj+swRlZfnYpK1EbaDiYICEEp5Q6sUiqFaFQ9qgoshp5CzIyyb/yD09kD9o2zEltCexlgw==}
2428
2429 '@types/d3-format@3.0.4':
2430   resolution: {integrity: sha512-fALi2aI6shfg7vM5KiRlWnJnZ7r6UuggVqtDA+xiEdPZQwy/trcQaHnwShLuLdta2rTymCNpxYTiMZx/e09F4g==}
2431
2432 '@types/d3-geo@3.1.0':
2433   resolution: {integrity: sha512-856sckF0oP/diXtS4jNsiQw/UuK5fQG8l/a9VVLeSouf1/PPbBE1i1W852zVwKwYCBkFJJB7nCTbk6UMEXBOQ==}
2434
2435 '@types/d3-hierarchy@3.1.7':
2436   resolution: {integrity: sha512-tJftNoYBtRtkNysXlXq4sxtjK8YgoWUNPiIuee0/jHGRwqvzYxkq0hGVbbOGSs+JgFxxRu4K8nb3YpG3CMartg==}
2437
2438 '@types/d3-interpolate@3.0.4':
2439   resolution: {integrity: sha512-mgLPEtLrpVV1YRJIglr4Ez47g7Yxjl1lj7YKsiMCb27VJH9W8NVM6Bb9d8kkgG/uAQs5AmbA48q2IAolKKo1MA==}
2440
2441 '@types/d3-path@3.1.1':
2442   resolution: {integrity: sha512-VMZBYyQvbGmWyWVea0EHs/BwLgxc+MKilZLDCONksozI4YJMcTt82EuIR4Sb1MMTE8MMW49v0IwI5+b7RmfWlg==}
2443
2444 '@types/d3-polygon@3.0.2':
2445   resolution: {integrity: sha512-ZuWOtMaHCKN9xoeEMrlubW2nGWsp4nIql+OPQRstu4ypeZ+zk3YKqQT0CXVe/PYqrKpZai+J9mTs05TKwjXSRA==}
2446
2447 '@types/d3-quadtree@3.0.6':
2448   resolution: {integrity: sha512-oUzyO1/Zm6rsxKRAH1vH0NEDG58HrT5icx/azi9MF1TWdtW10UIUsjEQBBh+SIkrpd21ZjEv7ptxWys1ncsg==}
2449
2450 '@types/d3-random@3.0.3':
2451   resolution: {integrity: sha512-ImagglvJ3y76Y2ea0871wpabqp6l3+8/r0mCLEBfdtqC7xMSfj9idOnmBYyMoULfHePJyMAw3nWhJxzc+LFwQ==}
2452
2453 '@types/d3-scale-chromatic@3.1.0':
2454   resolution: {integrity: sha512-iWMJgwK7yTRmWqRB5plblkadXyQ5Sj8V/zY1FGMUBbIPKQScw+Dku9cAAMgJG+z5GYDoMjWGLVOvjghDEFnKQ==}
2455
2456 '@types/d3-scale@4.0.9':
2457   resolution: {integrity: sha512-dLmtwB8zkAeO/juAMfnV+sItKjlsW21KdZVVy6LrR0cBmegxSABiLEpGVmSJJ8008i4+sGR6qQt6WtuwJdvVw==}
2458
2459 '@types/d3-selection@3.0.11':
2460   resolution: {integrity: sha512-bhAXu23DJWsrI45xafYpKQ4NtcKMwWnAc/vKrd2l+nxMFuvOT3XMYTiJ2opv8vq8A05Yh7Qac/nSeP/3zjTK0w==}
2461
2462 '@types/d3-shape@3.1.8':
2463   resolution: {integrity: sha512-lae0iWfcDeR7qt7rA88BNiqdVPS5pFVPpo5OfjElwNaT2yyekbM0C9vK+yqBqEmHr61DkRnYNoTBY1AgJa7a4w==}
2464
2465 '@types/d3-time-format@4.0.3':
2466   resolution: {integrity: sha512-5xg9rC+wWL8kdDj153qZcsJ0FWiFt0J5RB6LYUNZjwSnesfblqrI/bJ1wBdJ80QfncgbJG5+2F+qfqngqzYxyg==}
2467
2468 '@types/d3-time@3.0.4':
2469   resolution: {integrity: sha512-yuzZuglInkAAaB1BBikKZTgzCeA+k1uy4ZFwWANOqKw5z5LRhV0gNA7gNkKm7HoK+HRN0wX3EkxGk0fPbWhmB7g==}
2470
2471 '@types/d3-timer@3.0.2':
2472   resolution: {integrity: sha512-Ps3T8E8d2Dam6fUyNiMkekK3XUsaUEik+idO9/YjPtFj2gruF8tFBXS7XhtE4iIXBLxhmLjP3SxpLhVf21I9Lw==}
2473
2474 '@types/d3-transition@3.0.9':
2475   resolution: {integrity: sha512-uZS5shfxzO3rGlu0cC3bjmMFKsXv+SmZcZcgp0KD22ts4uGXp5EVYgzu/0YdwZeKmdhAcAccYtREJKkPfXkZuCG==}
2476
2477 '@types/d3-zoom@3.0.8':
2478   resolution: {integrity: sha512-iqMC4/YlFCS1O8+2i1lGGG1iCAY4XdeG748w5vQUbevlbDu0zSjH/+jojoQVBK/se0j6DUFNPGSgD3YWYnDw==}
2479
2480 '@types/d3@7.4.3':
2481   resolution: {integrity: sha512-lZXZ9ckh5R8uiFVt8ogUNf+PIrK4EsWrX2Np75WvF/eTpJ0FMHnhjXk8CKEx/+gpHbNQyJWehbFaTvmqHwB3ww==}
2482
2483 '@types/debug@4.1.13':
2484   resolution: {integrity: sha512-KSVgmQmzMwPlmtljOomayoR89W4FynCAi3E8PPs7vmDVPe84hT+vGPKkJfThkmXs0x0Jaaa9U8uW8bbfyS2fWw==}
```

```
2485
2486 '@types/deep-eql@4.0.2':
2487   resolution: {integrity: sha512-c9h9dVVMigMPc4bwTvC5dxqtqJZwQPePsWjPlpSOnojbor6pGqdk5411fA7AqFQR5pB1BRdq0juY9db81BwyFw==}
2488
2489 '@types/estree-jsx@1.0.5':
2490   resolution: {integrity: sha512-52CcUVNFyfblA2ALocQw/Dd1BQFNmSdKu3BkZ6iqhdMfQz7JWOFruJFloOzjk+6WijU56m9oKXFXAc7o3Towg==}
2491
2492 '@types/estree@1.0.9':
2493   resolution: {integrity: sha512-GhdPgylE14/ImP05X05Uw4cw2/M93BCUmnEvWZNst1CzEKME4Fkk+YpoA5OiHNQmoS7Cafb8Xa3Pya8m1Qrzeg==}
2494
2495 '@types/geojson@7946.0.16':
2496   resolution: {integrity: sha512-6C8nqWur3j98U6+1XDfTUWIfgvZU+EumvpHKcYjujKH7woYyLj2sUmff0tRhrqM7BohUw7Pz3ZB1jj2gW9Fvmg==}
2497
2498 '@types/hast@2.3.10':
2499   resolution: {integrity: sha512-McWspRw8xx8J9HurkVBfYj0xKoE25tOf1HGdx4MJ5xORQrMGZNqJhVQWaIbm6Oyla5kYOXtDiopzKRJzEOkwJw==}
2500
2501 '@types/hast@3.0.4':
2502   resolution: {integrity: sha512-WPs+bbQw5aCj+x61aNGWLH3wviHtoCv/P3+otBhbOhJgG8qtpdAM1TCxLtsTWA7LH1Oh/bFCHsBn0TPS5m30EQ==}
2503
2504 '@types/katex@0.16.8':
2505   resolution: {integrity: sha512-trgaNyfU+Xh2Tc+ABIB44a5AYUpicB3uwirOioeOkNPPbmgRntcWyDeeFRzjPZENo9Vq8gvVqfhaaXWLLevVwg==}
2506
2507 '@types/linkify-it@5.0.0':
2508   resolution: {integrity: sha512-sVDA58zAw4eWAffKOaQH5/5j3XeayukzDk+ewSsnv3p4yJEZHCCzMDiZM8e0OUrRvmpGZ85jf4yDHkHsgBNr9Q==}
2509
2510 '@types/markdown-it@14.1.2':
2511   resolution: {integrity: sha512-promo4eFwuiW+TfGxhi+0x3czqTYJkG8qB17ZUJiVF10Xm7NLVRSLSfRTU/6h1e24VvRnXCx+hG7li58lkzog==}
2512
2513 '@types/mdast@4.0.4':
2514   resolution: {integrity: sha512-kGaNbPh1k7AFzgpud/gMdvIm5xuECykRR+JnWKQno9TAXVa6WIVCGTPvYGekIDL4uwCZQSYbUxNBSb1aUo79oA==}
2515
2516 '@types/mdurl@2.0.0':
2517   resolution: {integrity: sha512-RGdgjQUZba5p6QEFAVx2OGb8rQDL/cPRG7GiedRzMzCJltYnUANBncjbSB1NRGwbvjcPeikRABz2nshyPk1bhWg==}
2518
2519 '@types/ms@2.1.0':
2520   resolution: {integrity: sha512-GsCCIZDE/p3i96vtEqx+7dBUGXrc7zeSK3wwPHIaRThS+90hWIXRqzs4d6k1SVU8g91DrNRWxWUGhp5KXQb2VA==}
2521
2522 '@types/node@22.19.21':
2523   resolution: {integrity: sha512-VMcFBSCkQKmm2swI2kW51SFusDqecC6q9trBCvJ/JliDchFSuoYYKN7yVNjPthP1HKZcx3U1gI/wTcEBjEFKTA==}
2524
2525 '@types/omelette@0.4.5':
2526   resolution: {integrity: sha512-zUCJpVRwfMcZfkkSCGp73mgd3/xesvPz5tQJIORlfP/zkYEyp9KUF7IP3RRjyZR3DwxkPs96/IFf70GmYZYHQ==}
2527
2528 '@types/papaparse@5.5.2':
2529   resolution: {integrity: sha512-gFnFp/JMzLHCwRf7tQHrNfnhN4eYBVYYI897CGX4MY1tzY912aLkVyx2IlKZ/SAqDbB3I1AOZW5gTMGGsqW1iA==}
2530
2531 '@types/pdf-parse@1.1.5':
2532   resolution: {integrity: sha512-kBfrSXsloMnUJOKi25s3+hRmkycHfLK6A09eRGqF/N8BkQoPUmaCr+q8C1i5FnfohEz/rsv82zAiPz/LXtOGhA==}
2533
2534 '@types/prop-types@15.7.15':
2535   resolution: {integrity: sha512-F6bEyamV9jKGAfBEmlQnesRPGOQs2+Uwi0Em15xenOxHaf2hv6L8YCVn3rPdPJOiJfPiCnLIRyvwVaqMY3MIw==}
2536
2537 '@types/react-dom@18.3.7':
2538   resolution: {integrity: sha512-MEe3UeoENYVFxzoXEWSvcpg6Zv1rFNlOQ7EOsvhI3CfAXwzPf08Qwuxd40nepsYKqyyVQnTdEfV68q91yLcKrQ==}
2539 peerDependencies:
2540   '@types/react': ^18.0.0
2541
2542 '@types/react-syntax-highlighter@15.5.13':
2543   resolution: {integrity: sha512-uLGJ87j6S8z8UaBAooU0T6lWJ0dBmjZgN1PZTrj05TNq12/XpC6+4HhMT5syIdFUUt+FA5fCeLLv4kBygNU+8qA==}
2544
2545 '@types/react@18.3.31':
2546   resolution: {integrity: sha512-vfEqpXTvwT9lyhmdfouStN2hSKwTvyRs8qpLfAdYrq/kxDw0hZM7Wk9Ug1fELj8hIby+S/+kQCSRFf32nv2Qw==}
2547
2548 '@types/trusted-types@2.0.7':
2549   resolution: {integrity: sha512-ScaPdn1dQczgb1Q0FTeTOMVHFULt394XJgOQNoyVhZ6r2vLnMLJfBPd538B52T/3G36VI1/g2MzaX0cwDuXsfw==}
2550
2551 '@types/unist@2.0.11':
2552   resolution: {integrity: sha512-CmBKil6NNo/OqgmMn95Fk9Whlp2mtvIv+KNpQKN2F4SjvrEesubTRWGYsg+BnWZOn1CaSTU1sMpsBOzgbYhnsA==}
2553
```

```

2554 '@types/unist@3.0.3':
2555   resolution: {integrity: sha512-ko/gIFJRv177XgZsZcBwnqJN5x/Gien8qN0n0D5bQU/zAzVf9Zt3BlcUiLqhV9y4ARk0GbT3tnUiPNgnTXzc/Q==}
2556
2557 '@ungap/structured-clone@1.3.1':
2558   resolution: {integrity: sha512-mUFwbeTqrVgDQxFeS+df2yfa6iuP20NAKAsBt5jDeoOTDew+zwLAOilHCeQJOVSvmgCX4ogqIrA0mnyr08yQ==}
2559
2560 '@upsetjs/venn.js@2.0.0':
2561   resolution: {integrity: sha512-WbBhLrooyePuQ1VZxrJjtLvTc4NVfpOyKx0sKqioq9bX1C1m7Jgykkn8gLrtwumBioXIqam8DLxp88Adbue6Hw==}
2562
2563 '@vercel/oidc@3.2.0':
2564   resolution: {integrity: sha512-UycprH3T6n3jH0k44NHMA7pnFHGu/N05MjojYr+Mc6I7obkoLIJuJSWwinlpCvdy/eOxrI/13uDLQsmcrOb4ug==}
2565   engines: {node: '>= 20'}
2566
2567 '@vitest/expect@3.2.6':
2568   resolution: {integrity: sha512-1+7q9BtaKzEmO+fmNT3kYvoNn5Y71XWax2Q5HRim4tTVRQVRv4uJFAQ5FbK0OPUeNP/WmVCpxYxoJdvuHVjzBQ==}
2569
2570 '@vitest/mocker@3.2.6':
2571   resolution: {integrity: sha512-EZOrpDbkKotFAP7wPAQV1UIyoGOk4oX7ynWhBhLB7v+meMHbQhU16oPpIYGTTe4oFlhpryGpgpcZP/sin3hYuw==}
2572   peerDependencies:
2573     msw: ^2.4.9
2574     vite: ^5.0.0 || ^6.0.0 || ^7.0.0-0
2575   peerDependenciesMeta:
2576     msw:
2577       optional: true
2578     vite:
2579       optional: true
2580
2581 '@vitest/pretty-format@3.2.6':
2582   resolution: {integrity: sha512-lb7XXXzmm2h2ASzFnRvQpDo6onT1NmMJA3tkGTWiBfTRJ9lxGY3d3mm/Apt36gej2bkkOVLl/yTOtufDaFa/jA==}
2583
2584 '@vitest/runner@3.2.6':
2585   resolution: {integrity: sha512-HYcoSjlw5tcgUnzoF0HcyaAQjpAlgj9ftUJ7iSJSuipc02jW9gKkigwZbjFlDAfYHA1fa8UZVRftdMY5msWM9Q==}
2586
2587 '@vitest/snapshot@3.2.6':
2588   resolution: {integrity: sha512-H+ZjNTWGPobenh0Yn1BctAPnJSI20P81PL8BPzWpx54YXLLTm8hEsWawtcYLMrwvpK48hGxLLbCS+1KRXhsKhW==}
2589
2590 '@vitest/spy@3.2.6':
2591   resolution: {integrity: sha512-oq6BbH68WzcWmwTBrU9nqLeaXTR4XwJF7FSLkKEZo4i6eoXcrxjcwSuTvWBIRUTC6VC72nXYunzqgZA+IKdtxg==}
2592
2593 '@vitest/utils@3.2.6':
2594   resolution: {integrity: sha512-lI23nIs4bnT3T8NIoh+vFaz5s2/DdP0Jgt2jxwgWljvwn82cLJtyi/If+fjFyoLMGIOz0U/fKvWE0d4jsNQEfeg==}
2595
2596 '@xyflow/react@12.11.0':
2597   resolution: {integrity: sha512-na4IO33FSs2OS72hASg2DmTYwFAkef7Z74uBUVrong3ARmQQHfnRUVaCFnlkTt5LbS6pK03TbYjCPGLjLFfziA==}
2598   peerDependencies:
2599     '@types/react': '>=17'
2600     '@types/react-dom': '>=17'
2601     react: '>=17'
2602     react-dom: '>=17'
2603   peerDependenciesMeta:
2604     '@types/react':
2605       optional: true
2606     '@types/react-dom':
2607       optional: true
2608
2609 '@xyflow/system@0.0.77':
2610   resolution: {integrity: sha512-qCDCMCQAAGu8yHnhloHG9F5mwPX5E+W18McpYIOPSSXfzFJJJoZcwOcsDiAjitVKIgd2de1WmJbCHfpcvxprsgg==}
2611
2612 ai@6.0.205:
2613   resolution: {integrity: sha512-F4akEGF41UdgJO3L4v+D5noVD1/czhJy6x0k9R/i1EXfxqrkBg/PdYSgRSLPiGFvrv76dzI8h4w3NYmLrTb8dw==}
2614   engines: {node: '>=18'}
2615   peerDependencies:
2616     zod: ^3.25.76 || ^4.1.8
2617
2618 argparse@2.0.1:
2619   resolution: {integrity: sha512-8+9WqebBzPzX9OR+wa6O29asIogeRMzcGtAIndpMHYAg10f05aSFVBbcEqGf/PXw1EjAZ+q2/bEBg3DvurK3Q==}
2620
2621 aria-hidden@1.2.6:
2622   resolution: {integrity: sha512-ik3ZgC9dY/1YVVM++OISsaYDeg1tb0VtP5uL3ouh1koGOaUMDPpbFIei4JkFimWUFPn90sbMNMXQAIVolnYKJA==}

```

```
2623     engines: {node: '>=10'}
2624
2625   assertion-error@2.0.1:
2626     resolution: {integrity: sha512-Izi8RQcfftqCeNVgFigKli1ssklIbpHnCYc6AknXGYoB6grJqyeby7jv12JUQgmTAnIDnbckluxkst4dzN3PWBA==}
2627     engines: {node: '>=12'}
2628
2629   bail@2.0.2:
2630     resolution: {integrity: sha512-0x06mYd7JB2YesxDKplafRpsiOzPt9V02ddPCLbY1xYGPOX24NTyN50qnUxgCPcSoYMhKpAuBTjQoRZCAkUDRw==}
2631
2632   baseline-browser-mapping@2.10.37:
2633     resolution: {integrity: sha512-girxaJ7WZssDOFhzCGZTDKoTal9k6A1TbflaYTpykLJ4UU9Fz9kx1aREM8JCuoVHbL8X8T/mJg7w2oYSq720ig==}
2634     engines: {node: '>=6.0.0'}
2635     hasBin: true
2636
2637   bcrypt-ts@5.0.3:
2638     resolution: {integrity: sha512-2FcgD12xPbwCoe5i9/HK0jJ1xA1m+QfC1e6htG9B1/hNOnLyaFmQs1qLKcfe3QdnoMPKpKEGFCbESBTg+SJNOW==}
2639     engines: {node: '>=18'}
2640
2641   buffer-from@1.1.2:
2642     resolution: {integrity: sha512-E+XQCRwSbaaiChtv6k6Dwgc+bx+Bs6vuKJHH15kox/BaKbhiXzqQOWK4cO22yElGp20CmjwVhT3HmxyPGnJfQ==}
2643
2644   cac@6.7.14:
2645     resolution: {integrity: sha512-b6I1us+c3RrdDk+JhLKUAAQfzzgLEPy6wcXqS7f/xelEETvsDP6GORG7SFuOs6cID5YkqchW/LXzbX5bc8j7ZcQ==}
2646     engines: {node: '>=8'}
2647
2648   caniuse-lite@1.0.30001799:
2649     resolution: {integrity: sha512-hG1bReV+OUU+MOqK4t/ZWI0tZ0yz3rqS9Xuh0Uz1cIcbwBKjOyJEJuw9ER5JuNyqxNk8u/JUVbGibBOL1yrjFw==}
2650
2651   ccount@2.0.1:
2652     resolution: {integrity: sha512-eyrF0jiFpY+3drT6383f1qhkbGsLSifNAjA61IUzJjmLCWjItY6LB9ft9YhoDgwfmclB2zhu51Lc7+95b8NRAg==}
2653
2654   chai@5.3.3:
2655     resolution: {integrity: sha512-4zNhJD/iOjSH0A05ea+Ke6MU5mmpQcbQsSOKgdaUMJ9zTlDTD/GYlwohmIE2u0gaxHYiVHEN1Fw9mZ/ktJWgw==}
2656     engines: {node: '>=18'}
2657
2658   character-entities-html4@2.1.0:
2659     resolution: {integrity: sha512-lv7fgQRj6hnSwFpqlEu0ynr/CDEw0rXo2B61qXrLNdHZmPKgb7fqS1a2JwF0rIsO9q77jDI8VMEHoApn8qDoZA==}
2660
2661   character-entities-legacy@1.1.4:
2662     resolution: {integrity: sha512-3Xnr+7ZFSluxeIUdV02wQ+QDbc55097tIV5zHScSPJpcLm/r0DFPcoY3tYRp+VZukxuMeKgXYmsXQH005zQeA==}
2663
2664   character-entities-legacy@3.0.0:
2665     resolution: {integrity: sha512-RpPp0asT/6ufRm//AJVvpViZbGM/MkjQFxFccQRHmISF/22NBtsHgAWmL+/pmkPWoiUJdWyeVleTl1wydHATVQ==}
2666
2667   character-entities@1.2.4:
2668     resolution: {integrity: sha512-iBMyeEHxfVnIakwOuDXpVkc54HijNgCyQB2w0VfGQThle6NXn50zU6V/u+LDhxHcDUPojn6Kpga3PTAD8W1bQw==}
2669
2670   character-entities@2.0.2:
2671     resolution: {integrity: sha512-shx7oQ0Awen/BRIdkjkvz54PnEEI/EjwXDSIZp86/KKdbafHh1Df/RyGBhn4hbe2+uKC9FnT5UCEdyPz3ai9hQ==}
2672
2673   character-reference-invalid@1.1.4:
2674     resolution: {integrity: sha512-mKKUKUbhPpQLCoFIuZkVSEgktjPFIISZKRRbC6KWVEMvlzblj3i3asQv5ODsrwt0N3pHAEvjP8KTQPHkp0+6jOg==}
2675
2676   character-reference-invalid@2.0.1:
2677     resolution: {integrity: sha512-iBZ4F4wRbyORVsu0jPV7gXkOsGYjGHPmAyv+HiHG8gi5PtC9KI2j1+v8/tlibRvjowX027ypmG/n0HtO5t7unw==}
2678
2679   check-error@2.1.3:
2680     resolution: {integrity: sha512-PAJddJusoxnwm1VwW07VWwUN1sl7smmC3OKggvndJFadxDRyFJBX/ggnu/KE4kQAB7a3Dp8f/YXC1FlUprWmA==}
2681     engines: {node: '>= 16'}
2682
2683   citty@0.2.2:
2684     resolution: {integrity: sha512-+6vJA3L98yv+IdfKGZHBNIgW5KHn22e/JwID0Strsz8h4S/csAu/OuICwxrg44k5MRiZHWIo8XXuJgQTriRP4w==}
2685
2686   class-variance-authority@0.7.1:
2687     resolution: {integrity: sha512-Ka+9Trutv7G8M6WT6SeiRWz792K5qEqIGEGzXKhAE6xOWAY6pPH8U+9IY3oCMv6kqTmLsv7Xh/2w2RigkePMsg==}
2688
2689   classcat@5.0.5:
2690     resolution: {integrity: sha512-JhZUT7JfCqY/EzW605k/ktHtncoo9vnyW/2GspNYwFlN1C/WmjuV/xtS04e9S0kL2sTdw0VAZ2UGCcQ91R6p6w==}
2691
```

```
2692 classnames@2.5.1:
2693   resolution: {integrity: sha512-saHYOzhIQs6wy2sVxTM6bUDsQO4F50V9RQ22qBpEdCW+I+/Wmke2H0161S6dTpdXVhb88/I6+Hs+438c31fUow==}
2694
2695 client-only@0.0.1:
2696   resolution: {integrity: sha512-IV3Ou0jSMzZrd3pZ48nLkT9DA7Ag1pnPzaiQhpW7c3RbcqqzvzVu+L8gfgMp/8IM2MQtSiqaCxrccf8I8rMA==}
2697
2698 clsx@2.1.1:
2699   resolution: {integrity: sha512-eYm0QWBtUrBWZWG0d386OGAw16Z995PiOVo2B7bjWSbHedG15e0ZWaq65k0GgUSNesEIDkB9ISbTg/JK9dhCZA==}
2700   engines: {node: '>=6'}
2701
2702 cluster-key-slot@1.1.2:
2703   resolution: {integrity: sha512-RMr0FhtfXemyinomL4hrWcYJxmX6deFdCxpJzhDttxgO1+bcCnkk+9drydLVDmAMG7NE6aN/f14F7ucU/90gAA==}
2704   engines: {node: '>=0.10.0'}
2705
2706 cmdk@1.1.1:
2707   resolution: {integrity: sha512-Vsv7kFaXm+ptHDMZ7izaRsP70GgrW9NBNGswt9OzaVBL1E0SNpDq8eu/VGXyF9r7M0azK3Wy701YXsuyYLFzHg==}
2708   peerDependencies:
2709     react: ^18 || ^19 || ^19.0.0-rc
2710     react-dom: ^18 || ^19 || ^19.0.0-rc
2711
2712 codemirror@6.0.2:
2713   resolution: {integrity: sha512-VhydHotNW5w1UGK0Qj96BwSk/Zqbp9WbnyK2W/eVMv4QyF41INRGpjUhFY77/uDNuudSc33a/PKr4iDqRduvHw==}
2714
2715 comma-separated-tokens@1.0.8:
2716   resolution: {integrity: sha512-GHuDRO12Sypu2cV70d1dkA2EUmXHgntrzbvpOB+Qy+49ypNfGgFQIC2fhhXbnyrJRynDCAARsT7Ou0M6hirpfw==}
2717
2718 comma-separated-tokens@2.0.3:
2719   resolution: {integrity: sha512-Fu4hJdvzeylCfQpP9SGWidpzmRs7tTrlu6Vb8XGaRGck8QSNZJJp538Wrb60Lax4fPwR64ViY4680IUTbRlGZg==}
2720
2721 commander@14.0.3:
2722   resolution: {integrity: sha512-H+y0Jo/T1RZ9qPP4EhlpkcQcLRglraJaSLoyOtHxu6AapkjWVCy2Sit1QQ4x3Dng8qDl8sZEet7g5Pq06MvTgw==}
2723   engines: {node: '>=20'}
2724
2725 commander@7.2.0:
2726   resolution: {integrity: sha512-QrWXB+ZQSVPMIWIhtEO9H+gwHAMGYiF5ChvoJ+K9ZGHG/sVsa6yiesAD1GC/x46sET00Xlwo1u49RVVvzvcSkw==}
2727   engines: {node: '>= 10'}
2728
2729 commander@8.3.0:
2730   resolution: {integrity: sha512-OAk9vX08q0pWVdA0d3Ox1T5Y0Y7V0L3y2Dn0p+HqE8DQX0+h8X8A88oN9085x9Q8T7bZJH0G8n0Uw==}
2731   engines: {node: '>= 12'}
2732
2733 cookie@0.7.1:
2734   resolution: {integrity: sha512-6DnInpx7SJ2AK3+CTUE/ZM0vWTUboZCegxhC2xiIyDHR9jNuTAASBrfEpHhiGOZw/nX51bht6YQl8jsGo4y/0w==}
2735   engines: {node: '>= 0.6'}
2736
2737 cose-base@1.0.3:
2738   resolution: {integrity: sha512-s9whTXInMSGAp/NVXVNuVxVKzGH2qcK3aQlVHXDCdAEPgtMKwc4Wq6/QKhgdEdgbLSi9rBTAcPoRa6JpiG4ksg==}
2739
2740 cose-base@2.2.0:
2741   resolution: {integrity: sha512-AzlgcsCbUMymkADOJtQm3wO9S3ltPfYOFD5033keQn9NJzIbntZj+UdBJe7DYml/8TdbtHJW3j58SOnKhWY/5g==}
2742
2743 crelt@1.0.6:
2744   resolution: {integrity: sha512-VQ2MBenTq1fWZUH9DJNGti7kKv6EeAuYr3cLwxUWhIulbaTaXh4Ib5W2CqHVqib4/MqbYGJqiL3Zb8GJZr3l4g==}
2745
2746 cssesc@3.0.0:
2747   resolution: {integrity: sha512-/Tb/JcjK11lnNscGob5MntstnNM1aCNUDipB/Tkw2FhyDrrE47SOx/18wF2bbjgc3ZzCSKW1T5nt5EbFoAz/Vg==}
2748   engines: {node: '>=4'}
2749   hasBin: true
2750
2751 csstype@3.2.3:
2752   resolution: {integrity: sha512-z1HGKcYy2xA8AGQfwrn0Pay+PB7X/GSj3UVJW9qKyn43xWa+gl5nXmU4qqLMRzWVLF8KusUX8T/0kCiOYpAIQ==}
2753
2754 cytoscape-cose-bilkent@4.1.0:
2755   resolution: {integrity: sha512-wgQlVIUJF13Quxiv5e1gstZ08rnZj2XaLHGofMYXZ7SkNfCDOotKE6SYRfA9WxxI/iBc3ajfDoc6hb/MRAHQ==}
2756   peerDependencies:
2757     cytoscape: ^3.2.0
2758
2759 cytoscape-fcose@2.2.0:
2760   resolution: {integrity: sha512-kil/VuRIHFCzxWNRsshHYPs6L7TvLu3DL+TyIGEsRcvVERmxokbf5Gdk7mFxZnTdiGtnA4cfSmjZJMviqSuZrQ==}
```

```
2761     peerDependencies:
2762       cytoscape: ^3.2.0
2763
2764     cytoscape@3.34.0:
2765       resolution: {integrity: sha512-62rNSrioXw93uliKFBwjukeQyeWwH2PqDrTac3lr2P6464u3AUvTk0xS4LVvT251g7IgcFunrI48ZEEZGjywSOg==}
2766       engines: {node: '>=0.10'}
2767
2768     d3-array@2.12.1:
2769       resolution: {integrity: sha512-B0ErZK/66mHtEsR1TkPEEkwdy+WDesimkM5gpZr5Dsg54BiTA5RXtYW5qTLIAceks9xf2rzBLf/OAkB3Qn1YQ==}
2770
2771     d3-array@3.2.4:
2772       resolution: {integrity: sha512-tDQAmYA18i4J7wprpYq8ClcxZy3SC3lQMeByyCFyRt7BVHdREQZ5lpzoe5mFEYZUWe+oq8HBvk9JjpiByEV4Jg==}
2773       engines: {node: '>=12'}
2774
2775     d3-axis@3.0.0:
2776       resolution: {integrity: sha512-IH5tgjV4jE/GhHkRV0HiVYPdtvfjHQ1QfJHs0usq7M30XcSBvOotpmH1IgcKXsO/5gEQZD43B//fc7SRT5S+xw==}
2777       engines: {node: '>=12'}
2778
2779     d3-brush@3.0.0:
2780       resolution: {integrity: sha512-ALnjWlVYkXsVIGlOsuWHl+3udkYFI48Ljihfnh8FZPF2QS9o+PzGLBs1O0PjzVoHLZ2KCVgAM8NVkXPJB2aNNQ==}
2781       engines: {node: '>=12'}
2782
2783     d3-chord@3.0.1:
2784       resolution: {integrity: sha512-VE5S6TNa+j8msksl7HwjxMhDM2yNK3XCkusIlpX5kwauBfXuyLAtNg9jCp/iHH61tgI4sb6R/EIMWCqEIdjT/g==}
2785       engines: {node: '>=12'}
2786
2787     d3-color@3.1.0:
2788       resolution: {integrity: sha512-zg/chbXyeBtMQ1LbD/WSow2DpC3IOmpmPdW+ynRTj/x2DAWYrIY7qeZIHidozW24m4iavr15lNwIwLxRmOxhA==}
2789       engines: {node: '>=12'}
2790
2791     d3-contour@4.0.2:
2792       resolution: {integrity: sha512-4EzFTRIiks47RGmdxbeUvLWtGedDUNKTcmzoeyg4sP/dvCexO47AaQL7VKy/gul85TOxw+IBgA8US2xbwToNA==}
2793       engines: {node: '>=12'}
2794
2795     d3-delaunay@6.0.4:
2796       resolution: {integrity: sha512-mdjtI21XLAM8bm/hx3WwjfHt6Sggek7qH04308KEjDXN40xi3vx/6pYSVTwLjEgiXQTbvaouWKynLBiUZ6SK6A==}
2797       engines: {node: '>=12'}
2798
2799     d3-dispatch@3.0.1:
2800       resolution: {integrity: sha512-rzUyPU/S7rwUf1MyLc1ETDeBj0NRuHKKAcvukozwhshr6g6c5d8zh4c2gQjY2bZ0dXeGLWc1PF174P2tVvKhfg==}
2801       engines: {node: '>=12'}
2802
2803     d3-drag@3.0.0:
2804       resolution: {integrity: sha512-pWbUJLdETVA8lQNjEcMxoXFH6x+mO2UQo8rSmZ+QqxcbyA3hfeprFgIT//HW2nlHChWeIIMwS2Fq+gEARKhTkg==}
2805       engines: {node: '>=12'}
2806
2807     d3-dsv@3.0.1:
2808       resolution: {integrity: sha512-UG6OvdI5afDIFP9w4G0mNq50dSOsXHJaRE8arAS5o9ApWnIElP8GZw1Dun8vP8OyHOZ/QJUKUJwxiiCCnUwm+Q==}
2809       engines: {node: '>=12'}
2810       hasBin: true
2811
2812     d3-ease@3.0.1:
2813       resolution: {integrity: sha512-wR/XK3D3XcLIZwpbvQw5fK+8Ykds1ip7A2Txe0ynxcXSdq1L9skcG7blcedkOX+ZcgvGAmLX1FrRgBAdwzi0w==}
2814       engines: {node: '>=12'}
2815
2816     d3-fetch@3.0.1:
2817       resolution: {integrity: sha512-kpkQIM20n3oLVBKGG6oHrUchHM3xODkTzjMoj7aWQFq5QEM+R6E4WkzT5+tojDY7yjez8KgCBRoJ4aEr99Fdqw==}
2818       engines: {node: '>=12'}
2819
2820     d3-force@3.0.0:
2821       resolution: {integrity: sha512-zxV/SsA+U4yte8051P4ECydjD/S+qeYtnaIyAs9tgHCqfguma/aaQDjo85A9Z6EKhBirHRJHXIgjULfft4wdLg==}
2822       engines: {node: '>=12'}
2823
2824     d3-format@3.1.2:
2825       resolution: {integrity: sha512-AJDdYodnyRDV5b6ArlzCPFPwc1ejkhCoYFarqlPqT7zRYjhavcT3uSrqcMvsgH2CgoPbK3RCwyHaVyxYcP2Arg==}
2826       engines: {node: '>=12'}
2827
2828     d3-geo@3.1.1:
2829       resolution: {integrity: sha512-637ln3gXKXOwhalDzinUgY83KzNWZRkBYubaG+fGVuc/dxO64RRljtCTnf5ecMyElRIdtqpkVcq0IbtU2S8j2Q==}
```



```

2830   engines: {node: '>=12'}
2831
2832   d3-hierarchy@3.1.2:
2833     resolution: {integrity: sha512-FX/9frcub54beBdugHjDCdikxThEqjnR93Qt7PvQTOHxyiNCAlvMrHhcl3cd5VeAaq9fxmfRp+CnWw9rEMBuA==}
2834   engines: {node: '>=12'}
2835
2836   d3-interpolate@3.0.1:
2837     resolution: {integrity: sha512-3bYs1rOD33uo8aqJfKp3JWPAibgw8Zm2+L9vBKEHJ2Rg+viTR7o5Mmv5mZcieN+FRYaAOWX5S5JATX6k1FWz72g==}
2838   engines: {node: '>=12'}
2839
2840   d3-path@1.0.9:
2841     resolution: {integrity: sha512-VLaycn81dtHVTjEHd8B+pbe9yHWPXKZUC87PzoFmsFrJqgFwDe/qxftp5MlfsfM1V5E/iVt0MmEbWQ7FVIXh/bg==}
2842
2843   d3-path@3.1.0:
2844     resolution: {integrity: sha512-p3KP5HCf/bvjBSSKuXid6Zqijx7wIfNW+J/maPs+iwR35at5JCBLUT0LzF1cnjbCHWhqzQTIN2Jpe8pRebIEFQ==}
2845   engines: {node: '>=12'}
2846
2847   d3-polygon@3.0.1:
2848     resolution: {integrity: sha512-3vbA7vXYwfe1SYhED++fPUQlWSYTTGmFmQiany/gdbiWgU/iEyQzyymwL9SkJjFFuCS4902BSzewVgSHHmHtXg==}
2849   engines: {node: '>=12'}
2850
2851   d3-quadtree@3.0.1:
2852     resolution: {integrity: sha512-04xDrxQTDTCFwP5H6hRhsRcb9xxv2RzkcsgFzmKsIOJy3PeRJP7sNk3VRIBKXcog561P9oU0/rVH6vDROAgUw==}
2853   engines: {node: '>=12'}
2854
2855   d3-random@3.0.1:
2856     resolution: {integrity: sha512-FXMe9GfxTxqd5D6jFsQ+DJ8BJS4E/ft5mqgdjovyKEB2oFbTMDVdg1MGfxfQW+FB0GoB++k8swBrgwSHT1cUXQ==}
2857   engines: {node: '>=12'}
2858
2859   d3-sankey@0.12.3:
2860     resolution: {integrity: sha512-nQhsBRmM19Ax5xEIPLMY9ZmJ/cDvd1BG3UVvt5h3WRxKg5zGRbvnteTyWAbzeSvlh3tW7ZEmq4VwR5mB3tutmQ==}
2861
2862   d3-scale-chromatic@3.1.0:
2863     resolution: {integrity: sha512-A3s5PWiz9YCXFye1o246KoscMWqf8BsD9eRiJ3He7C9OBaxKhAd5TFCdEx/7VbKtxxTsu//lmMJFrEt572cEyQ==}
2864   engines: {node: '>=12'}
2865
2866   d3-scale@4.0.2:
2867     resolution: {integrity: sha512-GZW464g1SH7ag3Y7hXjf8RoUuAFAIqk10Aq3MR140aWabTFJY9PN/E1YklhXLh+OQ3fM9yS2n0kCoS+WLZ6kvxQ==}
2868   engines: {node: '>=12'}
2869
2870   d3-selection@3.0.0:
2871     resolution: {integrity: sha512-fmTRWbNMsmWq6xJV8D19U/gw/bwrHfNXxrIN+HfZgnzqTHp9jOmKMhsTUjXOJnZOdZY9Q28y4yebKzqDK1xlQ==}
2872   engines: {node: '>=12'}
2873
2874   d3-shape@1.3.7:
2875     resolution: {integrity: sha512-EUkvKjqPFUAZyOlhY5gzCxCeIOAep04LwIRpsZ/mLFe1JiUfnK56jo5JMDSE7yyP2kLSb6LtF+S5chMk7uqPqw==}
2876
2877   d3-shape@3.2.0:
2878     resolution: {integrity: sha512-SaLBuwGm3MOViRq2ABk3eLoxwZELpH6zh13FbAoJ7Vm1gofKx6El1Ib5z23NUEhF9AsG17y+dzLe5Cw2AArGTA==}
2879   engines: {node: '>=12'}
2880
2881   d3-time-format@4.1.0:
2882     resolution: {integrity: sha512-dJxPBlzC7NugB2PDlwo9Q8JiTR3M3e4/XANkreKSUxF8vvXKqmlYfq4Q5d18budlunRVlUUAUgFt7eA8D6NLg==}
2883   engines: {node: '>=12'}
2884
2885   d3-time@3.1.0:
2886     resolution: {integrity: sha512-VqKjzBLEjbSMT4IgbmVgDjpkYrNWUYJnbCGo874u7MMKIWsILRX+OpX/gTk8MqjpT1A/c6HY2dCA77ZN01kQ2Q==}
2887   engines: {node: '>=12'}
2888
2889   d3-timer@3.0.1:
2890     resolution: {integrity: sha512-ndfJ/JxxMd3nw3luyKoY2naivF+r29V+Lc0svZxelJvvIRmi8hUsrMvdOwgS1o6uBHMiz91geQ0ylPP0aj1VUA==}
2891   engines: {node: '>=12'}
2892
2893   d3-transition@3.0.1:
2894     resolution: {integrity: sha512-ApKvfjsSR6tg06xrL434C0WydLr7JewBB3V+/39RMHsaXTOG0zmt/OAXeng5M5LBm0ojmxJrpomQVZ1aPvBL4w==}
2895   engines: {node: '>=12'}
2896   peerDependencies:
2897     d3-selection: 2 - 3
2898

```

```
2899 d3-zoom@3.0.0:
2900   resolution: {integrity: sha512-b8AmV3kfQaQWauacPuNbL6vahnOJf1OhexLzMMNLga62+/nh0JzvJ0aO/5a5MVgUFGS7HulP9P03o3fJkDCyw==}
2901   engines: {node: '>=12'}
2902
2903 d3@7.9.0:
2904   resolution: {integrity: sha512-e1U46jVP+w7Iut8Jt8rilYsPOvFpg46k+K8TpCb0P+zjCkjkPnV7Wz fDJzMHylLnA+wj5pLT1wjO901gLXeEhA==}
2905   engines: {node: '>=12'}
2906
2907 dagre-d3-es@7.0.14:
2908   resolution: {integrity: sha512-P4rFMVq9ESWqmOgK+dLXvOtLwYg0i7u0HBGJER0LZDJT2VHIPAMZ/riPxxqJceWMStH5+E61QxFra9kIS3AqdMg==}
2909
2910 date-fns@4.4.0:
2911   resolution: {integrity: sha512-+1UMbeh68lH1SegH83CGWwpb6OHHBpSgr3+s5Eww5M4CAgswBpoWS0AjTOfeJ33HiYKz1hdj/KTFprzXHmq/6w==}
2912
2913 dayjs@1.11.21:
2914   resolution: {integrity: sha512-98IT+HOahAisibz/yjKbzuOBWYcjJ7BCLPzARyHiyEBmRz4fatF+KPJszechXsGYjUG234aH/cojW1wwTbKUz1A==}
2915
2916 debug@4.4.3:
2917   resolution: {integrity: sha512-rgwwWnnqQvKvFavKvT22FGLw+xYSdzARwm0ru6DhTVA3umU5hzc28V3k04stgYryrTlLpuvgI9GiiJlTajNbcQA==}
2918   engines: {node: '>=6.0'}
2919   peerDependencies:
2920     supports-color: '*'
2921   peerDependenciesMeta:
2922     supports-color:
2923       optional: true
2924
2925 decode-named-character-reference@1.3.0:
2926   resolution: {integrity: sha512-GtpQYB283KrPp6nRw50q3U9/VfOutZOe103q1N7BPP6Ad27xYnOIWv41Pzo8HCAL+mMZofJ9KEy30fq6MfaK6Q==}
2927
2928 deep-eql@5.0.2:
2929   resolution: {integrity: sha512-h5k/5U50IJJFpzfL6nO9jaaumfjO/f2NjK/oYB2Djzm4p9L+3T9qWpZqZ2hAbLPuuYq9wrU08WQyBTL5GbPk5Q==}
2930   engines: {node: '>=6'}
2931
2932 deepmerge@4.3.1:
2933   resolution: {integrity: sha512-3sUqbMEc77XqpDN07FRyRog+eW3ph+GYCb+jrK+uYyRMuwsVy0rMiVtPn+QJlKFvWP/1PYpapqYn0Me2knFn+A==}
2934   engines: {node: '>=0.10.0'}
2935
2936 delaunator@5.1.0:
2937   resolution: {integrity: sha512-AGrQ4QSGssalNGmWmLpQn5NY2KajF5MqxtNEO+o0n3ZwZzeTmt7bBnvzHWrmkZFxGgr4HdyFgelzgi06otLuQ==}
2938
2939 dequal@2.0.3:
2940   resolution: {integrity: sha512-0je+qPKHEMhv fRTCEo3CrPG6cAzAYgmzKyxRiYSSDkS6eGJdyVJm7WaYA5ECaAD9wLB2T4EEeymA5aFVcYXCA==}
2941   engines: {node: '>=6'}
2942
2943 detect-libc@2.1.2:
2944   resolution: {integrity: sha512-Btj2B00O83o3WyH59e8MgXsxEQVcarkUOpEYrubB0urwnN10yQ364rsiByU11nZlqWYzm05i/of7io4mziHbtQ==}
2945   engines: {node: '>=8'}
2946
2947 detect-node-es@1.1.0:
2948   resolution: {integrity: sha512-ypdmJU/TbBby2Dxibuv7ZLW3Bs1QEmM7nHjEANfohJLvEOXVujisnlqPJcZxg+qDucsr+bp6fLD1rPS3AhJ7EQ==}
2949
2950 develop@1.1.0:
2951   resolution: {integrity: sha512-RWmIqhcFf11RYBvNmr7qTnuyCt/7/ns2jbpp1+PalgE/rDQcBT0fioSMUpJ93irlUhC5hrg4cYqe6U+0ImW0rA==}
2952
2953 diff-match-patch@1.0.5:
2954   resolution: {integrity: sha512-IayShXAgj/QMXgB0IWmKx+ropuGMhqm5w6jvFxmVenXKIzRqTAAsbBPT3kWQeGANj3jGgvcvv4yK6SxqYmikgw==}
2955
2956 dom-serializer@2.0.0:
2957   resolution: {integrity: sha512-wIkAryiqt/nV5EQKqQp03StoSOvJ0DnbJqwK7Wv/Trc92zIAYZ4F1Mu+JPFw1DfGfT81zTCGgDEabffXeLyJg==}
2958
2959 domelementtype@2.3.0:
2960   resolution: {integrity: sha512-OLETBj6w0OsagBwdXnPdN0cnMff9opN69co+7ZrbfPGRdpPVNBuj02spi6B1N7wChLQIPn4CSH/zJvXw56gmHw==}
2961
2962 domhandler@5.0.3:
2963   resolution: {integrity: sha512-cgwlV/l1fQiFnU96XXgROh8xTeetsnJiDsTc7TYCLFd9+/WNkIqPtXiM/8pSd8V1rhXGTf1Ny1q1hquVqDJB5w==}
2964   engines: {node: '>= 4'}
2965
2966 dompurify@3.4.10:
2967   resolution: {integrity: sha512-0xzNv0e7oYC6yyuOGZiABPM4qtg3QxLFniDNPP4ZP90wR8Yq3zgwprBbrNiT4N3IKqDbbYFEJLV+JWes19aZ//w==}
```

```

2968
2969 domutils@3.2.2:
2970   resolution: {integrity: sha512-6kZKyUajlDuqlHKVX1w7gyslJ9MPIXzIFiz/rGu35uClwMi+kMhQwGh14lt9unc9Vb9INnY9Z3/ZA3+FhASLaw==}
2971
2972 dotenv@16.6.1:
2973   resolution: {integrity: sha512-uBq4egWHTcTt33a72vpSG0z3HnPuI16NqYcTrKEg2azoEyl2hpW0zqlxysq2pK9HlDIHyHyakeYaYnSAwd8bow==}
2974   engines: {node: '>=12'}
2975
2976 drizzle-kit@0.25.0:
2977   resolution: {integrity: sha512-Rcf0nYCAKizwjWQCY+d3zytyuTbDb81NcaPor+8NebESlUz1+9W3uGl0+r9FhU4Qal5Zv9j/7neXCSCe7DHZjA==}
2978   hasBin: true
2979
2980 drizzle-orm@0.34.1:
2981   resolution: {integrity: sha512-t+zCwyWWt8xTqtYV4doE/xYmT7hpv1L8pQ66zddEz+3VWyedBBtctjMAp22mAJPFyWurRQXUJ1nrTtqLq+DqNA==}
2982   peerDependencies:
2983     '@aws-sdk/client-rds-data': '>=3'
2984     '@cloudflare/workers-types': '>=3'
2985     '@electric-sql/pglite': '>=0.1.1'
2986     '@libsql/client': '>=0.10.0'
2987     '@neondatabase/serverless': '>=0.1'
2988     '@op-engineering/op-sqlite': '>=2'
2989     '@opentelemetry/api': '^1.4.1'
2990     '@planetscale/database': '>=1'
2991     '@prisma/client': '*'
2992     '@tidbcloud/serverless': '*'
2993     '@types/better-sqlite3': '*'
2994     '@types/pg': '*'
2995     '@types/react': '>=18'
2996     '@types/sql.js': '*'
2997     '@vercel/postgres': '>=0.8.0'
2998     '@xata.io/client': '*'
2999     better-sqlite3: '>=7'
3000     bun-types: '*'
3001     expo-sqlite: '>=13.2.0'
3002     knex: '*'
3003     kysely: '*'
3004     mysql2: '>=2'
3005     pg: '>=8'
3006     postgres: '>=3'
3007     prisma: '*'
3008     react: '>=18'
3009     sql.js: '>=1'
3010     sqlite3: '>=5'
3011   peerDependenciesMeta:
3012     '@aws-sdk/client-rds-data':
3013       optional: true
3014     '@cloudflare/workers-types':
3015       optional: true
3016     '@electric-sql/pglite':
3017       optional: true
3018     '@libsql/client':
3019       optional: true
3020     '@neondatabase/serverless':
3021       optional: true
3022     '@op-engineering/op-sqlite':
3023       optional: true
3024     '@opentelemetry/api':
3025       optional: true
3026     '@planetscale/database':
3027       optional: true
3028     '@prisma/client':
3029       optional: true
3030     '@tidbcloud/serverless':
3031       optional: true
3032     '@types/better-sqlite3':
3033       optional: true
3034     '@types/pg':
3035       optional: true
3036     '@types/react':

```

```

3037     optional: true
3038     '@types/sql.js':
3039       optional: true
3040     '@vercel/postgres':
3041       optional: true
3042     '@xata.io/client':
3043       optional: true
3044     better-sqlite3:
3045       optional: true
3046     bun-types:
3047       optional: true
3048     expo-sqlite:
3049       optional: true
3050     knex:
3051       optional: true
3052     kysely:
3053       optional: true
3054     mysql2:
3055       optional: true
3056     pg:
3057       optional: true
3058     postgres:
3059       optional: true
3060     prisma:
3061       optional: true
3062     react:
3063       optional: true
3064     sql.js:
3065       optional: true
3066     sqlite3:
3067       optional: true
3068
3069     embla-carousel-react@8.6.0:
3070       resolution: {integrity: sha512-0/PjqU7geVmo6F734pmFqpyHqiM99olvycY7zdweCw+6tKEXnrE90pBiBbMMU8s5tICemzpQ3hi5EpxzGW+JA==}
3071     peerDependencies:
3072       react: ^16.8.0 || ^17.0.1 || ^18.0.0 || ^19.0.0 || ^19.0.0-rc
3073
3074     embla-carousel-reactive-utils@8.6.0:
3075       resolution: {integrity: sha512-fMVUDUEX0/uIEDM0Mz3dHznDhfX+znCCDCeIophYb1QGVM7YThSWX+wz11z1YwWFO74b4QLGg0hrGPJeG2s4A==}
3076     peerDependencies:
3077       embla-carousel: 8.6.0
3078
3079     embla-carousel@8.6.0:
3080       resolution: {integrity: sha512-SjWyZBHJPbqxHOzckOfo81HisEaJWmwd23XppYFYVh10bU66/Pn5tkVkbkCMzVdbUE5eTCI2nD8OyIP4Z+uwkA==}
3081
3082     enhanced-resolve@5.21.6:
3083       resolution: {integrity: sha512-aNnGCvbJ/RIyWo1IuhNdVjnNF+EjH9wpzpNht+ci/m9He9LJvUN8wrCcXjp9cWsGNAuvSpVFTx/vraAFQ8qGjQ==}
3084     engines: {node: '>=10.13.0'}
3085
3086     entities@4.5.0:
3087       resolution: {integrity: sha512-V0hjh4dGPh9Ao5p0MoRY6BVqtwCjhz6vI5LT8AJ55H+4g9/4vbHx1I54fS0XuclLhDhARPCiMjDxjaL8fPxhw==}
3088     engines: {node: '>=0.12'}
3089
3090     entities@6.0.1:
3091       resolution: {integrity: sha512-aN97NXWF6AWBTahfVOIrB/NShkzi5H7F9r1s9mD3cDj4Ko5f2qhhVoYmibXF7G1Lveb/D2ioWay81xI97Ven3g==}
3092     engines: {node: '>=0.12'}
3093
3094     es-module-lexer@1.7.0:
3095       resolution: {integrity: sha512-jEQoCwk8hyb2AZziIOlhDqpm5+2ww5uIE61k0/6jcOCusfk6LhMHpXXfBLXTZ7Ydyt0j4VoUQv6uGNYbdW+kBA==}
3096
3097     es-toolkit@1.47.1:
3098       resolution: {integrity: sha512-5RAqEwf4P4E17p+W75KLOWw/nOVKZzSQpXm32IpI2KZLaVonjTrZ0Ai5ghMaVI9eKC2p8eoQgcBdkEDgzFk6+Q==}
3099
3100     esbuild-register@3.6.0:
3101       resolution: {integrity: sha512-H2/S7Pm8a9CL1uhp9OvjrBh5Pvx0H8qV0xNu8Wed9Y7qv56MPtq+GGM8RJpq6glYJn9Wspr8uw7l55uyinNeg==}
3102     peerDependencies:
3103       esbuild: '>=0.12 <1'
3104
3105     esbuild@0.18.20:

```

```

3106     resolution: {integrity: sha512-ceqxoedUrcayh7Y7ZX6NdbbDzGR0iyVBgC4PriJThBKSVPWnnFHZAkfI1lJT8QFkOwH4qOS2SJs4wvpG18BpA==}
3107     engines: {node: '>=12'}
3108     hasBin: true
3109
3110 esbuild@0.19.12:
3111     resolution: {integrity: sha512-aARqqg8roFBj054KvQr5f1sFu0D65G+miZRCuJyJ0G13Zwx7vRar5Zhn2tkQNzIXcBrNVsv/8stehpj+GAjgbg==}
3112     engines: {node: '>=12'}
3113     hasBin: true
3114
3115 esbuild@0.27.7:
3116     resolution: {integrity: sha512-IxpibTjyVnmrIQo5aqNpCgoACA/dTKLtlhMHihVHhdkxKyPOluBBthumT0rdHmcsk9uMonIWS0m4FljWzILh3w==}
3117     engines: {node: '>=18'}
3118     hasBin: true
3119
3120 esbuild@0.28.1:
3121     resolution: {integrity: sha512-HrJrvZv5ayxHzPfwphOoNzkzOIilifzk0KJrGK2c8R4+LKpMtpYLQeUdjnwjWv/LZ1kH2Lazk+4w78pi99D4Vw==}
3122     engines: {node: '>=18'}
3123     hasBin: true
3124
3125 escape-string-regexp@5.0.0:
3126     resolution: {integrity: sha512-/veY75JbBMK4jl1yjuvUxuVsiS/hr/4iHs9FTT6cgTexxdE0Ly/glccBAkloH/DofkjRbZU3bnoj38mOmhz01Hw==}
3127     engines: {node: '>=12'}
3128
3129 estree-util-is-identifier-name@3.0.0:
3130     resolution: {integrity: sha512-hFtqIDZTIU9BXLb8y4pYGyk6+wekIivNVTcmvk8NoOh+VeRn5y6cEHzbURrWbfp1fIqdVipilzj+1faadNZmg==}
3131
3132 estree-walker@3.0.3:
3133     resolution: {integrity: sha512-7RUKfXgSMMkzt6ZuXmqapOurLGPfPgj619uRZ71RGolvk0y2yocc35LdcxKC5PQZdn2DMqioAQ2NoWcrTKmm6g==}
3134
3135 eventsource-parser@3.1.0:
3136     resolution: {integrity: sha512-kJezFj9YFAMLeORyi7aCLxLbD5/qWMQnoMVLVPyHI171gRJCC3JVLn9Vg19nwQi0YkMnhdGTMNn7CkRRAPTmg==}
3137     engines: {node: '>=18.0.0'}
3138
3139 expect-type@1.3.0:
3140     resolution: {integrity: sha512-knvyeauYhqj0YvQ6MznSMS83wmHrCycNEN6Ao+2AeYefxUIkuiVxdEa1qlGEPK+We3n0THiDciYSsCcGW/DoA==}
3141     engines: {node: '>=12.0.0'}
3142
3143 extend@3.0.2:
3144     resolution: {integrity: sha512-7JyAlFbKfy8yu9u01m92DlW1qNTG3GdYX2/XezAby8YtFW746ZsYnqiKrxMRZJqXU7FbQ8rYzQYs0ZU=}
3145
3146 fast-deep-equal@2.0.1:
3147     resolution: {integrity: sha512-bCK/2Z4zLidyB4ReuIsvALH6w31YfAQDmXmQm6FyfHqvBxtjC0eRumeSu4Bs3XtXwpyIywtSTrVT99BxY1f9w==}
3148
3149 fast-deep-equal@3.1.3:
3150     resolution: {integrity: sha512-f3qQ9oQy9j2AhBe/H9VC91wLmKCCU/gDONKNAYG5hswO7BLKj09Hc5HYNZ9cGI++x1pDCIgDaitVs03ATR84Q==}
3151
3152 fault@1.0.4:
3153     resolution: {integrity: sha512-CJ0HCB5tL5fYTEA7ToAq5+kTwd++Borf1/bifxd9iT70QcXr4MRrO3L1f8Ifs70q+SJcGHFtnIE/Nw6giCtECA==}
3154
3155 fdir@6.5.0:
3156     resolution: {integrity: sha512-tIbYtZbucOs0BRGqPJkshJUYdL+SDH7dVMSgjy+ERp3WAUjLEFJE+02kanyHtwjWOnwrKYBiwAmM0p4kLJAnXg==}
3157     engines: {node: '>=12.0.0'}
3158     peerDependencies:
3159       picomatch: ^3 || ^4
3160     peerDependenciesMeta:
3161       picomatch:
3162         optional: true
3163
3164 format@0.2.2:
3165     resolution: {integrity: sha512-wzsgA6WOq+09wU1tsJ09udeR/YZRaEArL9e1wPbFg3GG2yDnC2ldKpxs4xunpFF9DgqCqOIra3bc1HWRJ37Ww==}
3166     engines: {node: '>=0.4.x'}
3167
3168 framer-motion@11.18.2:
3169     resolution: {integrity: sha512-5F50ch7wrvrtLVElIpclDT0CBzMVg3dL22B64azwHtsIY8RB4mXICLrkajK4G9R+ieSAGcgrLeae2SeUTg2pr6w==}
3170     peerDependencies:
3171       '@emotion/is-prop-valid': '*'
3172       react: ^18.0.0 || ^19.0.0
3173       react-dom: ^18.0.0 || ^19.0.0
3174     peerDependenciesMeta:

```

```

3175     '@emotion/is-prop-valid':
3176       optional: true
3177     react:
3178       optional: true
3179     react-dom:
3180       optional: true
3181
3182   framer-motion@12.40.0:
3183     resolution: {integrity: sha512-uaBd3qC1v3KQqBEjwTud183K6PbS+j0yR9w9VmEOLWA/tnUcSn8Xa3uck7t4dgpDoUss8xQTcj8W2L071rnLFg==}
3184     peerDependencies:
3185       '@emotion/is-prop-valid': '*'
3186       react: ^18.0.0 || ^19.0.0
3187       react-dom: ^18.0.0 || ^19.0.0
3188     peerDependenciesMeta:
3189       '@emotion/is-prop-valid':
3190         optional: true
3191       react:
3192         optional: true
3193       react-dom:
3194         optional: true
3195
3196   fsevents@2.3.2:
3197     resolution: {integrity: sha512-xiqMQR4xAeHTuB9uWm+fFRcIOgKBMiOBp+eXiyT7jsgVCqlbkVygt00oASowB7EdtpOHaaPgKt812P9ab+DDKA==}
3198     engines: {node: ^8.16.0 || ^10.6.0 || >=11.0.0}
3199     os: [darwin]
3200
3201   fsevents@2.3.3:
3202     resolution: {integrity: sha512-5xoDfX+fL7faAtnagmWPpbFtwh/R77WmMMqgHGS65C3vvB0YHrgF+B1YmZ3441tMj5n63k0212XNoJwzlhffQw==}
3203     engines: {node: ^8.16.0 || ^10.6.0 || >=11.0.0}
3204     os: [darwin]
3205
3206   geist@1.7.2:
3207     resolution: {integrity: sha512-Gu5lDfFa3pLRyoBlBPf0QIFHvDwAnpco7fS1bJm41jyLPFoguBgiubseUN2oLXMggZ7uxAxDoXcHMhCY/fOTTgg==}
3208     peerDependencies:
3209       next: '>=13.2.0'
3210
3211   get-east-asian-width@1.6.0:
3212     resolution: {integrity: sha512-QRbvDIBx6YklUe6RxeTeleMR0yv3cYH6PsPZHcnVn7xv7zO1BHN8r0XETu8n6Ye3Q+ahtSarc3WgtNWmehIBfA==}
3213     engines: {node: '>=18'}
3214
3215   get-nonce@1.0.1:
3216     resolution: {integrity: sha512-FJhYRoDaiatfEkUK8HK1licmu/3SGFD51q3itKDGosTysQJBnfOcxU5GxnhE1E6soB76MbT0MBtnKJuXyAx+96Q==}
3217     engines: {node: '>=6'}
3218
3219   get-tsconfig@4.14.0:
3220     resolution: {integrity: sha512-yTb+8DXzDREzgvYmh6s9vHsSVCHeC0G3PI5bEXNBHtmshPnO+S507qgLEOn0I5QvMy6kp2N8K1NKGyilLb93wA==}
3221
3222   graceful-fs@4.2.11:
3223     resolution: {integrity: sha512-RbJ5/jmFcNNCcdV5o9eTnBLJ/HszWV0P73bc+FF4nS/rJj+YaS6IGyiOL0VoBYX+1lWrl3k63h/KrH+nhJ0XvQ==}
3224
3225   hachure-fill@0.5.2:
3226     resolution: {integrity: sha512-3GKBoN+m2LX9iq+JC1064cSFprJY4jL1jCXTcpnfer5HYE2l/4EfWSGzkPa/ZDBmYI0ZOEj5VHV/eKnPGkHuOg==}
3227
3228   hast-util-from-dom@5.0.1:
3229     resolution: {integrity: sha512-N+LqofjR2zuzTjCPzyDUDsShy4Ma6li7p/c3pA78uTwzFgENbgUrm2ugwsOdcjIImuO+o6Dgzp9p8WHtn/39Q==}
3230
3231   hast-util-from-html-isomorphic@2.0.0:
3232     resolution: {integrity: sha512-zJfpXq44yff2hmE0XmwEozdWin5xwH+QIhMLOScpX91e/NSGPsAzNCvLQDIEPyO2TXi+lBmU6hjLIhV8MwP2kw==}
3233
3234   hast-util-from-html@2.0.3:
3235     resolution: {integrity: sha512-CUSRHXYKjzHov8yKsQjGOElXy/3EKpyX56ELnkHH34vDVw1N1XSQ1ZcAvTyAptGqLTuKP/uxM+aLkSPqF/EtMw==}
3236
3237   hast-util-from-parse5@8.0.3:
3238     resolution: {integrity: sha512-3kxevEkEkt0zvcZ3hCRYI8rgrgtlIOFMWkbelACvj1Dw8Li9S2hk/d5lOI0nr/gIpDMHNepwgOKqZ/sy0Clpyg==}
3239
3240   hast-util-is-element@3.0.0:
3241     resolution: {integrity: sha512-val9mnv2IWpLbNPqc/pUem+a7Ipj2aHacCwgNfTiK0vJK10LF+4Ba4+v1oPHFpf3bLYmreq0/13Gud9S5OH42g==}
3242
3243   hast-util-parse-selector@2.2.5:

```

```
3244     resolution: {integrity: sha512-7j6mrk/qcqSehsM92wQjdIgWM2/BW61u/53G6xmC8i10mEdKLHbk419QKQUjz6LglWsfqoiHmyMRkP1BGjecNQ==}
3245
3246 hast-util-parse-selector@4.0.0:
3247     resolution: {integrity: sha512-wkQCkSYoOGCRKERFWcxMVMOCyE2K1AaNLU8DXS9arxnLOUEWbOXXKiJUNzEpqZ3JOKpna3jkFrumEjVliDe7A==}
3248
3249 hast-util-raw@9.1.0:
3250     resolution: {integrity: sha512-Y8/SBAHKzGoNkpzqqfCldijcuUkh7/su31kEBp67cFY09Wy0mTRgtsLYsiIxmJxlu0f6AA5SUTbDR8K0rxnbUw==}
3251
3252 hast-util-sanitize@5.0.2:
3253     resolution: {integrity: sha512-3yTWghByc50aGS7JlGhk61SPenfE/ploaFeNwkO0yrscakOMGrcW9+Cy/QAIOBPzXplyqDIzFMR0+Np0i0+usg==}
3254
3255 hast-util-to-html@9.0.5:
3256     resolution: {integrity: sha512-OguPdidd+fbHQSU4Q4ZiLKnzWo8Wwsf5bZfbvu7//a9oTYoqD/fWpe96NuHkoS9h0ccGOTE0C4NGXdtS0iObOw==}
3257
3258 hast-util-to-jsx-runtime@2.3.6:
3259     resolution: {integrity: sha512-zl6s8LwNyo1P9uw+XJGvZtdFFlGdAkOg8ujOw+4Pyb76874fLps4ueHXDhXWdk6YHQ6OgUtinliG7RsYvCbbBg==}
3260
3261 hast-util-to-parse5@8.0.1:
3262     resolution: {integrity: sha512-MlWT6Pjt4CG9lFCjiz4BH719wmrMkfkJYCxFwKQic8+RTZgWPuWxwAfbjJElsXkex7DJJfSJsQIt931ilUgmwdA==}
3263
3264 hast-util-to-text@4.0.2:
3265     resolution: {integrity: sha512-KK6y/BN8lbaq654j7JgBydev7wuNMCI541kRav1P0CaE1e47P72AWWPiGKXTJU271ooYzcvTAn/Zt0REncv7A==}
3266
3267 hast-util-whitespace@3.0.0:
3268     resolution: {integrity: sha512-88JUN06ipLwsnv+dVn+OIY0vAuvBMy/Qoi6O7mQHxdPXpy+Cd6xRkWwux7DKO+4sYILtLBRIKgsdps2gQc7qw==}
3269
3270 hast@1.0.0:
3271     resolution: {integrity: sha512-vFUqlRV5C+xqP76Wwq2SrM0kipnmpxJm7OfvVXpB35Fp+Fn4MV+ozr+JZr5qFvyRlq/U+Foim2x+3P+x9S1PLA==}
3272 deprecated: Renamed to rehype
3273
3274 hastscript@6.0.0:
3275     resolution: {integrity: sha512-nDM6bvd71IqDUiYEiu5S1/+6ReP0BMk/2f4U/Roocckxj0P5nm+acM5PrGJ/t5I8qPGiqZSE6hVAwZEdZivP4w==}
3276
3277 hastscript@9.0.1:
3278     resolution: {integrity: sha512-g7df9rMFX/SPi34tyGCyUBREqOKkapwdY/T04Qn9TDWfHhAYt4/I0gMVirzK5wEzeUqIjEB+LXC/ypb7Aqno5w==}
3279
3280 highlight.js@10.7.3:
3281     resolution: {integrity: sha512-tzcUFauisWKNHarkn4Wj1/ZA07gENAF1J3J/c480dprkGTg5EQstganFqBfUqCq54kZRIEcreTsAgF/m2quD7A==}
3282
3283 highlightjs-vue@1.0.0:
3284     resolution: {integrity: sha512-PDEfEF102G23vHmPhLyPboFCD+BkMGU+GuJe2d9/eH4FsCwvgBpnc9n0pGE+ffKdph38s6foEziEjdgHdzp+IA==}
3285
3286 html-to-text@9.0.5:
3287     resolution: {integrity: sha512-qY60FjREgVZL03vJU6IfMV4GDjGBIoOyvufdPBDIX9yTlDw0TjxVBQp+P8NvpdIXNjvFBTNul7fsAQJq2FNpg==}
3288 engines: {node: '>=14'}
3289
3290 html-url-attributes@3.0.1:
3291     resolution: {integrity: sha512-ol6UPyBWqsrO6EJySPz2O7ZSr856WDrEzMsZmqp+FJJLGMW35cLYmmZnl0vztAZxRUoNZJFTCohfjuIj8I4QBQ==}
3292
3293 html-void-elements@3.0.0:
3294     resolution: {integrity: sha512-bEqo66MRxsUGxWHV5IP0PUiAWwoEjba4VCzgLjFJBpchPaTfyfCKTG6bc5F8ucKec3q5y6qOdGyYTSBEvhCrg==}
3295
3296 htmlparser2@8.0.2:
3297     resolution: {integrity: sha512-GYdjkWKBkLkZ5geuHs5NY1puJ+PXwP7+fHPRZ06Eirsbsugf6d8kkXav6ADhODhFFPMIXyxksuMf3D6NCFA==}
3298
3299 iceberg-js@0.8.1:
3300     resolution: {integrity: sha512-1dhVQZXXhHje7798IVM+xoo/1ZdVfzOMIC8/rgVSiJRk38EDqOJoGula9N/8ZI5RD8QTxNQtK/Gozpr+qUqRRA==}
3301 engines: {node: '>=20.0.0'}
3302
3303 iconv-lite@0.6.3:
3304     resolution: {integrity: sha512-4fCK79wshMdZMp2rH06qWrJE4iolqLhCUH+OiuIgU++RB0+94N1DL81atO7GX55uUKueo0txHntvEyI6D7WdMw==}
3305 engines: {node: '>=0.10.0'}
3306
3307 import-meta-resolve@4.2.0:
3308     resolution: {integrity: sha512-Iqv2fzaTQN28s/FwZAoFqQZSs/7hMAHJVX+w8PZl3cY19Pxk6jFFalxQoIfW2826i/fDLXv8IieZKIT0lDuWcg==}
3309
3310 inline-style-parser@0.2.7:
3311     resolution: {integrity: sha512-Nb2ctOyNR8DqQ0R0owRG95uNwIC0C1lCgf5Naz5H6Ji72KZ8OcFZLz2P5sNgwlyoJ8Yif1loMuYs5pBQa86csA==}
3312
```

```

3313 internmap@1.0.1:
3314   resolution: {integrity: sha512-lDB5YccMydFBtasVtxnz3MRBHua0E8GKsppq+EchKL2U4nK/DmEpPHNH8MZe5HkMtpSiTSOZwfn0tzYjO/lJEw==}
3315
3316 internmap@2.0.3:
3317   resolution: {integrity: sha512-5Hh7Y1wQbvY5ooGgPbDaL5iYLApZMTUryjMulSkHLH6wnv/A+1q5rgEaiuqEjB+oxGXIVZs1FF+R/KPN3ZSQYYg==}
3318   engines: {node: '>=12'}
3319
3320 is-alphabetical@1.0.4:
3321   resolution: {integrity: sha512-DwzsA04LQ10FHTZuL0/grVDk4rFoVH1pjAToYwBrHSxcrBIGQuXrQMtD5U1b0U2XVgKZCTLp8u2Qxqhy3l2Vg==}
3322
3323 is-alphabetical@2.0.1:
3324   resolution: {integrity: sha512-FWyyY60MeTNyeSRpkM2Iry0G9hpr7/9kD40mD/cGQEuilcZYS4okz8SN2Q6rLCJ8gbCt6fN+rC+6tMGS99LaxQ==}
3325
3326 is-alphanumeric@1.0.4:
3327   resolution: {integrity: sha512-UzoZUr+XfVz3t3v4KyGEniVL9BDRoQtY7tOyrRybkVNjDFWyo1yhXNGrrBTQxp3ib9BLAWS7k2YKBQsFRkzG9A==}
3328
3329 is-alphanumeric@2.0.1:
3330   resolution: {integrity: sha512-hmbYhX/9MUMF5uh7tOXyK/n0ZvWpad5caBA17GsC6vyuCqaWliRG5K1qS9inmUhEMaOBIW7/whAnSwveW/LtZw==}
3331
3332 is-decimal@1.0.4:
3333   resolution: {integrity: sha512-RGdriMmQqVZ2aqaQq3awNA6dCGtKpiDFcOzrTWrDAT2MiWrKQVPmxLGH17Y2nNu6led0kEyoX0enY0qXYsv9zw==}
3334
3335 is-decimal@2.0.1:
3336   resolution: {integrity: sha512-AAB9hiomQs5DXWcRblrqsgXGustbRroFOPPPAomNk/3XHR5JyEZChOyTWe2oayKnsSsr/kcGqF+z6yuH6HHpN0A==}
3337
3338 is-hexadecimal@1.0.4:
3339   resolution: {integrity: sha512-gyPJuv83bHmpocVYqof5VDiZveEoGoFL8m3BNb2VW8Xs+rz9kq08LOQ5DH6Esuvi1TlApazU0pyl+ytbPt1w==}
3340
3341 is-hexadecimal@2.0.1:
3342   resolution: {integrity: sha512-DgZQp241c8o06cA1SbTEWiXeoXV42vlcJxgH+B3hi1AiqqKruZR3ZGF8In3fj4+/y/7rHv1OZLZtgJ/4ttYGZg==}
3343
3344 is-plain-obj@4.1.0:
3345   resolution: {integrity: sha512-+Pgi+VMuUNkJyExiMBt5iIFoMyKnr5zhJ4Uspz58WohBF5QoIZkFyNHibBAThWzVAgk5RtndVNsDRN61/mmDqg==}
3346   engines: {node: '>=12'}
3347
3348 jiti@2.7.0:
3349   resolution: {integrity: sha512-AC/7JofJvZGrrneWNaEnJeOLux+JlGt7tNa0wZiRpt4MY1wmfKjt2+6O2p2uz2+skl18OZzJmNqeke7kKbNgQ==}
3350   hasBin: true
3351
3352 jose@5.10.0:
3353   resolution: {integrity: sha512-s+3Al/p9g32Iq+oqXxkX//7jk2Vig6FF1CFqzVXoTUXt2qz89YWbL+OwS17NFYEvxC35n0FKEGO2LGYSxeM2Gg==}
3354
3355 js-tokens@9.0.1:
3356   resolution: {integrity: sha512-mxa9E9ITfOt0ban3j6L5MpjwegGz6lBQmM1IJkWeB2GcMxt050+eWdjC/52xDBs2vy0k7vIMK0Fe2wfL9OQSpQ==}
3357
3358 json-schema@0.4.0:
3359   resolution: {integrity: sha512-es94M3nTifsEPisRafak+HDLfHXnKBhV3vU5eqPcS3f1IWqcXJWgXHXiey3YrpaNsanY5ei1VoYEbOzijuq9BA==}
3360
3361 jsonc-parser@3.3.1:
3362   resolution: {integrity: sha512-HUgH65KyejrUFPvHFPbqOYrsFip3Bo5wb4ngvdi1EpCYWUQDC5V+Y7mZws+DLkr4M//zQJoanu1SP+87Dv1oQ==}
3363
3364 katex@0.16.47:
3365   resolution: {integrity: sha512-Beo8Ys1doU1z+x8AZsPpQu+p/QcZBI5PeOo7QGQdy2x2m0MU/hYagBbGomXwr5KVbEfVuWv9LpnQWeehogurjg==}
3366   hasBin: true
3367
3368 khroma@2.1.0:
3369   resolution: {integrity: sha512-Ls993zuzfayK269Svk9hzpeGUKob/sIgZzyHYdYQoAdQetRKpOLj+k/QQQ/6Qi0Yz65m1RORfd+Ev+1+7dz9Kw==}
3370
3371 layout-base@1.0.2:
3372   resolution: {integrity: sha512-8h2oVEZNktL4BH2JCOI90iD1yXwL6iNW7KcCKT2QZgQJR2vbqDsldCTPRU9NifTCqHZci57XvQQ15YTu+sTYPg==}
3373
3374 layout-base@2.0.1:
3375   resolution: {integrity: sha512-dp3s92+uNI1hWIpPGH3jK2kxE21MjdXdr+DH8ynZHpd6PULH6x6cbuXnoMmiNumznqaNO31xu9e79F0uuZ0JFg==}
3376
3377 leac@0.6.0:
3378   resolution: {integrity: sha512-y+SqErxb8h7nE/fiEX07jsbuhrp091L8eca7/Y1nuWV2moN1Xhyd59iDGcRf6moVyDMbmTNzL40SUyrFU/yDpg==}
3379
3380 lightningcss-android-arm64@1.32.0:
3381   resolution: {integrity: sha512-YK7/C1Tt4kAK0vo6w3X+Pnm0D2cf2vPHbhOXdoNti1Ga0a11P4TBZhWjATvjNwLEBcNkvjJc2jQgHXH0NEw1Ag==}

```



```

3382     engines: {node: '>= 12.0.0'}
3383     cpu: [arm64]
3384     os: [android]
3385
3386 lightningcss-darwin-arm64@1.32.0:
3387   resolution: {integrity: sha512-RzeG9Ju5bag2Bv1/lw1VJVBE3q6TtXskdZLLCyfg5pt+HLz9Bq1ICO7LZM7VHNTTn/5PRhHFBSjk5lc4cmScPQ==}
3388   engines: {node: '>= 12.0.0'}
3389   cpu: [arm64]
3390   os: [darwin]
3391
3392 lightningcss-darwin-x64@1.32.0:
3393   resolution: {integrity: sha512-U+QsBp2m/s2wqpUYT/6wnlagdZbtZdndSmut/NJq1CcMLTWp5muCrID+K5UJ6jqD2BFshejCYXniPDbNh73V8w==}
3394   engines: {node: '>= 12.0.0'}
3395   cpu: [x64]
3396   os: [darwin]
3397
3398 lightningcss-freebsd-x64@1.32.0:
3399   resolution: {integrity: sha512-JCTigedEksZk3tHTTthnMdVfGf61Fky8Ji2E4YjUTEQXl4xiy/lTzXnulvwiZe3bYe0q+SpsSH/CteDXK6WHig==}
3400   engines: {node: '>= 12.0.0'}
3401   cpu: [x64]
3402   os: [freebsd]
3403
3404 lightningcss-linux-arm-gnueabi@1.32.0:
3405   resolution: {integrity: sha512-x6rnnpRa2GL0zQOkt6rts3YDPzduLpWvWAF6EMhXFVZXD4tPrBkEFqzGowzCsIWsPjqSK+tyNEODUBXeeVHskw==}
3406   engines: {node: '>= 12.0.0'}
3407   cpu: [arm]
3408   os: [linux]
3409
3410 lightningcss-linux-arm64-gnu@1.32.0:
3411   resolution: {integrity: sha512-0nnMyoyOLRXfbMOilaSRcLH3Jw5z9HDNGfT/gwCPgaDjnx0i8w7vBzFLFR1f6CMLKF8gVbebmKUN3fa/kQJpQ==}
3412   engines: {node: '>= 12.0.0'}
3413   cpu: [arm64]
3414   os: [linux]
3415   libc: [glibc]
3416
3417 lightningcss-linux-arm64-musl@1.32.0:
3418   resolution: {integrity: sha512-UpQkoenr4UJEzgvIYpI80lDFvRmPVg6oqboNHfoH4CQIfNA+HOrZ7Mo7KZP02dC6LjghPQJeBsvXhJod/wnIBg==}
3419   engines: {node: '>= 12.0.0'}
3420   cpu: [arm64]
3421   os: [linux]
3422   libc: [musl]
3423
3424 lightningcss-linux-x64-gnu@1.32.0:
3425   resolution: {integrity: sha512-V7Qr52IhZmdKPVr+Vtw8o+WLSQJYCTd8l0IfpDaMRWGUZfBOYEJeyJIKqGIDMZPwPx24pUMfwSxxI8phr/MbOA==}
3426   engines: {node: '>= 12.0.0'}
3427   cpu: [x64]
3428   os: [linux]
3429   libc: [glibc]
3430
3431 lightningcss-linux-x64-musl@1.32.0:
3432   resolution: {integrity: sha512-bYcLp+Vb0awsixG/80uCrezCYHNg1/13mt0gzHnWV9XP1W5sKa5/TCdGwaR/zBM2PeF/HbsQv/j2URNOiVuxWg==}
3433   engines: {node: '>= 12.0.0'}
3434   cpu: [x64]
3435   os: [linux]
3436   libc: [musl]
3437
3438 lightningcss-win32-arm64-msvc@1.32.0:
3439   resolution: {integrity: sha512-8SbC8BR40pS6baCM8sbtYDSwEVQd4J1FTOLaD3gWGHfThTcABnNDBda6eTZeQbOfalIJhFx0qKzgHJmcPTnGdw==}
3440   engines: {node: '>= 12.0.0'}
3441   cpu: [arm64]
3442   os: [win32]
3443
3444 lightningcss-win32-x64-msvc@1.32.0:
3445   resolution: {integrity: sha512-Amq9B/SoZyDilkFrojnogPLxYhQ4Wo5XiL8EVJrVb8ARoC1PWW6VGtT0WKcemjy8aC+louJnjS7U18x3b06Q==}
3446   engines: {node: '>= 12.0.0'}
3447   cpu: [x64]
3448   os: [win32]
3449
3450 lightningcss@1.32.0:

```

```
3451   resolution: {integrity: sha512-NXYBzinNrb1fraPGyrbPoDl9C1h9lfi/1mzgWYvXUTe414Gz/X1FD2XBZSZM7rRTrMA8JL3OtAaGifrIKhQ5yQ==}
3452   engines: {node: '>= 12.0.0'}
3453
3454 linkify-it@5.0.1:
3455   resolution: {integrity: sha512-wVoTjP4Q6R0NW5hiZkVJaF2PWgtXfoGF+6LucL3/FtiNjmcHhYjEr5f1Kqjirc1nBW07J/ZuRFumqr2oqccEWg==}
3456
3457 lodash-es@4.18.1:
3458   resolution: {integrity: sha512-J8xewKD/Gk22OZbhpOVSocs60zhd95ESDwezOFuA3/099925PdHJ7OFHNTGtaJL3A1ZkykD32HykiMo+BI8A==}
3459
3460 lodash.debounce@4.0.8:
3461   resolution: {integrity: sha512-FTtlyDzDYEoYWhnSGnP/E/4Kj1fLzKdFyqRb7fNt6FdYOSxLUWAtp42Eh6Wb0rGIv/m9Bgo7x4GhQbm5Ys4SG5ow==}
3462
3463 longest-streak@3.1.0:
3464   resolution: {integrity: sha512-9Ri+o0JYgehTaVBBDoMqIl8GxtbWg71103srftcHhZ0dqnETqLaoIK0x17fUw9rFS1K/0N1sKe0Ahhy15pXE2g==}
3465
3466 loupe@3.2.1:
3467   resolution: {integrity: sha512-CdzqowRJCeLU72bHvWqWRBBLcMEtIvGr1velf74kMnV2Ao1S9Y8xUv1I0U/MNAWMhB1KIoyuEgoJ0t/bbwHbLQ==}
3468
3469 lowlight@1.20.0:
3470   resolution: {integrity: sha512-8Ktj+prEb1RoCPkEorPMYUN/nCggB7qAWe3a7OpMjWQkh312RD5wKRQ+o8Q8YuI9RG/xs95waaI/E6ym/7NsTw==}
3471
3472 lucide-react@0.446.0:
3473   resolution: {integrity: sha512-BU7gy8MfBMqvEdDPH79VhOXSEgyG8TSPOKWaExWGCQVqnGH7wGgDngPbofu+KdtVjPQBWbEmnfMTq90CTiIDRg==}
3474   peerDependencies:
3475     react: ^16.5.1 || ^17.0.0 || ^18.0.0 || ^19.0.0-rc
3476
3477 lucide-react@0.542.0:
3478   resolution: {integrity: sha512-w3hD8/SQB7+lzU2r4VdFyzOzKnUjTZIF/MQJGSSvni7Llewni4vuViRppfRAa2guOsY5k4jZyxw/i9DQHv+dw==}
3479   peerDependencies:
3480     react: ^16.5.1 || ^17.0.0 || ^18.0.0 || ^19.0.0
3481
3482 magic-string@0.30.21:
3483   resolution: {integrity: sha512-vd2F4YUyEXKGcLHoq+TEYcjxueSeHnFxyyJNp80yg0XV4vUhnDer/lvvlqM/arB5bXQN5K2/3oinyCRyx8T2CQ==}
3484
3485 markdown-it@14.2.0:
3486   resolution: {integrity: sha512-1TGiqiJVRQ3NPmZH6sx5Cfnmg6GQm9jvC1ch4TK511NjSjVjzKLzn5pPfZRNzkrPZP0HqCioSndqH8v2nRaWVQ==}
3487   hasBin: true
3488
3489 markdown-table@3.0.4:
3490   resolution: {integrity: sha512-wiYz4+JrLyb/DqW2hkFJxP7Vd7JuTdm77fVbM8VfEQdmSMqcImWeeRbHwZjBjIFki/VaMK2BhFi7oUUZeM5bqw==}
3491
3492 marked@16.4.2:
3493   resolution: {integrity: sha512-TI3V8YYWkvf3KJeldRkpnjs68JUPyEa5vjKrp1XEEJUAOaQc+Qj+L1qWbPd0SJuAdQkFU0h73sXXqwDYxsiDA==}
3494   engines: {node: '>= 20'}
3495   hasBin: true
3496
3497 mdast-util-find-and-replace@3.0.2:
3498   resolution: {integrity: sha512-Tmd1Vg/m3Xz43afeNxDIhWRTfZgM2VLyaf4vSTYwudTyeuTneoL3qtWMA5jeLyz/O1vDJmmV4QuScFCA2tBPwg==}
3499
3500 mdast-util-from-markdown@2.0.3:
3501   resolution: {integrity: sha512-W4mAwtvSlKvf8L6J+VN9yLSqQAOAAvHuoDAmPkz4dHf553m5gVj2eJadHJhoJmcmxEnOv6Pa8XJhpxE93kb8Q==}
3502
3503 mdast-util-gfm-autolink-literal@2.0.1:
3504   resolution: {integrity: sha512-5HVP2MKaP6L+G6YaxPNjuL0BPrq9orG3TsrZ9YxbA3vDw/ACI4MEsnoDpn6ZNm7GnZgtAcONJyPhOP8tNJQavQ==}
3505
3506 mdast-util-gfm-footnote@2.1.0:
3507   resolution: {integrity: sha512-sqpDWlsHn7Ac9GNZQMeUzPQSMzR6W0WKRNVQRg0KqHh02fpTz69Qc1QSseNX29bhZ1ROIyNyExfawVKtm1GQ==}
3508
3509 mdast-util-gfm-strikethrough@2.0.0:
3510   resolution: {integrity: sha512-mKKb915TF+OC5ptj5bJ7WFRPdYtuHv0yTRxK2tJvi+BDqbkig7h7u/9SI89nRAYcm2p2xHQL9D+QG/6wSrTtXg==}
3511
3512 mdast-util-gfm-table@2.0.0:
3513   resolution: {integrity: sha512-78UEvebzz/rJIxLvE7ZtDd/vIQ0RHv+3Mh5DR96p7cS7HsBhYIICDBCu8csTNWNO6tBWfqXPWekRuj2FNOGOZg==}
3514
3515 mdast-util-gfm-task-list-item@2.0.0:
3516   resolution: {integrity: sha512-IrtvNvjxC1o06taBAVJznEnkiHxLFTzgonUdy8hzFVeDun0uTjxxrRGVaNFqkU1wJR3RBPEfsxmU6jDWPofrTQ==}
3517
3518 mdast-util-gfm@3.1.0:
3519   resolution: {integrity: sha512-0ulf0QOM3ysHhCJ1p0610b0VK1hU0wuQs3thxzQagjcjPrlFRqY215uZGHHJan9GEAXd9MbFpJfJz+qMkVR6zQ==}
```

```

3520
3521 mdast-util-math@3.0.0:
3522   resolution: {integrity: sha512-Tl9GBNeG/AhJnQM221bJR2HPvLOSnlE/T9cJI9tlc6zwQk2nPk/4f0cHkOdEixQPC/j8UtKDDITswvLay1OZ1w==}
3523
3524 mdast-util-mdx-expression@2.0.1:
3525   resolution: {integrity: sha512-J6f+9hUp+ldTZqKRSg7Vw5V6MqjATc+3E4gf3CFNcuZNWD8XdyI6zQ8GqH7f8169MM6P7hMBRDVGnn7oHB9kXQ==}
3526
3527 mdast-util-mdx-jsx@3.2.0:
3528   resolution: {integrity: sha512-lj/z8v0r6ZtsN/cGNntemmmfoLAFZnjMbNyLzBafjzikOM+glrjNHP1f6lQDOTccj9n5b0PPihEBbhneMyGs1Q==}
3529
3530 mdast-util-mdxjs-esm@2.0.1:
3531   resolution: {integrity: sha512-EcmOpxsZ96Cv1P03Nghth1EsLtr0n9Tm4lPUJUBccv9RwUOneqSycg19n5HGzCf+10LozMRsobtVr3eelWoHtg==}
3532
3533 mdast-util-phrasing@4.1.0:
3534   resolution: {integrity: sha512-TqICwyvJJpBwvGAMZjj4J2n0X8QWp21b910o7eXyVJ25YNWYbJDVIyD1bZXE6WtV6RmKJVYmQAKWa0zWOABz2w==}
3535
3536 mdast-util-to-hast@13.2.1:
3537   resolution: {integrity: sha512-ccts2wp5vTSLicaymbUriiTCZd0CwWtCbLvrOzYCDZoWyMNV8s27krj09FSnsiJi3WVsHLM4k6Dq/yaPyCXA==}
3538
3539 mdast-util-to-markdown@2.1.2:
3540   resolution: {integrity: sha512-xj68wMTvGXVOKonmog6LwyJKrYXZPvlwabaryTjLh9LuvovB/KAH+kvi8Gjj+7rJjsFi23nkUxRQv1KqSroMqA==}
3541
3542 mdast-util-to-string@4.0.0:
3543   resolution: {integrity: sha512-0H44vDimn51F0YvvxSJSm0eCDOJTRlmN0RlyBh4HLj9wiV1Dn0QoXGbvFAWj2hSitVTlCmBf1hqKlIyUBVFLPg==}
3544
3545 mdurl@2.0.0:
3546   resolution: {integrity: sha512-Lf+9+2r+Tdp5wXDXC4PcIBjTdtq4UKjCPMQhKiuzpJNW0b96kVqSwW0bT7FhRSfmAiFYgP+SCRvdrDozf0U5w==}
3547
3548 mermaid@11.15.0:
3549   resolution: {integrity: sha512-pTMbcf3rWdtLiYGpmoTjHEpeY8seiy6sR+9nD7LOs8KfUbHE41OUAprTRqRAcWSQ6MQpdX+YEsxShtGsINTPtW==}
3550
3551 micromark-core-commonmark@2.0.3:
3552   resolution: {integrity: sha512-RDBrHEMSxVFLg6xvnXmb1Ayr2WzLAWjeSATAoxwKYJV94TeNavgoIdA0a9ytzDSVzBy2YKFK+emCPOEibLeCrg==}
3553
3554 micromark-extension-cjk-friendly-gfm-strikethrough@1.2.3:
3555   resolution: {integrity: sha512-gSPnxgHDDqXYOBvQRq6lerrq9mjDhdtKn+7XETuXjxWcL62yZEFUdA28M1lI2vDIPfAOIKLa0h2XDSGkInGHFQ==}
3556   engines: {node: '>=16'}
3557   peerDependencies:
3558     micromark: ^4.0.0
3559     micromark-util-types: ^2.0.0
3560   peerDependenciesMeta:
3561     micromark-util-types:
3562       optional: true
3563
3564 micromark-extension-cjk-friendly-util@2.1.1:
3565   resolution: {integrity: sha512-egs6+12JU2yutskHY55FyR48ZiEcFOJFyk9rsiyIhcJ6IvWB6ABBqVrBw8IobqJTDZ/wdSr9eoXDPb5S2nW1bg==}
3566   engines: {node: '>=16'}
3567   peerDependencies:
3568     micromark-util-types: '*'
3569   peerDependenciesMeta:
3570     micromark-util-types:
3571       optional: true
3572
3573 micromark-extension-cjk-friendly@1.2.3:
3574   resolution: {integrity: sha512-gRzVLUdjXBLX6zNPSnHGDo+ZTp5zy+Mzm0g3sv+3chPXY719gW+DnrcHcZh/jiPR6MjPKO4AEJNp4Aw6V9z5Q==}
3575   engines: {node: '>=16'}
3576   peerDependencies:
3577     micromark: ^4.0.0
3578     micromark-util-types: ^2.0.0
3579   peerDependenciesMeta:
3580     micromark-util-types:
3581       optional: true
3582
3583 micromark-extension-gfm-autolink-literal@2.1.0:
3584   resolution: {integrity: sha512-oOg7knzhicgQ3t4QCjCWGtmfNhvQbDDnJeVu9v81r7NltNCVmhPy1fJRX27pISafdjL+SVc4d3148Gb6pbRypw==}
3585
3586 micromark-extension-gfm-footnote@2.1.0:
3587   resolution: {integrity: sha512-/yPhxIlnDnSiHtzLKYN3vf9JZ6cAisqVDauhp4CEHxlb4uoOTxOCJ+9s51bIB8U1N1FJ1RXOKTl1D5B/gqw==}
3588

```

3589 micromark-extension-gfm-strikethrough@2.1.0:
3590 resolution: {integrity: sha512-ADVjp00kjzlhkZL1BiYA9cR2Anf8F4HqZUO6e5eDcPQd0Txw5fxLzxxnEkSkfnD0wziSGiv7sYhk/ktvbf1uw==}
3591
3592 micromark-extension-gfm-table@2.1.1:
3593 resolution: {integrity: sha512-t2OU/dXXioARrC6yWfJ4hqB7rct14e8f7m0cbI5hUmDyyIlwv5vEtooptH8INkbLzOatzKuVbQmAYcbWoyz6Dg==}
3594
3595 micromark-extension-gfm-tagfilter@2.0.0:
3596 resolution: {integrity: sha512-xHlTOMucSotIA8TWlMDIM6X2O1SiX5P9IuDtgGonFhEK0ggRI4yeC6vMxEV2dgyr2TiD+2PQ10o+cOhdVAcwfg==}
3597
3598 micromark-extension-gfm-task-list-item@2.1.0:
3599 resolution: {integrity: sha512-qIBzhxqI6fjLDYFTBIA4eivDMnP+OzqsNwmQ3xNLE4Cxcw+zfQEfs6tzAo2Hjq+bh6q5F+Z8/cksrLFYWQQw==}
3600
3601 micromark-extension-gfm@3.0.0:
3602 resolution: {integrity: sha512-vsKArQsicm7t0z2GugkCKtZehqUm3loeGBV/KVSorWSy8Z1NAv7ytjFhvaryUiCUJYqs+NoE6AFhpQvBTM6Q4w==}
3603
3604 micromark-extension-math@3.1.0:
3605 resolution: {integrity: sha512-lvEqd+fHjATVs+2v/8kg9i5Q0AP2k85H0WUOwpIVvUML8BapsMvh1XAogmQjOCsLpoKRCVQqEkQBB3NhVBcsOg==}
3606
3607 micromark-factory-destination@2.0.1:
3608 resolution: {integrity: sha512-Xe6rDdJlkmBFRExpTOMrj9N3MaWmbAgdpSrBQvCFqhezUn4AHqJHbaEnfbVYIexVSs//tQodY/DxhjdCiJnIA==}
3609
3610 micromark-factory-label@2.0.1:
3611 resolution: {integrity: sha512-VfMekyQExqIW7xIChcXn4ok29YErnuuyew3wZQWWqF4Nv9Wk5rgJ99KzPvHjkmPXF93FXIbBp6YdW3t71/7Vg==}
3612
3613 micromark-factory-space@2.0.1:
3614 resolution: {integrity: sha512-zRkxjtBxxLd2Sc0d+fbnEunsTj46SWXgXciZmHq0kDYGnck/ZSGj9/wULTV95uoeyiK5hRXP2mJ98Uo4cq/LQg==}
3615
3616 micromark-factory-title@2.0.1:
3617 resolution: {integrity: sha512-5bZ+3cJhAd9eChYTHsjy6TGxpOFSKgKKJPJxr293jTbfry2KDoWkhBb6TcPVB4NmzaPhMs1Frm9AZH7OD4Cjzw==}
3618
3619 micromark-factory-whitespace@2.0.1:
3620 resolution: {integrity: sha512-Ob0nuZ3PKt/n0hORHyvoD9uZhr+Za8sFoP+OnMcnWK5lngSzALgQYKMr9RJVOwLqQYyyn6ulqGWSXdwf6F80lQ==}
3621
3622 micromark-util-character@2.1.1:
3623 resolution: {integrity: sha512-wv8tdUTJ3thSFFFJKtpYKOYiGP2+v96Hvk4Tu8KPCAsTMs6yi+nVmGhlsyvsCsaxz45J6Jbw+9DD6g97+NV67Q==}
3624
3625 micromark-util-chunked@2.0.1:
3626 resolution: {integrity: sha512-QUNFEOPELfmvv+4xiNg2sRYeS/P84ptW0TCgP5zc9FpXetHY0ab7SxKyAQCNcclK0459uoLI1y5o05Vc1dbhA==}
3627
3628 micromark-util-classify-character@2.0.1:
3629 resolution: {integrity: sha512-K0kHzM6afW/MbeWYWLjohQv1sgg2Q9EccHEDzSxxiP/EaagNzCm7T/MMKZ3rjMbvIpvBiZgwR3dKMMygtA4mG1Q==}
3630
3631 micromark-util-combine-extensions@2.0.1:
3632 resolution: {integrity: sha512-OnAnH8Ujmy59JcyZw8JSbk9cGpdvY44NKgSM7E9Eh7DiLS2E9RNQf0dONaGDzEG9yjE15hcqeIsj4hfRkLH/Bg==}
3633
3634 micromark-util-decode-numeric-character-reference@2.0.2:
3635 resolution: {integrity: sha512-ccUbYk6CwVdkmCQMyr64dXz42EfHGkPQlBj5p7YVGzq8I7CtjXZJrubAYezf7Rp+bjPseiRQqe7G6foFd+lEuw==}
3636
3637 micromark-util-decode-string@2.0.1:
3638 resolution: {integrity: sha512-nDV/77Fj6eHlynwscYTosBk7rR//Uj0bZXBwJZRfaLEJ1iGBR6kIfNm1NqaqJf649EP0F3NWNdeJi03e111NUQ==}
3639
3640 micromark-util-encode@2.0.1:
3641 resolution: {integrity: sha512-c3cVx2y4KqUnwopc09b/Scdo2O67LwJJ/UyqGfbigahfegL9myoEfOdyZgkt7f36T0bLrM9hZTAAyH+PCAXjw==}
3642
3643 micromark-util-html-tag-name@2.0.1:
3644 resolution: {integrity: sha512-2cNEiYdHCWKI+Gs9T0TiySk136SnR13hh08yW6BGnyhOC4qYFnwFlnKfD3HFAIXA5c45RrIGlub11GiXeYdlxA==}
3645
3646 micromark-util-normalize-identifier@2.0.1:
3647 resolution: {integrity: sha512-sxPgmo70LyARJs0w2UclACPUEqltCk76PhKdMIDuJ3gSf/Q+/GIe3WK10Ijb/GyH91OpUKRAO2wp0GVkLvS9Q==}
3648
3649 micromark-util-resolve-all@2.0.1:
3650 resolution: {integrity: sha512-VdQyxFWFT2/FGJgwQnJYbeljjQoNTS4Rjg1mSjtUlpUMa95Htx9NHeYw4rGDJzbjvCs19eLjMQwGeElsqmczHg==}
3651
3652 micromark-util-sanitize-uri@2.0.1:
3653 resolution: {integrity: sha512-9N9IomZ/YuGGZ2mQec1MbgxtlgougxTodVwDzEouPKo3qFWvymFHWcnDi2vzV1ff6kas9ucW+o3yzJK9YB1AQ==}
3654
3655 micromark-util-subtokenize@2.1.0:
3656 resolution: {integrity: sha512-XQLu552iSctvnEcqXw6+Sx75GflAPNED1qx7eBJ+wydBb2KCbRZe+NwvIEEMM83uml1+2WSXpBAcp9IUCgCYWA==}
3657

```

3658 micromark-util-symbol@2.0.1:
3659   resolution: {integrity: sha512-vs5t8Apaud9N28kgCrRUEd4UJ+wWNVicHLPxCa9ENlYuAY31M0ETy5ylvA33YoNPdFTghEbnh6efaE8h4x0Q==}
3660
3661 micromark-util-types@2.0.2:
3662   resolution: {integrity: sha512-Yw0ECSpJoViF1qTU4DC6NwtC4aWgt1EkzaQB8KPPyCRR8z9TWeV0HbEFGTO+ZY1wB22zmxnJqhPyTpOVCpeHTA==}
3663
3664 micromark@4.0.2:
3665   resolution: {integrity: sha512-zpe98Q6kvavpCr1NPFVSCMebCKfD7CA2NqZ+rykeNhONIJbPc1tFKt9hucLGwha3jNTNI8lHpctWJWoimVF4PfA==}
3666
3667 motion-dom@11.18.1:
3668   resolution: {integrity: sha512-g76KvA001z+atjfxcdRtw/RXOM3OMSdd1f4DL77qCTF/+avrRjiawSG4yDibEQ215sr9kpinS1X2pCTJ9zbhw==}
3669
3670 motion-dom@12.40.0:
3671   resolution: {integrity: sha512-HxU3ZaBwNPVQUBf1xxgq+7JrPNZvjLVxgbpEZL7RrWJnsx0f0/OM+yrHG9ogLQ31Do/r57Oz2gQWPK+6q62mg==}
3672
3673 motion-utils@11.18.1:
3674   resolution: {integrity: sha512-49Kt+HKjtbJKLtgo/LKj9Ld+6vw9BjH5d9sc40R/kVyH8GLAXgT42M2NnuPcJNuA3s9ZfZBUcwIgpWZWGEE+hA==}
3675
3676 motion-utils@12.39.0:
3677   resolution: {integrity: sha512-8nadJAJjTtqRkmRF36FoJTrykK9nnFmnPwnSMYxaOCU7GDjN9RTMJixx9De8ErM+vpPhMccr/6fo5WciyQLnMQ==}
3678
3679 motion@12.40.0:
3680   resolution: {integrity: sha512-yjrHUrBFW6kQvjJwRsoiPSAhC5tRwRqNGJWmiJ4CrGnbKp0V88AdzkhBmDoqIsIPfarOe0Uddd37Xq43/gIocA==}
3681   peerDependencies:
3682     '@emotion/is-prop-valid': '*'
3683     react: ^18.0.0 || ^19.0.0
3684     react-dom: ^18.0.0 || ^19.0.0
3685   peerDependenciesMeta:
3686     '@emotion/is-prop-valid':
3687       optional: true
3688     react:
3689       optional: true
3690     react-dom:
3691       optional: true
3692
3693 ms@2.1.3:
3694   resolution: {integrity: sha512-6FlzubTLZG3J2a/NVCAleEhJzq5oxgHyaCU9yYXvcLsvoVaHJq/s5xXI6/XXP6tz7R9xAOtHnSO/tXtF3WRT1A==}
3695
3696 nanoid@3.3.12:
3697   resolution: {integrity: sha512-2B9RH/39qpq5Vu6Y+NmUaFhQR6pp+M2Xt76XBnEwDaGcVAqhlvxl3B2bKS5D3NH3QR76v3aSrKaF/Kiy71EtQ==}
3698   engines: {node: ^10 || ^12 || ^13.7 || ^14 || >=15.0.1}
3699   hasBin: true
3700
3701 nanoid@5.1.11:
3702   resolution: {integrity: sha512-v+KEsUv2ps74PaSkV0gHTxTCgMXOIfeBEbaqa6w6ISIGC7ZsvHN4N9oJ8d4cmf0n5oTzQz2SLmThbQWhjd/8eKg==}
3703   engines: {node: ^18 || >=20}
3704   hasBin: true
3705
3706 next-auth@5.0.0-beta.25:
3707   resolution: {integrity: sha512-2dJJwlsHQl2qxCrRk+KTQbeH+izFbGFPuJj5eGgBzFYyiYYtvlrBeUw1E/OJJxTRjuxbsYGnCTkUIRsIIW0bog==}
3708   peerDependencies:
3709     '@simplewebauthn/browser': ^9.0.1
3710     '@simplewebauthn/server': ^9.0.2
3711     next: ^14.0.0-0 || ^15.0.0-0
3712     nodemailer: ^6.6.5
3713     react: ^18.2.0 || ^19.0.0-0
3714   peerDependenciesMeta:
3715     '@simplewebauthn/browser':
3716       optional: true
3717     '@simplewebauthn/server':
3718       optional: true
3719     nodemailer:
3720       optional: true
3721
3722 next-themes@0.3.0:
3723   resolution: {integrity: sha512-QHirsYpd6Kfk7xakK4svpDI5mmXP0gfvCoJdGpZQ2TOzQZmsW0QxjaiLn8wbIKjtm4BTSqLoix41xYYOnLJ/w==}
3724   peerDependencies:
3725     react: ^16.8 || ^17 || ^18
3726     react-dom: ^16.8 || ^17 || ^18

```

```

3727
3728 next@16.0.10:
3729   resolution: {integrity: sha512-RtWh5PUgI+vx1V3HdR+IfWA1UUhU0+Ram/JBO4vWB54cVPentCD0e+1xyAYEsDTqGGMg7qpjhKh6dc6aW7W/sA==}
3730   engines: {node: '>=20.9.0'}
3731   hasBin: true
3732   peerDependencies:
3733     '@opentelemetry/api': ^1.1.0
3734     '@playwright/test': ^1.51.1
3735     babel-plugin-react-compiler: '*'
3736     react: ^18.2.0 || 19.0.0-rc-de68d2f4-20241204 || ^19.0.0
3737     react-dom: ^18.2.0 || 19.0.0-rc-de68d2f4-20241204 || ^19.0.0
3738     sass: ^1.3.0
3739   peerDependenciesMeta:
3740     '@opentelemetry/api':
3741       optional: true
3742     '@playwright/test':
3743       optional: true
3744     babel-plugin-react-compiler:
3745       optional: true
3746     sass:
3747       optional: true
3748
3749 nypm@0.6.7:
3750   resolution: {integrity: sha512-s3ds97SD5pdldULE+tHUK1DrV0cSHOnsfpcdGATJ8JpBo21DoKqN9exTH4/2nhPQNOlomBdTFMicN94S4DrZrQ==}
3751   engines: {node: '>=18'}
3752   hasBin: true
3753
3754 oauth4webapi@3.8.6:
3755   resolution: {integrity: sha512-iwemM91xz8nryHti2yTmg5fhyEMVOkOXwHNqbcvATjyaJb5oQxQCzrNOA6uElRHuMhQQTKUyFKV9y/CNyg25BQ==}
3756
3757 oniguruma-parser@0.12.2:
3758   resolution: {integrity: sha512-6HVa5oIrgMC6a6WF6XyyqhbRPJrKR02L20+2+ZpDtO5QAzGHAUGw5TKQvwi5vctNnRHkJYmjAhRVQF2EKdTQw==}
3759
3760 oniguruma-to-es@4.3.6:
3761   resolution: {integrity: sha512-csuQ9x3Yr0cEIs/Zgx/OEt9iBw9vqIunAPQkx19R/fiMq2oGVtgcMqO/V3Ybqefr1TBvosI6jU539ksaBULJyA==}
3762
3763 orderedmap@2.1.1:
3764   resolution: {integrity: sha512-TvAWxi0nDelj/rtMcWcIj94+Ffe6n7zhov33h40SKxsmozs6dz/e+EajymfoFcHd7sxnN8yHM8839uixMOV6g==}
3765
3766 package-manager-detector@1.6.0:
3767   resolution: {integrity: sha512-61A5ThoTiDg/C8s8UMZwSorAGwMJ0ERVGj2OjoW5pAalsNOg15+iQiPzrLJ4jhZ1HJzmc2PIHT2oEiH3R5fzNA==}
3768
3769 papaparse@5.5.3:
3770   resolution: {integrity: sha512-5QvjGxYVjxO59MGU21HVYpRWBbBKHn1IacSe1uNfCkktUh63NFRj0FJQm7nR67puEruUci/ZkjmEfrjCAyP4A==}
3771
3772 parse-entities@2.0.0:
3773   resolution: {integrity: sha512-kkywGpCcRYhqIchaWqZ875wzps/bMKhz5HnN3p7wveJTkTtyAB/AlnS0f8DFSqYw1T82t6yEakEcB+A1I3MbQ==}
3774
3775 parse-entities@4.0.2:
3776   resolution: {integrity: sha512-GG2AQYWoLg1877gQIKeRPGO1xF9+eGlujIb5soS5gPvLQ1y2o8FL90w2QWNdf9I361Mpp7726c+lj3U0qKluGw==}
3777
3778 parse5@7.3.0:
3779   resolution: {integrity: sha512-IIInvU7fab134qmi9gY8XOVxhYMyuX2UNpb2q8/Y+7552K1ejkRvqvD19nMoUW/uQGGbqNpA6Tufu5FL5BZgw==}
3780
3781 parseley@0.12.1:
3782   resolution: {integrity: sha512-e6qHKe3a9HWR0cMRVDTRhKce+bR08VQQR3NyVwcjwrhbMmFCX9KszEV35+rn4AdilFAq9VPxP/FelwC9Qjd2lw==}
3783
3784 path-data-parser@0.1.0:
3785   resolution: {integrity: sha512-NOnmBpt5Y2RWbuv0LMzsayp31VylAHLPUTut412ZA31+C4uw4ZVqKbjShYQC8TCpUMdPapR4YjUqLYD6v68j+w==}
3786
3787 pathe@2.0.3:
3788   resolution: {integrity: sha512-WUjGcAqPlgQacoQe+OBJSFA7Ld4DyXuijZ5cc75cLHVJ7dtNsTugphxIADwspS+AraUePCKrSVtPLFj/F88w==}
3789
3790 pathval@2.0.1:
3791   resolution: {integrity: sha512-//nshMD55c46FuFw26xV/xFAA5HF9Xdap7HJBBnrKdAd6/GxDBaNA1870079+9ueg61cZLSVc+OaFlfMObYVQ==}
3792   engines: {node: '>= 14.16'}
3793
3794 pebermint@0.9.0:
3795   resolution: {integrity: sha512-XIxfHpEuSjBITd1H3EeQwpcZbTLHc+VVR8ANI9t5sit565tsI4/xK3KWTFUE2e6QiangUkh3B0jihzmGnNrRsQ==}

```

```
3796
3797 picocolors@1.1.1:
3798   resolution: {integrity: sha512-xceH2snhtb5M9liqDsmEw56le376mTZkEX/jEb/RxNFyegNul7eNslCXP9FDj/Lcu0X8KEyMceP2ntpaHrDEVA==}
3799
3800 picomatch@4.0.4:
3801   resolution: {integrity: sha512-qp888BAKvMam/3NxH6vj2o2lR6mjxZUAd6nlwAS/pnGvN9IVLocLHxGYIzFhg6fUqU+5th6P4dv4eW9jX3DSIj7A==}
3802   engines: {node: '>=12'}
3803
3804 playwright-core@1.61.0:
3805   resolution: {integrity: sha512-caX7TrY3Ml6egyDX0WUcTHDxodl/b51y5wJ0dCEA36QviK/s2g08lhvms8eaE3DWb6NYZQ6BjO/QkNRPenOPA==}
3806   engines: {node: '>=18'}
3807   hasBin: true
3808
3809 playwright@1.61.0:
3810   resolution: {integrity: sha512-Z+7BeeqQPRRzklHsVFP4KTGIyMxKUmfERA4WisM6G3/XW6nwGeX6fX9qYaDa+CiUqpOkb2f6X3nar05R3kSuJQ==}
3811   engines: {node: '>=18'}
3812   hasBin: true
3813
3814 points-on-curve@0.2.0:
3815   resolution: {integrity: sha512-0mYKnYye9ZcqMCWhUjItv/oHjvgEsfKvnUTg8sAtnHr3GVy7rGkXcb6d5cSyqrWqL4k81b9CPg3urd+T7aop3A==}
3816
3817 points-on-path@0.2.1:
3818   resolution: {integrity: sha512-25ClnWWuw7JbWZcgqY/gJ4FQWadKxGWk+3kR/7kD0tCaDtPPMj7oHu2ToLaVhfnpHrZzYby2w6tUA0eOIuUg8g==}
3819
3820 postcss-selector-parser@6.0.10:
3821   resolution: {integrity: sha512-IQ7TZdoaqbT+LCpShg46jnZVlhWD2w6iQYAcYXfHARZ7X1t/UGhhceQDs5X0cGqKvYlHNOuv7Oalxmb0oQuA3w==}
3822   engines: {node: '>=4'}
3823
3824 postcss@8.4.31:
3825   resolution: {integrity: sha512-PS08Iboia9mts/2ygV3eLpY5ghnUcflV/EXTOWlE2qYxJKGGBUtNjN76FYHnMs36RmArN41bC0AZmn+rR0OVpQ==}
3826   engines: {node: '>=10 || ^12 || >=14'}
3827
3828 postcss@8.5.15:
3829   resolution: {integrity: sha512-FfR8sJd4em2T6fb3I2MwAJU7HwVMr9zba+enmQeeWffCb+UOC/0X4DS8XtpUTMwWMGbJkYP7xjNekzyGmB3A==}
3830   engines: {node: '>=10 || ^12 || >=14'}
3831
3832 postgres@3.4.9:
3833   resolution: {integrity: sha512-GD3qdB0x1z9xgFI6cdRD6xu2Sp2WCOEoe3mtnyB5Ee0XrrL5Pe+e4CCnJrRMnL1zYtRdZmQQVbvOttLnKDLnaw==}
3834   engines: {node: '>=12'}
3835
3836 preact-render-to-string@5.2.3:
3837   resolution: {integrity: sha512-aPDxUn5o3GhWdtJtW0svRC2SS/18D9MAgo2+AWml+BhDImb27ALf04Q2d+AHqUUOc6RdSXFIBVa2gxzgMKgtZA==}
3838   peerDependencies:
3839     preact: '>=10'
3840
3841 preact@10.11.3:
3842   resolution: {integrity: sha512-eY93IVpod/zG3uMF22Unl8h9KkrcKIRs2EGar8hwLZZDU1lkjph303V9HZBwufh2s736U6VXuhD109LYqPoffg==}
3843
3844 prettier@3.8.4:
3845   resolution: {integrity: sha512-N2MylSdi48+5N/6S5j+maeHbUSIzzZ5uOcX5Hm4QpV8Dkb1HFjfAKTKX6yNPJQD9AhcT3ifHNB66tWTTJDil1Q==}
3846   engines: {node: '>=14'}
3847   hasBin: true
3848
3849 pretty-format@3.8.0:
3850   resolution: {integrity: sha512-WuxUnVtlWLlOfzFQFuqvnvs6MiAGk9UNsBostyBOB0Is9wb5uRESevA6rnl/rkksXaGX3GzZhPup5d6Vp1nFew==}
3851
3852 prismjs@1.27.0:
3853   resolution: {integrity: sha512-t13BGpULFDR7wRB5kQDG4jjl7XeuH6jbJGt11JHPL96qwsEHNX2+68tFXqc1/k+/jALsbSWJKUOT/hcYAZ5LkA==}
3854   engines: {node: '>=6'}
3855
3856 prismjs@1.30.0:
3857   resolution: {integrity: sha512-DEvV2Zf2r2/63V+tk8hQvrR2ZGn10srHbXviT1cv7Kpzw8jWiNTqbVgjO3IY8RxxrOUF8VPMQQFysYYYv0Y2xw==}
3858   engines: {node: '>=6'}
3859
3860 property-information@5.6.0:
3861   resolution: {integrity: sha512-YUHSPk+A30YPv+0Qf8i9Mbfe/C0hdPxx1s1jPVtO8vpk8BQtpw10ct89Eo7OWkutrwqvT0eicAx1og3d0Au8JA==}
3862
3863 property-information@7.2.0:
3864   resolution: {integrity: sha512-IAtzIB6sUiWaJYrX9smp3V46pBGBelFRGdh25kg1334VcBlD8HzhPeNIWQH9zhGmo2itIe25Eht9dQP7G5hmg==}
```

```

3865
3866 prosemirror-commands@1.7.1:
3867   resolution: {integrity: sha512-rT7qZnQtX5c0/y/KlYaGvtG4l1S97UaL6gdp6RIZ23DLHanMYLyfGBV5DtSnZdthQq17W+lEVbpSfwtO8T+L2w==}
3868
3869 prosemirror-dropcursor@1.8.2:
3870   resolution: {integrity: sha512-CCk6Gyx9+Tt2sbYk5NK0nBlukHi2ryaRgadV/LvyNuO3enalpayM2z6Cg0vOlebK8cxbzo4lku2DE5Axj1Zuiw==}
3871
3872 prosemirror-example-setup@1.2.3:
3873   resolution: {integrity: sha512-+hXZi8+xbFvYm465zZH3rdZ9w7EguVKmUYwYLZjIJIjPK+I0nPTwn8j0ByW2avchVczRw2mOJGNvehblyIerSQ==}
3874
3875 prosemirror-gapcursor@1.4.1:
3876   resolution: {integrity: sha512-pMdYaEnjNMSwll1yjEGtgTmLkR08m/Vl+Jj443167p9eB3HVQKhYCc4gmHVDsLPOdfZfjr/MmirsdYzZiXbQKw==}
3877
3878 prosemirror-history@1.5.0:
3879   resolution: {integrity: sha512-zlzTiH01eKA55UAf1MEjtssJeHnGxO0j4K4Dpx+gnmX9n+SHNlDqI2oO1Kv1iPN5B1dm5fsljCfqKF9nFL6HRg==}
3880
3881 prosemirror-inputrules@1.5.1:
3882   resolution: {integrity: sha512-7wj4uMjKaXWAQ1CDgxNzNtR9A1suwzHfdFh1ygEHA2KHF2DOEaX11CJfNPAKCg9qNeh4rum975QLaCiQPyY6Fw==}
3883
3884 prosemirror-keymap@1.2.3:
3885   resolution: {integrity: sha512-4HucRlpiLd1IPQQXNqeo81BGtkY8Ai5smHhKW9jjPKRc2wQIxksG7H11tTI2IfT2B/LgX6bfYvXxEpJl7aKYKw==}
3886
3887 prosemirror-markdown@1.13.4:
3888   resolution: {integrity: sha512-D98dm4cQ3Hs6EmjK500TdAOew4Z03EV71ajEFiWra3Upr7diytJsJF4mPV2dW+eK5uNectiRj0xFxYI9NLXDbw==}
3889
3890 prosemirror-menu@1.3.2:
3891   resolution: {integrity: sha512-6VgUJTYod0nMB1CaYJGhXGLu7Gt4AvCwcOq0YfJCY/6Uh+3S7UsWhpy6rJFCBFomonqlhD8KyWOtZhkpdp4YPg==}
3892
3893 prosemirror-model@1.25.9:
3894   resolution: {integrity: sha512-pRTklkDDMMRopyoAcrr9wV/8g/RYgrLHBuJab5hlEuYZRdm5yqmpjWid83fpBwPpSFqEdja0H7Dfd7z1X/npcA==}
3895
3896 prosemirror-schema-basic@1.2.4:
3897   resolution: {integrity: sha512-ELxP4TlX3yr2v5rM7Sb70SStq5NvI15c0j9j/gjsrO5vaw+fnnpovCLEGIcpeGfifkuqJwl4fon6b+KdrODYQ==}
3898
3899 prosemirror-schema-list@1.5.1:
3900   resolution: {integrity: sha512-9271Fx/uwYQaGwJxLWCZrkjXG0p48KpMj6ueoYiu4JX05GGuGcgzAy62dfiV8eFzftgyBUvLx76RsMe20fJl+Q==}
3901
3902 prosemirror-state@1.4.4:
3903   resolution: {integrity: sha512-6jiYHH2CIGbCfnxdHbXZ12gySFY/fz/ulZE33G6bPqIZ4F+TXo9ifiR86nAHpWnfnOb3o5ESi7J8Uz1jXHw==}
3904
3905 prosemirror-transform@1.12.0:
3906   resolution: {integrity: sha512-GxboyN4AMIsoHNTz5uf2r2Ru551i5hWeCMD6E2Ib4Eogqoub0NflniaBPVQ4MrGE5yZ8JV9tUHg9qcZTTTrcN4w==}
3907
3908 prosemirror-view@1.41.9:
3909   resolution: {integrity: sha512-clTunTX+eaLbr87L1V1QPheRlEQJyTlL3gXe9x3jQIk3rL0RVWxviDGz8tFaydwIVm+hKhYCyr+R/zBtWr9s6A==}
3910
3911 punycode.js@2.3.1:
3912   resolution: {integrity: sha512-uxFIHU0YlHYhDQtV4R9J6a52SLx28BCjT+4ieh7IGbgwVJWO+km431c4yRlREUAsAmt/uMjQUyQHNEPf0M39CA==}
3913   engines: {node: '>=6'}
3914
3915 radix-ui@1.5.0:
3916   resolution: {integrity: sha512-Nzh2HNpClgB31FBHRqt2xG8XNUfVfQRpf34hACC5PNrXTd5JdXdqOXwLs3BL+D8CNYiNQiJiT8QG5Q4vq+00w==}
3917   peerDependencies:
3918     '@types/react': '*'
3919     '@types/react-dom': '*'
3920     react: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
3921     react-dom: ^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc
3922   peerDependenciesMeta:
3923     '@types/react':
3924       optional: true
3925     '@types/react-dom':
3926       optional: true
3927
3928 react-data-grid@7.0.0-beta.47:
3929   resolution: {integrity: sha512-28kjsmwQGD/9RXYC50zn5Zv/SQMhBBosVg5seq0fM8XXi9T20zr9Z5T3YJqLwcEtoNzToq3y0njkmdujGkIwQQ==}
3930   peerDependencies:
3931     react: ^18.0 || ^19.0
3932     react-dom: ^18.0 || ^19.0
3933

```



```

3934 react-dom@19.0.1:
3935   resolution: {integrity: sha512-3TJg51HSBjLiLVYCS6vWwWsyqoS36aGEOCmtLLHxR0lSZZ5Bk10xpxHFbrCu4DdggR85DDc9Vucxqhai3g2xjtA==}
3936   peerDependencies:
3937     react: ^19.0.1
3938
3939 react-promise-suspense@0.3.4:
3940   resolution: {integrity: sha512-I42jl7L3Ze6kZaq+7zXWSunBa3blon5yfvUW6Eo/3fFOj6dZ5Bqmc264nJbTK/gn1HjjILAjSwnZbV4RpSaNQ==}
3941
3942 react-remove-scroll-bar@2.3.8:
3943   resolution: {integrity: sha512-9r+yi9+mgU33AKcj6IbT9oRCO78Wrisj6t/cF8DWBZJ9aOGPOTEdvdUDz1FwKim7QXWmHqtdHnRJfhAxEG46Q==}
3944   engines: {node: '>=10'}
3945   peerDependencies:
3946     '@types/react': '*'
3947     react: ^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0
3948   peerDependenciesMeta:
3949     '@types/react':
3950       optional: true
3951
3952 react-remove-scroll@2.7.2:
3953   resolution: {integrity: sha512-Iqb9NjCCTt6Hf+vOdNIZGdTih1QSqr27H/Ex9sv/a97gfueI/5hls3yRilnngzMUA00Toin5dIldXKXiF+u0Q==}
3954   engines: {node: '>=10'}
3955   peerDependencies:
3956     '@types/react': '*'
3957     react: ^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0 || ^19.0.0-rc
3958   peerDependenciesMeta:
3959     '@types/react':
3960       optional: true
3961
3962 react-resizable-panels@2.1.9:
3963   resolution: {integrity: sha512-z77+X08YDIrgAes4j18xhnUulLNIRp4+E7cv4xHmL0xxUPO/ML7PSrE813b90vj7xvQ11cf7g2uA9GeMZonjhQ==}
3964   peerDependencies:
3965     react: ^16.14.0 || ^17.0.0 || ^18.0.0 || ^19.0.0 || ^19.0.0-rc
3966     react-dom: ^16.14.0 || ^17.0.0 || ^18.0.0 || ^19.0.0 || ^19.0.0-rc
3967
3968 react-style-singleton@2.2.3:
3969   resolution: {integrity: sha512-b6jSvxvVnyptAiLjbkWLE/lOnR4lfttDAL+eUC7Rzy+QQWc6wRzIV2CE6xBuMmDxc2qIihtDCZD5NPOf17fRBQ==}
3970   engines: {node: '>=10'}
3971   peerDependencies:
3972     '@types/react': '*'
3973     react: ^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0 || ^19.0.0-rc
3974   peerDependenciesMeta:
3975     '@types/react':
3976       optional: true
3977
3978 react-syntax-highlighter@15.6.6:
3979   resolution: {integrity: sha512-DgXrc+AZF47+HvAPEmn7Ua/1p10jNoVZVI/LoPiYdtY+OM+/nG5yefLHKJwdKqYladMuHFBeyBaG9j64ML7vTw==}
3980   peerDependencies:
3981     react: '>= 0.14.0'
3982
3983 react@19.0.1:
3984   resolution: {integrity: sha512-nVRaZCuEyyvu69sWrkdwjP6QY57C+1Y+uMNNMyWUFJb9Z/JlaBOQus7mSMfGYsblv7R691u6SSJA/dX9IRnyyLQ==}
3985   engines: {node: '>=0.10.0'}
3986
3987 redis@5.12.1:
3988   resolution: {integrity: sha512-LDsoVvb/CpoV9EN3FXvgvSHNJWuCIz19MiO3ppOevuGLpSGJhwfQjpEwfFJcQvNSddHADDdZaWx0HnmMxRXG7g==}
3989   engines: {node: '>= 18.19.0'}
3990
3991 refractor@3.6.0:
3992   resolution: {integrity: sha512-MY9W41IOWxxk3lo+YvFCNyNzdkc9M20NoZK5vq6jkkv4I/uh2zkWcfudj0Q1fovjUQJrNewS9NMzeTtqPf+n5EA==}
3993
3994 regex-recursion@6.0.2:
3995   resolution: {integrity: sha512-0YCaScQ2VRIEbiaUviZNs0cBz1kg5kVS2UKUfNiX8YVs1cN3AV7NTctO5FOKBA+UT2BPJlWZauYHPqJODG50cg==}
3996
3997 regex-utilities@2.3.0:
3998   resolution: {integrity: sha512-8VhliFJAWRaUiVvREIiW2NXXTmHs4vMnNszuJVhscgmGav3g9VDxLrQndI3dZZVVdp0ZO/5v0xmX516/7M9cng==}
3999
4000 regex@6.1.0:
4001   resolution: {integrity: sha512-6VwtthbV4o/7+OaAf9I5L5V31lLEsoPyq9P1JVXkedTP33c7MfCGO/5NOPcSjn0TzXcG9YUrR0gQSWioew3LDg==}
4002

```

```
4003 rehype-harden@1.1.8:
4004   resolution: {integrity: sha512-Qn7vR1xrf6fZCrkm9TDWi/AB4ylrHy+jqsNm1EHOAmbARYA6gsnVJBq/sdBh6kmT4NEZxH5vgIjrscefJAOXcw==}
4005
4006 rehype-katex@7.0.1:
4007   resolution: {integrity: sha512-OiM2wrZ/wuhKkigASodFoo8wimG3H12LWQaH8qSPVJn9apWKFSH3YOCtbKpBorTVw/eI7cuT21XBbvEswbIOA==}
4008
4009 rehype-raw@7.0.0:
4010   resolution: {integrity: sha512-/aE8hCfKlQeA8LmyeyQvQF3eBiLRGnlfBJEvWH7ivp9sBqs7TNqBL5X3v157rM4IFETqDnIO+z5M/biZbo9Ww==}
4011
4012 rehype-sanitize@6.0.0:
4013   resolution: {integrity: sha512-CsnhKNsyI8Tub6L4sm5ZFsme4puGfc6pYylvXolAeqaGbjOYyzNv3qZPwvs0oMJ39eryyeOdmxwUIo94IpEhqg==}
4014
4015 remark-cjk-friendly-gfm-strikethrough@1.2.3:
4016   resolution: {integrity: sha512-bXfMztsaomK6ysNN/UGRICasQAYkC10NtPmP0oOH0V8YOhA2TXmWRXCku4qOzjIFxAPfish5+XS0eIug2PzNZA==}
4017   engines: {node: '>=16'}
4018   peerDependencies:
4019     '@types/mdast': ^4.0.0
4020     unified: ^11.0.0
4021   peerDependenciesMeta:
4022     '@types/mdast':
4023       optional: true
4024
4025 remark-cjk-friendly@1.2.3:
4026   resolution: {integrity: sha512-UvAgxwlnK+l9Oqgl/9MWK2eWRS7zgBW/nXX9AthV7nd/3lNejF138E7XbmK9Zs4WjTJGs721r7fAEc7tNfOH7g==}
4027   engines: {node: '>=16'}
4028   peerDependencies:
4029     '@types/mdast': ^4.0.0
4030     unified: ^11.0.0
4031   peerDependenciesMeta:
4032     '@types/mdast':
4033       optional: true
4034
4035 remark-gfm@4.0.1:
4036   resolution: {integrity: sha512-1quofZ2RQ9EwdeN34S79+KExV1764+wCUGop5CPL1WGD0ocPpu911zPGbWMECpEpd42kJGQwzRfyov9j4yNg==}
4037
4038 remark-math@6.0.0:
4039   resolution: {integrity: sha512-MMqgnP74Igy+S3WwnhQ7kqG1EerTETXmVJhrUzDikvZ2/uogJCb+WHUG97hk9/jcfc0dkD73s3LN8zU49cTEtA==}
4040
4041 remark-parse@11.0.0:
4042   resolution: {integrity: sha512-FCx1KlNGknS5ba/1lmpYijMUzX2esXW5xQqjWxw2eHFFS2MSdaHVINFmhjo+qN1WhZhNimq0dZATN9pH0IDrpA==}
4043
4044 remark-rehype@11.1.2:
4045   resolution: {integrity: sha512-Dh7157ianaEoIpzbp0PC9UKAdCSVklD8E5Rpw7ETfbTl3FqcOOgq5q2LVDhgGCkaBv7p24JXikPdvhhmHvKMsw==}
4046
4047 remark-stringify@11.0.0:
4048   resolution: {integrity: sha512-lOSmLd3awB/t8qdoEOMazZkNsfvTeY4fTsgzCQFdXNq8ToTN4ZGwrMnlda4K6smTFKD+GRV6O48i6Z4iKgPPpw==}
4049
4050 remend@1.0.1:
4051   resolution: {integrity: sha512-152puVH0qMoRjQFnaMG+rVDdf01Jq/CaED+MBuXExurJgdbkLp0c3Tie4R12o28K1x8uyGsJvFNG05aFG69G9w==}
4052
4053 resend@4.8.0:
4054   resolution: {integrity: sha512-R8eBOFQD06dzRTDmaMEDpqrkmgSjPpVXt4nGfWsZdYOet0kqra0xgbvTES6HmCrieZEXbmGk3e0DiGiAlFTFSHA==}
4055   engines: {node: '>=18'}
4056
4057 resolve-pkg-maps@1.0.0:
4058   resolution: {integrity: sha512-seS2Tj26TBVOC2Nlc2r0e2y2ZO7efxITtLZcGSOnHHNOQ7CkiUBfw0Iw2ck6xkIhPwLhKNLS8BO+hEpngQlqzw==}
4059
4060 robust-predicates@3.0.3:
4061   resolution: {integrity: sha512-NS31levdsRIUomiJ8FWCP7LG3QpJyrs/TE0ZpflyvZu8cAJJ6QMW92H1c7kWpdIH08RvmLxN/o2JXTHp741UA==}
4062
4063 rollup@4.62.0:
4064   resolution: {integrity: sha512-nc72Wgq62I7rtDV4izT5/aaS0zxy3kttkinf9586ApknY3jZO9Nysmtc24fUckA0X7Q2v+ML4a15pdU1V5V/jA==}
4065   engines: {node: '>=18.0.0', npm: '>=8.0.0'}
4066   hasBin: true
4067
4068 rope-sequence@1.3.4:
4069   resolution: {integrity: sha512-UT5EDe2cu2E/604igUr5PSFs23nvvukicWHx6GnOPlHAIiYbzNuCRQCuiUdHJQcqKalLK1rYJnjY0ySGsXNQXQ==}
4070
4071 roughjs@4.6.6:
```

```

4072     resolution: {integrity: sha512-ZUz/69+SYpFN/g/1Ulo2FXcIjRkSu3nDarreVdGGndHEBJ6cXPdKguS8JGxwj5HA5xIbVKSmLgr5b3AWxtRfvQ==}
4073
4074   rw@1.3.3:
4075     resolution: {integrity: sha512-PdhdWy89SiZogBLaw42zdeqtRJ//zFd2PgQavcICDUgJT5oW10QCRKbJ6bg4r0/UY2M6Bwd5tkxuGFRvCkgfHQ==}
4076
4077   safer-buffer@2.1.2:
4078     resolution: {integrity: sha512-YZo3K82SD7Riyi0E1EQPojLz7LpkepnsSQI9IyPbHHg1XXXevb5dJI7tpyN2ADxGcQbHG7vcyRHk0cbwqcQriUtg==}
4079
4080   scheduler@0.25.0:
4081     resolution: {integrity: sha512-xFVuul1jh+xcO7JOAGJNOxld8/TcEHK/4CituBUeUb5hqxJLj9YuemAEuvnm9gQ/+pgXYfbQuqAkiYu+u7YESNA==}
4082
4083   selderee@0.11.0:
4084     resolution: {integrity: sha512-5TF+17p4+OsnP8BCCvSyZiSPc4x4//p5uPwK8TCnVPJYRmU2aYKmpOXvw8zM5a5JvuuCGN1jmsMwuU2W02ukfA==}
4085
4086   semver@7.8.4:
4087     resolution: {integrity: sha512-rUCObTnP32Q08R2uuIrt7r9P1EonuTmtuXYcW6s5kjd1j3xbnwe+21yXptAUyCAABlKYYTtnmzb3w3EDZfueA==}
4088   engines: {node: '>=10'}
4089   hasBin: true
4090
4091   server-only@0.0.1:
4092     resolution: {integrity: sha512-qepMx2JxAa5jjfzxG79yPPq+8BuFToHdlhm7kI+Z4zAq1ftQiP7HcxMhDDITrbtwVeLg/cY2JnKnrcFkmiswNA==}
4093
4094   sharp@0.34.5:
4095     resolution: {integrity: sha512-Ou9I5Ft9WNCcCbXrU9cMgPbCCK8LiwLqcbYW3t4oDV37nlpzpuNLsYiAV8eODnbjbtQ1SDwZ2cUEeQz4E54Hltg==}
4096   engines: {node: ^18.17.0 || ^20.3.0 || >=21.0.0}
4097
4098   shiki@3.23.0:
4099     resolution: {integrity: sha512-55Dj73uq9ZXL5zyeRPzHQsK7Nbyt6Y10k5s70juFZGMhpp4r/rsLBH0o/0fstIzX1Lep9VxefWlJk/SKCzygIA==}
4100
4101   siginfo@2.0.0:
4102     resolution: {integrity: sha512-ybx0W01/8bSBLEWXZvEd7gMW3Sn3Jf1W3TvXlnREbDLRNQNaNN8WK0meBwPdAaOI7TtRRRJn/Es1zhrrCHu7g==}
4103
4104   sisteransi@1.0.5:
4105     resolution: {integrity: sha512-bLGG1R1QxBcynn2d5YmDX4MGj1Zvy2MRBDRNHLJ8VI616+9FUiYTFNJ0IveOSP0bcXgVDPrcfGgA0pjaqUpfVg==}
4106
4107   sonner@1.7.4:
4108     resolution: {integrity: sha512-DIS8z4PfJRBIfVFDVnK9rO3eYDtse4Omcm6bt0oEr5/jtLgysmjuB1lfrJ9E/EQZrFmKx2A8m/s5s9CRXIzhw==}
4109   peerDependencies:
4110     react: ^18.0.0 || ^19.0.0 || ^19.0.0-rc
4111     react-dom: ^18.0.0 || ^19.0.0 || ^19.0.0-rc
4112
4113   source-map-js@1.2.1:
4114     resolution: {integrity: sha512-UxWMKKhLowVKb728IUtQPxxyfYU+usdybtUrK/8uGE8CQMvrhOpwvzDBwj0QhSL7MQc7vIsISBG8VQ8+IDQxpfQA==}
4115   engines: {node: '>=0.10.0'}
4116
4117   source-map-support@0.5.21:
4118     resolution: {integrity: sha512-uBHU3L3czsIyYXKX8fdrGovxdsCoTGDRZ6SYXtSRxLZUzHg5P/66Ht6uoU1Hu9EZod+inXhKo3qQgwXUT/y1w==}
4119
4120   source-map@0.6.1:
4121     resolution: {integrity: sha512-UjgapumWlbMhkBgzT7Ykc5YXUT46F0iKu8SGXq0bcwP5dz/h0Plj6enJqjz1Zbq2l5WaqYnrVbwWOWMyF3F47g==}
4122   engines: {node: '>=0.10.0'}
4123
4124   space-separated-tokens@1.1.5:
4125     resolution: {integrity: sha512-q/JSVdlLptzhf5bkYm4ob4iWPjx0KiRe3sRFBNrVqbJkFaBm5vbbowylmymoPNLRA52+oadOhJ+K49wsSeSjTA==}
4126
4127   space-separated-tokens@2.0.2:
4128     resolution: {integrity: sha512-PEG1AwRG8yXGXrjW32fGbg66JA10AwbObuqVoJpv/mRgoWDQfgH1wDPvtzWyUSNAXBGSk8h755YDbbcEy3SH2Q==}
4129
4130   stackback@0.0.2:
4131     resolution: {integrity: sha512-1XMJE5fQo1jGH6Y/7ebnwPOBEkIEnt4QF32d5R1+VXdXveM0IBMjt8zfaxX1P3QhVvrYe+576+jkAntSS2mBbw==}
4132
4133   std-env@3.10.0:
4134     resolution: {integrity: sha512-5GS12FdOZnlim5mAoxFRg7Ir0pWz8MdpYm6AY6VPkGpbA7ZzmbzNcBJQ0GPFvvyWgcY7QAHCgf9Uy89I03faLkg==}
4135
4136   streamdown@1.6.11:
4137     resolution: {integrity: sha512-Y38fwRx5cKcTluwM+Gf27jbbi9q6Qy+WC9YrC1YbCpMkktT3PsRBJHmwiqYeF8y/JzLpB1IzDoeaB6qkQEDnAA==}
4138   peerDependencies:
4139     react: ^18.0.0 || ^19.0.0
4140

```

```

4141 stringify-entities@4.0.4:
4142   resolution: {integrity: sha512-IwfBptat1O+QCJUo19AqvrPNqlVmpW9YEL2LIVY+Rpv2qsjCGxadLNRgeGsQWJhfItebuJhsGSLjaBbNSQ+ieg==}
4143
4144 strip-literal@3.1.0:
4145   resolution: {integrity: sha512-8r3mkIM/2+PpjHoOtiAW8Rg3jJLHaV7xPwG+YRGrv6FP0wwk/toTpAtxWYOW0BKdWw182VT2tFYi5DlROa0Mxg==}
4146
4147 style-mod@4.1.3:
4148   resolution: {integrity: sha512-i/n8VsZydrugj3Iuzl18+x/00GH2vnYskleomD8QiRrSAeW6ItbCQDtfXCeJHd0iwiNagqjQkvvpREEPtW3IoQ==}
4149
4150 style-to-js@1.1.21:
4151   resolution: {integrity: sha512-RjQetxJrrUJLQPHbLku6U/ocGtzyjbJMP9lCNK7Ag0CNh690nSH8woqWH9u16nMjYBAok+i7JO1NP2pOy8IsPQ==}
4152
4153 style-to-object@1.0.14:
4154   resolution: {integrity: sha512-LIN7rULI0jBscWQYaSswptyderlarFkjQ+t79nzty8tcIAceVomEVlLzH5VP4Cmsv6MtKhs7qaAiwlcp+Mgaxw==}
4155
4156 styled-jsx@5.1.6:
4157   resolution: {integrity: sha512-qSVyDTeMotdqvYoHwLNGwRFJHC+i+ZvdBRYosOFgC+Wglvx4frN2/RG/NA7SYqqvKNLf39P2LSRA2pu6n0XYZA==}
4158   engines: {node: '>= 12.0.0'}
4159   peerDependencies:
4160     '@babel/core': '*'
4161     babel-plugin-macros: '*'
4162     react: '>= 16.8.0 || 17.x.x || ^18.0.0-0 || ^19.0.0-0'
4163   peerDependenciesMeta:
4164     '@babel/core':
4165       optional: true
4166     babel-plugin-macros:
4167       optional: true
4168
4169 stylis@4.4.0:
4170   resolution: {integrity: sha512-5Z9ZpRzfH6l/UAvCPAPUo3665Nk2wLaZU3x+TLHKVzIz33+sbJqbtrYoC3KD4/uVOr2Zp+L0LySezP9OHV9yA==}
4171
4172 swr@2.4.1:
4173   resolution: {integrity: sha512-2CC6CiKQtEwaEeNiqWTAw9PGykW8SR5zZX8MZk6TeAvEAnVS7Visz8WzphggtQ8v2xz/4Q5K+j+SeMaKXeeQIA==}
4174   peerDependencies:
4175     react: ^16.11.0 || ^17.0.0 || ^18.0.0 || ^19.0.0
4176
4177 tailwind-merge@2.6.1:
4178   resolution: {integrity: sha512-Oo6tHdpZsGpkKG88HJ8RR1rg/RdnEkQEfmOEK2x1XRI3F1AxeU+ijRXpiVUF4UbLfcxxRGw6TbUINKYdWVsQQTQ==}
4179
4180 tailwind-merge@3.6.0:
4181   resolution: {integrity: sha512-uxL7qAVQriqRQPAYK3pj66VqsKwQz37PW94jwOTwNfq/z9oyulV+eqrZqtr2+fCiXdYOZe/Modt8GtvqNzu+w==}
4182
4183 tailwindcss-animate@1.0.7:
4184   resolution: {integrity: sha512-bl6mpH3T7I3UFxuvDEXly/VuFxBk5bbzplh7tXI68mwMokNYdlT9qPBHlntyTwa4JGC4zP516I1hYyTQ/vspA==}
4185   peerDependencies:
4186     tailwindcss: '>=3.0.0 || insiders'
4187
4188 tailwindcss@4.3.1:
4189   resolution: {integrity: sha512-hk+TB1m+K8CYNrP6rjQaq/Y+4Zylwpa87mLYBKunwnnQ9p+fHb7kmSfGqyEJoxF/O6DyABWVFEafNSYK1l+Q==}
4190
4191 tapable@2.3.3:
4192   resolution: {integrity: sha512-tapable/xYCjNtBPB4C7YBpNU7cjygm+JmeRqPSIwK6tyPf49zUCrG761IzdPkJuC1608KLLN9ZQU+YsWU==}
4193   engines: {node: '>=6'}
4194
4195 throttleit@2.1.0:
4196   resolution: {integrity: sha512-nt6AMGKW1p/70DF/hGBdJB57B8Tspmbp5gfyJ8ilHLnt7kkr2ye7hzD6NVG8GGERk2HWF34igrL2CXmNikzKqKw==}
4197   engines: {node: '>=18'}
4198
4199 tinybench@2.9.0:
4200   resolution: {integrity: sha512-0+DUvgWMValLmha61r4kD8iAMK1HzV0/aKnCtWb9v9641TnP/MFb7Pc2bxoxQjTXAErryXVgUOfv2YqN1lqGeg==}
4201
4202 tinyexec@0.3.2:
4203   resolution: {integrity: sha512-KQQR9yN7R5+OSwaK0XQo22pwHoTlqYqUscPYoknOoWCwfj/5/ABTMRi69FrKU5ffPVh5QcFikpWJI/FlocHA==}
4204
4205 tinyexec@1.2.4:
4206   resolution: {integrity: sha512-SHf/r48b7vOrjve9PxFJo3MN5v5yuyjHvdUcrQffT3WXMUfnGmHDVbC4k3sHJaJTgZCwpUplIaAo5ANtMyp3YHg==}
4207   engines: {node: '>=18'}
4208
4209 tinyglobby@0.2.17:

```

```
4210     resolution: {integrity: sha512-wXR/dYpcqKmfWpEdZjiKJOwCNfndD0DMnrW/cYjVGttEkBfVgcLFHoNrlj47mjOVic9yyNu65alsgF4NQyTa2g==}
4211     engines: {node: '>=12.0.0'}
4212
4213 tinypool@1.1.1:
4214   resolution: {integrity: sha512-Zba82s87IFq9A9XmjiX5uZA/ARWDrB03OHlq+Vw1fSdt0I+4/Kutwy8BP4Y/y/aORMo6lFQ0vIb5j44vSo5Pkg==}
4215   engines: {node: ^18.0.0 || >=20.0.0}
4216
4217 tinyrainbow@2.0.0:
4218   resolution: {integrity: sha512-op4nsTR47R6p0vMUUoYl/a+lJLFVtlfaXkLQmqfLRlqHmalh/ysYk4hEXZ880bf2CYgTskvTa/e196Vd5dDQXw==}
4219   engines: {node: '>=14.0.0'}
4220
4221 tinyspy@4.0.4:
4222   resolution: {integrity: sha512-azl+t0z7pw/z958Gy9svOTuzqIk6xq+NSheJzn5MMWtWTFywIacg2wU1zKFGtt3cthx0r2SxMK0yzJOR0IES7Q==}
4223   engines: {node: '>=14.0.0'}
4224
4225 trim-lines@3.0.1:
4226   resolution: {integrity: sha512-kRj8B+YHZCc9kQYdWfJB2/oU19rA99qbowYYBtr4ui4mZyAQ2JpvVBd/6U2Y1oATfqBhBTSMhTpgBHtU0Mf3Rg==}
4227
4228 trough@2.2.0:
4229   resolution: {integrity: sha512-tmMpK00BjZiUyVyvrBK7knerNgmgvcV/KLVyuma/SC+TQN167GrMrciANTz09+k3zW8L8t60jWO1GpfkZdjTaw==}
4230
4231 trpc-cli@0.10.2:
4232   resolution: {integrity: sha512-zBkL88AeX0vQLXwEAcX6WUoT4Sopr97nFDfEd1zmW33wHQwBKbszylp1NVk6BO/cuhgm/ig8/cG27NokqKAlmw==}
4233   engines: {node: '>=18'}
4234   hasBin: true
4235   peerDependencies:
4236     '@inquirer/prompts': '*'
4237     omelette: '*'
4238   peerDependenciesMeta:
4239     '@inquirer/prompts':
4240       optional: true
4241     omelette:
4242       optional: true
4243
4244 ts-dedent@2.3.0:
4245   resolution: {integrity: sha512-JfJeIHke7y2egdGGgRAvpCwYFUsHlM2gPcrVOxPkznt/4uzQ7HFmvE63iFHVLBjNDuyDOQgiJDK/tXH/f6Msjg==}
4246   engines: {node: '>=6.10'}
4247
4248 tslib@2.8.1:
4249   resolution: {integrity: sha512-oJFu94HQb+KVduSUQL7wnpmqnfmlsOA/nAh6b6EH0wCEoK0/mPeXU6c3wKDV83MkOuHPRhtSXKKU99IBazS/2w==}
4250
4251 tsx@4.22.4:
4252   resolution: {integrity: sha512-X8EX+XV4QR5xCsrgxaED954zTDfY8Kq1DtskKEL0cHhyS/P8b4IFovGDQpsC9Q1XnLq915wEfwY/zzskCtmhg==}
4253   engines: {node: '>=18.0.0'}
4254   hasBin: true
4255
4256 typescript@5.9.3:
4257   resolution: {integrity: sha512-j1lvZzPDinLr9eUt3J/t7V6FgNEw9QjvBPdysz9KfQDD41fQrC2Y4vKQdiaUpFT4bX1b1RHhLpp8wtm6M5TgSw==}
4258   engines: {node: '>=14.17'}
4259   hasBin: true
4260
4261 uc.micro@2.1.0:
4262   resolution: {integrity: sha512-ARDJmphmdvUk6G1w7y9DQ2bFkKBHwQHLi21saH6PPmz/Ka9sFOBsBluozhD1tWmnv9u/cF6Rt87znRTPV+yp/A==}
4263
4264 ultracite@5.3.9:
4265   resolution: {integrity: sha512-85rzcGk+KKF3jhBGLYQj57JYAQ50Mun6PAifN4B6cCmCI8GNjgVUbp0f4D1pOf192mq8CzouCzzcVxwcNNmTmw==}
4266   hasBin: true
4267
4268 undici-types@6.21.0:
4269   resolution: {integrity: sha512-iwDZqg0QAgrg9Rav5H4n0M64c3mkR59cJ6wQp+7C4nI0gsmExaedaYLN044eT4AtBBwjbtIGPmlt2Md0T9H9JQ==}
4270
4271 unified@11.0.5:
4272   resolution: {integrity: sha512-xKvGhPWw3k84Qjh8bI3ZeJjqnyadK+GEftazSfZv/rKeTkTjOJho6mFqh2SM96iIcZokxiOpg78GazTSg8+KHA==}
4273
4274 unist-util-find-after@5.0.0:
4275   resolution: {integrity: sha512-amQa0Ep2m6hE2g72AugUitjbuM8X8cGQnFoHk0pGfrFeT9GZhzn5SW8nRsiGKK7Aif4CrACPENka6P/Lw6fHGQ==}
4276
4277 unist-util-is@6.0.1:
4278   resolution: {integrity: sha512-LsiILbtBETkDz8I9p1dQ0uyRUWuaQzd/cuEeS1hoRSyW5E5XGmTzlwY1OrNzzakGowI9Dr/I8HVaw4hTtnxy8g==}
```

```

4279
4280 unist-util-position@5.0.0:
4281   resolution: {integrity: sha512-fucsC7HjXvkB5R3kTCO7kUjRdrS0BJt3M/FPxmHMB0m8JQi2BsHAHFsy27E0EolP8rp0NzXsJ+jNPYDWvOJZPA==}
4282
4283 unist-util-remove-position@5.0.0:
4284   resolution: {integrity: sha512-Hp5Kh3wLxv0PHj9m2yZhhLt58KzPtEYKQQ4yxfYFE07EvHwzyDYnduhHnYlmdXoqr7VUwVuHXk9RXKIiYS1N8Q==}
4285
4286 unist-util-stringify-position@4.0.0:
4287   resolution: {integrity: sha512-0ASV06AAoKcDKs2+xs5RXJywuurpbC4JZsM7nr7M0t1ojAzvyyaO+UxZf18j8FCF6kmzCZKcAgN/yu2gm2XgQ==}
4288
4289 unist-util-visit-parents@6.0.2:
4290   resolution: {integrity: sha512-goh1s1TBrqSquKSc8wrjwWhL0hiJxgA8m4kFxFGLQ+8FYQ3C/ml1FcTs4YYem7V664AhHVvgoQLk890Ssdsr2IQ==}
4291
4292 unist-util-visit@5.1.0:
4293   resolution: {integrity: sha512-m+vIdyeCOpdr/QeQCu2EzXx/ohgS8KbnPDgFni4dQsfSCTpz8UqDyY5GjRru8PDKuYn7Fq19j1CQ+nJSsGK0zg==}
4294
4295 use-callback-ref@1.3.3:
4296   resolution: {integrity: sha512-jQL3lRnocaFtu3V00JToYz/4QkNWSwxiJDaCVNZRiRTO3HQDLsdu1ZtmIUvV4yPp+rvWm5j0y0TG/S6lcuijTg==}
4297   engines: {node: '>=10'}
4298   peerDependencies:
4299     '@types/react': '*'
4300     react: ^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0 || ^19.0.0-rc
4301   peerDependenciesMeta:
4302     '@types/react':
4303       optional: true
4304
4305 use-sidecar@1.1.3:
4306   resolution: {integrity: sha512-Fedw0aZvkhynoPY1A5WXrMCAMm+nSWdZt61zJQ70k8S6Q+VsHmHpRwndVRJ8Be0ZbkfPc5LRYH+5XrzXcEeLRQ==}
4307   engines: {node: '>=10'}
4308   peerDependencies:
4309     '@types/react': '*'
4310     react: ^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0 || ^19.0.0-rc
4311   peerDependenciesMeta:
4312     '@types/react':
4313       optional: true
4314
4315 use-stick-to-bottom@1.1.6:
4316   resolution: {integrity: sha512-z3Up8jYQGTkUCsGBnwg6/wj70KgXoW5Kz1AAc1j8MtQuYMB06ZsdhrIXoegxa7gaMMilgQYyTohTrt3p94jHog==}
4317   peerDependencies:
4318     react: ^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0
4319
4320 use-sync-external-store@1.6.0:
4321   resolution: {integrity: sha512-Pp6GSwGP/NrPIrxVFAIkOQeyw8lFenOHijQWkUTrDvrF4ALqylP2C/KCkeS9dpUM3KvYRQhna5vt7IL95+ZQ9w==}
4322   peerDependencies:
4323     react: ^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0
4324
4325 usehooks-ts@3.1.1:
4326   resolution: {integrity: sha512-I4diPp9Cq6ieSUH2wu+fDAVQO43xtulo+fKEidHUwZPnYImbtkTjzIJYcDcJqgxMx31GVqNFURodvcgHcW0pA==}
4327   engines: {node: '>=16.15.0'}
4328   peerDependencies:
4329     react: ^16.8.0 || ^17 || ^18 || ^19 || ^19.0.0-rc
4330
4331 util-deprecate@1.0.2:
4332   resolution: {integrity: sha512-EPD5q1uXyFxJpCrLnCclnHnq3gOa6DZBocAiIi2TaSCA7VCJ1UJDMagCzIkXNsUYfD1daK//LTEQ8xiIbrHtcw==}
4333
4334 uuid@14.0.0:
4335   resolution: {integrity: sha512-Qo+uWgildSmAhXCMavluyFynlQO7fMFIMVZsQqZRMIXp007rR7qjkj+cPvBHLgBqi960QCoo/PH2/6ZtVqKvrg==}
4336   hasBin: true
4337
4338 vfile-location@5.0.3:
4339   resolution: {integrity: sha512-5yXvWDEgqeiiYiBellbxYF7UMAIm/IcopxMHRMQDq3nvKcjPKIhZklUKL+AE7J7uApI4kwe2snsK+eI6UTj9EHg==}
4340
4341 vfile-message@4.0.3:
4342   resolution: {integrity: sha512-QTHzsGdlEhbZs4AsQ20JX1rC3cOlt/IWJruk893DfLRr57lcnOeMaWG4K0JrRta4mIJZKth2Au3mM3u03/JWKw==}
4343
4344 vfile@6.0.3:
4345   resolution: {integrity: sha512-KzIbH/9tXat2u30jf+smMwFCsno4wHvDnmzFyL+T/L3UGqqk6JKfVqFOZEpZSHADH1k40ab6NUIXZq422ov3Q==}
4346
4347 vite-node@3.2.4:

```

```

4348   resolution: {integrity: sha512-EbKSKh+bh1E1IFxe00pgln4dvoOtt0UDiXmd/qn++r98+jP01xtJilvXldeuQ8giIB5IkpjCgMleHMNEsGH6pg==}
4349   engines: {node: ^18.0.0 || ^20.0.0 || >=22.0.0}
4350   hasBin: true
4351
4352 vite@7.3.5:
4353   resolution: {integrity: sha512-KuOaNhcnGFN2zIPGA7wRmzF+lJAlsea7rHq17aiJ++9lzYlWWG6Jpwqwe1KNbRVPIqHmr8GLYx7jbrQcN/7/ww==}
4354   engines: {node: ^20.19.0 || >=22.12.0}
4355   hasBin: true
4356   peerDependencies:
4357     '@types/node': ^20.19.0 || >=22.12.0
4358     jiti: '>=1.21.0'
4359     less: ^4.0.0
4360     lightningcss: ^1.21.0
4361     sass: ^1.70.0
4362     sass-embedded: ^1.70.0
4363     stylus: '>=0.54.8'
4364     sugarss: ^5.0.0
4365     terser: ^5.16.0
4366     tsx: ^4.8.1
4367     yaml: ^2.4.2
4368   peerDependenciesMeta:
4369     '@types/node':
4370       optional: true
4371     jiti:
4372       optional: true
4373     less:
4374       optional: true
4375     lightningcss:
4376       optional: true
4377     sass:
4378       optional: true
4379     sass-embedded:
4380       optional: true
4381     stylus:
4382       optional: true
4383     sugarss:
4384       optional: true
4385     terser:
4386       optional: true
4387     tsx:
4388       optional: true
4389     yaml:
4390       optional: true
4391
4392 vitest@3.2.6:
4393   resolution: {integrity: sha512-xejya+bT/j/+R/AGalXOfRxLmNULtLwJRsFUIlF+xHfzElmGcmFydy2gqqIrd62ptIEfwVMofdl9uNWD9L7Nw==}
4394   engines: {node: ^18.0.0 || ^20.0.0 || >=22.0.0}
4395   hasBin: true
4396   peerDependencies:
4397     '@edge-runtime/vm': '*'
4398     '@types/debug': ^4.1.12
4399     '@types/node': ^18.0.0 || ^20.0.0 || >=22.0.0
4400     '@vitest/browser': 3.2.6
4401     '@vitest/ui': 3.2.6
4402     happy-dom: '*'
4403     jsdom: '*'
4404   peerDependenciesMeta:
4405     '@edge-runtime/vm':
4406       optional: true
4407     '@types/debug':
4408       optional: true
4409     '@types/node':
4410       optional: true
4411     '@vitest/browser':
4412       optional: true
4413     '@vitest/ui':
4414       optional: true
4415     happy-dom:
4416       optional: true

```

```

4417     jsdom:
4418       optional: true
4419
4420     w3c-keyname@2.2.8:
4421       resolution: {integrity: sha512-dpojBhNsCNN7T82Tm7k26A6G9ML3NkhDsnw9n/eoxSRlVBB4CEtIQ/KTCLi2Fwf3ataSXRhYFkQi3SlnFwPvPQ==}
4422
4423     web-namespaces@2.0.1:
4424       resolution: {integrity: sha512-bKr1DkiNa2krS7qxNtdrtHAMzuYGFQLiQ13TsorsdT6ULTkPLKuu5+GsFpDlG6JFjUTwX2DyhMPG2be8uPrqsQ==}
4425
4426     why-is-node-running@2.3.0:
4427       resolution: {integrity: sha512-hUrmaWBdVdcxvYqnyh09zunKzROWjbZTiNy8dBEjks7ehEDQibXJ7Xv1mtbwuTclUiIyN+CyxQD4VmkofNm8w==}
4428       engines: {node: '>=8'}
4429       hasBin: true
4430
4431     xtend@4.0.2:
4432       resolution: {integrity: sha512-LKYUliAXJXUGAXn9URjui+MWhyUXHsvfp7mcuYm9dSUKK0/CjtrUwFAXD82/mCWbtLsGjFIad0wIsod4zrTAEQ==}
4433       engines: {node: '>=0.4'}
4434
4435     zod-to-json-schema@3.25.2:
4436       resolution: {integrity: sha512-O/PgfnpTlxKSDeQYSCfRI5Gy3hPf91mKVduYLUHZJMiDFptvP4lMSnWofm8dnCm0256ZNfZIMfDSzuSMAFnjHA==}
4437       peerDependencies:
4438         zod: ^3.25.28 || ^4
4439
4440     zod@3.25.76:
4441       resolution: {integrity: sha512-gzUt/qt81nXsFGKIFcC3YnFEAx5NkunCfnDlVubSSFS02bcXu4Lmea0AFIUwbLWxWPx3d9p8S5QoaujKcNQxcQ==}
4442
4443     zod@4.4.3:
4444       resolution: {integrity: sha512-ytENFjIJf12UwYglde2jchW2Hwm4GJFLDiSXWdTrJBIN9Fcyp7n4DhxJEiWNAJMV1/BqWfW/kkg71UDcHJyTQ==}
4445
4446     zustand@4.5.7:
4447       resolution: {integrity: sha512-CHOUy7mu3lbdD6o6LJLfl1lpjkzhHXSBlX8B9+qPddUsIfeF5S/UZ5q0kmCsnRqTl1UHFQZchNfDDzMbQsuesHWlw==}
4448       engines: {node: '>=12.7.0'}
4449       peerDependencies:
4450         '@types/react': '>=16.8'
4451         immer: '>=9.0.6'
4452         react: '>=16.8'
4453       peerDependenciesMeta:
4454         '@types/react':
4455           optional: true
4456         immer:
4457           optional: true
4458         react:
4459           optional: true
4460
4461     zwitch@2.0.4:
4462       resolution: {integrity: sha512-bxE4cR/kVZhKZX/RjPEflHaKVhUVl85noU3v6b8apfQEc1x4A+zBxjZ4lN8LqGd6WZ3dl98pY4o717VFmoPp+A==}
4463
4464     snapshots:
4465
4466       '@ai-sdk/anthropic@3.0.84(zod@3.25.76)':
4467         dependencies:
4468           '@ai-sdk/provider': 3.0.10
4469           '@ai-sdk/provider-utils': 4.0.29(zod@3.25.76)
4470           zod: 3.25.76
4471
4472       '@ai-sdk/gateway@3.0.131(zod@3.25.76)':
4473         dependencies:
4474           '@ai-sdk/provider': 3.0.10
4475           '@ai-sdk/provider-utils': 4.0.29(zod@3.25.76)
4476           '@vercel/oidc': 3.2.0
4477           zod: 3.25.76
4478
4479       '@ai-sdk/openai@3.0.71(zod@3.25.76)':
4480         dependencies:
4481           '@ai-sdk/provider': 3.0.10
4482           '@ai-sdk/provider-utils': 4.0.29(zod@3.25.76)
4483           zod: 3.25.76
4484
4485       '@ai-sdk/provider-utils@4.0.29(zod@3.25.76)':

```



```
4486 dependencies:
4487   '@ai-sdk/provider': 3.0.10
4488   '@standard-schema/spec': 1.1.0
4489   eventsource-parser: 3.1.0
4490   zod: 3.25.76
4491
4492 '@ai-sdk/provider@3.0.10':
4493   dependencies:
4494     json-schema: 0.4.0
4495
4496 '@ai-sdk/react@3.0.207(react@19.0.1)(zod@3.25.76)':
4497   dependencies:
4498     '@ai-sdk/provider-utils': 4.0.29(zod@3.25.76)
4499     ai: 6.0.205(zod@3.25.76)
4500     react: 19.0.1
4501     swr: 2.4.1(react@19.0.1)
4502     throttleit: 2.1.0
4503     transitivePeerDependencies:
4504       - zod
4505
4506 '@alloc/quick-lru@5.2.0': {}
4507
4508 '@antfu/install-pkg@1.1.0':
4509   dependencies:
4510     package-manager-detector: 1.6.0
4511     tinyexec: 1.2.4
4512
4513 '@auth/core@0.37.2':
4514   dependencies:
4515     '@panva/hkdf': 1.2.1
4516     '@types/cookie': 0.6.0
4517     cookie: 0.7.1
4518     jose: 5.10.0
4519     oauth4webapi: 3.8.6
4520     preact: 10.11.3
4521     preact-render-to-string: 5.2.3(react@10.11.3)
4522
4523 '@babel/runtime@7.29.7': {}
4524
4525 '@biomejs/biome@2.2.2':
4526   optionalDependencies:
4527     '@biomejs/cli-darwin-arm64': 2.2.2
4528     '@biomejs/cli-darwin-x64': 2.2.2
4529     '@biomejs/cli-linux-arm64': 2.2.2
4530     '@biomejs/cli-linux-arm64-musl': 2.2.2
4531     '@biomejs/cli-linux-x64': 2.2.2
4532     '@biomejs/cli-linux-x64-musl': 2.2.2
4533     '@biomejs/cli-win32-arm64': 2.2.2
4534     '@biomejs/cli-win32-x64': 2.2.2
4535
4536 '@biomejs/cli-darwin-arm64@2.2.2':
4537   optional: true
4538
4539 '@biomejs/cli-darwin-x64@2.2.2':
4540   optional: true
4541
4542 '@biomejs/cli-linux-arm64-musl@2.2.2':
4543   optional: true
4544
4545 '@biomejs/cli-linux-arm64@2.2.2':
4546   optional: true
4547
4548 '@biomejs/cli-linux-x64-musl@2.2.2':
4549   optional: true
4550
4551 '@biomejs/cli-linux-x64@2.2.2':
4552   optional: true
4553
4554 '@biomejs/cli-win32-arm64@2.2.2':
```

```
4555     optional: true
4556
4557     '@biomejs/cli-win32-x64@2.2.2':
4558       optional: true
4559
4560     '@braintree/sanitize-url@7.1.2': {}
4561
4562     '@chevrotain/types@11.1.2': {}
4563
4564     '@clack/core@0.5.0':
4565       dependencies:
4566         picocolors: 1.1.1
4567         sisteransi: 1.0.5
4568
4569     '@clack/prompts@0.11.0':
4570       dependencies:
4571         '@clack/core': 0.5.0
4572         picocolors: 1.1.1
4573         sisteransi: 1.0.5
4574
4575     '@codemirror/autocomplete@6.20.3':
4576       dependencies:
4577         '@codemirror/language': 6.12.3
4578         '@codemirror/state': 6.6.0
4579         '@codemirror/view': 6.43.1
4580         '@lezer/common': 1.5.2
4581
4582     '@codemirror/commands@6.10.3':
4583       dependencies:
4584         '@codemirror/language': 6.12.3
4585         '@codemirror/state': 6.6.0
4586         '@codemirror/view': 6.43.1
4587         '@lezer/common': 1.5.2
4588
4589     '@codemirror/lang-javascript@6.2.5':
4590       dependencies:
4591         '@codemirror/autocomplete': 6.20.3
4592         '@codemirror/language': 6.12.3
4593         '@codemirror/lint': 6.9.7
4594         '@codemirror/state': 6.6.0
4595         '@codemirror/view': 6.43.1
4596         '@lezer/common': 1.5.2
4597         '@lezer/javascript': 1.5.4
4598
4599     '@codemirror/lang-python@6.2.1':
4600       dependencies:
4601         '@codemirror/autocomplete': 6.20.3
4602         '@codemirror/language': 6.12.3
4603         '@codemirror/state': 6.6.0
4604         '@lezer/common': 1.5.2
4605         '@lezer/python': 1.1.19
4606
4607     '@codemirror/language@6.12.3':
4608       dependencies:
4609         '@codemirror/state': 6.6.0
4610         '@codemirror/view': 6.43.1
4611         '@lezer/common': 1.5.2
4612         '@lezer/highlight': 1.2.3
4613         '@lezer/lr': 1.4.10
4614         style-mod: 4.1.3
4615
4616     '@codemirror/lint@6.9.7':
4617       dependencies:
4618         '@codemirror/state': 6.6.0
4619         '@codemirror/view': 6.43.1
4620         crelt: 1.0.6
4621
4622     '@codemirror/search@6.7.0':
4623       dependencies:
```

```

4624     '@codemirror/state': 6.6.0
4625     '@codemirror/view': 6.43.1
4626     crelt: 1.0.6
4627
4628 '@codemirror/state@6.6.0':
4629   dependencies:
4630     '@marijn/find-cluster-break': 1.0.2
4631
4632 '@codemirror/theme-one-dark@6.1.3':
4633   dependencies:
4634     '@codemirror/language': 6.12.3
4635     '@codemirror/state': 6.6.0
4636     '@codemirror/view': 6.43.1
4637     '@lezer/highlight': 1.2.3
4638
4639 '@codemirror/view@6.43.1':
4640   dependencies:
4641     '@codemirror/state': 6.6.0
4642     crelt: 1.0.6
4643     style-mod: 4.1.3
4644     w3c-keyname: 2.2.8
4645
4646 '@drizzle-team/brocli@0.10.2': {}
4647
4648 '@emnapi/runtime@1.11.1':
4649   dependencies:
4650     tslib: 2.8.1
4651   optional: true
4652
4653 '@esbuild-kit/core-utils@3.3.2':
4654   dependencies:
4655     esbuild: 0.18.20
4656     source-map-support: 0.5.21
4657
4658 '@esbuild-kit/esm-loader@2.6.5':
4659   dependencies:
4660     '@esbuild-kit/core-utils': 3.3.2
4661     get-tsconfig: 4.14.0
4662
4663 '@esbuild/aix-ppc64@0.19.12':
4664   optional: true
4665
4666 '@esbuild/aix-ppc64@0.27.7':
4667   optional: true
4668
4669 '@esbuild/aix-ppc64@0.28.1':
4670   optional: true
4671
4672 '@esbuild/android-arm64@0.18.20':
4673   optional: true
4674
4675 '@esbuild/android-arm64@0.19.12':
4676   optional: true
4677
4678 '@esbuild/android-arm64@0.27.7':
4679   optional: true
4680
4681 '@esbuild/android-arm64@0.28.1':
4682   optional: true
4683
4684 '@esbuild/android-arm@0.18.20':
4685   optional: true
4686
4687 '@esbuild/android-arm@0.19.12':
4688   optional: true
4689
4690 '@esbuild/android-arm@0.27.7':
4691   optional: true
4692

```

```
4693 '@esbuild/android-arm@0.28.1':
4694   optional: true
4695
4696 '@esbuild/android-x64@0.18.20':
4697   optional: true
4698
4699 '@esbuild/android-x64@0.19.12':
4700   optional: true
4701
4702 '@esbuild/android-x64@0.27.7':
4703   optional: true
4704
4705 '@esbuild/android-x64@0.28.1':
4706   optional: true
4707
4708 '@esbuild/darwin-arm64@0.18.20':
4709   optional: true
4710
4711 '@esbuild/darwin-arm64@0.19.12':
4712   optional: true
4713
4714 '@esbuild/darwin-arm64@0.27.7':
4715   optional: true
4716
4717 '@esbuild/darwin-arm64@0.28.1':
4718   optional: true
4719
4720 '@esbuild/darwin-x64@0.18.20':
4721   optional: true
4722
4723 '@esbuild/darwin-x64@0.19.12':
4724   optional: true
4725
4726 '@esbuild/darwin-x64@0.27.7':
4727   optional: true
4728
4729 '@esbuild/darwin-x64@0.28.1':
4730   optional: true
4731
4732 '@esbuild/freebsd-arm64@0.18.20':
4733   optional: true
4734
4735 '@esbuild/freebsd-arm64@0.19.12':
4736   optional: true
4737
4738 '@esbuild/freebsd-arm64@0.27.7':
4739   optional: true
4740
4741 '@esbuild/freebsd-arm64@0.28.1':
4742   optional: true
4743
4744 '@esbuild/freebsd-x64@0.18.20':
4745   optional: true
4746
4747 '@esbuild/freebsd-x64@0.19.12':
4748   optional: true
4749
4750 '@esbuild/freebsd-x64@0.27.7':
4751   optional: true
4752
4753 '@esbuild/freebsd-x64@0.28.1':
4754   optional: true
4755
4756 '@esbuild/linux-arm64@0.18.20':
4757   optional: true
4758
4759 '@esbuild/linux-arm64@0.19.12':
4760   optional: true
4761
```

```
4762 '@esbuild/linux-arm64@0.27.7':
4763   optional: true
4764
4765 '@esbuild/linux-arm64@0.28.1':
4766   optional: true
4767
4768 '@esbuild/linux-arm@0.18.20':
4769   optional: true
4770
4771 '@esbuild/linux-arm@0.19.12':
4772   optional: true
4773
4774 '@esbuild/linux-arm@0.27.7':
4775   optional: true
4776
4777 '@esbuild/linux-arm@0.28.1':
4778   optional: true
4779
4780 '@esbuild/linux-ia32@0.18.20':
4781   optional: true
4782
4783 '@esbuild/linux-ia32@0.19.12':
4784   optional: true
4785
4786 '@esbuild/linux-ia32@0.27.7':
4787   optional: true
4788
4789 '@esbuild/linux-ia32@0.28.1':
4790   optional: true
4791
4792 '@esbuild/linux-loong64@0.18.20':
4793   optional: true
4794
4795 '@esbuild/linux-loong64@0.19.12':
4796   optional: true
4797
4798 '@esbuild/linux-loong64@0.27.7':
4799   optional: true
4800
4801 '@esbuild/linux-loong64@0.28.1':
4802   optional: true
4803
4804 '@esbuild/linux-mips64el@0.18.20':
4805   optional: true
4806
4807 '@esbuild/linux-mips64el@0.19.12':
4808   optional: true
4809
4810 '@esbuild/linux-mips64el@0.27.7':
4811   optional: true
4812
4813 '@esbuild/linux-mips64el@0.28.1':
4814   optional: true
4815
4816 '@esbuild/linux-ppc64@0.18.20':
4817   optional: true
4818
4819 '@esbuild/linux-ppc64@0.19.12':
4820   optional: true
4821
4822 '@esbuild/linux-ppc64@0.27.7':
4823   optional: true
4824
4825 '@esbuild/linux-ppc64@0.28.1':
4826   optional: true
4827
4828 '@esbuild/linux-riscv64@0.18.20':
4829   optional: true
4830
```

```
4831 '@esbuild/linux-riscv64@0.19.12':
4832   optional: true
4833
4834 '@esbuild/linux-riscv64@0.27.7':
4835   optional: true
4836
4837 '@esbuild/linux-riscv64@0.28.1':
4838   optional: true
4839
4840 '@esbuild/linux-s390x@0.18.20':
4841   optional: true
4842
4843 '@esbuild/linux-s390x@0.19.12':
4844   optional: true
4845
4846 '@esbuild/linux-s390x@0.27.7':
4847   optional: true
4848
4849 '@esbuild/linux-s390x@0.28.1':
4850   optional: true
4851
4852 '@esbuild/linux-x64@0.18.20':
4853   optional: true
4854
4855 '@esbuild/linux-x64@0.19.12':
4856   optional: true
4857
4858 '@esbuild/linux-x64@0.27.7':
4859   optional: true
4860
4861 '@esbuild/linux-x64@0.28.1':
4862   optional: true
4863
4864 '@esbuild/netbsd-arm64@0.27.7':
4865   optional: true
4866
4867 '@esbuild/netbsd-arm64@0.28.1':
4868   optional: true
4869
4870 '@esbuild/netbsd-x64@0.18.20':
4871   optional: true
4872
4873 '@esbuild/netbsd-x64@0.19.12':
4874   optional: true
4875
4876 '@esbuild/netbsd-x64@0.27.7':
4877   optional: true
4878
4879 '@esbuild/netbsd-x64@0.28.1':
4880   optional: true
4881
4882 '@esbuild/openbsd-arm64@0.27.7':
4883   optional: true
4884
4885 '@esbuild/openbsd-arm64@0.28.1':
4886   optional: true
4887
4888 '@esbuild/openbsd-x64@0.18.20':
4889   optional: true
4890
4891 '@esbuild/openbsd-x64@0.19.12':
4892   optional: true
4893
4894 '@esbuild/openbsd-x64@0.27.7':
4895   optional: true
4896
4897 '@esbuild/openbsd-x64@0.28.1':
4898   optional: true
4899
```

```
4900 '@esbuild/openharmony-arm64@0.27.7':
4901   optional: true
4902
4903 '@esbuild/openharmony-arm64@0.28.1':
4904   optional: true
4905
4906 '@esbuild/sunos-x64@0.18.20':
4907   optional: true
4908
4909 '@esbuild/sunos-x64@0.19.12':
4910   optional: true
4911
4912 '@esbuild/sunos-x64@0.27.7':
4913   optional: true
4914
4915 '@esbuild/sunos-x64@0.28.1':
4916   optional: true
4917
4918 '@esbuild/win32-arm64@0.18.20':
4919   optional: true
4920
4921 '@esbuild/win32-arm64@0.19.12':
4922   optional: true
4923
4924 '@esbuild/win32-arm64@0.27.7':
4925   optional: true
4926
4927 '@esbuild/win32-arm64@0.28.1':
4928   optional: true
4929
4930 '@esbuild/win32-ia32@0.18.20':
4931   optional: true
4932
4933 '@esbuild/win32-ia32@0.19.12':
4934   optional: true
4935
4936 '@esbuild/win32-ia32@0.27.7':
4937   optional: true
4938
4939 '@esbuild/win32-ia32@0.28.1':
4940   optional: true
4941
4942 '@esbuild/win32-x64@0.18.20':
4943   optional: true
4944
4945 '@esbuild/win32-x64@0.19.12':
4946   optional: true
4947
4948 '@esbuild/win32-x64@0.27.7':
4949   optional: true
4950
4951 '@esbuild/win32-x64@0.28.1':
4952   optional: true
4953
4954 '@floating-ui/core@1.7.5':
4955   dependencies:
4956     '@floating-ui/utils': 0.2.11
4957
4958 '@floating-ui/dom@1.7.6':
4959   dependencies:
4960     '@floating-ui/core': 1.7.5
4961     '@floating-ui/utils': 0.2.11
4962
4963 '@floating-ui/react-dom@2.1.8(react-dom@19.0.1(react@19.0.1))(react@19.0.1)':
4964   dependencies:
4965     '@floating-ui/dom': 1.7.6
4966     react: 19.0.1
4967     react-dom: 19.0.1(react@19.0.1)
4968
```

```
4969 '@floating-ui/utils@0.2.11': {}
4970
4971 '@iconify/types@2.0.0': {}
4972
4973 '@iconify/utils@3.1.3':
4974   dependencies:
4975     '@antfu/install-pkg': 1.1.0
4976     '@iconify/types': 2.0.0
4977     import-meta-resolve: 4.2.0
4978
4979 '@icons-pack/react-simple-icons@13.13.0(react@19.0.1)':
4980   dependencies:
4981     react: 19.0.1
4982
4983 '@img/colour@1.1.0':
4984   optional: true
4985
4986 '@img/sharp-darwin-arm64@0.34.5':
4987   optionalDependencies:
4988     '@img/sharp-libvips-darwin-arm64': 1.2.4
4989   optional: true
4990
4991 '@img/sharp-darwin-x64@0.34.5':
4992   optionalDependencies:
4993     '@img/sharp-libvips-darwin-x64': 1.2.4
4994   optional: true
4995
4996 '@img/sharp-libvips-darwin-arm64@1.2.4':
4997   optional: true
4998
4999 '@img/sharp-libvips-darwin-x64@1.2.4':
5000   optional: true
5001
5002 '@img/sharp-libvips-linux-arm64@1.2.4':
5003   optional: true
5004
5005 '@img/sharp-libvips-linux-arm@1.2.4':
5006   optional: true
5007
5008 '@img/sharp-libvips-linux-ppc64@1.2.4':
5009   optional: true
5010
5011 '@img/sharp-libvips-linux-riscv64@1.2.4':
5012   optional: true
5013
5014 '@img/sharp-libvips-linux-s390x@1.2.4':
5015   optional: true
5016
5017 '@img/sharp-libvips-linux-x64@1.2.4':
5018   optional: true
5019
5020 '@img/sharp-libvips-linuxmusl-arm64@1.2.4':
5021   optional: true
5022
5023 '@img/sharp-libvips-linuxmusl-x64@1.2.4':
5024   optional: true
5025
5026 '@img/sharp-linux-arm64@0.34.5':
5027   optionalDependencies:
5028     '@img/sharp-libvips-linux-arm64': 1.2.4
5029   optional: true
5030
5031 '@img/sharp-linux-arm@0.34.5':
5032   optionalDependencies:
5033     '@img/sharp-libvips-linux-arm': 1.2.4
5034   optional: true
5035
5036 '@img/sharp-linux-ppc64@0.34.5':
5037   optionalDependencies:
```



```

5038     '@img/sharp-libvips-linux-ppc64': 1.2.4
5039     optional: true
5040
5041     '@img/sharp-linux-riscv64@0.34.5':
5042     optionalDependencies:
5043     '@img/sharp-libvips-linux-riscv64': 1.2.4
5044     optional: true
5045
5046     '@img/sharp-linux-s390x@0.34.5':
5047     optionalDependencies:
5048     '@img/sharp-libvips-linux-s390x': 1.2.4
5049     optional: true
5050
5051     '@img/sharp-linux-x64@0.34.5':
5052     optionalDependencies:
5053     '@img/sharp-libvips-linux-x64': 1.2.4
5054     optional: true
5055
5056     '@img/sharp-linuxmusl-arm64@0.34.5':
5057     optionalDependencies:
5058     '@img/sharp-libvips-linuxmusl-arm64': 1.2.4
5059     optional: true
5060
5061     '@img/sharp-linuxmusl-x64@0.34.5':
5062     optionalDependencies:
5063     '@img/sharp-libvips-linuxmusl-x64': 1.2.4
5064     optional: true
5065
5066     '@img/sharp-wasm32@0.34.5':
5067     dependencies:
5068     '@emnapi/runtime': 1.11.1
5069     optional: true
5070
5071     '@img/sharp-win32-arm64@0.34.5':
5072     optional: true
5073
5074     '@img/sharp-win32-ia32@0.34.5':
5075     optional: true
5076
5077     '@img/sharp-win32-x64@0.34.5':
5078     optional: true
5079
5080     '@jridgewell/gen-mapping@0.3.13':
5081     dependencies:
5082     '@jridgewell/sourcemap-codec': 1.5.5
5083     '@jridgewell/trace-mapping': 0.3.31
5084
5085     '@jridgewell/remapping@2.3.5':
5086     dependencies:
5087     '@jridgewell/gen-mapping': 0.3.13
5088     '@jridgewell/trace-mapping': 0.3.31
5089
5090     '@jridgewell/resolve-uri@3.1.2': {}
5091
5092     '@jridgewell/sourcemap-codec@1.5.5': {}
5093
5094     '@jridgewell/trace-mapping@0.3.31':
5095     dependencies:
5096     '@jridgewell/resolve-uri': 3.1.2
5097     '@jridgewell/sourcemap-codec': 1.5.5
5098
5099     '@lezer/common@1.5.2': {}
5100
5101     '@lezer/highlight@1.2.3':
5102     dependencies:
5103     '@lezer/common': 1.5.2
5104
5105     '@lezer/javascript@1.5.4':
5106     dependencies:

```

```

5107     '@lezer/common': 1.5.2
5108     '@lezer/highlight': 1.2.3
5109     '@lezer/lr': 1.4.10
5110
5111 '@lezer/lr@1.4.10':
5112   dependencies:
5113     '@lezer/common': 1.5.2
5114
5115 '@lezer/python@1.1.19':
5116   dependencies:
5117     '@lezer/common': 1.5.2
5118     '@lezer/highlight': 1.2.3
5119     '@lezer/lr': 1.4.10
5120
5121 '@marijn/find-cluster-break@1.0.2': {}
5122
5123 '@mermaid-js/parser@1.1.1':
5124   dependencies:
5125     '@chevrotain/types': 11.1.2
5126
5127 '@next/env@16.0.10': {}
5128
5129 '@next/swc-darwin-arm64@16.0.10':
5130   optional: true
5131
5132 '@next/swc-darwin-x64@16.0.10':
5133   optional: true
5134
5135 '@next/swc-linux-arm64-gnu@16.0.10':
5136   optional: true
5137
5138 '@next/swc-linux-arm64-musl@16.0.10':
5139   optional: true
5140
5141 '@next/swc-linux-x64-gnu@16.0.10':
5142   optional: true
5143
5144 '@next/swc-linux-x64-musl@16.0.10':
5145   optional: true
5146
5147 '@next/swc-win32-arm64-msvc@16.0.10':
5148   optional: true
5149
5150 '@next/swc-win32-x64-msvc@16.0.10':
5151   optional: true
5152
5153 '@opentelemetry/api-logs@0.46.0':
5154   dependencies:
5155     '@opentelemetry/api': 1.9.1
5156
5157 '@opentelemetry/api@1.9.1': {}
5158
5159 '@panva/hkdf@1.2.1': {}
5160
5161 '@playwright/test@1.61.0':
5162   dependencies:
5163     playwright: 1.61.0
5164
5165 '@radix-ui/number@1.1.2': {}
5166
5167 '@radix-ui/primitive@1.1.4': {}
5168
5169 '@radix-ui/react-accessible-icon@1.1.9(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)':
5170   dependencies:
5171     '@radix-ui/react-visually-hidden': 1.2.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5172     react: 19.0.1
5173     react-dom: 19.0.1(react@19.0.1)
5174     optionalDependencies:
5175       '@types/react': 18.3.31

```

```

5176 '@types/react-dom': 18.3.7(@types/react@18.3.31)
5177
5178 '@radix-ui/react-accordion@1.2.13(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)':
5179   dependencies:
5180     '@radix-ui/primitive': 1.1.4
5181     '@radix-ui/react-collapsible': 1.1.13(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5182     '@radix-ui/react-collection': 1.1.9(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5183     '@radix-ui/react-compose-refs': 1.1.3(@types/react@18.3.31)(react@19.0.1)
5184     '@radix-ui/react-context': 1.1.4(@types/react@18.3.31)(react@19.0.1)
5185     '@radix-ui/react-direction': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5186     '@radix-ui/react-id': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5187     '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5188     '@radix-ui/react-use-controllable-state': 1.2.3(@types/react@18.3.31)(react@19.0.1)
5189     react: 19.0.1
5190     react-dom: 19.0.1(react@19.0.1)
5191   optionalDependencies:
5192     '@types/react': 18.3.31
5193     '@types/react-dom': 18.3.7(@types/react@18.3.31)
5194
5195 '@radix-ui/react-alert-dialog@1.1.16(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)':
5196   dependencies:
5197     '@radix-ui/primitive': 1.1.4
5198     '@radix-ui/react-compose-refs': 1.1.3(@types/react@18.3.31)(react@19.0.1)
5199     '@radix-ui/react-context': 1.1.4(@types/react@18.3.31)(react@19.0.1)
5200     '@radix-ui/react-dialog': 1.1.16(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5201     '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5202     '@radix-ui/react-slot': 1.2.5(@types/react@18.3.31)(react@19.0.1)
5203     react: 19.0.1
5204     react-dom: 19.0.1(react@19.0.1)
5205   optionalDependencies:
5206     '@types/react': 18.3.31
5207     '@types/react-dom': 18.3.7(@types/react@18.3.31)
5208
5209 '@radix-ui/react-arrow@1.1.9(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)':
5210   dependencies:
5211     '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5212     react: 19.0.1
5213     react-dom: 19.0.1(react@19.0.1)
5214   optionalDependencies:
5215     '@types/react': 18.3.31
5216     '@types/react-dom': 18.3.7(@types/react@18.3.31)
5217
5218 '@radix-ui/react-aspect-ratio@1.1.9(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)':
5219   dependencies:
5220     '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5221     react: 19.0.1
5222     react-dom: 19.0.1(react@19.0.1)
5223   optionalDependencies:
5224     '@types/react': 18.3.31
5225     '@types/react-dom': 18.3.7(@types/react@18.3.31)
5226
5227 '@radix-ui/react-avatar@1.1.12(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)':
5228   dependencies:
5229     '@radix-ui/react-context': 1.1.4(@types/react@18.3.31)(react@19.0.1)
5230     '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5231     '@radix-ui/react-use-callback-ref': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5232     '@radix-ui/react-use-is-hydrated': 0.1.1(@types/react@18.3.31)(react@19.0.1)
5233     '@radix-ui/react-use-layout-effect': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5234     react: 19.0.1
5235     react-dom: 19.0.1(react@19.0.1)
5236   optionalDependencies:
5237     '@types/react': 18.3.31
5238     '@types/react-dom': 18.3.7(@types/react@18.3.31)
5239
5240 '@radix-ui/react-checkbox@1.3.4(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)':
5241   dependencies:
5242     '@radix-ui/primitive': 1.1.4
5243     '@radix-ui/react-compose-refs': 1.1.3(@types/react@18.3.31)(react@19.0.1)
5244     '@radix-ui/react-context': 1.1.4(@types/react@18.3.31)(react@19.0.1)

```

```

5245     '@radix-ui/react-presence': 1.1.6(@types/react-dom@18.3.7(@types/react@18.3.31)) (@types/react@18.3.31) (react-dom@19.0.1(react@19.0.1)) (react@19.0.1)
5246     '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31)) (@types/react@18.3.31) (react-dom@19.0.1(react@19.0.1)) (react@19.0.1)
5247     '@radix-ui/react-use-controllable-state': 1.2.3(@types/react@18.3.31) (react@19.0.1)
5248     '@radix-ui/react-use-previous': 1.1.2(@types/react@18.3.31) (react@19.0.1)
5249     '@radix-ui/react-use-size': 1.1.2(@types/react@18.3.31) (react@19.0.1)
5250     react: 19.0.1
5251     react-dom: 19.0.1(react@19.0.1)
5252     optionalDependencies:
5253       '@types/react': 18.3.31
5254       '@types/react-dom': 18.3.7(@types/react@18.3.31)
5255
5256 '@radix-ui/react-collapsible@1.1.13(@types/react-dom@18.3.7(@types/react@18.3.31)) (@types/react@18.3.31) (react-dom@19.0.1(react@19.0.1)) (react@19.0.1) ':
5257   dependencies:
5258     '@radix-ui/primitive': 1.1.4
5259     '@radix-ui/react-compose-refs': 1.1.3(@types/react@18.3.31) (react@19.0.1)
5260     '@radix-ui/react-context': 1.1.4(@types/react@18.3.31) (react@19.0.1)
5261     '@radix-ui/react-id': 1.1.2(@types/react@18.3.31) (react@19.0.1)
5262     '@radix-ui/react-presence': 1.1.6(@types/react-dom@18.3.7(@types/react@18.3.31)) (@types/react@18.3.31) (react-dom@19.0.1(react@19.0.1)) (react@19.0.1)
5263     '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31)) (@types/react@18.3.31) (react-dom@19.0.1(react@19.0.1)) (react@19.0.1)
5264     '@radix-ui/react-use-controllable-state': 1.2.3(@types/react@18.3.31) (react@19.0.1)
5265     '@radix-ui/react-use-layout-effect': 1.1.2(@types/react@18.3.31) (react@19.0.1)
5266     react: 19.0.1
5267     react-dom: 19.0.1(react@19.0.1)
5268     optionalDependencies:
5269       '@types/react': 18.3.31
5270       '@types/react-dom': 18.3.7(@types/react@18.3.31)
5271
5272 '@radix-ui/react-collection@1.1.9(@types/react-dom@18.3.7(@types/react@18.3.31)) (@types/react@18.3.31) (react-dom@19.0.1(react@19.0.1)) (react@19.0.1) ':
5273   dependencies:
5274     '@radix-ui/react-compose-refs': 1.1.3(@types/react@18.3.31) (react@19.0.1)
5275     '@radix-ui/react-context': 1.1.4(@types/react@18.3.31) (react@19.0.1)
5276     '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31)) (@types/react@18.3.31) (react-dom@19.0.1(react@19.0.1)) (react@19.0.1)
5277     '@radix-ui/react-slot': 1.2.5(@types/react@18.3.31) (react@19.0.1)
5278     react: 19.0.1
5279     react-dom: 19.0.1(react@19.0.1)
5280     optionalDependencies:
5281       '@types/react': 18.3.31
5282       '@types/react-dom': 18.3.7(@types/react@18.3.31)
5283
5284 '@radix-ui/react-compose-refs@1.1.3(@types/react@18.3.31) (react@19.0.1) ':
5285   dependencies:
5286     react: 19.0.1
5287   optionalDependencies:
5288     '@types/react': 18.3.31
5289
5290 '@radix-ui/react-context-menu@2.3.0(@types/react-dom@18.3.7(@types/react@18.3.31)) (@types/react@18.3.31) (react-dom@19.0.1(react@19.0.1)) (react@19.0.1) ':
5291   dependencies:
5292     '@radix-ui/primitive': 1.1.4
5293     '@radix-ui/react-context': 1.1.4(@types/react@18.3.31) (react@19.0.1)
5294     '@radix-ui/react-menu': 2.1.17(@types/react-dom@18.3.7(@types/react@18.3.31)) (@types/react@18.3.31) (react-dom@19.0.1(react@19.0.1)) (react@19.0.1)
5295     '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31)) (@types/react@18.3.31) (react-dom@19.0.1(react@19.0.1)) (react@19.0.1)
5296     '@radix-ui/react-use-controllable-state': 1.2.3(@types/react@18.3.31) (react@19.0.1)
5297     react: 19.0.1
5298     react-dom: 19.0.1(react@19.0.1)
5299     optionalDependencies:
5300       '@types/react': 18.3.31
5301       '@types/react-dom': 18.3.7(@types/react@18.3.31)
5302
5303 '@radix-ui/react-context@1.1.4(@types/react@18.3.31) (react@19.0.1) ':
5304   dependencies:
5305     react: 19.0.1
5306   optionalDependencies:
5307     '@types/react': 18.3.31
5308
5309 '@radix-ui/react-dialog@1.1.16(@types/react-dom@18.3.7(@types/react@18.3.31)) (@types/react@18.3.31) (react-dom@19.0.1(react@19.0.1)) (react@19.0.1) ':
5310   dependencies:
5311     '@radix-ui/primitive': 1.1.4
5312     '@radix-ui/react-compose-refs': 1.1.3(@types/react@18.3.31) (react@19.0.1)
5313     '@radix-ui/react-context': 1.1.4(@types/react@18.3.31) (react@19.0.1)

```

```

5314 '@radix-ui/react-dismissable-layer': 1.1.12(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5315 '@radix-ui/react-focus-guards': 1.1.4(@types/react@18.3.31)(react@19.0.1)
5316 '@radix-ui/react-focus-scope': 1.1.9(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5317 '@radix-ui/react-id': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5318 '@radix-ui/react-portal': 1.1.11(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5319 '@radix-ui/react-presence': 1.1.6(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5320 '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5321 '@radix-ui/react-slot': 1.2.5(@types/react@18.3.31)(react@19.0.1)
5322 '@radix-ui/react-use-controllable-state': 1.2.3(@types/react@18.3.31)(react@19.0.1)
5323 aria-hidden: 1.2.6
5324 react: 19.0.1
5325 react-dom: 19.0.1(react@19.0.1)
5326 react-remove-scroll: 2.7.2(@types/react@18.3.31)(react@19.0.1)
5327 optionalDependencies:
5328 '@types/react': 18.3.31
5329 '@types/react-dom': 18.3.7(@types/react@18.3.31)
5330
5331 '@radix-ui/react-direction@1.1.2(@types/react@18.3.31)(react@19.0.1)':
5332 dependencies:
5333   react: 19.0.1
5334 optionalDependencies:
5335   '@types/react': 18.3.31
5336
5337 '@radix-ui/react-dismissable-layer@1.1.12(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)':
5338 dependencies:
5339   '@radix-ui/primitive': 1.1.4
5340   '@radix-ui/react-compose-refs': 1.1.3(@types/react@18.3.31)(react@19.0.1)
5341   '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5342   '@radix-ui/react-use-callback-ref': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5343   '@radix-ui/react-use-escape-keydown': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5344   react: 19.0.1
5345   react-dom: 19.0.1(react@19.0.1)
5346 optionalDependencies:
5347   '@types/react': 18.3.31
5348   '@types/react-dom': 18.3.7(@types/react@18.3.31)
5349
5350 '@radix-ui/react-dropdown-menu@2.1.17(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)':
5351 dependencies:
5352   '@radix-ui/primitive': 1.1.4
5353   '@radix-ui/react-compose-refs': 1.1.3(@types/react@18.3.31)(react@19.0.1)
5354   '@radix-ui/react-context': 1.1.4(@types/react@18.3.31)(react@19.0.1)
5355   '@radix-ui/react-id': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5356   '@radix-ui/react-menu': 2.1.17(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5357   '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5358   '@radix-ui/react-use-controllable-state': 1.2.3(@types/react@18.3.31)(react@19.0.1)
5359   react: 19.0.1
5360   react-dom: 19.0.1(react@19.0.1)
5361 optionalDependencies:
5362   '@types/react': 18.3.31
5363   '@types/react-dom': 18.3.7(@types/react@18.3.31)
5364
5365 '@radix-ui/react-focus-guards@1.1.4(@types/react@18.3.31)(react@19.0.1)':
5366 dependencies:
5367   react: 19.0.1
5368 optionalDependencies:
5369   '@types/react': 18.3.31
5370
5371 '@radix-ui/react-focus-scope@1.1.9(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)':
5372 dependencies:
5373   '@radix-ui/react-compose-refs': 1.1.3(@types/react@18.3.31)(react@19.0.1)
5374   '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5375   '@radix-ui/react-use-callback-ref': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5376   react: 19.0.1
5377   react-dom: 19.0.1(react@19.0.1)
5378 optionalDependencies:
5379   '@types/react': 18.3.31
5380   '@types/react-dom': 18.3.7(@types/react@18.3.31)
5381
5382 '@radix-ui/react-form@0.1.9(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)':

```

```

5383 dependencies:
5384   '@radix-ui/primitive': 1.1.4
5385   '@radix-ui/react-compose-refs': 1.1.3(@types/react@18.3.31)(react@19.0.1)
5386   '@radix-ui/react-context': 1.1.4(@types/react@18.3.31)(react@19.0.1)
5387   '@radix-ui/react-id': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5388   '@radix-ui/react-label': 2.1.9(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5389   '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5390   react: 19.0.1
5391   react-dom: 19.0.1(react@19.0.1)
5392 optionalDependencies:
5393   '@types/react': 18.3.31
5394   '@types/react-dom': 18.3.7(@types/react@18.3.31)
5395
5396 '@radix-ui/react-hover-card@1.1.16(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)':
5397 dependencies:
5398   '@radix-ui/primitive': 1.1.4
5399   '@radix-ui/react-compose-refs': 1.1.3(@types/react@18.3.31)(react@19.0.1)
5400   '@radix-ui/react-context': 1.1.4(@types/react@18.3.31)(react@19.0.1)
5401   '@radix-ui/react-dismissable-layer': 1.1.12(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5402   '@radix-ui/react-popover': 1.3.0(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5403   '@radix-ui/react-portal': 1.1.11(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5404   '@radix-ui/react-presence': 1.1.6(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5405   '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5406   '@radix-ui/react-use-controllable-state': 1.2.3(@types/react@18.3.31)(react@19.0.1)
5407   react: 19.0.1
5408   react-dom: 19.0.1(react@19.0.1)
5409 optionalDependencies:
5410   '@types/react': 18.3.31
5411   '@types/react-dom': 18.3.7(@types/react@18.3.31)
5412
5413 '@radix-ui/react-icons@1.3.2(react@19.0.1)':
5414 dependencies:
5415   react: 19.0.1
5416
5417 '@radix-ui/react-id@1.1.2(@types/react@18.3.31)(react@19.0.1)':
5418 dependencies:
5419   '@radix-ui/react-use-layout-effect': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5420   react: 19.0.1
5421 optionalDependencies:
5422   '@types/react': 18.3.31
5423
5424 '@radix-ui/react-label@2.1.9(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)':
5425 dependencies:
5426   '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5427   react: 19.0.1
5428   react-dom: 19.0.1(react@19.0.1)
5429 optionalDependencies:
5430   '@types/react': 18.3.31
5431   '@types/react-dom': 18.3.7(@types/react@18.3.31)
5432
5433 '@radix-ui/react-menu@2.1.17(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)':
5434 dependencies:
5435   '@radix-ui/primitive': 1.1.4
5436   '@radix-ui/react-collection': 1.1.9(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5437   '@radix-ui/react-compose-refs': 1.1.3(@types/react@18.3.31)(react@19.0.1)
5438   '@radix-ui/react-context': 1.1.4(@types/react@18.3.31)(react@19.0.1)
5439   '@radix-ui/react-direction': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5440   '@radix-ui/react-dismissable-layer': 1.1.12(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5441   '@radix-ui/react-focus-guards': 1.1.4(@types/react@18.3.31)(react@19.0.1)
5442   '@radix-ui/react-focus-scope': 1.1.9(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5443   '@radix-ui/react-id': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5444   '@radix-ui/react-popover': 1.3.0(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5445   '@radix-ui/react-portal': 1.1.11(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5446   '@radix-ui/react-presence': 1.1.6(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5447   '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5448   '@radix-ui/react-roving-focus': 1.1.12(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5449   '@radix-ui/react-slot': 1.2.5(@types/react@18.3.31)(react@19.0.1)
5450   '@radix-ui/react-use-callback-ref': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5451   aria-hidden: 1.2.6

```

```

5452     react: 19.0.1
5453     react-dom: 19.0.1(react@19.0.1)
5454     react-remove-scroll: 2.7.2(@types/react@18.3.31)(react@19.0.1)
5455 optionalDependencies:
5456   '@types/react': 18.3.31
5457   '@types/react-dom': 18.3.7(@types/react@18.3.31)
5458
5459 '@radix-ui/react-menubar@1.1.17(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)':
5460 dependencies:
5461   '@radix-ui/primitive': 1.1.4
5462   '@radix-ui/react-collection': 1.1.9(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5463   '@radix-ui/react-compose-refs': 1.1.3(@types/react@18.3.31)(react@19.0.1)
5464   '@radix-ui/react-context': 1.1.4(@types/react@18.3.31)(react@19.0.1)
5465   '@radix-ui/react-direction': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5466   '@radix-ui/react-id': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5467   '@radix-ui/react-menu': 2.1.17(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5468   '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5469   '@radix-ui/react-roving-focus': 1.1.12(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5470   '@radix-ui/react-use-controllable-state': 1.2.3(@types/react@18.3.31)(react@19.0.1)
5471   react: 19.0.1
5472   react-dom: 19.0.1(react@19.0.1)
5473 optionalDependencies:
5474   '@types/react': 18.3.31
5475   '@types/react-dom': 18.3.7(@types/react@18.3.31)
5476
5477 '@radix-ui/react-navigation-menu@1.2.15(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)':
5478 dependencies:
5479   '@radix-ui/primitive': 1.1.4
5480   '@radix-ui/react-collection': 1.1.9(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5481   '@radix-ui/react-compose-refs': 1.1.3(@types/react@18.3.31)(react@19.0.1)
5482   '@radix-ui/react-context': 1.1.4(@types/react@18.3.31)(react@19.0.1)
5483   '@radix-ui/react-direction': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5484   '@radix-ui/react-dismissable-layer': 1.1.12(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5485   '@radix-ui/react-id': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5486   '@radix-ui/react-presence': 1.1.6(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5487   '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5488   '@radix-ui/react-use-callback-ref': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5489   '@radix-ui/react-use-controllable-state': 1.2.3(@types/react@18.3.31)(react@19.0.1)
5490   '@radix-ui/react-use-layout-effect': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5491   '@radix-ui/react-use-previous': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5492   '@radix-ui/react-visually-hidden': 1.2.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5493   react: 19.0.1
5494   react-dom: 19.0.1(react@19.0.1)
5495 optionalDependencies:
5496   '@types/react': 18.3.31
5497   '@types/react-dom': 18.3.7(@types/react@18.3.31)
5498
5499 '@radix-ui/react-one-time-password-field@0.1.9(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)':
5500 dependencies:
5501   '@radix-ui/number': 1.1.2
5502   '@radix-ui/primitive': 1.1.4
5503   '@radix-ui/react-collection': 1.1.9(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5504   '@radix-ui/react-compose-refs': 1.1.3(@types/react@18.3.31)(react@19.0.1)
5505   '@radix-ui/react-context': 1.1.4(@types/react@18.3.31)(react@19.0.1)
5506   '@radix-ui/react-direction': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5507   '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5508   '@radix-ui/react-roving-focus': 1.1.12(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5509   '@radix-ui/react-use-controllable-state': 1.2.3(@types/react@18.3.31)(react@19.0.1)
5510   '@radix-ui/react-use-effect-event': 0.0.3(@types/react@18.3.31)(react@19.0.1)
5511   '@radix-ui/react-use-is-hydrated': 0.1.1(@types/react@18.3.31)(react@19.0.1)
5512   '@radix-ui/react-use-layout-effect': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5513   react: 19.0.1
5514   react-dom: 19.0.1(react@19.0.1)
5515 optionalDependencies:
5516   '@types/react': 18.3.31
5517   '@types/react-dom': 18.3.7(@types/react@18.3.31)
5518
5519 '@radix-ui/react-password-toggle-field@0.1.4(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)':
5520 dependencies:

```

```

5521 '@radix-ui/primitive': 1.1.4
5522 '@radix-ui/react-compose-refs': 1.1.3(@types/react@18.3.31)(react@19.0.1)
5523 '@radix-ui/react-context': 1.1.4(@types/react@18.3.31)(react@19.0.1)
5524 '@radix-ui/react-id': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5525 '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5526 '@radix-ui/react-use-controllable-state': 1.2.3(@types/react@18.3.31)(react@19.0.1)
5527 '@radix-ui/react-use-effect-event': 0.0.3(@types/react@18.3.31)(react@19.0.1)
5528 '@radix-ui/react-use-is-hydrated': 0.1.1(@types/react@18.3.31)(react@19.0.1)
5529 react: 19.0.1
5530 react-dom: 19.0.1(react@19.0.1)
5531 optionalDependencies:
5532   '@types/react': 18.3.31
5533   '@types/react-dom': 18.3.7(@types/react@18.3.31)
5534
5535 '@radix-ui/react-popover@1.1.16(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)':
5536   dependencies:
5537     '@radix-ui/primitive': 1.1.4
5538     '@radix-ui/react-compose-refs': 1.1.3(@types/react@18.3.31)(react@19.0.1)
5539     '@radix-ui/react-context': 1.1.4(@types/react@18.3.31)(react@19.0.1)
5540     '@radix-ui/react-dismissable-layer': 1.1.12(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5541     '@radix-ui/react-focus-guards': 1.1.4(@types/react@18.3.31)(react@19.0.1)
5542     '@radix-ui/react-focus-scope': 1.1.9(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5543     '@radix-ui/react-id': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5544     '@radix-ui/react-popper': 1.3.0(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5545     '@radix-ui/react-portal': 1.1.11(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5546     '@radix-ui/react-presence': 1.1.6(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5547     '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5548     '@radix-ui/react-slot': 1.2.5(@types/react@18.3.31)(react@19.0.1)
5549     '@radix-ui/react-use-controllable-state': 1.2.3(@types/react@18.3.31)(react@19.0.1)
5550     aria-hidden: 1.2.6
5551     react: 19.0.1
5552     react-dom: 19.0.1(react@19.0.1)
5553     react-remove-scroll: 2.7.2(@types/react@18.3.31)(react@19.0.1)
5554   optionalDependencies:
5555     '@types/react': 18.3.31
5556     '@types/react-dom': 18.3.7(@types/react@18.3.31)
5557
5558 '@radix-ui/react-popover@1.1.16(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)':
5559   dependencies:
5560     '@floating-ui/react-dom': 2.1.8(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5561     '@radix-ui/react-arrow': 1.1.9(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5562     '@radix-ui/react-compose-refs': 1.1.3(@types/react@18.3.31)(react@19.0.1)
5563     '@radix-ui/react-context': 1.1.4(@types/react@18.3.31)(react@19.0.1)
5564     '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5565     '@radix-ui/react-use-callback-ref': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5566     '@radix-ui/react-use-effect-event': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5567     '@radix-ui/react-use-rect': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5568     '@radix-ui/react-use-size': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5569     '@radix-ui/rect': 1.1.2
5570     react: 19.0.1
5571     react-dom: 19.0.1(react@19.0.1)
5572   optionalDependencies:
5573     '@types/react': 18.3.31
5574     '@types/react-dom': 18.3.7(@types/react@18.3.31)
5575
5576 '@radix-ui/react-portal@1.1.11(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)':
5577   dependencies:
5578     '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5579     '@radix-ui/react-use-layout-effect': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5580     react: 19.0.1
5581     react-dom: 19.0.1(react@19.0.1)
5582   optionalDependencies:
5583     '@types/react': 18.3.31
5584     '@types/react-dom': 18.3.7(@types/react@18.3.31)
5585
5586 '@radix-ui/react-presence@1.1.6(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)':
5587   dependencies:
5588     '@radix-ui/react-use-layout-effect': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5589     react: 19.0.1

```



```

5590     react-dom: 19.0.1(react@19.0.1)
5591 optionalDependencies:
5592   '@types/react': 18.3.31
5593   '@types/react-dom': 18.3.7(@types/react@18.3.31)
5594
5595 '@radix-ui/react-primitive@2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)':
5596 dependencies:
5597   '@radix-ui/react-slot': 1.2.5(@types/react@18.3.31)(react@19.0.1)
5598   react: 19.0.1
5599   react-dom: 19.0.1(react@19.0.1)
5600 optionalDependencies:
5601   '@types/react': 18.3.31
5602   '@types/react-dom': 18.3.7(@types/react@18.3.31)
5603
5604 '@radix-ui/react-progress@1.1.9(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)':
5605 dependencies:
5606   '@radix-ui/react-context': 1.1.4(@types/react@18.3.31)(react@19.0.1)
5607   '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5608   react: 19.0.1
5609   react-dom: 19.0.1(react@19.0.1)
5610 optionalDependencies:
5611   '@types/react': 18.3.31
5612   '@types/react-dom': 18.3.7(@types/react@18.3.31)
5613
5614 '@radix-ui/react-radio-group@1.4.0(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)':
5615 dependencies:
5616   '@radix-ui/primitive': 1.1.4
5617   '@radix-ui/react-compose-refs': 1.1.3(@types/react@18.3.31)(react@19.0.1)
5618   '@radix-ui/react-context': 1.1.4(@types/react@18.3.31)(react@19.0.1)
5619   '@radix-ui/react-direction': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5620   '@radix-ui/react-presence': 1.1.6(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5621   '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5622   '@radix-ui/react-roving-focus': 1.1.12(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5623   '@radix-ui/react-use-controllable-state': 1.2.3(@types/react@18.3.31)(react@19.0.1)
5624   '@radix-ui/react-use-previous': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5625   '@radix-ui/react-use-size': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5626   react: 19.0.1
5627   react-dom: 19.0.1(react@19.0.1)
5628 optionalDependencies:
5629   '@types/react': 18.3.31
5630   '@types/react-dom': 18.3.7(@types/react@18.3.31)
5631
5632 '@radix-ui/react-roving-focus@1.1.12(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)':
5633 dependencies:
5634   '@radix-ui/primitive': 1.1.4
5635   '@radix-ui/react-collection': 1.1.9(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5636   '@radix-ui/react-compose-refs': 1.1.3(@types/react@18.3.31)(react@19.0.1)
5637   '@radix-ui/react-context': 1.1.4(@types/react@18.3.31)(react@19.0.1)
5638   '@radix-ui/react-direction': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5639   '@radix-ui/react-id': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5640   '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5641   '@radix-ui/react-use-callback-ref': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5642   '@radix-ui/react-use-controllable-state': 1.2.3(@types/react@18.3.31)(react@19.0.1)
5643   react: 19.0.1
5644   react-dom: 19.0.1(react@19.0.1)
5645 optionalDependencies:
5646   '@types/react': 18.3.31
5647   '@types/react-dom': 18.3.7(@types/react@18.3.31)
5648
5649 '@radix-ui/react-scroll-area@1.2.11(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)':
5650 dependencies:
5651   '@radix-ui/number': 1.1.2
5652   '@radix-ui/primitive': 1.1.4
5653   '@radix-ui/react-compose-refs': 1.1.3(@types/react@18.3.31)(react@19.0.1)
5654   '@radix-ui/react-context': 1.1.4(@types/react@18.3.31)(react@19.0.1)
5655   '@radix-ui/react-direction': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5656   '@radix-ui/react-presence': 1.1.6(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5657   '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5658   '@radix-ui/react-use-callback-ref': 1.1.2(@types/react@18.3.31)(react@19.0.1)

```

```

5659     '@radix-ui/react-use-layout-effect': 1.1.2(@types/react@18.3.31) (react@19.0.1)
5660     react: 19.0.1
5661     react-dom: 19.0.1(react@19.0.1)
5662     optionalDependencies:
5663       '@types/react': 18.3.31
5664       '@types/react-dom': 18.3.7(@types/react@18.3.31)
5665
5666 '@radix-ui/react-select@2.3.0(@types/react-dom@18.3.7(@types/react@18.3.31)) (@types/react@18.3.31) (react-dom@19.0.1(react@19.0.1)) (react@19.0.1) ':
5667   dependencies:
5668     '@radix-ui/number': 1.1.2
5669     '@radix-ui/primitive': 1.1.4
5670     '@radix-ui/react-collection': 1.1.9(@types/react-dom@18.3.7(@types/react@18.3.31)) (@types/react@18.3.31) (react-dom@19.0.1(react@19.0.1)) (react@19.0.1)
5671     '@radix-ui/react-compose-refs': 1.1.3(@types/react@18.3.31) (react@19.0.1)
5672     '@radix-ui/react-context': 1.1.4(@types/react@18.3.31) (react@19.0.1)
5673     '@radix-ui/react-direction': 1.1.2(@types/react@18.3.31) (react@19.0.1)
5674     '@radix-ui/react-dismissable-layer': 1.1.12(@types/react-dom@18.3.7(@types/react@18.3.31)) (@types/react@18.3.31) (react-dom@19.0.1(react@19.0.1)) (react@19.0.1)
5675     '@radix-ui/react-focus-guards': 1.1.4(@types/react@18.3.31) (react@19.0.1)
5676     '@radix-ui/react-focus-scope': 1.1.9(@types/react-dom@18.3.7(@types/react@18.3.31)) (@types/react@18.3.31) (react-dom@19.0.1(react@19.0.1)) (react@19.0.1)
5677     '@radix-ui/react-id': 1.1.2(@types/react@18.3.31) (react@19.0.1)
5678     '@radix-ui/react-popover': 1.3.0(@types/react-dom@18.3.7(@types/react@18.3.31)) (@types/react@18.3.31) (react-dom@19.0.1(react@19.0.1)) (react@19.0.1)
5679     '@radix-ui/react-portal': 1.1.11(@types/react-dom@18.3.7(@types/react@18.3.31)) (@types/react@18.3.31) (react-dom@19.0.1(react@19.0.1)) (react@19.0.1)
5680     '@radix-ui/react-presence': 1.1.6(@types/react-dom@18.3.7(@types/react@18.3.31)) (@types/react@18.3.31) (react-dom@19.0.1(react@19.0.1)) (react@19.0.1)
5681     '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31)) (@types/react@18.3.31) (react-dom@19.0.1(react@19.0.1)) (react@19.0.1)
5682     '@radix-ui/react-slot': 1.2.5(@types/react@18.3.31) (react@19.0.1)
5683     '@radix-ui/react-use-callback-ref': 1.1.2(@types/react@18.3.31) (react@19.0.1)
5684     '@radix-ui/react-use-controllable-state': 1.2.3(@types/react@18.3.31) (react@19.0.1)
5685     '@radix-ui/react-use-layout-effect': 1.1.2(@types/react@18.3.31) (react@19.0.1)
5686     '@radix-ui/react-use-previous': 1.1.2(@types/react@18.3.31) (react@19.0.1)
5687     '@radix-ui/react-visually-hidden': 1.2.5(@types/react-dom@18.3.7(@types/react@18.3.31)) (@types/react@18.3.31) (react-dom@19.0.1(react@19.0.1)) (react@19.0.1)
5688     aria-hidden: 1.2.6
5689     react: 19.0.1
5690     react-dom: 19.0.1(react@19.0.1)
5691     react-remove-scroll: 2.7.2(@types/react@18.3.31) (react@19.0.1)
5692     optionalDependencies:
5693       '@types/react': 18.3.31
5694       '@types/react-dom': 18.3.7(@types/react@18.3.31)
5695
5696 '@radix-ui/react-separator@1.1.9(@types/react-dom@18.3.7(@types/react@18.3.31)) (@types/react@18.3.31) (react-dom@19.0.1(react@19.0.1)) (react@19.0.1) ':
5697   dependencies:
5698     '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31)) (@types/react@18.3.31) (react-dom@19.0.1(react@19.0.1)) (react@19.0.1)
5699     react: 19.0.1
5700     react-dom: 19.0.1(react@19.0.1)
5701     optionalDependencies:
5702       '@types/react': 18.3.31
5703       '@types/react-dom': 18.3.7(@types/react@18.3.31)
5704
5705 '@radix-ui/react-slider@1.4.0(@types/react-dom@18.3.7(@types/react@18.3.31)) (@types/react@18.3.31) (react-dom@19.0.1(react@19.0.1)) (react@19.0.1) ':
5706   dependencies:
5707     '@radix-ui/number': 1.1.2
5708     '@radix-ui/primitive': 1.1.4
5709     '@radix-ui/react-collection': 1.1.9(@types/react-dom@18.3.7(@types/react@18.3.31)) (@types/react@18.3.31) (react-dom@19.0.1(react@19.0.1)) (react@19.0.1)
5710     '@radix-ui/react-compose-refs': 1.1.3(@types/react@18.3.31) (react@19.0.1)
5711     '@radix-ui/react-context': 1.1.4(@types/react@18.3.31) (react@19.0.1)
5712     '@radix-ui/react-direction': 1.1.2(@types/react@18.3.31) (react@19.0.1)
5713     '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31)) (@types/react@18.3.31) (react-dom@19.0.1(react@19.0.1)) (react@19.0.1)
5714     '@radix-ui/react-use-controllable-state': 1.2.3(@types/react@18.3.31) (react@19.0.1)
5715     '@radix-ui/react-use-layout-effect': 1.1.2(@types/react@18.3.31) (react@19.0.1)
5716     '@radix-ui/react-use-previous': 1.1.2(@types/react@18.3.31) (react@19.0.1)
5717     '@radix-ui/react-use-size': 1.1.2(@types/react@18.3.31) (react@19.0.1)
5718     react: 19.0.1
5719     react-dom: 19.0.1(react@19.0.1)
5720     optionalDependencies:
5721       '@types/react': 18.3.31
5722       '@types/react-dom': 18.3.7(@types/react@18.3.31)
5723
5724 '@radix-ui/react-slot@1.2.5(@types/react@18.3.31) (react@19.0.1) ':
5725   dependencies:
5726     '@radix-ui/react-compose-refs': 1.1.3(@types/react@18.3.31) (react@19.0.1)
5727     react: 19.0.1

```

```

5728 optionalDependencies:
5729   '@types/react': 18.3.31
5730
5731 '@radix-ui/react-switch@1.3.0(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)':
5732   dependencies:
5733     '@radix-ui/primitive': 1.1.4
5734     '@radix-ui/react-compose-refs': 1.1.3(@types/react@18.3.31)(react@19.0.1)
5735     '@radix-ui/react-context': 1.1.4(@types/react@18.3.31)(react@19.0.1)
5736     '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5737     '@radix-ui/react-use-controllable-state': 1.2.3(@types/react@18.3.31)(react@19.0.1)
5738     '@radix-ui/react-use-previous': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5739     '@radix-ui/react-use-size': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5740     react: 19.0.1
5741     react-dom: 19.0.1(react@19.0.1)
5742   optionalDependencies:
5743     '@types/react': 18.3.31
5744     '@types/react-dom': 18.3.7(@types/react@18.3.31)
5745
5746 '@radix-ui/react-tabs@1.1.14(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)':
5747   dependencies:
5748     '@radix-ui/primitive': 1.1.4
5749     '@radix-ui/react-context': 1.1.4(@types/react@18.3.31)(react@19.0.1)
5750     '@radix-ui/react-direction': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5751     '@radix-ui/react-id': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5752     '@radix-ui/react-presence': 1.1.6(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5753     '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5754     '@radix-ui/react-roving-focus': 1.1.12(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5755     '@radix-ui/react-use-controllable-state': 1.2.3(@types/react@18.3.31)(react@19.0.1)
5756     react: 19.0.1
5757     react-dom: 19.0.1(react@19.0.1)
5758   optionalDependencies:
5759     '@types/react': 18.3.31
5760     '@types/react-dom': 18.3.7(@types/react@18.3.31)
5761
5762 '@radix-ui/react-toast@1.2.16(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)':
5763   dependencies:
5764     '@radix-ui/primitive': 1.1.4
5765     '@radix-ui/react-collection': 1.1.9(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5766     '@radix-ui/react-compose-refs': 1.1.3(@types/react@18.3.31)(react@19.0.1)
5767     '@radix-ui/react-context': 1.1.4(@types/react@18.3.31)(react@19.0.1)
5768     '@radix-ui/react-dismissable-layer': 1.1.12(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5769     '@radix-ui/react-portal': 1.1.11(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5770     '@radix-ui/react-presence': 1.1.6(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5771     '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5772     '@radix-ui/react-use-callback-ref': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5773     '@radix-ui/react-use-controllable-state': 1.2.3(@types/react@18.3.31)(react@19.0.1)
5774     '@radix-ui/react-use-layout-effect': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5775     '@radix-ui/react-visually-hidden': 1.2.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5776     react: 19.0.1
5777     react-dom: 19.0.1(react@19.0.1)
5778   optionalDependencies:
5779     '@types/react': 18.3.31
5780     '@types/react-dom': 18.3.7(@types/react@18.3.31)
5781
5782 '@radix-ui/react-toggle-group@1.1.12(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)':
5783   dependencies:
5784     '@radix-ui/primitive': 1.1.4
5785     '@radix-ui/react-context': 1.1.4(@types/react@18.3.31)(react@19.0.1)
5786     '@radix-ui/react-direction': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5787     '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5788     '@radix-ui/react-roving-focus': 1.1.12(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5789     '@radix-ui/react-toggle': 1.1.11(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5790     '@radix-ui/react-use-controllable-state': 1.2.3(@types/react@18.3.31)(react@19.0.1)
5791     react: 19.0.1
5792     react-dom: 19.0.1(react@19.0.1)
5793   optionalDependencies:
5794     '@types/react': 18.3.31
5795     '@types/react-dom': 18.3.7(@types/react@18.3.31)
5796

```

```

5797 '@radix-ui/react-toggle@1.1.11(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)':
5798   dependencies:
5799     '@radix-ui/primitive': 1.1.4
5800     '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5801     '@radix-ui/react-use-controllable-state': 1.2.3(@types/react@18.3.31)(react@19.0.1)
5802     react: 19.0.1
5803     react-dom: 19.0.1(react@19.0.1)
5804   optionalDependencies:
5805     '@types/react': 18.3.31
5806     '@types/react-dom': 18.3.7(@types/react@18.3.31)
5807
5808 '@radix-ui/react-toolbar@1.1.12(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)':
5809   dependencies:
5810     '@radix-ui/primitive': 1.1.4
5811     '@radix-ui/react-context': 1.1.4(@types/react@18.3.31)(react@19.0.1)
5812     '@radix-ui/react-direction': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5813     '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5814     '@radix-ui/react-roving-focus': 1.1.12(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5815     '@radix-ui/react-separator': 1.1.9(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5816     '@radix-ui/react-toggle-group': 1.1.12(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5817     react: 19.0.1
5818     react-dom: 19.0.1(react@19.0.1)
5819   optionalDependencies:
5820     '@types/react': 18.3.31
5821     '@types/react-dom': 18.3.7(@types/react@18.3.31)
5822
5823 '@radix-ui/react-tooltip@1.2.9(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)':
5824   dependencies:
5825     '@radix-ui/primitive': 1.1.4
5826     '@radix-ui/react-compose-refs': 1.1.3(@types/react@18.3.31)(react@19.0.1)
5827     '@radix-ui/react-context': 1.1.4(@types/react@18.3.31)(react@19.0.1)
5828     '@radix-ui/react-dismissable-layer': 1.1.12(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5829     '@radix-ui/react-id': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5830     '@radix-ui/react-popper': 1.3.0(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5831     '@radix-ui/react-portal': 1.1.11(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5832     '@radix-ui/react-presence': 1.1.6(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5833     '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5834     '@radix-ui/react-slot': 1.2.5(@types/react@18.3.31)(react@19.0.1)
5835     '@radix-ui/react-use-controllable-state': 1.2.3(@types/react@18.3.31)(react@19.0.1)
5836     '@radix-ui/react-visually-hidden': 1.2.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
5837     react: 19.0.1
5838     react-dom: 19.0.1(react@19.0.1)
5839   optionalDependencies:
5840     '@types/react': 18.3.31
5841     '@types/react-dom': 18.3.7(@types/react@18.3.31)
5842
5843 '@radix-ui/react-use-callback-ref@1.1.2(@types/react@18.3.31)(react@19.0.1)':
5844   dependencies:
5845     react: 19.0.1
5846   optionalDependencies:
5847     '@types/react': 18.3.31
5848
5849 '@radix-ui/react-use-controllable-state@1.2.3(@types/react@18.3.31)(react@19.0.1)':
5850   dependencies:
5851     '@radix-ui/react-use-effect-event': 0.0.3(@types/react@18.3.31)(react@19.0.1)
5852     '@radix-ui/react-use-layout-effect': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5853     react: 19.0.1
5854   optionalDependencies:
5855     '@types/react': 18.3.31
5856
5857 '@radix-ui/react-use-effect-event@0.0.3(@types/react@18.3.31)(react@19.0.1)':
5858   dependencies:
5859     '@radix-ui/react-use-layout-effect': 1.1.2(@types/react@18.3.31)(react@19.0.1)
5860     react: 19.0.1
5861   optionalDependencies:
5862     '@types/react': 18.3.31
5863
5864 '@radix-ui/react-use-escape-keydown@1.1.2(@types/react@18.3.31)(react@19.0.1)':
5865   dependencies:

```

```

5866     '@radix-ui/react-use-callback-ref': 1.1.2(@types/react@18.3.31) (react@19.0.1)
5867     react: 19.0.1
5868     optionalDependencies:
5869       '@types/react': 18.3.31
5870
5871 '@radix-ui/react-use-is-hydrated@0.1.1(@types/react@18.3.31) (react@19.0.1)':
5872   dependencies:
5873     react: 19.0.1
5874   optionalDependencies:
5875     '@types/react': 18.3.31
5876
5877 '@radix-ui/react-use-layout-effect@1.1.2(@types/react@18.3.31) (react@19.0.1)':
5878   dependencies:
5879     react: 19.0.1
5880   optionalDependencies:
5881     '@types/react': 18.3.31
5882
5883 '@radix-ui/react-use-previous@1.1.2(@types/react@18.3.31) (react@19.0.1)':
5884   dependencies:
5885     react: 19.0.1
5886   optionalDependencies:
5887     '@types/react': 18.3.31
5888
5889 '@radix-ui/react-use-rect@1.1.2(@types/react@18.3.31) (react@19.0.1)':
5890   dependencies:
5891     '@radix-ui/rect': 1.1.2
5892     react: 19.0.1
5893   optionalDependencies:
5894     '@types/react': 18.3.31
5895
5896 '@radix-ui/react-use-size@1.1.2(@types/react@18.3.31) (react@19.0.1)':
5897   dependencies:
5898     '@radix-ui/react-use-layout-effect': 1.1.2(@types/react@18.3.31) (react@19.0.1)
5899     react: 19.0.1
5900   optionalDependencies:
5901     '@types/react': 18.3.31
5902
5903 '@radix-ui/react-visually-hidden@1.2.5(@types/react-dom@18.3.7(@types/react@18.3.31)) (@types/react@18.3.31) (react-dom@19.0.1(react@19.0.1)) (react@19.0.1)':
5904   dependencies:
5905     '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31)) (@types/react@18.3.31) (react-dom@19.0.1(react@19.0.1)) (react@19.0.1)
5906     react: 19.0.1
5907     react-dom: 19.0.1(react@19.0.1)
5908   optionalDependencies:
5909     '@types/react': 18.3.31
5910     '@types/react-dom': 18.3.7(@types/react@18.3.31)
5911
5912 '@radix-ui/rect@1.1.2': {}
5913
5914 '@react-email/render@1.1.2(react-dom@19.0.1(react@19.0.1)) (react@19.0.1)':
5915   dependencies:
5916     html-to-text: 9.0.5
5917     prettier: 3.8.4
5918     react: 19.0.1
5919     react-dom: 19.0.1(react@19.0.1)
5920     react-promise-suspense: 0.3.4
5921
5922 '@redis/bloom@5.12.1(@redis/client@5.12.1(@opentelemetry/api@1.9.1))':
5923   dependencies:
5924     '@redis/client': 5.12.1(@opentelemetry/api@1.9.1)
5925
5926 '@redis/client@5.12.1(@opentelemetry/api@1.9.1)':
5927   dependencies:
5928     cluster-key-slot: 1.1.2
5929   optionalDependencies:
5930     '@opentelemetry/api': 1.9.1
5931
5932 '@redis/json@5.12.1(@redis/client@5.12.1(@opentelemetry/api@1.9.1))':
5933   dependencies:
5934     '@redis/client': 5.12.1(@opentelemetry/api@1.9.1)

```

```
5935
5936 '@redis/search@5.12.1(@redis/client@5.12.1(@opentelemetry/api@1.9.1))':
5937   dependencies:
5938     '@redis/client': 5.12.1(@opentelemetry/api@1.9.1)
5939
5940 '@redis/time-series@5.12.1(@redis/client@5.12.1(@opentelemetry/api@1.9.1))':
5941   dependencies:
5942     '@redis/client': 5.12.1(@opentelemetry/api@1.9.1)
5943
5944 '@rollup/rollup-android-arm-eabi@4.62.0':
5945   optional: true
5946
5947 '@rollup/rollup-android-arm64@4.62.0':
5948   optional: true
5949
5950 '@rollup/rollup-darwin-arm64@4.62.0':
5951   optional: true
5952
5953 '@rollup/rollup-darwin-x64@4.62.0':
5954   optional: true
5955
5956 '@rollup/rollup-freebsd-arm64@4.62.0':
5957   optional: true
5958
5959 '@rollup/rollup-freebsd-x64@4.62.0':
5960   optional: true
5961
5962 '@rollup/rollup-linux-arm-gnueabi@4.62.0':
5963   optional: true
5964
5965 '@rollup/rollup-linux-arm-musleabi@4.62.0':
5966   optional: true
5967
5968 '@rollup/rollup-linux-arm64-gnu@4.62.0':
5969   optional: true
5970
5971 '@rollup/rollup-linux-arm64-musl@4.62.0':
5972   optional: true
5973
5974 '@rollup/rollup-linux-loong64-gnu@4.62.0':
5975   optional: true
5976
5977 '@rollup/rollup-linux-loong64-musl@4.62.0':
5978   optional: true
5979
5980 '@rollup/rollup-linux-ppc64-gnu@4.62.0':
5981   optional: true
5982
5983 '@rollup/rollup-linux-ppc64-musl@4.62.0':
5984   optional: true
5985
5986 '@rollup/rollup-linux-riscv64-gnu@4.62.0':
5987   optional: true
5988
5989 '@rollup/rollup-linux-riscv64-musl@4.62.0':
5990   optional: true
5991
5992 '@rollup/rollup-linux-s390x-gnu@4.62.0':
5993   optional: true
5994
5995 '@rollup/rollup-linux-x64-gnu@4.62.0':
5996   optional: true
5997
5998 '@rollup/rollup-linux-x64-musl@4.62.0':
5999   optional: true
6000
6001 '@rollup/rollup-openbsd-x64@4.62.0':
6002   optional: true
6003
```

```

6004 '@rollup/rollup-openharmony-arm64@4.62.0':
6005   optional: true
6006
6007 '@rollup/rollup-win32-arm64-msvc@4.62.0':
6008   optional: true
6009
6010 '@rollup/rollup-win32-ia32-msvc@4.62.0':
6011   optional: true
6012
6013 '@rollup/rollup-win32-x64-gnu@4.62.0':
6014   optional: true
6015
6016 '@rollup/rollup-win32-x64-msvc@4.62.0':
6017   optional: true
6018
6019 '@selderee/plugin-htmlparser2@0.11.0':
6020   dependencies:
6021     domhandler: 5.0.3
6022     selderee: 0.11.0
6023
6024 '@shikijs/core@3.23.0':
6025   dependencies:
6026     '@shikijs/types': 3.23.0
6027     '@shikijs/vscode-textmate': 10.0.2
6028     '@types/hast': 3.0.4
6029     hast-util-to-html: 9.0.5
6030
6031 '@shikijs/engine-javascript@3.23.0':
6032   dependencies:
6033     '@shikijs/types': 3.23.0
6034     '@shikijs/vscode-textmate': 10.0.2
6035     oniguruma-to-es: 4.3.6
6036
6037 '@shikijs/engine-oniguruma@3.23.0':
6038   dependencies:
6039     '@shikijs/types': 3.23.0
6040     '@shikijs/vscode-textmate': 10.0.2
6041
6042 '@shikijs/langs@3.23.0':
6043   dependencies:
6044     '@shikijs/types': 3.23.0
6045
6046 '@shikijs/themes@3.23.0':
6047   dependencies:
6048     '@shikijs/types': 3.23.0
6049
6050 '@shikijs/types@3.23.0':
6051   dependencies:
6052     '@shikijs/vscode-textmate': 10.0.2
6053     '@types/hast': 3.0.4
6054
6055 '@shikijs/vscode-textmate@10.0.2': {}
6056
6057 '@standard-schema/spec@1.1.0': {}
6058
6059 '@supabase/auth-js@2.108.2':
6060   dependencies:
6061     tslib: 2.8.1
6062
6063 '@supabase/functions-js@2.108.2':
6064   dependencies:
6065     tslib: 2.8.1
6066
6067 '@supabase/phoenix@0.4.2': {}
6068
6069 '@supabase/postgrest-js@2.108.2':
6070   dependencies:
6071     tslib: 2.8.1
6072

```

```
6073 '@supabase/realtime-js@2.108.2':
6074   dependencies:
6075     '@supabase/phoenix': 0.4.2
6076     tslib: 2.8.1
6077
6078 '@supabase/storage-js@2.108.2':
6079   dependencies:
6080     iceberg-js: 0.8.1
6081     tslib: 2.8.1
6082
6083 '@supabase/supabase-js@2.108.2':
6084   dependencies:
6085     '@supabase/auth-js': 2.108.2
6086     '@supabase/functions-js': 2.108.2
6087     '@supabase/postgrest-js': 2.108.2
6088     '@supabase/realtime-js': 2.108.2
6089     '@supabase/storage-js': 2.108.2
6090
6091 '@swc/helpers@0.5.15':
6092   dependencies:
6093     tslib: 2.8.1
6094
6095 '@tailwindcss/node@4.3.1':
6096   dependencies:
6097     '@jridgewell/remapping': 2.3.5
6098     enhanced-resolve: 5.21.6
6099     jiti: 2.7.0
6100     lightningcss: 1.32.0
6101     magic-string: 0.30.21
6102     source-map-js: 1.2.1
6103     tailwindcss: 4.3.1
6104
6105 '@tailwindcss/oxide-android-arm64@4.3.1':
6106   optional: true
6107
6108 '@tailwindcss/oxide-darwin-arm64@4.3.1':
6109   optional: true
6110
6111 '@tailwindcss/oxide-darwin-x64@4.3.1':
6112   optional: true
6113
6114 '@tailwindcss/oxide-freebsd-x64@4.3.1':
6115   optional: true
6116
6117 '@tailwindcss/oxide-linux-arm-gnueabi@4.3.1':
6118   optional: true
6119
6120 '@tailwindcss/oxide-linux-arm64-gnu@4.3.1':
6121   optional: true
6122
6123 '@tailwindcss/oxide-linux-arm64-musl@4.3.1':
6124   optional: true
6125
6126 '@tailwindcss/oxide-linux-x64-gnu@4.3.1':
6127   optional: true
6128
6129 '@tailwindcss/oxide-linux-x64-musl@4.3.1':
6130   optional: true
6131
6132 '@tailwindcss/oxide-wasm32-wasi@4.3.1':
6133   optional: true
6134
6135 '@tailwindcss/oxide-win32-arm64-msvc@4.3.1':
6136   optional: true
6137
6138 '@tailwindcss/oxide-win32-x64-msvc@4.3.1':
6139   optional: true
6140
6141 '@tailwindcss/oxide@4.3.1':
```



```

6142 optionalDependencies:
6143   '@tailwindcss/oxide-android-arm64': 4.3.1
6144   '@tailwindcss/oxide-darwin-arm64': 4.3.1
6145   '@tailwindcss/oxide-darwin-x64': 4.3.1
6146   '@tailwindcss/oxide-freebsd-x64': 4.3.1
6147   '@tailwindcss/oxide-linux-arm-gnueabi': 4.3.1
6148   '@tailwindcss/oxide-linux-arm64-gnu': 4.3.1
6149   '@tailwindcss/oxide-linux-arm64-musl': 4.3.1
6150   '@tailwindcss/oxide-linux-x64-gnu': 4.3.1
6151   '@tailwindcss/oxide-linux-x64-musl': 4.3.1
6152   '@tailwindcss/oxide-wasm32-wasi': 4.3.1
6153   '@tailwindcss/oxide-win32-arm64-msvc': 4.3.1
6154   '@tailwindcss/oxide-win32-x64-msvc': 4.3.1
6155
6156 '@tailwindcss/postcss@4.3.1':
6157   dependencies:
6158     '@alloc/quick-lru': 5.2.0
6159     '@tailwindcss/node': 4.3.1
6160     '@tailwindcss/oxide': 4.3.1
6161     postcss: 8.5.15
6162     tailwindcss: 4.3.1
6163
6164 '@tailwindcss/typography@0.5.20(tailwindcss@4.3.1)':
6165   dependencies:
6166     postcss-selector-parser: 6.0.10
6167     tailwindcss: 4.3.1
6168
6169 '@trpc/server@11.17.0(typescript@5.9.3)':
6170   dependencies:
6171     typescript: 5.9.3
6172
6173 '@types/chai@5.2.3':
6174   dependencies:
6175     '@types/deep-eql': 4.0.2
6176     assertion-error: 2.0.1
6177
6178 '@types/cookie@0.6.0': {}
6179
6180 '@types/d3-array@3.2.2': {}
6181
6182 '@types/d3-axis@3.0.6':
6183   dependencies:
6184     '@types/d3-selection': 3.0.11
6185
6186 '@types/d3-brush@3.0.6':
6187   dependencies:
6188     '@types/d3-selection': 3.0.11
6189
6190 '@types/d3-chord@3.0.6': {}
6191
6192 '@types/d3-color@3.1.3': {}
6193
6194 '@types/d3-contour@3.0.6':
6195   dependencies:
6196     '@types/d3-array': 3.2.2
6197     '@types/geojson': 7946.0.16
6198
6199 '@types/d3-delaunay@6.0.4': {}
6200
6201 '@types/d3-dispatch@3.0.7': {}
6202
6203 '@types/d3-drag@3.0.7':
6204   dependencies:
6205     '@types/d3-selection': 3.0.11
6206
6207 '@types/d3-dsv@3.0.7': {}
6208
6209 '@types/d3-ease@3.0.2': {}
6210

```

```
6211 '@types/d3-fetch@3.0.7':
6212   dependencies:
6213     '@types/d3-dsv': 3.0.7
6214
6215 '@types/d3-force@3.0.10': {}
6216
6217 '@types/d3-format@3.0.4': {}
6218
6219 '@types/d3-geo@3.1.0':
6220   dependencies:
6221     '@types/geojson': 7946.0.16
6222
6223 '@types/d3-hierarchy@3.1.7': {}
6224
6225 '@types/d3-interpolate@3.0.4':
6226   dependencies:
6227     '@types/d3-color': 3.1.3
6228
6229 '@types/d3-path@3.1.1': {}
6230
6231 '@types/d3-polygon@3.0.2': {}
6232
6233 '@types/d3-quadtree@3.0.6': {}
6234
6235 '@types/d3-random@3.0.3': {}
6236
6237 '@types/d3-scale-chromatic@3.1.0': {}
6238
6239 '@types/d3-scale@4.0.9':
6240   dependencies:
6241     '@types/d3-time': 3.0.4
6242
6243 '@types/d3-selection@3.0.11': {}
6244
6245 '@types/d3-shape@3.1.8':
6246   dependencies:
6247     '@types/d3-path': 3.1.1
6248
6249 '@types/d3-time-format@4.0.3': {}
6250
6251 '@types/d3-time@3.0.4': {}
6252
6253 '@types/d3-timer@3.0.2': {}
6254
6255 '@types/d3-transition@3.0.9':
6256   dependencies:
6257     '@types/d3-selection': 3.0.11
6258
6259 '@types/d3-zoom@3.0.8':
6260   dependencies:
6261     '@types/d3-interpolate': 3.0.4
6262     '@types/d3-selection': 3.0.11
6263
6264 '@types/d3@7.4.3':
6265   dependencies:
6266     '@types/d3-array': 3.2.2
6267     '@types/d3-axis': 3.0.6
6268     '@types/d3-brush': 3.0.6
6269     '@types/d3-chord': 3.0.6
6270     '@types/d3-color': 3.1.3
6271     '@types/d3-contour': 3.0.6
6272     '@types/d3-delaunay': 6.0.4
6273     '@types/d3-dispatch': 3.0.7
6274     '@types/d3-drag': 3.0.7
6275     '@types/d3-dsv': 3.0.7
6276     '@types/d3-ease': 3.0.2
6277     '@types/d3-fetch': 3.0.7
6278     '@types/d3-force': 3.0.10
6279     '@types/d3-format': 3.0.4
```

```

6280     '@types/d3-geo': 3.1.0
6281     '@types/d3-hierarchy': 3.1.7
6282     '@types/d3-interpolate': 3.0.4
6283     '@types/d3-path': 3.1.1
6284     '@types/d3-polygon': 3.0.2
6285     '@types/d3-quadtree': 3.0.6
6286     '@types/d3-random': 3.0.3
6287     '@types/d3-scale': 4.0.9
6288     '@types/d3-scale-chromatic': 3.1.0
6289     '@types/d3-selection': 3.0.11
6290     '@types/d3-shape': 3.1.8
6291     '@types/d3-time': 3.0.4
6292     '@types/d3-time-format': 4.0.3
6293     '@types/d3-timer': 3.0.2
6294     '@types/d3-transition': 3.0.9
6295     '@types/d3-zoom': 3.0.8
6296
6297     '@types/debug@4.1.13':
6298       dependencies:
6299         '@types/ms': 2.1.0
6300
6301     '@types/deep-eql@4.0.2': {}
6302
6303     '@types/estree-jsx@1.0.5':
6304       dependencies:
6305         '@types/estree': 1.0.9
6306
6307     '@types/estree@1.0.9': {}
6308
6309     '@types/geojson@7946.0.16': {}
6310
6311     '@types/hast@2.3.10':
6312       dependencies:
6313         '@types/unist': 2.0.11
6314
6315     '@types/hast@3.0.4':
6316       dependencies:
6317         '@types/unist': 3.0.3
6318
6319     '@types/katex@0.16.8': {}
6320
6321     '@types/linkify-it@5.0.0': {}
6322
6323     '@types/markdown-it@14.1.2':
6324       dependencies:
6325         '@types/linkify-it': 5.0.0
6326         '@types/mdurl': 2.0.0
6327
6328     '@types/mdast@4.0.4':
6329       dependencies:
6330         '@types/unist': 3.0.3
6331
6332     '@types/mdurl@2.0.0': {}
6333
6334     '@types/ms@2.1.0': {}
6335
6336     '@types/node@22.19.21':
6337       dependencies:
6338         undici-types: 6.21.0
6339
6340     '@types/omelette@0.4.5': {}
6341
6342     '@types/papaparse@5.5.2':
6343       dependencies:
6344         '@types/node': 22.19.21
6345
6346     '@types/pdf-parse@1.1.5':
6347       dependencies:
6348         '@types/node': 22.19.21

```

```

6349
6350 '@types/prop-types@15.7.15': {}
6351
6352 '@types/react-dom@18.3.7(@types/react@18.3.31)':
6353   dependencies:
6354     '@types/react': 18.3.31
6355
6356 '@types/react-syntax-highlighter@15.5.13':
6357   dependencies:
6358     '@types/react': 18.3.31
6359
6360 '@types/react@18.3.31':
6361   dependencies:
6362     '@types/prop-types': 15.7.15
6363     csstype: 3.2.3
6364
6365 '@types/trusted-types@2.0.7':
6366   optional: true
6367
6368 '@types/unist@2.0.11': {}
6369
6370 '@types/unist@3.0.3': {}
6371
6372 '@ungap/structured-clone@1.3.1': {}
6373
6374 '@upsetjs/venn.js@2.0.0':
6375   optionalDependencies:
6376     d3-selection: 3.0.0
6377     d3-transition: 3.0.1(d3-selection@3.0.0)
6378
6379 '@vercel/oidc@3.2.0': {}
6380
6381 '@vitest/expect@3.2.6':
6382   dependencies:
6383     '@types/chai': 5.2.3
6384     '@vitest/spy': 3.2.6
6385     '@vitest/utils': 3.2.6
6386     chai: 5.3.3
6387     tinyrainbow: 2.0.0
6388
6389 '@vitest/mocker@3.2.6(vite@7.3.5(@types/node@22.19.21)(jiti@2.7.0)(lightningcss@1.32.0)(tsx@4.22.4))':
6390   dependencies:
6391     '@vitest/spy': 3.2.6
6392     estree-walker: 3.0.3
6393     magic-string: 0.30.21
6394   optionalDependencies:
6395     vite: 7.3.5(@types/node@22.19.21)(jiti@2.7.0)(lightningcss@1.32.0)(tsx@4.22.4)
6396
6397 '@vitest/pretty-format@3.2.6':
6398   dependencies:
6399     tinyrainbow: 2.0.0
6400
6401 '@vitest/runner@3.2.6':
6402   dependencies:
6403     '@vitest/utils': 3.2.6
6404     pathe: 2.0.3
6405     strip-literal: 3.1.0
6406
6407 '@vitest/snapshot@3.2.6':
6408   dependencies:
6409     '@vitest/pretty-format': 3.2.6
6410     magic-string: 0.30.21
6411     pathe: 2.0.3
6412
6413 '@vitest/spy@3.2.6':
6414   dependencies:
6415     tinyspy: 4.0.4
6416
6417 '@vitest/utils@3.2.6':

```

```

6418 dependencies:
6419   '@vitest/prettier-format': 3.2.6
6420   loupe: 3.2.1
6421   tinyrainbow: 2.0.0
6422
6423 '@xyflow/react@12.11.0(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)':
6424 dependencies:
6425   '@xyflow/system': 0.0.77
6426   classcat: 5.0.5
6427   react: 19.0.1
6428   react-dom: 19.0.1(react@19.0.1)
6429   zustand: 4.5.7(@types/react@18.3.31)(react@19.0.1)
6430 optionalDependencies:
6431   '@types/react': 18.3.31
6432   '@types/react-dom': 18.3.7(@types/react@18.3.31)
6433 transitivePeerDependencies:
6434   - immer
6435
6436 '@xyflow/system@0.0.77':
6437 dependencies:
6438   '@types/d3-drag': 3.0.7
6439   '@types/d3-interpolate': 3.0.4
6440   '@types/d3-selection': 3.0.11
6441   '@types/d3-transition': 3.0.9
6442   '@types/d3-zoom': 3.0.8
6443   d3-drag: 3.0.0
6444   d3-interpolate: 3.0.1
6445   d3-selection: 3.0.0
6446   d3-zoom: 3.0.0
6447
6448 ai@6.0.205(zod@3.25.76):
6449 dependencies:
6450   '@ai-sdk/gateway': 3.0.131(zod@3.25.76)
6451   '@ai-sdk/provider': 3.0.10
6452   '@ai-sdk/provider-utils': 4.0.29(zod@3.25.76)
6453   '@opentelemetry/api': 1.9.1
6454   zod: 3.25.76
6455
6456 argparse@2.0.1: {}
6457
6458 aria-hidden@1.2.6:
6459 dependencies:
6460   tslib: 2.8.1
6461
6462 assertion-error@2.0.1: {}
6463
6464 bail@2.0.2: {}
6465
6466 baseline-browser-mapping@2.10.37: {}
6467
6468 bcrypt-ts@5.0.3: {}
6469
6470 buffer-from@1.1.2: {}
6471
6472 cac@6.7.14: {}
6473
6474 caniuse-lite@1.0.30001799: {}
6475
6476 ccount@2.0.1: {}
6477
6478 chai@5.3.3:
6479 dependencies:
6480   assertion-error: 2.0.1
6481   check-error: 2.1.3
6482   deep-eql: 5.0.2
6483   loupe: 3.2.1
6484   pathval: 2.0.1
6485
6486 character-entities-html4@2.1.0: {}

```

```

6487
6488   character-entities-legacy@1.1.4: {}
6489
6490   character-entities-legacy@3.0.0: {}
6491
6492   character-entities@1.2.4: {}
6493
6494   character-entities@2.0.2: {}
6495
6496   character-reference-invalid@1.1.4: {}
6497
6498   character-reference-invalid@2.0.1: {}
6499
6500   check-error@2.1.3: {}
6501
6502   citty@0.2.2: {}
6503
6504   class-variance-authority@0.7.1:
6505     dependencies:
6506       clsx: 2.1.1
6507
6508   classcat@5.0.5: {}
6509
6510   classnames@2.5.1: {}
6511
6512   client-only@0.0.1: {}
6513
6514   clsx@2.1.1: {}
6515
6516   cluster-key-slot@1.1.2: {}
6517
6518   cmdk@1.1.1(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1):
6519     dependencies:
6520       '@radix-ui/react-compose-refs': 1.1.3(@types/react@18.3.31)(react@19.0.1)
6521       '@radix-ui/react-dialog': 1.1.16(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
6522       '@radix-ui/react-id': 1.1.2(@types/react@18.3.31)(react@19.0.1)
6523       '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
6524       react: 19.0.1
6525       react-dom: 19.0.1(react@19.0.1)
6526     transitivePeerDependencies:
6527       - '@types/react'
6528       - '@types/react-dom'
6529
6530   codemirror@6.0.2:
6531     dependencies:
6532       '@codemirror/autocomplete': 6.20.3
6533       '@codemirror/commands': 6.10.3
6534       '@codemirror/language': 6.12.3
6535       '@codemirror/lint': 6.9.7
6536       '@codemirror/search': 6.7.0
6537       '@codemirror/state': 6.6.0
6538       '@codemirror/view': 6.43.1
6539
6540   comma-separated-tokens@1.0.8: {}
6541
6542   comma-separated-tokens@2.0.3: {}
6543
6544   commander@14.0.3: {}
6545
6546   commander@7.2.0: {}
6547
6548   commander@8.3.0: {}
6549
6550   cookie@0.7.1: {}
6551
6552   cose-base@1.0.3:
6553     dependencies:
6554       layout-base: 1.0.2
6555

```

```
6556 cose-base@2.2.0:
6557   dependencies:
6558     layout-base: 2.0.1
6559
6560 crelt@1.0.6: {}
6561
6562 cssesc@3.0.0: {}
6563
6564 csstype@3.2.3: {}
6565
6566 cytoscape-cose-bilkent@4.1.0 (cytoscape@3.34.0):
6567   dependencies:
6568     cose-base: 1.0.3
6569     cytoscape: 3.34.0
6570
6571 cytoscape-fcose@2.2.0 (cytoscape@3.34.0):
6572   dependencies:
6573     cose-base: 2.2.0
6574     cytoscape: 3.34.0
6575
6576 cytoscape@3.34.0: {}
6577
6578 d3-array@2.12.1:
6579   dependencies:
6580     internmap: 1.0.1
6581
6582 d3-array@3.2.4:
6583   dependencies:
6584     internmap: 2.0.3
6585
6586 d3-axis@3.0.0: {}
6587
6588 d3-brush@3.0.0:
6589   dependencies:
6590     d3-dispatch: 3.0.1
6591     d3-drag: 3.0.0
6592     d3-interpolate: 3.0.1
6593     d3-selection: 3.0.0
6594     d3-transition: 3.0.1 (d3-selection@3.0.0)
6595
6596 d3-chord@3.0.1:
6597   dependencies:
6598     d3-path: 3.1.0
6599
6600 d3-color@3.1.0: {}
6601
6602 d3-contour@4.0.2:
6603   dependencies:
6604     d3-array: 3.2.4
6605
6606 d3-delaunay@6.0.4:
6607   dependencies:
6608     delaunator: 5.1.0
6609
6610 d3-dispatch@3.0.1: {}
6611
6612 d3-drag@3.0.0:
6613   dependencies:
6614     d3-dispatch: 3.0.1
6615     d3-selection: 3.0.0
6616
6617 d3-dsv@3.0.1:
6618   dependencies:
6619     commander: 7.2.0
6620     iconv-lite: 0.6.3
6621     rw: 1.3.3
6622
6623 d3-ease@3.0.1: {}
6624
```

```
6625 d3-fetch@3.0.1:
6626   dependencies:
6627     d3-dsv: 3.0.1
6628
6629 d3-force@3.0.0:
6630   dependencies:
6631     d3-dispatch: 3.0.1
6632     d3-quadtree: 3.0.1
6633     d3-timer: 3.0.1
6634
6635 d3-format@3.1.2: {}
6636
6637 d3-geo@3.1.1:
6638   dependencies:
6639     d3-array: 3.2.4
6640
6641 d3-hierarchy@3.1.2: {}
6642
6643 d3-interpolate@3.0.1:
6644   dependencies:
6645     d3-color: 3.1.0
6646
6647 d3-path@1.0.9: {}
6648
6649 d3-path@3.1.0: {}
6650
6651 d3-polygon@3.0.1: {}
6652
6653 d3-quadtree@3.0.1: {}
6654
6655 d3-random@3.0.1: {}
6656
6657 d3-sankey@0.12.3:
6658   dependencies:
6659     d3-array: 2.12.1
6660     d3-shape: 1.3.7
6661
6662 d3-scale-chromatic@3.1.0:
6663   dependencies:
6664     d3-color: 3.1.0
6665     d3-interpolate: 3.0.1
6666
6667 d3-scale@4.0.2:
6668   dependencies:
6669     d3-array: 3.2.4
6670     d3-format: 3.1.2
6671     d3-interpolate: 3.0.1
6672     d3-time: 3.1.0
6673     d3-time-format: 4.1.0
6674
6675 d3-selection@3.0.0: {}
6676
6677 d3-shape@1.3.7:
6678   dependencies:
6679     d3-path: 1.0.9
6680
6681 d3-shape@3.2.0:
6682   dependencies:
6683     d3-path: 3.1.0
6684
6685 d3-time-format@4.1.0:
6686   dependencies:
6687     d3-time: 3.1.0
6688
6689 d3-time@3.1.0:
6690   dependencies:
6691     d3-array: 3.2.4
6692
6693 d3-timer@3.0.1: {}
```



```

6694
6695 d3-transition@3.0.1(d3-selection@3.0.0):
6696   dependencies:
6697     d3-color: 3.1.0
6698     d3-dispatch: 3.0.1
6699     d3-ease: 3.0.1
6700     d3-interpolate: 3.0.1
6701     d3-selection: 3.0.0
6702     d3-timer: 3.0.1
6703
6704 d3-zoom@3.0.0:
6705   dependencies:
6706     d3-dispatch: 3.0.1
6707     d3-drag: 3.0.0
6708     d3-interpolate: 3.0.1
6709     d3-selection: 3.0.0
6710     d3-transition: 3.0.1(d3-selection@3.0.0)
6711
6712 d3@7.9.0:
6713   dependencies:
6714     d3-array: 3.2.4
6715     d3-axis: 3.0.0
6716     d3-brush: 3.0.0
6717     d3-chord: 3.0.1
6718     d3-color: 3.1.0
6719     d3-contour: 4.0.2
6720     d3-delaunay: 6.0.4
6721     d3-dispatch: 3.0.1
6722     d3-drag: 3.0.0
6723     d3-dsv: 3.0.1
6724     d3-ease: 3.0.1
6725     d3-fetch: 3.0.1
6726     d3-force: 3.0.0
6727     d3-format: 3.1.2
6728     d3-geo: 3.1.1
6729     d3-hierarchy: 3.1.2
6730     d3-interpolate: 3.0.1
6731     d3-path: 3.1.0
6732     d3-polygon: 3.0.1
6733     d3-quadtree: 3.0.1
6734     d3-random: 3.0.1
6735     d3-scale: 4.0.2
6736     d3-scale-chromatic: 3.1.0
6737     d3-selection: 3.0.0
6738     d3-shape: 3.2.0
6739     d3-time: 3.1.0
6740     d3-time-format: 4.1.0
6741     d3-timer: 3.0.1
6742     d3-transition: 3.0.1(d3-selection@3.0.0)
6743     d3-zoom: 3.0.0
6744
6745 dagre-d3-es@7.0.14:
6746   dependencies:
6747     d3: 7.9.0
6748     lodash-es: 4.18.1
6749
6750 date-fns@4.4.0: {}
6751
6752 dayjs@1.11.21: {}
6753
6754 debug@4.4.3:
6755   dependencies:
6756     ms: 2.1.3
6757
6758 decode-named-character-reference@1.3.0:
6759   dependencies:
6760     character-entities: 2.0.2
6761
6762 deep-eql@5.0.2: {}

```

```
6763
6764   deepmerge@4.3.1: {}
6765
6766   delaunator@5.1.0:
6767     dependencies:
6768       robust-predicates: 3.0.3
6769
6770   dequal@2.0.3: {}
6771
6772   detect-libc@2.1.2: {}
6773
6774   detect-node-es@1.1.0: {}
6775
6776   develop@1.1.0:
6777     dependencies:
6778       dequal: 2.0.3
6779
6780   diff-match-patch@1.0.5: {}
6781
6782   dom-serializer@2.0.0:
6783     dependencies:
6784       domelementtype: 2.3.0
6785       domhandler: 5.0.3
6786       entities: 4.5.0
6787
6788   domelementtype@2.3.0: {}
6789
6790   domhandler@5.0.3:
6791     dependencies:
6792       domelementtype: 2.3.0
6793
6794   dompurify@3.4.10:
6795     optionalDependencies:
6796       '@types/trusted-types': 2.0.7
6797
6798   domutils@3.2.2:
6799     dependencies:
6800       dom-serializer: 2.0.0
6801       domelementtype: 2.3.0
6802       domhandler: 5.0.3
6803
6804   dotenv@16.6.1: {}
6805
6806   drizzle-kit@0.25.0:
6807     dependencies:
6808       '@drizzle-team/brocli': 0.10.2
6809       '@esbuild-kit/esm-loader': 2.6.5
6810       esbuild: 0.19.12
6811       esbuild-register: 3.6.0(esbuild@0.19.12)
6812     transitivePeerDependencies:
6813       - supports-color
6814
6815   drizzle-orm@0.34.1(@opentelemetry/api@1.9.1)(@types/react@18.3.31)(postgres@3.4.9)(react@19.0.1):
6816     optionalDependencies:
6817       '@opentelemetry/api': 1.9.1
6818       '@types/react': 18.3.31
6819       postgres: 3.4.9
6820       react: 19.0.1
6821
6822   embla-carousel-react@8.6.0(react@19.0.1):
6823     dependencies:
6824       embla-carousel: 8.6.0
6825       embla-carousel-reactive-utils: 8.6.0(embla-carousel@8.6.0)
6826       react: 19.0.1
6827
6828   embla-carousel-reactive-utils@8.6.0(embla-carousel@8.6.0):
6829     dependencies:
6830       embla-carousel: 8.6.0
6831
```

```

6832   embla-carousel@8.6.0: {}
6833
6834   enhanced-resolve@5.21.6:
6835     dependencies:
6836       graceful-fs: 4.2.11
6837       tapable: 2.3.3
6838
6839   entities@4.5.0: {}
6840
6841   entities@6.0.1: {}
6842
6843   es-module-lexer@1.7.0: {}
6844
6845   es-toolkit@1.47.1: {}
6846
6847   esbuild-register@3.6.0(esbuild@0.19.12):
6848     dependencies:
6849       debug: 4.4.3
6850       esbuild: 0.19.12
6851     transitivePeerDependencies:
6852       - supports-color
6853
6854   esbuild@0.18.20:
6855     optionalDependencies:
6856       '@esbuild/android-arm': 0.18.20
6857       '@esbuild/android-arm64': 0.18.20
6858       '@esbuild/android-x64': 0.18.20
6859       '@esbuild/darwin-arm64': 0.18.20
6860       '@esbuild/darwin-x64': 0.18.20
6861       '@esbuild/freebsd-arm64': 0.18.20
6862       '@esbuild/freebsd-x64': 0.18.20
6863       '@esbuild/linux-arm': 0.18.20
6864       '@esbuild/linux-arm64': 0.18.20
6865       '@esbuild/linux-ia32': 0.18.20
6866       '@esbuild/linux-loong64': 0.18.20
6867       '@esbuild/linux-mips64el': 0.18.20
6868       '@esbuild/linux-ppc64': 0.18.20
6869       '@esbuild/linux-riscv64': 0.18.20
6870       '@esbuild/linux-s390x': 0.18.20
6871       '@esbuild/linux-x64': 0.18.20
6872       '@esbuild/netbsd-x64': 0.18.20
6873       '@esbuild/openbsd-x64': 0.18.20
6874       '@esbuild/sunos-x64': 0.18.20
6875       '@esbuild/win32-arm64': 0.18.20
6876       '@esbuild/win32-ia32': 0.18.20
6877       '@esbuild/win32-x64': 0.18.20
6878
6879   esbuild@0.19.12:
6880     optionalDependencies:
6881       '@esbuild/aix-ppc64': 0.19.12
6882       '@esbuild/android-arm': 0.19.12
6883       '@esbuild/android-arm64': 0.19.12
6884       '@esbuild/android-x64': 0.19.12
6885       '@esbuild/darwin-arm64': 0.19.12
6886       '@esbuild/darwin-x64': 0.19.12
6887       '@esbuild/freebsd-arm64': 0.19.12
6888       '@esbuild/freebsd-x64': 0.19.12
6889       '@esbuild/linux-arm': 0.19.12
6890       '@esbuild/linux-arm64': 0.19.12
6891       '@esbuild/linux-ia32': 0.19.12
6892       '@esbuild/linux-loong64': 0.19.12
6893       '@esbuild/linux-mips64el': 0.19.12
6894       '@esbuild/linux-ppc64': 0.19.12
6895       '@esbuild/linux-riscv64': 0.19.12
6896       '@esbuild/linux-s390x': 0.19.12
6897       '@esbuild/linux-x64': 0.19.12
6898       '@esbuild/netbsd-x64': 0.19.12
6899       '@esbuild/openbsd-x64': 0.19.12
6900       '@esbuild/sunos-x64': 0.19.12

```

```

6901     '@esbuild/win32-arm64': 0.19.12
6902     '@esbuild/win32-ia32': 0.19.12
6903     '@esbuild/win32-x64': 0.19.12
6904
6905     esbuild@0.27.7:
6906       optionalDependencies:
6907         '@esbuild/aix-ppc64': 0.27.7
6908         '@esbuild/android-arm': 0.27.7
6909         '@esbuild/android-arm64': 0.27.7
6910         '@esbuild/android-x64': 0.27.7
6911         '@esbuild/darwin-arm64': 0.27.7
6912         '@esbuild/darwin-x64': 0.27.7
6913         '@esbuild/freebsd-arm64': 0.27.7
6914         '@esbuild/freebsd-x64': 0.27.7
6915         '@esbuild/linux-arm': 0.27.7
6916         '@esbuild/linux-arm64': 0.27.7
6917         '@esbuild/linux-ia32': 0.27.7
6918         '@esbuild/linux-loong64': 0.27.7
6919         '@esbuild/linux-mips64el': 0.27.7
6920         '@esbuild/linux-ppc64': 0.27.7
6921         '@esbuild/linux-riscv64': 0.27.7
6922         '@esbuild/linux-s390x': 0.27.7
6923         '@esbuild/linux-x64': 0.27.7
6924         '@esbuild/netbsd-arm64': 0.27.7
6925         '@esbuild/netbsd-x64': 0.27.7
6926         '@esbuild/openbsd-arm64': 0.27.7
6927         '@esbuild/openbsd-x64': 0.27.7
6928         '@esbuild/openharmony-arm64': 0.27.7
6929         '@esbuild/sunos-x64': 0.27.7
6930         '@esbuild/win32-arm64': 0.27.7
6931         '@esbuild/win32-ia32': 0.27.7
6932         '@esbuild/win32-x64': 0.27.7
6933
6934     esbuild@0.28.1:
6935       optionalDependencies:
6936         '@esbuild/aix-ppc64': 0.28.1
6937         '@esbuild/android-arm': 0.28.1
6938         '@esbuild/android-arm64': 0.28.1
6939         '@esbuild/android-x64': 0.28.1
6940         '@esbuild/darwin-arm64': 0.28.1
6941         '@esbuild/darwin-x64': 0.28.1
6942         '@esbuild/freebsd-arm64': 0.28.1
6943         '@esbuild/freebsd-x64': 0.28.1
6944         '@esbuild/linux-arm': 0.28.1
6945         '@esbuild/linux-arm64': 0.28.1
6946         '@esbuild/linux-ia32': 0.28.1
6947         '@esbuild/linux-loong64': 0.28.1
6948         '@esbuild/linux-mips64el': 0.28.1
6949         '@esbuild/linux-ppc64': 0.28.1
6950         '@esbuild/linux-riscv64': 0.28.1
6951         '@esbuild/linux-s390x': 0.28.1
6952         '@esbuild/linux-x64': 0.28.1
6953         '@esbuild/netbsd-arm64': 0.28.1
6954         '@esbuild/netbsd-x64': 0.28.1
6955         '@esbuild/openbsd-arm64': 0.28.1
6956         '@esbuild/openbsd-x64': 0.28.1
6957         '@esbuild/openharmony-arm64': 0.28.1
6958         '@esbuild/sunos-x64': 0.28.1
6959         '@esbuild/win32-arm64': 0.28.1
6960         '@esbuild/win32-ia32': 0.28.1
6961         '@esbuild/win32-x64': 0.28.1
6962
6963     escape-string-regexp@5.0.0: {}
6964
6965     estree-util-is-identifier-name@3.0.0: {}
6966
6967     estree-walker@3.0.3:
6968       dependencies:
6969         '@types/estree': 1.0.9

```

```

6970
6971   eventsource-parser@3.1.0: {}
6972
6973   expect-type@1.3.0: {}
6974
6975   extend@3.0.2: {}
6976
6977   fast-deep-equal@2.0.1: {}
6978
6979   fast-deep-equal@3.1.3: {}
6980
6981   fault@1.0.4:
6982     dependencies:
6983       format: 0.2.2
6984
6985   fdir@6.5.0(picomatch@4.0.4):
6986     optionalDependencies:
6987       picomatch: 4.0.4
6988
6989   format@0.2.2: {}
6990
6991   framer-motion@11.18.2(react-dom@19.0.1(react@19.0.1))(react@19.0.1):
6992     dependencies:
6993       motion-dom: 11.18.1
6994       motion-utils: 11.18.1
6995       tslib: 2.8.1
6996     optionalDependencies:
6997       react: 19.0.1
6998       react-dom: 19.0.1(react@19.0.1)
6999
7000   framer-motion@12.40.0(react-dom@19.0.1(react@19.0.1))(react@19.0.1):
7001     dependencies:
7002       motion-dom: 12.40.0
7003       motion-utils: 12.39.0
7004       tslib: 2.8.1
7005     optionalDependencies:
7006       react: 19.0.1
7007       react-dom: 19.0.1(react@19.0.1)
7008
7009   fsevents@2.3.2:
7010     optional: true
7011
7012   fsevents@2.3.3:
7013     optional: true
7014
7015  geist@1.7.2(next@16.0.10(@opentelemetry/api@1.9.1)(@playwright/test@1.61.0)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)):
7016     dependencies:
7017       next: 16.0.10(@opentelemetry/api@1.9.1)(@playwright/test@1.61.0)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
7018
7019   get-east-asian-width@1.6.0: {}
7020
7021   get-nonce@1.0.1: {}
7022
7023   get-tsconfig@4.14.0:
7024     dependencies:
7025       resolve-pkg-maps: 1.0.0
7026
7027   graceful-fs@4.2.11: {}
7028
7029   hachure-fill@0.5.2: {}
7030
7031   hast-util-from-dom@5.0.1:
7032     dependencies:
7033       '@types/hast': 3.0.4
7034       hastscript: 9.0.1
7035       web-namespaces: 2.0.1
7036
7037   hast-util-from-html-isomorphic@2.0.0:
7038     dependencies:

```

```

7039     '@types/hast': 3.0.4
7040     hast-util-from-dom: 5.0.1
7041     hast-util-from-html: 2.0.3
7042     unist-util-remove-position: 5.0.0
7043
7044     hast-util-from-html@2.0.3:
7045       dependencies:
7046         '@types/hast': 3.0.4
7047         devlop: 1.1.0
7048         hast-util-from-parse5: 8.0.3
7049         parse5: 7.3.0
7050         vfile: 6.0.3
7051         vfile-message: 4.0.3
7052
7053     hast-util-from-parse5@8.0.3:
7054       dependencies:
7055         '@types/hast': 3.0.4
7056         '@types/unist': 3.0.3
7057         devlop: 1.1.0
7058         hastscript: 9.0.1
7059         property-information: 7.2.0
7060         vfile: 6.0.3
7061         vfile-location: 5.0.3
7062         web-namespaces: 2.0.1
7063
7064     hast-util-is-element@3.0.0:
7065       dependencies:
7066         '@types/hast': 3.0.4
7067
7068     hast-util-parse-selector@2.2.5: {}
7069
7070     hast-util-parse-selector@4.0.0:
7071       dependencies:
7072         '@types/hast': 3.0.4
7073
7074     hast-util-raw@9.1.0:
7075       dependencies:
7076         '@types/hast': 3.0.4
7077         '@types/unist': 3.0.3
7078         '@ungap/structured-clone': 1.3.1
7079         hast-util-from-parse5: 8.0.3
7080         hast-util-to-parse5: 8.0.1
7081         html-void-elements: 3.0.0
7082         mdast-util-to-hast: 13.2.1
7083         parse5: 7.3.0
7084         unist-util-position: 5.0.0
7085         unist-util-visit: 5.1.0
7086         vfile: 6.0.3
7087         web-namespaces: 2.0.1
7088         zwitch: 2.0.4
7089
7090     hast-util-sanitize@5.0.2:
7091       dependencies:
7092         '@types/hast': 3.0.4
7093         '@ungap/structured-clone': 1.3.1
7094         unist-util-position: 5.0.0
7095
7096     hast-util-to-html@9.0.5:
7097       dependencies:
7098         '@types/hast': 3.0.4
7099         '@types/unist': 3.0.3
7100         ccount: 2.0.1
7101         comma-separated-tokens: 2.0.3
7102         hast-util-whitespace: 3.0.0
7103         html-void-elements: 3.0.0
7104         mdast-util-to-hast: 13.2.1
7105         property-information: 7.2.0
7106         space-separated-tokens: 2.0.2
7107         stringify-entities: 4.0.4

```

```

7108         zwitch: 2.0.4
7109
7110     hast-util-to-jsx-runtime@2.3.6:
7111       dependencies:
7112         '@types/estree': 1.0.9
7113         '@types/hast': 3.0.4
7114         '@types/unist': 3.0.3
7115         comma-separated-tokens: 2.0.3
7116         devlop: 1.1.0
7117         estree-util-is-identifier-name: 3.0.0
7118         hast-util-whitespace: 3.0.0
7119         mdast-util-mdx-expression: 2.0.1
7120         mdast-util-mdx-jsx: 3.2.0
7121         mdast-util-mdxjs-esm: 2.0.1
7122         property-information: 7.2.0
7123         space-separated-tokens: 2.0.2
7124         style-to-js: 1.1.21
7125         unist-util-position: 5.0.0
7126         vfile-message: 4.0.3
7127       transitivePeerDependencies:
7128         - supports-color
7129
7130     hast-util-to-parse5@8.0.1:
7131       dependencies:
7132         '@types/hast': 3.0.4
7133         comma-separated-tokens: 2.0.3
7134         devlop: 1.1.0
7135         property-information: 7.2.0
7136         space-separated-tokens: 2.0.2
7137         web-namespaces: 2.0.1
7138         zwitch: 2.0.4
7139
7140     hast-util-to-text@4.0.2:
7141       dependencies:
7142         '@types/hast': 3.0.4
7143         '@types/unist': 3.0.3
7144         hast-util-is-element: 3.0.0
7145         unist-util-find-after: 5.0.0
7146
7147     hast-util-whitespace@3.0.0:
7148       dependencies:
7149         '@types/hast': 3.0.4
7150
7151     hast@1.0.0: {}
7152
7153     hastscript@6.0.0:
7154       dependencies:
7155         '@types/hast': 2.3.10
7156         comma-separated-tokens: 1.0.8
7157         hast-util-parse-selector: 2.2.5
7158         property-information: 5.6.0
7159         space-separated-tokens: 1.1.5
7160
7161     hastscript@9.0.1:
7162       dependencies:
7163         '@types/hast': 3.0.4
7164         comma-separated-tokens: 2.0.3
7165         hast-util-parse-selector: 4.0.0
7166         property-information: 7.2.0
7167         space-separated-tokens: 2.0.2
7168
7169     highlight.js@10.7.3: {}
7170
7171     highlightjs-vue@1.0.0: {}
7172
7173     html-to-text@9.0.5:
7174       dependencies:
7175         '@selderee/plugin-htmlparser2': 0.11.0
7176         deepmerge: 4.3.1

```

```
7177     dom-serializer: 2.0.0
7178     htmlparser2: 8.0.2
7179     selderee: 0.11.0
7180
7181     html-url-attributes@3.0.1: {}
7182
7183     html-void-elements@3.0.0: {}
7184
7185     htmlparser2@8.0.2:
7186       dependencies:
7187         domelementtype: 2.3.0
7188         domhandler: 5.0.3
7189         domutils: 3.2.2
7190         entities: 4.5.0
7191
7192     iceberg-js@0.8.1: {}
7193
7194     iconv-lite@0.6.3:
7195       dependencies:
7196         safer-buffer: 2.1.2
7197
7198     import-meta-resolve@4.2.0: {}
7199
7200     inline-style-parser@0.2.7: {}
7201
7202     internmap@1.0.1: {}
7203
7204     internmap@2.0.3: {}
7205
7206     is-alphabetical@1.0.4: {}
7207
7208     is-alphabetical@2.0.1: {}
7209
7210     is-alphanumeric@1.0.4:
7211       dependencies:
7212         is-alphabetical: 1.0.4
7213         is-decimal: 1.0.4
7214
7215     is-alphanumeric@2.0.1:
7216       dependencies:
7217         is-alphabetical: 2.0.1
7218         is-decimal: 2.0.1
7219
7220     is-decimal@1.0.4: {}
7221
7222     is-decimal@2.0.1: {}
7223
7224     is-hexadecimal@1.0.4: {}
7225
7226     is-hexadecimal@2.0.1: {}
7227
7228     is-plain-obj@4.1.0: {}
7229
7230     jiti@2.7.0: {}
7231
7232     jose@5.10.0: {}
7233
7234     js-tokens@9.0.1: {}
7235
7236     json-schema@0.4.0: {}
7237
7238     jsonc-parser@3.3.1: {}
7239
7240     katex@0.16.47:
7241       dependencies:
7242         commander: 8.3.0
7243
7244     khroma@2.1.0: {}
7245
```



```
7246 layout-base@1.0.2: {}
7247
7248 layout-base@2.0.1: {}
7249
7250 leac@0.6.0: {}
7251
7252 lightningcss-android-arm64@1.32.0:
7253   optional: true
7254
7255 lightningcss-darwin-arm64@1.32.0:
7256   optional: true
7257
7258 lightningcss-darwin-x64@1.32.0:
7259   optional: true
7260
7261 lightningcss-freebsd-x64@1.32.0:
7262   optional: true
7263
7264 lightningcss-linux-arm-gnueabi@1.32.0:
7265   optional: true
7266
7267 lightningcss-linux-arm64-gnu@1.32.0:
7268   optional: true
7269
7270 lightningcss-linux-arm64-musl@1.32.0:
7271   optional: true
7272
7273 lightningcss-linux-x64-gnu@1.32.0:
7274   optional: true
7275
7276 lightningcss-linux-x64-musl@1.32.0:
7277   optional: true
7278
7279 lightningcss-win32-arm64-msvc@1.32.0:
7280   optional: true
7281
7282 lightningcss-win32-x64-msvc@1.32.0:
7283   optional: true
7284
7285 lightningcss@1.32.0:
7286   dependencies:
7287     detect-libc: 2.1.2
7288   optionalDependencies:
7289     lightningcss-android-arm64: 1.32.0
7290     lightningcss-darwin-arm64: 1.32.0
7291     lightningcss-darwin-x64: 1.32.0
7292     lightningcss-freebsd-x64: 1.32.0
7293     lightningcss-linux-arm-gnueabi: 1.32.0
7294     lightningcss-linux-arm64-gnu: 1.32.0
7295     lightningcss-linux-arm64-musl: 1.32.0
7296     lightningcss-linux-x64-gnu: 1.32.0
7297     lightningcss-linux-x64-musl: 1.32.0
7298     lightningcss-win32-arm64-msvc: 1.32.0
7299     lightningcss-win32-x64-msvc: 1.32.0
7300
7301 linkify-it@5.0.1:
7302   dependencies:
7303     uc.micro: 2.1.0
7304
7305 lodash-es@4.18.1: {}
7306
7307 lodash.debounce@4.0.8: {}
7308
7309 longest-streak@3.1.0: {}
7310
7311 loupe@3.2.1: {}
7312
7313 lowlight@1.20.0:
7314   dependencies:
```

```

7315     fault: 1.0.4
7316     highlight.js: 10.7.3
7317
7318     lucide-react@0.446.0(react@19.0.1):
7319       dependencies:
7320         react: 19.0.1
7321
7322     lucide-react@0.542.0(react@19.0.1):
7323       dependencies:
7324         react: 19.0.1
7325
7326     magic-string@0.30.21:
7327       dependencies:
7328         '@jridgewell/sourcemap-codec': 1.5.5
7329
7330     markdown-it@14.2.0:
7331       dependencies:
7332         argparse: 2.0.1
7333         entities: 4.5.0
7334         linkify-it: 5.0.1
7335         mdurl: 2.0.0
7336         punycode.js: 2.3.1
7337         uc.micro: 2.1.0
7338
7339     markdown-table@3.0.4: {}
7340
7341     marked@16.4.2: {}
7342
7343     mdast-util-find-and-replace@3.0.2:
7344       dependencies:
7345         '@types/mdast': 4.0.4
7346         escape-string-regexp: 5.0.0
7347         unist-util-is: 6.0.1
7348         unist-util-visit-parents: 6.0.2
7349
7350     mdast-util-from-markdown@2.0.3:
7351       dependencies:
7352         '@types/mdast': 4.0.4
7353         '@types/unist': 3.0.3
7354         decode-named-character-reference: 1.3.0
7355         devlop: 1.1.0
7356         mdast-util-to-string: 4.0.0
7357         micromark: 4.0.2
7358         micromark-util-decode-numeric-character-reference: 2.0.2
7359         micromark-util-decode-string: 2.0.1
7360         micromark-util-normalize-identifier: 2.0.1
7361         micromark-util-symbol: 2.0.1
7362         micromark-util-types: 2.0.2
7363         unist-util-stringify-position: 4.0.0
7364     transitivePeerDependencies:
7365       - supports-color
7366
7367     mdast-util-gfm-autolink-literal@2.0.1:
7368       dependencies:
7369         '@types/mdast': 4.0.4
7370         ccount: 2.0.1
7371         devlop: 1.1.0
7372         mdast-util-find-and-replace: 3.0.2
7373         micromark-util-character: 2.1.1
7374
7375     mdast-util-gfm-footnote@2.1.0:
7376       dependencies:
7377         '@types/mdast': 4.0.4
7378         devlop: 1.1.0
7379         mdast-util-from-markdown: 2.0.3
7380         mdast-util-to-markdown: 2.1.2
7381         micromark-util-normalize-identifier: 2.0.1
7382     transitivePeerDependencies:
7383       - supports-color

```

```

7384
7385 mdast-util-gfm-strikethrough@2.0.0:
7386   dependencies:
7387     '@types/mdast': 4.0.4
7388     mdast-util-from-markdown: 2.0.3
7389     mdast-util-to-markdown: 2.1.2
7390   transitivePeerDependencies:
7391     - supports-color
7392
7393 mdast-util-gfm-table@2.0.0:
7394   dependencies:
7395     '@types/mdast': 4.0.4
7396     devlop: 1.1.0
7397     markdown-table: 3.0.4
7398     mdast-util-from-markdown: 2.0.3
7399     mdast-util-to-markdown: 2.1.2
7400   transitivePeerDependencies:
7401     - supports-color
7402
7403 mdast-util-gfm-task-list-item@2.0.0:
7404   dependencies:
7405     '@types/mdast': 4.0.4
7406     devlop: 1.1.0
7407     mdast-util-from-markdown: 2.0.3
7408     mdast-util-to-markdown: 2.1.2
7409   transitivePeerDependencies:
7410     - supports-color
7411
7412 mdast-util-gfm@3.1.0:
7413   dependencies:
7414     mdast-util-from-markdown: 2.0.3
7415     mdast-util-gfm-autolink-literal: 2.0.1
7416     mdast-util-gfm-footnote: 2.1.0
7417     mdast-util-gfm-strikethrough: 2.0.0
7418     mdast-util-gfm-table: 2.0.0
7419     mdast-util-gfm-task-list-item: 2.0.0
7420     mdast-util-to-markdown: 2.1.2
7421   transitivePeerDependencies:
7422     - supports-color
7423
7424 mdast-util-math@3.0.0:
7425   dependencies:
7426     '@types/hast': 3.0.4
7427     '@types/mdast': 4.0.4
7428     devlop: 1.1.0
7429     longest-streak: 3.1.0
7430     mdast-util-from-markdown: 2.0.3
7431     mdast-util-to-markdown: 2.1.2
7432     unist-util-remove-position: 5.0.0
7433   transitivePeerDependencies:
7434     - supports-color
7435
7436 mdast-util-mdx-expression@2.0.1:
7437   dependencies:
7438     '@types/estree-jsx': 1.0.5
7439     '@types/hast': 3.0.4
7440     '@types/mdast': 4.0.4
7441     devlop: 1.1.0
7442     mdast-util-from-markdown: 2.0.3
7443     mdast-util-to-markdown: 2.1.2
7444   transitivePeerDependencies:
7445     - supports-color
7446
7447 mdast-util-mdx-jsx@3.2.0:
7448   dependencies:
7449     '@types/estree-jsx': 1.0.5
7450     '@types/hast': 3.0.4
7451     '@types/mdast': 4.0.4
7452     '@types/unist': 3.0.3

```

```

7453     ccount: 2.0.1
7454     develop: 1.1.0
7455     mdast-util-from-markdown: 2.0.3
7456     mdast-util-to-markdown: 2.1.2
7457     parse-entities: 4.0.2
7458     stringify-entities: 4.0.4
7459     unist-util-stringify-position: 4.0.0
7460     vfile-message: 4.0.3
7461     transitivePeerDependencies:
7462       - supports-color
7463
7464     mdast-util-mdxjs-esm@2.0.1:
7465       dependencies:
7466         '@types/estree-jsx': 1.0.5
7467         '@types/hast': 3.0.4
7468         '@types/mdast': 4.0.4
7469         develop: 1.1.0
7470         mdast-util-from-markdown: 2.0.3
7471         mdast-util-to-markdown: 2.1.2
7472         transitivePeerDependencies:
7473           - supports-color
7474
7475     mdast-util-phrasing@4.1.0:
7476       dependencies:
7477         '@types/mdast': 4.0.4
7478         unist-util-is: 6.0.1
7479
7480     mdast-util-to-hast@13.2.1:
7481       dependencies:
7482         '@types/hast': 3.0.4
7483         '@types/mdast': 4.0.4
7484         '@ungap/structured-clone': 1.3.1
7485         develop: 1.1.0
7486         micromark-util-sanitize-uri: 2.0.1
7487         trim-lines: 3.0.1
7488         unist-util-position: 5.0.0
7489         unist-util-visit: 5.1.0
7490         vfile: 6.0.3
7491
7492     mdast-util-to-markdown@2.1.2:
7493       dependencies:
7494         '@types/mdast': 4.0.4
7495         '@types/unist': 3.0.3
7496         longest-streak: 3.1.0
7497         mdast-util-phrasing: 4.1.0
7498         mdast-util-to-string: 4.0.0
7499         micromark-util-classify-character: 2.0.1
7500         micromark-util-decode-string: 2.0.1
7501         unist-util-visit: 5.1.0
7502         zwitch: 2.0.4
7503
7504     mdast-util-to-string@4.0.0:
7505       dependencies:
7506         '@types/mdast': 4.0.4
7507
7508     mdurl@2.0.0: {}
7509
7510     mermaid@11.15.0:
7511       dependencies:
7512         '@braintree/sanitize-url': 7.1.2
7513         '@iconify/utils': 3.1.3
7514         '@mermaid-js/parser': 1.1.1
7515         '@types/d3': 7.4.3
7516         '@upsetjs/venn.js': 2.0.0
7517         cytoscape: 3.34.0
7518         cytoscape-cose-bilkent: 4.1.0(cytoscape@3.34.0)
7519         cytoscape-fcose: 2.2.0(cytoscape@3.34.0)
7520         d3: 7.9.0
7521         d3-sankey: 0.12.3

```

```

7522     dagre-d3-es: 7.0.14
7523     dayjs: 1.11.21
7524     dompurify: 3.4.10
7525     es-toolkit: 1.47.1
7526     katex: 0.16.47
7527     khroma: 2.1.0
7528     marked: 16.4.2
7529     roughjs: 4.6.6
7530     stylis: 4.4.0
7531     ts-dedent: 2.3.0
7532     uuid: 14.0.0
7533
7534 micromark-core-commonmark@2.0.3:
7535   dependencies:
7536     decode-named-character-reference: 1.3.0
7537     devlop: 1.1.0
7538     micromark-factory-destination: 2.0.1
7539     micromark-factory-label: 2.0.1
7540     micromark-factory-space: 2.0.1
7541     micromark-factory-title: 2.0.1
7542     micromark-factory-whitespace: 2.0.1
7543     micromark-util-character: 2.1.1
7544     micromark-util-chunked: 2.0.1
7545     micromark-util-classify-character: 2.0.1
7546     micromark-util-html-tag-name: 2.0.1
7547     micromark-util-normalize-identifier: 2.0.1
7548     micromark-util-resolve-all: 2.0.1
7549     micromark-util-subtokenize: 2.1.0
7550     micromark-util-symbol: 2.0.1
7551     micromark-util-types: 2.0.2
7552
7553 micromark-extension-cjk-friendly-gfm-strikethrough@1.2.3(micromark-util-types@2.0.2)(micromark@4.0.2):
7554   dependencies:
7555     devlop: 1.1.0
7556     get-east-asian-width: 1.6.0
7557     micromark: 4.0.2
7558     micromark-extension-cjk-friendly-util: 2.1.1(micromark-util-types@2.0.2)
7559     micromark-util-character: 2.1.1
7560     micromark-util-chunked: 2.0.1
7561     micromark-util-resolve-all: 2.0.1
7562     micromark-util-symbol: 2.0.1
7563   optionalDependencies:
7564     micromark-util-types: 2.0.2
7565
7566 micromark-extension-cjk-friendly-util@2.1.1(micromark-util-types@2.0.2):
7567   dependencies:
7568     get-east-asian-width: 1.6.0
7569     micromark-util-character: 2.1.1
7570     micromark-util-symbol: 2.0.1
7571   optionalDependencies:
7572     micromark-util-types: 2.0.2
7573
7574 micromark-extension-cjk-friendly@1.2.3(micromark-util-types@2.0.2)(micromark@4.0.2):
7575   dependencies:
7576     devlop: 1.1.0
7577     micromark: 4.0.2
7578     micromark-extension-cjk-friendly-util: 2.1.1(micromark-util-types@2.0.2)
7579     micromark-util-chunked: 2.0.1
7580     micromark-util-resolve-all: 2.0.1
7581     micromark-util-symbol: 2.0.1
7582   optionalDependencies:
7583     micromark-util-types: 2.0.2
7584
7585 micromark-extension-gfm-autolink-literal@2.1.0:
7586   dependencies:
7587     micromark-util-character: 2.1.1
7588     micromark-util-sanitize-uri: 2.0.1
7589     micromark-util-symbol: 2.0.1
7590     micromark-util-types: 2.0.2

```

```
7591
7592 micromark-extension-gfm-footnote@2.1.0:
7593   dependencies:
7594     devlop: 1.1.0
7595     micromark-core-commonmark: 2.0.3
7596     micromark-factory-space: 2.0.1
7597     micromark-util-character: 2.1.1
7598     micromark-util-normalize-identifier: 2.0.1
7599     micromark-util-sanitize-uri: 2.0.1
7600     micromark-util-symbol: 2.0.1
7601     micromark-util-types: 2.0.2
7602
7603 micromark-extension-gfm-strikethrough@2.1.0:
7604   dependencies:
7605     devlop: 1.1.0
7606     micromark-util-chunked: 2.0.1
7607     micromark-util-classify-character: 2.0.1
7608     micromark-util-resolve-all: 2.0.1
7609     micromark-util-symbol: 2.0.1
7610     micromark-util-types: 2.0.2
7611
7612 micromark-extension-gfm-table@2.1.1:
7613   dependencies:
7614     devlop: 1.1.0
7615     micromark-factory-space: 2.0.1
7616     micromark-util-character: 2.1.1
7617     micromark-util-symbol: 2.0.1
7618     micromark-util-types: 2.0.2
7619
7620 micromark-extension-gfm-tagfilter@2.0.0:
7621   dependencies:
7622     micromark-util-types: 2.0.2
7623
7624 micromark-extension-gfm-task-list-item@2.1.0:
7625   dependencies:
7626     devlop: 1.1.0
7627     micromark-factory-space: 2.0.1
7628     micromark-util-character: 2.1.1
7629     micromark-util-symbol: 2.0.1
7630     micromark-util-types: 2.0.2
7631
7632 micromark-extension-gfm@3.0.0:
7633   dependencies:
7634     micromark-extension-gfm-autolink-literal: 2.1.0
7635     micromark-extension-gfm-footnote: 2.1.0
7636     micromark-extension-gfm-strikethrough: 2.1.0
7637     micromark-extension-gfm-table: 2.1.1
7638     micromark-extension-gfm-tagfilter: 2.0.0
7639     micromark-extension-gfm-task-list-item: 2.1.0
7640     micromark-util-combine-extensions: 2.0.1
7641     micromark-util-types: 2.0.2
7642
7643 micromark-extension-math@3.1.0:
7644   dependencies:
7645     '@types/katex': 0.16.8
7646     devlop: 1.1.0
7647     katex: 0.16.47
7648     micromark-factory-space: 2.0.1
7649     micromark-util-character: 2.1.1
7650     micromark-util-symbol: 2.0.1
7651     micromark-util-types: 2.0.2
7652
7653 micromark-factory-destination@2.0.1:
7654   dependencies:
7655     micromark-util-character: 2.1.1
7656     micromark-util-symbol: 2.0.1
7657     micromark-util-types: 2.0.2
7658
7659 micromark-factory-label@2.0.1:
```

```

7660     dependencies:
7661       develop: 1.1.0
7662       micromark-util-character: 2.1.1
7663       micromark-util-symbol: 2.0.1
7664       micromark-util-types: 2.0.2
7665
7666   micromark-factory-space@2.0.1:
7667     dependencies:
7668       micromark-util-character: 2.1.1
7669       micromark-util-types: 2.0.2
7670
7671   micromark-factory-title@2.0.1:
7672     dependencies:
7673       micromark-factory-space: 2.0.1
7674       micromark-util-character: 2.1.1
7675       micromark-util-symbol: 2.0.1
7676       micromark-util-types: 2.0.2
7677
7678   micromark-factory-whitespace@2.0.1:
7679     dependencies:
7680       micromark-factory-space: 2.0.1
7681       micromark-util-character: 2.1.1
7682       micromark-util-symbol: 2.0.1
7683       micromark-util-types: 2.0.2
7684
7685   micromark-util-character@2.1.1:
7686     dependencies:
7687       micromark-util-symbol: 2.0.1
7688       micromark-util-types: 2.0.2
7689
7690   micromark-util-chunked@2.0.1:
7691     dependencies:
7692       micromark-util-symbol: 2.0.1
7693
7694   micromark-util-classify-character@2.0.1:
7695     dependencies:
7696       micromark-util-character: 2.1.1
7697       micromark-util-symbol: 2.0.1
7698       micromark-util-types: 2.0.2
7699
7700   micromark-util-combine-extensions@2.0.1:
7701     dependencies:
7702       micromark-util-chunked: 2.0.1
7703       micromark-util-types: 2.0.2
7704
7705   micromark-util-decode-numeric-character-reference@2.0.2:
7706     dependencies:
7707       micromark-util-symbol: 2.0.1
7708
7709   micromark-util-decode-string@2.0.1:
7710     dependencies:
7711       decode-named-character-reference: 1.3.0
7712       micromark-util-character: 2.1.1
7713       micromark-util-decode-numeric-character-reference: 2.0.2
7714       micromark-util-symbol: 2.0.1
7715
7716   micromark-util-encode@2.0.1: {}
7717
7718   micromark-util-html-tag-name@2.0.1: {}
7719
7720   micromark-util-normalize-identifier@2.0.1:
7721     dependencies:
7722       micromark-util-symbol: 2.0.1
7723
7724   micromark-util-resolve-all@2.0.1:
7725     dependencies:
7726       micromark-util-types: 2.0.2
7727
7728   micromark-util-sanitize-uri@2.0.1:

```

```

7729   dependencies:
7730     micromark-util-character: 2.1.1
7731     micromark-util-encode: 2.0.1
7732     micromark-util-symbol: 2.0.1
7733
7734   micromark-util-subtokenize@2.1.0:
7735     dependencies:
7736       devlop: 1.1.0
7737       micromark-util-chunked: 2.0.1
7738       micromark-util-symbol: 2.0.1
7739       micromark-util-types: 2.0.2
7740
7741   micromark-util-symbol@2.0.1: {}
7742
7743   micromark-util-types@2.0.2: {}
7744
7745   micromark@4.0.2:
7746     dependencies:
7747       '@types/debug': 4.1.13
7748       debug: 4.4.3
7749       decode-named-character-reference: 1.3.0
7750       devlop: 1.1.0
7751       micromark-core-commonmark: 2.0.3
7752       micromark-factory-space: 2.0.1
7753       micromark-util-character: 2.1.1
7754       micromark-util-chunked: 2.0.1
7755       micromark-util-combine-extensions: 2.0.1
7756       micromark-util-decode-numeric-character-reference: 2.0.2
7757       micromark-util-encode: 2.0.1
7758       micromark-util-normalize-identifier: 2.0.1
7759       micromark-util-resolve-all: 2.0.1
7760       micromark-util-sanitize-uri: 2.0.1
7761       micromark-util-subtokenize: 2.1.0
7762       micromark-util-symbol: 2.0.1
7763       micromark-util-types: 2.0.2
7764     transitivePeerDependencies:
7765       - supports-color
7766
7767   motion-dom@11.18.1:
7768     dependencies:
7769       motion-utils: 11.18.1
7770
7771   motion-dom@12.40.0:
7772     dependencies:
7773       motion-utils: 12.39.0
7774
7775   motion-utils@11.18.1: {}
7776
7777   motion-utils@12.39.0: {}
7778
7779   motion@12.40.0(react-dom@19.0.1(react@19.0.1))(react@19.0.1):
7780     dependencies:
7781       framer-motion: 12.40.0(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
7782       tslib: 2.8.1
7783     optionalDependencies:
7784       react: 19.0.1
7785       react-dom: 19.0.1(react@19.0.1)
7786
7787   ms@2.1.3: {}
7788
7789   nanoid@3.3.12: {}
7790
7791   nanoid@5.1.11: {}
7792
7793   next-auth@5.0.0-beta.25(next@16.0.10(@opentelemetry/api@1.9.1)(@playwright/test@1.61.0)(react-dom@19.0.1(react@19.0.1))(react@19.0.1))(react@19.0.1):
7794     dependencies:
7795       '@auth/core': 0.37.2
7796       next: 16.0.10(@opentelemetry/api@1.9.1)(@playwright/test@1.61.0)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
7797       react: 19.0.1

```



```

7798
7799 next-themes@0.3.0 (react-dom@19.0.1 (react@19.0.1)) (react@19.0.1):
7800   dependencies:
7801     react: 19.0.1
7802     react-dom: 19.0.1 (react@19.0.1)
7803
7804 next@16.0.10 (@opentelemetry/api@1.9.1) (@playwright/test@1.61.0) (react-dom@19.0.1 (react@19.0.1)) (react@19.0.1):
7805   dependencies:
7806     '@next/env': 16.0.10
7807     '@swc/helpers': 0.5.15
7808     caniuse-lite: 1.0.30001799
7809     postcss: 8.4.31
7810     react: 19.0.1
7811     react-dom: 19.0.1 (react@19.0.1)
7812     styled-jsx: 5.1.6 (react@19.0.1)
7813   optionalDependencies:
7814     '@next/swc-darwin-arm64': 16.0.10
7815     '@next/swc-darwin-x64': 16.0.10
7816     '@next/swc-linux-arm64-gnu': 16.0.10
7817     '@next/swc-linux-arm64-musl': 16.0.10
7818     '@next/swc-linux-x64-gnu': 16.0.10
7819     '@next/swc-linux-x64-musl': 16.0.10
7820     '@next/swc-win32-arm64-msvc': 16.0.10
7821     '@next/swc-win32-x64-msvc': 16.0.10
7822     '@opentelemetry/api': 1.9.1
7823     '@playwright/test': 1.61.0
7824     sharp: 0.34.5
7825   transitivePeerDependencies:
7826     - '@babel/core'
7827     - babel-plugin-macros
7828
7829 nypm@0.6.7:
7830   dependencies:
7831     city: 0.2.2
7832     pathe: 2.0.3
7833     tinyexec: 1.2.4
7834
7835 oauth4webapi@3.8.6: {}
7836
7837 oniguruma-parser@0.12.2: {}
7838
7839 oniguruma-to-es@4.3.6:
7840   dependencies:
7841     oniguruma-parser: 0.12.2
7842     regex: 6.1.0
7843     regex-recursion: 6.0.2
7844
7845 orderedmap@2.1.1: {}
7846
7847 package-manager-detector@1.6.0: {}
7848
7849 papaparse@5.5.3: {}
7850
7851 parse-entities@2.0.0:
7852   dependencies:
7853     character-entities: 1.2.4
7854     character-entities-legacy: 1.1.4
7855     character-reference-invalid: 1.1.4
7856     is-alphanumeric: 1.0.4
7857     is-decimal: 1.0.4
7858     is-hexadecimal: 1.0.4
7859
7860 parse-entities@4.0.2:
7861   dependencies:
7862     '@types/unist': 2.0.11
7863     character-entities-legacy: 3.0.0
7864     character-reference-invalid: 2.0.1
7865     decode-named-character-reference: 1.3.0
7866     is-alphanumeric: 2.0.1

```

```
7867     is-decimal: 2.0.1
7868     is-hexadecimal: 2.0.1
7869
7870     parse5@7.3.0:
7871       dependencies:
7872         entities: 6.0.1
7873
7874     parseley@0.12.1:
7875       dependencies:
7876         leac: 0.6.0
7877         peberminta: 0.9.0
7878
7879     path-data-parser@0.1.0: {}
7880
7881     pathe@2.0.3: {}
7882
7883     pathval@2.0.1: {}
7884
7885     peberminta@0.9.0: {}
7886
7887     picocolors@1.1.1: {}
7888
7889     picomatch@4.0.4: {}
7890
7891     playwright-core@1.61.0: {}
7892
7893     playwright@1.61.0:
7894       dependencies:
7895         playwright-core: 1.61.0
7896         optionalDependencies:
7897           fsevents: 2.3.2
7898
7899     points-on-curve@0.2.0: {}
7900
7901     points-on-path@0.2.1:
7902       dependencies:
7903         path-data-parser: 0.1.0
7904         points-on-curve: 0.2.0
7905
7906     postcss-selector-parser@6.0.10:
7907       dependencies:
7908         cssesc: 3.0.0
7909         util-deprecate: 1.0.2
7910
7911     postcss@8.4.31:
7912       dependencies:
7913         nanoid: 3.3.12
7914         picocolors: 1.1.1
7915         source-map-js: 1.2.1
7916
7917     postcss@8.5.15:
7918       dependencies:
7919         nanoid: 3.3.12
7920         picocolors: 1.1.1
7921         source-map-js: 1.2.1
7922
7923     postgres@3.4.9: {}
7924
7925     preact-render-to-string@5.2.3 (preact@10.11.3):
7926       dependencies:
7927         preact: 10.11.3
7928         pretty-format: 3.8.0
7929
7930     preact@10.11.3: {}
7931
7932     prettier@3.8.4: {}
7933
7934     pretty-format@3.8.0: {}
7935
```

```

7936 prismjs@1.27.0: {}
7937
7938 prismjs@1.30.0: {}
7939
7940 property-information@5.6.0:
7941   dependencies:
7942     xtend: 4.0.2
7943
7944 property-information@7.2.0: {}
7945
7946 prosemirror-commands@1.7.1:
7947   dependencies:
7948     prosemirror-model: 1.25.9
7949     prosemirror-state: 1.4.4
7950     prosemirror-transform: 1.12.0
7951
7952 prosemirror-dropcursor@1.8.2:
7953   dependencies:
7954     prosemirror-state: 1.4.4
7955     prosemirror-transform: 1.12.0
7956     prosemirror-view: 1.41.9
7957
7958 prosemirror-example-setup@1.2.3:
7959   dependencies:
7960     prosemirror-commands: 1.7.1
7961     prosemirror-dropcursor: 1.8.2
7962     prosemirror-gapcursor: 1.4.1
7963     prosemirror-history: 1.5.0
7964     prosemirror-inputrules: 1.5.1
7965     prosemirror-keymap: 1.2.3
7966     prosemirror-menu: 1.3.2
7967     prosemirror-schema-list: 1.5.1
7968     prosemirror-state: 1.4.4
7969
7970 prosemirror-gapcursor@1.4.1:
7971   dependencies:
7972     prosemirror-keymap: 1.2.3
7973     prosemirror-model: 1.25.9
7974     prosemirror-state: 1.4.4
7975     prosemirror-view: 1.41.9
7976
7977 prosemirror-history@1.5.0:
7978   dependencies:
7979     prosemirror-state: 1.4.4
7980     prosemirror-transform: 1.12.0
7981     prosemirror-view: 1.41.9
7982     rope-sequence: 1.3.4
7983
7984 prosemirror-inputrules@1.5.1:
7985   dependencies:
7986     prosemirror-state: 1.4.4
7987     prosemirror-transform: 1.12.0
7988
7989 prosemirror-keymap@1.2.3:
7990   dependencies:
7991     prosemirror-state: 1.4.4
7992     w3c-keyname: 2.2.8
7993
7994 prosemirror-markdown@1.13.4:
7995   dependencies:
7996     '@types/markdown-it': 14.1.2
7997     markdown-it: 14.2.0
7998     prosemirror-model: 1.25.9
7999
8000 prosemirror-menu@1.3.2:
8001   dependencies:
8002     crelt: 1.0.6
8003     prosemirror-commands: 1.7.1
8004     prosemirror-history: 1.5.0

```

```
8005     prosemirror-state: 1.4.4
8006
8007     prosemirror-model@1.25.9:
8008       dependencies:
8009         orderedmap: 2.1.1
8010
8011     prosemirror-schema-basic@1.2.4:
8012       dependencies:
8013         prosemirror-model: 1.25.9
8014
8015     prosemirror-schema-list@1.5.1:
8016       dependencies:
8017         prosemirror-model: 1.25.9
8018         prosemirror-state: 1.4.4
8019         prosemirror-transform: 1.12.0
8020
8021     prosemirror-state@1.4.4:
8022       dependencies:
8023         prosemirror-model: 1.25.9
8024         prosemirror-transform: 1.12.0
8025         prosemirror-view: 1.41.9
8026
8027     prosemirror-transform@1.12.0:
8028       dependencies:
8029         prosemirror-model: 1.25.9
8030
8031     prosemirror-view@1.41.9:
8032       dependencies:
8033         prosemirror-model: 1.25.9
8034         prosemirror-state: 1.4.4
8035         prosemirror-transform: 1.12.0
8036
8037     punycode.js@2.3.1: {}
8038
8039     radix-ui@1.5.0(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1):
8040       dependencies:
8041         '@radix-ui/primitive': 1.1.4
8042         '@radix-ui/react-accessible-icon': 1.1.9(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8043         '@radix-ui/react-accordion': 1.2.13(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8044         '@radix-ui/react-alert-dialog': 1.1.16(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8045         '@radix-ui/react-arrow': 1.1.9(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8046         '@radix-ui/react-aspect-ratio': 1.1.9(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8047         '@radix-ui/react-avatar': 1.1.12(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8048         '@radix-ui/react-checkbox': 1.3.4(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8049         '@radix-ui/react-collapsible': 1.1.13(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8050         '@radix-ui/react-collection': 1.1.9(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8051         '@radix-ui/react-compose-refs': 1.1.3(@types/react@18.3.31)(react@19.0.1)
8052         '@radix-ui/react-context': 1.1.4(@types/react@18.3.31)(react@19.0.1)
8053         '@radix-ui/react-context-menu': 2.3.0(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8054         '@radix-ui/react-dialog': 1.1.16(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8055         '@radix-ui/react-direction': 1.1.2(@types/react@18.3.31)(react@19.0.1)
8056         '@radix-ui/react-dismissable-layer': 1.1.12(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8057         '@radix-ui/react-dropdown-menu': 2.1.17(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8058         '@radix-ui/react-focus-guards': 1.1.4(@types/react@18.3.31)(react@19.0.1)
8059         '@radix-ui/react-focus-scope': 1.1.9(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8060         '@radix-ui/react-form': 0.1.9(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8061         '@radix-ui/react-hover-card': 1.1.16(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8062         '@radix-ui/react-label': 2.1.9(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8063         '@radix-ui/react-menu': 2.1.17(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8064         '@radix-ui/react-menubar': 1.1.17(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8065         '@radix-ui/react-navigation-menu': 1.2.15(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8066         '@radix-ui/react-one-time-password-field': 0.1.9(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8067         '@radix-ui/react-password-toggle-field': 0.1.4(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8068         '@radix-ui/react-popover': 1.1.16(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8069         '@radix-ui/react-popper': 1.3.0(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8070         '@radix-ui/react-portal': 1.1.11(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8071         '@radix-ui/react-presence': 1.1.6(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8072         '@radix-ui/react-primitive': 2.1.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8073         '@radix-ui/react-progress': 1.1.9(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
```

```

8074 '@radix-ui/react-radio-group': 1.4.0(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8075 '@radix-ui/react-roving-focus': 1.1.12(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8076 '@radix-ui/react-scroll-area': 1.2.11(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8077 '@radix-ui/react-select': 2.3.0(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8078 '@radix-ui/react-separator': 1.1.9(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8079 '@radix-ui/react-slider': 1.4.0(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8080 '@radix-ui/react-slot': 1.2.5(@types/react@18.3.31)(react@19.0.1)
8081 '@radix-ui/react-switch': 1.3.0(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8082 '@radix-ui/react-tabs': 1.1.14(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8083 '@radix-ui/react-toast': 1.2.16(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8084 '@radix-ui/react-toggle': 1.1.11(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8085 '@radix-ui/react-toggle-group': 1.1.12(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8086 '@radix-ui/react-toolbar': 1.1.12(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8087 '@radix-ui/react-tooltip': 1.2.9(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8088 '@radix-ui/react-use-callback-ref': 1.1.2(@types/react@18.3.31)(react@19.0.1)
8089 '@radix-ui/react-use-controllable-state': 1.2.3(@types/react@18.3.31)(react@19.0.1)
8090 '@radix-ui/react-use-effect-event': 0.0.3(@types/react@18.3.31)(react@19.0.1)
8091 '@radix-ui/react-use-escape-keydown': 1.1.2(@types/react@18.3.31)(react@19.0.1)
8092 '@radix-ui/react-use-is-hydrated': 0.1.1(@types/react@18.3.31)(react@19.0.1)
8093 '@radix-ui/react-use-layout-effect': 1.1.2(@types/react@18.3.31)(react@19.0.1)
8094 '@radix-ui/react-use-size': 1.1.2(@types/react@18.3.31)(react@19.0.1)
8095 '@radix-ui/react-visually-hidden': 1.2.5(@types/react-dom@18.3.7(@types/react@18.3.31))(@types/react@18.3.31)(react-dom@19.0.1(react@19.0.1))(react@19.0.1)
8096 react: 19.0.1
8097 react-dom: 19.0.1(react@19.0.1)
8098 optionalDependencies:
8099 '@types/react': 18.3.31
8100 '@types/react-dom': 18.3.7(@types/react@18.3.31)
8101
8102 react-data-grid@7.0.0-beta.47(react-dom@19.0.1(react@19.0.1))(react@19.0.1):
8103 dependencies:
8104   clsx: 2.1.1
8105   react: 19.0.1
8106   react-dom: 19.0.1(react@19.0.1)
8107
8108 react-dom@19.0.1(react@19.0.1):
8109 dependencies:
8110   react: 19.0.1
8111   scheduler: 0.25.0
8112
8113 react-promise-suspense@0.3.4:
8114 dependencies:
8115   fast-deep-equal: 2.0.1
8116
8117 react-remove-scroll-bar@2.3.8(@types/react@18.3.31)(react@19.0.1):
8118 dependencies:
8119   react: 19.0.1
8120   react-style-singleton: 2.2.3(@types/react@18.3.31)(react@19.0.1)
8121   tslib: 2.8.1
8122 optionalDependencies:
8123   '@types/react': 18.3.31
8124
8125 react-remove-scroll@2.7.2(@types/react@18.3.31)(react@19.0.1):
8126 dependencies:
8127   react: 19.0.1
8128   react-remove-scroll-bar: 2.3.8(@types/react@18.3.31)(react@19.0.1)
8129   react-style-singleton: 2.2.3(@types/react@18.3.31)(react@19.0.1)
8130   tslib: 2.8.1
8131   use-callback-ref: 1.3.3(@types/react@18.3.31)(react@19.0.1)
8132   use-sidecar: 1.1.3(@types/react@18.3.31)(react@19.0.1)
8133 optionalDependencies:
8134   '@types/react': 18.3.31
8135
8136 react-resizable-panels@2.1.9(react-dom@19.0.1(react@19.0.1))(react@19.0.1):
8137 dependencies:
8138   react: 19.0.1
8139   react-dom: 19.0.1(react@19.0.1)
8140
8141 react-style-singleton@2.2.3(@types/react@18.3.31)(react@19.0.1):
8142 dependencies:

```

```

8143     get-nonce: 1.0.1
8144     react: 19.0.1
8145     tslib: 2.8.1
8146     optionalDependencies:
8147       '@types/react': 18.3.31
8148
8149     react-syntax-highlighter@15.6.6(react@19.0.1):
8150       dependencies:
8151         '@babel/runtime': 7.29.7
8152         highlight.js: 10.7.3
8153         highlightjs-vue: 1.0.0
8154         lowlight: 1.20.0
8155         prismjs: 1.30.0
8156         react: 19.0.1
8157         refractor: 3.6.0
8158
8159     react@19.0.1: {}
8160
8161     redis@5.12.1(@opentelemetry/api@1.9.1):
8162       dependencies:
8163         '@redis/bloom': 5.12.1(@redis/client@5.12.1(@opentelemetry/api@1.9.1))
8164         '@redis/client': 5.12.1(@opentelemetry/api@1.9.1)
8165         '@redis/json': 5.12.1(@redis/client@5.12.1(@opentelemetry/api@1.9.1))
8166         '@redis/search': 5.12.1(@redis/client@5.12.1(@opentelemetry/api@1.9.1))
8167         '@redis/time-series': 5.12.1(@redis/client@5.12.1(@opentelemetry/api@1.9.1))
8168       transitivePeerDependencies:
8169         - '@node-rs/xxhash'
8170         - '@opentelemetry/api'
8171
8172     refractor@3.6.0:
8173       dependencies:
8174         hastscript: 6.0.0
8175         parse-entities: 2.0.0
8176         prismjs: 1.27.0
8177
8178     regex-recursion@6.0.2:
8179       dependencies:
8180         regex-utilities: 2.3.0
8181
8182     regex-utilities@2.3.0: {}
8183
8184     regex@6.1.0:
8185       dependencies:
8186         regex-utilities: 2.3.0
8187
8188     rehype-harden@1.1.8:
8189       dependencies:
8190         unist-util-visit: 5.1.0
8191
8192     rehype-katex@7.0.1:
8193       dependencies:
8194         '@types/hast': 3.0.4
8195         '@types/katex': 0.16.8
8196         hast-util-from-html-isomorphic: 2.0.0
8197         hast-util-to-text: 4.0.2
8198         katex: 0.16.47
8199         unist-util-visit-parents: 6.0.2
8200         vfile: 6.0.3
8201
8202     rehype-raw@7.0.0:
8203       dependencies:
8204         '@types/hast': 3.0.4
8205         hast-util-raw: 9.1.0
8206         vfile: 6.0.3
8207
8208     rehype-sanitize@6.0.0:
8209       dependencies:
8210         '@types/hast': 3.0.4
8211         hast-util-sanitize: 5.0.2

```

```

8212
8213 remark-cjk-friendly-gfm-strikethrough@1.2.3(@types/mdast@4.0.4) (micromark-util-types@2.0.2) (micromark@4.0.2) (unified@11.0.5):
8214   dependencies:
8215     micromark-extension-cjk-friendly-gfm-strikethrough: 1.2.3(micromark-util-types@2.0.2) (micromark@4.0.2)
8216     unified: 11.0.5
8217   optionalDependencies:
8218     '@types/mdast': 4.0.4
8219   transitivePeerDependencies:
8220     - micromark
8221     - micromark-util-types
8222
8223 remark-cjk-friendly@1.2.3(@types/mdast@4.0.4) (micromark-util-types@2.0.2) (micromark@4.0.2) (unified@11.0.5):
8224   dependencies:
8225     micromark-extension-cjk-friendly: 1.2.3(micromark-util-types@2.0.2) (micromark@4.0.2)
8226     unified: 11.0.5
8227   optionalDependencies:
8228     '@types/mdast': 4.0.4
8229   transitivePeerDependencies:
8230     - micromark
8231     - micromark-util-types
8232
8233 remark-gfm@4.0.1:
8234   dependencies:
8235     '@types/mdast': 4.0.4
8236     mdast-util-gfm: 3.1.0
8237     micromark-extension-gfm: 3.0.0
8238     remark-parse: 11.0.0
8239     remark-stringify: 11.0.0
8240     unified: 11.0.5
8241   transitivePeerDependencies:
8242     - supports-color
8243
8244 remark-math@6.0.0:
8245   dependencies:
8246     '@types/mdast': 4.0.4
8247     mdast-util-math: 3.0.0
8248     micromark-extension-math: 3.1.0
8249     unified: 11.0.5
8250   transitivePeerDependencies:
8251     - supports-color
8252
8253 remark-parse@11.0.0:
8254   dependencies:
8255     '@types/mdast': 4.0.4
8256     mdast-util-from-markdown: 2.0.3
8257     micromark-util-types: 2.0.2
8258     unified: 11.0.5
8259   transitivePeerDependencies:
8260     - supports-color
8261
8262 remark-rehype@11.1.2:
8263   dependencies:
8264     '@types/hast': 3.0.4
8265     '@types/mdast': 4.0.4
8266     mdast-util-to-hast: 13.2.1
8267     unified: 11.0.5
8268     vfile: 6.0.3
8269
8270 remark-stringify@11.0.0:
8271   dependencies:
8272     '@types/mdast': 4.0.4
8273     mdast-util-to-markdown: 2.1.2
8274     unified: 11.0.5
8275
8276 remend@1.0.1: {}
8277
8278 resend@4.8.0(react-dom@19.0.1(react@19.0.1)) (react@19.0.1):
8279   dependencies:
8280     '@react-email/render': 1.1.2(react-dom@19.0.1(react@19.0.1)) (react@19.0.1)

```

```

8281   transitivePeerDependencies:
8282     - react
8283     - react-dom
8284
8285   resolve-pkg-maps@1.0.0: {}
8286
8287   robust-predicates@3.0.3: {}
8288
8289   rollup@4.62.0:
8290     dependencies:
8291       '@types/estree': 1.0.9
8292     optionalDependencies:
8293       '@rollup/rollup-android-arm-eabi': 4.62.0
8294       '@rollup/rollup-android-arm64': 4.62.0
8295       '@rollup/rollup-darwin-arm64': 4.62.0
8296       '@rollup/rollup-darwin-x64': 4.62.0
8297       '@rollup/rollup-freebsd-arm64': 4.62.0
8298       '@rollup/rollup-freebsd-x64': 4.62.0
8299       '@rollup/rollup-linux-arm-gnueabi': 4.62.0
8300       '@rollup/rollup-linux-arm-musleabi': 4.62.0
8301       '@rollup/rollup-linux-arm64-gnu': 4.62.0
8302       '@rollup/rollup-linux-arm64-musl': 4.62.0
8303       '@rollup/rollup-linux-loong64-gnu': 4.62.0
8304       '@rollup/rollup-linux-loong64-musl': 4.62.0
8305       '@rollup/rollup-linux-ppc64-gnu': 4.62.0
8306       '@rollup/rollup-linux-ppc64-musl': 4.62.0
8307       '@rollup/rollup-linux-riscv64-gnu': 4.62.0
8308       '@rollup/rollup-linux-riscv64-musl': 4.62.0
8309       '@rollup/rollup-linux-s390x-gnu': 4.62.0
8310       '@rollup/rollup-linux-x64-gnu': 4.62.0
8311       '@rollup/rollup-linux-x64-musl': 4.62.0
8312       '@rollup/rollup-openbsd-x64': 4.62.0
8313       '@rollup/rollup-openharmony-arm64': 4.62.0
8314       '@rollup/rollup-win32-arm64-msvc': 4.62.0
8315       '@rollup/rollup-win32-ia32-msvc': 4.62.0
8316       '@rollup/rollup-win32-x64-gnu': 4.62.0
8317       '@rollup/rollup-win32-x64-msvc': 4.62.0
8318     fsevents: 2.3.3
8319
8320   rope-sequence@1.3.4: {}
8321
8322   roughjs@4.6.6:
8323     dependencies:
8324       hachure-fill: 0.5.2
8325       path-data-parser: 0.1.0
8326       points-on-curve: 0.2.0
8327       points-on-path: 0.2.1
8328
8329   rw@1.3.3: {}
8330
8331   safer-buffer@2.1.2: {}
8332
8333   scheduler@0.25.0: {}
8334
8335   selderee@0.11.0:
8336     dependencies:
8337       parseley: 0.12.1
8338
8339   semver@7.8.4:
8340     optional: true
8341
8342   server-only@0.0.1: {}
8343
8344   sharp@0.34.5:
8345     dependencies:
8346       '@img/colour': 1.1.0
8347       detect-libc: 2.1.2
8348       semver: 7.8.4
8349     optionalDependencies:

```



```

8350     '@img/sharp-darwin-arm64': 0.34.5
8351     '@img/sharp-darwin-x64': 0.34.5
8352     '@img/sharp-libvips-darwin-arm64': 1.2.4
8353     '@img/sharp-libvips-darwin-x64': 1.2.4
8354     '@img/sharp-libvips-linux-arm': 1.2.4
8355     '@img/sharp-libvips-linux-arm64': 1.2.4
8356     '@img/sharp-libvips-linux-ppc64': 1.2.4
8357     '@img/sharp-libvips-linux-riscv64': 1.2.4
8358     '@img/sharp-libvips-linux-s390x': 1.2.4
8359     '@img/sharp-libvips-linux-x64': 1.2.4
8360     '@img/sharp-libvips-linuxmusl-arm64': 1.2.4
8361     '@img/sharp-libvips-linuxmusl-x64': 1.2.4
8362     '@img/sharp-linux-arm': 0.34.5
8363     '@img/sharp-linux-arm64': 0.34.5
8364     '@img/sharp-linux-ppc64': 0.34.5
8365     '@img/sharp-linux-riscv64': 0.34.5
8366     '@img/sharp-linux-s390x': 0.34.5
8367     '@img/sharp-linux-x64': 0.34.5
8368     '@img/sharp-linuxmusl-arm64': 0.34.5
8369     '@img/sharp-linuxmusl-x64': 0.34.5
8370     '@img/sharp-wasm32': 0.34.5
8371     '@img/sharp-win32-arm64': 0.34.5
8372     '@img/sharp-win32-ia32': 0.34.5
8373     '@img/sharp-win32-x64': 0.34.5
8374     optional: true
8375
8376 shiki@3.23.0:
8377   dependencies:
8378     '@shikijs/core': 3.23.0
8379     '@shikijs/engine-javascript': 3.23.0
8380     '@shikijs/engine-oniguruma': 3.23.0
8381     '@shikijs/langs': 3.23.0
8382     '@shikijs/themes': 3.23.0
8383     '@shikijs/types': 3.23.0
8384     '@shikijs/vscode-textmate': 10.0.2
8385     '@types/hast': 3.0.4
8386
8387 siginfo@2.0.0: {}
8388
8389 sisteransi@1.0.5: {}
8390
8391 sonner@1.7.4(react-dom@19.0.1(react@19.0.1))(react@19.0.1):
8392   dependencies:
8393     react: 19.0.1
8394     react-dom: 19.0.1(react@19.0.1)
8395
8396 source-map-js@1.2.1: {}
8397
8398 source-map-support@0.5.21:
8399   dependencies:
8400     buffer-from: 1.1.2
8401     source-map: 0.6.1
8402
8403 source-map@0.6.1: {}
8404
8405 space-separated-tokens@1.1.5: {}
8406
8407 space-separated-tokens@2.0.2: {}
8408
8409 stackback@0.0.2: {}
8410
8411 std-env@3.10.0: {}
8412
8413 streamdown@1.6.11(@types/mdast@4.0.4)(micromark-util-types@2.0.2)(micromark@4.0.2)(react@19.0.1):
8414   dependencies:
8415     clsx: 2.1.1
8416     hast: 1.0.0
8417     hast-util-to-jsx-runtime: 2.3.6
8418     html-url-attributes: 3.0.1

```

```
8419     katex: 0.16.47
8420     lucide-react: 0.542.0(react@19.0.1)
8421     marked: 16.4.2
8422     mermaid: 11.15.0
8423     react: 19.0.1
8424     rehype-harden: 1.1.8
8425     rehype-katex: 7.0.1
8426     rehype-raw: 7.0.0
8427     rehype-sanitize: 6.0.0
8428     remark-cjk-friendly: 1.2.3(@types/mdast@4.0.4)(micromark-util-types@2.0.2)(micromark@4.0.2)(unified@11.0.5)
8429     remark-cjk-friendly-gfm-strikethrough: 1.2.3(@types/mdast@4.0.4)(micromark-util-types@2.0.2)(micromark@4.0.2)(unified@11.0.5)
8430     remark-gfm: 4.0.1
8431     remark-math: 6.0.0
8432     remark-parse: 11.0.0
8433     remark-rehype: 11.1.2
8434     remem: 1.0.1
8435     shiki: 3.23.0
8436     tailwind-merge: 3.6.0
8437     unified: 11.0.5
8438     unist-util-visit: 5.1.0
8439     transitivePeerDependencies:
8440       - '@types/mdast'
8441       - micromark
8442       - micromark-util-types
8443       - supports-color
8444
8445     stringify-entities@4.0.4:
8446       dependencies:
8447         character-entities-html4: 2.1.0
8448         character-entities-legacy: 3.0.0
8449
8450     strip-literal@3.1.0:
8451       dependencies:
8452         js-tokens: 9.0.1
8453
8454     style-mod@4.1.3: {}
8455
8456     style-to-js@1.1.21:
8457       dependencies:
8458         style-to-object: 1.0.14
8459
8460     style-to-object@1.0.14:
8461       dependencies:
8462         inline-style-parser: 0.2.7
8463
8464     styled-jsx@5.1.6(react@19.0.1):
8465       dependencies:
8466         client-only: 0.0.1
8467         react: 19.0.1
8468
8469     stylis@4.4.0: {}
8470
8471     swr@2.4.1(react@19.0.1):
8472       dependencies:
8473         dequal: 2.0.3
8474         react: 19.0.1
8475         use-sync-external-store: 1.6.0(react@19.0.1)
8476
8477     tailwind-merge@2.6.1: {}
8478
8479     tailwind-merge@3.6.0: {}
8480
8481     tailwindcss-animate@1.0.7(tailwindcss@4.3.1):
8482       dependencies:
8483         tailwindcss: 4.3.1
8484
8485     tailwindcss@4.3.1: {}
8486
8487     tapable@2.3.3: {}
```

```
8488
8489   throttleit@2.1.0: {}
8490
8491   tinybench@2.9.0: {}
8492
8493   tinyexec@0.3.2: {}
8494
8495   tinyexec@1.2.4: {}
8496
8497   tinyglobby@0.2.17:
8498     dependencies:
8499       fdir: 6.5.0(picomatch@4.0.4)
8500       picomatch: 4.0.4
8501
8502   tinypool@1.1.1: {}
8503
8504   tinyrainbow@2.0.0: {}
8505
8506   tinyspy@4.0.4: {}
8507
8508   trim-lines@3.0.1: {}
8509
8510   trough@2.2.0: {}
8511
8512   trpc-cli@0.10.2(typescript@5.9.3):
8513     dependencies:
8514       '@trpc/server': 11.17.0(typescript@5.9.3)
8515       '@types/omelette': 0.4.5
8516       commander: 14.0.3
8517       picocolors: 1.1.1
8518       zod: 3.25.76
8519       zod-to-json-schema: 3.25.2(zod@3.25.76)
8520     transitivePeerDependencies:
8521       - typescript
8522
8523   ts-dedent@2.3.0: {}
8524
8525   tslib@2.8.1: {}
8526
8527   tsx@4.22.4:
8528     dependencies:
8529       esbuild: 0.28.1
8530     optionalDependencies:
8531       fsevents: 2.3.3
8532
8533   typescript@5.9.3: {}
8534
8535   uc.micro@2.1.0: {}
8536
8537   ultracite@5.3.9(@types/debug@4.1.13) (@types/node@22.19.21) (jiti@2.7.0) (lightningcss@1.32.0) (tsx@4.22.4) (typescript@5.9.3) :
8538     dependencies:
8539       '@clack/prompts': 0.11.0
8540       deepmerge: 4.3.1
8541       jsonc-parser: 3.3.1
8542       nypm: 0.6.7
8543       trpc-cli: 0.10.2(typescript@5.9.3)
8544       vitest: 3.2.6(@types/debug@4.1.13) (@types/node@22.19.21) (jiti@2.7.0) (lightningcss@1.32.0) (tsx@4.22.4)
8545       zod: 4.4.3
8546     transitivePeerDependencies:
8547       - '@edge-runtime/vm'
8548       - '@inquirer/prompts'
8549       - '@types/debug'
8550       - '@types/node'
8551       - '@vitest/browser'
8552       - '@vitest/ui'
8553       - happy-dom
8554       - jiti
8555       - jsdom
8556       - less
```

```
8557     - lightningcss
8558     - msw
8559     - omelette
8560     - sass
8561     - sass-embedded
8562     - stylus
8563     - sugarss
8564     - supports-color
8565     - terser
8566     - tsx
8567     - typescript
8568     - yaml
8569
8570 undici-types@6.21.0: {}
8571
8572 unified@11.0.5:
8573   dependencies:
8574     '@types/unist': 3.0.3
8575     bail: 2.0.2
8576     devlop: 1.1.0
8577     extend: 3.0.2
8578     is-plain-obj: 4.1.0
8579     trough: 2.2.0
8580     vfile: 6.0.3
8581
8582 unist-util-find-after@5.0.0:
8583   dependencies:
8584     '@types/unist': 3.0.3
8585     unist-util-is: 6.0.1
8586
8587 unist-util-is@6.0.1:
8588   dependencies:
8589     '@types/unist': 3.0.3
8590
8591 unist-util-position@5.0.0:
8592   dependencies:
8593     '@types/unist': 3.0.3
8594
8595 unist-util-remove-position@5.0.0:
8596   dependencies:
8597     '@types/unist': 3.0.3
8598     unist-util-visit: 5.1.0
8599
8600 unist-util-stringify-position@4.0.0:
8601   dependencies:
8602     '@types/unist': 3.0.3
8603
8604 unist-util-visit-parents@6.0.2:
8605   dependencies:
8606     '@types/unist': 3.0.3
8607     unist-util-is: 6.0.1
8608
8609 unist-util-visit@5.1.0:
8610   dependencies:
8611     '@types/unist': 3.0.3
8612     unist-util-is: 6.0.1
8613     unist-util-visit-parents: 6.0.2
8614
8615 use-callback-ref@1.3.3(@types/react@18.3.31)(react@19.0.1):
8616   dependencies:
8617     react: 19.0.1
8618     tslib: 2.8.1
8619   optionalDependencies:
8620     '@types/react': 18.3.31
8621
8622 use-sidecar@1.1.3(@types/react@18.3.31)(react@19.0.1):
8623   dependencies:
8624     detect-node-es: 1.1.0
8625     react: 19.0.1
```

```

8626     tslib: 2.8.1
8627     optionalDependencies:
8628       '@types/react': 18.3.31
8629
8630 use-stick-to-bottom@1.1.6(react@19.0.1):
8631   dependencies:
8632     react: 19.0.1
8633
8634 use-sync-external-store@1.6.0(react@19.0.1):
8635   dependencies:
8636     react: 19.0.1
8637
8638 usehooks-ts@3.1.1(react@19.0.1):
8639   dependencies:
8640     lodash.debounce: 4.0.8
8641     react: 19.0.1
8642
8643 util-deprecate@1.0.2: {}
8644
8645 uuid@14.0.0: {}
8646
8647 vfile-location@5.0.3:
8648   dependencies:
8649     '@types/unist': 3.0.3
8650     vfile: 6.0.3
8651
8652 vfile-message@4.0.3:
8653   dependencies:
8654     '@types/unist': 3.0.3
8655     unist-util-stringify-position: 4.0.0
8656
8657 vfile@6.0.3:
8658   dependencies:
8659     '@types/unist': 3.0.3
8660     vfile-message: 4.0.3
8661
8662 vite-node@3.2.4(@types/node@22.19.21)(jiti@2.7.0)(lightningcss@1.32.0)(tsx@4.22.4):
8663   dependencies:
8664     cac: 6.7.14
8665     debug: 4.4.3
8666     es-module-lexer: 1.7.0
8667     pathe: 2.0.3
8668     vite: 7.3.5(@types/node@22.19.21)(jiti@2.7.0)(lightningcss@1.32.0)(tsx@4.22.4)
8669   transitivePeerDependencies:
8670     - '@types/node'
8671     - jiti
8672     - less
8673     - lightningcss
8674     - sass
8675     - sass-embedded
8676     - stylus
8677     - sugarss
8678     - supports-color
8679     - terser
8680     - tsx
8681     - yaml
8682
8683 vite@7.3.5(@types/node@22.19.21)(jiti@2.7.0)(lightningcss@1.32.0)(tsx@4.22.4):
8684   dependencies:
8685     esbuild: 0.27.7
8686     fdir: 6.5.0(picomatch@4.0.4)
8687     picomatch: 4.0.4
8688     postcss: 8.5.15
8689     rollup: 4.62.0
8690     tinyglobby: 0.2.17
8691   optionalDependencies:
8692     '@types/node': 22.19.21
8693     fsevents: 2.3.3
8694     jiti: 2.7.0

```

```

8695 lightningcss: 1.32.0
8696 tsx: 4.22.4
8697
8698 vitest@3.2.6(@types/debug@4.1.13) (@types/node@22.19.21) (jiti@2.7.0) (lightningcss@1.32.0) (tsx@4.22.4):
8699 dependencies:
8700   '@types/chai': 5.2.3
8701   '@vitest/expect': 3.2.6
8702   '@vitest/mocker': 3.2.6(vite@7.3.5(@types/node@22.19.21) (jiti@2.7.0) (lightningcss@1.32.0) (tsx@4.22.4))
8703   '@vitest/pretty-format': 3.2.6
8704   '@vitest/runner': 3.2.6
8705   '@vitest/snapshot': 3.2.6
8706   '@vitest/spy': 3.2.6
8707   '@vitest/utils': 3.2.6
8708   chai: 5.3.3
8709   debug: 4.4.3
8710   expect-type: 1.3.0
8711   magic-string: 0.30.21
8712   pathe: 2.0.3
8713   picomatch: 4.0.4
8714   std-env: 3.10.0
8715   tinybench: 2.9.0
8716   tinyexec: 0.3.2
8717   tinyglobby: 0.2.17
8718   tinypool: 1.1.1
8719   tinyrainbow: 2.0.0
8720   vite: 7.3.5(@types/node@22.19.21) (jiti@2.7.0) (lightningcss@1.32.0) (tsx@4.22.4)
8721   vite-node: 3.2.4(@types/node@22.19.21) (jiti@2.7.0) (lightningcss@1.32.0) (tsx@4.22.4)
8722   why-is-node-running: 2.3.0
8723 optionalDependencies:
8724   '@types/debug': 4.1.13
8725   '@types/node': 22.19.21
8726 transitivePeerDependencies:
8727   - jiti
8728   - less
8729   - lightningcss
8730   - msw
8731   - sass
8732   - sass-embedded
8733   - stylus
8734   - sugarss
8735   - supports-color
8736   - terser
8737   - tsx
8738   - yaml
8739
8740 w3c-keyname@2.2.8: {}
8741
8742 web-namespaces@2.0.1: {}
8743
8744 why-is-node-running@2.3.0:
8745 dependencies:
8746   siginfo: 2.0.0
8747   stackback: 0.0.2
8748
8749 xtend@4.0.2: {}
8750
8751 zod-to-json-schema@3.25.2(zod@3.25.76):
8752 dependencies:
8753   zod: 3.25.76
8754
8755 zod@3.25.76: {}
8756
8757 zod@4.4.3: {}
8758
8759 zustand@4.5.7(@types/react@18.3.31) (react@19.0.1):
8760 dependencies:
8761   use-sync-external-store: 1.6.0(react@19.0.1)
8762 optionalDependencies:
8763   '@types/react': 18.3.31

```

```
8764     react: 19.0.1
8765
8766     zwitch@2.0.4: {}
```

448. postcss.config.mjs

```
1  /** @type {import('postcss-load-config').Config} */
2  const config = {
3    plugins: {
4      "@tailwindcss/postcss": {},
5    },
6  };
7
8  export default config;
```

449. proxy.ts

```
1  import { type NextRequest, NextResponse } from "next/server";
2  import { getToken } from "next-auth/jwt";
3  import { guestRegex } from "@lib/constants";
4  import { logger } from "@lib/logger";
5
6  // Интернетийг бүхэлд нь скандаж эмзэг PHP/Laravel/WordPress сервер хайдаг
7  // ботуудын түгээмэл зам — Next.js апп-д ийм зам огт байхгүй тул шууд 404
8  // буцааж, login redirect + рендерийн дэмий ачааллаас сэргийлнэ.
9  const PROBE_PATH_RE =
10    /\. (env|git|php|asp|aspx|cgi|yaml|yml|bak|ini|sql|sh) (\.|$|\/) |phpinfo|wp-(admin|login|content|includes) |\/owa\/ |\/actuator\/ |\/app_dev\.php |\/_profiler\/ |\/cgi-bin\/ |\/vendor\/ |\/\.\.well-known\/ (?!assetlink
php|env|json) |\/secrets |\/debug |\/default/i;
11
12  // Танигдсан crawler/scanner user-agent — log дээр bot:true гэж тэмдэглэнэ.
13  const BOT_UA_RE =
14    /bot|crawler|spider|scan|zgrab|censys|xpanse|palo alto|ahrefs|semrush|meta-webindexer|chatgpt|gptbot|facebookexternalhit|python-requests|go-http-client/i;
15
16  export async function proxy(request: NextRequest) {
17    const { pathname, search } = request.nextUrl;
18
19    const ua = request.headers.get("user-agent") ?? "";
20    const ip =
21      request.headers.get("x-forwarded-for")?.split(",")[0]?.trim() ??
22      request.headers.get("x-real-ip") ??
23      undefined;
24
25    // Халдлагын скан — тусдаа "security_probe" event-ээр warn түвшинд бичээд
26    // шууд 404. (grep security_probe logs/*.log гэж тусад нь харна.)
27    if (PROBE_PATH_RE.test(pathname)) {
28      logger.warn("security_probe", { method: request.method, path: pathname, ip, userAgent: ua || undefined });
29      return new Response("Not found", { status: 404 });
30    }
31
32    // Бүх request-ийг logs/app-YYYY-MM-DD.log руу бичнэ (fire-and-forget).
33    // Жинхэнэ хэрэглэгчийн хөдөлгөөнийг харахдаа: grep -v '"bot":true'
34    logger.info("request", {
35      method: request.method,
36      path: pathname,
37      query: search || undefined,
38      ip,
39      userAgent: ua || undefined,
40      referer: request.headers.get("referer") ?? undefined,
41      ...(BOT_UA_RE.test(ua) ? { bot: true } : {}),
42    });
43
44    // ping
45    if (pathname.startsWith("/ping")) return new Response("pong", { status: 200 });
46
47    // nextauth routes
```

```

48   if (pathname.startsWith("/api/auth")) return NextResponse.next();
49
50   // api (stream эвдрэхээс хамгаална)
51   if (pathname.startsWith("/api/")) return NextResponse.next();
52
53   // auth pages
54   if (pathname === "/login" || pathname === "/register") return NextResponse.next();
55
56   // Secure cookie-ийн НЭР (`_Secure-authjs.session-token` эсэх) нь
57   // NextAuth-д ЗӨВХӨН AUTH_URL-ийн протоколоор тодорхойлогддог
58   // (next-auth v5 нь reqWithEnvURL-ээр request origin-ийг AUTH_URL болгож,
59   // useSecureCookies = url.protocol === "https:" гэж тооцдог).
60   //
61   // Тиймээс энд cookie уншихдаа МӨН ЛЭ AUTH_URL-ийг л эх сурвалж болгоно.
62   // Хэрэв x-forwarded-proto (https) болон AUTH_URL (http) зөрвөл getToken буруу
63   // нэрээр хайж session олдохгүй → /login руу мөнхийн давталт үүснэ.
64   const authUrl = process.env.AUTH_URL ?? process.env.NEXTAUTH_URL ?? process.env.APP_URL ?? "";
65   const isHttps = authUrl
66     ? authUrl.startsWith("https://")
67     : // AUTH_URL тохируулаагүй үед NextAuth proto-г x-forwarded-proto-оос авдаг
68       request.headers.get("x-forwarded-proto") === "https" ||
69       request.nextUrl.protocol === "https:";
70
71   // Reverse проху-н цаана request.url нь localhost болдог тул
72   // redirected URL-д публик домэйн хэрэглэнэ.
73   const publicOrigin = authUrl ? new URL(authUrl).origin : request.nextUrl.origin;
74
75   const token = await getToken({
76     req: request,
77     secret: process.env.AUTH_SECRET ?? process.env.NEXTAUTH_SECRET,
78     secureCookie: isHttps,
79   });
80
81   // token байхгүй бол login руу (guest үүсрэхгүй)
82   if (!token) {
83     const callbackUrl = encodeURIComponent(`${pathname}${search}`);
84     return NextResponse.redirect(
85       new URL(`/login?callbackUrl=${callbackUrl}`, publicOrigin)
86     );
87   }
88
89   // guest token (хуучин session) бол мөн login руу — guest хандах эрхгүй
90   const isGuest =
91     (token as { type?: string }).type === "guest" ||
92     guestRegex.test(token?.email ?? "");
93   if (isGuest) {
94     const callbackUrl = encodeURIComponent(`${pathname}${search}`);
95     return NextResponse.redirect(
96       new URL(`/login?callbackUrl=${callbackUrl}`, publicOrigin)
97     );
98   }
99
100   return NextResponse.next();
101 }
102
103 export const config = {
104   matcher: [
105     "/",
106     "/chat/:id",
107     "/login",
108     "/register",
109     "/(?!_next/static|_next/image|favicon.ico|sitemap.xml|robots.txt|manifest.webmanifest|icon-.*\\.png|apple-touch-icon.png|images/).*",
110   ],
111 };

```

450. public/manifest.webmanifest


```

1  {
2    "name": "Oyuunsanaa Chat",
3    "short_name": "Oyuunsanaa",
4    "start_url": "/",
5    "display": "standalone",
6    "background_color": "#ffffff",
7    "theme_color": "#1F6FB2",
8    "icons": [
9      { "src": "/icon-192.png", "sizes": "192x192", "type": "image/png" },
10     { "src": "/icon-512.png", "sizes": "512x512", "type": "image/png" }
11   ]
12 }

```

451. README.md

```

1  <a href="https://chat.vercel.ai/">
2    
3    <h1 align="center">Chat SDK</h1>
4  </a>
5
6  <p align="center">
7    Chat SDK is a free, open-source template built with Next.js and the AI SDK that helps you quickly build powerful chatbot applications.
8  </p>
9
10 <p align="center">
11   <a href="https://chat-sdk.dev"><strong>Read Docs</strong></a> ·
12   <a href="#features"><strong>Features</strong></a> ·
13   <a href="#model-providers"><strong>Model Providers</strong></a> ·
14   <a href="#deploy-your-own"><strong>Deploy Your Own</strong></a> ·
15   <a href="#running-locally"><strong>Running locally</strong></a>
16 </p>
17 <br/>
18
19 ## Features
20
21 - [Next.js](https://nextjs.org) App Router
22   - Advanced routing for seamless navigation and performance
23   - React Server Components (RSCs) and Server Actions for server-side rendering and increased performance
24 - [AI SDK](https://ai-sdk.dev/docs/introduction)
25   - Unified API for generating text, structured objects, and tool calls with LLMs
26   - Hooks for building dynamic chat and generative user interfaces
27   - Supports xAI (default), OpenAI, Fireworks, and other model providers
28 - [shadcn/ui](https://ui.shadcn.com)
29   - Styling with [Tailwind CSS](https://tailwindcss.com)
30   - Component primitives from [Radix UI](https://radix-ui.com) for accessibility and flexibility
31 - Data Persistence
32   - [Neon Serverless Postgres](https://vercel.com/marketplace/neon) for saving chat history and user data
33   - [Vercel Blob](https://vercel.com/storage/blob) for efficient file storage
34 - [Auth.js](https://authjs.dev)
35   - Simple and secure authentication
36
37 ## Model Providers
38
39 This template uses the [Vercel AI Gateway](https://vercel.com/docs/ai-gateway) to access multiple AI models through a unified interface. The default configuration includes [xAI](https://x.ai) models (`gpt-4o-mini`) routed through the gateway.
40
41 ### AI Gateway Authentication
42
43 **For Vercel deployments**: Authentication is handled automatically via OIDC tokens.
44
45 **For non-Vercel deployments**: You need to provide an AI Gateway API key by setting the `AI_GATEWAY_API_KEY` environment variable in your `.env.local` file.
46
47 With the [AI SDK](https://ai-sdk.dev/docs/introduction), you can also switch to direct LLM providers like [OpenAI](https://openai.com), [Anthropic](https://anthropic.com), [Cohere](https://cohere.com/), [Llama](https://llama.com/), or [Mistral](https://mistral.ai) with just a few lines of code.
48
49 ## Deploy Your Own
50

```

```

51 You can deploy your own version of the Next.js AI Chatbot to Vercel with one click:
52
53 [[Deploy with Vercel](https://vercel.com/button)](https://vercel.com/templates/next.js/nextjs-ai-chatbot)
54
55 ## Running locally
56
57 You will need to use the environment variables [defined in `.env.example`](.env.example) to run Next.js AI Chatbot. It's recommended you use [Vercel Environment Variables](https://vercel.com/docs/projects/this, but a `.env` file is all that is necessary.
58
59 > Note: You should not commit your `.env` file or it will expose secrets that will allow others to control access to your various AI and authentication provider accounts.
60
61 1. Install Vercel CLI: `npm i -g vercel`
62 2. Link local instance with Vercel and GitHub accounts (creates `.vercel` directory): `vercel link`
63 3. Download your environment variables: `vercel env pull`
64
65 ```bash
66 pnpm install
67 pnpm db:migrate # Setup database or apply latest database changes
68 pnpm dev
69 ```
70
71 Your app template should now be running on [localhost:3000](http://localhost:3000).

```

452. tests/e2e/api.test.ts

```

1 import { expect, test } from "@playwright/test";
2
3 const CHAT_URL_REGEX = /\chat\/[\w-]+/;
4 const ERROR_TEXT_REGEX = /error|failed|trouble/i;
5
6 test.describe("Chat API Integration", () => {
7   test("sends message and receives AI response", async ({ page }) => {
8     await page.goto("/");
9
10    const input = page.getByTestId("multimodal-input");
11    await input.fill("Hello");
12    await page.getByTestId("send-button").click();
13
14    // Wait for assistant response to appear
15    const assistantMessage = page.locator("[data-role='assistant']").first();
16    await expect(assistantMessage).toBeVisible({ timeout: 30_000 });
17
18    // Verify it has some text content
19    const content = await assistantMessage.textContent();
20    expect(content?.length).toBeGreaterThan(0);
21  });
22
23   test("redirects to /chat/:id after sending message", async ({ page }) => {
24     await page.goto("/");
25
26     const input = page.getByTestId("multimodal-input");
27     await input.fill("Test redirect");
28     await page.getByTestId("send-button").click();
29
30     // URL should change to /chat/:id format
31     await expect(page).toHaveURL(CHAT_URL_REGEX, { timeout: 10_000 });
32   });
33
34   test("clears input after sending", async ({ page }) => {
35     await page.goto("/");
36
37     const input = page.getByTestId("multimodal-input");
38     await input.fill("Test message");
39     await page.getByTestId("send-button").click();
40
41     // Input should be cleared
42     await expect(input).toHaveValue("");

```

```

43   });
44
45   test("shows stop button during generation", async ({ page }) => {
46     await page.goto("/");
47     const input = page.getByTestId("multimodal-input");
48     await input.fill("Test");
49     await page.getByTestId("send-button").click();
50
51     // Stop button should appear during generation
52     const stopButton = page.getByTestId("stop-button");
53     await expect(stopButton).toBeVisible({ timeout: 5000 });
54   });
55 });
56
57 test.describe("Chat Error Handling", () => {
58   test("handles API error gracefully", async ({ page }) => {
59     await page.route("**/api/chat", async (route) => {
60       await route.fulfill({
61         status: 500,
62         contentType: "application/json",
63         body: JSON.stringify({ error: "Internal server error" }),
64       });
65     });
66
67     await page.goto("/");
68     const input = page.getByTestId("multimodal-input");
69     await input.fill("Test error");
70     await page.getByTestId("send-button").click();
71
72     // Should show error toast or message
73     await expect(page.getByText(ERROR_TEXT_REGEX).first()).toBeVisible({
74       timeout: 5000,
75     });
76   });
77 });
78
79 test.describe("Suggested Actions", () => {
80   test("suggested actions are clickable", async ({ page }) => {
81     await page.goto("/");
82
83     const suggestions = page.locator(
84       "[data-testid='suggested-actions'] button"
85     );
86     const count = await suggestions.count();
87
88     if (count > 0) {
89       await suggestions.first().click();
90
91       // Should redirect after clicking suggestion
92       await expect(page).toHaveURL(CHAT_URL_REGEX, { timeout: 10_000 });
93     }
94   });
95 });

```

453. tests/e2e/auth.test.ts

```

1  import { expect, test } from "@playwright/test";
2
3  test.describe("Authentication Pages", () => {
4    test("login page renders correctly", async ({ page }) => {
5      await page.goto("/login");
6      await expect(page.getByPlaceholder("user@acme.com")).toBeVisible();
7      await expect(page.getByLabel("Password")).toBeVisible();
8      await expect(page.getByRole("button", { name: "Sign In" })).toBeVisible();
9      await expect(page.getByText("Don't have an account?")).toBeVisible();
10   });
11

```

```

12   test("register page renders correctly", async ({ page }) => {
13     await page.goto("/register");
14     await expect(page.getByPlaceholder("user@acme.com")).toBeVisible();
15     await expect(page.getByLabel("Password")).toBeVisible();
16     await expect(page.getByRole("button", { name: "Sign Up" })).toBeVisible();
17     await expect(page.getByText("Already have an account?")).toBeVisible();
18   });
19
20   test("can navigate from login to register", async ({ page }) => {
21     await page.goto("/login");
22     await page.getByRole("link", { name: "Sign up" }).click();
23     await expect(page).toHaveURL("/register");
24   });
25
26   test("can navigate from register to login", async ({ page }) => {
27     await page.goto("/register");
28     await page.getByRole("link", { name: "Sign in" }).click();
29     await expect(page).toHaveURL("/login");
30   });
31 });

```

454. tests/e2e/chat.test.ts

```

1   import { expect, test } from "@playwright/test";
2
3   test.describe("Chat Page", () => {
4     test("home page loads with input field", async ({ page }) => {
5       await page.goto("/");
6       await expect(page.getByTestId("multimodal-input")).toBeVisible();
7     });
8
9     test("can type in the input field", async ({ page }) => {
10      await page.goto("/");
11      const input = page.getByTestId("multimodal-input");
12      await input.fill("Hello world");
13      await expect(input).toHaveValue("Hello world");
14    });
15
16    test("submit button is visible", async ({ page }) => {
17      await page.goto("/");
18      await expect(page.getByTestId("send-button")).toBeVisible();
19    });
20
21    test("suggested actions are visible on empty chat", async ({ page }) => {
22      await page.goto("/");
23      const suggestions = page.locator("[data-testid='suggested-actions']");
24      await expect(suggestions).toBeVisible();
25    });
26
27    test("can stop generation with stop button", async ({ page }) => {
28      await page.goto("/");
29
30      // Type and send a message
31      await page.getByTestId("multimodal-input").fill("Hello");
32      await page.getByTestId("send-button").click();
33
34      // Stop button should appear during generation
35      const stopButton = page.getByTestId("stop-button");
36      // If generation starts, stop button appears
37      // This is a best-effort check since timing depends on API
38      await stopButton.click({ timeout: 5000 }).catch(() => {
39        // Generation may have finished before we could click
40      });
41    });
42  });
43
44  test.describe("Chat Input Features", () => {

```

```

45   test("input clears after sending", async ({ page }) => {
46     await page.goto("/");
47     const input = page.getByTestId("multimodal-input");
48     await input.fill("Test message");
49     await page.getByTestId("send-button").click();
50
51     // Input should clear after sending
52     await expect(input).toHaveValue("");
53   });
54
55   test("input supports multiline text", async ({ page }) => {
56     await page.goto("/");
57     const input = page.getByTestId("multimodal-input");
58     await input.fill("Line 1\nLine 2\nLine 3");
59     await expect(input).toContainText("Line 1");
60   });
61 });

```

455. tests/e2e/model-selector.test.ts

```

1  import { expect, test } from "@playwright/test";
2
3  const MODEL_BUTTON_REGEX = /Gemini|Claude|GPT|Grok/i;
4
5  test.describe("Model Selector", () => {
6    test.beforeEach(async ({ page }) => {
7      await page.goto("/");
8    });
9
10   test("displays a model button", async ({ page }) => {
11     // Look for any button with model-related content
12     const modelButton = page.locator("button").filter({ hasText: MODEL_BUTTON_REGEX }).first();
13     await expect(modelButton).toBeVisible();
14   });
15
16   test("opens model selector popover on click", async ({ page }) => {
17     const modelButton = page.locator("button").filter({ hasText: MODEL_BUTTON_REGEX }).first();
18     await modelButton.click();
19
20     // Search input should be visible in the popover
21     await expect(page.getByPlaceholder("Search models...")).toBeVisible();
22   });
23
24   test("can search for models", async ({ page }) => {
25     const modelButton = page.locator("button").filter({ hasText: MODEL_BUTTON_REGEX }).first();
26     await modelButton.click();
27
28     const searchInput = page.getByPlaceholder("Search models...");
29     await searchInput.fill("Claude");
30
31     // Should show at least one Claude model
32     await expect(page.getByText("Claude Haiku").first()).toBeVisible();
33   });
34
35   test("can close model selector by clicking outside", async ({ page }) => {
36     const modelButton = page.locator("button").filter({ hasText: MODEL_BUTTON_REGEX }).first();
37     await modelButton.click();
38
39     await expect(page.getByPlaceholder("Search models...")).toBeVisible();
40
41     // Click outside to close
42     await page.keyboard.press("Escape");
43
44     await expect(page.getByPlaceholder("Search models...")).not.toBeVisible();
45   });
46
47   test("shows model provider groups", async ({ page }) => {

```

```

48   const modelButton = page.locator("button").filter({ hasText: MODEL_BUTTON_REGEX }).first();
49   await modelButton.click();
50
51   // Should show provider group headers
52   await expect(page.getByText("Anthropic")).toBeVisible();
53   await expect(page.getByText("Google")).toBeVisible();
54 });
55
56 test("can select a different model", async ({ page }) => {
57   const modelButton = page.locator("button").filter({ hasText: MODEL_BUTTON_REGEX }).first();
58   await modelButton.click();
59
60   // Select a specific model
61   await page.getByText("Claude Haiku").first().click();
62
63   // Popover should close
64   await expect(page.getByPlaceholder("Search models...")).not.toBeVisible();
65
66   // Model button should now show the selected model
67   await expect(page.locator("button").filter({ hasText: "Claude Haiku" }).first()).toBeVisible();
68 });
69 });

```

456. tests/fixtures.ts

```

1  import { expect as baseExpect, test as baseTest } from "@playwright/test";
2  import { ChatPage } from "../pages/chat";
3
4  type Fixtures = {
5    chatPage: ChatPage;
6  };
7
8  export const test = baseTest.extend<Fixtures>({
9    chatPage: async ({ page }, use) => {
10      const chatPage = new ChatPage(page);
11      await use(chatPage);
12    },
13  });
14
15  export const expect = baseExpect;

```

457. tests/helpers.ts

```

1  import { generateId } from "ai";
2  import { getUnixTime } from "date-fns";
3
4  export function generateRandomTestUser() {
5    const email = `test-${getUnixTime(new Date())}@playwright.com`;
6    const password = generateId();
7
8    return {
9      email,
10     password,
11   };
12 }
13
14 export function generateTestMessage() {
15   return `Test message ${Date.now()}`;
16 }

```

458. tests/pages/chat.ts

```

1 import type { Page } from "@playwright/test";
2
3 const MODEL_BUTTON_REGEX = /Gemini|Claude|GPT|Grok/i;
4
5 export class ChatPage {
6   page: Page;
7
8   constructor(page: Page) {
9     this.page = page;
10  }
11
12  async goto() {
13    await this.page.goto("/");
14  }
15
16  async createNewChat() {
17    await this.page.goto("/");
18    await this.page.waitForSelector("[data-testid='multimodal-input']");
19  }
20
21  getInput() {
22    return this.page.getByTestId("multimodal-input");
23  }
24
25  async typeMessage(message: string) {
26    const input = this.getInput();
27    await input.fill(message);
28  }
29
30  async sendMessage() {
31    await this.page.getByTestId("send-button").click();
32  }
33
34  async sendUserMessage(message: string) {
35    await this.typeMessage(message);
36    await this.sendMessage();
37  }
38
39  getSendButton() {
40    return this.page.getByTestId("send-button");
41  }
42
43  getStopButton() {
44    return this.page.getByTestId("stop-button");
45  }
46
47  async clickSuggestedAction(index = 0) {
48    const suggestions = this.page.locator(
49      "[data-testid='suggested-actions'] button"
50    );
51    await suggestions.nth(index).click();
52  }
53
54  async openModelSelector() {
55    const modelButton = this.page
56      .locator("button")
57      .filter({ hasText: MODEL_BUTTON_REGEX })
58      .first();
59    await modelButton.click();
60  }
61
62  async selectModel(modelName: string) {
63    await this.openModelSelector();
64    await this.page.getByText(modelName).first().click();
65  }
66
67  async searchModels(query: string) {
68    await this.openModelSelector();
69    await this.page.getByPlaceholder("Search models...").fill(query);

```

```
70   }
71 }
```

459. tests/prompts/utils.ts

```
1  import type { LanguageModelV3StreamPart } from "@ai-sdk/provider";
2
3  const mockUsage = {
4    inputTokens: { total: 10, noCache: 10, cacheRead: 0, cacheWrite: 0 },
5    outputTokens: { total: 20, text: 20, reasoning: 0 },
6  };
7
8  export function getResponseChunksByPrompt(
9    _prompt: unknown,
10    _includeReasoning = false
11 ): LanguageModelV3StreamPart[] {
12   const chunks: LanguageModelV3StreamPart[] = [];
13
14   if (includeReasoning) {
15     chunks.push(
16       { type: "reasoning-start", id: "r1" },
17       { type: "reasoning-delta", id: "r1", delta: "Let me think about this." },
18       { type: "reasoning-end", id: "r1" }
19     );
20   }
21
22   chunks.push(
23     { type: "text-start", id: "t1" },
24     { type: "text-delta", id: "t1", delta: "Hello, world!" },
25     { type: "text-end", id: "t1" },
26     {
27       type: "finish",
28       finishReason: { unified: "stop", raw: "stop" },
29       usage: mockUsage,
30     }
31   );
32
33   return chunks;
34 }
```

460. ToDo.md

```
1  Architecture Overview
2  Stack: Next.js 16 (App Router) + Drizzle ORM + PostgreSQL + Supabase + Vercel AI SDK + NextAuth v5
3
4  The project follows a clean route-group structure (auth)/(chat) with proper server/client separation and a custom error class system. The core architecture is solid, but there are several critical bugs
5
6  Critical Bugs
7
8  1. Finance intent scans ALL messages – not just the latest
9     route.ts:294-313
10
11  If a user ever mentioned "санхүү" in any previous message of the chat, every future reply in that conversation uses financePrompt – completely discarding the mental health system prompt. Fix: only check
message), not all uiMessages.
12
13  2. ensureUserIdByEmail race condition (no transaction)
14     queries.ts:102-128
15
16  Check-then-insert without a transaction. Under concurrent requests (e.g. tab opened twice), two requests can both see no user exists and both try to insert – one will fail with a constraint error if the
both succeed if there isn't one. Fix: use ON CONFLICT DO NOTHING ... RETURNING.
17
18  3. Missing UNIQUE constraint on user.email
19     schema.ts:14-21
20
21  Without .unique(), the race condition above creates duplicate users silently. getUser() returns an array precisely because of this – ensureUserIdByEmail could theoretically return two rows. Fix: add .unique()
```



```

migration.
22
23 4. deleteChatById runs without a transaction
24   queries.ts:209-220
25
26 Deletes votes → messages → streams → chat in four separate queries. If the server crashes mid-way, the data is left in a corrupted state (e.g. messages deleted but chat still exists). Fix: wrap in db.transaction
27
28 5. voteMessage queries inconsistently
29   queries.ts:424-428
30
31 The existence check only filters by messageId but the update filters by both chatId AND messageId. A vote from a different chat could be found and then the update misses it. Fix: add eq(vote.chatId, chatId)
32
33 6. Document schema column is misnamed
34   schema.ts:125
35
36 The database column is literally named "text" instead of "kind". Drizzle uses the JS property name for queries so it works, but the underlying SQL column has a confusing name that would surprise anyone writing raw SQL.
37
38 7. Guest rate limit is trivially bypassable
39   route.ts:173-196
40
41 Cookie-based rate limiting can be bypassed by clearing cookies. Anyone can get unlimited guest messages. This is acceptable only if guest access is meant to be truly open.
42
43 Scalability Issues
44
45 1. No DB indexes defined
46   The schema defines no explicit indexes. These columns are queried heavily:
47
48   Column Query pattern
49   message.chatId every chat load
50   chat.userId history sidebar
51   message.createdAt rate limiting (join query)
52   message.role rate limiting filter
53   PostgreSQL will do full table scans as data grows. Add indexes via a Drizzle migration.
54
55 2. getMessagesByChatId has no limit
56   queries.ts:357-367
57
58 All messages for a chat are fetched and passed to the LLM. A chat with 500 messages sends all 500 to the model — expensive and slow. Add a .limit(50).orderBy(desc(...)) and reverse before passing to the LLM.
59
60 3. DB connection pool wrong for serverless
61   queries.ts:41-46
62
63 In serverless (Vercel), each function invocation creates its own connection pool of up to 10. At 100 concurrent requests you get 1000 connections to PostgreSQL. Use max: 1 for serverless, or use a connection pool like Neon pooling / Supabase pooler.
64
65 4. Triple-query KB slug lookup
66   route.ts:113-150
67
68 Three sequential Supabase queries per request just to normalize a slug:
69
70 Normalize slugs at insert time or use a LIKE / OR query. This is 3 network round trips on every chat request for users reading KB articles.
71
72 5. Split data across two DB providers with no clear boundary
73   Core app data lives in PostgreSQL (Drizzle), but KB articles, user settings, test results, health data, and finance data are all in Supabase — accessed via the Supabase JS client with raw queries. This query logic is scattered across different API routes. This makes it hard to maintain consistency and run unified migrations.
74
75 6. All beta packages in production
76   Package Version
77   next-auth 5.0.0-beta.25
78   ai 6.0.0-beta.159
79   @ai-sdk/react 3.0.0-beta.162
80   These APIs can break between beta releases. NextAuth v5 beta in particular has had breaking changes in auth callbacks and session handling.
81
82 How to Improve
83 High priority (data integrity)
84 Add user.email unique constraint + update ensureUserIdByEmail to use upsert:
85
86 Wrap deleteChatById in a transaction:

```

```

87
88 Fix finance intent to check only the latest message – replace allUserText scan with just message.parts.
89
90 Fix voteMessage select to include chatId filter.
91
92 High priority (performance)
93 Add DB indexes via a Drizzle migration:
94
95 Cap getMessagesByChatId to the last N messages (50-100) before sending to the LLM.
96
97 Fix DB connection pool size to max: 1 for serverless deployment.
98
99 Medium priority
100 Consolidate the slug lookup into a single SQL OR query or normalize slugs at write time.
101
102 Pin non-beta versions once stable releases are available – especially NextAuth and the AI SDK.
103
104 Move balance test results to server-side (currently localStorage only – data is lost if the user clears storage or switches devices).
105
106 Add Zod validation to the other API routes (finance, health, goals) – currently only the main chat route validates its request body.
107
108 Lower priority / architecture
109 Create a lib/supabase/ layer that mirrors lib/db/queries.ts – one place for all Supabase queries rather than scattered createClient() calls in each API route.
110
111 Fix the document kind column name in the schema from varchar("text", ...) to varchar("kind", ...) with a migration.
112
113 The core architecture is well-structured and the separation of concerns (auth/chat groups, lib/ai, lib/db) is clean. The main risks are the missing unique constraint on email, the transaction-less deletion bug – those three are worth fixing first.

```

461. tsconfig.json

```

1  {
2    "compilerOptions": {
3      "target": "ESNext",
4      "lib": ["dom", "dom.iterable", "esnext"],
5      "allowJs": true,
6      "skipLibCheck": true,
7      "strict": true,
8      "noEmit": true,
9      "esModuleInterop": true,
10     "module": "esnext",
11     "moduleResolution": "bundler",
12     "resolveJsonModule": true,
13     "isolatedModules": true,
14     "jsx": "react-jsx",
15     "incremental": true,
16     "plugins": [
17       {
18         "name": "next"
19       }
20     ],
21     "paths": {
22       "@/*": ["./*"]
23     },
24     "strictNullChecks": true
25   },
26   "include": [
27     "next-env.d.ts",
28     "**/*.ts",
29     "**/*.tsx",
30     ".next/types/**/*.ts",
31     "next.config.js",
32     ".next/dev/types/**/*.ts"
33   ],
34   "exclude": [
35     "node_modules",
36     "tests"

```

```
37     ]  
38 }
```