

Oyunsanaa AI Chat - main-backup - TSX only

Page 1/49

```

1 app/chat/mind/_slug/page.jsx
2
3 import Link from "next/link";
4
5 //
6 /**
7  * Catch-all placeholder for any /mind/* route that isn't built yet.
8  */
9
10 Next.js always matches a more specific route than this catch-all, so every
11 time you visit a page like /mind/1234, it will first try to find a page named
12 next.js has no page yet, giving a clean "coming soon" screen instead of
13 a 404. (Requested behaviour: leave unknown menu items as a blank route.)
14
15 I'll export default function MindPlaceholder() {
16   12: return () => {
17     <div className="flex min-h-dvh flex-col items-center justify-center gap-4 py-16 text-white">
18       <div></div>
19       <div></div>
20       <div></div>
21       <div></div>
22       <div></div>
23       <div></div>
24       <div></div>
25       <div></div>
26       <div></div>
27       <div></div>
28       <div></div>
29       <div></div>
30       <div></div>
31       <div></div>
32       <div></div>
33       <div></div>
34       <div></div>
35       <div></div>
36       <div></div>
37       <div></div>
38       <div></div>
39       <div></div>
40       <div></div>
41       <div></div>
42       <div></div>
43       <div></div>
44       <div></div>
45       <div></div>
46       <div></div>
47       <div></div>
48       <div></div>
49       <div></div>
50       <div></div>
51       <div></div>
52       <div></div>
53       <div></div>
54       <div></div>
55       <div></div>
56       <div></div>
57       <div></div>
58       <div></div>
59       <div></div>
60       <div></div>
61       <div></div>
62       <div></div>
63       <div></div>
64       <div></div>
65       <div></div>
66       <div></div>
67       <div></div>
68       <div></div>
69       <div></div>
70       <div></div>
71       <div></div>
72       <div></div>
73       <div></div>
74       <div></div>
75       <div></div>
76       <div></div>
77       <div></div>
78       <div></div>
79       <div></div>
80       <div></div>
81       <div></div>
82       <div></div>
83       <div></div>
84       <div></div>
85       <div></div>
86       <div></div>
87       <div></div>
88       <div></div>
89       <div></div>
90       <div></div>
91       <div></div>
92       <div></div>
93       <div></div>
94       <div></div>
95       <div></div>
96       <div></div>
97       <div></div>
98       <div></div>
99       <div></div>
100      <div></div>
101    </div>
102  };
103 }

```

```

119:         d=(lineD)
120:         fill="none"
121:         stroke={BRAND.hex}
122:         strokeWidth="2.5"
123:         strokeLinecap="round"
124:         strokeLinejoin="round"
125:     />

```

[illegible]

```
(chat)mind/balance/summary/page.txx
'use client'

import { AppCard, AppShell, Badge, Button, PageHeader } from '~/components/mind/app-sh'
import { use$ } from '$lib/118/provider'

export default function BalanceSummaryPage() {
  const c = use$(1)
  const b = t.app.balance.summaryPage;

  return (
    <AppShell title={t.app.balance.test.title} subtitle={b.title} width='full'>
      <PageCard>
        <PageName>
          <div></div>
        </PageName>
        <PageBody>
          <div></div>
        </PageBody>
      </AppShell>
    )
  )
}
```

```

(chat/mind/balance/test/page.tsx
use client";

import Image from "next/image";
import Link from "next/link";
import { useMemo, useRef, useState } from "react";
import { ArrowLeft, MessageCircle, BarChart3 } from "lucide-react";

import { AppShell } from "@/components/mind/app-shell";
import { BALANCE_SCALE_VALUES, BRAND, BALANCE_LAST_KEY, BALANCE_HISTORY_KEY } from "
instances";
import { BALANCE_QUESTIONS } from "@/questions";
import type { AnswerMap } from "@/score";

```

Oyunsanaa AI Chat - main-backup - TSX only

Oyunsanaa AI Chat - main-backup - TSX only

Oyunsanaa AI Chat - main-backup - TSX only

Oyunsanaa AI Chat - main-backup - TSX only

Oyunsanaa AI Chat - main-backup - TSX only

Oyunsanaa AI Chat - main-backup - TSX only

Oyunsanaa AI Chat - main-backup - TSX only

app/(chat)/mind/purpose/organize/page.ts

```
106:         (goals.alice(0, 20).map{
107:             <11
```

[app/\(chat\)/mind/relations/intro/page.tsx](#)

Oyunsanaa AI Chat - main-backup - TSX only

app/(chat)/mind/relations/tests/page.tsx

[app/\(chat\)/mind/self-care/health/program/page.tsx](http://app/(chat)/mind/self-care/health/program/page.tsx)

```
12: type DailyLog,
13: sum DailyLog
```

```
71:   const [foodCal, setFoodCal] = useSt
72:
```

```
149:         <div
150:             className="flex flex-col items-center rounded-2xl border border-slate
```


Oyunsanaa AI Chat - main-backup - TSX only

Oyunsanaa AI Chat - main-backup - TSX only

Oyunsanaa AI Chat - main-backup - TSX only

Oyunsanaa AI Chat - main-backup - TSX only

Oyunsanaa AI Chat - main-backup - TSX only

[components/ai-elements/checkpoint.tsx](#)[components/ai-elements/code-block.tsx](#)

components/ai-elements/confirmation tsx


```
36: );
37:
38: export type MessageContentProps = HTMLAttributes<HTMLDivElement>;
39:
40: export const MessageContent = ( {
41:   children,
42:   className,
43:   ...props
44: } : MessageContentProps ) => {
45:   <div
46:     className={cn(
47:       "is-user:dark flex w-fit min-w-0 max-w-full flex-col gap-2 overflow-hidden text",
48:       "group-[.is-user]:in-auto group-[.is-user]:rounded-lg group-[.is-user]:p-5",
49:       "group-[.is-user]:p-4 group-[.is-user]:p-3 group-[.is-user]:text-foreground",
50:       "group-[.is-assistant]:text-foreground",
51:       ...props
52:     )}
53:     > {children}
54:   </div>
55: );
56:
57:
58: export type MessageActionsProps = ComponentProps<"div">;
59:
60: export const MessageActions = ( {
61:   className,
62:   children,
63:   ...props
64: } : MessageActionsProps ) => {
65:   <div
66:     className={cn("flex items-center gap-1", className)} (...props)
67:     > {children}
68:   </div>
69: };
70:
71: export type MessageActionProps = ComponentPropsTypeof Button & {
72:   tooltip?: string;
73:   label?: string;
74: };
75:
76: export const MessageAction = ( {
77:   children,
78:   label,
79:   variant = "ghost",
80:   size = "icon",
81:   ...props
82: } : MessageActionProps ) => {
83:   const button = (
84:     <button
85:       size={size} type="button" variant={variant} (...props)
86:       >span className="sr-only">{label} {tooltip}/>span
87:     </button>
88:   );
89:
90:   if (tooltip) {
91:     return (
92:       <TooltipProvider>
93:         <Tooltip>
94:           <TooltipTrigger asChild>{button}</TooltipTrigger>
95:           <TooltipContent>
96:             {tooltip}</>
97:           </TooltipContent>
98:         </Tooltip>
99:       </TooltipProvider>
100:     );
101:   }
102:
103:   return button;
104: };
105:
106: type MessageBranchContextType = {
107:   currentBranch: number;
108:   totalBranches: number;
109:   gotoTotal: () => void;
110:   gotoNext: () => void;
111:   branches: ReactElement[];
112:   setBranches: (branches: ReactElement[]) => void;
113: };
114:
115: const useMessageBranchContext = createContext<MessageBranchContextType> | null |
116: null
117:
118:
119: const useMessageBranch = ( ) => {
120:   const context = useContext(MessageBranchContext);
121:
122:   if (context) {
123:     throw new Error(
124:       "MessageBranch components must be used within MessageBranch"
125:     );
126:   }
127:
128:   return context;
129: };
130:
131: export type MessageBranchProps = HTMLAttributes<HTMLDivElement> & {
132:   defaultBranch?: number;
133:   onBranchChange?: (branchIndex: number) => void;
134: };
135:
136: export const MessageBranch = ( {
137:   defaultBranch = 0,
138:   onBranchChange,
139:   className,
140:   ...props
141: } : MessageBranchProps ) => {
142:   const [currentBranch, setCurrentBranch] = useState<defaultBranch>();
143:   const [branches, setBranches] = useState<ReactElement[]>([]);
144:
145:   const handleBranchChange = (newBranch: number) => {
146:     setCurrentBranch(newBranch);
147:     onBranchChange?.(newBranch);
148:   };
149:
150:   const gotoPrevious = () => {
151:     const newBranch = currentBranch - 1;
152:     if (newBranch < 0) return;
153:     setCurrentBranch(newBranch);
154:   };
155:
156:   const gotoNext = () => {
157:     const newBranch = currentBranch + 1;
158:     if (newBranch > branches.length - 1) return;
159:     setCurrentBranch(newBranch);
160:   };
161:
162:   const contextValue: MessageBranchContextType = {
163:     currentBranch,
164:     totalBranches: branches.length,
165:     gotoPrevious,
166:     gotoNext,
167:     branches,
168:     setBranches,
169:   };
170:
171:   return (
172:     <MessageBranchContext.Provider value={contextValue}>
173:       <div
174:         className={cn("grid w-full gap-1 [&div]:pb-0", className)} (...props)
175:       >
176:         {branches}
177:       </div>
178:     </MessageBranchContext.Provider>
179:   );
180:
181: export type MessageBranchContentProps = HTMLAttributes<HTMLDivElement>;
182:
183: export const MessageBranchContent = ( {
184:   children,
185:   ...props
186: } : MessageBranchContentProps ) => {
187:   const { currentBranch, setBranches, branches } = useMessageBranch();
188:   const childrenArray = Array.isArray(children) ? children : [children];
189:
190:   // Use useEffect to update branches when they change
191:   useEffect(() => {
192:     if (branches.length !== childrenArray.length) {
193:       setBranches(childrenArray);
194:     }
195:   }, [childrenArray]);
196:
197:   return (
198:     <div
199:       className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
200:     >
201:       {childrenArray}
202:     </div>
203:   );
204: };
205:
206: export type MessageBranchSelectorProps = HTMLAttributes<HTMLDivElement> & {
207:   from?: string;
208:   to?: string;
209: };
210:
211: export const MessageBranchSelector = ( {
212:   from,
213:   to,
214:   ...props
215: } : MessageBranchSelectorProps ) => {
216:   <div
217:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
218:   >
219:     {children}
220:   </div>
221: };
222:
223: export type MessageBranchPreviousProps = ComponentPropsTypeof Button;
224:
225: export const MessageBranchPrevious = ( {
226:   children,
227:   ...props
228: } : MessageBranchPreviousProps ) => {
229:   <button
230:     type="button"
231:     variant="ghost"
232:     size="icon"
233:     >{children}</button>
234:   </button>
235: };
236:
237: export type MessageBranchNextProps = ComponentPropsTypeof Button;
238:
239: export const MessageBranchNext = ( {
240:   children,
241:   ...props
242: } : MessageBranchNextProps ) => {
243:   <button
244:     type="button"
245:     variant="ghost"
246:     size="icon"
247:     >{children}</button>
248:   </button>
249: };
250:
251: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
252:
253: export const MessageBranchPreviousNext = ( {
254:   children,
255:   ...props
256: } : MessageBranchPreviousNextProps ) => {
257:   <div
258:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
259:   >
260:     <MessageBranchPrevious>
261:       {children}
262:     </MessageBranchPrevious>
263:     <MessageBranchNext>
264:       {children}
265:     </MessageBranchNext>
266:   </div>
267: };
268:
269: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
270:
271: export const MessageBranchPreviousNext = ( {
272:   children,
273:   ...props
274: } : MessageBranchPreviousNextProps ) => {
275:   <div
276:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
277:   >
278:     <MessageBranchPrevious>
279:       {children}
280:     </MessageBranchPrevious>
281:     <MessageBranchNext>
282:       {children}
283:     </MessageBranchNext>
284:   </div>
285: };
286:
287: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
288:
289: export const MessageBranchPreviousNext = ( {
290:   children,
291:   ...props
292: } : MessageBranchPreviousNextProps ) => {
293:   <div
294:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
295:   >
296:     <MessageBranchPrevious>
297:       {children}
298:     </MessageBranchPrevious>
299:     <MessageBranchNext>
300:       {children}
301:     </MessageBranchNext>
302:   </div>
303: };
304:
305: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
306:
307: export const MessageBranchPreviousNext = ( {
308:   children,
309:   ...props
310: } : MessageBranchPreviousNextProps ) => {
311:   <div
312:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
313:   >
314:     <MessageBranchPrevious>
315:       {children}
316:     </MessageBranchPrevious>
317:     <MessageBranchNext>
318:       {children}
319:     </MessageBranchNext>
320:   </div>
321: };
322:
323: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
324:
325: export const MessageBranchPreviousNext = ( {
326:   children,
327:   ...props
328: } : MessageBranchPreviousNextProps ) => {
329:   <div
330:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
331:   >
332:     <MessageBranchPrevious>
333:       {children}
334:     </MessageBranchPrevious>
335:     <MessageBranchNext>
336:       {children}
337:     </MessageBranchNext>
338:   </div>
339: };
340:
341: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
342:
343: export const MessageBranchPreviousNext = ( {
344:   children,
345:   ...props
346: } : MessageBranchPreviousNextProps ) => {
347:   <div
348:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
349:   >
350:     <MessageBranchPrevious>
351:       {children}
352:     </MessageBranchPrevious>
353:     <MessageBranchNext>
354:       {children}
355:     </MessageBranchNext>
356:   </div>
357: };
358:
359: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
360:
361: export const MessageBranchPreviousNext = ( {
362:   children,
363:   ...props
364: } : MessageBranchPreviousNextProps ) => {
365:   <div
366:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
367:   >
368:     <MessageBranchPrevious>
369:       {children}
370:     </MessageBranchPrevious>
371:     <MessageBranchNext>
372:       {children}
373:     </MessageBranchNext>
374:   </div>
375: };
376:
377: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
378:
379: export const MessageBranchPreviousNext = ( {
380:   children,
381:   ...props
382: } : MessageBranchPreviousNextProps ) => {
383:   <div
384:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
385:   >
386:     <MessageBranchPrevious>
387:       {children}
388:     </MessageBranchPrevious>
389:     <MessageBranchNext>
390:       {children}
391:     </MessageBranchNext>
392:   </div>
393: };
394:
395: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
396:
397: export const MessageBranchPreviousNext = ( {
398:   children,
399:   ...props
400: } : MessageBranchPreviousNextProps ) => {
401:   <div
402:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
403:   >
404:     <MessageBranchPrevious>
405:       {children}
406:     </MessageBranchPrevious>
407:     <MessageBranchNext>
408:       {children}
409:     </MessageBranchNext>
410:   </div>
411: };
412:
413: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
414:
415: export const MessageBranchPreviousNext = ( {
416:   children,
417:   ...props
418: } : MessageBranchPreviousNextProps ) => {
419:   <div
420:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
421:   >
422:     <MessageBranchPrevious>
423:       {children}
424:     </MessageBranchPrevious>
425:     <MessageBranchNext>
426:       {children}
427:     </MessageBranchNext>
428:   </div>
429: };
430:
431: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
432:
433: export const MessageBranchPreviousNext = ( {
434:   children,
435:   ...props
436: } : MessageBranchPreviousNextProps ) => {
437:   <div
438:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
439:   >
440:     <MessageBranchPrevious>
441:       {children}
442:     </MessageBranchPrevious>
443:     <MessageBranchNext>
444:       {children}
445:     </MessageBranchNext>
446:   </div>
447: };
448:
449: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
450:
451: export const MessageBranchPreviousNext = ( {
452:   children,
453:   ...props
454: } : MessageBranchPreviousNextProps ) => {
455:   <div
456:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
457:   >
458:     <MessageBranchPrevious>
459:       {children}
460:     </MessageBranchPrevious>
461:     <MessageBranchNext>
462:       {children}
463:     </MessageBranchNext>
464:   </div>
465: };
466:
467: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
468:
469: export const MessageBranchPreviousNext = ( {
470:   children,
471:   ...props
472: } : MessageBranchPreviousNextProps ) => {
473:   <div
474:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
475:   >
476:     <MessageBranchPrevious>
477:       {children}
478:     </MessageBranchPrevious>
479:     <MessageBranchNext>
480:       {children}
481:     </MessageBranchNext>
482:   </div>
483: };
484:
485: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
486:
487: export const MessageBranchPreviousNext = ( {
488:   children,
489:   ...props
490: } : MessageBranchPreviousNextProps ) => {
491:   <div
492:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
493:   >
494:     <MessageBranchPrevious>
495:       {children}
496:     </MessageBranchPrevious>
497:     <MessageBranchNext>
498:       {children}
499:     </MessageBranchNext>
500:   </div>
501: };
502:
503: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
504:
505: export const MessageBranchPreviousNext = ( {
506:   children,
507:   ...props
508: } : MessageBranchPreviousNextProps ) => {
509:   <div
510:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
511:   >
512:     <MessageBranchPrevious>
513:       {children}
514:     </MessageBranchPrevious>
515:     <MessageBranchNext>
516:       {children}
517:     </MessageBranchNext>
518:   </div>
519: };
520:
521: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
522:
523: export const MessageBranchPreviousNext = ( {
524:   children,
525:   ...props
526: } : MessageBranchPreviousNextProps ) => {
527:   <div
528:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
529:   >
530:     <MessageBranchPrevious>
531:       {children}
532:     </MessageBranchPrevious>
533:     <MessageBranchNext>
534:       {children}
535:     </MessageBranchNext>
536:   </div>
537: };
538:
539: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
540:
541: export const MessageBranchPreviousNext = ( {
542:   children,
543:   ...props
544: } : MessageBranchPreviousNextProps ) => {
545:   <div
546:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
547:   >
548:     <MessageBranchPrevious>
549:       {children}
550:     </MessageBranchPrevious>
551:     <MessageBranchNext>
552:       {children}
553:     </MessageBranchNext>
554:   </div>
555: };
556:
557: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
558:
559: export const MessageBranchPreviousNext = ( {
560:   children,
561:   ...props
562: } : MessageBranchPreviousNextProps ) => {
563:   <div
564:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
565:   >
566:     <MessageBranchPrevious>
567:       {children}
568:     </MessageBranchPrevious>
569:     <MessageBranchNext>
570:       {children}
571:     </MessageBranchNext>
572:   </div>
573: };
574:
575: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
576:
577: export const MessageBranchPreviousNext = ( {
578:   children,
579:   ...props
580: } : MessageBranchPreviousNextProps ) => {
581:   <div
582:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
583:   >
584:     <MessageBranchPrevious>
585:       {children}
586:     </MessageBranchPrevious>
587:     <MessageBranchNext>
588:       {children}
589:     </MessageBranchNext>
590:   </div>
591: };
592:
593: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
594:
595: export const MessageBranchPreviousNext = ( {
596:   children,
597:   ...props
598: } : MessageBranchPreviousNextProps ) => {
599:   <div
600:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
601:   >
602:     <MessageBranchPrevious>
603:       {children}
604:     </MessageBranchPrevious>
605:     <MessageBranchNext>
606:       {children}
607:     </MessageBranchNext>
608:   </div>
609: };
610:
611: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
612:
613: export const MessageBranchPreviousNext = ( {
614:   children,
615:   ...props
616: } : MessageBranchPreviousNextProps ) => {
617:   <div
618:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
619:   >
620:     <MessageBranchPrevious>
621:       {children}
622:     </MessageBranchPrevious>
623:     <MessageBranchNext>
624:       {children}
625:     </MessageBranchNext>
626:   </div>
627: };
628:
629: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
630:
631: export const MessageBranchPreviousNext = ( {
632:   children,
633:   ...props
634: } : MessageBranchPreviousNextProps ) => {
635:   <div
636:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
637:   >
638:     <MessageBranchPrevious>
639:       {children}
640:     </MessageBranchPrevious>
641:     <MessageBranchNext>
642:       {children}
643:     </MessageBranchNext>
644:   </div>
645: };
646:
647: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
648:
649: export const MessageBranchPreviousNext = ( {
650:   children,
651:   ...props
652: } : MessageBranchPreviousNextProps ) => {
653:   <div
654:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
655:   >
656:     <MessageBranchPrevious>
657:       {children}
658:     </MessageBranchPrevious>
659:     <MessageBranchNext>
660:       {children}
661:     </MessageBranchNext>
662:   </div>
663: };
664:
665: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
666:
667: export const MessageBranchPreviousNext = ( {
668:   children,
669:   ...props
670: } : MessageBranchPreviousNextProps ) => {
671:   <div
672:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
673:   >
674:     <MessageBranchPrevious>
675:       {children}
676:     </MessageBranchPrevious>
677:     <MessageBranchNext>
678:       {children}
679:     </MessageBranchNext>
680:   </div>
681: };
682:
683: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
684:
685: export const MessageBranchPreviousNext = ( {
686:   children,
687:   ...props
688: } : MessageBranchPreviousNextProps ) => {
689:   <div
690:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
691:   >
692:     <MessageBranchPrevious>
693:       {children}
694:     </MessageBranchPrevious>
695:     <MessageBranchNext>
696:       {children}
697:     </MessageBranchNext>
698:   </div>
699: };
700:
701: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
702:
703: export const MessageBranchPreviousNext = ( {
704:   children,
705:   ...props
706: } : MessageBranchPreviousNextProps ) => {
707:   <div
708:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
709:   >
710:     <MessageBranchPrevious>
711:       {children}
712:     </MessageBranchPrevious>
713:     <MessageBranchNext>
714:       {children}
715:     </MessageBranchNext>
716:   </div>
717: };
718:
719: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
720:
721: export const MessageBranchPreviousNext = ( {
722:   children,
723:   ...props
724: } : MessageBranchPreviousNextProps ) => {
725:   <div
726:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
727:   >
728:     <MessageBranchPrevious>
729:       {children}
730:     </MessageBranchPrevious>
731:     <MessageBranchNext>
732:       {children}
733:     </MessageBranchNext>
734:   </div>
735: };
736:
737: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
738:
739: export const MessageBranchPreviousNext = ( {
740:   children,
741:   ...props
742: } : MessageBranchPreviousNextProps ) => {
743:   <div
744:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
745:   >
746:     <MessageBranchPrevious>
747:       {children}
748:     </MessageBranchPrevious>
749:     <MessageBranchNext>
750:       {children}
751:     </MessageBranchNext>
752:   </div>
753: };
754:
755: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
756:
757: export const MessageBranchPreviousNext = ( {
758:   children,
759:   ...props
760: } : MessageBranchPreviousNextProps ) => {
761:   <div
762:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
763:   >
764:     <MessageBranchPrevious>
765:       {children}
766:     </MessageBranchPrevious>
767:     <MessageBranchNext>
768:       {children}
769:     </MessageBranchNext>
770:   </div>
771: };
772:
773: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
774:
775: export const MessageBranchPreviousNext = ( {
776:   children,
777:   ...props
778: } : MessageBranchPreviousNextProps ) => {
779:   <div
780:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
781:   >
782:     <MessageBranchPrevious>
783:       {children}
784:     </MessageBranchPrevious>
785:     <MessageBranchNext>
786:       {children}
787:     </MessageBranchNext>
788:   </div>
789: };
790:
791: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
792:
793: export const MessageBranchPreviousNext = ( {
794:   children,
795:   ...props
796: } : MessageBranchPreviousNextProps ) => {
797:   <div
798:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
799:   >
800:     <MessageBranchPrevious>
801:       {children}
802:     </MessageBranchPrevious>
803:     <MessageBranchNext>
804:       {children}
805:     </MessageBranchNext>
806:   </div>
807: };
808:
809: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
810:
811: export const MessageBranchPreviousNext = ( {
812:   children,
813:   ...props
814: } : MessageBranchPreviousNextProps ) => {
815:   <div
816:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
817:   >
818:     <MessageBranchPrevious>
819:       {children}
820:     </MessageBranchPrevious>
821:     <MessageBranchNext>
822:       {children}
823:     </MessageBranchNext>
824:   </div>
825: };
826:
827: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
828:
829: export const MessageBranchPreviousNext = ( {
830:   children,
831:   ...props
832: } : MessageBranchPreviousNextProps ) => {
833:   <div
834:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
835:   >
836:     <MessageBranchPrevious>
837:       {children}
838:     </MessageBranchPrevious>
839:     <MessageBranchNext>
840:       {children}
841:     </MessageBranchNext>
842:   </div>
843: };
844:
845: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
846:
847: export const MessageBranchPreviousNext = ( {
848:   children,
849:   ...props
850: } : MessageBranchPreviousNextProps ) => {
851:   <div
852:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
853:   >
854:     <MessageBranchPrevious>
855:       {children}
856:     </MessageBranchPrevious>
857:     <MessageBranchNext>
858:       {children}
859:     </MessageBranchNext>
860:   </div>
861: };
862:
863: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
864:
865: export const MessageBranchPreviousNext = ( {
866:   children,
867:   ...props
868: } : MessageBranchPreviousNextProps ) => {
869:   <div
870:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
871:   >
872:     <MessageBranchPrevious>
873:       {children}
874:     </MessageBranchPrevious>
875:     <MessageBranchNext>
876:       {children}
877:     </MessageBranchNext>
878:   </div>
879: };
880:
881: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
882:
883: export const MessageBranchPreviousNext = ( {
884:   children,
885:   ...props
886: } : MessageBranchPreviousNextProps ) => {
887:   <div
888:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
889:   >
890:     <MessageBranchPrevious>
891:       {children}
892:     </MessageBranchPrevious>
893:     <MessageBranchNext>
894:       {children}
895:     </MessageBranchNext>
896:   </div>
897: };
898:
899: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
900:
901: export const MessageBranchPreviousNext = ( {
902:   children,
903:   ...props
904: } : MessageBranchPreviousNextProps ) => {
905:   <div
906:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
907:   >
908:     <MessageBranchPrevious>
909:       {children}
910:     </MessageBranchPrevious>
911:     <MessageBranchNext>
912:       {children}
913:     </MessageBranchNext>
914:   </div>
915: };
916:
917: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
918:
919: export const MessageBranchPreviousNext = ( {
920:   children,
921:   ...props
922: } : MessageBranchPreviousNextProps ) => {
923:   <div
924:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
925:   >
926:     <MessageBranchPrevious>
927:       {children}
928:     </MessageBranchPrevious>
929:     <MessageBranchNext>
930:       {children}
931:     </MessageBranchNext>
932:   </div>
933: };
934:
935: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
936:
937: export const MessageBranchPreviousNext = ( {
938:   children,
939:   ...props
940: } : MessageBranchPreviousNextProps ) => {
941:   <div
942:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
943:   >
944:     <MessageBranchPrevious>
945:       {children}
946:     </MessageBranchPrevious>
947:     <MessageBranchNext>
948:       {children}
949:     </MessageBranchNext>
950:   </div>
951: };
952:
953: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
954:
955: export const MessageBranchPreviousNext = ( {
956:   children,
957:   ...props
958: } : MessageBranchPreviousNextProps ) => {
959:   <div
960:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
961:   >
962:     <MessageBranchPrevious>
963:       {children}
964:     </MessageBranchPrevious>
965:     <MessageBranchNext>
966:       {children}
967:     </MessageBranchNext>
968:   </div>
969: };
970:
971: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
972:
973: export const MessageBranchPreviousNext = ( {
974:   children,
975:   ...props
976: } : MessageBranchPreviousNextProps ) => {
977:   <div
978:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
979:   >
980:     <MessageBranchPrevious>
981:       {children}
982:     </MessageBranchPrevious>
983:     <MessageBranchNext>
984:       {children}
985:     </MessageBranchNext>
986:   </div>
987: };
988:
989: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
990:
991: export const MessageBranchPreviousNext = ( {
992:   children,
993:   ...props
994: } : MessageBranchPreviousNextProps ) => {
995:   <div
996:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
997:   >
998:     <MessageBranchPrevious>
999:       {children}
1000:     </MessageBranchPrevious>
1001:     <MessageBranchNext>
1002:       {children}
1003:     </MessageBranchNext>
1004:   </div>
1005: };
1006:
1007: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
1008:
1009: export const MessageBranchPreviousNext = ( {
1010:   children,
1011:   ...props
1012: } : MessageBranchPreviousNextProps ) => {
1013:   <div
1014:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
1015:   >
1016:     <MessageBranchPrevious>
1017:       {children}
1018:     </MessageBranchPrevious>
1019:     <MessageBranchNext>
1020:       {children}
1021:     </MessageBranchNext>
1022:   </div>
1023: };
1024:
1025: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
1026:
1027: export const MessageBranchPreviousNext = ( {
1028:   children,
1029:   ...props
1030: } : MessageBranchPreviousNextProps ) => {
1031:   <div
1032:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
1033:   >
1034:     <MessageBranchPrevious>
1035:       {children}
1036:     </MessageBranchPrevious>
1037:     <MessageBranchNext>
1038:       {children}
1039:     </MessageBranchNext>
1040:   </div>
1041: };
1042:
1043: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
1044:
1045: export const MessageBranchPreviousNext = ( {
1046:   children,
1047:   ...props
1048: } : MessageBranchPreviousNextProps ) => {
1049:   <div
1050:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
1051:   >
1052:     <MessageBranchPrevious>
1053:       {children}
1054:     </MessageBranchPrevious>
1055:     <MessageBranchNext>
1056:       {children}
1057:     </MessageBranchNext>
1058:   </div>
1059: };
1060:
1061: export type MessageBranchPreviousNextProps = ComponentPropsTypeof Button;
1062:
1063: export const MessageBranchPreviousNext = ( {
1064:   children,
1065:   ...props
1066: } : MessageBranchPreviousNextProps ) => {
1067:   <div
1068:     className={cn("flex flex-wrap gap-1 [&div]:pb-0", className)} (...props)
1069:   >
1070:     <MessageBranchPrevious>
1071:      
```

Oyunsanaa AI Chat - main-backup - TSX only

Oyunsanaa AI Chat - main-backup - TSX only

Oyunsanaa AI Chat - main-backup - TSX only

Oyunsanaa AI Chat - main-backup - TSX only

Oyunsanaa AI Chat - main-backup - TSX only

Oyunsanaa AI Chat - main-backup - TSX only

Oyunsanaa AI Chat - main-backup - TSX only

Oyunsanaa AI Chat - main-backup - TSX only

Oyunsanaa AI Chat - main-backup - TSX only

Oyunsanaa AI Chat - main-backup - TSX only


```
477: type="number"
478: class="small" style="border: 1px solid #ccc; border-radius: 4px; padding: 2px 5px; font-size: 0.9em; font-family: sans-serif;">
479: value={props.value}
480: onChange={e => props.onChange(e.target.value)}
481: style={props.style}
482: placeholder={props.placeholder}
483: }
484: //div
485: //div
486: //div
487: //div
488: //div
489: //div
490: //div
491: //div
492: //div
493: //div
494: //div
495: //div
496: //div
497: //div
498: //div
499: //div
500: //div
501: //div
502: //div
503: //div
504: //div
505: //div
506: //div
507: //div
508: //div
509: //div
510: //div
511: //div
512: //div
513: //div
514: //div
515: //div
516: //div
517: //div
518: //div
519: //div
520: //div
521: //div
522: //div
523: //div
524: //div
525: //div
526: //div
527: //div
528: //div
529: //div
530: //div
531: //div
532: //div
533: //div
534: //div
535: //div
536: //div
537: //div
538: //div
539: //div
540: //div
541: //div
542: //div
543: //div
544: //div
545: //div
546: //div
547: //div
548: //div
549: //div
550: //div
551: //div
552: //div
553: //div
554: //div
555: //div
556: //div
557: //div
558: //div
559: //div
560: //div
561: //div
562: //div
563: //div
564: //div
565: //div
566: //div
567: //div
568: //div
569: //div
570: //div
571: //div
572: //div
573: //div
574: //div
575: //div
576: //div
577: //div
578: //div
579: //div
580: //div
581: //div
582: //div
583: //div
584: //div
585: //div
586: //div
587: //div
588: //div
589: //div
590: //div
591: //div
592: //div
593: //div
594: //div
595: //div
596: //div
597: //div
598: //div
599: //div
600: //div
601: //div
602: //div
603: //div
604: //div
605: //div
606: //div
607: //div
608: //div
609: //div
610: //div
611: //div
612: //div
613: //div
614: //div
615: //div
616: //div
617: //div
618: //div
619: //div
620: //div
621: //div
622: //div
623: //div
624: //div
625: //div
626: //div
627: //div
628: //div
629: //div
630: //div
631: //div
632: //div
633: //div
634: //div
635: //div
636: //div
637: //div
638: //div
639: //div
640: //div
641: //div
642: //div
643: //div
644: //div
645: //div
646: //div
647: //div
648: //div
649: //div
650: //div
651: //div
652: //div
653: //div
654: //div
655: //div
656: //div
657: //div
658: //div
659: //div
660: //div
661: //div
662: //div
663: //div
664: //div
665: //div
666: //div
667: //div
668: //div
669: //div
670: //div
671: //div
672: //div
673: //div
674: //div
675: //div
676: //div
677: //div
678: //div
679: //div
680: //div
681: //div
682: //div
683: //div
684: //div
685: //div
686: //div
687: //div
688: //div
689: //div
690: //div
691: //div
692: //div
693: //div
694: //div
695: //div
696: //div
697: //div
698: //div
699: //div
700: //div
701: //div
702: //div
703: //div
704: //div
705: //div
706: //div
707: //div
708: //div
709: //div
710: //div
711: //div
712: //div
713: //div
714: //div
715: //div
716: //div
717: //div
718: //div
719: //div
720: //div
721: //div
722: //div
723: //div
724: //div
725: //div
726: //div
727: //div
728: //div
729: //div
730: //div
731: //div
732: //div
733: //div
734: //div
735: //div
736: //div
737: //div
738: //div
739: //div
740: //div
741: //div
742: //div
743: //div
744: //div
745: //div
746: //div
747: //div
748: //div
749: //div
750: //div
751: //div
752: //div
753: //div
754: //div
755: //div
756: //div
757: //div
758: //div
759: //div
760: //div
761: //div
762: //div
763: //div
764: //div
765: //div
766: //div
767: //div
768: //div
769: //div
770: //div
771: //div
772: //div
773: //div
774: //div
775: //div
776: //div
777: //div
778: //div
779: //div
780: //div
781: //div
782: //div
783: //div
784: //div
785: //div
786: //div
787: //div
788: //div
789: //div
790: //div
791: //div
792: //div
793: //div
794: //div
795: //div
796: //div
797: //div
798: //div
799: //div
800: //div
801: //div
802: //div
803: //div
804: //div
805: //div
806: //div
807: //div
808: //div
809: //div
810: //div
811: //div
812: //div
813: //div
814: //div
815: //div
816: //div
817: //div
818: //div
819: //div
820: //div
821: //div
822: //div
823: //div
824: //div
825: //div
826: //div
827: //div
828: //div
829: //div
830: //div
831: //div
832: //div
833: //div
834: //div
835: //div
836: //div
837: //div
838: //div
839: //div
840: //div
841: //div
842: //div
843: //div
844: //div
845: //div
846: //div
847: //div
848: //div
849: //div
850: //div
851: //div
852: //div
853: //div
854: //div
855: //div
856: //div
857: //div
858: //div
859: //div
860: //div
861: //div
862: //div
863: //div
864: //div
865: //div
866: //div
867: //div
868: //div
869: //div
870: //div
871: //div
872: //div
873: //div
874: //div
875: //div
876: //div
877: //div
878: //div
879: //div
880: //div
881: //div
882: //div
883: //div
884: //div
885: //div
886: //div
887: //div
888: //div
889: //div
890: //div
891: //div
892: //div
893: //div
894: //div
895: //div
896: //div
897: //div
898: //div
899: //div
900: //div
901: //div
902: //div
903: //div
904: //div
905: //div
906: //div
907: //div
908: //div
909: //div
910: //div
911: //div
912: //div
913: //div
914: //div
915: //div
916: //div
917: //div
918: //div
919: //div
920: //div
921: //div
922: //div
923: //div
924: //div
925: //div
926: //div
927: //div
928: //div
929: //div
930: //div
931: //div
932: //div
933: //div
934: //div
935: //div
936: //div
937: //div
938: //div
939: //div
940: //div
941: //div
942: //div
943: //div
944: //div
945: //div
946: //div
947: //div
948: //div
949: //div
950: //div
951: //div
952: //div
953: //div
954: //div
955: //div
956: //div
957: //div
958: //div
959: //div
960: //div
961: //div
962: //div
963: //div
964: //div
965: //div
966: //div
967: //div
968: //div
969: //div
970: //div
971: //div
972: //div
973: //div
974: //div
975: //div
976: //div
977: //div
978: //div
979: //div
980: //div
981: //div
982: //div
983: //div
984: //div
985: //div
986: //div
987: //div
988: //div
989: //div
990: //div
991: //div
992: //div
993: //div
994: //div
995: //div
996: //div
997: //div
998: //div
999: //div
1000: //div
```

Oyunsanaa AI Chat - main-backup - TSX only

Oyunsanaa AI Chat - main-backup - TSX only

Oyunsanaa AI Chat - main-backup - TSX only

Oyunsanaa AI Chat - main-backup - TSX only

Oyunsanaa AI Chat - main-backup - TSX only

Oyunsanaa AI Chat - main-backup - TSX only

Oyunsanaa AI Chat - main-backup - TSX only

Oyunsanaa AI Chat - main-backup - TSX only

Oyunsanaa AI Chat - main-backup - TSX only

Oyunsanaa AI Chat - main-backup - TSX only

Oyunsanaa AI Chat - main-backup - TSX only

Oyunsanaa AI Chat - main-backup - TSX only

Oyunsanaa AI Chat - main-backup - TSX only

Oyunsanaa AI Chat - main-backup - TSX only

```

4: export class ReactRenderer {
5:   static render(component: React.ReactElement, dom: HTMLElement) {
6:     const root = createRoot(dom);
7:     root.render(component);
8:   }
9:   return {
10:    destroy: () => root.unmount(),
11:  };
12: }
13: }
lib/editor/suggestions.tsx
1: import type { Node } from "prosemirror-model";
2: import { Plugin, PluginKey } from "prosemirror-state";
3: import {
4:   type Decoration,
5:   DecorationSet,
6:   type EditorView,
7: } from "prosemirror-view";
8: import { createRoot } from "react-dom/client";
9: import type { ArtifactKind } from "#/components/artifact";
10: import { Suggestion as PreviewSuggestion } from "#/components/suggestion";
11: import type { Suggestion } from "#/lib/db/schema";
12:
13: export interface UISuggestion extends Suggestion {
14:   selectionStart: number;
15:   selectionEnd: number;
16: }
17:
18: type Position = {
19:   start: number;
20:   end: number;
21: };
22:
23: function findPositionsInDoc(doc: Node, searchText: string): Position | null {
24:   let positions: { start: number; end: number } | null = null;
25:
26:   doc.docNodesBetween(0, doc.docContent.size, (node, pos) => {
27:     if (node.isText && node.text() {
28:       const index = node.text.indexOf(searchText);
29:
30:       if (index !== -1) {
31:         positions = {
32:           start: pos + index,
33:           end: pos + index + searchText.length,
34:         };
35:       }
36:       return false;
37:     }
38:   });
39:   return true;
40: }
41:
42: return positions;
43: }
44:
45: export function projectWithPositions(
46:   doc: Node,
47:   suggestions: Suggestion[]
48: ): UISuggestion[] {
49:   const UISuggestions: UISuggestion[] = [];
50:   return suggestions.map((suggestion) => {
51:     const positions = findPositionsInDoc(doc, suggestion.originalText);
52:
53:     if (!positions) {
54:       return {
55:         ...suggestion,
56:         selectionStart: 0,
57:         selectionEnd: 0,
58:       };
59:     }
60:     return {
61:       ...suggestion,
62:       selectionStart: positions.start,
63:       selectionEnd: positions.end,
64:     };
65:   });
66: }
67:
68: export function createSuggestionWidget(
69:   suggestion: UISuggestion,
70:   view: EditorView,
71:   artifactKind: ArtifactKind,
72:   destroy: () => void {
73:   } {
74:     const dom = document.createElement("span");
75:     const root = createRoot(dom);
76:     dom.addEventListener("mousedown", (event) => {
77:       event.preventDefault();
78:       view.dom.blur();
79:     });
80:   });
81:
82: const onApply = () => {
83:   const { state, dispatch } = view;
84:
85:   const decorationTransaction = state.tr;
86:   const currentState = suggestion.pluginKey.getState(state);
87:   const currentDecorations = currentState.decorations;
88:
89:   if (currentDecorations) {
90:     const newDecorations = DecorationSet.create(
91:       state.doc,
92:       currentDecorations.find().filter((decoration: Decoration) => {
93:         return decoration.spec.suggestionId !== suggestion.id;
94:       })
95:     );
96:     decorationTransaction.setMeta(suggestionsPluginKey, {
97:       decorations: newDecorations,
98:       selected: null,
99:     });
100:     dispatch(decorationTransaction);
101:   }
102:
103:   const textTransaction = view.state.tr.replaceWith(
104:     suggestion.selectionStart,
105:     suggestion.selectionEnd,
106:     state.schema.text(suggestion.suggestedText)
107:   );
108:   textTransaction.setMeta("no-debounce", true);
109:   dispatch(textTransaction);
110: }
111:
112: root.render(
113:   <PreviewSuggestion
114:     artifactKind={artifactKind}
115:     onApply={onApply}
116:     suggestion={suggestion}
117:   />
118: );
119:
120: return {
121:   dom,
122:   destroy: () => {
123:     // Wrapping unmount in setTimeout to avoid asynchronous unmounting during render
124:     setTimeout(() => {
125:       root.unmount();
126:     }, 0);
127:   },
128: };
129:
130: export const suggestionsPluginKey = new PluginKey("suggestions");
131: export const suggestionsPlugin = new Plugin({
132:   key: suggestionsPluginKey,
133:   state: {
134:     init() {
135:       return { decorations: DecorationSet.empty, selected: null };
136:     },
137:     apply(tr, state) {
138:       const newDecorations = tr.getDecorations(suggestionsPluginKey);
139:       if (newDecorations) {
140:         return newDecorations;
141:       }
142:       return {
143:         decorations: state.decorations.map((tr.mapping, tr.doc),
144:           selected: state.selected,

```

```

150:   },
151: },
152: },
153: props: {
154:   decorations(state) {
155:     return this.getState(state).decorations ?? DecorationSet.empty;
156:   },
157: },
158: },
lib/i18n/provider.tsx
1: "use client";
2:
3: import { createContext, useContext } from "react";
4: import type { Locale } from "../config";
5: import type { Dictionary } from "../dictionaries/en";
6:
7: type I18nValue = {
8:   locale: Locale;
9:   t: Dictionary;
10: };
11:
12: const I18nContext = createContext<I18nValue | null>(null);
13:
14: export function I18nProvider({
15:   locale,
16:   dict,
17:   children,
18: }) {
19:   locale: Locale;
20:   dict: Dictionary;
21:   children: React.ReactNode;
22: }) {
23:   return (
24:     <I18nContext.Provider value={{ locale, t: dict }}>
25:       {children}
26:     </I18nContext.Provider>
27:   );
28: }
29:
30: /** Translated strings for the active locale, e.g. {user: {greeting: 'hello'}} */
31: export function useT(): Dictionary {
32:   const ctx = useContext(I18nContext);
33:   if (!ctx) {
34:     throw new Error("useT must be used within <I18nProvider>");
35:   }
36:   return ctx.t;
37: }
38:
39: export function useLocale(): Locale {
40:   const ctx = useContext(I18nContext);
41:   if (!ctx) {
42:     throw new Error("useLocale must be used within <I18nProvider>");
43:   }
44:   return ctx.locale;
45: }

```