

Test Show

Show Information

Venue: Super Cool Venue

Address: Venue Line 1
Venue Line 2
Venue Line 3, with commas
Venue City, Venue State
Venue Postal

Phone: Venue Phone

Fax: Venue Fax

E-mail: venue@email.com

Notes: Notes line 1
Notes line 2, with commas!!

Customer Information

Point of Contact: ContactName Contact

Address: Contact Line 1
Contact Line 2
Contact Line 3, with commas

Phone: Contact Phone 1

Fax: Contact Fax

E-mail: contact@email.com

Inventory Report

RF Zone: Default

Active Channels (4)

Model	Band	Channel Name	Device ID	Frequency	Tags
No Inclusion Group (4)					
PSM1000	J8E	Shure	[P10T]	G:-- 589,000 Ch:-- MHz	<input type="checkbox"/>
PSM1000	J8E	Shure	[P10T]	G:-- 575,200 Ch:-- MHz	<input type="checkbox"/>
AD4D-A	G56	Shure	[AD4D-A]	G:-- 555,450 Ch:-- MHz	<input type="checkbox"/>

Model	Band	Channel Name	Device ID	Frequency	Tags
AD4D-A	G56	Shure	[AD4D-A]	G:-- 540,700 Ch:-- MHz	<input type="checkbox"/>

Backup Frequencies (2)

Frequency List Source: WWB

Type	Band	Frequency
No Inclusion Group (2)		
PSM1000	J8E	G:-- 574,450 Ch:-- MHz <input type="checkbox"/>
AD/ Standard	G56	G:-- 615,100 Ch:-- MHz <input type="checkbox"/>

RF Zone: Test 1

Active Channels (6)

Model	Band	Channel Name	Device ID	Frequency	Tags
Group 1 (4)					
PSM1000	J8E	Shure	[P10T]	G:-- 559,225 Ch:-- MHz	<input type="checkbox"/>
PSM1000	J8E	Shure	[P10T]	G:-- 558,200 Ch:-- MHz	<input type="checkbox"/>
AD4D-A	G56	Shure	[AD4D-A]	G:-- 552,075 Ch:-- MHz	Tag Test 1, Tag Test 2 <input type="checkbox"/>
AD4D-A	G56	Shure	[AD4D-A]	G:-- 521,200 Ch:-- MHz	<input type="checkbox"/>
Group 2 (2)					
AD4D-A	G56	Shure	[AD4D-A]	G:-- 594,125 Ch:-- MHz	<input type="checkbox"/>
AD4D-A	G56	Shure	[AD4D-A]	G:-- 587,725 Ch:-- MHz	<input type="checkbox"/>

Backup Frequencies (3)

Frequency List Source: WWB

Type	Band	Frequency
Group 1 (2)		
PSM1000	J8E	G:-- 580,400 <input type="checkbox"/>

Type	Band	Frequency	
		Ch:-- MHz	
AD/	G56	G:-- 581,525	<input type="checkbox"/>
Standard		Ch:-- MHz	
Group 2 (1)			
AD/	G56	G:-- 579,700	<input type="checkbox"/>
Standard		Ch:-- MHz	

RF Zone: Test 2

Active Channels (4)

Model	Band	Channel Name	Device ID	Frequency	Tags	
Group 2 (4)						
PSM1000	J8E	Shure	[P10T]	G:-- 578,225		<input type="checkbox"/>
				Ch:-- MHz		
PSM1000	J8E	Shure	[P10T]	G:-- 577,750		<input type="checkbox"/>
				Ch:-- MHz		
AD4D-A	G56	Shure	[AD4D-A]	G:-- 584,225	Tag Test 2	<input type="checkbox"/>
				Ch:-- MHz		
AD4D-A	G56	Shure	[AD4D-A]	G:-- 580,000	Tag Test 1	<input type="checkbox"/>
				Ch:-- MHz		

Backup Frequencies (2)

Frequency List Source: WWB

Type	Band	Frequency	
Group 2 (2)			
PSM1000	J8E	G:-- 596,450	<input type="checkbox"/>
		Ch:-- MHz	
AD/	G56	G:-- 632,650	<input type="checkbox"/>
Standard		Ch:-- MHz	

Frequency Coordination Parameters

Inclusions

User Group List: Australia

User Group	Type	Frequency	TV
Australia Indoors	Range	1786.000 MHz - 1800.000 MHz	
	Range	520.150 MHz - 694.000 MHz	
	Range	915.150 MHz - 928.000 MHz	

Inclusion List: Inclusion 1

Inclusion Group	Type	Frequency	TV
Group 1	Range	494.000 MHz - 566.000 MHz	
	Range	554.000 MHz - 590.000 MHz	
	Single	567.250 MHz	
Group 2	Range	223.168 MHz - 224.704 MHz	12A
	Range	566.000 MHz - 636.000 MHz	
	Range	590.000 MHz - 622.000 MHz	

Exclusions

Active TV Channels (72)

Type	Channels
Digital Audio	10A, 10B, 10C, 10D, 10N, 11A, 11B, 11C, 11D, 11N, 12A, 12B, 12C, 12D, 12N, 5A, 5B, 5C, 5D, 6A, 6B, 6C, 6D, 7A, 7B, 7C, 7D, 8A, 8B, 8C, 8D, 9A, 9B, 9C, 9D
Other	10, 11, 12, 2, 21, 22, 23, 25, 26, 28, 3, 30, 33, 37, 38, 4, 40, 44, 45, 46, 47, 48, 49, 5, 50, 51, 52, 53, 57, 58, 59, 6, 60, 61, 7, 8, 9

Other Exclusions (3)

Type	Source	Frequency	Notes
Single	Manual	543,350 MHz	<input type="checkbox"/>
Range	Manual	734,000 MHz -	Test Lower <input type="checkbox"/>

Type	Source	Frequency	Notes
		738,000 MHz	
Range	Manual	753,000 MHz - 758,000 MHz	Test Higher <input type="checkbox"/>

Created on 13 Nov 2022 at 7:15PM
Generated using Wireless Workbench 6.15.0.119