

Test Show

Show Information

Venue: Studentersamfundet

Address: Elgeseter gate 1
Sted, Trondheim 7030

Phone: 12345

Fax: 67890

E-mail: samf@safsm.d

Notes: Test

Customer Information

Point of Contact: Øyvind

Address: Test adresse 2

Phone: 1234

Fax: 90

E-mail: email1@email.com

Inventory Report

RF Zone: Default

Active Channels (4)

Model	Band	Channel Name	Device ID	Frequency	Tags
No Inclusion Group (4)					
AD4D-A	G56	Shure	[AD4D-A]	G:-- 540,700 Ch:-- MHz	<input type="checkbox"/>
AD4D-A	G56	Shure	[AD4D-A]	G:-- 555,450 Ch:-- MHz	<input type="checkbox"/>
PSM1000	J8E	Shure	[P10T]	G:-- 575,200 Ch:-- MHz	<input type="checkbox"/>
PSM1000	J8E	Shure	[P10T]	G:-- 589,000 Ch:-- MHz	<input type="checkbox"/>

Backup Frequencies (2)

Frequency List Source: WWB

Type	Band	Frequency	
No Inclusion Group (2)			
AD/ Standard	G56	G:-- 615,100 Ch:-- MHz	<input type="checkbox"/>
PSM1000	J8E	G:-- 574,450 Ch:-- MHz	<input type="checkbox"/>

RF Zone: Test 1

Active Channels (6)

Model	Band	Channel Name	Device ID	Frequency	Tags
Group 1 (4)					
AD4D-A	G56	Shure	[AD4D-A]	G:-- 521,200 Ch:-- MHz	<input type="checkbox"/>
AD4D-A	G56	Shure	[AD4D-A]	G:-- 552,075 Ch:-- MHz	<input type="checkbox"/>
PSM1000	J8E	Shure	[P10T]	G:-- 558,200 Ch:-- MHz	<input type="checkbox"/>
PSM1000	J8E	Shure	[P10T]	G:-- 559,225 Ch:-- MHz	<input type="checkbox"/>
Group 2 (2)					
AD4D-A	G56	Shure	[AD4D-A]	G:-- 587,725 Ch:-- MHz	<input type="checkbox"/>
AD4D-A	G56	Shure	[AD4D-A]	G:-- 594,125 Ch:-- MHz	<input type="checkbox"/>

Backup Frequencies (3)

Frequency List Source: WWB

Type	Band	Frequency	
Group 1 (2)			
AD/ Standard	G56	G:-- 581,525 Ch:-- MHz	<input type="checkbox"/>
PSM1000	J8E	G:-- 580,400 Ch:-- MHz	<input type="checkbox"/>
Group 2 (1)			
AD/	G56	G:-- 579,700	<input type="checkbox"/>

Group 2 (1)		
Standard	Ch:--	MHz

RF Zone: Test 2

Active Channels (4)

Model	Band	Channel Name	Device ID	Frequency	Tags
Group 2 (4)					
AD4D-A	G56	Shure	[AD4D-A]	G:-- 580,000 Ch:-- MHz	<input type="checkbox"/>
AD4D-A	G56	Shure	[AD4D-A]	G:-- 584,225 Ch:-- MHz	<input type="checkbox"/>
PSM1000	J8E	Shure	[P10T]	G:-- 577,750 Ch:-- MHz	<input type="checkbox"/>
PSM1000	J8E	Shure	[P10T]	G:-- 578,225 Ch:-- MHz	<input type="checkbox"/>

Backup Frequencies (2)

Frequency List Source: WWB

Type	Band	Frequency
Group 2 (2)		
AD/ Standard	G56	G:-- 632,650 Ch:-- MHz
PSM1000	J8E	G:-- 596,450 Ch:-- MHz

Frequency Coordination Parameters

Inclusions

User Group List: Custom

User Group	Type	Frequency	TV
Test	Range	470.000 MHz - 580.000 MHz	

Inclusion List: Inclusion 1

Inclusion Group	Type	Frequency	TV
Group 1	Range	494.000 MHz - 566.000 MHz	
	Range	554.000 MHz - 590.000 MHz	
Group 2	Range	566.000 MHz - 636.000 MHz	
	Range	590.000 MHz - 622.000 MHz	

Exclusions

Active TV Channels (72)

Type	Channels
Digital Audio	10A, 10B, 10C, 10D, 10N, 11A, 11B, 11C, 11D, 11N, 12A, 12B, 12C, 12D, 12N, 5A, 5B, 5C, 5D, 6A, 6B, 6C, 6D, 7A, 7B, 7C, 7D, 8A, 8B, 8C, 8D, 9A, 9B, 9C, 9D
Other	10, 11, 12, 2, 21, 22, 23, 25, 26, 28, 3, 30, 33, 37, 38, 4, 40, 44, 45, 46, 47, 48, 49, 5, 50, 51, 52, 53, 57, 58, 59, 6, 60, 61, 7, 8, 9

Other Exclusions (3)

Type	Source	Frequency	Notes
Single	Manual	543,350 MHz	<input type="checkbox"/>
Range	Manual	734,000 MHz - 738,000 MHz	<input type="checkbox"/>
Range	Manual	753,000 MHz - 758,000 MHz	<input type="checkbox"/>

Created on 6 Nov 2022 at 1:40AM
Generated using Wireless Workbench 6.15.0.119