

Test Show

Show Information

Venue: Studentersamfundet
Address: Trondheim, Trondheim
7030
Phone: 12345
Fax: 67890
E-mail: samf@safsm.d
Notes: Test

Customer Information

Point of Contact: Øyvind
Address:
Phone: 1234
Fax: 90
E-mail: email1@email.com

Inventory Report

RF Zone: Default

Active Channels (4)

Model	Band	Channel Name	Device ID	Frequency	Tags
No Inclusion Group (4)					
AD4D-A	G56	Shure	[AD4D-A]	G:-- 540,700 Ch:-- MHz	<input type="checkbox"/>
AD4D-A	G56	Shure	[AD4D-A]	G:-- 555,450 Ch:-- MHz	<input type="checkbox"/>
PSM1000	J8E	Shure	[P10T]	G:-- 575,200 Ch:-- MHz	<input type="checkbox"/>
PSM1000	J8E	Shure	[P10T]	G:-- 589,000 Ch:-- MHz	<input type="checkbox"/>

Backup Frequencies (2)

Frequency List Source: WWB

Type	Band	Frequency	
No Inclusion Group (2)			
AD/ Standard	G56	G:-- 615,100 Ch:-- MHz	<input type="checkbox"/>
PSM1000	J8E	G:-- 574,450 Ch:-- MHz	<input type="checkbox"/>

RF Zone: Test 1

Active Channels (6)

Model	Band	Channel Name	Device ID	Frequency	Tags	
Group 1 (4)						
AD4D-A	G56	Shure	[AD4D-A]	G:-- 521,200 Ch:-- MHz		<input type="checkbox"/>
AD4D-A	G56	Shure	[AD4D-A]	G:-- 552,075 Ch:-- MHz	Tag Test 1, Tag Test 2	<input type="checkbox"/>
PSM1000	J8E	Shure	[P10T]	G:-- 558,200 Ch:-- MHz		<input type="checkbox"/>
PSM1000	J8E	Shure	[P10T]	G:-- 559,225 Ch:-- MHz		<input type="checkbox"/>
Group 2 (2)						
AD4D-A	G56	Shure	[AD4D-A]	G:-- 587,725 Ch:-- MHz		<input type="checkbox"/>
AD4D-A	G56	Shure	[AD4D-A]	G:-- 594,125 Ch:-- MHz		<input type="checkbox"/>

Backup Frequencies (3)

Frequency List Source: WWB

Type	Band	Frequency	
Group 1 (2)			
AD/ Standard	G56	G:-- 581,525 Ch:-- MHz	<input type="checkbox"/>
PSM1000	J8E	G:-- 580,400 Ch:-- MHz	<input type="checkbox"/>
Group 2 (1)			
AD/	G56	G:-- 579,700	<input type="checkbox"/>

Group 2 (1)		
Standard	Ch:--	MHz

RF Zone: Test 2

Active Channels (4)

Model	Band	Channel Name	Device ID	Frequency	Tags	
Group 2 (4)						
AD4D-A	G56	Shure	[AD4D-A]	G:-- Ch:--	580,000 MHz	Tag Test 1 <input type="checkbox"/>
AD4D-A	G56	Shure	[AD4D-A]	G:-- Ch:--	584,225 MHz	Tag Test 2 <input type="checkbox"/>
PSM1000	J8E	Shure	[P10T]	G:-- Ch:--	577,750 MHz	<input type="checkbox"/>
PSM1000	J8E	Shure	[P10T]	G:-- Ch:--	578,225 MHz	<input type="checkbox"/>

Backup Frequencies (2)

Frequency List Source: WWB

Type	Band	Frequency	
Group 2 (2)			
AD/ Standard	G56	G:-- Ch:--	632,650 MHz <input type="checkbox"/>
PSM1000	J8E	G:-- Ch:--	596,450 MHz <input type="checkbox"/>

Frequency Coordination Parameters

Inclusions

User Group List: Australia

User Group	Type	Frequency	TV
Australia Indoors	Range	1786.000 MHz - 1800.000 MHz	
	Range	520.150 MHz -	

User Group	Type	Frequency	TV
		694.000 MHz	
	Range	915.150 MHz - 928.000 MHz	

Inclusion List: Inclusion 1

Inclusion Group	Type	Frequency	TV
Group 1	Range	494.000 MHz - 566.000 MHz	
	Range	554.000 MHz - 590.000 MHz	
	Single	567.250 MHz	
Group 2	Range	223.168 MHz - 224.704 MHz	12A
	Range	566.000 MHz - 636.000 MHz	
	Range	590.000 MHz - 622.000 MHz	

Exclusions

Active TV Channels (72)

Type	Channels
Digital Audio	10A, 10B, 10C, 10D, 10N, 11A, 11B, 11C, 11D, 11N, 12A, 12B, 12C, 12D, 12N, 5A, 5B, 5C, 5D, 6A, 6B, 6C, 6D, 7A, 7B, 7C, 7D, 8A, 8B, 8C, 8D, 9A, 9B, 9C, 9D
Other	10, 11, 12, 2, 21, 22, 23, 25, 26, 28, 3, 30, 33, 37, 38, 4, 40, 44, 45, 46, 47, 48, 49, 5, 50, 51, 52, 53, 57, 58, 59, 6, 60, 61, 7, 8, 9

Other Exclusions (3)

Type	Source	Frequency	Notes
Single	Manual	543,350 MHz	<input type="checkbox"/>
Range	Manual	734,000 MHz - 738,000 MHz	Test Lower <input type="checkbox"/>
Range	Manual	753,000 MHz - 758,000 MHz	Test Higher <input type="checkbox"/>