

SECOND FLOOR

FIRST FLOOR

GROUND FLOOR

BASEMENT FLOOR

CCTV CONTROL ROOM

CCTV EQUIPMENT ROOM

SECOND FLOOR

FIRST FLOOR

GROUND FLOOR

BASEMENT FLOOR

NOTES:

1. ALL CAMERAS ARE IP BASED AS PER SSD STANDARDS.
2. ALL CAMERAS MOUNTING HEIGHT SHOULD NOT BE - REACHABLE FROM FFL.
3. ANPR CAMERAS MOUNTING HEIGHT SHOULD NOT - EXCEED 1.3m FROM FFL.

LEGENDS:

SYMBOLS	DESCRIPTIONS	QTY
	2MP FIXED DOME CAMERA BRAND: _____, MODEL: _____	09
	2MP VERIFOCAAL DOME CAMERA BRAND: _____, MODEL: _____	23
	2MP FIXED BULLET CAMERA BRAND: _____, MODEL: _____	02
	2MP VERIFOCAAL BULLET CAMERA BRAND: _____, MODEL: _____	08
	2MP PTZ DOME CAMERA BRAND: _____, MODEL: _____	03
	2MP ANPR BOX CAMERA BRAND: _____, MODEL: _____	02
	4MP KPOI BOX CAMERA BRAND: _____, MODEL: _____	02
TOTAL NUMBER OF CAMERAS:		48

REV.	DATE	DESCRIPTION	CHK	APVD
00	15/12/2025	ISSUED FOR SSD APPROVAL	***	***

SCHEDULE OF REVISIONS

CLIENT:

CCTV CONTRACTOR :

OWNER :
XXXXXXXXXXXXXXXXXXXXX
PROJECT NAME:
XXXXXXXXXXXXXXXXXXXXX
LOCATION :
STREET: XXXX ZONE: XX BUILDING: XXXX
TITLE :
CCTV SYSTEM SCHEMATIC DIAGRAM

DESIGNED : ***	APPROVED : ***
DRAWN BY : ***	
SCALE : N.T.S.	PAPER SIZE : A1
PROJ. NO : ***	PIN. NO : ***
DATE : 15 DEC, 2025	SHEET NO : 1 OF 1
DRG. No : ABCD-CCTV-SCH-03	REV : 00