

SELNIKEL ISITMA SISTEMLERI A.S.

SB-Series Industrial Steam Boiler Technical Datasheet (REV-01)

Document Code: SB-DS-2025 | Revision: REV-01 | Department: Thermal Engineering

1. General Overview & Design Standards

The SB-Series steam boiler baseline design operates with dual-pass Scotch marine shell geometry.

2. Technical Operating Parameters & Capacities

Model Code	Steam Cap. (t/h)	Working Press. (bar)	Design Press. (bar)	Steam Temp. (°C)	Thermal Power (kW)
SB-500	0.45 t/h	10.0 bar	14.0 bar	184.1 °C	315 kW
SB-1000	0.9 t/h	14.0 bar	16.0 bar	198.3 °C	630 kW
SB-2000	1.8 t/h	14.0 bar	18.0 bar	198.3 °C	1260 kW
SB-5000	4.5 t/h	14.0 bar	22.0 bar	198.3 °C	3150 kW

3. Safety Relief Valves & Auxiliary Limits

Safety Device	Set Pressure (bar)	Connection DN (mm)	Discharge Cap. (kg/h)
Primary Safety Valve	14.5 bar	32 mm	1100 kg/h
Secondary Safety Valve	15.0 bar	40 mm	1350 kg/h