LU Decompositions over DAGuE

Friday Lunch Talk

Omar ZENATI, MsC Candidate

Supervisors: M. Faverge, E. Agullo, G. Bosilca, P. Ramet

May 25, 2012





Summary

LU Decomposition Algorithms

DAGuE Runtime System

Static Pivoting

A generic update engine for dynamic pivoting

Partial Pivoting

Summary

LU Decomposition Algorithms

DAGuE Runtime System

Static Pivoting

A generic update engine for dynamic pivoting

Partial Pivoting

Introduction

LU decomposition algorithm:

- ▶ Used to solve linear equation
- Used in Linpack Benchmark and HPL
- ▶ Implemented in most of matematic library

Why implementing a new LU decomposition?

- Trend to use Runtime
- ▶ Three layer architecture: Algorithm, Runtime and Hardware
- ightarrow performant and portable code

Introduction

LU decomposition algorithm:

- Used to solve linear equation
- Used in Linpack Benchmark and HPL
- ► Implemented in most of matematic library

Why implementing a new LU decomposition?

- Trend to use Runtime
- ► Three layer architecture: Algorithm, Runtime and Hardware
- → performant and portable code

The Challenge

DAGuE provide static DAG

The LU algorithm may be static:

- Without pivoting
- criteria substitution
- Incremental pivoting

Or dynamic:

Partial pivoting

How to programm dynamic application with static task flow?

The Challenge

DAGuE provide static DAG

The LU algorithm may be static:

- Without pivoting
- criteria substitution
- Incremental pivoting

Or dynamic:

► Partial pivoting

How to programm dynamic application with static task flow?

Summary

LU Decomposition Algorithms

DAGuE Runtime System

Static Pivoting

A generic update engine for dynamic pivoting

Partial Pivoting


DAGuE

Quick presentation

DAGuE is a Direct Acyclic Graph scheduler Engine based on task flow model where :

- nodes are tasks
- edges are dependancies

Data distribution is made in 2D blocks cyclic:



DAGuE

Advantages:

- ▶ Independence between performances and computers
- Provide multicore parallelism
- Good reactivity for load in balance
- Natural look ahead

Problems

▶ DAG is a static representation of a task flow

DAGuE

Advantages:

- Independence between performances and computers
- Provide multicore parallelism
- Good reactivity for load in balance
- Natural look ahead

Problems:

DAG is a static representation of a task flow

Summary

LU Decomposition Algorithms

DAGuE Runtime System

Static Pivoting

A generic update engine for dynamic pivoting

Partial Pivoting


Static Pivoting

Motivation

- Static pivoting matches the the task flow programming model
- Good efficiency
- Stable for several problems
- Preprocess can improve stability
- Good upper bound for the partial pivoting


Static Pivoting

Algebraic Representation



Static Pivoting

DAG for a matrix 3*3



Summary


LU Decomposition Algorithms

DAGuE Runtime System

Static Pivoting

A generic update engine for dynamic pivoting

Partial Pivoting




The tile U exchange swap rows with other concerned tile.

Problem

- A dynamic decision for a static DAG
 - → Prepare tasks for all possible communications?

A generic update engine for dynamic pivoting Update Issue



The tile U exchange swap rows with other concerned tile.


Problem

- A dynamic decision for a static DAG
 - → Prepare tasks for all possible communications?

Solutions

Ideas:


- Avoiding useless swap to increase parallelism
 - \rightarrow Use of permutations instead of pivots indexes
- Updating the main tile is more urgent
 - \rightarrow Parallelize the swap \pmb{from} and the swap \pmb{into} the tile U
- Limiting the number of communication (not the volume)
 - → Gather communications of all rows over two buffers



Solutions

Ideas:

- Avoiding useless swap to increase parallelism
 - \rightarrow Use of permutations instead of pivots indexes
- Updating the main tile is more urgent
 - \rightarrow Parallelize the swap **from** and the swap **into** the tile U
- Limiting the number of communication (not the volume)
 - → Gather communications of all rows over two buffers



Solutions

Ideas:

- Avoiding useless swap to increase parallelism
 - \rightarrow Use of permutations instead of pivots indexes
- Updating the main tile is more urgent
 - ightarrow Parallelize the swap **from** and the swap **into** the tile U
- Limiting the number of communication (not the volume)
 - → Gather communications of all rows over two buffers

→ Five kinds of tasks : COPY, COLLECT, RECEIVE, SEND and PASTE.

Solutions


Ideas:

- Avoiding useless swap to increase parallelism
 - → Use of permutations instead of pivots indexes
- Updating the main tile is more urgent
 - → Parallelize the swap **from** and the swap **into** the tile U
- Limiting the number of communication (not the volume)
 - → Gather communications of all rows over two buffers

→ Five kinds of tasks : COPY, COLLECT, RECEIVE, SEND and PASTE


A generic update engine for dynamic pivoting Swap into U

- ► COLLECT: Collecting the rows needed by the tile U into a buffer.
- ▶ SEND: Gather the buffers collected by COLLECT of each node.
- PASTE: Overwrite the tile U with the buffer.
- ▶ COPY
- ► RECEIVE




A generic update engine for dynamic pivoting Swap from U

- ► COLLECT
- ▶ SEND
- ▶ PASTE
- COPY: Copy tile U into a buffer.
- RECEIVE: Receive the buffer U and make the swap from it.




Update Tasks Synchronisation

- COLLECT
- SEND
- PASTE
- COPY
- **RECEIVE**



The red arrows prevent the **READ AFTER WRITE**.

A generic update engine for dynamic pivoting Update Impact



Summary

LU Decomposition Algorithms

DAGuE Runtime System

Static Pivoting

A generic update engine for dynamic pivoting


Partial Pivoting

Heuristic Factorization

Several heuristic to factorize the panel:

- Partial pivoting
- Threshold pivoting
- Tournament pivoting
 - Internal partial pivoting
 - Panel rank revealing


Operations of Panel LU Decomposition



Problem for implementing with task flow model is based on

- Swap line is dynamically decided but the DAG is static
- ▶ Minimize latency for the panel

Operations of Panel LU Decomposition




Problem for implementing with task flow model is based on

- Swap line is dynamically decided but the DAG is static
- Minimize latency for the panel

Solutions

Solutions:


- Start looking for the maximum locally then reduce locally the result
- Share the global result by using Bruck's algorithm
- Use internal blocking



Implemented version

Solutions:


- Start looking for the maximum locally then reduce locally the result
- Share the global result by using Bruck's algorithm
- Use internal blocking



Implemented version

Optimizations:

- Start looking for the maximum locally then reduce locally the result
- Share the global result by using Bruck's algorithm
- Use internal blocking



Summary


LU Decomposition Algorithms

DAGuE Runtime System

Static Pivoting

A generic update engine for dynamic pivoting

Partial Pivoting



- Shared memory
- Problem scalability
- Strong scalability

Conclusion and future work