

Scan Report

2026-05-11T13:29:54Z

Summary

This document reports on the results of an automatic security scan. All dates are displayed using the timezone "GMT", which is abbreviated "UTC". The task was "euleros-ex-task". The scan started at 2026-05-11T13:29:54Z and ended at 2026-05-11T13:30:15Z. The report first summarises the results found. Then, for each host, the report describes every issue found. Please consider the advice given in each description, in order to rectify the issue.

Contents

1	Result Overview		2
2	Results per Image		3
2.1	cspmtcenter:25.0.7.B043(amd64)		3
2.1.1	Critical		3
2.1.2	High		8
2.1.3	Medium		22
2.1.4	Low		65

1 Result Overview

Image	Critical	High	Medium	Low	Log
cspmtcenter:25.0.7.B043(amd64)	6	16	51	8	0
Total	6	16	51	8	0

Vendor security updates are not trusted.

Overrides are off. Even when a result has an override, this report uses the actual threat of the result.

Information on overrides is included in the report.

Notes are included in the report.

This report might not show details of all issues that were found.

It shows issues that contain the search phrase "apply_overrides=0 levels=chml rows=1000 min_qod=70 first=1 sort-reverse=severity result_hosts_only=0 notes=1 overrides=1".

Issues with the threat level "Log" are not shown.

Issues with the threat level "Debug" are not shown.

Issues with the threat level "False Positive" are not shown.

Only results with a minimum QoD of 70 are shown.

This report contains all 81 results selected by the filtering described above. Before filtering there were 85 results.

2 Results per Image

2.1 cspmtcenter:25.0.7.B043(amd64)

Image name oci://ct-harborv1.devel.greenbone.net/euleros/cspmtcenter:25.0.7.B043

Image digest sha256:106b4220477872c6bc4de04da7f1dfd84211809cf737e72eef7d91f41ab146e9

Image scan start 2026-05-11T13:30:07Z

Image scan end 2026-05-11T13:30:07Z

Service	Threat Level
general	Critical
general	High
general	Medium
general	Low

2.1.1 Critical

Critical (CVSS: 10.0) (CVSS: 10.0)
NVT: Huawei EulerOS: Security Advisory for sqlite (EulerOS-SA-2025-2028)
Summary The remote host is missing an update for the Huawei EulerOS 'sqlite' package(s) announced via the EulerOS-SA-2025-2028 advisory.
Quality of Detection (QoD) 97%
Vulnerability Detection Result Vulnerable package: sqlite Installed version: sqlite-3.37.2-5.h5.eulerosv2r12.x86_64 Fixed version: >=sqlite-3.37.2-5.h7.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'sqlite' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight There exists a vulnerability in SQLite versions before 3.50.2 where the number of aggregate terms could exceed the number of columns available. This could lead to a memory corruption issue. We recommend upgrading to version 3.50.2 or above.(CVE-2025-6965)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for sqlite (EulerOS-SA-2025-2028) OID: 1.3.6.1.4.1.25623.1.1.2.2025.2028
References URL: https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2025-2028

Critical (CVSS: 10.0) (CVSS: 10.0)**NVT: Huawei EulerOS: Security Advisory for libxml2 (EulerOS-SA-2025-1597)****Summary**

The remote host is missing an update for the Huawei EulerOS 'libxml2' package(s) announced via the EulerOS-SA-2025-1597 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: libxml2

Installed version: libxml2-2.9.14-4.h21.eulerosv2r12.x86_64

Fixed version: >=libxml2-2.9.14-4.h24.eulerosv2r12.x86_64

Vulnerable package: python3-libxml2

Installed version: python3-libxml2-2.9.14-4.h21.eulerosv2r12.x86_64

Fixed version: >=python3-libxml2-2.9.14-4.h24.eulerosv2r12.x86_64

Solution

Solution type: VendorFix

Please install the updated package(s).

Affected Software/OS

'libxml2' package(s) on Huawei EulerOS V2.0SP12(x86_64).

Vulnerability Insight

libxml2 before 2.12.10 and 2.13.x before 2.13.6 has a NULL pointer dereference in xmlPatMatch in pattern.c.(CVE-2025-27113)

libxml2 before 2.12.10 and 2.13.x before 2.13.6 has a stack-based buffer overflow in xmlSnpriIntfElements in valid.c. To exploit this, DTD validation must occur for an untrusted document or untrusted DTD. NOTE: this is similar to CVE-2017-9047.(CVE-2025-24928)

libxml2 before 2.12.10 and 2.13.x before 2.13.6 has a use-after-free in xmlSchemaIDCFillNodeTables and xmlSchemaBubbleIDCNodeTables in xmlschemas.c. To exploit this, a crafted XML document must be validated against an XML schema with certain identity constraints, or a crafted XML schema must be used.(CVE-2024-56171)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.

Details: Huawei EulerOS: Security Advisory for libxml2 (EulerOS-SA-2025-1597)

OID: 1.3.6.1.4.1.25623.1.1.2.2025.1597

References

URL:

<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2025-1597>

Critical (CVSS: 10.0) (CVSS: 10.0)**NVT: Huawei EulerOS: Security Advisory for glib2 (EulerOS-SA-2026-1359)****Summary**

The remote host is missing an update for the Huawei EulerOS 'glib2' package(s) announced via the EulerOS-SA-2026-1359 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: glib2

Installed version: glib2-2.72.2-5.h17.eulerosv2r12.x86_64

Fixed version: >=glib2-2.72.2-5.h27.eulerosv2r12.x86_64

Solution

Solution type: VendorFix

Please install the updated package(s).

Affected Software/OS

'glib2' package(s) on Huawei EulerOS V2.0SP12(x86_64).

Vulnerability Insight

A flaw was found in glib. Missing validation of offset and count parameters in the `g_buffered_input_stream_peek()` function can lead to an integer overflow during length calculation. When specially crafted values are provided, this overflow results in an incorrect size being passed to `memcpy()`, triggering a buffer overflow. This can cause application crashes, leading to a Denial of Service (DoS).(CVE-2026-0988)

A flaw was found in glib. This vulnerability allows a heap buffer overflow and denial-of-service (DoS) via an integer overflow in GLib's GIO (GLib Input/Output) `escape_byte_string()` function when processing malicious file or remote filesystem attribute values.(CVE-2025-14512)

A heap-based buffer overflow problem was found in glib through an incorrect calculation of buffer size in the `g_escape_uri_string()` function. If the string to escape contains a very large number of unacceptable characters (which would need escaping), the calculation of the length of the escaped string could overflow, leading to a potential write off the end of the newly allocated string.(CVE-2025-13601)

A flaw was found in GLib (Gnome Lib). This vulnerability allows a remote attacker to cause heap corruption, leading to a denial of service or potential code execution via a buffer-underflow in the GVariant parser when processing maliciously crafted input strings.(CVE-2025-14087)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.

Details: Huawei EulerOS: Security Advisory for glib2 (EulerOS-SA-2026-1359)

OID: 1.3.6.1.4.1.25623.1.1.2.2026.1359

References

URL:

<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2026-1359>

Critical (CVSS: 10.0) (CVSS: 10.0)**NVT: Huawei EulerOS: Security Advisory for expat (EulerOS-SA-2024-2950)****Summary**

The remote host is missing an update for the Huawei EulerOS 'expat' package(s) announced via the EulerOS-SA-2024-2950 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: expat

Installed version: expat-2.4.1-8.h4.eulerosv2r12.x86_64

Fixed version: >=expat-2.4.1-8.h5.eulerosv2r12.x86_64

Solution

Solution type: VendorFix

Please install the updated package(s).

Affected Software/OS

'expat' package(s) on Huawei EulerOS V2.0SP12(x86_64).

Vulnerability Insight

An issue was discovered in libexpat before 2.6.3. dtdCopy in xmlparse.c can have an integer overflow for nDefaultAtts on 32-bit platforms (where UINT_MAX equals SIZE_MAX).(CVE-2024-45491)

An issue was discovered in libexpat before 2.6.3. nextScaffoldPart in xmlparse.c can have an integer overflow for m_groupSize on 32-bit platforms (where UINT_MAX equals SIZE_MAX).(CVE-2024-45492)

An issue was discovered in libexpat before 2.6.3. xmlparse.c does not reject a negative length for XML_ParseBuffer.(CVE-2024-45490)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.

Details: Huawei EulerOS: Security Advisory for expat (EulerOS-SA-2024-2950)

OID: 1.3.6.1.4.1.25623.1.1.2.2024.2950

References

URL:

<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2024-2950>

Critical (CVSS: 9.4) (CVSS: 9.4)**NVT: Huawei EulerOS: Security Advisory for libxml2 (EulerOS-SA-2025-2017)****Summary**

The remote host is missing an update for the Huawei EulerOS 'libxml2' package(s) announced via the EulerOS-SA-2025-2017 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: libxml2

Installed version: libxml2-2.9.14-4.h21.eulerosv2r12.x86_64

Vulnerability Detection Result (continued) Fixed version: >=libxml2-2.9.14-4.h29.eulerosv2r12.x86_64 Vulnerable package: python3-libxml2 Installed version: python3-libxml2-2.9.14-4.h21.eulerosv2r12.x86_64 Fixed version: >=python3-libxml2-2.9.14-4.h29.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'libxml2' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight A flaw was found in the interactive shell of the xmllint command-line tool, used for parsing XML files. When a user inputs an overly long command, the program does not check the input size properly, which can cause it to crash. This issue might allow attackers to run harmful code in rare configurations without modern protections.(CVE-2025-6170) A flaw was found in libxml2's xmlBuildQName function, where integer overflows in buffer size calculations can lead to a stack-based buffer overflow. This issue can result in memory corruption or a denial of service when processing crafted input.(CVE-2025-6021) A use-after-free vulnerability was found in libxml2. This issue occurs when parsing XPath elements under certain circumstances when the XML schematron has the <sch:name path='...'/> schema elements. This flaw allows a malicious actor to craft a malicious XML document used as input for libxml, resulting in the program's crash using libxml or other possible undefined behaviors.(CVE-2025-49794) A vulnerability was found in libxml2. Processing certain sch:name elements from the input XML file can trigger a memory corruption issue. This flaw allows an attacker to craft a malicious XML input file that can lead libxml to crash, resulting in a denial of service or other possible undefined behavior due to sensitive data being corrupted in memory.(CVE-2025-49796)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for libxml2 (EulerOS-SA-2025-2017) OID: 1.3.6.1.4.1.25623.1.1.2.2025.2017
References URL: https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?secId=EulerOS-SA-2025-2017

Critical (CVSS: 9.0) (CVSS: 9.0)
NVT: Huawei EulerOS: Security Advisory for libssh (EulerOS-SA-2025-2332)
Summary The remote host is missing an update for the Huawei EulerOS 'libssh' package(s) announced via the EulerOS-SA-2025-2332 advisory.
Quality of Detection (QoD) 97%
Vulnerability Detection Result Vulnerable package: libssh

Vulnerability Detection Result (continued) Installed version: libssh-0.9.6-5.h6.eulerosv2r12.x86_64 Fixed version: >=libssh-0.9.6-5.h10.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'libssh' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight A flaw was found in libssh versions built with OpenSSL versions older than 3.0, specifically in the ssh_kdf() function responsible for key derivation. Due to inconsistent interpretation of return values where OpenSSL uses 0 to indicate failure and libssh uses 0 for success-the function may mistakenly return a success status even when key derivation fails. This results in uninitialized cryptographic key buffers being used in subsequent communication, potentially compromising SSH sessions' confidentiality, integrity, and availability.(CVE-2025-5372) A flaw was found in libssh, a library that implements the SSH protocol. When calculating the session ID during the key exchange (KEX) process, an allocation failure in cryptographic functions may lead to a NULL pointer dereference. This issue can cause the client or server to crash.(CVE-2025-8114) There's a vulnerability in the libssh package where when a libssh consumer passes in an unexpectedly large input buffer to ssh_get_fingerprint_hash() function. In such cases the bin_to_base64() function can experience an integer overflow leading to a memory under allocation, when that happens it's possible that the program perform out of bounds write leading to a heap corruption. This issue affects only 32-bits builds of libssh.(CVE-2025-4877) A vulnerability was found in libssh, where an uninitialized variable exists under certain conditions in the privatekey_from_file() function. This flaw can be triggered if the file specified by the filename doesn't exist and may lead to possible signing failures or heap corruption.(CVE-2025-4878)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for libssh (EulerOS-SA-2025-2332) OID: 1.3.6.1.4.1.25623.1.1.2.2025.2332
References URL: https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2025-2332

2.1.2 High

High (CVSS: 8.5) (CVSS: 8.5)**NVT: Huawei EulerOS: Security Advisory for libssh (EulerOS-SA-2025-2016)****Summary**

The remote host is missing an update for the Huawei EulerOS 'libssh' package(s) announced via the EulerOS-SA-2025-2016 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: libssh

Installed version: libssh-0.9.6-5.h6.eulerosv2r12.x86_64

Fixed version: >=libssh-0.9.6-5.h7.eulerosv2r12.x86_64

Solution

Solution type: VendorFix

Please install the updated package(s).

Affected Software/OS

'libssh' package(s) on Huawei EulerOS V2.0SP12(x86_64).

Vulnerability Insight

A flaw was found in the libssh library. An out-of-bounds read can be triggered in the sftp_handle function due to an incorrect comparison check that permits the function to access memory beyond the valid handle list and to return an invalid pointer, which is used in further processing. This vulnerability allows an authenticated remote attacker to potentially read unintended memory regions, exposing sensitive information or affect service behavior.(CVE-2025-5318)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.

Details: Huawei EulerOS: Security Advisory for libssh (EulerOS-SA-2025-2016)

OID: 1.3.6.1.4.1.25623.1.1.2.2025.2016

References

URL:

<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2025-2016>

High (CVSS: 7.8) (CVSS: 7.8)**NVT: Huawei EulerOS: Security Advisory for bind (EulerOS-SA-2026-1062)****Summary**

The remote host is missing an update for the Huawei EulerOS 'bind' package(s) announced via the EulerOS-SA-2026-1062 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: bind-license

Installed version: bind-license-9.16.23-15.h13.eulerosv2r12.noarch

Fixed version: >=bind-license-9.16.23-15.h18.eulerosv2r12.noarch

Vulnerable package: bind-libs

Installed version: bind-libs-9.16.23-15.h13.eulerosv2r12.x86_64

Vulnerability Detection Result (continued) Fixed version: >=bind-libs-9.16.23-15.h18.eulerosv2r12.x86_64 Vulnerable package: bind-utils Installed version: bind-utils-9.16.23-15.h13.eulerosv2r12.x86_64 Fixed version: >=bind-utils-9.16.23-15.h18.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'bind' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight In specific circumstances, due to a weakness in the Pseudo Random Number Generator (PRNG) that is used, it is possible for an attacker to predict the source port and query ID that BIND will use. This issue affects BIND 9 versions 9.16.0 through 9.16.50, 9.18.0 through 9.18.39, 9.20.0 through 9.20.13, 9.21.0 through 9.21.12, 9.16.8-S1 through 9.16.50-S1, 9.18.11-S1 through 9.18.39-S1, and 9.20.9-S1 through 9.20.13-S1.(CVE-2025-40780) Under certain circumstances, BIND is too lenient when accepting records from answers, allowing an attacker to inject forged data into the cache. This issue affects BIND 9 versions 9.11.0 through 9.16.50, 9.18.0 through 9.18.39, 9.20.0 through 9.20.13, 9.21.0 through 9.21.12, 9.11.3-S1 through 9.16.50-S1, 9.18.11-S1 through 9.18.39-S1, and 9.20.9-S1 through 9.20.13-S1.(CVE-2025-40778)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for bind (EulerOS-SA-2026-1062) OID: 1.3.6.1.4.1.25623.1.1.2.2026.1062
References URL: https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclid=EulerOS-SA-2026-1062

High (CVSS: 7.8) (CVSS: 7.8)
NVT: Huawei EulerOS: Security Advisory for python3 (EulerOS-SA-2026-1376)
Summary The remote host is missing an update for the Huawei EulerOS 'python3' package(s) announced via the EulerOS-SA-2026-1376 advisory.
Quality of Detection (QoD) 97%
Vulnerability Detection Result Vulnerable package: python3 Installed version: python3-3.9.9-21.h10.eulerosv2r12.x86_64 Fixed version: >=python3-3.9.9-21.h21.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).

Affected Software/OS

'python3' package(s) on Huawei EulerOS V2.0SP12(x86_64).

Vulnerability Insight

When building nested elements using xml.dom.minidom methods such as appendChild() that have a dependency on _clear_id_cache() the algorithm is quadratic. Availability can be impacted when building excessively nested documents.(CVE-2025-12084)

The 'zipfile' module would not check the validity of the ZIP64 End of Central Directory (EOCD) Locator record offset value would not be used to locate the ZIP64 EOCD record, instead the ZIP64 EOCD record would be assumed to be the previous record in the ZIP archive. This could be abused to create ZIP archives that are handled differently by the 'zipfile' module compared to other ZIP implementations.

Remediation maintains this behavior, but checks that the offset specified in the ZIP64 EOCD Locator record matches the expected value.(CVE-2025-8291)

CPython 3.9 and earlier doesn't disallow configuring an empty list ('') for SSLContext.set_npn_protocols() which is an invalid value for the underlying OpenSSL API. This results in a buffer over-read when NPN is used (see CVE-2024-5535 for OpenSSL). This vulnerability is of low severity due to NPN being not widely used and specifying an empty list likely being uncommon in-practice (typically a protocol name would be configured).(CVE-2024-5642)

When reading an HTTP response from a server, if no read amount is specified, the default behavior will be to use Content-Length. This allows a malicious server to cause the client to read large amounts of data into memory, potentially causing OOM or other DoS.(CVE-2025-13836)

When loading a plist file, the plistlib module reads data in size specified by the file itself, meaning a malicious file can cause OOM and DoS issues(CVE-2025-13837)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.

Details: Huawei EulerOS: Security Advisory for python3 (EulerOS-SA-2026-1376)

OID: 1.3.6.1.4.1.25623.1.1.2.2026.1376

References

URL:

<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2026-1376>

High (CVSS: 7.8) (CVSS: 7.8)

NVT: Huawei EulerOS: Security Advisory for bind (EulerOS-SA-2025-1403)

Summary

The remote host is missing an update for the Huawei EulerOS 'bind' package(s) announced via the EulerOS-SA-2025-1403 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: bind-license

Installed version: bind-license-9.16.23-15.h13.eulerosv2r12.noarch

Vulnerability Detection Result (continued) Fixed version: >=bind-license-9.16.23-15.h14.eulerosv2r12.noarch Vulnerable package: bind-libs Installed version: bind-libs-9.16.23-15.h13.eulerosv2r12.x86_64 Fixed version: >=bind-libs-9.16.23-15.h14.eulerosv2r12.x86_64 Vulnerable package: bind-utils Installed version: bind-utils-9.16.23-15.h13.eulerosv2r12.x86_64 Fixed version: >=bind-utils-9.16.23-15.h14.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'bind' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight It is possible to construct a zone such that some queries to it will generate responses containing numerous records in the Additional section. An attacker sending many such queries can cause either the authoritative server itself or an independent resolver to use disproportionate resources processing the queries. Zones will usually need to have been deliberately crafted to attack this exposure.(CVE-2024-11187)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for bind (EulerOS-SA-2025-1403) OID: 1.3.6.1.4.1.25623.1.1.2.2025.1403
References URL: https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?secId=EulerOS-SA-2025-1403

High (CVSS: 7.8) (CVSS: 7.8)
NVT: Huawei EulerOS: Security Advisory for python3 (EulerOS-SA-2024-2957)
Summary The remote host is missing an update for the Huawei EulerOS 'python3' package(s) announced via the EulerOS-SA-2024-2957 advisory.
Quality of Detection (QoD) 97%
Vulnerability Detection Result Vulnerable package: python3 Installed version: python3-3.9.9-21.h10.eulerosv2r12.x86_64 Fixed version: >=python3-3.9.9-21.h14.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'python3' package(s) on Huawei EulerOS V2.0SP12(x86_64).

Vulnerability Insight

There is a MEDIUM severity vulnerability affecting CPython. The 'socket' module provides a pure-Python fallback to the `socket.socketpair()` function for platforms that don't support AF_UNIX, such as Windows. This pure-Python implementation uses AF_INET or AF_INET6 to create a local connected pair of sockets. The connection between the two sockets was not verified before passing the two sockets back to the user, which leaves the server socket vulnerable to a connection race from a malicious local peer. Platforms that support AF_UNIX such as Linux and macOS are not affected by this vulnerability. Versions prior to CPython 3.5 are not affected due to the vulnerable API not being included.(CVE-2024-3219)

There is a MEDIUM severity vulnerability affecting CPython.Regular expressions that allowed excessive backtracking during tarfile.TarFile header parsing are vulnerable to ReDoS via specifically-crafted tar archives.(CVE-2024-6232)

There is a HIGH severity vulnerability affecting the CPython 'zipfile' module affecting 'zipfile.Path'. Note that the more common API 'zipfile.ZipFile' class is unaffected. When iterating over names of entries in a zip archive (for example, methods of 'zipfile.Path' like 'namelist()', 'iterdir()', etc) the process can be put into an infinite loop with a maliciously crafted zip archive. This defect applies when reading only metadata or extracting the contents of the zip archive. Programs that are not handling user-controlled zip archives are not affected.(CVE-2024-8088)

There is a MEDIUM severity vulnerability affecting CPython. The email module didn't properly quote newlines for email headers when serializing an email message allowing for header injection when an email is serialized.(CVE-2024-6923)

There is a LOW severity vulnerability affecting CPython, specifically the 'http.cookies' standard library module. When parsing cookies that contained backslashes for quoted characters in the cookie value, the parser would use an algorithm with quadratic complexity, resulting in excess CPU resources being used while parsing the value.(CVE-2024-7592)

A defect was discovered in the Python 'ssl' module where there is a memory race condition with the `ssl.SSLContext` methods '`cert_store_stats()`' and '`get_ca_certs()`'. The race condition can be triggered if the methods are called at the same time as certificates are loaded into the `SSLContext`, such as during the TLS handshake with a certificate directory configured. This issue is fixed in CPython 3.10.14, 3.11.9, 3.12.3, and 3.13.0a5.(CVE-2024-0397)

The 'ipaddress' module contained incorrect information about whether certain IPv4 and IPv6 addresses were designated as 'globally reachable' or 'private'. This affected the `is_private` and `is_global` properties of the `ipaddress.IPv4Address`, `ipaddress.IPv4Network`, `ipaddress.IPv6Address`, and `ipaddress.IPv6Network` classes, where values wouldn't be returned in ... [Please see the references for more information on the vulnerabilities]

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.

Details: Huawei EulerOS: Security Advisory for python3 (EulerOS-SA-2024-2957)

OID: 1.3.6.1.4.1.25623.1.1.2.2024.2957

References

URL:

<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?secId=EulerOS-SA-2024-2957>

High (CVSS: 7.8) (CVSS: 7.8)
NVT: Huawei EulerOS: Security Advisory for rsync (EulerOS-SA-2025-1437)
Summary The remote host is missing an update for the Huawei EulerOS 'rsync' package(s) announced via the EulerOS-SA-2025-1437 advisory.
Quality of Detection (QoD) 97%
Vulnerability Detection Result Vulnerable package: rsync Installed version: rsync-3.2.5-1.h1.eulerosv2r12.x86_64 Fixed version: >=rsync-3.2.5-1.h5.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'rsync' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight A flaw was found in rsync. When using the `--safe-links` option, the rsync client fails to properly verify if a symbolic link destination sent from the server contains another symbolic link within it. This results in a path traversal vulnerability, which may lead to arbitrary file write outside the desired directory.(CVE-2024-12088) A flaw was found in rsync. It could allow a server to enumerate the contents of an arbitrary file from the client's machine. This issue occurs when files are being copied from a client to a server. During this process, the rsync server will send checksums of local data to the client to compare with in order to determine what data needs to be sent to the server. By sending specially constructed checksum values for arbitrary files, an attacker may be able to reconstruct the data of those files byte-by-byte based on the responses from the client.(CVE-2024-12086)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for rsync (EulerOS-SA-2025-1437) OID: 1.3.6.1.4.1.25623.1.1.2.2025.1437
References URL: https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2025-1437

High (CVSS: 7.8) (CVSS: 7.8)
NVT: Huawei EulerOS: Security Advisory for dhcp (EulerOS-SA-2026-1356)
Summary The remote host is missing an update for the Huawei EulerOS 'dhcp' package(s) announced via the EulerOS-SA-2026-1356 advisory.
Quality of Detection (QoD) 97%

Vulnerability Detection Result Vulnerable package: dhcp Installed version: dhcp-4.4.3-1.h5.eulerosv2r12.x86_64 Fixed version: >=dhcp-4.4.3-1.h10.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'dhcp' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight Under certain circumstances, BIND is too lenient when accepting records from answers, allowing an attacker to inject forged data into the cache. This issue affects BIND 9 versions 9.11.0 through 9.16.50, 9.18.0 through 9.18.39, 9.20.0 through 9.20.13, 9.21.0 through 9.21.12, 9.11.3-S1 through 9.16.50-S1, 9.18.11-S1 through 9.18.39-S1, and 9.20.9-S1 through 9.20.13-S1.(CVE-2025-40778)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for dhcp (EulerOS-SA-2026-1356) OID: 1.3.6.1.4.1.25623.1.1.2.2026.1356
References URL: https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclid=EulerOS-SA-2026-1356

High (CVSS: 7.8) (CVSS: 7.8)
NVT: Huawei EulerOS: Security Advisory for dhcp (EulerOS-SA-2025-1291)
Summary The remote host is missing an update for the Huawei EulerOS 'dhcp' package(s) announced via the EulerOS-SA-2025-1291 advisory.
Quality of Detection (QoD) 97%
Vulnerability Detection Result Vulnerable package: dhcp Installed version: dhcp-4.4.3-1.h5.eulerosv2r12.x86_64 Fixed version: >=dhcp-4.4.3-1.h8.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'dhcp' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight The code that processes control channel messages sent to `named` calls certain functions recursively during packet parsing. Recursion depth is only limited by the maximum accepted packet size, depending on the environment, this may cause the packet-parsing code to run out of available stack memory, causing `named` to terminate unexpectedly. Since each incoming control

Vulnerability Insight (continued)

channel message is fully parsed before its contents are authenticated, exploiting this flaw does not require the attacker to hold a valid RNDK key, only network access to the control channel's configured TCP port is necessary.(CVE-2023-3341)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.
Details: Huawei EulerOS: Security Advisory for dhcp (EulerOS-SA-2025-1291)
OID: 1.3.6.1.4.1.25623.1.1.2.2025.1291

References

URL:

<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2025-1291>

High (CVSS: 7.8) (CVSS: 7.8)**NVT: Huawei EulerOS: Security Advisory for expat (EulerOS-SA-2025-1581)****Summary**

The remote host is missing an update for the Huawei EulerOS 'expat' package(s) announced via the EulerOS-SA-2025-1581 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: expat
Installed version: expat-2.4.1-8.h4.eulerosv2r12.x86_64
Fixed version: >=expat-2.4.1-8.h8.eulerosv2r12.x86_64

Solution

Solution type: VendorFix
Please install the updated package(s).

Affected Software/OS

'expat' package(s) on Huawei EulerOS V2.0SP12(x86_64).

Vulnerability Insight

A stack overflow vulnerability exists in the libexpat library due to the way it handles recursive entity expansion in XML documents. When parsing an XML document with deeply nested entity references, libexpat can be forced to recurse indefinitely, exhausting the stack space and causing a crash. This issue could lead to denial of service (DoS) or, in some cases, exploitable memory corruption, depending on the environment and library usage.(CVE-2024-8176)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.
Details: Huawei EulerOS: Security Advisory for expat (EulerOS-SA-2025-1581)
OID: 1.3.6.1.4.1.25623.1.1.2.2025.1581

References

URL:

<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2025-1581>

High (CVSS: 7.8) (CVSS: 7.8)**NVT: Huawei EulerOS: Security Advisory for libxml2 (EulerOS-SA-2025-1830)****Summary**

The remote host is missing an update for the Huawei EulerOS 'libxml2' package(s) announced via the EulerOS-SA-2025-1830 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: libxml2

Installed version: libxml2-2.9.14-4.h21.eulerosv2r12.x86_64

Fixed version: >=libxml2-2.9.14-4.h26.eulerosv2r12.x86_64

Vulnerable package: python3-libxml2

Installed version: python3-libxml2-2.9.14-4.h21.eulerosv2r12.x86_64

Fixed version: >=python3-libxml2-2.9.14-4.h26.eulerosv2r12.x86_64

Solution

Solution type: VendorFix

Please install the updated package(s).

Affected Software/OS

'libxml2' package(s) on Huawei EulerOS V2.0SP12(x86_64).

Vulnerability Insight

In libxml2 before 2.13.8 and 2.14.x before 2.14.2, xmlSchemaDCFillNodeTables in xmlschemas.c has a heap-based buffer under-read. To exploit this, a crafted XML document must be validated against an XML schema with certain identity constraints, or a crafted XML schema must be used.(CVE-2025-32415)

In libxml2 before 2.13.8 and 2.14.x before 2.14.2, out-of-bounds memory access can occur in the Python API (Python bindings) because of an incorrect return value. This occurs in xmlPythonFileRead and xmlPythonFileReadRaw because of a difference between bytes and characters.(CVE-2025-32414)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.

Details: Huawei EulerOS: Security Advisory for libxml2 (EulerOS-SA-2025-1830)

OID: 1.3.6.1.4.1.25623.1.1.2.2025.1830

References

URL:

<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2025-1830>

High (CVSS: 7.8) (CVSS: 7.8)**NVT: Huawei EulerOS: Security Advisory for rsync (EulerOS-SA-2025-1307)****Summary**

The remote host is missing an update for the Huawei EulerOS 'rsync' package(s) announced via the EulerOS-SA-2025-1307 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result Vulnerable package: rsync Installed version: rsync-3.2.5-1.h1.eulerosv2r12.x86_64 Fixed version: >=rsync-3.2.5-1.h3.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'rsync' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight A path traversal vulnerability exists in rsync. It stems from behavior enabled by the `--inc-recursive` option, a default-enabled option for many client options and can be enabled by the server even if not explicitly enabled by the client. When using the `--inc-recursive` option, a lack of proper symlink verification coupled with deduplication checks occurring on a per-file-list basis could allow a server to write files outside of the client's intended destination directory. A malicious server could write malicious files to arbitrary locations named after valid directories/paths on the client.(CVE-2024-12087) A flaw was found in rsync which could be triggered when rsync compares file checksums. This flaw allows an attacker to manipulate the checksum length (s2length) to cause a comparison between a checksum and uninitialized memory and leak one byte of uninitialized stack data at a time.(CVE-2024-12085) A flaw was found in rsync. This vulnerability arises from a race condition during rsync's handling of symbolic links. Rsync's default behavior when encountering symbolic links is to skip them. If an attacker replaced a regular file with a symbolic link at the right time, it was possible to bypass the default behavior and traverse symbolic links. Depending on the privileges of the rsync process, an attacker could leak sensitive information, potentially leading to privilege escalation.(CVE-2024-12747)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for rsync (EulerOS-SA-2025-1307) OID: 1.3.6.1.4.1.25623.1.1.2.2025.1307
References URL: https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?secId=EulerOS-SA-2025-1307

High (CVSS: 7.8) (CVSS: 7.8)
NVT: Huawei EulerOS: Security Advisory for dhcp (EulerOS-SA-2025-1409)
Summary The remote host is missing an update for the Huawei EulerOS 'dhcp' package(s) announced via the EulerOS-SA-2025-1409 advisory.
Quality of Detection (QoD) 97%
Vulnerability Detection Result Vulnerable package: dhcp Installed version: dhcp-4.4.3-1.h5.eulerosv2r12.x86_64

Vulnerability Detection Result (continued) Fixed version: >=dhcp-4.4.3-1.h9.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'dhcp' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight It is possible to construct a zone such that some queries to it will generate responses containing numerous records in the Additional section. An attacker sending many such queries can cause either the authoritative server itself or an independent resolver to use disproportionate resources processing the queries. Zones will usually need to have been deliberately crafted to attack this exposure.(CVE-2024-11187)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for dhcp (EulerOS-SA-2025-1409) OID: 1.3.6.1.4.1.25623.1.1.2.2025.1409
References URL: https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2025-1409

High (CVSS: 7.6) (CVSS: 7.6)
NVT: Huawei EulerOS: Security Advisory for freetype (EulerOS-SA-2025-1583)
Summary The remote host is missing an update for the Huawei EulerOS 'freetype' package(s) announced via the EulerOS-SA-2025-1583 advisory.
Quality of Detection (QoD) 97%
Vulnerability Detection Result Vulnerable package: freetype Installed version: freetype-2.12.1-1.h3.eulerosv2r12.x86_64 Fixed version: >=freetype-2.12.1-1.h4.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'freetype' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight An out of bounds write exists in FreeType versions 2.13.0 and below (newer versions of FreeType are not vulnerable) when attempting to parse font subglyph structures related to TrueType GX and variable font files. The vulnerable code assigns a signed short value to an unsigned long and then adds a static value causing it to wrap around and allocate too small of a heap buffer. The code then writes up to 6 signed long integers out of bounds relative to this buffer. This may result in arbitrary code execution. This vulnerability may have been exploited in the

Vulnerability Insight (continued) wild.(CVE-2025-27363)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for freetype (EulerOS-SA-2025-1583) OID: 1.3.6.1.4.1.25623.1.1.2.2025.1583
References CISA: Known Exploited Vulnerability (KEV) catalog URL: https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2025-1583 URL: https://www.cisa.gov/known-exploited-vulnerabilities-catalog

High (CVSS: 7.2) (CVSS: 7.2)
NVT: Huawei EulerOS: Security Advisory for libarchive (EulerOS-SA-2025-2013)
Summary The remote host is missing an update for the Huawei EulerOS 'libarchive' package(s) announced via the EulerOS-SA-2025-2013 advisory.
Quality of Detection (QoD) 97%
Vulnerability Detection Result Vulnerable package: libarchive Installed version: libarchive-3.5.2-5.h4.eulerosv2r12.x86_64 Fixed version: >=libarchive-3.5.2-5.h6.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'libarchive' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight A vulnerability has been identified in the libarchive library. This flaw involves an 'off-by-one' miscalculation when handling prefixes and suffixes for file names. This can lead to a 1-byte write overflow. While seemingly small, such an overflow can corrupt adjacent memory, leading to unpredictable program behavior, crashes, or in specific circumstances, could be leveraged as a building block for more sophisticated exploitation.(CVE-2025-5917) A vulnerability has been identified in the libarchive library, specifically within the archive_read_format_rar_seek_data() function. This flaw involves an integer overflow that can ultimately lead to a double-free condition. Exploiting a double-free vulnerability can result in memory corruption, enabling an attacker to execute arbitrary code or cause a denial-of-service condition.(CVE-2025-5914) A vulnerability has been identified in the libarchive library. This flaw involves an integer overflow that can be triggered when processing a Web Archive (WARC) file that claims to have more than INT64_MAX - 4 content bytes. An attacker could craft a malicious WARC archive to induce this overflow, potentially leading to unpredictable program behavior, memory corruption, or a denial-of-service condition within applications that process such archives using libarchive.(CVE-2025-5916)

Vulnerability Insight (continued)

A vulnerability has been identified in the libarchive library. This flaw can be triggered when file streams are piped into bsdtar, potentially allowing for reading past the end of the file. This out-of-bounds read can lead to unintended consequences, including unpredictable program behavior, memory corruption, or a denial-of-service condition.(CVE-2025-5918)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.
Details: Huawei EulerOS: Security Advisory for libarchive (EulerOS-SA-2025-2013)
OID: 1.3.6.1.4.1.25623.1.1.2.2025.2013

References

URL:

<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2025-2013>

High (CVSS: 7.1) (CVSS: 7.1)

NVT: Huawei EulerOS: Security Advisory for pam (EulerOS-SA-2025-1194)

Summary

The remote host is missing an update for the Huawei EulerOS 'pam' package(s) announced via the EulerOS-SA-2025-1194 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: pam
Installed version: pam-1.5.2-4.h3.eulerosv2r12.x86_64
Fixed version: >=pam-1.5.2-4.h5.eulerosv2r12.x86_64

Solution

Solution type: VendorFix
Please install the updated package(s).

Affected Software/OS

'pam' package(s) on Huawei EulerOS V2.0SP12(x86_64).

Vulnerability Insight

A flaw was found in pam_access, where certain rules in its configuration file are mistakenly treated as hostnames. This vulnerability allows attackers to trick the system by pretending to be a trusted hostname, gaining unauthorized access. This issue poses a risk for systems that rely on this feature to control who can access certain services or terminals.(CVE-2024-10963)

A vulnerability was found in PAM. The secret information is stored in memory, where the attacker can trigger the victim program to execute by sending characters to its standard input (stdin). As this occurs, the attacker can train the branch predictor to execute an ROP chain speculatively. This flaw could result in leaked passwords, such as those found in /etc/shadow while performing authentications.(CVE-2024-10041)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.
Details: Huawei EulerOS: Security Advisory for pam (EulerOS-SA-2025-1194)
OID: 1.3.6.1.4.1.25623.1.1.2.2025.1194

References**URL:**

<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?secId=EulerOS-SA-2025-1194>

High (CVSS: 7.1) (CVSS: 7.1)**NVT: Huawei EulerOS: Security Advisory for openssh (EulerOS-SA-2025-1429)****Summary**

The remote host is missing an update for the Huawei EulerOS 'openssh' package(s) announced via the EulerOS-SA-2025-1429 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: openssh

Installed version: openssh-8.8p1-14.h21.eulerosv2r12.x86_64

Fixed version: >=openssh-8.8p1-14.h23.eulerosv2r12.x86_64

Vulnerable package: openssh-server

Installed version: openssh-server-8.8p1-14.h21.eulerosv2r12.x86_64

Fixed version: >=openssh-server-8.8p1-14.h23.eulerosv2r12.x86_64

Vulnerable package: openssh-clients

Installed version: openssh-clients-8.8p1-14.h21.eulerosv2r12.x86_64

Fixed version: >=openssh-clients-8.8p1-14.h23.eulerosv2r12.x86_64

Solution

Solution type: VendorFix

Please install the updated package(s).

Affected Software/OS

'openssh' package(s) on Huawei EulerOS V2.0SP12(x86_64).

Vulnerability Insight

A vulnerability was found in OpenSSH when the VerifyHostKeyDNS option is enabled. A machine-in-the-middle attack can be performed by a malicious machine impersonating a legit server. This issue occurs due to how OpenSSH mishandles error codes in specific conditions when verifying the host key. For an attack to be considered successful, the attacker needs to manage to exhaust the client's memory resource first, turning the attack complexity high.(CVE-2025-26465)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.

Details: Huawei EulerOS: Security Advisory for openssh (EulerOS-SA-2025-1429)

OID: 1.3.6.1.4.1.25623.1.1.2.2025.1429

References**URL:**

<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?secId=EulerOS-SA-2025-1429>

2.1.3 Medium

Medium (CVSS: 6.8) (CVSS: 6.8)

NVT: Huawei EulerOS: Security Advisory for libpng (EulerOS-SA-2026-1369)

Summary

The remote host is missing an update for the Huawei EulerOS 'libpng' package(s) announced via the EulerOS-SA-2026-1369 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: libpng

Installed version: libpng-1.6.38-1.h2.eulerosv2r12.x86_64

Fixed version: >=libpng-1.6.38-1.h5.eulerosv2r12.x86_64

Solution

Solution type: VendorFix

Please install the updated package(s).

Affected Software/OS

'libpng' package(s) on Huawei EulerOS V2.0SP12(x86_64).

Vulnerability Insight

LIBPNG is a reference library for use in applications that read, create, and manipulate PNG (Portable Network Graphics) raster image files. Prior to version 1.6.51, a heap buffer over-read vulnerability exists in libpng's png_do_quantize function when processing PNG files with malformed palette indices. The vulnerability occurs when palette_lookup array bounds are not validated against externally-supplied image data, allowing an attacker to craft a PNG file with out-of-range palette indices that trigger out-of-bounds memory access. This issue has been patched in version 1.6.51.(CVE-2025-64505)

LIBPNG is a reference library for use in applications that read, create, and manipulate PNG (Portable Network Graphics) raster image files. From version 1.6.0 to before 1.6.51, a heap buffer over-read vulnerability exists in libpng's png_write_image_8bit function when processing 8-bit images through the simplified write API with convert_to_8bit enabled. The vulnerability affects 8-bit grayscale+alpha, RGB/RGBA, and images with incomplete row data. A conditional guard incorrectly allows 8-bit input to enter code expecting 16-bit input, causing reads up to 2 bytes beyond allocated buffer boundaries. This issue has been patched in version 1.6.51.(CVE-2025-64506)

LIBPNG is a reference library for use in applications that read, create, and manipulate PNG (Portable Network Graphics) raster image files. Prior to 1.6.52, an out-of-bounds read vulnerability in libpng's simplified API allows reading up to 1012 bytes beyond the png_sRGB_base[512] array when processing valid palette PNG images with partial transparency and gamma correction. The PNG files that trigger this vulnerability are valid per the PNG specification, the bug is in libpng's internal state management. Upgrade to libpng 1.6.52 or later.(CVE-2025-66293)

LIBPNG is a reference library for use in applications that read, create, and manipulate PNG (Portable Network Graphics) raster image files. From 1.6.51 to 1.6.53, there is a heap buffer over-read in the libpng simplified API function png_image_finish_read when processing interlaced 16-bit PNGs with 8-bit output format and non-minimal row stride. This is a regression introduced by the fix for CVE-2025-65018. This vulnerability is fixed in 1.6.54.(CVE-2026-22695)

LIBPNG is a reference library for use in applications that read, create, and manipulate PNG (Portable Network Graphics) raster image files. From 1.6.26 to 1.6.53, there is an integer

Vulnerability Insight (continued)

truncation in the libpng simplified write API functions png_write_image_16bit and png_write_image_8bit causes heap buffer over-read when the caller provides a negative row stride (for bottom-up image layouts) or a stride exceeding 65535 bytes. The bug was introduced in libpng 1.6.26 (October 2016) by casts added to silence compiler warnings on 16-bit systems. This vulnerability is fixed in 1.6.54.(CVE-2026-22801)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.
Details: Huawei EulerOS: Security Advisory for libpng (EulerOS-SA-2026-1369)
OID: 1.3.6.1.4.1.25623.1.1.2.2026.1369

References

URL:

<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2026-1369>

Medium (CVSS: 6.8) (CVSS: 6.8)

NVT: Huawei EulerOS: Security Advisory for sudo (EulerOS-SA-2025-2029)

Summary

The remote host is missing an update for the Huawei EulerOS 'sudo' package(s) announced via the EulerOS-SA-2025-2029 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: sudo
Installed version: sudo-1.9.8p2-7.h9.eulerosv2r12.x86_64
Fixed version: >=sudo-1.9.8p2-7.h11.eulerosv2r12.x86_64

Solution

Solution type: VendorFix
Please install the updated package(s).

Affected Software/OS

'sudo' package(s) on Huawei EulerOS V2.0SP12(x86_64).

Vulnerability Insight

Sudo before 1.9.17p1, when used with a sudoers file that specifies a host that is neither the current host nor ALL, allows listed users to execute commands on unintended machines.(CVE-2025-32462)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.
Details: Huawei EulerOS: Security Advisory for sudo (EulerOS-SA-2025-2029)
OID: 1.3.6.1.4.1.25623.1.1.2.2025.2029

References

URL:

<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2025-2029>

Medium (CVSS: 6.8) (CVSS: 6.8)**NVT: Huawei EulerOS: Security Advisory for pam (EulerOS-SA-2025-2019)****Summary**

The remote host is missing an update for the Huawei EulerOS 'pam' package(s) announced via the EulerOS-SA-2025-2019 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: pam

Installed version: pam-1.5.2-4.h3.eulerosv2r12.x86_64

Fixed version: >=pam-1.5.2-4.h6.r1.eulerosv2r12.x86_64

Solution

Solution type: VendorFix

Please install the updated package(s).

Affected Software/OS

'pam' package(s) on Huawei EulerOS V2.0SP12(x86_64).

Vulnerability Insight

A flaw was found in linux-pam. The module pam_namespace may use access user-controlled paths without proper protection, allowing local users to elevate their privileges to root via multiple symlink attacks and race conditions.(CVE-2025-6020)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.

Details: Huawei EulerOS: Security Advisory for pam (EulerOS-SA-2025-2019)

OID: 1.3.6.1.4.1.25623.1.1.2.2025.2019

References

URL:

<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2025-2019>

Medium (CVSS: 6.8) (CVSS: 6.8)**NVT: Huawei EulerOS: Security Advisory for python3 (EulerOS-SA-2025-1195)****Summary**

The remote host is missing an update for the Huawei EulerOS 'python3' package(s) announced via the EulerOS-SA-2025-1195 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: python3

Installed version: python3-3.9.9-21.h10.eulerosv2r12.x86_64

Fixed version: >=python3-3.9.9-21.h15.eulerosv2r12.x86_64

Solution

Solution type: VendorFix

Please install the updated package(s).

Affected Software/OS 'python3' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight A vulnerability has been found in the CPython `venv` module and CLI where path names provided when creating a virtual environment were not quoted properly, allowing the creator to inject commands into virtual environment 'activation' scripts (ie 'source venv/bin/activate'). This means that attacker-controlled virtual environments are able to run commands when the virtual environment is activated. Virtual environments which are not created by an attacker or which aren't activated before being used (ie './venv/bin/python') are not affected.(CVE-2024-9287)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for python3 (EulerOS-SA-2025-1195) OID: 1.3.6.1.4.1.25623.1.1.2.2025.1195
References URL: https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2025-1195

Medium (CVSS: 6.8) (CVSS: 6.8)
NVT: Huawei EulerOS: Security Advisory for libarchive (EulerOS-SA-2025-1591)
Summary The remote host is missing an update for the Huawei EulerOS 'libarchive' package(s) announced via the EulerOS-SA-2025-1591 advisory.
Quality of Detection (QoD) 97%
Vulnerability Detection Result Vulnerable package: libarchive Installed version: libarchive-3.5.2-5.h4.eulerosv2r12.x86_64 Fixed version: >=libarchive-3.5.2-5.h5.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'libarchive' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight list_item_verbose in tar/util.c in libarchive through 3.7.7 does not check an strftime return value, which can lead to a denial of service or unspecified other impact via a crafted TAR archive that is read with a verbose value of 2. For example, the 100-byte buffer may not be sufficient for a custom locale.(CVE-2025-25724)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for libarchive (EulerOS-SA-2025-1591) OID: 1.3.6.1.4.1.25623.1.1.2.2025.1591
References URL:

References (continued)

<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2025-1591>

Medium (CVSS: 6.5) (CVSS: 6.5)

NVT: Huawei EulerOS: Security Advisory for polkit (EulerOS-SA-2025-2021)

Summary

The remote host is missing an update for the Huawei EulerOS 'polkit' package(s) announced via the EulerOS-SA-2025-2021 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: polkit-libs

Installed version: polkit-libs-0.120-8.h4.eulerosv2r12.x86_64

Fixed version: >=polkit-libs-0.120-8.h5.eulerosv2r12.x86_64

Vulnerable package: polkit

Installed version: polkit-0.120-8.h4.eulerosv2r12.x86_64

Fixed version: >=polkit-0.120-8.h5.eulerosv2r12.x86_64

Solution

Solution type: VendorFix

Please install the updated package(s).

Affected Software/OS

'polkit' package(s) on Huawei EulerOS V2.0SP12(x86_64).

Vulnerability Insight

A flaw was found in polkit. When processing an XML policy with 32 or more nested elements in depth, an out-of-bounds write can be triggered. This issue can lead to a crash or other unexpected behavior, and arbitrary code execution is not discarded. To exploit this flaw, a high-privilege account is needed as it's required to place the malicious policy file properly. (CVE-2025-7519)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.

Details: Huawei EulerOS: Security Advisory for polkit (EulerOS-SA-2025-2021)

OID: 1.3.6.1.4.1.25623.1.1.2.2025.2021

References

URL:

<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2025-2021>

Medium (CVSS: 6.4) (CVSS: 6.4)

NVT: Huawei EulerOS: Security Advisory for python-pip (EulerOS-SA-2026-1079)

Summary

The remote host is missing an update for the Huawei EulerOS 'python-pip' package(s) announced via the EulerOS-SA-2026-1079 advisory.

Quality of Detection (QoD) 97%
Vulnerability Detection Result Vulnerable package: python-pip-wheel Installed version: python-pip-wheel-21.3.1-2.h4.eulerosv2r12.noarch Fixed version: >=python-pip-wheel-21.3.1-2.h7.eulerosv2r12.noarch
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'python-pip' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight urllib3 is a user-friendly HTTP client library for Python. Prior to 2.5.0, it is possible to disable redirects for all requests by instantiating a PoolManager and specifying retries in a way that disable redirects. By default, requests and botocore users are not affected. An application attempting to mitigate SSRF or open redirect vulnerabilities by disabling redirects at the PoolManager level will remain vulnerable. This issue has been patched in version 2.5.0.(CVE-2025-50181) Requests is a HTTP library. Since Requests 2.3.0, Requests has been leaking Proxy-Authorization headers to destination servers when redirected to an HTTPS endpoint. This is a product of how we use `rebuild_proxies` to reattach the `Proxy-Authorization` header to requests. For HTTP connections sent through the tunnel, the proxy will identify the header in the request itself and remove it prior to forwarding to the destination server. However when sent over HTTPS, the `Proxy-Authorization` header must be sent in the CONNECT request as the proxy has no visibility into the tunneled request. This results in Requests forwarding proxy credentials to the destination server unintentionally, allowing a malicious actor to potentially exfiltrate sensitive information. This issue has been patched in version 2.31.0.(CVE-2023-32681) When extracting a tar archive pip may not check symbolic links point into the extraction directory if the tarfile module doesn't implement PEP 706. Note that upgrading pip to a 'fixed' version for this vulnerability doesn't fix all known vulnerabilities that are remediated by using a Python version that implements PEP 706. Note that this is a vulnerability in pip's fallback implementation of tar extraction for Python versions that don't implement PEP 706 and therefore are not secure to all vulnerabilities in the Python 'tarfile' module. If you're using a Python version that implements PEP 706 then pip doesn't use the 'vulnerable' fallback code. Mitigations include upgrading to a version of pip that includes the fix, upgrading to a Python version that implements PEP 706 (Python >=3.9.17, >=3.10.12, >=3.11.4, or >=3.12), applying the linked patch, or inspecting source distributions (sdist) before installation as is already a best-practice.(CVE-2025-8869)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for python-pip (EulerOS-SA-2026-1079) OID: 1.3.6.1.4.1.25623.1.1.2.2026.1079
References URL: https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclid=EulerOS-SA-2026-1079

References (continued)

1079

Medium (CVSS: 6.1) (CVSS: 6.1)**NVT: Huawei EulerOS: Security Advisory for curl (EulerOS-SA-2025-1186)****Summary**

The remote host is missing an update for the Huawei EulerOS 'curl' package(s) announced via the EulerOS-SA-2025-1186 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: libcurl

Installed version: libcurl-7.79.1-14.h28.eulerosv2r12.x86_64

Fixed version: >=libcurl-7.79.1-14.h31.eulerosv2r12.x86_64

Vulnerable package: curl

Installed version: curl-7.79.1-14.h28.eulerosv2r12.x86_64

Fixed version: >=curl-7.79.1-14.h31.eulerosv2r12.x86_64

Solution

Solution type: VendorFix

Please install the updated package(s).

Affected Software/OS

'curl' package(s) on Huawei EulerOS V2.0SP12(x86_64).

Vulnerability Insight

When curl is asked to use HSTS, the expiry time for a subdomain might overwrite a parent domain's cache entry, making it end sooner or later than otherwise intended. This affects curl using applications that enable HSTS and use URLs with the insecure `HTTP://` scheme and perform transfers with hosts like `x.example.com` as well as `example.com` where the first host is a subdomain of the second host. (The HSTS cache either needs to have been populated manually or there needs to have been previous HTTPS accesses done as the cache needs to have entries for the domains involved to trigger this problem.) When `x.example.com` responds with `Strict-Transport-Security:` headers, this bug can make the subdomain's expiry timeout *bleed over* and get set for the parent domain `example.com` in curl's HSTS cache. The result of a triggered bug is that HTTP accesses to `example.com` get converted to HTTPS for a different period of time than what was asked for by the origin server. If `example.com` for example stops supporting HTTPS at its expiry time, curl might then fail to access `http://example.com` until the (wrongly set) timeout expires. This bug can also expire the parent's entry *earlier*, thus making curl inadvertently switch back to insecure HTTP earlier than otherwise intended.(CVE-2024-9681)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.

Details: Huawei EulerOS: Security Advisory for curl (EulerOS-SA-2025-1186)

OID: 1.3.6.1.4.1.25623.1.1.2.2025.1186

References

URL:

<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?secId=EulerOS-SA-2025-1186>

Medium (CVSS: 5.4) (CVSS: 5.4)**NVT: Huawei EulerOS: Security Advisory for krb5 (EulerOS-SA-2025-2331)****Summary**

The remote host is missing an update for the Huawei EulerOS 'krb5' package(s) announced via the EulerOS-SA-2025-2331 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: krb5-libs

Installed version: krb5-libs-1.19.2-6.h14.eulerosv2r12.x86_64

Fixed version: >=krb5-libs-1.19.2-6.h17.eulerosv2r12.x86_64

Solution

Solution type: VendorFix

Please install the updated package(s).

Affected Software/OS

'krb5' package(s) on Huawei EulerOS V2.0SP12(x86_64).

Vulnerability Insight

A vulnerability in the MIT Kerberos implementation allows GSSAPI-protected messages using RC4-HMAC-MD5 to be spoofed due to weaknesses in the MD5 checksum design. If RC4 is preferred over stronger encryption types, an attacker could exploit MD5 collisions to forge message integrity codes. This may lead to unauthorized message tampering.(CVE-2025-3576)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.

Details: Huawei EulerOS: Security Advisory for krb5 (EulerOS-SA-2025-2331)

OID: 1.3.6.1.4.1.25623.1.1.2.2025.2331

References

URL:

<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2025-2331>

Medium (CVSS: 5.2) (CVSS: 5.2)**NVT: Huawei EulerOS: Security Advisory for util-linux (EulerOS-SA-2026-1383)****Summary**

The remote host is missing an update for the Huawei EulerOS 'util-linux' package(s) announced via the EulerOS-SA-2026-1383 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: libuuid

Installed version: libuuid-2.37.2-13.h25.eulerosv2r12.x86_64

Fixed version: >=libuuid-2.37.2-13.h31.eulerosv2r12.x86_64

Vulnerable package: libsmartcols

Installed version: libsmartcols-2.37.2-13.h25.eulerosv2r12.x86_64

Fixed version: >=libsmartcols-2.37.2-13.h31.eulerosv2r12.x86_64

Vulnerable package: libmount

Vulnerability Detection Result (continued) Installed version: libmount-2.37.2-13.h25.eulerosv2r12.x86_64 Fixed version: >=libmount-2.37.2-13.h31.eulerosv2r12.x86_64 Vulnerable package: libblkid Installed version: libblkid-2.37.2-13.h25.eulerosv2r12.x86_64 Fixed version: >=libblkid-2.37.2-13.h31.eulerosv2r12.x86_64 Vulnerable package: libfdisk Installed version: libfdisk-2.37.2-13.h25.eulerosv2r12.x86_64 Fixed version: >=libfdisk-2.37.2-13.h31.eulerosv2r12.x86_64 Vulnerable package: util-linux Installed version: util-linux-2.37.2-13.h25.eulerosv2r12.x86_64 Fixed version: >=util-linux-2.37.2-13.h31.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'util-linux' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight A flaw was found in util-linux. This vulnerability allows a heap buffer overread when processing 256-byte usernames, specifically within the `setpwnam()` function, affecting SUID (Set User ID) login-utils utilities writing to the password database.(CVE-2025-14104)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for util-linux (EulerOS-SA-2026-1383) OID: 1.3.6.1.4.1.25623.1.1.2.2026.1383
References URL: https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2026-1383

Medium (CVSS: 5.1) (CVSS: 5.1)
NVT: Huawei EulerOS: Security Advisory for elfutils (EulerOS-SA-2025-1411)
Summary The remote host is missing an update for the Huawei EulerOS 'elfutils' package(s) announced via the EulerOS-SA-2025-1411 advisory.
Quality of Detection (QoD) 97%
Vulnerability Detection Result Vulnerable package: elfutils Installed version: elfutils-0.185-17.h5.eulerosv2r12.x86_64 Fixed version: >=elfutils-0.185-17.h7.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'elfutils' package(s) on Huawei EulerOS V2.0SP12(x86_64).

Vulnerability Insight

A vulnerability was found in GNU elfutils 0.192. It has been declared as critical. Affected by this vulnerability is the function `dump_data_section/print_string_section` of the file `readelf.c` of the component `eu-readelf`. The manipulation of the argument `z/x` leads to buffer overflow. An attack has to be approached locally. The exploit has been disclosed to the public and may be used. The identifier of the patch is `73db9d2021cab9e23fd734b0a76a612d52a6f1db`. It is recommended to apply a patch to fix this issue.(CVE-2025-1372)

A vulnerability classified as problematic was found in GNU elfutils 0.192. This vulnerability affects the function `elf_strptr` in the library `/libelf/elf_strptr.c` of the component `eu-strip`. The manipulation leads to denial of service. It is possible to launch the attack on the local host. The complexity of an attack is rather high. The exploitation appears to be difficult. The exploit has been disclosed to the public and may be used. The name of the patch is `b16f441cca0a4841050e3215a9f120a6d8aea918`. It is recommended to apply a patch to fix this issue.(CVE-2025-1376)

A vulnerability has been found in GNU elfutils 0.192 and classified as critical. This vulnerability affects the function `__libdw_thread_tail` in the library `libdw_alloc.c` of the component `eu-readelf`. The manipulation of the argument `w` leads to memory corruption. The attack can be initiated remotely. The complexity of an attack is rather high. The exploitation appears to be difficult. The exploit has been disclosed to the public and may be used. The name of the patch is `2636426a091bd6c6f7f02e49ab20d4cdc6bfc753`. It is recommended to apply a patch to fix this issue.(CVE-2025-1352)

A vulnerability, which was classified as problematic, has been found in GNU elfutils 0.192. This issue affects the function `gelf_getsymshndx` of the file `strip.c` of the component `eu-strip`. The manipulation leads to denial of service. The attack needs to be approached locally. The exploit has been disclosed to the public and may be used. The identifier of the patch is `fbf1df9ca286de3323ae541973b08449f8d03aba`. It is recommended to apply a patch to fix this issue.(CVE-2025-1377)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.
Details: Huawei EulerOS: Security Advisory for elfutils (EulerOS-SA-2025-1411)
OID: 1.3.6.1.4.1.25623.1.1.2.2025.1411

References

URL:
<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclid=EulerOS-SA-2025-1411>

Medium (CVSS: 5.0) (CVSS: 5.0)

NVT: Huawei EulerOS: Security Advisory for glibc (EulerOS-SA-2025-1417)

Summary

The remote host is missing an update for the Huawei EulerOS 'glibc' package(s) announced via the EulerOS-SA-2025-1417 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: `glibc-common`
Installed version: `glibc-common-2.34-105.h43.fp.eulerosv2r12.x86_64`
Fixed version: `>=glibc-common-2.34-105.h48.eulerosv2r12.x86_64`
Vulnerable package: `glibc`

Vulnerability Detection Result (continued) Installed version: glibc-2.34-105.h43.fp.eulerosv2r12.x86_64 Fixed version: >=glibc-2.34-105.h48.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'glibc' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight When the assert() function in the GNU C Library versions 2.13 to 2.40 fails, it does not allocate enough space for the assertion failure message string and size information, which may lead to a buffer overflow if the message string size aligns to page size.(CVE-2025-0395)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for glibc (EulerOS-SA-2025-1417) OID: 1.3.6.1.4.1.25623.1.1.2.2025.1417
References URL: https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2025-1417

Medium (CVSS: 5.0) (CVSS: 5.0)
NVT: Huawei EulerOS: Security Advisory for libcap (EulerOS-SA-2025-1593)
Summary The remote host is missing an update for the Huawei EulerOS 'libcap' package(s) announced via the EulerOS-SA-2025-1593 advisory.
Quality of Detection (QoD) 97%
Vulnerability Detection Result Vulnerable package: libcap Installed version: libcap-2.61-4.h5.eulerosv2r12.x86_64 Fixed version: >=libcap-2.61-4.h6.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'libcap' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight The PAM module pam_cap.so of libcap configuration supports group names starting with '@', during actual parsing, configurations not starting with '@' are incorrectly recognized as group names. This may result in nonintended users being granted an inherited capability set, potentially leading to security risks. Attackers can exploit this vulnerability to achieve local privilege escalation on systems where /etc/security/capability.conf is used to configure user inherited privileges by constructing specific usernames.(CVE-2025-1390)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.

Details: Huawei EulerOS: Security Advisory for libcap (EulerOS-SA-2025-1593)

OID: 1.3.6.1.4.1.25623.1.1.2.2025.1593

References

URL:

[https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?secId=EulerOS-SA-2025-](https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?secId=EulerOS-SA-2025-1593)

1593

Medium (CVSS: 5.0) (CVSS: 5.0)

NVT: Huawei EulerOS: Security Advisory for perl (EulerOS-SA-2025-2020)

Summary

The remote host is missing an update for the Huawei EulerOS 'perl' package(s) announced via the EulerOS-SA-2025-2020 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: perl-libs

Installed version: perl-libs-5.34.0-6.h12.eulerosv2r12.x86_64

Fixed version: >=perl-libs-5.34.0-6.h14.eulerosv2r12.x86_64

Solution

Solution type: VendorFix

Please install the updated package(s).

Affected Software/OS

'perl' package(s) on Huawei EulerOS V2.0SP12(x86_64).

Vulnerability Insight

Perl threads have a working directory race condition where file operations may target unintended paths. If a directory handle is open at thread creation, the process-wide current working directory is temporarily changed in order to clone that handle for the new thread, which is visible from any third (or more) thread already running. This may lead to unintended operations such as loading code or accessing files from unexpected locations, which a local attacker may be able to exploit. (CVE-2025-40909)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.

Details: Huawei EulerOS: Security Advisory for perl (EulerOS-SA-2025-2020)

OID: 1.3.6.1.4.1.25623.1.1.2.2025.2020

References

URL:

[https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?secId=EulerOS-SA-2025-](https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?secId=EulerOS-SA-2025-2020)

2020

Medium (CVSS: 5.0) (CVSS: 5.0)**NVT: Huawei EulerOS: Security Advisory for openssl (EulerOS-SA-2026-1076)****Summary**

The remote host is missing an update for the Huawei EulerOS 'openssl' package(s) announced via the EulerOS-SA-2026-1076 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: openssl-lib

Installed version: openssl-lib-1.1.1m-15.h42.eulerosv2r12.x86_64

Fixed version: >=openssl-lib-1.1.1m-15.h52.eulerosv2r12.x86_64

Vulnerable package: openssl

Installed version: openssl-1.1.1m-15.h42.eulerosv2r12.x86_64

Fixed version: >=openssl-1.1.1m-15.h52.eulerosv2r12.x86_64

Solution

Solution type: VendorFix

Please install the updated package(s).

Affected Software/OS

'openssl' package(s) on Huawei EulerOS V2.0SP12(x86_64).

Vulnerability Insight

Issue summary: An application trying to decrypt CMS messages encrypted using password based encryption can trigger an out-of-bounds read and write.

Impact summary: This out-of-bounds read may trigger a crash which leads to Denial of Service for an application. The out-of-bounds write can cause a memory corruption which can have various consequences including a Denial of Service or Execution of attacker-supplied code.

Although the consequences of a successful exploit of this vulnerability could be severe, the probability that the attacker would be able to perform it is low. Besides, password based (PWRI) encryption support in CMS messages is very rarely used. For that reason the issue was assessed as Moderate severity according to our Security Policy.

The FIPS modules in 3.5, 3.4, 3.3, 3.2, 3.1 and 3.0 are not affected by this issue, as the CMS implementation is outside the OpenSSL FIPS module boundary.(CVE-2025-9230)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.

Details: Huawei EulerOS: Security Advisory for openssl (EulerOS-SA-2026-1076)

OID: 1.3.6.1.4.1.25623.1.1.2.2026.1076

References

URL:

<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2026-1076>

Medium (CVSS: 5.0) (CVSS: 5.0)
NVT: Huawei EulerOS: Security Advisory for glibc (EulerOS-SA-2025-1818)
Summary The remote host is missing an update for the Huawei EulerOS 'glibc' package(s) announced via the EulerOS-SA-2025-1818 advisory.
Quality of Detection (QoD) 97%
Vulnerability Detection Result Vulnerable package: glibc-common Installed version: glibc-common-2.34-105.h43.fp.eulerosv2r12.x86_64 Fixed version: >=glibc-common-2.34-105.h53.eulerosv2r12.x86_64 Vulnerable package: glibc Installed version: glibc-2.34-105.h43.fp.eulerosv2r12.x86_64 Fixed version: >=glibc-2.34-105.h53.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'glibc' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight Untrusted LD_LIBRARY_PATH environment variable vulnerability in the GNU C Library version 2.27 to 2.38 allows attacker controlled loading of dynamically shared library in statically compiled setuid binaries that call dlopen (including internal dlopen calls after setlocale or calls to NSS functions such as getaddrinfo).(CVE-2025-4802)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for glibc (EulerOS-SA-2025-1818) OID: 1.3.6.1.4.1.25623.1.1.2.2025.1818
References URL: https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclid=EulerOS-SA-2025-1818

Medium (CVSS: 5.0) (CVSS: 5.0)
NVT: Huawei EulerOS: Security Advisory for python3 (EulerOS-SA-2025-2339)
Summary The remote host is missing an update for the Huawei EulerOS 'python3' package(s) announced via the EulerOS-SA-2025-2339 advisory.
Quality of Detection (QoD) 97%
Vulnerability Detection Result Vulnerable package: python3 Installed version: python3-3.9.9-21.h10.eulerosv2r12.x86_64 Fixed version: >=python3-3.9.9-21.h19.eulerosv2r12.x86_64

Solution

Solution type: VendorFix

Please install the updated package(s).

Affected Software/OS

'python3' package(s) on Huawei EulerOS V2.0SP12(x86_64).

Vulnerability Insight

Allows the extraction filter to be ignored, allowing symlink targets to point outside the destination directory, and the modification of some file metadata.

You are affected by this vulnerability if using the tarfile module to extract untrusted tar archives using `TarFile.extractall()` or `TarFile.extract()` using the `filter=` parameter with a value of `'data'` or `'tar'`. See the tarfile extraction filters documentation [link moved to references] for more information.

Note that for Python 3.14 or later the default value of `filter=` changed from `'no filtering'` to `'data'`, so if you are relying on this new default behavior then your usage is also affected.

Note that none of these vulnerabilities significantly affect the installation of source distributions which are tar archives as source distributions already allow arbitrary code execution during the build process. However when evaluating source distributions it's important to avoid installing source distributions with suspicious links.(CVE-2025-4330)

Allows the extraction filter to be ignored, allowing symlink targets to point outside the destination directory, and the modification of some file metadata.

You are affected by this vulnerability if using the tarfile module to extract untrusted tar archives using `TarFile.extractall()` or `TarFile.extract()` using the `filter=` parameter with a value of `'data'` or `'tar'`. See the tarfile extraction filters documentation [link moved to references] for more information.

Note that for Python 3.14 or later the default value of `filter=` changed from `'no filtering'` to `'data'`, so if you are relying on this new default behavior then your usage is also affected.

Note that none of these vulnerabilities significantly affect the installation of source distributions which are tar archives as source distributions already allow arbitrary code execution during the build process. However when evaluating source distributions it's important to avoid installing source distributions with suspicious links.(CVE-2025-4138)

There is a defect in the CPython 'tarfile' module affecting the 'TarFile' extraction and entry enumeration APIs. The tar implementation would process tar archives with negative offsets without error, resulting in an infinite loop and deadlock during the parsing of maliciously crafted tar archives.

This vulnerability can be mitigated by including the following patch after importing the 'tarfile' module: [link moved to references](CVE-2025-8194)

Allows arbitrary filesystem writes outside the extraction directory during extraction with `filter='data'`. You are affected by this vulnerability if using the tarfile module to extract untrusted tar archives using `TarFile.extractall()` or `TarFile.extract()` using the `filter=` parameter with a value of `'data'` or `'tar'`. ... [Please see the references for more information on the vulnerabilities]

Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for python3 (EulerOS-SA-2025-2339) OID: 1.3.6.1.4.1.25623.1.1.2.2025.2339
References URL: https://docs.python.org/3/library/tarfile.html#tarfile-extraction-filter URL: https://gist.github.com/sethmlarson/1716ac5b82b73dbcbf23ad2eff8b33e1 URL: https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2025-2339

Medium (CVSS: 5.0) (CVSS: 5.0)
NVT: Huawei EulerOS: Security Advisory for python3 (EulerOS-SA-2025-1303)
Summary The remote host is missing an update for the Huawei EulerOS 'python3' package(s) announced via the EulerOS-SA-2025-1303 advisory.
Quality of Detection (QoD) 97%
Vulnerability Detection Result Vulnerable package: python3 Installed version: python3-3.9.9-21.h10.eulerosv2r12.x86_64 Fixed version: >=python3-3.9.9-21.h16.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'python3' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight The urllib.parse.urlsplit() and urlparse() functions improperly validated bracketed hosts ('[]'), allowing hosts that weren't IPv6 or IPvFuture. This behavior was not conformant to RFC 3986 and potentially enabled SSRF if a URL is processed by more than one URL parser.(CVE-2024-11168)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for python3 (EulerOS-SA-2025-1303) OID: 1.3.6.1.4.1.25623.1.1.2.2025.1303
References URL: https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2025-1303

Medium (CVSS: 5.0) (CVSS: 5.0)**NVT: Huawei EulerOS: Security Advisory for vim (EulerOS-SA-2025-1441)****Summary**

The remote host is missing an update for the Huawei EulerOS 'vim' package(s) announced via the EulerOS-SA-2025-1441 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: vim-minimal

Installed version: vim-minimal-9.0-5.h15.eulerosv2r12.x86_64

Fixed version: >=vim-minimal-9.0-5.h19.eulerosv2r12.x86_64

Solution

Solution type: VendorFix

Please install the updated package(s).

Affected Software/OS

'vim' package(s) on Huawei EulerOS V2.0SP12(x86_64).

Vulnerability Insight

When switching to other buffers using the :all command and visual mode still being active, this may cause a heap-buffer overflow, because Vim does not properly end visual mode and therefore may try to access beyond the end of a line in a buffer. In Patch 9.1.1003 Vim will correctly reset the visual mode before opening other windows and buffers and therefore fix this bug. In addition it does verify that it won't try to access a position if the position is greater than the corresponding buffer line. Impact is medium since the user must have switched on visual mode when executing the :all ex command. The Vim project would like to thank github user gandalf4a for reporting this issue. (CVE-2025-22134)

Vim is an open source, command line text editor. A segmentation fault was found in Vim before 9.1.1043. In silent Ex mode (-s -e), Vim typically doesn't show a screen and just operates silently in batch mode. However, it is still possible to trigger the function that handles the scrolling of a gui version of Vim by feeding some binary characters to Vim. The function that handles the scrolling however may be triggering a redraw, which will access the ScreenLines pointer, even so this variable hasn't been allocated (since there is no screen). (CVE-2025-24014)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.

Details: Huawei EulerOS: Security Advisory for vim (EulerOS-SA-2025-1441)

OID: 1.3.6.1.4.1.25623.1.1.2.2025.1441

References

URL:

<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2025-1441>

Medium (CVSS: 5.0) (CVSS: 5.0)**NVT: Huawei EulerOS: Security Advisory for curl (EulerOS-SA-2025-2320)****Summary**

The remote host is missing an update for the Huawei EulerOS 'curl' package(s) announced via the EulerOS-SA-2025-2320 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: libcurl

Installed version: libcurl-7.79.1-14.h28.eulerosv2r12.x86_64

Fixed version: >=libcurl-7.79.1-14.h36.eulerosv2r12.x86_64

Vulnerable package: curl

Installed version: curl-7.79.1-14.h28.eulerosv2r12.x86_64

Fixed version: >=curl-7.79.1-14.h36.eulerosv2r12.x86_64

Solution

Solution type: VendorFix

Please install the updated package(s).

Affected Software/OS

'curl' package(s) on Huawei EulerOS V2.0SP12(x86_64).

Vulnerability Insight

1. A cookie is set using the `secure` keyword for `https://target`
2. curl is redirected to or otherwise made to speak with `http://target` (same hostname, but using clear text HTTP) using the same cookie set
3. The same cookie name is set - but with just a slash as path (`path=/`). Since this site is not secure, the cookie *should* just be ignored.
4. A bug in the path comparison logic makes curl read outside a heap buffer boundary

The bug either causes a crash or it potentially makes the comparison come to the wrong conclusion and lets the clear-text site override the contents of the secure cookie, contrary to expectations and depending on the memory contents immediately following the single-byte allocation that holds the path.

The presumed and correct behavior would be to plainly ignore the second set of the cookie since it was already set as secure on a secure host so overriding it on an insecure host should not be okay.(CVE-2025-9086)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.

Details: Huawei EulerOS: Security Advisory for curl (EulerOS-SA-2025-2320)

OID: 1.3.6.1.4.1.25623.1.1.2.2025.2320

References

URL:

<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2025-2320>

Medium (CVSS: 5.0) (CVSS: 5.0)**NVT: Huawei EulerOS: Security Advisory for rsync (EulerOS-SA-2026-1379)****Summary**

The remote host is missing an update for the Huawei EulerOS 'rsync' package(s) announced via the EulerOS-SA-2026-1379 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: rsync

Installed version: rsync-3.2.5-1.h1.eulerosv2r12.x86_64

Fixed version: >=rsync-3.2.5-1.h6.eulerosv2r12.x86_64

Solution

Solution type: VendorFix

Please install the updated package(s).

Affected Software/OS

'rsync' package(s) on Huawei EulerOS V2.0SP12(x86_64).

Vulnerability Insight

A malicious client acting as the receiver of an rsync file transfer can trigger an out of bounds read of a heap based buffer, via a negative array index. The

malicious

rsync client requires at least read access to the remote rsync module in order to trigger the issue.(CVE-2025-10158)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.

Details: Huawei EulerOS: Security Advisory for rsync (EulerOS-SA-2026-1379)

OID: 1.3.6.1.4.1.25623.1.1.2.2026.1379

References

URL:

<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2026-1379>

Medium (CVSS: 5.0) (CVSS: 5.0)**NVT: Huawei EulerOS: Security Advisory for glibc (EulerOS-SA-2026-1360)****Summary**

The remote host is missing an update for the Huawei EulerOS 'glibc' package(s) announced via the EulerOS-SA-2026-1360 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: glibc-common

Installed version: glibc-common-2.34-105.h43.fp.eulerosv2r12.x86_64

Fixed version: >=glibc-common-2.34-105.h58.eulerosv2r12.x86_64

Vulnerable package: glibc

Vulnerability Detection Result (continued) Installed version: glibc-2.34-105.h43.fp.eulerosv2r12.x86_64 Fixed version: >=glibc-2.34-105.h58.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'glibc' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight Passing too large an alignment to the memalign suite of functions (memalign, posix_memalign, aligned_alloc) in the GNU C Library version 2.30 to 2.42 may result in an integer overflow, which could consequently result in a heap corruption. Note that the attacker must have control over both, the size as well as the alignment arguments of the memalign function to be able to exploit this. The size parameter must be close enough to PTRDIFF_MAX so as to overflow size_t along with the large alignment argument. This limits the malicious inputs for the alignment for memalign to the range $[1 < 62 + 1, 1 < 63]$ and exactly $1 < 63$ for posix_memalign and aligned_alloc. Typically the alignment argument passed to such functions is a known constrained quantity (e.g. page size, block size, struct sizes) and is not attacker controlled, because of which this may not be easily exploitable in practice. An application bug could potentially result in the input alignment being too large, e.g. due to a different buffer overflow or integer overflow in the application or its dependent libraries, but that is again an uncommon usage pattern given typical sources of alignments.(CVE-2026-0861) Calling wordexp with WRDE_REUSE in conjunction with WRDE_APPEND in the GNU C Library version 2.0 to version 2.42 may cause the interface to return uninitialized memory in the we_wordv member, which on subsequent calls to wordfree may abort the process.(CVE-2025-15281)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for glibc (EulerOS-SA-2026-1360) OID: 1.3.6.1.4.1.25623.1.1.2.2026.1360
References URL: https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?secId=EulerOS-SA-2026-1360

Medium (CVSS: 5.0) (CVSS: 5.0)
NVT: Huawei EulerOS: Security Advisory for brotli (EulerOS-SA-2026-1063)
Summary The remote host is missing an update for the Huawei EulerOS 'brotli' package(s) announced via the EulerOS-SA-2026-1063 advisory.
Quality of Detection (QoD) 97%
Vulnerability Detection Result Vulnerable package: brotli Installed version: brotli-1.0.9-3.eulerosv2r12.x86_64

Vulnerability Detection Result (continued) Fixed version: >=brotli-1.0.9-3.h1.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'brotili' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight Scrapy versions up to 2.13.2 are vulnerable to a denial of service (DoS) attack due to a flaw in its brotli decompression implementation. The protection mechanism against decompression bombs fails to mitigate the brotli variant, allowing remote servers to crash clients with less than 80GB of available memory. This occurs because brotli can achieve extremely high compression ratios for zero-filled data, leading to excessive memory consumption during decompression.(CVE-2025-6176)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for brotli (EulerOS-SA-2026-1063) OID: 1.3.6.1.4.1.25623.1.1.2.2026.1063
References URL: https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2026-1063

Medium (CVSS: 5.0) (CVSS: 5.0)
NVT: Huawei EulerOS: Security Advisory for curl (EulerOS-SA-2026-1066)
Summary The remote host is missing an update for the Huawei EulerOS 'curl' package(s) announced via the EulerOS-SA-2026-1066 advisory.
Quality of Detection (QoD) 97%
Vulnerability Detection Result Vulnerable package: libcurl Installed version: libcurl-7.79.1-14.h28.eulerosv2r12.x86_64 Fixed version: >=libcurl-7.79.1-14.h37.eulerosv2r12.x86_64 Vulnerable package: curl Installed version: curl-7.79.1-14.h28.eulerosv2r12.x86_64 Fixed version: >=curl-7.79.1-14.h37.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'curl' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight curl's code for managing SSH connections when SFTP was done using the wolfSSH powered backend was flawed and missed host verification mechanisms.

Vulnerability Insight (continued) This prevents curl from detecting MITM attackers and more.(CVE-2025-10966)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for curl (EulerOS-SA-2026-1066) OID: 1.3.6.1.4.1.25623.1.1.2.2026.1066
References URL: https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2026-1066

Medium (CVSS: 5.0) (CVSS: 5.0)
NVT: Huawei EulerOS: Security Advisory for libtasn1 (EulerOS-SA-2025-1425)
Summary The remote host is missing an update for the Huawei EulerOS 'libtasn1' package(s) announced via the EulerOS-SA-2025-1425 advisory.
Quality of Detection (QoD) 97%
Vulnerability Detection Result Vulnerable package: libtasn1 Installed version: libtasn1-4.17.0-3.eulerosv2r12.x86_64 Fixed version: >=libtasn1-4.17.0-3.h1.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'libtasn1' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight A flaw in libtasn1 causes inefficient handling of specific certificate data. When processing a large number of elements in a certificate, libtasn1 takes much longer than expected, which can slow down or even crash the system. This flaw allows an attacker to send a specially crafted certificate, causing a denial of service attack.(CVE-2024-12133)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for libtasn1 (EulerOS-SA-2025-1425) OID: 1.3.6.1.4.1.25623.1.1.2.2025.1425
References URL: https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2025-1425

Medium (CVSS: 5.0) (CVSS: 5.0)
NVT: Huawei EulerOS: Security Advisory for glib2 (EulerOS-SA-2025-1189)
Summary The remote host is missing an update for the Huawei EulerOS 'glib2' package(s) announced via the EulerOS-SA-2025-1189 advisory.
Quality of Detection (QoD) 97%
Vulnerability Detection Result Vulnerable package: glib2 Installed version: glib2-2.72.2-5.h17.eulerosv2r12.x86_64 Fixed version: >=glib2-2.72.2-5.h19.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'glib2' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight gio/gsocks4aproxy.c in GNOME GLib before 2.82.1 has an off-by-one error and resultant buffer overflow because SOCKS4_CONN_MSG_LEN is not sufficient for a trailing '\0' character.(CVE-2024-52533)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for glib2 (EulerOS-SA-2025-1189) OID: 1.3.6.1.4.1.25623.1.1.2.2025.1189
References URL: https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2025-1189

Medium (CVSS: 5.0) (CVSS: 5.0)
NVT: Huawei EulerOS: Security Advisory for libtasn1 (EulerOS-SA-2026-1372)
Summary The remote host is missing an update for the Huawei EulerOS 'libtasn1' package(s) announced via the EulerOS-SA-2026-1372 advisory.
Quality of Detection (QoD) 97%
Vulnerability Detection Result Vulnerable package: libtasn1 Installed version: libtasn1-4.17.0-3.eulerosv2r12.x86_64 Fixed version: >=libtasn1-4.17.0-3.h2.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).

Affected Software/OS 'libtasn1' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight Stack-based buffer overflow in libtasn1 version: v4.20.0. The function fails to validate the size of input data resulting in a buffer overflow in asn1_expnd_octet_string.(CVE-2025-13151)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for libtasn1 (EulerOS-SA-2026-1372) OID: 1.3.6.1.4.1.25623.1.1.2.2026.1372
References URL: https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2026-1372

Medium (CVSS: 5.0) (CVSS: 5.0)
NVT: Huawei EulerOS: Security Advisory for curl (EulerOS-SA-2025-1289)
Summary The remote host is missing an update for the Huawei EulerOS 'curl' package(s) announced via the EulerOS-SA-2025-1289 advisory.
Quality of Detection (QoD) 97%
Vulnerability Detection Result Vulnerable package: libcurl Installed version: libcurl-7.79.1-14.h28.eulerosv2r12.x86_64 Fixed version: >=libcurl-7.79.1-14.h32.eulerosv2r12.x86_64 Vulnerable package: curl Installed version: curl-7.79.1-14.h28.eulerosv2r12.x86_64 Fixed version: >=curl-7.79.1-14.h32.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'curl' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight When asked to both use a `.netrc` file for credentials and to follow HTTP redirects, curl could leak the password used for the first host to the followed-to host under certain circumstances.This flaw only manifests itself if the netrc file has an entry that matches the redirect target hostname but the entry either omits just the password or omits both login and password.(CVE-2024-11053)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for curl (EulerOS-SA-2025-1289) OID: 1.3.6.1.4.1.25623.1.1.2.2025.1289
References URL:

References (continued)

<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2025-1289>

Medium (CVSS: 5.0) (CVSS: 5.0)

NVT: Huawei EulerOS: Security Advisory for libarchive (EulerOS-SA-2026-1367)

Summary

The remote host is missing an update for the Huawei EulerOS 'libarchive' package(s) announced via the EulerOS-SA-2026-1367 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: libarchive

Installed version: libarchive-3.5.2-5.h4.eulerosv2r12.x86_64

Fixed version: >=libarchive-3.5.2-5.h7.eulerosv2r12.x86_64

Solution

Solution type: VendorFix

Please install the updated package(s).

Affected Software/OS

'libarchive' package(s) on Huawei EulerOS V2.0SP12(x86_64).

Vulnerability Insight

An issue was discovered in libarchive bsdtar before version 3.8.1 in function apply_substitution in file tar/subst.c when processing crafted -s substitution rules. This can cause unbounded memory allocation and lead to denial of service (Out-of-Memory crash).(CVE-2025-60753)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.

Details: Huawei EulerOS: Security Advisory for libarchive (EulerOS-SA-2026-1367)

OID: 1.3.6.1.4.1.25623.1.1.2.2026.1367

References

URL:

<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2026-1367>

Medium (CVSS: 5.0) (CVSS: 5.0)

NVT: Huawei EulerOS: Security Advisory for curl (EulerOS-SA-2024-2948)

Summary

The remote host is missing an update for the Huawei EulerOS 'curl' package(s) announced via the EulerOS-SA-2024-2948 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: libcurl

Installed version: libcurl-7.79.1-14.h28.eulerosv2r12.x86_64

Vulnerability Detection Result (continued) Fixed version: >=libcurl-7.79.1-14.h30.eulerosv2r12.x86_64 Vulnerable package: curl Installed version: curl-7.79.1-14.h28.eulerosv2r12.x86_64 Fixed version: >=curl-7.79.1-14.h30.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'curl' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight When curl is told to use the Certificate Status Request TLS extension, often referred to as OSCP stapling, to verify that the server certificate is valid, it might fail to detect some OSCP problems and instead wrongly consider the response as fine. If the returned status reports another error than 'revoked' (like for example 'unauthorized') it is not treated as a bad certificate.(CVE-2024-8096)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for curl (EulerOS-SA-2024-2948) OID: 1.3.6.1.4.1.25623.1.1.2.2024.2948
References URL: https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclid=EulerOS-SA-2024-2948

Medium (CVSS: 5.0) (CVSS: 5.0)
NVT: Huawei EulerOS: Security Advisory for openssl (EulerOS-SA-2024-2956)
Summary The remote host is missing an update for the Huawei EulerOS 'openssl' package(s) announced via the EulerOS-SA-2024-2956 advisory.
Quality of Detection (QoD) 97%
Vulnerability Detection Result Vulnerable package: openssl-lib Installed version: openssl-lib-1.1.1m-15.h42.eulerosv2r12.x86_64 Fixed version: >=openssl-lib-1.1.1m-15.h48.eulerosv2r12.x86_64 Vulnerable package: openssl Installed version: openssl-1.1.1m-15.h42.eulerosv2r12.x86_64 Fixed version: >=openssl-1.1.1m-15.h48.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'openssl' package(s) on Huawei EulerOS V2.0SP12(x86_64).

Vulnerability Insight

Issue summary: Use of the low-level GF(2^m) elliptic curve APIs with untrusted explicit values for the field polynomial can lead to out-of-bounds memory reads or writes. Impact summary: Out of bound memory writes can lead to an application crash or even a possibility of a remote code execution, however, in all the protocols involving Elliptic Curve Cryptography that we're aware of, either only 'named curves' are supported, or, if explicit curve parameters are supported, they specify an X9.62 encoding of binary (GF(2^m)) curves that can't represent problematic input values. Thus the likelihood of existence of a vulnerable application is low. In particular, the X9.62 encoding is used for ECC keys in X.509 certificates, so problematic inputs cannot occur in the context of processing X.509 certificates. Any problematic use-cases would have to be using an 'exotic' curve encoding. The affected APIs include: EC_GROUP_new_curve_GF2m(), EC_GROUP_new_from_params(), and various supporting BN_GF2m_*() functions. Applications working with 'exotic' explicit binary (GF(2^m)) curve parameters, that make it possible to represent invalid field polynomials with a zero constant term, via the above or similar APIs, may terminate abruptly as a result of reading or writing outside of array bounds. Remote code execution cannot easily be ruled out. The FIPS modules in 3.3, 3.2, 3.1 and 3.0 are not affected by this issue.(CVE-2024-9143)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.
Details: Huawei EulerOS: Security Advisory for openssl (EulerOS-SA-2024-2956)
OID: 1.3.6.1.4.1.25623.1.1.2.2024.2956

References

URL:
<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2024-2956>

Medium (CVSS: 5.0) (CVSS: 5.0)

NVT: Huawei EulerOS: Security Advisory for python3 (EulerOS-SA-2025-1435)

Summary

The remote host is missing an update for the Huawei EulerOS 'python3' package(s) announced via the EulerOS-SA-2025-1435 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: python3
Installed version: python3-3.9.9-21.h10.eulerosv2r12.x86_64
Fixed version: >=python3-3.9.9-21.h17.eulerosv2r12.x86_64

Solution

Solution type: VendorFix
Please install the updated package(s).

Affected Software/OS

'python3' package(s) on Huawei EulerOS V2.0SP12(x86_64).

Vulnerability Insight

The Python standard library functions `urlib.parse.urlsplit` and `urlparse` accepted domain names that included square brackets which isn't valid according to RFC 3986. Square brackets are only meant to be used as delimiters for specifying IPv6 and IPvFuture hosts in URLs. This could result in differential parsing across the Python URL parser and other specification-compliant URL parsers.(CVE-2025-0938)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.

Details: Huawei EulerOS: Security Advisory for python3 (EulerOS-SA-2025-1435)

OID: 1.3.6.1.4.1.25623.1.1.2.2025.1435

References

URL:

<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2025-1435>

Medium (CVSS: 5.0) (CVSS: 5.0)

NVT: Huawei EulerOS: Security Advisory for vim (EulerOS-SA-2025-2345)

Summary

The remote host is missing an update for the Huawei EulerOS 'vim' package(s) announced via the EulerOS-SA-2025-2345 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: vim-minimal

Installed version: vim-minimal-9.0-5.h15.eulerosv2r12.x86_64

Fixed version: >=vim-minimal-9.0-5.h24.eulerosv2r12.x86_64

Solution

Solution type: VendorFix

Please install the updated package(s).

Affected Software/OS

'vim' package(s) on Huawei EulerOS V2.0SP12(x86_64).

Vulnerability Insight

Vim is an open source, command line text editor. Prior to version 9.1.1552, a path traversal issue in Vim's tar.vim plugin can allow overwriting of arbitrary files when opening specially crafted tar archives. Impact is low because this exploit requires direct user interaction. However, successfully exploitation can lead to overwriting sensitive files or placing executable code in privileged locations, depending on the permissions of the process editing the archive. The victim must edit such a file using Vim which will reveal the filename and the file content, a careful user may suspect some strange things going on. Successful exploitation could results in the ability to execute arbitrary commands on the underlying operating system. Version 9.1.1552 contains a patch for the vulnerability.(CVE-2025-53905)

Vim is an open source, command line text editor. Prior to version 9.1.1551, a path traversal issue in Vim's zip.vim plugin can allow overwriting of arbitrary files when opening specially crafted zip archives. Impact is low because this exploit requires direct user interaction. However, successfully exploitation can lead to overwriting sensitive files or placing executable code in privileged locations, depending on the permissions of the process editing the archive. The victim must edit such a file using Vim which will reveal the filename and the file content, a careful user may suspect some strange things going on. Successful exploitation could results in the ability to execute arbitrary commands on the underlying operating system. Version 9.1.1551 contains a patch for the vulnerability.(CVE-2025-53906)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.

Details: Huawei EulerOS: Security Advisory for vim (EulerOS-SA-2025-2345)

Vulnerability Detection Method (continued) OID: 1.3.6.1.4.1.25623.1.1.2.2025.2345
References URL: https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?secId=EulerOS-SA-2025-2345

Medium (CVSS: 5.0) (CVSS: 5.0)
NVT: Huawei EulerOS: Security Advisory for expat (EulerOS-SA-2025-1188)
Summary The remote host is missing an update for the Huawei EulerOS 'expat' package(s) announced via the EulerOS-SA-2025-1188 advisory.
Quality of Detection (QoD) 97%
Vulnerability Detection Result Vulnerable package: expat Installed version: expat-2.4.1-8.h4.eulerosv2r12.x86_64 Fixed version: >=expat-2.4.1-8.h6.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'expat' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight An issue was discovered in libexpat before 2.6.4. There is a crash within the XML_ResumeParser function because XML_StopParser can stop/suspend an unstarted parser.(CVE-2024-50602)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for expat (EulerOS-SA-2025-1188) OID: 1.3.6.1.4.1.25623.1.1.2.2025.1188
References URL: https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?secId=EulerOS-SA-2025-1188

Medium (CVSS: 5.0) (CVSS: 5.0)
NVT: Huawei EulerOS: Security Advisory for curl (EulerOS-SA-2026-1355)
Summary The remote host is missing an update for the Huawei EulerOS 'curl' package(s) announced via the EulerOS-SA-2026-1355 advisory.
Quality of Detection (QoD) 97%

Vulnerability Detection Result Vulnerable package: libcurl Installed version: libcurl-7.79.1-14.h28.eulerosv2r12.x86_64 Fixed version: >=libcurl-7.79.1-14.h38.eulerosv2r12.x86_64 Vulnerable package: curl Installed version: curl-7.79.1-14.h28.eulerosv2r12.x86_64 Fixed version: >=curl-7.79.1-14.h38.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'curl' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight When doing multi-threaded LDAPS transfers (LDAP over TLS) with libcurl, changing TLS options in one thread would inadvertently change them globally and therefore possibly also affect other concurrently setup transfers. Disabling certificate verification for a specific transfer could unintentionally disable the feature for other threads as well.(CVE-2025-14017) When an OAuth2 bearer token is used for an HTTP(S) transfer, and that transfer performs a cross-protocol redirect to a second URL that uses an IMAP, LDAP, POP3 or SMTP scheme, curl might wrongly pass on the bearer token to the new target host.(CVE-2025-14524) When doing SSH-based transfers using either SCP or SFTP, and asked to do public key authentication, curl would wrongly still ask and authenticate using a locally running SSH agent.(CVE-2025-15224) When doing SSH-based transfers using either SCP or SFTP, and setting the known_hosts file, libcurl could still mistakenly accept connecting to hosts *not present* in the specified file if they were added as recognized in the libssh *global* known_hosts file.(CVE-2025-15079)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for curl (EulerOS-SA-2026-1355) OID: 1.3.6.1.4.1.25623.1.1.2.2026.1355
References URL: https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2026-1355

Medium (CVSS: 5.0) (CVSS: 5.0)
NVT: Huawei EulerOS: Security Advisory for vim (EulerOS-SA-2025-1842)
Summary The remote host is missing an update for the Huawei EulerOS 'vim' package(s) announced via the EulerOS-SA-2025-1842 advisory.
Quality of Detection (QoD) 97%

Vulnerability Detection Result Vulnerable package: vim-minimal Installed version: vim-minimal-9.0-5.h15.eulerosv2r12.x86_64 Fixed version: >=vim-minimal-9.0-5.h22.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'vim' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight Vim is a greatly improved version of the good old UNIX editor Vi. Vim allows to redirect screen messages using the `:redir` ex command to register, variables and files. It also allows to show the contents of registers using the `:registers` or `:display` ex command. When redirecting the output of `:display` to a register, Vim will free the register content before storing the new content in the register. Now when redirecting the `:display` command to a register that is being displayed, Vim will free the content while shortly afterwards trying to access it, which leads to a use-after-free. Vim pre 9.1.1115 checks in the ex_display() function, that it does not try to redirect to a register while displaying this register at the same time. However this check is not complete, and so Vim does not check the `+` and `*` registers (which typically donate the X11/clipboard registers, and when a clipboard connection is not possible will fall back to use register 0 instead. In Patch 9.1.1115 Vim will therefore skip outputting to register zero when trying to redirect to the clipboard registers `*` or `+`. Users are advised to upgrade. There are no known workarounds for this vulnerability.(CVE-2025-26603)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for vim (EulerOS-SA-2025-1842) OID: 1.3.6.1.4.1.25623.1.1.2.2025.1842
References URL: https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclid=EulerOS-SA-2025-1842

Medium (CVSS: 5.0) (CVSS: 5.0)
NVT: Huawei EulerOS: Security Advisory for curl (EulerOS-SA-2025-1407)
Summary The remote host is missing an update for the Huawei EulerOS 'curl' package(s) announced via the EulerOS-SA-2025-1407 advisory.
Quality of Detection (QoD) 97%
Vulnerability Detection Result Vulnerable package: libcurl Installed version: libcurl-7.79.1-14.h28.eulerosv2r12.x86_64 Fixed version: >=libcurl-7.79.1-14.h34.eulerosv2r12.x86_64 Vulnerable package: curl Installed version: curl-7.79.1-14.h28.eulerosv2r12.x86_64 Fixed version: >=curl-7.79.1-14.h34.eulerosv2r12.x86_64

Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'curl' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight When asked to use a <code>.netrc</code> file for credentials **and** to follow HTTP redirects, curl could leak the password used for the first host to the followed-to host under certain circumstances. This flaw only manifests itself if the netrc file has a <code>default</code> entry that omits both login and password. A rare circumstance. (CVE-2025-0167) When libcurl is asked to perform automatic gzip decompression of content-encoded HTTP responses with the <code>CURLOPT_ACCEPT_ENCODING</code> option, **using zlib 1.2.0.3 or older**, an attacker-controlled integer overflow would make libcurl perform a buffer overflow. (CVE-2025-0725)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for curl (EulerOS-SA-2025-1407) OID: 1.3.6.1.4.1.25623.1.1.2.2025.1407
References URL: https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclid=EulerOS-SA-2025-1407

Medium (CVSS: 5.0) (CVSS: 5.0)
NVT: Huawei EulerOS: Security Advisory for perl (EulerOS-SA-2025-1834)
Summary The remote host is missing an update for the Huawei EulerOS 'perl' package(s) announced via the EulerOS-SA-2025-1834 advisory.
Quality of Detection (QoD) 97%
Vulnerability Detection Result Vulnerable package: perl-libs Installed version: perl-libs-5.34.0-6.h12.eulerosv2r12.x86_64 Fixed version: >=perl-libs-5.34.0-6.h13.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'perl' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight A heap buffer overflow vulnerability was discovered in Perl. Release branches 5.34, 5.36, 5.38 and 5.40 are affected, including development versions from 5.33.1 through 5.41.10. When there are non-ASCII bytes in the left-hand-side of the <code>tr</code> operator, <code>S_do_trans_invmap</code> can overflow the destination pointer <code>d</code> . <code>\$ perl -e '\$_ = "\xFF" x 1000000, tr/\xFF/\x{100}/,'</code> Segmentation fault (core dumped) It is believed that this vulnerability can enable Denial of

Vulnerability Insight (continued) Service and possibly Code Execution attacks on platforms that lack sufficient defenses.(CVE-2024-56406)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for perl (EulerOS-SA-2025-1834) OID: 1.3.6.1.4.1.25623.1.1.2.2025.1834
References URL: https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?secId=EulerOS-SA-2025-1834

Medium (CVSS: 5.0) (CVSS: 5.0)
NVT: Huawei EulerOS: Security Advisory for iputils (EulerOS-SA-2025-2011)
Summary The remote host is missing an update for the Huawei EulerOS 'iputils' package(s) announced via the EulerOS-SA-2025-2011 advisory.
Quality of Detection (QoD) 97%
Vulnerability Detection Result Vulnerable package: iputils Installed version: iputils-20221126-1.h3.eulerosv2r12.x86_64 Fixed version: >=iputils-20221126-1.h7.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'iputils' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight ping in iputils before 20250602 allows a denial of service (application error in adaptive ping mode or incorrect data collection) via a crafted ICMP Echo Reply packet, because a zero timestamp can lead to large intermediate values that have an integer overflow when squared during statistics calculations. NOTE: this issue exists because of an incomplete fix for CVE-2025-47268 (that fix was only about timestamp calculations, and it did not account for a specific scenario where the original timestamp in the ICMP payload is zero).(CVE-2025-48964)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for iputils (EulerOS-SA-2025-2011) OID: 1.3.6.1.4.1.25623.1.1.2.2025.2011
References URL: https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?secId=EulerOS-SA-2025-2011

Medium (CVSS: 5.0) (CVSS: 5.0)**NVT: Huawei EulerOS: Security Advisory for python3 (EulerOS-SA-2026-1078)****Summary**

The remote host is missing an update for the Huawei EulerOS 'python3' package(s) announced via the EulerOS-SA-2026-1078 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: python3

Installed version: python3-3.9.9-21.h10.eulerosv2r12.x86_64

Fixed version: >=python3-3.9.9-21.h20.eulerosv2r12.x86_64

Solution

Solution type: VendorFix

Please install the updated package(s).

Affected Software/OS

'python3' package(s) on Huawei EulerOS V2.0SP12(x86_64).

Vulnerability Insight

The `html.parser.HTMLParser` class had worse-case quadratic complexity when processing certain crafted malformed inputs potentially leading to amplified denial-of-service.(CVE-2025-6069)

During an address list folding when a separating comma ends up on a folded line and that line is to be unicode-encoded then the separator itself is also unicode-encoded. Expected behavior is that the separating comma remains a plain comma. This can result in the address header being misinterpreted by some mail servers.(CVE-2025-1795)

There is an issue in CPython when using `'bytes.decode('unicode_escape', error='ignore<pipe>replace')'`. If you are not using the 'unicode_escape' encoding or an error handler your usage is not affected. To work-around this issue you may stop using the `error=` handler and instead wrap the `bytes.decode()` call in a try-except catching the `DecodeError`.(CVE-2025-4516)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.

Details: Huawei EulerOS: Security Advisory for python3 (EulerOS-SA-2026-1078)

OID: 1.3.6.1.4.1.25623.1.1.2.2026.1078

References

URL:

<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclid=EulerOS-SA-2026-1078>

Medium (CVSS: 5.0) (CVSS: 5.0)**NVT: Huawei EulerOS: Security Advisory for iputils (EulerOS-SA-2025-1824)****Summary**

The remote host is missing an update for the Huawei EulerOS 'iputils' package(s) announced via the EulerOS-SA-2025-1824 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result Vulnerable package: iputils Installed version: iputils-20221126-1.h3.eulerosv2r12.x86_64 Fixed version: >=iputils-20221126-1.h6.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'iputils' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight ping in iputils through 20240905 allows a denial of service (application error or incorrect data collection) via a crafted ICMP Echo Reply packet, because of a signed 64-bit integer overflow in timestamp multiplication.(CVE-2025-47268)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for iputils (EulerOS-SA-2025-1824) OID: 1.3.6.1.4.1.25623.1.1.2.2025.1824
References URL: https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?secId=EulerOS-SA-2025-1824

Medium (CVSS: 5.0) (CVSS: 5.0)
NVT: Huawei EulerOS: Security Advisory for openssh (EulerOS-SA-2026-1075)
Summary The remote host is missing an update for the Huawei EulerOS 'openssh' package(s) announced via the EulerOS-SA-2026-1075 advisory.
Quality of Detection (QoD) 97%
Vulnerability Detection Result Vulnerable package: openssh Installed version: openssh-8.8p1-14.h21.eulerosv2r12.x86_64 Fixed version: >=openssh-8.8p1-14.h26.eulerosv2r12.x86_64 Vulnerable package: openssh-server Installed version: openssh-server-8.8p1-14.h21.eulerosv2r12.x86_64 Fixed version: >=openssh-server-8.8p1-14.h26.eulerosv2r12.x86_64 Vulnerable package: openssh-clients Installed version: openssh-clients-8.8p1-14.h21.eulerosv2r12.x86_64 Fixed version: >=openssh-clients-8.8p1-14.h26.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'openssh' package(s) on Huawei EulerOS V2.0SP12(x86_64).

Vulnerability Insight

ssh in OpenSSH before 10.1 allows the '\0' character in an ssh:// URI, potentially leading to code execution when a ProxyCommand is used.(CVE-2025-61985)

ssh in OpenSSH before 10.1 allows control characters in usernames that originate from certain possibly untrusted sources, potentially leading to code execution when a ProxyCommand is used. The untrusted sources are the command line and %-sequence expansion of a configuration file. (A configuration file that provides a complete literal username is not categorized as an untrusted source.)(CVE-2025-61984)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.

Details: Huawei EulerOS: Security Advisory for openssh (EulerOS-SA-2026-1075)

OID: 1.3.6.1.4.1.25623.1.1.2.2026.1075

References

URL:

<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2026-1075>

Medium (CVSS: 5.0) (CVSS: 5.0)

NVT: Huawei EulerOS: Security Advisory for openssl (EulerOS-SA-2025-1431)

Summary

The remote host is missing an update for the Huawei EulerOS 'openssl' package(s) announced via the EulerOS-SA-2025-1431 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: openssl-lib

Installed version: openssl-lib-1.1.1m-15.h42.eulerosv2r12.x86_64

Fixed version: >=openssl-lib-1.1.1m-15.h50.eulerosv2r12.x86_64

Vulnerable package: openssl

Installed version: openssl-1.1.1m-15.h42.eulerosv2r12.x86_64

Fixed version: >=openssl-1.1.1m-15.h50.eulerosv2r12.x86_64

Solution

Solution type: VendorFix

Please install the updated package(s).

Affected Software/OS

'openssl' package(s) on Huawei EulerOS V2.0SP12(x86_64).

Vulnerability Insight

Issue summary: A timing side-channel which could potentially allow recovering the private key exists in the ECDSA signature computation. Impact summary: A timing side-channel in ECDSA signature computations could allow recovering the private key by an attacker. However, measuring the timing would require either local access to the signing application or a very fast network connection with low latency. There is a timing signal of around 300 nanoseconds when the top word of the inverted ECDSA nonce value is zero. This can happen with significant probability only for some of the supported elliptic curves. In particular the NIST P-521 curve is affected. To be able to measure this leak, the attacker process must either be located in the same physical computer or must have a very fast network connection with low latency. For that reason the severity of this vulnerability is Low. (CVE-2024-13176)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.

Details: Huawei EulerOS: Security Advisory for openssl (EulerOS-SA-2025-1431)

OID: 1.3.6.1.4.1.25623.1.1.2.2025.1431

References

URL:

[https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?secId=EulerOS-SA-2025-](https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?secId=EulerOS-SA-2025-1431)

1431

Medium (CVSS: 5.0) (CVSS: 5.0)

NVT: Huawei EulerOS: Security Advisory for libpcap (EulerOS-SA-2026-1368)

Summary

The remote host is missing an update for the Huawei EulerOS 'libpcap' package(s) announced via the EulerOS-SA-2026-1368 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: libpcap

Installed version: libpcap-1.10.1-3.eulerosv2r12.x86_64

Fixed version: >=libpcap-1.10.1-3.h2.eulerosv2r12.x86_64

Solution

Solution type: VendorFix

Please install the updated package(s).

Affected Software/OS

'libpcap' package(s) on Huawei EulerOS V2.0SP12(x86_64).

Vulnerability Insight

pcap_ether_aton() is an auxiliary function in libpcap, it takes a string argument and returns a fixed-size allocated buffer. The string argument must be a well-formed MAC-48 address in one of the supported formats, but this requirement has been poorly documented. If an application calls the function with an argument that deviates from the expected format, the function can read data beyond the end of the provided string and write data beyond the end of the allocated buffer.(CVE-2025-11961)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.

Details: Huawei EulerOS: Security Advisory for libpcap (EulerOS-SA-2026-1368)

OID: 1.3.6.1.4.1.25623.1.1.2.2026.1368

References

URL:

[https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?secId=EulerOS-SA-2026-](https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?secId=EulerOS-SA-2026-1368)

1368

Medium (CVSS: 5.0) (CVSS: 5.0)**NVT: Huawei EulerOS: Security Advisory for krb5 (EulerOS-SA-2025-1423)****Summary**

The remote host is missing an update for the Huawei EulerOS 'krb5' package(s) announced via the EulerOS-SA-2025-1423 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: krb5-libs

Installed version: krb5-libs-1.19.2-6.h14.eulerosv2r12.x86_64

Fixed version: >=krb5-libs-1.19.2-6.h15.eulerosv2r12.x86_64

Solution

Solution type: VendorFix

Please install the updated package(s).

Affected Software/OS

'krb5' package(s) on Huawei EulerOS V2.0SP12(x86_64).

Vulnerability Insight

A flaw was found in krb5. With incremental propagation enabled, an authenticated attacker can cause kadmind to write beyond the end of the mapped region for the iprop log file. This issue can trigger a process crash and lead to a denial of service.(CVE-2025-24528)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.

Details: Huawei EulerOS: Security Advisory for krb5 (EulerOS-SA-2025-1423)

OID: 1.3.6.1.4.1.25623.1.1.2.2025.1423

References

URL:

<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2025-1423>

Medium (CVSS: 5.0) (CVSS: 5.0)**NVT: Huawei EulerOS: Security Advisory for expat (EulerOS-SA-2026-1068)****Summary**

The remote host is missing an update for the Huawei EulerOS 'expat' package(s) announced via the EulerOS-SA-2026-1068 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: expat

Installed version: expat-2.4.1-8.h4.eulerosv2r12.x86_64

Fixed version: >=expat-2.4.1-8.h10.eulerosv2r12.x86_64

Solution

Solution type: VendorFix

Please install the updated package(s).

Affected Software/OS 'expat' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight libexpat in Expat before 2.7.2 allows attackers to trigger large dynamic memory allocations via a small document that is submitted for parsing.(CVE-2025-59375)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for expat (EulerOS-SA-2026-1068) OID: 1.3.6.1.4.1.25623.1.1.2.2026.1068
References URL: https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2026-1068

Medium (CVSS: 5.0) (CVSS: 5.0)
NVT: Huawei EulerOS: Security Advisory for glibc (EulerOS-SA-2025-2325)
Summary The remote host is missing an update for the Huawei EulerOS 'glibc' package(s) announced via the EulerOS-SA-2025-2325 advisory.
Quality of Detection (QoD) 97%
Vulnerability Detection Result Vulnerable package: glibc-common Installed version: glibc-common-2.34-105.h43.fp.eulerosv2r12.x86_64 Fixed version: >=glibc-common-2.34-105.h56.eulerosv2r12.x86_64 Vulnerable package: glibc Installed version: glibc-2.34-105.h43.fp.eulerosv2r12.x86_64 Fixed version: >=glibc-2.34-105.h56.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'glibc' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight The regcomp function in the GNU C library version from 2.4 to 2.41 is subject to a double free if some previous allocation fails. It can be accomplished either by a malloc failure or by using an interposed malloc that injects random malloc failures. The double free can allow buffer manipulation depending of how the regex is constructed. This issue affects all architectures and ABIs supported by the GNU C library.(CVE-2025-8058)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for glibc (EulerOS-SA-2025-2325) OID: 1.3.6.1.4.1.25623.1.1.2.2025.2325

References**URL:**

<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2025-2325>

Medium (CVSS: 5.0) (CVSS: 5.0)

NVT: Huawei EulerOS: Security Advisory for libpng (EulerOS-SA-2026-1072)

Summary

The remote host is missing an update for the Huawei EulerOS 'libpng' package(s) announced via the EulerOS-SA-2026-1072 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: libpng

Installed version: libpng-1.6.38-1.h2.eulerosv2r12.x86_64

Fixed version: >=libpng-1.6.38-1.h3.eulerosv2r12.x86_64

Solution

Solution type: VendorFix

Please install the updated package(s).

Affected Software/OS

'libpng' package(s) on Huawei EulerOS V2.0SP12(x86_64).

Vulnerability Insight

LIBPNG is a reference library for use in applications that read, create, and manipulate PNG (Portable Network Graphics) raster image files. From version 1.6.0 to before 1.6.51, there is a heap buffer overflow vulnerability in the libpng simplified API function `png_image_finish_read` when processing 16-bit interlaced PNGs with 8-bit output format. Attacker-crafted interlaced PNG files cause heap writes beyond allocated buffer bounds. This issue has been patched in version 1.6.51.(CVE-2025-65018)

LIBPNG is a reference library for use in applications that read, create, and manipulate PNG (Portable Network Graphics) raster image files. From version 1.6.0 to before 1.6.51, an out-of-bounds read vulnerability exists in `png_image_read_composite` when processing palette images with `PNG_FLAG_OPTIMIZE_ALPHA` enabled. The palette compositing code in `png_init_read_transformations` incorrectly applies background compositing during premultiplication, violating the invariant component $\leq \alpha \times 257$ required by the simplified PNG API. This issue has been patched in version 1.6.51.(CVE-2025-64720)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.

Details: Huawei EulerOS: Security Advisory for libpng (EulerOS-SA-2026-1072)

OID: 1.3.6.1.4.1.25623.1.1.2.2026.1072

References**URL:**

<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2026-1072>

Medium (CVSS: 5.0) (CVSS: 5.0)
NVT: Huawei EulerOS: Security Advisory for python-pip (EulerOS-SA-2025-2340)
Summary The remote host is missing an update for the Huawei EulerOS 'python-pip' package(s) announced via the EulerOS-SA-2025-2340 advisory.
Quality of Detection (QoD) 97%
Vulnerability Detection Result Vulnerable package: python-pip-wheel Installed version: python-pip-wheel-21.3.1-2.h4.eulerosv2r12.noarch Fixed version: >=python-pip-wheel-21.3.1-2.h5.eulerosv2r12.noarch
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'python-pip' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight Requests is a HTTP library. Due to a URL parsing issue, Requests releases prior to 2.32.4 may leak .netrc credentials to third parties for specific maliciously-crafted URLs. Users should upgrade to version 2.32.4 to receive a fix. For older versions of Requests, use of the .netrc file can be disabled with `trust_env=False` on one's Requests Session.(CVE-2024-47081)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for python-pip (EulerOS-SA-2025-2340) OID: 1.3.6.1.4.1.25623.1.1.2.2025.2340
References URL: https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2025-2340

Medium (CVSS: 4.6) (CVSS: 4.6)
NVT: Huawei EulerOS: Security Advisory for sqlite (EulerOS-SA-2025-2341)
Summary The remote host is missing an update for the Huawei EulerOS 'sqlite' package(s) announced via the EulerOS-SA-2025-2341 advisory.
Quality of Detection (QoD) 97%
Vulnerability Detection Result Vulnerable package: sqlite Installed version: sqlite-3.37.2-5.h5.eulerosv2r12.x86_64 Fixed version: >=sqlite-3.37.2-5.h8.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).

Affected Software/OS 'sqlite' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight In SQLite 3.49.0 before 3.49.1, certain argument values to sqlite3_db_config (in the C-language API) can cause a denial of service (application crash). An sz*nBig multiplication is not cast to a 64-bit integer, and consequently some memory allocations may be incorrect.(CVE-2025-29088)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for sqlite (EulerOS-SA-2025-2341) OID: 1.3.6.1.4.1.25623.1.1.2.2025.2341
References URL: https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclid=EulerOS-SA-2025-2341

Medium (CVSS: 4.0) (CVSS: 4.0)
NVT: Huawei EulerOS: Security Advisory for glib2 (EulerOS-SA-2025-2005)
Summary The remote host is missing an update for the Huawei EulerOS 'glib2' package(s) announced via the EulerOS-SA-2025-2005 advisory.
Quality of Detection (QoD) 97%
Vulnerability Detection Result Vulnerable package: glib2 Installed version: glib2-2.72.2-5.h17.eulerosv2r12.x86_64 Fixed version: >=glib2-2.72.2-5.h22.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'glib2' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight A flaw was found in GLib, which is vulnerable to an integer overflow in the g_string_insert_unichar() function. When the position at which to insert the character is large, the position will overflow, leading to a buffer underwrite.(CVE-2025-4373) A flaw was found in GLib. An integer overflow and buffer under-read occur when parsing a long invalid ISO 8601 timestamp with the g_date_time_new_from_iso8601() function.(CVE-2025-3360)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for glib2 (EulerOS-SA-2025-2005) OID: 1.3.6.1.4.1.25623.1.1.2.2025.2005
References URL: https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclid=EulerOS-SA-2025-2005

References (continued)

2005

2.1.4 Low**Low (CVSS: 3.8) (CVSS: 3.8)****NVT: Huawei EulerOS: Security Advisory for systemd (EulerOS-SA-2025-2342)****Summary**

The remote host is missing an update for the Huawei EulerOS 'systemd' package(s) announced via the EulerOS-SA-2025-2342 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: systemd-libs

Installed version: systemd-libs-249-43.h44.eulerosv2r12.x86_64

Fixed version: >=systemd-libs-249-43.h54.eulerosv2r12.x86_64

Vulnerable package: systemd

Installed version: systemd-249-43.h44.eulerosv2r12.x86_64

Fixed version: >=systemd-249-43.h54.eulerosv2r12.x86_64

Solution

Solution type: VendorFix

Please install the updated package(s).

Affected Software/OS

'systemd' package(s) on Huawei EulerOS V2.0SP12(x86_64).

Vulnerability Insight

A vulnerability was found in systemd-coredump. This flaw allows an attacker to force a SUID process to crash and replace it with a non-SUID binary to access the original's privileged process coredump, allowing the attacker to read sensitive data, such as /etc/shadow content, loaded by the original process.

A SUID binary or process has a special type of permission, which allows the process to run with the file owner's permissions, regardless of the user executing the binary. This allows the process to access more restricted data than unprivileged users or processes would be able to. An attacker can leverage this flaw by forcing a SUID process to crash and force the Linux kernel to recycle the process PID before systemd-coredump can analyze the /proc/pid/auxv file. If the attacker wins the race condition, they gain access to the original's SUID process coredump file. They can read sensitive content loaded into memory by the original binary, affecting data confidentiality.(CVE-2025-4598)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.

Details: Huawei EulerOS: Security Advisory for systemd (EulerOS-SA-2025-2342)

OID: 1.3.6.1.4.1.25623.1.1.2.2025.2342

References

URL:

<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2025-2342>

Low (CVSS: 3.8) (CVSS: 3.8)
NVT: Huawei EulerOS: Security Advisory for vim (EulerOS-SA-2024-2960)
Summary The remote host is missing an update for the Huawei EulerOS 'vim' package(s) announced via the EulerOS-SA-2024-2960 advisory.
Quality of Detection (QoD) 97%
Vulnerability Detection Result Vulnerable package: vim-minimal Installed version: vim-minimal-9.0-5.h15.eulerosv2r12.x86_64 Fixed version: >=vim-minimal-9.0-5.h17.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'vim' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight Vim is an open source, command line text editor. A use-after-free was found in Vim < 9.1.0764. When closing a buffer (visible in a window) a BufWinLeave auto command can cause an use-after-free if this auto command happens to re-open the same buffer in a new split window. Impact is low since the user must have intentionally set up such a strange auto command and run some buffer unload commands. However this may lead to a crash. This issue has been addressed in version 9.1.0764 and all users are advised to upgrade. There are no known workarounds for this vulnerability.(CVE-2024-47814) Vim is an improved version of the unix vi text editor. When flushing the typeahead buffer, Vim moves the current position in the typeahead buffer but does not check whether there is enough space left in the buffer to handle the next characters. So this may lead to the tb_off position within the typebuf variable to point outside of the valid buffer size, which can then later lead to a heap-buffer overflow in e.g. ins_typebuf(). Therefore, when flushing the typeahead buffer, check if there is enough space left before advancing the off position. If not, fall back to flush current typebuf contents. It's not quite clear yet, what can lead to this situation. It seems to happen when error messages occur (which will cause Vim to flush the typeahead buffer) in combination with several long mappings and so it may eventually move the off position out of a valid buffer size. Impact is low since it is not easily reproducible and requires to have several mappings active and run into some error condition. But when this happens, this will cause a crash. The issue has been fixed as of Vim patch v9.1.0697. Users are advised to upgrade. There are no known workarounds for this issue.(CVE-2024-43802)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for vim (EulerOS-SA-2024-2960) OID: 1.3.6.1.4.1.25623.1.1.2.2024.2960
References URL: https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2024-2960

Low (CVSS: 3.6) (CVSS: 3.6)

NVT: Huawei EulerOS: Security Advisory for coreutils (EulerOS-SA-2025-2002)

Summary

The remote host is missing an update for the Huawei EulerOS 'coreutils' package(s) announced via the EulerOS-SA-2025-2002 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: coreutils

Installed version: coreutils-9.0-6.h5.eulerosv2r12.x86_64

Fixed version: >=coreutils-9.0-6.h9.eulerosv2r12.x86_64

Solution

Solution type: VendorFix

Please install the updated package(s).

Affected Software/OS

'coreutils' package(s) on Huawei EulerOS V2.0SP12(x86_64).

Vulnerability Insight

A flaw was found in GNU Coreutils. The sort utility's begfield() function is vulnerable to a heap buffer under-read. The program may access memory outside the allocated buffer if a user runs a crafted command using the traditional key format. A malicious input could lead to a crash or leak sensitive data.(CVE-2025-5278)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.

Details: Huawei EulerOS: Security Advisory for coreutils (EulerOS-SA-2025-2002)

OID: 1.3.6.1.4.1.25623.1.1.2.2025.2002

References

URL:

<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2025-2002>

Low (CVSS: 2.6) (CVSS: 2.6)

NVT: Huawei EulerOS: Security Advisory for glib2 (EulerOS-SA-2025-2324)

Summary

The remote host is missing an update for the Huawei EulerOS 'glib2' package(s) announced via the EulerOS-SA-2025-2324 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: glib2

Installed version: glib2-2.72.2-5.h17.eulerosv2r12.x86_64

Fixed version: >=glib2-2.72.2-5.h23.eulerosv2r12.x86_64

Solution

Solution type: VendorFix

Please install the updated package(s).

Affected Software/OS 'glib2' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight A flaw was found in glib. An integer overflow during temporary file creation leads to an out-of-bounds memory access, allowing an attacker to potentially perform path traversal or access private temporary file content by creating symbolic links. This vulnerability allows a local attacker to manipulate file paths and access unauthorized data. The core issue stems from insufficient validation of file path lengths during temporary file operations.(CVE-2025-7039)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for glib2 (EulerOS-SA-2025-2324) OID: 1.3.6.1.4.1.25623.1.1.2.2025.2324
References URL: https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2025-2324

Low (CVSS: 2.1) (CVSS: 2.1)
NVT: Huawei EulerOS: Security Advisory for libssh (EulerOS-SA-2026-1073)
Summary The remote host is missing an update for the Huawei EulerOS 'libssh' package(s) announced via the EulerOS-SA-2026-1073 advisory.
Quality of Detection (QoD) 97%
Vulnerability Detection Result Vulnerable package: libssh Installed version: libssh-0.9.6-5.h6.eulerosv2r12.x86_64 Fixed version: >=libssh-0.9.6-5.h11.eulerosv2r12.x86_64
Solution Solution type: VendorFix Please install the updated package(s).
Affected Software/OS 'libssh' package(s) on Huawei EulerOS V2.0SP12(x86_64).
Vulnerability Insight A flaw was found in libssh's handling of key exchange (KEX) processes when a client repeatedly sends incorrect KEX guesses. The library fails to free memory during these rekey operations, which can gradually exhaust system memory. This issue can lead to crashes on the client side, particularly when using libgcrypt, which impacts application stability and availability.(CVE-2025-8277)
Vulnerability Detection Method Checks if a vulnerable package version is present on the target host. Details: Huawei EulerOS: Security Advisory for libssh (EulerOS-SA-2026-1073) OID: 1.3.6.1.4.1.25623.1.1.2.2026.1073
References URL:

References (continued)

<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2026-1073>

Low (CVSS: 1.7) (CVSS: 1.7)

NVT: Huawei EulerOS: Security Advisory for vim (EulerOS-SA-2025-1606)**Summary**

The remote host is missing an update for the Huawei EulerOS 'vim' package(s) announced via the EulerOS-SA-2025-1606 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: vim-minimal

Installed version: vim-minimal-9.0-5.h15.eulerosv2r12.x86_64

Fixed version: >=vim-minimal-9.0-5.h21.eulerosv2r12.x86_64

Solution

Solution type: VendorFix

Please install the updated package(s).

Affected Software/OS

'vim' package(s) on Huawei EulerOS V2.0SP12(x86_64).

Vulnerability Insight

A vulnerability classified as problematic was found in vim up to 9.1.1096. This vulnerability affects unknown code of the file src/main.c. The manipulation of the argument --log leads to memory corruption. It is possible to launch the attack on the local host. Upgrading to version 9.1.1097 is able to address this issue. The patch is identified as c5654b84480822817bb7b69ebc97c174c91185e9. It is recommended to upgrade the affected component.(CVE-2025-1215)

Vim, a text editor, is vulnerable to potential data loss with zip.vim and special crafted zip files in versions prior to 9.1.1198. The impact is medium because a user must be made to view such an archive with Vim and then press 'x' on such a strange filename. The issue has been fixed as of Vim patch v9.1.1198.(CVE-2025-29768)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.

Details: Huawei EulerOS: Security Advisory for vim (EulerOS-SA-2025-1606)

OID: 1.3.6.1.4.1.25623.1.1.2.2025.1606

References

URL:

<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2025-1606>

Low (CVSS: 1.7) (CVSS: 1.7)

NVT: Huawei EulerOS: Security Advisory for ncurses (EulerOS-SA-2025-2337)

Summary

The remote host is missing an update for the Huawei EulerOS 'ncurses' package(s) announced via the EulerOS-SA-2025-2337 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: ncurses-base
 Installed version: ncurses-base-6.3-5.h7.eulerosv2r12.noarch
 Fixed version: >=ncurses-base-6.3-5.h8.eulerosv2r12.noarch
 Vulnerable package: ncurses-libs
 Installed version: ncurses-libs-6.3-5.h7.eulerosv2r12.x86_64
 Fixed version: >=ncurses-libs-6.3-5.h8.eulerosv2r12.x86_64
 Vulnerable package: ncurses
 Installed version: ncurses-6.3-5.h7.eulerosv2r12.x86_64
 Fixed version: >=ncurses-6.3-5.h8.eulerosv2r12.x86_64

Solution

Solution type: VendorFix
 Please install the updated package(s).

Affected Software/OS

'ncurses' package(s) on Huawei EulerOS V2.0SP12(x86_64).

Vulnerability Insight

A vulnerability has been found in GNU ncurses up to 6.5-20250322 and classified as problematic. This vulnerability affects the function postprocess_termcap of the file tinfo/parse_entry.c. The manipulation leads to stack-based buffer overflow. The attack needs to be approached locally. Upgrading to version 6.5-20250329 is able to address this issue. It is recommended to upgrade the affected component.(CVE-2025-6141)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.
 Details: Huawei EulerOS: Security Advisory for ncurses (EulerOS-SA-2025-2337)
 OID: 1.3.6.1.4.1.25623.1.1.2.2025.2337

References

URL:
<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2025-2337>

Low (CVSS: 1.7) (CVSS: 1.7)

NVT: Huawei EulerOS: Security Advisory for openssh (EulerOS-SA-2025-1832)

Summary

The remote host is missing an update for the Huawei EulerOS 'openssh' package(s) announced via the EulerOS-SA-2025-1832 advisory.

Quality of Detection (QoD)

97%

Vulnerability Detection Result

Vulnerable package: openssh

Installed version: openssh-8.8p1-14.h21.eulerosv2r12.x86_64

Fixed version: >=openssh-8.8p1-14.h24.eulerosv2r12.x86_64

Vulnerable package: openssh-server

Installed version: openssh-server-8.8p1-14.h21.eulerosv2r12.x86_64

Fixed version: >=openssh-server-8.8p1-14.h24.eulerosv2r12.x86_64

Vulnerable package: openssh-clients

Installed version: openssh-clients-8.8p1-14.h21.eulerosv2r12.x86_64

Fixed version: >=openssh-clients-8.8p1-14.h24.eulerosv2r12.x86_64

Solution

Solution type: VendorFix

Please install the updated package(s).

Affected Software/OS

'openssh' package(s) on Huawei EulerOS V2.0SP12(x86_64).

Vulnerability Insight

In sshd in OpenSSH before 10.0, the DisableForwarding directive does not adhere to the documentation stating that it disables X11 and agent forwarding.(CVE-2025-32728)

Vulnerability Detection Method

Checks if a vulnerable package version is present on the target host.

Details: Huawei EulerOS: Security Advisory for openssh (EulerOS-SA-2025-1832)

OID: 1.3.6.1.4.1.25623.1.1.2.2025.1832

References

URL:

<https://developer.huaweicloud.com/intl/en-us/euleros/securitydetail.html?seclId=EulerOS-SA-2025-1832>