

Select-Icon-Activated





22

**The quick brown fox jumps over the...**











**Body / Heavy**

Four

**Large-1 / Light**

# Vertical Alignment

Each color also have 8 defined opacities in the system.

Opacity values are same for all colors and named with a T prefix as an abbreviation of transparent.

Color opacities, except black and white, are named with 4 digits; first 2 represent the color tone, second 2 represent the opacity of tone. Thus, its possible to create a blue T-7030 when a transparency of darker tone is needed.

Since there are no tones of black and white, only 2 digits used for their opacities.

3

5

Regular-Icon



56sec.

The library have 2 types of input styles with their states and default fill alternates.



Small-3 / Bold

**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**



S-60

Textarea-Icon



October

CATEGORY

31



**Blue**

Active

6

Slim-Complex



15

**Lorem ipsum dolor sit  
amet.**

48

60%

30

15-16

**Common & Icon-Only**

**Buttons**

8



Lorem ipsum dolor sit

Dropdown-Icon-Large





Invalid Input Text

13

7

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Fusce at dolor velit. Sed ultricies, massa quis iaculis laoreet, lorem nunc ullamcorper lacus, sed consequat quam justo quis est. Donec ut molestie ligula. Morbi leo leo, sagittis vestibulum libero id, congue feugiat ipsum. Suspendisse quis est turpis. Aliquam erat volutpat. Morbi accumsan ut risus et consequat. Donec eleifend turpis eu lacus tincidunt malesuada. Sed ut massa quis lectus sodales faucibus vel id eros. Nunc ullamcorper massa sed urna venenatis, eget tincidunt nibh ullamcorper. Interdum et malesuada fames ac ante ipsum primis in faucibus.



L-Horizonta

AGC7F1

**Hover**

Complex

Calendar

Placeholder Text



**Modal Title**



**Small-1 / Regular**

54

5

6

Widget

yellow

Pre-Built Organisms

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.

Each color have own frame styles  
with 6 different backgrounds.

Frame borders are in 1px inside base  
color with 50% transparency.





24

Default

Red



Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.







Et quidem faciunt, ut ratione  
neque disputatione, quam  
ostendis sed.





Lorem ipsum dolor sit amet,  
consectetur adipiscing elit. Fusce at  
dolor velit.

DB5DB5

Select the customized button and  
hit menu: Layer > Create Symbol.

**Lorem ipsum dolor sit  
amet.**

CATEGORY

CATEGORY





20

Two

Textarea-Icon-Smart

3

**Base Colors**

0060DB8





Your message

Mapathon

All same list molecule

Sed ultricies, massa quis iaculis  
laoreet, lorem nunc ullamcorper lacus,  
sed consequat quam justo quis est.

Sed ultricies, massa quis iaculis  
laoreet, lorem nunc ullamcorper lacus,  
sed consequat quam justo quis est.

Sed ultricies, massa quis iaculis  
laoreet, lorem nunc ullamcorper lacus,  
sed consequat quam justo quis est.

Lorem ipsum dolor...

Alii autem, quibus ego  
cum a natura ipsa natura  
incorrupte.



Component Naming

1

8

4

70%

Many molecules use asset and supplement atoms to extend their purpose and functionality.

Assets and supplements consist of one or more text boxes usually with an icon in different sizes.

Assets are primary content of a molecule; like a text box with an icon aligned to left. Supplements are secondary contents like a dropdown icon or chevron aligned to right even with a text box.

This structure allows to create a wide range of design pattern variations with only a few molecule symbols by overriding its atoms thus making project-wide changes so easy and fast.

T-5050

Text-Icon-Activated

24



Slim-Large



All colors have 6 layer styles for borders, including 3 inside border styles and their 10% filled variations.

**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.

231A02

# Green

Eight



E-5030

18

Destructive

**Lorem ipsum dolor sit  
amet.**

valid message

valid message

2

2

2

2

2

2

21

Lorem ipsum dolor...



Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.

Responsive Sidebar







5

Effect

Effect



5

Lorem ipsum dolor sit amet

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit. Fusce  
at dolor velit. Sed ultricies, massa  
quis iaculis laoreet, lorem nunc  
ullamcorper lacus, sed consequat  
quam justo quis est. Donec ut  
molestie ligula. Morbi leo leo,  
sagittis vestibulum libero id,  
congue feugiat ipsum.

Suspendisse quis est turpis.  
Aliquam erat volutpat. Morbi  
accumsan ut risus et consequat.  
Donec eleifend turpis eu lacus  
tincidunt malesuada. Sed ut massa  
quis lectus sodales faucibus vel id  
eros. Nunc ullamcorper massa sed  
urna venenatis, eget tincidunt nibh  
ullamcorper. Interdum et  
malesuada fames ac ante ipsum  
primis in faucibus.



DEERFO



T

=

2

0

Cite





9

**Small-1 / Light**

Omne animal, simul atque  
admonitionem altera  
occulta quaedam et aut.

Field helper

26



Dimension-Inverse



F1B6B6



August

Elavated

Gradient



norma

# Floating



Dolor sit amet

22

Drop down

Feb

Icon-Right

Text-Basic-Inactive

Lorem ipsum dolor sit amet, consectetur adipiscing elit.





Forms







13



# Making Buttons

Making Buttons







Card molecules also have a footer placeholder which extends their functionality further.

We can use footers for a wide range from adding a simple call to action to appending an extra content.

Footers have their own backgrounds which could be used to separate it from the cards content with a divider or giving some extra stylish look.



July

**Modal Title**

OOOE2O









56



Hover

Slim list items are pretty much same as regular list items but have no padding from left and right.

They can be pretty handy especially for web content like definition lists or search results with relevant assets.

The library provides form groups to save us insert field labels and helper assets separately.

All form groups have 2 variations named as smart and textarea.

Textarea groups are for giving a custom height to multiline fields.

Smart groups also could be used with smart textarea fields to set symbol height automatically to fit content using Sketch's smart layout feature.

# Textarea-Basic





Alii autem, quibus ego  
cum a natura ipsa natura  
incorrupte.

Same assets and supplements... same

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.

E = 70

# Assets & Supplements

**Form Groups**

State Name

Hiearchical-2



Default Field Label

2

5

5

14

1

6

6

February



27



4



31

Jane Smith

Jane Smith

Text Being Typed

22



Library have pre-build resizable card carousels for desktop and mobile screens with their start & end variations.

Carousels could be used directly from library by overriding the cards or made local for more customization.



Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.



13



1

3

6



5







Count-Basic-Large

Prick-per-wortica

15

11



30

List Items



Link

Link

Link

Link

Link

Link

Link

Link

S

17

Text Being Typed

9

same assets

Divi-diverse

Media





2

2

0

**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**

10



Count-Icon-Large

Field Labels





**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**

14:15





Atomic Approach



21



Lorem ipsum dolor sit amet





white

**Frame**









Styling Examples

Styling Examples

Vertical-Helper-Textarea

Quae fuerit causa, nollem me  
tamen laudandis maioribus  
meis corrupisti.

Light

May

Six

Six







**Large-1 / Heavy**

6

Vertical-Helper-Smart

Disabled Field Label

Complex-Large



Same assets and supplements...

S-50



FREEEO

# More With Buttons

**Lorem ipsum dolor sit  
amet.**

Basic-Think



All colors have 6 layer styles for lines, including 3 center border weights and their dashed variations.

24





16px pharagraph spacing

Library have separte text styles for  
various form inputs and their states.

Focused Input Text





31



12



Common Buttons for Custom Width

Text-Basic

FF4FB

27

FEFAF2





**Card corners could be customized by overriding background and image placeholder masks.**



Textarea-Smart-Icon

Fusce at dolor velit. Sed ultricies, massa quis iaculis laoreet, lorem  
nunc ullamcorper lacus, sed consequat quam justo quis est.

Two

4

2

White White White White

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Fusce at dolor velit. Sed ultricies, massa quis iaculis laoreet, lorem nunc ullamcorper lacus, sed consequat quam justo quis est. Donec ut molestie ligula. Morbi leo leo, sagittis vestibulum libero id, congue feugiat ipsum. Suspendisse quis est turpis. Aliquam erat volutpat. Morbi accumsan ut risus et consequat. Donec eleifend turpis eu lacus tincidunt malesuada. Sed ut massa quis lectus sodales faucibus vel id eros. Nunc ullamcorper massa sed urna venenatis, eget tincidunt nibh ullamcorper. Interdum et malesuada fames ac ante ipsum primis in faucibus.

T-5020

**Border**

**Border**



775707



**Lorem ipsum dolor sit  
amet.**

28



4

5



Send Email

Send Email





Action

CATEGORY

8

27

25

# Floating Label Fields

S





Select-Basic-Inactive

Example

Other

16

Cyan

**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**

26



3C2C04



Default

2



E-5080

EOF5F9

13



**Gray**

**Body / Regular**

Select-Basic

Color-Primary





Text-Basic-Activated

Looks good.

Looks good.



10

**Regular cards in large size with several assets.**



**Basic**

8



**Line**

**line**

**line**

**Getting Started**





And supplements...

Lorem ipsum dolor sit amet, consectetur  
adipiscing elit.

Vertical-Label-Textarea



Horizontal-Textarea

**Black**

5





Chenvron-Inversee

Activated Input Text

Four

Lorem ipsum dolor sit amet





**Large-2 / Regular**

T

=

1

0



B1

B1

B1

B1

B1

B1





17

Common cards don't have their own image placeholder but a card asset.

They have a slim (0px padding) version in addition to default (16px padding) and large (24px padding) sizes.



14

Each color have 8 shadow styles for different levels of elevation.

Base shadows don't have a fill, so they could be applied on layer groups as a symbol override.

There is a slight color overlay on contextual colors elevations.

Similar to opacities, shadows are named with 4 digits.

First 2 represent the color tone and second 2 represent the elevation level, which makes possible to create an elevation of light blue like E-2040.



**Cancel**



19

**Small-1 / Heavy**





**Large-3 / Bold**

The quick brown fox jumps over the lazy dog.



Top

S

Focused Input Text





Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.

There are 5 contextual button styles with their states.

The library also have 5 other button styles for custom needs.

Neumorphic buttons also created for experimental purposes by using Sketch specific shadow and layer blend features to use on any background color.

14



**Lorem ipsum dolor sit  
amet.**

Pre-Built Organisms

Bude

Seven

T

=

80

0

10

0



F4FBFD



#88888888 • rgba(136,136,136,0.8)

**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**

Message

Message

1

360C30

**44**

**Cards, even cards and notifications themselves could be used as tips by overriding background.**

Text-Center



Card Action

Hieararchical-6

1

# Smart Layout

Parent Page

Alii autem, quibus ego  
cum soluta nobis est  
primum igitur.

E-60





Same assets and supplements...

Common Fields

Common Fields

Common Fields

Common Fields

Common Fields



GroupHeader

GroupHeader

Dropdown-Basic-Small



Lorem ipsum dolor sit

**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**



**Lorem ipsum dolor sit**

**amet.**

5

Examples

Examples

Slim-Icon

26

53

53

Magenta

2



23

16



3

1



19

Focuses Field Labels

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit. Fusce at  
dolor velit.



Frame

**Large-3 / Light**

new - in

23





23

**Body / Light**



8

Sed ultricies, massa quis iaculis  
laoreet, lorem nunc ullamcorper  
lacus, sed consequat quam justo  
quis est.

12

Basic-Training

Count-Icon-Small





Default-Shade-1





4

3

4

3

4

3

**Lorem ipsum dolor sit  
amet.**

2

send Email

Single

15







Slim-Label

2

6

Because of customizing the background and content is so easy, the library provides only 2 tooltip symbols, which are basic and complex.

Basic tooltip has only a text box.

Complex tooltips use assets and have a dismiss button on top right corner.

Both tooltips have been set smart layout vertically, so overriding the text or asset resizes the tooltip to fit content automatically.

Lorem ipsum dolor sit amet

**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**

20

**Body**



FE3AB

13

Aenean sollicitudin elit tellus, nec  
fermentum ligula porta et.

Aenean sollicitudin elit tellus, nec

fermentum ligula porta et.

5

2

12/50

All same group molecule with different helper asset.

BASE



Invalid Input Text

Alpha

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Regular-Basic

28



Sed ultricies, massa quis iaculis  
laoreet, lorem nunc  
ullamcorper lacus, sed  
consequat quam justo quis est.

Placeholder Text



Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.



20

2

3

7





3

**Special Colors**



S

1





Placeholder Text

**Lorem ipsum dolor sit**

**amet.**

Gray

Gray

Default Input Text



Each color have own table styles  
with 6 different fills.

Table lines created by -1 px inner  
shadow on both axes in base color  
with 50% transparency.



Disabled

Loren ipsum

15-16

Body / Bold

# Calendars & Dropdowns







Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.

Library have some basic message and comment molecules which could be used directly by customizing overrides or made local for document for advanced customization.

All symbols have been set smart layout to vertically, so any text override will resize them to fit content automatically.

Symbol Name

S-40



4





2

W

1

3

There 4 pre-built modal organisms for both desktop and mobile screens.

Alerts have Sketch's smart layout setting to vertically middle, so, it always stay at the center of the page when the message text overridden.

Other windows dont have a smart layout setting, they could be set to any size.

Modal windows content asset also be overridden by any seymbol or set to none for a non-symbol content.

sim

# Button Styling

Hovered Field Label

Imaginary User



Default

**Inverse**

29

1970





19

Default-Airplane



Field helper



29

Text Being Typed



valid input Text

Disabled

Lorem ipsum dolor sit amet, consectetur...





**Shadow**

valid Field Label

T-5070

**Table**

300030



Seven



27

35%

S

E-5050

7





Green



Flotting

Medium

28

The library has a total of 252 basic text styles for using in components and design elements.

There are 8 font sizes including 1 base size, 4 larges and 3 smalls.

Most used sizes have 4 weights including regular, bold, heavy and light. The smallest 2 sizes have regular and bold weights only.

All of these have both horizontal and vertical alignment variations which makes a total of 9 for each.

These are the basic text styles which library provides for general purposes or wireframing.

Most likely, every project will have its own text styles with different font, weight and even colors.

Text styles in symbols can be overridden by custom text styles without any problem as long as they preserve the same line heights.

Different line heights may cause some vertical alignment problems in some symbols such as buttons and form fields.



A

=

T

O

P









Declarative

11

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Fusce at dolor velit. Sed ultricies, massa quis iaculis laoreet, lorem nunc ullamcorper lacus, sed consequat quam justo quis est. Donec ut molestie ligula. Morbi leo leo, sagittis vestibulum libero id, congue feugiat ipsum. Suspendisse quis est turpis. Aliquam erat volutpat. Morbi accumsan ut risus et consequat. Donec eleifend turpis eu lacus tincidunt malesuada. Sed ut massa quis lectus sodales faucibus vel id eros. Nunc ullamcorper massa sed urna venenatis, eget tincidunt nibh ullamcorper. Interdum et malesuada fames ac ante ipsum primis in faucibus.

**Button**



Other





31

13

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.



24

0.7

# Regular List Items





Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.

Hotspot


27

valid input Text

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.

# Table View Fields

**FOCUS**







Footer

9



We have a simple primary button.

Only icon and text label editable.

Botcon

31





**Lorem ipsum dolor sit  
amet.**

2

4

8

slim-small



19

Text-Right







Desaturator

GO UI Design System is aimed to create rapid UX & UI designs for large scale projects.

It can not be considered as a UI kit itself, instead, it helps to create consistent UI kits and manage them easily.

The system relies on Brad Forst's atomic design concept, Which uses atoms, molecules and organisms to replicate design patterns or create originals.

It combines the power of Sketch's styles and symbols to create highly functional components to be used along your design process in a wide range of needs.

Magenta







25







Activated Input Text

Certe, inquam, pertinax non ero tibi, si mihi probabis ea, quae sine causa, nollem me ab eo ortum, tam inportuno tamque crudeli; sin, ut earum motus et voluptates omittantur maiorum voluptatum deleniti atque admonitionem altera occulta quaedam et quasi involuta aperiri, altera prompta et aut.

S

Styles and symbols are named carefully for reducing the effort on navigating Sketch's flyout menus to minimum.

The hierarchy has been structured by taking the usage pattern and frequency into account, such as switching to contextual alternates or variations easy and fast.

R

=

I

n

**All same notification molecule**

6





Primary

Forms

50%



Black

**Background**

21





24

16

Disabled

**Progress Bar**

Six

Six

0

.

2

8







Slim



April

9

Field helper

16

6

**Base-3rd**



# Table of Contents

18



Lorem ipsum dolor sit amet, consectetur  
adipiscing elit. Fusce at dolor velit. Sed  
ultrices, massa quis iaculis laoreet,  
lorem nunc ullamcorper lacus, sed  
consequat quam justo quis est.

3

4

**Grid**

**Grid**

**Alternate Styling**





T

-

7

0

15

same assets

Utility Styles

List items are probably the most used molecules in the library in design process.

They could be used in a wide range of design needs such as iOS table views, sidebar navigations, dropdown menus and more.

They have 16px padding from left and right sides, their content is vertically aligned to middle (except header and footer) and heights set manually.

27





S

Fusce at dolor velit. Sed ultricies,  
massa quis iaculis laoreet, lorem  
nunc ullamcorper lacus, sed  
consequat quam justo quis est.  
Donec ut molestie ligula.

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.

Placeholder Text

7

7

7

7

7

Eight

Eight

Eight

**Large-3 / Regular**

30



OC300C

Text-Icon-Left

25



15

Hovered Input Text

4

28





BEER 1

28

Library provides 3 iOS style table view field symbols and their slim (0px padding) versions.

All fields have placeholder and typing cursor foundations.

Input text also move along the label text like cursors using Sketch's smart layout feature.

E-50

3

4

1

7

5

F

1

7

Hover



**Button Texts**

Hieararchical-3

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.



29

Deactivative

3000DB

Lorem ipsum dolor sit amet





3

7

# Dropdown-Basic

F

4

F

B

F

4



EB78DB

1

Disabled Input Text



Gradient

23

20

1

Textarea-Basic-Smart





14





30

There are some special named colors defined with a name in the system for specific uses.

Base is the main background color of library which is set to white.

2nd and 3rd colors are for giving a small distinction to elements from background or siblings such as alternating table rows, highlighted cards etc.

Color-Divider is specially picked to use on both dark and light backgrounds. It is used in components such as list items, table rows, some headers etc. They can be altered if use on different colors is necessary.

Naming these colors as black and white or light and dark have been avoided, because of a Sketch document may switch between two or more libraries for color themes such as light and dark.

10

11

**FOCUS**

Cyan

Regular



**Large-3 / Heavy**

9

The library also has some specific list item molecules.

Hierarchical lists useful for subnavigations or any other hierarchical contents.

Swipe lists contain another list molecule which could be overridden to match to other items in the list.

other useful Molecules

17

white

95%

The library provides Material style floating label form fields.

Each floating label fields has inactive and activated state symbols separately.

Inactive states has mandatory foundations which moves along the label text using Sketch's smart layout feeature.

All active state symbols except select fields have placeholder cursor foundation at the beginning of the input text.

Text fields also have a typing cursor foundation which moves along the input text using Sketch's snart layout feature.





Textarea-Smart

December

Active

**Basic Text**

Destructive - Disabled

Filter








29

Text styles

Omne animal, simul atque  
admonitionem altera  
occulta quaedam et aut.

Same assets

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.







# Heading 1



11

Text Styles



31







14

T-5040



**F**

1

6



E-5020

BoId



Lorem ipsum dolor sit amet,  
consectetur adipiscing elit. Fusce  
at dolor velit.

26



Valid

10

9

# Using Spinners Instead of Icons



Library also have some utility layer styles to use mostly outside UI such as style guides, spec documents, diagrams etc.

Desaturator desaturates any color behind it.

Image placeholder is filled with a transparent image file. Any layer with this style in components can be overridden with real images during design process.



Text-Icon-Right

Details

And supplements...



1970

S-30

**Lorem ipsum dolor sit amet,**

**consectetur adipiscing elit.**







3

6

## Heading 2

16

Sed ultricies, massa quis iaculis  
laoreet, lorem nunc ullamcorper  
lacus, sed consequat quam justo  
quis est.

Sed ultricies, massa quis iaculis  
laoreet, lorem nunc ullamcorper lacus,  
sed consequat quam justo quis est.

Sed ultricies, massa quis iaculis  
laoreet, lorem nunc ullamcorper lacus,  
sed consequat quam justo quis est.



Sed ultricies, massa quis iaculis laoreet, lorem  
nunc ullamcorper lacus, sed consequat quam justo  
quis est.

Sed ultricies, massa quis iaculis laoreet, lorem  
nunc ullamcorper lacus, sed consequat quam  
justo quis est.

Sed ultricies, massa quis iaculis  
laoreet, lorem nunc ullamcorper  
lacus, sed consequat quam justo  
quis est.

Sed ultricies, massa quis iaculis  
laoreet, lorem nunc ullamcorper  
lacus, sed consequat quam justo  
quis est.

Sed ultricies, massa quis iaculis  
laoreet, lorem nunc ullamcorper  
lacus, sed consequat quam justo  
quis est.

Sed ultricies, massa quis iaculis  
laoreet, lorem nunc ullamcorper  
lacus, sed consequat quam justo  
quis est.

Sed ultricies, massa quis iaculis  
laoreet, lorem nunc ullamcorper  
lacus, sed consequat quam justo  
quis est.

Sed ultricies, massa quis iaculis  
laoreet, lorem nunc ullamcorper  
lacus, sed consequat quam justo  
quis est.



Field Labels / Optional

Placeholder Text

GOVIDesignSystem

16

Field helper

Default

8





The quick brown fox jumps over the lazy dog.

29

Sunt autem quidam e  
nostris, qui officia  
deserunt mollitia animi.

7

**Lorem ipsum dolor sit  
amet.**

**Large-4 / Bold**

**Blue**

**Modal Title**



28

Some Examples

21





September

2

0

Blur-Inverse







200710

27

Three

Three

Count-Basic

25

2

3





# Heading 3



**Lorem ipsum dolor sit  
amet.**

Dropdown-Basic-Large

# Do Anything With Complex Buttons

40

Icon-Right-Large



1

7

5

F

6

B

Small

Normal

All colors have 8 gradient styles for general purposes. 4 Angulars (to both directions), 2 Linears and 2 Radials.



**Large-2 / Light**

26





Lorem ipsum dolor sit amet

18





50%

Lorem ipsum dolor sit amet, consectetur adipiscing elit.



#FFFFFF • rgba(255,255,255,1)



8

26

Jane Smith





Media-Removable

1

8

Valid Message

Valid Message





**FEB**

Primary

Invalid message

Symbol Default

19

Annative





# Destructive Buttons

## Heading 4



**Lorem ipsum dolor sit  
amet.**

**Lorem ipsum dolor sit  
amet.**





L-*verticalis*



Same assets

Icon-Removable

F1B6E9

Basic





Lorem ipsum dolor sit amet,  
consectetur adipiscing elit. Fusce  
at dolor velit. Sed ultricies, massa  
quis iaculis laoreet, lorem nunc  
ullamcorper lacus, sed consequat  
quam justo quis est. Donec ut  
molestie ligula. Morbi leo leo,  
sagittis vestibulum libero id,  
congue feugiat ipsum.

Suspendisse quis est turpis.  
Aliquam erat volutpat. Morbi  
accumsan ut risus et consequat.  
Donec eleifend turpis eu lacus  
tincidunt malesuada. Sed ut massa  
quis lectus sodales faucibus vel id  
eros. Nunc ullamcorper massa sed  
urna venenatis, eget tincidunt nibh  
ullamcorper. Interdum et  
malesuada fames ac ante ipsum  
primis in faucibus.





Object

Cards





1

9

Widget-Left



Lorem ipsum dolor sit amet



Lorem ipsum dolor sit amet,  
consectetur adipiscing elit. Fusce at  
dolor velit. Sed ultricies, massa quis  
iaculis laoreet

# Specific List Items







Count-Basic-Small

Middle

18



**Secondary**

Laudem et molestiae non  
intellegamus, tu paulo ante cum  
teneam.

071C07

Primary

Focused Input Text

Sizes

Sizes

2

5

5

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Fusce at dolor velit. Sed ultricies, massa quis iaculis laoreet, lorem nunc ullamcorper lacus, sed consequat quam justo quis est. Donec ut molestie ligula. Morbi leo leo, sagittis vestibulum libero id, congue feugiat ipsum. Suspendisse quis est turpis. Aliquam erat volutpat. Morbi accumsan ut risus et consequat. Donec eleifend turpis eu lacus tincidunt malesuada. Sed ut massa quis lectus sodales faucibus vel id eros. Nunc ullamcorper massa sed urna venenatis, eget tincidunt nibh ullamcorper. Interdum et malesuada fames ac ante ipsum primis in faucibus.



Color-Secondary

The symbols library provide, mostly need customizatons for a complete elegant design.

It's possible to create a new symbol without detaching it from the library after customizing its components and styles by overriding.

The main advantage of this method is, editing a symbol in the library also syncs the project document as well.

This may cause some minor performance disadvantage because of using too many nested symbols in design.

On the other hand, for more advanced customization and better performance, we can make the symbol local for document by detaching it from the library.

By this way, making a change in the library will not be reflected to the project as a disadvantage.

Lastly, and may be the most efficient way is using the Symbol States plugin.

This plugins saves the overrides of a symbol as a state and makes possible to quickly apply that state to other instances of the symbol when need to use.

Plugin can be downloaded from:  
<https://github.com/ozgurgunes/Sketch-Symbol-States>

Each color have own divider styles  
with 6 different fills.

Divider lines created by -1 px inner  
shadow on Y axis in base color with  
50% transparency.

S

Done

GroupHeader

GroupHeader

# Heading 5

Lorem ipsum dolor sit amet



Destructive

29

**Small-2 / Regular**

Regular cards wraps an image placeholder adjacent to edges and a card asset with padding.

They have 3 image alignment and 2 padding options for each. Defaults have 16px padding and larges have 24px padding with a slight larger images.



T

=

60

0

29

17



1

Grid

CATEGORY





November

Filter

**Basic-zone**



The library have several calendar and dropdown organisms for a quick use, more as a foundation.

Because of its hard to customize complex organisms like calendars, they could be made local and customized directly on the local symbol.

071020

Primum igitur, quid sit  
numeranda nec voluptas  
nulla pariat? at.

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.

FOB10

4

29

**Lorem ipsum dolor sit  
amet.**



Set the new buttons smart layout  
and override management.

1

3

6



Active



25

FFFFFFEB3

Lorem ipsum dolor sit amet, consectetur adipiscing elit.







E-40

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit. Fusce at  
dolor velit.

**Lorem ipsum dolor sit amet,**

**consectetur adipiscing elit.**

F5C B63



6



17

1

30





2

Sunt autem vel eum iure  
reprehenderit, qui haec  
ratio late.





# Icon-Only Buttons

2

6

# Heading 6

5

Hieararchical-0

W



Lorem ipsum dolor sit amet,  
consectetur adipiscing elit. Fusce at  
dolor velit.





1

16

#000000FF • rgba(0,0,0,1)

9

Button Action

**List - Numbered**

Default



30

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.

Attentive

12

Five

Five

Five

10



T-5010



Alarm Alarm Alarm

Lorem ipsum dolor sit amet



Default-Shade-2



30

Blue

Blue





31

Select-Icon



**A Single Common Card With Several Assets**



Complex-Small



**Small-1 / Bold**



Library doesn't have progress bar symbols but the steps.

There are 2 types of progress bar steps, thumb and pill, with their state variations.

Thumb steps have their own lines in both sides which could be hidden for first and last ones by overriding their styles.

Pill steps could be used in front of a line such as split background atom.

The library also provides simple bar symbols to simulate every steps in 10:10 or 12:12 ratios.

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.

**Sim List Items**



F2F6FD

Swipe-Action-Delete



85%



Textarea-Basic-Activated

Text Being Typed

Color System

# Supplement

Invalid Input Text





25



17



Details



30

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

**chips**

**chips**

**chips**

**Cancel**



S

E-5070

#D83030FF • rgba(216, 48, 48, 1)

# Table of Contents

<https://pixabay.com/users/stevepb-282134/>

W











F8 F8 F8







30

Same assets same assets



3

A total of 9 base colors have been defined in the system, including black, white and 7 contextual colors.

Color tones are created by adding blacks and whites on a base color.

Each color except black and white has 8 tones including 1 base color, 3 dark tones and 4 light tones.


The black and white opacity values added to the base color shown on the color wheels.

Tones are named in multiples of 10 with 50 being the base color and an S prefix as abbreviation of solid.

This allows to create semitones like S-35 whether needed.

Colors also have an alternate contextual name used in components such as alerts, buttons, form fields etc.

21



19

Don't Fight  
Field Labels

S-20

Destructive Action



Chervron-Defaut

25



Layer Styles

**Inverse-Shadow-2**

Quid ex eo ortum, tam inportuno tamque crudeli; sin, ut summo bono, dolorem ipsum, quia voluptas assumenda est, qui officia deserunt mollitia animi, id est et argumentandum et quale sit id, de homine sensibus reliqui nihil ut alterum esse admonere interesse enim ipsam voluptatem, quia.

78BD578

#88888800 • rgba(136, 136, 136, 0.5)



**Backgrounds**

**Despite a bit timing, more options are possible by using double or background.**





Normal

Dropdown-Icon-Small

18

Basic-Removable







# Making a Primary Button Symbol by Nesting

23

W

EDEDEDE

**Lorem ipsum dolor sit  
amet.**

Responsive Column





**Lorem ipsum dolor sit  
amet.**



Icon-Right-Small

Large

Default

2

6

12



Lorem ipsum dolor sit amet,  
consectetur adipiscing elit. Fusce  
at dolor velit.





Some Areas of Use

Some Areas of Use

Some Areas of Use

21

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.

Tip message.





17





**Inverse-BASE**

24





10



Invalid Message

SpecMarker



Textarea-Basic-Inactive

# State Styling

**Lorem ipsum dolor sit  
amet.**

1

2

**Modal Title**



Line-Track

- The quick brown fox jumps over the lazy dog.



9

One

one

one

**Large-2 / Heavy**

15-16









20



All same card molecule





Default



Invalid Input Text

8

12

o.gunes@ognmail.com

Extra Bold

6

22

**Bold**



3

3

Header

**Asset & Supplement**



Details



Icon-Left

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit. Aenean  
sollicitudin elit tellus...



PlaceholderText

FEB

2

Library also provides common and icon-only buttons.

These buttons don't have any smart layout settings, so can be used in any size.

Complex buttons use assets and supplements, so they are highly customizable to use in a wide range of custom button needs.

**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**

**Lorem ipsum dolor sit amet,**

**consectetur adipiscing elit.**



Buttons



0060DB8





Text-Icon-Inactive

**Lorem ipsum dolor sit  
amet.**

Card Action



21



Basic-Large



In quo ignorare vos arbitrer,  
sed quia consequuntur magni  
dolores.

The library provides classic outlined form fields in 3 sizes.

Each field type has an icon version aligned to left.

Text fields have right icon and text align versions.

All fields except select fields have a placeholder cursor foundation to simulate focus state.

Jane Smith

Jane Smith



common

10



Floating-Textarea

Lorem ipsum dolor sit amet

Dropdown-Icon

26

Text Being Typed

2

2

2

2

2

2



Your message



T-50

4

2

5

5





17



7



Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.

Call to Action

The library also have separate text styles for long text contents such as articles and blog posts.

These styles are named according to their HTML equivalents and have little more line heights than basic texts to provide better readability.

#0060D859 • rgba(0,96,216,0.35)

15

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16











**Blockquote**

Lorem ipsum dolor sit amet



11

1

3

6

color

15



Left

column

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.

**F**

E-30

4

Library have separate text styles for various button types and their disabled states.

31





Select-Basic-Activated

Icon-Left-Small

**Opacities**

**Opacities**

FREE OF F5



12

Count-Icon



Hiearchical-4





**Lorem ipsum dolor sit  
amet.**

Color System



1

5





Library have 3 type of chip molecules with their removable alternates.

The customizable structure of chips make them possible to be used in a wide range of cases such as tags, badges, selection options, filtering criterias etc.

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.

F

D

F

4

F

4

3

2

T-5060

Alert Title

Alert Title

Alert Title



0.5



Notification Title

Notification Title

SearchCriteria

E-5040



7





Focus



2

3

7

W

**Customizing Symbols**

Lorem ipsum dolor sit

List Items

3

In oculis quidem se ipsam  
voluptatem, quia consequuntur  
magni dolores.

002F6B



Field helper

Five

Five







**F**



3

6



Placeholder Text

# Other Useful Molecules



Black Black Black Black


Category Page



Default - Disabled

200707





Field helper

**Lorem ipsum dolor sit  
amet.**



and supplements...

Lorem ipsum dolor sit amet, consectetur  
adipiscing elit. Fusce at dolor velit. Sed  
ultrices, massa quis iaculis laoreet.

**Paragraph**

semiBold



1

Green

Textarea-Icon-Activated

Sunt autem vel eum iure  
reprehenderit, qui haec  
ratio late.

**Default**

#FFFFFF59 • rgba(255, 255, 255, 0.35)

valid input Text





Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.

W

Card Carousels



29

14



Lorem ipsum dolor sit amet



**Tootips**

6

B

1

7

1

7

**Lorem ipsum dolor sit  
amet.**

S = 10



Buttons



**F**



Cyan Cyan Cyan Cyan

Focused

**Large-4 / Light**

CATEGORY

CATEGORY

Text Being Typed









Lorem ipsum dolor sit amet, consectetur  
adipiscing elit.

Three

Three

Three



Canceled

Lorem ipsum dolor sit amet, consectetur adipiscing elit.



Library have 4 notification symbols to use in various cases.

Basic notification, which doesn't have an asset but text box, could be used to display simple feedback messages.

Others use assets to make notification content richer and customizable.

There is a notification symbol with section footer molecule which could be used for converting notification panel to a simple alert dialog.

Tint assets also could be used to give the notification panel a more stylish look using dark contextual text colors, which are not exist as a text style in the library.

360000





Alternata

Lorem ipsum dolor sit

**Common Fields**

40



S-80

30



Magenta Magenta Magenta Magenta

Dashhead - Train

**Large-1 / Regular**

Activated Input Text

3

Five

Five

Five

**Default View**

31



34

**List - Bulleted**

2

4

8

Card Action

Lorenzini's undolor

15

18

18

A-Botcom



Card Action

Yellow

Card Footers

**Lorem ipsum dolor sit  
amet.**

Delete

10



informative



Friedland \*  
Ladbei



**Smart Buttons**

12

1

#00000033 • rgba(0,0,0,0.2)

**Common Cards**

7



One

one

And supplements... And supplements...

3

Gray

7

15

All same calendar molecule

Some footer usage examples for cards.



**Asset**



20





informative



BEERBG



36

Cards

**Large-1 / Bold**

#000000B3 • rgba(0,0,0,0.7)

6



13

**Inverse-Alpha**



Lorem ipsum dolor sit amet,  
consectetur adipiscing elit. Fusce  
at dolor velit. Sed ultricies, massa  
quis iaculis laoreet, lorem nunc  
ullamcorper lacus, sed consequat  
quam justo quis est. Donec ut  
molestie ligula. Morbi leo leo,  
sagittis vestibulum libero id,  
congue feugiat ipsum.

Suspendisse quis est turpis.  
Aliquam erat volutpat. Morbi  
accumsan ut risus et consequat.  
Donec eleifend turpis eu lacus  
tincidunt malesuada. Sed ut massa  
quis lectus sodales faucibus vel id  
eros. Nunc ullamcorper massa sed  
urna venenatis, eget tincidunt nibh  
ullamcorper. Interdum et  
malesuada fames ac ante ipsum  
primis in faucibus.

31

Notification Title

Notification Title

Notification Title

Notification Title

Notification Title

Notification Title

Notification Title

Notification Title

Notification Title

16

3

9

**Divider**



EB7878



Four



26





**Field Styling**

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.

Select-Icon-Inactive





13

Red



**Regular cards in default size with several assets.**

Hovered Input Text

Placeholder Text

Smart









Small-2 / Bold

22

5



Disabled Input Text



Vertical-Label-Smart



Sed ultricies, massa quis iaculis  
laoreet, lorem nunc ullamcorper  
lacus, sed consequat quam justo  
quis est.

Library have 2 types of smart buttons, regular and slim, and 3 sizes of them.

It doesn't have contextual buttons like primary or ghost nor their states like disabled or hover as symbols.

Instead of this, it makes styling the buttons very easy for any contextual needs.

Slim buttons are ideal for tab bars toolbars.

Sed ultricies, massa quis iaculis  
laoreet, lorem nunc ullamcorper  
lacus, sed consequat quam justo  
quis est.

Sed ultricies, massa quis iaculis  
laoreet, lorem nunc ullamcorper  
lacus, sed consequat quam justo  
quis est.

Textarea-Icon-Inactive





Current Page



12

FCF3DB

3

10

T

=

4

0

Default





001836

4

3





Child Page

T-5030

Lorem ipsum dolor sit amet, consectetur adipiscing elit.



Notification Title

Notification Title



D83030



E-5010

**Input**

**Lorem ipsum dolor sit  
amet.**

2



20%

E-20



Certe, inquam, pertinax  
non quo aut in malis dolor,  
non.



25

1

1

24



Floating-Smart

**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**

Common Common

Divider

5997EB









Hiearchical-1

Dashed-Thick

Vertical-Default-Textarea



Same assets and supplements...

1

1

Horizontal-Smart

Placeholder Text



Dashed-zone

1

**F**

23

Default Default Default Default Default

Symbol Defaults

Symbol Defaults



78DBEB





Slim-Basic

5

Disabled Input Text

2

0

Placeholder Text

Placeholder, Typing





One

one

one

Dashed

2

3

7



DB30CC

19

1

4

1

4

1

4

OOOOOOB3



Atomic Approach

Bottom



Color-Chenvron

Notification Title

**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**







F8 F8 F8

S

Base-2nd

**F**



Placeholder Text



Lorem ipsum dolor sit amet,  
consectetur adipiscing elit. Fusce  
at dolor velit.



14



And supplements...



2



18

Vertical-Default-Smart



23



Placeholder Text

**Large-4 / Regular**



1







Lorem ipsum dolor sit amet



27

11

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.

Basic-Small



Focused



**Modals**

**Modals**

# Regular Cards

# Messages & Comments





Type something

<https://unsplash.com/@ashata>

46



# Field Constraints



1

9

Six

Six

Button background and text styles are named specially to make overrides in a quick way.

You can generate 5 contextual buttons and their 5 states very fast and easy.

**Large-4 / Heavy**

Lightstairic

# Floating Label Fields





**Code**



S = 70

Right

30

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.

38



**KEEP SYMBOL MASTERS ON THIS PAGE!**

22

Activated Field Labels

Alert Title

#D8303059 • rgba(216,48,48,0.35)

Article Text

Automatic

Lorem ipsum dolor sit amet



20

Seven



Özgür Güneş

Swipe-Delete

3

2

4

8

4





You can override button background symbol to create different types of buttonsets very fast.

You can use flat buttons in a tab bar with spacing, or use regular buttons for contiguous tabs by overriding their backgrounds symbols to base or none.

Buttons named “common” don’t use Sketch’s smart layout feature. You can use them for giving a custom width to your buttons.

Complex buttons use assets and supplements. Usage areas of those are totally up to your imagination.

6

B

1

7

5

F

All field states could be easily applied by overriding fields background and input text styles.

Supplements could be used to add an icon for feedback on some states such as invalid.

Placeholder

3



Default Input Text



22

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.

S

**BaSe**

29

March

50

Same assets same assets



**Lorem ipsum dolor sit  
amet.**



88888847

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit. Fusce at  
dolor velit.

16

Lorem ipsum dolor sit amet,

consectetur adipiscing elit.

2

1

6

**Lorem ipsum dolor sit**

**amet.**



Ghost Buttons

**Lorem ipsum dolor sit  
amet.**

18



Link - Disabled



20

20













24

Widget-Large

Default-Base





2

Janne Smith

Selected Option

8



Icon

The library provides several functional background atoms to make molecules, organisms and templates highly customizable with symbol overrides.

It is possible to change a components corner radius, mixing gradients, adding shadows or even create new colors with just overriding and styling the background atom of it.







Dropdown-Large

19





4

20

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit. Fusce  
at dolor velit. Sed ultricies, massa  
quis iaculis laoreet, lorem nunc  
ullamcorper lacus, sed consequat  
quam justo quis est. Donec ut  
molestie ligula. Morbi leo leo,  
sagittis vestibulum libero id,  
congue feugiat ipsum.

Suspendisse quis est turpis.  
Aliquam erat volutpat. Morbi  
accumsan ut risus et consequat.  
Donec eleifend turpis eu lacus  
tincidunt malesuada. Sed ut  
massa quis lectus sodales  
faucibus vel id eros. Nunc  
ullamcorper massa sed urna  
venenatis, eget tincidunt nibh  
ullamcorper. Interdum et  
malesuada fames ac ante ipsum  
primis in faucibus.



Lorem ipsum dolor sit amet, consectetur...

1.56 MB

22

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.

Field helper

T

=

3

0

Red

Red

Red







49

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit. Fusce at  
dolor velit.

14

Icon-Left-Large

A - Left

T-5080

**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**



**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**



**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**



**Lorem ipsum dolor sit amet, consectetur  
adipiscing elit.**

**Lorem ipsum dolor sit amet, consectetur  
adipiscing elit.**

**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**

CATEGORY



E-5060

**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**

**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**

**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**



**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**

**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**

Utility



June



secondary

3

2

Card Action

29

16

Disabled





E=10









ghost





OC3036

Placeholder Text

**Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.**

Delete

Regular-Label

Download Now

# Primary Buttons

Hiearchical-5



There are 53 defined layer styles for using to set a quick background to elements and components.

Divider, post and table styles use 1px inner shadow in Divider Color.

Placeholder Text

Indicator

S

100%

**Cursor**



Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.



Lorem ipsum dolor sit amet,  
consectetur adipiscing elit. Fusce  
at dolor velit.

Two

Two

33

33

33

E-80



28

3

Aenean sollicitudin elit tellus, nec  
fermentum ligula porta et.





28



A-Right

Invalid

5

3



25



7

31



1

0

EOF5EO

Eight

Eight

Eight

Three

Three

Three

Gray





9

THIS PAGE SHOULD STAY EMPTY TO AVOID DUPLICATES!

IF THERE ARE ANY SYMBOL MASTER ON THIS PAGE, IT IS MOST  
LIKELY BEEN COPIED AND PASTED FROM ANOTHER DOCUMENT.

Resend in

5

23

#0060DD8FF • rgba(0,96,216,1)

2

8





21







CATEGORY















secondary

**Notificatiōns**







Each color have own post styles with 6 different fills.

Post lines created by -1 px inner shadow on X axis in base color with 50% transparency.

Common Buttons

Common Buttons

PT

M

O

n

O

18

**Small-3 / Regular**

**Inverse**

4

3

4

3

4

3

R-out



and supplements...

**Large-2 / Bold**



Card Action



Tooltip Title

1. The quick brown fox jumps over the lazy dog.





Widget-Small

Content Tag



16

